

# Computer algebra independent integration tests

4-Trig-functions/4.2-Cosine/4.2.3.1-a+b-cos<sup>m</sup>-c+d-cos<sup>n</sup>-A+B-cos-

Nasser M. Abbasi

May 18, 2020

Compiled on May 18, 2020 at 12:05 Noon

## Contents

|          |   |            |
|----------|---|------------|
| <b>1</b> | <b>Introduction</b>   | <b>3</b>   |
| 1.1      | Listing of CAS systems tested . . . . .                                       | 3          |
| 1.2      | Results . . . . .   | 3          |
| 1.3      | Performance . . . . .   | 5          |
| 1.4      | list of integrals that has no closed form antiderivative . . . . .            | 6          |
| 1.5      | list of integrals solved by CAS but has no known antiderivative . . . . .     | 6          |
| 1.6      | list of integrals solved by CAS but failed verification . . . . .             | 6          |
| 1.7      | Timing . . . . .  | 7          |
| 1.8      | Verification . . . . .  | 7          |
| 1.9      | Important notes about some of the results . . . . .                           | 7          |
| 1.10     | Design of the test system . . . . .   | 9          |
| <b>2</b> | <b>detailed summary tables of results</b>                                     | <b>11</b>  |
| 2.1      | List of integrals sorted by grade for each CAS . . . . .                      | 11         |
| 2.2      | Detailed conclusion table per each integral for all CAS systems . . . . .     | 15         |
| 2.3      | Detailed conclusion table specific for Rubi results . . . . .                 | 108        |
| <b>3</b> | <b>Listing of integrals</b>   | <b>123</b> |
| 3.1      | $\int \cos^3(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx$ . . . . .    | 123        |
| 3.2      | $\int \cos^2(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx$ . . . . .    | 127        |
| 3.3      | $\int \cos(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx$ . . . . .      | 130        |
| 3.4      | $\int (a + a \cos(c + dx))(A + B \cos(c + dx)) dx$ . . . . .                  | 133        |
| 3.5      | $\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec(c + dx) dx$ . . . . .     | 136        |
| 3.6      | $\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^2(c + dx) dx$ . . . . .   | 139        |
| 3.7      | $\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^3(c + dx) dx$ . . . . .   | 142        |
| 3.8      | $\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^4(c + dx) dx$ . . . . .   | 145        |
| 3.9      | $\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^5(c + dx) dx$ . . . . .   | 149        |
| 3.10     | $\int \cos^3(c + dx)(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx$ . . . . .  | 153        |
| 3.11     | $\int \cos^2(c + dx)(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx$ . . . . .  | 157        |
| 3.12     | $\int \cos(c + dx)(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx$ . . . . .    | 161        |
| 3.13     | $\int (a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx$ . . . . .                | 164        |
| 3.14     | $\int (a + a \cos(c + dx))^2(A + B \cos(c + dx)) \sec(c + dx) dx$ . . . . .   | 167        |
| 3.15     | $\int (a + a \cos(c + dx))^2(A + B \cos(c + dx)) \sec^2(c + dx) dx$ . . . . . | 170        |
| 3.16     | $\int (a + a \cos(c + dx))^2(A + B \cos(c + dx)) \sec^3(c + dx) dx$ . . . . . | 173        |
| 3.17     | $\int (a + a \cos(c + dx))^2(A + B \cos(c + dx)) \sec^4(c + dx) dx$ . . . . . | 177        |
| 3.18     | $\int (a + a \cos(c + dx))^2(A + B \cos(c + dx)) \sec^5(c + dx) dx$ . . . . . | 181        |

|      |  |     |
|------|--|-----|
| 3.19 | $\int \cos^2(c+dx)(a+a\cos(c+dx))^3(A+B\cos(c+dx))dx$          | 185 |
| 3.20 | $\int \cos(c+dx)(a+a\cos(c+dx))^3(A+B\cos(c+dx))dx$            | 189 |
| 3.21 | $\int (a+a\cos(c+dx))^3(A+B\cos(c+dx))dx$                      | 193 |
| 3.22 | $\int (a+a\cos(c+dx))^3(A+B\cos(c+dx))\sec(c+dx)dx$            | 197 |
| 3.23 | $\int (a+a\cos(c+dx))^3(A+B\cos(c+dx))\sec^2(c+dx)dx$          | 201 |
| 3.24 | $\int (a+a\cos(c+dx))^3(A+B\cos(c+dx))\sec^3(c+dx)dx$          | 205 |
| 3.25 | $\int (a+a\cos(c+dx))^3(A+B\cos(c+dx))\sec^4(c+dx)dx$          | 209 |
| 3.26 | $\int (a+a\cos(c+dx))^3(A+B\cos(c+dx))\sec^5(c+dx)dx$          | 213 |
| 3.27 | $\int (a+a\cos(c+dx))^3(A+B\cos(c+dx))\sec^6(c+dx)dx$          | 217 |
| 3.28 | $\int \cos^2(c+dx)(a+a\cos(c+dx))^4(A+B\cos(c+dx))dx$          | 221 |
| 3.29 | $\int \cos(c+dx)(a+a\cos(c+dx))^4(A+B\cos(c+dx))dx$            | 226 |
| 3.30 | $\int (a+a\cos(c+dx))^4(A+B\cos(c+dx))dx$                      | 230 |
| 3.31 | $\int (a+a\cos(c+dx))^4(A+B\cos(c+dx))\sec(c+dx)dx$            | 234 |
| 3.32 | $\int (a+a\cos(c+dx))^4(A+B\cos(c+dx))\sec^2(c+dx)dx$          | 238 |
| 3.33 | $\int (a+a\cos(c+dx))^4(A+B\cos(c+dx))\sec^3(c+dx)dx$          | 242 |
| 3.34 | $\int (a+a\cos(c+dx))^4(A+B\cos(c+dx))\sec^4(c+dx)dx$          | 246 |
| 3.35 | $\int (a+a\cos(c+dx))^4(A+B\cos(c+dx))\sec^5(c+dx)dx$          | 250 |
| 3.36 | $\int (a+a\cos(c+dx))^4(A+B\cos(c+dx))\sec^6(c+dx)dx$          | 254 |
| 3.37 | $\int (a+a\cos(c+dx))^4(A+B\cos(c+dx))\sec^7(c+dx)dx$          | 258 |
| 3.38 | $\int \frac{\cos^4(c+dx)(A+B\cos(c+dx))}{a+a\cos(c+dx)}dx$     | 263 |
| 3.39 | $\int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{a+a\cos(c+dx)}dx$     | 268 |
| 3.40 | $\int \frac{\cos^2(c+dx)(A+B\cos(c+dx))}{a+a\cos(c+dx)}dx$     | 272 |
| 3.41 | $\int \frac{\cos(c+dx)(A+B\cos(c+dx))}{a+a\cos(c+dx)}dx$       | 275 |
| 3.42 | $\int \frac{A+B\cos(c+dx)}{a+a\cos(c+dx)}dx$                   | 278 |
| 3.43 | $\int \frac{(A+B\cos(c+dx))\sec(c+dx)}{a+a\cos(c+dx)}dx$       | 281 |
| 3.44 | $\int \frac{(A+B\cos(c+dx))\sec^2(c+dx)}{a+a\cos(c+dx)}dx$     | 284 |
| 3.45 | $\int \frac{(A+B\cos(c+dx))\sec^3(c+dx)}{a+a\cos(c+dx)}dx$     | 287 |
| 3.46 | $\int \frac{(A+B\cos(c+dx))\sec^4(c+dx)}{a+a\cos(c+dx)}dx$     | 291 |
| 3.47 | $\int \frac{\cos^4(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^2}dx$ | 295 |
| 3.48 | $\int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^2}dx$ | 299 |
| 3.49 | $\int \frac{\cos^2(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^2}dx$ | 303 |
| 3.50 | $\int \frac{\cos(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^2}dx$   | 307 |
| 3.51 | $\int \frac{A+B\cos(c+dx)}{(a+a\cos(c+dx))^2}dx$               | 310 |
| 3.52 | $\int \frac{(A+B\cos(c+dx))\sec(c+dx)}{(a+a\cos(c+dx))^2}dx$   | 313 |
| 3.53 | $\int \frac{(A+B\cos(c+dx))\sec^2(c+dx)}{(a+a\cos(c+dx))^2}dx$ | 316 |
| 3.54 | $\int \frac{(A+B\cos(c+dx))\sec^3(c+dx)}{(a+a\cos(c+dx))^2}dx$ | 320 |
| 3.55 | $\int \frac{(A+B\cos(c+dx))\sec^4(c+dx)}{(a+a\cos(c+dx))^2}dx$ | 324 |
| 3.56 | $\int \frac{\cos^5(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^3}dx$ | 328 |
| 3.57 | $\int \frac{\cos^4(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^3}dx$ | 333 |
| 3.58 | $\int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^3}dx$ | 337 |
| 3.59 | $\int \frac{\cos^2(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^3}dx$ | 341 |
| 3.60 | $\int \frac{\cos(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^3}dx$   | 345 |
| 3.61 | $\int \frac{A+B\cos(c+dx)}{(a+a\cos(c+dx))^3}dx$               | 348 |
| 3.62 | $\int \frac{(A+B\cos(c+dx))\sec(c+dx)}{(a+a\cos(c+dx))^3}dx$   | 351 |

|       |   |     |
|-------|---|-----|
| 3.63  | $\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^3} dx$    | 355 |
| 3.64  | $\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^3} dx$    | 359 |
| 3.65  | $\int \frac{\cos^5(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$     | 363 |
| 3.66  | $\int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$     | 367 |
| 3.67  | $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$     | 371 |
| 3.68  | $\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$     | 375 |
| 3.69  | $\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$       | 379 |
| 3.70  | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^4} dx$                   | 383 |
| 3.71  | $\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^4} dx$      | 386 |
| 3.72  | $\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^4} dx$    | 390 |
| 3.73  | $\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^4} dx$    | 394 |
| 3.74  | $\int \cos^3(c+dx) \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) dx$         | 399 |
| 3.75  | $\int \cos^2(c+dx) \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) dx$         | 403 |
| 3.76  | $\int \cos(c+dx) \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) dx$           | 406 |
| 3.77  | $\int \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) dx$                      | 409 |
| 3.78  | $\int \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) \sec(c+dx) dx$           | 412 |
| 3.79  | $\int \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) \sec^2(c+dx) dx$         | 415 |
| 3.80  | $\int \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) \sec^3(c+dx) dx$         | 419 |
| 3.81  | $\int \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) \sec^4(c+dx) dx$         | 425 |
| 3.82  | $\int \cos^3(c+dx) (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) dx$        | 432 |
| 3.83  | $\int \cos^2(c+dx) (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) dx$        | 436 |
| 3.84  | $\int \cos(c+dx) (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) dx$          | 440 |
| 3.85  | $\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) dx$                     | 443 |
| 3.86  | $\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec(c+dx) dx$          | 446 |
| 3.87  | $\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$        | 450 |
| 3.88  | $\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^3(c+dx) dx$        | 454 |
| 3.89  | $\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^4(c+dx) dx$        | 460 |
| 3.90  | $\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^5(c+dx) dx$        | 464 |
| 3.91  | $\int \cos^2(c+dx) (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) dx$        | 469 |
| 3.92  | $\int \cos(c+dx) (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) dx$          | 473 |
| 3.93  | $\int (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) dx$                     | 477 |
| 3.94  | $\int (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec(c+dx) dx$          | 480 |
| 3.95  | $\int (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^2(c+dx) dx$        | 484 |
| 3.96  | $\int (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^3(c+dx) dx$        | 492 |
| 3.97  | $\int (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^4(c+dx) dx$        | 496 |
| 3.98  | $\int (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^5(c+dx) dx$        | 504 |
| 3.99  | $\int (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^6(c+dx) dx$        | 509 |
| 3.100 | $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$  | 514 |
| 3.101 | $\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$  | 518 |
| 3.102 | $\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$    | 522 |
| 3.103 | $\int \frac{A+B \cos(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$                | 526 |
| 3.104 | $\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$   | 529 |
| 3.105 | $\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$ | 532 |
| 3.106 | $\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$ | 536 |
| 3.107 | $\int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$ | 540 |
| 3.108 | $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$ | 545 |

|       |  |     |
|-------|--|-----|
| 3.109 | $\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$          | 550 |
| 3.110 | $\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$            | 554 |
| 3.111 | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$                        | 558 |
| 3.112 | $\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$           | 561 |
| 3.113 | $\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$         | 565 |
| 3.114 | $\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$         | 570 |
| 3.115 | $\int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$          | 575 |
| 3.116 | $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$          | 580 |
| 3.117 | $\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$          | 584 |
| 3.118 | $\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$            | 588 |
| 3.119 | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$                        | 592 |
| 3.120 | $\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$           | 595 |
| 3.121 | $\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$         | 599 |
| 3.122 | $\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$         | 604 |
| 3.123 | $\int \cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))(A+B \cos(c+dx)) dx$             | 609 |
| 3.124 | $\int \cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))(A+B \cos(c+dx)) dx$             | 613 |
| 3.125 | $\int \sqrt{\cos(c+dx)}(a+a \cos(c+dx))(A+B \cos(c+dx)) dx$                    | 617 |
| 3.126 | $\int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$           | 621 |
| 3.127 | $\int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$    | 624 |
| 3.128 | $\int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$    | 627 |
| 3.129 | $\int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$    | 631 |
| 3.130 | $\int \cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^2(A+B \cos(c+dx)) dx$           | 635 |
| 3.131 | $\int \sqrt{\cos(c+dx)}(a+a \cos(c+dx))^2(A+B \cos(c+dx)) dx$                  | 639 |
| 3.132 | $\int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$         | 643 |
| 3.133 | $\int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$  | 647 |
| 3.134 | $\int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$  | 651 |
| 3.135 | $\int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$  | 655 |
| 3.136 | $\int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^{\frac{9}{2}}(c+dx)} dx$  | 660 |
| 3.137 | $\int \cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^3(A+B \cos(c+dx)) dx$           | 665 |
| 3.138 | $\int \sqrt{\cos(c+dx)}(a+a \cos(c+dx))^3(A+B \cos(c+dx)) dx$                  | 670 |
| 3.139 | $\int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$         | 674 |
| 3.140 | $\int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$  | 678 |
| 3.141 | $\int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$  | 683 |
| 3.142 | $\int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$  | 687 |
| 3.143 | $\int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^{\frac{9}{2}}(c+dx)} dx$  | 692 |
| 3.144 | $\int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^{\frac{11}{2}}(c+dx)} dx$ | 697 |

|       |   |     |
|-------|---|-----|
| 3.145 | $\int \frac{\cos^5(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$               | 702 |
| 3.146 | $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$               | 706 |
| 3.147 | $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$          | 710 |
| 3.148 | $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))} dx$          | 714 |
| 3.149 | $\int \frac{A+B \cos(c+dx)}{\cos^3(c+dx)(a+a \cos(c+dx))} dx$               | 718 |
| 3.150 | $\int \frac{\cos^5(c+dx)(a+a \cos(c+dx))}{A+B \cos(c+dx)} dx$               | 722 |
| 3.151 | $\int \frac{\cos^7(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$           | 726 |
| 3.152 | $\int \frac{\cos^5(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$           | 730 |
| 3.153 | $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$           | 734 |
| 3.154 | $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$      | 738 |
| 3.155 | $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^2} dx$        | 742 |
| 3.156 | $\int \frac{A+B \cos(c+dx)}{\cos^3(c+dx)(a+a \cos(c+dx))^2} dx$             | 746 |
| 3.157 | $\int \frac{\cos^5(c+dx)(a+a \cos(c+dx))^2}{A+B \cos(c+dx)} dx$             | 750 |
| 3.158 | $\int \frac{\cos^7(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$           | 754 |
| 3.159 | $\int \frac{\cos^7(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$           | 758 |
| 3.160 | $\int \frac{\cos^5(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$           | 762 |
| 3.161 | $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$           | 766 |
| 3.162 | $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$      | 770 |
| 3.163 | $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^3} dx$        | 774 |
| 3.164 | $\int \frac{A+B \cos(c+dx)}{\cos^3(c+dx)(a+a \cos(c+dx))^3} dx$             | 778 |
| 3.165 | $\int \frac{\cos^5(c+dx)(a+a \cos(c+dx))^3}{A+B \cos(c+dx)} dx$             | 782 |
| 3.166 | $\int \cos^2(c+dx) \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) dx$               | 787 |
| 3.167 | $\int \cos^3(c+dx) \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) dx$               | 795 |
| 3.168 | $\int \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)} (A+B \cos(c+dx)) dx$          | 800 |
| 3.169 | $\int \frac{\sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$   | 804 |
| 3.170 | $\int \frac{\sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx))}{\cos^3(c+dx)} dx$        | 808 |
| 3.171 | $\int \frac{\sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx))}{\cos^5(c+dx)} dx$        | 811 |
| 3.172 | $\int \frac{\sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx))}{\cos^7(c+dx)} dx$        | 814 |
| 3.173 | $\int \frac{\sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx))}{\cos^9(c+dx)} dx$        | 817 |
| 3.174 | $\int \cos^3(c+dx) (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) dx$              | 820 |
| 3.175 | $\int \sqrt{\cos(c+dx)} (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) dx$         | 828 |
| 3.176 | $\int \frac{(a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$ | 833 |
| 3.177 | $\int \frac{(a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx))}{\cos^3(c+dx)} dx$      | 837 |

|       |  |     |
|-------|--|-----|
| 3.178 | $\int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$  | 841 |
| 3.179 | $\int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$  | 845 |
| 3.180 | $\int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^{\frac{9}{2}}(c+dx)} dx$  | 848 |
| 3.181 | $\int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^{\frac{11}{2}}(c+dx)} dx$ | 852 |
| 3.182 | $\int \cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx)) dx$           | 856 |
| 3.183 | $\int \sqrt{\cos(c+dx)}(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx)) dx$                  | 860 |
| 3.184 | $\int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$         | 868 |
| 3.185 | $\int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$  | 873 |
| 3.186 | $\int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$  | 878 |
| 3.187 | $\int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$  | 883 |
| 3.188 | $\int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{9}{2}}(c+dx)} dx$  | 887 |
| 3.189 | $\int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{11}{2}}(c+dx)} dx$ | 891 |
| 3.190 | $\int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{13}{2}}(c+dx)} dx$ | 895 |
| 3.191 | $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$   | 899 |
| 3.192 | $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$          | 903 |
| 3.193 | $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}} dx$            | 907 |
| 3.194 | $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a+a \cos(c+dx)}} dx$     | 910 |
| 3.195 | $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)\sqrt{a+a \cos(c+dx)}} dx$     | 913 |
| 3.196 | $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{7}{2}}(c+dx)\sqrt{a+a \cos(c+dx)}} dx$     | 917 |
| 3.197 | $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$  | 921 |
| 3.198 | $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$         | 925 |
| 3.199 | $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^{3/2}} dx$           | 929 |
| 3.200 | $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^{3/2}} dx$    | 932 |
| 3.201 | $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^{3/2}} dx$    | 936 |
| 3.202 | $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$  | 940 |
| 3.203 | $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$  | 945 |
| 3.204 | $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$         | 949 |
| 3.205 | $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^{5/2}} dx$           | 953 |
| 3.206 | $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^{5/2}} dx$    | 957 |
| 3.207 | $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^{5/2}} dx$    | 961 |
| 3.208 | $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{7/2}} dx$  | 965 |
| 3.209 | $\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{7/2}} dx$  | 970 |

|       |  |      |
|-------|--|------|
| 3.210 | $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{7/2}} dx$      | 974  |
| 3.211 | $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{7/2}} dx$ | 978  |
| 3.212 | $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^{7/2}} dx$   | 982  |
| 3.213 | $\int \frac{A+B \cos(c+dx)}{\cos^3(c+dx)(a+a \cos(c+dx))^{7/2}} dx$        | 986  |
| 3.214 | $\int \frac{A+B \cos(c+dx)}{\cos^5(c+dx)(a+a \cos(c+dx))^{7/2}} dx$        | 990  |
| 3.215 | $\int \cos^2(c+dx)(a+b \cos(c+dx))(A+B \cos(c+dx)) dx$                     | 994  |
| 3.216 | $\int \cos(c+dx)(a+b \cos(c+dx))(A+B \cos(c+dx)) dx$                       | 997  |
| 3.217 | $\int (a+b \cos(c+dx))(A+B \cos(c+dx)) dx$                                 | 1000 |
| 3.218 | $\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec(c+dx) dx$                      | 1003 |
| 3.219 | $\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec^2(c+dx) dx$                    | 1006 |
| 3.220 | $\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec^3(c+dx) dx$                    | 1009 |
| 3.221 | $\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec^4(c+dx) dx$                    | 1012 |
| 3.222 | $\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec^5(c+dx) dx$                    | 1016 |
| 3.223 | $\int \cos^2(c+dx)(a+b \cos(c+dx))^2(A+B \cos(c+dx)) dx$                   | 1020 |
| 3.224 | $\int \cos(c+dx)(a+b \cos(c+dx))^2(A+B \cos(c+dx)) dx$                     | 1024 |
| 3.225 | $\int (a+b \cos(c+dx))^2(A+B \cos(c+dx)) dx$                               | 1028 |
| 3.226 | $\int (a+b \cos(c+dx))^2(A+B \cos(c+dx)) \sec(c+dx) dx$                    | 1031 |
| 3.227 | $\int (a+b \cos(c+dx))^2(A+B \cos(c+dx)) \sec^2(c+dx) dx$                  | 1034 |
| 3.228 | $\int (a+b \cos(c+dx))^2(A+B \cos(c+dx)) \sec^3(c+dx) dx$                  | 1037 |
| 3.229 | $\int (a+b \cos(c+dx))^2(A+B \cos(c+dx)) \sec^4(c+dx) dx$                  | 1040 |
| 3.230 | $\int (a+b \cos(c+dx))^2(A+B \cos(c+dx)) \sec^5(c+dx) dx$                  | 1044 |
| 3.231 | $\int \cos^2(c+dx)(a+b \cos(c+dx))^3(A+B \cos(c+dx)) dx$                   | 1048 |
| 3.232 | $\int \cos(c+dx)(a+b \cos(c+dx))^3(A+B \cos(c+dx)) dx$                     | 1052 |
| 3.233 | $\int (a+b \cos(c+dx))^3(A+B \cos(c+dx)) dx$                               | 1056 |
| 3.234 | $\int (a+b \cos(c+dx))^3(A+B \cos(c+dx)) \sec(c+dx) dx$                    | 1059 |
| 3.235 | $\int (a+b \cos(c+dx))^3(A+B \cos(c+dx)) \sec^2(c+dx) dx$                  | 1063 |
| 3.236 | $\int (a+b \cos(c+dx))^3(A+B \cos(c+dx)) \sec^3(c+dx) dx$                  | 1067 |
| 3.237 | $\int (a+b \cos(c+dx))^3(A+B \cos(c+dx)) \sec^4(c+dx) dx$                  | 1071 |
| 3.238 | $\int (a+b \cos(c+dx))^3(A+B \cos(c+dx)) \sec^5(c+dx) dx$                  | 1075 |
| 3.239 | $\int (a+b \cos(c+dx))^3(A+B \cos(c+dx)) \sec^6(c+dx) dx$                  | 1079 |
| 3.240 | $\int \cos^2(c+dx)(a+b \cos(c+dx))^4(A+B \cos(c+dx)) dx$                   | 1084 |
| 3.241 | $\int \cos(c+dx)(a+b \cos(c+dx))^4(A+B \cos(c+dx)) dx$                     | 1089 |
| 3.242 | $\int (a+b \cos(c+dx))^4(A+B \cos(c+dx)) dx$                               | 1093 |
| 3.243 | $\int (a+b \cos(c+dx))^4(A+B \cos(c+dx)) \sec(c+dx) dx$                    | 1097 |
| 3.244 | $\int (a+b \cos(c+dx))^4(A+B \cos(c+dx)) \sec^2(c+dx) dx$                  | 1101 |
| 3.245 | $\int (a+b \cos(c+dx))^4(A+B \cos(c+dx)) \sec^3(c+dx) dx$                  | 1105 |
| 3.246 | $\int (a+b \cos(c+dx))^4(A+B \cos(c+dx)) \sec^4(c+dx) dx$                  | 1109 |
| 3.247 | $\int (a+b \cos(c+dx))^4(A+B \cos(c+dx)) \sec^5(c+dx) dx$                  | 1113 |
| 3.248 | $\int (a+b \cos(c+dx))^4(A+B \cos(c+dx)) \sec^6(c+dx) dx$                  | 1117 |
| 3.249 | $\int (a+b \cos(c+dx))^4(A+B \cos(c+dx)) \sec^7(c+dx) dx$                  | 1122 |
| 3.250 | $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx$              | 1127 |
| 3.251 | $\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx$              | 1131 |
| 3.252 | $\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx$                | 1135 |
| 3.253 | $\int \frac{A+B \cos(c+dx)}{a+b \cos(c+dx)} dx$                            | 1139 |
| 3.254 | $\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{a+b \cos(c+dx)} dx$               | 1143 |
| 3.255 | $\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{a+b \cos(c+dx)} dx$             | 1146 |
| 3.256 | $\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{a+b \cos(c+dx)} dx$             | 1150 |
| 3.257 | $\int \frac{(A+B \cos(c+dx)) \sec^4(c+dx)}{a+b \cos(c+dx)} dx$             | 1154 |

|       |  |      |
|-------|--|------|
| 3.258 | $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$    | 1159 |
| 3.259 | $\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$    | 1164 |
| 3.260 | $\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$      | 1168 |
| 3.261 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^2} dx$                  | 1172 |
| 3.262 | $\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^2} dx$     | 1175 |
| 3.263 | $\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^2} dx$   | 1179 |
| 3.264 | $\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^2} dx$   | 1184 |
| 3.265 | $\int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$    | 1189 |
| 3.266 | $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$    | 1195 |
| 3.267 | $\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$    | 1201 |
| 3.268 | $\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$      | 1206 |
| 3.269 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3} dx$                  | 1210 |
| 3.270 | $\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^3} dx$     | 1214 |
| 3.271 | $\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^3} dx$   | 1219 |
| 3.272 | $\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^3} dx$   | 1224 |
| 3.273 | $\int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^4} dx$    | 1230 |
| 3.274 | $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^4} dx$    | 1237 |
| 3.275 | $\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^4} dx$    | 1243 |
| 3.276 | $\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^4} dx$      | 1248 |
| 3.277 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^4} dx$                  | 1253 |
| 3.278 | $\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^4} dx$     | 1258 |
| 3.279 | $\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^4} dx$   | 1263 |
| 3.280 | $\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^4} dx$   | 1269 |
| 3.281 | $\int \frac{\cos^3(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx$      | 1275 |
| 3.282 | $\int \frac{\cos^2(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx$      | 1278 |
| 3.283 | $\int \frac{\cos(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx$        | 1281 |
| 3.284 | $\int \frac{aB+bB \cos(c+dx)}{a+b \cos(c+dx)} dx$                    | 1284 |
| 3.285 | $\int \frac{(aB+bB \cos(c+dx)) \sec(c+dx)}{a+b \cos(c+dx)} dx$       | 1286 |
| 3.286 | $\int \frac{(aB+bB \cos(c+dx)) \sec^2(c+dx)}{a+b \cos(c+dx)} dx$     | 1289 |
| 3.287 | $\int \frac{(aB+bB \cos(c+dx)) \sec^3(c+dx)}{a+b \cos(c+dx)} dx$     | 1292 |
| 3.288 | $\int \frac{(aB+bB \cos(c+dx)) \sec^4(c+dx)}{a+b \cos(c+dx)} dx$     | 1295 |
| 3.289 | $\int \frac{\cos^3(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$  | 1298 |
| 3.290 | $\int \frac{\cos^2(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$  | 1302 |
| 3.291 | $\int \frac{\cos(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$    | 1306 |
| 3.292 | $\int \frac{aB+bB \cos(c+dx)}{(a+b \cos(c+dx))^2} dx$                | 1309 |
| 3.293 | $\int \frac{(aB+bB \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^2} dx$   | 1312 |
| 3.294 | $\int \frac{(aB+bB \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^2} dx$ | 1315 |
| 3.295 | $\int \frac{(aB+bB \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^2} dx$ | 1319 |
| 3.296 | $\int \cos^3(c+dx) \sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx)) dx$        | 1323 |
| 3.297 | $\int \cos^2(c+dx) \sqrt{a+b \cos(c+dx)} (A+B \cos(c+dx)) dx$        | 1328 |



|       |   |      |
|-------|---|------|
| 3.298 | $\int \cos(c + dx)\sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) dx$     | 1333 |
| 3.299 | $\int \sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) dx$                 | 1338 |
| 3.300 | $\int \sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) \sec(c + dx) dx$    | 1342 |
| 3.301 | $\int \sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) \sec^2(c + dx) dx$  | 1346 |
| 3.302 | $\int \sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) \sec^3(c + dx) dx$  | 1351 |
| 3.303 | $\int \sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) \sec^4(c + dx) dx$  | 1356 |
| 3.304 | $\int \cos^2(c + dx)(a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx$  | 1362 |
| 3.305 | $\int \cos(c + dx)(a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx$    | 1367 |
| 3.306 | $\int (a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx$                | 1372 |
| 3.307 | $\int (a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx)) \sec(c + dx) dx$   | 1376 |
| 3.308 | $\int (a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx)) \sec^2(c + dx) dx$ | 1381 |
| 3.309 | $\int (a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx)) \sec^3(c + dx) dx$ | 1386 |
| 3.310 | $\int (a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx)) \sec^4(c + dx) dx$ | 1391 |
| 3.311 | $\int \cos^2(c + dx)(a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx$  | 1397 |
| 3.312 | $\int \cos(c + dx)(a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx$    | 1402 |
| 3.313 | $\int (a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx$                | 1407 |
| 3.314 | $\int (a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx)) \sec(c + dx) dx$   | 1411 |
| 3.315 | $\int (a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx)) \sec^2(c + dx) dx$ | 1416 |
| 3.316 | $\int (a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx)) \sec^3(c + dx) dx$ | 1421 |
| 3.317 | $\int (a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx)) \sec^4(c + dx) dx$ | 1426 |
| 3.318 | $\int (a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx)) \sec^5(c + dx) dx$ | 1432 |
| 3.319 | $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx$    | 1439 |
| 3.320 | $\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx$    | 1444 |
| 3.321 | $\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx$      | 1448 |
| 3.322 | $\int \frac{A+B \cos(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$                  | 1452 |
| 3.323 | $\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$     | 1455 |
| 3.324 | $\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$   | 1458 |
| 3.325 | $\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$   | 1463 |
| 3.326 | $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$   | 1468 |
| 3.327 | $\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$   | 1473 |
| 3.328 | $\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$     | 1477 |
| 3.329 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$                 | 1481 |
| 3.330 | $\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$    | 1485 |
| 3.331 | $\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$  | 1489 |
| 3.332 | $\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$  | 1494 |
| 3.333 | $\int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$   | 1500 |
| 3.334 | $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$   | 1506 |
| 3.335 | $\int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$   | 1511 |
| 3.336 | $\int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$     | 1516 |
| 3.337 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$                 | 1521 |
| 3.338 | $\int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$    | 1525 |
| 3.339 | $\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$  | 1530 |
| 3.340 | $\int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$  | 1536 |
| 3.341 | $\int \frac{aB+bB \cos(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$               | 1542 |
| 3.342 | $\int \frac{(aB+bB \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$  | 1545 |

- 3.343  $\int \frac{aB+bB \cos(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx \dots\dots\dots 1548$
- 3.344  $\int \frac{(aB+bB \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx \dots\dots\dots 1551$
- 3.345  $\int \cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))(A+B \cos(c+dx)) dx \dots\dots\dots 1556$
- 3.346  $\int \cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))(A+B \cos(c+dx)) dx \dots\dots\dots 1560$
- 3.347  $\int \sqrt{\cos(c+dx)}(a+b \cos(c+dx))(A+B \cos(c+dx)) dx \dots\dots\dots 1564$
- 3.348  $\int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots\dots\dots 1567$
- 3.349  $\int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx \dots\dots\dots 1570$
- 3.350  $\int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx \dots\dots\dots 1573$
- 3.351  $\int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx \dots\dots\dots 1577$
- 3.352  $\int \cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^2(A+B \cos(c+dx)) dx \dots\dots\dots 1581$
- 3.353  $\int \cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^2(A+B \cos(c+dx)) dx \dots\dots\dots 1585$
- 3.354  $\int \sqrt{\cos(c+dx)}(a+b \cos(c+dx))^2(A+B \cos(c+dx)) dx \dots\dots\dots 1589$
- 3.355  $\int \frac{(a+b \cos(c+dx))^2(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots\dots\dots 1593$
- 3.356  $\int \frac{(a+b \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx \dots\dots\dots 1597$
- 3.357  $\int \frac{(a+b \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx \dots\dots\dots 1601$
- 3.358  $\int \frac{(a+b \cos(c+dx))^2(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx \dots\dots\dots 1605$
- 3.359  $\int \cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^3(A+B \cos(c+dx)) dx \dots\dots\dots 1609$
- 3.360  $\int \sqrt{\cos(c+dx)}(a+b \cos(c+dx))^3(A+B \cos(c+dx)) dx \dots\dots\dots 1613$
- 3.361  $\int \frac{(a+b \cos(c+dx))^3(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots\dots\dots 1617$
- 3.362  $\int \frac{(a+b \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx \dots\dots\dots 1621$
- 3.363  $\int \frac{(a+b \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx \dots\dots\dots 1625$
- 3.364  $\int \frac{(a+b \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx \dots\dots\dots 1629$
- 3.365  $\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx \dots\dots\dots 1633$
- 3.366  $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx \dots\dots\dots 1637$
- 3.367  $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx \dots\dots\dots 1641$
- 3.368  $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx \dots\dots\dots 1644$
- 3.369  $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))} dx \dots\dots\dots 1647$
- 3.370  $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))} dx \dots\dots\dots 1651$
- 3.371  $\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx \dots\dots\dots 1656$
- 3.372  $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx \dots\dots\dots 1661$
- 3.373  $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx \dots\dots\dots 1665$
- 3.374  $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))^2} dx \dots\dots\dots 1669$
- 3.375  $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^2} dx \dots\dots\dots 1673$
- 3.376  $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^2} dx \dots\dots\dots 1678$
- 3.377  $\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx \dots\dots\dots 1683$

- 3.378  $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx \dots\dots\dots 1688$
- 3.379  $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx \dots\dots\dots 1693$
- 3.380  $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))^3} dx \dots\dots\dots 1698$
- 3.381  $\int \frac{A+B \cos(c+dx)}{\cos^3(c+dx)(a+b \cos(c+dx))^3} dx \dots\dots\dots 1703$
- 3.382  $\int \frac{A+B \cos(c+dx)}{\cos^5(c+dx)(a+b \cos(c+dx))^3} dx \dots\dots\dots 1708$
- 3.383  $\int \frac{\cos^2(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx \dots\dots\dots 1713$
- 3.384  $\int \frac{\cos^3(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx \dots\dots\dots 1716$
- 3.385  $\int \frac{\sqrt{\cos(c+dx)}(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx \dots\dots\dots 1719$
- 3.386  $\int \frac{aB+bB \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx \dots\dots\dots 1722$
- 3.387  $\int \frac{aB+bB \cos(c+dx)}{\cos^3(c+dx)(a+b \cos(c+dx))} dx \dots\dots\dots 1725$
- 3.388  $\int \frac{aB+bB \cos(c+dx)}{\cos^5(c+dx)(a+b \cos(c+dx))} dx \dots\dots\dots 1728$
- 3.389  $\int \frac{\cos^2(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx \dots\dots\dots 1731$
- 3.390  $\int \frac{\cos^3(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx \dots\dots\dots 1735$
- 3.391  $\int \frac{\sqrt{\cos(c+dx)}(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx \dots\dots\dots 1739$
- 3.392  $\int \frac{aB+bB \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))^2} dx \dots\dots\dots 1742$
- 3.393  $\int \frac{aB+bB \cos(c+dx)}{\cos^3(c+dx)(a+b \cos(c+dx))^2} dx \dots\dots\dots 1745$
- 3.394  $\int \frac{aB+bB \cos(c+dx)}{\cos^5(c+dx)(a+b \cos(c+dx))^2} dx \dots\dots\dots 1749$
- 3.395  $\int \cos^2(c+dx) \sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx)) dx \dots\dots\dots 1754$
- 3.396  $\int \sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx)) dx \dots\dots\dots 1760$
- 3.397  $\int \frac{\sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots\dots\dots 1766$
- 3.398  $\int \frac{\sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx))}{\cos^3(c+dx)} dx \dots\dots\dots 1772$
- 3.399  $\int \frac{\sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx))}{\cos^5(c+dx)} dx \dots\dots\dots 1776$
- 3.400  $\int \frac{\sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx))}{\cos^7(c+dx)} dx \dots\dots\dots 1780$
- 3.401  $\int \frac{\sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx))}{\cos^9(c+dx)} dx \dots\dots\dots 1785$
- 3.402  $\int \cos^3(c+dx)(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx)) dx \dots\dots\dots 1791$
- 3.403  $\int \sqrt{\cos(c+dx)}(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx)) dx \dots\dots\dots 1798$
- 3.404  $\int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx \dots\dots\dots 1804$
- 3.405  $\int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^3(c+dx)} dx \dots\dots\dots 1810$
- 3.406  $\int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^5(c+dx)} dx \dots\dots\dots 1816$
- 3.407  $\int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^7(c+dx)} dx \dots\dots\dots 1822$
- 3.408  $\int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^9(c+dx)} dx \dots\dots\dots 1828$
- 3.409  $\int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^{11}(c+dx)} dx \dots\dots\dots 1834$
- 3.410  $\int \cos^3(c+dx)(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx)) dx \dots\dots\dots 1841$
- 3.411  $\int \sqrt{\cos(c+dx)}(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx)) dx \dots\dots\dots 1847$

|       |  |      |
|-------|--|------|
| 3.412 | $\int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$                                     | 1854 |
| 3.413 | $\int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$                              | 1860 |
| 3.414 | $\int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$                              | 1866 |
| 3.415 | $\int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$                              | 1872 |
| 3.416 | $\int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{9}{2}}(c+dx)} dx$                              | 1878 |
| 3.417 | $\int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{11}{2}}(c+dx)} dx$                             | 1884 |
| 3.418 | $\int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{13}{2}}(c+dx)} dx$                             | 1891 |
| 3.419 | $\int \frac{(a+b \cos(c+dx))^{5/2} \left( \frac{3bB}{2a} + B \cos(c+dx) \right)}{\cos^{\frac{5}{2}}(c+dx)} dx$ | 1896 |
| 3.420 | $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx$                               | 1902 |
| 3.421 | $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx$                                      | 1908 |
| 3.422 | $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+b \cos(c+dx)}} dx$  | 1914 |
| 3.423 | $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a+b \cos(c+dx)}} dx$                                 | 1917 |
| 3.424 | $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)\sqrt{a+b \cos(c+dx)}} dx$                                 | 1921 |
| 3.425 | $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{7}{2}}(c+dx)\sqrt{a+b \cos(c+dx)}} dx$                                 | 1925 |
| 3.426 | $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$                              | 1931 |
| 3.427 | $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$                                     | 1937 |
| 3.428 | $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))^{3/2}} dx$                                       | 1943 |
| 3.429 | $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^{3/2}} dx$                                | 1948 |
| 3.430 | $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^{3/2}} dx$                                | 1953 |
| 3.431 | $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$                              | 1959 |
| 3.432 | $\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$                              | 1964 |
| 3.433 | $\int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$                                     | 1969 |
| 3.434 | $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))^{5/2}} dx$                                       | 1975 |
| 3.435 | $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^{5/2}} dx$                                | 1979 |
| 3.436 | $\int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^{5/2}} dx$                                | 1984 |
| 3.437 | $\int \frac{\cos^{\frac{3}{2}}(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$                            | 1989 |
| 3.438 | $\int \frac{\sqrt{\cos(c+dx)}(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$                                   | 1994 |
| 3.439 | $\int \frac{aB+bB \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))^{3/2}} dx$                                     | 1997 |
| 3.440 | $\int \frac{aB+bB \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^{3/2}} dx$                              | 2000 |
| 3.441 | $\int \frac{1+\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{2+3 \cos(c+dx)}} dx$                                   | 2004 |
| 3.442 | $\int \frac{1+\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{-2+3 \cos(c+dx)}} dx$                                  | 2007 |
| 3.443 | $\int \frac{1+\cos(c+dx)}{\sqrt{2-3 \cos(c+dx)}\cos^{\frac{3}{2}}(c+dx)} dx$                                   | 2010 |

|       |  |      |
|-------|--|------|
| 3.444 | $\int \frac{1+\cos(c+dx)}{\sqrt{-2-3\cos(c+dx)}\cos^{\frac{3}{2}}(c+dx)} dx$ | 2013 |
| 3.445 | $\int \frac{1+\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{3+2\cos(c+dx)}} dx$  | 2016 |
| 3.446 | $\int \frac{1+\cos(c+dx)}{\sqrt{3-2\cos(c+dx)}\cos^{\frac{3}{2}}(c+dx)} dx$  | 2019 |
| 3.447 | $\int \frac{1+\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{-3+2\cos(c+dx)}} dx$ | 2022 |
| 3.448 | $\int \frac{1+\cos(c+dx)}{\sqrt{-3-2\cos(c+dx)}\cos^{\frac{3}{2}}(c+dx)} dx$ | 2025 |
| 3.449 | $\int (c\cos(e+fx))^m(a+b\cos(e+fx))^n(A+B\cos(e+fx)) dx$                    | 2028 |
| 3.450 | $\int (c\cos(e+fx))^m(a+b\cos(e+fx))^4(A+B\cos(e+fx)) dx$                    | 2030 |
| 3.451 | $\int (c\cos(e+fx))^m(a+b\cos(e+fx))^3(A+B\cos(e+fx)) dx$                    | 2034 |
| 3.452 | $\int (c\cos(e+fx))^m(a+b\cos(e+fx))^2(A+B\cos(e+fx)) dx$                    | 2038 |
| 3.453 | $\int (c\cos(e+fx))^m(a+b\cos(e+fx))(A+B\cos(e+fx)) dx$                      | 2042 |
| 3.454 | $\int \frac{(c\cos(e+fx))^m(A+B\cos(e+fx))}{a+b\cos(e+fx)} dx$               | 2045 |
| 3.455 | $\int (c\cos(e+fx))^m(a+b\cos(e+fx))^{3/2}(A+B\cos(e+fx)) dx$                | 2048 |
| 3.456 | $\int (c\cos(e+fx))^m\sqrt{a+b\cos(e+fx)}(A+B\cos(e+fx)) dx$                 | 2051 |
| 3.457 | $\int \frac{(c\cos(e+fx))^m(A+B\cos(e+fx))}{\sqrt{a+b\cos(e+fx)}} dx$        | 2053 |
| 3.458 | $\int \frac{(c\cos(e+fx))^m(A+B\cos(e+fx))}{(a+b\cos(e+fx))^{3/2}} dx$       | 2056 |
| 3.459 | $\int (a+a\cos(c+dx))(A+B\cos(c+dx))\sec^{\frac{7}{2}}(c+dx) dx$             | 2059 |
| 3.460 | $\int (a+a\cos(c+dx))(A+B\cos(c+dx))\sec^{\frac{5}{2}}(c+dx) dx$             | 2063 |
| 3.461 | $\int (a+a\cos(c+dx))(A+B\cos(c+dx))\sec^{\frac{3}{2}}(c+dx) dx$             | 2067 |
| 3.462 | $\int (a+a\cos(c+dx))(A+B\cos(c+dx))\sqrt{\sec(c+dx)} dx$                    | 2070 |
| 3.463 | $\int \frac{(a+a\cos(c+dx))(A+B\cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$           | 2073 |
| 3.464 | $\int \frac{(a+a\cos(c+dx))(A+B\cos(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$    | 2077 |
| 3.465 | $\int (a+a\cos(c+dx))^2(A+B\cos(c+dx))\sec^{\frac{7}{2}}(c+dx) dx$           | 2081 |
| 3.466 | $\int (a+a\cos(c+dx))^2(A+B\cos(c+dx))\sec^{\frac{5}{2}}(c+dx) dx$           | 2085 |
| 3.467 | $\int (a+a\cos(c+dx))^2(A+B\cos(c+dx))\sec^{\frac{3}{2}}(c+dx) dx$           | 2089 |
| 3.468 | $\int (a+a\cos(c+dx))^2(A+B\cos(c+dx))\sqrt{\sec(c+dx)} dx$                  | 2093 |
| 3.469 | $\int \frac{(a+a\cos(c+dx))^2(A+B\cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$         | 2097 |
| 3.470 | $\int (a+a\cos(c+dx))^3(A+B\cos(c+dx))\sec^{\frac{9}{2}}(c+dx) dx$           | 2101 |
| 3.471 | $\int (a+a\cos(c+dx))^3(A+B\cos(c+dx))\sec^{\frac{7}{2}}(c+dx) dx$           | 2106 |
| 3.472 | $\int (a+a\cos(c+dx))^3(A+B\cos(c+dx))\sec^{\frac{5}{2}}(c+dx) dx$           | 2110 |
| 3.473 | $\int (a+a\cos(c+dx))^3(A+B\cos(c+dx))\sec^{\frac{3}{2}}(c+dx) dx$           | 2115 |
| 3.474 | $\int (a+a\cos(c+dx))^3(A+B\cos(c+dx))\sqrt{\sec(c+dx)} dx$                  | 2119 |
| 3.475 | $\int \frac{(a+a\cos(c+dx))^3(A+B\cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$         | 2123 |
| 3.476 | $\int \frac{(A+B\cos(c+dx))\sec^{\frac{5}{2}}(c+dx)}{a+a\cos(c+dx)} dx$      | 2128 |
| 3.477 | $\int \frac{(A+B\cos(c+dx))\sec^{\frac{3}{2}}(c+dx)}{a+a\cos(c+dx)} dx$      | 2132 |
| 3.478 | $\int \frac{(A+B\cos(c+dx))\sqrt{\sec(c+dx)}}{a+a\cos(c+dx)} dx$             | 2136 |
| 3.479 | $\int \frac{A+B\cos(c+dx)}{(a+a\cos(c+dx))\sqrt{\sec(c+dx)}} dx$             | 2140 |
| 3.480 | $\int \frac{A+B\cos(c+dx)}{(a+a\cos(c+dx))\sec^{\frac{3}{2}}(c+dx)} dx$      | 2144 |
| 3.481 | $\int \frac{A+B\cos(c+dx)}{(a+a\cos(c+dx))\sec^{\frac{5}{2}}(c+dx)} dx$      | 2148 |
| 3.482 | $\int \frac{(A+B\cos(c+dx))\sec^{\frac{3}{2}}(c+dx)}{(a+a\cos(c+dx))^2} dx$  | 2152 |

|       |   |      |
|-------|---|------|
| 3.483 | $\int \frac{(A+B \cos(c+dx))\sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^2} dx$                    | 2156 |
| 3.484 | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^2 \sqrt{\sec(c+dx)}} dx$                     | 2160 |
| 3.485 | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^2 \sec^{\frac{3}{2}}(c+dx)} dx$              | 2164 |
| 3.486 | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^2 \sec^{\frac{5}{2}}(c+dx)} dx$              | 2168 |
| 3.487 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+a \cos(c+dx))^3} dx$            | 2172 |
| 3.488 | $\int \frac{(A+B \cos(c+dx))\sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^3} dx$                    | 2176 |
| 3.489 | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3 \sqrt{\sec(c+dx)}} dx$                     | 2180 |
| 3.490 | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3 \sec^{\frac{3}{2}}(c+dx)} dx$              | 2184 |
| 3.491 | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3 \sec^{\frac{5}{2}}(c+dx)} dx$              | 2188 |
| 3.492 | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3 \sec^{\frac{7}{2}}(c+dx)} dx$              | 2192 |
| 3.493 | $\int \sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx)) \sec^{\frac{11}{2}}(c+dx) dx$                 | 2196 |
| 3.494 | $\int \sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx)) \sec^{\frac{9}{2}}(c+dx) dx$                  | 2200 |
| 3.495 | $\int \sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$                  | 2204 |
| 3.496 | $\int \sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$                  | 2208 |
| 3.497 | $\int \sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$                  | 2211 |
| 3.498 | $\int \sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx))\sqrt{\sec(c+dx)} dx$                          | 2215 |
| 3.499 | $\int \frac{\sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$                 | 2219 |
| 3.500 | $\int \frac{\sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$          | 2224 |
| 3.501 | $\int (a+a \cos(c+dx))^{\frac{3}{2}}(A+B \cos(c+dx)) \sec^{\frac{13}{2}}(c+dx) dx$        | 2229 |
| 3.502 | $\int (a+a \cos(c+dx))^{\frac{3}{2}}(A+B \cos(c+dx)) \sec^{\frac{11}{2}}(c+dx) dx$        | 2233 |
| 3.503 | $\int (a+a \cos(c+dx))^{\frac{3}{2}}(A+B \cos(c+dx)) \sec^{\frac{9}{2}}(c+dx) dx$         | 2237 |
| 3.504 | $\int (a+a \cos(c+dx))^{\frac{3}{2}}(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$         | 2241 |
| 3.505 | $\int (a+a \cos(c+dx))^{\frac{3}{2}}(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$         | 2245 |
| 3.506 | $\int (a+a \cos(c+dx))^{\frac{3}{2}}(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$         | 2249 |
| 3.507 | $\int (a+a \cos(c+dx))^{\frac{3}{2}}(A+B \cos(c+dx))\sqrt{\sec(c+dx)} dx$                 | 2254 |
| 3.508 | $\int \frac{(a+a \cos(c+dx))^{\frac{3}{2}}(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$        | 2259 |
| 3.509 | $\int \frac{(a+a \cos(c+dx))^{\frac{3}{2}}(A+B \cos(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$ | 2265 |
| 3.510 | $\int (a+a \cos(c+dx))^{\frac{5}{2}}(A+B \cos(c+dx)) \sec^{\frac{15}{2}}(c+dx) dx$        | 2274 |
| 3.511 | $\int (a+a \cos(c+dx))^{\frac{5}{2}}(A+B \cos(c+dx)) \sec^{\frac{13}{2}}(c+dx) dx$        | 2279 |
| 3.512 | $\int (a+a \cos(c+dx))^{\frac{5}{2}}(A+B \cos(c+dx)) \sec^{\frac{11}{2}}(c+dx) dx$        | 2283 |
| 3.513 | $\int (a+a \cos(c+dx))^{\frac{5}{2}}(A+B \cos(c+dx)) \sec^{\frac{9}{2}}(c+dx) dx$         | 2287 |
| 3.514 | $\int (a+a \cos(c+dx))^{\frac{5}{2}}(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$         | 2291 |
| 3.515 | $\int (a+a \cos(c+dx))^{\frac{5}{2}}(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$         | 2296 |
| 3.516 | $\int (a+a \cos(c+dx))^{\frac{5}{2}}(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$         | 2301 |
| 3.517 | $\int (a+a \cos(c+dx))^{\frac{5}{2}}(A+B \cos(c+dx))\sqrt{\sec(c+dx)} dx$                 | 2305 |
| 3.518 | $\int \frac{(a+a \cos(c+dx))^{\frac{5}{2}}(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$        | 2310 |
| 3.519 | $\int \frac{(a+a \cos(c+dx))^{\frac{5}{2}}(A+B \cos(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$ | 2319 |
| 3.520 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{11}{2}}(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$        | 2324 |

|       |   |      |
|-------|---|------|
| 3.521 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{9}{2}}(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$                 | 2328 |
| 3.522 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$                 | 2332 |
| 3.523 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$                 | 2336 |
| 3.524 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$                 | 2340 |
| 3.525 | $\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{\sqrt{a+a \cos(c+dx)}} dx$                        | 2344 |
| 3.526 | $\int \frac{A+B \cos(c+dx)}{\sqrt{a+a \cos(c+dx)} \sqrt{\sec(c+dx)}} dx$                          | 2348 |
| 3.527 | $\int \frac{A+B \cos(c+dx)}{\sqrt{a+a \cos(c+dx)} \sec^{\frac{3}{2}}(c+dx)} dx$                   | 2352 |
| 3.528 | $\int \frac{(aA+(Ab+aB) \cos(c+dx)+bB \cos^2(c+dx)) \sqrt{\sec(c+dx)}}{\sqrt{a+a \cos(c+dx)}} dx$ | 2356 |
| 3.529 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{9}{2}}(c+dx)}{(a+a \cos(c+dx))^{\frac{3}{2}}} dx$        | 2360 |
| 3.530 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx)}{(a+a \cos(c+dx))^{\frac{3}{2}}} dx$        | 2366 |
| 3.531 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{(a+a \cos(c+dx))^{\frac{3}{2}}} dx$        | 2371 |
| 3.532 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+a \cos(c+dx))^{\frac{3}{2}}} dx$        | 2375 |
| 3.533 | $\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^{\frac{3}{2}}} dx$               | 2379 |
| 3.534 | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{\frac{3}{2}} \sqrt{\sec(c+dx)}} dx$                 | 2383 |
| 3.535 | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{\frac{3}{2}} \sec^{\frac{3}{2}}(c+dx)} dx$          | 2387 |
| 3.536 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx)}{(a+a \cos(c+dx))^{\frac{5}{2}}} dx$        | 2392 |
| 3.537 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{(a+a \cos(c+dx))^{\frac{5}{2}}} dx$        | 2397 |
| 3.538 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+a \cos(c+dx))^{\frac{5}{2}}} dx$        | 2402 |
| 3.539 | $\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^{\frac{5}{2}}} dx$               | 2406 |
| 3.540 | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{\frac{5}{2}} \sqrt{\sec(c+dx)}} dx$                 | 2410 |
| 3.541 | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{\frac{5}{2}} \sec^{\frac{3}{2}}(c+dx)} dx$          | 2414 |
| 3.542 | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{\frac{5}{2}} \sec^{\frac{5}{2}}(c+dx)} dx$          | 2418 |
| 3.543 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx)}{(a+a \cos(c+dx))^{\frac{7}{2}}} dx$        | 2423 |
| 3.544 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{(a+a \cos(c+dx))^{\frac{7}{2}}} dx$        | 2428 |
| 3.545 | $\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^{\frac{7}{2}}} dx$               | 2433 |
| 3.546 | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{\frac{7}{2}} \sqrt{\sec(c+dx)}} dx$                 | 2437 |
| 3.547 | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{\frac{7}{2}} \sec^{\frac{3}{2}}(c+dx)} dx$          | 2441 |
| 3.548 | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{\frac{7}{2}} \sec^{\frac{5}{2}}(c+dx)} dx$          | 2445 |
| 3.549 | $\int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{\frac{7}{2}} \sec^{\frac{7}{2}}(c+dx)} dx$          | 2450 |
| 3.550 | $\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$                               | 2455 |
| 3.551 | $\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$                               | 2459 |
| 3.552 | $\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$                               | 2463 |
| 3.553 | $\int (a+b \cos(c+dx))(A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$                                      | 2466 |

|       |  |      |
|-------|--|------|
| 3.554 | $\int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$           | 2469 |
| 3.555 | $\int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\sec^2(c+dx)} dx$                | 2473 |
| 3.556 | $\int (a+b \cos(c+dx))^2 (A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$         | 2477 |
| 3.557 | $\int (a+b \cos(c+dx))^2 (A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$         | 2481 |
| 3.558 | $\int (a+b \cos(c+dx))^2 (A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$         | 2485 |
| 3.559 | $\int (a+b \cos(c+dx))^2 (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$                | 2489 |
| 3.560 | $\int \frac{(a+b \cos(c+dx))^2 (A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$        | 2493 |
| 3.561 | $\int (a+b \cos(c+dx))^3 (A+B \cos(c+dx)) \sec^{\frac{9}{2}}(c+dx) dx$         | 2497 |
| 3.562 | $\int (a+b \cos(c+dx))^3 (A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$         | 2502 |
| 3.563 | $\int (a+b \cos(c+dx))^3 (A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$         | 2507 |
| 3.564 | $\int (a+b \cos(c+dx))^3 (A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$         | 2512 |
| 3.565 | $\int (a+b \cos(c+dx))^3 (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$                | 2517 |
| 3.566 | $\int \frac{(a+b \cos(c+dx))^3 (A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$        | 2522 |
| 3.567 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{a+b \cos(c+dx)} dx$     | 2527 |
| 3.568 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{a+b \cos(c+dx)} dx$     | 2532 |
| 3.569 | $\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{a+b \cos(c+dx)} dx$            | 2536 |
| 3.570 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx)) \sqrt{\sec(c+dx)}} dx$            | 2539 |
| 3.571 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)} dx$     | 2543 |
| 3.572 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{(a+b \cos(c+dx))^2} dx$ | 2548 |
| 3.573 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+b \cos(c+dx))^2} dx$ | 2553 |
| 3.574 | $\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^2} dx$        | 2558 |
| 3.575 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^2 \sqrt{\sec(c+dx)}} dx$          | 2563 |
| 3.576 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^2 \sec^{\frac{3}{2}}(c+dx)} dx$   | 2568 |
| 3.577 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^2 \sec^{\frac{5}{2}}(c+dx)} dx$   | 2573 |
| 3.578 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+b \cos(c+dx))^3} dx$ | 2578 |
| 3.579 | $\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^3} dx$        | 2584 |
| 3.580 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3 \sqrt{\sec(c+dx)}} dx$          | 2589 |
| 3.581 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3 \sec^{\frac{3}{2}}(c+dx)} dx$   | 2594 |
| 3.582 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3 \sec^{\frac{5}{2}}(c+dx)} dx$   | 2600 |
| 3.583 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3 \sec^{\frac{7}{2}}(c+dx)} dx$   | 2606 |
| 3.584 | $\int \frac{(aB+bB \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{a+b \cos(c+dx)} dx$   | 2612 |
| 3.585 | $\int \frac{(aB+bB \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{a+b \cos(c+dx)} dx$   | 2615 |
| 3.586 | $\int \frac{(aB+bB \cos(c+dx)) \sqrt{\sec(c+dx)}}{a+b \cos(c+dx)} dx$          | 2618 |
| 3.587 | $\int \frac{aB+bB \cos(c+dx)}{(a+b \cos(c+dx)) \sqrt{\sec(c+dx)}} dx$          | 2621 |
| 3.588 | $\int \frac{aB+bB \cos(c+dx)}{(a+b \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)} dx$   | 2624 |



|       |  |      |
|-------|--|------|
| 3.589 | $\int \frac{aB+bB \cos(c+dx)}{(a+b \cos(c+dx)) \sec^2(c+dx)} dx$                   | 2627 |
| 3.590 | $\int \sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx)) \sec^{\frac{9}{2}}(c+dx) dx$           | 2630 |
| 3.591 | $\int \sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$           | 2637 |
| 3.592 | $\int \sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$           | 2642 |
| 3.593 | $\int \sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$           | 2647 |
| 3.594 | $\int \sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$                  | 2652 |
| 3.595 | $\int \frac{\sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$          | 2657 |
| 3.596 | $\int \frac{\sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$   | 2663 |
| 3.597 | $\int (a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx)) \sec^{\frac{11}{2}}(c+dx) dx$         | 2670 |
| 3.598 | $\int (a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx)) \sec^{\frac{9}{2}}(c+dx) dx$          | 2678 |
| 3.599 | $\int (a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$          | 2685 |
| 3.600 | $\int (a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$          | 2690 |
| 3.601 | $\int (a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$          | 2695 |
| 3.602 | $\int (a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$                 | 2701 |
| 3.603 | $\int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$         | 2707 |
| 3.604 | $\int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$  | 2714 |
| 3.605 | $\int (a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx)) \sec^{\frac{13}{2}}(c+dx) dx$         | 2722 |
| 3.606 | $\int (a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx)) \sec^{\frac{11}{2}}(c+dx) dx$         | 2729 |
| 3.607 | $\int (a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx)) \sec^{\frac{9}{2}}(c+dx) dx$          | 2737 |
| 3.608 | $\int (a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx) dx$          | 2744 |
| 3.609 | $\int (a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx) dx$          | 2750 |
| 3.610 | $\int (a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx) dx$          | 2756 |
| 3.611 | $\int (a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$                 | 2763 |
| 3.612 | $\int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$         | 2770 |
| 3.613 | $\int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$  | 2778 |
| 3.614 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$  | 2784 |
| 3.615 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$  | 2790 |
| 3.616 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$  | 2795 |
| 3.617 | $\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx$         | 2799 |
| 3.618 | $\int \frac{A+B \cos(c+dx)}{\sqrt{a+b \cos(c+dx)} \sqrt{\sec(c+dx)}} dx$           | 2803 |
| 3.619 | $\int \frac{A+B \cos(c+dx)}{\sqrt{a+b \cos(c+dx)} \sec^{\frac{3}{2}}(c+dx)} dx$    | 2808 |
| 3.620 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$ | 2814 |
| 3.621 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$ | 2821 |
| 3.622 | $\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^{3/2}} dx$        | 2826 |
| 3.623 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{3/2} \sqrt{\sec(c+dx)}} dx$          | 2830 |
| 3.624 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{3/2} \sec^{\frac{3}{2}}(c+dx)} dx$   | 2835 |
| 3.625 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$ | 2841 |

|       |  |      |
|-------|--|------|
| 3.626 | $\int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$   | 2847 |
| 3.627 | $\int \frac{(A+B \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^{5/2}} dx$          | 2853 |
| 3.628 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{5/2} \sqrt{\sec(c+dx)}} dx$            | 2859 |
| 3.629 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{5/2} \sec^{\frac{3}{2}}(c+dx)} dx$     | 2865 |
| 3.630 | $\int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{5/2} \sec^{\frac{5}{2}}(c+dx)} dx$     | 2870 |
| 3.631 | $\int \frac{(aB+bB \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$ | 2876 |
| 3.632 | $\int \frac{(aB+bB \cos(c+dx)) \sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^{3/2}} dx$        | 2880 |
| 3.633 | $\int \frac{aB+bB \cos(c+dx)}{(a+b \cos(c+dx))^{3/2} \sqrt{\sec(c+dx)}} dx$          | 2883 |
| 3.634 | $\int \frac{aB+bB \cos(c+dx)}{(a+b \cos(c+dx))^{3/2} \sec^{\frac{3}{2}}(c+dx)} dx$   | 2886 |
| 3.635 | $\int (a+b \cos(e+fx))^n (A+B \cos(e+fx))(c \sec(e+fx))^m dx$                        | 2891 |
| 3.636 | $\int (a+b \cos(e+fx))^4 (A+B \cos(e+fx))(c \sec(e+fx))^m dx$                        | 2893 |
| 3.637 | $\int (a+b \cos(e+fx))^3 (A+B \cos(e+fx))(c \sec(e+fx))^m dx$                        | 2898 |
| 3.638 | $\int (a+b \cos(e+fx))^2 (A+B \cos(e+fx))(c \sec(e+fx))^m dx$                        | 2902 |
| 3.639 | $\int (a+b \cos(e+fx))(A+B \cos(e+fx))(c \sec(e+fx))^m dx$                           | 2906 |
| 3.640 | $\int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{a+b \cos(e+fx)} dx$                    | 2909 |
| 3.641 | $\int (a+b \cos(e+fx))^{3/2} (A+B \cos(e+fx))(c \sec(e+fx))^m dx$                    | 2913 |
| 3.642 | $\int \sqrt{a+b \cos(e+fx)} (A+B \cos(e+fx))(c \sec(e+fx))^m dx$                     | 2916 |
| 3.643 | $\int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{\sqrt{a+b \cos(e+fx)}} dx$             | 2918 |
| 3.644 | $\int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{(a+b \cos(e+fx))^{3/2}} dx$            | 2921 |

#### 4 Listing of Grading functions

2925

# Chapter 1

## Introduction

This report gives the result of running the computer algebra independent integration problems. The listing of the problems are maintained by and can be downloaded from <https://rulebasedintegration.org>

The number of integrals in this report is [ 644 ]. This is test number [ 92 ].

### 1.1 Listing of CAS systems tested

The following systems were tested at this time.

1. Mathematica 12.1 (64 bit) on windows 10.
2. Rubi 4.16.1 in Mathematica 12 on windows 10.
3. Maple 2020 (64 bit) on windows 10.
4. Maxima 5.43 on Linux. (via sagemath 8.9)
5. Fricas 1.3.6 on Linux (via sagemath 9.0)
6. Sympy 1.5 under Python 3.7.3 using Anaconda distribution.
7. Giac/Xcas 1.5 on Linux. (via sagemath 8.9)

Maxima, Fricas and Giac/Xcas were called from inside SageMath. This was done using SageMath integrate command by changing the name of the algorithm to use the different CAS systems.

Sympy was called directly using Python.

### 1.2 Results

Important note: A number of problems in this test suite have no antiderivative in closed form. This means the antiderivative of these integrals can not be expressed in terms of elementary, special functions or Hypergeometric2F1 functions. RootSum and RootOf are not allowed.

If a CAS returns the above integral unevaluated within the time limit, then the result is counted as passed and assigned an A grade.

However, if CAS times out, then it is assigned an F grade even if the integral is not integrable, as this implies CAS could not determine that the integral is not integrable in the time limit.

If a CAS returns an antiderivative to such an integral, it is assigned an A grade automatically and this special result is listed in the introduction section of each individual test report to make it easy to identify as this can be important result to investigate.

The results given in in the table below reflects the above.

| System      | solved          | Failed          |
|-------------|-----------------|-----------------|
| Rubi        | % 100. ( 644 )  | % 0. ( 0 )      |
| Mathematica | % 98.45 ( 634 ) | % 1.55 ( 10 )   |
| Maple       | % 98.45 ( 634 ) | % 1.55 ( 10 )   |
| Maxima      | % 29.35 ( 189 ) | % 70.65 ( 455 ) |
| Fricas      | % 48.6 ( 313 )  | % 51.4 ( 331 )  |
| Sympy       | % 9.47 ( 61 )   | % 90.53 ( 583 ) |
| Giac        | % 30.9 ( 199 )  | % 69.1 ( 445 )  |


The table below gives additional break down of the grading of quality of the antiderivatives generated by each CAS. The grading is given using the letters A,B,C and F with A being the best quality. The grading is accomplished by comparing the antiderivative generated with the optimal antiderivatives included in the test suite. The following table describes the meaning of these grades.

| grade | description   |
|-------|---|
| A     | Integral was solved and antiderivative is optimal in quality and leaf size.   |
| B     | Integral was solved and antiderivative is optimal in quality but leaf size is larger than twice the optimal antiderivatives leaf size.  |
| C     | Integral was solved and antiderivative is non-optimal in quality. This can be due to one or more of the following reasons <ol style="list-style-type: none"> <li>1. antiderivative contains a hypergeometric function and the optimal antiderivative does not.</li> <li>2. antiderivative contains a special function and the optimal antiderivative does not.</li> <li>3. antiderivative contains the imaginary unit and the optimal antiderivative does not.</li> </ol> |
| F     | Integral was not solved. Either the integral was returned unevaluated within the time limit, or it timed out, or CAS hanged or crashed or an exception was raised.  |


Grading is implemented for all CAS systems. Based on the above, the following table summarizes the grading for this test suite.

| System      | % A grade | % B grade | % C grade | % F grade |
|-------------|-----------|-----------|-----------|-----------|
| Rubi        | 100.      | 0.        | 0.        | 0.        |
| Mathematica | 57.61     | 11.65     | 29.19     | 1.55      |
| Maple       | 37.42     | 60.71     | 0.31      | 1.55      |
| Maxima      | 17.24     | 12.11     | 0.        | 70.65     |
| Fricas      | 42.86     | 5.75      | 0.        | 51.4      |
| Sympy       | 9.47      | 0.        | 0.        | 90.53     |
| Giac        | 19.88     | 10.87     | 0.16      | 69.1      |

The following is a Bar chart illustration of the data in the above table.



The figure below compares the CAS systems for each grade level.



### 1.3 Performance

The table below summarizes the performance of each CAS system in terms of CPU time and leaf size of results.

| System      | Mean time (sec) | Mean size | Normalized mean | Median size | Normalized median |
|-------------|-----------------|-----------|-----------------|-------------|-------------------|
| Rubi        | 0.61            | 222.34    | 0.98            | 187.5       | 1.                |
| Mathematica | 4.24            | 530.69    | 2.05            | 223.        | 1.09              |
| Maple       | 2.77            | 887.73    | 3.2             | 423.5       | 2.51              |
| Maxima      | 1.96            | 1110.15   | 6.66            | 311.        | 2.14              |
| Fricas      | 6.18            | 565.84    | 3.49            | 425.        | 2.78              |
| Sympy       | 12.07           | 414.85    | 2.97            | 264.        | 2.5               |
| Giac        | 1.61            | 360.78    | 2.29            | 254.        | 2.03              |

## 1.4 list of integrals that has no closed form antiderivative

{449, 455, 456, 457, 458, 635, 641, 642, 643, 644}

## 1.5 list of integrals solved by CAS but has no known antiderivative

**Rubi** {}

**Mathematica** {}

**Maple** {}

**Maxima** {}

**Fricas** {}

**Sympy** {}

**Giac** {}

## 1.6 list of integrals solved by CAS but failed verification

The following are integrals solved by CAS but the verification phase failed to verify the anti-derivative produced is correct. This does not mean necessarily that the anti-derivative is wrong, as additional methods of verification might be needed, or more time is needed (3 minutes time limit was used). These integrals are listed here to make it easier to do further investigation to determine why it was not possible to verify the result produced.

**Rubi** {}

**Mathematica** {55, 64, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 151, 152, 157, 158, 159, 165, 194, 195, 196, 200, 201, 318, 332, 338, 339, 340, 395, 397, 399, 401, 402, 403, 408, 409, 410, 411, 412, 413, 415, 416, 417, 418, 421, 424, 426, 430, 431, 432, 434, 435, 436, 454, 492, 522, 524, 529, 531, 532, 546, 547, 549, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 590, 591, 592, 593, 595, 597, 598, 599, 600, 601, 602, 603, 605, 606, 607, 608, 609, 610, 612, 614, 615, 616, 620, 621, 622, 624, 625, 626, 627, 628, 629, 630, 633, 634, 638, 639, 640}

**Maple** Verification phase not implemented yet.

**Maxima** Verification phase not implemented yet.

**Fricas** Verification phase not implemented yet.

**Sympy** Verification phase not implemented yet.

**Giac** Verification phase not implemented yet.

## 1.7 Timing

The command `AbsoluteTiming[]` was used in Mathematica to obtain the elapsed time for each integrate call. In Maple, the command `Usage` was used as in the following example

```
cpu_time := Usage(assign ('result_of _int',int(expr,x)),output='realtime')
```

For all other CAS systems, the elapsed time to complete each integral was found by taking the difference between the time after the call has completed from the time before the call was made. This was done using Python's `time.time()` call.

All elapsed times shown are in seconds. A time limit of 3 minutes was used for each integral. If the integrate command did not complete within this time limit, the integral was aborted and considered to have failed and assigned an F grade. The time used by failed integrals due to time out is not counted in the final statistics.

## 1.8 Verification

A verification phase was applied on the result of integration for Rubi and Mathematica. Future version of this report will implement verification for the other CAS systems. For the integrals whose result was not run through a verification phase, it is assumed that the antiderivative produced was correct.

Verification phase has 3 minutes time out. An integral whose result was not verified could still be correct. Further investigation is needed on those integrals which failed verifications. Such integrals are marked in the summary table below and also in each integral separate section so they are easy to identify and locate.

## 1.9 Important notes about some of the results

### 1.9.1 Important note about Maxima results

Since these integrals are run in a batch mode, using an automated script, and by using `sagemath` (SageMath uses Maxima), then any integral where Maxima needs an interactive response from the user to answer a question during evaluation of the integral in order to complete the integration, will fail and is counted as failed.

The exception raised is `ValueError`. Therefore Maxima result below is lower than what could result if Maxima was run directly and each question Maxima asks was answered correctly.

The percentage of such failures were not counted for each test file, but for an example, for the Timofeev test file, there were about 30 such integrals out of total 705, or about 4 percent. This percentage can be higher or lower depending on the specific input test file.

Such integrals can be indentified by looking at the output of the integration in each section for Maxima. If the output was an exception `ValueError` then this is most likely due to this reason.

Maxima integrate was run using SageMath with the following settings set by default

```
'besselexpand : true'
'display2d : false'
'domain : complex'
'keepfloat : true'
'load(to_poly_solve)'
'load(simplify_sum)'
'load(abs_integrate)' 'load(diag)'
```

SageMath loading of Maxima `abs_integrate` was found to cause some problem. So the following code was added to disable this effect.

```
from sage.interfaces.maxima_lib import maxima_lib
maxima_lib.set('extra_definite_integration_methods', '[]')
maxima_lib.set('extra_integration_methods', '[]')
```

See <https://ask.sagemath.org/question/43088/integrate-results-that-are-different-from-using-maxima/> for reference.

## 1.9.2 Important note about FriCAS and Giac/X-CAS results

There are few integrals which failed due to SageMath not able to translate the result back to SageMath syntax and not because these CAS system were not able to do the integrations.

These will fail with error `Exception raised: NotImplementedError`

The number of such cases seems to be very small. About 1 or 2 percent of all integrals.

Hopefully the next version of SageMath will have complete translation of FriCAS and XCAS syntax and I will re-run all the tests again when this happens.

## 1.9.3 Important note about finding leaf size of antiderivative

For Mathematica, Rubi and Maple, the builtin system function `LeafSize` is used to find the leaf size of each antiderivative.

The other CAS systems (SageMath and Sympy) do not have special builtin function for this purpose at this time. Therefore the leaf size is determined as follows.

For Fricas, Giac and Maxima (all called via `sagemath`) the following code is used

#see <https://stackoverflow.com/questions/25202346/how-to-obtain-leaf-count-expression-size-in->

```
def tree(expr):
    if expr.operator() is None:
        return expr
    else:
        return [expr.operator()+map(tree, expr.operands())
```

```
try:
    # 1.35 is a fudge factor since this estimate of leaf count is bit lower than
    # what it should be compared to Mathematica's
    leafCount = round(1.35*len(flatten(tree(anti))))
except Exception as ee:
    leafCount = 1
```

For Sympy, called directly from Python, the following code is used

```
try:
    # 1.7 is a fudge factor since it is low side from actual leaf count
    leafCount = round(1.7*count_ops(anti))


except Exception as ee:
    leafCount = 1
```

When these CAS systems have a builtin function to find the leaf size of expressions, it will be used instead, and these tests run again.



## 1.10 Design of the test system

The following diagram gives a high level view of the current test build system.



One record (line) per one integral result. The line is CSV comma separated. It contains 13 fields. This is description of each record (line)

1. integer. the problem number.
2. integer. 0 or 1 for failed or passed. (this is not the grade field)
3. integer. Leaf size of result.
4. integer. Leaf size of the optimal antiderivative.
5. number. CPU time used to solve this integral. 0 if failed.
6. string. The integral in Latex format
7. string. The input used in CAS own syntx.
8. string. The result (antiderivative) produced by CAS in Latex format
9. string. The optimal antiderivative in Latex format.
10. integer. 0 or 1. Indicates if problem has known antiderivative or not
11. String. The result (antiderivative) in CAS own syntax.
12. String. The grade of the antiderivative. Can be "A", "B", "C", or "F"
13. String. The optimal antiderivative in CAS own syntax.

**High level overview of the CAS independent integration test build system**



# Chapter 2

## detailed summary tables of results

### 2.1 List of integrals sorted by grade for each CAS

#### 2.1.1 Rubi

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644 }

B grade: { }

C grade: { }

F grade: { }

## 2.1.2 Mathematica

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 18, 19, 20, 21, 22, 24, 26, 27, 28, 29, 30, 31, 35, 36, 37, 49, 51, 60, 61, 62, 68, 69, 70, 71, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 193, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 237, 238, 239, 240, 241, 242, 243, 244, 245, 247, 248, 249, 250, 251, 252, 253, 254, 255, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 275, 276, 277, 278, 279, 280, 281, 282, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 304, 305, 306, 311, 312, 313, 319, 320, 321, 322, 323, 326, 327, 328, 329, 333, 334, 335, 336, 337, 341, 342, 343, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 394, 398, 399, 422, 423, 424, 438, 439, 440, 449, 450, 451, 452, 453, 455, 456, 457, 458, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 525, 528, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 591, 592, 593, 594, 599, 601, 613, 615, 616, 617, 621, 622, 628, 631, 632, 633, 635, 636, 637, 638, 639, 641, 642, 643, 644 }

B grade: { 16, 17, 23, 25, 32, 33, 34, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 50, 52, 53, 54, 55, 56, 57, 58, 59, 63, 64, 65, 66, 67, 72, 73, 236, 246, 256, 257, 273, 274, 283, 369, 393, 397, 454, 573, 574, 575, 576, 590, 595, 596, 597, 598, 600, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 614, 619, 620, 624, 625, 626, 627, 630, 640 }

C grade: { 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 191, 192, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 301, 302, 303, 307, 308, 309, 310, 314, 315, 316, 317, 318, 324, 325, 330, 331, 332, 338, 339, 340, 344, 395, 396, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 520, 521, 522, 524, 526, 527, 529, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 618, 623, 629, 634 }

F grade: { 441, 442, 443, 444, 445, 446, 447, 448, 523, 530 }

## 2.1.3 Maple

A grade: { 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 41, 42, 43, 48, 49, 50, 51, 52, 53, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 82, 83, 84, 85, 91, 92, 93, 100, 101, 102, 107, 130, 131, 137, 138, 139, 145, 146, 147, 148, 149, 151, 158, 159, 170, 171, 172, 173, 178, 179, 180, 181, 188, 189, 190, 192, 193, 215, 216, 217, 218, 219, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 253, 254, 281, 282, 283, 284, 285, 286, 287, 288, 290, 291, 292, 293, 294, 300, 322, 323, 329, 330, 342, 343, 344, 367, 368, 387, 390, 391, 422, 437, 438, 439, 449, 455, 456, 457, 458, 461, 464, 467, 468, 469, 474, 475, 477, 478, 479, 480, 481, 483, 484, 485, 486, 488, 489, 490, 491, 492, 493, 494, 495, 496, 498, 499, 500, 501, 502, 503, 504, 507, 508, 509, 510, 511, 512, 513, 517, 518, 519, 525, 526, 527, 528, 534, 535, 552, 555, 567, 568, 569, 570, 585, 617, 632, 633, 634, 635, 641, 642, 643, 644 }

B grade: { 38, 39, 40, 44, 45, 46, 47, 54, 55, 78, 79, 80, 81, 86, 87, 88, 89, 90, 94, 95, 96, 97, 98, 99, 103, 104, 105, 106, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 132, 133, 134, 135, 136, 140, 141, 142, 143, 144, 150, 152, 153, 154, 155, 156, 157, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 174, 175, 176, 177, 182, 183, 184, 185, 186, 187, 191, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 250, 251, 252, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 289, 295, 296, 297, 298, 299, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 324, 325, 326, 327, 328, 331, }

332, 333, 334, 335, 336, 337, 338, 339, 340, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 388, 389, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 440, 441, 442, 443, 444, 445, 446, 447, 448, 459, 460, 462, 463, 465, 466, 470, 471, 472, 473, 476, 482, 487, 497, 505, 506, 514, 515, 516, 520, 521, 522, 523, 524, 529, 530, 531, 532, 533, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 553, 554, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631 }

C grade: { 341, 386 }

F grade: { 450, 451, 452, 453, 454, 636, 637, 638, 639, 640 }

## 2.1.4 Maxima

A grade: { 1, 2, 3, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 50, 51, 52, 57, 58, 59, 60, 61, 62, 65, 66, 67, 68, 69, 70, 71, 72, 73, 74, 75, 76, 77, 78, 82, 83, 84, 85, 86, 91, 92, 93, 94, 104, 215, 216, 217, 218, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 449, 455, 456, 457, 458, 635, 641, 642, 643, 644 }

B grade: { 6, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 53, 54, 55, 56, 63, 64, 79, 80, 81, 87, 88, 95, 97, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 183, 184, 185, 186, 187, 188, 189, 190, 219, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 517, 518 }

C grade: { }

F grade: { 89, 90, 96, 98, 99, 100, 101, 102, 103, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 182, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 250, 251, 252, 253, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 281, 282, 283, 284, 285, 286, 287, 288, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 450, 451, 452, 453, 454, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 516, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 636, 637, 638, 639, 640 }

## 2.1.5 FriCAS

A grade: { 1, 2, 3, 4, 5, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 73, 74, 75, 76, 77, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 107, 108, 109, 110, 114, 115, 116, 117, 122, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, }

185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 215, 216, 217, 218, 220, 221, 222, 223, 224, 225, 226, 227, 228, 229, 230, 231, 232, 233, 234, 235, 236, 237, 238, 239, 240, 241, 242, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 253, 254, 257, 258, 261, 281, 282, 283, 284, 286, 287, 288, 289, 290, 291, 292, 293, 295, 449, 455, 456, 457, 458, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 635, 641, 642, 643, 644 }

B grade: { 6, 53, 72, 78, 79, 103, 104, 105, 106, 111, 112, 113, 118, 119, 120, 121, 219, 255, 256, 259, 260, 262, 263, 264, 265, 266, 267, 268, 269, 270, 273, 274, 275, 276, 277, 285, 294 }

C grade: { }

F grade: { 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 271, 272, 278, 279, 280, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 450, 451, 452, 453, 454, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 528, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 636, 637, 638, 639, 640 }

## 2.1.6 Sympy

A grade: { 1, 2, 3, 4, 10, 11, 12, 13, 19, 20, 21, 28, 29, 30, 38, 39, 40, 41, 42, 47, 48, 49, 50, 51, 56, 57, 58, 59, 60, 61, 65, 66, 67, 68, 69, 70, 215, 216, 217, 223, 224, 225, 231, 232, 233, 240, 241, 242, 253, 281, 282, 283, 284, 285, 286, 288, 456, 457, 458, 642, 643 }

B grade: { }

C grade: { }

F grade: { 5, 6, 7, 8, 9, 14, 15, 16, 17, 18, 22, 23, 24, 25, 26, 27, 31, 32, 33, 34, 35, 36, 37, 43, 44, 45, 46, 52, 53, 54, 55, 62, 63, 64, 71, 72, 73, 74, 75, 76, 77, 78, 79, 80, 81, 82, 83, 84, 85, 86, 87, 88, 89, 90, 91, 92, 93, 94, 95, 96, 97, 98, 99, 100, 101, 102, 103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116, 117, 118, 119, 120, 121, 122, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 218, 219, 220, 221, 222, 226, 227, 228, 229, 230, 234, 235, 236, 237, 238, 239, 243, 244, 245, 246, 247, 248, 249, 250, 251, 252, 254, 255, 256, 257, 258, 259, 260, 261, 262, 263, 264, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 287, 289, 290, 291, 292, 293, 294, 295, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512,

513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 644 }

## 2.1.7 Giac

A grade: { 1, 2, 3, 4, 8, 9, 10, 11, 12, 13, 14, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73, 94, 100, 101, 102, 103, 107, 108, 109, 110, 111, 115, 116, 117, 118, 119, 120, 215, 216, 217, 223, 224, 225, 231, 232, 233, 235, 240, 241, 242, 244, 251, 252, 253, 254, 255, 258, 260, 261, 262, 264, 281, 282, 283, 286, 287, 288, 289, 290, 291, 292, 294, 295, 457, 458, 635, 641, 642, 643, 644 }

B grade: { 5, 6, 7, 15, 78, 79, 80, 81, 86, 87, 88, 89, 90, 95, 96, 97, 98, 99, 104, 105, 106, 112, 113, 114, 121, 122, 218, 219, 220, 221, 222, 226, 227, 228, 229, 230, 234, 236, 237, 238, 239, 243, 245, 246, 247, 248, 249, 250, 256, 257, 259, 263, 265, 266, 267, 268, 269, 270, 271, 272, 273, 274, 275, 276, 277, 278, 279, 280, 285, 293 }

C grade: { 284 }

F grade: { 74, 75, 76, 77, 82, 83, 84, 85, 91, 92, 93, 123, 124, 125, 126, 127, 128, 129, 130, 131, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 148, 149, 150, 151, 152, 153, 154, 155, 156, 157, 158, 159, 160, 161, 162, 163, 164, 165, 166, 167, 168, 169, 170, 171, 172, 173, 174, 175, 176, 177, 178, 179, 180, 181, 182, 183, 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198, 199, 200, 201, 202, 203, 204, 205, 206, 207, 208, 209, 210, 211, 212, 213, 214, 296, 297, 298, 299, 300, 301, 302, 303, 304, 305, 306, 307, 308, 309, 310, 311, 312, 313, 314, 315, 316, 317, 318, 319, 320, 321, 322, 323, 324, 325, 326, 327, 328, 329, 330, 331, 332, 333, 334, 335, 336, 337, 338, 339, 340, 341, 342, 343, 344, 345, 346, 347, 348, 349, 350, 351, 352, 353, 354, 355, 356, 357, 358, 359, 360, 361, 362, 363, 364, 365, 366, 367, 368, 369, 370, 371, 372, 373, 374, 375, 376, 377, 378, 379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 636, 637, 638, 639, 640 }

## 2.2 Detailed conclusion table per each integral for all CAS systems

Detailed conclusion table per each integral is given by table below. The elapsed time is in seconds. For failed result it is given as F(-1) if the failure was due to timeout. It is given as F(-2) if the failure was due to an exception being raised, which could indicate a bug in the system. If the failure was due to integral not being evaluated within the time limit, then it is given just an F.

In this table, the column **normalized size** is defined as  $\frac{\text{antiderivative leaf size}}{\text{optimal antiderivative leaf size}}$

| Problem 1       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 125     | 125   | 77          | 128   | 167    | 239    | 333   | 151   |
| normalized size | 1       | 1.    | 0.62        | 1.02  | 1.34   | 1.91   | 2.66  | 1.21  |
| time (sec)      | N/A     | 0.167 | 0.244       | 0.05  | 1.012  | 1.76   | 3.587 | 1.101 |

| Problem 2       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 97      | 97    | 75          | 107   | 136    | 193    | 252   | 120   |
| normalized size | 1       | 1.    | 0.77        | 1.1   | 1.4    | 1.99   | 2.6   | 1.24  |
| time (sec)      | N/A     | 0.149 | 0.223       | 0.052 | 1.007  | 1.433  | 1.805 | 1.147 |

| Problem 3       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 77      | 77    | 65          | 85    | 107    | 146    | 168   | 92    |
| normalized size | 1       | 1.    | 0.84        | 1.1   | 1.39   | 1.9    | 2.18  | 1.19  |
| time (sec)      | N/A     | 0.078 | 0.166       | 0.053 | 0.984  | 1.375  | 0.928 | 1.105 |

| Problem 4       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 47      | 47    | 44          | 57    | 74     | 99     | 94    | 61    |
| normalized size | 1       | 1.    | 0.94        | 1.21  | 1.57   | 2.11   | 2.    | 1.3   |
| time (sec)      | N/A     | 0.021 | 0.098       | 0.046 | 0.987  | 1.333  | 0.412 | 1.168 |

| Problem 5       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 32      | 32    | 46          | 56    | 63     | 139    | 0     | 107   |
| normalized size | 1       | 1.    | 1.44        | 1.75  | 1.97   | 4.34   | 0.    | 3.34  |
| time (sec)      | N/A     | 0.091 | 0.024       | 0.076 | 0.99   | 1.451  | 0.    | 1.233 |

| Problem 6       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 32      | 32    | 43          | 65    | 99     | 220    | 0     | 113   |
| normalized size | 1       | 1.    | 1.34        | 2.03  | 3.09   | 6.88   | 0.    | 3.53  |
| time (sec)      | N/A     | 0.103 | 0.019       | 0.092 | 1.038  | 1.473  | 0.    | 1.213 |

| Problem 7       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 56      | 56    | 75          | 86    | 128    | 239    | 0     | 167   |
| normalized size | 1       | 1.    | 1.34        | 1.54  | 2.29   | 4.27   | 0.    | 2.98  |
| time (sec)      | N/A     | 0.137 | 0.027       | 0.093 | 0.99   | 1.409  | 0.    | 1.241 |



| Problem 8       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 86      | 86    | 56          | 128   | 171    | 288    | 0     | 208  |
| normalized size | 1       | 1.    | 0.65        | 1.49  | 1.99   | 3.35   | 0.    | 2.42 |
| time (sec)      | N/A     | 0.154 | 0.303       | 0.101 | 1.029  | 1.423  | 0.    | 1.25 |

| Problem 9       | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 106     | 106   | 77          | 171   | 220    | 339    | 0     | 254   |
| normalized size | 1       | 1.    | 0.73        | 1.61  | 2.08   | 3.2    | 0.    | 2.4   |
| time (sec)      | N/A     | 0.165 | 0.364       | 0.151 | 0.982  | 1.41   | 0.    | 1.271 |

| Problem 10      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 191     | 191  | 134         | 217   | 292    | 327    | 600   | 224   |
| normalized size | 1       | 1.   | 0.7         | 1.14  | 1.53   | 1.71   | 3.14  | 1.17  |
| time (sec)      | N/A     | 0.31 | 0.59        | 0.057 | 1.052  | 1.429  | 6.142 | 1.197 |

| Problem 11      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 160     | 160   | 108         | 186   | 240    | 271    | 459   | 185   |
| normalized size | 1       | 1.    | 0.68        | 1.16  | 1.5    | 1.69   | 2.87  | 1.16  |
| time (sec)      | N/A     | 0.278 | 0.398       | 0.076 | 0.975  | 1.4    | 3.417 | 1.222 |

| Problem 12      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 129     | 129   | 86          | 154   | 194    | 213    | 338   | 149   |
| normalized size | 1       | 1.    | 0.67        | 1.19  | 1.5    | 1.65   | 2.62  | 1.16  |
| time (sec)      | N/A     | 0.176 | 0.331       | 0.051 | 0.991  | 1.439  | 2.195 | 1.187 |

| Problem 13      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 94      | 94    | 61          | 116   | 149    | 165    | 199   | 115   |
| normalized size | 1       | 1.    | 0.65        | 1.23  | 1.59   | 1.76   | 2.12  | 1.22  |
| time (sec)      | N/A     | 0.059 | 0.18        | 0.046 | 1.     | 1.406  | 0.792 | 1.198 |

| Problem 14      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 82      | 82    | 96          | 108   | 127    | 194    | 0     | 196   |
| normalized size | 1       | 1.    | 1.17        | 1.32  | 1.55   | 2.37   | 0.    | 2.39  |
| time (sec)      | N/A     | 0.193 | 0.171       | 0.081 | 0.971  | 1.444  | 0.    | 1.225 |

| Problem 15      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 74      | 74   | 143         | 107   | 142    | 278    | 0     | 209   |
| normalized size | 1       | 1.   | 1.93        | 1.45  | 1.92   | 3.76   | 0.    | 2.82  |
| time (sec)      | N/A     | 0.21 | 0.311       | 0.092 | 1.001  | 1.424  | 0.    | 1.243 |

| Problem 16      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 88      | 88    | 277         | 113   | 192    | 297    | 0     | 208   |
| normalized size | 1       | 1.    | 3.15        | 1.28  | 2.18   | 3.38   | 0.    | 2.36  |
| time (sec)      | N/A     | 0.219 | 1.183       | 0.106 | 0.98   | 1.392  | 0.    | 1.323 |

| Problem 17      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | B           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 113     | 113  | 451         | 141   | 235    | 315    | 0     | 240   |
| normalized size | 1       | 1.   | 3.99        | 1.25  | 2.08   | 2.79   | 0.    | 2.12  |
| time (sec)      | N/A     | 0.27 | 5.642       | 0.099 | 1.019  | 1.379  | 0.    | 1.233 |

| Problem 18      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 144     | 144   | 262         | 187   | 311    | 362    | 0     | 286   |
| normalized size | 1       | 1.    | 1.82        | 1.3   | 2.16   | 2.51   | 0.    | 1.99  |
| time (sec)      | N/A     | 0.304 | 1.134       | 0.115 | 1.021  | 1.481  | 0.    | 1.242 |

| Problem 19      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 201     | 201   | 134         | 266   | 354    | 332    | 695   | 224   |
| normalized size | 1       | 1.    | 0.67        | 1.32  | 1.76   | 1.65   | 3.46  | 1.11  |
| time (sec)      | N/A     | 0.432 | 0.546       | 0.073 | 0.998  | 1.459  | 8.225 | 1.252 |

| Problem 20      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 154     | 154   | 108         | 223   | 288    | 278    | 530   | 184  |
| normalized size | 1       | 1.    | 0.7         | 1.45  | 1.87   | 1.81   | 3.44  | 1.19 |
| time (sec)      | N/A     | 0.229 | 0.409       | 0.052 | 0.976  | 1.453  | 4.328 | 1.21 |

| Problem 21      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 116     | 116   | 86          | 176   | 225    | 216    | 371   | 151   |
| normalized size | 1       | 1.    | 0.74        | 1.52  | 1.94   | 1.86   | 3.2   | 1.3   |
| time (sec)      | N/A     | 0.098 | 0.303       | 0.047 | 1.026  | 1.334  | 1.61  | 1.184 |

| Problem 22      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 111     | 111   | 113         | 153   | 190    | 254    | 0     | 243   |
| normalized size | 1       | 1.    | 1.02        | 1.38  | 1.71   | 2.29   | 0.    | 2.19  |
| time (sec)      | N/A     | 0.304 | 0.249       | 0.111 | 1.     | 1.497  | 0.    | 1.289 |

| Problem 23      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 110     | 110   | 272         | 145   | 189    | 323    | 0     | 259   |
| normalized size | 1       | 1.    | 2.47        | 1.32  | 1.72   | 2.94   | 0.    | 2.35  |
| time (sec)      | N/A     | 0.308 | 1.69        | 0.1   | 1.026  | 1.416  | 0.    | 1.323 |

| Problem 24      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 114     | 114   | 208         | 144   | 223    | 342    | 0     | 259   |
| normalized size | 1       | 1.    | 1.82        | 1.26  | 1.96   | 3.     | 0.    | 2.27  |
| time (sec)      | N/A     | 0.338 | 1.839       | 0.111 | 1.01   | 1.471  | 0.    | 1.262 |

| Problem 25      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 125     | 125   | 786         | 158   | 286    | 356    | 0     | 255   |
| normalized size | 1       | 1.    | 6.29        | 1.26  | 2.29   | 2.85   | 0.    | 2.04  |
| time (sec)      | N/A     | 0.337 | 6.347       | 0.152 | 1.004  | 1.421  | 0.    | 1.329 |

| Problem 26      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 154     | 154   | 273         | 188   | 363    | 366    | 0     | 286   |
| normalized size | 1       | 1.    | 1.77        | 1.22  | 2.36   | 2.38   | 0.    | 1.86  |
| time (sec)      | N/A     | 0.418 | 1.236       | 0.121 | 1.007  | 1.404  | 0.    | 1.339 |

| Problem 27      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 185     | 185   | 294         | 234   | 455    | 431    | 0     | 332   |
| normalized size | 1       | 1.    | 1.59        | 1.26  | 2.46   | 2.33   | 0.    | 1.79  |
| time (sec)      | N/A     | 0.447 | 1.415       | 0.114 | 1.028  | 1.478  | 0.    | 1.271 |

| Problem 28      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 241     | 241   | 156         | 358   | 481    | 396    | 960    | 261   |
| normalized size | 1       | 1.    | 0.65        | 1.49  | 2.     | 1.64   | 3.98   | 1.08  |
| time (sec)      | N/A     | 0.593 | 0.793       | 0.067 | 1.018  | 1.432  | 11.627 | 1.317 |

| Problem 29      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 185     | 185   | 134         | 306   | 401    | 329    | 765   | 224   |
| normalized size | 1       | 1.    | 0.72        | 1.65  | 2.17   | 1.78   | 4.14  | 1.21  |
| time (sec)      | N/A     | 0.304 | 0.49        | 0.059 | 1.019  | 1.466  | 6.802 | 1.233 |

| Problem 30      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 150     | 150   | 108         | 248   | 319    | 279    | 544   | 188   |
| normalized size | 1       | 1.    | 0.72        | 1.65  | 2.13   | 1.86   | 3.63  | 1.25  |
| time (sec)      | N/A     | 0.139 | 0.336       | 0.051 | 1.03   | 1.313  | 4.469 | 1.238 |

| Problem 31      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 151     | 151   | 138         | 199   | 267    | 306    | 0     | 289   |
| normalized size | 1       | 1.    | 0.91        | 1.32  | 1.77   | 2.03   | 0.    | 1.91  |
| time (sec)      | N/A     | 0.413 | 0.372       | 0.105 | 1.012  | 1.814  | 0.    | 1.299 |

| Problem 32      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 150     | 150   | 312         | 190   | 252    | 383    | 0     | 305   |
| normalized size | 1       | 1.    | 2.08        | 1.27  | 1.68   | 2.55   | 0.    | 2.03  |
| time (sec)      | N/A     | 0.453 | 1.548       | 0.148 | 1.011  | 1.676  | 0.    | 1.344 |

| Problem 33      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 162     | 162   | 343         | 182   | 269    | 390    | 0     | 311   |
| normalized size | 1       | 1.    | 2.12        | 1.12  | 1.66   | 2.41   | 0.    | 1.92  |
| time (sec)      | N/A     | 0.476 | 4.283       | 0.127 | 1.028  | 1.452  | 0.    | 1.335 |

| Problem 34      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 165     | 165   | 380         | 189   | 317    | 405    | 0     | 306   |
| normalized size | 1       | 1.    | 2.3         | 1.15  | 1.92   | 2.45   | 0.    | 1.85  |
| time (sec)      | N/A     | 0.514 | 6.203       | 0.124 | 1.019  | 1.545  | 0.    | 1.303 |

| Problem 35      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 173     | 173   | 326         | 204   | 414    | 408    | 0     | 301   |
| normalized size | 1       | 1.    | 1.88        | 1.18  | 2.39   | 2.36   | 0.    | 1.74  |
| time (sec)      | N/A     | 0.523 | 1.719       | 0.122 | 1.256  | 1.436  | 0.    | 1.274 |

| Problem 36      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 198     | 198   | 306         | 234   | 508    | 431    | 0     | 332   |
| normalized size | 1       | 1.    | 1.55        | 1.18  | 2.57   | 2.18   | 0.    | 1.68  |
| time (sec)      | N/A     | 0.587 | 1.571       | 0.152 | 1.174  | 1.395  | 0.    | 1.307 |

| Problem 37      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | B      | A      | F(-1) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 229     | 229  | 358         | 280   | 626    | 481    | 0     | 378   |
| normalized size | 1       | 1.   | 1.56        | 1.22  | 2.73   | 2.1    | 0.    | 1.65  |
| time (sec)      | N/A     | 0.65 | 2.079       | 0.125 | 1.066  | 1.416  | 0.    | 1.316 |

| Problem 38      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | B           | B     | B      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 153     | 153   | 311         | 351   | 532    | 301    | 1794   | 244   |
| normalized size | 1       | 1.    | 2.03        | 2.29  | 3.48   | 1.97   | 11.73  | 1.59  |
| time (sec)      | N/A     | 0.207 | 0.607       | 0.069 | 1.537  | 1.376  | 13.353 | 1.184 |

| Problem 39      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 122     | 122   | 249         | 281   | 419    | 242    | 1161  | 204   |
| normalized size | 1       | 1.    | 2.04        | 2.3   | 3.43   | 1.98   | 9.52  | 1.67  |
| time (sec)      | N/A     | 0.172 | 0.534       | 0.066 | 1.521  | 1.466  | 7.635 | 1.241 |

| Problem 40      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 90      | 99    | 197         | 211   | 304    | 204    | 665   | 167   |
| normalized size | 1       | 1.1   | 2.19        | 2.34  | 3.38   | 2.27   | 7.39  | 1.86  |
| time (sec)      | N/A     | 0.123 | 0.438       | 0.069 | 1.506  | 1.426  | 4.29  | 1.179 |

| Problem 41      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 54      | 54    | 126         | 108   | 193    | 147    | 264   | 105   |
| normalized size | 1       | 1.    | 2.33        | 2.    | 3.57   | 2.72   | 4.89  | 1.94  |
| time (sec)      | N/A     | 0.139 | 0.231       | 0.061 | 1.614  | 1.337  | 2.186 | 1.213 |

| Problem 42      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | B           | A     | B      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 34      | 34   | 72          | 56    | 99     | 105    | 49    | 58    |
| normalized size | 1       | 1.   | 2.12        | 1.65  | 2.91   | 3.09   | 1.44  | 1.71  |
| time (sec)      | N/A     | 0.05 | 0.117       | 0.053 | 1.501  | 1.312  | 1.108 | 1.167 |

| Problem 43      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | B      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 44      | 44    | 109         | 78    | 134    | 197    | 0     | 96    |
| normalized size | 1       | 1.    | 2.48        | 1.77  | 3.05   | 4.48   | 0.    | 2.18  |
| time (sec)      | N/A     | 0.078 | 0.238       | 0.082 | 1.015  | 1.39   | 0.    | 1.227 |

| Problem 44      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | B      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 69      | 69    | 201         | 163   | 265    | 320    | 0     | 149   |
| normalized size | 1       | 1.    | 2.91        | 2.36  | 3.84   | 4.64   | 0.    | 2.16  |
| time (sec)      | N/A     | 0.156 | 1.1         | 0.106 | 1.018  | 1.397  | 0.    | 1.266 |

| Problem 45      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | B      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 107     | 107   | 289         | 252   | 381    | 385    | 0     | 212   |
| normalized size | 1       | 1.    | 2.7         | 2.36  | 3.56   | 3.6    | 0.    | 1.98  |
| time (sec)      | N/A     | 0.169 | 3.081       | 0.115 | 1.025  | 1.373  | 0.    | 1.254 |

| Problem 46      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | B           | B     | B      | A      | F(-1) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 131     | 131  | 490         | 340   | 497    | 419    | 0     | 246   |
| normalized size | 1       | 1.   | 3.74        | 2.6   | 3.79   | 3.2    | 0.    | 1.88  |
| time (sec)      | N/A     | 0.18 | 4.114       | 0.104 | 1.325  | 1.454  | 0.    | 1.189 |

| Problem 47      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | B           | B     | B      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 170     | 170   | 369         | 322   | 502    | 387    | 1425   | 259   |
| normalized size | 1       | 1.    | 2.17        | 1.89  | 2.95   | 2.28   | 8.38   | 1.52  |
| time (sec)      | N/A     | 0.322 | 0.617       | 0.066 | 2.01   | 1.389  | 21.057 | 1.195 |

| Problem 48      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | B           | A     | B      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 147     | 147   | 315         | 252   | 382    | 343    | 843    | 221   |
| normalized size | 1       | 1.    | 2.14        | 1.71  | 2.6    | 2.33   | 5.73   | 1.5   |
| time (sec)      | N/A     | 0.341 | 0.757       | 0.061 | 1.953  | 1.388  | 12.303 | 1.245 |

| Problem 49      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 99      | 99    | 137         | 149   | 258    | 294    | 411   | 161   |
| normalized size | 1       | 1.    | 1.38        | 1.51  | 2.61   | 2.97   | 4.15  | 1.63  |
| time (sec)      | N/A     | 0.276 | 0.677       | 0.079 | 1.895  | 1.366  | 7.01  | 1.267 |

| Problem 50      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 70      | 70    | 153         | 97    | 162    | 228    | 105   | 116   |
| normalized size | 1       | 1.    | 2.19        | 1.39  | 2.31   | 3.26   | 1.5   | 1.66  |
| time (sec)      | N/A     | 0.155 | 0.333       | 0.052 | 1.847  | 1.359  | 3.511 | 1.242 |

| Problem 51      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 65      | 65    | 76          | 60    | 126    | 144    | 94    | 81    |
| normalized size | 1       | 1.    | 1.17        | 0.92  | 1.94   | 2.22   | 1.45  | 1.25  |
| time (sec)      | N/A     | 0.054 | 0.169       | 0.045 | 1.234  | 1.363  | 2.852 | 1.214 |

| Problem 52      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | B           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 79      | 79   | 170         | 119   | 196    | 338    | 0     | 153   |
| normalized size | 1       | 1.   | 2.15        | 1.51  | 2.48   | 4.28   | 0.    | 1.94  |
| time (sec)      | N/A     | 0.18 | 0.487       | 0.082 | 1.27   | 1.38   | 0.    | 1.235 |

| Problem 53      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | B      | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 107     | 107   | 264         | 205   | 329    | 502    | 0     | 209   |
| normalized size | 1       | 1.    | 2.47        | 1.92  | 3.07   | 4.69   | 0.    | 1.95  |
| time (sec)      | N/A     | 0.295 | 1.512       | 0.095 | 1.049  | 1.463  | 0.    | 1.214 |

| Problem 54      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | B      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 152     | 152   | 496         | 294   | 454    | 564    | 0     | 267   |
| normalized size | 1       | 1.    | 3.26        | 1.93  | 2.99   | 3.71   | 0.    | 1.76  |
| time (sec)      | N/A     | 0.314 | 3.106       | 0.109 | 1.044  | 1.447  | 0.    | 1.246 |

| Problem 55      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | B      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 179     | 179   | 609         | 382   | 574    | 617    | 0     | 305   |
| normalized size | 1       | 1.    | 3.4         | 2.13  | 3.21   | 3.45   | 0.    | 1.7   |
| time (sec)      | N/A     | 0.365 | 4.847       | 0.125 | 1.048  | 1.479  | 0.    | 1.203 |

| Problem 56      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | B           | A     | B      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 218     | 218   | 491         | 362   | 556    | 539    | 1584   | 308   |
| normalized size | 1       | 1.    | 2.25        | 1.66  | 2.55   | 2.47   | 7.27   | 1.41  |
| time (sec)      | N/A     | 0.515 | 0.908       | 0.065 | 1.511  | 1.404  | 45.615 | 1.215 |

| Problem 57      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | B           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 193     | 193   | 435         | 292   | 435    | 497    | 966    | 270   |
| normalized size | 1       | 1.    | 2.25        | 1.51  | 2.25   | 2.58   | 5.01   | 1.4   |
| time (sec)      | N/A     | 0.468 | 0.791       | 0.066 | 1.508  | 1.473  | 27.862 | 1.178 |

| Problem 58      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | B           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 147     | 147   | 361         | 189   | 312    | 429    | 496    | 209   |
| normalized size | 1       | 1.    | 2.46        | 1.29  | 2.12   | 2.92   | 3.37   | 1.42  |
| time (sec)      | N/A     | 0.457 | 0.833       | 0.065 | 1.568  | 1.364  | 16.565 | 1.212 |

| Problem 59      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 116     | 116   | 241         | 137   | 216    | 351    | 148   | 162   |
| normalized size | 1       | 1.    | 2.08        | 1.18  | 1.86   | 3.03   | 1.28  | 1.4   |
| time (sec)      | N/A     | 0.321 | 0.537       | 0.056 | 1.49   | 1.378  | 9.228 | 1.238 |

| Problem 60      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 102     | 102   | 135         | 64    | 155    | 227    | 117   | 101   |
| normalized size | 1       | 1.    | 1.32        | 0.63  | 1.52   | 2.23   | 1.15  | 0.99  |
| time (sec)      | N/A     | 0.188 | 0.32        | 0.05  | 1.017  | 1.312  | 5.7   | 1.217 |

| Problem 61      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 102     | 102   | 96          | 64    | 155    | 227    | 114   | 101   |
| normalized size | 1       | 1.    | 0.94        | 0.63  | 1.52   | 2.23   | 1.12  | 0.99  |
| time (sec)      | N/A     | 0.079 | 0.259       | 0.044 | 1.022  | 1.338  | 3.662 | 1.206 |

| Problem 62      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 117     | 117   | 197         | 159   | 252    | 481    | 0     | 200   |
| normalized size | 1       | 1.    | 1.68        | 1.36  | 2.15   | 4.11   | 0.    | 1.71  |
| time (sec)      | N/A     | 0.311 | 0.912       | 0.094 | 1.007  | 1.364  | 0.    | 1.269 |

| Problem 63      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | B      | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 145     | 145   | 482         | 245   | 386    | 670    | 0     | 257   |
| normalized size | 1       | 1.    | 3.32        | 1.69  | 2.66   | 4.62   | 0.    | 1.77  |
| time (sec)      | N/A     | 0.469 | 2.924       | 0.108 | 1.029  | 1.468  | 0.    | 1.263 |



| Problem 64      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | B      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 196     | 196   | 610         | 334   | 509    | 756    | 0     | 315   |
| normalized size | 1       | 1.    | 3.11        | 1.7   | 2.6    | 3.86   | 0.    | 1.61  |
| time (sec)      | N/A     | 0.541 | 4.673       | 0.112 | 1.002  | 1.444  | 0.    | 1.229 |

| Problem 65      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | B           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 229     | 229   | 555         | 332   | 491    | 647    | 1085   | 315   |
| normalized size | 1       | 1.    | 2.42        | 1.45  | 2.14   | 2.83   | 4.74   | 1.38  |
| time (sec)      | N/A     | 0.672 | 1.255       | 0.064 | 1.49   | 1.425  | 91.689 | 1.287 |

| Problem 66      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | B           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 185     | 185   | 481         | 229   | 366    | 572    | 578    | 254   |
| normalized size | 1       | 1.    | 2.6         | 1.24  | 1.98   | 3.09   | 3.12   | 1.37  |
| time (sec)      | N/A     | 0.679 | 0.855       | 0.058 | 1.478  | 1.316  | 42.492 | 1.284 |

| Problem 67      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | B           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 154     | 154   | 329         | 177   | 271    | 475    | 192    | 209   |
| normalized size | 1       | 1.    | 2.14        | 1.15  | 1.76   | 3.08   | 1.25   | 1.36  |
| time (sec)      | N/A     | 0.498 | 0.741       | 0.059 | 1.479  | 1.386  | 24.311 | 1.215 |

| Problem 68      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 136     | 136   | 193         | 90    | 236    | 308    | 182    | 158   |
| normalized size | 1       | 1.    | 1.42        | 0.66  | 1.74   | 2.26   | 1.34   | 1.16  |
| time (sec)      | N/A     | 0.348 | 0.435       | 0.053 | 1.009  | 1.367  | 16.207 | 1.185 |

| Problem 69      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy  | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|--------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A      | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD    | TBD   |
| size            | 138     | 138   | 163         | 88    | 235    | 309    | 178    | 158   |
| normalized size | 1       | 1.    | 1.18        | 0.64  | 1.7    | 2.24   | 1.29   | 1.14  |
| time (sec)      | N/A     | 0.215 | 0.359       | 0.053 | 1.01   | 1.297  | 11.417 | 1.177 |

| Problem 70      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 138     | 138   | 109         | 88    | 236    | 311    | 177   | 158  |
| normalized size | 1       | 1.    | 0.79        | 0.64  | 1.71   | 2.25   | 1.28  | 1.14 |
| time (sec)      | N/A     | 0.138 | 0.324       | 0.049 | 1.004  | 1.402  | 8.089 | 1.19 |

| Problem 71      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 147     | 147   | 239         | 199   | 308    | 624    | 0     | 246   |
| normalized size | 1       | 1.    | 1.63        | 1.35  | 2.1    | 4.24   | 0.    | 1.67  |
| time (sec)      | N/A     | 0.466 | 1.419       | 0.095 | 1.039  | 1.482  | 0.    | 1.259 |

| Problem 72      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | A     | A      | B      | F(-1) | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 175     | 175   | 595         | 285   | 440    | 838    | 0     | 302  |
| normalized size | 1       | 1.    | 3.4         | 1.63  | 2.51   | 4.79   | 0.    | 1.73 |
| time (sec)      | N/A     | 0.672 | 4.879       | 0.113 | 1.039  | 1.413  | 0.    | 1.29 |

| Problem 73      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 232     | 232   | 798         | 374   | 566    | 938    | 0     | 360   |
| normalized size | 1       | 1.    | 3.44        | 1.61  | 2.44   | 4.04   | 0.    | 1.55  |
| time (sec)      | N/A     | 0.688 | 6.446       | 0.115 | 1.038  | 1.513  | 0.    | 1.282 |

| Problem 74      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 187     | 187   | 103         | 121   | 196    | 263    | 0     | 0    |
| normalized size | 1       | 1.    | 0.55        | 0.65  | 1.05   | 1.41   | 0.    | 0.   |
| time (sec)      | N/A     | 0.304 | 0.629       | 1.147 | 1.901  | 1.333  | 0.    | 0.   |

| Problem 75      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 144     | 144   | 80          | 102   | 159    | 219    | 0     | 0     |
| normalized size | 1       | 1.    | 0.56        | 0.71  | 1.1    | 1.52   | 0.    | 0.    |
| time (sec)      | N/A     | 0.265 | 0.335       | 0.998 | 1.935  | 1.224  | 0.    | 0.    |

| Problem 76      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 101     | 101   | 64          | 83    | 119    | 170    | 0     | 0     |
| normalized size | 1       | 1.    | 0.63        | 0.82  | 1.18   | 1.68   | 0.    | 0.    |
| time (sec)      | N/A     | 0.202 | 0.186       | 1.095 | 1.824  | 1.343  | 0.    | 0.    |

| Problem 77      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 62      | 62    | 46          | 62    | 77     | 126    | 0     | 0    |
| normalized size | 1       | 1.    | 0.74        | 1.    | 1.24   | 2.03   | 0.    | 0.   |
| time (sec)      | N/A     | 0.059 | 0.075       | 1.125 | 1.792  | 1.333  | 0.    | 0.   |

| Problem 78      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | A      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 66      | 66    | 66          | 210   | 28     | 344    | 0     | 201   |
| normalized size | 1       | 1.    | 1.          | 3.18  | 0.42   | 5.21   | 0.    | 3.05  |
| time (sec)      | N/A     | 0.138 | 0.085       | 3.296 | 1.635  | 1.521  | 0.    | 3.985 |

| Problem 79      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 68      | 68    | 85          | 642   | 959    | 406    | 0     | 351   |
| normalized size | 1       | 1.    | 1.25        | 9.44  | 14.1   | 5.97   | 0.    | 5.16  |
| time (sec)      | N/A     | 0.163 | 0.2         | 3.951 | 1.87   | 1.564  | 0.    | 2.851 |

| Problem 80      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | B      | A      | F(-1) | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 117     | 117  | 101         | 991   | 4525   | 460    | 0     | 637   |
| normalized size | 1       | 1.   | 0.86        | 8.47  | 38.68  | 3.93   | 0.    | 5.44  |
| time (sec)      | N/A     | 0.22 | 0.781       | 3.84  | 20.601 | 1.514  | 0.    | 2.765 |

| Problem 81      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 160     | 160   | 129         | 1311  | 6778   | 508    | 0     | 861   |
| normalized size | 1       | 1.    | 0.81        | 8.19  | 42.36  | 3.18   | 0.    | 5.38  |
| time (sec)      | N/A     | 0.293 | 1.787       | 3.984 | 21.461 | 1.614  | 0.    | 2.793 |

| Problem 82      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 234     | 234   | 125         | 142   | 250    | 351    | 0     | 0    |
| normalized size | 1       | 1.    | 0.53        | 0.61  | 1.07   | 1.5    | 0.    | 0.   |
| time (sec)      | N/A     | 0.529 | 0.956       | 1.046 | 2.     | 1.331  | 0.    | 0.   |

| Problem 83      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 189     | 189   | 103         | 123   | 208    | 286    | 0     | 0    |
| normalized size | 1       | 1.    | 0.54        | 0.65  | 1.1    | 1.51   | 0.    | 0.   |
| time (sec)      | N/A     | 0.446 | 0.528       | 1.463 | 1.969  | 1.404  | 0.    | 0.   |

| Problem 84      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 138     | 138  | 81          | 104   | 166    | 236    | 0     | 0     |
| normalized size | 1       | 1.   | 0.59        | 0.75  | 1.2    | 1.71   | 0.    | 0.    |
| time (sec)      | N/A     | 0.25 | 0.357       | 1.29  | 1.86   | 1.616  | 0.    | 0.    |

| Problem 85      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 101     | 101   | 65          | 85    | 126    | 182    | 0     | 0     |
| normalized size | 1       | 1.    | 0.64        | 0.84  | 1.25   | 1.8    | 0.    | 0.    |
| time (sec)      | N/A     | 0.087 | 0.18        | 1.117 | 1.811  | 1.612  | 0.    | 0.    |

| Problem 86      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 105     | 105   | 85          | 272   | 53     | 397    | 0     | 265   |
| normalized size | 1       | 1.    | 0.81        | 2.59  | 0.5    | 3.78   | 0.    | 2.52  |
| time (sec)      | N/A     | 0.265 | 0.192       | 3.507 | 1.659  | 2.158  | 0.    | 5.903 |

| Problem 87      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 103     | 103   | 98          | 696   | 1775   | 451    | 0     | 401   |
| normalized size | 1       | 1.    | 0.95        | 6.76  | 17.23  | 4.38   | 0.    | 3.89  |
| time (sec)      | N/A     | 0.284 | 0.301       | 3.605 | 1.907  | 2.387  | 0.    | 3.129 |

| Problem 88      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 119     | 119   | 109         | 991   | 4508   | 474    | 0     | 639   |
| normalized size | 1       | 1.    | 0.92        | 8.33  | 37.88  | 3.98   | 0.    | 5.37  |
| time (sec)      | N/A     | 0.325 | 0.511       | 3.779 | 2.492  | 1.978  | 0.    | 2.972 |

| Problem 89      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | F(-1)  | A      | F(-1) | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 164     | 164  | 132         | 1310  | 0      | 531    | 0     | 861   |
| normalized size | 1       | 1.   | 0.8         | 7.99  | 0.     | 3.24   | 0.    | 5.25  |
| time (sec)      | N/A     | 0.4  | 0.919       | 4.168 | 0.     | 1.993  | 0.    | 2.923 |

| Problem 90      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 209     | 209   | 151         | 1631  | 0      | 581    | 0     | 1083  |
| normalized size | 1       | 1.    | 0.72        | 7.8   | 0.     | 2.78   | 0.    | 5.18  |
| time (sec)      | N/A     | 0.485 | 1.471       | 4.114 | 0.     | 2.237  | 0.    | 3.214 |

| Problem 91      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 237     | 237   | 127         | 142   | 279    | 366    | 0     | 0    |
| normalized size | 1       | 1.    | 0.54        | 0.6   | 1.18   | 1.54   | 0.    | 0.   |
| time (sec)      | N/A     | 0.648 | 1.085       | 1.161 | 3.02   | 1.659  | 0.    | 0.   |

| Problem 92      | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | A      | A      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 175     | 175  | 105         | 123   | 232    | 302    | 0     | 0    |
| normalized size | 1       | 1.   | 0.6         | 0.7   | 1.33   | 1.73   | 0.    | 0.   |
| time (sec)      | N/A     | 0.28 | 0.671       | 1.134 | 2.791  | 1.629  | 0.    | 0.   |

| Problem 93      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 138     | 138   | 83          | 104   | 188    | 248    | 0     | 0     |
| normalized size | 1       | 1.    | 0.6         | 0.75  | 1.36   | 1.8    | 0.    | 0.    |
| time (sec)      | N/A     | 0.109 | 0.319       | 1.    | 2.65   | 1.618  | 0.    | 0.    |

| Problem 94      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 142     | 142   | 104         | 311   | 82     | 462    | 0     | 306   |
| normalized size | 1       | 1.    | 0.73        | 2.19  | 0.58   | 3.25   | 0.    | 2.15  |
| time (sec)      | N/A     | 0.414 | 0.38        | 4.168 | 2.646  | 1.764  | 0.    | 3.833 |

| Problem 95      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 144     | 144   | 120         | 756   | 10954  | 516    | 0     | 460   |
| normalized size | 1       | 1.    | 0.83        | 5.25  | 76.07  | 3.58   | 0.    | 3.19  |
| time (sec)      | N/A     | 0.447 | 0.505       | 3.766 | 4.808  | 1.945  | 0.    | 2.828 |

| Problem 96      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 156     | 156   | 126         | 1016  | 0      | 522    | 0     | 686   |
| normalized size | 1       | 1.    | 0.81        | 6.51  | 0.     | 3.35   | 0.    | 4.4   |
| time (sec)      | N/A     | 0.474 | 0.62        | 4.404 | 0.     | 2.027  | 0.    | 3.129 |

| Problem 97      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 164     | 164   | 131         | 1310  | 10792  | 544    | 0     | 861   |
| normalized size | 1       | 1.    | 0.8         | 7.99  | 65.8   | 3.32   | 0.    | 5.25  |
| time (sec)      | N/A     | 0.526 | 1.05        | 4.138 | 22.504 | 2.047  | 0.    | 3.278 |

| Problem 98      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 209     | 209   | 152         | 1630  | 0      | 608    | 0     | 1083  |
| normalized size | 1       | 1.    | 0.73        | 7.8   | 0.     | 2.91   | 0.    | 5.18  |
| time (sec)      | N/A     | 0.609 | 1.656       | 4.174 | 0.     | 2.182  | 0.    | 3.409 |

| Problem 99      | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 254     | 254   | 176         | 1951  | 0      | 670    | 0     | 1304  |
| normalized size | 1       | 1.    | 0.69        | 7.68  | 0.     | 2.64   | 0.    | 5.13  |
| time (sec)      | N/A     | 0.713 | 2.024       | 4.312 | 0.     | 2.32   | 0.    | 3.568 |

| Problem 100     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-1)  | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 202     | 202   | 111         | 281   | 0      | 494    | 0     | 244   |
| normalized size | 1       | 1.    | 0.55        | 1.39  | 0.     | 2.45   | 0.    | 1.21  |
| time (sec)      | N/A     | 0.578 | 0.642       | 2.797 | 0.     | 1.665  | 0.    | 1.772 |

| Problem 101     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-1)  | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 159     | 159   | 94          | 240   | 0      | 446    | 0     | 213   |
| normalized size | 1       | 1.    | 0.59        | 1.51  | 0.     | 2.81   | 0.    | 1.34  |
| time (sec)      | N/A     | 0.384 | 0.32        | 2.135 | 0.     | 1.723  | 0.    | 1.742 |

| Problem 102     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F(-1)  | A      | F(-1) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 118     | 118  | 78          | 194   | 0      | 400    | 0     | 153   |
| normalized size | 1       | 1.   | 0.66        | 1.64  | 0.     | 3.39   | 0.    | 1.3   |
| time (sec)      | N/A     | 0.21 | 0.156       | 2.51  | 0.     | 1.664  | 0.    | 1.726 |

| Problem 103     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 78      | 78    | 60          | 160   | 0      | 363    | 0     | 119   |
| normalized size | 1       | 1.    | 0.77        | 2.05  | 0.     | 4.65   | 0.    | 1.53  |
| time (sec)      | N/A     | 0.071 | 0.063       | 1.862 | 0.     | 1.644  | 0.    | 1.672 |

| Problem 104     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | A      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 91      | 91    | 72          | 268   | 123    | 464    | 0     | 227   |
| normalized size | 1       | 1.    | 0.79        | 2.95  | 1.35   | 5.1    | 0.    | 2.49  |
| time (sec)      | N/A     | 0.166 | 0.077       | 4.029 | 2.026  | 1.802  | 0.    | 2.741 |

| Problem 105     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 119     | 119   | 95          | 812   | 0      | 699    | 0     | 433   |
| normalized size | 1       | 1.    | 0.8         | 6.82  | 0.     | 5.87   | 0.    | 3.64  |
| time (sec)      | N/A     | 0.308 | 0.335       | 4.62  | 0.     | 2.156  | 0.    | 2.938 |

| Problem 106     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | F(-1)  | B      | F(-1) | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 165     | 165  | 114         | 1240  | 0      | 753    | 0     | 722   |
| normalized size | 1       | 1.   | 0.69        | 7.52  | 0.     | 4.56   | 0.    | 4.38  |
| time (sec)      | N/A     | 0.48 | 0.771       | 5.027 | 0.     | 2.136  | 0.    | 3.091 |

| Problem 107     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-1)  | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 261     | 261   | 167         | 448   | 0      | 653    | 0     | 343   |
| normalized size | 1       | 1.    | 0.64        | 1.72  | 0.     | 2.5    | 0.    | 1.31  |
| time (sec)      | N/A     | 0.786 | 1.066       | 2.718 | 0.     | 1.791  | 0.    | 1.992 |

| Problem 108     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 216     | 216   | 142         | 407   | 0      | 601    | 0     | 273   |
| normalized size | 1       | 1.    | 0.66        | 1.88  | 0.     | 2.78   | 0.    | 1.26  |
| time (sec)      | N/A     | 0.595 | 0.871       | 2.473 | 0.     | 1.799  | 0.    | 1.929 |

| Problem 109     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | F(-1)  | A      | F(-1) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 171     | 171  | 97          | 327   | 0      | 544    | 0     | 227   |
| normalized size | 1       | 1.   | 0.57        | 1.91  | 0.     | 3.18   | 0.    | 1.33  |
| time (sec)      | N/A     | 0.42 | 0.704       | 2.164 | 0.     | 1.682  | 0.    | 1.916 |

| Problem 110     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 118     | 118   | 104         | 256   | 0      | 493    | 0     | 177   |
| normalized size | 1       | 1.    | 0.88        | 2.17  | 0.     | 4.18   | 0.    | 1.5   |
| time (sec)      | N/A     | 0.223 | 0.393       | 2.435 | 0.     | 1.767  | 0.    | 1.893 |

| Problem 111     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 87      | 87    | 63          | 220   | 0      | 455    | 0     | 136   |
| normalized size | 1       | 1.    | 0.72        | 2.53  | 0.     | 5.23   | 0.    | 1.56  |
| time (sec)      | N/A     | 0.077 | 0.184       | 2.506 | 0.     | 1.729  | 0.    | 1.742 |

| Problem 112     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 127     | 127   | 131         | 374   | 0      | 737    | 0     | 289   |
| normalized size | 1       | 1.    | 1.03        | 2.94  | 0.     | 5.8    | 0.    | 2.28  |
| time (sec)      | N/A     | 0.315 | 0.646       | 4.757 | 0.     | 1.934  | 0.    | 3.089 |

| Problem 113     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 170     | 170   | 141         | 1051  | 0      | 880    | 0     | 504   |
| normalized size | 1       | 1.    | 0.83        | 6.18  | 0.     | 5.18   | 0.    | 2.96  |
| time (sec)      | N/A     | 0.521 | 1.038       | 4.868 | 0.     | 2.301  | 0.    | 3.227 |

| Problem 114     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 221     | 221   | 205         | 1540  | 0      | 944    | 0     | 787   |
| normalized size | 1       | 1.    | 0.93        | 6.97  | 0.     | 4.27   | 0.    | 3.56  |
| time (sec)      | N/A     | 0.705 | 1.462       | 5.48  | 0.     | 2.353  | 0.    | 3.275 |

| Problem 115     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 261     | 261   | 139         | 467   | 0      | 741    | 0     | 347   |
| normalized size | 1       | 1.    | 0.53        | 1.79  | 0.     | 2.84   | 0.    | 1.33  |
| time (sec)      | N/A     | 0.799 | 1.461       | 2.654 | 0.     | 1.723  | 0.    | 2.281 |

| Problem 116     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 216     | 216   | 117         | 397   | 0      | 687    | 0     | 275   |
| normalized size | 1       | 1.    | 0.54        | 1.84  | 0.     | 3.18   | 0.    | 1.27  |
| time (sec)      | N/A     | 0.611 | 1.009       | 2.477 | 0.     | 1.776  | 0.    | 2.205 |

| Problem 117     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | F(-1)  | A      | F(-1) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 169     | 169  | 100         | 327   | 0      | 628    | 0     | 244   |
| normalized size | 1       | 1.   | 0.59        | 1.93  | 0.     | 3.72   | 0.    | 1.44  |
| time (sec)      | N/A     | 0.42 | 0.685       | 2.579 | 0.     | 1.694  | 0.    | 2.185 |

| Problem 118     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | F(-1)  | B      | F(-1) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 126     | 126  | 87          | 292   | 0      | 586    | 0     | 181   |
| normalized size | 1       | 1.   | 0.69        | 2.32  | 0.     | 4.65   | 0.    | 1.44  |
| time (sec)      | N/A     | 0.23 | 0.462       | 2.665 | 0.     | 1.676  | 0.    | 2.121 |

| Problem 119     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 126     | 126   | 80          | 292   | 0      | 579    | 0     | 181   |
| normalized size | 1       | 1.    | 0.63        | 2.32  | 0.     | 4.6    | 0.    | 1.44  |
| time (sec)      | N/A     | 0.103 | 0.455       | 2.23  | 0.     | 1.726  | 0.    | 1.871 |



| Problem 120     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | B      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 164     | 164   | 126         | 445   | 0      | 902    | 0     | 338   |
| normalized size | 1       | 1.    | 0.77        | 2.71  | 0.     | 5.5    | 0.    | 2.06  |
| time (sec)      | N/A     | 0.466 | 1.379       | 4.747 | 0.     | 1.911  | 0.    | 3.289 |

| Problem 121     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 207     | 207   | 142         | 1122  | 0      | 1067   | 0     | 552   |
| normalized size | 1       | 1.    | 0.69        | 5.42  | 0.     | 5.15   | 0.    | 2.67  |
| time (sec)      | N/A     | 0.715 | 3.052       | 5.265 | 0.     | 2.462  | 0.    | 3.768 |

| Problem 122     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 264     | 264   | 178         | 1610  | 0      | 1131   | 0     | 837   |
| normalized size | 1       | 1.    | 0.67        | 6.1   | 0.     | 4.28   | 0.    | 3.17  |
| time (sec)      | N/A     | 0.923 | 5.656       | 5.76  | 0.     | 2.54   | 0.    | 3.768 |

| Problem 123     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 159     | 159   | 914         | 411   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 5.75        | 2.58  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.199 | 6.314       | 3.214 | 0.     | 0.     | 0.    | 0.   |

| Problem 124     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 132     | 132   | 872         | 383   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 6.61        | 2.9   | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.175 | 6.247       | 3.418 | 0.     | 0.     | 0.    | 0.    |

| Problem 125     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 101     | 101   | 830         | 355   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 8.22        | 3.51  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.158 | 6.198       | 3.14  | 0.     | 0.     | 0.    | 0.    |

| Problem 126     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 70      | 70    | 309         | 321   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 4.41        | 4.59  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.144 | 5.734       | 3.188 | 0.     | 0.     | 0.    | 0.   |

| Problem 127     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 66      | 66    | 256         | 240   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.88        | 3.64  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.148 | 5.82        | 3.251 | 0.     | 0.     | 0.    | 0.   |

| Problem 128     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 95      | 95    | 813         | 426   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 8.56        | 4.48  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.169 | 6.33        | 7.918 | 0.     | 0.     | 0.    | 0.   |

| Problem 129     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 132     | 132   | 865         | 661    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 6.55        | 5.01   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.177 | 6.374       | 10.085 | 0.     | 0.     | 0.    | 0.   |

| Problem 130     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 194     | 194   | 944         | 413   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 4.87        | 2.13  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.319 | 6.263       | 3.137 | 0.     | 0.     | 0.    | 0.   |

| Problem 131     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 161     | 161   | 898         | 385   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 5.58        | 2.39  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.289 | 6.227       | 3.511 | 0.     | 0.     | 0.    | 0.    |

| Problem 132     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 126     | 126   | 852         | 357   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 6.76        | 2.83  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.274 | 6.271       | 3.53  | 0.     | 0.     | 0.    | 0.   |

| Problem 133     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 118     | 118   | 623         | 388   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 5.28        | 3.29  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.269 | 6.334       | 3.598 | 0.     | 0.     | 0.    | 0.   |

| Problem 134     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 120     | 120  | 624         | 513   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 5.2         | 4.28  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.28 | 6.394       | 3.663 | 0.     | 0.     | 0.    | 0.   |

| Problem 135     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 159     | 159   | 883         | 741   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 5.55        | 4.66  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.306 | 6.463       | 10.34 | 0.     | 0.     | 0.    | 0.   |

| Problem 136     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 194     | 194   | 925         | 851    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 4.77        | 4.39   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.337 | 6.533       | 12.111 | 0.     | 0.     | 0.    | 0.   |

| Problem 137     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 237     | 237   | 990         | 441   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 4.18        | 1.86  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.479 | 6.298       | 4.067 | 0.     | 0.     | 0.    | 0.   |

| Problem 138     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 204     | 204   | 944         | 413   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 4.63        | 2.02  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.447 | 6.26        | 3.167 | 0.     | 0.     | 0.    | 0.   |

| Problem 139     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 171     | 171   | 898         | 385   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 5.25        | 2.25  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.427 | 6.321       | 3.609 | 0.     | 0.     | 0.    | 0.   |

| Problem 140     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 169     | 169   | 888         | 519   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 5.25        | 3.07  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.434 | 6.412       | 4.093 | 0.     | 0.     | 0.    | 0.   |

| Problem 141     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 161     | 161  | 879         | 654   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 5.46        | 4.06  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.43 | 6.482       | 4.144 | 0.     | 0.     | 0.    | 0.   |

| Problem 142     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 171     | 171   | 890         | 916   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 5.2         | 5.36  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.462 | 6.528       | 10.02 | 0.     | 0.     | 0.    | 0.   |

| Problem 143     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 204     | 204   | 925         | 929    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 4.53        | 4.55   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.491 | 6.563       | 13.096 | 0.     | 0.     | 0.    | 0.   |

| Problem 144     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 237     | 237   | 967         | 1178   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 4.08        | 4.97   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.521 | 6.631       | 14.807 | 0.     | 0.     | 0.    | 0.   |

| Problem 145     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 156     | 156   | 1182        | 281   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 7.58        | 1.8   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.199 | 6.557       | 3.599 | 0.     | 0.     | 0.    | 0.   |

| Problem 146     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 123     | 123  | 1129        | 262   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 9.18        | 2.13  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.18 | 6.488       | 2.849 | 0.     | 0.     | 0.    | 0.   |

| Problem 147     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 85      | 85   | 1098        | 244   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 12.92       | 2.87  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.15 | 6.408       | 3.473 | 0.     | 0.     | 0.    | 0.   |

| Problem 148     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 83      | 83   | 1094        | 243   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 13.18       | 2.93  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.15 | 6.423       | 3.329 | 0.     | 0.     | 0.    | 0.   |

| Problem 149     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 119     | 119   | 1130        | 319   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 9.5         | 2.68  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.174 | 6.606       | 6.605 | 0.     | 0.     | 0.    | 0.   |

| Problem 150     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 153     | 153   | 1167        | 493    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 7.63        | 3.22   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.195 | 6.912       | 10.125 | 0.     | 0.     | 0.    | 0.   |

| Problem 151     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 203     | 203   | 1262        | 465   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 6.22        | 2.29  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.407 | 6.77        | 3.945 | 0.     | 0.     | 0.    | 0.   |

| Problem 152     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 166     | 166   | 1218        | 435   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 7.34        | 2.62  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.389 | 6.682       | 3.277 | 0.     | 0.     | 0.    | 0.   |

| Problem 153     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 136     | 136   | 1184        | 421   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 8.71        | 3.1   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.314 | 6.577       | 3.768 | 0.     | 0.     | 0.    | 0.   |

| Problem 154     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 121     | 121   | 815         | 350   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 6.74        | 2.89  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.277 | 6.472       | 3.144 | 0.     | 0.     | 0.    | 0.   |

| Problem 155     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 121     | 121   | 815         | 350   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 6.74        | 2.89  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.342 | 6.486       | 3.663 | 0.     | 0.     | 0.    | 0.   |

| Problem 156     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 168     | 168   | 1217        | 494   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 7.24        | 2.94  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.359 | 6.69        | 4.243 | 0.     | 0.     | 0.    | 0.   |

| Problem 157     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | B      | F(-1)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 201     | 201   | 1258        | 750    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 6.26        | 3.73   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.364 | 7.194       | 11.656 | 0.     | 0.     | 0.    | 0.   |

| Problem 158     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F(-1)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 254     | 254   | 1346        | 493   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 5.3         | 1.94  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.548 | 7.028       | 3.471 | 0.     | 0.     | 0.    | 0.   |

| Problem 159     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F(-1)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 219     | 219   | 1306        | 465   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 5.96        | 2.12  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.518 | 6.857       | 3.536 | 0.     | 0.     | 0.    | 0.   |

| Problem 160     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 188     | 188   | 1273        | 451   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 6.77        | 2.4   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.478 | 6.793       | 3.592 | 0.     | 0.     | 0.    | 0.   |

| Problem 161     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 180     | 180  | 1265        | 451   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 7.03        | 2.51  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.47 | 6.699       | 3.637 | 0.     | 0.     | 0.    | 0.   |

| Problem 162     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 178     | 178   | 1264        | 451   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 7.1         | 2.53  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.464 | 6.587       | 3.708 | 0.     | 0.     | 0.    | 0.   |

| Problem 163     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | B     | F(-1)  | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 182     | 182  | 1265        | 451   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 6.95        | 2.48  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.48 | 6.659       | 3.121 | 0.     | 0.     | 0.    | 0.   |

| Problem 164     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-2)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 221     | 221   | 1305        | 685   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 5.9         | 3.1   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.519 | 6.927       | 4.433 | 0.     | 0.     | 0.    | 0.   |

| Problem 165     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 254     | 254   | 1346        | 876   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 5.3         | 3.45  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.603 | 7.474       | 4.655 | 0.     | 0.     | 0.    | 0.   |

| Problem 166     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | B      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 221     | 221  | 135         | 428   | 11097  | 423    | 0     | 0     |
| normalized size | 1       | 1.   | 0.61        | 1.94  | 50.21  | 1.91   | 0.    | 0.    |
| time (sec)      | N/A     | 0.35 | 0.985       | 0.678 | 4.527  | 2.23   | 0.    | 0.    |

| Problem 167     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 176     | 176   | 118         | 356   | 4024   | 373    | 0     | 0     |
| normalized size | 1       | 1.    | 0.67        | 2.02  | 22.86  | 2.12   | 0.    | 0.    |
| time (sec)      | N/A     | 0.298 | 0.531       | 0.721 | 3.625  | 1.991  | 0.    | 0.    |

| Problem 168     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 131     | 131   | 100         | 284   | 2499   | 324    | 0     | 0    |
| normalized size | 1       | 1.    | 0.76        | 2.17  | 19.08  | 2.47   | 0.    | 0.   |
| time (sec)      | N/A     | 0.227 | 0.288       | 0.681 | 2.727  | 1.959  | 0.    | 0.   |

| Problem 169     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | B      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 78      | 78    | 83          | 164   | 1268   | 274    | 0     | 0    |
| normalized size | 1       | 1.    | 1.06        | 2.1   | 16.26  | 3.51   | 0.    | 0.   |
| time (sec)      | N/A     | 0.169 | 0.153       | 0.692 | 2.665  | 1.888  | 0.    | 0.   |

| Problem 170     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 76      | 76    | 86          | 109   | 331    | 298    | 0     | 0    |
| normalized size | 1       | 1.    | 1.13        | 1.43  | 4.36   | 3.92   | 0.    | 0.   |
| time (sec)      | N/A     | 0.165 | 0.162       | 0.657 | 2.309  | 1.623  | 0.    | 0.   |

| Problem 171     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 85      | 85    | 57          | 62    | 390    | 177    | 0     | 0    |
| normalized size | 1       | 1.    | 0.67        | 0.73  | 4.59   | 2.08   | 0.    | 0.   |
| time (sec)      | N/A     | 0.163 | 0.143       | 0.647 | 1.835  | 1.461  | 0.    | 0.   |

| Problem 172     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 130     | 130   | 78          | 86    | 578    | 223    | 0     | 0    |
| normalized size | 1       | 1.    | 0.6         | 0.66  | 4.45   | 1.72   | 0.    | 0.   |
| time (sec)      | N/A     | 0.218 | 0.239       | 0.715 | 2.014  | 1.428  | 0.    | 0.   |

| Problem 173     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 175     | 175   | 102         | 108   | 705    | 270    | 0     | 0    |
| normalized size | 1       | 1.    | 0.58        | 0.62  | 4.03   | 1.54   | 0.    | 0.   |
| time (sec)      | N/A     | 0.286 | 0.368       | 0.605 | 2.043  | 1.42   | 0.    | 0.   |

| Problem 174     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 227     | 227   | 136         | 429   | 12020  | 451    | 0     | 0     |
| normalized size | 1       | 1.    | 0.6         | 1.89  | 52.95  | 1.99   | 0.    | 0.    |
| time (sec)      | N/A     | 0.504 | 1.099       | 0.517 | 5.038  | 2.321  | 0.    | 0.    |

| Problem 175     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 180     | 180   | 119         | 357   | 4081   | 401    | 0     | 0     |
| normalized size | 1       | 1.    | 0.66        | 1.98  | 22.67  | 2.23   | 0.    | 0.    |
| time (sec)      | N/A     | 0.412 | 0.654       | 0.689 | 3.478  | 1.904  | 0.    | 0.    |



| Problem 176     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 133     | 133  | 101         | 283   | 2543   | 343    | 0     | 0    |
| normalized size | 1       | 1.   | 0.76        | 2.13  | 19.12  | 2.58   | 0.    | 0.   |
| time (sec)      | N/A     | 0.33 | 0.355       | 0.677 | 2.556  | 1.874  | 0.    | 0.   |

| Problem 177     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 126     | 126   | 107         | 300   | 2431   | 362    | 0     | 0    |
| normalized size | 1       | 1.    | 0.85        | 2.38  | 19.29  | 2.87   | 0.    | 0.   |
| time (sec)      | N/A     | 0.331 | 0.311       | 0.596 | 2.451  | 2.059  | 0.    | 0.   |

| Problem 178     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 125     | 125   | 106         | 211   | 1517   | 359    | 0     | 0    |
| normalized size | 1       | 1.    | 0.85        | 1.69  | 12.14  | 2.87   | 0.    | 0.   |
| time (sec)      | N/A     | 0.315 | 0.369       | 0.596 | 2.11   | 1.935  | 0.    | 0.   |

| Problem 179     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 134     | 134  | 80          | 87    | 464    | 231    | 0     | 0    |
| normalized size | 1       | 1.   | 0.6         | 0.65  | 3.46   | 1.72   | 0.    | 0.   |
| time (sec)      | N/A     | 0.34 | 0.296       | 0.567 | 1.673  | 1.659  | 0.    | 0.   |

| Problem 180     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 181     | 181   | 102         | 109   | 649    | 285    | 0     | 0    |
| normalized size | 1       | 1.    | 0.56        | 0.6   | 3.59   | 1.57   | 0.    | 0.   |
| time (sec)      | N/A     | 0.431 | 0.504       | 0.576 | 1.678  | 1.78   | 0.    | 0.   |

| Problem 181     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 228     | 228   | 124         | 131   | 774    | 335    | 0     | 0    |
| normalized size | 1       | 1.    | 0.54        | 0.57  | 3.39   | 1.47   | 0.    | 0.   |
| time (sec)      | N/A     | 0.505 | 0.653       | 0.639 | 1.751  | 1.86   | 0.    | 0.   |

| Problem 182     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 274     | 274   | 159         | 503   | 0      | 540    | 0     | 0     |
| normalized size | 1       | 1.    | 0.58        | 1.84  | 0.     | 1.97   | 0.    | 0.    |
| time (sec)      | N/A     | 0.709 | 1.872       | 0.561 | 0.     | 2.485  | 0.    | 0.    |

| Problem 183     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F(-2) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 227     | 227   | 137         | 431   | 12710  | 478    | 0     | 0     |
| normalized size | 1       | 1.    | 0.6         | 1.9   | 55.99  | 2.11   | 0.    | 0.    |
| time (sec)      | N/A     | 0.713 | 1.201       | 0.642 | 5.007  | 2.001  | 0.    | 0.    |

| Problem 184     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 180     | 180   | 121         | 357   | 4146   | 414    | 0     | 0    |
| normalized size | 1       | 1.    | 0.67        | 1.98  | 23.03  | 2.3    | 0.    | 0.   |
| time (sec)      | N/A     | 0.547 | 0.732       | 0.708 | 4.671  | 1.672  | 0.    | 0.   |

| Problem 185     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 178     | 178   | 126         | 336   | 2808   | 432    | 0     | 0    |
| normalized size | 1       | 1.    | 0.71        | 1.89  | 15.78  | 2.43   | 0.    | 0.   |
| time (sec)      | N/A     | 0.552 | 0.663       | 0.689 | 3.37   | 1.662  | 0.    | 0.   |

| Problem 186     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 173     | 173   | 130         | 484   | 3200   | 436    | 0     | 0    |
| normalized size | 1       | 1.    | 0.75        | 2.8   | 18.5   | 2.52   | 0.    | 0.   |
| time (sec)      | N/A     | 0.533 | 0.709       | 0.514 | 2.882  | 1.584  | 0.    | 0.   |

| Problem 187     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 172     | 172   | 130         | 306   | 2090   | 424    | 0     | 0    |
| normalized size | 1       | 1.    | 0.76        | 1.78  | 12.15  | 2.47   | 0.    | 0.   |
| time (sec)      | N/A     | 0.506 | 0.725       | 0.674 | 3.198  | 1.347  | 0.    | 0.   |

| Problem 188     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 181     | 181   | 104         | 111   | 535    | 297    | 0     | 0    |
| normalized size | 1       | 1.    | 0.57        | 0.61  | 2.96   | 1.64   | 0.    | 0.   |
| time (sec)      | N/A     | 0.552 | 0.6         | 0.601 | 2.005  | 1.269  | 0.    | 0.   |

| Problem 189     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 228     | 228   | 126         | 133   | 720    | 351    | 0     | 0    |
| normalized size | 1       | 1.    | 0.55        | 0.58  | 3.16   | 1.54   | 0.    | 0.   |
| time (sec)      | N/A     | 0.703 | 0.829       | 0.621 | 2.452  | 1.192  | 0.    | 0.   |

| Problem 190     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 275     | 275   | 147         | 155   | 845    | 414    | 0     | 0    |
| normalized size | 1       | 1.    | 0.53        | 0.56  | 3.07   | 1.51   | 0.    | 0.   |
| time (sec)      | N/A     | 0.714 | 0.959       | 0.635 | 2.359  | 1.126  | 0.    | 0.   |

| Problem 191     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 190     | 190   | 348         | 346   | 0      | 516    | 0     | 0    |
| normalized size | 1       | 1.    | 1.83        | 1.82  | 0.     | 2.72   | 0.    | 0.   |
| time (sec)      | N/A     | 0.595 | 1.826       | 0.73  | 0.     | 20.854 | 0.    | 0.   |

| Problem 192     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F(-2)  | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 141     | 141   | 222         | 216   | 0      | 466    | 0     | 0    |
| normalized size | 1       | 1.    | 1.57        | 1.53  | 0.     | 3.3    | 0.    | 0.   |
| time (sec)      | N/A     | 0.397 | 1.217       | 0.62  | 0.     | 10.981 | 0.    | 0.   |

| Problem 193     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 100     | 100   | 82          | 149   | 0      | 278    | 0     | 0    |
| normalized size | 1       | 1.    | 0.82        | 1.49  | 0.     | 2.78   | 0.    | 0.   |
| time (sec)      | N/A     | 0.242 | 0.138       | 0.749 | 0.     | 8.538  | 0.    | 0.   |

| Problem 194     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-2)  | A      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 99      | 99    | 203         | 230   | 0      | 396    | 0     | 0    |
| normalized size | 1       | 1.    | 2.05        | 2.32  | 0.     | 4.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.192 | 1.521       | 0.593 | 0.     | 1.287  | 0.    | 0.   |

| Problem 195     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 142     | 142   | 627         | 383   | 0      | 447    | 0     | 0    |
| normalized size | 1       | 1.    | 4.42        | 2.7   | 0.     | 3.15   | 0.    | 0.   |
| time (sec)      | N/A     | 0.336 | 6.755       | 0.609 | 0.     | 1.372  | 0.    | 0.   |

| Problem 196     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 187     | 187   | 1728        | 519   | 0      | 491    | 0     | 0    |
| normalized size | 1       | 1.    | 9.24        | 2.78  | 0.     | 2.63   | 0.    | 0.   |
| time (sec)      | N/A     | 0.609 | 7.916       | 0.68  | 0.     | 1.304  | 0.    | 0.   |

| Problem 197     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 197     | 197   | 362         | 379   | 0      | 644    | 0     | 0    |
| normalized size | 1       | 1.    | 1.84        | 1.92  | 0.     | 3.27   | 0.    | 0.   |
| time (sec)      | N/A     | 0.636 | 2.101       | 0.602 | 0.     | 40.727 | 0.    | 0.   |

| Problem 198     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 145     | 145   | 226         | 298   | 0      | 571    | 0     | 0    |
| normalized size | 1       | 1.    | 1.56        | 2.06  | 0.     | 3.94   | 0.    | 0.   |
| time (sec)      | N/A     | 0.403 | 1.825       | 0.579 | 0.     | 34.571 | 0.    | 0.   |

| Problem 199     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 107     | 107   | 212         | 247   | 0      | 447    | 0     | 0    |
| normalized size | 1       | 1.    | 1.98        | 2.31  | 0.     | 4.18   | 0.    | 0.   |
| time (sec)      | N/A     | 0.216 | 1.115       | 0.55  | 0.     | 1.64   | 0.    | 0.   |

| Problem 200     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 156     | 156   | 423         | 299   | 0      | 531    | 0     | 0    |
| normalized size | 1       | 1.    | 2.71        | 1.92  | 0.     | 3.4    | 0.    | 0.   |
| time (sec)      | N/A     | 0.384 | 3.684       | 0.577 | 0.     | 1.746  | 0.    | 0.   |

| Problem 201     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 203     | 203   | 1054        | 443   | 0      | 586    | 0     | 0    |
| normalized size | 1       | 1.    | 5.19        | 2.18  | 0.     | 2.89   | 0.    | 0.   |
| time (sec)      | N/A     | 0.555 | 6.8         | 0.623 | 0.     | 1.726  | 0.    | 0.   |

| Problem 202     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 246     | 246   | 376         | 647   | 0      | 830    | 0     | 0    |
| normalized size | 1       | 1.    | 1.53        | 2.63  | 0.     | 3.37   | 0.    | 0.   |
| time (sec)      | N/A     | 0.837 | 3.306       | 0.632 | 0.     | 98.471 | 0.    | 0.   |

| Problem 203     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 194     | 194   | 246         | 515   | 0      | 736    | 0     | 0    |
| normalized size | 1       | 1.    | 1.27        | 2.65  | 0.     | 3.79   | 0.    | 0.   |
| time (sec)      | N/A     | 0.582 | 2.03        | 0.593 | 0.     | 69.35  | 0.    | 0.   |

| Problem 204     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 154     | 154   | 198         | 413   | 0      | 571    | 0     | 0    |
| normalized size | 1       | 1.    | 1.29        | 2.68  | 0.     | 3.71   | 0.    | 0.   |
| time (sec)      | N/A     | 0.377 | 1.406       | 0.563 | 0.     | 1.375  | 0.    | 0.   |

| Problem 205     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 156     | 156   | 200         | 413   | 0      | 578    | 0     | 0    |
| normalized size | 1       | 1.    | 1.28        | 2.65  | 0.     | 3.71   | 0.    | 0.   |
| time (sec)      | N/A     | 0.439 | 1.369       | 0.561 | 0.     | 1.387  | 0.    | 0.   |

| Problem 206     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 203     | 203   | 217         | 443   | 0      | 666    | 0     | 0    |
| normalized size | 1       | 1.    | 1.07        | 2.18  | 0.     | 3.28   | 0.    | 0.   |
| time (sec)      | N/A     | 0.567 | 2.574       | 0.632 | 0.     | 1.404  | 0.    | 0.   |

| Problem 207     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 250     | 250   | 239         | 571   | 0      | 728    | 0     | 0    |
| normalized size | 1       | 1.    | 0.96        | 2.28  | 0.     | 2.91   | 0.    | 0.   |
| time (sec)      | N/A     | 0.752 | 3.333       | 0.527 | 0.     | 1.443  | 0.    | 0.   |

| Problem 208     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas  | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|---------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | A       | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD     | TBD   | TBD  |
| size            | 293     | 293   | 396         | 887   | 0      | 1018    | 0     | 0    |
| normalized size | 1       | 1.    | 1.35        | 3.03  | 0.     | 3.47    | 0.    | 0.   |
| time (sec)      | N/A     | 1.044 | 5.517       | 0.665 | 0.     | 141.259 | 0.    | 0.   |

| Problem 209     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 241     | 241   | 266         | 703   | 0      | 905    | 0     | 0    |
| normalized size | 1       | 1.    | 1.1         | 2.92  | 0.     | 3.76   | 0.    | 0.   |
| time (sec)      | N/A     | 0.765 | 3.04        | 0.635 | 0.     | 98.454 | 0.    | 0.   |

| Problem 210     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 201     | 201   | 217         | 549   | 0      | 702    | 0     | 0    |
| normalized size | 1       | 1.    | 1.08        | 2.73  | 0.     | 3.49   | 0.    | 0.   |
| time (sec)      | N/A     | 0.587 | 2.249       | 0.649 | 0.     | 1.72   | 0.    | 0.   |

| Problem 211     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 201     | 201   | 215         | 549   | 0      | 705    | 0     | 0    |
| normalized size | 1       | 1.    | 1.07        | 2.73  | 0.     | 3.51   | 0.    | 0.   |
| time (sec)      | N/A     | 0.579 | 1.992       | 0.62  | 0.     | 1.66   | 0.    | 0.   |

| Problem 212     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 203     | 203   | 216         | 549   | 0      | 716    | 0     | 0    |
| normalized size | 1       | 1.    | 1.06        | 2.7   | 0.     | 3.53   | 0.    | 0.   |
| time (sec)      | N/A     | 0.591 | 2.012       | 0.606 | 0.     | 1.686  | 0.    | 0.   |

| Problem 213     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 250     | 250   | 240         | 581   | 0      | 810    | 0     | 0    |
| normalized size | 1       | 1.    | 0.96        | 2.32  | 0.     | 3.24   | 0.    | 0.   |
| time (sec)      | N/A     | 0.804 | 2.73        | 0.625 | 0.     | 1.733  | 0.    | 0.   |

| Problem 214     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 297     | 297   | 262         | 715   | 0      | 878    | 0     | 0    |
| normalized size | 1       | 1.    | 0.88        | 2.41  | 0.     | 2.96   | 0.    | 0.   |
| time (sec)      | N/A     | 1.032 | 5.105       | 0.484 | 0.     | 1.888  | 0.    | 0.   |

| Problem 215     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 105     | 105  | 91          | 107   | 136    | 205    | 252   | 120   |
| normalized size | 1       | 1.   | 0.87        | 1.02  | 1.3    | 1.95   | 2.4   | 1.14  |
| time (sec)      | N/A     | 0.17 | 0.22        | 0.042 | 0.998  | 1.394  | 1.305 | 1.435 |

| Problem 216     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 84      | 84   | 75          | 85    | 107    | 149    | 168   | 92    |
| normalized size | 1       | 1.   | 0.89        | 1.01  | 1.27   | 1.77   | 2.    | 1.1   |
| time (sec)      | N/A     | 0.09 | 0.152       | 0.037 | 1.117  | 1.365  | 0.669 | 1.327 |

| Problem 217     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 52      | 52    | 51          | 57    | 74     | 104    | 94    | 61    |
| normalized size | 1       | 1.    | 0.98        | 1.1   | 1.42   | 2.     | 1.81  | 1.17  |
| time (sec)      | N/A     | 0.023 | 0.084       | 0.038 | 1.01   | 1.356  | 0.316 | 1.366 |

| Problem 218     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 35      | 35    | 46          | 56    | 63     | 142    | 0     | 107   |
| normalized size | 1       | 1.    | 1.31        | 1.6   | 1.8    | 4.06   | 0.    | 3.06  |
| time (sec)      | N/A     | 0.105 | 0.027       | 0.06  | 1.099  | 1.434  | 0.    | 1.592 |

| Problem 219     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 35      | 35    | 43          | 65    | 99     | 225    | 0     | 113   |
| normalized size | 1       | 1.    | 1.23        | 1.86  | 2.83   | 6.43   | 0.    | 3.23  |
| time (sec)      | N/A     | 0.114 | 0.014       | 0.07  | 1.1    | 1.509  | 0.    | 1.283 |

| Problem 220     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 61      | 61    | 75          | 86    | 128    | 247    | 0     | 204   |
| normalized size | 1       | 1.    | 1.23        | 1.41  | 2.1    | 4.05   | 0.    | 3.34  |
| time (sec)      | N/A     | 0.148 | 0.022       | 0.1   | 0.98   | 1.506  | 0.    | 1.443 |

| Problem 221     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 93      | 93    | 67          | 128   | 171    | 298    | 0     | 284   |
| normalized size | 1       | 1.    | 0.72        | 1.38  | 1.84   | 3.2    | 0.    | 3.05  |
| time (sec)      | N/A     | 0.163 | 0.264       | 0.073 | 1.034  | 1.41   | 0.    | 1.357 |

| Problem 222     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 114     | 114   | 85          | 171   | 220    | 352    | 0     | 410   |
| normalized size | 1       | 1.    | 0.75        | 1.5   | 1.93   | 3.09   | 0.    | 3.6   |
| time (sec)      | N/A     | 0.179 | 0.584       | 0.076 | 1.09   | 1.417  | 0.    | 1.362 |

| Problem 223     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 189     | 189   | 146         | 184   | 238    | 350    | 459   | 211   |
| normalized size | 1       | 1.    | 0.77        | 0.97  | 1.26   | 1.85   | 2.43  | 1.12  |
| time (sec)      | N/A     | 0.311 | 0.457       | 0.043 | 1.098  | 1.403  | 3.445 | 1.435 |

| Problem 224     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 170     | 170   | 118         | 152   | 192    | 274    | 338   | 167   |
| normalized size | 1       | 1.    | 0.69        | 0.89  | 1.13   | 1.61   | 1.99  | 0.98  |
| time (sec)      | N/A     | 0.234 | 0.431       | 0.047 | 1.093  | 1.428  | 1.751 | 1.561 |

| Problem 225     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 107     | 107   | 90          | 114   | 146    | 201    | 199   | 126   |
| normalized size | 1       | 1.    | 0.84        | 1.07  | 1.36   | 1.88   | 1.86  | 1.18  |
| time (sec)      | N/A     | 0.094 | 0.213       | 0.039 | 1.041  | 1.338  | 0.84  | 1.385 |

| Problem 226     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 86      | 86    | 120         | 120   | 124    | 213    | 0     | 240   |
| normalized size | 1       | 1.    | 1.4         | 1.4   | 1.44   | 2.48   | 0.    | 2.79  |
| time (sec)      | N/A     | 0.176 | 0.222       | 0.07  | 1.044  | 1.542  | 0.    | 1.297 |

| Problem 227     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 60      | 60    | 109         | 104   | 139    | 294    | 0     | 205  |
| normalized size | 1       | 1.    | 1.82        | 1.73  | 2.32   | 4.9    | 0.    | 3.42 |
| time (sec)      | N/A     | 0.169 | 0.473       | 0.071 | 0.969  | 1.405  | 0.    | 1.52 |

| Problem 228     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 80      | 80   | 67          | 133   | 189    | 335    | 0     | 257   |
| normalized size | 1       | 1.   | 0.84        | 1.66  | 2.36   | 4.19   | 0.    | 3.21  |
| time (sec)      | N/A     | 0.2  | 0.266       | 0.088 | 1.037  | 1.413  | 0.    | 1.599 |

| Problem 229     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 116     | 116  | 92          | 174   | 232    | 371    | 0     | 397   |
| normalized size | 1       | 1.   | 0.79        | 1.5   | 2.     | 3.2    | 0.    | 3.42  |
| time (sec)      | N/A     | 0.27 | 0.451       | 0.083 | 1.058  | 1.459  | 0.    | 1.497 |

| Problem 230     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 156     | 156   | 120         | 241   | 308    | 443    | 0     | 645   |
| normalized size | 1       | 1.    | 0.77        | 1.54  | 1.97   | 2.84   | 0.    | 4.13  |
| time (sec)      | N/A     | 0.293 | 0.694       | 0.084 | 1.107  | 1.47   | 0.    | 1.498 |

| Problem 231     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 269     | 269   | 289         | 270   | 359    | 517    | 721   | 311   |
| normalized size | 1       | 1.    | 1.07        | 1.    | 1.33   | 1.92   | 2.68  | 1.16  |
| time (sec)      | N/A     | 0.507 | 0.653       | 0.052 | 1.     | 1.589  | 7.03  | 1.305 |



| Problem 232     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 243     | 243   | 176         | 227   | 293    | 423    | 551   | 254   |
| normalized size | 1       | 1.    | 0.72        | 0.93  | 1.21   | 1.74   | 2.27  | 1.05  |
| time (sec)      | N/A     | 0.333 | 0.671       | 0.125 | 1.118  | 1.527  | 3.852 | 1.341 |

| Problem 233     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 171     | 171   | 140         | 180   | 231    | 321    | 386   | 200   |
| normalized size | 1       | 1.    | 0.82        | 1.05  | 1.35   | 1.88   | 2.26  | 1.17  |
| time (sec)      | N/A     | 0.197 | 0.382       | 0.045 | 1.163  | 1.347  | 1.761 | 1.366 |

| Problem 234     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 137     | 137   | 159         | 207   | 196    | 317    | 0     | 424   |
| normalized size | 1       | 1.    | 1.16        | 1.51  | 1.43   | 2.31   | 0.    | 3.09  |
| time (sec)      | N/A     | 0.324 | 0.37        | 0.077 | 1.134  | 1.469  | 0.    | 1.602 |

| Problem 235     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 131     | 131   | 217         | 168   | 194    | 369    | 0     | 316   |
| normalized size | 1       | 1.    | 1.66        | 1.28  | 1.48   | 2.82   | 0.    | 2.41  |
| time (sec)      | N/A     | 0.332 | 0.65        | 0.075 | 1.167  | 1.564  | 0.    | 1.546 |

| Problem 236     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 124     | 124   | 277         | 172   | 228    | 401    | 0     | 323   |
| normalized size | 1       | 1.    | 2.23        | 1.39  | 1.84   | 3.23   | 0.    | 2.6   |
| time (sec)      | N/A     | 0.339 | 2.035       | 0.085 | 1.144  | 1.464  | 0.    | 1.706 |

| Problem 237     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 145     | 145   | 108         | 223   | 292    | 458    | 0     | 454   |
| normalized size | 1       | 1.    | 0.74        | 1.54  | 2.01   | 3.16   | 0.    | 3.13  |
| time (sec)      | N/A     | 0.346 | 0.566       | 0.086 | 1.154  | 1.504  | 0.    | 1.486 |

| Problem 238     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 188     | 188   | 140         | 290   | 369    | 510    | 0     | 791   |
| normalized size | 1       | 1.    | 0.74        | 1.54  | 1.96   | 2.71   | 0.    | 4.21  |
| time (sec)      | N/A     | 0.458 | 0.803       | 0.098 | 1.149  | 1.577  | 0.    | 1.367 |

| Problem 239     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 236     | 236   | 181         | 382   | 460    | 612    | 0     | 975   |
| normalized size | 1       | 1.    | 0.77        | 1.62  | 1.95   | 2.59   | 0.    | 4.13  |
| time (sec)      | N/A     | 0.489 | 3.213       | 0.092 | 1.116  | 1.529  | 0.    | 1.524 |

| Problem 240     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 366     | 366   | 408         | 368   | 494    | 717    | 1017  | 423   |
| normalized size | 1       | 1.    | 1.11        | 1.01  | 1.35   | 1.96   | 2.78  | 1.16  |
| time (sec)      | N/A     | 0.838 | 0.864       | 0.047 | 1.171  | 1.699  | 11.88 | 1.467 |

| Problem 241     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 325     | 325   | 333         | 316   | 414    | 587    | 811   | 355   |
| normalized size | 1       | 1.    | 1.02        | 0.97  | 1.27   | 1.81   | 2.5   | 1.09  |
| time (sec)      | N/A     | 0.509 | 1.055       | 0.084 | 1.046  | 1.573  | 6.869 | 1.719 |

| Problem 242     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 241     | 241   | 263         | 258   | 332    | 478    | 580   | 286   |
| normalized size | 1       | 1.    | 1.09        | 1.07  | 1.38   | 1.98   | 2.41  | 1.19  |
| time (sec)      | N/A     | 0.338 | 0.62        | 0.04  | 1.153  | 1.521  | 3.673 | 1.427 |

| Problem 243     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 200     | 200   | 210         | 319   | 281    | 447    | 0     | 814  |
| normalized size | 1       | 1.    | 1.05        | 1.6   | 1.4    | 2.23   | 0.    | 4.07 |
| time (sec)      | N/A     | 0.547 | 0.58        | 0.076 | 1.125  | 1.548  | 0.    | 1.54 |

| Problem 244     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | A      | A      | F(-1) | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 195     | 195  | 257         | 255   | 266    | 471    | 0     | 501   |
| normalized size | 1       | 1.   | 1.32        | 1.31  | 1.36   | 2.42   | 0.    | 2.57  |
| time (sec)      | N/A     | 0.57 | 1.019       | 0.084 | 1.129  | 1.602  | 0.    | 1.528 |

| Problem 245     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 209     | 209   | 310         | 236   | 282    | 479    | 0     | 710   |
| normalized size | 1       | 1.    | 1.48        | 1.13  | 1.35   | 2.29   | 0.    | 3.4   |
| time (sec)      | N/A     | 0.615 | 2.384       | 0.092 | 1.09   | 1.529  | 0.    | 1.557 |

| Problem 246     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | B           | A     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 198     | 198  | 415         | 262   | 331    | 524    | 0     | 522   |
| normalized size | 1       | 1.   | 2.1         | 1.32  | 1.67   | 2.65   | 0.    | 2.64  |
| time (sec)      | N/A     | 0.58 | 5.963       | 0.102 | 1.162  | 1.545  | 0.    | 1.618 |

| Problem 247     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 216     | 216   | 160         | 338   | 428    | 603    | 0     | 857   |
| normalized size | 1       | 1.    | 0.74        | 1.56  | 1.98   | 2.79   | 0.    | 3.97  |
| time (sec)      | N/A     | 0.597 | 1.014       | 0.098 | 1.133  | 1.542  | 0.    | 1.862 |

| Problem 248     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 267     | 267   | 198         | 431   | 521    | 687    | 0     | 1148  |
| normalized size | 1       | 1.    | 0.74        | 1.61  | 1.95   | 2.57   | 0.    | 4.3   |
| time (sec)      | N/A     | 0.723 | 4.151       | 0.116 | 1.053  | 1.576  | 0.    | 1.702 |

| Problem 249     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | A      | A      | F(-1) | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 324     | 324   | 244         | 550   | 640    | 797    | 0     | 1601 |
| normalized size | 1       | 1.    | 0.75        | 1.7   | 1.98   | 2.46   | 0.    | 4.94 |
| time (sec)      | N/A     | 0.802 | 2.642       | 0.098 | 1.026  | 1.671  | 0.    | 1.7  |

| Problem 250     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 178     | 178   | 152         | 641   | 0      | 1164   | 0     | 486   |
| normalized size | 1       | 1.    | 0.85        | 3.6   | 0.     | 6.54   | 0.    | 2.73  |
| time (sec)      | N/A     | 0.493 | 0.435       | 0.115 | 0.     | 1.823  | 0.    | 1.545 |

| Problem 251     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 134     | 134   | 121         | 367   | 0      | 918    | 0     | 306   |
| normalized size | 1       | 1.    | 0.9         | 2.74  | 0.     | 6.85   | 0.    | 2.28  |
| time (sec)      | N/A     | 0.287 | 0.289       | 0.109 | 0.     | 1.894  | 0.    | 1.337 |

| Problem 252     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 89      | 89    | 85          | 172   | 0      | 689    | 0     | 192   |
| normalized size | 1       | 1.    | 0.96        | 1.93  | 0.     | 7.74   | 0.    | 2.16  |
| time (sec)      | N/A     | 0.174 | 0.195       | 0.116 | 0.     | 1.862  | 0.    | 1.295 |

| Problem 253     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy   | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|---------|------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | A       | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD     | TBD  |
| size            | 67      | 67    | 68          | 113   | 0      | 524    | 524     | 136  |
| normalized size | 1       | 1.    | 1.01        | 1.69  | 0.     | 7.82   | 7.82    | 2.03 |
| time (sec)      | N/A     | 0.078 | 0.112       | 0.098 | 0.     | 1.824  | 127.075 | 1.58 |

| Problem 254     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 76      | 76    | 112         | 135   | 0      | 689    | 0     | 171   |
| normalized size | 1       | 1.    | 1.47        | 1.78  | 0.     | 9.07   | 0.    | 2.25  |
| time (sec)      | N/A     | 0.115 | 0.155       | 0.151 | 0.     | 4.658  | 0.    | 1.485 |

| Problem 255     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 99      | 99    | 129         | 228   | 0      | 1049   | 0     | 236   |
| normalized size | 1       | 1.    | 1.3         | 2.3   | 0.     | 10.6   | 0.    | 2.38  |
| time (sec)      | N/A     | 0.183 | 0.518       | 0.181 | 0.     | 1.877  | 0.    | 1.364 |

| Problem 256     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | B           | B     | F(-2)  | B      | F     | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 143     | 143  | 300         | 410   | 0      | 1334   | 0     | 363   |
| normalized size | 1       | 1.   | 2.1         | 2.87  | 0.     | 9.33   | 0.    | 2.54  |
| time (sec)      | N/A     | 0.49 | 1.594       | 0.151 | 0.     | 22.09  | 0.    | 1.648 |

| Problem 257     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | B           | B     | F(-2)  | A      | F(-1) | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 187     | 187  | 422         | 688   | 0      | 1634   | 0     | 556   |
| normalized size | 1       | 1.   | 2.26        | 3.68  | 0.     | 8.74   | 0.    | 2.97  |
| time (sec)      | N/A     | 0.77 | 2.072       | 0.175 | 0.     | 5.02   | 0.    | 1.732 |

| Problem 258     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 263     | 263   | 184         | 643   | 0      | 2120   | 0     | 456   |
| normalized size | 1       | 1.    | 0.7         | 2.44  | 0.     | 8.06   | 0.    | 1.73  |
| time (sec)      | N/A     | 0.659 | 0.983       | 0.145 | 0.     | 1.594  | 0.    | 1.629 |

| Problem 259     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 155     | 155  | 147         | 445   | 0      | 1701   | 0     | 502   |
| normalized size | 1       | 1.   | 0.95        | 2.87  | 0.     | 10.97  | 0.    | 3.24  |
| time (sec)      | N/A     | 0.44 | 0.782       | 0.125 | 0.     | 1.433  | 0.    | 1.307 |

| Problem 260     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 122     | 122   | 119         | 320   | 0      | 1210   | 0     | 269  |
| normalized size | 1       | 1.    | 0.98        | 2.62  | 0.     | 9.92   | 0.    | 2.2  |
| time (sec)      | N/A     | 0.241 | 0.528       | 0.131 | 0.     | 1.291  | 0.    | 1.6  |

| Problem 261     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 100     | 100   | 97          | 234   | 0      | 846    | 0     | 215   |
| normalized size | 1       | 1.    | 0.97        | 2.34  | 0.     | 8.46   | 0.    | 2.15  |
| time (sec)      | N/A     | 0.089 | 0.317       | 0.103 | 0.     | 1.288  | 0.    | 1.293 |

| Problem 262     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 133     | 133   | 191         | 342   | 0      | 1534   | 0     | 301   |
| normalized size | 1       | 1.    | 1.44        | 2.57  | 0.     | 11.53  | 0.    | 2.26  |
| time (sec)      | N/A     | 0.282 | 0.59        | 0.158 | 0.     | 24.139 | 0.    | 1.268 |

| Problem 263     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 189     | 189   | 240         | 502   | 0      | 2419   | 0     | 545   |
| normalized size | 1       | 1.    | 1.27        | 2.66  | 0.     | 12.8   | 0.    | 2.88  |
| time (sec)      | N/A     | 0.673 | 1.719       | 0.174 | 0.     | 69.443 | 0.    | 1.405 |

| Problem 264     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas  | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|---------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B       | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD     | TBD   | TBD   |
| size            | 270     | 270   | 438         | 690   | 0      | 2952    | 0     | 510   |
| normalized size | 1       | 1.    | 1.62        | 2.56  | 0.     | 10.93   | 0.    | 1.89  |
| time (sec)      | N/A     | 0.975 | 6.246       | 0.198 | 0.     | 109.609 | 0.    | 1.516 |

| Problem 265     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 398     | 398   | 734         | 1504  | 0      | 4001   | 0     | 1821  |
| normalized size | 1       | 1.    | 1.84        | 3.78  | 0.     | 10.05  | 0.    | 4.58  |
| time (sec)      | N/A     | 1.724 | 3.293       | 0.132 | 0.     | 2.166  | 0.    | 1.657 |

| Problem 266     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 280     | 280   | 232         | 1301  | 0      | 3380   | 0     | 733   |
| normalized size | 1       | 1.    | 0.83        | 4.65  | 0.     | 12.07  | 0.    | 2.62  |
| time (sec)      | N/A     | 1.222 | 2.059       | 0.169 | 0.     | 1.964  | 0.    | 1.703 |

| Problem 267     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 211     | 211   | 204         | 1023  | 0      | 2462   | 0     | 614   |
| normalized size | 1       | 1.    | 0.97        | 4.85  | 0.     | 11.67  | 0.    | 2.91  |
| time (sec)      | N/A     | 0.564 | 1.308       | 0.125 | 0.     | 1.733  | 0.    | 1.647 |

| Problem 268     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 180     | 180  | 172         | 886   | 0      | 1616   | 0     | 528   |
| normalized size | 1       | 1.   | 0.96        | 4.92  | 0.     | 8.98   | 0.    | 2.93  |
| time (sec)      | N/A     | 0.29 | 0.784       | 0.108 | 0.     | 1.398  | 0.    | 1.585 |

| Problem 269     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 164     | 164   | 157         | 886   | 0      | 1616   | 0     | 527  |
| normalized size | 1       | 1.    | 0.96        | 5.4   | 0.     | 9.85   | 0.    | 3.21 |
| time (sec)      | N/A     | 0.188 | 0.607       | 0.116 | 0.     | 1.443  | 0.    | 1.61 |

| Problem 270     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas  | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|---------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B       | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD     | TBD   | TBD   |
| size            | 214     | 214   | 269         | 1045  | 0      | 3032    | 0     | 649   |
| normalized size | 1       | 1.    | 1.26        | 4.88  | 0.     | 14.17   | 0.    | 3.03  |
| time (sec)      | N/A     | 0.706 | 1.24        | 0.173 | 0.     | 128.467 | 0.    | 1.502 |

| Problem 271     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | F(-1)  | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 299     | 299   | 352         | 1358  | 0      | 0      | 0     | 775   |
| normalized size | 1       | 1.    | 1.18        | 4.54  | 0.     | 0.     | 0.    | 2.59  |
| time (sec)      | N/A     | 1.764 | 5.527       | 0.187 | 0.     | 0.     | 0.    | 1.599 |

| Problem 272     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | F(-1)  | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 402     | 402   | 507         | 1551  | 0      | 0      | 0     | 1883  |
| normalized size | 1       | 1.    | 1.26        | 3.86  | 0.     | 0.     | 0.    | 4.68  |
| time (sec)      | N/A     | 2.236 | 2.709       | 0.206 | 0.     | 0.     | 0.    | 1.602 |

| Problem 273     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 409     | 409   | 1278        | 2787  | 0      | 5723   | 0     | 1304  |
| normalized size | 1       | 1.    | 3.12        | 6.81  | 0.     | 13.99  | 0.    | 3.19  |
| time (sec)      | N/A     | 5.175 | 6.612       | 0.141 | 0.     | 4.17   | 0.    | 1.491 |

| Problem 274     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 301     | 301   | 717         | 2158  | 0      | 4095   | 0     | 1098  |
| normalized size | 1       | 1.    | 2.38        | 7.17  | 0.     | 13.6   | 0.    | 3.65  |
| time (sec)      | N/A     | 1.207 | 3.131       | 0.13  | 0.     | 2.567  | 0.    | 1.721 |

| Problem 275     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 274     | 274   | 251         | 1726  | 0      | 2692   | 0     | 930   |
| normalized size | 1       | 1.    | 0.92        | 6.3   | 0.     | 9.82   | 0.    | 3.39  |
| time (sec)      | N/A     | 0.636 | 1.195       | 0.142 | 0.     | 2.215  | 0.    | 1.612 |

| Problem 276     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 263     | 263  | 252         | 1883  | 0      | 2700   | 0     | 975   |
| normalized size | 1       | 1.   | 0.96        | 7.16  | 0.     | 10.27  | 0.    | 3.71  |
| time (sec)      | N/A     | 0.53 | 1.052       | 0.138 | 0.     | 2.154  | 0.    | 1.643 |

| Problem 277     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | B      | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 237     | 237   | 227         | 1727  | 0      | 2692   | 0     | 933   |
| normalized size | 1       | 1.    | 0.96        | 7.29  | 0.     | 11.36  | 0.    | 3.94  |
| time (sec)      | N/A     | 0.478 | 2.158       | 0.118 | 0.     | 2.19   | 0.    | 1.562 |

| Problem 278     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | F(-1)  | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 301     | 301   | 368         | 2180  | 0      | 0      | 0     | 1130  |
| normalized size | 1       | 1.    | 1.22        | 7.24  | 0.     | 0.     | 0.    | 3.75  |
| time (sec)      | N/A     | 1.509 | 1.604       | 0.187 | 0.     | 0.     | 0.    | 1.893 |

| Problem 279     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | F(-1)  | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 420     | 420   | 549         | 2844  | 0      | 0      | 0     | 1345  |
| normalized size | 1       | 1.    | 1.31        | 6.77  | 0.     | 0.     | 0.    | 3.2   |
| time (sec)      | N/A     | 6.221 | 3.022       | 0.194 | 0.     | 0.     | 0.    | 1.715 |

| Problem 280     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | F(-1)  | F(-1) | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 547     | 547   | 781         | 3042  | 0      | 0      | 0     | 1472  |
| normalized size | 1       | 1.    | 1.43        | 5.56  | 0.     | 0.     | 0.    | 2.69  |
| time (sec)      | N/A     | 7.304 | 4.937       | 0.219 | 0.     | 0.     | 0.    | 1.781 |

| Problem 281     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 28      | 28    | 28          | 23    | 0      | 61     | 56    | 34    |
| normalized size | 1       | 1.    | 1.          | 0.82  | 0.     | 2.18   | 2.    | 1.21  |
| time (sec)      | N/A     | 0.016 | 0.008       | 0.051 | 0.     | 1.798  | 1.641 | 1.473 |

| Problem 282     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 27      | 27    | 24          | 28    | 0      | 61     | 68    | 45    |
| normalized size | 1       | 1.    | 0.89        | 1.04  | 0.     | 2.26   | 2.52  | 1.67  |
| time (sec)      | N/A     | 0.015 | 0.02        | 0.053 | 0.     | 1.503  | 1.141 | 1.573 |

| Problem 283     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | A     | F(-2)  | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 11      | 11    | 23          | 12    | 0      | 24     | 31    | 15    |
| normalized size | 1       | 1.    | 2.09        | 1.09  | 0.     | 2.18   | 2.82  | 1.36  |
| time (sec)      | N/A     | 0.009 | 0.007       | 0.046 | 0.     | 1.404  | 0.747 | 1.398 |

| Problem 284     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | A     | C     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 3       | 3     | 3           | 4     | 0      | 7      | 2     | 14    |
| normalized size | 1       | 1.    | 1.          | 1.33  | 0.     | 2.33   | 0.67  | 4.67  |
| time (sec)      | N/A     | 0.001 | 0.          | 0.025 | 0.     | 1.167  | 0.159 | 1.321 |

| Problem 285     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | B      | A     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 12      | 12    | 12          | 20    | 0      | 81     | 39    | 63    |
| normalized size | 1       | 1.    | 1.          | 1.67  | 0.     | 6.75   | 3.25  | 5.25  |
| time (sec)      | N/A     | 0.007 | 0.003       | 0.056 | 0.     | 1.419  | 4.503 | 1.478 |

| Problem 286     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | A     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 11      | 11    | 11          | 12    | 0      | 45     | 32    | 15    |
| normalized size | 1       | 1.    | 1.          | 1.09  | 0.     | 4.09   | 2.91  | 1.36  |
| time (sec)      | N/A     | 0.012 | 0.004       | 0.056 | 0.     | 1.314  | 8.563 | 1.535 |

| Problem 287     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | F(-2)  | A      | F     | A     |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 36      | 36   | 36          | 40    | 0      | 170    | 0     | 70    |
| normalized size | 1       | 1.   | 1.          | 1.11  | 0.     | 4.72   | 0.    | 1.94  |
| time (sec)      | N/A     | 0.02 | 0.008       | 0.066 | 0.     | 1.545  | 0.    | 1.604 |



| Problem 288     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy   | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|---------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | A       | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD     | TBD   |
| size            | 28      | 28    | 24          | 25    | 0      | 84     | 42      | 34    |
| normalized size | 1       | 1.    | 0.86        | 0.89  | 0.     | 3.     | 1.5     | 1.21  |
| time (sec)      | N/A     | 0.016 | 0.037       | 0.063 | 0.     | 1.361  | 114.743 | 1.564 |

| Problem 289     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 114     | 114   | 98          | 229   | 0      | 759    | 0     | 250   |
| normalized size | 1       | 1.    | 0.86        | 2.01  | 0.     | 6.66   | 0.    | 2.19  |
| time (sec)      | N/A     | 0.217 | 0.229       | 0.122 | 0.     | 1.606  | 0.    | 1.467 |

| Problem 290     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 79      | 79    | 73          | 105   | 0      | 612    | 0     | 173   |
| normalized size | 1       | 1.    | 0.92        | 1.33  | 0.     | 7.75   | 0.    | 2.19  |
| time (sec)      | N/A     | 0.132 | 0.134       | 0.135 | 0.     | 1.576  | 0.    | 1.487 |

| Problem 291     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 61      | 61    | 59          | 69    | 0      | 505    | 0     | 130   |
| normalized size | 1       | 1.    | 0.97        | 1.13  | 0.     | 8.28   | 0.    | 2.13  |
| time (sec)      | N/A     | 0.067 | 0.073       | 0.119 | 0.     | 1.566  | 0.    | 1.282 |

| Problem 292     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | F(-1) | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 50      | 50    | 49          | 45    | 0      | 409    | 0     | 105   |
| normalized size | 1       | 1.    | 0.98        | 0.9   | 0.     | 8.18   | 0.    | 2.1   |
| time (sec)      | N/A     | 0.035 | 0.036       | 0.102 | 0.     | 1.511  | 0.    | 1.397 |

| Problem 293     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | F(-2)  | A      | F     | B     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 70      | 70    | 103         | 91    | 0      | 670    | 0     | 165   |
| normalized size | 1       | 1.    | 1.47        | 1.3   | 0.     | 9.57   | 0.    | 2.36  |
| time (sec)      | N/A     | 0.081 | 0.077       | 0.119 | 0.     | 1.948  | 0.    | 1.418 |

| Problem 294     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | B      | F     | A    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 88      | 88    | 116         | 139   | 0      | 925    | 0     | 209  |
| normalized size | 1       | 1.    | 1.32        | 1.58  | 0.     | 10.51  | 0.    | 2.38 |
| time (sec)      | N/A     | 0.145 | 0.351       | 0.138 | 0.     | 1.995  | 0.    | 1.54 |

| Problem 295     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-2)  | A      | F     | A     |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 123     | 123   | 239         | 273   | 0      | 1121   | 0     | 298   |
| normalized size | 1       | 1.    | 1.94        | 2.22  | 0.     | 9.11   | 0.    | 2.42  |
| time (sec)      | N/A     | 0.346 | 0.963       | 0.154 | 0.     | 2.776  | 0.    | 1.566 |

| Problem 296     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 386     | 386   | 292         | 1635  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.76        | 4.24  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.785 | 1.48        | 4.869 | 0.     | 0.     | 0.    | 0.   |

| Problem 297     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 303     | 303   | 232         | 1305  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.77        | 4.31  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.542 | 0.946       | 4.021 | 0.     | 0.     | 0.    | 0.    |

| Problem 298     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 231     | 231   | 179         | 993   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.77        | 4.3   | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.408 | 0.824       | 4.45  | 0.     | 0.     | 0.    | 0.    |

| Problem 299     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 171     | 171  | 146         | 600   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.85        | 3.51  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.22 | 0.575       | 4.319 | 0.     | 0.     | 0.    | 0.   |

| Problem 300     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | F      | F(-1)  | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 178     | 178  | 107         | 247   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.6         | 1.39  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.36 | 2.376       | 4.004 | 0.     | 0.     | 0.    | 0.   |

| Problem 301     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 213     | 213   | 372         | 746   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.75        | 3.5   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.607 | 10.245      | 6.549 | 0.     | 0.     | 0.    | 0.   |

| Problem 302     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 292     | 292   | 420         | 1290  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.44        | 4.42  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.955 | 4.126       | 7.812 | 0.     | 0.     | 0.    | 0.   |

| Problem 303     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | B      | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 378     | 378   | 635         | 2213   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.68        | 5.85   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.339 | 6.509       | 11.474 | 0.     | 0.     | 0.    | 0.   |

| Problem 304     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 378     | 378   | 291         | 1635  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.77        | 4.33  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.733 | 1.445       | 4.509 | 0.     | 0.     | 0.    | 0.   |

| Problem 305     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 297     | 297   | 233         | 1305  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.78        | 4.39  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.528 | 1.009       | 4.073 | 0.     | 0.     | 0.    | 0.    |

| Problem 306     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 225     | 225   | 203         | 993   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.9         | 4.41  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.352 | 0.734       | 4.003 | 0.     | 0.     | 0.    | 0.    |

| Problem 307     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 236     | 236   | 406         | 738   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.72        | 3.13  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.708 | 2.445       | 4.046 | 0.     | 0.     | 0.    | 0.   |

| Problem 308     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 232     | 232   | 398         | 1167  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.72        | 5.03  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.686 | 2.445       | 4.417 | 0.     | 0.     | 0.    | 0.   |

| Problem 309     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 295     | 295   | 422         | 1403  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.43        | 4.76  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.058 | 4.795       | 9.067 | 0.     | 0.     | 0.    | 0.   |

| Problem 310     | Optimal | Rubi | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A    | C           | B      | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 375     | 375  | 634         | 2327   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.69        | 6.21   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.45 | 6.591       | 12.028 | 0.     | 0.     | 0.    | 0.   |

| Problem 311     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 462     | 462   | 357         | 1983  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.77        | 4.29  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.931 | 1.986       | 4.483 | 0.     | 0.     | 0.    | 0.   |

| Problem 312     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 372     | 372   | 291         | 1635  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.78        | 4.4   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.796 | 1.482       | 4.468 | 0.     | 0.     | 0.    | 0.   |

| Problem 313     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 288     | 288   | 254         | 1305  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.88        | 4.53  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.516 | 1.017       | 4.409 | 0.     | 0.     | 0.    | 0.    |

| Problem 314     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 292     | 292   | 453         | 1067  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.55        | 3.65  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.014 | 2.801       | 4.432 | 0.     | 0.     | 0.    | 0.   |

| Problem 315     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 296     | 296   | 442         | 1563  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.49        | 5.28  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.109 | 3.796       | 4.425 | 0.     | 0.     | 0.    | 0.   |

| Problem 316     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 315     | 315   | 451         | 1742  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.43        | 5.53  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.055 | 5.636       | 9.44  | 0.     | 0.     | 0.    | 0.   |

| Problem 317     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | B      | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 376     | 376   | 486         | 2438   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.29        | 6.48   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.433 | 5.808       | 12.175 | 0.     | 0.     | 0.    | 0.   |

| Problem 318     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | B      | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 465     | 465   | 729         | 3548   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.57        | 7.63   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.845 | 6.721       | 16.885 | 0.     | 0.     | 0.    | 0.   |

| Problem 319     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 320     | 320   | 230         | 1305  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.72        | 4.08  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.619 | 1.015       | 4.258 | 0.     | 0.     | 0.    | 0.   |

| Problem 320     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 246     | 246  | 180         | 993   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.73        | 4.04  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.43 | 0.891       | 3.907 | 0.     | 0.     | 0.    | 0.   |

| Problem 321     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 183     | 183   | 154         | 671   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.84        | 3.67  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.292 | 0.656       | 4.369 | 0.     | 0.     | 0.    | 0.   |

| Problem 322     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 130     | 130   | 93          | 249   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.72        | 1.92  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.126 | 3.121       | 3.184 | 0.     | 0.     | 0.    | 0.   |

| Problem 323     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F(-1)  | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 118     | 118   | 81          | 194   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.69        | 1.64  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.313 | 0.183       | 3.668 | 0.     | 0.     | 0.    | 0.   |

| Problem 324     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F(-1)  | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 216     | 216   | 320         | 639   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.48        | 2.96  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.655 | 6.366       | 5.221 | 0.     | 0.     | 0.    | 0.   |

| Problem 325     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 299     | 299   | 420         | 1182  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.4         | 3.95  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.955 | 5.753       | 7.652 | 0.     | 0.     | 0.    | 0.   |

| Problem 326     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 387     | 387   | 304         | 1308   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.79        | 3.38   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.727 | 1.716       | 12.509 | 0.     | 0.     | 0.    | 0.   |

| Problem 327     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 262     | 262   | 189         | 954    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.72        | 3.64   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.486 | 1.386       | 10.478 | 0.     | 0.     | 0.    | 0.   |

| Problem 328     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 204     | 204   | 170         | 515   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.83        | 2.52  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.332 | 0.788       | 7.861 | 0.     | 0.     | 0.    | 0.   |

| Problem 329     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 185     | 185   | 151         | 428   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.82        | 2.31  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.231 | 0.541       | 7.684 | 0.     | 0.     | 0.    | 0.   |

| Problem 330     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F(-1)  | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 190     | 190   | 460         | 429   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.42        | 2.26  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.508 | 3.787       | 7.651 | 0.     | 0.     | 0.    | 0.   |

| Problem 331     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | B      | F(-1)  | F(-1)  | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 303     | 303   | 482         | 908    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.59        | 3.     | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.991 | 5.469       | 10.223 | 0.     | 0.     | 0.    | 0.   |

| Problem 332     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | B      | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 398     | 398   | 678         | 1564   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.7         | 3.93   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.431 | 6.841       | 12.836 | 0.     | 0.     | 0.    | 0.   |

| Problem 333     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 550     | 550   | 372         | 1746   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.68        | 3.17   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.187 | 3.899       | 21.393 | 0.     | 0.     | 0.    | 0.   |

| Problem 334     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 413     | 413   | 334         | 1389   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.81        | 3.36   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.805 | 2.739       | 19.001 | 0.     | 0.     | 0.    | 0.   |

| Problem 335     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 331     | 331   | 274         | 950    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.83        | 2.87   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.553 | 2.161       | 15.549 | 0.     | 0.     | 0.    | 0.   |

| Problem 336     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 307     | 307   | 224         | 860    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.73        | 2.8    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.472 | 1.859       | 14.194 | 0.     | 0.     | 0.    | 0.   |

| Problem 337     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 275     | 275   | 193         | 750    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.7         | 2.73   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.373 | 1.523       | 13.244 | 0.     | 0.     | 0.    | 0.   |

| Problem 338     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | B      | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 349     | 349   | 743         | 854    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.13        | 2.45   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.099 | 6.728       | 14.143 | 0.     | 0.     | 0.    | 0.   |

| Problem 339     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | B      | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 437     | 437   | 750         | 1341   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.72        | 3.07   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.481 | 7.093       | 18.753 | 0.     | 0.     | 0.    | 0.   |

| Problem 340     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 532     | 532   | 820         | 2000  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.54        | 3.76  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.934 | 7.743       | 23.7  | 0.     | 0.     | 0.    | 0.   |

| Problem 341     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 58      | 58    | 58          | 76    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 1.31  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.045 | 0.048       | 0.404 | 0.     | 0.     | 0.    | 0.   |

| Problem 342     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F(-1)  | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 59      | 59    | 59          | 167   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 2.83  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.146 | 0.071       | 3.125 | 0.     | 0.     | 0.    | 0.   |

| Problem 343     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 108     | 108   | 84          | 218   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.78        | 2.02  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.082 | 0.208       | 3.993 | 0.     | 0.     | 0.    | 0.   |



| Problem 344     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 179     | 179   | 403         | 377   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.25        | 2.11  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.424 | 4.804       | 4.299 | 0.     | 0.     | 0.    | 0.   |

| Problem 345     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 170     | 170   | 125         | 451   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.74        | 2.65  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.207 | 1.267       | 3.349 | 0.     | 0.     | 0.    | 0.   |

| Problem 346     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 140     | 140   | 103         | 413   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.74        | 2.95  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.184 | 0.823       | 3.103 | 0.     | 0.     | 0.    | 0.    |

| Problem 347     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 108     | 108   | 86          | 371   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.8         | 3.44  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.168 | 0.384       | 3.474 | 0.     | 0.     | 0.    | 0.    |

| Problem 348     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 75      | 75    | 67          | 326   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.89        | 4.35  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.146 | 0.213       | 3.522 | 0.     | 0.     | 0.    | 0.   |

| Problem 349     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 71      | 71    | 64          | 244   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.9         | 3.44  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.154 | 0.329       | 3.262 | 0.     | 0.     | 0.    | 0.   |

| Problem 350     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 103     | 103  | 107         | 428   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.04        | 4.16  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.17 | 0.446       | 7.556 | 0.     | 0.     | 0.    | 0.   |

| Problem 351     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 140     | 140   | 134         | 663   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.96        | 4.74  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.188 | 0.772       | 9.989 | 0.     | 0.     | 0.    | 0.   |

| Problem 352     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 264     | 264   | 196         | 666   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.74        | 2.52  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.381 | 1.711       | 3.161 | 0.     | 0.     | 0.    | 0.    |

| Problem 353     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 223     | 223  | 167         | 610   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.75        | 2.74  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.33 | 1.371       | 3.724 | 0.     | 0.     | 0.    | 0.   |

| Problem 354     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 182     | 182   | 139         | 548   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.76        | 3.01  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.316 | 1.068       | 3.138 | 0.     | 0.     | 0.    | 0.    |

| Problem 355     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 140     | 140   | 106         | 487   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.76        | 3.48  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.266 | 0.575       | 3.194 | 0.     | 0.     | 0.    | 0.   |

| Problem 356     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 121     | 121   | 102         | 404   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.84        | 3.34  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.246 | 0.605       | 3.398 | 0.     | 0.     | 0.    | 0.   |

| Problem 357     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 126     | 126   | 105         | 677   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.83        | 5.37  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.305 | 1.119       | 7.309 | 0.     | 0.     | 0.    | 0.   |

| Problem 358     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 172     | 172   | 175         | 750   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.02        | 4.36  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.351 | 1.056       | 10.05 | 0.     | 0.     | 0.    | 0.   |

| Problem 359     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 305     | 305   | 235         | 825   | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 0.77        | 2.7   | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.545 | 1.905       | 3.362 | 0.     | 0.     | 0.    | 0.    |

| Problem 360     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 255     | 255   | 197         | 745   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.77        | 2.92  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.496 | 1.152       | 3.348 | 0.     | 0.     | 0.    | 0.   |

| Problem 361     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 205     | 205   | 158         | 664   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.77        | 3.24  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.478 | 1.268       | 3.418 | 0.     | 0.     | 0.    | 0.   |

| Problem 362     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 202     | 202   | 150         | 867   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.74        | 4.29  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.464 | 1.085       | 3.497 | 0.     | 0.     | 0.    | 0.   |

| Problem 363     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 192     | 192   | 165         | 1212  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.86        | 6.31  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.465 | 1.033       | 9.1   | 0.     | 0.     | 0.    | 0.   |

| Problem 364     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 204     | 204   | 176         | 997    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.86        | 4.89   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.482 | 2.082       | 10.698 | 0.     | 0.     | 0.    | 0.   |

| Problem 365     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 182     | 182  | 264         | 1074  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.45        | 5.9   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.82 | 2.372       | 4.116 | 0.     | 0.     | 0.    | 0.   |

| Problem 366     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 137     | 137   | 209         | 786   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.53        | 5.74  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.513 | 1.414       | 3.556 | 0.     | 0.     | 0.    | 0.   |

| Problem 367     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 89      | 89   | 131         | 295   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.47        | 3.31  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.21 | 0.863       | 3.138 | 0.     | 0.     | 0.    | 0.   |

| Problem 368     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 61      | 61    | 58          | 217   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.95        | 3.56  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.144 | 0.211       | 3.542 | 0.     | 0.     | 0.    | 0.   |

| Problem 369     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 86      | 86    | 210         | 327   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.44        | 3.8   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.309 | 2.406       | 6.233 | 0.     | 0.     | 0.    | 0.   |

| Problem 370     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 150     | 150  | 262         | 468   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.75        | 3.12  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.77 | 2.21        | 9.544 | 0.     | 0.     | 0.    | 0.   |

| Problem 371     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 303     | 303   | 322         | 1066   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.06        | 3.52   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.933 | 3.068       | 11.879 | 0.     | 0.     | 0.    | 0.   |

| Problem 372     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 224     | 224   | 284         | 849   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.27        | 3.79  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.627 | 2.59        | 9.332 | 0.     | 0.     | 0.    | 0.   |

| Problem 373     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 198     | 198  | 262         | 808   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.32        | 4.08  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.54 | 2.296       | 8.609 | 0.     | 0.     | 0.    | 0.   |

| Problem 374     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 200     | 200   | 276         | 721   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.38        | 3.6   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.618 | 2.556       | 7.84  | 0.     | 0.     | 0.    | 0.   |

| Problem 375     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 256     | 256   | 320         | 883    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.25        | 3.45   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.923 | 3.962       | 10.801 | 0.     | 0.     | 0.    | 0.   |

| Problem 376     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 345     | 345   | 367         | 1031   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.06        | 2.99   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.292 | 6.316       | 16.085 | 0.     | 0.     | 0.    | 0.   |

| Problem 377     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 367     | 367   | 394         | 1977   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.07        | 5.39   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.013 | 4.672       | 14.966 | 0.     | 0.     | 0.    | 0.   |

| Problem 378     | Optimal | Rubi | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A    | A           | B      | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 344     | 344  | 364         | 1937   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.06        | 5.63   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.99 | 3.386       | 14.346 | 0.     | 0.     | 0.    | 0.   |

| Problem 379     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 337     | 337   | 369         | 1850  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.09        | 5.49  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.919 | 4.197       | 14.49 | 0.     | 0.     | 0.    | 0.   |

| Problem 380     | Optimal | Rubi | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A    | A           | B      | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 345     | 345  | 387         | 1744   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.12        | 5.06   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.06 | 4.675       | 13.454 | 0.     | 0.     | 0.    | 0.   |

| Problem 381     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F(-2)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 420     | 420   | 462         | 2002   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.1         | 4.77   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.474 | 4.983       | 17.036 | 0.     | 0.     | 0.    | 0.   |

| Problem 382     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 523     | 523   | 574         | 2158   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.1         | 4.13   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.953 | 7.167       | 27.283 | 0.     | 0.     | 0.    | 0.   |

| Problem 383     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 44      | 44    | 41          | 203   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.93        | 4.61  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.025 | 0.047       | 3.126 | 0.     | 0.     | 0.    | 0.   |

| Problem 384     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 44      | 44    | 37          | 180   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.84        | 4.09  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.024 | 0.043       | 2.984 | 0.     | 0.     | 0.    | 0.   |

| Problem 385     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 17      | 17    | 17          | 134   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 7.88  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.011 | 0.023       | 2.138 | 0.     | 0.     | 0.    | 0.   |

| Problem 386     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | C     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 17      | 17    | 17          | 19    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 1.12  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.011 | 0.027       | 0.037 | 0.     | 0.     | 0.    | 0.   |

| Problem 387     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 40      | 40    | 40          | 102   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 2.55  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.022 | 0.059       | 3.253 | 0.     | 0.     | 0.    | 0.   |

| Problem 388     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 44      | 44    | 37          | 214   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.84        | 4.86  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.023 | 0.06        | 2.872 | 0.     | 0.     | 0.    | 0.   |

| Problem 389     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 116     | 116   | 161         | 517   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.39        | 4.46  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.403 | 1.57        | 3.52  | 0.     | 0.     | 0.    | 0.   |

| Problem 390     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 78      | 78    | 85          | 228   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.09        | 2.92  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.167 | 0.102       | 3.178 | 0.     | 0.     | 0.    | 0.   |

| Problem 391     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 55      | 55    | 49          | 189   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.89        | 3.44  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.103 | 0.051       | 3.593 | 0.     | 0.     | 0.    | 0.   |

| Problem 392     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 30      | 30    | 30          | 151   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 5.03  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.049 | 0.065       | 2.624 | 0.     | 0.     | 0.    | 0.   |

| Problem 393     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 80      | 80    | 200         | 355   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.5         | 4.44  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.247 | 2.605       | 4.01  | 0.     | 0.     | 0.    | 0.   |

| Problem 394     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 133     | 133  | 215         | 452   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.62        | 3.4   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.56 | 4.069       | 8.419 | 0.     | 0.     | 0.    | 0.   |

| Problem 395     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | B     | F      | F(-1)  | F(-1) | F(-2) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 560     | 560   | 1224        | 2949  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 2.19        | 5.27  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 1.507 | 6.305       | 0.501 | 0.     | 0.     | 0.    | 0.    |

| Problem 396     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 473     | 473   | 1175        | 2055  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.48        | 4.34  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.042 | 21.019      | 0.417 | 0.     | 0.     | 0.    | 0.   |

| Problem 397     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F(-1)  | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 385     | 385   | 3054        | 1693  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 7.93        | 4.4   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.713 | 17.886      | 0.573 | 0.     | 0.     | 0.    | 0.   |

| Problem 398     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 351     | 351   | 275         | 1687  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.78        | 4.81  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.504 | 12.925      | 0.446 | 0.     | 0.     | 0.    | 0.   |

| Problem 399     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 284     | 284   | 407         | 1729  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.43        | 6.09  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.505 | 14.007      | 0.406 | 0.     | 0.     | 0.    | 0.   |



| Problem 400     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 350     | 350   | 1315        | 2479  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.76        | 7.08  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.825 | 6.342       | 0.474 | 0.     | 0.     | 0.    | 0.   |

| Problem 401     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 433     | 433   | 1408        | 3427  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.25        | 7.91  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.176 | 6.43        | 0.611 | 0.     | 0.     | 0.    | 0.   |

| Problem 402     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | B     | F      | F(-1)  | F(-1) | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 670     | 670   | 1284        | 4048  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 1.92        | 6.04  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 2.096 | 6.392       | 0.616 | 0.     | 0.     | 0.    | 0.    |

| Problem 403     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | B     | F      | F(-1)  | F(-1) | F(-2) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 566     | 566   | 1227        | 3139  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 2.17        | 5.55  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 1.663 | 6.304       | 0.505 | 0.     | 0.     | 0.    | 0.    |

| Problem 404     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 472     | 472   | 1198        | 2430  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.54        | 5.15  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.147 | 6.331       | 0.585 | 0.     | 0.     | 0.    | 0.   |

| Problem 405     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 449     | 449   | 1196        | 2185  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.66        | 4.87  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.176 | 6.327       | 0.419 | 0.     | 0.     | 0.    | 0.   |

| Problem 406     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 419     | 419   | 1236        | 2318  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.95        | 5.53  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.858 | 6.344       | 0.41  | 0.     | 0.     | 0.    | 0.   |

| Problem 407     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 353     | 353   | 1314        | 2666  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.72        | 7.55  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.924 | 6.418       | 0.441 | 0.     | 0.     | 0.    | 0.   |

| Problem 408     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 433     | 433   | 1407        | 3413  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.25        | 7.88  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.346 | 6.502       | 0.565 | 0.     | 0.     | 0.    | 0.   |

| Problem 409     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 522     | 522   | 1515        | 4391  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.9         | 8.41  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.885 | 6.586       | 0.741 | 0.     | 0.     | 0.    | 0.   |

| Problem 410     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 779     | 779   | 1353        | 5164  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 1.74        | 6.63  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 3.083 | 6.507       | 0.894 | 0.     | 0.     | 0.    | 0.    |

| Problem 411     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | C           | B     | F      | F(-1)  | F(-1) | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 664     | 664   | 1287        | 4238  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 1.94        | 6.38  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 2.206 | 6.387       | 0.661 | 0.     | 0.     | 0.    | 0.    |

| Problem 412     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 564     | 564   | 1251        | 3512  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.22        | 6.23  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.698 | 6.478       | 0.68  | 0.     | 0.     | 0.    | 0.   |

| Problem 413     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 547     | 547   | 1241        | 3270  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.27        | 5.98  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.665 | 6.473       | 0.454 | 0.     | 0.     | 0.    | 0.   |

| Problem 414     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 536     | 536   | 1269        | 3204  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.37        | 5.98  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.669 | 6.471       | 0.475 | 0.     | 0.     | 0.    | 0.   |

| Problem 415     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 493     | 493   | 1319        | 3274  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.68        | 6.64  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.247 | 6.518       | 0.491 | 0.     | 0.     | 0.    | 0.   |

| Problem 416     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 434     | 434   | 1409        | 3628  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.25        | 8.36  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.372 | 6.58        | 0.563 | 0.     | 0.     | 0.    | 0.   |

| Problem 417     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 522     | 522   | 1517        | 4392  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.91        | 8.41  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.939 | 6.685       | 0.735 | 0.     | 0.     | 0.    | 0.   |

| Problem 418     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 622     | 622   | 1640        | 5373  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.64        | 8.64  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 2.625 | 6.802       | 0.94  | 0.     | 0.     | 0.    | 0.   |

| Problem 419     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 418     | 418  | 1236        | 2346  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 2.96        | 5.61  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.95 | 19.409      | 0.549 | 0.     | 0.     | 0.    | 0.   |

| Problem 420     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 479     | 479   | 1175        | 1871  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.45        | 3.91  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.076 | 12.376      | 0.479 | 0.     | 0.     | 0.    | 0.   |

| Problem 421     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 427     | 427   | 4017        | 1005  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 9.41        | 2.35  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.088 | 17.73       | 0.53  | 0.     | 0.     | 0.    | 0.   |

| Problem 422     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 228     | 228   | 146         | 197   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.64        | 0.86  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.274 | 1.48        | 0.464 | 0.     | 0.     | 0.    | 0.   |

| Problem 423     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 230     | 230   | 299         | 935   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.3         | 4.07  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.316 | 12.864      | 0.388 | 0.     | 0.     | 0.    | 0.   |

| Problem 424     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 290     | 290   | 416         | 1536  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.43        | 5.3   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.524 | 16.293      | 0.397 | 0.     | 0.     | 0.    | 0.   |

| Problem 425     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 363     | 363   | 1319        | 2480  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.63        | 6.83  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.862 | 6.389       | 0.467 | 0.     | 0.     | 0.    | 0.   |

| Problem 426     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 500     | 500   | 1234        | 2881  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.47        | 5.76  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.287 | 6.397       | 0.427 | 0.     | 0.     | 0.    | 0.   |

| Problem 427     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 416     | 416   | 1012        | 2013  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.43        | 4.84  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.612 | 17.986      | 0.411 | 0.     | 0.     | 0.    | 0.   |

| Problem 428     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 284     | 284   | 1223        | 1633  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 4.31        | 5.75  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.512 | 6.36        | 0.475 | 0.     | 0.     | 0.    | 0.   |

| Problem 429     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 305     | 305   | 1281        | 2280  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 4.2         | 7.48  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.615 | 6.472       | 0.472 | 0.     | 0.     | 0.    | 0.   |

| Problem 430     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 393     | 393  | 1357        | 3334  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 3.45        | 8.48  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.98 | 6.644       | 0.498 | 0.     | 0.     | 0.    | 0.   |

| Problem 431     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 674     | 674   | 1396        | 8611  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.07        | 12.78 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 2.189 | 6.655       | 0.592 | 0.     | 0.     | 0.    | 0.   |

| Problem 432     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 545     | 545   | 1342        | 5751  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.46        | 10.55 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.402 | 6.491       | 0.521 | 0.     | 0.     | 0.    | 0.   |

| Problem 433     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 391     | 391   | 1335        | 4237  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.41        | 10.84 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.869 | 6.422       | 0.473 | 0.     | 0.     | 0.    | 0.   |

| Problem 434     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 429     | 429   | 1384        | 5203  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.23        | 12.13 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.985 | 6.525       | 0.856 | 0.     | 0.     | 0.    | 0.   |

| Problem 435     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 456     | 456   | 1431        | 6498  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.14        | 14.25 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.161 | 6.684       | 1.06  | 0.     | 0.     | 0.    | 0.   |

| Problem 436     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 567     | 567   | 1499        | 8093  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.64        | 14.27 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.877 | 6.921       | 0.74  | 0.     | 0.     | 0.    | 0.   |

| Problem 437     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 419     | 419   | 480         | 623   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.15        | 1.49  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.789 | 1.44        | 0.611 | 0.     | 0.     | 0.    | 0.   |

| Problem 438     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 117     | 117   | 133         | 160   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.14        | 1.37  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.085 | 0.138       | 0.479 | 0.     | 0.     | 0.    | 0.   |

| Problem 439     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 110     | 110   | 171         | 124   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.55        | 1.13  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.087 | 0.882       | 0.565 | 0.     | 0.     | 0.    | 0.   |

| Problem 440     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 226     | 226   | 212         | 613   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.94        | 2.71  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.268 | 2.11        | 0.46  | 0.     | 0.     | 0.    | 0.   |

| Problem 441     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | F           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 72      | 72    | 0           | 658   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.          | 9.14  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.088 | 34.837      | 0.444 | 0.     | 0.     | 0.    | 0.   |

| Problem 442     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | F           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 70      | 70    | 0           | 601   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.          | 8.59  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.104 | 38.35       | 0.461 | 0.     | 0.     | 0.    | 0.   |

| Problem 443     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | F           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 93      | 93    | 0           | 611   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.          | 6.57  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.206 | 32.611      | 0.469 | 0.     | 0.     | 0.    | 0.   |

| Problem 444     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | F           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 95      | 95    | 0           | 705   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.          | 7.42  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.191 | 28.693      | 0.364 | 0.     | 0.     | 0.    | 0.   |

| Problem 445     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | F           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 72      | 72    | 0           | 665   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.          | 9.24  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.083 | 37.742      | 0.448 | 0.     | 0.     | 0.    | 0.   |

| Problem 446     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | F           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 74      | 74    | 0           | 663   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.          | 8.96  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.099 | 38.014      | 0.458 | 0.     | 0.     | 0.    | 0.   |

| Problem 447     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | F           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 98      | 98    | 0           | 714   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.          | 7.29  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.202 | 40.906      | 0.352 | 0.     | 0.     | 0.    | 0.   |

| Problem 448     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | F           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 96      | 96    | 0           | 740   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.          | 7.71  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.189 | 30.115      | 0.366 | 0.     | 0.     | 0.    | 0.   |

| Problem 449     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | F(-2) |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 35      | 0     | 0           | 0     | 0      | 0      | 0     | 0     |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.082 | 7.554       | 2.795 | 0.     | 0.     | 0.    | 0.    |

| Problem 450     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 595     | 595   | 487         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.82        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.984 | 6.198       | 2.33  | 0.     | 0.     | 0.    | 0.   |

| Problem 451     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 406     | 406   | 269         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.66        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.053 | 2.906       | 1.981 | 0.     | 0.     | 0.    | 0.   |

| Problem 452     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 287     | 287   | 217         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.76        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.541 | 1.746       | 1.823 | 0.     | 0.     | 0.    | 0.   |

| Problem 453     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 196     | 196   | 151         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.77        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.246 | 0.325       | 1.793 | 0.     | 0.     | 0.    | 0.   |

| Problem 454     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 286     | 286   | 10482       | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 36.65       | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.412 | 27.058      | 1.145 | 0.     | 0.     | 0.    | 0.   |

| Problem 455     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | F(-2) |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 180     | 0     | 0           | 0     | 0      | 0      | 0     | 0     |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.527 | 66.256      | 0.497 | 0.     | 0.     | 0.    | 0.    |



| Problem 456     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | F(-2) |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 37      | 0     | 0           | 0     | 0      | 0      | 0     | 0     |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 0.116 | 9.681       | 0.457 | 0.     | 0.     | 0.    | 0.    |

| Problem 457     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 37      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.123 | 7.962       | 0.464 | 0.     | 0.     | 0.    | 0.   |

| Problem 458     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A    | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A  | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 190     | 0    | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.   | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.5  | 10.557      | 0.423 | 0.     | 0.     | 0.    | 0.   |

| Problem 459     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 172     | 172   | 292         | 661    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.7         | 3.84   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.222 | 1.897       | 10.024 | 0.     | 0.     | 0.    | 0.   |

| Problem 460     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 135     | 135   | 225         | 426   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.67        | 3.16  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.192 | 1.194       | 7.894 | 0.     | 0.     | 0.    | 0.   |

| Problem 461     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 106     | 106   | 157         | 240   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.48        | 2.26  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.179 | 1.056       | 3.536 | 0.     | 0.     | 0.    | 0.   |

| Problem 462     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 110     | 110   | 148         | 321   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.35        | 2.92  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.184 | 1.239       | 2.699 | 0.     | 0.     | 0.    | 0.   |

| Problem 463     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 141     | 141   | 148         | 355   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.05        | 2.52  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.203 | 1.593       | 2.924 | 0.     | 0.     | 0.    | 0.   |

| Problem 464     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 172     | 172   | 182         | 383   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.06        | 2.23  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.224 | 2.196       | 3.135 | 0.     | 0.     | 0.    | 0.   |

| Problem 465     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 199     | 199   | 299         | 741   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.5         | 3.72  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.345 | 2.979       | 10.25 | 0.     | 0.     | 0.    | 0.   |

| Problem 466     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 160     | 160   | 279         | 513   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.74        | 3.21  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.318 | 2.243       | 3.736 | 0.     | 0.     | 0.    | 0.   |

| Problem 467     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 160     | 160   | 302         | 388   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.89        | 2.42  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.323 | 1.839       | 3.353 | 0.     | 0.     | 0.    | 0.   |

| Problem 468     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 166     | 166  | 153         | 357   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.92        | 2.15  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.34 | 1.62        | 3.26  | 0.     | 0.     | 0.    | 0.   |

| Problem 469     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 201     | 201   | 193         | 385   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.96        | 1.92  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.369 | 2.293       | 2.94  | 0.     | 0.     | 0.    | 0.   |

| Problem 470     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 244     | 244   | 435         | 929    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.78        | 3.81   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.505 | 4.096       | 11.729 | 0.     | 0.     | 0.    | 0.   |

| Problem 471     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | C           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 211     | 211   | 268         | 916    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.27        | 4.34   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.495 | 3.161       | 10.273 | 0.     | 0.     | 0.    | 0.   |

| Problem 472     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 199     | 199   | 202         | 654   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.02        | 3.29  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.491 | 1.892       | 3.417 | 0.     | 0.     | 0.    | 0.   |

| Problem 473     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 211     | 211   | 207         | 519   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.98        | 2.46  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.495 | 1.597       | 3.493 | 0.     | 0.     | 0.    | 0.   |

| Problem 474     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 211     | 211   | 194         | 385   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.92        | 1.82  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.508 | 2.387       | 3.111 | 0.     | 0.     | 0.    | 0.   |

| Problem 475     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 244     | 244   | 196         | 413   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.8         | 1.69  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.535 | 2.768       | 3.016 | 0.     | 0.     | 0.    | 0.   |

| Problem 476     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 193     | 193   | 650         | 493   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.37        | 2.55  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.304 | 7.182       | 9.714 | 0.     | 0.     | 0.    | 0.   |

| Problem 477     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 159     | 159   | 400         | 319   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.52        | 2.01  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.276 | 4.369       | 5.949 | 0.     | 0.     | 0.    | 0.   |

| Problem 478     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 123     | 123   | 200         | 244   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.63        | 1.98  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.245 | 1.093       | 3.193 | 0.     | 0.     | 0.    | 0.   |

| Problem 479     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 125     | 125   | 422         | 244   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.38        | 1.95  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.253 | 2.576       | 3.398 | 0.     | 0.     | 0.    | 0.   |

| Problem 480     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 163     | 163   | 444         | 262   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.72        | 1.61  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.281 | 4.933       | 3.086 | 0.     | 0.     | 0.    | 0.   |

| Problem 481     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 196     | 196  | 518         | 281   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 2.64        | 1.43  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.3  | 3.216       | 3.461 | 0.     | 0.     | 0.    | 0.   |

| Problem 482     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 208     | 208   | 303         | 494   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.46        | 2.38  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.431 | 3.145       | 4.286 | 0.     | 0.     | 0.    | 0.   |

| Problem 483     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 161     | 161   | 256         | 350   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.59        | 2.17  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.388 | 2.004       | 3.796 | 0.     | 0.     | 0.    | 0.   |

| Problem 484     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 168     | 168   | 256         | 350   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.52        | 2.08  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.391 | 2.443       | 3.863 | 0.     | 0.     | 0.    | 0.   |

| Problem 485     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 176     | 176   | 475         | 421   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.7         | 2.39  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.406 | 6.37        | 3.718 | 0.     | 0.     | 0.    | 0.   |

| Problem 486     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 206     | 206   | 777         | 435   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.77        | 2.11  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.434 | 6.84        | 3.851 | 0.     | 0.     | 0.    | 0.   |

| Problem 487     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 261     | 261   | 358         | 685   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.37        | 2.62  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.612 | 5.397       | 4.529 | 0.     | 0.     | 0.    | 0.   |

| Problem 488     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F(-1)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 222     | 222   | 793         | 451   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.57        | 2.03  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.581 | 6.887       | 3.971 | 0.     | 0.     | 0.    | 0.   |

| Problem 489     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 216     | 216   | 792         | 451   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.67        | 2.09  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.566 | 6.865       | 4.217 | 0.     | 0.     | 0.    | 0.   |

| Problem 490     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 222     | 222  | 793         | 451   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 3.57        | 2.03  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.58 | 6.956       | 3.7   | 0.     | 0.     | 0.    | 0.   |

| Problem 491     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F(-1)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 228     | 228   | 817         | 451   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.58        | 1.98  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.577 | 7.11        | 3.719 | 0.     | 0.     | 0.    | 0.   |

| Problem 492     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F(-1)  | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 259     | 259   | 589         | 465   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.27        | 1.8   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.624 | 4.559       | 3.979 | 0.     | 0.     | 0.    | 0.   |

| Problem 493     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 220     | 220   | 124         | 138   | 890    | 316    | 0     | 0    |
| normalized size | 1       | 1.    | 0.56        | 0.63  | 4.05   | 1.44   | 0.    | 0.   |
| time (sec)      | N/A     | 0.486 | 0.538       | 0.802 | 1.984  | 1.723  | 0.    | 0.   |

| Problem 494     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 175     | 175   | 102         | 116   | 767    | 273    | 0     | 0    |
| normalized size | 1       | 1.    | 0.58        | 0.66  | 4.38   | 1.56   | 0.    | 0.   |
| time (sec)      | N/A     | 0.406 | 0.428       | 0.801 | 2.179  | 1.643  | 0.    | 0.   |

| Problem 495     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 130     | 130   | 78          | 94    | 641    | 225    | 0     | 0    |
| normalized size | 1       | 1.    | 0.6         | 0.72  | 4.93   | 1.73   | 0.    | 0.   |
| time (sec)      | N/A     | 0.334 | 0.272       | 0.759 | 1.842  | 1.897  | 0.    | 0.   |

| Problem 496     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 85      | 85    | 57          | 70    | 513    | 177    | 0     | 0    |
| normalized size | 1       | 1.    | 0.67        | 0.82  | 6.04   | 2.08   | 0.    | 0.   |
| time (sec)      | N/A     | 0.266 | 0.182       | 0.806 | 1.754  | 1.984  | 0.    | 0.   |

| Problem 497     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 96      | 96    | 86          | 171   | 1223   | 259    | 0     | 0    |
| normalized size | 1       | 1.    | 0.9         | 1.78  | 12.74  | 2.7    | 0.    | 0.   |
| time (sec)      | N/A     | 0.273 | 0.214       | 0.777 | 2.309  | 1.947  | 0.    | 0.   |

| Problem 498     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 98      | 98    | 103         | 168   | 1268   | 274    | 0     | 0    |
| normalized size | 1       | 1.    | 1.05        | 1.71  | 12.94  | 2.8    | 0.    | 0.   |
| time (sec)      | N/A     | 0.271 | 0.201       | 0.766 | 2.813  | 1.923  | 0.    | 0.   |

| Problem 499     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 151     | 151   | 120         | 238   | 2499   | 348    | 0     | 0    |
| normalized size | 1       | 1.    | 0.79        | 1.58  | 16.55  | 2.3    | 0.    | 0.   |
| time (sec)      | N/A     | 0.338 | 0.378       | 0.858 | 3.385  | 1.949  | 0.    | 0.   |

| Problem 500     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 196     | 196   | 138         | 308   | 4024   | 397    | 0     | 0    |
| normalized size | 1       | 1.    | 0.7         | 1.57  | 20.53  | 2.03   | 0.    | 0.   |
| time (sec)      | N/A     | 0.414 | 0.69        | 0.833 | 3.337  | 1.97   | 0.    | 0.   |

| Problem 501     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 275     | 275   | 146         | 161   | 961    | 402    | 0     | 0    |
| normalized size | 1       | 1.    | 0.53        | 0.59  | 3.49   | 1.46   | 0.    | 0.   |
| time (sec)      | N/A     | 0.723 | 0.775       | 0.777 | 2.304  | 1.481  | 0.    | 0.   |

| Problem 502     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 228     | 228  | 124         | 139   | 836    | 338    | 0     | 0    |
| normalized size | 1       | 1.   | 0.54        | 0.61  | 3.67   | 1.48   | 0.    | 0.   |
| time (sec)      | N/A     | 0.65 | 0.692       | 0.684 | 2.152  | 1.433  | 0.    | 0.   |

| Problem 503     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 181     | 181   | 102         | 117   | 711    | 288    | 0     | 0    |
| normalized size | 1       | 1.    | 0.56        | 0.65  | 3.93   | 1.59   | 0.    | 0.   |
| time (sec)      | N/A     | 0.561 | 0.545       | 0.652 | 2.508  | 1.463  | 0.    | 0.   |

| Problem 504     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 134     | 134   | 80          | 95    | 589    | 234    | 0     | 0    |
| normalized size | 1       | 1.    | 0.6         | 0.71  | 4.4    | 1.75   | 0.    | 0.   |
| time (sec)      | N/A     | 0.469 | 0.33        | 0.569 | 1.993  | 1.46   | 0.    | 0.   |

| Problem 505     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 145     | 145   | 106         | 287   | 1974   | 355    | 0     | 0    |
| normalized size | 1       | 1.    | 0.73        | 1.98  | 13.61  | 2.45   | 0.    | 0.   |
| time (sec)      | N/A     | 0.451 | 0.395       | 0.666 | 2.87   | 1.615  | 0.    | 0.   |

| Problem 506     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 146     | 146   | 107         | 308   | 2431   | 323    | 0     | 0    |
| normalized size | 1       | 1.    | 0.73        | 2.11  | 16.65  | 2.21   | 0.    | 0.   |
| time (sec)      | N/A     | 0.466 | 0.322       | 0.655 | 2.98   | 1.859  | 0.    | 0.   |

| Problem 507     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 153     | 153   | 121         | 233   | 2543   | 365    | 0     | 0    |
| normalized size | 1       | 1.    | 0.79        | 1.52  | 16.62  | 2.39   | 0.    | 0.   |
| time (sec)      | N/A     | 0.455 | 0.441       | 0.696 | 2.771  | 1.967  | 0.    | 0.   |

| Problem 508     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 200     | 200   | 141         | 309   | 4081   | 423    | 0     | 0    |
| normalized size | 1       | 1.    | 0.7         | 1.54  | 20.4   | 2.12   | 0.    | 0.   |
| time (sec)      | N/A     | 0.542 | 0.504       | 0.658 | 4.384  | 1.87   | 0.    | 0.   |

| Problem 509     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 247     | 247   | 158         | 381   | 12016  | 473    | 0     | 0    |
| normalized size | 1       | 1.    | 0.64        | 1.54  | 48.65  | 1.91   | 0.    | 0.   |
| time (sec)      | N/A     | 0.644 | 0.773       | 0.549 | 6.195  | 2.338  | 0.    | 0.   |

| Problem 510     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 322     | 322   | 171         | 185   | 1030   | 487    | 0     | 0     |
| normalized size | 1       | 1.    | 0.53        | 0.57  | 3.2    | 1.51   | 0.    | 0.    |
| time (sec)      | N/A     | 0.939 | 0.891       | 0.651 | 2.196  | 1.512  | 0.    | 0.    |

| Problem 511     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 275     | 275   | 147         | 163   | 907    | 417    | 0     | 0     |
| normalized size | 1       | 1.    | 0.53        | 0.59  | 3.3    | 1.52   | 0.    | 0.    |
| time (sec)      | N/A     | 0.848 | 1.279       | 0.674 | 2.424  | 1.481  | 0.    | 0.    |



| Problem 512     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 228     | 228   | 126         | 141   | 782    | 354    | 0     | 0     |
| normalized size | 1       | 1.    | 0.55        | 0.62  | 3.43   | 1.55   | 0.    | 0.    |
| time (sec)      | N/A     | 0.768 | 0.938       | 0.654 | 2.398  | 1.393  | 0.    | 0.    |

| Problem 513     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 181     | 181   | 104         | 119   | 659    | 300    | 0     | 0     |
| normalized size | 1       | 1.    | 0.57        | 0.66  | 3.64   | 1.66   | 0.    | 0.    |
| time (sec)      | N/A     | 0.676 | 0.7         | 0.655 | 2.33   | 1.443  | 0.    | 0.    |

| Problem 514     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 192     | 192   | 130         | 389   | 2313   | 425    | 0     | 0     |
| normalized size | 1       | 1.    | 0.68        | 2.03  | 12.05  | 2.21   | 0.    | 0.    |
| time (sec)      | N/A     | 0.623 | 0.815       | 0.724 | 3.29   | 1.617  | 0.    | 0.    |

| Problem 515     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | B      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 193     | 193   | 130         | 492   | 3753   | 432    | 0     | 0     |
| normalized size | 1       | 1.    | 0.67        | 2.55  | 19.45  | 2.24   | 0.    | 0.    |
| time (sec)      | N/A     | 0.654 | 0.734       | 0.688 | 3.743  | 1.939  | 0.    | 0.    |

| Problem 516     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | A           | B     | F(-1)  | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 198     | 198   | 126         | 344   | 0      | 393    | 0     | 0     |
| normalized size | 1       | 1.    | 0.64        | 1.74  | 0.     | 1.98   | 0.    | 0.    |
| time (sec)      | N/A     | 0.664 | 0.781       | 0.71  | 0.     | 1.916  | 0.    | 0.    |

| Problem 517     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A    | A           | A     | B      | A      | F(-1) | F(-1) |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 200     | 200  | 141         | 305   | 4146   | 436    | 0     | 0     |
| normalized size | 1       | 1.   | 0.7         | 1.52  | 20.73  | 2.18   | 0.    | 0.    |
| time (sec)      | N/A     | 0.65 | 0.969       | 0.799 | 3.188  | 1.91   | 0.    | 0.    |

| Problem 518     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | B      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 247     | 247   | 159         | 383   | 12677  | 500    | 0     | 0    |
| normalized size | 1       | 1.    | 0.64        | 1.55  | 51.32  | 2.02   | 0.    | 0.   |
| time (sec)      | N/A     | 0.752 | 0.969       | 0.658 | 5.214  | 2.371  | 0.    | 0.   |

| Problem 519     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 294     | 294   | 181         | 455   | 0      | 562    | 0     | 0    |
| normalized size | 1       | 1.    | 0.62        | 1.55  | 0.     | 1.91   | 0.    | 0.   |
| time (sec)      | N/A     | 0.866 | 1.427       | 0.589 | 0.     | 2.439  | 0.    | 0.   |

| Problem 520     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 295     | 295   | 272         | 793   | 0      | 539    | 0     | 0    |
| normalized size | 1       | 1.    | 0.92        | 2.69  | 0.     | 1.83   | 0.    | 0.   |
| time (sec)      | N/A     | 1.057 | 9.506       | 0.641 | 0.     | 1.7    | 0.    | 0.   |

| Problem 521     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 250     | 250   | 250         | 657   | 0      | 493    | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 2.63  | 0.     | 1.97   | 0.    | 0.   |
| time (sec)      | N/A     | 0.838 | 6.797       | 0.769 | 0.     | 1.724  | 0.    | 0.   |

| Problem 522     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 207     | 207   | 1718        | 521   | 0      | 443    | 0     | 0    |
| normalized size | 1       | 1.    | 8.3         | 2.52  | 0.     | 2.14   | 0.    | 0.   |
| time (sec)      | N/A     | 0.647 | 7.97        | 0.774 | 0.     | 1.688  | 0.    | 0.   |

| Problem 523     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | F           | B     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 162     | 162   | 0           | 384   | 0      | 393    | 0     | 0    |
| normalized size | 1       | 1.    | 0.          | 2.37  | 0.     | 2.43   | 0.    | 0.   |
| time (sec)      | N/A     | 0.453 | 0.          | 0.774 | 0.     | 1.627  | 0.    | 0.   |

| Problem 524     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-2)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 119     | 119   | 203         | 231   | 0      | 306    | 0     | 0    |
| normalized size | 1       | 1.    | 1.71        | 1.94  | 0.     | 2.57   | 0.    | 0.   |
| time (sec)      | N/A     | 0.306 | 1.51        | 0.717 | 0.     | 1.612  | 0.    | 0.   |

| Problem 525     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | F(-2)  | A      | F     | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 140     | 140  | 102         | 153   | 0      | 278    | 0     | 0    |
| normalized size | 1       | 1.   | 0.73        | 1.09  | 0.     | 1.99   | 0.    | 0.   |
| time (sec)      | N/A     | 0.35 | 0.205       | 0.753 | 0.     | 10.438 | 0.    | 0.   |

| Problem 526     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F(-2)  | A      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 181     | 181   | 467         | 232   | 0      | 466    | 0     | 0    |
| normalized size | 1       | 1.    | 2.58        | 1.28  | 0.     | 2.57   | 0.    | 0.   |
| time (sec)      | N/A     | 0.513 | 1.36        | 0.727 | 0.     | 13.466 | 0.    | 0.   |

| Problem 527     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 230     | 230   | 412         | 300   | 0      | 539    | 0     | 0    |
| normalized size | 1       | 1.    | 1.79        | 1.3   | 0.     | 2.34   | 0.    | 0.   |
| time (sec)      | N/A     | 0.699 | 1.413       | 0.786 | 0.     | 25.88  | 0.    | 0.   |

| Problem 528     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F(-2)  | F(-1)  | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 192     | 192   | 143         | 317   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.74        | 1.65  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.665 | 0.45        | 0.799 | 0.     | 0.     | 0.    | 0.   |

| Problem 529     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 317     | 317   | 2966        | 731   | 0      | 645    | 0     | 0    |
| normalized size | 1       | 1.    | 9.36        | 2.31  | 0.     | 2.03   | 0.    | 0.   |
| time (sec)      | N/A     | 1.106 | 10.334      | 0.72  | 0.     | 2.907  | 0.    | 0.   |

| Problem 530     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | F           | B     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 270     | 270   | 0           | 595   | 0      | 590    | 0     | 0    |
| normalized size | 1       | 1.    | 0.          | 2.2   | 0.     | 2.19   | 0.    | 0.   |
| time (sec)      | N/A     | 0.887 | 0.          | 0.703 | 0.     | 2.779  | 0.    | 0.   |

| Problem 531     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 223     | 223   | 981         | 457   | 0      | 531    | 0     | 0    |
| normalized size | 1       | 1.    | 4.4         | 2.05  | 0.     | 2.38   | 0.    | 0.   |
| time (sec)      | N/A     | 0.702 | 6.845       | 0.727 | 0.     | 2.172  | 0.    | 0.   |

| Problem 532     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 176     | 176   | 443         | 312   | 0      | 435    | 0     | 0    |
| normalized size | 1       | 1.    | 2.52        | 1.77  | 0.     | 2.47   | 0.    | 0.   |
| time (sec)      | N/A     | 0.519 | 4.451       | 0.675 | 0.     | 2.002  | 0.    | 0.   |

| Problem 533     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 127     | 127   | 196         | 236   | 0      | 397    | 0     | 0    |
| normalized size | 1       | 1.    | 1.54        | 1.86  | 0.     | 3.13   | 0.    | 0.   |
| time (sec)      | N/A     | 0.337 | 1.622       | 0.656 | 0.     | 1.965  | 0.    | 0.   |

| Problem 534     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 185     | 185   | 243         | 288   | 0      | 571    | 0     | 0    |
| normalized size | 1       | 1.    | 1.31        | 1.56  | 0.     | 3.09   | 0.    | 0.   |
| time (sec)      | N/A     | 0.544 | 1.645       | 0.657 | 0.     | 43.247 | 0.    | 0.   |

| Problem 535     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 237     | 237   | 836         | 370   | 0      | 667    | 0     | 0    |
| normalized size | 1       | 1.    | 3.53        | 1.56  | 0.     | 2.81   | 0.    | 0.   |
| time (sec)      | N/A     | 0.736 | 6.696       | 1.02  | 0.     | 47.803 | 0.    | 0.   |

| Problem 536     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 317     | 317   | 261         | 729   | 0      | 732    | 0     | 0    |
| normalized size | 1       | 1.    | 0.82        | 2.3   | 0.     | 2.31   | 0.    | 0.   |
| time (sec)      | N/A     | 1.125 | 8.177       | 0.747 | 0.     | 1.845  | 0.    | 0.   |

| Problem 537     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 270     | 270   | 243         | 585   | 0      | 672    | 0     | 0    |
| normalized size | 1       | 1.    | 0.9         | 2.17  | 0.     | 2.49   | 0.    | 0.   |
| time (sec)      | N/A     | 0.929 | 3.589       | 0.638 | 0.     | 1.835  | 0.    | 0.   |

| Problem 538     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 223     | 223   | 219         | 457   | 0      | 570    | 0     | 0    |
| normalized size | 1       | 1.    | 0.98        | 2.05  | 0.     | 2.56   | 0.    | 0.   |
| time (sec)      | N/A     | 0.729 | 2.193       | 0.578 | 0.     | 1.897  | 0.    | 0.   |

| Problem 539     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 176     | 176   | 216         | 376   | 0      | 551    | 0     | 0    |
| normalized size | 1       | 1.    | 1.23        | 2.14  | 0.     | 3.13   | 0.    | 0.   |
| time (sec)      | N/A     | 0.526 | 1.737       | 0.682 | 0.     | 1.844  | 0.    | 0.   |

| Problem 540     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 174     | 174   | 213         | 375   | 0      | 544    | 0     | 0    |
| normalized size | 1       | 1.    | 1.22        | 2.16  | 0.     | 3.13   | 0.    | 0.   |
| time (sec)      | N/A     | 0.511 | 1.77        | 0.582 | 0.     | 1.714  | 0.    | 0.   |

| Problem 541     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 234     | 234   | 264         | 476   | 0      | 759    | 0     | 0    |
| normalized size | 1       | 1.    | 1.13        | 2.03  | 0.     | 3.24   | 0.    | 0.   |
| time (sec)      | N/A     | 0.738 | 2.509       | 0.605 | 0.     | 77.079 | 0.    | 0.   |

| Problem 542     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 286     | 286   | 929         | 609   | 0      | 853    | 0     | 0    |
| normalized size | 1       | 1.    | 3.25        | 2.13  | 0.     | 2.98   | 0.    | 0.   |
| time (sec)      | N/A     | 0.981 | 7.157       | 0.615 | 0.     | 99.568 | 0.    | 0.   |

| Problem 543     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 317     | 317   | 267         | 729   | 0      | 822    | 0     | 0    |
| normalized size | 1       | 1.    | 0.84        | 2.3   | 0.     | 2.59   | 0.    | 0.   |
| time (sec)      | N/A     | 1.147 | 5.5         | 0.649 | 0.     | 1.847  | 0.    | 0.   |

| Problem 544     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | C           | B     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 270     | 270  | 242         | 595   | 0      | 714    | 0     | 0    |
| normalized size | 1       | 1.   | 0.9         | 2.2   | 0.     | 2.64   | 0.    | 0.   |
| time (sec)      | N/A     | 0.95 | 3.181       | 0.647 | 0.     | 1.77   | 0.    | 0.   |

| Problem 545     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 223     | 223   | 228         | 512   | 0      | 686    | 0     | 0    |
| normalized size | 1       | 1.    | 1.02        | 2.3   | 0.     | 3.08   | 0.    | 0.   |
| time (sec)      | N/A     | 0.728 | 3.021       | 0.707 | 0.     | 1.736  | 0.    | 0.   |

| Problem 546     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 221     | 221   | 233         | 512   | 0      | 679    | 0     | 0    |
| normalized size | 1       | 1.    | 1.05        | 2.32  | 0.     | 3.07   | 0.    | 0.   |
| time (sec)      | N/A     | 0.725 | 2.872       | 0.661 | 0.     | 1.747  | 0.    | 0.   |

| Problem 547     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | A      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 221     | 221   | 488         | 512   | 0      | 675    | 0     | 0    |
| normalized size | 1       | 1.    | 2.21        | 2.32  | 0.     | 3.05   | 0.    | 0.   |
| time (sec)      | N/A     | 0.723 | 7.165       | 0.598 | 0.     | 1.849  | 0.    | 0.   |

| Problem 548     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | A      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 281     | 281   | 281         | 667   | 0      | 927    | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 2.37  | 0.     | 3.3    | 0.    | 0.   |
| time (sec)      | N/A     | 0.919 | 3.912       | 0.675 | 0.     | 98.877 | 0.    | 0.   |

| Problem 549     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas  | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|---------|-------|------|
| grade           | A       | A     | C           | B     | F(-1)  | A       | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD     | TBD   | TBD  |
| size            | 333     | 333   | 1017        | 855   | 0      | 1041    | 0     | 0    |
| normalized size | 1       | 1.    | 3.05        | 2.57  | 0.     | 3.13    | 0.    | 0.   |
| time (sec)      | N/A     | 1.205 | 7.577       | 0.71  | 0.     | 172.239 | 0.    | 0.   |

| Problem 550     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 180     | 180   | 132         | 663    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.73        | 3.68   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.223 | 1.825       | 10.268 | 0.     | 0.     | 0.    | 0.   |

| Problem 551     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 143     | 143   | 104         | 428   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.73        | 2.99  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.201 | 0.797       | 8.347 | 0.     | 0.     | 0.    | 0.   |

| Problem 552     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 111     | 111  | 85          | 244   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.77        | 2.2   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.18 | 0.259       | 3.681 | 0.     | 0.     | 0.    | 0.   |

| Problem 553     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 115     | 115   | 90          | 326   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.78        | 2.83  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.188 | 0.227       | 3.579 | 0.     | 0.     | 0.    | 0.   |

| Problem 554     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 148     | 148   | 108         | 371   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.73        | 2.51  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.208 | 0.527       | 3.483 | 0.     | 0.     | 0.    | 0.   |

| Problem 555     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 180     | 180   | 125         | 413   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.69        | 2.29  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.234 | 0.967       | 3.358 | 0.     | 0.     | 0.    | 0.   |

| Problem 556     | Optimal | Rubi | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A    | A           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 221     | 221  | 171         | 750    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.77        | 3.39   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.38 | 2.368       | 10.918 | 0.     | 0.     | 0.    | 0.   |

| Problem 557     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 177     | 177   | 125         | 677   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.71        | 3.82  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.352 | 1.119       | 7.943 | 0.     | 0.     | 0.    | 0.   |

| Problem 558     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 161     | 161  | 124         | 404   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.77        | 2.51  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.32 | 0.728       | 3.925 | 0.     | 0.     | 0.    | 0.   |

| Problem 559     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 171     | 171   | 128         | 487   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.75        | 2.85  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.336 | 0.882       | 3.695 | 0.     | 0.     | 0.    | 0.   |

| Problem 560     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 213     | 213   | 161         | 548   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.76        | 2.57  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.372 | 1.332       | 3.781 | 0.     | 0.     | 0.    | 0.   |

| Problem 561     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 295     | 295   | 225         | 944    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.76        | 3.2    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.597 | 3.508       | 13.595 | 0.     | 0.     | 0.    | 0.   |

| Problem 562     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 244     | 244   | 192         | 997    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.79        | 4.09   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.577 | 1.555       | 10.882 | 0.     | 0.     | 0.    | 0.   |

| Problem 563     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 239     | 239   | 166         | 1212   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.69        | 5.07   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.566 | 1.869       | 10.385 | 0.     | 0.     | 0.    | 0.   |

| Problem 564     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 237     | 237   | 172         | 867   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.73        | 3.66  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.533 | 1.376       | 4.28  | 0.     | 0.     | 0.    | 0.   |

| Problem 565     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 245     | 245   | 180         | 664   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.73        | 2.71  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.544 | 1.256       | 3.599 | 0.     | 0.     | 0.    | 0.   |

| Problem 566     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 295     | 295   | 219         | 745   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.74        | 2.53  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.579 | 1.782       | 3.452 | 0.     | 0.     | 0.    | 0.   |

| Problem 567     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 210     | 210   | 229         | 468   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.09        | 2.23  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.808 | 3.408       | 9.955 | 0.     | 0.     | 0.    | 0.   |



| Problem 568     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 126     | 126   | 127         | 327   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.01        | 2.6   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.459 | 1.265       | 7.079 | 0.     | 0.     | 0.    | 0.   |

| Problem 569     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F(-1)  | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 101     | 101   | 78          | 217   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.77        | 2.15  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.283 | 0.522       | 3.706 | 0.     | 0.     | 0.    | 0.   |

| Problem 570     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F(-1)  | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 149     | 149   | 224         | 295   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.5         | 1.98  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.346 | 6.142       | 3.76  | 0.     | 0.     | 0.    | 0.   |

| Problem 571     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 197     | 197  | 282         | 786   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.43        | 3.99  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.56 | 6.516       | 3.815 | 0.     | 0.     | 0.    | 0.   |

| Problem 572     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 405     | 405   | 741         | 1031  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.83        | 2.55  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.289 | 7.056       | 16.78 | 0.     | 0.     | 0.    | 0.   |

| Problem 573     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | B           | B      | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 316     | 316   | 687         | 883    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.17        | 2.79   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.942 | 6.936       | 10.849 | 0.     | 0.     | 0.    | 0.   |

| Problem 574     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F(-1)  | F(-1)  | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 260     | 260   | 645         | 721   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.48        | 2.77  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.613 | 6.819       | 8.523 | 0.     | 0.     | 0.    | 0.   |

| Problem 575     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 258     | 258   | 632         | 808   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.45        | 3.13  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.605 | 6.776       | 9.402 | 0.     | 0.     | 0.    | 0.   |

| Problem 576     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | B           | B      | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 284     | 284   | 661         | 849    | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.33        | 2.99   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.658 | 6.886       | 10.895 | 0.     | 0.     | 0.    | 0.   |

| Problem 577     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 363     | 363   | 707         | 1066   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.95        | 2.94   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.962 | 6.993       | 13.194 | 0.     | 0.     | 0.    | 0.   |

| Problem 578     | Optimal | Rubi | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A    | A           | B      | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes  | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 480     | 480  | 850         | 2002   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.77        | 4.17   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.45 | 7.165       | 19.237 | 0.     | 0.     | 0.    | 0.   |

| Problem 579     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 405     | 405   | 803         | 1744   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.98        | 4.31   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.036 | 6.923       | 15.027 | 0.     | 0.     | 0.    | 0.   |

| Problem 580     | Optimal | Rubi | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A    | A           | B      | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes  | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 402     | 402  | 790         | 1850   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.97        | 4.6    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.09 | 6.907       | 15.087 | 0.     | 0.     | 0.    | 0.   |

| Problem 581     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 400     | 400   | 792         | 1937   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.98        | 4.84   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.955 | 6.916       | 15.242 | 0.     | 0.     | 0.    | 0.   |

| Problem 582     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 427     | 427   | 826         | 1977   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.93        | 4.63   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.057 | 7.067       | 17.077 | 0.     | 0.     | 0.    | 0.   |

| Problem 583     | Optimal | Rubi  | Mathematica | Maple  | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|--------|--------|--------|-------|------|
| grade           | A       | A     | A           | B      | F(-1)  | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD    | TBD    | TBD    | TBD   | TBD  |
| size            | 521     | 521   | 871         | 2195   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.67        | 4.21   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.529 | 7.299       | 19.167 | 0.     | 0.     | 0.    | 0.   |

| Problem 584     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 64      | 64    | 47          | 214   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.73        | 3.34  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.037 | 0.068       | 3.359 | 0.     | 0.     | 0.    | 0.   |

| Problem 585     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 60      | 60    | 46          | 102   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.77        | 1.7   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.036 | 0.044       | 2.691 | 0.     | 0.     | 0.    | 0.   |

| Problem 586     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 37      | 37    | 37          | 134   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 3.62  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.023 | 0.029       | 2.184 | 0.     | 0.     | 0.    | 0.   |

| Problem 587     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 37      | 37    | 37          | 134   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.          | 3.62  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.023 | 0.034       | 1.898 | 0.     | 0.     | 0.    | 0.   |

| Problem 588     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 64      | 64    | 50          | 180   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.78        | 2.81  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.039 | 0.044       | 2.876 | 0.     | 0.     | 0.    | 0.   |

| Problem 589     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 64      | 64    | 56          | 203   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.88        | 3.17  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.037 | 0.07        | 2.808 | 0.     | 0.     | 0.    | 0.   |

| Problem 590     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 473     | 473   | 3321        | 3436  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 7.02        | 7.26  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.438 | 24.408      | 0.706 | 0.     | 0.     | 0.    | 0.   |

| Problem 591     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 390     | 390   | 423         | 2489  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.08        | 6.38  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.057 | 17.922      | 0.576 | 0.     | 0.     | 0.    | 0.   |

| Problem 592     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 324     | 324   | 346         | 1735  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.07        | 5.35  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.675 | 14.977      | 0.467 | 0.     | 0.     | 0.    | 0.   |

| Problem 593     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 411     | 411   | 639         | 1361  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.55        | 3.31  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.685 | 17.21       | 0.57  | 0.     | 0.     | 0.    | 0.   |

| Problem 594     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 445     | 445   | 795         | 1369  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.79        | 3.08  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.903 | 17.423      | 0.701 | 0.     | 0.     | 0.    | 0.   |

| Problem 595     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 533     | 533   | 1133        | 2054  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.13        | 3.85  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.265 | 18.629      | 0.565 | 0.     | 0.     | 0.    | 0.   |

| Problem 596     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | B           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 620     | 620  | 1549        | 2957  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 2.5         | 4.77  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.74 | 14.671      | 0.787 | 0.     | 0.     | 0.    | 0.   |

| Problem 597     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 562     | 562   | 3739        | 4399  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 6.65        | 7.83  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 2.078 | 25.675      | 0.969 | 0.     | 0.     | 0.    | 0.   |

| Problem 598     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 473     | 473   | 3318        | 3421  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 7.01        | 7.23  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.529 | 24.336      | 0.64  | 0.     | 0.     | 0.    | 0.   |

| Problem 599     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 393     | 393   | 427         | 2674  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.09        | 6.8   | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.091 | 18.546      | 0.605 | 0.     | 0.     | 0.    | 0.   |

| Problem 600     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 479     | 479   | 6011        | 2326  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 12.55       | 4.86  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.076 | 24.265      | 0.694 | 0.     | 0.     | 0.    | 0.   |

| Problem 601     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 509     | 509  | 935         | 2193  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.84        | 4.31  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.38 | 18.395      | 0.476 | 0.     | 0.     | 0.    | 0.   |

| Problem 602     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 532     | 532   | 1146        | 2432  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.15        | 4.57  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.367 | 18.572      | 0.547 | 0.     | 0.     | 0.    | 0.   |

| Problem 603     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 626     | 626   | 1505        | 3141  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.4         | 5.02  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.973 | 19.217      | 0.65  | 0.     | 0.     | 0.    | 0.   |

| Problem 604     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 730     | 730   | 1907        | 4056  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.61        | 5.56  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 2.441 | 21.621      | 0.964 | 0.     | 0.     | 0.    | 0.   |

| Problem 605     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 662     | 662   | 4198        | 5381  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 6.34        | 8.13  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 2.911 | 26.766      | 1.276 | 0.     | 0.     | 0.    | 0.    |

| Problem 606     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 562     | 562   | 3755        | 4400  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 6.68        | 7.83  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 2.072 | 25.823      | 0.887 | 0.     | 0.     | 0.    | 0.    |

| Problem 607     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 474     | 474   | 3348        | 3636  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 7.06        | 7.67  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 1.501 | 24.911      | 0.774 | 0.     | 0.     | 0.    | 0.    |

| Problem 608     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 553     | 553   | 7062        | 3282  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 12.77       | 5.93  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 1.473 | 25.054      | 0.713 | 0.     | 0.     | 0.    | 0.    |

| Problem 609     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | F      | F(-1)  | F(-1) | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 596     | 596   | 7752        | 3212  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 13.01       | 5.39  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 1.895 | 25.597      | 0.612 | 0.     | 0.     | 0.    | 0.    |

| Problem 610     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | F      | F      | F(-1) | F(-1) |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 607     | 607   | 1290        | 3278  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 2.13        | 5.4   | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 1.879 | 19.388      | 0.735 | 0.     | 0.     | 0.    | 0.    |

| Problem 611     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac  |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|-------|
| grade           | A       | A     | B           | B     | F      | F(-1)  | F(-1) | F(-1) |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD   |
| size            | 624     | 624   | 1521        | 3514  | 0      | 0      | 0     | 0     |
| normalized size | 1       | 1.    | 2.44        | 5.63  | 0.     | 0.     | 0.    | 0.    |
| time (sec)      | N/A     | 1.946 | 19.368      | 0.727 | 0.     | 0.     | 0.    | 0.    |

| Problem 612     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 724     | 724   | 1877        | 4240  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.59        | 5.86  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 2.518 | 20.152      | 0.883 | 0.     | 0.     | 0.    | 0.   |

| Problem 613     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 839     | 839   | 705         | 5172  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.84        | 6.16  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 3.603 | 15.536      | 0.967 | 0.     | 0.     | 0.    | 0.   |

| Problem 614     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 403     | 403   | 2987        | 2488  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 7.41        | 6.17  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.026 | 22.507      | 0.671 | 0.     | 0.     | 0.    | 0.   |

| Problem 615     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 330     | 330   | 355         | 1544  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.08        | 4.68  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.664 | 16.03       | 0.769 | 0.     | 0.     | 0.    | 0.   |

| Problem 616     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 270     | 270   | 279         | 812   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.03        | 3.01  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.457 | 13.98       | 0.708 | 0.     | 0.     | 0.    | 0.   |

| Problem 617     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 268     | 268   | 159         | 199   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.59        | 0.74  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.399 | 2.646       | 0.674 | 0.     | 0.     | 0.    | 0.   |

| Problem 618     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 487     | 487   | 1091        | 1004  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.24        | 2.06  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.265 | 18.276      | 0.708 | 0.     | 0.     | 0.    | 0.   |

| Problem 619     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 539     | 539   | 1169        | 1878  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.17        | 3.48  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.253 | 19.794      | 0.648 | 0.     | 0.     | 0.    | 0.   |

| Problem 620     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 433     | 433   | 3433        | 3343  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 7.93        | 7.72  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.159 | 24.54       | 0.651 | 0.     | 0.     | 0.    | 0.   |

| Problem 621     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 345     | 345   | 433         | 2291  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.26        | 6.64  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.791 | 18.571      | 0.668 | 0.     | 0.     | 0.    | 0.   |

| Problem 622     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 324     | 324   | 305         | 1636  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.94        | 5.05  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.685 | 13.673      | 0.684 | 0.     | 0.     | 0.    | 0.   |

| Problem 623     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 476     | 476   | 1403        | 2016  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.95        | 4.24  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.775 | 13.995      | 0.596 | 0.     | 0.     | 0.    | 0.   |



| Problem 624     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F(-1)  | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 560     | 560   | 1567        | 2890  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 2.8         | 5.16  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.509 | 19.578      | 0.549 | 0.     | 0.     | 0.    | 0.   |

| Problem 625     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 607     | 607   | 4316        | 8101  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 7.11        | 13.35 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 2.203 | 26.559      | 0.757 | 0.     | 0.     | 0.    | 0.   |

| Problem 626     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 496     | 496   | 3891        | 6506  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 7.84        | 13.12 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.383 | 26.087      | 0.824 | 0.     | 0.     | 0.    | 0.   |

| Problem 627     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | B           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 469     | 469  | 3493        | 5205  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 7.45        | 11.1  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.19 | 24.323      | 0.641 | 0.     | 0.     | 0.    | 0.   |

| Problem 628     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 431     | 431   | 528         | 4243  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.23        | 9.84  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.081 | 18.992      | 0.681 | 0.     | 0.     | 0.    | 0.   |

| Problem 629     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 602     | 602   | 1994        | 5757  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.31        | 9.56  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.645 | 16.147      | 0.571 | 0.     | 0.     | 0.    | 0.   |

| Problem 630     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 733     | 733   | 2342        | 8621  | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 3.2         | 11.76 | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 2.494 | 22.491      | 0.714 | 0.     | 0.     | 0.    | 0.   |

| Problem 631     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | B     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes  | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 266     | 266  | 298         | 621   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 1.12        | 2.33  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.37 | 6.1         | 0.583 | 0.     | 0.     | 0.    | 0.   |

| Problem 632     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 130     | 130   | 104         | 126   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.8         | 0.97  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.155 | 0.135       | 0.679 | 0.     | 0.     | 0.    | 0.   |

| Problem 633     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 137     | 137   | 149         | 144   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 1.09        | 1.05  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.155 | 0.178       | 0.642 | 0.     | 0.     | 0.    | 0.   |

| Problem 634     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | C           | A     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 479     | 479   | 5018        | 634   | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 10.48       | 1.32  | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.922 | 6.117       | 0.697 | 0.     | 0.     | 0.    | 0.   |

| Problem 635     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 58      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.181 | 8.455       | 3.207 | 0.     | 0.     | 0.    | 0.   |

| Problem 636     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 644     | 644   | 317         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.49        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 2.042 | 3.959       | 2.862 | 0.     | 0.     | 0.    | 0.   |

| Problem 637     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | Yes         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 455     | 455   | 259         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.57        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 1.145 | 2.163       | 2.351 | 0.     | 0.     | 0.    | 0.   |

| Problem 638     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | A           | F     | F      | F      | F(-1) | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 327     | 327   | 205         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 0.63        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.643 | 0.935       | 2.099 | 0.     | 0.     | 0.    | 0.   |

| Problem 639     | Optimal | Rubi | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A    | A           | F     | F      | F      | F     | F    |
| verified        | N/A     | Yes  | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 217     | 217  | 163         | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.   | 0.75        | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.36 | 0.362       | 2.181 | 0.     | 0.     | 0.    | 0.   |

| Problem 640     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | A       | A     | B           | F     | F      | F      | F     | F    |
| verified        | N/A     | Yes   | NO          | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 299     | 299   | 10630       | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 1.    | 35.55       | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.576 | 26.5        | 1.394 | 0.     | 0.     | 0.    | 0.   |

| Problem 641     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 209     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.721 | 57.077      | 0.714 | 0.     | 0.     | 0.    | 0.   |

| Problem 642     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 60      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.239 | 12.341      | 0.773 | 0.     | 0.     | 0.    | 0.   |

| Problem 643     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | A     | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 60      | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.242 | 8.204       | 0.715 | 0.     | 0.     | 0.    | 0.   |

| Problem 644     | Optimal | Rubi  | Mathematica | Maple | Maxima | Fricas | Sympy | Giac |
|-----------------|---------|-------|-------------|-------|--------|--------|-------|------|
| grade           | N/A     | A     | A           | A     | A      | A      | F(-1) | A    |
| verified        | N/A     | N/A   | N/A         | TBD   | TBD    | TBD    | TBD   | TBD  |
| size            | 212     | 0     | 0           | 0     | 0      | 0      | 0     | 0    |
| normalized size | 1       | 0.    | 0.          | 0.    | 0.     | 0.     | 0.    | 0.   |
| time (sec)      | N/A     | 0.686 | 10.502      | 0.716 | 0.     | 0.     | 0.    | 0.   |

## 2.3 Detailed conclusion table specific for Rubi results

The following table is specific to Rubi. It gives additional statistics for each integral. the column **steps** is the number of steps used by Rubi to obtain the antiderivative. The **rules** column is the number of unique rules used. The **integrand size** column is the leaf size of the integrand. Finally the ratio  $\frac{\text{number of rules}}{\text{integrand size}}$  is given. The larger this ratio is, the harder the integral was to solve. In this test, problem number [317] had the largest ratio of [ 0.3333 ]

Table 2.1: Rubi specific breakdown of results for each integral

| #  | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 1  | A     | 8                    | 6                      | 1.                                  | 29                  | 0.207   |
| 2  | A     | 7                    | 6                      | 1.                                  | 29                  | 0.207   |
| 3  | A     | 3                    | 3                      | 1.                                  | 27                  | 0.111   |
| 4  | A     | 1                    | 1                      | 1.                                  | 21                  | 0.048   |
| 5  | A     | 4                    | 4                      | 1.                                  | 27                  | 0.148   |
| 6  | A     | 4                    | 4                      | 1.                                  | 29                  | 0.138   |
| 7  | A     | 6                    | 6                      | 1.                                  | 29                  | 0.207   |
| 8  | A     | 7                    | 7                      | 1.                                  | 29                  | 0.241   |
| 9  | A     | 7                    | 6                      | 1.                                  | 29                  | 0.207   |
| 10 | A     | 9                    | 7                      | 1.                                  | 31                  | 0.226   |
| 11 | A     | 8                    | 7                      | 1.                                  | 31                  | 0.226   |
| 12 | A     | 4                    | 4                      | 1.                                  | 29                  | 0.138   |
| 13 | A     | 2                    | 2                      | 1.                                  | 23                  | 0.087   |
| 14 | A     | 5                    | 5                      | 1.                                  | 29                  | 0.172   |
| 15 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 16 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 17 | A     | 7                    | 7                      | 1.                                  | 31                  | 0.226   |
| 18 | A     | 8                    | 8                      | 1.                                  | 31                  | 0.258   |
| 19 | A     | 9                    | 7                      | 1.                                  | 31                  | 0.226   |
| 20 | A     | 10                   | 8                      | 1.                                  | 29                  | 0.276   |
| 21 | A     | 8                    | 6                      | 1.                                  | 23                  | 0.261   |
| 22 | A     | 6                    | 5                      | 1.                                  | 29                  | 0.172   |
| 23 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 24 | A     | 6                    | 5                      | 1.                                  | 31                  | 0.161   |
| 25 | A     | 6                    | 5                      | 1.                                  | 31                  | 0.161   |
| 26 | A     | 8                    | 7                      | 1.                                  | 31                  | 0.226   |
| 27 | A     | 9                    | 8                      | 1.                                  | 31                  | 0.258   |
| 28 | A     | 10                   | 7                      | 1.                                  | 31                  | 0.226   |
| 29 | A     | 13                   | 8                      | 1.                                  | 29                  | 0.276   |
| 30 | A     | 11                   | 6                      | 1.                                  | 23                  | 0.261   |
| 31 | A     | 7                    | 5                      | 1.                                  | 29                  | 0.172   |
| 32 | A     | 7                    | 6                      | 1.                                  | 31                  | 0.194   |
| 33 | A     | 7                    | 6                      | 1.                                  | 31                  | 0.194   |
| 34 | A     | 7                    | 5                      | 1.                                  | 31                  | 0.161   |
| 35 | A     | 7                    | 5                      | 1.                                  | 31                  | 0.161   |

Continued on next page

Table 2.1 – continued from previous page

| #  | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 36 | A     | 9                    | 7                      | 1.                                  | 31                  | 0.226   |
| 37 | A     | 10                   | 8                      | 1.                                  | 31                  | 0.258   |
| 38 | A     | 7                    | 5                      | 1.                                  | 31                  | 0.161   |
| 39 | A     | 6                    | 5                      | 1.                                  | 31                  | 0.161   |
| 40 | A     | 2                    | 2                      | 1.1                                 | 31                  | 0.065   |
| 41 | A     | 5                    | 5                      | 1.                                  | 29                  | 0.172   |
| 42 | A     | 2                    | 2                      | 1.                                  | 23                  | 0.087   |
| 43 | A     | 3                    | 3                      | 1.                                  | 29                  | 0.103   |
| 44 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 45 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 46 | A     | 6                    | 5                      | 1.                                  | 31                  | 0.161   |
| 47 | A     | 7                    | 5                      | 1.                                  | 31                  | 0.161   |
| 48 | A     | 3                    | 2                      | 1.                                  | 31                  | 0.065   |
| 49 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 50 | A     | 4                    | 4                      | 1.                                  | 29                  | 0.138   |
| 51 | A     | 2                    | 2                      | 1.                                  | 23                  | 0.087   |
| 52 | A     | 4                    | 3                      | 1.                                  | 29                  | 0.103   |
| 53 | A     | 6                    | 5                      | 1.                                  | 31                  | 0.161   |
| 54 | A     | 7                    | 6                      | 1.                                  | 31                  | 0.194   |
| 55 | A     | 7                    | 5                      | 1.                                  | 31                  | 0.161   |
| 56 | A     | 8                    | 5                      | 1.                                  | 31                  | 0.161   |
| 57 | A     | 4                    | 2                      | 1.                                  | 31                  | 0.065   |
| 58 | A     | 7                    | 6                      | 1.                                  | 31                  | 0.194   |
| 59 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 60 | A     | 4                    | 4                      | 1.                                  | 29                  | 0.138   |
| 61 | A     | 3                    | 3                      | 1.                                  | 23                  | 0.13  |
| 62 | A     | 5                    | 3                      | 1.                                  | 29                  | 0.103   |
| 63 | A     | 7                    | 5                      | 1.                                  | 31                  | 0.161   |
| 64 | A     | 8                    | 6                      | 1.                                  | 31                  | 0.194   |
| 65 | A     | 5                    | 2                      | 1.                                  | 31                  | 0.065   |
| 66 | A     | 8                    | 6                      | 1.                                  | 31                  | 0.194   |
| 67 | A     | 6                    | 5                      | 1.                                  | 31                  | 0.161   |
| 68 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 69 | A     | 5                    | 5                      | 1.                                  | 29                  | 0.172   |
| 70 | A     | 4                    | 3                      | 1.                                  | 23                  | 0.13  |
| 71 | A     | 6                    | 3                      | 1.                                  | 29                  | 0.103   |
| 72 | A     | 8                    | 5                      | 1.                                  | 31                  | 0.161   |
| 73 | A     | 9                    | 6                      | 1.                                  | 31                  | 0.194   |
| 74 | A     | 5                    | 5                      | 1.                                  | 33                  | 0.152   |
| 75 | A     | 4                    | 4                      | 1.                                  | 33                  | 0.121   |
| 76 | A     | 4                    | 4                      | 1.                                  | 31                  | 0.129   |
| 77 | A     | 2                    | 2                      | 1.                                  | 25                  | 0.08  |
| 78 | A     | 3                    | 3                      | 1.                                  | 31                  | 0.097   |
| 79 | A     | 3                    | 3                      | 1.                                  | 33                  | 0.091   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 80  | A     | 4                    | 4                      | 1.                                  | 33                  | 0.121   |
| 81  | A     | 5                    | 4                      | 1.                                  | 33                  | 0.121   |
| 82  | A     | 6                    | 6                      | 1.                                  | 33                  | 0.182   |
| 83  | A     | 5                    | 5                      | 1.                                  | 33                  | 0.152   |
| 84  | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 85  | A     | 3                    | 3                      | 1.                                  | 25                  | 0.12  |
| 86  | A     | 4                    | 4                      | 1.                                  | 31                  | 0.129   |
| 87  | A     | 4                    | 4                      | 1.                                  | 33                  | 0.121   |
| 88  | A     | 4                    | 4                      | 1.                                  | 33                  | 0.121   |
| 89  | A     | 5                    | 5                      | 1.                                  | 33                  | 0.152   |
| 90  | A     | 6                    | 5                      | 1.                                  | 33                  | 0.152   |
| 91  | A     | 6                    | 5                      | 1.                                  | 33                  | 0.152   |
| 92  | A     | 6                    | 5                      | 1.                                  | 31                  | 0.161   |
| 93  | A     | 4                    | 3                      | 1.                                  | 25                  | 0.12  |
| 94  | A     | 5                    | 4                      | 1.                                  | 31                  | 0.129   |
| 95  | A     | 5                    | 5                      | 1.                                  | 33                  | 0.152   |
| 96  | A     | 5                    | 4                      | 1.                                  | 33                  | 0.121   |
| 97  | A     | 5                    | 4                      | 1.                                  | 33                  | 0.121   |
| 98  | A     | 6                    | 5                      | 1.                                  | 33                  | 0.152   |
| 99  | A     | 7                    | 5                      | 1.                                  | 33                  | 0.152   |
| 100 | A     | 7                    | 6                      | 1.                                  | 33                  | 0.182   |
| 101 | A     | 6                    | 6                      | 1.                                  | 33                  | 0.182   |
| 102 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 103 | A     | 3                    | 3                      | 1.                                  | 25                  | 0.12  |
| 104 | A     | 5                    | 4                      | 1.                                  | 31                  | 0.129   |
| 105 | A     | 6                    | 5                      | 1.                                  | 33                  | 0.152   |
| 106 | A     | 7                    | 5                      | 1.                                  | 33                  | 0.152   |
| 107 | A     | 8                    | 7                      | 1.                                  | 33                  | 0.212   |
| 108 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 109 | A     | 6                    | 6                      | 1.                                  | 33                  | 0.182   |
| 110 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 111 | A     | 3                    | 3                      | 1.                                  | 25                  | 0.12  |
| 112 | A     | 6                    | 5                      | 1.                                  | 31                  | 0.161   |
| 113 | A     | 7                    | 6                      | 1.                                  | 33                  | 0.182   |
| 114 | A     | 8                    | 6                      | 1.                                  | 33                  | 0.182   |
| 115 | A     | 8                    | 7                      | 1.                                  | 33                  | 0.212   |
| 116 | A     | 7                    | 6                      | 1.                                  | 33                  | 0.182   |
| 117 | A     | 6                    | 6                      | 1.                                  | 33                  | 0.182   |
| 118 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 119 | A     | 4                    | 4                      | 1.                                  | 25                  | 0.16  |
| 120 | A     | 7                    | 5                      | 1.                                  | 31                  | 0.161   |
| 121 | A     | 8                    | 6                      | 1.                                  | 33                  | 0.182   |
| 122 | A     | 9                    | 6                      | 1.                                  | 33                  | 0.182   |
| 123 | A     | 8                    | 6                      | 1.                                  | 31                  | 0.194   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 124 | A     | 7                    | 6                      | 1.                                  | 31                  | 0.194   |
| 125 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 126 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 127 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 128 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 129 | A     | 7                    | 6                      | 1.                                  | 31                  | 0.194   |
| 130 | A     | 8                    | 7                      | 1.                                  | 33                  | 0.212   |
| 131 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 132 | A     | 6                    | 6                      | 1.                                  | 33                  | 0.182   |
| 133 | A     | 6                    | 6                      | 1.                                  | 33                  | 0.182   |
| 134 | A     | 6                    | 6                      | 1.                                  | 33                  | 0.182   |
| 135 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 136 | A     | 8                    | 7                      | 1.                                  | 33                  | 0.212   |
| 137 | A     | 9                    | 7                      | 1.                                  | 33                  | 0.212   |
| 138 | A     | 8                    | 7                      | 1.                                  | 33                  | 0.212   |
| 139 | A     | 7                    | 6                      | 1.                                  | 33                  | 0.182   |
| 140 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 141 | A     | 7                    | 6                      | 1.                                  | 33                  | 0.182   |
| 142 | A     | 7                    | 6                      | 1.                                  | 33                  | 0.182   |
| 143 | A     | 8                    | 7                      | 1.                                  | 33                  | 0.212   |
| 144 | A     | 9                    | 7                      | 1.                                  | 33                  | 0.212   |
| 145 | A     | 6                    | 5                      | 1.                                  | 33                  | 0.152   |
| 146 | A     | 5                    | 5                      | 1.                                  | 33                  | 0.152   |
| 147 | A     | 4                    | 4                      | 1.                                  | 33                  | 0.121   |
| 148 | A     | 4                    | 4                      | 1.                                  | 33                  | 0.121   |
| 149 | A     | 5                    | 5                      | 1.                                  | 33                  | 0.152   |
| 150 | A     | 6                    | 5                      | 1.                                  | 33                  | 0.152   |
| 151 | A     | 7                    | 5                      | 1.                                  | 33                  | 0.152   |
| 152 | A     | 6                    | 5                      | 1.                                  | 33                  | 0.152   |
| 153 | A     | 5                    | 4                      | 1.                                  | 33                  | 0.121   |
| 154 | A     | 5                    | 5                      | 1.                                  | 33                  | 0.152   |
| 155 | A     | 5                    | 4                      | 1.                                  | 33                  | 0.121   |
| 156 | A     | 6                    | 5                      | 1.                                  | 33                  | 0.152   |
| 157 | A     | 7                    | 5                      | 1.                                  | 33                  | 0.152   |
| 158 | A     | 8                    | 5                      | 1.                                  | 33                  | 0.152   |
| 159 | A     | 7                    | 5                      | 1.                                  | 33                  | 0.152   |
| 160 | A     | 6                    | 4                      | 1.                                  | 33                  | 0.121   |
| 161 | A     | 6                    | 5                      | 1.                                  | 33                  | 0.152   |
| 162 | A     | 6                    | 5                      | 1.                                  | 33                  | 0.152   |
| 163 | A     | 6                    | 4                      | 1.                                  | 33                  | 0.121   |
| 164 | A     | 7                    | 5                      | 1.                                  | 33                  | 0.152   |
| 165 | A     | 8                    | 5                      | 1.                                  | 33                  | 0.152   |
| 166 | A     | 6                    | 4                      | 1.                                  | 35                  | 0.114   |
| 167 | A     | 5                    | 4                      | 1.                                  | 35                  | 0.114   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 168 | A     | 4                    | 4                      | 1.                                  | 35                  | 0.114   |
| 169 | A     | 3                    | 3                      | 1.                                  | 35                  | 0.086   |
| 170 | A     | 3                    | 3                      | 1.                                  | 35                  | 0.086   |
| 171 | A     | 2                    | 2                      | 1.                                  | 35                  | 0.057   |
| 172 | A     | 3                    | 3                      | 1.                                  | 35                  | 0.086   |
| 173 | A     | 4                    | 3                      | 1.                                  | 35                  | 0.086   |
| 174 | A     | 6                    | 5                      | 1.                                  | 35                  | 0.143   |
| 175 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 176 | A     | 4                    | 4                      | 1.                                  | 35                  | 0.114   |
| 177 | A     | 4                    | 4                      | 1.                                  | 35                  | 0.114   |
| 178 | A     | 4                    | 4                      | 1.                                  | 35                  | 0.114   |
| 179 | A     | 3                    | 3                      | 1.                                  | 35                  | 0.086   |
| 180 | A     | 4                    | 4                      | 1.                                  | 35                  | 0.114   |
| 181 | A     | 5                    | 4                      | 1.                                  | 35                  | 0.114   |
| 182 | A     | 7                    | 5                      | 1.                                  | 35                  | 0.143   |
| 183 | A     | 6                    | 5                      | 1.                                  | 35                  | 0.143   |
| 184 | A     | 5                    | 4                      | 1.                                  | 35                  | 0.114   |
| 185 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 186 | A     | 5                    | 4                      | 1.                                  | 35                  | 0.114   |
| 187 | A     | 5                    | 4                      | 1.                                  | 35                  | 0.114   |
| 188 | A     | 4                    | 3                      | 1.                                  | 35                  | 0.086   |
| 189 | A     | 5                    | 4                      | 1.                                  | 35                  | 0.114   |
| 190 | A     | 6                    | 4                      | 1.                                  | 35                  | 0.114   |
| 191 | A     | 7                    | 6                      | 1.                                  | 35                  | 0.171   |
| 192 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 193 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 194 | A     | 4                    | 4                      | 1.                                  | 35                  | 0.114   |
| 195 | A     | 5                    | 4                      | 1.                                  | 35                  | 0.114   |
| 196 | A     | 6                    | 4                      | 1.                                  | 35                  | 0.114   |
| 197 | A     | 7                    | 7                      | 1.                                  | 35                  | 0.2   |
| 198 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 199 | A     | 4                    | 4                      | 1.                                  | 35                  | 0.114   |
| 200 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 201 | A     | 6                    | 5                      | 1.                                  | 35                  | 0.143   |
| 202 | A     | 8                    | 7                      | 1.                                  | 35                  | 0.2   |
| 203 | A     | 7                    | 6                      | 1.                                  | 35                  | 0.171   |
| 204 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 205 | A     | 5                    | 4                      | 1.                                  | 35                  | 0.114   |
| 206 | A     | 6                    | 5                      | 1.                                  | 35                  | 0.143   |
| 207 | A     | 7                    | 5                      | 1.                                  | 35                  | 0.143   |
| 208 | A     | 9                    | 7                      | 1.                                  | 35                  | 0.2   |
| 209 | A     | 8                    | 6                      | 1.                                  | 35                  | 0.171   |
| 210 | A     | 6                    | 5                      | 1.                                  | 35                  | 0.143   |
| 211 | A     | 6                    | 5                      | 1.                                  | 35                  | 0.143   |

Continued on next page



Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 212 | A     | 6                    | 4                      | 1.                                  | 35                  | 0.114   |
| 213 | A     | 7                    | 5                      | 1.                                  | 35                  | 0.143   |
| 214 | A     | 8                    | 5                      | 1.                                  | 35                  | 0.143   |
| 215 | A     | 7                    | 6                      | 1.                                  | 29                  | 0.207   |
| 216 | A     | 3                    | 3                      | 1.                                  | 27                  | 0.111   |
| 217 | A     | 1                    | 1                      | 1.                                  | 21                  | 0.048   |
| 218 | A     | 4                    | 4                      | 1.                                  | 27                  | 0.148   |
| 219 | A     | 4                    | 4                      | 1.                                  | 29                  | 0.138   |
| 220 | A     | 6                    | 6                      | 1.                                  | 29                  | 0.207   |
| 221 | A     | 7                    | 7                      | 1.                                  | 29                  | 0.241   |
| 222 | A     | 7                    | 6                      | 1.                                  | 29                  | 0.207   |
| 223 | A     | 7                    | 6                      | 1.                                  | 31                  | 0.194   |
| 224 | A     | 4                    | 4                      | 1.                                  | 29                  | 0.138   |
| 225 | A     | 2                    | 2                      | 1.                                  | 23                  | 0.087   |
| 226 | A     | 4                    | 4                      | 1.                                  | 29                  | 0.138   |
| 227 | A     | 4                    | 4                      | 1.                                  | 31                  | 0.129   |
| 228 | A     | 4                    | 4                      | 1.                                  | 31                  | 0.129   |
| 229 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 230 | A     | 7                    | 7                      | 1.                                  | 31                  | 0.226   |
| 231 | A     | 8                    | 7                      | 1.                                  | 31                  | 0.226   |
| 232 | A     | 5                    | 4                      | 1.                                  | 29                  | 0.138   |
| 233 | A     | 3                    | 2                      | 1.                                  | 23                  | 0.087   |
| 234 | A     | 5                    | 5                      | 1.                                  | 29                  | 0.172   |
| 235 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 236 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 237 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 238 | A     | 7                    | 7                      | 1.                                  | 31                  | 0.226   |
| 239 | A     | 8                    | 8                      | 1.                                  | 31                  | 0.258   |
| 240 | A     | 9                    | 8                      | 1.                                  | 31                  | 0.258   |
| 241 | A     | 6                    | 4                      | 1.                                  | 29                  | 0.138   |
| 242 | A     | 4                    | 2                      | 1.                                  | 23                  | 0.087   |
| 243 | A     | 6                    | 6                      | 1.                                  | 29                  | 0.207   |
| 244 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 245 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 246 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 247 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 248 | A     | 8                    | 8                      | 1.                                  | 31                  | 0.258   |
| 249 | A     | 9                    | 9                      | 1.                                  | 31                  | 0.29  |
| 250 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 251 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 252 | A     | 6                    | 6                      | 1.                                  | 29                  | 0.207   |
| 253 | A     | 3                    | 3                      | 1.                                  | 23                  | 0.13  |
| 254 | A     | 4                    | 4                      | 1.                                  | 29                  | 0.138   |
| 255 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 256 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 257 | A     | 7                    | 6                      | 1.                                  | 31                  | 0.194   |
| 258 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 259 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 260 | A     | 5                    | 5                      | 1.                                  | 29                  | 0.172   |
| 261 | A     | 4                    | 4                      | 1.                                  | 23                  | 0.174   |
| 262 | A     | 5                    | 5                      | 1.                                  | 29                  | 0.172   |
| 263 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 264 | A     | 7                    | 6                      | 1.                                  | 31                  | 0.194   |
| 265 | A     | 7                    | 7                      | 1.                                  | 31                  | 0.226   |
| 266 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 267 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 268 | A     | 6                    | 6                      | 1.                                  | 29                  | 0.207   |
| 269 | A     | 5                    | 4                      | 1.                                  | 23                  | 0.174   |
| 270 | A     | 6                    | 6                      | 1.                                  | 29                  | 0.207   |
| 271 | A     | 7                    | 6                      | 1.                                  | 31                  | 0.194   |
| 272 | A     | 8                    | 6                      | 1.                                  | 31                  | 0.194   |
| 273 | A     | 7                    | 7                      | 1.                                  | 31                  | 0.226   |
| 274 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 275 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 276 | A     | 7                    | 6                      | 1.                                  | 29                  | 0.207   |
| 277 | A     | 6                    | 4                      | 1.                                  | 23                  | 0.174   |
| 278 | A     | 7                    | 6                      | 1.                                  | 29                  | 0.207   |
| 279 | A     | 8                    | 6                      | 1.                                  | 31                  | 0.194   |
| 280 | A     | 9                    | 6                      | 1.                                  | 31                  | 0.194   |
| 281 | A     | 3                    | 2                      | 1.                                  | 34                  | 0.059   |
| 282 | A     | 3                    | 3                      | 1.                                  | 34                  | 0.088   |
| 283 | A     | 2                    | 2                      | 1.                                  | 32                  | 0.062   |
| 284 | A     | 2                    | 2                      | 1.                                  | 26                  | 0.077   |
| 285 | A     | 2                    | 2                      | 1.                                  | 32                  | 0.062   |
| 286 | A     | 3                    | 3                      | 1.                                  | 34                  | 0.088   |
| 287 | A     | 3                    | 3                      | 1.                                  | 34                  | 0.088   |
| 288 | A     | 3                    | 2                      | 1.                                  | 34                  | 0.059   |
| 289 | A     | 6                    | 6                      | 1.                                  | 34                  | 0.176   |
| 290 | A     | 6                    | 6                      | 1.                                  | 34                  | 0.176   |
| 291 | A     | 4                    | 4                      | 1.                                  | 32                  | 0.125   |
| 292 | A     | 3                    | 3                      | 1.                                  | 26                  | 0.115   |
| 293 | A     | 5                    | 5                      | 1.                                  | 32                  | 0.156   |
| 294 | A     | 7                    | 7                      | 1.                                  | 34                  | 0.206   |
| 295 | A     | 7                    | 7                      | 1.                                  | 34                  | 0.206   |
| 296 | A     | 9                    | 9                      | 1.                                  | 33                  | 0.273   |
| 297 | A     | 8                    | 8                      | 1.                                  | 33                  | 0.242   |
| 298 | A     | 8                    | 8                      | 1.                                  | 31                  | 0.258   |
| 299 | A     | 6                    | 6                      | 1.                                  | 25                  | 0.24  |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 300 | A     | 8                    | 8                      | 1.                                  | 31                  | 0.258   |
| 301 | A     | 9                    | 9                      | 1.                                  | 33                  | 0.273   |
| 302 | A     | 10                   | 10                     | 1.                                  | 33                  | 0.303   |
| 303 | A     | 11                   | 10                     | 1.                                  | 33                  | 0.303   |
| 304 | A     | 9                    | 8                      | 1.                                  | 33                  | 0.242   |
| 305 | A     | 9                    | 8                      | 1.                                  | 31                  | 0.258   |
| 306 | A     | 7                    | 6                      | 1.                                  | 25                  | 0.24  |
| 307 | A     | 9                    | 9                      | 1.                                  | 31                  | 0.29  |
| 308 | A     | 9                    | 9                      | 1.                                  | 33                  | 0.273   |
| 309 | A     | 10                   | 10                     | 1.                                  | 33                  | 0.303   |
| 310 | A     | 11                   | 10                     | 1.                                  | 33                  | 0.303   |
| 311 | A     | 10                   | 8                      | 1.                                  | 33                  | 0.242   |
| 312 | A     | 10                   | 8                      | 1.                                  | 31                  | 0.258   |
| 313 | A     | 8                    | 6                      | 1.                                  | 25                  | 0.24  |
| 314 | A     | 10                   | 10                     | 1.                                  | 31                  | 0.323   |
| 315 | A     | 10                   | 10                     | 1.                                  | 33                  | 0.303   |
| 316 | A     | 10                   | 10                     | 1.                                  | 33                  | 0.303   |
| 317 | A     | 11                   | 11                     | 1.                                  | 33                  | 0.333   |
| 318 | A     | 12                   | 11                     | 1.                                  | 33                  | 0.333   |
| 319 | A     | 8                    | 8                      | 1.                                  | 33                  | 0.242   |
| 320 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 321 | A     | 7                    | 7                      | 1.                                  | 31                  | 0.226   |
| 322 | A     | 5                    | 5                      | 1.                                  | 25                  | 0.2   |
| 323 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 324 | A     | 9                    | 9                      | 1.                                  | 33                  | 0.273   |
| 325 | A     | 10                   | 10                     | 1.                                  | 33                  | 0.303   |
| 326 | A     | 8                    | 8                      | 1.                                  | 33                  | 0.242   |
| 327 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 328 | A     | 7                    | 7                      | 1.                                  | 31                  | 0.226   |
| 329 | A     | 6                    | 6                      | 1.                                  | 25                  | 0.24  |
| 330 | A     | 7                    | 7                      | 1.                                  | 31                  | 0.226   |
| 331 | A     | 10                   | 10                     | 1.                                  | 33                  | 0.303   |
| 332 | A     | 11                   | 10                     | 1.                                  | 33                  | 0.303   |
| 333 | A     | 9                    | 9                      | 1.                                  | 33                  | 0.273   |
| 334 | A     | 8                    | 8                      | 1.                                  | 33                  | 0.242   |
| 335 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 336 | A     | 8                    | 8                      | 1.                                  | 31                  | 0.258   |
| 337 | A     | 7                    | 6                      | 1.                                  | 25                  | 0.24  |
| 338 | A     | 10                   | 10                     | 1.                                  | 31                  | 0.323   |
| 339 | A     | 11                   | 11                     | 1.                                  | 33                  | 0.333   |
| 340 | A     | 12                   | 10                     | 1.                                  | 33                  | 0.303   |
| 341 | A     | 3                    | 3                      | 1.                                  | 28                  | 0.107   |
| 342 | A     | 3                    | 3                      | 1.                                  | 34                  | 0.088   |
| 343 | A     | 5                    | 4                      | 1.                                  | 28                  | 0.143   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 344 | A     | 8                    | 8                      | 1.                                  | 34                  | 0.235   |
| 345 | A     | 8                    | 6                      | 1.                                  | 31                  | 0.194   |
| 346 | A     | 7                    | 6                      | 1.                                  | 31                  | 0.194   |
| 347 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 348 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 349 | A     | 5                    | 5                      | 1.                                  | 31                  | 0.161   |
| 350 | A     | 6                    | 6                      | 1.                                  | 31                  | 0.194   |
| 351 | A     | 7                    | 6                      | 1.                                  | 31                  | 0.194   |
| 352 | A     | 8                    | 6                      | 1.                                  | 33                  | 0.182   |
| 353 | A     | 7                    | 6                      | 1.                                  | 33                  | 0.182   |
| 354 | A     | 6                    | 6                      | 1.                                  | 33                  | 0.182   |
| 355 | A     | 5                    | 5                      | 1.                                  | 33                  | 0.152   |
| 356 | A     | 5                    | 5                      | 1.                                  | 33                  | 0.152   |
| 357 | A     | 5                    | 5                      | 1.                                  | 33                  | 0.152   |
| 358 | A     | 6                    | 6                      | 1.                                  | 33                  | 0.182   |
| 359 | A     | 8                    | 7                      | 1.                                  | 33                  | 0.212   |
| 360 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 361 | A     | 6                    | 6                      | 1.                                  | 33                  | 0.182   |
| 362 | A     | 6                    | 6                      | 1.                                  | 33                  | 0.182   |
| 363 | A     | 6                    | 6                      | 1.                                  | 33                  | 0.182   |
| 364 | A     | 6                    | 6                      | 1.                                  | 33                  | 0.182   |
| 365 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 366 | A     | 6                    | 6                      | 1.                                  | 33                  | 0.182   |
| 367 | A     | 5                    | 5                      | 1.                                  | 33                  | 0.152   |
| 368 | A     | 3                    | 3                      | 1.                                  | 33                  | 0.091   |
| 369 | A     | 5                    | 5                      | 1.                                  | 33                  | 0.152   |
| 370 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 371 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 372 | A     | 6                    | 6                      | 1.                                  | 33                  | 0.182   |
| 373 | A     | 6                    | 6                      | 1.                                  | 33                  | 0.182   |
| 374 | A     | 6                    | 6                      | 1.                                  | 33                  | 0.182   |
| 375 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 376 | A     | 8                    | 7                      | 1.                                  | 33                  | 0.212   |
| 377 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 378 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 379 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 380 | A     | 7                    | 7                      | 1.                                  | 33                  | 0.212   |
| 381 | A     | 8                    | 7                      | 1.                                  | 33                  | 0.212   |
| 382 | A     | 9                    | 7                      | 1.                                  | 33                  | 0.212   |
| 383 | A     | 3                    | 3                      | 1.                                  | 36                  | 0.083   |
| 384 | A     | 3                    | 3                      | 1.                                  | 36                  | 0.083   |
| 385 | A     | 2                    | 2                      | 1.                                  | 36                  | 0.056   |
| 386 | A     | 2                    | 2                      | 1.                                  | 36                  | 0.056   |
| 387 | A     | 3                    | 3                      | 1.                                  | 36                  | 0.083   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 388 | A     | 3                    | 3                      | 1.                                  | 36                  | 0.083   |
| 389 | A     | 7                    | 7                      | 1.                                  | 36                  | 0.194   |
| 390 | A     | 6                    | 6                      | 1.                                  | 36                  | 0.167   |
| 391 | A     | 4                    | 4                      | 1.                                  | 36                  | 0.111   |
| 392 | A     | 2                    | 2                      | 1.                                  | 36                  | 0.056   |
| 393 | A     | 6                    | 6                      | 1.                                  | 36                  | 0.167   |
| 394 | A     | 8                    | 8                      | 1.                                  | 36                  | 0.222   |
| 395 | A     | 8                    | 8                      | 1.                                  | 35                  | 0.229   |
| 396 | A     | 7                    | 7                      | 1.                                  | 35                  | 0.2   |
| 397 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 398 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 399 | A     | 4                    | 4                      | 1.                                  | 35                  | 0.114   |
| 400 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 401 | A     | 6                    | 5                      | 1.                                  | 35                  | 0.143   |
| 402 | A     | 9                    | 8                      | 1.                                  | 35                  | 0.229   |
| 403 | A     | 8                    | 8                      | 1.                                  | 35                  | 0.229   |
| 404 | A     | 7                    | 7                      | 1.                                  | 35                  | 0.2   |
| 405 | A     | 7                    | 7                      | 1.                                  | 35                  | 0.2   |
| 406 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 407 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 408 | A     | 6                    | 5                      | 1.                                  | 35                  | 0.143   |
| 409 | A     | 7                    | 5                      | 1.                                  | 35                  | 0.143   |
| 410 | A     | 10                   | 8                      | 1.                                  | 35                  | 0.229   |
| 411 | A     | 9                    | 8                      | 1.                                  | 35                  | 0.229   |
| 412 | A     | 8                    | 8                      | 1.                                  | 35                  | 0.229   |
| 413 | A     | 8                    | 8                      | 1.                                  | 35                  | 0.229   |
| 414 | A     | 8                    | 8                      | 1.                                  | 35                  | 0.229   |
| 415 | A     | 7                    | 7                      | 1.                                  | 35                  | 0.2   |
| 416 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 417 | A     | 7                    | 6                      | 1.                                  | 35                  | 0.171   |
| 418 | A     | 8                    | 6                      | 1.                                  | 35                  | 0.171   |
| 419 | A     | 6                    | 6                      | 1.                                  | 43                  | 0.14  |
| 420 | A     | 7                    | 7                      | 1.                                  | 35                  | 0.2   |
| 421 | A     | 7                    | 7                      | 1.                                  | 35                  | 0.2   |
| 422 | A     | 3                    | 3                      | 1.                                  | 35                  | 0.086   |
| 423 | A     | 3                    | 3                      | 1.                                  | 35                  | 0.086   |
| 424 | A     | 4                    | 4                      | 1.                                  | 35                  | 0.114   |
| 425 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 426 | A     | 7                    | 7                      | 1.                                  | 35                  | 0.2   |
| 427 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 428 | A     | 4                    | 4                      | 1.                                  | 35                  | 0.114   |
| 429 | A     | 4                    | 4                      | 1.                                  | 35                  | 0.114   |
| 430 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 431 | A     | 8                    | 8                      | 1.                                  | 35                  | 0.229   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 432 | A     | 7                    | 7                      | 1.                                  | 35                  | 0.2   |
| 433 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 434 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 435 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 436 | A     | 6                    | 5                      | 1.                                  | 35                  | 0.143   |
| 437 | A     | 9                    | 9                      | 1.                                  | 38                  | 0.237   |
| 438 | A     | 2                    | 2                      | 1.                                  | 38                  | 0.053   |
| 439 | A     | 2                    | 2                      | 1.                                  | 38                  | 0.053   |
| 440 | A     | 4                    | 4                      | 1.                                  | 38                  | 0.105   |
| 441 | A     | 1                    | 1                      | 1.                                  | 33                  | 0.03  |
| 442 | A     | 1                    | 1                      | 1.                                  | 33                  | 0.03  |
| 443 | A     | 2                    | 2                      | 1.                                  | 33                  | 0.061   |
| 444 | A     | 2                    | 2                      | 1.                                  | 33                  | 0.061   |
| 445 | A     | 1                    | 1                      | 1.                                  | 33                  | 0.03  |
| 446 | A     | 1                    | 1                      | 1.                                  | 33                  | 0.03  |
| 447 | A     | 2                    | 2                      | 1.                                  | 33                  | 0.061   |
| 448 | A     | 2                    | 2                      | 1.                                  | 33                  | 0.061   |
| 449 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 450 | A     | 7                    | 6                      | 1.                                  | 33                  | 0.182   |
| 451 | A     | 6                    | 5                      | 1.                                  | 33                  | 0.152   |
| 452 | A     | 5                    | 4                      | 1.                                  | 33                  | 0.121   |
| 453 | A     | 5                    | 4                      | 1.                                  | 31                  | 0.129   |
| 454 | A     | 7                    | 5                      | 1.                                  | 33                  | 0.152   |
| 455 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 456 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 457 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 458 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 459 | A     | 9                    | 7                      | 1.                                  | 31                  | 0.226   |
| 460 | A     | 8                    | 7                      | 1.                                  | 31                  | 0.226   |
| 461 | A     | 7                    | 6                      | 1.                                  | 31                  | 0.194   |
| 462 | A     | 7                    | 6                      | 1.                                  | 31                  | 0.194   |
| 463 | A     | 8                    | 7                      | 1.                                  | 31                  | 0.226   |
| 464 | A     | 9                    | 7                      | 1.                                  | 31                  | 0.226   |
| 465 | A     | 9                    | 8                      | 1.                                  | 33                  | 0.242   |
| 466 | A     | 8                    | 7                      | 1.                                  | 33                  | 0.212   |
| 467 | A     | 8                    | 7                      | 1.                                  | 33                  | 0.212   |
| 468 | A     | 8                    | 7                      | 1.                                  | 33                  | 0.212   |
| 469 | A     | 9                    | 8                      | 1.                                  | 33                  | 0.242   |
| 470 | A     | 10                   | 8                      | 1.                                  | 33                  | 0.242   |
| 471 | A     | 9                    | 7                      | 1.                                  | 33                  | 0.212   |
| 472 | A     | 9                    | 8                      | 1.                                  | 33                  | 0.242   |
| 473 | A     | 9                    | 7                      | 1.                                  | 33                  | 0.212   |
| 474 | A     | 9                    | 7                      | 1.                                  | 33                  | 0.212   |
| 475 | A     | 10                   | 8                      | 1.                                  | 33                  | 0.242   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 476 | A     | 9                    | 7                      | 1.                                  | 33                  | 0.212   |
| 477 | A     | 8                    | 7                      | 1.                                  | 33                  | 0.212   |
| 478 | A     | 7                    | 6                      | 1.                                  | 33                  | 0.182   |
| 479 | A     | 7                    | 6                      | 1.                                  | 33                  | 0.182   |
| 480 | A     | 8                    | 7                      | 1.                                  | 33                  | 0.212   |
| 481 | A     | 9                    | 7                      | 1.                                  | 33                  | 0.212   |
| 482 | A     | 9                    | 7                      | 1.                                  | 33                  | 0.212   |
| 483 | A     | 8                    | 6                      | 1.                                  | 33                  | 0.182   |
| 484 | A     | 8                    | 7                      | 1.                                  | 33                  | 0.212   |
| 485 | A     | 8                    | 6                      | 1.                                  | 33                  | 0.182   |
| 486 | A     | 9                    | 7                      | 1.                                  | 33                  | 0.212   |
| 487 | A     | 10                   | 7                      | 1.                                  | 33                  | 0.212   |
| 488 | A     | 9                    | 6                      | 1.                                  | 33                  | 0.182   |
| 489 | A     | 9                    | 7                      | 1.                                  | 33                  | 0.212   |
| 490 | A     | 9                    | 7                      | 1.                                  | 33                  | 0.212   |
| 491 | A     | 9                    | 6                      | 1.                                  | 33                  | 0.182   |
| 492 | A     | 10                   | 7                      | 1.                                  | 33                  | 0.212   |
| 493 | A     | 6                    | 4                      | 1.                                  | 35                  | 0.114   |
| 494 | A     | 5                    | 4                      | 1.                                  | 35                  | 0.114   |
| 495 | A     | 4                    | 4                      | 1.                                  | 35                  | 0.114   |
| 496 | A     | 3                    | 3                      | 1.                                  | 35                  | 0.086   |
| 497 | A     | 4                    | 4                      | 1.                                  | 35                  | 0.114   |
| 498 | A     | 4                    | 4                      | 1.                                  | 35                  | 0.114   |
| 499 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 500 | A     | 6                    | 5                      | 1.                                  | 35                  | 0.143   |
| 501 | A     | 7                    | 5                      | 1.                                  | 35                  | 0.143   |
| 502 | A     | 6                    | 5                      | 1.                                  | 35                  | 0.143   |
| 503 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 504 | A     | 4                    | 4                      | 1.                                  | 35                  | 0.114   |
| 505 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 506 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 507 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 508 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 509 | A     | 7                    | 6                      | 1.                                  | 35                  | 0.171   |
| 510 | A     | 8                    | 5                      | 1.                                  | 35                  | 0.143   |
| 511 | A     | 7                    | 5                      | 1.                                  | 35                  | 0.143   |
| 512 | A     | 6                    | 5                      | 1.                                  | 35                  | 0.143   |
| 513 | A     | 5                    | 4                      | 1.                                  | 35                  | 0.114   |
| 514 | A     | 6                    | 5                      | 1.                                  | 35                  | 0.143   |
| 515 | A     | 6                    | 5                      | 1.                                  | 35                  | 0.143   |
| 516 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 517 | A     | 6                    | 5                      | 1.                                  | 35                  | 0.143   |
| 518 | A     | 7                    | 6                      | 1.                                  | 35                  | 0.171   |
| 519 | A     | 8                    | 6                      | 1.                                  | 35                  | 0.171   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 520 | A     | 9                    | 5                      | 1.                                  | 35                  | 0.143   |
| 521 | A     | 8                    | 5                      | 1.                                  | 35                  | 0.143   |
| 522 | A     | 7                    | 5                      | 1.                                  | 35                  | 0.143   |
| 523 | A     | 6                    | 5                      | 1.                                  | 35                  | 0.143   |
| 524 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 525 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 526 | A     | 7                    | 7                      | 1.                                  | 35                  | 0.2   |
| 527 | A     | 8                    | 7                      | 1.                                  | 35                  | 0.2   |
| 528 | A     | 7                    | 7                      | 1.                                  | 54                  | 0.13  |
| 529 | A     | 9                    | 6                      | 1.                                  | 35                  | 0.171   |
| 530 | A     | 8                    | 6                      | 1.                                  | 35                  | 0.171   |
| 531 | A     | 7                    | 6                      | 1.                                  | 35                  | 0.171   |
| 532 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 533 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 534 | A     | 7                    | 7                      | 1.                                  | 35                  | 0.2   |
| 535 | A     | 8                    | 8                      | 1.                                  | 35                  | 0.229   |
| 536 | A     | 9                    | 6                      | 1.                                  | 35                  | 0.171   |
| 537 | A     | 8                    | 6                      | 1.                                  | 35                  | 0.171   |
| 538 | A     | 7                    | 6                      | 1.                                  | 35                  | 0.171   |
| 539 | A     | 6                    | 5                      | 1.                                  | 35                  | 0.143   |
| 540 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 541 | A     | 8                    | 7                      | 1.                                  | 35                  | 0.2   |
| 542 | A     | 9                    | 8                      | 1.                                  | 35                  | 0.229   |
| 543 | A     | 9                    | 6                      | 1.                                  | 35                  | 0.171   |
| 544 | A     | 8                    | 6                      | 1.                                  | 35                  | 0.171   |
| 545 | A     | 7                    | 5                      | 1.                                  | 35                  | 0.143   |
| 546 | A     | 7                    | 6                      | 1.                                  | 35                  | 0.171   |
| 547 | A     | 7                    | 6                      | 1.                                  | 35                  | 0.171   |
| 548 | A     | 9                    | 7                      | 1.                                  | 35                  | 0.2   |
| 549 | A     | 10                   | 8                      | 1.                                  | 35                  | 0.229   |
| 550 | A     | 9                    | 7                      | 1.                                  | 31                  | 0.226   |
| 551 | A     | 8                    | 7                      | 1.                                  | 31                  | 0.226   |
| 552 | A     | 7                    | 6                      | 1.                                  | 31                  | 0.194   |
| 553 | A     | 7                    | 6                      | 1.                                  | 31                  | 0.194   |
| 554 | A     | 8                    | 7                      | 1.                                  | 31                  | 0.226   |
| 555 | A     | 9                    | 7                      | 1.                                  | 31                  | 0.226   |
| 556 | A     | 9                    | 8                      | 1.                                  | 33                  | 0.242   |
| 557 | A     | 8                    | 7                      | 1.                                  | 33                  | 0.212   |
| 558 | A     | 8                    | 7                      | 1.                                  | 33                  | 0.212   |
| 559 | A     | 8                    | 7                      | 1.                                  | 33                  | 0.212   |
| 560 | A     | 9                    | 8                      | 1.                                  | 33                  | 0.242   |
| 561 | A     | 10                   | 9                      | 1.                                  | 33                  | 0.273   |
| 562 | A     | 9                    | 8                      | 1.                                  | 33                  | 0.242   |
| 563 | A     | 9                    | 8                      | 1.                                  | 33                  | 0.242   |

Continued on next page



Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 564 | A     | 9                    | 8                      | 1.                                  | 33                  | 0.242   |
| 565 | A     | 9                    | 8                      | 1.                                  | 33                  | 0.242   |
| 566 | A     | 10                   | 9                      | 1.                                  | 33                  | 0.273   |
| 567 | A     | 11                   | 10                     | 1.                                  | 33                  | 0.303   |
| 568 | A     | 8                    | 8                      | 1.                                  | 33                  | 0.242   |
| 569 | A     | 6                    | 6                      | 1.                                  | 33                  | 0.182   |
| 570 | A     | 8                    | 8                      | 1.                                  | 33                  | 0.242   |
| 571 | A     | 10                   | 9                      | 1.                                  | 33                  | 0.273   |
| 572 | A     | 12                   | 10                     | 1.                                  | 33                  | 0.303   |
| 573 | A     | 11                   | 10                     | 1.                                  | 33                  | 0.303   |
| 574 | A     | 10                   | 9                      | 1.                                  | 33                  | 0.273   |
| 575 | A     | 10                   | 9                      | 1.                                  | 33                  | 0.273   |
| 576 | A     | 10                   | 9                      | 1.                                  | 33                  | 0.273   |
| 577 | A     | 11                   | 10                     | 1.                                  | 33                  | 0.303   |
| 578 | A     | 12                   | 11                     | 1.                                  | 33                  | 0.333   |
| 579 | A     | 11                   | 10                     | 1.                                  | 33                  | 0.303   |
| 580 | A     | 11                   | 10                     | 1.                                  | 33                  | 0.303   |
| 581 | A     | 11                   | 10                     | 1.                                  | 33                  | 0.303   |
| 582 | A     | 11                   | 10                     | 1.                                  | 33                  | 0.303   |
| 583 | A     | 12                   | 11                     | 1.                                  | 33                  | 0.333   |
| 584 | A     | 4                    | 4                      | 1.                                  | 36                  | 0.111   |
| 585 | A     | 4                    | 4                      | 1.                                  | 36                  | 0.111   |
| 586 | A     | 3                    | 3                      | 1.                                  | 36                  | 0.083   |
| 587 | A     | 3                    | 3                      | 1.                                  | 36                  | 0.083   |
| 588 | A     | 4                    | 4                      | 1.                                  | 36                  | 0.111   |
| 589 | A     | 4                    | 4                      | 1.                                  | 36                  | 0.111   |
| 590 | A     | 7                    | 6                      | 1.                                  | 35                  | 0.171   |
| 591 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 592 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 593 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 594 | A     | 7                    | 7                      | 1.                                  | 35                  | 0.2   |
| 595 | A     | 8                    | 8                      | 1.                                  | 35                  | 0.229   |
| 596 | A     | 9                    | 9                      | 1.                                  | 35                  | 0.257   |
| 597 | A     | 8                    | 6                      | 1.                                  | 35                  | 0.171   |
| 598 | A     | 7                    | 6                      | 1.                                  | 35                  | 0.171   |
| 599 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 600 | A     | 7                    | 7                      | 1.                                  | 35                  | 0.2   |
| 601 | A     | 8                    | 8                      | 1.                                  | 35                  | 0.229   |
| 602 | A     | 8                    | 8                      | 1.                                  | 35                  | 0.229   |
| 603 | A     | 9                    | 9                      | 1.                                  | 35                  | 0.257   |
| 604 | A     | 10                   | 9                      | 1.                                  | 35                  | 0.257   |
| 605 | A     | 9                    | 7                      | 1.                                  | 35                  | 0.2   |
| 606 | A     | 8                    | 7                      | 1.                                  | 35                  | 0.2   |
| 607 | A     | 7                    | 7                      | 1.                                  | 35                  | 0.2   |

Continued on next page

Table 2.1 – continued from previous page

| #   | grade | number of steps used | number of unique rules | normalized antiderivative leaf size | integrand leaf size | $\frac{\text{number of rules}}{\text{integrand leaf size}}$ |
|-----|-------|----------------------|------------------------|-------------------------------------|---------------------|---|
| 608 | A     | 8                    | 8                      | 1.                                  | 35                  | 0.229   |
| 609 | A     | 9                    | 9                      | 1.                                  | 35                  | 0.257   |
| 610 | A     | 9                    | 9                      | 1.                                  | 35                  | 0.257   |
| 611 | A     | 9                    | 9                      | 1.                                  | 35                  | 0.257   |
| 612 | A     | 10                   | 9                      | 1.                                  | 35                  | 0.257   |
| 613 | A     | 11                   | 9                      | 1.                                  | 35                  | 0.257   |
| 614 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 615 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 616 | A     | 4                    | 4                      | 1.                                  | 35                  | 0.114   |
| 617 | A     | 4                    | 4                      | 1.                                  | 35                  | 0.114   |
| 618 | A     | 8                    | 8                      | 1.                                  | 35                  | 0.229   |
| 619 | A     | 8                    | 8                      | 1.                                  | 35                  | 0.229   |
| 620 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 621 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 622 | A     | 5                    | 5                      | 1.                                  | 35                  | 0.143   |
| 623 | A     | 7                    | 7                      | 1.                                  | 35                  | 0.2   |
| 624 | A     | 8                    | 8                      | 1.                                  | 35                  | 0.229   |
| 625 | A     | 7                    | 6                      | 1.                                  | 35                  | 0.171   |
| 626 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 627 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 628 | A     | 6                    | 6                      | 1.                                  | 35                  | 0.171   |
| 629 | A     | 8                    | 8                      | 1.                                  | 35                  | 0.229   |
| 630 | A     | 9                    | 9                      | 1.                                  | 35                  | 0.257   |
| 631 | A     | 5                    | 5                      | 1.                                  | 38                  | 0.132   |
| 632 | A     | 3                    | 3                      | 1.                                  | 38                  | 0.079   |
| 633 | A     | 3                    | 3                      | 1.                                  | 38                  | 0.079   |
| 634 | A     | 10                   | 10                     | 1.                                  | 38                  | 0.263   |
| 635 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 636 | A     | 10                   | 8                      | 1.                                  | 33                  | 0.242   |
| 637 | A     | 9                    | 7                      | 1.                                  | 33                  | 0.212   |
| 638 | A     | 8                    | 6                      | 1.                                  | 33                  | 0.182   |
| 639 | A     | 7                    | 5                      | 1.                                  | 31                  | 0.161   |
| 640 | A     | 10                   | 8                      | 1.                                  | 33                  | 0.242   |
| 641 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 642 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 643 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |
| 644 | A     | 0                    | 0                      | 0.                                  | 0                   | 0.  |

# Chapter 3

## Listing of integrals

### 3.1 $\int \cos^3(c+dx)(a+a \cos(c+dx))(A+B \cos(c+dx)) dx$

**Optimal.** Leaf size=125

$$\frac{a(5A+4B)\sin^3(c+dx)}{15d} + \frac{a(5A+4B)\sin(c+dx)}{5d} + \frac{a(A+B)\sin(c+dx)\cos^3(c+dx)}{4d} + \frac{3a(A+B)\sin(c+dx)\cos(c+dx)}{8d}$$

```
[Out] (3*a*(A + B)*x)/8 + (a*(5*A + 4*B)*Sin[c + d*x])/(5*d) + (3*a*(A + B)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*(A + B)*Cos[c + d*x]^3*Sin[c + d*x])/(4*d) + (a*B*Cos[c + d*x]^4*Sin[c + d*x])/(5*d) - (a*(5*A + 4*B)*Sin[c + d*x]^3)/(15*d)
```

---

**Rubi [A]** time = 0.167091, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {2968, 3023, 2748, 2633, 2635, 8}

$$\frac{a(5A+4B)\sin^3(c+dx)}{15d} + \frac{a(5A+4B)\sin(c+dx)}{5d} + \frac{a(A+B)\sin(c+dx)\cos^3(c+dx)}{4d} + \frac{3a(A+B)\sin(c+dx)\cos(c+dx)}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*(a + a*cos[c + d*x])*(A + B*cos[c + d*x]),x]
```

```
[Out] (3*a*(A + B)*x)/8 + (a*(5*A + 4*B)*Sin[c + d*x])/(5*d) + (3*a*(A + B)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a*(A + B)*Cos[c + d*x]^3*Sin[c + d*x])/(4*d) + (a*B*Cos[c + d*x]^4*Sin[c + d*x])/(5*d) - (a*(5*A + 4*B)*Sin[c + d*x]^3)/(15*d)
```

#### Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*SIN[e + f*x])^m*(A*c + (B*c + A*d)*SIN[e + f*x] + B*d*SIN[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*cos[e + f*x]*(a + b*SIN[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*SIN[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*SIN[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
```

!LtQ[m, -1]

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x] * (b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^3(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx &= \int \cos^3(c + dx) (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx) + aB \cos^4(c + dx) \sin(c + dx)) dx \\
&= \frac{aB \cos^4(c + dx) \sin(c + dx)}{5d} + \frac{1}{5} \int \cos^3(c + dx)(a(5A + 4B) + aB \cos^2(c + dx)) dx \\
&= \frac{aB \cos^4(c + dx) \sin(c + dx)}{5d} + (a(A + B)) \int \cos^4(c + dx) dx - \frac{aB \cos^4(c + dx) \sin(c + dx)}{5d} \\
&= \frac{a(A + B) \cos^3(c + dx) \sin(c + dx)}{4d} + \frac{aB \cos^4(c + dx) \sin(c + dx)}{5d} \\
&= \frac{a(5A + 4B) \sin(c + dx)}{5d} + \frac{3a(A + B) \cos(c + dx) \sin(c + dx)}{8d} \\
&= \frac{3}{8} a(A + B)x + \frac{a(5A + 4B) \sin(c + dx)}{5d} + \frac{3a(A + B) \cos(c + dx) \sin(c + dx)}{8d}
\end{aligned}$$

**Mathematica [A]** time = 0.24435, size = 77, normalized size = 0.62

$$\frac{a(-160(A + 2B) \sin^3(c + dx) + 480(A + B) \sin(c + dx) + 15(A + B)(12(c + dx) + 8 \sin(2(c + dx)) + \sin(4(c + dx))) + 96(A + B) \cos^2(c + dx) \sin(c + dx))}{480d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3*(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]
```

```
[Out] (a*(480*(A + B)*Sin[c + d*x] - 160*(A + 2*B)*Sin[c + d*x]^3 + 96*B*Sin[c + d*x]^5 + 15*(A + B)*(12*(c + d*x) + 8*Sin[2*(c + d*x)] + Sin[4*(c + d*x)])))/(480*d)
```

**Maple [A]** time = 0.05, size = 128, normalized size = 1.

$$\frac{1}{d} \left( \frac{aB \sin(dx+c)}{5} \left( \frac{8}{3} + (\cos(dx+c))^4 + \frac{4(\cos(dx+c))^2}{3} \right) + aA \left( \frac{\sin(dx+c)}{4} \left( (\cos(dx+c))^3 + \frac{3\cos(dx+c)}{2} \right) + \dots \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(a+cos(d\*x+c)\*a)\*(A+B\*cos(d\*x+c)),x)

[Out] 1/d\*(1/5\*a\*B\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)+a\*A\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+a\*B\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+1/3\*a\*A\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)

**Maxima [A]** time = 1.0119, size = 167, normalized size = 1.34

$$\frac{160(\sin(dx+c)^3 - 3\sin(dx+c))Aa - 15(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Aa - 32(3\sin(dx+c) - 10\sin(dx+c)^3 + 15\sin(dx+c))B*a - 15(12d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*B*a}{480d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] -1/480\*(160\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*A\*a - 15\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*A\*a - 32\*(3\*sin(d\*x + c)^3 - 10\*sin(d\*x + c)^3 + 15\*sin(d\*x + c))\*B\*a - 15\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*B\*a)/d

**Fricas [A]** time = 1.76045, size = 239, normalized size = 1.91

$$\frac{45(A+B)adx + (24Ba \cos(dx+c)^4 + 30(A+B)a \cos(dx+c)^3 + 8(5A+4B)a \cos(dx+c)^2 + 45(A+B)a \cos(dx+c) + 16(5A+4B)a \sin(dx+c)) \sin(dx+c)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/120\*(45\*(A + B)\*a\*d\*x + (24\*B\*a\*cos(d\*x + c)^4 + 30\*(A + B)\*a\*cos(d\*x + c)^3 + 8\*(5\*A + 4\*B)\*a\*cos(d\*x + c)^2 + 45\*(A + B)\*a\*cos(d\*x + c) + 16\*(5\*A + 4\*B)\*a)\*sin(d\*x + c))/d

**Sympy [A]** time = 3.58734, size = 333, normalized size = 2.66

$$\left\{ \frac{3Aax \sin^4(c+dx)}{8} + \frac{3Aax \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{3Aax \cos^4(c+dx)}{8} + \frac{3Aa \sin^3(c+dx) \cos(c+dx)}{8d} + \frac{2Aa \sin^3(c+dx)}{3d} + \frac{5Aa \sin(c+dx) \cos^3(c+dx)}{8d} \right\} x(A+B \cos(c))(a \cos(c) + a) \cos^3(c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3\*(a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x)

[Out] Piecewise((3\*A\*a\*x\*sin(c + d\*x)\*\*4/8 + 3\*A\*a\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + 3\*A\*a\*x\*cos(c + d\*x)\*\*4/8 + 3\*A\*a\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + 2\*A\*a\*sin(c + d\*x)\*\*3/(3\*d) + 5\*A\*a\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d) + A\*a\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + 3\*B\*a\*x\*sin(c + d\*x)\*\*4/8 + 3\*B\*a\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + 3\*B\*a\*x\*cos(c + d\*x)\*\*4/8 + 8\*B\*a\*sin(c + d\*x)\*\*5/(15\*d) + 4\*B\*a\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*2/(3\*d) + 3\*B\*a\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + B\*a\*sin(c + d\*x)\*cos(c + d\*x)\*\*4/d + 5\*B\*a\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d), Ne(d, 0)), (x\*(A + B\*cos(c))\*(a\*cos(c) + a)\*cos(c)\*\*3, True))

**Giac [A]** time = 1.10095, size = 151, normalized size = 1.21

$$\frac{3}{8}(Aa + Ba)x + \frac{Ba \sin(5dx + 5c)}{80d} + \frac{(Aa + Ba) \sin(4dx + 4c)}{32d} + \frac{(4Aa + 5Ba) \sin(3dx + 3c)}{48d} + \frac{(Aa + Ba) \sin(2dx + 2c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] 3/8\*(A\*a + B\*a)\*x + 1/80\*B\*a\*sin(5\*d\*x + 5\*c)/d + 1/32\*(A\*a + B\*a)\*sin(4\*d\*x + 4\*c)/d + 1/48\*(4\*A\*a + 5\*B\*a)\*sin(3\*d\*x + 3\*c)/d + 1/4\*(A\*a + B\*a)\*sin(2\*d\*x + 2\*c)/d + 1/8\*(6\*A\*a + 5\*B\*a)\*sin(d\*x + c)/d

### 3.2 $\int \cos^2(c+dx)(a+a \cos(c+dx))(A+B \cos(c+dx)) dx$

**Optimal.** Leaf size=97

$$\frac{a(A+B)\sin^3(c+dx)}{3d} + \frac{a(A+B)\sin(c+dx)}{d} + \frac{a(4A+3B)\sin(c+dx)\cos(c+dx)}{8d} + \frac{1}{8}ax(4A+3B) + \frac{aB\sin(c+dx)}{d}$$

[Out] (a\*(4\*A + 3\*B)\*x)/8 + (a\*(A + B)\*Sin[c + d\*x])/d + (a\*(4\*A + 3\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(8\*d) + (a\*B\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(4\*d) - (a\*(A + B)\*Sin[c + d\*x]^3)/(3\*d)

**Rubi [A]** time = 0.149015, antiderivative size = 97, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {2968, 3023, 2748, 2635, 8, 2633}

$$\frac{a(A+B)\sin^3(c+dx)}{3d} + \frac{a(A+B)\sin(c+dx)}{d} + \frac{a(4A+3B)\sin(c+dx)\cos(c+dx)}{8d} + \frac{1}{8}ax(4A+3B) + \frac{aB\sin(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2\*(a + a\*cos[c + d\*x])\*(A + B\*cos[c + d\*x]), x]

[Out] (a\*(4\*A + 3\*B)\*x)/8 + (a\*(A + B)\*Sin[c + d\*x])/d + (a\*(4\*A + 3\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(8\*d) + (a\*B\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(4\*d) - (a\*(A + B)\*Sin[c + d\*x]^3)/(3\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*SIN[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*SIN[e + f\*x] + B\*d\*SIN[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] := -Simp[(C\*cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*SIN[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*SIN[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*SIN[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*SIN[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*cos[c + d\*x]\*(b\*SIN[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*SIN[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

### Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx &= \int \cos^2(c + dx) (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx) \\ &= \frac{aB \cos^3(c + dx) \sin(c + dx)}{4d} + \frac{1}{4} \int \cos^2(c + dx)(a(4A + 3B) \\ &= \frac{aB \cos^3(c + dx) \sin(c + dx)}{4d} + (a(A + B)) \int \cos^3(c + dx) dx + \\ &= \frac{a(4A + 3B) \cos(c + dx) \sin(c + dx)}{8d} + \frac{aB \cos^3(c + dx) \sin(c + dx)}{4d} \\ &= \frac{1}{8} a(4A + 3B)x + \frac{a(A + B) \sin(c + dx)}{d} + \frac{a(4A + 3B) \cos(c + dx) \sin(c + dx)}{8d} \end{aligned}$$

**Mathematica [A]** time = 0.223432, size = 75, normalized size = 0.77

$$\frac{a(-32(A + B) \sin^3(c + dx) + 96(A + B) \sin(c + dx) + 24(A + B) \sin(2(c + dx)) + 48Ac + 48Adx + 3B \sin(4(c + dx))) + 32(A + B) \sin^3(c + dx)}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + a\*cos[c + d\*x])\*(A + B\*cos[c + d\*x]), x]

[Out] (a\*(48\*A\*c + 36\*B\*c + 48\*A\*d\*x + 36\*B\*d\*x + 96\*(A + B)\*Sin[c + d\*x] - 32\*(A + B)\*Sin[c + d\*x]^3 + 24\*(A + B)\*Sin[2\*(c + d\*x)] + 3\*B\*Ssin[4\*(c + d\*x)])/(96\*d)

**Maple [A]** time = 0.052, size = 107, normalized size = 1.1

$$\frac{1}{d} \left( aB \left( \frac{\sin(dx + c)}{4} \left( (\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{aA(2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + \frac{aB(2 + (\cos(dx + c))^2) \sin(dx + c)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+cos(d\*x+c)\*a)\*(A+B\*cos(d\*x+c)), x)

[Out] 1/d\*(a\*B\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+1/3\*a\*A\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+1/3\*a\*B\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+a\*A\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c))

**Maxima [A]** time = 1.00651, size = 136, normalized size = 1.4

$$\frac{32(\sin(dx + c)^3 - 3 \sin(dx + c))Aa - 24(2dx + 2c + \sin(2dx + 2c))Aa + 32(\sin(dx + c)^3 - 3 \sin(dx + c))Ba - 32(\sin(dx + c)^3 - 3 \sin(dx + c))Ba}{96d}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 
$$-1/96*(32*(\sin(dx + c)^3 - 3*\sin(dx + c))*A*a - 24*(2*dx + 2*c + \sin(2*dx + 2*c))*A*a + 32*(\sin(dx + c)^3 - 3*\sin(dx + c))*B*a - 3*(12*dx + 12*c + \sin(4*dx + 4*c) + 8*\sin(2*dx + 2*c))*B*a)/d$$

**Fricas [A]** time = 1.43322, size = 193, normalized size = 1.99

$$\frac{3(4A + 3B)adx + (6Ba \cos(dx + c)^3 + 8(A + B)a \cos(dx + c)^2 + 3(4A + 3B)a \cos(dx + c) + 16(A + B)a) \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 
$$1/24*(3*(4A + 3B)*a*dx + (6*B*a*\cos(dx + c)^3 + 8*(A + B)*a*\cos(dx + c)^2 + 3*(4A + 3B)*a*\cos(dx + c) + 16*(A + B)*a)*\sin(dx + c)/d$$

**Sympy [A]** time = 1.80525, size = 252, normalized size = 2.6

$$\left\{ \begin{array}{l} \frac{Aax \sin^2(c+dx)}{2} + \frac{Aax \cos^2(c+dx)}{2} + \frac{2Aa \sin^3(c+dx)}{3d} + \frac{Aa \sin(c+dx) \cos^2(c+dx)}{d} + \frac{Aa \sin(c+dx) \cos(c+dx)}{2d} + \frac{3Bax \sin^4(c+dx)}{8} + \frac{3Bax \sin^2(c+dx)}{8} \\ x(A + B \cos(c))(a \cos(c) + a) \cos^2(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x)

[Out] 
$$\text{Piecewise}((A*a*x*\sin(c + d*x)**2/2 + A*a*x*\cos(c + d*x)**2/2 + 2*A*a*\sin(c + d*x)**3/(3*d) + A*a*\sin(c + d*x)*\cos(c + d*x)**2/d + A*a*\sin(c + d*x)*\cos(c + d*x)/(2*d) + 3*B*a*x*\sin(c + d*x)**4/8 + 3*B*a*x*\sin(c + d*x)**2*\cos(c + d*x)**2/4 + 3*B*a*x*\cos(c + d*x)**4/8 + 3*B*a*\sin(c + d*x)**3*\cos(c + d*x)/(8*d) + 2*B*a*\sin(c + d*x)**3/(3*d) + 5*B*a*\sin(c + d*x)*\cos(c + d*x)**3/(8*d) + B*a*\sin(c + d*x)*\cos(c + d*x)**2/d, \text{Ne}(d, 0)), (x*(A + B*\cos(c))*(a*\cos(c) + a)*\cos(c)**2, \text{True}))$$

**Giac [A]** time = 1.14739, size = 120, normalized size = 1.24

$$\frac{1}{8}(4Aa + 3Ba)x + \frac{Ba \sin(4dx + 4c)}{32d} + \frac{(Aa + Ba) \sin(3dx + 3c)}{12d} + \frac{(Aa + Ba) \sin(2dx + 2c)}{4d} + \frac{3(Aa + Ba) \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] 
$$1/8*(4A*a + 3B*a)*x + 1/32*B*a*\sin(4*d*x + 4*c)/d + 1/12*(A*a + B*a)*\sin(3*d*x + 3*c)/d + 1/4*(A*a + B*a)*\sin(2*d*x + 2*c)/d + 3/4*(A*a + B*a)*\sin(dx + c)/d$$

### 3.3 $\int \cos(c+dx)(a+a \cos(c+dx))(A+B \cos(c+dx)) dx$

**Optimal.** Leaf size=77

$$\frac{a(3A+2B)\sin(c+dx)}{3d} + \frac{a(A+B)\sin(c+dx)\cos(c+dx)}{2d} + \frac{1}{2}ax(A+B) + \frac{aB\sin(c+dx)\cos^2(c+dx)}{3d}$$

[Out] (a\*(A + B)\*x)/2 + (a\*(3\*A + 2\*B)\*Sin[c + d\*x])/(3\*d) + (a\*(A + B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d) + (a\*B\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.0783281, antiderivative size = 77, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {2968, 3023, 2734}

$$\frac{a(3A+2B)\sin(c+dx)}{3d} + \frac{a(A+B)\sin(c+dx)\cos(c+dx)}{2d} + \frac{1}{2}ax(A+B) + \frac{aB\sin(c+dx)\cos^2(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]),x]

[Out] (a\*(A + B)\*x)/2 + (a\*(3\*A + 2\*B)\*Sin[c + d\*x])/(3\*d) + (a\*(A + B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d) + (a\*B\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(3\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Int[(a + b\*SIN[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*SIN[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*SIN[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2734

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rubi steps

$$\begin{aligned} \int \cos(c+dx)(a+a \cos(c+dx))(A+B \cos(c+dx)) dx &= \int \cos(c+dx) (aA + (aA + aB) \cos(c+dx) + aB \cos^2(c+dx)) dx \\ &= \frac{aB \cos^2(c+dx) \sin(c+dx)}{3d} + \frac{1}{3} \int \cos(c+dx)(a(3A+2B) + \\ &= \frac{1}{2}a(A+B)x + \frac{a(3A+2B)\sin(c+dx)}{3d} + \frac{a(A+B)\cos(c+dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.166033, size = 65, normalized size = 0.84

$$\frac{a(3(4A + 3B)\sin(c + dx) + 3(A + B)\sin(2(c + dx)) + 6Ac + 6Adx + B\sin(3(c + dx)) + 6Bc + 6Bdx)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(a + a\*cos[c + d\*x])\*(A + B\*cos[c + d\*x]),x]

[Out] (a\*(6\*A\*c + 6\*B\*c + 6\*A\*d\*x + 6\*B\*d\*x + 3\*(4\*A + 3\*B)\*Sin[c + d\*x] + 3\*(A + B)\*Sin[2\*(c + d\*x)] + B\*Ssin[3\*(c + d\*x)]))/(12\*d)

**Maple [A]** time = 0.053, size = 85, normalized size = 1.1

$$\frac{1}{d} \left( \frac{aB(2 + (\cos(dx + c))^2)\sin(dx + c)}{3} + aA \left( \frac{\cos(dx + c)\sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + aB \left( \frac{\cos(dx + c)\sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+cos(d\*x+c)\*a)\*(A+B\*cos(d\*x+c)),x)

[Out] 1/d\*(1/3\*a\*B\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+a\*A\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+a\*B\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+a\*A\*sin(d\*x+c))

**Maxima [A]** time = 0.984232, size = 107, normalized size = 1.39

$$\frac{3(2dx + 2c + \sin(2dx + 2c))Aa - 4(\sin(dx + c)^3 - 3\sin(dx + c))Ba + 3(2dx + 2c + \sin(2dx + 2c))Ba + 12Aas}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/12\*(3\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*A\*a - 4\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*B\*a + 3\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*B\*a + 12\*A\*a\*sin(d\*x + c))/d

**Fricas [A]** time = 1.37541, size = 146, normalized size = 1.9

$$\frac{3(A + B)adx + (2Ba\cos(dx + c)^2 + 3(A + B)a\cos(dx + c) + 2(3A + 2B)a)\sin(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/6\*(3\*(A + B)\*a\*d\*x + (2\*B\*a\*cos(d\*x + c)^2 + 3\*(A + B)\*a\*cos(d\*x + c) + 2\*(3\*A + 2\*B)\*a)\*sin(d\*x + c))/d

---

**Sympy [A]** time = 0.928453, size = 168, normalized size = 2.18

$$\left\{ \begin{array}{l} \frac{Aax \sin^2(c+dx)}{2} + \frac{Aax \cos^2(c+dx)}{2} + \frac{Aa \sin(c+dx) \cos(c+dx)}{2d} + \frac{Aa \sin(c+dx)}{d} + \frac{Bax \sin^2(c+dx)}{2} + \frac{Bax \cos^2(c+dx)}{2} + \frac{2Ba \sin^3(c+dx)}{3d} + \frac{Ba \sin(c+dx)}{d} \\ x(A + B \cos(c))(a \cos(c) + a) \cos(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x)

[Out] Piecewise((A\*a\*x\*sin(c + d\*x)\*\*2/2 + A\*a\*x\*cos(c + d\*x)\*\*2/2 + A\*a\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + A\*a\*sin(c + d\*x)/d + B\*a\*x\*sin(c + d\*x)\*\*2/2 + B\*a\*x\*cos(c + d\*x)\*\*2/2 + 2\*B\*a\*sin(c + d\*x)\*\*3/(3\*d) + B\*a\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + B\*a\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d), Ne(d, 0)), (x\*(A + B\*cos(c))\*(a\*cos(c) + a)\*cos(c), True))

---

**Giac [A]** time = 1.10459, size = 92, normalized size = 1.19

$$\frac{1}{2}(Aa + Ba)x + \frac{Ba \sin(3dx + 3c)}{12d} + \frac{(Aa + Ba) \sin(2dx + 2c)}{4d} + \frac{(4Aa + 3Ba) \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/2\*(A\*a + B\*a)\*x + 1/12\*B\*a\*sin(3\*d\*x + 3\*c)/d + 1/4\*(A\*a + B\*a)\*sin(2\*d\*x + 2\*c)/d + 1/4\*(4\*A\*a + 3\*B\*a)\*sin(d\*x + c)/d

### 3.4 $\int (a + a \cos(c + dx))(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=47

$$\frac{a(A + B) \sin(c + dx)}{d} + \frac{1}{2}ax(2A + B) + \frac{aB \sin(c + dx) \cos(c + dx)}{2d}$$

[Out] (a\*(2\*A + B)\*x)/2 + (a\*(A + B)\*Sin[c + d\*x])/d + (a\*B\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d)

**Rubi [A]** time = 0.020611, antiderivative size = 47, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {2734}

$$\frac{a(A + B) \sin(c + dx)}{d} + \frac{1}{2}ax(2A + B) + \frac{aB \sin(c + dx) \cos(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]),x]

[Out] (a\*(2\*A + B)\*x)/2 + (a\*(A + B)\*Sin[c + d\*x])/d + (a\*B\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d)

#### Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[(b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rubi steps

$$\int (a + a \cos(c + dx))(A + B \cos(c + dx)) dx = \frac{1}{2}a(2A + B)x + \frac{a(A + B) \sin(c + dx)}{d} + \frac{aB \cos(c + dx) \sin(c + dx)}{2d}$$

**Mathematica [A]** time = 0.0979611, size = 44, normalized size = 0.94

$$\frac{a(4(A + B) \sin(c + dx) + 4A dx + B \sin(2(c + dx)) + 2Bc + 2B dx)}{4d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]),x]

[Out] (a\*(2\*B\*c + 4\*A\*d\*x + 2\*B\*d\*x + 4\*(A + B)\*Sin[c + d\*x] + B\*Sin[2\*(c + d\*x)])/(4\*d)

**Maple [A]** time = 0.046, size = 57, normalized size = 1.2

$$\frac{1}{d} \left( aB \left( \frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + aA \sin(dx + c) + aB \sin(dx + c) + aA(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+cos(d*x+c)*a)*(A+B*cos(d*x+c)),x)`

[Out]  $1/d*(a*B*(1/2*\cos(d*x+c)*\sin(d*x+c)+1/2*d*x+1/2*c)+a*A*\sin(d*x+c)+a*B*\sin(d*x+c)+a*A*(d*x+c))$

**Maxima [A]** time = 0.986873, size = 74, normalized size = 1.57

$$\frac{4(dx+c)Aa + (2dx+2c+\sin(2dx+2c))Ba + 4Aa\sin(dx+c) + 4Ba\sin(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out]  $1/4*(4*(d*x+c)*A*a + (2*d*x+2*c+\sin(2*d*x+2*c))*B*a + 4*A*a*\sin(d*x+c) + 4*B*a*\sin(d*x+c))/d$

**Fricas [A]** time = 1.33308, size = 99, normalized size = 2.11

$$\frac{(2A+B)adx + (Ba\cos(dx+c) + 2(A+B)a)\sin(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="fricas")`

[Out]  $1/2*((2*A+B)*a*d*x + (B*a*\cos(d*x+c) + 2*(A+B)*a)*\sin(d*x+c))/d$

**Sympy [A]** time = 0.411819, size = 94, normalized size = 2.

$$\begin{cases} Aax + \frac{Aa\sin(c+dx)}{d} + \frac{Bax\sin^2(c+dx)}{2} + \frac{Bax\cos^2(c+dx)}{2} + \frac{Ba\sin(c+dx)\cos(c+dx)}{2d} + \frac{Ba\sin(c+dx)}{d} & \text{for } d \neq 0 \\ x(A+B\cos(c))(a\cos(c)+a) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x)`

[Out] `Piecewise((A*a*x + A*a*sin(c + d*x)/d + B*a*x*sin(c + d*x)**2/2 + B*a*x*cos(c + d*x)**2/2 + B*a*sin(c + d*x)*cos(c + d*x)/(2*d) + B*a*sin(c + d*x)/d, Ne(d, 0)), (x*(A + B*cos(c))*(a*cos(c) + a), True))`

**Giac [A]** time = 1.16775, size = 61, normalized size = 1.3

$$\frac{1}{2}(2Aa + Ba)x + \frac{Ba\sin(2dx+2c)}{4d} + \frac{(Aa + Ba)\sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/2*(2*A*a + B*a)*x + 1/4*B*a*sin(2*d*x + 2*c)/d + (A*a + B*a)*sin(d*x + c)
/d
```

### 3.5 $\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec(c + dx) dx$

**Optimal.** Leaf size=32

$$ax(A + B) + \frac{aA \tanh^{-1}(\sin(c + dx))}{d} + \frac{aB \sin(c + dx)}{d}$$

[Out] a\*(A + B)\*x + (a\*A\*ArcTanh[Sin[c + d\*x]])/d + (a\*B\*Sin[c + d\*x])/d

**Rubi [A]** time = 0.0913122, antiderivative size = 32, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {2968, 3023, 2735, 3770}

$$ax(A + B) + \frac{aA \tanh^{-1}(\sin(c + dx))}{d} + \frac{aB \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x], x]

[Out] a\*(A + B)\*x + (a\*A\*ArcTanh[Sin[c + d\*x]])/d + (a\*B\*Sin[c + d\*x])/d

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps



$$\begin{aligned}
\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec(c + dx) dx &= \int (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)) \sec(c + dx) dx \\
&= \frac{aB \sin(c + dx)}{d} + \int (aA + a(A + B) \cos(c + dx)) \sec(c + dx) dx \\
&= a(A + B)x + \frac{aB \sin(c + dx)}{d} + (aA) \int \sec(c + dx) dx \\
&= a(A + B)x + \frac{aA \tanh^{-1}(\sin(c + dx))}{d} + \frac{aB \sin(c + dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.0241613, size = 46, normalized size = 1.44

$$\frac{aA \tanh^{-1}(\sin(c + dx))}{d} + aAx + \frac{aB \sin(c) \cos(dx)}{d} + \frac{aB \cos(c) \sin(dx)}{d} + aBx$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x], x]

[Out] a\*A\*x + a\*B\*x + (a\*A\*ArcTanh[Sin[c + d\*x]])/d + (a\*B\*Cos[d\*x]\*Sin[c])/d + (a\*B\*Cos[c]\*Sin[d\*x])/d

**Maple [A]** time = 0.076, size = 56, normalized size = 1.8

$$aAx + aBx + \frac{aA \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Aac}{d} + \frac{aB \sin(dx + c)}{d} + \frac{Bac}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x)

[Out] a\*A\*x+a\*B\*x+1/d\*a\*A\*ln(sec(d\*x+c)+tan(d\*x+c))+1/d\*A\*a\*c+a\*B\*sin(d\*x+c)/d+1/d\*B\*a\*c

**Maxima [A]** time = 0.989942, size = 63, normalized size = 1.97

$$\frac{(dx + c)Aa + (dx + c)Ba + Aa \log(\sec(dx + c) + \tan(dx + c)) + Ba \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x, algorithm="maxima")

[Out] ((d\*x + c)\*A\*a + (d\*x + c)\*B\*a + A\*a\*log(sec(d\*x + c) + tan(d\*x + c)) + B\*a\*sin(d\*x + c))/d

**Fricas [A]** time = 1.45065, size = 139, normalized size = 4.34

$$\frac{2(A + B)adx + Aa \log(\sin(dx + c) + 1) - Aa \log(-\sin(dx + c) + 1) + 2Ba \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="fricas")
```

```
[Out] 1/2*(2*(A + B)*a*d*x + A*a*log(sin(d*x + c) + 1) - A*a*log(-sin(d*x + c) + 1) + 2*B*a*sin(d*x + c))/d
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$a \left( \int A \sec(c + dx) dx + \int A \cos(c + dx) \sec(c + dx) dx + \int B \cos(c + dx) \sec(c + dx) dx + \int B \cos^2(c + dx) \sec(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c),x)
```

```
[Out] a*(Integral(A*sec(c + d*x), x) + Integral(A*cos(c + d*x)*sec(c + d*x), x) + Integral(B*cos(c + d*x)*sec(c + d*x), x) + Integral(B*cos(c + d*x)**2*sec(c + d*x), x))
```

**Giac [B]** time = 1.23301, size = 107, normalized size = 3.34

$$\frac{Aa \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - Aa \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) + (Aa + Ba)(dx + c) + \frac{2Ba \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)}{\tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^2 + 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="giac")
```

```
[Out] (A*a*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - A*a*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + (A*a + B*a)*(d*x + c) + 2*B*a*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1))/d
```

### 3.6 $\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^2(c + dx) dx$

**Optimal.** Leaf size=32

$$\frac{a(A + B) \tanh^{-1}(\sin(c + dx))}{d} + \frac{aA \tan(c + dx)}{d} + aBx$$

[Out] a\*B\*x + (a\*(A + B)\*ArcTanh[Sin[c + d\*x]])/d + (a\*A\*Tan[c + d\*x])/d

**Rubi [A]** time = 0.103491, antiderivative size = 32, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$ , Rules used = {2968, 3021, 2735, 3770}

$$\frac{a(A + B) \tanh^{-1}(\sin(c + dx))}{d} + \frac{aA \tan(c + dx)}{d} + aBx$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] a\*B\*x + (a\*(A + B)\*ArcTanh[Sin[c + d\*x]])/d + (a\*A\*Tan[c + d\*x])/d

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C)\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^2(c + dx) dx &= \int (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)) \sec^2(c + dx) dx \\
&= \frac{aA \tan(c + dx)}{d} + \int (a(A + B) + aB \cos(c + dx)) \sec(c + dx) dx \\
&= aBx + \frac{aA \tan(c + dx)}{d} + (a(A + B)) \int \sec(c + dx) dx \\
&= aBx + \frac{a(A + B) \tanh^{-1}(\sin(c + dx))}{d} + \frac{aA \tan(c + dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.0190776, size = 43, normalized size = 1.34

$$\frac{aA \tan(c + dx)}{d} + \frac{aA \tanh^{-1}(\sin(c + dx))}{d} + \frac{aB \tanh^{-1}(\sin(c + dx))}{d} + aBx$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] a\*B\*x + (a\*A\*ArcTanh[Sin[c + d\*x]])/d + (a\*B\*ArcTanh[Sin[c + d\*x]])/d + (a\*A\*Tan[c + d\*x])/d

**Maple [A]** time = 0.092, size = 65, normalized size = 2.

$$aBx + \frac{aA \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{aA \tan(dx + c)}{d} + \frac{aB \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Bac}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x)

[Out] a\*B\*x+1/d\*a\*A\*ln(sec(d\*x+c)+tan(d\*x+c))+a\*A\*tan(d\*x+c)/d+1/d\*a\*B\*ln(sec(d\*x+c)+tan(d\*x+c))+1/d\*B\*a\*c

**Maxima [B]** time = 1.03773, size = 99, normalized size = 3.09

$$\frac{2(dx + c)Ba + Aa(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + Ba(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 2Aa \tan(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] 1/2\*(2\*(d\*x + c)\*B\*a + A\*a\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + B\*a\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 2\*A\*a\*tan(d\*x + c))/d

**Fricas [B]** time = 1.47257, size = 220, normalized size = 6.88

$$\frac{2Badx \cos(dx + c) + (A + B)a \cos(dx + c) \log(\sin(dx + c) + 1) - (A + B)a \cos(dx + c) \log(-\sin(dx + c) + 1) + 2Aa \tan(dx + c)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="fricas")
```

```
[Out] 1/2*(2*B*a*d*x*cos(d*x + c) + (A + B)*a*cos(d*x + c)*log(sin(d*x + c) + 1) - (A + B)*a*cos(d*x + c)*log(-sin(d*x + c) + 1) + 2*A*a*sin(d*x + c))/(d*cos(d*x + c))
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$a \left( \int A \sec^2(c + dx) dx + \int A \cos(c + dx) \sec^2(c + dx) dx + \int B \cos(c + dx) \sec^2(c + dx) dx + \int B \cos^2(c + dx) \sec^2(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)
```

```
[Out] a*(Integral(A*sec(c + d*x)**2, x) + Integral(A*cos(c + d*x)*sec(c + d*x)**2, x) + Integral(B*cos(c + d*x)*sec(c + d*x)**2, x) + Integral(B*cos(c + d*x)**2*sec(c + d*x)**2, x))
```

**Giac [B]** time = 1.21314, size = 113, normalized size = 3.53

$$\frac{(dx + c)Ba + (Aa + Ba) \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - (Aa + Ba) \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2Aa \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)}{\tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^2 - 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="giac")
```

```
[Out] ((d*x + c)*B*a + (A*a + B*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (A*a + B*a)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*A*a*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 - 1))/d
```

### 3.7 $\int (a+a \cos(c+dx))(A+B \cos(c+dx)) \sec^3(c+dx) dx$

**Optimal.** Leaf size=56

$$\frac{a(A+B)\tan(c+dx)}{d} + \frac{a(A+2B)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{aA\tan(c+dx)\sec(c+dx)}{2d}$$

[Out] (a\*(A + 2\*B)\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (a\*(A + B)\*Tan[c + d\*x])/d + (a\*A\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

**Rubi [A]** time = 0.136926, antiderivative size = 56, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {2968, 3021, 2748, 3767, 8, 3770}

$$\frac{a(A+B)\tan(c+dx)}{d} + \frac{a(A+2B)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{aA\tan(c+dx)\sec(c+dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] (a\*(A + 2\*B)\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (a\*(A + B)\*Tan[c + d\*x])/d + (a\*A\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

**Rule 3770**

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

**Rubi steps**

$$\begin{aligned} \int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^3(c + dx) dx &= \int (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)) \sec^3(c + dx) dx \\ &= \frac{aA \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int (2a(A + B) + a(A + 2B) \cos^2(c + dx)) \sec^2(c + dx) dx \\ &= \frac{aA \sec(c + dx) \tan(c + dx)}{2d} + (a(A + B)) \int \sec^2(c + dx) dx \\ &= \frac{a(A + 2B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aA \sec(c + dx) \tan(c + dx)}{2d} \\ &= \frac{a(A + 2B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a(A + B) \tan(c + dx)}{d} + \end{aligned}$$

**Mathematica [A]** time = 0.0267637, size = 75, normalized size = 1.34

$$\frac{aA \tan(c + dx)}{d} + \frac{aA \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aA \tan(c + dx) \sec(c + dx)}{2d} + \frac{aB \tan(c + dx)}{d} + \frac{aB \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] (a\*A\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (a\*B\*ArcTanh[Sin[c + d\*x]])/d + (a\*A\*Tan[c + d\*x])/d + (a\*B\*Tan[c + d\*x])/d + (a\*A\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

**Maple [A]** time = 0.093, size = 86, normalized size = 1.5

$$\frac{aA \tan(dx + c)}{d} + \frac{aB \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{aA \sec(dx + c) \tan(dx + c)}{2d} + \frac{aA \ln(\sec(dx + c) + \tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x)

[Out] a\*A\*tan(d\*x+c)/d+1/d\*a\*B\*ln(sec(d\*x+c)+tan(d\*x+c))+1/2\*a\*A\*sec(d\*x+c)\*tan(d\*x+c)/d+1/2/d\*a\*A\*ln(sec(d\*x+c)+tan(d\*x+c))+1/d\*a\*B\*tan(d\*x+c)

**Maxima [A]** time = 0.990203, size = 128, normalized size = 2.29

$$\frac{Aa \left( \frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1) \right) - 2Ba(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out]  $-1/4*(A*a*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) - 2*B*a*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) - 4*A*a*\tan(d*x + c) - 4*B*a*\tan(d*x + c))/d$

**Fricas [A]** time = 1.40884, size = 239, normalized size = 4.27

$$\frac{(A + 2B)a \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (A + 2B)a \cos(dx + c)^2 \log(-\sin(dx + c) + 1) + 2(2(A + B)a \cos(dx + c) + Aa) \sin(dx + c)}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="fricas")`

[Out]  $1/4*((A + 2*B)*a*\cos(d*x + c)^2*\log(\sin(d*x + c) + 1) - (A + 2*B)*a*\cos(d*x + c)^2*\log(-\sin(d*x + c) + 1) + 2*(2*(A + B)*a*\cos(d*x + c) + A*a)*\sin(d*x + c))/(d*\cos(d*x + c)^2)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)`

[Out] Timed out

**Giac [B]** time = 1.24106, size = 167, normalized size = 2.98

$$\frac{(Aa + 2Ba) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (Aa + 2Ba) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 2Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^{-3}}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^{-3}}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="giac")`

[Out]  $1/2*((A*a + 2*B*a)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - (A*a + 2*B*a)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))) - 2*(A*a*\tan(1/2*d*x + 1/2*c)^3 + 2*B*a*\tan(1/2*d*x + 1/2*c)^3 - 3*A*a*\tan(1/2*d*x + 1/2*c) - 2*B*a*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^2/d$



### 3.8 $\int (a+a \cos(c+dx))(A+B \cos(c+dx)) \sec^4(c+dx) dx$

**Optimal.** Leaf size=86

$$\frac{a(2A+3B)\tan(c+dx)}{3d} + \frac{a(A+B)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{a(A+B)\tan(c+dx)\sec(c+dx)}{2d} + \frac{aA\tan(c+dx)\sec^2(c+dx)}{3d}$$

[Out] (a\*(A + B)\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (a\*(2\*A + 3\*B)\*Tan[c + d\*x])/(3\*d) + (a\*(A + B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d) + (a\*A\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.153655, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$ , Rules used = {2968, 3021, 2748, 3768, 3770, 3767, 8}

$$\frac{a(2A+3B)\tan(c+dx)}{3d} + \frac{a(A+B)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{a(A+B)\tan(c+dx)\sec(c+dx)}{2d} + \frac{aA\tan(c+dx)\sec^2(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out] (a\*(A + B)\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (a\*(2\*A + 3\*B)\*Tan[c + d\*x])/(3\*d) + (a\*(A + B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d) + (a\*A\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)])\*(b\_.)^(n\_.), x\_Symbol] := -Simp[(b\*Cos[c + d\*x])\*(b\*Csc[c + d\*x])^(n - 1)/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3770

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

### Rule 3767

`Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

### Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^4(c + dx) dx &= \int (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)) \sec^4(c + dx) dx \\ &= \frac{aA \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int (3a(A + B) + a(2A + 3B) \cos^2(c + dx)) \sec^3(c + dx) dx \\ &= \frac{aA \sec^2(c + dx) \tan(c + dx)}{3d} + (a(A + B)) \int \sec^3(c + dx) dx \\ &= \frac{a(A + B) \sec(c + dx) \tan(c + dx)}{2d} + \frac{aA \sec^2(c + dx) \tan(c + dx)}{3d} \\ &= \frac{a(A + B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a(2A + 3B) \tan(c + dx)}{3d} + \frac{aA \sec^2(c + dx) \tan(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.303337, size = 56, normalized size = 0.65

$$\frac{a(3(A + B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx)(3(A + B) \sec(c + dx) + 6(A + B) + 2A \tan^2(c + dx)))}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out] (a\*(3\*(A + B)\*ArcTanh[Sin[c + d\*x]] + Tan[c + d\*x]\*(6\*(A + B) + 3\*(A + B)\*Sec[c + d\*x] + 2\*A\*Tan[c + d\*x]^2)))/(6\*d)

**Maple [A]** time = 0.101, size = 128, normalized size = 1.5

$$\frac{aA \sec(dx + c) \tan(dx + c)}{2d} + \frac{aA \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{aB \tan(dx + c)}{d} + \frac{2aA \tan(dx + c)}{3d} + \frac{aA (\sec(dx + c) + \tan(dx + c))^2}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x)

[Out] 1/2\*a\*A\*sec(d\*x+c)\*tan(d\*x+c)/d+1/2/d\*a\*A\*ln(sec(d\*x+c)+tan(d\*x+c))+1/d\*a\*B\*tan(d\*x+c)+2/3\*a\*A\*tan(d\*x+c)/d+1/3\*a\*A\*sec(d\*x+c)^2\*tan(d\*x+c)/d+1/2/d\*a\*B\*sec(d\*x+c)\*tan(d\*x+c)+1/2/d\*a\*B\*ln(sec(d\*x+c)+tan(d\*x+c))

**Maxima [A]** time = 1.02869, size = 171, normalized size = 1.99

$$\frac{4 \left( \tan(dx+c)^3 + 3 \tan(dx+c) \right) Aa - 3 Aa \left( \frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right) - 3 Ba \left( \frac{2 \sin(dx+c)}{\sin(dx+c)^2 - 1} - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1) \right)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out] 1/12\*(4\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*A\*a - 3\*A\*a\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) - 3\*B\*a\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) + 12\*B\*a\*tan(d\*x + c))/d

**Fricas [A]** time = 1.42323, size = 288, normalized size = 3.35

$$\frac{3(A+B)a \cos(dx+c)^3 \log(\sin(dx+c) + 1) - 3(A+B)a \cos(dx+c)^3 \log(-\sin(dx+c) + 1) + 2(2A+3B)a \cos(dx+c)^2 \log(\sin(dx+c) + 1) - 2(2A+3B)a \cos(dx+c)^2 \log(-\sin(dx+c) + 1) + 2(2A+3B)a \cos(dx+c) \log(\sin(dx+c) + 1) - 2(2A+3B)a \cos(dx+c) \log(-\sin(dx+c) + 1) + 2(2A+3B)a \log(\sin(dx+c) + 1) - 2(2A+3B)a \log(-\sin(dx+c) + 1)}{12d \cos(dx+c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="fricas")

[Out] 1/12\*(3\*(A + B)\*a\*cos(d\*x + c)^3\*log(sin(d\*x + c) + 1) - 3\*(A + B)\*a\*cos(d\*x + c)^3\*log(-sin(d\*x + c) + 1) + 2\*(2\*(2\*A + 3\*B)\*a\*cos(d\*x + c)^2 + 3\*(A + B)\*a\*cos(d\*x + c) + 2\*A\*a)\*sin(d\*x + c)/(d\*cos(d\*x + c)^3)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*4,x)

[Out] Timed out

**Giac [A]** time = 1.25015, size = 208, normalized size = 2.42

$$\frac{3(Aa + Ba) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(Aa + Ba) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(3Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 3Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{6d}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="giac")

```
[Out] 1/6*(3*(A*a + B*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(A*a + B*a)*log(a
bs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(3*A*a*tan(1/2*d*x + 1/2*c)^5 + 3*B*a*tan
(1/2*d*x + 1/2*c)^5 - 4*A*a*tan(1/2*d*x + 1/2*c)^3 - 12*B*a*tan(1/2*d*x + 1
/2*c)^3 + 9*A*a*tan(1/2*d*x + 1/2*c) + 9*B*a*tan(1/2*d*x + 1/2*c))/(tan(1/2
*d*x + 1/2*c)^2 - 1)^3)/d
```

### 3.9 $\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^5(c + dx) dx$

**Optimal.** Leaf size=106

$$\frac{a(A + B) \tan^3(c + dx)}{3d} + \frac{a(A + B) \tan(c + dx)}{d} + \frac{a(3A + 4B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(3A + 4B) \tan(c + dx) \sec(c + dx)}{8d}$$

```
[Out] (a*(3*A + 4*B)*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(A + B)*Tan[c + d*x])/d +
(a*(3*A + 4*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*A*Sec[c + d*x]^3*Tan[c
+ d*x])/(4*d) + (a*(A + B)*Tan[c + d*x]^3)/(3*d)
```

**Rubi [A]** time = 0.164655, antiderivative size = 106, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {2968, 3021, 2748, 3767, 3768, 3770}

$$\frac{a(A + B) \tan^3(c + dx)}{3d} + \frac{a(A + B) \tan(c + dx)}{d} + \frac{a(3A + 4B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(3A + 4B) \tan(c + dx) \sec(c + dx)}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^5,x]
```

```
[Out] (a*(3*A + 4*B)*ArcTanh[Sin[c + d*x]])/(8*d) + (a*(A + B)*Tan[c + d*x])/d +
(a*(3*A + 4*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*A*Sec[c + d*x]^3*Tan[c
+ d*x])/(4*d) + (a*(A + B)*Tan[c + d*x]^3)/(3*d)
```

#### Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

#### Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

#### Rule 3767

```
Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]
```

#### Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^5(c + dx) dx &= \int (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)) \sec^5(c + dx) dx \\ &= \frac{aA \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int (4a(A + B) + a(3A + 4B)) \sec^4(c + dx) dx \\ &= \frac{aA \sec^3(c + dx) \tan(c + dx)}{4d} + (a(A + B)) \int \sec^4(c + dx) dx \\ &= \frac{a(3A + 4B) \sec(c + dx) \tan(c + dx)}{8d} + \frac{aA \sec^3(c + dx) \tan(c + dx)}{4d} \\ &= \frac{a(3A + 4B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(A + B) \tan(c + dx)}{d} + \frac{aA \sec^3(c + dx) \tan(c + dx)}{4d} \end{aligned}$$

**Mathematica [A]** time = 0.363648, size = 77, normalized size = 0.73

$$\frac{a(3(3A + 4B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \sec(c + dx) (8(A + B)(\cos(2(c + dx)) + 2) \sec(c + dx) + 6A \sec^2(c + dx)))}{24d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^5, x]
```

```
[Out] (a*(3*(3*A + 4*B)*ArcTanh[Sin[c + d*x]] + Sec[c + d*x]*(9*A + 12*B + 8*(A +
B)*(2 + Cos[2*(c + d*x)])*Sec[c + d*x] + 6*A*Sec[c + d*x]^2)*Tan[c + d*x])
)/(24*d)
```

**Maple [A]** time = 0.151, size = 171, normalized size = 1.6

$$\frac{2aA \tan(dx + c)}{3d} + \frac{aA (\sec(dx + c))^2 \tan(dx + c)}{3d} + \frac{aB \sec(dx + c) \tan(dx + c)}{2d} + \frac{aB \ln(\sec(dx + c) + \tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)*(A+B*cos(d*x+c))*sec(d*x+c)^5, x)
```

```
[Out] 2/3*a*A*tan(d*x+c)/d+1/3*a*A*sec(d*x+c)^2*tan(d*x+c)/d+1/2/d*a*B*sec(d*x+c)
*tan(d*x+c)+1/2/d*a*B*ln(sec(d*x+c)+tan(d*x+c))+1/4*a*A*sec(d*x+c)^3*tan(d*
x+c)/d+3/8*a*A*sec(d*x+c)*tan(d*x+c)/d+3/8/d*a*A*ln(sec(d*x+c)+tan(d*x+c))+
2/3/d*a*B*tan(d*x+c)+1/3/d*a*B*tan(d*x+c)*sec(d*x+c)^2
```

**Maxima [A]** time = 0.982084, size = 220, normalized size = 2.08

$$\frac{16 \left( \tan(dx+c)^3 + 3 \tan(dx+c) \right) Aa + 16 \left( \tan(dx+c)^3 + 3 \tan(dx+c) \right) Ba - 3 Aa \left( \frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log \right)}{48 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="maxima")

[Out] 1/48\*(16\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*A\*a + 16\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*B\*a - 3\*A\*a\*(2\*(3\*sin(d\*x + c)^3 - 5\*sin(d\*x + c))/(sin(d\*x + c)^4 - 2\*sin(d\*x + c)^2 + 1) - 3\*log(sin(d\*x + c) + 1) + 3\*log(sin(d\*x + c) - 1)) - 12\*B\*a\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)))/d

**Fricas [A]** time = 1.40998, size = 339, normalized size = 3.2

$$\frac{3(3A + 4B)a \cos(dx+c)^4 \log(\sin(dx+c) + 1) - 3(3A + 4B)a \cos(dx+c)^4 \log(-\sin(dx+c) + 1) + 2(16(A+B)a \cos(dx+c)^3 + 3(3A + 4B)a \cos(dx+c)^2 + 8(A+B)a \cos(dx+c) + 6Aa) \sin(dx+c)}{48 d \cos(dx+c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="fricas")

[Out] 1/48\*(3\*(3\*A + 4\*B)\*a\*cos(d\*x + c)^4\*log(sin(d\*x + c) + 1) - 3\*(3\*A + 4\*B)\*a\*cos(d\*x + c)^4\*log(-sin(d\*x + c) + 1) + 2\*(16\*(A + B)\*a\*cos(d\*x + c)^3 + 3\*(3\*A + 4\*B)\*a\*cos(d\*x + c)^2 + 8\*(A + B)\*a\*cos(d\*x + c) + 6\*A\*a)\*sin(d\*x + c))/(d\*cos(d\*x + c)^4)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*5,x)

[Out] Timed out

**Giac [A]** time = 1.27073, size = 254, normalized size = 2.4

$$3(3Aa + 4Ba) \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 3(3Aa + 4Ba) \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left( 9Aa \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^7 + 12Ba \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^6 + \dots \right)}{48 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="giac")
```

```
[Out] 1/24*(3*(3*A*a + 4*B*a)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(3*A*a + 4*B*a)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(9*A*a*tan(1/2*d*x + 1/2*c)^7 + 12*B*a*tan(1/2*d*x + 1/2*c)^7 - 49*A*a*tan(1/2*d*x + 1/2*c)^5 - 28*B*a*tan(1/2*d*x + 1/2*c)^5 + 31*A*a*tan(1/2*d*x + 1/2*c)^3 + 52*B*a*tan(1/2*d*x + 1/2*c)^3 - 39*A*a*tan(1/2*d*x + 1/2*c) - 36*B*a*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^4/d
```



### 3.10 $\int \cos^3(c + dx)(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=191

$$\frac{a^2(9A + 8B) \sin^3(c + dx)}{15d} + \frac{a^2(9A + 8B) \sin(c + dx)}{5d} + \frac{a^2(6A + 7B) \sin(c + dx) \cos^4(c + dx)}{30d} + \frac{a^2(12A + 11B) \sin(c + dx)}{24d}$$

[Out] (a^2\*(12\*A + 11\*B)\*x)/16 + (a^2\*(9\*A + 8\*B)\*Sin[c + d\*x])/(5\*d) + (a^2\*(12\*A + 11\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(16\*d) + (a^2\*(12\*A + 11\*B)\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(24\*d) + (a^2\*(6\*A + 7\*B)\*Cos[c + d\*x]^4\*Sin[c + d\*x])/(30\*d) + (B\*Cos[c + d\*x]^4\*(a^2 + a^2\*Cos[c + d\*x])\*Sin[c + d\*x])/(6\*d) - (a^2\*(9\*A + 8\*B)\*Sin[c + d\*x]^3)/(15\*d)

**Rubi [A]** time = 0.310445, antiderivative size = 191, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2976, 2968, 3023, 2748, 2633, 2635, 8}

$$\frac{a^2(9A + 8B) \sin^3(c + dx)}{15d} + \frac{a^2(9A + 8B) \sin(c + dx)}{5d} + \frac{a^2(6A + 7B) \sin(c + dx) \cos^4(c + dx)}{30d} + \frac{a^2(12A + 11B) \sin(c + dx)}{24d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3\*(a + a\*cos[c + d\*x])^2\*(A + B\*cos[c + d\*x]),x]

[Out] (a^2\*(12\*A + 11\*B)\*x)/16 + (a^2\*(9\*A + 8\*B)\*Sin[c + d\*x])/(5\*d) + (a^2\*(12\*A + 11\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(16\*d) + (a^2\*(12\*A + 11\*B)\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(24\*d) + (a^2\*(6\*A + 7\*B)\*Cos[c + d\*x]^4\*Sin[c + d\*x])/(30\*d) + (B\*Cos[c + d\*x]^4\*(a^2 + a^2\*Cos[c + d\*x])\*Sin[c + d\*x])/(6\*d) - (a^2\*(9\*A + 8\*B)\*Sin[c + d\*x]^3)/(15\*d)

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Int[(a + b\*Ssin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Ssin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)^2], x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Ssin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m +

2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&  
!LtQ[m, -1]

### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_))\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Dist[c, Int[(b\*SIN[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*SIN[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_.)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]^(n\_)), x\_Symbol] := -Simp[(b\*cos[c + d\*x] \* (b\*SIN[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*SIN[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx &= \frac{B \cos^4(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{6d} + \frac{1}{6} \int \cos^3(c + dx) (a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx \\ &= \frac{B \cos^4(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{6d} + \frac{1}{6} \int \cos^3(c + dx) (a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx \\ &= \frac{a^2(6A + 7B) \cos^4(c + dx) \sin(c + dx)}{30d} + \frac{B \cos^4(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{6d} \\ &= \frac{a^2(6A + 7B) \cos^4(c + dx) \sin(c + dx)}{30d} + \frac{B \cos^4(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{6d} \\ &= \frac{a^2(12A + 11B) \cos^3(c + dx) \sin(c + dx)}{24d} + \frac{a^2(6A + 7B) \cos^4(c + dx) \sin(c + dx)}{6d} \\ &= \frac{a^2(9A + 8B) \sin(c + dx)}{5d} + \frac{a^2(12A + 11B) \cos(c + dx) \sin(c + dx)}{16d} \\ &= \frac{1}{16} a^2(12A + 11B)x + \frac{a^2(9A + 8B) \sin(c + dx)}{5d} + \frac{a^2(12A + 11B) \cos(c + dx) \sin(c + dx)}{16d} \end{aligned}$$

**Mathematica [A]** time = 0.590142, size = 134, normalized size = 0.7

$$\frac{a^2(120(11A + 10B) \sin(c + dx) + 15(32A + 31B) \sin(2(c + dx)) + 180A \sin(3(c + dx)) + 60A \sin(4(c + dx)) + 12A \sin(5(c + dx)))}{16d} + \frac{a^2(9A + 8B) \sin(c + dx)}{5d} + \frac{a^2(12A + 11B) \cos(c + dx) \sin(c + dx)}{16d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3\*(a + a\*cos[c + d\*x])^2\*(A + B\*cos[c + d\*x]), x]

[Out] (a^2\*(660\*B\*c + 720\*A\*d\*x + 660\*B\*d\*x + 120\*(11\*A + 10\*B)\*Sin[c + d\*x] + 15\*(32\*A + 31\*B)\*Sin[2\*(c + d\*x)] + 180\*A\*SIN[3\*(c + d\*x)] + 200\*B\*SIN[3\*(c + d\*x)] + 120\*A\*SIN[4\*(c + d\*x)] + 120\*A\*SIN[5\*(c + d\*x)])/16d + (a^2\*(9\*A + 8\*B)\*Sin[c + d\*x])/5d + (a^2\*(12\*A + 11\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/16d

$d*x]] + 60*A*\text{Sin}[4*(c + d*x)] + 75*B*\text{Sin}[4*(c + d*x)] + 12*A*\text{Sin}[5*(c + d*x)] + 24*B*\text{Sin}[5*(c + d*x)] + 5*B*\text{Sin}[6*(c + d*x]])))/(960*d)$

**Maple [A]** time = 0.057, size = 217, normalized size = 1.1

$$\frac{1}{d} \left( \frac{a^2 A \sin(dx + c)}{5} \left( \frac{8}{3} + (\cos(dx + c))^4 + \frac{4 (\cos(dx + c))^2}{3} \right) + B a^2 \left( \frac{\sin(dx + c)}{6} \left( (\cos(dx + c))^5 + \frac{5 (\cos(dx + c))^3}{4} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a+cos(d*x+c)*a)^2*(A+B*cos(d*x+c)),x)`

[Out] `1/d*(1/5*a^2*A*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+B*a^2*(1/6*(cos(d*x+c)^5+5/4*cos(d*x+c)^3+15/8*cos(d*x+c))*sin(d*x+c)+5/16*d*x+5/16*c)+2*a^2*A*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+2/5*B*a^2*(8/3+cos(d*x+c)^4+4/3*cos(d*x+c)^2)*sin(d*x+c)+1/3*a^2*A*(2+cos(d*x+c)^2)*sin(d*x+c)+B*a^2*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c))`

**Maxima [A]** time = 1.05208, size = 292, normalized size = 1.53

$$64 \left( 3 \sin(dx + c)^5 - 10 \sin(dx + c)^3 + 15 \sin(dx + c) \right) A a^2 - 320 \left( \sin(dx + c)^3 - 3 \sin(dx + c) \right) A a^2 + 60 (12 dx + 12c) A a^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out] `1/960*(64*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a^2 - 320*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^2 + 60*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^2 + 128*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*a^2 - 5*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*x + 2*c))*B*a^2 + 30*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^2)/d`

**Fricas [A]** time = 1.42918, size = 327, normalized size = 1.71

$$\frac{15 (12 A + 11 B) a^2 dx + (40 B a^2 \cos(dx + c)^5 + 48 (A + 2 B) a^2 \cos(dx + c)^4 + 10 (12 A + 11 B) a^2 \cos(dx + c)^3 + 16 (9 A + 8 B) a^2 \cos(dx + c)^2 + 15 (12 A + 11 B) a^2 \cos(dx + c) + 32 (9 A + 8 B) a^2 \sin(dx + c))}{240 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="fricas")`

[Out] `1/240*(15*(12*A + 11*B)*a^2*d*x + (40*B*a^2*cos(d*x + c)^5 + 48*(A + 2*B)*a^2*cos(d*x + c)^4 + 10*(12*A + 11*B)*a^2*cos(d*x + c)^3 + 16*(9*A + 8*B)*a^2*cos(d*x + c)^2 + 15*(12*A + 11*B)*a^2*cos(d*x + c) + 32*(9*A + 8*B)*a^2*sin(d*x + c))/d`

---

**Sympy [A]** time = 6.14203, size = 600, normalized size = 3.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3\*(a+a\*cos(d\*x+c))\*\*2\*(A+B\*cos(d\*x+c)),x)

[Out] Piecewise((3\*A\*a\*\*2\*x\*sin(c + d\*x)\*\*4/4 + 3\*A\*a\*\*2\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/2 + 3\*A\*a\*\*2\*x\*cos(c + d\*x)\*\*4/4 + 8\*A\*a\*\*2\*sin(c + d\*x)\*\*5/(15\*d) + 4\*A\*a\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*2/(3\*d) + 3\*A\*a\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(4\*d) + 2\*A\*a\*\*2\*sin(c + d\*x)\*\*3/(3\*d) + A\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*4/d + 5\*A\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(4\*d) + A\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + 5\*B\*a\*\*2\*x\*sin(c + d\*x)\*\*6/16 + 15\*B\*a\*\*2\*x\*sin(c + d\*x)\*\*4\*cos(c + d\*x)\*\*2/16 + 3\*B\*a\*\*2\*x\*sin(c + d\*x)\*\*4/8 + 15\*B\*a\*\*2\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*4/16 + 3\*B\*a\*\*2\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + 5\*B\*a\*\*2\*x\*cos(c + d\*x)\*\*6/16 + 3\*B\*a\*\*2\*x\*cos(c + d\*x)\*\*4/8 + 5\*B\*a\*\*2\*sin(c + d\*x)\*\*5\*cos(c + d\*x)/(16\*d) + 16\*B\*a\*\*2\*sin(c + d\*x)\*\*5/(15\*d) + 5\*B\*a\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*3/(6\*d) + 8\*B\*a\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*2/(3\*d) + 3\*B\*a\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + 11\*B\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*5/(16\*d) + 2\*B\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*4/d + 5\*B\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d), Ne(d, 0)), (x\*(A + B\*cos(c))\*(a\*cos(c) + a)\*\*2\*cos(c)\*\*3, True))

---

**Giac [A]** time = 1.19672, size = 224, normalized size = 1.17

$$\frac{Ba^2 \sin(6dx + 6c)}{192d} + \frac{1}{16} (12Aa^2 + 11Ba^2)x + \frac{(Aa^2 + 2Ba^2) \sin(5dx + 5c)}{80d} + \frac{(4Aa^2 + 5Ba^2) \sin(4dx + 4c)}{64d} + \frac{(9Aa^2 + 10Ba^2) \sin(3dx + 3c)}{48d} + \frac{(32Aa^2 + 31Ba^2) \sin(2dx + 2c)}{64d} + \frac{1}{8} (11Aa^2 + 10Ba^2) \sin(dx + c)/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/192\*B\*a^2\*sin(6\*d\*x + 6\*c)/d + 1/16\*(12\*A\*a^2 + 11\*B\*a^2)\*x + 1/80\*(A\*a^2 + 2\*B\*a^2)\*sin(5\*d\*x + 5\*c)/d + 1/64\*(4\*A\*a^2 + 5\*B\*a^2)\*sin(4\*d\*x + 4\*c)/d + 1/48\*(9\*A\*a^2 + 10\*B\*a^2)\*sin(3\*d\*x + 3\*c)/d + 1/64\*(32\*A\*a^2 + 31\*B\*a^2)\*sin(2\*d\*x + 2\*c)/d + 1/8\*(11\*A\*a^2 + 10\*B\*a^2)\*sin(d\*x + c)/d

### 3.11 $\int \cos^2(c + dx)(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=160

$$-\frac{a^2(10A + 9B) \sin^3(c + dx)}{15d} + \frac{a^2(10A + 9B) \sin(c + dx)}{5d} + \frac{a^2(5A + 6B) \sin(c + dx) \cos^3(c + dx)}{20d} + \frac{a^2(7A + 6B) \sin(c + dx)}{8d}$$

```
[Out] (a^2*(7*A + 6*B)*x)/8 + (a^2*(10*A + 9*B)*Sin[c + d*x])/(5*d) + (a^2*(7*A + 6*B)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a^2*(5*A + 6*B)*Cos[c + d*x]^3*SIn[c + d*x])/(20*d) + (B*Cos[c + d*x]^3*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(5*d) - (a^2*(10*A + 9*B)*Sin[c + d*x]^3)/(15*d)
```

**Rubi [A]** time = 0.277828, antiderivative size = 160, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2976, 2968, 3023, 2748, 2635, 8, 2633}

$$-\frac{a^2(10A + 9B) \sin^3(c + dx)}{15d} + \frac{a^2(10A + 9B) \sin(c + dx)}{5d} + \frac{a^2(5A + 6B) \sin(c + dx) \cos^3(c + dx)}{20d} + \frac{a^2(7A + 6B) \sin(c + dx)}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + a*cos[c + d*x])^2*(A + B*cos[c + d*x]),x]
```

```
[Out] (a^2*(7*A + 6*B)*x)/8 + (a^2*(10*A + 9*B)*Sin[c + d*x])/(5*d) + (a^2*(7*A + 6*B)*Cos[c + d*x]*Sin[c + d*x])/(8*d) + (a^2*(5*A + 6*B)*Cos[c + d*x]^3*SIn[c + d*x])/(20*d) + (B*Cos[c + d*x]^3*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(5*d) - (a^2*(10*A + 9*B)*Sin[c + d*x]^3)/(15*d)
```

#### Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*SIn[e + f*x])^(m - 1)*(c + d*SIn[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*SIn[e + f*x])^(m - 1)*(c + d*SIn[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a + b*SIn[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*SIn[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*SIn[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*SIn[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
```

!LtQ[m, -1]

### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] )^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)] )^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x] \*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

### Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx &= \frac{B \cos^3(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d} + \frac{1}{5} \int \cos^2 \\ &= \frac{B \cos^3(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d} + \frac{1}{5} \int \cos^2 \\ &= \frac{a^2(5A + 6B) \cos^3(c + dx) \sin(c + dx)}{20d} + \frac{B \cos^3(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d} \\ &= \frac{a^2(5A + 6B) \cos^3(c + dx) \sin(c + dx)}{20d} + \frac{B \cos^3(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d} \\ &= \frac{a^2(7A + 6B) \cos(c + dx) \sin(c + dx)}{8d} + \frac{a^2(5A + 6B) \cos^3(c + dx) \sin(c + dx)}{20d} \\ &= \frac{1}{8} a^2(7A + 6B)x + \frac{a^2(10A + 9B) \sin(c + dx)}{5d} + \frac{a^2(7A + 6B)}{20d} \end{aligned}$$

**Mathematica [A]** time = 0.39821, size = 108, normalized size = 0.68

$$\frac{a^2(60(12A + 11B) \sin(c + dx) + 240(A + B) \sin(2(c + dx)) + 80A \sin(3(c + dx)) + 15A \sin(4(c + dx)) + 420Adx + 90Bs)}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + a\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x]), x]

[Out] (a^2\*(360\*B\*c + 420\*A\*d\*x + 360\*B\*d\*x + 60\*(12\*A + 11\*B)\*Sin[c + d\*x] + 240\*(A + B)\*Sin[2\*(c + d\*x)] + 80\*A\*Ssin[3\*(c + d\*x)] + 90\*B\*Ssin[3\*(c + d\*x)] + 15\*A\*Ssin[4\*(c + d\*x)] + 30\*B\*Ssin[4\*(c + d\*x)] + 6\*B\*Ssin[5\*(c + d\*x)]))/(480\*d)

---

**Maple [A]** time = 0.076, size = 186, normalized size = 1.2

$$\frac{1}{d} \left( a^2 A \left( \frac{\sin(dx+c)}{4} \left( (\cos(dx+c))^3 + \frac{3 \cos(dx+c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{Ba^2 \sin(dx+c)}{5} \left( \frac{8}{3} + (\cos(dx+c))^4 + \frac{4}{3} (\cos(dx+c))^3 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+cos(d\*x+c)\*a)^2\*(A+B\*cos(d\*x+c)),x)

[Out] 1/d\*(a^2\*A\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+1/5\*B\*a^2\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)+2/3\*a^2\*A\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+2\*B\*a^2\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+a^2\*A\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+1/3\*B\*a^2\*(2+cos(d\*x+c)^2)\*sin(d\*x+c))

---

**Maxima [A]** time = 0.975302, size = 240, normalized size = 1.5

$$\frac{320 (\sin(dx+c)^3 - 3 \sin(dx+c)) A a^2 - 15 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) A a^2 - 120 (2 dx + 2 c) A a^2 - 32 (3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c)) B a^2 + 160 (\sin(dx+c)^3 - 3 \sin(dx+c)) B a^2 - 30 (12 dx + 12 c + \sin(4 dx + 4 c) + 8 \sin(2 dx + 2 c)) B a^2}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] -1/480\*(320\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*A\*a^2 - 15\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*A\*a^2 - 120\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*A\*a^2 - 32\*(3\*sin(d\*x + c)^5 - 10\*sin(d\*x + c)^3 + 15\*sin(d\*x + c))\*B\*a^2 + 160\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*B\*a^2 - 30\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*B\*a^2)/d

---

**Fricas [A]** time = 1.39993, size = 271, normalized size = 1.69

$$\frac{15(7A + 6B)a^2 dx + (24Ba^2 \cos(dx+c)^4 + 30(A + 2B)a^2 \cos(dx+c)^3 + 8(10A + 9B)a^2 \cos(dx+c)^2 + 15(7A + 6B)a^2 \cos(dx+c) + 16(10A + 9B)a^2) \sin(dx+c)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/120\*(15\*(7\*A + 6\*B)\*a^2\*d\*x + (24\*B\*a^2\*cos(d\*x + c)^4 + 30\*(A + 2\*B)\*a^2\*cos(d\*x + c)^3 + 8\*(10\*A + 9\*B)\*a^2\*cos(d\*x + c)^2 + 15\*(7\*A + 6\*B)\*a^2\*cos(d\*x + c) + 16\*(10\*A + 9\*B)\*a^2)\*sin(d\*x + c)/d

---

**Sympy [A]** time = 3.41671, size = 459, normalized size = 2.87

$$\frac{\left\{ \begin{array}{l} \frac{3Aa^2x \sin^4(c+dx)}{8} + \frac{3Aa^2x \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{Aa^2x \sin^2(c+dx)}{2} + \frac{3Aa^2x \cos^4(c+dx)}{8} + \frac{Aa^2x \cos^2(c+dx)}{2} + \frac{3Aa^2 \sin^3(c+dx) \cos(c+dx)}{8d} \\ x(A + B \cos(c))(a \cos(c) + a)^2 \cos^2(c) \end{array} \right.}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(a+a\*cos(d\*x+c))\*\*2\*(A+B\*cos(d\*x+c)),x)

[Out] Piecewise(((3\*A\*a\*\*2\*x\*sin(c + d\*x)\*\*4/8 + 3\*A\*a\*\*2\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + A\*a\*\*2\*x\*sin(c + d\*x)\*\*2/2 + 3\*A\*a\*\*2\*x\*cos(c + d\*x)\*\*4/8 + A\*a\*\*2\*x\*cos(c + d\*x)\*\*2/2 + 3\*A\*a\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + 4\*A\*a\*\*2\*sin(c + d\*x)\*\*3/(3\*d) + 5\*A\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d) + 2\*A\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + A\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + 3\*B\*a\*\*2\*x\*sin(c + d\*x)\*\*4/4 + 3\*B\*a\*\*2\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/2 + 3\*B\*a\*\*2\*x\*cos(c + d\*x)\*\*4/4 + 8\*B\*a\*\*2\*sin(c + d\*x)\*\*5/(15\*d) + 4\*B\*a\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*2/(3\*d) + 3\*B\*a\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(4\*d) + 2\*B\*a\*\*2\*sin(c + d\*x)\*\*3/(3\*d) + B\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*4/d + 5\*B\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(4\*d) + B\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d, Ne(d, 0)), (x\*(A + B\*cos(c))\*(a\*cos(c) + a)\*\*2\*cos(c)\*\*2, True))

**Giac [A]** time = 1.22221, size = 185, normalized size = 1.16

$$\frac{Ba^2 \sin(5dx + 5c)}{80d} + \frac{1}{8}(7Aa^2 + 6Ba^2)x + \frac{(Aa^2 + 2Ba^2) \sin(4dx + 4c)}{32d} + \frac{(8Aa^2 + 9Ba^2) \sin(3dx + 3c)}{48d} + \frac{(Aa^2 + Ba^2) \sin(2dx + 2c)}{16d} + \frac{1}{8}(12Aa^2 + 11Ba^2) \sin(dx + c)/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/80\*B\*a^2\*sin(5\*d\*x + 5\*c)/d + 1/8\*(7\*A\*a^2 + 6\*B\*a^2)\*x + 1/32\*(A\*a^2 + 2\*B\*a^2)\*sin(4\*d\*x + 4\*c)/d + 1/48\*(8\*A\*a^2 + 9\*B\*a^2)\*sin(3\*d\*x + 3\*c)/d + 1/2\*(A\*a^2 + B\*a^2)\*sin(2\*d\*x + 2\*c)/d + 1/8\*(12\*A\*a^2 + 11\*B\*a^2)\*sin(d\*x + c)/d



### 3.12 $\int \cos(c + dx)(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=129

$$\frac{a^2(8A + 7B) \sin(c + dx)}{6d} + \frac{a^2(8A + 7B) \sin(c + dx) \cos(c + dx)}{24d} + \frac{1}{8}a^2x(8A + 7B) + \frac{(4A - B) \sin(c + dx)(a \cos(c + dx))}{12d}$$

[Out] (a^2\*(8\*A + 7\*B)\*x)/8 + (a^2\*(8\*A + 7\*B)\*Sin[c + d\*x])/(6\*d) + (a^2\*(8\*A + 7\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(24\*d) + ((4\*A - B)\*(a + a\*Cos[c + d\*x])^2\*Sin[c + d\*x])/(12\*d) + (B\*(a + a\*Cos[c + d\*x])^3\*Sin[c + d\*x])/(4\*a\*d)

**Rubi [A]** time = 0.176065, antiderivative size = 129, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$ , Rules used = {2968, 3023, 2751, 2644}

$$\frac{a^2(8A + 7B) \sin(c + dx)}{6d} + \frac{a^2(8A + 7B) \sin(c + dx) \cos(c + dx)}{24d} + \frac{1}{8}a^2x(8A + 7B) + \frac{(4A - B) \sin(c + dx)(a \cos(c + dx))}{12d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(a + a\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x]),x]

[Out] (a^2\*(8\*A + 7\*B)\*x)/8 + (a^2\*(8\*A + 7\*B)\*Sin[c + d\*x])/(6\*d) + (a^2\*(8\*A + 7\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(24\*d) + ((4\*A - B)\*(a + a\*Cos[c + d\*x])^2\*Sin[c + d\*x])/(12\*d) + (B\*(a + a\*Cos[c + d\*x])^3\*Sin[c + d\*x])/(4\*a\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sine[e + f\*x])^m\*(A + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sine[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sine[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2751

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sine[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sine[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2644

Int[((a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^2, x\_Symbol] := Simp[((2\*a^2 + b^2)\*x)/2, x] + (-Simp[(2\*a\*b\*Cos[c + d\*x])/d, x] - Simp[(b^2\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d), x]) /; FreeQ[{a, b, c, d}, x]

Rubi steps

$$\begin{aligned} \int \cos(c+dx)(a+a\cos(c+dx))^2(A+B\cos(c+dx))dx &= \int (a+a\cos(c+dx))^2(A\cos(c+dx)+B\cos^2(c+dx))dx \\ &= \frac{B(a+a\cos(c+dx))^3\sin(c+dx)}{4ad} + \frac{\int (a+a\cos(c+dx))^2(3a}{4ad} \\ &= \frac{(4A-B)(a+a\cos(c+dx))^2\sin(c+dx)}{12d} + \frac{B(a+a\cos(c+dx))^2(3a}{4ad} \\ &= \frac{1}{8}a^2(8A+7B)x + \frac{a^2(8A+7B)\sin(c+dx)}{6d} + \frac{a^2(8A+7B)\cos(c+dx)}{6d} \end{aligned}$$

**Mathematica [A]** time = 0.331178, size = 86, normalized size = 0.67

$$\frac{a^2(24(7A+6B)\sin(c+dx)+48(A+B)\sin(2(c+dx))+8A\sin(3(c+dx))+96Adx+16B\sin(3(c+dx))+3B\sin(4(c+dx)))}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(a + a\*cos[c + d\*x])^2\*(A + B\*cos[c + d\*x]),x]

[Out] (a^2\*(84\*B\*c + 96\*A\*d\*x + 84\*B\*d\*x + 24\*(7\*A + 6\*B)\*Sin[c + d\*x] + 48\*(A + B)\*Sin[2\*(c + d\*x)] + 8\*A\*Ssin[3\*(c + d\*x)] + 16\*B\*Ssin[3\*(c + d\*x)] + 3\*B\*Ssin[4\*(c + d\*x)]))/(96\*d)

**Maple [A]** time = 0.051, size = 154, normalized size = 1.2

$$\frac{1}{d} \left( \frac{a^2 A (2 + (\cos(dx+c))^2) \sin(dx+c)}{3} + Ba^2 \left( \frac{\sin(dx+c)}{4} \left( (\cos(dx+c))^3 + \frac{3 \cos(dx+c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + 2a^2 A (1 + \cos(dx+c)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+cos(d\*x+c)\*a)^2\*(A+B\*cos(d\*x+c)),x)

[Out] 1/d\*(1/3\*a^2\*A\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+B\*a^2\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+2\*a^2\*A\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+2/3\*B\*a^2\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+a^2\*A\*sin(d\*x+c)+B\*a^2\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c))

**Maxima [A]** time = 0.990614, size = 194, normalized size = 1.5

$$\frac{32(\sin(dx+c)^3-3\sin(dx+c))Aa^2-48(2dx+2c+\sin(2dx+2c))Aa^2+64(\sin(dx+c)^3-3\sin(dx+c))Ba^2-96a^2A\sin(dx+c)}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] -1/96\*(32\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*A\*a^2 - 48\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*A\*a^2 + 64\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*B\*a^2 - 3\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*B\*a^2 - 24\*(2\*d\*x + 2\*c +

$$\sin(2dx + 2c) * B * a^2 - 96 * A * a^2 * \sin(dx + c) / d$$

**Fricas [A]** time = 1.43896, size = 213, normalized size = 1.65

$$\frac{3(8A + 7B)a^2 dx + (6Ba^2 \cos(dx + c)^3 + 8(A + 2B)a^2 \cos(dx + c)^2 + 3(8A + 7B)a^2 \cos(dx + c) + 8(5A + 4B)a^2)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)\*(a+a\*cos(dx+c))^2\*(A+B\*cos(dx+c)),x, algorithm="fricas")

[Out] 1/24\*(3\*(8\*A + 7\*B)\*a^2\*d\*x + (6\*B\*a^2\*cos(dx + c)^3 + 8\*(A + 2\*B)\*a^2\*cos(dx + c)^2 + 3\*(8\*A + 7\*B)\*a^2\*cos(dx + c) + 8\*(5\*A + 4\*B)\*a^2)\*sin(dx + c))/d

**Sympy [A]** time = 2.19487, size = 338, normalized size = 2.62

$$\left\{ \begin{array}{l} Aa^2x \sin^2(c + dx) + Aa^2x \cos^2(c + dx) + \frac{2Aa^2 \sin^3(c+dx)}{3d} + \frac{Aa^2 \sin(c+dx) \cos^2(c+dx)}{d} + \frac{Aa^2 \sin(c+dx) \cos(c+dx)}{d} + \frac{Aa^2 \sin(c+dx)}{d} \\ x(A + B \cos(c))(a \cos(c) + a)^2 \cos(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)\*(a+a\*cos(dx+c))^2\*(A+B\*cos(dx+c)),x)

[Out] Piecewise((A\*a\*\*2\*x\*sin(c + d\*x)\*\*2 + A\*a\*\*2\*x\*cos(c + d\*x)\*\*2 + 2\*A\*a\*\*2\*sin(c + d\*x)\*\*3/(3\*d) + A\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + A\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)/d + A\*a\*\*2\*sin(c + d\*x)/d + 3\*B\*a\*\*2\*x\*sin(c + d\*x)\*\*4/8 + 3\*B\*a\*\*2\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + B\*a\*\*2\*x\*sin(c + d\*x)\*\*2/2 + 3\*B\*a\*\*2\*x\*cos(c + d\*x)\*\*4/8 + B\*a\*\*2\*x\*cos(c + d\*x)\*\*2/2 + 3\*B\*a\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + 4\*B\*a\*\*2\*sin(c + d\*x)\*\*3/(3\*d) + 5\*B\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d) + 2\*B\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + B\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d), Ne(d, 0)), (x\*(A + B\*cos(c))\*(a\*cos(c) + a)\*\*2\*cos(c), True))

**Giac [A]** time = 1.18655, size = 149, normalized size = 1.16

$$\frac{Ba^2 \sin(4dx + 4c)}{32d} + \frac{1}{8}(8Aa^2 + 7Ba^2)x + \frac{(Aa^2 + 2Ba^2) \sin(3dx + 3c)}{12d} + \frac{(Aa^2 + Ba^2) \sin(2dx + 2c)}{2d} + \frac{(7Aa^2 + 6Ba^2) \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)\*(a+a\*cos(dx+c))^2\*(A+B\*cos(dx+c)),x, algorithm="giac")

[Out] 1/32\*B\*a^2\*sin(4\*d\*x + 4\*c)/d + 1/8\*(8\*A\*a^2 + 7\*B\*a^2)\*x + 1/12\*(A\*a^2 + 2\*B\*a^2)\*sin(3\*d\*x + 3\*c)/d + 1/2\*(A\*a^2 + B\*a^2)\*sin(2\*d\*x + 2\*c)/d + 1/4\*(7\*A\*a^2 + 6\*B\*a^2)\*sin(d\*x + c)/d

### 3.13 $\int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=94

$$\frac{2a^2(3A + 2B) \sin(c + dx)}{3d} + \frac{a^2(3A + 2B) \sin(c + dx) \cos(c + dx)}{6d} + \frac{1}{2}a^2x(3A + 2B) + \frac{B \sin(c + dx)(a \cos(c + dx) + a)^2}{3d}$$

[Out] (a^2\*(3\*A + 2\*B)\*x)/2 + (2\*a^2\*(3\*A + 2\*B)\*Sin[c + d\*x])/(3\*d) + (a^2\*(3\*A + 2\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(6\*d) + (B\*(a + a\*cos[c + d\*x])^2\*SIN[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.0586307, antiderivative size = 94, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {2751, 2644}

$$\frac{2a^2(3A + 2B) \sin(c + dx)}{3d} + \frac{a^2(3A + 2B) \sin(c + dx) \cos(c + dx)}{6d} + \frac{1}{2}a^2x(3A + 2B) + \frac{B \sin(c + dx)(a \cos(c + dx) + a)^2}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*cos[c + d\*x])^2\*(A + B\*cos[c + d\*x]),x]

[Out] (a^2\*(3\*A + 2\*B)\*x)/2 + (2\*a^2\*(3\*A + 2\*B)\*Sin[c + d\*x])/(3\*d) + (a^2\*(3\*A + 2\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(6\*d) + (B\*(a + a\*cos[c + d\*x])^2\*SIN[c + d\*x])/(3\*d)

#### Rule 2751

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*cos[e + f\*x]\*(a + b\*sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2644

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^2, x\_Symbol] :> Simp[((2\*a^2 + b^2)\*x)/2, x] + (-Simp[(2\*a\*b\*cos[c + d\*x])/d, x] - Simp[(b^2\*cos[c + d\*x]\*Sin[c + d\*x])/(2\*d), x]) /; FreeQ[{a, b, c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) dx &= \frac{B(a + a \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{1}{3}(3A + 2B) \int (a + a \cos(c + dx))^2 dx \\ &= \frac{1}{2}a^2(3A + 2B)x + \frac{2a^2(3A + 2B) \sin(c + dx)}{3d} + \frac{a^2(3A + 2B) \cos(c + dx) \sin(c + dx)}{6d} \end{aligned}$$

**Mathematica [A]** time = 0.179524, size = 61, normalized size = 0.65

$$\frac{a^2(3(8A + 7B) \sin(c + dx) + 3(A + 2B) \sin(2(c + dx)) + 18Adx + B \sin(3(c + dx)) + 12Bdx)}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*cos[c + d\*x])^2\*(A + B\*cos[c + d\*x]), x]

[Out] (a^2\*(18\*A\*d\*x + 12\*B\*d\*x + 3\*(8\*A + 7\*B)\*Sin[c + d\*x] + 3\*(A + 2\*B)\*Sin[2\*(c + d\*x)] + B\*Ssin[3\*(c + d\*x)]))/(12\*d)

**Maple [A]** time = 0.046, size = 116, normalized size = 1.2

$$\frac{1}{d} \left( \frac{Ba^2 (2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + a^2 A \left( \frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + 2Ba^2 (1/2 \cos(dx + c) \sin(dx + c)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^2\*(A+B\*cos(d\*x+c)), x)

[Out] 1/d\*(1/3\*B\*a^2\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+a^2\*A\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+2\*B\*a^2\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+2\*a^2\*A\*sin(d\*x+c)+B\*a^2\*sin(d\*x+c)+a^2\*A\*(d\*x+c))

**Maxima [A]** time = 1.00034, size = 149, normalized size = 1.59

$$\frac{3(2dx + 2c + \sin(2dx + 2c))Aa^2 + 12(dx + c)Aa^2 - 4(\sin(dx + c)^3 - 3\sin(dx + c))Ba^2 + 6(2dx + 2c + \sin(2dx + 2c))a^2}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c)), x, algorithm="maxima")

[Out] 1/12\*(3\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*A\*a^2 + 12\*(d\*x + c)\*A\*a^2 - 4\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*B\*a^2 + 6\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*B\*a^2 + 24\*A\*a^2\*sin(d\*x + c) + 12\*B\*a^2\*sin(d\*x + c))/d

**Fricas [A]** time = 1.40573, size = 165, normalized size = 1.76

$$\frac{3(3A + 2B)a^2 dx + (2Ba^2 \cos(dx + c)^2 + 3(A + 2B)a^2 \cos(dx + c) + 2(6A + 5B)a^2) \sin(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c)), x, algorithm="fricas")

[Out] 1/6\*(3\*(3\*A + 2\*B)\*a^2\*d\*x + (2\*B\*a^2\*cos(d\*x + c)^2 + 3\*(A + 2\*B)\*a^2\*cos(d\*x + c) + 2\*(6\*A + 5\*B)\*a^2)\*sin(d\*x + c))/d

**Sympy [A]** time = 0.792427, size = 199, normalized size = 2.12

$$\frac{\left\{ \frac{Aa^2 x \sin^2(c+dx)}{2} + \frac{Aa^2 x \cos^2(c+dx)}{2} + Aa^2 x + \frac{Aa^2 \sin(c+dx) \cos(c+dx)}{2d} + \frac{2Aa^2 \sin(c+dx)}{d} + Ba^2 x \sin^2(c + dx) + Ba^2 x \cos^2(c + dx) \right\}}{x(A + B \cos(c))(a \cos(c) + a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*2\*(A+B\*cos(d\*x+c)),x)

[Out] Piecewise((A\*a\*\*2\*x\*sin(c + d\*x)\*\*2/2 + A\*a\*\*2\*x\*cos(c + d\*x)\*\*2/2 + A\*a\*\*2\*x + A\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + 2\*A\*a\*\*2\*sin(c + d\*x)/d + B\*a\*\*2\*x\*sin(c + d\*x)\*\*2 + B\*a\*\*2\*x\*cos(c + d\*x)\*\*2 + 2\*B\*a\*\*2\*sin(c + d\*x)\*\*3/(3\*d) + B\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + B\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)/d + B\*a\*\*2\*sin(c + d\*x)/d, Ne(d, 0)), (x\*(A + B\*cos(c))\*(a\*cos(c) + a)\*\*2, True))

**Giac [A]** time = 1.19751, size = 115, normalized size = 1.22

$$\frac{Ba^2 \sin(3dx + 3c)}{12d} + \frac{1}{2}(3Aa^2 + 2Ba^2)x + \frac{(Aa^2 + 2Ba^2) \sin(2dx + 2c)}{4d} + \frac{(8Aa^2 + 7Ba^2) \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/12\*B\*a^2\*sin(3\*d\*x + 3\*c)/d + 1/2\*(3\*A\*a^2 + 2\*B\*a^2)\*x + 1/4\*(A\*a^2 + 2\*B\*a^2)\*sin(2\*d\*x + 2\*c)/d + 1/4\*(8\*A\*a^2 + 7\*B\*a^2)\*sin(d\*x + c)/d

### 3.14 $\int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec(c + dx) dx$

**Optimal.** Leaf size=82

$$\frac{a^2(2A + 3B) \sin(c + dx)}{2d} + \frac{1}{2}a^2x(4A + 3B) + \frac{a^2A \tanh^{-1}(\sin(c + dx))}{d} + \frac{B \sin(c + dx) (a^2 \cos(c + dx) + a^2)}{2d}$$

[Out] (a^2\*(4\*A + 3\*B)\*x)/2 + (a^2\*A\*ArcTanh[Sin[c + d\*x]])/d + (a^2\*(2\*A + 3\*B)\*Sin[c + d\*x])/(2\*d) + (B\*(a^2 + a^2\*Cos[c + d\*x])\*Sin[c + d\*x])/(2\*d)

**Rubi [A]** time = 0.192693, antiderivative size = 82, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {2976, 2968, 3023, 2735, 3770}

$$\frac{a^2(2A + 3B) \sin(c + dx)}{2d} + \frac{1}{2}a^2x(4A + 3B) + \frac{a^2A \tanh^{-1}(\sin(c + dx))}{d} + \frac{B \sin(c + dx) (a^2 \cos(c + dx) + a^2)}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x],x]

[Out] (a^2\*(4\*A + 3\*B)\*x)/2 + (a^2\*A\*ArcTanh[Sin[c + d\*x]])/d + (a^2\*(2\*A + 3\*B)\*Sin[c + d\*x])/(2\*d) + (B\*(a^2 + a^2\*Cos[c + d\*x])\*Sin[c + d\*x])/(2\*d)

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)^2], x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])/((c_.) + (d_.)*sin[(e_.) + (f_.
)*(x_.)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{B(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{2d} + \frac{1}{2} \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec(c + dx) dx \\ &= \frac{B(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{2d} + \frac{1}{2} \int (2a^2 A + (2a^2 A + B \cos(c + dx)) \sec(c + dx)) dx \\ &= \frac{a^2(2A + 3B) \sin(c + dx)}{2d} + \frac{B(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{2d} \\ &= \frac{1}{2} a^2(4A + 3B)x + \frac{a^2(2A + 3B) \sin(c + dx)}{2d} + \frac{B(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{2d} \\ &= \frac{1}{2} a^2(4A + 3B)x + \frac{a^2 A \tanh^{-1}(\sin(c + dx))}{d} + \frac{a^2(2A + 3B) \sin(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.171159, size = 96, normalized size = 1.17

$$\frac{a^2 \left( 4(A + 2B) \sin(c + dx) - 4A \log \left( \cos \left( \frac{1}{2}(c + dx) \right) - \sin \left( \frac{1}{2}(c + dx) \right) \right) + 4A \log \left( \sin \left( \frac{1}{2}(c + dx) \right) + \cos \left( \frac{1}{2}(c + dx) \right) \right) + 8B \sin(c + dx) \right)}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x], x]
```

```
[Out] (a^2*(8*A*d*x + 6*B*d*x - 4*A*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 4*
A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 4*(A + 2*B)*Sin[c + d*x] + B*S
in[2*(c + d*x)]))/(4*d)
```

**Maple [A]** time = 0.081, size = 108, normalized size = 1.3

$$\frac{a^2 A \sin(dx + c)}{d} + \frac{Ba^2 \cos(dx + c) \sin(dx + c)}{2d} + \frac{3a^2 Bx}{2} + \frac{3Ba^2 c}{2d} + 2a^2 Ax + 2 \frac{Aa^2 c}{d} + 2 \frac{Ba^2 \sin(dx + c)}{d} + \frac{a^2 A \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^2*(A+B*cos(d*x+c))*sec(d*x+c), x)
```

```
[Out] 1/d*a^2*A*sin(d*x+c)+1/2/d*B*a^2*cos(d*x+c)*sin(d*x+c)+3/2*a^2*B*x+3/2/d*B*
a^2*c+2*a^2*A*x+2/d*A*a^2*c+2/d*B*a^2*sin(d*x+c)+1/d*a^2*A*ln(sec(d*x+c)+ta
n(d*x+c))
```

**Maxima [A]** time = 0.970566, size = 127, normalized size = 1.55

$$\frac{8(dx + c)Aa^2 + (2dx + 2c + \sin(2dx + 2c))Ba^2 + 4(dx + c)Ba^2 + 4Aa^2 \log(\sec(dx + c) + \tan(dx + c)) + 4Aa^2 \sin(dx + c)}{4d}$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="maxima")

[Out]  $\frac{1}{4}*(8*(d*x + c)*A*a^2 + (2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a^2 + 4*(d*x + c)*B*a^2 + 4*A*a^2*\log(\sec(d*x + c) + \tan(d*x + c)) + 4*A*a^2*\sin(d*x + c) + 8*B*a^2*\sin(d*x + c))/d$

**Fricas [A]** time = 1.44351, size = 194, normalized size = 2.37

$$\frac{(4A + 3B)a^2 dx + Aa^2 \log(\sin(dx + c) + 1) - Aa^2 \log(-\sin(dx + c) + 1) + (Ba^2 \cos(dx + c) + 2(A + 2B)a^2) \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="fricas")

[Out]  $\frac{1}{2}*((4A + 3B)*a^2*d*x + A*a^2*\log(\sin(d*x + c) + 1) - A*a^2*\log(-\sin(d*x + c) + 1) + (B*a^2*\cos(d*x + c) + 2*(A + 2*B)*a^2)*\sin(d*x + c))/d$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$a^2 \left( \int A \sec(c + dx) dx + \int 2A \cos(c + dx) \sec(c + dx) dx + \int A \cos^2(c + dx) \sec(c + dx) dx + \int B \cos(c + dx) \sec(c + dx) dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x)

[Out]  $a**2*(\text{Integral}(A*\sec(c + d*x), x) + \text{Integral}(2*A*\cos(c + d*x)*\sec(c + d*x), x) + \text{Integral}(A*\cos(c + d*x)**2*\sec(c + d*x), x) + \text{Integral}(B*\cos(c + d*x)*\sec(c + d*x), x) + \text{Integral}(2*B*\cos(c + d*x)**2*\sec(c + d*x), x) + \text{Integral}(B*\cos(c + d*x)**3*\sec(c + d*x), x))$

**Giac [A]** time = 1.22461, size = 196, normalized size = 2.39

$$\frac{2Aa^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 2Aa^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + (4Aa^2 + 3Ba^2)(dx + c) + \frac{2\left(2Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{2d}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="giac")

[Out]  $\frac{1}{2}*(2*A*a^2*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 2*A*a^2*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) + (4*A*a^2 + 3*B*a^2)*(d*x + c) + 2*(2*A*a^2*\tan(1/2*d*x + 1/2*c)^3 + 3*B*a^2*\tan(1/2*d*x + 1/2*c)^3 + 2*A*a^2*\tan(1/2*d*x + 1/2*c) + 5*B*a^2*\tan(1/2*d*x + 1/2*c)))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^2/d$

### 3.15 $\int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^2(c + dx) dx$

**Optimal.** Leaf size=74

$$-\frac{a^2(A - B) \sin(c + dx)}{d} + \frac{a^2(2A + B) \tanh^{-1}(\sin(c + dx))}{d} + a^2x(A + 2B) + \frac{A \tan(c + dx) (a^2 \cos(c + dx) + a^2)}{d}$$

[Out]  $a^2*(A + 2*B)*x + (a^2*(2*A + B)*\text{ArcTanh}[\text{Sin}[c + d*x]])/d - (a^2*(A - B)*\text{Sin}[c + d*x])/d + (A*(a^2 + a^2*\text{Cos}[c + d*x])*\text{Tan}[c + d*x])/d$

**Rubi [A]** time = 0.209642, antiderivative size = 74, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2975, 2968, 3023, 2735, 3770}

$$-\frac{a^2(A - B) \sin(c + dx)}{d} + \frac{a^2(2A + B) \tanh^{-1}(\sin(c + dx))}{d} + a^2x(A + 2B) + \frac{A \tan(c + dx) (a^2 \cos(c + dx) + a^2)}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x])*\text{Sec}[c + d*x]^2, x]$

[Out]  $a^2*(A + 2*B)*x + (a^2*(2*A + B)*\text{ArcTanh}[\text{Sin}[c + d*x]])/d - (a^2*(A - B)*\text{Sin}[c + d*x])/d + (A*(a^2 + a^2*\text{Cos}[c + d*x])*\text{Tan}[c + d*x])/d$

#### Rule 2975

$\text{Int}[(a + b*\sin[(e + f*x)])^m*((A + B*\sin[(e + f*x)])^n), x\_Symbol] \rightarrow -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1})/(d*f*(n+1)*(b*c + a*d)), x] - \text{Dist}[b/(d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1}*\text{Simp}[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1))]*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] \parallel \text{EqQ}[c, 0])$

#### Rule 2968

$\text{Int}[(a + b*\sin[(e + f*x)])^m*((A + B*\sin[(e + f*x)])^n), x\_Symbol] \rightarrow \text{Int}[(a + b*\sin[e + f*x])^m*(A*c + (B*c + A*d)*\sin[e + f*x] + B*d*\sin[e + f*x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x \&\& \text{NeQ}[b*c - a*d, 0]$

#### Rule 3023

$\text{Int}[(a + b*\sin[(e + f*x)])^m*((A + B*\sin[(e + f*x)])^n + C*\sin[(e + f*x)]^2), x\_Symbol] \rightarrow -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m+1})/(b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \text{Int}[(a + b*\sin[e + f*x])^m*\text{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x \&\& !\text{LtQ}[m, -1]$

#### Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)
)*(x_)], x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \frac{A(a^2 + a^2 \cos(c + dx)) \tan(c + dx)}{d} + \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^2(c + dx) dx \\ &= \frac{A(a^2 + a^2 \cos(c + dx)) \tan(c + dx)}{d} + \int (a^2(2A + B) + 2a^2 B \cos(c + dx)) \sec^2(c + dx) dx \\ &= -\frac{a^2(A - B) \sin(c + dx)}{d} + \frac{A(a^2 + a^2 \cos(c + dx)) \tan(c + dx)}{d} \\ &= a^2(A + 2B)x - \frac{a^2(A - B) \sin(c + dx)}{d} + \frac{A(a^2 + a^2 \cos(c + dx)) \tan(c + dx)}{d} \\ &= a^2(A + 2B)x + \frac{a^2(2A + B) \tanh^{-1}(\sin(c + dx))}{d} - \frac{a^2(A - B) \sin(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.311407, size = 143, normalized size = 1.93

$$a^2 \left( A \tan(c + dx) - 2A \log \left( \cos \left( \frac{1}{2}(c + dx) \right) - \sin \left( \frac{1}{2}(c + dx) \right) \right) + 2A \log \left( \sin \left( \frac{1}{2}(c + dx) \right) + \cos \left( \frac{1}{2}(c + dx) \right) \right) + Ac + Bx \right) / d$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]
```

```
[Out] (a^2*(A*c + 2*B*c + A*d*x + 2*B*d*x - 2*A*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - B*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 2*A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + B*Sin[c + d*x] + A*Tan[c + d*x]))/d
```

**Maple [A]** time = 0.092, size = 107, normalized size = 1.5

$$a^2 Ax + 2 a^2 Bx + \frac{a^2 A \tan(dx + c)}{d} + 2 \frac{a^2 A \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Aa^2 c}{d} + \frac{Ba^2 \sin(dx + c)}{d} + \frac{Ba^2 \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^2*(A+B*cos(d*x+c))*sec(d*x+c)^2,x)
```

```
[Out] a^2*A*x+2*a^2*B*x+a^2*A*tan(d*x+c)/d+2/d*a^2*A*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*a^2*c+1/d*B*a^2*sin(d*x+c)+1/d*B*a^2*ln(sec(d*x+c)+tan(d*x+c))+2/d*B*a^2*c
```

**Maxima [A]** time = 1.00087, size = 142, normalized size = 1.92

$$\frac{2(dx+c)Aa^2 + 4(dx+c)Ba^2 + 2Aa^2(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + Ba^2(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] 1/2\*(2\*(d\*x + c)\*A\*a^2 + 4\*(d\*x + c)\*B\*a^2 + 2\*A\*a^2\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + B\*a^2\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 2\*B\*a^2\*sin(d\*x + c) + 2\*A\*a^2\*tan(d\*x + c))/d

**Fricas [A]** time = 1.42364, size = 278, normalized size = 3.76

$$\frac{2(A+2B)a^2dx \cos(dx+c) + (2A+B)a^2 \cos(dx+c) \log(\sin(dx+c)+1) - (2A+B)a^2 \cos(dx+c) \log(-\sin(dx+c)+1)}{2d \cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] 1/2\*(2\*(A + 2\*B)\*a^2\*d\*x\*cos(d\*x + c) + (2\*A + B)\*a^2\*cos(d\*x + c)\*log(sin(d\*x + c) + 1) - (2\*A + B)\*a^2\*cos(d\*x + c)\*log(-sin(d\*x + c) + 1) + 2\*(B\*a^2\*cos(d\*x + c) + A\*a^2)\*sin(d\*x + c))/(d\*cos(d\*x + c))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.24293, size = 209, normalized size = 2.82

$$\frac{(Aa^2 + 2Ba^2)(dx+c) + (2Aa^2 + Ba^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (2Aa^2 + Ba^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(Aa^2 + Ba^2) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] ((A\*a^2 + 2\*B\*a^2)\*(d\*x + c) + (2\*A\*a^2 + B\*a^2)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - (2\*A\*a^2 + B\*a^2)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(A\*a^2\*tan(1/2\*d\*x + 1/2\*c)^3 - B\*a^2\*tan(1/2\*d\*x + 1/2\*c)^3 + A\*a^2\*tan(1/2\*d\*x + 1/2\*c) + B\*a^2\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^4 - 1))/d

### 3.16 $\int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^3(c + dx) dx$

**Optimal.** Leaf size=88

$$\frac{a^2(3A + 2B) \tan(c + dx)}{2d} + \frac{a^2(3A + 4B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{A \tan(c + dx) \sec(c + dx) (a^2 \cos(c + dx) + a^2)}{2d} + a^2$$

[Out] a^2\*B\*x + (a^2\*(3\*A + 4\*B)\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (a^2\*(3\*A + 2\*B)\*Tan[c + d\*x])/(2\*d) + (A\*(a^2 + a^2\*Cos[c + d\*x])\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

**Rubi [A]** time = 0.219088, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2975, 2968, 3021, 2735, 3770}

$$\frac{a^2(3A + 2B) \tan(c + dx)}{2d} + \frac{a^2(3A + 4B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{A \tan(c + dx) \sec(c + dx) (a^2 \cos(c + dx) + a^2)}{2d} + a^2$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] a^2\*B\*x + (a^2\*(3\*A + 4\*B)\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (a^2\*(3\*A + 2\*B)\*Tan[c + d\*x])/(2\*d) + (A\*(a^2 + a^2\*Cos[c + d\*x])\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2), x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

**Rule 2735**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.
)*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

**Rule 3770**

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^3(c + dx) dx &= \frac{A(a^2 + a^2 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec(c + dx) dx \\ &= \frac{A(a^2 + a^2 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int (a^2(3A + 2B) \tan(c + dx) + A(a^2 + a^2 \cos(c + dx)) \sec(c + dx)) dx \\ &= \frac{a^2(3A + 2B) \tan(c + dx)}{2d} + \frac{A(a^2 + a^2 \cos(c + dx)) \sec(c + dx)}{2d} \\ &= a^2 Bx + \frac{a^2(3A + 2B) \tan(c + dx)}{2d} + \frac{A(a^2 + a^2 \cos(c + dx)) \sec(c + dx)}{2d} \\ &= a^2 Bx + \frac{a^2(3A + 4B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(3A + 2B) \tan(c + dx)}{2d} \end{aligned}$$

**Mathematica [B]** time = 1.1834, size = 277, normalized size = 3.15

$$\frac{1}{16} a^2 (\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \left( \frac{4(2A + B) \sin\left(\frac{dx}{2}\right)}{d \left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right)\right) \left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)} + \frac{4(2A + B) \cos\left(\frac{dx}{2}\right)}{d \left(\sin\left(\frac{c}{2}\right) + \cos\left(\frac{c}{2}\right)\right) \left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]
```

```
[Out] (a^2*(1 + Cos[c + d*x])^2*Sec[(c + d*x)/2]^4*(4*B*x - (2*(3*A + 4*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + (2*(3*A + 4*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + A/(d*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2) + (4*(2*A + B)*Sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) - A/(d*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2) + (4*(2*A + B)*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))) / 16
```

**Maple [A]** time = 0.106, size = 113, normalized size = 1.3

$$\frac{3a^2A \ln(\sec(dx + c) + \tan(dx + c))}{2d} + a^2Bx + \frac{Ba^2c}{d} + 2 \frac{a^2A \tan(dx + c)}{d} + 2 \frac{Ba^2 \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{a^2A \sec(dx + c) \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^2*(A+B*cos(d*x+c))*sec(d*x+c)^3,x)
```

```
[Out] 3/2/d*a^2*A*ln(sec(d*x+c)+tan(d*x+c))+a^2*B*x+1/d*B*a^2*c+2*a^2*A*tan(d*x+c)/d+2/d*B*a^2*ln(sec(d*x+c)+tan(d*x+c))+1/2*a^2*A*sec(d*x+c)*tan(d*x+c)/d+1
```

$$/d*B*a^2*\tan(d*x+c)$$

**Maxima [A]** time = 0.980099, size = 192, normalized size = 2.18

$$\frac{4(dx+c)Ba^2 - Aa^2\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1)\right) + 2Aa^2(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out] 1/4\*(4\*(d\*x + c)\*B\*a^2 - A\*a^2\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) + 2\*A\*a^2\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 4\*B\*a^2\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 8\*A\*a^2\*tan(d\*x + c) + 4\*B\*a^2\*tan(d\*x + c))/d

**Fricas [A]** time = 1.39228, size = 297, normalized size = 3.38

$$\frac{4Ba^2dx \cos(dx+c)^2 + (3A+4B)a^2 \cos(dx+c)^2 \log(\sin(dx+c)+1) - (3A+4B)a^2 \cos(dx+c)^2 \log(-\sin(dx+c)+1)}{4d \cos(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] 1/4\*(4\*B\*a^2\*d\*x\*cos(d\*x + c)^2 + (3\*A + 4\*B)\*a^2\*cos(d\*x + c)^2\*log(sin(d\*x + c) + 1) - (3\*A + 4\*B)\*a^2\*cos(d\*x + c)^2\*log(-sin(d\*x + c) + 1) + 2\*(2\*(2\*A + B)\*a^2\*cos(d\*x + c) + A\*a^2)\*sin(d\*x + c))/(d\*cos(d\*x + c)^2)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x)

[Out] Timed out

**Giac [A]** time = 1.32333, size = 208, normalized size = 2.36

$$2(dx+c)Ba^2 + (3Aa^2 + 4Ba^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (3Aa^2 + 4Ba^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(3Aa^2 \tan(\frac{1}{2}dx + \frac{1}{2}c) + 2Aa^2)}{2d}$$

2d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="giac")
```

```
[Out] 1/2*(2*(d*x + c)*B*a^2 + (3*A*a^2 + 4*B*a^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (3*A*a^2 + 4*B*a^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(3*A*a^2*tan(1/2*d*x + 1/2*c)^3 + 2*B*a^2*tan(1/2*d*x + 1/2*c)^3 - 5*A*a^2*tan(1/2*d*x + 1/2*c) - 2*B*a^2*tan(1/2*d*x + 1/2*c)))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2 /d
```



### 3.17 $\int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^4(c + dx) dx$

**Optimal.** Leaf size=113

$$\frac{a^2(5A + 6B) \tan(c + dx)}{3d} + \frac{a^2(2A + 3B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(4A + 3B) \tan(c + dx) \sec(c + dx)}{6d} + \frac{A \tan(c + dx)}{d}$$

[Out] (a^2\*(2\*A + 3\*B)\*ArcTanh[Sin[c + d\*x]]/(2\*d) + (a^2\*(5\*A + 6\*B)\*Tan[c + d\*x])/(3\*d) + (a^2\*(4\*A + 3\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(6\*d) + (A\*(a^2 + a^2\*Cos[c + d\*x])\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.270142, antiderivative size = 113, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2975, 2968, 3021, 2748, 3767, 8, 3770}

$$\frac{a^2(5A + 6B) \tan(c + dx)}{3d} + \frac{a^2(2A + 3B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(4A + 3B) \tan(c + dx) \sec(c + dx)}{6d} + \frac{A \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out] (a^2\*(2\*A + 3\*B)\*ArcTanh[Sin[c + d\*x]]/(2\*d) + (a^2\*(5\*A + 6\*B)\*Tan[c + d\*x])/(3\*d) + (a^2\*(4\*A + 3\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(6\*d) + (A\*(a^2 + a^2\*Cos[c + d\*x])\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*d)

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_.)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^4(c + dx) dx &= \frac{A(a^2 + a^2 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int (a + a \cos(c + dx)) \sec^2(c + dx) \tan(c + dx) dx \\
 &= \frac{A(a^2 + a^2 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int (a^2 \cos^2(c + dx) \sec^2(c + dx) \tan(c + dx) + a^2 \cos(c + dx) \sec^2(c + dx) \tan(c + dx) + a^2 \sec^2(c + dx) \tan(c + dx)) dx \\
 &= \frac{a^2(4A + 3B) \sec(c + dx) \tan(c + dx)}{6d} + \frac{A(a^2 + a^2 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{3d} \\
 &= \frac{a^2(4A + 3B) \sec(c + dx) \tan(c + dx)}{6d} + \frac{A(a^2 + a^2 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{3d} \\
 &= \frac{a^2(2A + 3B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(4A + 3B) \sec(c + dx) \tan(c + dx)}{6d} \\
 &= \frac{a^2(2A + 3B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(5A + 6B) \tan(c + dx)}{3d}
 \end{aligned}$$

**Mathematica [B]** time = 5.64151, size = 451, normalized size = 3.99

$$a^2(\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \left( \frac{4(5A+6B) \sin\left(\frac{dx}{2}\right)}{\left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right)\right) \left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)} + \frac{4(5A+6B) \sin\left(\frac{dx}{2}\right)}{\left(\sin\left(\frac{c}{2}\right) + \cos\left(\frac{c}{2}\right)\right) \left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)} + \dots \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out] (a^2\*(1 + Cos[c + d\*x])^2\*Sec[(c + d\*x)/2]^4\*(-6\*(2\*A + 3\*B)\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 6\*(2\*A + 3\*B)\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + (2\*A\*Sin[(d\*x)/2])/((Cos[c/2] - Sin[c/2])\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])^3) + ((7\*A + 3\*B)\*Cos[c/2] - (5\*A + 3\*B)\*Sin[c/2])/((Cos[c/2] - Sin[c/2])\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])^2) + (4\*(5\*A + 6\*B)\*Sin[(d\*x)/2])/((Cos[c/2] - Sin[c/2])\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])) + (2\*A\*Sin[(d\*x)/2])/((Cos[c/2] + Sin[c/2])\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])^3) - ((7\*A + 3\*B)\*Cos[c/2] + (5\*A + 3\*B)\*Sin[c/2])/((Cos[c/2] + Sin[c/2])\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])^2) + (4\*(5\*A + 6\*B)\*Sin[(d\*x)/2])/((Cos[c/2] + Sin[c/2])\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])) - (2\*A\*Sin[(d\*x)/2])/((Cos[c/2] + Sin[c/2])\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]))



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*4,x)

[Out] Timed out

---

**Giac [A]** time = 1.23298, size = 240, normalized size = 2.12

$$3(2Aa^2 + 3Ba^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(2Aa^2 + 3Ba^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(6Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 9Ba^2\right)}{6d}$$

---

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] 1/6\*(3\*(2\*A\*a^2 + 3\*B\*a^2)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 3\*(2\*A\*a^2 + 3\*B\*a^2)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(6\*A\*a^2\*tan(1/2\*d\*x + 1/2\*c)^5 + 9\*B\*a^2\*tan(1/2\*d\*x + 1/2\*c)^5 - 16\*A\*a^2\*tan(1/2\*d\*x + 1/2\*c)^3 - 24\*B\*a^2\*tan(1/2\*d\*x + 1/2\*c)^3 + 18\*A\*a^2\*tan(1/2\*d\*x + 1/2\*c) + 15\*B\*a^2\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^3/d

### 3.18 $\int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^5(c + dx) dx$

**Optimal.** Leaf size=144

$$\frac{a^2(4A + 5B) \tan(c + dx)}{3d} + \frac{a^2(7A + 8B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(5A + 4B) \tan(c + dx) \sec^2(c + dx)}{12d} + \frac{a^2(7A + 8B)}{12d}$$

[Out] (a^2\*(7\*A + 8\*B)\*ArcTanh[Sin[c + d\*x]]/(8\*d) + (a^2\*(4\*A + 5\*B)\*Tan[c + d\*x])/(3\*d) + (a^2\*(7\*A + 8\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(8\*d) + (a^2\*(5\*A + 4\*B)\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(12\*d) + (A\*(a^2 + a^2\*Cos[c + d\*x])\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(4\*d)

**Rubi [A]** time = 0.30362, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$ , Rules used = {2975, 2968, 3021, 2748, 3768, 3770, 3767, 8}

$$\frac{a^2(4A + 5B) \tan(c + dx)}{3d} + \frac{a^2(7A + 8B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(5A + 4B) \tan(c + dx) \sec^2(c + dx)}{12d} + \frac{a^2(7A + 8B)}{12d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^5,x]

[Out] (a^2\*(7\*A + 8\*B)\*ArcTanh[Sin[c + d\*x]]/(8\*d) + (a^2\*(4\*A + 5\*B)\*Tan[c + d\*x])/(3\*d) + (a^2\*(7\*A + 8\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(8\*d) + (a^2\*(5\*A + 4\*B)\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(12\*d) + (A\*(a^2 + a^2\*Cos[c + d\*x])\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(4\*d)

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2, x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B,

C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] )^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.) )^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x] )\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \frac{A(a^2 + a^2 \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int (a + a \cos(c + dx)) \sec^4(c + dx) dx \\ &= \frac{A(a^2 + a^2 \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int (a^2 \sec^4(c + dx) + 2a^2 \cos(c + dx) \sec^4(c + dx)) dx \\ &= \frac{a^2(5A + 4B) \sec^2(c + dx) \tan(c + dx)}{12d} + \frac{A(a^2 + a^2 \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{4d} \\ &= \frac{a^2(5A + 4B) \sec^2(c + dx) \tan(c + dx)}{12d} + \frac{A(a^2 + a^2 \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{4d} \\ &= \frac{a^2(7A + 8B) \sec(c + dx) \tan(c + dx)}{8d} + \frac{a^2(5A + 4B) \sec^2(c + dx) \tan(c + dx)}{12d} \\ &= \frac{a^2(7A + 8B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(4A + 5B) \tan(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 1.13358, size = 262, normalized size = 1.82

$$\frac{a^2(\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \sec^4(c + dx) \left(24(7A + 8B) \cos^4(c + dx) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) - \dots}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^5,x]



$$+ c)^3 + 3*(7*A + 8*B)*a^2*\cos(d*x + c)^2 + 8*(2*A + B)*a^2*\cos(d*x + c) + 6*A*a^2*\sin(d*x + c))/(d*\cos(d*x + c)^4)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*5,x)

[Out] Timed out

**Giac [A]** time = 1.24173, size = 286, normalized size = 1.99

$$3(7Aa^2 + 8Ba^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(7Aa^2 + 8Ba^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(21Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 24Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^6 + 21Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 24Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 + 21Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 24Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 21Aa^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 24Ba^2\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="giac")

[Out] 1/24\*(3\*(7\*A\*a^2 + 8\*B\*a^2)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 3\*(7\*A\*a^2 + 8\*B\*a^2)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(21\*A\*a^2\*tan(1/2\*d\*x + 1/2\*c)^7 + 24\*B\*a^2\*tan(1/2\*d\*x + 1/2\*c)^6 - 77\*A\*a^2\*tan(1/2\*d\*x + 1/2\*c)^5 - 88\*B\*a^2\*tan(1/2\*d\*x + 1/2\*c)^4 + 83\*A\*a^2\*tan(1/2\*d\*x + 1/2\*c)^3 + 136\*B\*a^2\*tan(1/2\*d\*x + 1/2\*c)^2 - 75\*A\*a^2\*tan(1/2\*d\*x + 1/2\*c) - 72\*B\*a^2\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^4/d



$$3.19 \quad \int \cos^2(c + dx)(a + a \cos(c + dx))^3(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=201

$$\frac{a^3(19A + 17B) \sin^3(c + dx)}{15d} + \frac{a^3(19A + 17B) \sin(c + dx)}{5d} + \frac{a^3(22A + 21B) \sin(c + dx) \cos^3(c + dx)}{40d} + \frac{(3A + 4B) \sin(c + dx)}{d}$$

[Out] (a^3\*(26\*A + 23\*B)\*x)/16 + (a^3\*(19\*A + 17\*B)\*Sin[c + d\*x])/(5\*d) + (a^3\*(26\*A + 23\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(16\*d) + (a^3\*(22\*A + 21\*B)\*Cos[c + d\*x]^3\*Ssin[c + d\*x])/(40\*d) + (a\*B\*Cos[c + d\*x]^3\*(a + a\*Cos[c + d\*x])^2\*Ssin[c + d\*x])/(6\*d) + ((3\*A + 4\*B)\*Cos[c + d\*x]^3\*(a^3 + a^3\*Cos[c + d\*x])\*Sin[c + d\*x])/(15\*d) - (a^3\*(19\*A + 17\*B)\*Sin[c + d\*x]^3)/(15\*d)

**Rubi [A]** time = 0.432123, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2976, 2968, 3023, 2748, 2635, 8, 2633}

$$\frac{a^3(19A + 17B) \sin^3(c + dx)}{15d} + \frac{a^3(19A + 17B) \sin(c + dx)}{5d} + \frac{a^3(22A + 21B) \sin(c + dx) \cos^3(c + dx)}{40d} + \frac{(3A + 4B) \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2\*(a + a\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x]),x]

[Out] (a^3\*(26\*A + 23\*B)\*x)/16 + (a^3\*(19\*A + 17\*B)\*Sin[c + d\*x])/(5\*d) + (a^3\*(26\*A + 23\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(16\*d) + (a^3\*(22\*A + 21\*B)\*Cos[c + d\*x]^3\*Ssin[c + d\*x])/(40\*d) + (a\*B\*Cos[c + d\*x]^3\*(a + a\*Cos[c + d\*x])^2\*Ssin[c + d\*x])/(6\*d) + ((3\*A + 4\*B)\*Cos[c + d\*x]^3\*(a^3 + a^3\*Cos[c + d\*x])\*Sin[c + d\*x])/(15\*d) - (a^3\*(19\*A + 17\*B)\*Sin[c + d\*x]^3)/(15\*d)

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] := Int[(a + b\*Ssin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Ssin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)^2], x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Ssin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 1) + C)\*Sin[e + f\*x], x], x]



+ d\*x]] + 36\*B\*Sin[5\*(c + d\*x)] + 5\*B\*Sin[6\*(c + d\*x]]))/(960\*d)

**Maple [A]** time = 0.073, size = 266, normalized size = 1.3

$$\frac{1}{d} \left( \frac{Aa^3 \sin(dx+c)}{5} \left( \frac{8}{3} + (\cos(dx+c))^4 + \frac{4(\cos(dx+c))^2}{3} \right) + a^3 B \left( \frac{\sin(dx+c)}{6} \left( (\cos(dx+c))^5 + \frac{5(\cos(dx+c))^3}{4} \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+cos(d\*x+c)\*a)^3\*(A+B\*cos(d\*x+c)),x)

[Out] 1/d\*(1/5\*A\*a^3\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)+a^3\*B\*(1/6\*(cos(d\*x+c)^5+5/4\*cos(d\*x+c)^3+15/8\*cos(d\*x+c))\*sin(d\*x+c)+5/16\*d\*x+5/16\*c)+3\*A\*a^3\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+3/5\*a^3\*B\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)+A\*a^3\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+3\*a^3\*B\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+A\*a^3\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+1/3\*a^3\*B\*(2+cos(d\*x+c)^2)\*sin(d\*x+c))

**Maxima [A]** time = 0.998033, size = 354, normalized size = 1.76

$$64 \left( 3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) Aa^3 - 960 \left( \sin(dx+c)^3 - 3 \sin(dx+c) \right) Aa^3 + 90(12dx+12c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/960\*(64\*(3\*sin(d\*x+c)^5 - 10\*sin(d\*x+c)^3 + 15\*sin(d\*x+c))\*A\*a^3 - 960\*(sin(d\*x+c)^3 - 3\*sin(d\*x+c))\*A\*a^3 + 90\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*A\*a^3 + 240\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*A\*a^3 + 192\*(3\*sin(d\*x+c)^5 - 10\*sin(d\*x+c)^3 + 15\*sin(d\*x+c))\*B\*a^3 - 5\*(4\*sin(2\*d\*x + 2\*c)^3 - 60\*d\*x - 60\*c - 9\*sin(4\*d\*x + 4\*c) - 48\*sin(2\*d\*x + 2\*c))\*B\*a^3 - 320\*(sin(d\*x+c)^3 - 3\*sin(d\*x+c))\*B\*a^3 + 90\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*B\*a^3)/d

**Fricas [A]** time = 1.45942, size = 332, normalized size = 1.65

$$\frac{15(26A + 23B)a^3 dx + (40Ba^3 \cos(dx+c)^5 + 48(A + 3B)a^3 \cos(dx+c)^4 + 10(18A + 23B)a^3 \cos(dx+c)^3 + 16(18A + 23B)a^3 \cos(dx+c)^2 + 15(26A + 23B)a^3 \cos(dx+c) + 32(19A + 17B)a^3 \sin(dx+c))}{240d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/240\*(15\*(26\*A + 23\*B)\*a^3\*d\*x + (40\*B\*a^3\*cos(d\*x+c)^5 + 48\*(A + 3\*B)\*a^3\*cos(d\*x+c)^4 + 10\*(18\*A + 23\*B)\*a^3\*cos(d\*x+c)^3 + 16\*(19\*A + 17\*B)\*a^3\*cos(d\*x+c)^2 + 15\*(26\*A + 23\*B)\*a^3\*cos(d\*x+c) + 32\*(19\*A + 17\*B)\*a^3\*sin(d\*x+c))/d

---

**Sympy [A]** time = 8.22508, size = 695, normalized size = 3.46

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(a+a\*cos(d\*x+c))\*\*3\*(A+B\*cos(d\*x+c)),x)

[Out] Piecewise(((9\*A\*a\*\*3\*x\*sin(c + d\*x)\*\*4/8 + 9\*A\*a\*\*3\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + A\*a\*\*3\*x\*sin(c + d\*x)\*\*2/2 + 9\*A\*a\*\*3\*x\*cos(c + d\*x)\*\*4/8 + A\*a\*\*3\*x\*cos(c + d\*x)\*\*2/2 + 8\*A\*a\*\*3\*sin(c + d\*x)\*\*5/(15\*d) + 4\*A\*a\*\*3\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*2/(3\*d) + 9\*A\*a\*\*3\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + 2\*A\*a\*\*3\*sin(c + d\*x)\*\*3/d + A\*a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*4/d + 15\*A\*a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d) + 3\*A\*a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + A\*a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + 5\*B\*a\*\*3\*x\*sin(c + d\*x)\*\*6/16 + 15\*B\*a\*\*3\*x\*sin(c + d\*x)\*\*4\*cos(c + d\*x)\*\*2/16 + 9\*B\*a\*\*3\*x\*sin(c + d\*x)\*\*4/8 + 15\*B\*a\*\*3\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*4/16 + 9\*B\*a\*\*3\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + 5\*B\*a\*\*3\*x\*cos(c + d\*x)\*\*6/16 + 9\*B\*a\*\*3\*x\*cos(c + d\*x)\*\*4/8 + 5\*B\*a\*\*3\*sin(c + d\*x)\*\*5\*cos(c + d\*x)/(16\*d) + 8\*B\*a\*\*3\*sin(c + d\*x)\*\*5/(5\*d) + 5\*B\*a\*\*3\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*3/(6\*d) + 4\*B\*a\*\*3\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*2/d + 9\*B\*a\*\*3\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + 2\*B\*a\*\*3\*sin(c + d\*x)\*\*3/(3\*d) + 11\*B\*a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*5/(16\*d) + 3\*B\*a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*4/d + 15\*B\*a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d) + B\*a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d, Ne(d, 0)), (x\*(A + B\*cos(c))\*(a\*cos(c) + a)\*\*3\*cos(c)\*\*2, True))

---

**Giac [A]** time = 1.25192, size = 224, normalized size = 1.11

$$\frac{Ba^3 \sin(6dx + 6c)}{192d} + \frac{1}{16} (26Aa^3 + 23Ba^3)x + \frac{(Aa^3 + 3Ba^3) \sin(5dx + 5c)}{80d} + \frac{3(2Aa^3 + 3Ba^3) \sin(4dx + 4c)}{64d} + \frac{(17Aa^3 + 19Ba^3) \sin(3dx + 3c)}{64d} + \frac{1}{8} (23Aa^3 + 21Ba^3) \sin(dx + c)/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/192\*B\*a^3\*sin(6\*d\*x + 6\*c)/d + 1/16\*(26\*A\*a^3 + 23\*B\*a^3)\*x + 1/80\*(A\*a^3 + 3\*B\*a^3)\*sin(5\*d\*x + 5\*c)/d + 3/64\*(2\*A\*a^3 + 3\*B\*a^3)\*sin(4\*d\*x + 4\*c)/d + 1/48\*(17\*A\*a^3 + 19\*B\*a^3)\*sin(3\*d\*x + 3\*c)/d + 1/64\*(64\*A\*a^3 + 63\*B\*a^3)\*sin(2\*d\*x + 2\*c)/d + 1/8\*(23\*A\*a^3 + 21\*B\*a^3)\*sin(d\*x + c)/d

### 3.20 $\int \cos(c + dx)(a + a \cos(c + dx))^3(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=154

$$\frac{a^3(15A + 13B) \sin^3(c + dx)}{60d} + \frac{a^3(15A + 13B) \sin(c + dx)}{5d} + \frac{3a^3(15A + 13B) \sin(c + dx) \cos(c + dx)}{40d} + \frac{1}{8}a^3x(15A +$$

[Out] (a^3\*(15\*A + 13\*B)\*x)/8 + (a^3\*(15\*A + 13\*B)\*Sin[c + d\*x])/(5\*d) + (3\*a^3\*(15\*A + 13\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(40\*d) + ((5\*A - B)\*(a + a\*Cos[c + d\*x])^3\*SIN[c + d\*x])/(20\*d) + (B\*(a + a\*Cos[c + d\*x])^4\*SIN[c + d\*x])/(5\*a\*d) - (a^3\*(15\*A + 13\*B)\*Sin[c + d\*x]^3)/(60\*d)

**Rubi [A]** time = 0.229204, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.276$ , Rules used = {2968, 3023, 2751, 2645, 2637, 2635, 8, 2633}

$$\frac{a^3(15A + 13B) \sin^3(c + dx)}{60d} + \frac{a^3(15A + 13B) \sin(c + dx)}{5d} + \frac{3a^3(15A + 13B) \sin(c + dx) \cos(c + dx)}{40d} + \frac{1}{8}a^3x(15A +$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(a + a\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x]),x]

[Out] (a^3\*(15\*A + 13\*B)\*x)/8 + (a^3\*(15\*A + 13\*B)\*Sin[c + d\*x])/(5\*d) + (3\*a^3\*(15\*A + 13\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(40\*d) + ((5\*A - B)\*(a + a\*Cos[c + d\*x])^3\*SIN[c + d\*x])/(20\*d) + (B\*(a + a\*Cos[c + d\*x])^4\*SIN[c + d\*x])/(5\*a\*d) - (a^3\*(15\*A + 13\*B)\*Sin[c + d\*x]^3)/(60\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*SIN[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*SIN[e + f\*x] + B\*d\*SIN[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] := -Simp[(C\*cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*SIN[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*SIN[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2751

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[(d\*cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*SIN[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2645

Int[((a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Int[ExpandTrig[(a + b\*sin[c + d\*x])^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 -

$b^2, 0]$  && IGtQ[n, 0]

### Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] := Simp[Sin[c + d\*x]/d, x] /;  
FreeQ[{c, d}, x]

### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]  
]\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c  
+ d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n  
]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expa  
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x]  
&& IGtQ[(n - 1)/2, 0]

### Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + a \cos(c + dx))^3(A + B \cos(c + dx)) dx &= \int (a + a \cos(c + dx))^3 (A \cos(c + dx) + B \cos^2(c + dx)) dx \\ &= \frac{B(a + a \cos(c + dx))^4 \sin(c + dx)}{5ad} + \frac{\int (a + a \cos(c + dx))^3 (4A - B) dx}{5ad} \\ &= \frac{(5A - B)(a + a \cos(c + dx))^3 \sin(c + dx)}{20d} + \frac{B(a + a \cos(c + dx))^3 (4A - B)}{5ad} \\ &= \frac{(5A - B)(a + a \cos(c + dx))^3 \sin(c + dx)}{20d} + \frac{B(a + a \cos(c + dx))^3 (4A - B)}{5ad} \\ &= \frac{1}{20} a^3 (15A + 13B)x + \frac{(5A - B)(a + a \cos(c + dx))^3 \sin(c + dx)}{20d} \\ &= \frac{1}{20} a^3 (15A + 13B)x + \frac{3a^3 (15A + 13B) \sin(c + dx)}{20d} + \frac{3a^3 (15A + 13B)}{20d} \\ &= \frac{1}{8} a^3 (15A + 13B)x + \frac{a^3 (15A + 13B) \sin(c + dx)}{5d} + \frac{3a^3 (15A + 13B)}{20d} \end{aligned}$$

**Mathematica [A]** time = 0.409067, size = 108, normalized size = 0.7

$$\frac{a^3(60(26A + 23B) \sin(c + dx) + 480(A + B) \sin(2(c + dx)) + 120A \sin(3(c + dx)) + 15A \sin(4(c + dx)) + 900Adx + 170B) + 480d}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(a + a\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x]),x]

[Out] (a^3\*(780\*B\*c + 900\*A\*d\*x + 780\*B\*d\*x + 60\*(26\*A + 23\*B)\*Sin[c + d\*x] + 480  
\*(A + B)\*Sin[2\*(c + d\*x)] + 120\*A\*Ssin[3\*(c + d\*x)] + 170\*B\*Ssin[3\*(c + d\*x)]  
+ 15\*A\*Ssin[4\*(c + d\*x)] + 45\*B\*Ssin[4\*(c + d\*x)] + 6\*B\*Ssin[5\*(c + d\*x)])))/(  
480\*d)

**Maple [A]** time = 0.052, size = 223, normalized size = 1.5

$$\frac{1}{d} \left( Aa^3 \left( \frac{\sin(dx+c)}{4} \left( (\cos(dx+c))^3 + \frac{3 \cos(dx+c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{a^3 B \sin(dx+c)}{5} \left( \frac{8}{3} + (\cos(dx+c))^4 + \frac{4}{3} (\cos(dx+c))^3 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+cos(d\*x+c)\*a)^3\*(A+B\*cos(d\*x+c)), x)

[Out] 1/d\*(A\*a^3\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+1/5\*a^3\*B\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)+A\*a^3\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+3\*a^3\*B\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+3\*A\*a^3\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+a^3\*B\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+A\*a^3\*sin(d\*x+c)+a^3\*B\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c))

**Maxima [A]** time = 0.975773, size = 288, normalized size = 1.87

$$\frac{480 (\sin(dx+c)^3 - 3 \sin(dx+c)) Aa^3 - 15 (12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c)) Aa^3 - 360 (2dx + 2c + \sin(2dx + 2c)) Aa^3 - 32 (3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c)) B a^3 + 480 (\sin(dx+c)^3 - 3 \sin(dx+c)) B a^3 - 45 (12dx + 12c + \sin(4dx + 4c) + 8 \sin(2dx + 2c)) B a^3 - 120 (2dx + 2c + \sin(2dx + 2c)) B a^3 - 480 A a^3 \sin(dx+c)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)), x, algorithm="maxima")

[Out] -1/480\*(480\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*A\*a^3 - 15\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*A\*a^3 - 360\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*A\*a^3 - 32\*(3\*sin(d\*x + c)^5 - 10\*sin(d\*x + c)^3 + 15\*sin(d\*x + c))\*B\*a^3 + 480\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*B\*a^3 - 45\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*B\*a^3 - 120\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*B\*a^3 - 480\*A\*a^3\*sin(d\*x + c))/d

**Fricas [A]** time = 1.4533, size = 278, normalized size = 1.81

$$\frac{15 (15 A + 13 B) a^3 dx + (24 B a^3 \cos(dx+c)^4 + 30 (A + 3 B) a^3 \cos(dx+c)^3 + 8 (15 A + 19 B) a^3 \cos(dx+c)^2 + 15 (15 A + 13 B) a^3 \cos(dx+c) + 8 (45 A + 38 B) a^3 \sin(dx+c))}{120 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)), x, algorithm="fricas")

[Out] 1/120\*(15\*(15\*A + 13\*B)\*a^3\*d\*x + (24\*B\*a^3\*cos(d\*x + c)^4 + 30\*(A + 3\*B)\*a^3\*cos(d\*x + c)^3 + 8\*(15\*A + 19\*B)\*a^3\*cos(d\*x + c)^2 + 15\*(15\*A + 13\*B)\*a^3\*cos(d\*x + c) + 8\*(45\*A + 38\*B)\*a^3\*sin(d\*x + c))/d

**Sympy [A]** time = 4.32785, size = 530, normalized size = 3.44

$$\left\{ \begin{array}{l} \frac{3Aa^3x \sin^4(c+dx)}{8} + \frac{3Aa^3x \sin^2(c+dx) \cos^2(c+dx)}{4} + \frac{3Aa^3x \sin^2(c+dx)}{2} + \frac{3Aa^3x \cos^4(c+dx)}{8} + \frac{3Aa^3x \cos^2(c+dx)}{2} + \frac{3Aa^3 \sin^3(c+dx) \cos(c+dx)}{8d} \\ x(A + B \cos(c)) (a \cos(c) + a)^3 \cos(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x)

[Out] Piecewise(((3\*A\*a\*\*3\*x\*sin(c + d\*x)\*\*4/8 + 3\*A\*a\*\*3\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + 3\*A\*a\*\*3\*x\*sin(c + d\*x)\*\*2/2 + 3\*A\*a\*\*3\*x\*cos(c + d\*x)\*\*4/8 + 3\*A\*a\*\*3\*x\*cos(c + d\*x)\*\*2/2 + 3\*A\*a\*\*3\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + 2\*A\*a\*\*3\*sin(c + d\*x)\*\*3/d + 5\*A\*a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d) + 3\*A\*a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + 3\*A\*a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + A\*a\*\*3\*sin(c + d\*x)/d + 9\*B\*a\*\*3\*x\*sin(c + d\*x)\*\*4/8 + 9\*B\*a\*\*3\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + B\*a\*\*3\*x\*sin(c + d\*x)\*\*2/2 + 9\*B\*a\*\*3\*x\*cos(c + d\*x)\*\*4/8 + B\*a\*\*3\*x\*cos(c + d\*x)\*\*2/2 + 8\*B\*a\*\*3\*sin(c + d\*x)\*\*5/(15\*d) + 4\*B\*a\*\*3\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*2/(3\*d) + 9\*B\*a\*\*3\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + 2\*B\*a\*\*3\*sin(c + d\*x)\*\*3/d + B\*a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*4/d + 15\*B\*a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d) + 3\*B\*a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + B\*a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d), Ne(d, 0)), (x\*(A + B\*cos(c))\*(a\*cos(c) + a)\*\*3\*cos(c), True))

**Giac [A]** time = 1.21036, size = 184, normalized size = 1.19

$$\frac{Ba^3 \sin(5dx + 5c)}{80d} + \frac{1}{8}(15Aa^3 + 13Ba^3)x + \frac{(Aa^3 + 3Ba^3) \sin(4dx + 4c)}{32d} + \frac{(12Aa^3 + 17Ba^3) \sin(3dx + 3c)}{48d} + \frac{(Aa^3 + Ba^3) \sin(2dx + 2c)}{d} + \frac{1}{8}(26Aa^3 + 23Ba^3) \sin(dx + c)/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/80\*B\*a^3\*sin(5\*d\*x + 5\*c)/d + 1/8\*(15\*A\*a^3 + 13\*B\*a^3)\*x + 1/32\*(A\*a^3 + 3\*B\*a^3)\*sin(4\*d\*x + 4\*c)/d + 1/48\*(12\*A\*a^3 + 17\*B\*a^3)\*sin(3\*d\*x + 3\*c)/d + (A\*a^3 + B\*a^3)\*sin(2\*d\*x + 2\*c)/d + 1/8\*(26\*A\*a^3 + 23\*B\*a^3)\*sin(d\*x + c)/d



### 3.21 $\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=116

$$-\frac{a^3(4A + 3B) \sin^3(c + dx)}{12d} + \frac{a^3(4A + 3B) \sin(c + dx)}{d} + \frac{3a^3(4A + 3B) \sin(c + dx) \cos(c + dx)}{8d} + \frac{5}{8}a^3x(4A + 3B) + \frac{B}{8}a^3x^2$$

[Out]  $(5a^3(4A + 3B)x)/8 + (a^3(4A + 3B)\sin[c + d*x])/d + (3a^3(4A + 3B)\cos[c + d*x]\sin[c + d*x])/(8*d) + (B*(a + a*\cos[c + d*x])^3\sin[c + d*x])/(4*d) - (a^3(4A + 3B)\sin[c + d*x]^3)/(12*d)$

**Rubi [A]** time = 0.0984662, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2751, 2645, 2637, 2635, 8, 2633}

$$-\frac{a^3(4A + 3B) \sin^3(c + dx)}{12d} + \frac{a^3(4A + 3B) \sin(c + dx)}{d} + \frac{3a^3(4A + 3B) \sin(c + dx) \cos(c + dx)}{8d} + \frac{5}{8}a^3x(4A + 3B) + \frac{B}{8}a^3x^2$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x]),x]

[Out]  $(5a^3(4A + 3B)x)/8 + (a^3(4A + 3B)\sin[c + d*x])/d + (3a^3(4A + 3B)\cos[c + d*x]\sin[c + d*x])/(8*d) + (B*(a + a*\cos[c + d*x])^3\sin[c + d*x])/(4*d) - (a^3(4A + 3B)\sin[c + d*x]^3)/(12*d)$

#### Rule 2751

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2645

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Int[ExpandTrig[(a + b\*sin[c + d\*x])^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n, 0]

#### Rule 2637

Int[sin[Pi/2 + (c\_) + (d\_)\*(x\_)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

#### Rule 2635

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) dx &= \frac{B(a + a \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{1}{4}(4A + 3B) \int (a + a \cos(c + dx))^3 dx \\ &= \frac{B(a + a \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{1}{4}(4A + 3B) \int (a^3 + 3a^3 \cos(c + dx)) dx \\ &= \frac{1}{4}a^3(4A + 3B)x + \frac{B(a + a \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{1}{4}(a^3(4A + 3B)) \int dx \\ &= \frac{1}{4}a^3(4A + 3B)x + \frac{3a^3(4A + 3B) \sin(c + dx)}{4d} + \frac{3a^3(4A + 3B) \cos(c + dx)}{8d} \\ &= \frac{5}{8}a^3(4A + 3B)x + \frac{a^3(4A + 3B) \sin(c + dx)}{d} + \frac{3a^3(4A + 3B) \cos(c + dx)}{8d} \end{aligned}$$

**Mathematica [A]** time = 0.303321, size = 86, normalized size = 0.74

$$\frac{a^3(24(15A + 13B) \sin(c + dx) + 24(3A + 4B) \sin(2(c + dx)) + 8A \sin(3(c + dx)) + 240Adx + 24B \sin(3(c + dx)) + 3B \sin(4(c + dx)))}{96d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x]), x]
```

```
[Out] (a^3*(240*A*d*x + 180*B*d*x + 24*(15*A + 13*B)*Sin[c + d*x] + 24*(3*A + 4*B)*Sin[2*(c + d*x)] + 8*A*Sin[3*(c + d*x)] + 24*B*Sin[3*(c + d*x)] + 3*B*Sin[4*(c + d*x)])/(96*d)
```

**Maple [A]** time = 0.047, size = 176, normalized size = 1.5

$$\frac{1}{d} \left( a^3 B \left( \frac{\sin(dx + c)}{4} \left( (\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3 dx}{8} + \frac{3c}{8} \right) + \frac{Aa^3 (2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + a^3 B (2 + \cos(dx + c)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^3*(A+B*cos(d*x+c)), x)
```

```
[Out] 1/d*(a^3*B*(1/4*(cos(d*x+c)^3+3/2*cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c)+1/3*A*a^3*(2+cos(d*x+c)^2)*sin(d*x+c)+a^3*B*(2+cos(d*x+c)^2)*sin(d*x+c)+3*A*a^3*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+3*a^3*B*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+3*A*a^3*sin(d*x+c)+a^3*B*sin(d*x+c)+A*a^3*(d*x+c))
```

**Maxima [A]** time = 1.02594, size = 225, normalized size = 1.94

$$\frac{32 (\sin(dx + c)^3 - 3 \sin(dx + c)) Aa^3 - 72 (2 dx + 2c + \sin(2 dx + 2c)) Aa^3 - 96 (dx + c) Aa^3 + 96 (\sin(dx + c)^3 - 3 \sin(dx + c)) B a^3}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 
$$\frac{-1/96*(32*(\sin(dx+c))^3 - 3*\sin(dx+c))*A*a^3 - 72*(2*d*x + 2*c + \sin(2*d*x + 2*c))*A*a^3 - 96*(dx+c)*A*a^3 + 96*(\sin(dx+c)^3 - 3*\sin(dx+c))*B*a^3 - 3*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*B*a^3 - 72*(2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a^3 - 288*A*a^3*\sin(dx+c) - 96*B*a^3*\sin(dx+c))/d$$

**Fricas [A]** time = 1.33383, size = 216, normalized size = 1.86

$$\frac{15(4A + 3B)a^3 dx + (6Ba^3 \cos(dx+c)^3 + 8(A+3B)a^3 \cos(dx+c)^2 + 9(4A+5B)a^3 \cos(dx+c) + 8(11A+9B)a^3)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 
$$\frac{1/24*(15*(4*A + 3*B)*a^3*d*x + (6*B*a^3*\cos(dx+c)^3 + 8*(A + 3*B)*a^3*\cos(dx+c)^2 + 9*(4*A + 5*B)*a^3*\cos(dx+c) + 8*(11*A + 9*B)*a^3*\sin(dx+c)))/d$$

**Sympy [A]** time = 1.6103, size = 371, normalized size = 3.2

$$\left\{ \begin{array}{l} \frac{3Aa^3x \sin^2(c+dx)}{2} + \frac{3Aa^3x \cos^2(c+dx)}{2} + Aa^3x + \frac{2Aa^3 \sin^3(c+dx)}{3d} + \frac{Aa^3 \sin(c+dx) \cos^2(c+dx)}{d} + \frac{3Aa^3 \sin(c+dx) \cos(c+dx)}{2d} + \frac{3Aa^3 \sin(c+dx)}{d} \\ x(A+B \cos(c))(a \cos(c)+a)^3 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x)

[Out] 
$$\text{Piecewise}((3*A*a**3*x*\sin(c+d*x)**2/2 + 3*A*a**3*x*\cos(c+d*x)**2/2 + A*a**3*x + 2*A*a**3*\sin(c+d*x)**3/(3*d) + A*a**3*\sin(c+d*x)*\cos(c+d*x)**2/d + 3*A*a**3*\sin(c+d*x)*\cos(c+d*x)/(2*d) + 3*A*a**3*\sin(c+d*x)/d + 3*B*a**3*x*\sin(c+d*x)**4/8 + 3*B*a**3*x*\sin(c+d*x)**2*\cos(c+d*x)**2/4 + 3*B*a**3*x*\sin(c+d*x)**2/2 + 3*B*a**3*x*\cos(c+d*x)**4/8 + 3*B*a**3*x*\cos(c+d*x)**2/2 + 3*B*a**3*\sin(c+d*x)**3*\cos(c+d*x)/(8*d) + 2*B*a**3*\sin(c+d*x)**3/d + 5*B*a**3*\sin(c+d*x)*\cos(c+d*x)**3/(8*d) + 3*B*a**3*\sin(c+d*x)*\cos(c+d*x)**2/d + 3*B*a**3*\sin(c+d*x)*\cos(c+d*x)/(2*d) + B*a**3*\sin(c+d*x)/d, \text{Ne}(d, 0)), (x*(A+B*\cos(c))*(a*\cos(c)+a)**3, \text{True}))$$

**Giac [A]** time = 1.1839, size = 151, normalized size = 1.3

$$\frac{Ba^3 \sin(4dx+4c)}{32d} + \frac{5}{8}(4Aa^3 + 3Ba^3)x + \frac{(Aa^3 + 3Ba^3) \sin(3dx+3c)}{12d} + \frac{(3Aa^3 + 4Ba^3) \sin(2dx+2c)}{4d} + \frac{(15Aa^3 + 12Ba^3) \sin(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

```
[Out] 1/32*B*a^3*sin(4*d*x + 4*c)/d + 5/8*(4*A*a^3 + 3*B*a^3)*x + 1/12*(A*a^3 + 3*B*a^3)*sin(3*d*x + 3*c)/d + 1/4*(3*A*a^3 + 4*B*a^3)*sin(2*d*x + 2*c)/d + 1/4*(15*A*a^3 + 13*B*a^3)*sin(d*x + c)/d
```

### 3.22 $\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec(c + dx) dx$

**Optimal.** Leaf size=111

$$\frac{5a^3(A+B)\sin(c+dx)}{2d} + \frac{(3A+5B)\sin(c+dx)(a^3\cos(c+dx)+a^3)}{6d} + \frac{1}{2}a^3x(7A+5B) + \frac{a^3A \tanh^{-1}(\sin(c+dx))}{d}$$

[Out] (a^3\*(7\*A + 5\*B)\*x)/2 + (a^3\*A\*ArcTanh[Sin[c + d\*x]])/d + (5\*a^3\*(A + B)\*Sin[c + d\*x])/(2\*d) + (a\*B\*(a + a\*Cos[c + d\*x])^2\*Sin[c + d\*x])/(3\*d) + ((3\*A + 5\*B)\*(a^3 + a^3\*Cos[c + d\*x])\*Sin[c + d\*x])/(6\*d)

**Rubi [A]** time = 0.30435, antiderivative size = 111, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {2976, 2968, 3023, 2735, 3770}

$$\frac{5a^3(A+B)\sin(c+dx)}{2d} + \frac{(3A+5B)\sin(c+dx)(a^3\cos(c+dx)+a^3)}{6d} + \frac{1}{2}a^3x(7A+5B) + \frac{a^3A \tanh^{-1}(\sin(c+dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x], x]

[Out] (a^3\*(7\*A + 5\*B)\*x)/2 + (a^3\*A\*ArcTanh[Sin[c + d\*x]])/d + (5\*a^3\*(A + B)\*Sin[c + d\*x])/(2\*d) + (a\*B\*(a + a\*Cos[c + d\*x])^2\*Sin[c + d\*x])/(3\*d) + ((3\*A + 5\*B)\*(a^3 + a^3\*Cos[c + d\*x])\*Sin[c + d\*x])/(6\*d)

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)^2], x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])/((c_.) + (d_.)*sin[(e_.) + (f_.
)*(x_.)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{aB(a + a \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{1}{3} \int (a + a \cos(c + dx))^2 \\ &= \frac{aB(a + a \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{(3A + 5B)(a^3 + a^3 \cos(c + dx))}{6d} \\ &= \frac{aB(a + a \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{(3A + 5B)(a^3 + a^3 \cos(c + dx))}{6d} \\ &= \frac{5a^3(A + B) \sin(c + dx)}{2d} + \frac{aB(a + a \cos(c + dx))^2 \sin(c + dx)}{3d} \\ &= \frac{1}{2} a^3 (7A + 5B)x + \frac{5a^3(A + B) \sin(c + dx)}{2d} + \frac{aB(a + a \cos(c + dx))^2 \sin(c + dx)}{3d} \\ &= \frac{1}{2} a^3 (7A + 5B)x + \frac{a^3 A \tanh^{-1}(\sin(c + dx))}{d} + \frac{5a^3(A + B) \sin(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.24898, size = 113, normalized size = 1.02

$$\frac{a^3 \left( 9(4A + 5B) \sin(c + dx) + 3(A + 3B) \sin(2(c + dx)) - 12A \log \left( \cos \left( \frac{1}{2}(c + dx) \right) - \sin \left( \frac{1}{2}(c + dx) \right) \right) + 12A \log \left( \sin \left( \frac{1}{2}(c + dx) \right) + \cos \left( \frac{1}{2}(c + dx) \right) \right) \right)}{12d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x], x]
```

```
[Out] (a^3*(42*A*d*x + 30*B*d*x - 12*A*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] +
12*A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 9*(4*A + 5*B)*Sin[c + d*x]
+ 3*(A + 3*B)*Sin[2*(c + d*x)] + B*Sin[3*(c + d*x)])/(12*d)
```

**Maple [A]** time = 0.111, size = 153, normalized size = 1.4

$$\frac{Aa^3 \cos(dx + c) \sin(dx + c)}{2d} + \frac{7Aa^3x}{2} + \frac{7Aa^3c}{2d} + \frac{B \sin(dx + c) (\cos(dx + c))^2 a^3}{3d} + \frac{11a^3B \sin(dx + c)}{3d} + 3 \frac{Aa^3 \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^3*(A+B*cos(d*x+c))*sec(d*x+c), x)
```

```
[Out] 1/2/d*A*a^3*cos(d*x+c)*sin(d*x+c)+7/2*A*a^3*x+7/2/d*A*a^3*c+1/3/d*B*sin(d*x
+c)*cos(d*x+c)^2*a^3+11/3*a^3*B*sin(d*x+c)/d+3*a^3*A*sin(d*x+c)/d+3/2/d*a^3
*B*cos(d*x+c)*sin(d*x+c)+5/2*a^3*B*x+5/2/d*a^3*B*c+1/d*A*a^3*ln(sec(d*x+c)+
tan(d*x+c))
```

---

**Maxima [A]** time = 1.00012, size = 190, normalized size = 1.71

$$\frac{3(2dx + 2c + \sin(2dx + 2c))Aa^3 + 36(dx + c)Aa^3 - 4(\sin(dx + c)^3 - 3\sin(dx + c))Ba^3 + 9(2dx + 2c + \sin(2dx + 2c))Aa^3 + 12(dx + c)Ba^3}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="maxima")

[Out] 1/12\*(3\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*A\*a^3 + 36\*(d\*x + c)\*A\*a^3 - 4\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*B\*a^3 + 9\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*B\*a^3 + 12\*(d\*x + c)\*B\*a^3 + 12\*A\*a^3\*log(sec(d\*x + c) + tan(d\*x + c)) + 36\*A\*a^3\*sin(d\*x + c) + 36\*B\*a^3\*sin(d\*x + c))/d

---

**Fricas [A]** time = 1.49719, size = 254, normalized size = 2.29

$$\frac{3(7A + 5B)a^3 dx + 3Aa^3 \log(\sin(dx + c) + 1) - 3Aa^3 \log(-\sin(dx + c) + 1) + (2Ba^3 \cos(dx + c)^2 + 3(A + 3B)a^3 \cos(dx + c))}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="fricas")

[Out] 1/6\*(3\*(7\*A + 5\*B)\*a^3\*d\*x + 3\*A\*a^3\*log(sin(d\*x + c) + 1) - 3\*A\*a^3\*log(-sin(d\*x + c) + 1) + (2\*B\*a^3\*cos(d\*x + c)^2 + 3\*(A + 3\*B)\*a^3\*cos(d\*x + c) + 2\*(9\*A + 11\*B)\*a^3)\*sin(d\*x + c))/d

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x)

[Out] Timed out

---

**Giac [A]** time = 1.28875, size = 243, normalized size = 2.19

$$\frac{6Aa^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 6Aa^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + 3(7Aa^3 + 5Ba^3)(dx + c) + \frac{2\left(15Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 3(A + 3B)a^3\right)}{6d}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="giac")

```
[Out] 1/6*(6*A*a^3*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 6*A*a^3*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 3*(7*A*a^3 + 5*B*a^3)*(d*x + c) + 2*(15*A*a^3*tan(1/2*d*x + 1/2*c)^5 + 15*B*a^3*tan(1/2*d*x + 1/2*c)^5 + 36*A*a^3*tan(1/2*d*x + 1/2*c)^3 + 40*B*a^3*tan(1/2*d*x + 1/2*c)^3 + 21*A*a^3*tan(1/2*d*x + 1/2*c) + 33*B*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^3)/d
```



### 3.23 $\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^2(c + dx) dx$

**Optimal.** Leaf size=110

$$\frac{a^3(3A + B) \tanh^{-1}(\sin(c + dx))}{d} - \frac{(2A - B) \sin(c + dx) (a^3 \cos(c + dx) + a^3)}{2d} + \frac{1}{2} a^3 x (6A + 7B) + \frac{5a^3 B \sin(c + dx)}{2d} +$$

[Out] (a^3\*(6\*A + 7\*B)\*x)/2 + (a^3\*(3\*A + B)\*ArcTanh[Sin[c + d\*x]])/d + (5\*a^3\*B\*Sin[c + d\*x])/(2\*d) - ((2\*A - B)\*(a^3 + a^3\*Cos[c + d\*x])\*Sin[c + d\*x])/(2\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^2\*Tan[c + d\*x])/d

**Rubi [A]** time = 0.308204, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2975, 2976, 2968, 3023, 2735, 3770}

$$\frac{a^3(3A + B) \tanh^{-1}(\sin(c + dx))}{d} - \frac{(2A - B) \sin(c + dx) (a^3 \cos(c + dx) + a^3)}{2d} + \frac{1}{2} a^3 x (6A + 7B) + \frac{5a^3 B \sin(c + dx)}{2d} +$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] (a^3\*(6\*A + 7\*B)\*x)/2 + (a^3\*(3\*A + B)\*ArcTanh[Sin[c + d\*x]])/d + (5\*a^3\*B\*Sin[c + d\*x])/(2\*d) - ((2\*A - B)\*(a^3 + a^3\*Cos[c + d\*x])\*Sin[c + d\*x])/(2\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^2\*Tan[c + d\*x])/d

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2),

x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^2 \tan(c + dx)}{d} + \int (a + a \cos(c + dx))^2 \\ &= -\frac{(2A - B)(a^3 + a^3 \cos(c + dx)) \sin(c + dx)}{2d} + \frac{aA(a + a \cos(c + dx))^2}{d} \\ &= -\frac{(2A - B)(a^3 + a^3 \cos(c + dx)) \sin(c + dx)}{2d} + \frac{aA(a + a \cos(c + dx))^2}{d} \\ &= \frac{5a^3B \sin(c + dx)}{2d} - \frac{(2A - B)(a^3 + a^3 \cos(c + dx)) \sin(c + dx)}{2d} \\ &= \frac{1}{2}a^3(6A + 7B)x + \frac{5a^3B \sin(c + dx)}{2d} - \frac{(2A - B)(a^3 + a^3 \cos(c + dx)) \sin(c + dx)}{2d} \\ &= \frac{1}{2}a^3(6A + 7B)x + \frac{a^3(3A + B) \tanh^{-1}(\sin(c + dx))}{d} + \frac{5a^3B \sin(c + dx)}{2d} \end{aligned}$$

**Mathematica [B]** time = 1.69006, size = 272, normalized size = 2.47

$$\frac{1}{32}a^3(\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \left( \frac{4(A + 3B) \sin(c) \cos(dx)}{d} + \frac{4(A + 3B) \cos(c) \sin(dx)}{d} - \frac{4(3A + B) \log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right)}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] (a^3\*(1 + Cos[c + d\*x])^3\*Sec[(c + d\*x)/2]^6\*(2\*(6\*A + 7\*B)\*x - (4\*(3\*A + B)\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]])/d + (4\*(3\*A + B)\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])/d + (4\*(A + 3\*B)\*Cos[d\*x]\*Sin[c])/d + (B\*Cos[2\*d\*x]\*Sin[2\*c])/d + (4\*(A + 3\*B)\*Cos[c]\*Sin[d\*x])/d + (B\*Cos[2\*c]\*Sin[2\*d\*x])/d + (4\*A\*Sin[(d\*x)/2])/(d\*(Cos[c/2] - Sin[c/2])\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])) + (4\*A\*Sin[(d\*x)/2])/(d\*(Cos[c/2] + Sin[c/2])\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])))/32

---

**Maple [A]** time = 0.1, size = 145, normalized size = 1.3

$$\frac{Aa^3 \sin(dx+c)}{d} + \frac{a^3 B \cos(dx+c) \sin(dx+c)}{2d} + \frac{7a^3 Bx}{2} + \frac{7a^3 Bc}{2d} + 3Aa^3x + 3\frac{Aa^3c}{d} + 3\frac{a^3 B \sin(dx+c)}{d} + 3\frac{Aa^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x)

[Out] a^3\*A\*sin(d\*x+c)/d+1/2/d\*a^3\*B\*cos(d\*x+c)\*sin(d\*x+c)+7/2\*a^3\*B\*x+7/2/d\*a^3\*B\*c+3\*A\*a^3\*x+3/d\*A\*a^3\*c+3\*a^3\*B\*sin(d\*x+c)/d+3/d\*A\*a^3\*ln(sec(d\*x+c)+tan(d\*x+c))+1/d\*A\*a^3\*tan(d\*x+c)+1/d\*a^3\*B\*ln(sec(d\*x+c)+tan(d\*x+c))

---

**Maxima [A]** time = 1.02568, size = 189, normalized size = 1.72

$$\frac{12(dx+c)Aa^3 + (2dx+2c+\sin(2dx+2c))Ba^3 + 12(dx+c)Ba^3 + 6Aa^3(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1))}{2d \cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] 1/4\*(12\*(d\*x + c)\*A\*a^3 + (2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*B\*a^3 + 12\*(d\*x + c)\*B\*a^3 + 6\*A\*a^3\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 2\*B\*a^3\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 4\*A\*a^3\*sin(d\*x + c) + 12\*B\*a^3\*sin(d\*x + c) + 4\*A\*a^3\*tan(d\*x + c))/d

---

**Fricas [A]** time = 1.41616, size = 323, normalized size = 2.94

$$\frac{(6A+7B)a^3 dx \cos(dx+c) + (3A+B)a^3 \cos(dx+c) \log(\sin(dx+c)+1) - (3A+B)a^3 \cos(dx+c) \log(-\sin(dx+c)+1)}{2d \cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] 1/2\*((6\*A + 7\*B)\*a^3\*d\*x\*cos(d\*x + c) + (3\*A + B)\*a^3\*cos(d\*x + c)\*log(sin(d\*x + c) + 1) - (3\*A + B)\*a^3\*cos(d\*x + c)\*log(-sin(d\*x + c) + 1) + (B\*a^3\*cos(d\*x + c)^2 + 2\*(A + 3\*B)\*a^3\*cos(d\*x + c) + 2\*A\*a^3)\*sin(d\*x + c))/(d\*cos(d\*x + c))

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2,x)

[Out] Timed out

---

**Giac [A]** time = 1.32327, size = 259, normalized size = 2.35

$$\frac{4Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} - (6Aa^3 + 7Ba^3)(dx + c) - 2(3Aa^3 + Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) + 2(3Aa^3 + Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

---

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] 
$$\frac{-1/2*(4*A*a^3*\tan(1/2*d*x + 1/2*c)/(\tan(1/2*d*x + 1/2*c)^2 - 1) - (6*A*a^3 + 7*B*a^3)*(d*x + c) - 2*(3*A*a^3 + B*a^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) + 2*(3*A*a^3 + B*a^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(2*A*a^3*\tan(1/2*d*x + 1/2*c)^3 + 5*B*a^3*\tan(1/2*d*x + 1/2*c)^3 + 2*A*a^3*\tan(1/2*d*x + 1/2*c) + 7*B*a^3*\tan(1/2*d*x + 1/2*c))}{(\tan(1/2*d*x + 1/2*c)^2 + 1)^2}/d$$

### 3.24 $\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^3(c + dx) dx$

**Optimal.** Leaf size=114

$$\frac{a^3(7A + 6B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(2A + B) \tan(c + dx) (a^3 \cos(c + dx) + a^3)}{d} + a^3 x(A + 3B) - \frac{5a^3 A \sin(c + dx)}{2d} +$$

[Out]  $a^3(A + 3B)x + (a^3(7A + 6B) \operatorname{ArcTanh}[\sin(c + dx)])/(2d) - (5a^3 A \sin(c + dx))/(2d) + ((2A + B)(a^3 + a^3 \cos(c + dx)) \tan(c + dx))/d + (aA(a + a \cos(c + dx))^2 \sec(c + dx) \tan(c + dx))/(2d)$

**Rubi [A]** time = 0.337916, antiderivative size = 114, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2975, 2968, 3023, 2735, 3770}

$$\frac{a^3(7A + 6B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(2A + B) \tan(c + dx) (a^3 \cos(c + dx) + a^3)}{d} + a^3 x(A + 3B) - \frac{5a^3 A \sin(c + dx)}{2d} +$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^3(c + dx), x]$

[Out]  $a^3(A + 3B)x + (a^3(7A + 6B) \operatorname{ArcTanh}[\sin(c + dx)])/(2d) - (5a^3 A \sin(c + dx))/(2d) + ((2A + B)(a^3 + a^3 \cos(c + dx)) \tan(c + dx))/d + (aA(a + a \cos(c + dx))^2 \sec(c + dx) \tan(c + dx))/(2d)$

#### Rule 2975

$\operatorname{Int}[(a + b \sin(e + f x))^m ((A + B \sin(e + f x)) + (C + D \sin(e + f x)) \sin(e + f x)), x] := -\operatorname{Simp}[(b^2(Bc - Ad) \cos(e + f x) (a + b \sin(e + f x))^{m-1} (c + d \sin(e + f x))^{n+1}) / (d f (n+1) (b c + a d)), x] - \operatorname{Dist}[b / (d (n+1) (b c + a d)), \operatorname{Int}[(a + b \sin(e + f x))^{m-1} (c + d \sin(e + f x))^{n+1} \operatorname{Simp}[A d (m - n - 2) - B (a c (m - 1) + b d (n + 1)) - (A b d (m + n + 1) - B (b c m - a d (n + 1))] \sin(e + f x), x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

$\operatorname{Int}[(a + b \sin(e + f x))^m ((A + B \sin(e + f x)) + (C + D \sin(e + f x)) \sin(e + f x)), x] := \operatorname{Int}[(a + b \sin(e + f x))^m (A c + (B c + A d) \sin(e + f x) + B d \sin^2(e + f x)), x] /;$  FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

$\operatorname{Int}[(a + b \sin(e + f x))^m ((A + B \sin(e + f x)) + (C + D \sin(e + f x)) \sin(e + f x))^2, x] := -\operatorname{Simp}[(C \cos(e + f x) (a + b \sin(e + f x))^{m+1}) / (b f (m + 2)), x] + \operatorname{Dist}[1 / (b (m + 2)), \operatorname{Int}[(a + b \sin(e + f x))^m \operatorname{Simp}[A b (m + 2) + b C (m + 1) + (b B (m + 2) - a C) \sin(e + f x), x], x], x] /;$  FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.
)*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^3(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^2 \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^2(c + dx) dx \\ &= \frac{(2A + B)(a^3 + a^3 \cos(c + dx)) \tan(c + dx)}{d} + \frac{aA(a + a \cos(c + dx))^2 \sec(c + dx) \tan(c + dx)}{2d} \\ &= \frac{(2A + B)(a^3 + a^3 \cos(c + dx)) \tan(c + dx)}{d} + \frac{aA(a + a \cos(c + dx))^2 \sec(c + dx) \tan(c + dx)}{2d} \\ &= -\frac{5a^3 A \sin(c + dx)}{2d} + \frac{(2A + B)(a^3 + a^3 \cos(c + dx)) \tan(c + dx)}{d} \\ &= a^3(A + 3B)x - \frac{5a^3 A \sin(c + dx)}{2d} + \frac{(2A + B)(a^3 + a^3 \cos(c + dx)) \tan(c + dx)}{d} \\ &= a^3(A + 3B)x + \frac{a^3(7A + 6B) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{5a^3 A \sin(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 1.83876, size = 208, normalized size = 1.82

$$a^3 \left( 4(3A + B) \tan(c + dx) + \frac{A}{\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)^2} - \frac{A}{\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)^2} - 14A \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]
```

```
[Out] (a^3*(4*A*c + 12*B*c + 4*A*d*x + 12*B*d*x - 14*A*Log[Cos[(c + d*x)/2] - Sin
[(c + d*x)/2]] - 12*B*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 14*A*Log[C
os[(c + d*x)/2] + Sin[(c + d*x)/2]] + 12*B*Log[Cos[(c + d*x)/2] + Sin[(c +
d*x)/2]] + A/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 - A/(Cos[(c + d*x)/2]
+ Sin[(c + d*x)/2])^2 + 4*B*Sin[c + d*x] + 4*(3*A + B)*Tan[c + d*x]))/(4*d)
```

**Maple [A]** time = 0.111, size = 144, normalized size = 1.3

$$Aa^3x + \frac{Aa^3c}{d} + \frac{a^3B \sin(dx + c)}{d} + \frac{7Aa^3 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + 3a^3Bx + 3\frac{Ba^3c}{d} + 3\frac{Aa^3 \tan(dx + c)}{d} + 3\frac{a^3}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^3*(A+B*cos(d*x+c))*sec(d*x+c)^3,x)
```

```
[Out] A*a^3*x+1/d*A*a^3*c+a^3*B*sin(d*x+c)/d+7/2/d*A*a^3*ln(sec(d*x+c)+tan(d*x+c)
)+3*a^3*B*x+3/d*a^3*B*c+3/d*A*a^3*tan(d*x+c)+3/d*a^3*B*ln(sec(d*x+c)+tan(d*
```

$x+c)) + 1/2/d*A*a^3*\sec(d*x+c)*\tan(d*x+c) + 1/d*a^3*B*\tan(d*x+c)$

**Maxima [A]** time = 1.01014, size = 223, normalized size = 1.96

$$4(dx+c)Aa^3 + 12(dx+c)Ba^3 - Aa^3 \left( \frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1) \right) + 6Aa^3(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 6B*a^3*(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 4*B*a^3*\sin(dx+c) + 12*A*a^3*\tan(dx+c) + 4*B*a^3*\tan(dx+c))/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out] 1/4\*(4\*(d\*x + c)\*A\*a^3 + 12\*(d\*x + c)\*B\*a^3 - A\*a^3\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) + 6\*A\*a^3\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 6\*B\*a^3\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 4\*B\*a^3\*sin(d\*x + c) + 12\*A\*a^3\*tan(d\*x + c) + 4\*B\*a^3\*tan(d\*x + c))/d

**Fricas [A]** time = 1.47112, size = 342, normalized size = 3.

$$\frac{4(A+3B)a^3 dx \cos(dx+c)^2 + (7A+6B)a^3 \cos(dx+c)^2 \log(\sin(dx+c)+1) - (7A+6B)a^3 \cos(dx+c)^2 \log(-\sin(dx+c)+1)}{4d \cos(dx+c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] 1/4\*(4\*(A + 3\*B)\*a^3\*d\*x\*cos(d\*x + c)^2 + (7\*A + 6\*B)\*a^3\*cos(d\*x + c)^2\*log(sin(d\*x + c) + 1) - (7\*A + 6\*B)\*a^3\*cos(d\*x + c)^2\*log(-sin(d\*x + c) + 1) + 2\*(2\*B\*a^3\*cos(d\*x + c)^2 + 2\*(3\*A + B)\*a^3\*cos(d\*x + c) + A\*a^3)\*sin(d\*x + c))/(d\*cos(d\*x + c)^2)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3,x)

[Out] Timed out

**Giac [A]** time = 1.26239, size = 259, normalized size = 2.27

$$\frac{4Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} + 2(Aa^3 + 3Ba^3)(dx+c) + (7Aa^3 + 6Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (7Aa^3 + 6Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="giac")
```

```
[Out] 1/2*(4*B*a^3*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1) + 2*(A*a^3 + 3*B*a^3)*(d*x + c) + (7*A*a^3 + 6*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (7*A*a^3 + 6*B*a^3)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(5*A*a^3*tan(1/2*d*x + 1/2*c)^3 + 2*B*a^3*tan(1/2*d*x + 1/2*c)^3 - 7*A*a^3*tan(1/2*d*x + 1/2*c) - 2*B*a^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^2)/d
```



### 3.25 $\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^4(c + dx) dx$

**Optimal.** Leaf size=125

$$\frac{5a^3(A+B)\tan(c+dx)}{2d} + \frac{a^3(5A+7B)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{(5A+3B)\tan(c+dx)\sec(c+dx)(a^3\cos(c+dx)+a^3)}{6d}$$

[Out] a^3\*B\*x + (a^3\*(5\*A + 7\*B)\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (5\*a^3\*(A + B)\*Tan[c + d\*x])/(2\*d) + ((5\*A + 3\*B)\*(a^3 + a^3\*Cos[c + d\*x])\*Sec[c + d\*x]\*Tan[c + d\*x])/(6\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.336653, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2975, 2968, 3021, 2735, 3770}

$$\frac{5a^3(A+B)\tan(c+dx)}{2d} + \frac{a^3(5A+7B)\tanh^{-1}(\sin(c+dx))}{2d} + \frac{(5A+3B)\tan(c+dx)\sec(c+dx)(a^3\cos(c+dx)+a^3)}{6d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out] a^3\*B\*x + (a^3\*(5\*A + 7\*B)\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (5\*a^3\*(A + B)\*Tan[c + d\*x])/(2\*d) + ((5\*A + 3\*B)\*(a^3 + a^3\*Cos[c + d\*x])\*Sec[c + d\*x]\*Tan[c + d\*x])/(6\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*d)

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2, x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B,

C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^4(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^2 \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^2(c + dx) dx \\ &= \frac{(5A + 3B)(a^3 + a^3 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{6d} + \frac{1}{3} \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^2(c + dx) dx \\ &= \frac{(5A + 3B)(a^3 + a^3 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{6d} + \frac{1}{3} \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^2(c + dx) dx \\ &= \frac{5a^3(A + B) \tan(c + dx)}{2d} + \frac{(5A + 3B)(a^3 + a^3 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{6d} \\ &= a^3 Bx + \frac{5a^3(A + B) \tan(c + dx)}{2d} + \frac{(5A + 3B)(a^3 + a^3 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{6d} \\ &= a^3 Bx + \frac{a^3(5A + 7B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{5a^3(A + B) \tan(c + dx)}{2d} \end{aligned}$$

**Mathematica [B]** time = 6.34731, size = 786, normalized size = 6.29

$$\frac{\sec^6\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c + dx) + a)^3 \left(11A \sin\left(\frac{dx}{2}\right) + 9B \sin\left(\frac{dx}{2}\right)\right)}{24d \left(\cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right)\right) \left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right)} + \frac{\sec^6\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c + dx) + a)^3 \left(11A \sin\left(\frac{dx}{2}\right) + 9B \sin\left(\frac{dx}{2}\right)\right)}{24d \left(\sin\left(\frac{c}{2}\right) + \cos\left(\frac{c}{2}\right)\right) \left(\sin\left(\frac{c}{2} + \frac{dx}{2}\right) + \cos\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4, x]

[Out] (B\*x\*(a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6)/8 + ((-5\*A - 7\*B)\*(a + a\*Cos[c + d\*x])^3\*Log[Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2]]\*Sec[c/2 + (d\*x)/2]^6)/(16\*d) + ((5\*A + 7\*B)\*(a + a\*Cos[c + d\*x])^3\*Log[Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2]]\*Sec[c/2 + (d\*x)/2]^6)/(16\*d) + (A\*(a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*Sin[(d\*x)/2])/(48\*d\*(Cos[c/2] - Sin[c/2])\*(Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2])^3) + ((a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*(10\*A\*Cos[c/2] + 3\*B\*Cos[c/2] - 8\*A\*Sin[c/2] - 3\*B\*Sin[c/2]))/(96\*d\*(Cos[c/2] - Sin[c/2])\*(Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2])^2) + ((a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*(11\*A\*Sin[(d\*x)/2] + 9\*B\*Sin[(d\*x)/2]))/(24\*d\*(Cos[c/2] - Sin[c/2])\*(Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2])^2) + (A\*(a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*Sin[(d\*x)/2])/(48\*d\*(Cos[c/2] + Sin[c/2])\*(Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2])^3) + ((a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*(-10\*A\*Cos[c/2] - 3\*B\*Cos[c/2] - 8\*A\*Sin[c/2] - 3\*B\*Sin[c/2]))/(96\*d\*(Cos[c/2] + Sin[c/2])\*(Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2])^2) + ((a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*(11\*A\*Sin[(d\*x)/2] + 9\*B\*Sin[(d\*x)/2]))/(24\*d\*(Cos[c/2] + Sin[c/2])\*(Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2])^2)

$*x)/2] + \text{Sin}[c/2 + (d*x)/2])$

**Maple [A]** time = 0.152, size = 158, normalized size = 1.3

$$\frac{5 A a^3 \ln(\sec(dx+c) + \tan(dx+c))}{2d} + a^3 B x + \frac{B a^3 c}{d} + \frac{11 A a^3 \tan(dx+c)}{3d} + \frac{7 a^3 B \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x)

[Out] 5/2/d\*A\*a^3\*ln(sec(d\*x+c)+tan(d\*x+c))+a^3\*B\*x+1/d\*a^3\*B\*c+11/3/d\*A\*a^3\*tan(d\*x+c)+7/2/d\*a^3\*B\*ln(sec(d\*x+c)+tan(d\*x+c))+3/2/d\*A\*a^3\*sec(d\*x+c)\*tan(d\*x+c)+3/d\*a^3\*B\*tan(d\*x+c)+1/3/d\*A\*a^3\*tan(d\*x+c)\*sec(d\*x+c)^2+1/2/d\*a^3\*B\*sec(d\*x+c)\*tan(d\*x+c)

**Maxima [A]** time = 1.00377, size = 286, normalized size = 2.29

$$4(\tan(dx+c)^3 + 3 \tan(dx+c))Aa^3 + 12(dx+c)Ba^3 - 9Aa^3 \left( \frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out] 1/12\*(4\*(tan(d\*x+c)^3 + 3\*tan(d\*x+c))\*A\*a^3 + 12\*(d\*x+c)\*B\*a^3 - 9\*A\*a^3\*(2\*sin(d\*x+c)/(sin(d\*x+c)^2-1) - log(sin(d\*x+c)+1) + log(sin(d\*x+c)-1)) - 3\*B\*a^3\*(2\*sin(d\*x+c)/(sin(d\*x+c)^2-1) - log(sin(d\*x+c)+1) + log(sin(d\*x+c)-1)) + 6\*A\*a^3\*(log(sin(d\*x+c)+1) - log(sin(d\*x+c)-1)) + 18\*B\*a^3\*(log(sin(d\*x+c)+1) - log(sin(d\*x+c)-1)) + 36\*A\*a^3\*tan(d\*x+c) + 36\*B\*a^3\*tan(d\*x+c))/d

**Fricas [A]** time = 1.42093, size = 356, normalized size = 2.85

$$\frac{12 B a^3 dx \cos(dx+c)^3 + 3(5A+7B)a^3 \cos(dx+c)^3 \log(\sin(dx+c)+1) - 3(5A+7B)a^3 \cos(dx+c)^3 \log(-\sin(dx+c)+1)}{12 d \cos(dx+c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="fricas")

[Out] 1/12\*(12\*B\*a^3\*d\*x\*cos(d\*x+c)^3 + 3\*(5\*A+7\*B)\*a^3\*cos(d\*x+c)^3\*log(sin(d\*x+c)+1) - 3\*(5\*A+7\*B)\*a^3\*cos(d\*x+c)^3\*log(-sin(d\*x+c)+1) + 2\*(2\*(11\*A+9\*B)\*a^3\*cos(d\*x+c)^2 + 3\*(3\*A+B)\*a^3\*cos(d\*x+c) + 2\*A\*a^3)\*sin(d\*x+c)/(d\*cos(d\*x+c)^3)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*4,x)

[Out] Timed out

**Giac [A]** time = 1.32854, size = 255, normalized size = 2.04

$$6(dx+c)Ba^3 + 3(5Aa^3 + 7Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(5Aa^3 + 7Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(15Aa^3t}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] 1/6\*(6\*(d\*x + c)\*B\*a^3 + 3\*(5\*A\*a^3 + 7\*B\*a^3)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 3\*(5\*A\*a^3 + 7\*B\*a^3)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(15\*A\*a^3\*tan(1/2\*d\*x + 1/2\*c)^5 + 15\*B\*a^3\*tan(1/2\*d\*x + 1/2\*c)^5 - 40\*A\*a^3\*tan(1/2\*d\*x + 1/2\*c)^3 - 36\*B\*a^3\*tan(1/2\*d\*x + 1/2\*c)^3 + 33\*A\*a^3\*tan(1/2\*d\*x + 1/2\*c) + 21\*B\*a^3\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^3)/d

### 3.26 $\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^5(c + dx) dx$

**Optimal.** Leaf size=154

$$\frac{a^3(9A + 11B) \tan(c + dx)}{3d} + \frac{5a^3(3A + 4B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^3(27A + 28B) \tan(c + dx) \sec(c + dx)}{24d} + \frac{(3A + 2B)(a^3 + a^3 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{6d} + \frac{a^2 A \sec^2(c + dx) \tan^2(c + dx)}{4d}$$

[Out] (5\*a^3\*(3\*A + 4\*B)\*ArcTanh[Sin[c + d\*x]]/(8\*d) + (a^3\*(9\*A + 11\*B)\*Tan[c + d\*x])/(3\*d) + (a^3\*(27\*A + 28\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(24\*d) + ((3\*A + 2\*B)\*(a^3 + a^3\*Cos[c + d\*x])\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(6\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(4\*d)

**Rubi [A]** time = 0.418148, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2975, 2968, 3021, 2748, 3767, 8, 3770}

$$\frac{a^3(9A + 11B) \tan(c + dx)}{3d} + \frac{5a^3(3A + 4B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^3(27A + 28B) \tan(c + dx) \sec(c + dx)}{24d} + \frac{(3A + 2B)(a^3 + a^3 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{6d} + \frac{a^2 A \sec^2(c + dx) \tan^2(c + dx)}{4d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^5,x]

[Out] (5\*a^3\*(3\*A + 4\*B)\*ArcTanh[Sin[c + d\*x]]/(8\*d) + (a^3\*(9\*A + 11\*B)\*Tan[c + d\*x])/(3\*d) + (a^3\*(27\*A + 28\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(24\*d) + ((3\*A + 2\*B)\*(a^3 + a^3\*Cos[c + d\*x])\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(6\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(4\*d)

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2, x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B,

C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_.)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^2 \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int (a + \\ &= \frac{(3A + 2B)(a^3 + a^3 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{6d} + \\ &= \frac{(3A + 2B)(a^3 + a^3 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{6d} + \\ &= \frac{a^3(27A + 28B) \sec(c + dx) \tan(c + dx)}{24d} + \frac{(3A + 2B)(a^3 + a^3 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{24d} \\ &= \frac{a^3(27A + 28B) \sec(c + dx) \tan(c + dx)}{24d} + \frac{(3A + 2B)(a^3 + a^3 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{24d} \\ &= \frac{5a^3(3A + 4B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^3(27A + 28B) \sec(c + dx) \tan(c + dx)}{24d} \\ &= \frac{5a^3(3A + 4B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^3(9A + 11B) \tan(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 1.23551, size = 273, normalized size = 1.77

$$\frac{a^3(\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \sec^4(c + dx) \left(120(3A + 4B) \cos^4(c + dx) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)\right)}{1}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^5,x]

[Out] -(a^3\*(1 + Cos[c + d\*x])^3\*Sec[(c + d\*x)/2]^6\*Sec[c + d\*x]^4\*(120\*(3\*A + 4\*B)\*Cos[c + d\*x]^4\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) - Sec[c]\*(-24\*(9\*A + 11\*B)\*Sin[c] + (69\*A + 36\*B)\*Sin[d\*x] + 69\*A\*Sin[2\*c + d\*x] + 36\*B\*Sin[2\*c + d\*x] + 264\*A\*Sin[c + 2\*d\*x] + 280\*B\*Sin[c + 2\*d\*x] - 24\*A\*Sin[3\*c + 2\*d\*x] - 72\*B\*Sin[3\*c + 2\*d\*x])

$$+ 45*A*\sin[2*c + 3*d*x] + 36*B*\sin[2*c + 3*d*x] + 45*A*\sin[4*c + 3*d*x] + 36*B*\sin[4*c + 3*d*x] + 72*A*\sin[3*c + 4*d*x] + 88*B*\sin[3*c + 4*d*x]))/(1536*d)$$

**Maple [A]** time = 0.121, size = 188, normalized size = 1.2

$$3 \frac{Aa^3 \tan(dx+c)}{d} + \frac{5a^3 B \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{15Aa^3 \sec(dx+c) \tan(dx+c)}{8d} + \frac{15Aa^3 \ln(\sec(dx+c) + \tan(dx+c))}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x)

[Out] 3/d\*A\*a^3\*tan(d\*x+c)+5/2/d\*a^3\*B\*ln(sec(d\*x+c)+tan(d\*x+c))+15/8/d\*A\*a^3\*sec(d\*x+c)\*tan(d\*x+c)+15/8/d\*A\*a^3\*ln(sec(d\*x+c)+tan(d\*x+c))+11/3/d\*a^3\*B\*tan(d\*x+c)+1/d\*A\*a^3\*tan(d\*x+c)\*sec(d\*x+c)^2+3/2/d\*a^3\*B\*sec(d\*x+c)\*tan(d\*x+c)+1/4/d\*A\*a^3\*tan(d\*x+c)\*sec(d\*x+c)^3+1/3/d\*a^3\*B\*tan(d\*x+c)\*sec(d\*x+c)^2

**Maxima [A]** time = 1.00729, size = 363, normalized size = 2.36

$$48 \left( \tan(dx+c)^3 + 3 \tan(dx+c) \right) Aa^3 + 16 \left( \tan(dx+c)^3 + 3 \tan(dx+c) \right) Ba^3 - 3Aa^3 \left( \frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="maxima")

[Out] 1/48\*(48\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*A\*a^3 + 16\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*B\*a^3 - 3\*A\*a^3\*(2\*(3\*sin(d\*x + c)^3 - 5\*sin(d\*x + c))/(sin(d\*x + c)^4 - 2\*sin(d\*x + c)^2 + 1) - 3\*log(sin(d\*x + c) + 1) + 3\*log(sin(d\*x + c) - 1)) - 36\*A\*a^3\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) - 36\*B\*a^3\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) + 24\*B\*a^3\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 48\*A\*a^3\*tan(d\*x + c) + 144\*B\*a^3\*tan(d\*x + c))/d

**Fricas [A]** time = 1.40401, size = 366, normalized size = 2.38

$$15(3A + 4B)a^3 \cos(dx+c)^4 \log(\sin(dx+c) + 1) - 15(3A + 4B)a^3 \cos(dx+c)^4 \log(-\sin(dx+c) + 1) + 2(8(9A + 11B)a^3 \cos(dx+c)^3 + 9(5A + 4B)a^3 \cos(dx+c)^2 + 8(3A + B)a^3 \cos(dx+c) + 2) \log(\sin(dx+c) + 1) - 2(8(9A + 11B)a^3 \cos(dx+c)^3 + 9(5A + 4B)a^3 \cos(dx+c)^2 + 8(3A + B)a^3 \cos(dx+c) + 2) \log(-\sin(dx+c) + 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="fricas")

[Out] 1/48\*(15\*(3\*A + 4\*B)\*a^3\*cos(d\*x + c)^4\*log(sin(d\*x + c) + 1) - 15\*(3\*A + 4\*B)\*a^3\*cos(d\*x + c)^4\*log(-sin(d\*x + c) + 1) + 2\*(8\*(9\*A + 11\*B)\*a^3\*cos(d\*x + c)^3 + 9\*(5\*A + 4\*B)\*a^3\*cos(d\*x + c)^2 + 8\*(3\*A + B)\*a^3\*cos(d\*x + c) + 2)\*log(sin(d\*x + c) + 1) - 2\*(8\*(9\*A + 11\*B)\*a^3\*cos(d\*x + c)^3 + 9\*(5\*A + 4\*B)\*a^3\*cos(d\*x + c)^2 + 8\*(3\*A + B)\*a^3\*cos(d\*x + c) + 2)\*log(-sin(d\*x + c) + 1))/d

$$+ 6Aa^3 \sin(dx + c) / (d \cos(dx + c)^4)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*5,x)

[Out] Timed out

**Giac [A]** time = 1.33884, size = 286, normalized size = 1.86

$$15(3Aa^3 + 4Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(3Aa^3 + 4Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(45Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^7 + 60Ba^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="giac")

[Out]  $\frac{1}{24} * (15 * (3 * A * a^3 + 4 * B * a^3) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) + 1)) - 15 * (3 * A * a^3 + 4 * B * a^3) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) - 1)) - 2 * (45 * A * a^3 * \tan(1/2 * d * x + 1/2 * c)^7 + 60 * B * a^3 * \tan(1/2 * d * x + 1/2 * c)^7 - 165 * A * a^3 * \tan(1/2 * d * x + 1/2 * c)^5 - 220 * B * a^3 * \tan(1/2 * d * x + 1/2 * c)^5 + 219 * A * a^3 * \tan(1/2 * d * x + 1/2 * c)^3 + 292 * B * a^3 * \tan(1/2 * d * x + 1/2 * c)^3 - 147 * A * a^3 * \tan(1/2 * d * x + 1/2 * c) - 132 * B * a^3 * \tan(1/2 * d * x + 1/2 * c)) / (\tan(1/2 * d * x + 1/2 * c)^2 - 1)^4 / d$



### 3.27 $\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^6(c + dx) dx$

**Optimal.** Leaf size=185

$$\frac{a^3(38A + 45B) \tan(c + dx)}{15d} + \frac{a^3(13A + 15B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^3(43A + 45B) \tan(c + dx) \sec^2(c + dx)}{60d} + \frac{a^3(13A + 15B) \sec^2(c + dx)}{60d}$$

[Out] (a^3\*(13\*A + 15\*B)\*ArcTanh[Sin[c + d\*x]]/(8\*d) + (a^3\*(38\*A + 45\*B)\*Tan[c + d\*x])/(15\*d) + (a^3\*(13\*A + 15\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(8\*d) + (a^3\*(43\*A + 45\*B)\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(60\*d) + ((7\*A + 5\*B)\*(a^3 + a^3\*Cos[c + d\*x])\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(20\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^4\*Tan[c + d\*x])/(5\*d)

**Rubi [A]** time = 0.44741, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$ , Rules used = {2975, 2968, 3021, 2748, 3768, 3770, 3767, 8}

$$\frac{a^3(38A + 45B) \tan(c + dx)}{15d} + \frac{a^3(13A + 15B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^3(43A + 45B) \tan(c + dx) \sec^2(c + dx)}{60d} + \frac{a^3(13A + 15B) \sec^2(c + dx)}{60d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^6,x]

[Out] (a^3\*(13\*A + 15\*B)\*ArcTanh[Sin[c + d\*x]]/(8\*d) + (a^3\*(38\*A + 45\*B)\*Tan[c + d\*x])/(15\*d) + (a^3\*(13\*A + 15\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(8\*d) + (a^3\*(43\*A + 45\*B)\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(60\*d) + ((7\*A + 5\*B)\*(a^3 + a^3\*Cos[c + d\*x])\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(20\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^4\*Tan[c + d\*x])/(5\*d)

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2, x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^m

$(m + 1) \text{Simp}[b(aA - bB + aC)(m + 1) - (A^2b - a^2C + b(Ab - aB + bC))(m + 1) \text{Sin}[e + f*x], x], x] /;$  FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

### Rule 2748

$\text{Int}[(b \sin(e) + f x)^m ((c) + d \sin(e) + f x)], x\_Symbol] := \text{Dist}[c, \text{Int}[(b \sin(e + f x))^m, x], x] + \text{Dist}[d/b, \text{Int}[(b \sin(e + f x))^{m+1}, x], x] /;$  FreeQ[{b, c, d, e, f, m}, x]

### Rule 3768

$\text{Int}[(\csc(c) + d x)^n (b \cos(c + d x))^m], x\_Symbol] := -\text{Simp}[(b \cos(c + d x))^m (\csc(c + d x))^{n-1} / (d(n-1)), x] + \text{Dist}[(b^2(n-2))/(n-1), \text{Int}[(b \csc(c + d x))^{n-2}, x], x] /;$  FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

### Rule 3770

$\text{Int}[\csc(c) + d x], x\_Symbol] := -\text{Simp}[\text{ArcTanh}[\cos(c + d x)]/d, x] /;$  FreeQ[{c, d}, x]

### Rule 3767

$\text{Int}[\csc(c) + d x]^n, x\_Symbol] := -\text{Dist}[d^{-1}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{n/2 - 1}, x], x], x, \cot(c + d x)], x] /;$  FreeQ[{c, d}, x] && IGtQ[n/2, 0]

### Rule 8

$\text{Int}[a, x\_Symbol] := \text{Simp}[a x, x] /;$  FreeQ[a, x]

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^6(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^2 \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int (a + \\ &= \frac{(7A + 5B)(a^3 + a^3 \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{20d} + \\ &= \frac{(7A + 5B)(a^3 + a^3 \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{20d} + \\ &= \frac{a^3(43A + 45B) \sec^2(c + dx) \tan(c + dx)}{60d} + \frac{(7A + 5B)(a^3 + a^3 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{60d} \\ &= \frac{a^3(13A + 15B) \sec(c + dx) \tan(c + dx)}{8d} + \frac{a^3(43A + 45B) \sec^2(c + dx) \tan(c + dx)}{60d} \\ &= \frac{a^3(13A + 15B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^3(38A + 45B) \tan(c + dx)}{15d} \end{aligned}$$

**Mathematica [A]** time = 1.41489, size = 294, normalized size = 1.59

$$a^3 (\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \sec^5(c + dx) \left(240(13A + 15B) \cos^5(c + dx) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^6,x]

[Out]  $-(a^3(1 + \cos[c + dx])^3 \sec[(c + dx)/2]^6 \sec[c + dx]^5 (240(13A + 15B) \cos[c + dx]^5 (\log[\cos[(c + dx)/2] - \sin[(c + dx)/2]] - \log[\cos[(c + dx)/2] + \sin[(c + dx)/2]]) - \sec[c] (80(29A + 30B) \sin[dx] - 240(3A + 5B) \sin[2c + dx] + 750A \sin[c + 2dx] + 570B \sin[c + 2dx] + 750A \sin[3c + 2dx] + 570B \sin[3c + 2dx] + 1520A \sin[2c + 3dx] + 1680B \sin[2c + 3dx] - 120B \sin[4c + 3dx] + 195A \sin[3c + 4dx] + 225B \sin[3c + 4dx] + 195A \sin[5c + 4dx] + 225B \sin[5c + 4dx] + 304A \sin[4c + 5dx] + 360B \sin[4c + 5dx])))/(15360d)$

**Maple [A]** time = 0.114, size = 234, normalized size = 1.3

$$\frac{13 A a^3 \sec(dx + c) \tan(dx + c)}{8d} + \frac{13 A a^3 \ln(\sec(dx + c) + \tan(dx + c))}{8d} + 3 \frac{a^3 B \tan(dx + c)}{d} + \frac{38 A a^3 \tan(dx + c)}{15d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x)

[Out]  $13/8/d*A*a^3*\sec(d*x+c)*\tan(d*x+c)+13/8/d*A*a^3*\ln(\sec(d*x+c)+\tan(d*x+c))+3/d*a^3*B*\tan(d*x+c)+38/15/d*A*a^3*\tan(d*x+c)+19/15/d*A*a^3*\tan(d*x+c)*\sec(d*x+c)^2+15/8/d*a^3*B*\sec(d*x+c)*\tan(d*x+c)+15/8/d*a^3*B*\ln(\sec(d*x+c)+\tan(d*x+c))+3/4/d*A*a^3*\tan(d*x+c)*\sec(d*x+c)^3+1/d*a^3*B*\tan(d*x+c)*\sec(d*x+c)^2+1/5/d*A*a^3*\tan(d*x+c)*\sec(d*x+c)^4+1/4/d*a^3*B*\tan(d*x+c)*\sec(d*x+c)^3$

**Maxima [A]** time = 1.02777, size = 455, normalized size = 2.46

$$16(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c))Aa^3 + 240(\tan(dx + c)^3 + 3 \tan(dx + c))Aa^3 + 240(\tan(dx + c)^3 + 3 \tan(dx + c))B a^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="maxima")

[Out]  $1/240*(16*(3*\tan(dx + c)^5 + 10*\tan(dx + c)^3 + 15*\tan(dx + c))*A*a^3 + 240*(\tan(dx + c)^3 + 3*\tan(dx + c))*A*a^3 + 240*(\tan(dx + c)^3 + 3*\tan(dx + c))*B*a^3 - 45*A*a^3*(2*(3*\sin(dx + c)^3 - 5*\sin(dx + c))/(\sin(dx + c)^4 - 2*\sin(dx + c)^2 + 1) - 3*\log(\sin(dx + c) + 1) + 3*\log(\sin(dx + c) - 1)) - 15*B*a^3*(2*(3*\sin(dx + c)^3 - 5*\sin(dx + c))/(\sin(dx + c)^4 - 2*\sin(dx + c)^2 + 1) - 3*\log(\sin(dx + c) + 1) + 3*\log(\sin(dx + c) - 1)) - 60*A*a^3*(2*\sin(dx + c))/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) - 180*B*a^3*(2*\sin(dx + c))/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 240*B*a^3*\tan(dx + c))/d$

**Fricas [A]** time = 1.47847, size = 431, normalized size = 2.33

$$15(13A + 15B)a^3 \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 15(13A + 15B)a^3 \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2(8$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="fricas")

[Out]  $\frac{1}{240}*(15*(13*A + 15*B)*a^3*\cos(d*x + c)^5*\log(\sin(d*x + c) + 1) - 15*(13*A + 15*B)*a^3*\cos(d*x + c)^5*\log(-\sin(d*x + c) + 1) + 2*(8*(38*A + 45*B)*a^3*\cos(d*x + c)^4 + 15*(13*A + 15*B)*a^3*\cos(d*x + c)^3 + 8*(19*A + 15*B)*a^3*\cos(d*x + c)^2 + 30*(3*A + B)*a^3*\cos(d*x + c) + 24*A*a^3*\sin(d*x + c))/(d*\cos(d*x + c)^5)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*6,x)

[Out] Timed out

**Giac [A]** time = 1.27076, size = 332, normalized size = 1.79

$15(13Aa^3 + 15Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 15(13Aa^3 + 15Ba^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(195Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{d}$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="giac")

[Out]  $\frac{1}{120}*(15*(13*A*a^3 + 15*B*a^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 15*(13*A*a^3 + 15*B*a^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(195*A*a^3*\tan(1/2*d*x + 1/2*c)^9 + 225*B*a^3*\tan(1/2*d*x + 1/2*c)^9 - 910*A*a^3*\tan(1/2*d*x + 1/2*c)^7 - 1050*B*a^3*\tan(1/2*d*x + 1/2*c)^7 + 1664*A*a^3*\tan(1/2*d*x + 1/2*c)^5 + 1920*B*a^3*\tan(1/2*d*x + 1/2*c)^5 - 1330*A*a^3*\tan(1/2*d*x + 1/2*c)^3 - 1830*B*a^3*\tan(1/2*d*x + 1/2*c)^3 + 765*A*a^3*\tan(1/2*d*x + 1/2*c) + 735*B*a^3*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^5/d$

### 3.28 $\int \cos^2(c + dx)(a + a \cos(c + dx))^4(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=241

$$\frac{a^4(252A + 227B) \sin^3(c + dx)}{105d} + \frac{a^4(252A + 227B) \sin(c + dx)}{35d} + \frac{a^4(301A + 276B) \sin(c + dx) \cos^3(c + dx)}{280d} + \frac{(7A + B) \cos^3(c + dx)}{7d}$$

```
[Out] (a^4*(49*A + 44*B)*x)/16 + (a^4*(252*A + 227*B)*Sin[c + d*x])/(35*d) + (a^4*(49*A + 44*B)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a^4*(301*A + 276*B)*Cos[c + d*x]^3*SIN[c + d*x])/(280*d) + (a*B*Cos[c + d*x]^3*(a + a*Cos[c + d*x])^3*SIN[c + d*x])/(7*d) + ((7*A + 10*B)*Cos[c + d*x]^3*(a^2 + a^2*Cos[c + d*x])^2*SIN[c + d*x])/(42*d) + (7*(A + B)*Cos[c + d*x]^3*(a^4 + a^4*Cos[c + d*x])*Sin[c + d*x])/(15*d) - (a^4*(252*A + 227*B)*Sin[c + d*x]^3)/(105*d)
```

**Rubi [A]** time = 0.592742, antiderivative size = 241, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2976, 2968, 3023, 2748, 2635, 8, 2633}

$$\frac{a^4(252A + 227B) \sin^3(c + dx)}{105d} + \frac{a^4(252A + 227B) \sin(c + dx)}{35d} + \frac{a^4(301A + 276B) \sin(c + dx) \cos^3(c + dx)}{280d} + \frac{(7A + B) \cos^3(c + dx)}{7d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + a*Cos[c + d*x])^4*(A + B*Cos[c + d*x]),x]
```

```
[Out] (a^4*(49*A + 44*B)*x)/16 + (a^4*(252*A + 227*B)*Sin[c + d*x])/(35*d) + (a^4*(49*A + 44*B)*Cos[c + d*x]*Sin[c + d*x])/(16*d) + (a^4*(301*A + 276*B)*Cos[c + d*x]^3*SIN[c + d*x])/(280*d) + (a*B*Cos[c + d*x]^3*(a + a*Cos[c + d*x])^3*SIN[c + d*x])/(7*d) + ((7*A + 10*B)*Cos[c + d*x]^3*(a^2 + a^2*Cos[c + d*x])^2*SIN[c + d*x])/(42*d) + (7*(A + B)*Cos[c + d*x]^3*(a^4 + a^4*Cos[c + d*x])*Sin[c + d*x])/(15*d) - (a^4*(252*A + 227*B)*Sin[c + d*x]^3)/(105*d)
```

#### Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*SIN[e + f*x])^(m - 1)*(c + d*SIN[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*SIN[e + f*x])^(m - 1)*(c + d*SIN[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2968

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Int[(a + b*SIN[e + f*x])^m*(A*c + (B*c + A*d)*SIN[e + f*x] + B*d*SIN[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 3023

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)]) + (C_)*sin[(e_) + (f_)*(x_)]^2, x_Symbol] := -Simp[(C*Cos
```

```
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

### Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

### Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

### Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]
```

### Rubi steps

$$\begin{aligned}
 \int \cos^2(c + dx)(a + a \cos(c + dx))^4(A + B \cos(c + dx)) dx &= \frac{aB \cos^3(c + dx)(a + a \cos(c + dx))^3 \sin(c + dx)}{7d} + \frac{1}{7} \int \cos^2(c + dx)(a + a \cos(c + dx))^4(A + B \cos(c + dx)) dx \\
 &= \frac{aB \cos^3(c + dx)(a + a \cos(c + dx))^3 \sin(c + dx)}{7d} + \frac{(7A + 10B) \cos^2(c + dx)(a + a \cos(c + dx))^4}{7d} \\
 &= \frac{aB \cos^3(c + dx)(a + a \cos(c + dx))^3 \sin(c + dx)}{7d} + \frac{(7A + 10B) \cos^2(c + dx)(a + a \cos(c + dx))^4}{7d} \\
 &= \frac{aB \cos^3(c + dx)(a + a \cos(c + dx))^3 \sin(c + dx)}{7d} + \frac{(7A + 10B) \cos^2(c + dx)(a + a \cos(c + dx))^4}{7d} \\
 &= \frac{a^4(301A + 276B) \cos^3(c + dx) \sin(c + dx)}{280d} + \frac{aB \cos^3(c + dx)(a + a \cos(c + dx))^3 \sin(c + dx)}{7d} \\
 &= \frac{a^4(301A + 276B) \cos^3(c + dx) \sin(c + dx)}{280d} + \frac{aB \cos^3(c + dx)(a + a \cos(c + dx))^3 \sin(c + dx)}{7d} \\
 &= \frac{a^4(49A + 44B) \cos(c + dx) \sin(c + dx)}{16d} + \frac{a^4(301A + 276B) \cos^2(c + dx)(a + a \cos(c + dx))^4}{7d} \\
 &= \frac{1}{16} a^4(49A + 44B)x + \frac{a^4(252A + 227B) \sin(c + dx)}{35d} + \frac{a^4(49A + 44B) \cos^2(c + dx)(a + a \cos(c + dx))^4}{7d}
 \end{aligned}$$

**Mathematica [A]** time = 0.793152, size = 156, normalized size = 0.65

$$\frac{a^4(105(352A + 323B) \sin(c + dx) + 105(127A + 124B) \sin(2(c + dx)) + 5040A \sin(3(c + dx)) + 1575A \sin(4(c + dx)) + 35A \sin(5(c + dx)))}{35d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + a\*cos[c + d\*x])^4\*(A + B\*cos[c + d\*x]),x]

[Out] (a^4\*(18480\*B\*c + 20580\*A\*d\*x + 18480\*B\*d\*x + 105\*(352\*A + 323\*B)\*Sin[c + d\*x] + 105\*(127\*A + 124\*B)\*Sin[2\*(c + d\*x)] + 5040\*A\*Ssin[3\*(c + d\*x)] + 5495\*B\*Ssin[3\*(c + d\*x)] + 1575\*A\*Ssin[4\*(c + d\*x)] + 2100\*B\*Ssin[4\*(c + d\*x)] + 336\*A\*Ssin[5\*(c + d\*x)] + 651\*B\*Ssin[5\*(c + d\*x)] + 35\*A\*Ssin[6\*(c + d\*x)] + 140\*B\*Ssin[6\*(c + d\*x)] + 15\*B\*Ssin[7\*(c + d\*x)])/(6720\*d)

**Maple [A]** time = 0.067, size = 358, normalized size = 1.5

$$\frac{1}{d} \left( Aa^4 \left( \frac{\sin(dx+c)}{6} \left( (\cos(dx+c))^5 + \frac{5(\cos(dx+c))^3}{4} + \frac{15\cos(dx+c)}{8} \right) + \frac{5dx}{16} + \frac{5c}{16} \right) + \frac{a^4 B \sin(dx+c)}{7} \left( \frac{16}{5} + \dots \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+cos(d\*x+c)\*a)^4\*(A+B\*cos(d\*x+c)),x)

[Out] 1/d\*(A\*a^4\*(1/6\*(cos(d\*x+c)^5+5/4\*cos(d\*x+c)^3+15/8\*cos(d\*x+c))\*sin(d\*x+c)+5/16\*d\*x+5/16\*c)+1/7\*a^4\*B\*(16/5+cos(d\*x+c)^6+6/5\*cos(d\*x+c)^4+8/5\*cos(d\*x+c)^2)\*sin(d\*x+c)+4/5\*A\*a^4\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)+4\*a^4\*B\*(1/6\*(cos(d\*x+c)^5+5/4\*cos(d\*x+c)^3+15/8\*cos(d\*x+c))\*sin(d\*x+c)+5/16\*d\*x+5/16\*c)+6\*A\*a^4\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+6/5\*a^4\*B\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)+4/3\*A\*a^4\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+4\*a^4\*B\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+A\*a^4\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+1/3\*a^4\*B\*(2+cos(d\*x+c)^2)\*sin(d\*x+c))

**Maxima [A]** time = 1.01811, size = 481, normalized size = 2.

$$1792 \left( 3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c) \right) Aa^4 - 35 \left( 4 \sin(2dx+2c)^3 - 60dx - 60c - 9 \sin(4dx+4c) \right) B a^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/6720\*(1792\*(3\*sin(d\*x + c)^5 - 10\*sin(d\*x + c)^3 + 15\*sin(d\*x + c))\*A\*a^4 - 35\*(4\*sin(2\*d\*x + 2\*c)^3 - 60\*d\*x - 60\*c - 9\*sin(4\*d\*x + 4\*c) - 48\*sin(2\*d\*x + 2\*c))\*A\*a^4 - 8960\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*A\*a^4 + 1260\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*A\*a^4 + 1680\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*A\*a^4 - 192\*(5\*sin(d\*x + c)^7 - 21\*sin(d\*x + c)^5 + 35\*sin(d\*x + c)^3 - 35\*sin(d\*x + c))\*B\*a^4 + 2688\*(3\*sin(d\*x + c)^5 - 10\*sin(d\*x + c)^3 + 15\*sin(d\*x + c))\*B\*a^4 - 140\*(4\*sin(2\*d\*x + 2\*c)^3 - 60\*d\*x - 60\*c - 9\*sin(4\*d\*x + 4\*c) - 48\*sin(2\*d\*x + 2\*c))\*B\*a^4 - 2240\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*B\*a^4 + 840\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*B\*a^4)/d

**Fricas [A]** time = 1.4319, size = 396, normalized size = 1.64

$$105(49A + 44B)a^4 dx + \left( 240Ba^4 \cos(dx+c)^6 + 280(A + 4B)a^4 \cos(dx+c)^5 + 192(7A + 12B)a^4 \cos(dx+c)^4 + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/1680*(105*(49*A + 44*B)*a^4*d*x + (240*B*a^4*cos(d*x + c)^6 + 280*(A + 4*B)*a^4*cos(d*x + c)^5 + 192*(7*A + 12*B)*a^4*cos(d*x + c)^4 + 70*(41*A + 44*B)*a^4*cos(d*x + c)^3 + 16*(252*A + 227*B)*a^4*cos(d*x + c)^2 + 105*(49*A + 44*B)*a^4*cos(d*x + c) + 32*(252*A + 227*B)*a^4)*sin(d*x + c))/d
```

**Sympy [A]** time = 11.627, size = 960, normalized size = 3.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+a*cos(d*x+c))**4*(A+B*cos(d*x+c)),x)
```

```
[Out] Piecewise((5*A*a**4*x*sin(c + d*x)**6/16 + 15*A*a**4*x*sin(c + d*x)**4*cos(c + d*x)**2/16 + 9*A*a**4*x*sin(c + d*x)**4/4 + 15*A*a**4*x*sin(c + d*x)**2*cos(c + d*x)**4/16 + 9*A*a**4*x*sin(c + d*x)**2*cos(c + d*x)**2/2 + A*a**4*x*sin(c + d*x)**2/2 + 5*A*a**4*x*cos(c + d*x)**6/16 + 9*A*a**4*x*cos(c + d*x)**4/4 + A*a**4*x*cos(c + d*x)**2/2 + 5*A*a**4*sin(c + d*x)**5*cos(c + d*x)/(16*d) + 32*A*a**4*sin(c + d*x)**5/(15*d) + 5*A*a**4*sin(c + d*x)**3*cos(c + d*x)**3/(6*d) + 16*A*a**4*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + 9*A*a**4*sin(c + d*x)**3*cos(c + d*x)/(4*d) + 8*A*a**4*sin(c + d*x)**3/(3*d) + 11*A*a**4*sin(c + d*x)*cos(c + d*x)**5/(16*d) + 4*A*a**4*sin(c + d*x)*cos(c + d*x)**4/d + 15*A*a**4*sin(c + d*x)*cos(c + d*x)**3/(4*d) + 4*A*a**4*sin(c + d*x)*cos(c + d*x)**2/d + A*a**4*sin(c + d*x)*cos(c + d*x)/(2*d) + 5*B*a**4*x*sin(c + d*x)**6/4 + 15*B*a**4*x*sin(c + d*x)**4*cos(c + d*x)**2/4 + 3*B*a**4*x*sin(c + d*x)**4/2 + 15*B*a**4*x*sin(c + d*x)**2*cos(c + d*x)**4/4 + 3*B*a**4*x*sin(c + d*x)**2*cos(c + d*x)**2 + 5*B*a**4*x*cos(c + d*x)**6/4 + 3*B*a**4*x*cos(c + d*x)**4/2 + 16*B*a**4*sin(c + d*x)**7/(35*d) + 8*B*a**4*sin(c + d*x)**5*cos(c + d*x)**2/(5*d) + 5*B*a**4*sin(c + d*x)**5*cos(c + d*x)/(4*d) + 16*B*a**4*sin(c + d*x)**5/(5*d) + 2*B*a**4*sin(c + d*x)**3*cos(c + d*x)**4/d + 10*B*a**4*sin(c + d*x)**3*cos(c + d*x)**3/(3*d) + 8*B*a**4*sin(c + d*x)**3*cos(c + d*x)**2/d + 3*B*a**4*sin(c + d*x)**3*cos(c + d*x)/(2*d) + 2*B*a**4*sin(c + d*x)**3/(3*d) + B*a**4*sin(c + d*x)*cos(c + d*x)**6/d + 11*B*a**4*sin(c + d*x)*cos(c + d*x)**5/(4*d) + 6*B*a**4*sin(c + d*x)*cos(c + d*x)**4/d + 5*B*a**4*sin(c + d*x)*cos(c + d*x)**3/(2*d) + B*a**4*sin(c + d*x)*cos(c + d*x)**2/d, Ne(d, 0)), (x*(A + B*cos(c))*(a*cos(c) + a)**4*cos(c)**2, True))
```

**Giac [A]** time = 1.31712, size = 261, normalized size = 1.08

$$\frac{Ba^4 \sin(7dx + 7c)}{448d} + \frac{1}{16} (49Aa^4 + 44Ba^4)x + \frac{(Aa^4 + 4Ba^4) \sin(6dx + 6c)}{192d} + \frac{(16Aa^4 + 31Ba^4) \sin(5dx + 5c)}{320d} + \frac{5}{16} \left( \frac{Aa^4 + 4Ba^4}{192d} \sin(6dx + 6c) + \frac{16Aa^4 + 31Ba^4}{320d} \sin(5dx + 5c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/448*B*a^4*sin(7*d*x + 7*c)/d + 1/16*(49*A*a^4 + 44*B*a^4)*x + 1/192*(A*a^4 + 4*B*a^4)*sin(6*d*x + 6*c)/d + 1/320*(16*A*a^4 + 31*B*a^4)*sin(5*d*x + 5
```



$$\begin{aligned} & *c)/d + 5/64*(3*A*a^4 + 4*B*a^4)*\sin(4*d*x + 4*c)/d + 1/192*(144*A*a^4 + 15 \\ & 7*B*a^4)*\sin(3*d*x + 3*c)/d + 1/64*(127*A*a^4 + 124*B*a^4)*\sin(2*d*x + 2*c) \\ & /d + 1/64*(352*A*a^4 + 323*B*a^4)*\sin(d*x + c)/d \end{aligned}$$

### 3.29 $\int \cos(c + dx)(a + a \cos(c + dx))^4(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=185

$$-\frac{2a^4(8A + 7B) \sin^3(c + dx)}{15d} + \frac{4a^4(8A + 7B) \sin(c + dx)}{5d} + \frac{a^4(8A + 7B) \sin(c + dx) \cos^3(c + dx)}{40d} + \frac{27a^4(8A + 7B) \sin(c + dx) \cos^3(c + dx)}{80d}$$

[Out]  $(7*a^4*(8*A + 7*B)*x)/16 + (4*a^4*(8*A + 7*B)*\text{Sin}[c + d*x])/(5*d) + (27*a^4*(8*A + 7*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(80*d) + (a^4*(8*A + 7*B)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(40*d) + ((6*A - B)*(a + a*\text{Cos}[c + d*x])^4*\text{Sin}[c + d*x])/(30*d) + (B*(a + a*\text{Cos}[c + d*x])^5*\text{Sin}[c + d*x])/(6*a*d) - (2*a^4*(8*A + 7*B)*\text{Sin}[c + d*x]^3)/(15*d)$

**Rubi [A]** time = 0.303942, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 13, number of rules used = 8, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.276$ , Rules used = {2968, 3023, 2751, 2645, 2637, 2635, 8, 2633}

$$-\frac{2a^4(8A + 7B) \sin^3(c + dx)}{15d} + \frac{4a^4(8A + 7B) \sin(c + dx)}{5d} + \frac{a^4(8A + 7B) \sin(c + dx) \cos^3(c + dx)}{40d} + \frac{27a^4(8A + 7B) \sin(c + dx) \cos^3(c + dx)}{80d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]*(a + a*\text{Cos}[c + d*x])^4*(A + B*\text{Cos}[c + d*x]), x]$

[Out]  $(7*a^4*(8*A + 7*B)*x)/16 + (4*a^4*(8*A + 7*B)*\text{Sin}[c + d*x])/(5*d) + (27*a^4*(8*A + 7*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(80*d) + (a^4*(8*A + 7*B)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(40*d) + ((6*A - B)*(a + a*\text{Cos}[c + d*x])^4*\text{Sin}[c + d*x])/(30*d) + (B*(a + a*\text{Cos}[c + d*x])^5*\text{Sin}[c + d*x])/(6*a*d) - (2*a^4*(8*A + 7*B)*\text{Sin}[c + d*x]^3)/(15*d)$

#### Rule 2968

$\text{Int}[(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x]), x\_Symbol] \rightarrow \text{Int}[(a + b*\sin[e + f*x])^m*(A*c + (B*c + A*d)*\sin[e + f*x] + B*d*\sin[e + f*x]^2), x] /;$  FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

$\text{Int}[(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x])^2, x\_Symbol] \rightarrow -\text{Simp}[(C*\cos[e + f*x]*(a + b*\sin[e + f*x])^{m+1})/(b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \text{Int}[(a + b*\sin[e + f*x])^m*\text{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\sin[e + f*x], x], x] /;$  FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2751

$\text{Int}[(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x]), x\_Symbol] \rightarrow -\text{Simp}[(d*\cos[e + f*x]*(a + b*\sin[e + f*x])^m)/(f*(m+1)), x] + \text{Dist}[(a*d*m + b*c*(m+1))/(b*(m+1)), \text{Int}[(a + b*\sin[e + f*x])^m, x], x] /;$  FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2645

```
Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Int[ExpandTri
g[(a + b*sin[c + d*x])^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 -
b^2, 0] && IGtQ[n, 0]
```

#### Rule 2637

```
Int[sin[Pi/2 + (c_) + (d_)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /;
FreeQ[{c, d}, x]
```

#### Rule 2635

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x]
)*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

#### Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

#### Rule 2633

```
Int[sin[(c_) + (d_)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

#### Rubi steps

$$\begin{aligned}
\int \cos(c + dx)(a + a \cos(c + dx))^4(A + B \cos(c + dx)) dx &= \int (a + a \cos(c + dx))^4 (A \cos(c + dx) + B \cos^2(c + dx)) dx \\
&= \frac{B(a + a \cos(c + dx))^5 \sin(c + dx)}{6ad} + \frac{\int (a + a \cos(c + dx))^4 dx}{30d} \\
&= \frac{(6A - B)(a + a \cos(c + dx))^4 \sin(c + dx)}{30d} + \frac{B(a + a \cos(c + dx))^4}{30d} \\
&= \frac{(6A - B)(a + a \cos(c + dx))^4 \sin(c + dx)}{30d} + \frac{B(a + a \cos(c + dx))^4}{30d} \\
&= \frac{1}{10} a^4 (8A + 7B)x + \frac{(6A - B)(a + a \cos(c + dx))^4 \sin(c + dx)}{30d} \\
&= \frac{1}{10} a^4 (8A + 7B)x + \frac{2a^4 (8A + 7B) \sin(c + dx)}{5d} + \frac{3a^4 (8A + 7B)}{5d} \\
&= \frac{2}{5} a^4 (8A + 7B)x + \frac{4a^4 (8A + 7B) \sin(c + dx)}{5d} + \frac{27a^4 (8A + 7B)}{5d} \\
&= \frac{7}{16} a^4 (8A + 7B)x + \frac{4a^4 (8A + 7B) \sin(c + dx)}{5d} + \frac{27a^4 (8A + 7B)}{5d}
\end{aligned}$$

**Mathematica [A]** time = 0.490434, size = 134, normalized size = 0.72

$$a^4(120(49A + 44B) \sin(c + dx) + 15(128A + 127B) \sin(2(c + dx)) + 580A \sin(3(c + dx)) + 120A \sin(4(c + dx)) + 12A \sin(5(c + dx)))$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(a + a*cos[c + d*x])^4*(A + B*cos[c + d*x]),x]
```

```
[Out] (a^4*(2940*B*c + 3360*A*d*x + 2940*B*d*x + 120*(49*A + 44*B)*Sin[c + d*x] +
15*(128*A + 127*B)*Sin[2*(c + d*x)] + 580*A*Ssin[3*(c + d*x)] + 720*B*Ssin[3
```

$(c + dx)] + 120*A*\sin[4*(c + dx)] + 225*B*\sin[4*(c + dx)] + 12*A*\sin[5*(c + dx)] + 48*B*\sin[5*(c + dx)] + 5*B*\sin[6*(c + dx)])) / (960*d)$

**Maple [A]** time = 0.059, size = 306, normalized size = 1.7

$$\frac{1}{d} \left( \frac{Aa^4 \sin(dx+c)}{5} \left( \frac{8}{3} + (\cos(dx+c))^4 + \frac{4(\cos(dx+c))^2}{3} \right) + a^4 B \left( \frac{\sin(dx+c)}{6} \left( (\cos(dx+c))^5 + \frac{5(\cos(dx+c))^3}{4} + \dots \right) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+cos(d\*x+c)\*a)^4\*(A+B\*cos(d\*x+c)),x)

[Out] 1/d\*(1/5\*A\*a^4\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)+a^4\*B\*(1/6\*(cos(d\*x+c)^5+5/4\*cos(d\*x+c)^3+15/8\*cos(d\*x+c))\*sin(d\*x+c)+5/16\*d\*x+5/16\*c)+A\*a^4\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+4/5\*a^4\*B\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)+2\*A\*a^4\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+6\*a^4\*B\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+4\*A\*a^4\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+4/3\*a^4\*B\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+A\*a^4\*sin(d\*x+c)+a^4\*B\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c))

**Maxima [A]** time = 1.01919, size = 401, normalized size = 2.17

$$64(3 \sin(dx+c)^5 - 10 \sin(dx+c)^3 + 15 \sin(dx+c))Aa^4 - 1920(\sin(dx+c)^3 - 3 \sin(dx+c))Aa^4 + 120(12dx + 12c)Aa^4$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/960\*(64\*(3\*sin(d\*x + c)^5 - 10\*sin(d\*x + c)^3 + 15\*sin(d\*x + c))\*A\*a^4 - 1920\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*A\*a^4 + 120\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*A\*a^4 + 960\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*A\*a^4 + 256\*(3\*sin(d\*x + c)^5 - 10\*sin(d\*x + c)^3 + 15\*sin(d\*x + c))\*B\*a^4 - 5\*(4\*sin(2\*d\*x + 2\*c)^3 - 60\*d\*x - 60\*c - 9\*sin(4\*d\*x + 4\*c) - 48\*sin(2\*d\*x + 2\*c))\*B\*a^4 - 1280\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*B\*a^4 + 180\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*B\*a^4 + 240\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*B\*a^4 + 960\*A\*a^4\*sin(d\*x + c))/d

**Fricas [A]** time = 1.46569, size = 329, normalized size = 1.78

$$105(8A + 7B)a^4 dx + (40Ba^4 \cos(dx+c)^5 + 48(A + 4B)a^4 \cos(dx+c)^4 + 10(24A + 41B)a^4 \cos(dx+c)^3 + 32(17A + 18B)a^4 \cos(dx+c)^2 + 10(24A + 41B)a^4 \cos(dx+c) + 32(17A + 18B)a^4) / 240d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/240\*(105\*(8\*A + 7\*B)\*a^4\*d\*x + (40\*B\*a^4\*cos(d\*x + c)^5 + 48\*(A + 4\*B)\*a^4\*cos(d\*x + c)^4 + 10\*(24\*A + 41\*B)\*a^4\*cos(d\*x + c)^3 + 32\*(17\*A + 18\*B)\*a^4\*cos(d\*x + c)^2 + 10\*(24\*A + 41\*B)\*a^4\*cos(d\*x + c) + 32\*(17\*A + 18\*B)\*a^4)

$$\frac{a^4 \cos(dx + c)^2 + 105(8A + 7B)a^4 \cos(dx + c) + 16(83A + 72B)a^4 \sin(dx + c)}{d}$$

**Sympy [A]** time = 6.80233, size = 765, normalized size = 4.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)\*(a+a\*cos(dx+c))\*\*4\*(A+B\*cos(dx+c)),x)

[Out] Piecewise((3\*A\*a\*\*4\*x\*sin(c + d\*x)\*\*4/2 + 3\*A\*a\*\*4\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2 + 2\*A\*a\*\*4\*x\*sin(c + d\*x)\*\*2 + 3\*A\*a\*\*4\*x\*cos(c + d\*x)\*\*4/2 + 2\*A\*a\*\*4\*x\*cos(c + d\*x)\*\*2 + 8\*A\*a\*\*4\*sin(c + d\*x)\*\*5/(15\*d) + 4\*A\*a\*\*4\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*2/(3\*d) + 3\*A\*a\*\*4\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(2\*d) + 4\*A\*a\*\*4\*sin(c + d\*x)\*\*3/d + A\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)\*\*4/d + 5\*A\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(2\*d) + 6\*A\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + 2\*A\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)/d + A\*a\*\*4\*sin(c + d\*x)/d + 5\*B\*a\*\*4\*x\*sin(c + d\*x)\*\*6/16 + 15\*B\*a\*\*4\*x\*sin(c + d\*x)\*\*4\*cos(c + d\*x)\*\*2/16 + 9\*B\*a\*\*4\*x\*sin(c + d\*x)\*\*4/4 + 15\*B\*a\*\*4\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*4/16 + 9\*B\*a\*\*4\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/2 + B\*a\*\*4\*x\*sin(c + d\*x)\*\*2/2 + 5\*B\*a\*\*4\*x\*cos(c + d\*x)\*\*6/16 + 9\*B\*a\*\*4\*x\*cos(c + d\*x)\*\*4/4 + B\*a\*\*4\*x\*cos(c + d\*x)\*\*2/2 + 5\*B\*a\*\*4\*sin(c + d\*x)\*\*5\*cos(c + d\*x)/(16\*d) + 32\*B\*a\*\*4\*sin(c + d\*x)\*\*5/(15\*d) + 5\*B\*a\*\*4\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*3/(6\*d) + 16\*B\*a\*\*4\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*2/(3\*d) + 9\*B\*a\*\*4\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(4\*d) + 8\*B\*a\*\*4\*sin(c + d\*x)\*\*3/(3\*d) + 11\*B\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)\*\*5/(16\*d) + 4\*B\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)\*\*4/d + 15\*B\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(4\*d) + 4\*B\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + B\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d), Ne(d, 0)), (x\*(A + B\*cos(c))\*(a\*cos(c) + a)\*\*4\*cos(c), True))

**Giac [A]** time = 1.23271, size = 224, normalized size = 1.21

$$\frac{Ba^4 \sin(6dx + 6c)}{192d} + \frac{7}{16} (8Aa^4 + 7Ba^4)x + \frac{(Aa^4 + 4Ba^4) \sin(5dx + 5c)}{80d} + \frac{(8Aa^4 + 15Ba^4) \sin(4dx + 4c)}{64d} + \frac{(29Aa^4 + 36Ba^4) \sin(3dx + 3c)}{48d} + \frac{(128Aa^4 + 127Ba^4) \sin(2dx + 2c)}{64d} + \frac{1}{8} (49Aa^4 + 44Ba^4) \sin(dx + c)/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)\*(a+a\*cos(dx+c))^4\*(A+B\*cos(dx+c)),x, algorithm="giac")

[Out] 1/192\*B\*a^4\*sin(6\*d\*x + 6\*c)/d + 7/16\*(8\*A\*a^4 + 7\*B\*a^4)\*x + 1/80\*(A\*a^4 + 4\*B\*a^4)\*sin(5\*d\*x + 5\*c)/d + 1/64\*(8\*A\*a^4 + 15\*B\*a^4)\*sin(4\*d\*x + 4\*c)/d + 1/48\*(29\*A\*a^4 + 36\*B\*a^4)\*sin(3\*d\*x + 3\*c)/d + 1/64\*(128\*A\*a^4 + 127\*B\*a^4)\*sin(2\*d\*x + 2\*c)/d + 1/8\*(49\*A\*a^4 + 44\*B\*a^4)\*sin(d\*x + c)/d

### 3.30 $\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=150

$$-\frac{4a^4(5A + 4B) \sin^3(c + dx)}{15d} + \frac{8a^4(5A + 4B) \sin(c + dx)}{5d} + \frac{a^4(5A + 4B) \sin(c + dx) \cos^3(c + dx)}{20d} + \frac{27a^4(5A + 4B) \sin(c + dx) \cos^3(c + dx)}{40d}$$

```
[Out] (7*a^4*(5*A + 4*B)*x)/8 + (8*a^4*(5*A + 4*B)*Sin[c + d*x])/(5*d) + (27*a^4*(5*A + 4*B)*Cos[c + d*x]*Sin[c + d*x])/(40*d) + (a^4*(5*A + 4*B)*Cos[c + d*x]^3*Sin[c + d*x])/(20*d) + (B*(a + a*Cos[c + d*x])^4*Sin[c + d*x])/(5*d) - (4*a^4*(5*A + 4*B)*Sin[c + d*x]^3)/(15*d)
```

**Rubi [A]** time = 0.139084, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 6, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.261$ , Rules used = {2751, 2645, 2637, 2635, 8, 2633}

$$-\frac{4a^4(5A + 4B) \sin^3(c + dx)}{15d} + \frac{8a^4(5A + 4B) \sin(c + dx)}{5d} + \frac{a^4(5A + 4B) \sin(c + dx) \cos^3(c + dx)}{20d} + \frac{27a^4(5A + 4B) \sin(c + dx) \cos^3(c + dx)}{40d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + a*Cos[c + d*x])^4*(A + B*Cos[c + d*x]),x]
```

```
[Out] (7*a^4*(5*A + 4*B)*x)/8 + (8*a^4*(5*A + 4*B)*Sin[c + d*x])/(5*d) + (27*a^4*(5*A + 4*B)*Cos[c + d*x]*Sin[c + d*x])/(40*d) + (a^4*(5*A + 4*B)*Cos[c + d*x]^3*Sin[c + d*x])/(20*d) + (B*(a + a*Cos[c + d*x])^4*Sin[c + d*x])/(5*d) - (4*a^4*(5*A + 4*B)*Sin[c + d*x]^3)/(15*d)
```

#### Rule 2751

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Ssin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]
```

#### Rule 2645

```
Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := Int[ExpandTrig[(a + b*sin[c + d*x])^n, x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n, 0]
```

#### Rule 2637

```
Int[sin[Pi/2 + (c_) + (d_)*(x_)], x_Symbol] := Simp[Sin[c + d*x]/d, x] /; FreeQ[{c, d}, x]
```

#### Rule 2635

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

#### Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rule 2633

`Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]`

Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) dx &= \frac{B(a + a \cos(c + dx))^4 \sin(c + dx)}{5d} + \frac{1}{5}(5A + 4B) \int (a + a \cos(c + dx))^4 dx \\
 &= \frac{B(a + a \cos(c + dx))^4 \sin(c + dx)}{5d} + \frac{1}{5}(5A + 4B) \int (a^4 + 4a^4 \cos(c + dx) + 6a^4 \cos^2(c + dx) + 4a^4 \cos^3(c + dx) + a^4 \cos^4(c + dx)) dx \\
 &= \frac{1}{5}a^4(5A + 4B)x + \frac{B(a + a \cos(c + dx))^4 \sin(c + dx)}{5d} + \frac{1}{5}(a^4(5A + 4B)x + 4a^4B \int \cos(c + dx) dx + 6a^4 \int \cos^2(c + dx) dx + 4a^4 \int \cos^3(c + dx) dx + a^4 \int \cos^4(c + dx) dx) \\
 &= \frac{1}{5}a^4(5A + 4B)x + \frac{4a^4(5A + 4B) \sin(c + dx)}{5d} + \frac{3a^4(5A + 4B) \cos(c + dx)}{5d} \\
 &= \frac{4}{5}a^4(5A + 4B)x + \frac{8a^4(5A + 4B) \sin(c + dx)}{5d} + \frac{27a^4(5A + 4B) \cos(c + dx)}{40d} \\
 &= \frac{7}{8}a^4(5A + 4B)x + \frac{8a^4(5A + 4B) \sin(c + dx)}{5d} + \frac{27a^4(5A + 4B) \cos(c + dx)}{40d}
 \end{aligned}$$

**Mathematica [A]** time = 0.335601, size = 108, normalized size = 0.72

$$\frac{a^4(420(8A + 7B) \sin(c + dx) + 120(7A + 8B) \sin(2(c + dx)) + 160A \sin(3(c + dx)) + 15A \sin(4(c + dx)) + 2100Adx + 480d)}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^4\*(A + B\*Cos[c + d\*x]), x]

[Out] (a^4\*(2100\*A\*d\*x + 1680\*B\*d\*x + 420\*(8\*A + 7\*B)\*Sin[c + d\*x] + 120\*(7\*A + 8\*B)\*Sin[2\*(c + d\*x)] + 160\*A\*Ssin[3\*(c + d\*x)] + 290\*B\*Ssin[3\*(c + d\*x)] + 15\*A\*Ssin[4\*(c + d\*x)] + 60\*B\*Ssin[4\*(c + d\*x)] + 6\*B\*Ssin[5\*(c + d\*x)]))/(480\*d)

**Maple [A]** time = 0.051, size = 248, normalized size = 1.7

$$\frac{1}{d} \left( \frac{a^4 B \sin(dx + c)}{5} \left( \frac{8}{3} + (\cos(dx + c))^4 + \frac{4(\cos(dx + c))^2}{3} \right) + A a^4 \left( \frac{\sin(dx + c)}{4} \left( (\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \dots \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^4\*(A+B\*cos(d\*x+c)), x)

[Out] 1/d\*(1/5\*a^4\*B\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)+A\*a^4\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+4\*a^4\*B\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+4/3\*A\*a^4\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+2\*a^4\*B\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+6\*A\*a^4\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+4\*a^4\*B\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+4\*A\*a^4\*sin(d\*x+c)+a^4\*B\*sin(d\*x+c)+A\*a^4\*(d\*x+c))

**Maxima [A]** time = 1.0301, size = 319, normalized size = 2.13

$$\frac{640(\sin(dx+c)^3 - 3\sin(dx+c))Aa^4 - 15(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Aa^4 - 720(2dx + 2c + \sin(2dx + 2c))Aa^4 - 480(dx+c)Aa^4 - 32(3\sin(dx+c)^5 - 10\sin(dx+c)^3 + 15\sin(dx+c))B^4a^4 + 960(\sin(dx+c)^3 - 3\sin(dx+c))B^4a^4 - 60(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))B^4a^4 - 480(2dx + 2c + \sin(2dx + 2c))B^4a^4 - 1920Aa^4\sin(dx+c) - 480B^4a^4\sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] -1/480\*(640\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*A\*a^4 - 15\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*A\*a^4 - 720\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*A\*a^4 - 480\*(d\*x + c)\*A\*a^4 - 32\*(3\*sin(d\*x + c)^5 - 10\*sin(d\*x + c)^3 + 15\*sin(d\*x + c))\*B\*a^4 + 960\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*B\*a^4 - 60\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*B\*a^4 - 480\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*B\*a^4 - 1920\*A\*a^4\*sin(d\*x + c) - 480\*B\*a^4\*sin(d\*x + c))/d

**Fricas [A]** time = 1.31348, size = 279, normalized size = 1.86

$$\frac{105(5A + 4B)a^4dx + (24Ba^4\cos(dx+c)^4 + 30(A + 4B)a^4\cos(dx+c)^3 + 16(10A + 17B)a^4\cos(dx+c)^2 + 15(27A + 28B)a^4\cos(dx+c) + 8(100A + 83B)a^4)\sin(dx+c)}{120d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/120\*(105\*(5\*A + 4\*B)\*a^4\*d\*x + (24\*B\*a^4\*cos(d\*x + c)^4 + 30\*(A + 4\*B)\*a^4\*cos(d\*x + c)^3 + 16\*(10\*A + 17\*B)\*a^4\*cos(d\*x + c)^2 + 15\*(27\*A + 28\*B)\*a^4\*cos(d\*x + c) + 8\*(100\*A + 83\*B)\*a^4)\*sin(d\*x + c))/d

**Sympy [A]** time = 4.46919, size = 544, normalized size = 3.63

$$\left\{ \begin{array}{l} \frac{3Aa^4x\sin^4(c+dx)}{8} + \frac{3Aa^4x\sin^2(c+dx)\cos^2(c+dx)}{4} + 3Aa^4x\sin^2(c+dx) + \frac{3Aa^4x\cos^4(c+dx)}{8} + 3Aa^4x\cos^2(c+dx) + Aa^4x + \frac{3Aa^4\sin^4(c)}{8} \\ x(A + B\cos(c))(a\cos(c) + a)^4 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*4\*(A+B\*cos(d\*x+c)),x)

[Out] Piecewise((3\*A\*a\*\*4\*x\*sin(c + d\*x)\*\*4/8 + 3\*A\*a\*\*4\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + 3\*A\*a\*\*4\*x\*sin(c + d\*x)\*\*2 + 3\*A\*a\*\*4\*x\*cos(c + d\*x)\*\*4/8 + 3\*A\*a\*\*4\*x\*cos(c + d\*x)\*\*2 + A\*a\*\*4\*x + 3\*A\*a\*\*4\*sin(c + d\*x)\*\*3\*cos(c + d\*x))/(8\*d) + 8\*A\*a\*\*4\*sin(c + d\*x)\*\*3/(3\*d) + 5\*A\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d) + 4\*A\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + 3\*A\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)/d + 4\*A\*a\*\*4\*sin(c + d\*x)/d + 3\*B\*a\*\*4\*x\*sin(c + d\*x)\*\*4/2 + 3\*B\*a\*\*4\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2 + 2\*B\*a\*\*4\*x\*sin(c + d\*x)\*\*2 + 3\*B\*a\*\*4\*x\*cos(c + d\*x)\*\*4/2 + 2\*B\*a\*\*4\*x\*cos(c + d\*x)\*\*2 + 8\*B\*a\*\*4\*sin(c + d\*x)\*\*5/(15\*d) + 4\*B\*a\*\*4\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*2/(3\*d) + 3\*B\*a\*\*4\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(2\*d) + 4\*B\*a\*\*4\*sin(c + d\*x)\*\*3/d + B\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)\*\*4/d + 5\*B\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(2\*d) + 6\*B\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + 2\*B\*a\*\*4\*sin(c + d\*x)\*cos(c + d\*x)/d + B\*a\*\*4\*sin(c + d\*x)/d, Ne(d, 0)), (x\*(A + B\*cos(c))\*(a\*cos(c) + a)\*\*4, True))



---

**Giac [A]** time = 1.23771, size = 188, normalized size = 1.25

$$\frac{Ba^4 \sin(5dx + 5c)}{80d} + \frac{7}{8}(5Aa^4 + 4Ba^4)x + \frac{(Aa^4 + 4Ba^4) \sin(4dx + 4c)}{32d} + \frac{(16Aa^4 + 29Ba^4) \sin(3dx + 3c)}{48d} + \frac{(7Aa^4 + 8Ba^4) \sin(2dx + 2c)}{48d} + \frac{7(8Aa^4 + 7Ba^4) \sin(dx + c)}{48d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/80\*B\*a^4\*sin(5\*d\*x + 5\*c)/d + 7/8\*(5\*A\*a^4 + 4\*B\*a^4)\*x + 1/32\*(A\*a^4 + 4\*B\*a^4)\*sin(4\*d\*x + 4\*c)/d + 1/48\*(16\*A\*a^4 + 29\*B\*a^4)\*sin(3\*d\*x + 3\*c)/d + 1/4\*(7\*A\*a^4 + 8\*B\*a^4)\*sin(2\*d\*x + 2\*c)/d + 7/8\*(8\*A\*a^4 + 7\*B\*a^4)\*sin(d\*x + c)/d

### 3.31 $\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec(c + dx) dx$

**Optimal.** Leaf size=151

$$\frac{5a^4(8A + 7B) \sin(c + dx)}{8d} + \frac{(4A + 7B) \sin(c + dx) (a^2 \cos(c + dx) + a^2)^2}{12d} + \frac{(32A + 35B) \sin(c + dx) (a^4 \cos(c + dx) + a^4)}{24d}$$

[Out] (a^4\*(48\*A + 35\*B)\*x)/8 + (a^4\*A\*ArcTanh[Sin[c + d\*x]])/d + (5\*a^4\*(8\*A + 7\*B)\*Sin[c + d\*x])/(8\*d) + (a\*B\*(a + a\*Cos[c + d\*x])^3\*SIN[c + d\*x])/(4\*d) + ((4\*A + 7\*B)\*(a^2 + a^2\*Cos[c + d\*x])^2\*SIN[c + d\*x])/(12\*d) + ((32\*A + 35\*B)\*(a^4 + a^4\*Cos[c + d\*x])\*Sin[c + d\*x])/(24\*d)

**Rubi [A]** time = 0.412612, antiderivative size = 151, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {2976, 2968, 3023, 2735, 3770}

$$\frac{5a^4(8A + 7B) \sin(c + dx)}{8d} + \frac{(4A + 7B) \sin(c + dx) (a^2 \cos(c + dx) + a^2)^2}{12d} + \frac{(32A + 35B) \sin(c + dx) (a^4 \cos(c + dx) + a^4)}{24d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^4\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x],x]

[Out] (a^4\*(48\*A + 35\*B)\*x)/8 + (a^4\*A\*ArcTanh[Sin[c + d\*x]])/d + (5\*a^4\*(8\*A + 7\*B)\*Sin[c + d\*x])/(8\*d) + (a\*B\*(a + a\*Cos[c + d\*x])^3\*SIN[c + d\*x])/(4\*d) + ((4\*A + 7\*B)\*(a^2 + a^2\*Cos[c + d\*x])^2\*SIN[c + d\*x])/(12\*d) + ((32\*A + 35\*B)\*(a^4 + a^4\*Cos[c + d\*x])\*Sin[c + d\*x])/(24\*d)

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^(m - 1)\*(c + d\*SIN[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*SIN[e + f\*x])^(m - 1)\*(c + d\*SIN[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*SIN[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*SIN[e + f\*x] + B\*d\*SIN[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*SIN[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&

!LtQ[m, -1]

Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{aB(a + a \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{1}{4} \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec(c + dx) dx \\
 &= \frac{aB(a + a \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{(4A + 7B)(a^2 + a^2 \cos^2(c + dx))}{4d} \\
 &= \frac{aB(a + a \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{(4A + 7B)(a^2 + a^2 \cos^2(c + dx))}{4d} \\
 &= \frac{aB(a + a \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{(4A + 7B)(a^2 + a^2 \cos^2(c + dx))}{4d} \\
 &= \frac{5a^4(8A + 7B) \sin(c + dx)}{8d} + \frac{aB(a + a \cos(c + dx))^3 \sin(c + dx)}{4d} \\
 &= \frac{1}{8}a^4(48A + 35B)x + \frac{5a^4(8A + 7B) \sin(c + dx)}{8d} + \frac{aB(a + a \cos(c + dx))^3 \sin(c + dx)}{4d} \\
 &= \frac{1}{8}a^4(48A + 35B)x + \frac{a^4 A \tanh^{-1}(\sin(c + dx))}{d} + \frac{5a^4(8A + 7B) \sin(c + dx)}{8d}
 \end{aligned}$$

**Mathematica [A]** time = 0.372112, size = 138, normalized size = 0.91

$$a^4 \left( 24(27A + 28B) \sin(c + dx) + 24(4A + 7B) \sin(2(c + dx)) + 8A \sin(3(c + dx)) - 96A \log \left( \cos \left( \frac{1}{2}(c + dx) \right) - \sin \left( \frac{1}{2}(c + dx) \right) \right) \right) / (96d)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^4\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x], x]

[Out] (a^4\*(576\*A\*d\*x + 420\*B\*d\*x - 96\*A\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 96\*A\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + 24\*(27\*A + 28\*B)\*Sin[c + d\*x] + 24\*(4\*A + 7\*B)\*Sin[2\*(c + d\*x)] + 8\*A\*Sin[3\*(c + d\*x)] + 32\*B\*Sin[3\*(c + d\*x)] + 3\*B\*Sin[4\*(c + d\*x)])/(96\*d)

**Maple [A]** time = 0.105, size = 199, normalized size = 1.3

$$\frac{A \sin(dx + c) (\cos(dx + c))^2 a^4}{3d} + \frac{20 A a^4 \sin(dx + c)}{3d} + \frac{a^4 B \sin(dx + c) (\cos(dx + c))^3}{4d} + \frac{27 a^4 B \cos(dx + c) \sin(dx + c)}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+cos(d*x+c)*a)^4*(A+B*cos(d*x+c))*sec(d*x+c),x)`

[Out]  $\frac{1}{3}dA\sin(d*x+c)\cos(d*x+c)^2a^4 + \frac{20}{3}dAa^4\sin(d*x+c) + \frac{1}{4}d^4a^4B\sin(d*x+c)\cos(d*x+c)^3 + \frac{27}{8}d^4a^4B\cos(d*x+c)\sin(d*x+c) + \frac{35}{8}a^4B^2x + \frac{35}{8}d^4a^4B^2c + \frac{2}{d}Aa^4\cos(d*x+c)\sin(d*x+c) + 6Aa^4x + \frac{6}{d}Aa^4c + \frac{4}{3}dB\sin(d*x+c)\cos(d*x+c)^2a^4 + \frac{20}{3}d^4a^4B\sin(d*x+c) + \frac{1}{d}Aa^4\ln(\sec(d*x+c) + \tan(d*x+c))$

**Maxima [A]** time = 1.01195, size = 267, normalized size = 1.77

$\frac{32(\sin(dx+c)^3 - 3\sin(dx+c))Aa^4 - 96(2dx+2c+\sin(2dx+2c))Aa^4 - 384(dx+c)Aa^4 + 128(\sin(dx+c)^3 - 3\sin(dx+c))B^2a^4 - 3(12dx+12c+\sin(4dx+4c)) + 8\sin(2dx+2c))B^2a^4 - 144(2dx+2c+\sin(2dx+2c))B^2a^4 - 96(dx+c)B^2a^4 - 96Aa^4\log(\sec(dx+c) + \tan(dx+c)) - 576Aa^4\sin(dx+c) - 384B^2a^4\sin(dx+c))/d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="maxima")`

[Out]  $\frac{-1}{96}(32(\sin(dx+c)^3 - 3\sin(dx+c))Aa^4 - 96(2dx+2c+\sin(2dx+2c))Aa^4 - 384(dx+c)Aa^4 + 128(\sin(dx+c)^3 - 3\sin(dx+c))B^2a^4 - 3(12dx+12c+\sin(4dx+4c)) + 8\sin(2dx+2c))B^2a^4 - 144(2dx+2c+\sin(2dx+2c))B^2a^4 - 96(dx+c)B^2a^4 - 96Aa^4\log(\sec(dx+c) + \tan(dx+c)) - 576Aa^4\sin(dx+c) - 384B^2a^4\sin(dx+c))/d$

**Fricas [A]** time = 1.81413, size = 306, normalized size = 2.03

$\frac{3(48A+35B)a^4dx + 12Aa^4\log(\sin(dx+c)+1) - 12Aa^4\log(-\sin(dx+c)+1) + (6Ba^4\cos(dx+c)^3 + 8(A+4B)a^4\cos(dx+c)^2 + 3(16A+27B)a^4\cos(dx+c) + 160(A+B)a^4)\sin(dx+c)}{24d}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="fricas")`

[Out]  $\frac{1}{24}(3(48A+35B)a^4dx + 12Aa^4\log(\sin(dx+c)+1) - 12Aa^4\log(-\sin(dx+c)+1) + (6B^2a^4\cos(dx+c)^3 + 8(A+4B)a^4\cos(dx+c)^2 + 3(16A+27B)a^4\cos(dx+c) + 160(A+B)a^4)\sin(dx+c))/d$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**4*(A+B*cos(d*x+c))*sec(d*x+c),x)`

[Out] Timed out

**Giac [A]** time = 1.2994, size = 289, normalized size = 1.91

$$24 Aa^4 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - 24 Aa^4 \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) + 3(48 Aa^4 + 35 Ba^4)(dx + c) + \frac{2(120 Aa^4 \tan^2(\frac{1}{2} dx + \frac{1}{2} c) + 105 Ba^4 \tan(\frac{1}{2} dx + \frac{1}{2} c) + 424 Aa^4 \tan(\frac{1}{2} dx + \frac{1}{2} c)^5 + 385 Ba^4 \tan(\frac{1}{2} dx + \frac{1}{2} c)^5 + 520 Aa^4 \tan(\frac{1}{2} dx + \frac{1}{2} c)^3 + 511 Ba^4 \tan(\frac{1}{2} dx + \frac{1}{2} c)^3 + 216 Aa^4 \tan(\frac{1}{2} dx + \frac{1}{2} c) + 279 Ba^4 \tan(\frac{1}{2} dx + \frac{1}{2} c))}{(\tan(\frac{1}{2} dx + \frac{1}{2} c)^2 + 1)^4} / d$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="giac")

[Out] 1/24\*(24\*A\*a^4\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 24\*A\*a^4\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) + 3\*(48\*A\*a^4 + 35\*B\*a^4)\*(d\*x + c) + 2\*(120\*A\*a^4\*tan(1/2\*d\*x + 1/2\*c)^7 + 105\*B\*a^4\*tan(1/2\*d\*x + 1/2\*c)^7 + 424\*A\*a^4\*tan(1/2\*d\*x + 1/2\*c)^5 + 385\*B\*a^4\*tan(1/2\*d\*x + 1/2\*c)^5 + 520\*A\*a^4\*tan(1/2\*d\*x + 1/2\*c)^3 + 511\*B\*a^4\*tan(1/2\*d\*x + 1/2\*c)^3 + 216\*A\*a^4\*tan(1/2\*d\*x + 1/2\*c) + 279\*B\*a^4\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 + 1)^4/d

### 3.32 $\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^2(c + dx) dx$

**Optimal.** Leaf size=150

$$\frac{5a^4(A + 2B) \sin(c + dx)}{2d} + \frac{a^4(4A + B) \tanh^{-1}(\sin(c + dx))}{d} - \frac{(3A - B) \sin(c + dx) (a^2 \cos(c + dx) + a^2)^2}{3d} - \frac{(3A - 8B) \sin(c + dx)}{3d}$$

[Out] (a^4\*(13\*A + 12\*B)\*x)/2 + (a^4\*(4\*A + B)\*ArcTanh[Sin[c + d\*x]])/d + (5\*a^4\*(A + 2\*B)\*Sin[c + d\*x])/(2\*d) - ((3\*A - B)\*(a^2 + a^2\*Cos[c + d\*x])^2\*SIN[c + d\*x])/(3\*d) - ((3\*A - 8\*B)\*(a^4 + a^4\*Cos[c + d\*x])\*Sin[c + d\*x])/(6\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^3\*Tan[c + d\*x])/d

**Rubi [A]** time = 0.453221, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2975, 2976, 2968, 3023, 2735, 3770}

$$\frac{5a^4(A + 2B) \sin(c + dx)}{2d} + \frac{a^4(4A + B) \tanh^{-1}(\sin(c + dx))}{d} - \frac{(3A - B) \sin(c + dx) (a^2 \cos(c + dx) + a^2)^2}{3d} - \frac{(3A - 8B) \sin(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^4\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] (a^4\*(13\*A + 12\*B)\*x)/2 + (a^4\*(4\*A + B)\*ArcTanh[Sin[c + d\*x]])/d + (5\*a^4\*(A + 2\*B)\*Sin[c + d\*x])/(2\*d) - ((3\*A - B)\*(a^2 + a^2\*Cos[c + d\*x])^2\*SIN[c + d\*x])/(3\*d) - ((3\*A - 8\*B)\*(a^4 + a^4\*Cos[c + d\*x])\*Sin[c + d\*x])/(6\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^3\*Tan[c + d\*x])/d

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^(m - 1)\*(c + d\*SIN[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*SIN[e + f\*x])^(m - 1)\*(c + d\*SIN[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^(m - 1)\*(c + d\*SIN[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*SIN[e + f\*x])^(m - 1)\*(c + d\*SIN[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

### Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^3 \tan(c + dx)}{d} + \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^2(c + dx) dx \\
&= -\frac{(3A - B)(a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{aA(a + a \cos(c + dx))^4 \tan(c + dx)}{d} \\
&= -\frac{(3A - B)(a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{3d} - \frac{(3A - 8B)(a + a \cos(c + dx))^4 \tan(c + dx)}{3d} \\
&= -\frac{(3A - B)(a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{3d} - \frac{(3A - 8B)(a + a \cos(c + dx))^4 \tan(c + dx)}{3d} \\
&= \frac{5a^4(A + 2B) \sin(c + dx)}{2d} - \frac{(3A - B)(a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{3d} \\
&= \frac{1}{2}a^4(13A + 12B)x + \frac{5a^4(A + 2B) \sin(c + dx)}{2d} - \frac{(3A - B)(a^2 + a^2 \cos(c + dx))^2 \sin(c + dx)}{3d} \\
&= \frac{1}{2}a^4(13A + 12B)x + \frac{a^4(4A + B) \tanh^{-1}(\sin(c + dx))}{d} + \frac{5a^4(A + 2B) \sin(c + dx)}{2d}
\end{aligned}$$

**Mathematica [B]** time = 1.54755, size = 312, normalized size = 2.08

$$\frac{1}{192}a^4(\cos(c + dx) + 1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \left( \frac{3(16A + 27B) \sin(c) \cos(dx)}{d} + \frac{3(A + 4B) \sin(2c) \cos(2dx)}{d} + \frac{3(16A + 27B) \sin(3c) \cos(3dx)}{d} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]
```

```
[Out] (a^4*(1 + Cos[c + d*x])^4*Sec[(c + d*x)/2]^8*(78*A*x + 72*B*x - (12*(4*A +
B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + (12*(4*A + B)*Log[Cos[(c +
```

$$\frac{d*x)/2] + \text{Sin}[(c + d*x)/2])]/d + (3*(16*A + 27*B)*\text{Cos}[d*x]*\text{Sin}[c])/d + (3*(A + 4*B)*\text{Cos}[2*d*x]*\text{Sin}[2*c])/d + (B*\text{Cos}[3*d*x]*\text{Sin}[3*c])/d + (3*(16*A + 27*B)*\text{Cos}[c]*\text{Sin}[d*x])/d + (3*(A + 4*B)*\text{Cos}[2*c]*\text{Sin}[2*d*x])/d + (B*\text{Cos}[3*c]*\text{Sin}[3*d*x])/d + (12*A*\text{Sin}[(d*x)/2])/(d*(\text{Cos}[c/2] - \text{Sin}[c/2])*(\text{Cos}[(c + d*x)/2] - \text{Sin}[(c + d*x)/2])) + (12*A*\text{Sin}[(d*x)/2])/(d*(\text{Cos}[c/2] + \text{Sin}[c/2])*(\text{Cos}[(c + d*x)/2] + \text{Sin}[(c + d*x)/2])))/192$$

**Maple [A]** time = 0.148, size = 190, normalized size = 1.3

$$\frac{Aa^4 \cos(dx + c) \sin(dx + c)}{2d} + \frac{13Aa^4x}{2} + \frac{13Aa^4c}{2d} + \frac{B \sin(dx + c) (\cos(dx + c))^2 a^4}{3d} + \frac{20a^4B \sin(dx + c)}{3d} + 4 \frac{Aa^4 \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x)

[Out] 1/2/d\*A\*a^4\*cos(d\*x+c)\*sin(d\*x+c)+13/2\*A\*a^4\*x+13/2/d\*A\*a^4\*c+1/3/d\*B\*sin(d\*x+c)\*cos(d\*x+c)^2\*a^4+20/3/d\*a^4\*B\*sin(d\*x+c)+4/d\*A\*a^4\*sin(d\*x+c)+2/d\*a^4\*B\*cos(d\*x+c)\*sin(d\*x+c)+6\*a^4\*B\*x+6/d\*a^4\*B\*c+4/d\*A\*a^4\*ln(sec(d\*x+c)+tan(d\*x+c))+1/d\*A\*a^4\*tan(d\*x+c)+1/d\*a^4\*B\*ln(sec(d\*x+c)+tan(d\*x+c))

**Maxima [A]** time = 1.01106, size = 252, normalized size = 1.68

$$\frac{3(2dx + 2c + \sin(2dx + 2c))Aa^4 + 72(dx + c)Aa^4 - 4(\sin(dx + c)^3 - 3\sin(dx + c))Ba^4 + 12(2dx + 2c + \sin(2dx + 2c))Ba^4}{6d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] 1/12\*(3\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*A\*a^4 + 72\*(d\*x + c)\*A\*a^4 - 4\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*B\*a^4 + 12\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*B\*a^4 + 48\*(d\*x + c)\*B\*a^4 + 24\*A\*a^4\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 6\*B\*a^4\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 48\*A\*a^4\*sin(d\*x + c) + 72\*B\*a^4\*sin(d\*x + c) + 12\*A\*a^4\*tan(d\*x + c))/d

**Fricas [A]** time = 1.67625, size = 383, normalized size = 2.55

$$\frac{3(13A + 12B)a^4 dx \cos(dx + c) + 3(4A + B)a^4 \cos(dx + c) \log(\sin(dx + c) + 1) - 3(4A + B)a^4 \cos(dx + c) \log(-\sin(dx + c) + 1) + (2B*a^4*\cos(dx + c)^3 + 3*(A + 4*B)*a^4*\cos(dx + c)^2 + 8*(3*A + 5*B)*a^4*\cos(dx + c) + 6*A*a^4)*\sin(dx + c)}{6d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] 1/6\*(3\*(13\*A + 12\*B)\*a^4\*d\*x\*cos(d\*x + c) + 3\*(4\*A + B)\*a^4\*cos(d\*x + c)\*log(sin(d\*x + c) + 1) - 3\*(4\*A + B)\*a^4\*cos(d\*x + c)\*log(-sin(d\*x + c) + 1) + (2\*B\*a^4\*cos(d\*x + c)^3 + 3\*(A + 4\*B)\*a^4\*cos(d\*x + c)^2 + 8\*(3\*A + 5\*B)\*a^4\*cos(d\*x + c) + 6\*A\*a^4)\*sin(d\*x + c))/(d\*cos(d\*x + c))



---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2,x)

[Out] Timed out

---

**Giac [A]** time = 1.34447, size = 305, normalized size = 2.03

$$\frac{12 Aa^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1} - 3(13 Aa^4 + 12 Ba^4)(dx + c) - 6(4 Aa^4 + Ba^4) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) + 6(4 Aa^4 + Ba^4) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)$$

---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/6*(12*A*a^4*\tan(1/2*d*x + 1/2*c)/(\tan(1/2*d*x + 1/2*c)^2 - 1) - 3*(13*A*a^4 + 12*B*a^4)*(d*x + c) - 6*(4*A*a^4 + B*a^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) + 6*(4*A*a^4 + B*a^4)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(21*A*a^4*\tan(1/2*d*x + 1/2*c)^5 + 30*B*a^4*\tan(1/2*d*x + 1/2*c)^5 + 48*A*a^4*\tan(1/2*d*x + 1/2*c)^3 + 76*B*a^4*\tan(1/2*d*x + 1/2*c)^3 + 27*A*a^4*\tan(1/2*d*x + 1/2*c) + 54*B*a^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 + 1)^3) /d \end{aligned}$$

### 3.33 $\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^3(c + dx) dx$

**Optimal.** Leaf size=162

$$\frac{5a^4(A - B) \sin(c + dx)}{2d} + \frac{a^4(13A + 8B) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{(6A + B) \sin(c + dx) (a^4 \cos(c + dx) + a^4)}{2d} + \frac{(5A + 2B)}{2d}$$

[Out]  $(a^4*(8*A + 13*B)*x)/2 + (a^4*(13*A + 8*B)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*d) - (5*a^4*(A - B)*\text{Sin}[c + d*x])/(2*d) - ((6*A + B)*(a^4 + a^4*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(2*d) + ((5*A + 2*B)*(a^2 + a^2*\text{Cos}[c + d*x])^2*\text{Tan}[c + d*x])/(2*d) + (a*A*(a + a*\text{Cos}[c + d*x])^3*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d)$

**Rubi [A]** time = 0.475574, antiderivative size = 162, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2975, 2976, 2968, 3023, 2735, 3770}

$$\frac{5a^4(A - B) \sin(c + dx)}{2d} + \frac{a^4(13A + 8B) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{(6A + B) \sin(c + dx) (a^4 \cos(c + dx) + a^4)}{2d} + \frac{(5A + 2B)}{2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^4*(A + B*\text{Cos}[c + d*x])*\text{Sec}[c + d*x]^3, x]$

[Out]  $(a^4*(8*A + 13*B)*x)/2 + (a^4*(13*A + 8*B)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*d) - (5*a^4*(A - B)*\text{Sin}[c + d*x])/(2*d) - ((6*A + B)*(a^4 + a^4*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/(2*d) + ((5*A + 2*B)*(a^2 + a^2*\text{Cos}[c + d*x])^2*\text{Tan}[c + d*x])/(2*d) + (a*A*(a + a*\text{Cos}[c + d*x])^3*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d)$

#### Rule 2975

$\text{Int}[(a + b*\sin[e + f*x])^m * ((A + B*\sin[e + f*x]) + (f_*)*(x_)) * ((c + d*\sin[e + f*x])^n), x\_Symbol] :> -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1})/(d*f*(n+1)*(b*c + a*d)), x] - \text{Dist}[b/(d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1}*\text{Simp}[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1))]*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] \|\| \text{EqQ}[c, 0])$

#### Rule 2976

$\text{Int}[(a + b*\sin[e + f*x])^m * ((A + B*\sin[e + f*x]) + (f_*)*(x_)) * ((c + d*\sin[e + f*x])^n), x\_Symbol] :> -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1})/(d*f*(m+n+1)), x] + \text{Dist}[1/(d*(m+n+1)), \text{Int}[(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^n*\text{Simp}[a*A*d*(m+n+1) + B*(a*c*(m-1) + b*d*(n+1)) + (A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n))]*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& !\text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] \|\| \text{EqQ}[c, 0])$

#### Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

### Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^3(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^3 \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^2(c + dx) dx \\
&= \frac{(5A + 2B)(a^2 + a^2 \cos(c + dx))^2 \tan(c + dx)}{2d} + \frac{aA(a + a \cos(c + dx))^3 \sec(c + dx) \tan(c + dx)}{2d} \\
&= -\frac{(6A + B)(a^4 + a^4 \cos(c + dx)) \sin(c + dx)}{2d} + \frac{(5A + 2B)(a^2 + a^2 \cos(c + dx))^2 \tan(c + dx)}{2d} \\
&= -\frac{(6A + B)(a^4 + a^4 \cos(c + dx)) \sin(c + dx)}{2d} + \frac{(5A + 2B)(a^2 + a^2 \cos(c + dx))^2 \tan(c + dx)}{2d} \\
&= -\frac{5a^4(A - B) \sin(c + dx)}{2d} - \frac{(6A + B)(a^4 + a^4 \cos(c + dx)) \sin(c + dx)}{2d} \\
&= \frac{1}{2} a^4 (8A + 13B)x - \frac{5a^4(A - B) \sin(c + dx)}{2d} - \frac{(6A + B)(a^4 + a^4 \cos(c + dx)) \sin(c + dx)}{2d} \\
&= \frac{1}{2} a^4 (8A + 13B)x + \frac{a^4(13A + 8B) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{(6A + B)(a^4 + a^4 \cos(c + dx)) \sin(c + dx)}{2d}
\end{aligned}$$

**Mathematica [B]** time = 4.28311, size = 343, normalized size = 2.12

$$\frac{1}{64} a^4 (\cos(c + dx) + 1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \left( \frac{4(A + 4B) \sin(c) \cos(dx)}{d} + \frac{4(A + 4B) \cos(c) \sin(dx)}{d} + \frac{4(A + 4B) \cos(c) \sin(dx)}{d \left( \cos\left(\frac{c}{2}\right) - \sin\left(\frac{c}{2}\right) \right)} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]
```

```
[Out] (a^4*(1 + Cos[c + d*x])^4*Sec[(c + d*x)/2]^8*(2*(8*A + 13*B)*x - (2*(13*A + 8*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]])/d + (2*(13*A + 8*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]])/d + (4*(A + 4*B)*Cos[d*x]*Sin[c])/d + (B*Cos[2*d*x]*Sin[2*c])/d + (4*(A + 4*B)*Cos[c]*Sin[d*x])/d + (B*Cos[2*c]*Sin[2*d*x])/d + A/(d*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2) + (4*(4*A + B)*Sin[(d*x)/2])/(d*(Cos[c/2] - Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])) - A/(d*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2) + (4*(4*A + B)*Sin[(d*x)/2])/(d*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])))/64
```

**Maple [A]** time = 0.127, size = 182, normalized size = 1.1

$$\frac{Aa^4 \sin(dx+c)}{d} + \frac{a^4 B \cos(dx+c) \sin(dx+c)}{2d} + \frac{13a^4 Bx}{2} + \frac{13a^4 Bc}{2d} + 4Aa^4 x + 4 \frac{Aa^4 c}{d} + 4 \frac{a^4 B \sin(dx+c)}{d} + \frac{13Aa^4}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^4*(A+B*cos(d*x+c))*sec(d*x+c)^3,x)
```

```
[Out] 1/d*A*a^4*sin(d*x+c)+1/2/d*a^4*B*cos(d*x+c)*sin(d*x+c)+13/2*a^4*B*x+13/2/d*a^4*B*c+4*A*a^4*x+4/d*A*a^4*c+4/d*a^4*B*sin(d*x+c)+13/2/d*A*a^4*ln(sec(d*x+c)+tan(d*x+c))+4/d*A*a^4*tan(d*x+c)+4/d*a^4*B*ln(sec(d*x+c)+tan(d*x+c))+1/2/d*A*a^4*sec(d*x+c)*tan(d*x+c)+1/d*a^4*B*tan(d*x+c)
```

**Maxima [A]** time = 1.02769, size = 269, normalized size = 1.66

$$16(dx+c)Aa^4 + (2dx+2c+\sin(2dx+2c))Ba^4 + 24(dx+c)Ba^4 - Aa^4 \left( \frac{2\sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="maxima")
```

```
[Out] 1/4*(16*(d*x + c)*A*a^4 + (2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^4 + 24*(d*x + c)*B*a^4 - A*a^4*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 12*A*a^4*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 8*B*a^4*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)) + 4*A*a^4*sin(d*x + c) + 16*B*a^4*sin(d*x + c) + 16*A*a^4*tan(d*x + c) + 4*B*a^4*tan(d*x + c))/d
```

**Fricas [A]** time = 1.45169, size = 390, normalized size = 2.41

$$\frac{2(8A+13B)a^4 dx \cos(dx+c)^2 + (13A+8B)a^4 \cos(dx+c)^2 \log(\sin(dx+c)+1) - (13A+8B)a^4 \cos(dx+c)^2 \log(-\sin(dx+c))}{4d \cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="fricas")
```

```
[Out] 1/4*(2*(8*A + 13*B)*a^4*d*x*cos(d*x + c)^2 + (13*A + 8*B)*a^4*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (13*A + 8*B)*a^4*cos(d*x + c)^2*log(-sin(d*x + c)))
```

$$+ 1) + 2*(B*a^4*\cos(d*x + c)^3 + 2*(A + 4*B)*a^4*\cos(d*x + c)^2 + 2*(4*A + B)*a^4*\cos(d*x + c) + A*a^4)*\sin(d*x + c))/(d*\cos(d*x + c)^2)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3,x)

[Out] Timed out

**Giac [A]** time = 1.33526, size = 311, normalized size = 1.92

$$(8 Aa^4 + 13 Ba^4)(dx + c) + (13 Aa^4 + 8 Ba^4) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - (13 Aa^4 + 8 Ba^4) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] 1/2\*((8\*A\*a^4 + 13\*B\*a^4)\*(d\*x + c) + (13\*A\*a^4 + 8\*B\*a^4)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - (13\*A\*a^4 + 8\*B\*a^4)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(5\*A\*a^4\*tan(1/2\*d\*x + 1/2\*c)^7 - 5\*B\*a^4\*tan(1/2\*d\*x + 1/2\*c)^7 + 7\*A\*a^4\*tan(1/2\*d\*x + 1/2\*c)^5 + 7\*B\*a^4\*tan(1/2\*d\*x + 1/2\*c)^5 - 9\*A\*a^4\*tan(1/2\*d\*x + 1/2\*c)^3 + 9\*B\*a^4\*tan(1/2\*d\*x + 1/2\*c)^3 - 11\*A\*a^4\*tan(1/2\*d\*x + 1/2\*c) - 11\*B\*a^4\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^4 - 1)^2)/d

### 3.34 $\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^4(c + dx) dx$

**Optimal.** Leaf size=165

$$-\frac{5a^4(2A + B) \sin(c + dx)}{2d} + \frac{a^4(12A + 13B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(11A + 9B) \tan(c + dx) (a^4 \cos(c + dx) + a^4)}{3d} + \frac{(2A + B) \sin(c + dx)}{2d}$$

[Out]  $a^4(A + 4*B)*x + (a^4*(12*A + 13*B)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*d) - (5*a^4*(2*A + B)*\text{Sin}[c + d*x])/(2*d) + ((11*A + 9*B)*(a^4 + a^4*\text{Cos}[c + d*x]))*\text{Tan}[c + d*x]/(3*d) + ((2*A + B)*(a^2 + a^2*\text{Cos}[c + d*x])^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d) + (a*A*(a + a*\text{Cos}[c + d*x])^3*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/(3*d)$

**Rubi [A]** time = 0.514103, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2975, 2968, 3023, 2735, 3770}

$$-\frac{5a^4(2A + B) \sin(c + dx)}{2d} + \frac{a^4(12A + 13B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(11A + 9B) \tan(c + dx) (a^4 \cos(c + dx) + a^4)}{3d} + \frac{(2A + B) \sin(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^4*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^4, x]$

[Out]  $a^4(A + 4*B)*x + (a^4*(12*A + 13*B)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*d) - (5*a^4*(2*A + B)*\text{Sin}[c + d*x])/(2*d) + ((11*A + 9*B)*(a^4 + a^4*\text{Cos}[c + d*x]))*\text{Tan}[c + d*x]/(3*d) + ((2*A + B)*(a^2 + a^2*\text{Cos}[c + d*x])^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d) + (a*A*(a + a*\text{Cos}[c + d*x])^3*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/(3*d)$

#### Rule 2975

$\text{Int}[(a + b*\text{sin}[e + f*x])^m * ((A + B*\text{sin}[e + f*x]) + (C + D*\text{sin}[e + f*x]))^n, x\_Symbol] :> -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m-1}*(c + d*\text{Sin}[e + f*x])^{n+1})/(d*f*(n+1)*(b*c + a*d)), x] - \text{Dist}[b/(d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m-1}*(c + d*\text{Sin}[e + f*x])^{n+1}*\text{Simp}[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1))]*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[m, 1/2] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ \text{IntegerQ}[2*m] \ \&\& \ (\text{IntegerQ}[2*n] \ || \ \text{EqQ}[c, 0])$

#### Rule 2968

$\text{Int}[(a + b*\text{sin}[e + f*x])^m * ((A + B*\text{sin}[e + f*x]) + (C + D*\text{sin}[e + f*x])), x\_Symbol] :> \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0]$

#### Rule 3023

$\text{Int}[(a + b*\text{sin}[e + f*x])^m * ((A + B*\text{sin}[e + f*x]) + (C + D*\text{sin}[e + f*x])^2), x\_Symbol] :> -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m+1})/(b*f*(m+2)), x] + \text{Dist}[1/(b*(m +$

2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^4(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^3 \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int (a + a \cos(c + dx))^3 \sec^2(c + dx) \tan(c + dx) dx \\
 &= \frac{(2A + B)(a^2 + a^2 \cos(c + dx))^2 \sec(c + dx) \tan(c + dx)}{2d} \\
 &= \frac{(11A + 9B)(a^4 + a^4 \cos(c + dx)) \tan(c + dx)}{3d} + \frac{(2A + B)(a^4 + a^4 \cos(c + dx)) \tan(c + dx)}{3d} \\
 &= \frac{(11A + 9B)(a^4 + a^4 \cos(c + dx)) \tan(c + dx)}{3d} + \frac{(2A + B)(a^4 + a^4 \cos(c + dx)) \tan(c + dx)}{3d} \\
 &= -\frac{5a^4(2A + B) \sin(c + dx)}{2d} + \frac{(11A + 9B)(a^4 + a^4 \cos(c + dx)) \tan(c + dx)}{3d} \\
 &= a^4(A + 4B)x - \frac{5a^4(2A + B) \sin(c + dx)}{2d} + \frac{(11A + 9B)(a^4 + a^4 \cos(c + dx)) \tan(c + dx)}{3d} \\
 &= a^4(A + 4B)x + \frac{a^4(12A + 13B) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{5a^4(2A + B) \sin(c + dx)}{2d}
 \end{aligned}$$

**Mathematica [B]** time = 6.20254, size = 380, normalized size = 2.3

$$a^4 \left( \frac{(A + 4B)(c + dx)}{d} + \frac{-13A - 3B}{12d \left( \sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right) \right)^2} + \frac{4 \left( 5A \sin\left(\frac{1}{2}(c + dx)\right) + 3B \sin\left(\frac{1}{2}(c + dx)\right) \right)}{3d \left( \cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right) \right)} + \frac{4 \left( 5A \sin\left(\frac{1}{2}(c + dx)\right) + 3B \sin\left(\frac{1}{2}(c + dx)\right) \right)}{3d \left( \cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right) \right)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^4\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out] a^4\*(((A + 4\*B)\*(c + d\*x))/d + ((-12\*A - 13\*B)\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]]/(2\*d) + ((12\*A + 13\*B)\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]/(2\*d) + (13\*A + 3\*B)/(12\*d\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])^2) + (A\*Sin[(c + d\*x)/2])/(6\*d\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])^3) + (A\*Sin[(c + d\*x)/2])/(6\*d\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])^3) + (-13\*A - 3\*B)/(12\*d\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])^2) + (4\*(5\*A\*Sin[(c + d\*x)/2] + 3\*B\*Sin[(c + d\*x)/2]))/(3\*d\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])) + (4\*(5\*A\*Sin[(c + d\*x)/2] + 3\*B\*Sin[(c + d\*x)/2]))/(3\*d\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])) + (B\*Sin[c + d\*x])/d)

---

**Maple [A]** time = 0.124, size = 189, normalized size = 1.2

$$Aa^4x + \frac{Aa^4c}{d} + \frac{a^4B \sin(dx+c)}{d} + 6 \frac{Aa^4 \ln(\sec(dx+c) + \tan(dx+c))}{d} + 4a^4Bx + 4 \frac{Ba^4c}{d} + \frac{20Aa^4 \tan(dx+c)}{3d} + \frac{13}{2} \frac{Aa^4 \ln(\sec(dx+c) + \tan(dx+c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x)

[Out] A\*a^4\*x+1/d\*A\*a^4\*c+1/d\*a^4\*B\*sin(d\*x+c)+6/d\*A\*a^4\*ln(sec(d\*x+c)+tan(d\*x+c))+4\*a^4\*B\*x+4/d\*a^4\*B\*c+20/3/d\*A\*a^4\*tan(d\*x+c)+13/2/d\*a^4\*B\*ln(sec(d\*x+c)+tan(d\*x+c))+2/d\*A\*a^4\*sec(d\*x+c)\*tan(d\*x+c)+4/d\*a^4\*B\*tan(d\*x+c)+1/3/d\*A\*a^4\*tan(d\*x+c)\*sec(d\*x+c)^2+1/2/d\*a^4\*B\*sec(d\*x+c)\*tan(d\*x+c)

---

**Maxima [A]** time = 1.01896, size = 317, normalized size = 1.92

$$4 \left( \tan(dx+c)^3 + 3 \tan(dx+c) \right) Aa^4 + 12(dx+c)Aa^4 + 48(dx+c)Ba^4 - 12Aa^4 \left( \frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out] 1/12\*(4\*(tan(d\*x+c)^3+3\*tan(d\*x+c))\*A\*a^4+12\*(d\*x+c)\*A\*a^4+48\*(d\*x+c)\*B\*a^4-12\*A\*a^4\*(2\*sin(d\*x+c)/(sin(d\*x+c)^2-1)-log(sin(d\*x+c)+1)+log(sin(d\*x+c)-1))-3\*B\*a^4\*(2\*sin(d\*x+c)/(sin(d\*x+c)^2-1)-log(sin(d\*x+c)+1)+log(sin(d\*x+c)-1))+24\*A\*a^4\*(log(sin(d\*x+c)+1)-log(sin(d\*x+c)-1))+36\*B\*a^4\*(log(sin(d\*x+c)+1)-log(sin(d\*x+c)-1))+12\*B\*a^4\*sin(d\*x+c)+72\*A\*a^4\*tan(d\*x+c)+48\*B\*a^4\*tan(d\*x+c))/d

---

**Fricas [A]** time = 1.54502, size = 405, normalized size = 2.45

$$\frac{12(A+4B)a^4dx \cos(dx+c)^3 + 3(12A+13B)a^4 \cos(dx+c)^3 \log(\sin(dx+c)+1) - 3(12A+13B)a^4 \cos(dx+c)^3 \log(-\sin(dx+c)+1) + 2(6B*a^4 \cos(dx+c)^3 + 8(5A+3B)*a^4 \cos(dx+c)^2 + 3(4A+B)*a^4 \cos(dx+c) + 2A*a^4 \sin(dx+c)) / (d \cos(dx+c)^3)}{12d \cos(dx+c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="fricas")

[Out] 1/12\*(12\*(A+4\*B)\*a^4\*d\*x\*cos(d\*x+c)^3+3\*(12\*A+13\*B)\*a^4\*cos(d\*x+c)^3\*log(sin(d\*x+c)+1)-3\*(12\*A+13\*B)\*a^4\*cos(d\*x+c)^3\*log(-sin(d\*x+c)+1)+2\*(6\*B\*a^4\*cos(d\*x+c)^3+8\*(5\*A+3\*B)\*a^4\*cos(d\*x+c)^2+3\*(4\*A+B)\*a^4\*cos(d\*x+c)+2\*A\*a^4\*sin(d\*x+c))/(d\*cos(d\*x+c)^3)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**4*(A+B*cos(d*x+c))*sec(d*x+c)**4,x)
```

```
[Out] Timed out
```

**Giac [A]** time = 1.30296, size = 306, normalized size = 1.85

$$\frac{12Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} + 6(Aa^4 + 4Ba^4)(dx + c) + 3(12Aa^4 + 13Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(12Aa^4 + 13Ba^4)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="giac")
```

```
[Out] 1/6*(12*B*a^4*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 + 1) + 6*(A*a^4 + 4*B*a^4)*(d*x + c) + 3*(12*A*a^4 + 13*B*a^4)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(12*A*a^4 + 13*B*a^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(30*A*a^4*tan(1/2*d*x + 1/2*c)^5 + 21*B*a^4*tan(1/2*d*x + 1/2*c)^5 - 76*A*a^4*tan(1/2*d*x + 1/2*c)^3 - 48*B*a^4*tan(1/2*d*x + 1/2*c)^3 + 54*A*a^4*tan(1/2*d*x + 1/2*c) + 27*B*a^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3)/d
```

### 3.35 $\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^5(c + dx) dx$

**Optimal.** Leaf size=173

$$\frac{5a^4(7A + 8B) \tan(c + dx)}{8d} + \frac{a^4(35A + 48B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(7A + 4B) \tan(c + dx) \sec^2(c + dx) (a^2 \cos(c + dx) + a^2)}{12d}$$

[Out]  $a^4 B x + (a^4 (35 A + 48 B) \operatorname{ArcTanh}[\sin[c + d x]]) / (8 d) + (5 a^4 (7 A + 8 B) \tan[c + d x]) / (8 d) + ((35 A + 32 B) (a^4 + a^4 \cos[c + d x]) \sec[c + d x] \tan[c + d x]) / (24 d) + ((7 A + 4 B) (a^2 + a^2 \cos[c + d x])^2 \sec[c + d x]^2 \tan[c + d x]) / (12 d) + (a A (a + a \cos[c + d x])^3 \sec[c + d x]^3 \tan[c + d x]) / (4 d)$

**Rubi [A]** time = 0.522871, antiderivative size = 173, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2975, 2968, 3021, 2735, 3770}

$$\frac{5a^4(7A + 8B) \tan(c + dx)}{8d} + \frac{a^4(35A + 48B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(7A + 4B) \tan(c + dx) \sec^2(c + dx) (a^2 \cos(c + dx) + a^2)}{12d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + a \cos[c + d x])^4 (A + B \cos[c + d x]) \sec^5[c + d x], x]$

[Out]  $a^4 B x + (a^4 (35 A + 48 B) \operatorname{ArcTanh}[\sin[c + d x]]) / (8 d) + (5 a^4 (7 A + 8 B) \tan[c + d x]) / (8 d) + ((35 A + 32 B) (a^4 + a^4 \cos[c + d x]) \sec[c + d x] \tan[c + d x]) / (24 d) + ((7 A + 4 B) (a^2 + a^2 \cos[c + d x])^2 \sec[c + d x]^2 \tan[c + d x]) / (12 d) + (a A (a + a \cos[c + d x])^3 \sec[c + d x]^3 \tan[c + d x]) / (4 d)$

#### Rule 2975

$\operatorname{Int}[(a + b \sin[e + f x])^m ((A + B \sin[e + f x]) + (C + D \sin[e + f x])^2), x, \text{Symbol}] \rightarrow -\operatorname{Simp}[(b^2 (B c - A d) \cos[e + f x] (a + b \sin[e + f x])^{m-1} (c + d \sin[e + f x])^{n+1}) / (d f (n+1) (b c + a d)), x] - \operatorname{Dist}[b / (d (n+1) (b c + a d)), \operatorname{Int}[(a + b \sin[e + f x])^{m-1} (c + d \sin[e + f x])^{n+1} \operatorname{Simp}[a A d (m - n - 2) - B (a c (m - 1) + b d (n + 1)) - (A b d (m + n + 1) - B (b c m - a d (n + 1))] \sin[e + f x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b c - a d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

$\operatorname{Int}[(a + b \sin[e + f x])^m ((A + B \sin[e + f x]) + (C + D \sin[e + f x])^2), x, \text{Symbol}] \rightarrow \operatorname{Int}[(a + b \sin[e + f x])^m (A c + (B c + A d) \sin[e + f x] + B d \sin[e + f x]^2), x] /;$  FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b c - a d, 0]

#### Rule 3021

$\operatorname{Int}[(a + b \sin[e + f x])^m ((A + B \sin[e + f x]) + (C + D \sin[e + f x])^2), x, \text{Symbol}] \rightarrow -\operatorname{Simp}[(A b^2 - a b B + a^2 C) \cos[e + f x] (a + b \sin[e + f x])^{m+1} / (b f (m+1) ($

$a^2 - b^2$ ),  $x] + \text{Dist}[1/(b*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m (m + 1)*\text{Simp}[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

### Rule 2735

$\text{Int}[(a + b*\text{sin}[(e + f*x)])/(c + d*\text{sin}[(e + f*x)])*(x)], x\_Symbol] \rightarrow \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

### Rule 3770

$\text{Int}[\text{csc}[(c + d*x)], x\_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^3 \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^3(c + dx) dx \\ &= \frac{(7A + 4B)(a^2 + a^2 \cos(c + dx))^2 \sec^2(c + dx) \tan(c + dx)}{12d} \\ &= \frac{(35A + 32B)(a^4 + a^4 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{24d} \\ &= \frac{(35A + 32B)(a^4 + a^4 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{24d} \\ &= \frac{5a^4(7A + 8B) \tan(c + dx)}{8d} + \frac{(35A + 32B)(a^4 + a^4 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{24d} \\ &= a^4 Bx + \frac{5a^4(7A + 8B) \tan(c + dx)}{8d} + \frac{(35A + 32B)(a^4 + a^4 \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{24d} \\ &= a^4 Bx + \frac{a^4(35A + 48B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{5a^4(7A + 8B) \tan(c + dx)}{8d} \end{aligned}$$

**Mathematica [A]** time = 1.71883, size = 326, normalized size = 1.88

$$a^4 \sec^8\left(\frac{1}{2}(c + dx)\right) (\sec(c + dx) + 1)^4 \left( \sec(c)(105A \sin(2c + dx) + 544A \sin(c + 2dx) - 96A \sin(3c + 2dx) + 81A \sin(4c + 2dx) + 160A \sin(3c + 4dx) + 160B \sin(3c + 4dx)) \right) / (3072*d)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^4\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^5,x]

[Out] (a^4\*Sec[(c + d\*x)/2]^8\*(1 + Sec[c + d\*x])^4\*(-24\*(35\*A + 48\*B)\*Cos[c + d\*x]^4\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + Sec[c]\*(72\*B\*d\*x\*Cos[c] + 48\*B\*d\*x\*Cos[c + 2\*d\*x] + 48\*B\*d\*x\*Cos[3\*c + 2\*d\*x] + 12\*B\*d\*x\*Cos[3\*c + 4\*d\*x] + 12\*B\*d\*x\*Cos[5\*c + 4\*d\*x] - 480\*A\*Sin[c] - 480\*B\*Sin[c] + 105\*A\*Sin[d\*x] + 48\*B\*Sin[d\*x] + 105\*A\*Sin[2\*c + d\*x] + 48\*B\*Sin[2\*c + d\*x] + 544\*A\*Sin[c + 2\*d\*x] + 496\*B\*Sin[c + 2\*d\*x] - 96\*A\*Sin[3\*c + 2\*d\*x] - 144\*B\*Sin[3\*c + 2\*d\*x] + 81\*A\*Sin[2\*c + 3\*d\*x] + 48\*B\*Sin[2\*c + 3\*d\*x] + 81\*A\*Sin[4\*c + 3\*d\*x] + 48\*B\*Sin[4\*c + 3\*d\*x] + 160\*A\*Sin[3\*c + 4\*d\*x] + 160\*B\*Sin[3\*c + 4\*d\*x]))/(3072\*d)

**Maple [A]** time = 0.122, size = 204, normalized size = 1.2

$$\frac{35 A a^4 \ln(\sec(dx+c) + \tan(dx+c))}{8d} + a^4 B x + \frac{B a^4 c}{d} + \frac{20 A a^4 \tan(dx+c)}{3d} + 6 \frac{a^4 B \ln(\sec(dx+c) + \tan(dx+c))}{d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x)

[Out] 35/8/d\*A\*a^4\*ln(sec(d\*x+c)+tan(d\*x+c))+a^4\*B\*x+1/d\*a^4\*B\*c+20/3/d\*A\*a^4\*tan(d\*x+c)+6/d\*a^4\*B\*ln(sec(d\*x+c)+tan(d\*x+c))+27/8/d\*A\*a^4\*sec(d\*x+c)\*tan(d\*x+c)+20/3/d\*a^4\*B\*tan(d\*x+c)+4/3/d\*A\*a^4\*tan(d\*x+c)\*sec(d\*x+c)^2+2/d\*a^4\*B\*sec(d\*x+c)\*tan(d\*x+c)+1/4/d\*A\*a^4\*tan(d\*x+c)\*sec(d\*x+c)^3+1/3/d\*a^4\*B\*tan(d\*x+c)\*sec(d\*x+c)^2

**Maxima [A]** time = 1.25626, size = 414, normalized size = 2.39

$$64 (\tan(dx+c)^3 + 3 \tan(dx+c)) A a^4 + 16 (\tan(dx+c)^3 + 3 \tan(dx+c)) B a^4 + 48 (dx+c) B a^4 - 3 A a^4 \left( \frac{2(3 \sin(dx+c)^3 - \sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1)}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="maxima")

[Out] 1/48\*(64\*(tan(d\*x+c)^3 + 3\*tan(d\*x+c))\*A\*a^4 + 16\*(tan(d\*x+c)^3 + 3\*tan(d\*x+c))\*B\*a^4 + 48\*(d\*x+c)\*B\*a^4 - 3\*A\*a^4\*(2\*(3\*sin(d\*x+c)^3 - 5\*sin(d\*x+c))/(sin(d\*x+c)^4 - 2\*sin(d\*x+c)^2 + 1) - 3\*log(sin(d\*x+c) + 1) + 3\*log(sin(d\*x+c) - 1)) - 72\*A\*a^4\*(2\*sin(d\*x+c)/(sin(d\*x+c)^2 - 1) - log(sin(d\*x+c) + 1) + log(sin(d\*x+c) - 1)) - 48\*B\*a^4\*(2\*sin(d\*x+c)/(sin(d\*x+c)^2 - 1) - log(sin(d\*x+c) + 1) + log(sin(d\*x+c) - 1)) + 24\*A\*a^4\*(log(sin(d\*x+c) + 1) - log(sin(d\*x+c) - 1)) + 96\*B\*a^4\*(log(sin(d\*x+c) + 1) - log(sin(d\*x+c) - 1)) + 192\*A\*a^4\*tan(d\*x+c) + 288\*B\*a^4\*tan(d\*x+c))/d

**Fricas [A]** time = 1.43609, size = 408, normalized size = 2.36

$$48 B a^4 dx \cos(dx+c)^4 + 3(35 A + 48 B) a^4 \cos(dx+c)^4 \log(\sin(dx+c) + 1) - 3(35 A + 48 B) a^4 \cos(dx+c)^4 \log(-\sin(dx+c) + 1) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="fricas")

[Out] 1/48\*(48\*B\*a^4\*d\*x\*cos(d\*x+c)^4 + 3\*(35\*A + 48\*B)\*a^4\*cos(d\*x+c)^4\*log(sin(d\*x+c) + 1) - 3\*(35\*A + 48\*B)\*a^4\*cos(d\*x+c)^4\*log(-sin(d\*x+c) + 1) + 2\*(160\*(A + B)\*a^4\*cos(d\*x+c)^3 + 3\*(27\*A + 16\*B)\*a^4\*cos(d\*x+c)^2 + 8\*(4\*A + B)\*a^4\*cos(d\*x+c) + 6\*A\*a^4\*sin(d\*x+c))/(d\*cos(d\*x+c)^4)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*5,x)

[Out] Timed out

**Giac [A]** time = 1.2737, size = 301, normalized size = 1.74

$$24(dx+c)Ba^4 + 3(35Aa^4 + 48Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(35Aa^4 + 48Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="giac")

[Out] 
$$\frac{1}{24} \cdot (24 \cdot (d \cdot x + c) \cdot B \cdot a^4 + 3 \cdot (35 \cdot A \cdot a^4 + 48 \cdot B \cdot a^4) \cdot \log(\text{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1)) - 3 \cdot (35 \cdot A \cdot a^4 + 48 \cdot B \cdot a^4) \cdot \log(\text{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1)) - 2 \cdot (105 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 120 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 385 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 424 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 511 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 520 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 279 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 216 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^4) / d$$

### 3.36 $\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^6(c + dx) dx$

**Optimal.** Leaf size=198

$$\frac{a^4(83A + 100B) \tan(c + dx)}{15d} + \frac{7a^4(4A + 5B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^4(244A + 275B) \tan(c + dx) \sec(c + dx)}{120d} + \frac{(8A + 100B) \tan(c + dx)}{15d}$$

[Out] (7\*a^4\*(4\*A + 5\*B)\*ArcTanh[Sin[c + d\*x]])/(8\*d) + (a^4\*(83\*A + 100\*B)\*Tan[c + d\*x])/(15\*d) + (a^4\*(244\*A + 275\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(120\*d) + ((26\*A + 25\*B)\*(a^4 + a^4\*Cos[c + d\*x])\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(30\*d) + ((8\*A + 5\*B)\*(a^2 + a^2\*Cos[c + d\*x])^2\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(20\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^4\*Tan[c + d\*x])/(5\*d)

**Rubi [A]** time = 0.587073, antiderivative size = 198, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2975, 2968, 3021, 2748, 3767, 8, 3770}

$$\frac{a^4(83A + 100B) \tan(c + dx)}{15d} + \frac{7a^4(4A + 5B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^4(244A + 275B) \tan(c + dx) \sec(c + dx)}{120d} + \frac{(8A + 100B) \tan(c + dx)}{15d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^4\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^6,x]

[Out] (7\*a^4\*(4\*A + 5\*B)\*ArcTanh[Sin[c + d\*x]])/(8\*d) + (a^4\*(83\*A + 100\*B)\*Tan[c + d\*x])/(15\*d) + (a^4\*(244\*A + 275\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(120\*d) + ((26\*A + 25\*B)\*(a^4 + a^4\*Cos[c + d\*x])\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(30\*d) + ((8\*A + 5\*B)\*(a^2 + a^2\*Cos[c + d\*x])^2\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(20\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^4\*Tan[c + d\*x])/(5\*d)

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2, x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*

$a^2 - b^2$ ), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C)\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

### Rule 3767

Int[csc[(c\_) + (d\_)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 3770

Int[csc[(c\_) + (d\_)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^6(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^3 \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^5(c + dx) dx \\
 &= \frac{(8A + 5B) (a^2 + a^2 \cos(c + dx))^2 \sec^3(c + dx) \tan(c + dx)}{20d} \\
 &= \frac{(26A + 25B) (a^4 + a^4 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{30d} \\
 &= \frac{(26A + 25B) (a^4 + a^4 \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{30d} \\
 &= \frac{a^4(244A + 275B) \sec(c + dx) \tan(c + dx)}{120d} + \frac{(26A + 25B) \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^4(c + dx) dx}{120d} \\
 &= \frac{a^4(244A + 275B) \sec(c + dx) \tan(c + dx)}{120d} + \frac{(26A + 25B) \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^3(c + dx) dx}{120d} \\
 &= \frac{7a^4(4A + 5B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^4(244A + 275B) \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^2(c + dx) dx}{120d} \\
 &= \frac{7a^4(4A + 5B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^4(83A + 100B) \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec(c + dx) dx}{15d}
 \end{aligned}$$

**Mathematica [A]** time = 1.5713, size = 306, normalized size = 1.55

$$\frac{a^4(\cos(c + dx) + 1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \sec^5(c + dx) \left(1680(4A + 5B) \cos^5(c + dx) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{1}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^4\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^6,x]

```
[Out] -(a^4*(1 + Cos[c + d*x])^4*Sec[(c + d*x)/2]^8*Sec[c + d*x]^5*(1680*(4*A + 5
*B)*Cos[c + d*x]^5*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c +
d*x)/2] + Sin[(c + d*x)/2]]) - Sec[c]*(80*(59*A + 64*B)*Sin[d*x] - 960*(2*
A + 3*B)*Sin[2*c + d*x] + 1320*A*Sin[c + 2*d*x] + 930*B*Sin[c + 2*d*x] + 13
20*A*Sin[3*c + 2*d*x] + 930*B*Sin[3*c + 2*d*x] + 3200*A*Sin[2*c + 3*d*x] +
3520*B*Sin[2*c + 3*d*x] - 120*A*Sin[4*c + 3*d*x] - 480*B*Sin[4*c + 3*d*x] +
420*A*Sin[3*c + 4*d*x] + 405*B*Sin[3*c + 4*d*x] + 420*A*Sin[5*c + 4*d*x] +
405*B*Sin[5*c + 4*d*x] + 664*A*Sin[4*c + 5*d*x] + 800*B*Sin[4*c + 5*d*x]))
)/(30720*d)
```

**Maple [A]** time = 0.152, size = 234, normalized size = 1.2

$$\frac{83 A a^4 \tan(dx + c)}{15 d} + \frac{35 a^4 B \ln(\sec(dx + c) + \tan(dx + c))}{8 d} + \frac{7 A a^4 \sec(dx + c) \tan(dx + c)}{2 d} + \frac{7 A a^4 \ln(\sec(dx + c) + \tan(dx + c))}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^4*(A+B*cos(d*x+c))*sec(d*x+c)^6,x)
```

```
[Out] 83/15/d*A*a^4*tan(d*x+c)+35/8/d*a^4*B*ln(sec(d*x+c)+tan(d*x+c))+7/2/d*A*a^4
*sec(d*x+c)*tan(d*x+c)+7/2/d*A*a^4*ln(sec(d*x+c)+tan(d*x+c))+20/3/d*a^4*B*t
an(d*x+c)+34/15/d*A*a^4*tan(d*x+c)*sec(d*x+c)^2+27/8/d*a^4*B*sec(d*x+c)*tan
(d*x+c)+1/d*A*a^4*tan(d*x+c)*sec(d*x+c)^3+4/3/d*a^4*B*tan(d*x+c)*sec(d*x+c)
^2+1/5/d*A*a^4*tan(d*x+c)*sec(d*x+c)^4+1/4/d*a^4*B*tan(d*x+c)*sec(d*x+c)^3
```

**Maxima [B]** time = 1.17355, size = 508, normalized size = 2.57

$$16(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c))Aa^4 + 480(\tan(dx + c)^3 + 3 \tan(dx + c))Aa^4 + 320(\tan(dx + c)^3 + 3 \tan(dx + c))B a^4$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^6,x, algorithm="ma
xima")
```

```
[Out] 1/240*(16*(3*tan(d*x + c)^5 + 10*tan(d*x + c)^3 + 15*tan(d*x + c))*A*a^4 +
480*(tan(d*x + c)^3 + 3*tan(d*x + c))*A*a^4 + 320*(tan(d*x + c)^3 + 3*tan(d
*x + c))*B*a^4 - 60*A*a^4*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x +
c)^4 - 2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c
) - 1)) - 15*B*a^4*(2*(3*sin(d*x + c)^3 - 5*sin(d*x + c))/(sin(d*x + c)^4 -
2*sin(d*x + c)^2 + 1) - 3*log(sin(d*x + c) + 1) + 3*log(sin(d*x + c) - 1))
- 240*A*a^4*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) +
log(sin(d*x + c) - 1)) - 360*B*a^4*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) -
log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 120*B*a^4*(log(sin(d*x + c
) + 1) - log(sin(d*x + c) - 1)) + 240*A*a^4*tan(d*x + c) + 960*B*a^4*tan(d*
x + c))/d
```

**Fricas [A]** time = 1.3947, size = 431, normalized size = 2.18

$$105(4A + 5B)a^4 \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 105(4A + 5B)a^4 \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2(83A + 105B)a^4 \cos(dx + c)^5 \log(\sin(dx + c) + 1) + 2(83A + 105B)a^4 \cos(dx + c)^5 \log(-\sin(dx + c) + 1)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="fricas")

[Out]  $\frac{1}{240} \cdot (105 \cdot (4A + 5B) \cdot a^4 \cdot \cos(d \cdot x + c)^5 \cdot \log(\sin(d \cdot x + c) + 1) - 105 \cdot (4A + 5B) \cdot a^4 \cdot \cos(d \cdot x + c)^5 \cdot \log(-\sin(d \cdot x + c) + 1) + 2 \cdot (8 \cdot (83A + 100B) \cdot a^4 \cdot \cos(d \cdot x + c)^4 + 15 \cdot (28A + 27B) \cdot a^4 \cdot \cos(d \cdot x + c)^3 + 16 \cdot (17A + 10B) \cdot a^4 \cdot \cos(d \cdot x + c)^2 + 30 \cdot (4A + B) \cdot a^4 \cdot \cos(d \cdot x + c) + 24 \cdot A \cdot a^4) \cdot \sin(d \cdot x + c)) / (d \cdot \cos(d \cdot x + c)^5)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*6,x)

[Out] Timed out

**Giac [A]** time = 1.30743, size = 332, normalized size = 1.68

$105 \left( 4 A a^4 + 5 B a^4 \right) \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right) - 105 \left( 4 A a^4 + 5 B a^4 \right) \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right) - \frac{2 \left( 420 A a^4 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right)}{\left( \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right)^5} / d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="giac")

[Out]  $\frac{1}{120} \cdot (105 \cdot (4A \cdot a^4 + 5B \cdot a^4) \cdot \log(\text{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1)) - 105 \cdot (4A \cdot a^4 + 5B \cdot a^4) \cdot \log(\text{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1)) - 2 \cdot (420 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 525 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 1960 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 2450 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 3584 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 4480 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 3160 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 3950 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 1500 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1395 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^5) / d$

### 3.37 $\int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^7(c + dx) dx$

**Optimal.** Leaf size=229

$$\frac{a^4(72A + 83B) \tan(c + dx)}{15d} + \frac{7a^4(7A + 8B) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^4(159A + 176B) \tan(c + dx) \sec^2(c + dx)}{120d} + \frac{7a^4(7A + 8B) \sec^2(c + dx)}{120d}$$

[Out] (7\*a^4\*(7\*A + 8\*B)\*ArcTanh[Sin[c + d\*x]]/(16\*d) + (a^4\*(72\*A + 83\*B)\*Tan[c + d\*x])/(15\*d) + (7\*a^4\*(7\*A + 8\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(16\*d) + (a^4\*(159\*A + 176\*B)\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(120\*d) + ((73\*A + 72\*B)\*(a^4 + a^4\*Cos[c + d\*x])\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(120\*d) + ((3\*A + 2\*B)\*(a^2 + a^2\*Cos[c + d\*x])^2\*Sec[c + d\*x]^4\*Tan[c + d\*x])/(10\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^5\*Tan[c + d\*x])/(6\*d)

**Rubi [A]** time = 0.649648, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$ , Rules used = {2975, 2968, 3021, 2748, 3768, 3770, 3767, 8}

$$\frac{a^4(72A + 83B) \tan(c + dx)}{15d} + \frac{7a^4(7A + 8B) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^4(159A + 176B) \tan(c + dx) \sec^2(c + dx)}{120d} + \frac{7a^4(7A + 8B) \sec^2(c + dx)}{120d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^4\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^7,x]

[Out] (7\*a^4\*(7\*A + 8\*B)\*ArcTanh[Sin[c + d\*x]]/(16\*d) + (a^4\*(72\*A + 83\*B)\*Tan[c + d\*x])/(15\*d) + (7\*a^4\*(7\*A + 8\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(16\*d) + (a^4\*(159\*A + 176\*B)\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(120\*d) + ((73\*A + 72\*B)\*(a^4 + a^4\*Cos[c + d\*x])\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(120\*d) + ((3\*A + 2\*B)\*(a^2 + a^2\*Cos[c + d\*x])^2\*Sec[c + d\*x]^4\*Tan[c + d\*x])/(10\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^5\*Tan[c + d\*x])/(6\*d)

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)^2], x\_Symbol] :> -Simp[(A\*b^2

- a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C)\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3768

Int[(csc[(c\_) + (d\_)\*(x\_)]\*(b\_))^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3770

Int[csc[(c\_) + (d\_)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rule 3767

Int[csc[(c\_) + (d\_)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

#### Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^7(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^3 \sec^5(c + dx) \tan(c + dx)}{6d} + \frac{1}{6} \int (a + a \cos(c + dx))^3 \sec^5(c + dx) \tan(c + dx) dx \\
 &= \frac{(3A + 2B)(a^2 + a^2 \cos(c + dx))^2 \sec^4(c + dx) \tan(c + dx)}{10d} \\
 &= \frac{(73A + 72B)(a^4 + a^4 \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{120d} \\
 &= \frac{(73A + 72B)(a^4 + a^4 \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{120d} \\
 &= \frac{a^4(159A + 176B) \sec^2(c + dx) \tan(c + dx)}{120d} + \frac{(73A + 72B) \sec^2(c + dx) \tan(c + dx)}{120d} \\
 &= \frac{a^4(159A + 176B) \sec^2(c + dx) \tan(c + dx)}{120d} + \frac{(73A + 72B) \sec^2(c + dx) \tan(c + dx)}{120d} \\
 &= \frac{7a^4(7A + 8B) \sec(c + dx) \tan(c + dx)}{16d} + \frac{a^4(159A + 176B) \sec^2(c + dx) \tan(c + dx)}{120d} \\
 &= \frac{7a^4(7A + 8B) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{a^4(72A + 83B) \tan(c + dx)}{15d}
 \end{aligned}$$

**Mathematica [A]** time = 2.07869, size = 358, normalized size = 1.56

$$a^4(\cos(c + dx) + 1)^4 \sec^8\left(\frac{1}{2}(c + dx)\right) \sec^6(c + dx) \left(3360(7A + 8B) \cos^6(c + dx) \left(\log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^4\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^7,x]

[Out]  $-(a^4(1 + \cos(c + dx))^4 \sec^8\left(\frac{c + dx}{2}\right) \sec^6(c + dx) (3360(7A + 8B) \cos^6(c + dx) (\log(\cos(\frac{c + dx}{2})) - \sin(\frac{c + dx}{2})) - \log(\cos(\frac{c + dx}{2}) + \sin(\frac{c + dx}{2}))) - \sec(c) (-160(72A + 83B) \sin(c) + 30(125A + 88B) \sin(dx) + 3750A \sin(2c + dx) + 2640B \sin(2c + dx) + 15360A \sin(c + 2dx) + 15840B \sin(c + 2dx) - 1920A \sin(3c + 2dx) - 4080B \sin(3c + 2dx) + 3845A \sin(2c + 3dx) + 3480B \sin(2c + 3dx) + 3845A \sin(4c + 3dx) + 3480B \sin(4c + 3dx) + 6912A \sin(3c + 4dx) + 7728B \sin(3c + 4dx) - 240B \sin(5c + 4dx) + 735A \sin(4c + 5dx) + 840B \sin(4c + 5dx) + 735A \sin(6c + 5dx) + 840B \sin(6c + 5dx) + 1152A \sin(5c + 6dx) + 1328B \sin(5c + 6dx)))/(122880d)$

**Maple [A]** time = 0.125, size = 280, normalized size = 1.2

$$\frac{49 A a^4 \sec(dx + c) \tan(dx + c)}{16 d} + \frac{49 A a^4 \ln(\sec(dx + c) + \tan(dx + c))}{16 d} + \frac{83 a^4 B \tan(dx + c)}{15 d} + \frac{24 A a^4 \tan(dx + c)}{5 d} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^7,x)

[Out]  $49/16/d*A*a^4*\sec(d*x+c)*\tan(d*x+c)+49/16/d*A*a^4*\ln(\sec(d*x+c)+\tan(d*x+c))+83/15/d*a^4*B*\tan(d*x+c)+24/5/d*A*a^4*\tan(d*x+c)+12/5/d*A*a^4*\tan(d*x+c)*\sec(d*x+c)^2+7/2/d*a^4*B*\sec(d*x+c)*\tan(d*x+c)+7/2/d*a^4*B*\ln(\sec(d*x+c)+\tan(d*x+c))+41/24/d*A*a^4*\tan(d*x+c)*\sec(d*x+c)^3+34/15/d*a^4*B*\tan(d*x+c)*\sec(d*x+c)^2+4/5/d*A*a^4*\tan(d*x+c)*\sec(d*x+c)^4+1/d*a^4*B*\tan(d*x+c)*\sec(d*x+c)^3+1/6/d*A*a^4*\tan(d*x+c)*\sec(d*x+c)^5+1/5/d*a^4*B*\tan(d*x+c)*\sec(d*x+c)^4$

**Maxima [B]** time = 1.0665, size = 626, normalized size = 2.73

$$128(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c)) A a^4 + 640(\tan(dx + c)^3 + 3 \tan(dx + c)) A a^4 + 32(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c)) B a^4 + 960(\tan(dx + c)^3 + 3 \tan(dx + c)) B a^4 - 5 A a^4 (2(15 \sin(dx + c)^5 - 40 \sin(dx + c)^3 + 33 \sin(dx + c))) / (\sin(dx + c)^6 - 3 \sin(dx + c)^4 + 3 \sin(dx + c)^2 - 1) - 15 \log(\sin(dx + c) + 1) + 15 \log(\sin(dx + c) - 1) - 180 A a^4 (2(3 \sin(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c)))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^7,x, algorithm="maxima")

[Out]  $1/480*(128*(3*\tan(d*x + c)^5 + 10*\tan(d*x + c)^3 + 15*\tan(d*x + c))*A*a^4 + 640*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*A*a^4 + 32*(3*\tan(d*x + c)^5 + 10*\tan(d*x + c)^3 + 15*\tan(d*x + c))*B*a^4 + 960*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*B*a^4 - 5*A*a^4*(2*(15*\sin(d*x + c)^5 - 40*\sin(d*x + c)^3 + 33*\sin(d*x + c)))/(\sin(d*x + c)^6 - 3*\sin(d*x + c)^4 + 3*\sin(d*x + c)^2 - 1) - 15*\log(\sin(d*x + c) + 1) + 15*\log(\sin(d*x + c) - 1) - 180*A*a^4*(2*(3*\sin(d*x + c)^5 + 10*\tan(d*x + c)^3 + 15*\tan(d*x + c)))$

$$3 - 5\sin(dx + c))/(\sin(dx + c)^4 - 2\sin(dx + c)^2 + 1) - 3\log(\sin(dx + c) + 1) + 3\log(\sin(dx + c) - 1)) - 120B a^4(2(3\sin(dx + c)^3 - 5\sin(dx + c)))/(\sin(dx + c)^4 - 2\sin(dx + c)^2 + 1) - 3\log(\sin(dx + c) + 1) + 3\log(\sin(dx + c) - 1)) - 120A a^4(2\sin(dx + c))/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) - 480B a^4(2\sin(dx + c))/(\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 480B a^4 \tan(dx + c))/d$$

**Fricas [A]** time = 1.41561, size = 481, normalized size = 2.1

$$105(7A + 8B)a^4 \cos(dx + c)^6 \log(\sin(dx + c) + 1) - 105(7A + 8B)a^4 \cos(dx + c)^6 \log(-\sin(dx + c) + 1) + 2 \left( 16 \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))^4\*(A+B\*cos(dx+c))\*sec(dx+c)^7,x, algorithm="fricas")

[Out] 1/480\*(105\*(7\*A + 8\*B)\*a^4\*cos(dx + c)^6\*log(sin(dx + c) + 1) - 105\*(7\*A + 8\*B)\*a^4\*cos(dx + c)^6\*log(-sin(dx + c) + 1) + 2\*(16\*(72\*A + 83\*B)\*a^4\*cos(dx + c)^5 + 105\*(7\*A + 8\*B)\*a^4\*cos(dx + c)^4 + 32\*(18\*A + 17\*B)\*a^4\*cos(dx + c)^3 + 10\*(41\*A + 24\*B)\*a^4\*cos(dx + c)^2 + 48\*(4\*A + B)\*a^4\*cos(dx + c) + 40\*A\*a^4)\*sin(dx + c))/(d\*cos(dx + c)^6)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))\*\*4\*(A+B\*cos(dx+c))\*sec(dx+c)\*\*7,x)

[Out] Timed out

**Giac [A]** time = 1.31649, size = 378, normalized size = 1.65

$$105(7Aa^4 + 8Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 105(7Aa^4 + 8Ba^4) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(735Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))^4\*(A+B\*cos(dx+c))\*sec(dx+c)^7,x, algorithm="giac")

[Out] 1/240\*(105\*(7\*A\*a^4 + 8\*B\*a^4)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 105\*(7\*A\*a^4 + 8\*B\*a^4)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(735\*A\*a^4\*tan(1/2\*d\*x + 1/2\*c)^11 + 840\*B\*a^4\*tan(1/2\*d\*x + 1/2\*c)^11 - 4165\*A\*a^4\*tan(1/2\*d\*x + 1/2\*c)^9 - 4760\*B\*a^4\*tan(1/2\*d\*x + 1/2\*c)^9 + 9702\*A\*a^4\*tan(1/2\*d\*x + 1/2\*c)^7 + 11088\*B\*a^4\*tan(1/2\*d\*x + 1/2\*c)^7 - 11802\*A\*a^4\*tan(1/2\*d\*x + 1/2\*c)^5 + 11802\*B\*a^4\*tan(1/2\*d\*x + 1/2\*c)^5) / (d\*cos(dx + c)^6)

$$\frac{1/2*c)^5 - 13488*B*a^4*\tan(1/2*d*x + 1/2*c)^5 + 7355*A*a^4*\tan(1/2*d*x + 1/2*c)^3 + 9320*B*a^4*\tan(1/2*d*x + 1/2*c)^3 - 3105*A*a^4*\tan(1/2*d*x + 1/2*c) - 3000*B*a^4*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^6)/d$$

$$3.38 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=153

$$-\frac{4(A-B) \sin^3(c+dx)}{3ad} + \frac{4(A-B) \sin(c+dx)}{ad} + \frac{(A-B) \sin(c+dx) \cos^4(c+dx)}{d(a \cos(c+dx) + a)} - \frac{(4A-5B) \sin(c+dx) \cos^3(c+dx)}{4ad}$$

[Out]  $(-3*(4*A - 5*B)*x)/(8*a) + (4*(A - B)*\text{Sin}[c + d*x])/(a*d) - (3*(4*A - 5*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*a*d) - ((4*A - 5*B)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(4*a*d) + ((A - B)*\text{Cos}[c + d*x]^4*\text{Sin}[c + d*x])/(d*(a + a*\text{Cos}[c + d*x])) - (4*(A - B)*\text{Sin}[c + d*x]^3)/(3*a*d)$

**Rubi [A]** time = 0.206986, antiderivative size = 153, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2977, 2748, 2633, 2635, 8}

$$-\frac{4(A-B) \sin^3(c+dx)}{3ad} + \frac{4(A-B) \sin(c+dx)}{ad} + \frac{(A-B) \sin(c+dx) \cos^4(c+dx)}{d(a \cos(c+dx) + a)} - \frac{(4A-5B) \sin(c+dx) \cos^3(c+dx)}{4ad}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]^4*(A + B*\text{Cos}[c + d*x]))/(a + a*\text{Cos}[c + d*x]), x]$

[Out]  $(-3*(4*A - 5*B)*x)/(8*a) + (4*(A - B)*\text{Sin}[c + d*x])/(a*d) - (3*(4*A - 5*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*a*d) - ((4*A - 5*B)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(4*a*d) + ((A - B)*\text{Cos}[c + d*x]^4*\text{Sin}[c + d*x])/(d*(a + a*\text{Cos}[c + d*x])) - (4*(A - B)*\text{Sin}[c + d*x]^3)/(3*a*d)$

#### Rule 2977

$\text{Int}[(a + b*\sin(e + f*x))^m * (A + B*\sin(e + f*x))^n / (a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\sin(e + f*x))^{m+1} * (c + d*\sin(e + f*x))^{n-1} * \text{Simp}[A*(a*d*n - b*c*(m+1)) - B*(a*c*m + b*d*n) - d*(a*B*(m-n) + A*b*(m+n+1))*\text{Sin}[e + f*x], x], x] /;$  Free Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

$\text{Int}[(b*\sin(e + f*x))^m * (c + d*\sin(e + f*x))^n], x] + \text{Dist}[d/b, \text{Int}[(b*\sin(e + f*x))^{m+1} * (c + d*\sin(e + f*x))^{n-1}], x] /;$  FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2633

$\text{Int}[\sin(c + d*x)^n], x] := -\text{Dist}[d^(-1), \text{Subst}[\text{Int}[\text{Expand}[(1 - x^2)^((n-1)/2), x], x], \text{Cos}[c + d*x]], x] /;$  FreeQ[{c, d}, x] && IGtQ[(n-1)/2, 0]

#### Rule 2635

$\text{Int}[(b*\sin(c + d*x))^n], x] := -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{n-1}]/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{n-1}], x]$

$+ d*x])^{(n - 2), x], x] /; \text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

### Rule 8

$\text{Int}[a_, x\_Symbol] \text{ :> } \text{Simp}[a*x, x] /; \text{FreeQ}[a, x]$

### Rubi steps

$$\begin{aligned} \int \frac{\cos^4(c + dx)(A + B \cos(c + dx))}{a + a \cos(c + dx)} dx &= \frac{(A - B) \cos^4(c + dx) \sin(c + dx)}{d(a + a \cos(c + dx))} + \frac{\int \cos^3(c + dx)(4a(A - B) - a(4A - 5B) \cos(c + dx)) dx}{a^2} \\ &= \frac{(A - B) \cos^4(c + dx) \sin(c + dx)}{d(a + a \cos(c + dx))} - \frac{(4A - 5B) \int \cos^4(c + dx) dx}{a} + \frac{(4(A - B)) \int \cos^3(c + dx) dx}{a} \\ &= -\frac{(4A - 5B) \cos^3(c + dx) \sin(c + dx)}{4ad} + \frac{(A - B) \cos^4(c + dx) \sin(c + dx)}{d(a + a \cos(c + dx))} - \frac{(3(4A - 5B)) \cos^2(c + dx) \sin(c + dx)}{4a} \\ &= \frac{4(A - B) \sin(c + dx)}{ad} - \frac{3(4A - 5B) \cos(c + dx) \sin(c + dx)}{8ad} - \frac{(4A - 5B) \cos^3(c + dx) \sin(c + dx)}{4a} \\ &= -\frac{3(4A - 5B)x}{8a} + \frac{4(A - B) \sin(c + dx)}{ad} - \frac{3(4A - 5B) \cos(c + dx) \sin(c + dx)}{8ad} - \end{aligned}$$

**Mathematica [B]** time = 0.607227, size = 311, normalized size = 2.03

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(-72dx(4A - 5B) \cos\left(c + \frac{dx}{2}\right) - 72dx(4A - 5B) \cos\left(\frac{dx}{2}\right) + 168A \sin\left(c + \frac{dx}{2}\right) + 144A \sin\left(c + \frac{3dx}{2}\right) - 168B \sin\left(c + \frac{dx}{2}\right) - 144B \sin\left(c + \frac{3dx}{2}\right) + 144A \sin[2c + (3dx)/2] - 120B \sin[2c + (3dx)/2] - 16A \sin[2c + (5dx)/2] + 40B \sin[2c + (5dx)/2] - 16A \sin[3c + (5dx)/2] + 40B \sin[3c + (5dx)/2] + 8A \sin[3c + (7dx)/2] - 5B \sin[3c + (7dx)/2] + 8A \sin[4c + (7dx)/2] - 5B \sin[4c + (7dx)/2] + 3B \sin[4c + (9dx)/2] + 3B \sin[5c + (9dx)/2]\right)}{(192ad(1 + \cos(c + dx)))}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^4\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x]),x]

[Out] (Cos[(c + d\*x)/2]\*Sec[c/2]\*(-72\*(4\*A - 5\*B)\*d\*x\*Cos[(d\*x)/2] - 72\*(4\*A - 5\*B)\*d\*x\*Cos[c + (d\*x)/2] + 552\*A\*Sin[(d\*x)/2] - 552\*B\*Sin[(d\*x)/2] + 168\*A\*Sin[c + (d\*x)/2] - 168\*B\*Sin[c + (d\*x)/2] + 144\*A\*Sin[c + (3\*d\*x)/2] - 120\*B\*Sin[c + (3\*d\*x)/2] + 144\*A\*Sin[2\*c + (3\*d\*x)/2] - 120\*B\*Sin[2\*c + (3\*d\*x)/2] - 16\*A\*Sin[2\*c + (5\*d\*x)/2] + 40\*B\*Sin[2\*c + (5\*d\*x)/2] - 16\*A\*Sin[3\*c + (5\*d\*x)/2] + 40\*B\*Sin[3\*c + (5\*d\*x)/2] + 8\*A\*Sin[3\*c + (7\*d\*x)/2] - 5\*B\*Sin[3\*c + (7\*d\*x)/2] + 8\*A\*Sin[4\*c + (7\*d\*x)/2] - 5\*B\*Sin[4\*c + (7\*d\*x)/2] + 3\*B\*Sin[4\*c + (9\*d\*x)/2] + 3\*B\*Sin[5\*c + (9\*d\*x)/2]))/(192\*a\*d\*(1 + Cos[c + d\*x]))

**Maple [B]** time = 0.069, size = 351, normalized size = 2.3

$$\frac{A}{da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{B}{da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{25B}{4da} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^7 \left(1 + \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2\right)^{-4} + 5 \frac{(\tan(1/2 dx + c/2))^7 A}{da (1 + (\tan(1/2 dx + c/2))^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a),x)

[Out] 1/d/a\*A\*tan(1/2\*d\*x+1/2\*c)-1/d/a\*B\*tan(1/2\*d\*x+1/2\*c)-25/4/d/a/(1+tan(1/2\*d\*x+1/2\*c)^2)^4\*tan(1/2\*d\*x+1/2\*c)^7\*B+5/d/a/(1+tan(1/2\*d\*x+1/2\*c)^2)^4\*tan



$$\frac{1}{2}d*x+1/2*c)^7*A-115/12/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^5*B+31/3/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^5*A-109/12/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^3*B+25/3/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*\tan(1/2*d*x+1/2*c)^3*A-7/4/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*B*\tan(1/2*d*x+1/2*c)+3/d/a/(1+\tan(1/2*d*x+1/2*c))^2)^4*A*\tan(1/2*d*x+1/2*c)-3/d/a*\arctan(\tan(1/2*d*x+1/2*c))*A+15/4/d/a*\arctan(\tan(1/2*d*x+1/2*c))*B$$

**Maxima [B]** time = 1.53736, size = 532, normalized size = 3.48

$$B \left( \frac{\frac{21 \sin(dx+c)}{\cos(dx+c)+1} + \frac{109 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{115 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{75 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a + \frac{4a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{6a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{4a \sin(dx+c)^6}{(\cos(dx+c)+1)^6} + \frac{a \sin(dx+c)^8}{(\cos(dx+c)+1)^8}} - \frac{45 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{12 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) - 4A \left( \frac{\frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{16 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{3a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a \sin(dx+c)^6}{(\cos(dx+c)+1)^6}}{a + \frac{4a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{6a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{4a \sin(dx+c)^6}{(\cos(dx+c)+1)^6} + \frac{a \sin(dx+c)^8}{(\cos(dx+c)+1)^8}} - \frac{45 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{12 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) \frac{1}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 
$$-1/12*(B*((21*\sin(d*x + c)/(\cos(d*x + c) + 1) + 109*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 115*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 75*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/(a + 4*a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 6*a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + 4*a*\sin(d*x + c)^6/(\cos(d*x + c) + 1)^6 + a*\sin(d*x + c)^8/(\cos(d*x + c) + 1)^8) - 45*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1)))/a + 12*\sin(d*x + c)/(a*(\cos(d*x + c) + 1))) - 4*A*((9*\sin(d*x + c)/(\cos(d*x + c) + 1) + 16*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 15*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/(a + 3*a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 3*a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + a*\sin(d*x + c)^6/(\cos(d*x + c) + 1)^6) - 9*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1)))/a + 3*\sin(d*x + c)/(a*(\cos(d*x + c) + 1))))/d$$

**Fricas [A]** time = 1.37627, size = 301, normalized size = 1.97

$$\frac{9(4A - 5B)dx \cos(dx + c) + 9(4A - 5B)dx - (6B \cos(dx + c)^4 + 2(4A - B) \cos(dx + c)^3 - (4A - 13B) \cos(dx + c)^2 + (28A - 19B) \cos(dx + c) + 64A - 64B) \sin(dx + c)}{24(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 
$$-1/24*(9*(4*A - 5*B)*d*x*\cos(d*x + c) + 9*(4*A - 5*B)*d*x - (6*B*\cos(d*x + c)^4 + 2*(4*A - B)*\cos(d*x + c)^3 - (4*A - 13*B)*\cos(d*x + c)^2 + (28*A - 19*B)*\cos(d*x + c) + 64*A - 64*B)*\sin(d*x + c))/(a*d*\cos(d*x + c) + a*d)$$

**Sympy [A]** time = 13.353, size = 1794, normalized size = 11.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*4\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)),x)

```
[Out] Piecewise((-36*A*d*x*tan(c/2 + d*x/2)**8/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) - 144*A*d*x*tan(c/2 + d*x/2)**6/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) - 216*A*d*x*tan(c/2 + d*x/2)**4/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) - 144*A*d*x*tan(c/2 + d*x/2)**2/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) - 36*A*d*x/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) + 24*A*tan(c/2 + d*x/2)**9/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) + 216*A*tan(c/2 + d*x/2)**7/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) + 392*A*tan(c/2 + d*x/2)**5/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) + 296*A*tan(c/2 + d*x/2)**3/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) + 96*A*tan(c/2 + d*x/2)/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) + 45*B*d*x*tan(c/2 + d*x/2)**8/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) + 180*B*d*x*tan(c/2 + d*x/2)**6/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) + 270*B*d*x*tan(c/2 + d*x/2)**4/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) + 180*B*d*x*tan(c/2 + d*x/2)**2/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) + 45*B*d*x/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) - 24*B*tan(c/2 + d*x/2)**9/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) - 246*B*tan(c/2 + d*x/2)**7/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) - 374*B*tan(c/2 + d*x/2)**5/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) - 314*B*tan(c/2 + d*x/2)**3/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d) - 66*B*tan(c/2 + d*x/2)/(24*a*d*tan(c/2 + d*x/2)**8 + 96*a*d*tan(c/2 + d*x/2)**6 + 144*a*d*tan(c/2 + d*x/2)**4 + 96*a*d*tan(c/2 + d*x/2)**2 + 24*a*d), Ne(d, 0)), (x*(A + B*cos(c))*cos(c)**4/(a*cos(c) + a), True))
```

**Giac [A]** time = 1.18388, size = 244, normalized size = 1.59

$$\frac{9(dx+c)(4A-5B)}{a} - \frac{24\left(A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{a} - \frac{2\left(60A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 75B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 124A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 115B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5\right)}{24d} - \frac{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^9}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] -1/24*(9*(d*x + c)*(4*A - 5*B)/a - 24*(A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/2*c))/a - 2*(60*A*tan(1/2*d*x + 1/2*c)^7 - 75*B*tan(1/2*d*x + 1/2*c)
```

$$\frac{\begin{aligned} & ^7 + 124A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 115B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 100A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 \\ & - 109B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 36A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 21B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \end{aligned}}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^{4a}} \frac{1}{d}$$

$$3.39 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=122

$$\frac{(3A-4B)\sin^3(c+dx)}{3ad} - \frac{(3A-4B)\sin(c+dx)}{ad} + \frac{(A-B)\sin(c+dx)\cos^3(c+dx)}{d(a\cos(c+dx)+a)} + \frac{3(A-B)\sin(c+dx)\cos(c+dx)}{2ad}$$

[Out] (3\*(A - B)\*x)/(2\*a) - ((3\*A - 4\*B)\*Sin[c + d\*x])/(a\*d) + (3\*(A - B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*a\*d) + ((A - B)\*Cos[c + d\*x]^3\*SIN[c + d\*x])/(d\*(a + a\*cos[c + d\*x])) + ((3\*A - 4\*B)\*Sin[c + d\*x]^3)/(3\*a\*d)

**Rubi [A]** time = 0.171539, antiderivative size = 122, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2977, 2748, 2635, 8, 2633}

$$\frac{(3A-4B)\sin^3(c+dx)}{3ad} - \frac{(3A-4B)\sin(c+dx)}{ad} + \frac{(A-B)\sin(c+dx)\cos^3(c+dx)}{d(a\cos(c+dx)+a)} + \frac{3(A-B)\sin(c+dx)\cos(c+dx)}{2ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^3\*(A + B\*cos[c + d\*x]))/(a + a\*cos[c + d\*x]),x]

[Out] (3\*(A - B)\*x)/(2\*a) - ((3\*A - 4\*B)\*Sin[c + d\*x])/(a\*d) + (3\*(A - B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*a\*d) + ((A - B)\*Cos[c + d\*x]^3\*SIN[c + d\*x])/(d\*(a + a\*cos[c + d\*x])) + ((3\*A - 4\*B)\*Sin[c + d\*x]^3)/(3\*a\*d)

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^m\*(c + d\*SIN[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*SIN[e + f\*x])^(m + 1)\*(c + d\*SIN[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] :> Dist[c, Int[(b\*SIN[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*SIN[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2635

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*cos[c + d\*x])\*(b\*SIN[c + d\*x])^(n - 1)]/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*SIN[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

#### Rule 2633

```
Int[sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{a + a \cos(c + dx)} dx &= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{d(a + a \cos(c + dx))} + \frac{\int \cos^2(c + dx)(3a(A - B) - a(3A - 4B))}{a^2} \\ &= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{d(a + a \cos(c + dx))} - \frac{(3A - 4B) \int \cos^3(c + dx) dx}{a} + \frac{(3A - B)}{a} \\ &= \frac{3(A - B) \cos(c + dx) \sin(c + dx)}{2ad} + \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{d(a + a \cos(c + dx))} + \frac{(3A - B)}{a} \\ &= \frac{3(A - B)x}{2a} - \frac{(3A - 4B) \sin(c + dx)}{ad} + \frac{3(A - B) \cos(c + dx) \sin(c + dx)}{2ad} + \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{d(a + a \cos(c + dx))} \end{aligned}$$

**Mathematica [B]** time = 0.534345, size = 249, normalized size = 2.04

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(36dx(A - B) \cos\left(c + \frac{dx}{2}\right) + 36dx(A - B) \cos\left(\frac{dx}{2}\right) - 12A \sin\left(c + \frac{dx}{2}\right) - 9A \sin\left(c + \frac{3dx}{2}\right) - 9A \sin\left(c + \frac{5dx}{2}\right) - 9A \sin\left(c + \frac{7dx}{2}\right) - 9A \sin\left(c + \frac{9dx}{2}\right)\right)}{(a + a \cos(c + dx))^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x]),x]
```

```
[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(36*(A - B)*d*x*Cos[(d*x)/2] + 36*(A - B)*d*x*Cos[c + (d*x)/2] - 60*A*Sin[(d*x)/2] + 69*B*Sin[(d*x)/2] - 12*A*Sin[c + (d*x)/2] + 21*B*Sin[c + (d*x)/2] - 9*A*Sin[c + (3*d*x)/2] + 18*B*Sin[c + (3*d*x)/2] - 9*A*Sin[2*c + (3*d*x)/2] + 18*B*Sin[2*c + (3*d*x)/2] + 3*A*Sin[2*c + (5*d*x)/2] - 2*B*Sin[2*c + (5*d*x)/2] + 3*A*Sin[3*c + (5*d*x)/2] - 2*B*Sin[3*c + (5*d*x)/2] + B*Sin[3*c + (7*d*x)/2] + B*Sin[4*c + (7*d*x)/2]))/(24*a*d*(1 + Cos[c + d*x]))
```

**Maple [B]** time = 0.066, size = 281, normalized size = 2.3

$$-\frac{A}{da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{B}{da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 3 \frac{(\tan(1/2 dx + c/2))^5 A}{da (1 + (\tan(1/2 dx + c/2))^2)^3} + 5 \frac{(\tan(1/2 dx + c/2))^5 B}{da (1 + (\tan(1/2 dx + c/2))^2)^3} + \frac{16 B}{3 da} \left( \frac{1}{1 + (\tan(1/2 dx + c/2))^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+cos(d*x+c)*a),x)
```

```
[Out] -1/d/a*A*tan(1/2*d*x+1/2*c)+1/d/a*B*tan(1/2*d*x+1/2*c)-3/d/a/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*A+5/d/a/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^5*B+16/3/d/a/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^3*B-4/d/a/(1+tan(1/2*d*x+1/2*c)^2)^3*tan(1/2*d*x+1/2*c)^3*A-1/d/a/(1+tan(1/2*d*x+1/2*c)^2)^3*A*tan(1/2*d*x+1/2*c)+3/d/a/(1+tan(1/2*d*x+1/2*c)^2)^3*B*tan(1/2*d*x+1/2*c)+3/d/a*arctan(tan(1/2*d*x+1/2*c))*A-3/d/a*arctan(tan(1/2*d*x+1/2*c))*B
```

**Maxima [B]** time = 1.52061, size = 419, normalized size = 3.43

$$\frac{B \left( \frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{16 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{9 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{3 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) - 3 A \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{3 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{2 a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} \right)}{3 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/3\*(B\*((9\*sin(d\*x + c)/(cos(d\*x + c) + 1) + 16\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 15\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5)/(a + 3\*a\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 3\*a\*sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4 + a\*sin(d\*x + c)^6/(cos(d\*x + c) + 1)^6) - 9\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1))/a + 3\*sin(d\*x + c)/(a\*(cos(d\*x + c) + 1))) - 3\*A\*((sin(d\*x + c)/(cos(d\*x + c) + 1) + 3\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/(a + 2\*a\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + a\*sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4) - 3\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1))/a + sin(d\*x + c)/(a\*(cos(d\*x + c) + 1)))/d

**Fricas [A]** time = 1.46638, size = 242, normalized size = 1.98

$$\frac{9(A - B)dx \cos(dx + c) + 9(A - B)dx + (2B \cos(dx + c)^3 + (3A - B) \cos(dx + c)^2 - (3A - 7B) \cos(dx + c) - 12A + 16B) \sin(dx + c)}{6(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/6\*(9\*(A - B)\*d\*x\*cos(d\*x + c) + 9\*(A - B)\*d\*x + (2\*B\*cos(d\*x + c)^3 + (3\*A - B)\*cos(d\*x + c)^2 - (3\*A - 7\*B)\*cos(d\*x + c) - 12\*A + 16\*B)\*sin(d\*x + c))/(a\*d\*cos(d\*x + c) + a\*d)

**Sympy [A]** time = 7.63455, size = 1161, normalized size = 9.52

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)),x)

[Out] Piecewise((9\*A\*d\*x\*tan(c/2 + d\*x/2)\*\*6/(6\*a\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*d) + 27\*A\*d\*x\*tan(c/2 + d\*x/2)\*\*4/(6\*a\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*d) + 27\*A\*d\*x\*tan(c/2 + d\*x/2)\*\*2/(6\*a\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*d) + 9\*A\*d\*x/(6\*a\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*d) - 6\*A\*tan(c/2 + d\*x/2)\*\*7/(6\*a\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*d) - 36\*A\*tan(c/2 + d\*x/2)\*\*5/(6\*a\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*d) - 42\*A\*tan(c/2 + d\*x/2)\*\*3/(6\*a\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*d))

```

/2 + d*x/2)**2 + 6*a*d) - 12*A*tan(c/2 + d*x/2)/(6*a*d*tan(c/2 + d*x/2)**6
+ 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) - 9*B*d*x
*tan(c/2 + d*x/2)**6/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**
*4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) - 27*B*d*x*tan(c/2 + d*x/2)**4/(6*
a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x
/2)**2 + 6*a*d) - 27*B*d*x*tan(c/2 + d*x/2)**2/(6*a*d*tan(c/2 + d*x/2)**6 +
18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) - 9*B*d*x
/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 +
d*x/2)**2 + 6*a*d) + 6*B*tan(c/2 + d*x/2)**7/(6*a*d*tan(c/2 + d*x/2)**6 +
18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) + 48*B*tan
(c/2 + d*x/2)**5/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 +
18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d) + 50*B*tan(c/2 + d*x/2)**3/(6*a*d*tan(c
/2 + d*x/2)**6 + 18*a*d*tan(c/2 + d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 +
6*a*d) + 24*B*tan(c/2 + d*x/2)/(6*a*d*tan(c/2 + d*x/2)**6 + 18*a*d*tan(c/2
+ d*x/2)**4 + 18*a*d*tan(c/2 + d*x/2)**2 + 6*a*d), Ne(d, 0)), (x*(A + B*cos
(c))*cos(c)**3/(a*cos(c) + a), True))

```

---

**Giac [A]** time = 1.24128, size = 204, normalized size = 1.67

$$\frac{9(dx+c)(A-B)}{a} - \frac{6\left(A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{a} - \frac{2\left(9A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 15B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 12A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 16B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 3A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 9B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3 a}$$


---

$6d$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)),x, algorithm="giac
")

```

```

[Out] 1/6*(9*(d*x + c)*(A - B)/a - 6*(A*tan(1/2*d*x + 1/2*c) - B*tan(1/2*d*x + 1/
2*c))/a - 2*(9*A*tan(1/2*d*x + 1/2*c)^5 - 15*B*tan(1/2*d*x + 1/2*c)^5 + 12*
A*tan(1/2*d*x + 1/2*c)^3 - 16*B*tan(1/2*d*x + 1/2*c)^3 + 3*A*tan(1/2*d*x +
1/2*c) - 9*B*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^3*a))/d

```

$$3.40 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=90

$$\frac{(A-B) \sin(c+dx)}{ad} + \frac{(A-B) \sin(c+dx)}{ad(\cos(c+dx)+1)} - \frac{x(A-B)}{a} + \frac{B \sin(c+dx) \cos(c+dx)}{2ad} + \frac{Bx}{2a}$$

[Out] -(((A - B)\*x)/a) + (B\*x)/(2\*a) + ((A - B)\*Sin[c + d\*x])/(a\*d) + (B\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*a\*d) + ((A - B)\*Sin[c + d\*x])/(a\*d\*(1 + Cos[c + d\*x]))

**Rubi [A]** time = 0.12299, antiderivative size = 99, normalized size of antiderivative = 1.1, number of steps used = 2, number of rules used = 2, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {2977, 2734}

$$\frac{2(A-B) \sin(c+dx)}{ad} + \frac{(A-B) \sin(c+dx) \cos^2(c+dx)}{d(a \cos(c+dx)+a)} - \frac{(2A-3B) \sin(c+dx) \cos(c+dx)}{2ad} - \frac{x(2A-3B)}{2a}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x]),x]

[Out] -((2\*A - 3\*B)\*x)/(2\*a) + (2\*(A - B)\*Sin[c + d\*x])/(a\*d) - ((2\*A - 3\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*a\*d) + ((A - B)\*Cos[c + d\*x]^2\*SIN[c + d\*x])/(d\*(a + a\*Cos[c + d\*x]))

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx &= \frac{(A-B) \cos^2(c+dx) \sin(c+dx)}{d(a+a \cos(c+dx))} + \frac{\int \cos(c+dx)(2a(A-B) - a(2A-3B) \cos(c+dx))}{a^2} \\ &= -\frac{(2A-3B)x}{2a} + \frac{2(A-B) \sin(c+dx)}{ad} - \frac{(2A-3B) \cos(c+dx) \sin(c+dx)}{2ad} + \frac{(A-B) \cos^2(c+dx) \sin(c+dx)}{d(a+a \cos(c+dx))} \end{aligned}$$



**Mathematica [B]** time = 0.437828, size = 197, normalized size = 2.19

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(-4dx(2A - 3B) \cos\left(c + \frac{dx}{2}\right) - 4dx(2A - 3B) \cos\left(\frac{dx}{2}\right) + 4A \sin\left(c + \frac{dx}{2}\right) + 4A \sin\left(c + \frac{3dx}{2}\right) + \dots\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x]),x]

[Out] (Cos[(c + d\*x)/2]\*Sec[c/2]\*(-4\*(2\*A - 3\*B)\*d\*x\*Cos[(d\*x)/2] - 4\*(2\*A - 3\*B)\*d\*x\*Cos[c + (d\*x)/2] + 20\*A\*Sin[(d\*x)/2] - 20\*B\*Sin[(d\*x)/2] + 4\*A\*Sin[c + (d\*x)/2] - 4\*B\*Sin[c + (d\*x)/2] + 4\*A\*Sin[c + (3\*d\*x)/2] - 3\*B\*Sin[c + (3\*d\*x)/2] + 4\*A\*Sin[2\*c + (3\*d\*x)/2] - 3\*B\*Sin[2\*c + (3\*d\*x)/2] + B\*Sin[2\*c + (5\*d\*x)/2] + B\*Sin[3\*c + (5\*d\*x)/2]))/(8\*a\*d\*(1 + Cos[c + d\*x]))

**Maple [B]** time = 0.069, size = 211, normalized size = 2.3

$$\frac{A}{da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{B}{da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 3 \frac{(\tan(1/2 dx + c/2))^3 B}{da (1 + (\tan(1/2 dx + c/2))^2)^2} + 2 \frac{(\tan(1/2 dx + c/2))^3 A}{da (1 + (\tan(1/2 dx + c/2))^2)^2} - \frac{B}{da} \tan$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a),x)

[Out] 1/d/a\*A\*tan(1/2\*d\*x+1/2\*c)-1/d/a\*B\*tan(1/2\*d\*x+1/2\*c)-3/d/a/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*tan(1/2\*d\*x+1/2\*c)^3\*B+2/d/a/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*tan(1/2\*d\*x+1/2\*c)^3\*A-1/d/a/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*B\*tan(1/2\*d\*x+1/2\*c)+2/d/a/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*A\*tan(1/2\*d\*x+1/2\*c)-2/d/a\*arctan(tan(1/2\*d\*x+1/2\*c))\*A+3/d/a\*arctan(tan(1/2\*d\*x+1/2\*c))\*B

**Maxima [B]** time = 1.50592, size = 304, normalized size = 3.38

$$B \left( \frac{\frac{\sin(dx+c)}{\cos(dx+c)+1} + \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a + \frac{2a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} - \frac{3 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} + \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) + A \left( \frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{2 \sin(dx+c)}{\left(a + \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] -(B\*((sin(d\*x + c)/(cos(d\*x + c) + 1) + 3\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/(a + 2\*a\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + a\*sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4) - 3\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1))/a + sin(d\*x + c)/(a\*(cos(d\*x + c) + 1))) + A\*(2\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1))/a - 2\*sin(d\*x + c)/((a + a\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2)\*(cos(d\*x + c) + 1)) - sin(d\*x + c)/(a\*(cos(d\*x + c) + 1)))/d

**Fricas [A]** time = 1.42564, size = 204, normalized size = 2.27

$$\frac{(2A - 3B)dx \cos(dx + c) + (2A - 3B)dx - (B \cos(dx + c)^2 + (2A - B) \cos(dx + c) + 4A - 4B) \sin(dx + c)}{2(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] -1/2\*((2\*A - 3\*B)\*d\*x\*cos(d\*x + c) + (2\*A - 3\*B)\*d\*x - (B\*cos(d\*x + c)^2 + (2\*A - B)\*cos(d\*x + c) + 4\*A - 4\*B)\*sin(d\*x + c))/(a\*d\*cos(d\*x + c) + a\*d)

**Sympy [A]** time = 4.28966, size = 665, normalized size = 7.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)),x)

[Out] Piecewise((-2\*A\*d\*x\*tan(c/2 + d\*x/2)\*\*4/(2\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 4\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 2\*a\*d) - 4\*A\*d\*x\*tan(c/2 + d\*x/2)\*\*2/(2\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 4\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 2\*a\*d) - 2\*A\*d\*x/(2\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 4\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 2\*a\*d) + 2\*A\*tan(c/2 + d\*x/2)\*\*5/(2\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 4\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 2\*a\*d) + 8\*A\*tan(c/2 + d\*x/2)\*\*3/(2\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 4\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 2\*a\*d) + 6\*A\*tan(c/2 + d\*x/2)/(2\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 4\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 2\*a\*d) + 3\*B\*d\*x\*tan(c/2 + d\*x/2)\*\*4/(2\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 4\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 2\*a\*d) + 6\*B\*d\*x\*tan(c/2 + d\*x/2)\*\*2/(2\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 4\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 2\*a\*d) + 3\*B\*d\*x/(2\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 4\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 2\*a\*d) - 2\*B\*tan(c/2 + d\*x/2)\*\*5/(2\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 4\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 2\*a\*d) - 10\*B\*tan(c/2 + d\*x/2)\*\*3/(2\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 4\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 2\*a\*d) - 4\*B\*tan(c/2 + d\*x/2)/(2\*a\*d\*tan(c/2 + d\*x/2)\*\*4 + 4\*a\*d\*tan(c/2 + d\*x/2)\*\*2 + 2\*a\*d), Ne(d, 0)), (x\*(A + B\*cos(c))\*cos(c)\*\*2/(a\*cos(c) + a), True))

**Giacc [A]** time = 1.17866, size = 167, normalized size = 1.86

$$\frac{\frac{(dx+c)(2A-3B)}{a} - \frac{2\left(A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{a} - \frac{2\left(2A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 3B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 2A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)a}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)),x, algorithm="giacc")

[Out] -1/2\*((d\*x + c)\*(2\*A - 3\*B)/a - 2\*(A\*tan(1/2\*d\*x + 1/2\*c) - B\*tan(1/2\*d\*x + 1/2\*c))/a - 2\*(2\*A\*tan(1/2\*d\*x + 1/2\*c)^3 - 3\*B\*tan(1/2\*d\*x + 1/2\*c)^3 + 2\*A\*tan(1/2\*d\*x + 1/2\*c) - B\*tan(1/2\*d\*x + 1/2\*c))/((tan(1/2\*d\*x + 1/2\*c)^2 + 1)^2\*a))/d

$$3.41 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=54

$$\frac{(A-B) \sin(c+dx)}{ad(\cos(c+dx)+1)} + \frac{x(A-B)}{a} + \frac{B \sin(c+dx)}{ad}$$

[Out] ((A - B)\*x)/a + (B\*Sin[c + d\*x])/(a\*d) - ((A - B)\*Sin[c + d\*x])/(a\*d\*(1 + Cos[c + d\*x]))

**Rubi [A]** time = 0.138921, antiderivative size = 54, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {2968, 3023, 12, 2735, 2648}

$$\frac{(A-B) \sin(c+dx)}{ad(\cos(c+dx)+1)} + \frac{x(A-B)}{a} + \frac{B \sin(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x]),x]

[Out] ((A - B)\*x)/a + (B\*Sin[c + d\*x])/(a\*d) - ((A - B)\*Sin[c + d\*x])/(a\*d\*(1 + Cos[c + d\*x]))

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2648

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+B\cos(c+dx))}{a+a\cos(c+dx)} dx &= \int \frac{A\cos(c+dx)+B\cos^2(c+dx)}{a+a\cos(c+dx)} dx \\
&= \frac{B\sin(c+dx)}{ad} + \frac{\int \frac{a(A-B)\cos(c+dx)}{a+a\cos(c+dx)} dx}{a} \\
&= \frac{B\sin(c+dx)}{ad} + (A-B) \int \frac{\cos(c+dx)}{a+a\cos(c+dx)} dx \\
&= \frac{(A-B)x}{a} + \frac{B\sin(c+dx)}{ad} + (-A+B) \int \frac{1}{a+a\cos(c+dx)} dx \\
&= \frac{(A-B)x}{a} + \frac{B\sin(c+dx)}{ad} - \frac{(A-B)\sin(c+dx)}{d(a+a\cos(c+dx))}
\end{aligned}$$

**Mathematica [B]** time = 0.231352, size = 126, normalized size = 2.33

$$\frac{\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(2dx(A-B)\cos\left(c+\frac{dx}{2}\right)+2dx(A-B)\cos\left(\frac{dx}{2}\right)-4A\sin\left(\frac{dx}{2}\right)+B\sin\left(c+\frac{dx}{2}\right)+B\sin\left(c+\frac{3dx}{2}\right)\right)}{2ad(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x]),x]

[Out] (Cos[(c + d\*x)/2]\*Sec[c/2]\*(2\*(A - B)\*d\*x\*Cos[(d\*x)/2] + 2\*(A - B)\*d\*x\*Cos[c + (d\*x)/2] - 4\*A\*Sin[(d\*x)/2] + 5\*B\*Sin[(d\*x)/2] + B\*Sin[c + (d\*x)/2] + B\*Sin[c + (3\*d\*x)/2] + B\*Sin[2\*c + (3\*d\*x)/2]))/(2\*a\*d\*(1 + Cos[c + d\*x]))

**Maple [A]** time = 0.061, size = 108, normalized size = 2.

$$-\frac{A}{da}\tan\left(\frac{dx}{2}+\frac{c}{2}\right)+\frac{B}{da}\tan\left(\frac{dx}{2}+\frac{c}{2}\right)+2\frac{B\tan(1/2\,dx+c/2)}{da(1+(\tan(1/2\,dx+c/2))^2)}+2\frac{\arctan(\tan(1/2\,dx+c/2))A}{da}-2\frac{\arctan(\tan(1/2\,dx+c/2))B}{da}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a),x)

[Out] -1/d/a\*A\*tan(1/2\*d\*x+1/2\*c)+1/d/a\*B\*tan(1/2\*d\*x+1/2\*c)+2/d/a\*B\*tan(1/2\*d\*x+1/2\*c)/(1+tan(1/2\*d\*x+1/2\*c)^2)+2/d/a\*arctan(tan(1/2\*d\*x+1/2\*c))\*A-2/d/a\*arctan(tan(1/2\*d\*x+1/2\*c))\*B

**Maxima [B]** time = 1.61438, size = 193, normalized size = 3.57

$$\frac{B\left(\frac{2\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a}-\frac{2\sin(dx+c)}{\left(a+\frac{a\sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)}-\frac{\sin(dx+c)}{a(\cos(dx+c)+1)}\right)-A\left(\frac{2\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a}-\frac{\sin(dx+c)}{a(\cos(dx+c)+1)}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out]  $-(B*(2*\arctan(\sin(dx + c))/(\cos(dx + c) + 1))/a - 2*\sin(dx + c)/((a + a*\sin(dx + c)^2/(\cos(dx + c) + 1)^2*(\cos(dx + c) + 1)) - \sin(dx + c)/(a*(\cos(dx + c) + 1))) - A*(2*\arctan(\sin(dx + c))/(\cos(dx + c) + 1))/a - \sin(dx + c)/(a*(\cos(dx + c) + 1))))/d$

**Fricas [A]** time = 1.33714, size = 147, normalized size = 2.72

$$\frac{(A - B)dx \cos(dx + c) + (A - B)dx + (B \cos(dx + c) - A + 2B) \sin(dx + c)}{ad \cos(dx + c) + ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)*(A+B*cos(dx+c))/(a+a*cos(dx+c)),x, algorithm="fricas")`

[Out]  $((A - B)*d*x*\cos(dx + c) + (A - B)*d*x + (B*\cos(dx + c) - A + 2*B)*\sin(dx + c))/(a*d*\cos(dx + c) + a*d)$

**Sympy [A]** time = 2.18575, size = 264, normalized size = 4.89

$$\left\{ \frac{A dx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} + \frac{A dx}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} - \frac{A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} - \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} - \frac{B dx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} - \frac{B dx}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} + \frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + ad} \right\} + \frac{x(A+B \cos(c)) \cos(c)}{a \cos(c) + a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)*(A+B*cos(dx+c))/(a+a*cos(dx+c)),x)`

[Out] `Piecewise((A*d*x*tan(c/2 + d*x/2)**2/(a*d*tan(c/2 + d*x/2)**2 + a*d) + A*d*x/(a*d*tan(c/2 + d*x/2)**2 + a*d) - A*tan(c/2 + d*x/2)**3/(a*d*tan(c/2 + d*x/2)**2 + a*d) - A*tan(c/2 + d*x/2)/(a*d*tan(c/2 + d*x/2)**2 + a*d) - B*d*x*tan(c/2 + d*x/2)**2/(a*d*tan(c/2 + d*x/2)**2 + a*d) - B*d*x/(a*d*tan(c/2 + d*x/2)**2 + a*d) + B*tan(c/2 + d*x/2)**3/(a*d*tan(c/2 + d*x/2)**2 + a*d) + 3*B*tan(c/2 + d*x/2)/(a*d*tan(c/2 + d*x/2)**2 + a*d), Ne(d, 0)), (x*(A + B*cos(c))*cos(c)/(a*cos(c) + a), True))`

**Giac [A]** time = 1.21337, size = 105, normalized size = 1.94

$$\frac{\frac{(dx+c)(A-B)}{a} - \frac{A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a} + \frac{2 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2 + 1} a}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)*(A+B*cos(dx+c))/(a+a*cos(dx+c)),x, algorithm="giac")`

[Out]  $((dx + c)*(A - B)/a - (A*\tan(1/2*d*x + 1/2*c) - B*\tan(1/2*d*x + 1/2*c))/a + 2*B*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 + 1)*a))/d$

$$3.42 \quad \int \frac{A+B \cos(c+dx)}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=34

$$\frac{(A-B) \sin(c+dx)}{d(a \cos(c+dx)+a)} + \frac{Bx}{a}$$

[Out] (B\*x)/a + ((A - B)\*Sin[c + d\*x])/(d\*(a + a\*Cos[c + d\*x]))

**Rubi [A]** time = 0.0498775, antiderivative size = 34, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {2735, 2648}

$$\frac{(A-B) \sin(c+dx)}{d(a \cos(c+dx)+a)} + \frac{Bx}{a}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(a + a\*Cos[c + d\*x]),x]

[Out] (B\*x)/a + ((A - B)\*Sin[c + d\*x])/(d\*(a + a\*Cos[c + d\*x]))

Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rule 2648

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{A+B \cos(c+dx)}{a+a \cos(c+dx)} dx &= \frac{Bx}{a} - (-A+B) \int \frac{1}{a+a \cos(c+dx)} dx \\ &= \frac{Bx}{a} + \frac{(A-B) \sin(c+dx)}{d(a+a \cos(c+dx))} \end{aligned}$$

**Mathematica [B]** time = 0.11739, size = 72, normalized size = 2.12

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c+dx)\right) \left(2(A-B) \sin\left(\frac{dx}{2}\right) + Bdx \cos\left(c + \frac{dx}{2}\right) + Bdx \cos\left(\frac{dx}{2}\right)\right)}{ad(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(a + a\*Cos[c + d\*x]),x]

[Out] (Cos[(c + d\*x)/2]\*Sec[c/2]\*(B\*d\*x\*Cos[(d\*x)/2] + B\*d\*x\*Cos[c + (d\*x)/2] + 2\*(A - B)\*Sin[(d\*x)/2]))/(a\*d\*(1 + Cos[c + d\*x]))

---

**Maple [A]** time = 0.053, size = 56, normalized size = 1.7

$$\frac{A}{da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 2 \frac{\arctan(\tan(1/2 dx + c/2)) B}{da} - \frac{B}{da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a), x)

[Out] 1/d/a\*A\*tan(1/2\*d\*x+1/2\*c)+2/d/a\*arctan(tan(1/2\*d\*x+1/2\*c))\*B-1/d/a\*B\*tan(1/2\*d\*x+1/2\*c)

---

**Maxima [B]** time = 1.50053, size = 99, normalized size = 2.91

$$\frac{B \left( \frac{2 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) + \frac{A \sin(dx+c)}{a(\cos(dx+c)+1)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)), x, algorithm="maxima")

[Out] (B\*(2\*arctan(sin(d\*x + c)/(cos(d\*x + c) + 1))/a - sin(d\*x + c)/(a\*(cos(d\*x + c) + 1))) + A\*sin(d\*x + c)/(a\*(cos(d\*x + c) + 1)))/d

---

**Fricas [A]** time = 1.31193, size = 105, normalized size = 3.09

$$\frac{Bdx \cos(dx + c) + Bdx + (A - B) \sin(dx + c)}{ad \cos(dx + c) + ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)), x, algorithm="fricas")

[Out] (B\*d\*x\*cos(d\*x + c) + B\*d\*x + (A - B)\*sin(d\*x + c))/(a\*d\*cos(d\*x + c) + a\*d)

---

**Sympy [A]** time = 1.10818, size = 49, normalized size = 1.44

$$\begin{cases} \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{a} + \frac{Bx}{a} - \frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{ad} & \text{for } d \neq 0 \\ \frac{x(A+B \cos(c))}{a \cos(c)+a} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)), x)

[Out] Piecewise((A\*tan(c/2 + d\*x/2)/(a\*d) + B\*x/a - B\*tan(c/2 + d\*x/2)/(a\*d), Ne(d, 0)), (x\*(A + B\*cos(c))/(a\*cos(c) + a), True))

---

**Giac [A]** time = 1.16723, size = 58, normalized size = 1.71

$$\frac{(dx+c)B}{a} + \frac{A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] ((d\*x + c)\*B/a + (A\*tan(1/2\*d\*x + 1/2\*c) - B\*tan(1/2\*d\*x + 1/2\*c))/a)/d



$$3.43 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=44

$$\frac{A \tanh^{-1}(\sin(c+dx))}{ad} - \frac{(A-B) \sin(c+dx)}{d(a \cos(c+dx)+a)}$$

[Out] (A\*ArcTanh[Sin[c + d\*x]])/(a\*d) - ((A - B)\*Sin[c + d\*x])/(d\*(a + a\*Cos[c + d\*x]))

**Rubi [A]** time = 0.0783777, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {2978, 12, 3770}

$$\frac{A \tanh^{-1}(\sin(c+dx))}{ad} - \frac{(A-B) \sin(c+dx)}{d(a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + a\*Cos[c + d\*x]),x]

[Out] (A\*ArcTanh[Sin[c + d\*x]])/(a\*d) - ((A - B)\*Sin[c + d\*x])/(d\*(a + a\*Cos[c + d\*x]))

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 3770

Int[csc[(c\_) + (d\_)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{a+a \cos(c+dx)} dx &= -\frac{(A-B) \sin(c+dx)}{d(a+a \cos(c+dx))} + \frac{\int aA \sec(c+dx) dx}{a^2} \\ &= -\frac{(A-B) \sin(c+dx)}{d(a+a \cos(c+dx))} + \frac{A \int \sec(c+dx) dx}{a} \\ &= \frac{A \tanh^{-1}(\sin(c+dx))}{ad} - \frac{(A-B) \sin(c+dx)}{d(a+a \cos(c+dx))} \end{aligned}$$

**Mathematica [B]** time = 0.238312, size = 109, normalized size = 2.48

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left( (B - A) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + A \cos\left(\frac{1}{2}(c + dx)\right) \left( \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\cos\left(\frac{1}{2}(c + dx)\right) + \sin\left(\frac{1}{2}(c + dx)\right)\right) \right)}{ad(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + a\*Cos[c + d\*x]),x]

[Out] (2\*Cos[(c + d\*x)/2]\*(A\*Cos[(c + d\*x)/2]\*(-Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + (-A + B)\*Sec[c/2]\*Sin[(d\*x)/2])/(a\*d\*(1 + Cos[c + d\*x]))

**Maple [A]** time = 0.082, size = 78, normalized size = 1.8

$$-\frac{A}{da} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) + \frac{A}{da} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) - \frac{A}{da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{B}{da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+cos(d\*x+c)\*a),x)

[Out] -1/d/a\*A\*ln(tan(1/2\*d\*x+1/2\*c)-1)+1/d/a\*A\*ln(tan(1/2\*d\*x+1/2\*c)+1)-1/d/a\*A\*tan(1/2\*d\*x+1/2\*c)+1/d/a\*B\*tan(1/2\*d\*x+1/2\*c)

**Maxima [B]** time = 1.01454, size = 134, normalized size = 3.05

$$\frac{A \left( \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) + \frac{B \sin(dx+c)}{a(\cos(dx+c)+1)}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out] (A\*(log(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)/a - log(sin(d\*x + c)/(cos(d\*x + c) + 1) - 1)/a - sin(d\*x + c)/(a\*(cos(d\*x + c) + 1))) + B\*sin(d\*x + c)/(a\*(cos(d\*x + c) + 1)))/d

**Fricas [A]** time = 1.38954, size = 197, normalized size = 4.48

$$\frac{(A \cos(dx + c) + A) \log(\sin(dx + c) + 1) - (A \cos(dx + c) + A) \log(-\sin(dx + c) + 1) - 2(A - B) \sin(dx + c)}{2(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out]  $\frac{1}{2} * ((A * \cos(dx + c) + A) * \log(\sin(dx + c) + 1) - (A * \cos(dx + c) + A) * \log(-\sin(dx + c) + 1) - 2 * (A - B) * \sin(dx + c)) / (a * d * \cos(dx + c) + a * d)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec(c+dx)}{\cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec(c+dx)}{\cos(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*sec(dx+c)/(a+a\*cos(dx+c)),x)

[Out] (Integral(A\*sec(c + dx)/(cos(c + dx) + 1), x) + Integral(B\*cos(c + dx)\*sec(c + dx)/(cos(c + dx) + 1), x))/a

**Giac [A]** time = 1.22654, size = 96, normalized size = 2.18

$$\frac{\frac{A \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a} - \frac{A \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a} - \frac{A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*sec(dx+c)/(a+a\*cos(dx+c)),x, algorithm="giac")

[Out] (A\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a - A\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a - (A\*tan(1/2\*d\*x + 1/2\*c) - B\*tan(1/2\*d\*x + 1/2\*c))/a)/d

$$3.44 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=69

$$\frac{(2A - B) \tan(c + dx)}{ad} - \frac{(A - B) \tanh^{-1}(\sin(c + dx))}{ad} - \frac{(A - B) \tan(c + dx)}{d(a \cos(c + dx) + a)}$$

[Out] -(((A - B)\*ArcTanh[Sin[c + d\*x]])/(a\*d)) + ((2\*A - B)\*Tan[c + d\*x])/(a\*d) - ((A - B)\*Tan[c + d\*x])/(d\*(a + a\*Cos[c + d\*x]))

**Rubi [A]** time = 0.156232, antiderivative size = 69, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2978, 2748, 3767, 8, 3770}

$$\frac{(2A - B) \tan(c + dx)}{ad} - \frac{(A - B) \tanh^{-1}(\sin(c + dx))}{ad} - \frac{(A - B) \tan(c + dx)}{d(a \cos(c + dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(a + a\*Cos[c + d\*x]),x]

[Out] -(((A - B)\*ArcTanh[Sin[c + d\*x]])/(a\*d)) + ((2\*A - B)\*Tan[c + d\*x])/(a\*d) - ((A - B)\*Tan[c + d\*x])/(d\*(a + a\*Cos[c + d\*x]))

#### Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

#### Rule 3767

```
Int[csc[(c_) + (d_)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

#### Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

#### Rule 3770

```
Int[csc[(c_) + (d_)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{a + a \cos(c + dx)} dx &= -\frac{(A - B) \tan(c + dx)}{d(a + a \cos(c + dx))} + \frac{\int (a(2A - B) - a(A - B) \cos(c + dx)) \sec^2(c + dx) dx}{a^2} \\
&= -\frac{(A - B) \tan(c + dx)}{d(a + a \cos(c + dx))} - \frac{(A - B) \int \sec(c + dx) dx}{a} + \frac{(2A - B) \int \sec^2(c + dx) dx}{a} \\
&= -\frac{(A - B) \tanh^{-1}(\sin(c + dx))}{ad} - \frac{(A - B) \tan(c + dx)}{d(a + a \cos(c + dx))} - \frac{(2A - B) \operatorname{Subst}(\int 1}{a} \\
&= -\frac{(A - B) \tanh^{-1}(\sin(c + dx))}{ad} + \frac{(2A - B) \tan(c + dx)}{ad} - \frac{(A - B) \tan(c + dx)}{d(a + a \cos(c + dx))}
\end{aligned}$$

**Mathematica [B]** time = 1.10028, size = 201, normalized size = 2.91

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left( (A - B) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + \cos\left(\frac{1}{2}(c + dx)\right) \left( (A - B) \left( \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\cos\left(\frac{1}{2}(c + dx)\right) + \sin\left(\frac{1}{2}(c + dx)\right)\right) \right) \right)}{ad(\cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(a + a\*Cos[c + d\*x]),x]

[Out] (2\*Cos[(c + d\*x)/2]\*((A - B)\*Sec[c/2]\*Sin[(d\*x)/2] + Cos[(c + d\*x)/2]\*((A - B)\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]])) + (A\*Sin[d\*x]))/((Cos[c/2] - Sin[c/2])\*(Cos[c/2] + Sin[c/2])\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])))/(a\*d\*(1 + Cos[c + d\*x]))

**Maple [B]** time = 0.106, size = 163, normalized size = 2.4

$$\frac{A}{da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{B}{da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{A}{da} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)^{-1} + \frac{A}{da} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) - \frac{B}{da} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+cos(d\*x+c)\*a),x)

[Out] 1/d/a\*A\*tan(1/2\*d\*x+1/2\*c)-1/d/a\*B\*tan(1/2\*d\*x+1/2\*c)-1/d/a\*A/(tan(1/2\*d\*x+1/2\*c)-1)+1/d/a\*A\*ln(tan(1/2\*d\*x+1/2\*c)-1)-1/d/a\*ln(tan(1/2\*d\*x+1/2\*c)-1)\*B-1/d/a\*A/(tan(1/2\*d\*x+1/2\*c)+1)-1/d/a\*A\*ln(tan(1/2\*d\*x+1/2\*c)+1)+1/d/a\*ln(tan(1/2\*d\*x+1/2\*c)+1)\*B

**Maxima [B]** time = 1.01823, size = 265, normalized size = 3.84

$$\frac{A \left( \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right) + 1}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right) - 1}{a} - \frac{2 \sin(dx+c)}{\left(a - \frac{a \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right) (\cos(dx+c)+1)} - \frac{\sin(dx+c)}{a(\cos(dx+c)+1)} \right) - B \left( \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right) + 1}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right) - 1}{a} \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out]  $-(A*(\log(\sin(dx+c)/(\cos(dx+c)+1))+1)/a - \log(\sin(dx+c)/(\cos(dx+c)+1)-1)/a - 2*\sin(dx+c)/((a-a*\sin(dx+c))^2/(\cos(dx+c)+1)^2)*(\cos(dx+c)+1) - \sin(dx+c)/(a*(\cos(dx+c)+1))) - B*(\log(\sin(dx+c)/(\cos(dx+c)+1))+1)/a - \log(\sin(dx+c)/(\cos(dx+c)+1)-1)/a - \sin(dx+c)/(a*(\cos(dx+c)+1)))/d$

**Fricas [A]** time = 1.39676, size = 320, normalized size = 4.64

$$\frac{((A-B)\cos(dx+c)^2 + (A-B)\cos(dx+c))\log(\sin(dx+c)+1) - ((A-B)\cos(dx+c)^2 + (A-B)\cos(dx+c))\log(-\sin(dx+c)+1)}{2(ad\cos(dx+c)^2 + ad\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out]  $-1/2*((A-B)*\cos(dx+c)^2 + (A-B)*\cos(dx+c))*\log(\sin(dx+c)+1) - ((A-B)*\cos(dx+c)^2 + (A-B)*\cos(dx+c))*\log(-\sin(dx+c)+1) - 2*((2*A-B)*\cos(dx+c) + A)*\sin(dx+c)/(a*d*\cos(dx+c)^2 + a*d*\cos(dx+c))$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^2(c+dx)}{\cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec^2(c+dx)}{\cos(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2/(a+a\*cos(d\*x+c)),x)

[Out] (Integral(A\*sec(c+d\*x)\*\*2/(cos(c+d\*x)+1),x) + Integral(B\*cos(c+d\*x)\*sec(c+d\*x)\*\*2/(cos(c+d\*x)+1),x))/a

**Giac [A]** time = 1.26591, size = 149, normalized size = 2.16

$$\frac{(A-B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a} - \frac{(A-B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a} - \frac{A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a} + \frac{2A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2-1} \Bigg/ a$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out]  $-((A-B)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)))/a - (A-B)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)))/a - (A*\tan(1/2*d*x + 1/2*c) - B*\tan(1/2*d*x + 1/2*c))/a + 2*A*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 - 1)*a)/d$

$$3.45 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=107

$$\frac{2(A-B) \tan(c+dx)}{ad} + \frac{(3A-2B) \tanh^{-1}(\sin(c+dx))}{2ad} + \frac{(3A-2B) \tan(c+dx) \sec(c+dx)}{2ad} - \frac{(A-B) \tan(c+dx)}{d(a \cos(c+dx))}$$

[Out] ((3\*A - 2\*B)\*ArcTanh[Sin[c + d\*x]]/(2\*a\*d) - (2\*(A - B)\*Tan[c + d\*x])/(a\*d) + ((3\*A - 2\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*a\*d) - ((A - B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(d\*(a + a\*Cos[c + d\*x])))

**Rubi [A]** time = 0.169136, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2978, 2748, 3768, 3770, 3767, 8}

$$\frac{2(A-B) \tan(c+dx)}{ad} + \frac{(3A-2B) \tanh^{-1}(\sin(c+dx))}{2ad} + \frac{(3A-2B) \tan(c+dx) \sec(c+dx)}{2ad} - \frac{(A-B) \tan(c+dx)}{d(a \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3)/(a + a\*Cos[c + d\*x]),x]

[Out] ((3\*A - 2\*B)\*ArcTanh[Sin[c + d\*x]]/(2\*a\*d) - (2\*(A - B)\*Tan[c + d\*x])/(a\*d) + ((3\*A - 2\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*a\*d) - ((A - B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(d\*(a + a\*Cos[c + d\*x])))

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3768

Int[(csc[(c\_) + (d\_)\*(x\_)]\*(b\_))^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3770

Int[csc[(c\_) + (d\_)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

`Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{a + a \cos(c + dx)} dx &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{d(a + a \cos(c + dx))} + \frac{\int (a(3A - 2B) - 2a(A - B) \cos(c + dx)) \sec^3(c + dx) dx}{a^2} \\ &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{d(a + a \cos(c + dx))} + \frac{(3A - 2B) \int \sec^3(c + dx) dx}{a} - \frac{(2(A - B))}{a} \\ &= \frac{(3A - 2B) \sec(c + dx) \tan(c + dx)}{2ad} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{d(a + a \cos(c + dx))} + \frac{(3A - 2B)}{2ad} \\ &= \frac{(3A - 2B) \tanh^{-1}(\sin(c + dx))}{2ad} - \frac{2(A - B) \tan(c + dx)}{ad} + \frac{(3A - 2B) \sec(c + dx)}{2ad} \end{aligned}$$

**Mathematica [B]** time = 3.0809, size = 289, normalized size = 2.7

$$\cos\left(\frac{1}{2}(c + dx)\right) \left( 4(B - A) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + \cos\left(\frac{1}{2}(c + dx)\right) \left( -\frac{4(A - B) \sin(dx)}{(\cos(\frac{c}{2}) - \sin(\frac{c}{2}))(\sin(\frac{c}{2}) + \cos(\frac{c}{2}))(\cos(\frac{1}{2}(c + dx)) - \sin(\frac{1}{2}(c + dx)))} \right) \right)$$

Antiderivative was successfully verified.

`[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + a*Cos[c + d*x]),x]`

`[Out] (Cos[(c + d*x)/2]*(4*(-A + B)*Sec[c/2]*Sin[(d*x)/2] + Cos[(c + d*x)/2]*((-6*A + 4*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 6*A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] - 4*B*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + A/(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])^2 - A/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 - (4*(A - B)*Sin[d*x])/((Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))) / (2*a*d*(1 + Cos[c + d*x]))`

**Maple [B]** time = 0.115, size = 252, normalized size = 2.4

$$-\frac{A}{da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{B}{da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{A}{2da} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^{-2} + \frac{3A}{2da} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^{-1} - \frac{B}{da} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

`[In] int((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+cos(d*x+c)*a),x)`

`[Out] -1/d/a*A*tan(1/2*d*x+1/2*c)+1/d/a*B*tan(1/2*d*x+1/2*c)+1/2/d/a*A/(tan(1/2*d*x+1/2*c)-1)^2+3/2/d/a*A/(tan(1/2*d*x+1/2*c)-1)-1/d/a/(tan(1/2*d*x+1/2*c)-1)*B-3/2/d/a*A*ln(tan(1/2*d*x+1/2*c)-1)+1/d/a*ln(tan(1/2*d*x+1/2*c)-1)*B-1/2/d/a*A/(tan(1/2*d*x+1/2*c)+1)^2+3/2/d/a*A/(tan(1/2*d*x+1/2*c)+1)-1/d/a/(tan`



$(1/2*d*x+1/2*c)+1)*B+3/2/d/a*A*\ln(\tan(1/2*d*x+1/2*c)+1)-1/d/a*\ln(\tan(1/2*d*x+1/2*c)+1)*B$

**Maxima [B]** time = 1.02482, size = 381, normalized size = 3.56

$$A \left( \frac{2 \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} - \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a - \frac{2a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} - \frac{3 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} + \frac{3 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} + \frac{2 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) + 2B \left( \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} - \frac{\log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} \right)$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+a\*cos(d\*x+c)),x, algorithm="maxima")

[Out]  $-1/2*(A*(2*(\sin(d*x + c)/(\cos(d*x + c) + 1) - 3*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a - 2*a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) - 3*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a + 3*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a + 2*\sin(d*x + c)/(a*(\cos(d*x + c) + 1))) + 2*B*(\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a - \log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a - 2*\sin(d*x + c)/((a - a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1)) - \sin(d*x + c)/(a*(\cos(d*x + c) + 1))))/d$

**Fricas [A]** time = 1.37279, size = 385, normalized size = 3.6

$$\frac{\left( (3A - 2B) \cos(dx + c)^3 + (3A - 2B) \cos(dx + c)^2 \right) \log(\sin(dx + c) + 1) - \left( (3A - 2B) \cos(dx + c)^3 + (3A - 2B) \cos(dx + c)^2 \right) \log(\sin(dx + c) - 1)}{4 \left( ad \cos(dx + c)^3 + ad \cos(dx + c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out]  $1/4*((3*A - 2*B)*\cos(d*x + c)^3 + (3*A - 2*B)*\cos(d*x + c)^2)*\log(\sin(d*x + c) + 1) - ((3*A - 2*B)*\cos(d*x + c)^3 + (3*A - 2*B)*\cos(d*x + c)^2)*\log(-\sin(d*x + c) + 1) - 2*(4*(A - B)*\cos(d*x + c)^2 + (A - 2*B)*\cos(d*x + c) - A)*\sin(d*x + c)/(a*d*\cos(d*x + c)^3 + a*d*\cos(d*x + c)^2)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^3(c+dx)}{\cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec^3(c+dx)}{\cos(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3/(a+a\*cos(d\*x+c)),x)

[Out]  $(\text{Integral}(A*\sec(c + d*x)**3/(\cos(c + d*x) + 1), x) + \text{Integral}(B*\cos(c + d*x)*\sec(c + d*x)**3/(\cos(c + d*x) + 1), x))/a$

**Giac [A]** time = 1.25401, size = 212, normalized size = 1.98

$$\frac{(3A-2B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a} - \frac{(3A-2B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a} - \frac{2\left(A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{a} + \frac{2\left(3A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right)^{2a}}$$


---

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/2\*((3\*A - 2\*B)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a - (3\*A - 2\*B)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a - 2\*(A\*tan(1/2\*d\*x + 1/2\*c) - B\*tan(1/2\*d\*x + 1/2\*c))/a + 2\*(3\*A\*tan(1/2\*d\*x + 1/2\*c)^3 - 2\*B\*tan(1/2\*d\*x + 1/2\*c)^3 - A\*tan(1/2\*d\*x + 1/2\*c) + 2\*B\*tan(1/2\*d\*x + 1/2\*c))/((tan(1/2\*d\*x + 1/2\*c) - 1)^2\*a))/d

$$3.46 \quad \int \frac{(A+B \cos(c+dx)) \sec^4(c+dx)}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=131

$$\frac{(4A-3B) \tan^3(c+dx)}{3ad} + \frac{(4A-3B) \tan(c+dx)}{ad} - \frac{3(A-B) \tanh^{-1}(\sin(c+dx))}{2ad} - \frac{3(A-B) \tan(c+dx) \sec(c+dx)}{2ad}$$

[Out] (-3\*(A - B)\*ArcTanh[Sin[c + d\*x]])/(2\*a\*d) + ((4\*A - 3\*B)\*Tan[c + d\*x])/(a\*d) - (3\*(A - B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*a\*d) - ((A - B)\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(d\*(a + a\*Cos[c + d\*x])) + ((4\*A - 3\*B)\*Tan[c + d\*x]^3)/(3\*a\*d)

**Rubi [A]** time = 0.17956, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2978, 2748, 3767, 3768, 3770}

$$\frac{(4A-3B) \tan^3(c+dx)}{3ad} + \frac{(4A-3B) \tan(c+dx)}{ad} - \frac{3(A-B) \tanh^{-1}(\sin(c+dx))}{2ad} - \frac{3(A-B) \tan(c+dx) \sec(c+dx)}{2ad}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4)/(a + a\*Cos[c + d\*x]),x]

[Out] (-3\*(A - B)\*ArcTanh[Sin[c + d\*x]])/(2\*a\*d) + ((4\*A - 3\*B)\*Tan[c + d\*x])/(a\*d) - (3\*(A - B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*a\*d) - ((A - B)\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(d\*(a + a\*Cos[c + d\*x])) + ((4\*A - 3\*B)\*Tan[c + d\*x]^3)/(3\*a\*d)

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3767

Int[csc[(c\_) + (d\_)\*(x\_)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 3768

Int[(csc[(c\_) + (d\_)\*(x\_)]\*(b\_))^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), I

nt[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^4(c + dx)}{a + a \cos(c + dx)} dx &= -\frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{d(a + a \cos(c + dx))} + \frac{\int (a(4A - 3B) - 3a(A - B) \cos(c + dx)) \sec^4(c + dx) dx}{a^2} \\ &= -\frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{d(a + a \cos(c + dx))} + \frac{(4A - 3B) \int \sec^4(c + dx) dx}{a} - \frac{3(A - B)}{a} \\ &= -\frac{3(A - B) \sec(c + dx) \tan(c + dx)}{2ad} - \frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{d(a + a \cos(c + dx))} - \frac{3(A - B)}{2ad} \\ &= -\frac{3(A - B) \tanh^{-1}(\sin(c + dx))}{2ad} + \frac{(4A - 3B) \tan(c + dx)}{ad} - \frac{3(A - B) \sec(c + dx)}{2ad} \end{aligned}$$

**Mathematica [B]** time = 4.11443, size = 490, normalized size = 3.74

$$\cos\left(\frac{1}{2}(c + dx)\right) \left( \sec\left(\frac{c}{2}\right) \sec(c) \sec^3(c + dx) \left( 6(A + B) \sin\left(\frac{dx}{2}\right) + 3(13A - 9B) \sin\left(\frac{3dx}{2}\right) - 24A \sin\left(c - \frac{dx}{2}\right) - 6A \sin\left(c + \frac{dx}{2}\right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4)/(a + a\*Cos[c + d\*x]),x]

[Out] (Cos[(c + d\*x)/2]\*(144\*(A - B)\*Cos[(c + d\*x)/2]\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + Sec[c/2]\*Sec[c]\*Sec[c + d\*x]^3\*(6\*(A + B)\*Sin[(d\*x)/2] + 3\*(13\*A - 9\*B)\*Sin[(3\*d\*x)/2] - 24\*A\*Sin[c - (d\*x)/2] + 12\*B\*Sin[c - (d\*x)/2] - 6\*A\*Sin[c + (d\*x)/2] + 6\*B\*Sin[c + (d\*x)/2] - 24\*A\*Sin[2\*c + (d\*x)/2] + 24\*B\*Sin[2\*c + (d\*x)/2] + 21\*A\*Sin[c + (3\*d\*x)/2] - 9\*B\*Sin[c + (3\*d\*x)/2] + 9\*A\*Sin[2\*c + (3\*d\*x)/2] - 9\*B\*Sin[2\*c + (3\*d\*x)/2] - 9\*A\*Sin[3\*c + (3\*d\*x)/2] + 9\*B\*Sin[3\*c + (3\*d\*x)/2] + 7\*A\*Sin[c + (5\*d\*x)/2] - 3\*B\*Sin[c + (5\*d\*x)/2] + A\*Sin[2\*c + (5\*d\*x)/2] + 3\*B\*Sin[2\*c + (5\*d\*x)/2] - 3\*A\*Sin[3\*c + (5\*d\*x)/2] + 3\*B\*Sin[3\*c + (5\*d\*x)/2] - 9\*A\*Sin[4\*c + (5\*d\*x)/2] + 9\*B\*Sin[4\*c + (5\*d\*x)/2] + 16\*A\*Sin[2\*c + (7\*d\*x)/2] - 12\*B\*Sin[2\*c + (7\*d\*x)/2] + 10\*A\*Sin[3\*c + (7\*d\*x)/2] - 6\*B\*Sin[3\*c + (7\*d\*x)/2] + 6\*A\*Sin[4\*c + (7\*d\*x)/2] - 6\*B\*Sin[4\*c + (7\*d\*x)/2]))/(48\*a\*d\*(1 + Cos[c + d\*x]))

**Maple [B]** time = 0.104, size = 340, normalized size = 2.6

$$\frac{A}{da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{B}{da} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{A}{3da} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^{-3} + \frac{B}{2da} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^{-2} - \frac{A}{da} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^{-1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^4/(a+cos(d\*x+c)\*a),x)

[Out]  $1/d/a*A*\tan(1/2*d*x+1/2*c)-1/d/a*B*\tan(1/2*d*x+1/2*c)-1/3/d/a*A/(\tan(1/2*d*x+1/2*c)-1)^3+1/2/d/a/(\tan(1/2*d*x+1/2*c)-1)^2*B-1/d/a*A/(\tan(1/2*d*x+1/2*c)-1)^2+3/2/d/a*A*\ln(\tan(1/2*d*x+1/2*c)-1)-3/2/d/a*\ln(\tan(1/2*d*x+1/2*c)-1)*B-5/2/d/a*A/(\tan(1/2*d*x+1/2*c)-1)+3/2/d/a/(\tan(1/2*d*x+1/2*c)-1)*B-1/3/d/a*A/(\tan(1/2*d*x+1/2*c)+1)^3+1/d/a*A/(\tan(1/2*d*x+1/2*c)+1)^2-1/2/d/a/(\tan(1/2*d*x+1/2*c)+1)^2*B-3/2/d/a*A*\ln(\tan(1/2*d*x+1/2*c)+1)+3/2/d/a*\ln(\tan(1/2*d*x+1/2*c)+1)*B-5/2/d/a*A/(\tan(1/2*d*x+1/2*c)+1)+3/2/d/a/(\tan(1/2*d*x+1/2*c)+1)*B$

**Maxima [B]** time = 1.32503, size = 497, normalized size = 3.79

$$A \left( \frac{2 \left( \frac{9 \sin(dx+c)}{\cos(dx+c)+1} - \frac{16 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a - \frac{3a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} - \frac{a \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} - \frac{9 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a} + \frac{9 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a} + \frac{6 \sin(dx+c)}{a(\cos(dx+c)+1)} \right) - 3B \left( \frac{2 \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} - \frac{3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a - \frac{2a \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{2a \sin(dx+c)^4}{(\cos(dx+c)+1)^4} - \frac{2a \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} \right)$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^4/(a+a*cos(d*x+c)),x, algorithm="maxima")`

[Out]  $1/6*(A*(2*(9*\sin(d*x + c)/(\cos(d*x + c) + 1) - 16*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 15*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/(a - 3*a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + 3*a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 - a*\sin(d*x + c)^6/(\cos(d*x + c) + 1)^6) - 9*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a + 9*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a + 6*\sin(d*x + c)/(a*(\cos(d*x + c) + 1))) - 3*B*(2*(\sin(d*x + c)/(\cos(d*x + c) + 1) - 3*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a - 2*a*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) - 3*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a + 3*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a + 2*\sin(d*x + c)/(a*(\cos(d*x + c) + 1))))/d$

**Fricas [A]** time = 1.45431, size = 419, normalized size = 3.2

$$\frac{9 \left( (A - B) \cos(dx + c)^4 + (A - B) \cos(dx + c)^3 \right) \log(\sin(dx + c) + 1) - 9 \left( (A - B) \cos(dx + c)^4 + (A - B) \cos(dx + c)^3 \right) \log(-\sin(dx + c) + 1) - 2 * (4 * (4 * A - 3 * B) * \cos(dx + c)^3 + (7 * A - 3 * B) * \cos(dx + c)^2 - (A - 3 * B) * \cos(dx + c) + 2 * A) * \sin(dx + c)}{12 (ad \cos(dx + c)^4 + a^2 d \cos(dx + c)^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^4/(a+a*cos(d*x+c)),x, algorithm="fricas")`

[Out]  $-1/12*(9*((A - B)*\cos(d*x + c)^4 + (A - B)*\cos(d*x + c)^3)*\log(\sin(d*x + c) + 1) - 9*((A - B)*\cos(d*x + c)^4 + (A - B)*\cos(d*x + c)^3)*\log(-\sin(d*x + c) + 1) - 2*(4*(4*A - 3*B)*\cos(d*x + c)^3 + (7*A - 3*B)*\cos(d*x + c)^2 - (A - 3*B)*\cos(d*x + c) + 2*A)*\sin(d*x + c))/(a*d*\cos(d*x + c)^4 + a*d*\cos(d*x + c)^3)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*4/(a+a\*cos(d\*x+c)),x)

[Out] Timed out

---

**Giac [A]** time = 1.18941, size = 246, normalized size = 1.88

$$\frac{9(A-B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a} - \frac{9(A-B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a} - \frac{6\left(A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{a} + \frac{2\left(15A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-9B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-16A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+12B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3+9A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-3B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^3a}$$


---

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^4/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] -1/6\*(9\*(A - B)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a - 9\*(A - B)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a - 6\*(A\*tan(1/2\*d\*x + 1/2\*c) - B\*tan(1/2\*d\*x + 1/2\*c))/a + 2\*(15\*A\*tan(1/2\*d\*x + 1/2\*c)^5 - 9\*B\*tan(1/2\*d\*x + 1/2\*c)^5 - 16\*A\*tan(1/2\*d\*x + 1/2\*c)^3 + 12\*B\*tan(1/2\*d\*x + 1/2\*c)^3 + 9\*A\*tan(1/2\*d\*x + 1/2\*c) - 3\*B\*tan(1/2\*d\*x + 1/2\*c))/((tan(1/2\*d\*x + 1/2\*c)^2 - 1)^3\*a))/d

$$3.47 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=170

$$\frac{4(2A-3B)\sin^3(c+dx)}{3a^2d} - \frac{4(2A-3B)\sin(c+dx)}{a^2d} + \frac{(7A-10B)\sin(c+dx)\cos^3(c+dx)}{3a^2d(\cos(c+dx)+1)} + \frac{(7A-10B)\sin(c+dx)\cos(c+dx)}{2a^2d}$$

[Out]  $((7*A - 10*B)*x)/(2*a^2) - (4*(2*A - 3*B)*\text{Sin}[c + d*x])/(a^2*d) + ((7*A - 10*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*a^2*d) + ((7*A - 10*B)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(3*a^2*d*(1 + \text{Cos}[c + d*x])) + ((A - B)*\text{Cos}[c + d*x]^4*\text{Sin}[c + d*x])/(3*d*(a + a*\text{Cos}[c + d*x])^2) + (4*(2*A - 3*B)*\text{Sin}[c + d*x]^3)/(3*a^2*d)$

**Rubi [A]** time = 0.322422, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2977, 2748, 2635, 8, 2633}

$$\frac{4(2A-3B)\sin^3(c+dx)}{3a^2d} - \frac{4(2A-3B)\sin(c+dx)}{a^2d} + \frac{(7A-10B)\sin(c+dx)\cos^3(c+dx)}{3a^2d(\cos(c+dx)+1)} + \frac{(7A-10B)\sin(c+dx)\cos(c+dx)}{2a^2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]^4*(A + B*\text{Cos}[c + d*x]))/(a + a*\text{Cos}[c + d*x])^2, x]$

[Out]  $((7*A - 10*B)*x)/(2*a^2) - (4*(2*A - 3*B)*\text{Sin}[c + d*x])/(a^2*d) + ((7*A - 10*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*a^2*d) + ((7*A - 10*B)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(3*a^2*d*(1 + \text{Cos}[c + d*x])) + ((A - B)*\text{Cos}[c + d*x]^4*\text{Sin}[c + d*x])/(3*d*(a + a*\text{Cos}[c + d*x])^2) + (4*(2*A - 3*B)*\text{Sin}[c + d*x]^3)/(3*a^2*d)$

#### Rule 2977

$\text{Int}[(a + (b_*)\sin[(e_*) + (f_*)(x)])^{(m_*)}((A_*) + (B_*)\sin[(e_*) + (f_*)(x)])^{(n_*)}), x\_Symbol] \rightarrow \text{Simp}[(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n]/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e + f*x])^{(n-1)}*\text{Simp}[A*(a*d*n - b*c*(m+1)) - B*(a*c*m + b*d*n) - d*(a*B*(m-n) + A*b*(m+n+1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] || \text{EqQ}[c, 0])$

#### Rule 2748

$\text{Int}[(b_*)\sin[(e_*) + (f_*)(x)])^{(m_*)}((c_*) + (d_*)\sin[(e_*) + (f_*)(x)])^{(n_*)}), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rule 2635

$\text{Int}[(b_*)\sin[(c_*) + (d_*)(x)])^{(n_*)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{(n-1)})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\cos^4(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^2} dx &= \frac{(A - B) \cos^4(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{\cos^3(c + dx)(4a(A - B) - 3a(A - 2B) \cos(c + dx))}{a + a \cos(c + dx)} dx}{3a^2} \\ &= \frac{(7A - 10B) \cos^3(c + dx) \sin(c + dx)}{3a^2 d (1 + \cos(c + dx))} + \frac{(A - B) \cos^4(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \int \cos^3(c + dx) \sin(c + dx) dx \\ &= \frac{(7A - 10B) \cos^3(c + dx) \sin(c + dx)}{3a^2 d (1 + \cos(c + dx))} + \frac{(A - B) \cos^4(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{(7A - 10B) \cos^3(c + dx) \sin(c + dx)}{3a^2 d} \\ &= \frac{(7A - 10B) \cos(c + dx) \sin(c + dx)}{2a^2 d} + \frac{(7A - 10B) \cos^3(c + dx) \sin(c + dx)}{3a^2 d (1 + \cos(c + dx))} + \frac{(A - B) \cos^4(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} \\ &= \frac{(7A - 10B)x}{2a^2} - \frac{4(2A - 3B) \sin(c + dx)}{a^2 d} + \frac{(7A - 10B) \cos(c + dx) \sin(c + dx)}{2a^2 d} + \end{aligned}$$

**Mathematica [B]** time = 0.617073, size = 369, normalized size = 2.17

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(36dx(7A - 10B) \cos\left(c + \frac{dx}{2}\right) + 36dx(7A - 10B) \cos\left(\frac{dx}{2}\right) + 147A \sin\left(c + \frac{dx}{2}\right) - 239A \sin\left(c + \frac{3dx}{2}\right) + 147B \sin\left(c + \frac{dx}{2}\right) - 239B \sin\left(c + \frac{3dx}{2}\right) + 342B \sin\left(c + \frac{5dx}{2}\right) - 63A \sin\left[2c + \frac{3dx}{2}\right] + 118B \sin\left[2c + \frac{3dx}{2}\right] - 15A \sin\left[2c + \frac{5dx}{2}\right] + 30B \sin\left[2c + \frac{5dx}{2}\right] - 15A \sin\left[3c + \frac{5dx}{2}\right] + 30B \sin\left[3c + \frac{5dx}{2}\right] + 3A \sin\left[3c + \frac{7dx}{2}\right] - 3B \sin\left[3c + \frac{7dx}{2}\right] + 3A \sin\left[4c + \frac{7dx}{2}\right] - 3B \sin\left[4c + \frac{7dx}{2}\right] + B \sin\left[4c + \frac{9dx}{2}\right] + B \sin\left[5c + \frac{9dx}{2}\right]\right) / (48a^2 d (1 + \cos(c + dx))^2)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^4\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^2,x]

[Out] (Cos[(c + d\*x)/2]\*Sec[c/2]\*(36\*(7\*A - 10\*B)\*d\*x\*Cos[(d\*x)/2] + 36\*(7\*A - 10\*B)\*d\*x\*Cos[c + (d\*x)/2] + 84\*A\*d\*x\*Cos[c + (3\*d\*x)/2] - 120\*B\*d\*x\*Cos[c + (3\*d\*x)/2] + 84\*A\*d\*x\*Cos[2\*c + (3\*d\*x)/2] - 120\*B\*d\*x\*Cos[2\*c + (3\*d\*x)/2] - 381\*A\*Sin[(d\*x)/2] + 516\*B\*Sin[(d\*x)/2] + 147\*A\*Sin[c + (d\*x)/2] - 156\*B\*Sin[c + (d\*x)/2] - 239\*A\*Sin[c + (3\*d\*x)/2] + 342\*B\*Sin[c + (3\*d\*x)/2] - 63\*A\*Sin[2\*c + (3\*d\*x)/2] + 118\*B\*Sin[2\*c + (3\*d\*x)/2] - 15\*A\*Sin[2\*c + (5\*d\*x)/2] + 30\*B\*Sin[2\*c + (5\*d\*x)/2] - 15\*A\*Sin[3\*c + (5\*d\*x)/2] + 30\*B\*Sin[3\*c + (5\*d\*x)/2] + 3\*A\*Sin[3\*c + (7\*d\*x)/2] - 3\*B\*Sin[3\*c + (7\*d\*x)/2] + 3\*A\*Sin[4\*c + (7\*d\*x)/2] - 3\*B\*Sin[4\*c + (7\*d\*x)/2] + B\*Sin[4\*c + (9\*d\*x)/2] + B\*Sin[5\*c + (9\*d\*x)/2]))/(48\*a^2\*d\*(1 + Cos[c + d\*x])^2)

**Maple [B]** time = 0.066, size = 322, normalized size = 1.9

$$\frac{A}{6a^2d} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 - \frac{B}{6a^2d} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 - \frac{7A}{2a^2d} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{9B}{2a^2d} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 5 \frac{(\tan(1/2 dx + c/2))}{a^2d (1 + (\tan(1/2 dx + c/2))^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^2,x)



[Out]  $\frac{1}{6} \frac{d}{a^2} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 A - \frac{1}{6} \frac{d}{a^2} B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - \frac{7}{2} \frac{d}{a^2} A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \frac{9}{2} \frac{d}{a^2} B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \frac{5}{d} \frac{d}{a^2} \frac{1}{(1 + \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2)^3} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 A + \frac{10}{d} \frac{d}{a^2} \frac{1}{(1 + \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2)^3} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 B - \frac{8}{d} \frac{d}{a^2} \frac{1}{(1 + \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2)^3} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 A + \frac{40}{3} \frac{d}{a^2} \frac{1}{(1 + \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2)^3} B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - \frac{3}{d} \frac{d}{a^2} \frac{1}{(1 + \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2)^3} A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \frac{6}{d} \frac{d}{a^2} \frac{1}{(1 + \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2)^3} B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \frac{7}{d} \frac{d}{a^2} \arctan\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) A - \frac{10}{d} \frac{d}{a^2} \arctan\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) B$

**Maxima [B]** time = 2.01015, size = 502, normalized size = 2.95

$$B \left( \frac{4 \left( \frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^2 + \frac{3a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a^2 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} + \frac{27 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{60 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right) - A \left( \frac{6 \left( \frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{5 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2 + \frac{2a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} \right) \frac{1}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^4\*(A+B\*cos(dx+c))/(a+a\*cos(dx+c))^2,x, algorithm="maxima")

[Out]  $\frac{1}{6} \left( B \left( \frac{4 \left( 9 \sin(dx+c) / (\cos(dx+c)+1) + 20 \sin(dx+c)^3 / (\cos(dx+c)+1)^3 + 15 \sin(dx+c)^5 / (\cos(dx+c)+1)^5 \right)}{a^2 + 3a^2 \sin(dx+c)^2 / (\cos(dx+c)+1)^2 + 3a^2 \sin(dx+c)^4 / (\cos(dx+c)+1)^4 + a^2 \sin(dx+c)^6 / (\cos(dx+c)+1)^6} + \frac{27 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right) / a^2 - 60 \arctan(\sin(dx+c) / (\cos(dx+c)+1)) / a^2 - A \left( \frac{6 \left( 3 \sin(dx+c) / (\cos(dx+c)+1) + 5 \sin(dx+c)^3 / (\cos(dx+c)+1)^3 \right)}{a^2 + 2a^2 \sin(dx+c)^2 / (\cos(dx+c)+1)^2 + a^2 \sin(dx+c)^4 / (\cos(dx+c)+1)^4} + \frac{21 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right) / a^2 - 42 \arctan(\sin(dx+c) / (\cos(dx+c)+1)) / a^2 \right) / d$

**Fricas [A]** time = 1.38919, size = 387, normalized size = 2.28

$$\frac{3(7A - 10B)dx \cos(dx+c)^2 + 6(7A - 10B)dx \cos(dx+c) + 3(7A - 10B)dx + (2B \cos(dx+c)^4 + (3A - 2B) \cos(dx+c)^3 - 6(A - 2B) \cos(dx+c)^2 - (43A - 66B) \cos(dx+c) - 32A + 48B) \sin(dx+c)}{6(a^2 d \cos(dx+c)^2 + 2a^2 d \cos(dx+c) + a^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^4\*(A+B\*cos(dx+c))/(a+a\*cos(dx+c))^2,x, algorithm="fricas")

[Out]  $\frac{1}{6} \left( 3 \left( 7A - 10B \right) d x \cos(dx+c)^2 + 6 \left( 7A - 10B \right) d x \cos(dx+c) + 3 \left( 7A - 10B \right) d x + \left( 2B \cos(dx+c)^4 + (3A - 2B) \cos(dx+c)^3 - 6(A - 2B) \cos(dx+c)^2 - (43A - 66B) \cos(dx+c) - 32A + 48B \right) \sin(dx+c) \right) / \left( a^2 d \cos(dx+c)^2 + 2a^2 d \cos(dx+c) + a^2 d \right)$

**Sympy [A]** time = 21.0575, size = 1425, normalized size = 8.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*4\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*2,x)

[Out] Piecewise((21\*A\*d\*x\*tan(c/2 + d\*x/2)\*\*6/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) + 63\*A\*d\*x\*tan(c/2 + d\*x/2)\*\*4/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) + 63\*A\*d\*x\*tan(c/2 + d\*x/2)\*\*2/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) + 21\*A\*d\*x/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) + A\*tan(c/2 + d\*x/2)\*\*9/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) - 18\*A\*tan(c/2 + d\*x/2)\*\*7/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) - 90\*A\*tan(c/2 + d\*x/2)\*\*5/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) - 110\*A\*tan(c/2 + d\*x/2)\*\*3/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) - 39\*A\*tan(c/2 + d\*x/2)/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) - 30\*B\*d\*x\*tan(c/2 + d\*x/2)\*\*6/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) - 90\*B\*d\*x\*tan(c/2 + d\*x/2)\*\*4/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) - 90\*B\*d\*x\*tan(c/2 + d\*x/2)\*\*2/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) - 30\*B\*d\*x/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) - B\*tan(c/2 + d\*x/2)\*\*9/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) + 24\*B\*tan(c/2 + d\*x/2)\*\*7/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) + 138\*B\*tan(c/2 + d\*x/2)\*\*5/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) + 160\*B\*tan(c/2 + d\*x/2)\*\*3/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d) + 63\*B\*tan(c/2 + d\*x/2)/(6\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*6 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*4 + 18\*a\*\*2\*d\*tan(c/2 + d\*x/2)\*\*2 + 6\*a\*\*2\*d), Ne(d, 0)), (x\*(A + B\*cos(c))\*cos(c)\*\*4/(a\*cos(c) + a)\*\*2, True))

**Giac [A]** time = 1.19495, size = 259, normalized size = 1.52

$$\frac{3(dx+c)(7A-10B)}{a^2} - \frac{2\left(15A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 30B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 24A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 40B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 9A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 18B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3 a^2}$$

6d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] 1/6\*(3\*(d\*x + c)\*(7\*A - 10\*B)/a^2 - 2\*(15\*A\*tan(1/2\*d\*x + 1/2\*c)^5 - 30\*B\*tan(1/2\*d\*x + 1/2\*c)^5 + 24\*A\*tan(1/2\*d\*x + 1/2\*c)^3 - 40\*B\*tan(1/2\*d\*x + 1/2\*c)^3 + 9\*A\*tan(1/2\*d\*x + 1/2\*c) - 18\*B\*tan(1/2\*d\*x + 1/2\*c))/((tan(1/2\*d\*x + 1/2\*c)^2 + 1)^3\*a^2) + (A\*a^4\*tan(1/2\*d\*x + 1/2\*c)^3 - B\*a^4\*tan(1/2\*d\*x + 1/2\*c)^3 - 21\*A\*a^4\*tan(1/2\*d\*x + 1/2\*c) + 27\*B\*a^4\*tan(1/2\*d\*x + 1/2\*c))/a^6/d

$$3.48 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=147

$$\frac{2(5A - 8B) \sin(c + dx)}{3a^2d} + \frac{(5A - 8B) \sin(c + dx) \cos^2(c + dx)}{3a^2d(\cos(c + dx) + 1)} - \frac{(4A - 7B) \sin(c + dx) \cos(c + dx)}{2a^2d} - \frac{x(4A - 7B)}{2a^2} + \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2}$$

[Out] -((4\*A - 7\*B)\*x)/(2\*a^2) + (2\*(5\*A - 8\*B)\*Sin[c + d\*x])/(3\*a^2\*d) - ((4\*A - 7\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*a^2\*d) + ((5\*A - 8\*B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(3\*a^2\*d\*(1 + Cos[c + d\*x])) + ((A - B)\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(3\*d\*(a + a\*Cos[c + d\*x])^2)

**Rubi [A]** time = 0.341251, antiderivative size = 147, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {2977, 2734}

$$\frac{2(5A - 8B) \sin(c + dx)}{3a^2d} + \frac{(5A - 8B) \sin(c + dx) \cos^2(c + dx)}{3a^2d(\cos(c + dx) + 1)} - \frac{(4A - 7B) \sin(c + dx) \cos(c + dx)}{2a^2d} - \frac{x(4A - 7B)}{2a^2} + \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^3\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^2,x]

[Out] -((4\*A - 7\*B)\*x)/(2\*a^2) + (2\*(5\*A - 8\*B)\*Sin[c + d\*x])/(3\*a^2\*d) - ((4\*A - 7\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*a^2\*d) + ((5\*A - 8\*B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(3\*a^2\*d\*(1 + Cos[c + d\*x])) + ((A - B)\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(3\*d\*(a + a\*Cos[c + d\*x])^2)

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])\*(x\_), x\_Symbol] := Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^2} dx &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{\int \frac{\cos^2(c+dx)(3a(A-B)-a(2A-5B)\cos(c+dx))}{a+a\cos(c+dx)} dx}{3a^2} \\ &= \frac{(5A-8B)\cos^2(c+dx)\sin(c+dx)}{3a^2d(1+\cos(c+dx))} + \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{\int \cos^2(c+dx) dx}{3a^2} \\ &= -\frac{(4A-7B)x}{2a^2} + \frac{2(5A-8B)\sin(c+dx)}{3a^2d} - \frac{(4A-7B)\cos(c+dx)\sin(c+dx)}{2a^2d} + \frac{\int \cos^2(c+dx) dx}{3a^2} \end{aligned}$$

**Mathematica [B]** time = 0.756869, size = 315, normalized size = 2.14

$$\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(-36dx(4A-7B)\cos\left(c+\frac{dx}{2}\right)-36dx(4A-7B)\cos\left(\frac{dx}{2}\right)-120A\sin\left(c+\frac{dx}{2}\right)+164A\sin\left(c+\frac{3dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^3\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^2,x]

[Out] (Cos[(c + d\*x)/2]\*Sec[c/2]\*(-36\*(4\*A - 7\*B)\*d\*x\*Cos[(d\*x)/2] - 36\*(4\*A - 7\*B)\*d\*x\*Cos[c + (d\*x)/2] - 48\*A\*d\*x\*Cos[c + (3\*d\*x)/2] + 84\*B\*d\*x\*Cos[c + (3\*d\*x)/2] - 48\*A\*d\*x\*Cos[2\*c + (3\*d\*x)/2] + 84\*B\*d\*x\*Cos[2\*c + (3\*d\*x)/2] + 264\*A\*Sin[(d\*x)/2] - 381\*B\*Sin[(d\*x)/2] - 120\*A\*Sin[c + (d\*x)/2] + 147\*B\*Sin[c + (d\*x)/2] + 164\*A\*Sin[c + (3\*d\*x)/2] - 239\*B\*Sin[c + (3\*d\*x)/2] + 36\*A\*Sin[2\*c + (3\*d\*x)/2] - 63\*B\*Sin[2\*c + (3\*d\*x)/2] + 12\*A\*Sin[2\*c + (5\*d\*x)/2] - 15\*B\*Sin[2\*c + (5\*d\*x)/2] + 12\*A\*Sin[3\*c + (5\*d\*x)/2] - 15\*B\*Sin[3\*c + (5\*d\*x)/2] + 3\*B\*Sin[3\*c + (7\*d\*x)/2] + 3\*B\*Sin[4\*c + (7\*d\*x)/2]))/(48\*a^2\*d\*(1 + Cos[c + d\*x])^2)

**Maple [A]** time = 0.061, size = 252, normalized size = 1.7

$$-\frac{A}{6a^2d}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3+\frac{B}{6a^2d}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3+\frac{5A}{2a^2d}\tan\left(\frac{dx}{2}+\frac{c}{2}\right)-\frac{7B}{2a^2d}\tan\left(\frac{dx}{2}+\frac{c}{2}\right)-5\frac{B(\tan(1/2dx+\frac{c}{2}))^3}{a^2d(1+(\tan(1/2dx+\frac{c}{2}))^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^2,x)

[Out] -1/6/d/a^2\*tan(1/2\*d\*x+1/2\*c)^3\*A+1/6/d/a^2\*B\*tan(1/2\*d\*x+1/2\*c)^3+5/2/d/a^2\*A\*tan(1/2\*d\*x+1/2\*c)-7/2/d/a^2\*B\*tan(1/2\*d\*x+1/2\*c)-5/d/a^2/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*B\*tan(1/2\*d\*x+1/2\*c)^3+2/d/a^2/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*tan(1/2\*d\*x+1/2\*c)^3\*A-3/d/a^2/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*B\*tan(1/2\*d\*x+1/2\*c)+2/d/a^2/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*A\*tan(1/2\*d\*x+1/2\*c)-4/d/a^2\*arctan(tan(1/2\*d\*x+1/2\*c))\*A+7/d/a^2\*arctan(tan(1/2\*d\*x+1/2\*c))\*B

**Maxima [B]** time = 1.95323, size = 382, normalized size = 2.6

$$B\left(\frac{6\left(\frac{3\sin(dx+c)}{\cos(dx+c)+1}+\frac{5\sin(dx+c)^3}{(\cos(dx+c)+1)^3}\right)}{a^2+\frac{2a^2\sin(dx+c)^2}{(\cos(dx+c)+1)^2}+\frac{a^2\sin(dx+c)^4}{(\cos(dx+c)+1)^4}}+\frac{21\sin(dx+c)}{\cos(dx+c)+1}-\frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}-\frac{42\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2}\right)-A\left(\frac{15\sin(dx+c)}{\cos(dx+c)+1}-\frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}-\frac{24\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2}\right)$$

6d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] -1/6*(B*(6*(3*sin(d*x + c)/(cos(d*x + c) + 1) + 5*sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/(a^2 + 2*a^2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + a^2*sin(d*x + c)^4/(cos(d*x + c) + 1)^4) + (21*sin(d*x + c)/(cos(d*x + c) + 1) - sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - 42*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^2) - A*((15*sin(d*x + c)/(cos(d*x + c) + 1) - sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/a^2 - 24*arctan(sin(d*x + c)/(cos(d*x + c) + 1))/a^2 + 12*sin(d*x + c)/((a^2 + a^2*sin(d*x + c)^2/(cos(d*x + c) + 1)^2)*(cos(d*x + c) + 1))))/d
```

---

**Fricas [A]** time = 1.38781, size = 343, normalized size = 2.33

$$\frac{3(4A - 7B)dx \cos(dx + c)^2 + 6(4A - 7B)dx \cos(dx + c) + 3(4A - 7B)dx - (3B \cos(dx + c)^3 + 6(A - B) \cos(dx + c)^2 + 2(2A - 43B) \cos(dx + c) + 20A - 32B) \sin(dx + c)}{6(a^2d \cos(dx + c)^2 + 2a^2d \cos(dx + c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="fricas")
```

```
[Out] -1/6*(3*(4*A - 7*B)*d*x*cos(d*x + c)^2 + 6*(4*A - 7*B)*d*x*cos(d*x + c) + 3*(4*A - 7*B)*d*x - (3*B*cos(d*x + c)^3 + 6*(A - B)*cos(d*x + c)^2 + (28*A - 43*B)*cos(d*x + c) + 20*A - 32*B)*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)
```

---

**Sympy [A]** time = 12.3027, size = 843, normalized size = 5.73

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**2,x)
```

```
[Out] Piecewise((-12*A*d*x*tan(c/2 + d*x/2)**4/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 24*A*d*x*tan(c/2 + d*x/2)**2/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 12*A*d*x/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - A*tan(c/2 + d*x/2)**7/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 13*A*tan(c/2 + d*x/2)**5/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 41*A*tan(c/2 + d*x/2)**3/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 27*A*tan(c/2 + d*x/2)/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 21*B*d*x*tan(c/2 + d*x/2)**4/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 42*B*d*x*tan(c/2 + d*x/2)**2/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 21*B*d*x/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + B*tan(c/2 + d*x/2)**7/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 19*B*tan(c/2 + d*x/2)**5/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 7
```

```
1*B*tan(c/2 + d*x/2)**3/(6*a**2*d*tan(c/2 + d*x/2)**4 + 12*a**2*d*tan(c/2 +
d*x/2)**2 + 6*a**2*d) - 39*B*tan(c/2 + d*x/2)/(6*a**2*d*tan(c/2 + d*x/2)**
4 + 12*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d), Ne(d, 0)), (x*(A + B*cos(c))
*cos(c)**3/(a*cos(c) + a)**2, True))
```

**Giac [A]** time = 1.24459, size = 221, normalized size = 1.5

$$\frac{3(dx+c)(4A-7B)}{a^2} - \frac{6\left(2A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 5B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 2A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) - 3B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 + 1\right)^2 a^2} + \frac{Aa^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - Ba^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 15Aa^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) + 21Ba^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a^6}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="giac")
```

```
[Out] -1/6*(3*(d*x + c)*(4*A - 7*B)/a^2 - 6*(2*A*tan(1/2*d*x + 1/2*c)^3 - 5*B*tan(1/2*d*x + 1/2*c)^3 + 2*A*tan(1/2*d*x + 1/2*c) - 3*B*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*a^2) + (A*a^4*tan(1/2*d*x + 1/2*c)^3 - B*a^4*tan(1/2*d*x + 1/2*c)^3 - 15*A*a^4*tan(1/2*d*x + 1/2*c) + 21*B*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d
```

$$3.49 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=99

$$-\frac{(A-4B)\sin(c+dx)}{3a^2d} - \frac{(A-2B)\sin(c+dx)}{a^2d(\cos(c+dx)+1)} + \frac{x(A-2B)}{a^2} + \frac{(A-B)\sin(c+dx)\cos^2(c+dx)}{3d(a\cos(c+dx)+a)^2}$$

[Out] ((A - 2\*B)\*x)/a^2 - ((A - 4\*B)\*Sin[c + d\*x])/(3\*a^2\*d) - ((A - 2\*B)\*Sin[c + d\*x])/(a^2\*d\*(1 + Cos[c + d\*x])) + ((A - B)\*Cos[c + d\*x]^2\*Ssin[c + d\*x])/(3\*d\*(a + a\*cos[c + d\*x])^2)

**Rubi [A]** time = 0.275746, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2977, 2968, 3023, 12, 2735, 2648}

$$-\frac{(A-4B)\sin(c+dx)}{3a^2d} - \frac{(A-2B)\sin(c+dx)}{a^2d(\cos(c+dx)+1)} + \frac{x(A-2B)}{a^2} + \frac{(A-B)\sin(c+dx)\cos^2(c+dx)}{3d(a\cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^2\*(A + B\*cos[c + d\*x]))/(a + a\*cos[c + d\*x])^2,x]

[Out] ((A - 2\*B)\*x)/a^2 - ((A - 4\*B)\*Sin[c + d\*x])/(3\*a^2\*d) - ((A - 2\*B)\*Sin[c + d\*x])/(a^2\*d\*(1 + Cos[c + d\*x])) + ((A - B)\*Cos[c + d\*x]^2\*Ssin[c + d\*x])/(3\*d\*(a + a\*cos[c + d\*x])^2)

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Ssin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Ssin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)^2], x\_Symbol] :> -Simp[(C\*cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Ssin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

### Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

### Rule 2648

```
Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] := -Simp[Cos[c + d*x]/(d*(b + a*Sin[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^2} dx &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{\cos(c+dx)(2a(A-B)-a(A-4B) \cos(c+dx))}{a+a \cos(c+dx)} dx}{3a^2} \\ &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{2a(A-B) \cos(c+dx)-a(A-4B) \cos^2(c+dx)}{a+a \cos(c+dx)} dx}{3a^2} \\ &= -\frac{(A - 4B) \sin(c + dx)}{3a^2d} + \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{3a^2(A-2B) \cos(c+dx)}{a+a \cos(c+dx)} dx}{3a^3} \\ &= -\frac{(A - 4B) \sin(c + dx)}{3a^2d} + \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{(A - 2B) \int \frac{\cos(c+dx)}{a+a \cos(c+dx)} dx}{a} \\ &= \frac{(A - 2B)x}{a^2} - \frac{(A - 4B) \sin(c + dx)}{3a^2d} + \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} - \frac{(A - 2B) \operatorname{arctan}\left(\frac{\tan\left(\frac{c+dx}{2}\right)}{a + \cos\left(\frac{c+dx}{2}\right)}\right)}{d} \\ &= \frac{(A - 2B)x}{a^2} - \frac{(A - 4B) \sin(c + dx)}{3a^2d} + \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} - \frac{(A - 2B) \operatorname{arctan}\left(\frac{\tan\left(\frac{c+dx}{2}\right)}{a + \cos\left(\frac{c+dx}{2}\right)}\right)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.677156, size = 137, normalized size = 1.38

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left(6 \cos^3\left(\frac{1}{2}(c + dx)\right) (dx(A - 2B) + B \sin(c + dx)) + (A - B) \tan\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) + (A - B) \sec\left(\frac{c}{2}\right) \sin\left(\frac{1}{2}(c + dx)\right)\right)}{3a^2d(\cos(c + dx) + 1)^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^2,x]
```

```
[Out] (2*Cos[(c + d*x)/2]*((A - B)*Sec[c/2]*Sin[(d*x)/2] - 2*(5*A - 8*B)*Cos[(c + d*x)/2]^2*Sec[c/2]*Sin[(d*x)/2] + 6*Cos[(c + d*x)/2]^3*((A - 2*B)*d*x + B*Sin[c + d*x]) + (A - B)*Cos[(c + d*x)/2]*Tan[c/2]))/(3*a^2*d*(1 + Cos[c + d*x])^2)
```

**Maple [A]** time = 0.079, size = 149, normalized size = 1.5

$$\frac{A}{6a^2d} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{B}{6a^2d} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{3A}{2a^2d} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{5B}{2a^2d} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 2 \frac{B \tan(1/2 dx + c/2)}{a^2d(1 + (\tan(1/2 dx + c/2))^2)}$$



Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(dx+c)^2*(A+B*\cos(dx+c))/(a+\cos(dx+c)*a)^2,x)$

[Out]  $\frac{1}{6}d/a^2*\tan(1/2*d*x+1/2*c)^3*A-1/6/d/a^2*B*\tan(1/2*d*x+1/2*c)^3-3/2/d/a^2*A*\tan(1/2*d*x+1/2*c)+5/2/d/a^2*B*\tan(1/2*d*x+1/2*c)+2/d/a^2*B*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)+2/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))*A-4/d/a^2*\arctan(\tan(1/2*d*x+1/2*c))*B$

**Maxima [B]** time = 1.89457, size = 258, normalized size = 2.61

$$\frac{B \left( \frac{15 \sin(dx+c) - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{24 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} + \frac{12 \sin(dx+c)}{\left(a^2 + \frac{a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} \right) - A \left( \frac{9 \sin(dx+c) - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{12 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2} \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)^2*(A+B*\cos(dx+c))/(a+a*\cos(dx+c))^2,x, \text{algorithm}="maxima")$

[Out]  $\frac{1}{6}*(B*((15*\sin(dx+c)/(\cos(dx+c)+1) - \sin(dx+c)^3/(\cos(dx+c)+1)^3)/a^2 - 24*\arctan(\sin(dx+c)/(\cos(dx+c)+1))/a^2 + 12*\sin(dx+c)/((a^2 + a^2*\sin(dx+c)^2/(\cos(dx+c)+1)^2)*(\cos(dx+c)+1))) - A*((9*\sin(dx+c)/(\cos(dx+c)+1) - \sin(dx+c)^3/(\cos(dx+c)+1)^3)/a^2 - 12*\arctan(\sin(dx+c)/(\cos(dx+c)+1))/a^2))/d$

**Fricas [A]** time = 1.36591, size = 294, normalized size = 2.97

$$\frac{3(A-2B)dx \cos(dx+c)^2 + 6(A-2B)dx \cos(dx+c) + 3(A-2B)dx + (3B \cos(dx+c)^2 - (5A-14B) \cos(dx+c) - 4A + 10B) \sin(dx+c)}{3(a^2d \cos(dx+c)^2 + 2a^2d \cos(dx+c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)^2*(A+B*\cos(dx+c))/(a+a*\cos(dx+c))^2,x, \text{algorithm}="fricas")$

[Out]  $\frac{1}{3}*(3*(A-2*B)*d*x*\cos(dx+c)^2 + 6*(A-2*B)*d*x*\cos(dx+c) + 3*(A-2*B)*d*x + (3*B*\cos(dx+c)^2 - (5*A-14*B)*\cos(dx+c) - 4*A + 10*B)*\sin(dx+c))/(a^2*d*\cos(dx+c)^2 + 2*a^2*d*\cos(dx+c) + a^2*d)$

**Sympy [A]** time = 7.01014, size = 411, normalized size = 4.15

$$\frac{\left\{ \begin{array}{l} \frac{6Adx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} + \frac{6Adx}{6a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} + \frac{A \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} - \frac{8A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} - \frac{9A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} - \frac{12Bdx}{6a^2d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 6a^2d} \\ \frac{x(A+B \cos(c)) \cos^2(c)}{(a \cos(c)+a)^2} \end{array} \right.}{(a \cos(c)+a)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)**2*(A+B*\cos(dx+c))/(a+a*\cos(dx+c))**2,x)$

```
[Out] Piecewise((6*A*d*x*tan(c/2 + d*x/2)**2/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 6*A*d*x/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + A*tan(c/2 + d*x/2)**5/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 8*A*tan(c/2 + d*x/2)**3/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 9*A*tan(c/2 + d*x/2)/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 12*B*d*x*tan(c/2 + d*x/2)**2/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - 12*B*d*x/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) - B*tan(c/2 + d*x/2)**5/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 14*B*tan(c/2 + d*x/2)**3/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d) + 27*B*tan(c/2 + d*x/2)/(6*a**2*d*tan(c/2 + d*x/2)**2 + 6*a**2*d), Ne(d, 0)), (x*(A + B*cos(c))*cos(c)**2/(a*cos(c) + a)**2, True))
```

**Giac [A]** time = 1.26666, size = 161, normalized size = 1.63

$$\frac{\frac{6(dx+c)(A-2B)}{a^2} + \frac{12B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)a^2} + \frac{Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 9Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 15Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^6}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="giac")
```

```
[Out] 1/6*(6*(d*x + c)*(A - 2*B)/a^2 + 12*B*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a^2) + (A*a^4*tan(1/2*d*x + 1/2*c)^3 - B*a^4*tan(1/2*d*x + 1/2*c)^3 - 9*A*a^4*tan(1/2*d*x + 1/2*c) + 15*B*a^4*tan(1/2*d*x + 1/2*c))/a^6)/d
```

$$3.50 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=70

$$\frac{(2A-5B) \sin(c+dx)}{3a^2 d (\cos(c+dx)+1)} + \frac{Bx}{a^2} - \frac{(A-B) \sin(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

[Out] (B\*x)/a^2 + ((2\*A - 5\*B)\*Sin[c + d\*x])/(3\*a^2\*d\*(1 + Cos[c + d\*x])) - ((A - B)\*Sin[c + d\*x])/(3\*d\*(a + a\*cos[c + d\*x])^2)

**Rubi [A]** time = 0.155169, antiderivative size = 70, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$ , Rules used = {2968, 3019, 2735, 2648}

$$\frac{(2A-5B) \sin(c+dx)}{3a^2 d (\cos(c+dx)+1)} + \frac{Bx}{a^2} - \frac{(A-B) \sin(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^2,x]

[Out] (B\*x)/a^2 + ((2\*A - 5\*B)\*Sin[c + d\*x])/(3\*a^2\*d\*(1 + Cos[c + d\*x])) - ((A - B)\*Sin[c + d\*x])/(3\*d\*(a + a\*Cos[c + d\*x])^2)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3019

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2), x\_Symbol] := Simp[((A\*b - a\*B + b\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[a\*A\*(m + 1) + m\*(b\*B - a\*C) + b\*C\*(2\*m + 1)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2648

Int[((a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^2} dx &= \int \frac{A\cos(c+dx)+B\cos^2(c+dx)}{(a+a\cos(c+dx))^2} dx \\
&= -\frac{(A-B)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} - \frac{\int \frac{-2a(A-B)-3aB\cos(c+dx)}{a+a\cos(c+dx)} dx}{3a^2} \\
&= \frac{Bx}{a^2} - \frac{(A-B)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{(2A-5B)\int \frac{1}{a+a\cos(c+dx)} dx}{3a} \\
&= \frac{Bx}{a^2} - \frac{(A-B)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{(2A-5B)\sin(c+dx)}{3d(a^2+a^2\cos(c+dx))}
\end{aligned}$$

**Mathematica [B]** time = 0.333466, size = 153, normalized size = 2.19

$$\frac{\sec\left(\frac{c}{2}\right)\sec^3\left(\frac{1}{2}(c+dx)\right)\left(-6A\sin\left(c+\frac{dx}{2}\right)+4A\sin\left(c+\frac{3dx}{2}\right)+6A\sin\left(\frac{dx}{2}\right)+12B\sin\left(c+\frac{dx}{2}\right)-10B\sin\left(c+\frac{3dx}{2}\right)+9B\sin\left(\frac{dx}{2}\right)\right)}{24a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^2,x]

[Out] (Sec[c/2]\*Sec[(c + d\*x)/2]^3\*(9\*B\*d\*x\*Cos[(d\*x)/2] + 9\*B\*d\*x\*Cos[c + (d\*x)/2] + 3\*B\*d\*x\*Cos[c + (3\*d\*x)/2] + 3\*B\*d\*x\*Cos[2\*c + (3\*d\*x)/2] + 6\*A\*Sin[(d\*x)/2] - 18\*B\*Sin[(d\*x)/2] - 6\*A\*Sin[c + (d\*x)/2] + 12\*B\*Sin[c + (d\*x)/2] + 4\*A\*Sin[c + (3\*d\*x)/2] - 10\*B\*Sin[c + (3\*d\*x)/2]))/(24\*a^2\*d)

**Maple [A]** time = 0.052, size = 97, normalized size = 1.4

$$-\frac{A}{6a^2d}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3+\frac{B}{6a^2d}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3+\frac{A}{2a^2d}\tan\left(\frac{dx}{2}+\frac{c}{2}\right)-\frac{3B}{2a^2d}\tan\left(\frac{dx}{2}+\frac{c}{2}\right)+2\frac{\arctan\left(\tan\left(\frac{1}{2}dx+\frac{c}{2}\right)\right)}{a^2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^2,x)

[Out] -1/6/d/a^2\*tan(1/2\*d\*x+1/2\*c)^3\*A+1/6/d/a^2\*B\*tan(1/2\*d\*x+1/2\*c)^3+1/2/d/a^2\*A\*tan(1/2\*d\*x+1/2\*c)-3/2/d/a^2\*B\*tan(1/2\*d\*x+1/2\*c)+2/d/a^2\*arctan(tan(1/2\*d\*x+1/2\*c))\*B

**Maxima [A]** time = 1.8467, size = 162, normalized size = 2.31

$$\frac{B\left(\frac{9\sin(dx+c)}{\cos(dx+c)+1}-\frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}-\frac{12\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^2}\right)-\frac{A\left(\frac{3\sin(dx+c)}{\cos(dx+c)+1}-\frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}\right)}{a^2}}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out]  $-1/6*(B*((9*\sin(dx + c))/(\cos(dx + c) + 1) - \sin(dx + c)^3/(\cos(dx + c) + 1)^3)/a^2 - 12*\arctan(\sin(dx + c)/(\cos(dx + c) + 1))/a^2) - A*(3*\sin(dx + c)/(\cos(dx + c) + 1) - \sin(dx + c)^3/(\cos(dx + c) + 1)^3)/a^2)/d$

**Fricas [A]** time = 1.35865, size = 228, normalized size = 3.26

$$\frac{3 B dx \cos(dx + c)^2 + 6 B dx \cos(dx + c) + 3 B dx + ((2 A - 5 B) \cos(dx + c) + A - 4 B) \sin(dx + c)}{3 (a^2 d \cos(dx + c)^2 + 2 a^2 d \cos(dx + c) + a^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)*(A+B*cos(dx+c))/(a+a*cos(dx+c))^2,x, algorithm="fricas")`

[Out]  $1/3*(3*B*d*x*\cos(dx + c)^2 + 6*B*d*x*\cos(dx + c) + 3*B*d*x + ((2*A - 5*B)*\cos(dx + c) + A - 4*B)*\sin(dx + c))/(a^2*d*\cos(dx + c)^2 + 2*a^2*d*\cos(dx + c) + a^2*d)$

**Sympy [A]** time = 3.51063, size = 105, normalized size = 1.5

$$\begin{cases} -\frac{A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d} + \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{2a^2d} + \frac{Bx}{a^2} + \frac{B \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d} - \frac{3B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{2a^2d} & \text{for } d \neq 0 \\ \frac{x(A+B \cos(c)) \cos(c)}{(a \cos(c)+a)^2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)*(A+B*cos(dx+c))/(a+a*cos(dx+c))**2,x)`

[Out] `Piecewise((-A*tan(c/2 + dx/2)**3/(6*a**2*d) + A*tan(c/2 + dx/2)/(2*a**2*d) + B*x/a**2 + B*tan(c/2 + dx/2)**3/(6*a**2*d) - 3*B*tan(c/2 + dx/2)/(2*a**2*d), Ne(d, 0)), (x*(A + B*cos(c))*cos(c)/(a*cos(c) + a)**2, True))`

**Giac [A]** time = 1.2418, size = 116, normalized size = 1.66

$$\frac{6(dx+c)B}{a^2} - \frac{Aa^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Ba^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 3Aa^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 9Ba^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)*(A+B*cos(dx+c))/(a+a*cos(dx+c))^2,x, algorithm="giac")`

[Out]  $1/6*(6*(dx + c)*B/a^2 - (A*a^4*\tan(1/2*d*x + 1/2*c)^3 - B*a^4*\tan(1/2*d*x + 1/2*c)^3 - 3*A*a^4*\tan(1/2*d*x + 1/2*c) + 9*B*a^4*\tan(1/2*d*x + 1/2*c))/a^6)/d$

$$3.51 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=65

$$\frac{(A+2B) \sin(c+dx)}{3d(a^2 \cos(c+dx)+a^2)} + \frac{(A-B) \sin(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

[Out] ((A - B)\*Sin[c + d\*x])/(3\*d\*(a + a\*Cos[c + d\*x])^2) + ((A + 2\*B)\*Sin[c + d\*x])/(3\*d\*(a^2 + a^2\*Cos[c + d\*x]))

**Rubi [A]** time = 0.0537473, antiderivative size = 65, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {2750, 2648}

$$\frac{(A+2B) \sin(c+dx)}{3d(a^2 \cos(c+dx)+a^2)} + \frac{(A-B) \sin(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(a + a\*Cos[c + d\*x])^2,x]

[Out] ((A - B)\*Sin[c + d\*x])/(3\*d\*(a + a\*Cos[c + d\*x])^2) + ((A + 2\*B)\*Sin[c + d\*x])/(3\*d\*(a^2 + a^2\*Cos[c + d\*x]))

#### Rule 2750

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Ssin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^2} dx &= \frac{(A-B) \sin(c+dx)}{3d(a+a \cos(c+dx))^2} + \frac{(A+2B) \int \frac{1}{a+a \cos(c+dx)} dx}{3a} \\ &= \frac{(A-B) \sin(c+dx)}{3d(a+a \cos(c+dx))^2} + \frac{(A+2B) \sin(c+dx)}{3d(a^2+a^2 \cos(c+dx))} \end{aligned}$$

**Mathematica [A]** time = 0.168725, size = 76, normalized size = 1.17

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c+dx)\right) \left( (A+2B) \sin\left(c+\frac{3dx}{2}\right) + 3(A+B) \sin\left(\frac{dx}{2}\right) - 3B \sin\left(c+\frac{dx}{2}\right) \right)}{3a^2d(\cos(c+dx)+1)^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(a + a\*Cos[c + d\*x])^2,x]

[Out] (Cos[(c + d\*x)/2]\*Sec[c/2]\*(3\*(A + B)\*Sin[(d\*x)/2] - 3\*B\*Sin[c + (d\*x)/2] + (A + 2\*B)\*Sin[c + (3\*d\*x)/2]))/(3\*a^2\*d\*(1 + Cos[c + d\*x])^2)

**Maple [A]** time = 0.045, size = 60, normalized size = 0.9

$$\frac{1}{2a^2d} \left( \frac{A}{3} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{B}{3} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + B \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^2,x)

[Out] 1/2/d/a^2\*(1/3\*tan(1/2\*d\*x+1/2\*c)^3\*A-1/3\*B\*tan(1/2\*d\*x+1/2\*c)^3+A\*tan(1/2\*d\*x+1/2\*c)+B\*tan(1/2\*d\*x+1/2\*c))

**Maxima [A]** time = 1.2343, size = 126, normalized size = 1.94

$$\frac{A \left( \frac{3 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2} + \frac{B \left( \frac{3 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2}$$

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] 1/6\*(A\*(3\*sin(d\*x + c)/(cos(d\*x + c) + 1) + sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/a^2 + B\*(3\*sin(d\*x + c)/(cos(d\*x + c) + 1) - sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/a^2)/d

**Fricas [A]** time = 1.36321, size = 144, normalized size = 2.22

$$\frac{((A + 2B) \cos(dx + c) + 2A + B) \sin(dx + c)}{3(a^2d \cos(dx + c)^2 + 2a^2d \cos(dx + c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 1/3\*((A + 2\*B)\*cos(d\*x + c) + 2\*A + B)\*sin(d\*x + c)/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**Sympy [A]** time = 2.85249, size = 94, normalized size = 1.45

$$\begin{cases} \frac{A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d} + \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{2a^2d} - \frac{B \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^2d} + \frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{2a^2d} & \text{for } d \neq 0 \\ \frac{x(A+B \cos(c))}{(a \cos(c)+a)^2} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*2,x)

[Out] Piecewise((A\*tan(c/2 + d\*x/2)\*\*3/(6\*a\*\*2\*d) + A\*tan(c/2 + d\*x/2)/(2\*a\*\*2\*d) - B\*tan(c/2 + d\*x/2)\*\*3/(6\*a\*\*2\*d) + B\*tan(c/2 + d\*x/2)/(2\*a\*\*2\*d), Ne(d, 0)), (x\*(A + B\*cos(c))/(a\*cos(c) + a)\*\*2, True))

**Giac [A]** time = 1.21363, size = 81, normalized size = 1.25

$$\frac{A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 3 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 3 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{6 a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] 1/6\*(A\*tan(1/2\*d\*x + 1/2\*c)^3 - B\*tan(1/2\*d\*x + 1/2\*c)^3 + 3\*A\*tan(1/2\*d\*x + 1/2\*c) + 3\*B\*tan(1/2\*d\*x + 1/2\*c))/(a^2\*d)



$$3.52 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=79

$$-\frac{(4A-B) \sin(c+dx)}{3a^2d(\cos(c+dx)+1)} + \frac{A \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(A-B) \sin(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

[Out] (A\*ArcTanh[Sin[c + d\*x]])/(a^2\*d) - ((4\*A - B)\*Sin[c + d\*x])/(3\*a^2\*d\*(1 + Cos[c + d\*x])) - ((A - B)\*Sin[c + d\*x])/(3\*d\*(a + a\*Cos[c + d\*x])^2)

**Rubi [A]** time = 0.179628, antiderivative size = 79, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {2978, 12, 3770}

$$-\frac{(4A-B) \sin(c+dx)}{3a^2d(\cos(c+dx)+1)} + \frac{A \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(A-B) \sin(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + a\*Cos[c + d\*x])^2,x]

[Out] (A\*ArcTanh[Sin[c + d\*x]])/(a^2\*d) - ((4\*A - B)\*Sin[c + d\*x])/(3\*a^2\*d\*(1 + Cos[c + d\*x])) - ((A - B)\*Sin[c + d\*x])/(3\*d\*(a + a\*Cos[c + d\*x])^2)

#### Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

#### Rule 3770

```
Int[csc[(c_) + (d_)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + a \cos(c + dx))^2} dx &= -\frac{(A - B) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{(3aA - a(A - B) \cos(c + dx)) \sec(c + dx)}{a + a \cos(c + dx)} dx}{3a^2} \\
&= -\frac{(4A - B) \sin(c + dx)}{3a^2 d(1 + \cos(c + dx))} - \frac{(A - B) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int 3a^2 A \sec(c + dx) dx}{3a^4} \\
&= -\frac{(4A - B) \sin(c + dx)}{3a^2 d(1 + \cos(c + dx))} - \frac{(A - B) \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{A \int \sec(c + dx) dx}{a^2} \\
&= \frac{A \tanh^{-1}(\sin(c + dx))}{a^2 d} - \frac{(4A - B) \sin(c + dx)}{3a^2 d(1 + \cos(c + dx))} - \frac{(A - B) \sin(c + dx)}{3d(a + a \cos(c + dx))^2}
\end{aligned}$$

**Mathematica [B]** time = 0.487366, size = 170, normalized size = 2.15

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left( (A - B) \tan\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) + (A - B) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + 2(4A - B) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) \cos^2\left(\frac{1}{2}(c + dx)\right) \right)}{3a^2 d(\cos(c + dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + a\*Cos[c + d\*x])^2,x]

[Out] (-2\*Cos[(c + d\*x)/2]\*(6\*A\*Cos[(c + d\*x)/2]^3\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + (A - B)\*Sec[c/2]\*Sin[(d\*x)/2] + 2\*(4\*A - B)\*Cos[(c + d\*x)/2]^2\*Sec[c/2]\*Sin[(d\*x)/2] + (A - B)\*Cos[(c + d\*x)/2]\*Tan[c/2])/(3\*a^2\*d\*(1 + Cos[c + d\*x])^2)

**Maple [A]** time = 0.082, size = 119, normalized size = 1.5

$$-\frac{A}{6a^2d} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{B}{6a^2d} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{3A}{2a^2d} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{B}{2a^2d} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{A}{a^2d} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+cos(d\*x+c)\*a)^2,x)

[Out] -1/6/d/a^2\*tan(1/2\*d\*x+1/2\*c)^3\*A+1/6/d/a^2\*B\*tan(1/2\*d\*x+1/2\*c)^3-3/2/d/a^2\*A\*tan(1/2\*d\*x+1/2\*c)+1/2/d/a^2\*B\*tan(1/2\*d\*x+1/2\*c)-1/d/a^2\*A\*ln(tan(1/2\*d\*x+1/2\*c)-1)+1/d/a^2\*A\*ln(tan(1/2\*d\*x+1/2\*c)+1)

**Maxima [A]** time = 1.26967, size = 196, normalized size = 2.48

$$\frac{A \left( \frac{9 \sin(dx+c) + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{6 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{6 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} \right) - \frac{B \left( \frac{3 \sin(dx+c) + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out]  $-1/6*(A*((9*\sin(dx + c)/(\cos(dx + c) + 1) + \sin(dx + c)^3/(\cos(dx + c) + 1)^3)/a^2 - 6*\log(\sin(dx + c)/(\cos(dx + c) + 1) + 1)/a^2 + 6*\log(\sin(dx + c)/(\cos(dx + c) + 1) - 1)/a^2) - B*(3*\sin(dx + c)/(\cos(dx + c) + 1) + \sin(dx + c)^3/(\cos(dx + c) + 1)^3)/a^2)/d$

**Fricas [A]** time = 1.37993, size = 338, normalized size = 4.28

$$\frac{3(A \cos(dx + c)^2 + 2A \cos(dx + c) + A) \log(\sin(dx + c) + 1) - 3(A \cos(dx + c)^2 + 2A \cos(dx + c) + A) \log(-\sin(dx + c) + 1) - 2((4A - B) \cos(dx + c) + 5A - 2B) \sin(dx + c)}{6(a^2 d \cos(dx + c)^2 + 2a^2 d \cos(dx + c) + a^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(dx+c))*sec(dx+c)/(a+a*cos(dx+c))^2,x, algorithm="fricas")`

[Out]  $1/6*(3*(A*\cos(dx + c)^2 + 2*A*\cos(dx + c) + A)*\log(\sin(dx + c) + 1) - 3*(A*\cos(dx + c)^2 + 2*A*\cos(dx + c) + A)*\log(-\sin(dx + c) + 1) - 2*((4*A - B)*\cos(dx + c) + 5*A - 2*B)*\sin(dx + c))/(a^2*d*\cos(dx + c)^2 + 2*a^2*d*\cos(dx + c) + a^2*d)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec(c+dx)}{\cos^2(c+dx)+2\cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec(c+dx)}{\cos^2(c+dx)+2\cos(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(dx+c))*sec(dx+c)/(a+a*cos(dx+c))^2,x)`

[Out]  $(\text{Integral}(A*\sec(c + dx)/(\cos(c + dx)**2 + 2*\cos(c + dx) + 1), x) + \text{Integral}(B*\cos(c + dx)*\sec(c + dx)/(\cos(c + dx)**2 + 2*\cos(c + dx) + 1), x))/a**2$

**Giac [A]** time = 1.23498, size = 153, normalized size = 1.94

$$\frac{6A \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{a^2} - \frac{6A \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{a^2} - \frac{Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 9Aa^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 3Ba^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{6d a^6}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(dx+c))*sec(dx+c)/(a+a*cos(dx+c))^2,x, algorithm="giac")`

[Out]  $1/6*(6*A*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^2 - 6*A*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^2 - (A*a^4*\tan(1/2*d*x + 1/2*c)^3 - B*a^4*\tan(1/2*d*x + 1/2*c)^3 + 9*A*a^4*\tan(1/2*d*x + 1/2*c) - 3*B*a^4*\tan(1/2*d*x + 1/2*c))/a^6)/d$

### 3.53 $\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^2} dx$

**Optimal.** Leaf size=107

$$\frac{2(5A-2B) \tan(c+dx)}{3a^2d} - \frac{(2A-B) \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(2A-B) \tan(c+dx)}{a^2d(\cos(c+dx)+1)} - \frac{(A-B) \tan(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

[Out] -(((2\*A - B)\*ArcTanh[Sin[c + d\*x]])/(a^2\*d)) + (2\*(5\*A - 2\*B)\*Tan[c + d\*x])/(3\*a^2\*d) - ((2\*A - B)\*Tan[c + d\*x])/(a^2\*d\*(1 + Cos[c + d\*x])) - ((A - B)\*Tan[c + d\*x])/(3\*d\*(a + a\*Cos[c + d\*x])^2)

**Rubi [A]** time = 0.295281, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2978, 2748, 3767, 8, 3770}

$$\frac{2(5A-2B) \tan(c+dx)}{3a^2d} - \frac{(2A-B) \tanh^{-1}(\sin(c+dx))}{a^2d} - \frac{(2A-B) \tan(c+dx)}{a^2d(\cos(c+dx)+1)} - \frac{(A-B) \tan(c+dx)}{3d(a \cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(a + a\*Cos[c + d\*x])^2,x]

[Out] -(((2\*A - B)\*ArcTanh[Sin[c + d\*x]])/(a^2\*d)) + (2\*(5\*A - 2\*B)\*Tan[c + d\*x])/(3\*a^2\*d) - ((2\*A - B)\*Tan[c + d\*x])/(a^2\*d\*(1 + Cos[c + d\*x])) - ((A - B)\*Tan[c + d\*x])/(3\*d\*(a + a\*Cos[c + d\*x])^2)

#### Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

#### Rule 3767

```
Int[csc[(c_) + (d_)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]
```

#### Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

#### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + a \cos(c + dx))^2} dx &= \frac{(A - B) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{(a(4A-B) - 2a(A-B) \cos(c+dx)) \sec^2(c+dx)}{a+a \cos(c+dx)} dx}{3a^2} \\ &= \frac{(2A - B) \tan(c + dx)}{a^2 d (1 + \cos(c + dx))} - \frac{(A - B) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int (2a^2(5A - 2B) - 3a^2(2A - B) \tan(c + dx)) \sec^2(c + dx)}{3a^2} \\ &= \frac{(2A - B) \tan(c + dx)}{a^2 d (1 + \cos(c + dx))} - \frac{(A - B) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{(2(5A - 2B)) \int \sec^2(c + dx)}{3a^2} \\ &= \frac{(2A - B) \tanh^{-1}(\sin(c + dx))}{a^2 d} - \frac{(2A - B) \tan(c + dx)}{a^2 d (1 + \cos(c + dx))} - \frac{(A - B) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} \\ &= \frac{(2A - B) \tanh^{-1}(\sin(c + dx))}{a^2 d} + \frac{2(5A - 2B) \tan(c + dx)}{3a^2 d} - \frac{(2A - B) \tan(c + dx)}{a^2 d (1 + \cos(c + dx))} \end{aligned}$$

**Mathematica [B]** time = 1.51164, size = 264, normalized size = 2.47

$$2 \cos\left(\frac{1}{2}(c + dx)\right) \left( (A - B) \tan\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) + (A - B) \sec\left(\frac{c}{2}\right) \sin\left(\frac{dx}{2}\right) + 6 \cos^3\left(\frac{1}{2}(c + dx)\right) \left( (2A - B) \left( \log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) \right) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + a*Cos[c + d*x])^2, x]
```

```
[Out] (2*Cos[(c + d*x)/2]*((A - B)*Sec[c/2]*Sin[(d*x)/2] + 2*(7*A - 4*B)*Cos[(c + d*x)/2]^2*Sec[c/2]*Sin[(d*x)/2] + 6*Cos[(c + d*x)/2]^3*((2*A - B)*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + (A*Sin[d*x])/((Cos[c/2] - Sin[c/2])*(Cos[c/2] + Sin[c/2])*(Cos[(c + d*x)/2] - Sin[(c + d*x)/2])*(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]))) + (A - B)*Cos[(c + d*x)/2]*Tan[c/2))/(3*a^2*d*(1 + Cos[c + d*x])^2)
```

**Maple [A]** time = 0.095, size = 205, normalized size = 1.9

$$\frac{A}{6a^2d} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{B}{6a^2d} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{5A}{2a^2d} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{3B}{2a^2d} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 2 \frac{A \ln(\tan(1/2 dx + c/2))}{a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+cos(d*x+c)*a)^2, x)
```

```
[Out] 1/6/d/a^2*tan(1/2*d*x+1/2*c)^3*A-1/6/d/a^2*B*tan(1/2*d*x+1/2*c)^3+5/2/d/a^2*A*tan(1/2*d*x+1/2*c)-3/2/d/a^2*B*tan(1/2*d*x+1/2*c)+2/d/a^2*A*ln(tan(1/2*d*x+1/2*c)-1)-1/d/a^2*ln(tan(1/2*d*x+1/2*c)-1)*B-1/d/a^2*A/(tan(1/2*d*x+1/2*c)-1)-2/d/a^2*A*ln(tan(1/2*d*x+1/2*c)+1)+1/d/a^2*ln(tan(1/2*d*x+1/2*c)+1)*B-1/d/a^2*A/(tan(1/2*d*x+1/2*c)+1)
```

**Maxima [B]** time = 1.04919, size = 329, normalized size = 3.07

$$\frac{A \left( \frac{15 \sin(dx+c) + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{12 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{12 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} + \frac{12 \sin(dx+c)}{\left(a^2 - \frac{a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}\right)(\cos(dx+c)+1)} \right) - B \left( \frac{9 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] 1/6\*(A\*((15\*sin(d\*x + c)/(cos(d\*x + c) + 1) + sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/a^2 - 12\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)/a^2 + 12\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) - 1)/a^2 + 12\*sin(d\*x + c)/((a^2 - a^2\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2)\*(cos(d\*x + c) + 1))) - B\*((9\*sin(d\*x + c)/(cos(d\*x + c) + 1) + sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/a^2 - 6\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)/a^2 + 6\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) - 1)/a^2))/d

**Fricas [B]** time = 1.46332, size = 502, normalized size = 4.69

$$\frac{3 \left( (2A - B) \cos(dx + c)^3 + 2(2A - B) \cos(dx + c)^2 + (2A - B) \cos(dx + c) \right) \log(\sin(dx + c) + 1) - 3 \left( (2A - B) \cos(dx + c)^3 + 2(2A - B) \cos(dx + c)^2 + (2A - B) \cos(dx + c) \right)}{6(a^2 d \cos(dx + c)^3 + 2a^2 d \cos(dx + c)^2 + a^2 d \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] -1/6\*(3\*((2\*A - B)\*cos(d\*x + c)^3 + 2\*(2\*A - B)\*cos(d\*x + c)^2 + (2\*A - B)\*cos(d\*x + c))\*log(sin(d\*x + c) + 1) - 3\*((2\*A - B)\*cos(d\*x + c)^3 + 2\*(2\*A - B)\*cos(d\*x + c)^2 + (2\*A - B)\*cos(d\*x + c))\*log(-sin(d\*x + c) + 1) - 2\*(2\*(5\*A - 2\*B)\*cos(d\*x + c)^2 + (14\*A - 5\*B)\*cos(d\*x + c) + 3\*A)\*sin(d\*x + c))/(a^2\*d\*cos(d\*x + c)^3 + 2\*a^2\*d\*cos(d\*x + c)^2 + a^2\*d\*cos(d\*x + c))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^2(c+dx)}{\cos^2(c+dx)+2 \cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec^2(c+dx)}{\cos^2(c+dx)+2 \cos(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2/(a+a\*cos(d\*x+c))\*\*2,x)

[Out] (Integral(A\*sec(c + d\*x)\*\*2/(cos(c + d\*x)\*\*2 + 2\*cos(c + d\*x) + 1), x) + Integral(B\*cos(c + d\*x)\*sec(c + d\*x)\*\*2/(cos(c + d\*x)\*\*2 + 2\*cos(c + d\*x) + 1), x))/a\*\*2

**Giac [A]** time = 1.21405, size = 209, normalized size = 1.95

$$\frac{6(2A-B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^2} - \frac{6(2A-B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^2} + \frac{12A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right)a^2} - \frac{Aa^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - Ba^4\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 15Aa^4}{a^6}$$


---

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] -1/6\*(6\*(2\*A - B)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a^2 - 6\*(2\*A - B)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a^2 + 12\*A\*tan(1/2\*d\*x + 1/2\*c)/((tan(1/2\*d\*x + 1/2\*c)^2 - 1)\*a^2) - (A\*a^4\*tan(1/2\*d\*x + 1/2\*c)^3 - B\*a^4\*tan(1/2\*d\*x + 1/2\*c)^3 + 15\*A\*a^4\*tan(1/2\*d\*x + 1/2\*c) - 9\*B\*a^4\*tan(1/2\*d\*x + 1/2\*c))/a^6)/d

$$3.54 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=152

$$-\frac{2(8A-5B) \tan(c+dx)}{3a^2d} + \frac{(7A-4B) \tanh^{-1}(\sin(c+dx))}{2a^2d} + \frac{(7A-4B) \tan(c+dx) \sec(c+dx)}{2a^2d} - \frac{(8A-5B) \tan(c+dx)}{3a^2d(\cos(c+dx))}$$

[Out]  $((7A - 4B) \text{ArcTanh}[\text{Sin}[c + dx]]) / (2a^2d) - (2(8A - 5B) \text{Tan}[c + dx]) / (3a^2d) + ((7A - 4B) \text{Sec}[c + dx] \text{Tan}[c + dx]) / (2a^2d) - ((8A - 5B) \text{Sec}[c + dx] \text{Tan}[c + dx]) / (3a^2d(1 + \text{Cos}[c + dx])) - ((A - B) \text{Sec}[c + dx] \text{Tan}[c + dx]) / (3d(a + a \text{Cos}[c + dx])^2)$

**Rubi [A]** time = 0.313663, antiderivative size = 152, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2978, 2748, 3768, 3770, 3767, 8}

$$-\frac{2(8A-5B) \tan(c+dx)}{3a^2d} + \frac{(7A-4B) \tanh^{-1}(\sin(c+dx))}{2a^2d} + \frac{(7A-4B) \tan(c+dx) \sec(c+dx)}{2a^2d} - \frac{(8A-5B) \tan(c+dx)}{3a^2d(\cos(c+dx))}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B \text{Cos}[c + dx]) \text{Sec}[c + dx]^3 / (a + a \text{Cos}[c + dx])^2, x]$

[Out]  $((7A - 4B) \text{ArcTanh}[\text{Sin}[c + dx]]) / (2a^2d) - (2(8A - 5B) \text{Tan}[c + dx]) / (3a^2d) + ((7A - 4B) \text{Sec}[c + dx] \text{Tan}[c + dx]) / (2a^2d) - ((8A - 5B) \text{Sec}[c + dx] \text{Tan}[c + dx]) / (3a^2d(1 + \text{Cos}[c + dx])) - ((A - B) \text{Sec}[c + dx] \text{Tan}[c + dx]) / (3d(a + a \text{Cos}[c + dx])^2)$

#### Rule 2978

$\text{Int}[(a_.) + (b_.) \sin[(e_.) + (f_.) (x_.)])^{(m_.)} ((A_.) + (B_.) \sin[(e_.) + (f_.) (x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[(b(Ab - aB) \text{Cos}[e + fx] (a + b \text{Sin}[e + fx])^m (c + d \text{Sin}[e + fx])^{(n+1)}) / (a f (2m+1) (b c - a d)), x] + \text{Dist}[1 / (a (2m+1) (b c - a d)), \text{Int}[(a + b \text{Sin}[e + fx])^{(m+1)} (c + d \text{Sin}[e + fx])^n \text{Simp}[B(a c m + b d (n+1)) + A(b c (m+1) - a d (2m+n+2)) + d(A b - a B) (m+n+2) \text{Sin}[e + fx], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b c - a d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& !\text{GtQ}[n, 0] \&\& \text{IntegerQ}[2m] \&\& (\text{IntegerQ}[2n] \parallel \text{EqQ}[c, 0])$

#### Rule 2748

$\text{Int}[(b_.) \sin[(e_.) + (f_.) (x_.)])^{(m_.)} ((c_.) + (d_.) \sin[(e_.) + (f_.) (x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b \text{Sin}[e + fx])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b \text{Sin}[e + fx])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.) (x_.)] (b_.) )^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b \text{Cos}[c + dx] (b \text{Csc}[c + dx])^{(n-1)}) / (d (n-1)), x] + \text{Dist}[(b^2 (n-2)) / (n-1), \text{Int}[(b \text{Csc}[c + dx])^{(n-2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2n]$

#### Rule 3770



Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^2} dx &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} + \int \frac{(a(5A - 2B) - 3a(A - B) \cos(c + dx)) \sec^3(c + dx)}{3a^2(a + a \cos(c + dx))} dx \\ &= -\frac{(8A - 5B) \sec(c + dx) \tan(c + dx)}{3a^2d(1 + \cos(c + dx))} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} + \int \frac{(A - B) \sec^3(c + dx)}{3a^2(a + a \cos(c + dx))} dx \\ &= -\frac{(8A - 5B) \sec(c + dx) \tan(c + dx)}{3a^2d(1 + \cos(c + dx))} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} - \frac{(2A - B) \sec(c + dx)}{3a^2d} \\ &= \frac{(7A - 4B) \sec(c + dx) \tan(c + dx)}{2a^2d} - \frac{(8A - 5B) \sec(c + dx) \tan(c + dx)}{3a^2d(1 + \cos(c + dx))} - \frac{(2A - B) \sec(c + dx)}{3a^2d} \\ &= \frac{(7A - 4B) \tanh^{-1}(\sin(c + dx))}{2a^2d} - \frac{2(8A - 5B) \tan(c + dx)}{3a^2d} + \frac{(7A - 4B) \sec(c + dx)}{3a^2d} \end{aligned}$$

**Mathematica [B]** time = 3.10649, size = 496, normalized size = 3.26

$$\frac{96(7A - 4B) \cos^4\left(\frac{1}{2}(c + dx)\right) \left( \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) \right)}{...}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3)/(a + a\*Cos[c + d\*x])^2,x]

[Out] -(96\*(7\*A - 4\*B)\*Cos[(c + d\*x)/2]^4\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + Cos[(c + d\*x)/2]\*Sec[c/2]\*Sec[c]\*Sec[c + d\*x]^2\*(-14\*(A - B)\*Sin[(d\*x)/2] + (97\*A - 64\*B)\*Sin[(3\*d\*x)/2] - 126\*A\*Sin[c - (d\*x)/2] + 84\*B\*Sin[c - (d\*x)/2] + 42\*A\*Sin[c + (d\*x)/2] - 42\*B\*Sin[c + (d\*x)/2] - 98\*A\*Sin[2\*c + (d\*x)/2] + 56\*B\*Sin[2\*c + (d\*x)/2] - 3\*A\*Sin[c + (3\*d\*x)/2] + 6\*B\*Sin[c + (3\*d\*x)/2] + 37\*A\*Sin[2\*c + (3\*d\*x)/2] - 34\*B\*Sin[2\*c + (3\*d\*x)/2] - 63\*A\*Sin[3\*c + (3\*d\*x)/2] + 36\*B\*Sin[3\*c + (3\*d\*x)/2] + 75\*A\*Sin[c + (5\*d\*x)/2] - 48\*B\*Sin[c + (5\*d\*x)/2] + 15\*A\*Sin[2\*c + (5\*d\*x)/2] - 6\*B\*Sin[2\*c + (5\*d\*x)/2] + 39\*A\*Sin[3\*c + (5\*d\*x)/2] - 30\*B\*Sin[3\*c + (5\*d\*x)/2] - 21\*A\*Sin[4\*c + (5\*d\*x)/2] + 12\*B\*Sin[4\*c + (5\*d\*x)/2] + 32\*A\*Sin[2\*c + (7\*d\*x)/2] - 20\*B\*Sin[2\*c + (7\*d\*x)/2] + 12\*A\*Sin[3\*c + (7\*d\*x)/2] - 6\*B\*Sin[3\*c + (7\*d\*x)/2] + 20\*A\*Sin[4\*c + (7\*d\*x)/2] - 14\*B\*Sin[4\*c + (7\*d\*x)/2]))/(48\*a^2\*d\*(1 + Cos[c + d\*x])^2)

**Maple [B]** time = 0.109, size = 294, normalized size = 1.9

$$-\frac{A}{6a^2d} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{B}{6a^2d} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{7A}{2a^2d} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{5B}{2a^2d} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{7A}{2a^2d} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+cos(d*x+c)*a)^2,x)`

[Out] 
$$-1/6/d/a^2*\tan(1/2*d*x+1/2*c)^3*A+1/6/d/a^2*B*\tan(1/2*d*x+1/2*c)^3-7/2/d/a^2*A*\tan(1/2*d*x+1/2*c)+5/2/d/a^2*B*\tan(1/2*d*x+1/2*c)-7/2/d/a^2*A*\ln(\tan(1/2*d*x+1/2*c)-1)+2/d/a^2*\ln(\tan(1/2*d*x+1/2*c)-1)*B+5/2/d/a^2*A/(\tan(1/2*d*x+1/2*c)-1)-1/d/a^2/(\tan(1/2*d*x+1/2*c)-1)*B+1/2/d/a^2*A/(\tan(1/2*d*x+1/2*c)-1)^2+5/2/d/a^2*A/(\tan(1/2*d*x+1/2*c)+1)-1/d/a^2/(\tan(1/2*d*x+1/2*c)+1)*B+7/2/d/a^2*A*\ln(\tan(1/2*d*x+1/2*c)+1)-2/d/a^2*\ln(\tan(1/2*d*x+1/2*c)+1)*B-1/2/d/a^2*A/(\tan(1/2*d*x+1/2*c)+1)^2$$

**Maxima [B]** time = 1.04438, size = 454, normalized size = 2.99

$$A \left( \frac{6 \left( \frac{3 \sin(dx+c)}{\cos(dx+c)+1} - \frac{5 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2 - \frac{2a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{21 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{21 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{21 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} \right) - B \left( \frac{\frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)}{(\cos(dx+c)+1)^3}}{a^2} \right)$$

6d

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^2,x, algorithm="maxima")`

[Out] 
$$-1/6*(A*(6*(3*\sin(d*x + c))/(\cos(d*x + c) + 1) - 5*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^2 - 2*a^2*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^2*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (21*\sin(d*x + c)/(\cos(d*x + c) + 1) + \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 21*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^2 + 21*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^2) - B*((15*\sin(d*x + c)/(\cos(d*x + c) + 1) + \sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/a^2 - 12*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^2 + 12*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^2 + 12*\sin(d*x + c)/((a^2 - a^2*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1))))/d$$

**Fricas [A]** time = 1.44739, size = 564, normalized size = 3.71

$$3 \left( (7A - 4B) \cos(dx + c)^4 + 2(7A - 4B) \cos(dx + c)^3 + (7A - 4B) \cos(dx + c)^2 \right) \log(\sin(dx + c) + 1) - 3 \left( (7A - 4B) \cos(dx + c)^4 + 2(7A - 4B) \cos(dx + c)^3 + (7A - 4B) \cos(dx + c)^2 \right) \log(-\sin(dx + c) + 1) - 2*(4*(8*A - 5*B)*\cos(d*x + c)^3 + (43*A - 28*B)*\cos(d*x + c)^2 + 6*(A - B)*\cos(d*x + c) - 3*A*\sin(d*x + c))/(a^2*d*\cos(d*x + c)^4 + 2*a^2*d*\cos(d*x + c)^3 + a^2*d*\cos(d*x + c)^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^2,x, algorithm="fricas")`

[Out] 
$$1/12*(3*((7*A - 4*B)*\cos(d*x + c)^4 + 2*(7*A - 4*B)*\cos(d*x + c)^3 + (7*A - 4*B)*\cos(d*x + c)^2)*\log(\sin(d*x + c) + 1) - 3*((7*A - 4*B)*\cos(d*x + c)^4 + 2*(7*A - 4*B)*\cos(d*x + c)^3 + (7*A - 4*B)*\cos(d*x + c)^2)*\log(-\sin(d*x + c) + 1) - 2*(4*(8*A - 5*B)*\cos(d*x + c)^3 + (43*A - 28*B)*\cos(d*x + c)^2 + 6*(A - B)*\cos(d*x + c) - 3*A*\sin(d*x + c))/(a^2*d*\cos(d*x + c)^4 + 2*a^2*d*\cos(d*x + c)^3 + a^2*d*\cos(d*x + c)^2)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3/(a+a\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 1.24595, size = 267, normalized size = 1.76

$$\frac{3(7A-4B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^2} - \frac{3(7A-4B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^2} + \frac{6\left(5A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 3A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) + 2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 - 1\right)^2 a^2}$$


---

$6d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out]  $\frac{1}{6} \cdot \frac{3 \cdot (7A - 4B) \cdot \log(\text{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1)) / a^2 - 3 \cdot (7A - 4B) \cdot \log(\text{abs}(\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1)) / a^2 + 6 \cdot (5 \cdot A \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 2 \cdot B \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 3 \cdot A \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 2 \cdot B \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / ((\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^2 \cdot a^2) - (A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 21 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 15 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / a^6}{d}$

$$3.55 \quad \int \frac{(A+B \cos(c+dx)) \sec^4(c+dx)}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=179

$$\frac{4(3A-2B) \tan^3(c+dx)}{3a^2d} + \frac{4(3A-2B) \tan(c+dx)}{a^2d} - \frac{(10A-7B) \tanh^{-1}(\sin(c+dx))}{2a^2d} - \frac{(10A-7B) \tan(c+dx) \sec(c+dx)}{2a^2d}$$

[Out]  $-\left(\frac{(10A-7B) \operatorname{ArcTanh}[\sin(c+dx)]}{2a^2d}\right) + \frac{4(3A-2B) \tan(c+dx)}{a^2d} - \left(\frac{(10A-7B) \sec(c+dx) \tan(c+dx)}{2a^2d}\right) - \left(\frac{(10A-7B) \sec^2(c+dx) \tan(c+dx)}{3a^2d(1+\cos(c+dx))}\right) - \left(\frac{(A-B) \sec^2(c+dx) \tan(c+dx)}{3d(a+a \cos(c+dx))^2}\right) + \frac{4(3A-2B) \tan^3(c+dx)}{3a^2d}$

**Rubi [A]** time = 0.364972, antiderivative size = 179, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2978, 2748, 3767, 3768, 3770}

$$\frac{4(3A-2B) \tan^3(c+dx)}{3a^2d} + \frac{4(3A-2B) \tan(c+dx)}{a^2d} - \frac{(10A-7B) \tanh^{-1}(\sin(c+dx))}{2a^2d} - \frac{(10A-7B) \tan(c+dx) \sec(c+dx)}{2a^2d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(A+B \cos(c+dx)) \sec^4(c+dx) / (a+a \cos(c+dx))^2, x]$

[Out]  $-\left(\frac{(10A-7B) \operatorname{ArcTanh}[\sin(c+dx)]}{2a^2d}\right) + \frac{4(3A-2B) \tan(c+dx)}{a^2d} - \left(\frac{(10A-7B) \sec(c+dx) \tan(c+dx)}{2a^2d}\right) - \left(\frac{(10A-7B) \sec^2(c+dx) \tan(c+dx)}{3a^2d(1+\cos(c+dx))}\right) - \left(\frac{(A-B) \sec^2(c+dx) \tan(c+dx)}{3d(a+a \cos(c+dx))^2}\right) + \frac{4(3A-2B) \tan^3(c+dx)}{3a^2d}$

#### Rule 2978

$\operatorname{Int}[(a_+ + (b_+ \sin(e_+ + (f_+)(x_+)))^{(m_+)}((A_+ + (B_+ \sin(e_+ + (f_+)(x_+)))^{(n_+)}), x\_Symbol] \rightarrow \operatorname{Simp}[(b_+(A_+b_+ - a_+B_+) \cos[e_+ + f_+x_+](a_+ + b_+\sin[e_+ + f_+x_+])^{(m_+)}(c_+ + d_+\sin[e_+ + f_+x_+])^{(n_+ + 1)}) / (a_+f_+(2m_+ + 1)(b_+c_+ - a_+d_+)), x] + \operatorname{Dist}[1 / (a_+(2m_+ + 1)(b_+c_+ - a_+d_+)), \operatorname{Int}[(a_+ + b_+\sin[e_+ + f_+x_+])^{(m_+ + 1)}(c_+ + d_+\sin[e_+ + f_+x_+])^{(n_+)} \operatorname{Simp}[B_+(a_+c_+m_+ + b_+d_+(n_+ + 1)) + A_+(b_+c_+(m_+ + 1) - a_+d_+(2m_+ + n_+ + 2)) + d_+(A_+b_+ - a_+B_+)(m_+ + n_+ + 2) \sin[e_+ + f_+x_+], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \operatorname{NeQ}[b_+c_+ - a_+d_+, 0] \&\& \operatorname{EqQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{LtQ}[m, -2^{(-1)}] \&\& \operatorname{!GtQ}[n, 0] \&\& \operatorname{IntegerQ}[2m] \&\& (\operatorname{IntegerQ}[2n] \mid \mid \operatorname{EqQ}[c, 0])]$

#### Rule 2748

$\operatorname{Int}[(b_+ \sin(e_+ + (f_+)(x_+)))^{(m_+)}((c_+ + (d_+ \sin(e_+ + (f_+)(x_+))))], x\_Symbol] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b_+\sin[e_+ + f_+x_+])^{(m_+)}, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[(b_+\sin[e_+ + f_+x_+])^{(m_+ + 1)}, x], x] /; \operatorname{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rule 3767

$\operatorname{Int}[\operatorname{csc}[(c_+ + (d_+)(x_+))^{(n_+)}], x\_Symbol] \rightarrow -\operatorname{Dist}[d^{(-1)}, \operatorname{Subst}[\operatorname{Int}[\operatorname{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \operatorname{Cot}[c_+ + d_+x_+]], x] /; \operatorname{FreeQ}\{c, d\}, x] \&\& \operatorname{IGtQ}[n/2, 0]$

#### Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^4(c + dx)}{(a + a \cos(c + dx))^2} dx &= -\frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{(3a(2A - B) - 4a(A - B) \cos(c + dx)) \sec^4(c + dx)}{a + a \cos(c + dx)} dx}{3a^2} \\ &= -\frac{(10A - 7B) \sec^2(c + dx) \tan(c + dx)}{3a^2 d (1 + \cos(c + dx))} - \frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} + \\ &= -\frac{(10A - 7B) \sec^2(c + dx) \tan(c + dx)}{3a^2 d (1 + \cos(c + dx))} - \frac{(A - B) \sec^2(c + dx) \tan(c + dx)}{3d(a + a \cos(c + dx))^2} \\ &= -\frac{(10A - 7B) \sec(c + dx) \tan(c + dx)}{2a^2 d} - \frac{(10A - 7B) \sec^2(c + dx) \tan(c + dx)}{3a^2 d (1 + \cos(c + dx))} \\ &= -\frac{(10A - 7B) \tanh^{-1}(\sin(c + dx))}{2a^2 d} + \frac{4(3A - 2B) \tan(c + dx)}{a^2 d} - \frac{(10A - 7B)}{a^2 d} \end{aligned}$$

**Mathematica [B]** time = 4.84746, size = 609, normalized size = 3.4

$$192(10A - 7B) \cos^4\left(\frac{1}{2}(c + dx)\right) \left( \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) \right) +$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^4)/(a + a*Cos[c + d*x])^2, x]
```

```
[Out] (192*(10*A - 7*B)*Cos[(c + d*x)/2]^4*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]]) + Cos[(c + d*x)/2]*Sec[c/2]*Sec[c]*Sec[c + d*x]^3*((-6*A + 45*B)*Sin[(d*x)/2] + (310*A - 201*B)*Sin[(3*d*x)/2] - 306*A*Sin[c - (d*x)/2] + 195*B*Sin[c - (d*x)/2] + 42*A*Sin[c + (d*x)/2] - 51*B*Sin[c + (d*x)/2] - 270*A*Sin[2*c + (d*x)/2] + 189*B*Sin[2*c + (d*x)/2] + 50*A*Sin[c + (3*d*x)/2] - B*Sin[c + (3*d*x)/2] + 90*A*Sin[2*c + (3*d*x)/2] - 81*B*Sin[2*c + (3*d*x)/2] - 170*A*Sin[3*c + (3*d*x)/2] + 119*B*Sin[3*c + (3*d*x)/2] + 198*A*Sin[c + (5*d*x)/2] - 129*B*Sin[c + (5*d*x)/2] + 42*A*Sin[2*c + (5*d*x)/2] - 9*B*Sin[2*c + (5*d*x)/2] + 66*A*Sin[3*c + (5*d*x)/2] - 57*B*Sin[3*c + (5*d*x)/2] - 90*A*Sin[4*c + (5*d*x)/2] + 63*B*Sin[4*c + (5*d*x)/2] + 114*A*Sin[2*c + (7*d*x)/2] - 75*B*Sin[2*c + (7*d*x)/2] + 36*A*Sin[3*c + (7*d*x)/2] - 15*B*Sin[3*c + (7*d*x)/2] + 48*A*Sin[4*c + (7*d*x)/2] - 39*B*Sin[4*c + (7*d*x)/2] - 30*A*Sin[5*c + (7*d*x)/2] + 21*B*Sin[5*c + (7*d*x)/2] + 48*A*Sin[3*c + (9*d*x)/2] - 32*B*Sin[3*c + (9*d*x)/2] + 22*A*Sin[4*c + (9*d*x)/2] - 12*B*Sin[4*c + (9*d*x)/2] + 26*A*Sin[5*c + (9*d*x)/2] - 20*B*Sin[5*c + (9*d*x)/2]))/(96*a^2*d*(1 + Cos[c + d*x])^2)
```

**Maple [B]** time = 0.125, size = 382, normalized size = 2.1

$$\frac{A}{6a^2d} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{B}{6a^2d} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{9A}{2a^2d} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{7B}{2a^2d} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - \frac{3A}{2a^2d} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^4/(a+cos(d\*x+c)\*a)^2,x)

[Out] 1/6/d/a^2\*tan(1/2\*d\*x+1/2\*c)^3\*A-1/6/d/a^2\*B\*tan(1/2\*d\*x+1/2\*c)^3+9/2/d/a^2\*A\*tan(1/2\*d\*x+1/2\*c)-7/2/d/a^2\*B\*tan(1/2\*d\*x+1/2\*c)-3/2/d/a^2\*A/(tan(1/2\*d\*x+1/2\*c)-1)^2+1/2/d/a^2/(tan(1/2\*d\*x+1/2\*c)-1)^2\*B+5/d/a^2\*A\*ln(tan(1/2\*d\*x+1/2\*c)-1)-7/2/d/a^2\*ln(tan(1/2\*d\*x+1/2\*c)-1)\*B-5/d/a^2\*A/(tan(1/2\*d\*x+1/2\*c)-1)+5/2/d/a^2/(tan(1/2\*d\*x+1/2\*c)-1)\*B-1/3/d/a^2\*A/(tan(1/2\*d\*x+1/2\*c)-1)^3-5/d/a^2\*A\*ln(tan(1/2\*d\*x+1/2\*c)+1)+7/2/d/a^2\*ln(tan(1/2\*d\*x+1/2\*c)+1)\*B+3/2/d/a^2\*A/(tan(1/2\*d\*x+1/2\*c)+1)^2-1/2/d/a^2/(tan(1/2\*d\*x+1/2\*c)+1)^2\*B-5/d/a^2\*A/(tan(1/2\*d\*x+1/2\*c)+1)+5/2/d/a^2/(tan(1/2\*d\*x+1/2\*c)+1)\*B-1/3/d/a^2\*A/(tan(1/2\*d\*x+1/2\*c)+1)^3

**Maxima [B]** time = 1.04846, size = 574, normalized size = 3.21

$$A \left( \frac{4 \left( \frac{9 \sin(dx+c)}{\cos(dx+c)+1} - \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{15 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^2 - \frac{3a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} - \frac{a^2 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} + \frac{\frac{27 \sin(dx+c)}{\cos(dx+c)+1} + \frac{\sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^2} - \frac{30 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^2} + \frac{30 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^2} \right) - B \left( \frac{6 \left( \frac{3 \sin(dx+c)}{\cos(dx+c)+1} - \frac{2a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^2 - \frac{2a^2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{2a^2 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} - \frac{a^2 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} \right) \cdot 6d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^4/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] 1/6\*(A\*(4\*(9\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 20\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 15\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5)/(a^2 - 3\*a^2\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 3\*a^2\*sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4 - a^2\*sin(d\*x + c)^6/(cos(d\*x + c) + 1)^6) + (27\*sin(d\*x + c)/(cos(d\*x + c) + 1) + sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/a^2 - 30\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)/a^2 + 30\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) - 1)/a^2) - B\*(6\*(3\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 5\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/(a^2 - 2\*a^2\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + a^2\*sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4) + (21\*sin(d\*x + c)/(cos(d\*x + c) + 1) + sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/a^2 - 21\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)/a^2 + 21\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) - 1)/a^2))/d

**Fricas [A]** time = 1.47871, size = 617, normalized size = 3.45

$$\frac{3 \left( (10A - 7B) \cos(dx + c)^5 + 2(10A - 7B) \cos(dx + c)^4 + (10A - 7B) \cos(dx + c)^3 \right) \log(\sin(dx + c) + 1) - 3 \left( (10A - 7B) \cos(dx + c)^5 + 2(10A - 7B) \cos(dx + c)^4 + (10A - 7B) \cos(dx + c)^3 \right) \log(\sin(dx + c) - 1)}{a^2 d \cos(dx + c)^5 + 2a^2 d \cos(dx + c)^4 + a^2 d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^4/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] -1/12\*(3\*((10\*A - 7\*B)\*cos(d\*x + c)^5 + 2\*(10\*A - 7\*B)\*cos(d\*x + c)^4 + (10\*A - 7\*B)\*cos(d\*x + c)^3)\*log(sin(d\*x + c) + 1) - 3\*((10\*A - 7\*B)\*cos(d\*x + c)^5 + 2\*(10\*A - 7\*B)\*cos(d\*x + c)^4 + (10\*A - 7\*B)\*cos(d\*x + c)^3)\*log(-sin(d\*x + c) + 1) - 2\*(16\*(3\*A - 2\*B)\*cos(d\*x + c)^4 + (66\*A - 43\*B)\*cos(d\*x + c)^3 + 6\*(2\*A - B)\*cos(d\*x + c)^2 - (2\*A - 3\*B)\*cos(d\*x + c) + 2\*A)\*sin(d\*x + c)/(a^2\*d\*cos(d\*x + c)^5 + 2\*a^2\*d\*cos(d\*x + c)^4 + a^2\*d\*cos(d\*x + c)^3)



$$3.56 \quad \int \frac{\cos^5(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=218

$$\frac{4(19A - 34B) \sin^3(c + dx)}{15a^3d} - \frac{4(19A - 34B) \sin(c + dx)}{5a^3d} + \frac{(13A - 23B) \sin(c + dx) \cos^3(c + dx)}{3d(a^3 \cos(c + dx) + a^3)} + \frac{(13A - 23B) \sin(c + dx)}{2a^3d}$$

[Out]  $((13*A - 23*B)*x)/(2*a^3) - (4*(19*A - 34*B)*\text{Sin}[c + d*x])/(5*a^3*d) + ((13*A - 23*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*a^3*d) + ((A - B)*\text{Cos}[c + d*x]^5*\text{Sin}[c + d*x])/(5*d*(a + a*\text{Cos}[c + d*x])^3) + ((8*A - 13*B)*\text{Cos}[c + d*x]^4*\text{Sin}[c + d*x])/(15*a*d*(a + a*\text{Cos}[c + d*x])^2) + ((13*A - 23*B)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(3*d*(a^3 + a^3*\text{Cos}[c + d*x])) + (4*(19*A - 34*B)*\text{Sin}[c + d*x]^3)/(15*a^3*d)$

**Rubi [A]** time = 0.515435, antiderivative size = 218, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2977, 2748, 2635, 8, 2633}

$$\frac{4(19A - 34B) \sin^3(c + dx)}{15a^3d} - \frac{4(19A - 34B) \sin(c + dx)}{5a^3d} + \frac{(13A - 23B) \sin(c + dx) \cos^3(c + dx)}{3d(a^3 \cos(c + dx) + a^3)} + \frac{(13A - 23B) \sin(c + dx)}{2a^3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]^5*(A + B*\text{Cos}[c + d*x]))/(a + a*\text{Cos}[c + d*x])^3, x]$

[Out]  $((13*A - 23*B)*x)/(2*a^3) - (4*(19*A - 34*B)*\text{Sin}[c + d*x])/(5*a^3*d) + ((13*A - 23*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*a^3*d) + ((A - B)*\text{Cos}[c + d*x]^5*\text{Sin}[c + d*x])/(5*d*(a + a*\text{Cos}[c + d*x])^3) + ((8*A - 13*B)*\text{Cos}[c + d*x]^4*\text{Sin}[c + d*x])/(15*a*d*(a + a*\text{Cos}[c + d*x])^2) + ((13*A - 23*B)*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(3*d*(a^3 + a^3*\text{Cos}[c + d*x])) + (4*(19*A - 34*B)*\text{Sin}[c + d*x]^3)/(15*a^3*d)$

#### Rule 2977

$\text{Int}[(a + (b_*)\sin[(e_*) + (f_*)(x_*)])^m * ((A_*) + (B_*)\sin[(e_*) + (f_*)(x_*)]) * ((c_*) + (d_*)\sin[(e_*) + (f_*)(x_*)])^n), x\_Symbol] \rightarrow \text{Simp}[(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n]/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m+1}*(c + d*\text{Sin}[e + f*x])^{n-1}]*\text{Simp}[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*\text{Sin}[e + f*x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

$\text{Int}[(b_*)\sin[(e_*) + (f_*)(x_*)])^m * ((c_*) + (d_*)\sin[(e_*) + (f_*)(x_*)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{m+1}, x], x] /;$  FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2635

$\text{Int}[(b_*)\sin[(c_*) + (d_*)(x_*)])^n, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Sin}[c + d*x])^{n-1}]/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{n-2}, x], x] /;$  FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]



]

**Rule 8**

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

**Rule 2633**

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] &amp;&amp; IGtQ[(n - 1)/2, 0]

**Rubi steps**

$$\begin{aligned}
\int \frac{\cos^5(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^3} dx &= \frac{(A - B) \cos^5(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{\cos^4(c + dx)(5a(A - B) - a(3A - 8B) \cos(c + dx))}{(a + a \cos(c + dx))^2} dx}{5a^2} \\
&= \frac{(A - B) \cos^5(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(8A - 13B) \cos^4(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \int \frac{\cos^3(c + dx)(5a(A - B) - a(3A - 8B) \cos(c + dx))}{(a + a \cos(c + dx))^2} dx \\
&= \frac{(A - B) \cos^5(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(8A - 13B) \cos^4(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{(13A - 23B) \cos^3(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \int \frac{\cos^2(c + dx)(5a(A - B) - a(3A - 8B) \cos(c + dx))}{(a + a \cos(c + dx))^2} dx \\
&= \frac{(A - B) \cos^5(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(8A - 13B) \cos^4(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{(13A - 23B) \cos^3(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{(13A - 23B) \cos^2(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \int \frac{\cos(c + dx)(5a(A - B) - a(3A - 8B) \cos(c + dx))}{(a + a \cos(c + dx))^2} dx \\
&= \frac{(13A - 23B) \cos(c + dx) \sin(c + dx)}{2a^3d} + \frac{(A - B) \cos^5(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(8A - 13B) \cos^4(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{(13A - 23B) \cos^3(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{(13A - 23B) \cos^2(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{(13A - 23B) \cos(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \int \frac{\cos(c + dx)(5a(A - B) - a(3A - 8B) \cos(c + dx))}{(a + a \cos(c + dx))^2} dx \\
&= \frac{(13A - 23B)x}{2a^3} - \frac{4(19A - 34B) \sin(c + dx)}{5a^3d} + \frac{(13A - 23B) \cos(c + dx) \sin(c + dx)}{2a^3d}
\end{aligned}$$

**Mathematica [B]** time = 0.908189, size = 491, normalized size = 2.25

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(600dx(13A - 23B) \cos\left(c + \frac{dx}{2}\right) + 600dx(13A - 23B) \cos\left(\frac{dx}{2}\right) + 7560A \sin\left(c + \frac{dx}{2}\right) - 9230A\right)}{(480a^3d(1 + \cos(c + dx)))^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^5\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^3,x]

[Out] (Cos[(c + d\*x)/2]\*Sec[c/2]\*(600\*(13\*A - 23\*B)\*d\*x\*Cos[(d\*x)/2] + 600\*(13\*A - 23\*B)\*d\*x\*Cos[c + (d\*x)/2] + 3900\*A\*d\*x\*Cos[c + (3\*d\*x)/2] - 6900\*B\*d\*x\*Cos[c + (3\*d\*x)/2] + 3900\*A\*d\*x\*Cos[2\*c + (3\*d\*x)/2] - 6900\*B\*d\*x\*Cos[2\*c + (3\*d\*x)/2] + 780\*A\*d\*x\*Cos[2\*c + (5\*d\*x)/2] - 1380\*B\*d\*x\*Cos[2\*c + (5\*d\*x)/2] + 780\*A\*d\*x\*Cos[3\*c + (5\*d\*x)/2] - 1380\*B\*d\*x\*Cos[3\*c + (5\*d\*x)/2] - 12760\*A\*Sin[(d\*x)/2] + 20410\*B\*Sin[(d\*x)/2] + 7560\*A\*Sin[c + (d\*x)/2] - 11110\*B\*Sin[c + (d\*x)/2] - 9230\*A\*Sin[c + (3\*d\*x)/2] + 15380\*B\*Sin[c + (3\*d\*x)/2] + 930\*A\*Sin[2\*c + (3\*d\*x)/2] - 380\*B\*Sin[2\*c + (3\*d\*x)/2] - 2782\*A\*Sin[2\*c + (5\*d\*x)/2] + 4777\*B\*Sin[2\*c + (5\*d\*x)/2] - 750\*A\*Sin[3\*c + (5\*d\*x)/2] + 1625\*B\*Sin[3\*c + (5\*d\*x)/2] - 105\*A\*Sin[3\*c + (7\*d\*x)/2] + 230\*B\*Sin[3\*c + (7\*d\*x)/2] - 105\*A\*Sin[4\*c + (7\*d\*x)/2] + 230\*B\*Sin[4\*c + (7\*d\*x)/2] + 15\*A\*Sin[4\*c + (9\*d\*x)/2] - 20\*B\*Sin[4\*c + (9\*d\*x)/2] + 15\*A\*Sin[5\*c + (9\*d\*x)/2] - 20\*B\*Sin[5\*c + (9\*d\*x)/2] + 5\*B\*Sin[5\*c + (11\*d\*x)/2] + 5\*B\*Sin[6\*c + (11\*d\*x)/2]))/(480\*a^3\*d\*(1 + Cos[c + d\*x])^3)

**Maple [A]** time = 0.065, size = 362, normalized size = 1.7

$$-\frac{A}{20da^3} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{B}{20da^3} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{2A}{3da^3} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{5B}{6da^3} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{31A}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^5\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^3,x)

[Out]  $-\frac{1}{20} \frac{d}{a^3} A \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 + \frac{1}{20} \frac{d}{a^3} B \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 + \frac{2}{3} \frac{d}{a^3} A \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 - \frac{5}{6} \frac{d}{a^3} B \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 - \frac{31}{4} \frac{d}{a^3} A \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + \frac{49}{4} \frac{d}{a^3} B \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \frac{7}{d} \frac{d}{a^3} \frac{1}{(1 + \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2)^3} A \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 + \frac{17}{d} \frac{d}{a^3} \frac{1}{(1 + \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2)^3} B \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 - \frac{12}{d} \frac{d}{a^3} \frac{1}{(1 + \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2)^3} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 A + \frac{76}{3} \frac{d}{a^3} \frac{1}{(1 + \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2)^3} B \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 - \frac{5}{d} \frac{d}{a^3} \frac{1}{(1 + \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2)^3} A \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + \frac{11}{d} \frac{d}{a^3} \frac{1}{(1 + \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2)^3} B \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + \frac{13}{d} \frac{d}{a^3} \arctan\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right) A - \frac{23}{d} \frac{d}{a^3} \arctan\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right) B$

**Maxima [B]** time = 1.51081, size = 556, normalized size = 2.55

$$B \left( \frac{20 \left( \frac{33 \sin(dx+c)}{\cos(dx+c)+1} + \frac{76 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{51 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3 + \frac{3a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a^3 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}} + \frac{\frac{735 \sin(dx+c)}{\cos(dx+c)+1} - \frac{50 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{1380 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) - A \left( \frac{60 \left( \frac{5 \sin(dx+c)}{\cos(dx+c)+1} + \frac{7 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a^3 \sin(dx+c)^6}{(\cos(dx+c)+1)^6} \right)}{a^3 + \frac{2a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}} \right) \frac{1}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out]  $\frac{1}{60} \left( B \left( 20 \left( \frac{33 \sin(dx+c)}{\cos(dx+c)+1} + \frac{76 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{51 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) / (a^3 + \frac{3a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a^3 \sin(dx+c)^6}{(\cos(dx+c)+1)^6}) + \frac{735 \sin(dx+c)}{\cos(dx+c)+1} - \frac{50 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) / a^3 - \frac{1380 \arctan(\sin(dx+c)/(\cos(dx+c)+1))}{a^3} - A \left( \frac{60 \left( \frac{5 \sin(dx+c)}{\cos(dx+c)+1} + \frac{7 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4} + \frac{a^3 \sin(dx+c)^6}{(\cos(dx+c)+1)^6} \right)}{a^3 + \frac{2a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2}} \right) \right) / d$

**Fricas [A]** time = 1.40411, size = 539, normalized size = 2.47

$$\frac{15(13A - 23B)dx \cos(dx+c)^3 + 45(13A - 23B)dx \cos(dx+c)^2 + 45(13A - 23B)dx \cos(dx+c) + 15(13A - 23B)d}{30(a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

```
[Out] 1/30*(15*(13*A - 23*B)*d*x*cos(d*x + c)^3 + 45*(13*A - 23*B)*d*x*cos(d*x +
c)^2 + 45*(13*A - 23*B)*d*x*cos(d*x + c) + 15*(13*A - 23*B)*d*x + (10*B*cos
(d*x + c)^5 + 15*(A - B)*cos(d*x + c)^4 - 5*(9*A - 19*B)*cos(d*x + c)^3 - (
479*A - 869*B)*cos(d*x + c)^2 - 3*(239*A - 429*B)*cos(d*x + c) - 304*A + 54
4*B)*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d
*cos(d*x + c) + a^3*d)
```

**Sympy [A]** time = 45.6154, size = 1584, normalized size = 7.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**5*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**3,x)
```

```
[Out] Piecewise((390*A*d*x*tan(c/2 + d*x/2)**6/(60*a**3*d*tan(c/2 + d*x/2)**6 + 1
80*a**3*d*tan(c/2 + d*x/2)**4 + 180*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d)
+ 1170*A*d*x*tan(c/2 + d*x/2)**4/(60*a**3*d*tan(c/2 + d*x/2)**6 + 180*a**3
*d*tan(c/2 + d*x/2)**4 + 180*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 1170
*A*d*x*tan(c/2 + d*x/2)**2/(60*a**3*d*tan(c/2 + d*x/2)**6 + 180*a**3*d*tan(
c/2 + d*x/2)**4 + 180*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 390*A*d*x/(
60*a**3*d*tan(c/2 + d*x/2)**6 + 180*a**3*d*tan(c/2 + d*x/2)**4 + 180*a**3*d
*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 3*A*tan(c/2 + d*x/2)**11/(60*a**3*d*tan
(c/2 + d*x/2)**6 + 180*a**3*d*tan(c/2 + d*x/2)**4 + 180*a**3*d*tan(c/2 + d
*x/2)**2 + 60*a**3*d) + 31*A*tan(c/2 + d*x/2)**9/(60*a**3*d*tan(c/2 + d*x/2)
**6 + 180*a**3*d*tan(c/2 + d*x/2)**4 + 180*a**3*d*tan(c/2 + d*x/2)**2 + 60*
a**3*d) - 354*A*tan(c/2 + d*x/2)**7/(60*a**3*d*tan(c/2 + d*x/2)**6 + 180*a*
**3*d*tan(c/2 + d*x/2)**4 + 180*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 16
98*A*tan(c/2 + d*x/2)**5/(60*a**3*d*tan(c/2 + d*x/2)**6 + 180*a**3*d*tan(c/
2 + d*x/2)**4 + 180*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 2075*A*tan(c/
2 + d*x/2)**3/(60*a**3*d*tan(c/2 + d*x/2)**6 + 180*a**3*d*tan(c/2 + d*x/2)*
**4 + 180*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 765*A*tan(c/2 + d*x/2)/(
60*a**3*d*tan(c/2 + d*x/2)**6 + 180*a**3*d*tan(c/2 + d*x/2)**4 + 180*a**3*d
*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 690*B*d*x*tan(c/2 + d*x/2)**6/(60*a**3*
d*tan(c/2 + d*x/2)**6 + 180*a**3*d*tan(c/2 + d*x/2)**4 + 180*a**3*d*tan(c/2
+ d*x/2)**2 + 60*a**3*d) - 2070*B*d*x*tan(c/2 + d*x/2)**4/(60*a**3*d*tan(c
/2 + d*x/2)**6 + 180*a**3*d*tan(c/2 + d*x/2)**4 + 180*a**3*d*tan(c/2 + d*x/
2)**2 + 60*a**3*d) - 2070*B*d*x*tan(c/2 + d*x/2)**2/(60*a**3*d*tan(c/2 + d
*x/2)**6 + 180*a**3*d*tan(c/2 + d*x/2)**4 + 180*a**3*d*tan(c/2 + d*x/2)**2
+ 60*a**3*d) - 690*B*d*x/(60*a**3*d*tan(c/2 + d*x/2)**6 + 180*a**3*d*tan(c/2
+ d*x/2)**4 + 180*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 3*B*tan(c/2 +
d*x/2)**11/(60*a**3*d*tan(c/2 + d*x/2)**6 + 180*a**3*d*tan(c/2 + d*x/2)**4
+ 180*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 41*B*tan(c/2 + d*x/2)**9/(6
0*a**3*d*tan(c/2 + d*x/2)**6 + 180*a**3*d*tan(c/2 + d*x/2)**4 + 180*a**3*d*
tan(c/2 + d*x/2)**2 + 60*a**3*d) + 594*B*tan(c/2 + d*x/2)**7/(60*a**3*d*tan
(c/2 + d*x/2)**6 + 180*a**3*d*tan(c/2 + d*x/2)**4 + 180*a**3*d*tan(c/2 + d
*x/2)**2 + 60*a**3*d) + 3078*B*tan(c/2 + d*x/2)**5/(60*a**3*d*tan(c/2 + d*x/
2)**6 + 180*a**3*d*tan(c/2 + d*x/2)**4 + 180*a**3*d*tan(c/2 + d*x/2)**2 + 6
0*a**3*d) + 3675*B*tan(c/2 + d*x/2)**3/(60*a**3*d*tan(c/2 + d*x/2)**6 + 180
*a**3*d*tan(c/2 + d*x/2)**4 + 180*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) +
1395*B*tan(c/2 + d*x/2)/(60*a**3*d*tan(c/2 + d*x/2)**6 + 180*a**3*d*tan(c/
2 + d*x/2)**4 + 180*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d), Ne(d, 0)), (x*
(A + B*cos(c))*cos(c)**5/(a*cos(c) + a)**3, True))
```

**Giac [A]** time = 1.21456, size = 308, normalized size = 1.41

$$\frac{30(dx+c)(13A-23B)}{a^3} - \frac{20\left(21A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 51B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 36A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 76B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 15A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 33B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)^3 a^3}$$

60

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] 1/60\*(30\*(d\*x + c)\*(13\*A - 23\*B)/a^3 - 20\*(21\*A\*tan(1/2\*d\*x + 1/2\*c)^5 - 51\*B\*tan(1/2\*d\*x + 1/2\*c)^5 + 36\*A\*tan(1/2\*d\*x + 1/2\*c)^3 - 76\*B\*tan(1/2\*d\*x + 1/2\*c)^3 + 15\*A\*tan(1/2\*d\*x + 1/2\*c) - 33\*B\*tan(1/2\*d\*x + 1/2\*c))/((tan(1/2\*d\*x + 1/2\*c)^2 + 1)^3\*a^3) - (3\*A\*a^12\*tan(1/2\*d\*x + 1/2\*c)^5 - 3\*B\*a^12\*tan(1/2\*d\*x + 1/2\*c)^5 - 40\*A\*a^12\*tan(1/2\*d\*x + 1/2\*c)^3 + 50\*B\*a^12\*tan(1/2\*d\*x + 1/2\*c)^3 + 465\*A\*a^12\*tan(1/2\*d\*x + 1/2\*c) - 735\*B\*a^12\*tan(1/2\*d\*x + 1/2\*c))/a^15)/d

$$3.57 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=193

$$\frac{8(9A-19B)\sin(c+dx)}{15a^3d} + \frac{4(9A-19B)\sin(c+dx)\cos^2(c+dx)}{15d(a^3\cos(c+dx)+a^3)} - \frac{(6A-13B)\sin(c+dx)\cos(c+dx)}{2a^3d} - \frac{x(6A-13B)}{2a^3}$$

[Out] -((6\*A - 13\*B)\*x)/(2\*a^3) + (8\*(9\*A - 19\*B)\*Sin[c + d\*x])/(15\*a^3\*d) - ((6\*A - 13\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*a^3\*d) + ((A - B)\*Cos[c + d\*x]^4\*Sine[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) + ((6\*A - 11\*B)\*Cos[c + d\*x]^3\*Sine[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) + (4\*(9\*A - 19\*B)\*Cos[c + d\*x]^2\*Sine[c + d\*x])/(15\*d\*(a^3 + a^3\*Cos[c + d\*x]))

**Rubi [A]** time = 0.467678, antiderivative size = 193, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {2977, 2734}

$$\frac{8(9A-19B)\sin(c+dx)}{15a^3d} + \frac{4(9A-19B)\sin(c+dx)\cos^2(c+dx)}{15d(a^3\cos(c+dx)+a^3)} - \frac{(6A-13B)\sin(c+dx)\cos(c+dx)}{2a^3d} - \frac{x(6A-13B)}{2a^3}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^4\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^3,x]

[Out] -((6\*A - 13\*B)\*x)/(2\*a^3) + (8\*(9\*A - 19\*B)\*Sin[c + d\*x])/(15\*a^3\*d) - ((6\*A - 13\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*a^3\*d) + ((A - B)\*Cos[c + d\*x]^4\*Sine[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) + ((6\*A - 11\*B)\*Cos[c + d\*x]^3\*Sine[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) + (4\*(9\*A - 19\*B)\*Cos[c + d\*x]^2\*Sine[c + d\*x])/(15\*d\*(a^3 + a^3\*Cos[c + d\*x]))

**Rule 2977**

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sine[e + f\*x])^m\*(c + d\*Sine[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sine[e + f\*x])^(m + 1)\*(c + d\*Sine[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sine[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

**Rule 2734**

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sine[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

**Rubi steps**

$$\begin{aligned}
\int \frac{\cos^4(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^3} dx &= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\int \frac{\cos^3(c+dx)(4a(A-B)-a(2A-7B)\cos(c+dx))}{(a+a\cos(c+dx))^2} dx}{5a^2} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(6A-11B)\cos^3(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \frac{\int \frac{\cos^2(c+dx)(2a(A-B)-a(2A-7B)\cos(c+dx))}{(a+a\cos(c+dx))^2} dx}{5a^2} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(6A-11B)\cos^3(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \frac{4(9A-11B)\cos^2(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} \\
&= -\frac{(6A-13B)x}{2a^3} + \frac{8(9A-19B)\sin(c+dx)}{15a^3d} - \frac{(6A-13B)\cos(c+dx)\sin(c+dx)}{2a^3d}
\end{aligned}$$

**Mathematica [B]** time = 0.791297, size = 435, normalized size = 2.25

$$\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(-600dx(6A-13B)\cos\left(c+\frac{dx}{2}\right)-600dx(6A-13B)\cos\left(\frac{dx}{2}\right)-4500A\sin\left(c+\frac{dx}{2}\right)+4860A\sin\left(\frac{dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^4\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^3, x]

[Out] (Cos[(c + d\*x)/2]\*Sec[c/2]\*(-600\*(6\*A - 13\*B)\*d\*x\*Cos[(d\*x)/2] - 600\*(6\*A - 13\*B)\*d\*x\*Cos[c + (d\*x)/2] - 1800\*A\*d\*x\*Cos[c + (3\*d\*x)/2] + 3900\*B\*d\*x\*Cos[c + (3\*d\*x)/2] - 1800\*A\*d\*x\*Cos[2\*c + (3\*d\*x)/2] + 3900\*B\*d\*x\*Cos[2\*c + (3\*d\*x)/2] - 360\*A\*d\*x\*Cos[2\*c + (5\*d\*x)/2] + 780\*B\*d\*x\*Cos[2\*c + (5\*d\*x)/2] - 360\*A\*d\*x\*Cos[3\*c + (5\*d\*x)/2] + 780\*B\*d\*x\*Cos[3\*c + (5\*d\*x)/2] + 7020\*A\*Sin[(d\*x)/2] - 12760\*B\*Sin[(d\*x)/2] - 4500\*A\*Sin[c + (d\*x)/2] + 7560\*B\*Sin[c + (d\*x)/2] + 4860\*A\*Sin[c + (3\*d\*x)/2] - 9230\*B\*Sin[c + (3\*d\*x)/2] - 900\*A\*Sin[2\*c + (3\*d\*x)/2] + 930\*B\*Sin[2\*c + (3\*d\*x)/2] + 1452\*A\*Sin[2\*c + (5\*d\*x)/2] - 2782\*B\*Sin[2\*c + (5\*d\*x)/2] + 300\*A\*Sin[3\*c + (5\*d\*x)/2] - 750\*B\*Sin[3\*c + (5\*d\*x)/2] + 60\*A\*Sin[3\*c + (7\*d\*x)/2] - 105\*B\*Sin[3\*c + (7\*d\*x)/2] + 60\*A\*Sin[4\*c + (7\*d\*x)/2] - 105\*B\*Sin[4\*c + (7\*d\*x)/2] + 15\*B\*Sin[4\*c + (9\*d\*x)/2] + 15\*B\*Sin[5\*c + (9\*d\*x)/2]))/(480\*a^3\*d\*(1 + Cos[c + d\*x])^3)

**Maple [A]** time = 0.066, size = 292, normalized size = 1.5

$$\frac{A}{20da^3}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^5-\frac{B}{20da^3}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^5-\frac{A}{2da^3}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3+\frac{2B}{3da^3}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3+\frac{17A}{4da^3}\tan\left(\frac{dx}{2}+\frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^3, x)

[Out] 1/20/d/a^3\*A\*tan(1/2\*d\*x+1/2\*c)^5-1/20/d/a^3\*B\*tan(1/2\*d\*x+1/2\*c)^5-1/2/d/a^3\*tan(1/2\*d\*x+1/2\*c)^3\*A+2/3/d/a^3\*B\*tan(1/2\*d\*x+1/2\*c)^3+17/4/d/a^3\*A\*tan(1/2\*d\*x+1/2\*c)-31/4/d/a^3\*B\*tan(1/2\*d\*x+1/2\*c)+2/d/a^3/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*tan(1/2\*d\*x+1/2\*c)^3\*A-7/d/a^3/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*B\*tan(1/2\*d\*x+1/2\*c)^3+2/d/a^3/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*A\*tan(1/2\*d\*x+1/2\*c)-5/d/a^3/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*B\*tan(1/2\*d\*x+1/2\*c)-6/d/a^3\*arctan(tan(1/2\*d\*x+1/2\*c))\*A+13/d/a^3\*arctan(tan(1/2\*d\*x+1/2\*c))\*B

**Maxima [A]** time = 1.5081, size = 435, normalized size = 2.25

$$B \left( \frac{60 \left( \frac{5 \sin(dx+c)}{\cos(dx+c)+1} + \frac{7 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^3 + \frac{2a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^3 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{465 \sin(dx+c)}{\cos(dx+c)+1} - \frac{40 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{780 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) - 3A \left( \frac{40 \sin(dx+c)}{\left( a^3 + \frac{a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} \right) (\cos(dx+c)+1)} \right) \frac{1}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] 
$$-1/60*(B*(60*(5*\sin(d*x + c)/(\cos(d*x + c) + 1) + 7*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^3 + 2*a^3*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^3*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (465*\sin(d*x + c)/(\cos(d*x + c) + 1) - 40*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 780*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^3 - 3*A*(40*\sin(d*x + c)/((a^3 + a^3*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1)) + (85*\sin(d*x + c)/(\cos(d*x + c) + 1) - 10*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + \sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 120*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^3)/d$$

**Fricas [A]** time = 1.47336, size = 497, normalized size = 2.58

$$\frac{15(6A - 13B)dx \cos(dx + c)^3 + 45(6A - 13B)dx \cos(dx + c)^2 + 45(6A - 13B)dx \cos(dx + c) + 15(6A - 13B)d}{30(a^3d \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] 
$$-1/30*(15*(6*A - 13*B)*d*x*\cos(d*x + c)^3 + 45*(6*A - 13*B)*d*x*\cos(d*x + c)^2 + 45*(6*A - 13*B)*d*x*\cos(d*x + c) + 15*(6*A - 13*B)*d*x - (15*B*\cos(d*x + c)^4 + 15*(2*A - 3*B)*\cos(d*x + c)^3 + (234*A - 479*B)*\cos(d*x + c)^2 + 3*(114*A - 239*B)*\cos(d*x + c) + 144*A - 304*B)*\sin(d*x + c))/(a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d)$$

**Sympy [A]** time = 27.8623, size = 966, normalized size = 5.01

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*4\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*3,x)

[Out] 
$$\text{Piecewise}\left(\frac{-180*A*d*x*\tan(c/2 + d*x/2)**4}{(60*a**3*d*\tan(c/2 + d*x/2))**4 + 120*a**3*d*\tan(c/2 + d*x/2)**2 + 60*a**3*d} - \frac{360*A*d*x*\tan(c/2 + d*x/2)**2}{(60*a**3*d*\tan(c/2 + d*x/2))**4 + 120*a**3*d*\tan(c/2 + d*x/2)**2 + 60*a**3*d} - \frac{180*A*d*x}{(60*a**3*d*\tan(c/2 + d*x/2))**4 + 120*a**3*d*\tan(c/2 + d*x/2)**2 + 60*a**3*d} + \frac{3*A*\tan(c/2 + d*x/2)**9}{(60*a**3*d*\tan(c/2 + d*x/2))**4 + 120*a**3*d*\tan(c/2 + d*x/2)**2 + 60*a**3*d} - \frac{24*A*\tan(c/2 + d*x/2)**7}{(60*a**3*d*\tan(c/2 + d*x/2))**4 + 120*a**3*d*\tan(c/2 + d*x/2)**2 + 60*a**3*d} + \dots\right)$$

$$\begin{aligned}
& 198A \tan(c/2 + dx/2)^5 / (60a^3 d \tan(c/2 + dx/2)^4 + 120a^3 d \tan(c/2 + dx/2)^2 + 60a^3 d) + 600A \tan(c/2 + dx/2)^3 / (60a^3 d \tan(c/2 + dx/2)^4 + 120a^3 d \tan(c/2 + dx/2)^2 + 60a^3 d) + 375A \tan(c/2 + dx/2) / (60a^3 d \tan(c/2 + dx/2)^4 + 120a^3 d \tan(c/2 + dx/2)^2 + 60a^3 d) \\
& + 390B dx \tan(c/2 + dx/2)^4 / (60a^3 d \tan(c/2 + dx/2)^4 + 120a^3 d \tan(c/2 + dx/2)^2 + 60a^3 d) + 780B dx \tan(c/2 + dx/2)^2 / (60a^3 d \tan(c/2 + dx/2)^4 + 120a^3 d \tan(c/2 + dx/2)^2 + 60a^3 d) \\
& + 390B dx / (60a^3 d \tan(c/2 + dx/2)^4 + 120a^3 d \tan(c/2 + dx/2)^2 + 60a^3 d) - 3B \tan(c/2 + dx/2)^9 / (60a^3 d \tan(c/2 + dx/2)^4 + 120a^3 d \tan(c/2 + dx/2)^2 + 60a^3 d) \\
& + 34B \tan(c/2 + dx/2)^7 / (60a^3 d \tan(c/2 + dx/2)^4 + 120a^3 d \tan(c/2 + dx/2)^2 + 60a^3 d) - 388B \tan(c/2 + dx/2)^5 / (60a^3 d \tan(c/2 + dx/2)^4 + 120a^3 d \tan(c/2 + dx/2)^2 + 60a^3 d) \\
& - 1310B \tan(c/2 + dx/2)^3 / (60a^3 d \tan(c/2 + dx/2)^4 + 120a^3 d \tan(c/2 + dx/2)^2 + 60a^3 d) - 765B \tan(c/2 + dx/2) / (60a^3 d \tan(c/2 + dx/2)^4 + 120a^3 d \tan(c/2 + dx/2)^2 + 60a^3 d), \\
& \text{Ne}(d, 0), (x(A + B \cos(c)) \cos(c))^4 / (a \cos(c) + a)^3, \text{True})
\end{aligned}$$

**Giac [A]** time = 1.17815, size = 270, normalized size = 1.4

$$\frac{30(dx+c)(6A-13B)}{a^3} - \frac{60 \left( 2A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 7B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 2A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 5B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right)}{\left( \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1 \right)^2 a^3} - \frac{3Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^{15}}$$

60d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^4\*(A+B\*cos(dx+c))/(a+a\*cos(dx+c))^3,x, algorithm="giac")

[Out] 
$$\begin{aligned}
& -1/60*(30*(dx + c)*(6A - 13B)/a^3 - 60*(2A*\tan(1/2*dx + 1/2*c)^3 - 7*B*\tan(1/2*dx + 1/2*c)^3 + 2A*\tan(1/2*dx + 1/2*c) - 5*B*\tan(1/2*dx + 1/2*c))/((\tan(1/2*dx + 1/2*c)^2 + 1)^2*a^3) - (3*A*a^{12}*\tan(1/2*dx + 1/2*c)^5 - 3*B*a^{12}*\tan(1/2*dx + 1/2*c)^5 - 30*A*a^{12}*\tan(1/2*dx + 1/2*c)^3 + 40*B*a^{12}*\tan(1/2*dx + 1/2*c)^3 + 255*A*a^{12}*\tan(1/2*dx + 1/2*c) - 465*B*a^{12}*\tan(1/2*dx + 1/2*c))/a^{15})/d
\end{aligned}$$



$$3.58 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=147

$$\frac{(7A - 27B) \sin(c + dx)}{15a^3d} - \frac{(A - 3B) \sin(c + dx)}{d(a^3 \cos(c + dx) + a^3)} + \frac{x(A - 3B)}{a^3} + \frac{(A - B) \sin(c + dx) \cos^3(c + dx)}{5d(a \cos(c + dx) + a)^3} + \frac{(4A - 9B) \sin(c + dx)}{15ad(a \cos(c + dx) + a)}$$

[Out] ((A - 3\*B)\*x)/a^3 - ((7\*A - 27\*B)\*Sin[c + d\*x])/(15\*a^3\*d) + ((A - B)\*Cos[c + d\*x]^3\*SIN[c + d\*x])/(5\*d\*(a + a\*cos[c + d\*x])^3) + ((4\*A - 9\*B)\*Cos[c + d\*x]^2\*SIN[c + d\*x])/(15\*a\*d\*(a + a\*cos[c + d\*x])^2) - ((A - 3\*B)\*Sin[c + d\*x])/(d\*(a^3 + a^3\*cos[c + d\*x]))

**Rubi [A]** time = 0.457031, antiderivative size = 147, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2977, 2968, 3023, 12, 2735, 2648}

$$\frac{(7A - 27B) \sin(c + dx)}{15a^3d} - \frac{(A - 3B) \sin(c + dx)}{d(a^3 \cos(c + dx) + a^3)} + \frac{x(A - 3B)}{a^3} + \frac{(A - B) \sin(c + dx) \cos^3(c + dx)}{5d(a \cos(c + dx) + a)^3} + \frac{(4A - 9B) \sin(c + dx)}{15ad(a \cos(c + dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^3\*(A + B\*cos[c + d\*x]))/(a + a\*cos[c + d\*x])^3,x]

[Out] ((A - 3\*B)\*x)/a^3 - ((7\*A - 27\*B)\*Sin[c + d\*x])/(15\*a^3\*d) + ((A - B)\*Cos[c + d\*x]^3\*SIN[c + d\*x])/(5\*d\*(a + a\*cos[c + d\*x])^3) + ((4\*A - 9\*B)\*Cos[c + d\*x]^2\*SIN[c + d\*x])/(15\*a\*d\*(a + a\*cos[c + d\*x])^2) - ((A - 3\*B)\*Sin[c + d\*x])/(d\*(a^3 + a^3\*cos[c + d\*x]))

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[p[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^m\*(c + d\*SIN[e + f\*x])^n]/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*SIN[e + f\*x])^(m + 1)\*(c + d\*SIN[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Int[(a + b\*SIN[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*SIN[e + f\*x] + B\*d\*SIN[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2, x\_Symbol] := -Simp[(C\*cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*SIN[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*SIN[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rule 2648

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(-1), x\_Symbol] := -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^3} dx = \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{\cos^2(c + dx)(3a(A - B) - a(A - 6B) \cos(c + dx))}{(a + a \cos(c + dx))^2} dx}{5a^2}$$

$$= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(4A - 9B) \cos^2(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{\int \frac{\cos(c + dx)}{(a + a \cos(c + dx))^2} dx}{5a^2}$$

$$= \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(4A - 9B) \cos^2(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{\int \frac{2a^2 \cos(c + dx)}{(a + a \cos(c + dx))^3} dx}{5a^2}$$

$$= -\frac{(7A - 27B) \sin(c + dx)}{15a^3d} + \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(4A - 9B) \cos^2(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2}$$

$$= -\frac{(7A - 27B) \sin(c + dx)}{15a^3d} + \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(4A - 9B) \cos^2(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2}$$

$$= \frac{(A - 3B)x}{a^3} - \frac{(7A - 27B) \sin(c + dx)}{15a^3d} + \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(4A - 9B) \cos^2(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2}$$

$$= \frac{(A - 3B)x}{a^3} - \frac{(7A - 27B) \sin(c + dx)}{15a^3d} + \frac{(A - B) \cos^3(c + dx) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(4A - 9B) \cos^2(c + dx) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2}$$

**Mathematica [B]** time = 0.832577, size = 361, normalized size = 2.46

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(300dx(A - 3B) \cos\left(c + \frac{dx}{2}\right) + 300dx(A - 3B) \cos\left(\frac{dx}{2}\right) + 540A \sin\left(c + \frac{dx}{2}\right) - 460A \sin\left(c + \frac{3dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^3\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^3,x]

[Out] (Cos[(c + d\*x)/2]\*Sec[c/2]\*(300\*(A - 3\*B)\*d\*x\*Cos[(d\*x)/2] + 300\*(A - 3\*B)\*d\*x\*Cos[c + (d\*x)/2] + 150\*A\*d\*x\*Cos[c + (3\*d\*x)/2] - 450\*B\*d\*x\*Cos[c + (3\*d\*x)/2] + 150\*A\*d\*x\*Cos[2\*c + (3\*d\*x)/2] - 450\*B\*d\*x\*Cos[2\*c + (3\*d\*x)/2] + 30\*A\*d\*x\*Cos[2\*c + (5\*d\*x)/2] - 90\*B\*d\*x\*Cos[2\*c + (5\*d\*x)/2] + 30\*A\*d\*x\*Cos[3\*c + (5\*d\*x)/2] - 90\*B\*d\*x\*Cos[3\*c + (5\*d\*x)/2] - 740\*A\*Sin[(d\*x)/2] + 1755\*B\*Sin[(d\*x)/2] + 540\*A\*Sin[c + (d\*x)/2] - 1125\*B\*Sin[c + (d\*x)/2] - 460\*A\*Sin[c + (3\*d\*x)/2] + 1215\*B\*Sin[c + (3\*d\*x)/2] + 180\*A\*Sin[2\*c + (3\*d\*x)/2] - 225\*B\*Sin[2\*c + (3\*d\*x)/2] - 128\*A\*Sin[2\*c + (5\*d\*x)/2] + 363\*B\*Sin[

$$2*c + (5*d*x)/2] + 75*B*\sin[3*c + (5*d*x)/2] + 15*B*\sin[3*c + (7*d*x)/2] + 15*B*\sin[4*c + (7*d*x)/2]))/(120*a^3*d*(1 + \cos[c + d*x])^3)$$

**Maple [A]** time = 0.065, size = 189, normalized size = 1.3

$$-\frac{A}{20da^3} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{B}{20da^3} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{A}{3da^3} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{B}{2da^3} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{7A}{4da^3} \tan$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^3,x)

[Out]  $-\frac{1}{20} \frac{A}{d a^3} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 + \frac{1}{20} \frac{B}{d a^3} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 + \frac{1}{3} \frac{A}{d a^3} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^3 - \frac{7}{4} \frac{A}{d a^3} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + \frac{17}{4} \frac{B}{d a^3} \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + \frac{2}{d a^3} \frac{B \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)}{\left(1 + \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right)^2} + \frac{2}{d a^3} \arctan\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right) * A - \frac{6}{d a^3} \arctan\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)\right) * B$

**Maxima [A]** time = 1.56786, size = 312, normalized size = 2.12

$$3B \left( \frac{40 \sin(dx+c)}{\left(a^3 + \frac{a^3 \sin(dx+c)^2}{(\cos(dx+c)+1)}\right) (\cos(dx+c)+1)} + \frac{\frac{85 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{120 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) - A \left( \frac{\frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3}}{a^3} \right)$$

$60d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out]  $\frac{1}{60} * (3*B*(40*\sin(d*x + c)/((a^3 + a^3*\sin(d*x + c)^2/(\cos(d*x + c) + 1))^2) * (\cos(d*x + c) + 1)) + (85*\sin(d*x + c)/(\cos(d*x + c) + 1) - 10*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + \sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 120*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^3 - A*((105*\sin(d*x + c)/(\cos(d*x + c) + 1) - 20*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 120*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^3)/d$

**Fricas [A]** time = 1.36359, size = 429, normalized size = 2.92

$$\frac{15(A - 3B)dx \cos(dx + c)^3 + 45(A - 3B)dx \cos(dx + c)^2 + 45(A - 3B)dx \cos(dx + c) + 15(A - 3B)dx + (15B \cos(dx + c)^3 - 3A \cos(dx + c)^2 + 3A \cos(dx + c) - 22A + 72B) \sin(dx + c)}{15(a^3 d \cos(dx + c)^3 + 3a^3 d \cos(dx + c)^2 + 3a^3 d \cos(dx + c) + 3a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out]  $\frac{1}{15} * (15*(A - 3*B)*d*x*\cos(d*x + c)^3 + 45*(A - 3*B)*d*x*\cos(d*x + c)^2 + 45*(A - 3*B)*d*x*\cos(d*x + c) + 15*(A - 3*B)*d*x + (15*B*\cos(d*x + c)^3 - (3*2*A - 117*B)*\cos(d*x + c)^2 - 3*(17*A - 57*B)*\cos(d*x + c) - 22*A + 72*B)*\sin(d*x + c)/((a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + 3*a^3*d))$

\*x + c) + a^3\*d)

**Sympy [A]** time = 16.5648, size = 496, normalized size = 3.37

$$\left\{ \frac{60Adx \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{60a^3d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 60a^3d} + \frac{60Adx}{60a^3d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 60a^3d} - \frac{3A \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{60a^3d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 60a^3d} + \frac{17A \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{60a^3d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 60a^3d} - \frac{85A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{60a^3d \tan^2\left(\frac{c}{2} + \frac{dx}{2}\right) + 60a^3d} - \frac{x(A+B \cos(c)) \cos^3(c)}{(a \cos(c)+a)^3} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**3,x)
```

```
[Out] Piecewise(((60*A*d*x*tan(c/2 + d*x/2)**2/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 60*A*d*x/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 3*A*tan(c/2 + d*x/2)**7/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 17*A*tan(c/2 + d*x/2)**5/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 85*A*tan(c/2 + d*x/2)**3/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 105*A*tan(c/2 + d*x/2)/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 180*B*d*x*tan(c/2 + d*x/2)**2/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 180*B*d*x/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 3*B*tan(c/2 + d*x/2)**7/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) - 27*B*tan(c/2 + d*x/2)**5/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 225*B*tan(c/2 + d*x/2)**3/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d) + 375*B*tan(c/2 + d*x/2)/(60*a**3*d*tan(c/2 + d*x/2)**2 + 60*a**3*d), Ne(d, 0)), (x*(A + B*cos(c))*cos(c)**3/(a*cos(c) + a)**3, True))
```

**Giac [A]** time = 1.2116, size = 209, normalized size = 1.42

$$\frac{60(dx+c)(A-3B)}{a^3} + \frac{120B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1\right)a^3} - \frac{3Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 20Aa^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 30Ba^{12} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 105Aa^{12}}{a^{15}}$$

60d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm="giac")
```

```
[Out] 1/60*(60*(d*x + c)*(A - 3*B)/a^3 + 120*B*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a^3) - (3*A*a^12*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^12*tan(1/2*d*x + 1/2*c)^5 - 20*A*a^12*tan(1/2*d*x + 1/2*c)^3 + 30*B*a^12*tan(1/2*d*x + 1/2*c)^3 + 105*A*a^12*tan(1/2*d*x + 1/2*c) - 255*B*a^12*tan(1/2*d*x + 1/2*c))/a^15)/d
```

$$3.59 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=116

$$\frac{(4A - 29B) \sin(c + dx)}{15d(a^3 \cos(c + dx) + a^3)} + \frac{Bx}{a^3} + \frac{(A - B) \sin(c + dx) \cos^2(c + dx)}{5d(a \cos(c + dx) + a)^3} - \frac{(2A - 7B) \sin(c + dx)}{15ad(a \cos(c + dx) + a)^2}$$

[Out] (B\*x)/a^3 + ((A - B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) - ((2\*A - 7\*B)\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) + ((4\*A - 29\*B)\*Sin[c + d\*x])/(15\*d\*(a^3 + a^3\*Cos[c + d\*x]))

**Rubi [A]** time = 0.321075, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2977, 2968, 3019, 2735, 2648}

$$\frac{(4A - 29B) \sin(c + dx)}{15d(a^3 \cos(c + dx) + a^3)} + \frac{Bx}{a^3} + \frac{(A - B) \sin(c + dx) \cos^2(c + dx)}{5d(a \cos(c + dx) + a)^3} - \frac{(2A - 7B) \sin(c + dx)}{15ad(a \cos(c + dx) + a)^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^3,x]

[Out] (B\*x)/a^3 + ((A - B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) - ((2\*A - 7\*B)\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) + ((4\*A - 29\*B)\*Sin[c + d\*x])/(15\*d\*(a^3 + a^3\*Cos[c + d\*x]))

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3019

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2, x\_Symbol] := Simp[(A\*b - a\*B + b\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m/(a\*f\*(2\*m + 1)), x] + Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[a\*A\*(m + 1) + m\*(b\*B - a\*C) + b\*C\*(2\*m + 1)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

#### Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.
)*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

### Rule 2648

```
Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> -Simp[Cos[c +
d*x]/(d*(b + a*Sin[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b
^2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^3} dx &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\int \frac{\cos(c+dx)(2a(A-B)+5aB\cos(c+dx))}{(a+a\cos(c+dx))^2} dx}{5a^2} \\ &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\int \frac{2a(A-B)\cos(c+dx)+5aB\cos^2(c+dx)}{(a+a\cos(c+dx))^2} dx}{5a^2} \\ &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{(2A-7B)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} - \frac{\int \frac{-2a^2(2A-7B)-15a^2B\cos(c+dx)}{a+a\cos(c+dx)} dx}{15a} \\ &= \frac{Bx}{a^3} + \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{(2A-7B)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \frac{(4A-29B)\sin(c+dx)}{15a} \\ &= \frac{Bx}{a^3} + \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{(2A-7B)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \frac{(4A-29B)\sin(c+dx)}{15d(a^3+a^2d)} \end{aligned}$$

**Mathematica [B]** time = 0.5373, size = 241, normalized size = 2.08

$$\sec\left(\frac{c}{2}\right)\sec^5\left(\frac{1}{2}(c+dx)\right)\left(-60A\sin\left(c+\frac{dx}{2}\right)+40A\sin\left(c+\frac{3dx}{2}\right)-30A\sin\left(2c+\frac{3dx}{2}\right)+14A\sin\left(2c+\frac{5dx}{2}\right)+80A\sin\left(\frac{dx}{2}\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3, x]
```

```
[Out] (Sec[c/2]*Sec[(c + d*x)/2]^5*(150*B*d*x*Cos[(d*x)/2] + 150*B*d*x*Cos[c + (d
*x)/2] + 75*B*d*x*Cos[c + (3*d*x)/2] + 75*B*d*x*Cos[2*c + (3*d*x)/2] + 15*B
*d*x*Cos[2*c + (5*d*x)/2] + 15*B*d*x*Cos[3*c + (5*d*x)/2] + 80*A*Sin[(d*x)/
2] - 370*B*Sin[(d*x)/2] - 60*A*Sin[c + (d*x)/2] + 270*B*Sin[c + (d*x)/2] +
40*A*Sin[c + (3*d*x)/2] - 230*B*Sin[c + (3*d*x)/2] - 30*A*Sin[2*c + (3*d*x)
/2] + 90*B*Sin[2*c + (3*d*x)/2] + 14*A*Sin[2*c + (5*d*x)/2] - 64*B*Sin[2*c
+ (5*d*x)/2]))/(480*a^3*d)
```

**Maple [A]** time = 0.056, size = 137, normalized size = 1.2

$$\frac{A}{20da^3}\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^5 - \frac{B}{20da^3}\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^5 - \frac{A}{6da^3}\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 + \frac{B}{3da^3}\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 + \frac{A}{4da^3}\tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+cos(d*x+c)*a)^3, x)
```

[Out]  $1/20/d/a^3 A \tan(1/2 dx + 1/2 c)^5 - 1/20/d/a^3 B \tan(1/2 dx + 1/2 c)^5 - 1/6/d/a^3 \tan(1/2 dx + 1/2 c)^3 A + 1/3/d/a^3 B \tan(1/2 dx + 1/2 c)^3 + 1/4/d/a^3 A \tan(1/2 dx + 1/2 c) - 7/4/d/a^3 B \tan(1/2 dx + 1/2 c) + 2/d/a^3 \arctan(\tan(1/2 dx + 1/2 c)) * B$

**Maxima [A]** time = 1.48969, size = 216, normalized size = 1.86

$$\frac{B \left( \frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{120 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^3} \right) - \frac{A \left( \frac{15 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{60 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^2*(A+B*cos(dx+c))/(a+a*cos(dx+c))^3,x, algorithm="maxima")`

[Out]  $-1/60 * (B * ((105 * \sin(dx + c) / (\cos(dx + c) + 1) - 20 * \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 3 * \sin(dx + c)^5 / (\cos(dx + c) + 1)^5) / a^3 - 120 * \arctan(\sin(dx + c) / (\cos(dx + c) + 1)) / a^3) - A * (15 * \sin(dx + c) / (\cos(dx + c) + 1) - 10 * \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 3 * \sin(dx + c)^5 / (\cos(dx + c) + 1)^5) / a^3) / d$

**Fricas [A]** time = 1.37787, size = 351, normalized size = 3.03

$$\frac{15 B dx \cos(dx + c)^3 + 45 B dx \cos(dx + c)^2 + 45 B dx \cos(dx + c) + 15 B dx + ((7 A - 32 B) \cos(dx + c)^2 + 3(2 A - 17 B) \cos(dx + c) + 2 A - 22 B) \sin(dx + c)}{15 (a^3 d \cos(dx + c)^3 + 3 a^3 d \cos(dx + c)^2 + 3 a^3 d \cos(dx + c) + a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^2*(A+B*cos(dx+c))/(a+a*cos(dx+c))^3,x, algorithm="fricas")`

[Out]  $1/15 * (15 * B * dx * \cos(dx + c)^3 + 45 * B * dx * \cos(dx + c)^2 + 45 * B * dx * \cos(dx + c) + 15 * B * dx + ((7 * A - 32 * B) * \cos(dx + c)^2 + 3 * (2 * A - 17 * B) * \cos(dx + c) + 2 * A - 22 * B) * \sin(dx + c)) / (a^3 * d * \cos(dx + c)^3 + 3 * a^3 * d * \cos(dx + c)^2 + 3 * a^3 * d * \cos(dx + c) + a^3 * d)$

**Sympy [A]** time = 9.22754, size = 148, normalized size = 1.28

$$\begin{cases} \frac{A \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{20 a^3 d} - \frac{A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6 a^3 d} + \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4 a^3 d} + \frac{B x}{a^3} - \frac{B \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{20 a^3 d} + \frac{B \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{3 a^3 d} - \frac{7 B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4 a^3 d} & \text{for } d \neq 0 \\ \frac{x(A+B \cos(c)) \cos^2(c)}{(a \cos(c)+a)^3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)**2*(A+B*cos(dx+c))/(a+a*cos(dx+c))**3,x)`

[Out] `Piecewise((A*tan(c/2 + dx/2)**5/(20*a**3*d) - A*tan(c/2 + dx/2)**3/(6*a**3*d) + A*tan(c/2 + dx/2)/(4*a**3*d) + B*x/a**3 - B*tan(c/2 + dx/2)**5/(20*a**3*d) + B*tan(c/2 + dx/2)**3/(3*a**3*d) - 7*B*tan(c/2 + dx/2)/(4*a**3*d), (A*cos(c)+A)*cos(c)**2/(a*cos(c)+a)**3)`

d), Ne(d, 0)), (x\*(A + B\*cos(c))\*cos(c)\*\*2/(a\*cos(c) + a)\*\*3, True))

**Giac [A]** time = 1.23817, size = 162, normalized size = 1.4

$$\frac{60(dx+c)B}{a^3} + \frac{3Aa^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 - 3Ba^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 - 10Aa^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 20Ba^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 15Aa^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) - 105Ba^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] 1/60\*(60\*(d\*x + c)\*B/a^3 + (3\*A\*a^12\*tan(1/2\*d\*x + 1/2\*c)^5 - 3\*B\*a^12\*tan(1/2\*d\*x + 1/2\*c)^5 - 10\*A\*a^12\*tan(1/2\*d\*x + 1/2\*c)^3 + 20\*B\*a^12\*tan(1/2\*d\*x + 1/2\*c)^3 + 15\*A\*a^12\*tan(1/2\*d\*x + 1/2\*c) - 105\*B\*a^12\*tan(1/2\*d\*x + 1/2\*c))/a^15)/d



$$3.60 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=102

$$\frac{(3A+7B)\sin(c+dx)}{15d(a^3 \cos(c+dx)+a^3)} + \frac{(3A-8B)\sin(c+dx)}{15ad(a \cos(c+dx)+a)^2} - \frac{(A-B)\sin(c+dx)}{5d(a \cos(c+dx)+a)^3}$$

[Out] -((A - B)\*Sin[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) + ((3\*A - 8\*B)\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) + ((3\*A + 7\*B)\*Sin[c + d\*x])/(15\*d\*(a^3 + a^3\*Cos[c + d\*x]))

**Rubi [A]** time = 0.188036, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$ , Rules used = {2968, 3019, 2750, 2648}

$$\frac{(3A+7B)\sin(c+dx)}{15d(a^3 \cos(c+dx)+a^3)} + \frac{(3A-8B)\sin(c+dx)}{15ad(a \cos(c+dx)+a)^2} - \frac{(A-B)\sin(c+dx)}{5d(a \cos(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^3,x]

[Out] -((A - B)\*Sin[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) + ((3\*A - 8\*B)\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) + ((3\*A + 7\*B)\*Sin[c + d\*x])/(15\*d\*(a^3 + a^3\*Cos[c + d\*x]))

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3019

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := Simp[((A\*b - a\*B + b\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[a\*A\*(m + 1) + m\*(b\*B - a\*C) + b\*C\*(2\*m + 1)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

#### Rule 2750

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rule 2648

Int[((a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^3} dx &= \int \frac{A\cos(c+dx)+B\cos^2(c+dx)}{(a+a\cos(c+dx))^3} dx \\
&= -\frac{(A-B)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} - \frac{\int \frac{-3a(A-B)-5aB\cos(c+dx)}{(a+a\cos(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A-B)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(3A-8B)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \frac{(3A+7B)\int \frac{1}{a+a\cos(c+dx)} dx}{15a^2} \\
&= -\frac{(A-B)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(3A-8B)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \frac{(3A+7B)\sin(c+dx)}{15d(a^3+a^3\cos(c+dx))}
\end{aligned}$$

**Mathematica [A]** time = 0.319653, size = 135, normalized size = 1.32

$$\frac{\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(-15(A+2B)\sin\left(c+\frac{dx}{2}\right)+5(3A+8B)\sin\left(\frac{dx}{2}\right)+15A\sin\left(c+\frac{3dx}{2}\right)+3A\sin\left(2c+\frac{5dx}{2}\right)+20B\right)}{30a^3d(\cos(c+dx)+1)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^3, x]

[Out] (Cos[(c + d\*x)/2]\*Sec[c/2]\*(5\*(3\*A + 8\*B)\*Sin[(d\*x)/2] - 15\*(A + 2\*B)\*Sin[c + (d\*x)/2] + 15\*A\*Sin[c + (3\*d\*x)/2] + 20\*B\*Sin[c + (3\*d\*x)/2] - 15\*B\*Sin[2\*c + (3\*d\*x)/2] + 3\*A\*Sin[2\*c + (5\*d\*x)/2] + 7\*B\*Sin[2\*c + (5\*d\*x)/2]))/(30\*a^3\*d\*(1 + Cos[c + d\*x])^3)

**Maple [A]** time = 0.05, size = 64, normalized size = 0.6

$$\frac{1}{4da^3} \left( \frac{-A+B}{5} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{2B}{3} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + B \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^3, x)

[Out] 1/4/d/a^3\*(1/5\*(-A+B)\*tan(1/2\*d\*x+1/2\*c)^5-2/3\*B\*tan(1/2\*d\*x+1/2\*c)^3+A\*tan(1/2\*d\*x+1/2\*c)+B\*tan(1/2\*d\*x+1/2\*c))

**Maxima [A]** time = 1.01729, size = 155, normalized size = 1.52

$$\frac{B \left( \frac{15 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3} + \frac{3A \left( \frac{5 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3}$$

60 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3, x, algorithm="maxima")

[Out]  $\frac{1}{60} * (B * (15 * \sin(dx + c) / (\cos(dx + c) + 1) - 10 * \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 3 * \sin(dx + c)^5 / (\cos(dx + c) + 1)^5) / a^3 + 3 * A * (5 * \sin(dx + c) / (\cos(dx + c) + 1) - \sin(dx + c)^5 / (\cos(dx + c) + 1)^5) / a^3) / d$

**Fricas [A]** time = 1.31214, size = 227, normalized size = 2.23

$$\frac{((3A + 7B) \cos(dx + c)^2 + 3(3A + 2B) \cos(dx + c) + 3A + 2B) \sin(dx + c)}{15(a^3 d \cos(dx + c)^3 + 3a^3 d \cos(dx + c)^2 + 3a^3 d \cos(dx + c) + a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)*(A+B*cos(dx+c))/(a+a*cos(dx+c))^3,x, algorithm="fricas")`

[Out]  $\frac{1}{15} * ((3A + 7B) * \cos(dx + c)^2 + 3 * (3A + 2B) * \cos(dx + c) + 3A + 2B) * \sin(dx + c) / (a^3 * d * \cos(dx + c)^3 + 3 * a^3 * d * \cos(dx + c)^2 + 3 * a^3 * d * \cos(dx + c) + a^3 * d)$

**Sympy [A]** time = 5.70016, size = 117, normalized size = 1.15

$$\begin{cases} -\frac{A \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{20a^3d} + \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4a^3d} + \frac{B \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{20a^3d} - \frac{B \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^3d} + \frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4a^3d} & \text{for } d \neq 0 \\ \frac{x(A+B \cos(c)) \cos(c)}{(a \cos(c)+a)^3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)*(A+B*cos(dx+c))/(a+a*cos(dx+c))**3,x)`

[Out] `Piecewise((-A*tan(c/2 + dx/2)**5/(20*a**3*d) + A*tan(c/2 + dx/2)/(4*a**3*d) + B*tan(c/2 + dx/2)**5/(20*a**3*d) - B*tan(c/2 + dx/2)**3/(6*a**3*d) + B*tan(c/2 + dx/2)/(4*a**3*d), Ne(d, 0)), (x*(A + B*cos(c))*cos(c)/(a*cos(c) + a)**3, True))`

**Giac [A]** time = 1.21715, size = 101, normalized size = 0.99

$$\frac{3A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 3B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 10B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 15A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 15B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{60a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)*(A+B*cos(dx+c))/(a+a*cos(dx+c))^3,x, algorithm="giac")`

[Out]  $\frac{-1}{60} * (3 * A * \tan(1/2 * dx + 1/2 * c)^5 - 3 * B * \tan(1/2 * dx + 1/2 * c)^5 + 10 * B * \tan(1/2 * dx + 1/2 * c)^3 - 15 * A * \tan(1/2 * dx + 1/2 * c) - 15 * B * \tan(1/2 * dx + 1/2 * c)) / (a^3 * d)$

$$3.61 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=102

$$\frac{(2A+3B) \sin(c+dx)}{15d(a^3 \cos(c+dx)+a^3)} + \frac{(2A+3B) \sin(c+dx)}{15ad(a \cos(c+dx)+a)^2} + \frac{(A-B) \sin(c+dx)}{5d(a \cos(c+dx)+a)^3}$$

[Out] ((A - B)\*Sin[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) + ((2\*A + 3\*B)\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) + ((2\*A + 3\*B)\*Sin[c + d\*x])/(15\*d\*(a^3 + a^3\*Cos[c + d\*x]))

**Rubi [A]** time = 0.0788386, antiderivative size = 102, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {2750, 2650, 2648}

$$\frac{(2A+3B) \sin(c+dx)}{15d(a^3 \cos(c+dx)+a^3)} + \frac{(2A+3B) \sin(c+dx)}{15ad(a \cos(c+dx)+a)^2} + \frac{(A-B) \sin(c+dx)}{5d(a \cos(c+dx)+a)^3}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(a + a\*Cos[c + d\*x])^3,x]

[Out] ((A - B)\*Sin[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) + ((2\*A + 3\*B)\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) + ((2\*A + 3\*B)\*Sin[c + d\*x])/(15\*d\*(a^3 + a^3\*Cos[c + d\*x]))

#### Rule 2750

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rule 2650

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^n)/(a\*d\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^3} dx &= \frac{(A - B) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(2A + 3B) \int \frac{1}{(a + a \cos(c + dx))^2} dx}{5a} \\ &= \frac{(A - B) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(2A + 3B) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{(2A + 3B) \int \frac{1}{a + a \cos(c + dx)} dx}{15a^2} \\ &= \frac{(A - B) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{(2A + 3B) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{(2A + 3B) \sin(c + dx)}{15d(a^3 + a^3 \cos(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.259017, size = 96, normalized size = 0.94

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left( (2A + 3B) \left( 5 \sin\left(c + \frac{3dx}{2}\right) + \sin\left(2c + \frac{5dx}{2}\right) \right) + 5(4A + 3B) \sin\left(\frac{dx}{2}\right) - 15B \sin\left(c + \frac{dx}{2}\right) \right)}{30a^3 d (\cos(c + dx) + 1)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(a + a\*Cos[c + d\*x])^3, x]

[Out] (Cos[(c + d\*x)/2]\*Sec[c/2]\*(5\*(4\*A + 3\*B)\*Sin[(d\*x)/2] - 15\*B\*Sin[c + (d\*x)/2] + (2\*A + 3\*B)\*(5\*Sin[c + (3\*d\*x)/2] + Sin[2\*c + (5\*d\*x)/2]))) / (30\*a^3\*d\*(1 + Cos[c + d\*x])^3)

**Maple [A]** time = 0.044, size = 64, normalized size = 0.6

$$\frac{1}{4da^3} \left( \frac{A - B}{5} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{2A}{3} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + B \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^3, x)

[Out] 1/4/d/a^3\*(1/5\*(A-B)\*tan(1/2\*d\*x+1/2\*c)^5+2/3\*tan(1/2\*d\*x+1/2\*c)^3\*A+A\*tan(1/2\*d\*x+1/2\*c)+B\*tan(1/2\*d\*x+1/2\*c))

**Maxima [A]** time = 1.0223, size = 155, normalized size = 1.52

$$\frac{A \left( \frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3} + \frac{3B \left( \frac{5 \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3}$$

$60d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3, x, algorithm="maxima")

[Out] 1/60\*(A\*(15\*sin(d\*x + c)/(cos(d\*x + c) + 1) + 10\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 3\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5)/a^3 + 3\*B\*(5\*sin(d\*x + c)/(cos(d\*x + c) + 1) - sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5)/a^3)/d

**Fricas [A]** time = 1.33754, size = 227, normalized size = 2.23

$$\frac{((2A + 3B) \cos(dx + c))^2 + 3(2A + 3B) \cos(dx + c) + 7A + 3B) \sin(dx + c)}{15(a^3d \cos(dx + c)^3 + 3a^3d \cos(dx + c)^2 + 3a^3d \cos(dx + c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] 1/15\*((2\*A + 3\*B)\*cos(d\*x + c)^2 + 3\*(2\*A + 3\*B)\*cos(d\*x + c) + 7\*A + 3\*B)\*sin(d\*x + c)/(a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + 3\*a^3\*d\*cos(d\*x + c) + a^3\*d)

**Sympy [A]** time = 3.66219, size = 114, normalized size = 1.12

$$\begin{cases} \frac{A \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{20a^3d} + \frac{A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{6a^3d} + \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4a^3d} - \frac{B \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{20a^3d} + \frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{4a^3d} & \text{for } d \neq 0 \\ \frac{x(A+B \cos(c))}{(a \cos(c)+a)^3} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Piecewise((A\*tan(c/2 + d\*x/2)\*\*5/(20\*a\*\*3\*d) + A\*tan(c/2 + d\*x/2)\*\*3/(6\*a\*\*3\*d) + A\*tan(c/2 + d\*x/2)/(4\*a\*\*3\*d) - B\*tan(c/2 + d\*x/2)\*\*5/(20\*a\*\*3\*d) + B\*tan(c/2 + d\*x/2)/(4\*a\*\*3\*d), Ne(d, 0)), (x\*(A + B\*cos(c))/(a\*cos(c) + a)\*\*3, True))

**Giac [A]** time = 1.20609, size = 101, normalized size = 0.99

$$\frac{3A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 10A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 15A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 15B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{60a^3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] 1/60\*(3\*A\*tan(1/2\*d\*x + 1/2\*c)^5 - 3\*B\*tan(1/2\*d\*x + 1/2\*c)^5 + 10\*A\*tan(1/2\*d\*x + 1/2\*c)^3 + 15\*A\*tan(1/2\*d\*x + 1/2\*c) + 15\*B\*tan(1/2\*d\*x + 1/2\*c))/(a^3\*d)

$$3.62 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=117

$$\frac{2(11A - B) \sin(c + dx)}{15d(a^3 \cos(c + dx) + a^3)} + \frac{A \tanh^{-1}(\sin(c + dx))}{a^3 d} - \frac{(7A - 2B) \sin(c + dx)}{15ad(a \cos(c + dx) + a)^2} - \frac{(A - B) \sin(c + dx)}{5d(a \cos(c + dx) + a)^3}$$

[Out] (A\*ArcTanh[Sin[c + d\*x]])/(a^3\*d) - ((A - B)\*Sin[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) - ((7\*A - 2\*B)\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) - (2\*(11\*A - B)\*Sin[c + d\*x])/(15\*d\*(a^3 + a^3\*Cos[c + d\*x]))

**Rubi [A]** time = 0.310994, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {2978, 12, 3770}

$$\frac{2(11A - B) \sin(c + dx)}{15d(a^3 \cos(c + dx) + a^3)} + \frac{A \tanh^{-1}(\sin(c + dx))}{a^3 d} - \frac{(7A - 2B) \sin(c + dx)}{15ad(a \cos(c + dx) + a)^2} - \frac{(A - B) \sin(c + dx)}{5d(a \cos(c + dx) + a)^3}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + a\*Cos[c + d\*x])^3, x]

[Out] (A\*ArcTanh[Sin[c + d\*x]])/(a^3\*d) - ((A - B)\*Sin[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) - ((7\*A - 2\*B)\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) - (2\*(11\*A - B)\*Sin[c + d\*x])/(15\*d\*(a^3 + a^3\*Cos[c + d\*x]))

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 3770

Int[csc[(c\_) + (d\_)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + a \cos(c + dx))^3} dx &= -\frac{(A - B) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{(5aA - 2a(A - B) \cos(c + dx)) \sec(c + dx)}{(a + a \cos(c + dx))^2} dx}{5a^2} \\
&= -\frac{(A - B) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(7A - 2B) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{\int \frac{(15a^2A - a^2(7A - 2B) \cos(c + dx))}{a + a \cos(c + dx)}}{15a^4} \\
&= -\frac{(A - B) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(7A - 2B) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} - \frac{2(11A - B) \sin(c + dx)}{15d(a^3 + a^3 \cos(c + dx))} \\
&= -\frac{(A - B) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(7A - 2B) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} - \frac{2(11A - B) \sin(c + dx)}{15d(a^3 + a^3 \cos(c + dx))} \\
&= \frac{A \tanh^{-1}(\sin(c + dx))}{a^3d} - \frac{(A - B) \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(7A - 2B) \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} - \frac{2(11A - B) \sin(c + dx)}{15d(a^3 + a^3 \cos(c + dx))}
\end{aligned}$$

**Mathematica [A]** time = 0.912192, size = 197, normalized size = 1.68

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(-5(29A - 4B) \sin\left(\frac{dx}{2}\right) + 75A \sin\left(c + \frac{dx}{2}\right) - 95A \sin\left(c + \frac{3dx}{2}\right) + 15A \sin\left(2c + \frac{3dx}{2}\right) - 22A \sin\left(2c + \frac{5dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + a\*Cos[c + d\*x])^3, x]

[Out] (-240\*A\*Cos[(c + d\*x)/2]^6\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + Cos[(c + d\*x)/2]\*Sec[c/2]\*(-5\*(29\*A - 4\*B)\*Sin[(d\*x)/2] + 75\*A\*Sin[c + (d\*x)/2] - 95\*A\*Sin[c + (3\*d\*x)/2] + 10\*B\*Sin[c + (3\*d\*x)/2] + 15\*A\*Sin[2\*c + (3\*d\*x)/2] - 22\*A\*Sin[2\*c + (5\*d\*x)/2] + 2\*B\*Sin[2\*c + (5\*d\*x)/2]))/(30\*a^3\*d\*(1 + Cos[c + d\*x])^3)

**Maple [A]** time = 0.094, size = 159, normalized size = 1.4

$$\frac{B}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{B}{6da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 + \frac{A}{da^3} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) - \frac{A}{3da^3} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 - \frac{A}{da^3} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+cos(d\*x+c)\*a)^3, x)

[Out] 1/4/d/a^3\*B\*tan(1/2\*d\*x+1/2\*c)+1/6/d/a^3\*B\*tan(1/2\*d\*x+1/2\*c)^3+1/d/a^3\*A\*ln(tan(1/2\*d\*x+1/2\*c)+1)-1/3/d/a^3\*tan(1/2\*d\*x+1/2\*c)^3\*A-1/d/a^3\*A\*ln(tan(1/2\*d\*x+1/2\*c)-1)-7/4/d/a^3\*A\*tan(1/2\*d\*x+1/2\*c)-1/20/d/a^3\*A\*tan(1/2\*d\*x+1/2\*c)^5+1/20/d/a^3\*B\*tan(1/2\*d\*x+1/2\*c)^5

**Maxima [A]** time = 1.00668, size = 252, normalized size = 2.15

$$A \left( \frac{\frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^3} + \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^3} \right) - \frac{B \left( \frac{15 \sin(dx+c)}{\cos(dx+c)+1} + \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{a^3}$$

60 d

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] 
$$-1/60*(A*((105*\sin(d*x + c))/(\cos(d*x + c) + 1) + 20*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3 - 60*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^3 + 60*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^3 - B*(15*\sin(d*x + c)/(\cos(d*x + c) + 1) + 10*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 3*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5)/a^3)/d$$

**Fricas [A]** time = 1.36406, size = 481, normalized size = 4.11

$$\frac{15 \left( A \cos(dx + c)^3 + 3 A \cos(dx + c)^2 + 3 A \cos(dx + c) + A \right) \log(\sin(dx + c) + 1) - 15 \left( A \cos(dx + c)^3 + 3 A \cos(dx + c)^2 + 3 A \cos(dx + c) + A \right) \log(\sin(dx + c) - 1)}{30 \left( a^3 d \cos(dx + c)^3 + \dots \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] 
$$1/30*(15*(A*\cos(d*x + c)^3 + 3*A*\cos(d*x + c)^2 + 3*A*\cos(d*x + c) + A)*\log(\sin(d*x + c) + 1) - 15*(A*\cos(d*x + c)^3 + 3*A*\cos(d*x + c)^2 + 3*A*\cos(d*x + c) + A)*\log(-\sin(d*x + c) + 1) - 2*(2*(11*A - B)*\cos(d*x + c)^2 + 3*(17*A - 2*B)*\cos(d*x + c) + 32*A - 7*B)*\sin(d*x + c))/(a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d)$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec(c+dx)}{\cos^3(c+dx)+3 \cos^2(c+dx)+3 \cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec(c+dx)}{\cos^3(c+dx)+3 \cos^2(c+dx)+3 \cos(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+a\*cos(d\*x+c))^3,x)

[Out] 
$$\left( \text{Integral}(A*\sec(c + d*x)/(\cos(c + d*x)**3 + 3*\cos(c + d*x)**2 + 3*\cos(c + d*x) + 1), x) + \text{Integral}(B*\cos(c + d*x)*\sec(c + d*x)/(\cos(c + d*x)**3 + 3*\cos(c + d*x)**2 + 3*\cos(c + d*x) + 1), x) \right) / a**3$$

**Giac [A]** time = 1.26929, size = 200, normalized size = 1.71

$$\frac{60 A \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^3} - \frac{60 A \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^3} - \frac{3 A a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 3 B a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 20 A a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 10 B a^{12} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3}{60 d a^{15}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] 
$$1/60*(60*A*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^3 - 60*A*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^3 - (3*A*a^{12}*\tan(1/2*d*x + 1/2*c)^5 - 3*B*a^{12}*\tan(1/2*c$$

$$\frac{d^5x + 10Aa^{12}\tan^3\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 10Ba^{12}\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 105Aa^{12}\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 15Ba^{12}\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^{15}}/d$$

$$3.63 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=145

$$\frac{2(36A - 11B) \tan(c + dx)}{15a^3d} - \frac{(3A - B) \tanh^{-1}(\sin(c + dx))}{a^3d} - \frac{(3A - B) \tan(c + dx)}{d(a^3 \cos(c + dx) + a^3)} - \frac{(9A - 4B) \tan(c + dx)}{15ad(a \cos(c + dx) + a)^2} - \frac{(9A - 4B) \tan(c + dx)}{5d}$$

[Out] -(((3\*A - B)\*ArcTanh[Sin[c + d\*x]])/(a^3\*d)) + (2\*(36\*A - 11\*B)\*Tan[c + d\*x])/((15\*a^3\*d) - ((A - B)\*Tan[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) - ((9\*A - 4\*B)\*Tan[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) - ((3\*A - B)\*Tan[c + d\*x])/(d\*(a^3 + a^3\*Cos[c + d\*x])))

**Rubi [A]** time = 0.469333, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2978, 2748, 3767, 8, 3770}

$$\frac{2(36A - 11B) \tan(c + dx)}{15a^3d} - \frac{(3A - B) \tanh^{-1}(\sin(c + dx))}{a^3d} - \frac{(3A - B) \tan(c + dx)}{d(a^3 \cos(c + dx) + a^3)} - \frac{(9A - 4B) \tan(c + dx)}{15ad(a \cos(c + dx) + a)^2} - \frac{(9A - 4B) \tan(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(a + a\*Cos[c + d\*x])^3,x]

[Out] -(((3\*A - B)\*ArcTanh[Sin[c + d\*x]])/(a^3\*d)) + (2\*(36\*A - 11\*B)\*Tan[c + d\*x])/((15\*a^3\*d) - ((A - B)\*Tan[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) - ((9\*A - 4\*B)\*Tan[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) - ((3\*A - B)\*Tan[c + d\*x])/(d\*(a^3 + a^3\*Cos[c + d\*x])))

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3767

Int[csc[(c\_) + (d\_)\*(x\_)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 8

Int[a\_, x\_Symbol] :> Simp[a\*x, x] /; FreeQ[a, x]

**Rule 3770**

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]  
/; FreeQ[{c, d}, x]`

**Rubi steps**

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + a \cos(c + dx))^3} dx &= -\frac{(A - B) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{(a(6A-B) - 3a(A-B) \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^2} dx}{5a^2} \\ &= -\frac{(A - B) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(9A - 4B) \tan(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{\int \frac{(a^2(27A-7B) - 2a^2(9A-4B) \cos(c+dx)) \sec^2(c+dx)}{a+a \cos(c+dx)} dx}{15a^4} \\ &= -\frac{(A - B) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(9A - 4B) \tan(c + dx)}{15ad(a + a \cos(c + dx))^2} - \frac{(3A - B) \tan(c + dx)}{d(a^3 + a^3 \cos(c + dx))} \\ &= -\frac{(A - B) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(9A - 4B) \tan(c + dx)}{15ad(a + a \cos(c + dx))^2} - \frac{(3A - B) \tan(c + dx)}{d(a^3 + a^3 \cos(c + dx))} \\ &= -\frac{(3A - B) \tanh^{-1}(\sin(c + dx))}{a^3 d} - \frac{(A - B) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(9A - 4B) \tan(c + dx)}{15ad(a + a \cos(c + dx))^2} \\ &= -\frac{(3A - B) \tanh^{-1}(\sin(c + dx))}{a^3 d} + \frac{2(36A - 11B) \tan(c + dx)}{15a^3 d} - \frac{(A - B) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} \end{aligned}$$

**Mathematica [B]** time = 2.9235, size = 482, normalized size = 3.32

$$960(3A - B) \cos^6\left(\frac{1}{2}(c + dx)\right) \left( \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) \right) + \sec\left(\frac{1}{2}(c + dx)\right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(a + a\*Cos[c + d\*x])^3,x]

[Out] (960\*(3\*A - B)\*Cos[(c + d\*x)/2]^6\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + Cos[(c + d\*x)/2]\*Sec[c/2]\*Sec[c]\*Sec[c + d\*x]\*(-5\*(51\*A - 32\*B)\*Sin[(d\*x)/2] + (567\*A - 167\*B)\*Sin[(3\*d\*x)/2] - 600\*A\*Sin[c - (d\*x)/2] + 170\*B\*Sin[c - (d\*x)/2] + 375\*A\*Sin[c + (d\*x)/2] - 170\*B\*Sin[c + (d\*x)/2] - 480\*A\*Sin[2\*c + (d\*x)/2] + 160\*B\*Sin[2\*c + (d\*x)/2] - 60\*A\*Sin[c + (3\*d\*x)/2] + 75\*B\*Sin[c + (3\*d\*x)/2] + 402\*A\*Sin[2\*c + (3\*d\*x)/2] - 167\*B\*Sin[2\*c + (3\*d\*x)/2] - 225\*A\*Sin[3\*c + (3\*d\*x)/2] + 75\*B\*Sin[3\*c + (3\*d\*x)/2] + 315\*A\*Sin[c + (5\*d\*x)/2] - 95\*B\*Sin[c + (5\*d\*x)/2] + 30\*A\*Sin[2\*c + (5\*d\*x)/2] + 15\*B\*Sin[2\*c + (5\*d\*x)/2] + 240\*A\*Sin[3\*c + (5\*d\*x)/2] - 95\*B\*Sin[3\*c + (5\*d\*x)/2] - 45\*A\*Sin[4\*c + (5\*d\*x)/2] + 15\*B\*Sin[4\*c + (5\*d\*x)/2] + 72\*A\*Sin[2\*c + (7\*d\*x)/2] - 22\*B\*Sin[2\*c + (7\*d\*x)/2] + 15\*A\*Sin[3\*c + (7\*d\*x)/2] + 57\*A\*Sin[4\*c + (7\*d\*x)/2] - 22\*B\*Sin[4\*c + (7\*d\*x)/2]))/(120\*a^3\*d\*(1 + Cos[c + d\*x])^3)

**Maple [A]** time = 0.108, size = 245, normalized size = 1.7

$$\frac{A}{20da^3} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{B}{20da^3} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{A}{2da^3} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{B}{3da^3} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{17A}{4da^3} \tan\left(\frac{dx}{2} + \frac{c}{2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+cos(d\*x+c)\*a)^3,x)

[Out]  $\frac{1}{20} \frac{d}{a^3} A \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 - \frac{1}{20} \frac{d}{a^3} B \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^5 + \frac{1}{2} \frac{d}{a^3} A \tan^3\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \frac{1}{3} \frac{d}{a^3} B \tan^3\left(\frac{1}{2} d x + \frac{1}{2} c\right) + \frac{17}{4} \frac{d}{a^3} A \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - \frac{7}{4} \frac{d}{a^3} B \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + \frac{3}{d} \frac{d}{a^3} A \ln\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1\right) - \frac{1}{d} \frac{d}{a^3} B \ln\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) - 1\right) + \frac{1}{d} \frac{d}{a^3} A \ln\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1\right) + \frac{1}{d} \frac{d}{a^3} B \ln\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1\right) - \frac{3}{d} \frac{d}{a^3} A \ln\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1\right) + \frac{1}{d} \frac{d}{a^3} B \ln\left(\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1\right)$

**Maxima [B]** time = 1.02875, size = 386, normalized size = 2.66

$$3 A \left( \frac{40 \sin(dx+c)}{\left(a^3 - \frac{a^3 \sin^2(dx+c)}{(\cos(dx+c)+1)^2}\right) (\cos(dx+c)+1)} + \frac{\frac{85 \sin(dx+c)}{\cos(dx+c)+1} + \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5}}{a^3} - \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^3} + \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^3} \right) - B \left( \frac{105 \cos(dx+c)}{\cos(dx+c)+1} + \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^3} + \frac{60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^3} \right) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out]  $\frac{1}{60} \left( 3 A \left( \frac{40 \sin(dx+c)}{\left(a^3 - a^3 \sin^2(dx+c)\right) (\cos(dx+c)+1)^2} (\cos(dx+c)+1) + \frac{85 \sin(dx+c)}{\cos(dx+c)+1} + \frac{10 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) / a^3 - 60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right) / a^3 + 60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right) / a^3 - B \left( \frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{20 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) / a^3 - 60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right) / a^3 + 60 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right) / a^3 \right) / d$

**Fricas [A]** time = 1.4683, size = 670, normalized size = 4.62

$$15 \left( (3 A - B) \cos(dx+c)^4 + 3 (3 A - B) \cos(dx+c)^3 + 3 (3 A - B) \cos(dx+c)^2 + (3 A - B) \cos(dx+c) \right) \log(\sin(dx+c)) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out]  $-\frac{1}{30} \left( 15 \left( (3 A - B) \cos(dx+c)^4 + 3 (3 A - B) \cos(dx+c)^3 + 3 (3 A - B) \cos(dx+c)^2 + (3 A - B) \cos(dx+c) \right) \log(\sin(dx+c)+1) - 15 \left( (3 A - B) \cos(dx+c)^4 + 3 (3 A - B) \cos(dx+c)^3 + 3 (3 A - B) \cos(dx+c)^2 + (3 A - B) \cos(dx+c) \right) \log(-\sin(dx+c)+1) - 2 \left( (36 A - 11 B) \cos(dx+c)^3 + 3 (57 A - 17 B) \cos(dx+c)^2 + (117 A - 32 B) \cos(dx+c) + 15 A \right) \sin(dx+c) \right) / \left( a^3 d \cos(dx+c)^4 + 3 a^3 d \cos(dx+c)^3 + 3 a^3 d \cos(dx+c)^2 + a^3 d \cos(dx+c) \right)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sec^2(c+dx)}{\cos^3(c+dx)+3 \cos^2(c+dx)+3 \cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sec^2(c+dx)}{\cos^3(c+dx)+3 \cos^2(c+dx)+3 \cos(c+dx)+1} dx}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2/(a+a\*cos(d\*x+c))\*\*3,x)

[Out] (Integral(A\*sec(c + d\*x)\*\*2/(cos(c + d\*x)\*\*3 + 3\*cos(c + d\*x)\*\*2 + 3\*cos(c + d\*x) + 1), x) + Integral(B\*cos(c + d\*x)\*sec(c + d\*x)\*\*2/(cos(c + d\*x)\*\*3 + 3\*cos(c + d\*x)\*\*2 + 3\*cos(c + d\*x) + 1), x))/a\*\*3

**Giac [A]** time = 1.26267, size = 257, normalized size = 1.77

$$\frac{60(3A-B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^3} - \frac{60(3A-B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^3} + \frac{120A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)a^3} - \frac{3Aa^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5-3Ba^{12}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] -1/60\*(60\*(3\*A - B)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a^3 - 60\*(3\*A - B)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a^3 + 120\*A\*tan(1/2\*d\*x + 1/2\*c)/((tan(1/2\*d\*x + 1/2\*c)^2 - 1)\*a^3) - (3\*A\*a^12\*tan(1/2\*d\*x + 1/2\*c)^5 - 3\*B\*a^12\*tan(1/2\*d\*x + 1/2\*c)^5 + 30\*A\*a^12\*tan(1/2\*d\*x + 1/2\*c)^3 - 20\*B\*a^12\*tan(1/2\*d\*x + 1/2\*c)^3 + 255\*A\*a^12\*tan(1/2\*d\*x + 1/2\*c) - 105\*B\*a^12\*tan(1/2\*d\*x + 1/2\*c))/a^15)/d

$$3.64 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=196

$$\frac{8(19A-9B) \tan(c+dx)}{15a^3d} + \frac{(13A-6B) \tanh^{-1}(\sin(c+dx))}{2a^3d} + \frac{(13A-6B) \tan(c+dx) \sec(c+dx)}{2a^3d} - \frac{4(19A-9B) \tan(c+dx)}{15d(a^3 \cos(c+dx))}$$

[Out]  $((13A - 6B) \text{ArcTanh}[\text{Sin}[c + d*x]]) / (2*a^3*d) - (8*(19A - 9*B) \text{Tan}[c + d*x]) / (15*a^3*d) + ((13A - 6*B) \text{Sec}[c + d*x] \text{Tan}[c + d*x]) / (2*a^3*d) - ((A - B) \text{Sec}[c + d*x] \text{Tan}[c + d*x]) / (5*d*(a + a*\text{Cos}[c + d*x])^3) - ((11*A - 6*B) \text{Sec}[c + d*x] \text{Tan}[c + d*x]) / (15*a*d*(a + a*\text{Cos}[c + d*x])^2) - (4*(19*A - 9*B) \text{Sec}[c + d*x] \text{Tan}[c + d*x]) / (15*d*(a^3 + a^3*\text{Cos}[c + d*x]))$

**Rubi [A]** time = 0.541149, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2978, 2748, 3768, 3770, 3767, 8}

$$\frac{8(19A-9B) \tan(c+dx)}{15a^3d} + \frac{(13A-6B) \tanh^{-1}(\sin(c+dx))}{2a^3d} + \frac{(13A-6B) \tan(c+dx) \sec(c+dx)}{2a^3d} - \frac{4(19A-9B) \tan(c+dx)}{15d(a^3 \cos(c+dx))}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*\text{Cos}[c + d*x])*\text{Sec}[c + d*x]^3/(a + a*\text{Cos}[c + d*x])^3, x]$

[Out]  $((13A - 6B) \text{ArcTanh}[\text{Sin}[c + d*x]]) / (2*a^3*d) - (8*(19A - 9*B) \text{Tan}[c + d*x]) / (15*a^3*d) + ((13A - 6*B) \text{Sec}[c + d*x] \text{Tan}[c + d*x]) / (2*a^3*d) - ((A - B) \text{Sec}[c + d*x] \text{Tan}[c + d*x]) / (5*d*(a + a*\text{Cos}[c + d*x])^3) - ((11*A - 6*B) \text{Sec}[c + d*x] \text{Tan}[c + d*x]) / (15*a*d*(a + a*\text{Cos}[c + d*x])^2) - (4*(19*A - 9*B) \text{Sec}[c + d*x] \text{Tan}[c + d*x]) / (15*d*(a^3 + a^3*\text{Cos}[c + d*x]))$

#### Rule 2978

$\text{Int}[(a + b*\sin[e + f*x])^m * ((A + B*\sin[e + f*x]) + (f + f*x)) * ((c + d*\sin[e + f*x])^n), x\_Symbol] \rightarrow \text{Simp}[(b*(A*b - a*B) \text{Cos}[e + f*x] * (a + b*\sin[e + f*x])^m * (c + d*\sin[e + f*x])^{n+1}) / (a*f*(2*m + 1)*(b*c - a*d)), x] + \text{Dist}[1 / (a*(2*m + 1)*(b*c - a*d)), \text{Int}[(a + b*\sin[e + f*x])^{m+1} * (c + d*\sin[e + f*x])^n * \text{Simp}[B*(a*c*m + b*d*(n+1)) + A*(b*c*(m+1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2) * \text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& !\text{GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] \parallel \text{EqQ}[c, 0])$

#### Rule 2748

$\text{Int}[(b*\sin[e + f*x])^m * ((c + d*\sin[e + f*x]) + (f + f*x)), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\sin[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\sin[e + f*x])^{m+1}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x$

#### Rule 3768

$\text{Int}[(\text{csc}[c + d*x])^n * (b + d*\sin[c + d*x])^m, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x] * (b*\text{Csc}[c + d*x])^{n-1}) / (d*(n-1)), x] + \text{Dist}[(b^2*(n-2)) / (n-1), \text{Int}[(b*\text{Csc}[c + d*x])^{n-2}, x], x] /; \text{FreeQ}\{b, c, d\}, x \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^3} dx &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{(a(7A-2B)-4a(A-B)\cos(c+dx)) \sec^3(c+dx)}{(a+a\cos(c+dx))^2} dx}{5a^2} \\ &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(11A - 6B) \sec(c + dx) \tan(c + dx)}{15ad(a + a \cos(c + dx))^2} + \frac{\int \frac{(a^2(7A-2B)-4a^2(A-B)\cos(c+dx)) \sec^3(c+dx)}{(a+a\cos(c+dx))^2} dx}{5a^2} \\ &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(11A - 6B) \sec(c + dx) \tan(c + dx)}{15ad(a + a \cos(c + dx))^2} - \frac{4(19A - 6B) \sec(c + dx) \tan(c + dx)}{15a^2d} \\ &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(11A - 6B) \sec(c + dx) \tan(c + dx)}{15ad(a + a \cos(c + dx))^2} - \frac{4(19A - 6B) \sec(c + dx) \tan(c + dx)}{15a^2d} \\ &= \frac{(13A - 6B) \sec(c + dx) \tan(c + dx)}{2a^3d} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(11A - 6B) \sec(c + dx) \tan(c + dx)}{15ad(a + a \cos(c + dx))^2} \\ &= \frac{(13A - 6B) \tanh^{-1}(\sin(c + dx))}{2a^3d} - \frac{8(19A - 9B) \tan(c + dx)}{15a^3d} + \frac{(13A - 6B) \sec(c + dx) \tan(c + dx)}{2a^3d} \end{aligned}$$

**Mathematica [B]** time = 4.67301, size = 610, normalized size = 3.11

$$\frac{1920(13A - 6B) \cos^6\left(\frac{1}{2}(c + dx)\right) \left( \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) \right)}{1}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3)/(a + a\*Cos[c + d\*x])^3,x]

[Out] -(1920\*(13\*A - 6\*B)\*Cos[(c + d\*x)/2]^6\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + Cos[(c + d\*x)/2]\*Sec[c/2]\*Sec[c]\*Sec[c + d\*x]^2\*((-1235\*A + 870\*B)\*Sin[(d\*x)/2] + 5\*(761\*A - 366\*B)\*Sin[(3\*d\*x)/2] - 4329\*A\*Sin[c - (d\*x)/2] + 2094\*B\*Sin[c - (d\*x)/2] + 1989\*A\*Sin[c + (d\*x)/2] - 1314\*B\*Sin[c + (d\*x)/2] - 3575\*A\*Sin[2\*c + (d\*x)/2] + 1650\*B\*Sin[2\*c + (d\*x)/2] - 475\*A\*Sin[c + (3\*d\*x)/2] + 450\*B\*Sin[c + (3\*d\*x)/2] + 2005\*A\*Sin[2\*c + (3\*d\*x)/2] - 1230\*B\*Sin[2\*c + (3\*d\*x)/2] - 2275\*A\*Sin[3\*c + (3\*d\*x)/2] + 1050\*B\*Sin[3\*c + (3\*d\*x)/2] + 2673\*A\*Sin[c + (5\*d\*x)/2] - 1278\*B\*Sin[c + (5\*d\*x)/2] + 105\*A\*Sin[2\*c + (5\*d\*x)/2] + 90\*B\*Sin[2\*c + (5\*d\*x)/2] + 1593\*A\*Sin[3\*c + (5\*d\*x)/2] - 918\*B\*Sin[3\*c + (5\*d\*x)/2] - 975\*A\*Sin[4\*c + (5\*d\*x)/2] + 450\*B\*Sin[4\*c + (5\*d\*x)/2] + 1325\*A\*Sin[2\*c + (7\*d\*x)/2] - 630\*B\*Sin[2\*c + (7\*d\*x)/2] + 255\*A\*Sin[3\*c + (7\*d\*x)/2] - 60\*B\*Sin[3\*c + (7\*d\*x)/2] + 875\*A\*Sin[4\*c + (7\*d\*x)/2] - 480\*B\*Sin[4\*c + (7\*d\*x)/2])





[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out]  $\frac{1}{60} * (15 * ((13 * A - 6 * B) * \cos(d * x + c)^5 + 3 * (13 * A - 6 * B) * \cos(d * x + c)^4 + 3 * (13 * A - 6 * B) * \cos(d * x + c)^3 + (13 * A - 6 * B) * \cos(d * x + c)^2) * \log(\sin(d * x + c) + 1) - 15 * ((13 * A - 6 * B) * \cos(d * x + c)^5 + 3 * (13 * A - 6 * B) * \cos(d * x + c)^4 + 3 * (13 * A - 6 * B) * \cos(d * x + c)^3 + (13 * A - 6 * B) * \cos(d * x + c)^2) * \log(-\sin(d * x + c) + 1) - 2 * (16 * (19 * A - 9 * B) * \cos(d * x + c)^4 + 3 * (239 * A - 114 * B) * \cos(d * x + c)^3 + (479 * A - 234 * B) * \cos(d * x + c)^2 + 15 * (3 * A - 2 * B) * \cos(d * x + c) - 15 * A) * \sin(d * x + c)) / (a^3 * d * \cos(d * x + c)^5 + 3 * a^3 * d * \cos(d * x + c)^4 + 3 * a^3 * d * \cos(d * x + c)^3 + a^3 * d * \cos(d * x + c)^2)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3/(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

**Giac [A]** time = 1.22871, size = 315, normalized size = 1.61

$$\frac{30(13A-6B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^3} - \frac{30(13A-6B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^3} + \frac{60\left(7A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-5A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+2B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^2 a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out]  $\frac{1}{60} * (30 * (13 * A - 6 * B) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) + 1)) / a^3 - 30 * (13 * A - 6 * B) * \log(\text{abs}(\tan(1/2 * d * x + 1/2 * c) - 1)) / a^3 + 60 * (7 * A * \tan(1/2 * d * x + 1/2 * c)^3 - 2 * B * \tan(1/2 * d * x + 1/2 * c)^3 - 5 * A * \tan(1/2 * d * x + 1/2 * c) + 2 * B * \tan(1/2 * d * x + 1/2 * c)) / ((\tan(1/2 * d * x + 1/2 * c)^2 - 1)^2 * a^3) - (3 * A * a^{12} * \tan(1/2 * d * x + 1/2 * c)^5 - 3 * B * a^{12} * \tan(1/2 * d * x + 1/2 * c)^5 + 40 * A * a^{12} * \tan(1/2 * d * x + 1/2 * c)^3 - 30 * B * a^{12} * \tan(1/2 * d * x + 1/2 * c)^3 + 465 * A * a^{12} * \tan(1/2 * d * x + 1/2 * c) - 255 * B * a^{12} * \tan(1/2 * d * x + 1/2 * c)) / a^{15}) / d$

$$3.65 \quad \int \frac{\cos^5(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=229

$$\frac{8(83A - 216B) \sin(c + dx)}{105a^4d} + \frac{(52A - 129B) \sin(c + dx) \cos^3(c + dx)}{105a^4d(\cos(c + dx) + 1)^2} + \frac{4(83A - 216B) \sin(c + dx) \cos^2(c + dx)}{105a^4d(\cos(c + dx) + 1)} - \frac{(8A - 21B) \sin(c + dx)}{105a^4d}$$

[Out]  $-\frac{(8A - 21B)x}{2a^4} + \frac{8(83A - 216B)\sin[c + dx]}{105a^4d} - \frac{(8A - 21B)\cos[c + dx]\sin[c + dx]}{2a^4d} + \frac{(52A - 129B)\cos[c + dx]^3\sin[c + dx]}{105a^4d(1 + \cos[c + dx])^2} + \frac{4(83A - 216B)\cos[c + dx]^2\sin[c + dx]}{105a^4d(1 + \cos[c + dx])} + \frac{(A - B)\cos[c + dx]^5\sin[c + dx]}{7d(a + a\cos[c + dx])^4} + \frac{(A - 2B)\cos[c + dx]^4\sin[c + dx]}{5ad(a + a\cos[c + dx])^3}$

**Rubi [A]** time = 0.672043, antiderivative size = 229, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 2, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.065$ , Rules used = {2977, 2734}

$$\frac{8(83A - 216B) \sin(c + dx)}{105a^4d} + \frac{(52A - 129B) \sin(c + dx) \cos^3(c + dx)}{105a^4d(\cos(c + dx) + 1)^2} + \frac{4(83A - 216B) \sin(c + dx) \cos^2(c + dx)}{105a^4d(\cos(c + dx) + 1)} - \frac{(8A - 21B) \sin(c + dx)}{105a^4d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\cos[c + dx]^5(A + B\cos[c + dx]))/(a + a\cos[c + dx])^4, x]$

[Out]  $-\frac{(8A - 21B)x}{2a^4} + \frac{8(83A - 216B)\sin[c + dx]}{105a^4d} - \frac{(8A - 21B)\cos[c + dx]\sin[c + dx]}{2a^4d} + \frac{(52A - 129B)\cos[c + dx]^3\sin[c + dx]}{105a^4d(1 + \cos[c + dx])^2} + \frac{4(83A - 216B)\cos[c + dx]^2\sin[c + dx]}{105a^4d(1 + \cos[c + dx])} + \frac{(A - B)\cos[c + dx]^5\sin[c + dx]}{7d(a + a\cos[c + dx])^4} + \frac{(A - 2B)\cos[c + dx]^4\sin[c + dx]}{5ad(a + a\cos[c + dx])^3}$

#### Rule 2977

$\text{Int}[(a + b\sin[e + f(x)])^m((c + d\sin[e + f(x)])^n), x\_Symbol] \rightarrow \text{Simp}[(A*b - a*B)\cos[e + f*x](a + b\sin[e + f*x])^m(c + d\sin[e + f*x])^n]/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b\sin[e + f*x])^{m+1}(c + d\sin[e + f*x])^{n-1}]\text{Simp}[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*\sin[e + f*x], x], x] /;$  Free Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2734

$\text{Int}[(a + b\sin[e + f(x)])^m((c + d\sin[e + f(x)])^n), x\_Symbol] \rightarrow \text{Simp}[(2*a*c + b*d)*x/2, x] + (-\text{Simp}[(b*c + a*d)*\cos[e + f*x]/f, x] - \text{Simp}[(b*d*\cos[e + f*x]*\sin[e + f*x])/(2*f), x]) /;$  Free Q[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos^5(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^4} dx &= \frac{(A-B)\cos^5(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{\int \frac{\cos^4(c+dx)(5a(A-B)-a(2A-9B)\cos(c+dx))}{(a+a\cos(c+dx))^3} dx}{7a^2} \\
&= \frac{(A-B)\cos^5(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{(A-2B)\cos^4(c+dx)\sin(c+dx)}{5ad(a+a\cos(c+dx))^3} + \frac{\int \frac{\cos^3(c+dx)(A-2B)\cos^4(c+dx)\sin(c+dx)}{(a+a\cos(c+dx))^2} dx}{5ad} \\
&= \frac{(52A-129B)\cos^3(c+dx)\sin(c+dx)}{105a^4d(1+\cos(c+dx))^2} + \frac{(A-B)\cos^5(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{(A-2B)\cos^4(c+dx)\sin(c+dx)}{5ad} \\
&= \frac{(52A-129B)\cos^3(c+dx)\sin(c+dx)}{105a^4d(1+\cos(c+dx))^2} + \frac{(A-B)\cos^5(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{(A-2B)\cos^4(c+dx)\sin(c+dx)}{5ad} \\
&= -\frac{(8A-21B)x}{2a^4} + \frac{8(83A-216B)\sin(c+dx)}{105a^4d} - \frac{(8A-21B)\cos(c+dx)\sin(c+dx)}{2a^4d}
\end{aligned}$$

**Mathematica [B]** time = 1.25512, size = 555, normalized size = 2.42

$$\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(-14700dx(8A-21B)\cos\left(c+\frac{dx}{2}\right)-14700dx(8A-21B)\cos\left(\frac{dx}{2}\right)-184520A\sin\left(c+\frac{dx}{2}\right)+184520B\sin\left(\frac{dx}{2}\right)\right)/(6720a^4d(1+\cos(c+dx))^4)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^5\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^4, x]

[Out] (Cos[(c + d\*x)/2]\*Sec[c/2]\*(-14700\*(8\*A - 21\*B)\*d\*x\*Cos[(d\*x)/2] - 14700\*(8\*A - 21\*B)\*d\*x\*Cos[c + (d\*x)/2] - 70560\*A\*d\*x\*Cos[c + (3\*d\*x)/2] + 185220\*B\*d\*x\*Cos[c + (3\*d\*x)/2] - 70560\*A\*d\*x\*Cos[2\*c + (3\*d\*x)/2] + 185220\*B\*d\*x\*Cos[2\*c + (3\*d\*x)/2] - 23520\*A\*d\*x\*Cos[2\*c + (5\*d\*x)/2] + 61740\*B\*d\*x\*Cos[2\*c + (5\*d\*x)/2] - 23520\*A\*d\*x\*Cos[3\*c + (5\*d\*x)/2] + 61740\*B\*d\*x\*Cos[3\*c + (5\*d\*x)/2] - 3360\*A\*d\*x\*Cos[3\*c + (7\*d\*x)/2] + 8820\*B\*d\*x\*Cos[3\*c + (7\*d\*x)/2] - 3360\*A\*d\*x\*Cos[4\*c + (7\*d\*x)/2] + 8820\*B\*d\*x\*Cos[4\*c + (7\*d\*x)/2] + 243320\*A\*Sin[(d\*x)/2] - 539490\*B\*Sin[(d\*x)/2] - 184520\*A\*Sin[c + (d\*x)/2] + 386190\*B\*Sin[c + (d\*x)/2] + 184464\*A\*Sin[c + (3\*d\*x)/2] - 422478\*B\*Sin[c + (3\*d\*x)/2] - 72240\*A\*Sin[2\*c + (3\*d\*x)/2] + 132930\*B\*Sin[2\*c + (3\*d\*x)/2] + 77168\*A\*Sin[2\*c + (5\*d\*x)/2] - 181461\*B\*Sin[2\*c + (5\*d\*x)/2] - 8400\*A\*Sin[3\*c + (5\*d\*x)/2] + 3675\*B\*Sin[3\*c + (5\*d\*x)/2] + 15164\*A\*Sin[3\*c + (7\*d\*x)/2] - 36003\*B\*Sin[3\*c + (7\*d\*x)/2] + 2940\*A\*Sin[4\*c + (7\*d\*x)/2] - 9555\*B\*Sin[4\*c + (7\*d\*x)/2] + 420\*A\*Sin[4\*c + (9\*d\*x)/2] - 945\*B\*Sin[4\*c + (9\*d\*x)/2] + 420\*A\*Sin[5\*c + (9\*d\*x)/2] - 945\*B\*Sin[5\*c + (9\*d\*x)/2] + 105\*B\*Sin[5\*c + (11\*d\*x)/2] + 105\*B\*Sin[6\*c + (11\*d\*x)/2]))/(6720\*a^4\*d\*(1 + Cos[c + d\*x])^4)

**Maple [A]** time = 0.064, size = 332, normalized size = 1.5

$$-\frac{A}{56da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^7+\frac{B}{56da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^7+\frac{7A}{40da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^5-\frac{9B}{40da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^5-\frac{23A}{24da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3+\frac{23B}{24da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^5\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^4, x)

[Out] -1/56/d/a^4\*tan(1/2\*d\*x+1/2\*c)^7\*A+1/56/d/a^4\*B\*tan(1/2\*d\*x+1/2\*c)^7+7/40/d/a^4\*A\*tan(1/2\*d\*x+1/2\*c)^5-9/40/d/a^4\*B\*tan(1/2\*d\*x+1/2\*c)^5-23/24/d/a^4\*tan(1/2\*d\*x+1/2\*c)^3+23/24/d/a^4\*B\*tan(1/2\*d\*x+1/2\*c)^3

$$\frac{a \tan\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^3 A + \frac{13}{8} \frac{d}{a^4} B \tan\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^3 + \frac{49}{8} \frac{d}{a^4} A \tan\left(\frac{1}{2}d^*x + \frac{1}{2}c\right) - \frac{111}{8} \frac{d}{a^4} B \tan\left(\frac{1}{2}d^*x + \frac{1}{2}c\right) + \frac{2}{d} \frac{d}{a^4} \left(1 + \tan\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)\right)^2 \tan\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^3 A - \frac{9}{d} \frac{d}{a^4} \left(1 + \tan\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)\right)^2 B \tan\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^3 + \frac{2}{d} \frac{d}{a^4} \left(1 + \tan\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)\right)^2 A \tan\left(\frac{1}{2}d^*x + \frac{1}{2}c\right) - \frac{7}{d} \frac{d}{a^4} \left(1 + \tan\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)\right)^2 B \tan\left(\frac{1}{2}d^*x + \frac{1}{2}c\right) - \frac{8}{d} \frac{d}{a^4} \arctan\left(\tan\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)\right) A + \frac{21}{d} \frac{d}{a^4} \arctan\left(\tan\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)\right) B$$

**Maxima [A]** time = 1.48977, size = 491, normalized size = 2.14

$$3B \left( \frac{280 \left( \frac{7 \sin(dx+c)}{\cos(dx+c)+1} + \frac{9 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^4 + \frac{2a^4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^4 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{3885 \sin(dx+c)}{\cos(dx+c)+1} - \frac{455 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{63 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{5880 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4} \right) - A \left( \frac{1}{a^4 + \frac{a^4}{(\cos(dx+c)+1)^2}} \right) \frac{1}{840d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] 
$$-1/840 * (3*B*(280*(7*\sin(d*x + c)/(\cos(d*x + c) + 1) + 9*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^4 + 2*a^4*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^4*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (3885*\sin(d*x + c)/(\cos(d*x + c) + 1) - 455*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 63*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 5*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 - 5880*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^4) - A*(1680*\sin(d*x + c)/((a^4 + a^4*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2)*(\cos(d*x + c) + 1)) + (5145*\sin(d*x + c)/(\cos(d*x + c) + 1) - 805*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 147*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 15*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 - 6720*\arctan(\sin(d*x + c)/(\cos(d*x + c) + 1))/a^4)/d$$

**Fricas [A]** time = 1.42473, size = 647, normalized size = 2.83

$$\frac{105(8A - 21B)dx \cos(dx + c)^4 + 420(8A - 21B)dx \cos(dx + c)^3 + 630(8A - 21B)dx \cos(dx + c)^2 + 420(8A - 21B)dx \cos(dx + c) + 105(8A - 21B)dx}{a^4 d \cos(dx + c)^4 + 4a^4 d \cos(dx + c)^3 + 6a^4 d \cos(dx + c)^2 + 4a^4 d \cos(dx + c) + a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 
$$-1/210 * (105*(8*A - 21*B)*d*x*\cos(d*x + c)^4 + 420*(8*A - 21*B)*d*x*\cos(d*x + c)^3 + 630*(8*A - 21*B)*d*x*\cos(d*x + c)^2 + 420*(8*A - 21*B)*d*x*\cos(d*x + c) + 105*(8*A - 21*B)*d*x - (105*B*\cos(d*x + c)^5 + 210*(A - 2*B)*\cos(d*x + c)^4 + 4*(592*A - 1509*B)*\cos(d*x + c)^3 + 4*(1318*A - 3411*B)*\cos(d*x + c)^2 + (4472*A - 11619*B)*\cos(d*x + c) + 1328*A - 3456*B)*\sin(d*x + c))/ (a^4*d*\cos(d*x + c)^4 + 4*a^4*d*\cos(d*x + c)^3 + 6*a^4*d*\cos(d*x + c)^2 + 4*a^4*d*\cos(d*x + c) + a^4*d)$$

**Sympy [A]** time = 91.6891, size = 1085, normalized size = 4.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*5\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*4,x)

[Out] Piecewise((-3360\*A\*d\*x\*tan(c/2 + d\*x/2)\*\*4/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 1680\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) - 6720\*A\*d\*x\*tan(c/2 + d\*x/2)\*\*2/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 1680\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) - 3360\*A\*d\*x/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 1680\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) - 15\*A\*tan(c/2 + d\*x/2)\*\*11/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 1680\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) + 117\*A\*tan(c/2 + d\*x/2)\*\*9/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 1680\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) - 526\*A\*tan(c/2 + d\*x/2)\*\*7/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 1680\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) + 3682\*A\*tan(c/2 + d\*x/2)\*\*5/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 1680\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) + 11165\*A\*tan(c/2 + d\*x/2)\*\*3/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 1680\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) + 6825\*A\*tan(c/2 + d\*x/2)/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 1680\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) + 8820\*B\*d\*x\*tan(c/2 + d\*x/2)\*\*4/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 1680\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) + 17640\*B\*d\*x\*tan(c/2 + d\*x/2)\*\*2/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 1680\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) + 8820\*B\*d\*x/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 1680\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) + 15\*B\*tan(c/2 + d\*x/2)\*\*11/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 1680\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) - 159\*B\*tan(c/2 + d\*x/2)\*\*9/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 1680\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) + 1002\*B\*tan(c/2 + d\*x/2)\*\*7/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 1680\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) - 9114\*B\*tan(c/2 + d\*x/2)\*\*5/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 1680\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) - 29505\*B\*tan(c/2 + d\*x/2)\*\*3/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 1680\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d) - 17535\*B\*tan(c/2 + d\*x/2)/(840\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*4 + 1680\*a\*\*4\*d\*tan(c/2 + d\*x/2)\*\*2 + 840\*a\*\*4\*d), Ne(d, 0)), (x\*(A + B\*cos(c))\*cos(c)\*\*5/(a\*cos(c) + a)\*\*4, True))

**Giac [A]** time = 1.28697, size = 315, normalized size = 1.38

$$\frac{420(dx+c)(8A-21B)}{a^4} - \frac{840\left(2A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 9B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 + 2A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) - 7B\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 + 1\right)^2 a^4} + \frac{15Aa^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7 - 15Ba^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^5\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] -1/840\*(420\*(d\*x + c)\*(8\*A - 21\*B)/a^4 - 840\*(2\*A\*tan(1/2\*d\*x + 1/2\*c)^3 - 9\*B\*tan(1/2\*d\*x + 1/2\*c)^3 + 2\*A\*tan(1/2\*d\*x + 1/2\*c) - 7\*B\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 + 1)^2\*a^4) + (15\*A\*a^24\*tan(1/2\*d\*x + 1/2\*c)^7 - 15\*B\*a^24\*tan(1/2\*d\*x + 1/2\*c)^7 - 147\*A\*a^24\*tan(1/2\*d\*x + 1/2\*c)^5 + 189\*B\*a^24\*tan(1/2\*d\*x + 1/2\*c)^5 + 805\*A\*a^24\*tan(1/2\*d\*x + 1/2\*c)^3 - 1365\*B\*a^24\*tan(1/2\*d\*x + 1/2\*c)^3 - 5145\*A\*a^24\*tan(1/2\*d\*x + 1/2\*c) + 11655\*B\*a^24\*tan(1/2\*d\*x + 1/2\*c))/a^28)/d

$$3.66 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=185

$$-\frac{(55A - 244B) \sin(c + dx)}{105a^4d} + \frac{(25A - 88B) \sin(c + dx) \cos^2(c + dx)}{105a^4d(\cos(c + dx) + 1)^2} - \frac{(A - 4B) \sin(c + dx)}{a^4d(\cos(c + dx) + 1)} + \frac{x(A - 4B)}{a^4} + \frac{(A - B) \sin(c + dx)}{7d(a + \cos(c + dx))}$$

[Out] ((A - 4\*B)\*x)/a^4 - ((55\*A - 244\*B)\*Sin[c + d\*x])/(105\*a^4\*d) + ((25\*A - 88\*B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])^2) - ((A - 4\*B)\*Sin[c + d\*x])/(a^4\*d\*(1 + Cos[c + d\*x])) + ((A - B)\*Cos[c + d\*x]^4\*Sin[c + d\*x])/(7\*d\*(a + a\*Cos[c + d\*x])^4) + ((5\*A - 12\*B)\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(35\*a\*d\*(a + a\*Cos[c + d\*x])^3)

**Rubi [A]** time = 0.679183, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2977, 2968, 3023, 12, 2735, 2648}

$$-\frac{(55A - 244B) \sin(c + dx)}{105a^4d} + \frac{(25A - 88B) \sin(c + dx) \cos^2(c + dx)}{105a^4d(\cos(c + dx) + 1)^2} - \frac{(A - 4B) \sin(c + dx)}{a^4d(\cos(c + dx) + 1)} + \frac{x(A - 4B)}{a^4} + \frac{(A - B) \sin(c + dx)}{7d(a + \cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^4\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^4,x]

[Out] ((A - 4\*B)\*x)/a^4 - ((55\*A - 244\*B)\*Sin[c + d\*x])/(105\*a^4\*d) + ((25\*A - 88\*B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])^2) - ((A - 4\*B)\*Sin[c + d\*x])/(a^4\*d\*(1 + Cos[c + d\*x])) + ((A - B)\*Cos[c + d\*x]^4\*Sin[c + d\*x])/(7\*d\*(a + a\*Cos[c + d\*x])^4) + ((5\*A - 12\*B)\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(35\*a\*d\*(a + a\*Cos[c + d\*x])^3)

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Int[(a + b\*Ssin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Ssin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)^2], x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Ssin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&

!LtQ[m, -1]

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])/((c_.) + (d_.)*sin[(e_.) + (f_.
)*(x_.)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 2648

```
Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_.)]^(-1), x_Symbol] := -Simp[Cos[c +
d*x]/(d*(b + a*Sin[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b
^2, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^4(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^4} dx &= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{\int \frac{\cos^3(c+dx)(4a(A-B)-a(A-8B)\cos(c+dx))}{(a+a\cos(c+dx))^3} dx}{7a^2} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{(5A-12B)\cos^3(c+dx)\sin(c+dx)}{35ad(a+a\cos(c+dx))^3} + \frac{\int \frac{\cos^2(c+dx)(4a(A-B)-a(A-8B)\cos(c+dx))}{(a+a\cos(c+dx))^2} dx}{7a^2} \\
&= \frac{(25A-88B)\cos^2(c+dx)\sin(c+dx)}{105a^4d(1+\cos(c+dx))^2} + \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{(5A-12B)\cos^3(c+dx)\sin(c+dx)}{35ad(a+a\cos(c+dx))^3} \\
&= \frac{(25A-88B)\cos^2(c+dx)\sin(c+dx)}{105a^4d(1+\cos(c+dx))^2} + \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{(5A-12B)\cos^3(c+dx)\sin(c+dx)}{35ad(a+a\cos(c+dx))^3} \\
&= -\frac{(55A-244B)\sin(c+dx)}{105a^4d} + \frac{(25A-88B)\cos^2(c+dx)\sin(c+dx)}{105a^4d(1+\cos(c+dx))^2} + \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} \\
&= -\frac{(55A-244B)\sin(c+dx)}{105a^4d} + \frac{(25A-88B)\cos^2(c+dx)\sin(c+dx)}{105a^4d(1+\cos(c+dx))^2} + \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} \\
&= \frac{(A-4B)x}{a^4} - \frac{(55A-244B)\sin(c+dx)}{105a^4d} + \frac{(25A-88B)\cos^2(c+dx)\sin(c+dx)}{105a^4d(1+\cos(c+dx))^2} \\
&= \frac{(A-4B)x}{a^4} - \frac{(55A-244B)\sin(c+dx)}{105a^4d} + \frac{(25A-88B)\cos^2(c+dx)\sin(c+dx)}{105a^4d(1+\cos(c+dx))^2}
\end{aligned}$$

**Mathematica [B]** time = 0.854941, size = 481, normalized size = 2.6

$$\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(7350dx(A-4B)\cos\left(c+\frac{dx}{2}\right)+7350dx(A-4B)\cos\left(\frac{dx}{2}\right)+16520A\sin\left(c+\frac{dx}{2}\right)-14280A\sin\left(\frac{dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^4\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^4, x]

[Out] (Cos[(c + d\*x)/2]\*Sec[c/2]\*(7350\*(A - 4\*B)\*d\*x\*Cos[(d\*x)/2] + 7350\*(A - 4\*B)\*d\*x\*Cos[c + (d\*x)/2] + 4410\*A\*d\*x\*Cos[c + (3\*d\*x)/2] - 17640\*B\*d\*x\*Cos[c





Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x, algorithm="fricas")
```

```
[Out] 1/105*(105*(A - 4*B)*d*x*cos(d*x + c)^4 + 420*(A - 4*B)*d*x*cos(d*x + c)^3 + 630*(A - 4*B)*d*x*cos(d*x + c)^2 + 420*(A - 4*B)*d*x*cos(d*x + c) + 105*(A - 4*B)*d*x + (105*B*cos(d*x + c)^4 - 4*(65*A - 296*B)*cos(d*x + c)^3 - 4*(155*A - 659*B)*cos(d*x + c)^2 - (535*A - 2236*B)*cos(d*x + c) - 160*A + 664*B)*sin(d*x + c))/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)
```

**Sympy [A]** time = 42.4924, size = 578, normalized size = 3.12

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**4,x)
```

```
[Out] Piecewise((840*A*d*x*tan(c/2 + d*x/2)**2/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 840*A*d*x/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 15*A*tan(c/2 + d*x/2)**9/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 90*A*tan(c/2 + d*x/2)**7/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 280*A*tan(c/2 + d*x/2)**5/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 1190*A*tan(c/2 + d*x/2)**3/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 1575*A*tan(c/2 + d*x/2)/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 3360*B*d*x*tan(c/2 + d*x/2)**2/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 3360*B*d*x/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 15*B*tan(c/2 + d*x/2)**9/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 132*B*tan(c/2 + d*x/2)**7/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) - 658*B*tan(c/2 + d*x/2)**5/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 4340*B*tan(c/2 + d*x/2)**3/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d) + 6825*B*tan(c/2 + d*x/2)/(840*a**4*d*tan(c/2 + d*x/2)**2 + 840*a**4*d), Ne(d, 0)), (x*(A + B*cos(c))*cos(c)**4/(a*cos(c) + a)**4, True))
```

**Giac [A]** time = 1.28351, size = 254, normalized size = 1.37

$$\frac{840(dx+c)(A-4B)}{a^4} + \frac{1680B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right)a^4} + \frac{15Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 15Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 105Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 147Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 385Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 805Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 1575Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 5145Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{a^{28}}$$

840 d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x, algorithm="giac")
```

```
[Out] 1/840*(840*(d*x + c)*(A - 4*B)/a^4 + 1680*B*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*a^4) + (15*A*a^24*tan(1/2*d*x + 1/2*c)^7 - 15*B*a^24*tan(1/2*d*x + 1/2*c)^7 - 105*A*a^24*tan(1/2*d*x + 1/2*c)^5 + 147*B*a^24*tan(1/2*d*x + 1/2*c)^5 + 385*A*a^24*tan(1/2*d*x + 1/2*c)^3 - 805*B*a^24*tan(1/2*d*x + 1/2*c)^3 - 1575*A*a^24*tan(1/2*d*x + 1/2*c) + 5145*B*a^24*tan(1/2*d*x + 1/2*c))/a^28)/d
```

$$3.67 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=154

$$\frac{(12A - 215B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)} - \frac{(6A - 55B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)^2} + \frac{Bx}{a^4} + \frac{(A - B) \sin(c + dx) \cos^3(c + dx)}{7d(a \cos(c + dx) + a)^4} + \frac{(3A - 10B) \sin(c + dx)}{35ad(a \cos(c + dx) + a)^4}$$

[Out] (B\*x)/a^4 - ((6\*A - 55\*B)\*Sin[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])^2) + ((12\*A - 215\*B)\*Sin[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])) + ((A - B)\*Cos[c + d\*x]^3\*SIN[c + d\*x])/(7\*d\*(a + a\*cos[c + d\*x])^4) + ((3\*A - 10\*B)\*Cos[c + d\*x]^2\*SIN[c + d\*x])/(35\*a\*d\*(a + a\*cos[c + d\*x])^3)

**Rubi [A]** time = 0.498107, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2977, 2968, 3019, 2735, 2648}

$$\frac{(12A - 215B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)} - \frac{(6A - 55B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)^2} + \frac{Bx}{a^4} + \frac{(A - B) \sin(c + dx) \cos^3(c + dx)}{7d(a \cos(c + dx) + a)^4} + \frac{(3A - 10B) \sin(c + dx)}{35ad(a \cos(c + dx) + a)^4}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^3\*(A + B\*cos[c + d\*x]))/(a + a\*cos[c + d\*x])^4,x]

[Out] (B\*x)/a^4 - ((6\*A - 55\*B)\*Sin[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])^2) + ((12\*A - 215\*B)\*Sin[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])) + ((A - B)\*Cos[c + d\*x]^3\*SIN[c + d\*x])/(7\*d\*(a + a\*cos[c + d\*x])^4) + ((3\*A - 10\*B)\*Cos[c + d\*x]^2\*SIN[c + d\*x])/(35\*a\*d\*(a + a\*cos[c + d\*x])^3)

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^m\*(c + d\*SIN[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*SIN[e + f\*x])^(m + 1)\*(c + d\*SIN[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*SIN[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Int[(a + b\*SIN[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*SIN[e + f\*x] + B\*d\*SIN[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3019

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] := Simp[((A\*b - a\*B + b\*C)\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*SIN[e + f\*x])^(m + 1)\*Simp[a\*A\*(m + 1) + m\*(b\*B - a\*C) + b\*C\*(2\*m + 1))\*SIN[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rule 2648

Int[((a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^4} dx &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{\int \frac{\cos^2(c+dx)(3a(A-B)+7aB\cos(c+dx))}{(a+a\cos(c+dx))^3} dx}{7a^2} \\ &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{(3A-10B)\cos^2(c+dx)\sin(c+dx)}{35ad(a+a\cos(c+dx))^3} + \frac{\int \cos^2(c+dx)}{7a^2} \\ &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{(3A-10B)\cos^2(c+dx)\sin(c+dx)}{35ad(a+a\cos(c+dx))^3} + \frac{\int \frac{2a^2}{7a^2} dx}{7a^2} \\ &= -\frac{(6A-55B)\sin(c+dx)}{105a^4d(1+\cos(c+dx))^2} + \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{(3A-10B)\cos^2(c+dx)\sin(c+dx)}{35ad(a+a\cos(c+dx))^3} \\ &= \frac{Bx}{a^4} - \frac{(6A-55B)\sin(c+dx)}{105a^4d(1+\cos(c+dx))^2} + \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{(3A-10B)\cos^2(c+dx)\sin(c+dx)}{35ad(a+a\cos(c+dx))^3} \\ &= \frac{Bx}{a^4} - \frac{(6A-55B)\sin(c+dx)}{105a^4d(1+\cos(c+dx))^2} + \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{(3A-10B)\cos^2(c+dx)\sin(c+dx)}{35ad(a+a\cos(c+dx))^3} \end{aligned}$$

**Mathematica [B]** time = 0.741084, size = 329, normalized size = 2.14

$$\sec\left(\frac{c}{2}\right)\sec^7\left(\frac{1}{2}(c+dx)\right)\left(-1260A\sin\left(c+\frac{dx}{2}\right)+882A\sin\left(c+\frac{3dx}{2}\right)-630A\sin\left(2c+\frac{3dx}{2}\right)+294A\sin\left(2c+\frac{5dx}{2}\right)-210A\sin\left(2c+\frac{7dx}{2}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^3\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^4, x]

[Out] (Sec[c/2]\*Sec[(c + d\*x)/2]^7\*(3675\*B\*d\*x\*Cos[(d\*x)/2] + 3675\*B\*d\*x\*Cos[c + (d\*x)/2] + 2205\*B\*d\*x\*Cos[c + (3\*d\*x)/2] + 2205\*B\*d\*x\*Cos[2\*c + (3\*d\*x)/2] + 735\*B\*d\*x\*Cos[2\*c + (5\*d\*x)/2] + 735\*B\*d\*x\*Cos[3\*c + (5\*d\*x)/2] + 105\*B\*d\*x\*Cos[3\*c + (7\*d\*x)/2] + 105\*B\*d\*x\*Cos[4\*c + (7\*d\*x)/2] + 1260\*A\*Sin[(d\*x)/2] - 9940\*B\*Sin[(d\*x)/2] - 1260\*A\*Sin[c + (d\*x)/2] + 8260\*B\*Sin[c + (d\*x)/2] + 882\*A\*Sin[c + (3\*d\*x)/2] - 7140\*B\*Sin[c + (3\*d\*x)/2] - 630\*A\*Sin[2\*c + (3\*d\*x)/2] + 3780\*B\*Sin[2\*c + (3\*d\*x)/2] + 294\*A\*Sin[2\*c + (5\*d\*x)/2] - 2800\*B\*Sin[2\*c + (5\*d\*x)/2] - 210\*A\*Sin[3\*c + (5\*d\*x)/2] + 840\*B\*Sin[3\*c + (5\*d\*x)/2] + 72\*A\*Sin[3\*c + (7\*d\*x)/2] - 520\*B\*Sin[3\*c + (7\*d\*x)/2]))/(13440\*a^4\*d)

**Maple [A]** time = 0.059, size = 177, normalized size = 1.2

$$-\frac{A}{56da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^7+\frac{B}{56da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^7+\frac{3A}{40da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^5-\frac{B}{8da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^5-\frac{A}{8da^4}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(dx+c)^3*(A+B*\cos(dx+c))/(a+\cos(dx+c)*a)^4, x)$

[Out]  $-1/56/d/a^4*\tan(1/2*d*x+1/2*c)^7*A+1/56/d/a^4*B*\tan(1/2*d*x+1/2*c)^7+3/40/d/a^4*A*\tan(1/2*d*x+1/2*c)^5-1/8/d/a^4*B*\tan(1/2*d*x+1/2*c)^5-1/8/d/a^4*\tan(1/2*d*x+1/2*c)^3*A+11/24/d/a^4*B*\tan(1/2*d*x+1/2*c)^3+1/8/d/a^4*A*\tan(1/2*d*x+1/2*c)-15/8/d/a^4*B*\tan(1/2*d*x+1/2*c)+2/d/a^4*\arctan(\tan(1/2*d*x+1/2*c))*B$

**Maxima [A]** time = 1.47903, size = 271, normalized size = 1.76

$$5B \left( \frac{\frac{315 \sin(dx+c)}{\cos(dx+c)+1} - \frac{77 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{3 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{336 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)+1}\right)}{a^4} \right) - \frac{3A \left( \frac{35 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4}$$

840 d

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)^3*(A+B*\cos(dx+c))/(a+a*\cos(dx+c))^4, x, \text{algorithm}="maxima")$

[Out]  $-1/840*(5*B*((315*\sin(dx+c))/(\cos(dx+c)+1) - 77*\sin(dx+c)^3/(\cos(dx+c)+1)^3 + 21*\sin(dx+c)^5/(\cos(dx+c)+1)^5 - 3*\sin(dx+c)^7/(\cos(dx+c)+1)^7)/a^4 - 336*\arctan(\sin(dx+c)/(\cos(dx+c)+1))/a^4) - 3*A*(35*\sin(dx+c)/(\cos(dx+c)+1) - 35*\sin(dx+c)^3/(\cos(dx+c)+1)^3 + 21*\sin(dx+c)^5/(\cos(dx+c)+1)^5 - 5*\sin(dx+c)^7/(\cos(dx+c)+1)^7)/a^4)/d$

**Fricas [A]** time = 1.3857, size = 475, normalized size = 3.08

$$\frac{105 B dx \cos(dx+c)^4 + 420 B dx \cos(dx+c)^3 + 630 B dx \cos(dx+c)^2 + 420 B dx \cos(dx+c) + 105 B dx + (4(9A - 65B) \cos(dx+c)^3 + (39A - 620B) \cos(dx+c)^2 + (24A - 535B) \cos(dx+c) + 6A - 160B) \sin(dx+c)}{105 (a^4 d \cos(dx+c)^4 + 4 a^4 d \cos(dx+c)^3 + 6 a^4 d \cos(dx+c)^2 + 4 a^4 d \cos(dx+c) + a^4 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)^3*(A+B*\cos(dx+c))/(a+a*\cos(dx+c))^4, x, \text{algorithm}="fricas")$

[Out]  $1/105*(105*B*d*x*\cos(dx+c)^4 + 420*B*d*x*\cos(dx+c)^3 + 630*B*d*x*\cos(dx+c)^2 + 420*B*d*x*\cos(dx+c) + 105*B*d*x + (4*(9*A - 65*B)*\cos(dx+c)^3 + (39*A - 620*B)*\cos(dx+c)^2 + (24*A - 535*B)*\cos(dx+c) + 6*A - 160*B)*\sin(dx+c))/(a^4*d*\cos(dx+c)^4 + 4*a^4*d*\cos(dx+c)^3 + 6*a^4*d*\cos(dx+c)^2 + 4*a^4*d*\cos(dx+c) + a^4*d)$

**Sympy [A]** time = 24.3107, size = 192, normalized size = 1.25

$$\left\{ \frac{A \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56a^4d} + \frac{3A \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{40a^4d} - \frac{A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} + \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} + \frac{Bx}{a^4} + \frac{B \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56a^4d} - \frac{B \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} + \frac{11B \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{24a^4d} - \frac{15B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{24a^4d} \right\} \frac{x(A+B \cos(c)) \cos^3(c)}{(a \cos(c)+a)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*4,x)

[Out] Piecewise((-A\*tan(c/2 + d\*x/2)\*\*7/(56\*a\*\*4\*d) + 3\*A\*tan(c/2 + d\*x/2)\*\*5/(40\*a\*\*4\*d) - A\*tan(c/2 + d\*x/2)\*\*3/(8\*a\*\*4\*d) + A\*tan(c/2 + d\*x/2)/(8\*a\*\*4\*d) + B\*x/a\*\*4 + B\*tan(c/2 + d\*x/2)\*\*7/(56\*a\*\*4\*d) - B\*tan(c/2 + d\*x/2)\*\*5/(8\*a\*\*4\*d) + 11\*B\*tan(c/2 + d\*x/2)\*\*3/(24\*a\*\*4\*d) - 15\*B\*tan(c/2 + d\*x/2)/(8\*a\*\*4\*d), Ne(d, 0)), (x\*(A + B\*cos(c))\*cos(c)\*\*3/(a\*cos(c) + a)\*\*4, True))

**Giac [A]** time = 1.21546, size = 209, normalized size = 1.36

$$\frac{840(dx+c)B}{a^4} - \frac{15Aa^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7 - 15Ba^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7 - 63Aa^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 + 105Ba^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^5 + 105Aa^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3 - 385Ba^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3}{a^{28}}$$

840d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] 1/840\*(840\*(d\*x + c)\*B/a^4 - (15\*A\*a^24\*tan(1/2\*d\*x + 1/2\*c)^7 - 15\*B\*a^24\*tan(1/2\*d\*x + 1/2\*c)^7 - 63\*A\*a^24\*tan(1/2\*d\*x + 1/2\*c)^5 + 105\*B\*a^24\*tan(1/2\*d\*x + 1/2\*c)^5 + 105\*A\*a^24\*tan(1/2\*d\*x + 1/2\*c)^3 - 385\*B\*a^24\*tan(1/2\*d\*x + 1/2\*c)^3 - 105\*A\*a^24\*tan(1/2\*d\*x + 1/2\*c) + 1575\*B\*a^24\*tan(1/2\*d\*x + 1/2\*c))/a^28)/d

$$3.68 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=136

$$\frac{(13A + 36B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)} - \frac{2(A + 27B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)^2} + \frac{(A - B) \sin(c + dx) \cos^2(c + dx)}{7d(a \cos(c + dx) + a)^4} - \frac{(A - 8B) \sin(c + dx)}{35ad(a \cos(c + dx) + a)^3}$$

[Out] (-2\*(A + 27\*B)\*Sin[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])^2) + ((13\*A + 36\*B)\*Sin[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])) + ((A - B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(7\*d\*(a + a\*Cos[c + d\*x])^4) - ((A - 8\*B)\*Sin[c + d\*x])/(35\*a\*d\*(a + a\*Cos[c + d\*x])^3)

**Rubi [A]** time = 0.347609, antiderivative size = 136, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2977, 2968, 3019, 2750, 2648}

$$\frac{(13A + 36B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)} - \frac{2(A + 27B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)^2} + \frac{(A - B) \sin(c + dx) \cos^2(c + dx)}{7d(a \cos(c + dx) + a)^4} - \frac{(A - 8B) \sin(c + dx)}{35ad(a \cos(c + dx) + a)^3}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^4,x]

[Out] (-2\*(A + 27\*B)\*Sin[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])^2) + ((13\*A + 36\*B)\*Sin[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])) + ((A - B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(7\*d\*(a + a\*Cos[c + d\*x])^4) - ((A - 8\*B)\*Sin[c + d\*x])/(35\*a\*d\*(a + a\*Cos[c + d\*x])^3)

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Int[(a + b\*Ssin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Ssin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3019

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] := Simp[((A\*b - a\*B + b\*C)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*Simp[a\*A\*(m + 1) + m\*(b\*B - a\*C) + b\*C\*(2\*m + 1)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

Rule 2750

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)]), x_Symbol] :> Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f*
x])^m)/(a*f*(2*m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(a*b*(2*m + 1)), In
t[(a + b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && N
eQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]
```

Rule 2648

```
Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(-1), x_Symbol] :> -Simp[Cos[c +
d*x]/(d*(b + a*Sin[c + d*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b
^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^4} dx &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{\int \frac{\cos(c+dx)(2a(A-B)+a(A+6B)\cos(c+dx))}{(a+a\cos(c+dx))^3} dx}{7a^2} \\ &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} + \frac{\int \frac{2a(A-B)\cos(c+dx)+a(A+6B)\cos^2(c+dx)}{(a+a\cos(c+dx))^3} dx}{7a^2} \\ &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{(A-8B)\sin(c+dx)}{35ad(a+a\cos(c+dx))^3} - \frac{\int \frac{-3a^2(A-8B)-5a^2}{(a+a\cos(c+dx))^2} dx}{35} \\ &= -\frac{2(A+27B)\sin(c+dx)}{105a^4d(1+\cos(c+dx))^2} + \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{(A-8B)\sin(c+dx)}{35ad(a+a\cos(c+dx))^3} \\ &= -\frac{2(A+27B)\sin(c+dx)}{105a^4d(1+\cos(c+dx))^2} + \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{7d(a+a\cos(c+dx))^4} - \frac{(A-8B)\sin(c+dx)}{35ad(a+a\cos(c+dx))^3} \end{aligned}$$

**Mathematica [A]** time = 0.43541, size = 193, normalized size = 1.42

$$\sec\left(\frac{c}{2}\right)\cos\left(\frac{1}{2}(c+dx)\right)\left(-35(5A+18B)\sin\left(c+\frac{dx}{2}\right)+70(4A+9B)\sin\left(\frac{dx}{2}\right)+168A\sin\left(c+\frac{3dx}{2}\right)-105A\sin\left(2c+\frac{3dx}{2}\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^4, x]
```

```
[Out] (Cos[(c + d*x)/2]*Sec[c/2]*(70*(4*A + 9*B)*Sin[(d*x)/2] - 35*(5*A + 18*B)*S
in[c + (d*x)/2] + 168*A*Sin[c + (3*d*x)/2] + 441*B*Sin[c + (3*d*x)/2] - 105
*A*Sin[2*c + (3*d*x)/2] - 315*B*Sin[2*c + (3*d*x)/2] + 91*A*Sin[2*c + (5*d*
x)/2] + 147*B*Sin[2*c + (5*d*x)/2] - 105*B*Sin[3*c + (5*d*x)/2] + 13*A*Sin[
3*c + (7*d*x)/2] + 36*B*Sin[3*c + (7*d*x)/2]))/(420*a^4*d*(1 + Cos[c + d*x]
)^4)
```

**Maple [A]** time = 0.053, size = 90, normalized size = 0.7

$$\frac{1}{8da^4}\left(\frac{A-B}{7}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^7+\frac{-A+3B}{5}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^5+\frac{-A-3B}{3}\left(\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^3+A\tan\left(\frac{dx}{2}+\frac{c}{2}\right)+B\tan\left(\frac{dx}{2}+\frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] int(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^4,x)

[Out] 1/8/d/a^4\*(1/7\*(A-B)\*tan(1/2\*d\*x+1/2\*c)^7+1/5\*(-A+3\*B)\*tan(1/2\*d\*x+1/2\*c)^5+1/3\*(-A-3\*B)\*tan(1/2\*d\*x+1/2\*c)^3+A\*tan(1/2\*d\*x+1/2\*c)+B\*tan(1/2\*d\*x+1/2\*c))

**Maxima [A]** time = 1.00878, size = 236, normalized size = 1.74

$$\frac{A \left( \frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4} + \frac{3B \left( \frac{35 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4}$$

$840d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] 1/840\*(A\*(105\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 35\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 - 21\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 + 15\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7)/a^4 + 3\*B\*(35\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 35\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 21\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 5\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7)/a^4/d

**Fricas [A]** time = 1.36699, size = 308, normalized size = 2.26

$$\frac{\left( (13A + 36B) \cos(dx+c)^3 + 13(4A + 3B) \cos(dx+c)^2 + 8(4A + 3B) \cos(dx+c) + 8A + 6B \right) \sin(dx+c)}{105 \left( a^4 d \cos(dx+c)^4 + 4a^4 d \cos(dx+c)^3 + 6a^4 d \cos(dx+c)^2 + 4a^4 d \cos(dx+c) + a^4 d \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 1/105\*((13\*A + 36\*B)\*cos(d\*x + c)^3 + 13\*(4\*A + 3\*B)\*cos(d\*x + c)^2 + 8\*(4\*A + 3\*B)\*cos(d\*x + c) + 8\*A + 6\*B)\*sin(d\*x + c)/(a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

**Sympy [A]** time = 16.207, size = 182, normalized size = 1.34

$$\frac{\left\{ \begin{array}{l} \frac{A \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56a^4d} - \frac{A \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{40a^4d} - \frac{A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{24a^4d} + \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} - \frac{B \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56a^4d} + \frac{3B \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{40a^4d} - \frac{B \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} + \frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} \\ \frac{x(A+B \cos(c)) \cos^2(c)}{(a \cos(c)+a)^4} \end{array} \right.}{(a \cos(c)+a)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*4,x)

[Out] Piecewise((A\*tan(c/2 + d\*x/2)\*\*7/(56\*a\*\*4\*d) - A\*tan(c/2 + d\*x/2)\*\*5/(40\*a\*\*4\*d) - A\*tan(c/2 + d\*x/2)\*\*3/(24\*a\*\*4\*d) + A\*tan(c/2 + d\*x/2)/(8\*a\*\*4\*d) -

```
B*tan(c/2 + d*x/2)**7/(56*a**4*d) + 3*B*tan(c/2 + d*x/2)**5/(40*a**4*d) -
B*tan(c/2 + d*x/2)**3/(8*a**4*d) + B*tan(c/2 + d*x/2)/(8*a**4*d), Ne(d, 0))
, (x*(A + B*cos(c))*cos(c)**2/(a*cos(c) + a)**4, True))
```

**Giac [A]** time = 1.18538, size = 158, normalized size = 1.16

$$\frac{15 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 15 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 21 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 63 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 35 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{840 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^4,x, algorithm="giac")
```

```
[Out] 1/840*(15*A*tan(1/2*d*x + 1/2*c)^7 - 15*B*tan(1/2*d*x + 1/2*c)^5 - 21*A*tan(1/2*d*x + 1/2*c)^3 + 63*B*tan(1/2*d*x + 1/2*c) - 35*A*tan(1/2*d*x + 1/2*c) + 105*B*tan(1/2*d*x + 1/2*c))/(a^4*d)
```

$$3.69 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=138

$$\frac{(8A+13B) \sin(c+dx)}{105d(a^4 \cos(c+dx) + a^4)} + \frac{(8A+13B) \sin(c+dx)}{105d(a^2 \cos(c+dx) + a^2)^2} + \frac{(4A-11B) \sin(c+dx)}{35ad(a \cos(c+dx) + a)^3} - \frac{(A-B) \sin(c+dx)}{7d(a \cos(c+dx) + a)^4}$$

[Out]  $-\frac{(A-B)\text{Sin}[c+d*x]}{(7*d*(a+a*\text{Cos}[c+d*x])^4)} + \frac{(4*A-11*B)\text{Sin}[c+d*x]}{(35*a*d*(a+a*\text{Cos}[c+d*x])^3)} + \frac{(8*A+13*B)\text{Sin}[c+d*x]}{(105*d*(a^2+a^2*\text{Cos}[c+d*x])^2)} + \frac{(8*A+13*B)\text{Sin}[c+d*x]}{(105*d*(a^4+a^4*\text{Cos}[c+d*x]))}$

**Rubi [A]** time = 0.21469, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {2968, 3019, 2750, 2650, 2648}

$$\frac{(8A+13B) \sin(c+dx)}{105d(a^4 \cos(c+dx) + a^4)} + \frac{(8A+13B) \sin(c+dx)}{105d(a^2 \cos(c+dx) + a^2)^2} + \frac{(4A-11B) \sin(c+dx)}{35ad(a \cos(c+dx) + a)^3} - \frac{(A-B) \sin(c+dx)}{7d(a \cos(c+dx) + a)^4}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c+d*x]*(A+B*\text{Cos}[c+d*x]))/(a+a*\text{Cos}[c+d*x])^4,x]$

[Out]  $-\frac{(A-B)\text{Sin}[c+d*x]}{(7*d*(a+a*\text{Cos}[c+d*x])^4)} + \frac{(4*A-11*B)\text{Sin}[c+d*x]}{(35*a*d*(a+a*\text{Cos}[c+d*x])^3)} + \frac{(8*A+13*B)\text{Sin}[c+d*x]}{(105*d*(a^2+a^2*\text{Cos}[c+d*x])^2)} + \frac{(8*A+13*B)\text{Sin}[c+d*x]}{(105*d*(a^4+a^4*\text{Cos}[c+d*x]))}$

#### Rule 2968

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

#### Rule 3019

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] \rightarrow \text{Simp}[(A*b - a*B + b*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m/(a*f*(2*m + 1)), x] + \text{Dist}[1/(a^2*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*\text{Simp}[a*A*(m + 1) + m*(b*B - a*C) + b*C*(2*m + 1)*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{EqQ}[a^2 - b^2, 0]$

#### Rule 2750

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Simp}[(b*c - a*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m/(a*f*(2*m + 1)), x] + \text{Dist}[(a*d*m + b*c*(m + 1))/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$

#### Rule 2650

$\text{Int}[(a_. + (b_.)*\text{sin}[(c_.) + (d_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[(b*\text{Cos}[c + d*x]*(a + b*\text{Sin}[c + d*x])^n)/(a*d*(2*n + 1)), x] + \text{Dist}[(n + 1)/(a*(2*n$

+ 1)), Int[(a + b\*Sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] & & EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

### Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Sin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^4} dx &= \int \frac{A \cos(c + dx) + B \cos^2(c + dx)}{(a + a \cos(c + dx))^4} dx \\ &= -\frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{\int \frac{-4a(A - B) - 7aB \cos(c + dx)}{(a + a \cos(c + dx))^3} dx}{7a^2} \\ &= -\frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{(4A - 11B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} + \frac{(8A + 13B) \int \frac{1}{(a + a \cos(c + dx))} dx}{35a^2} \\ &= -\frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{(4A - 11B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} + \frac{(8A + 13B) \sin(c + dx)}{105d(a^2 + a^2 \cos(c + dx))} \\ &= -\frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{(4A - 11B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} + \frac{(8A + 13B) \sin(c + dx)}{105d(a^2 + a^2 \cos(c + dx))} \end{aligned}$$

**Mathematica [A]** time = 0.358649, size = 163, normalized size = 1.18

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(-35(4A + 5B) \sin\left(c + \frac{dx}{2}\right) + 140(A + 2B) \sin\left(\frac{dx}{2}\right) + 168A \sin\left(c + \frac{3dx}{2}\right) + 56A \sin\left(2c + \frac{5dx}{2}\right) + 420a^4d(\cos(c + dx))\right)}{420a^4d(\cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^4, x]

[Out] (Cos[(c + d\*x)/2]\*Sec[c/2]\*(140\*(A + 2\*B)\*Sin[(d\*x)/2] - 35\*(4\*A + 5\*B)\*Sin[c + (d\*x)/2] + 168\*A\*Sin[c + (3\*d\*x)/2] + 168\*B\*Sin[c + (3\*d\*x)/2] - 105\*B\*Sin[2\*c + (3\*d\*x)/2] + 56\*A\*Sin[2\*c + (5\*d\*x)/2] + 91\*B\*Sin[2\*c + (5\*d\*x)/2] + 8\*A\*Sin[3\*c + (7\*d\*x)/2] + 13\*B\*Sin[3\*c + (7\*d\*x)/2]))/(420\*a^4\*d\*(1 + Cos[c + d\*x])^4)

**Maple [A]** time = 0.053, size = 88, normalized size = 0.6

$$\frac{1}{8da^4} \left( \frac{-A + B}{7} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{-A - B}{5} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{A - B}{3} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + B \tan\left(\frac{dx}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^4, x)

[Out] 1/8/d/a^4\*(1/7\*(-A+B)\*tan(1/2\*d\*x+1/2\*c)^7+1/5\*(-A-B)\*tan(1/2\*d\*x+1/2\*c)^5+1/3\*(A-B)\*tan(1/2\*d\*x+1/2\*c)^3+A\*tan(1/2\*d\*x+1/2\*c)+B\*tan(1/2\*d\*x+1/2\*c))

---

**Maxima [A]** time = 1.00994, size = 235, normalized size = 1.7

$$\frac{A \left( \frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4} + \frac{B \left( \frac{105 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4}}{840d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] 1/840\*(A\*(105\*sin(d\*x + c)/(cos(d\*x + c) + 1) + 35\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 - 21\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 15\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7)/a^4 + B\*(105\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 35\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 - 21\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 + 15\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7)/a^4/d

---

**Fricas [A]** time = 1.297, size = 309, normalized size = 2.24

$$\frac{(8A + 13B) \cos(dx + c)^3 + 4(8A + 13B) \cos(dx + c)^2 + 4(13A + 8B) \cos(dx + c) + 13A + 8B) \sin(dx + c)}{105(a^4d \cos(dx + c)^4 + 4a^4d \cos(dx + c)^3 + 6a^4d \cos(dx + c)^2 + 4a^4d \cos(dx + c) + a^4d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 1/105\*((8\*A + 13\*B)\*cos(d\*x + c)^3 + 4\*(8\*A + 13\*B)\*cos(d\*x + c)^2 + 4\*(13\*A + 8\*B)\*cos(d\*x + c) + 13\*A + 8\*B)\*sin(d\*x + c)/(a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

---

**Sympy [A]** time = 11.4166, size = 178, normalized size = 1.29

$$\left\{ \frac{A \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{x(A+B \cos(c)) \cos(c)} - \frac{A \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{40a^4d} + \frac{A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{24a^4d} + \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} + \frac{B \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56a^4d} - \frac{B \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{40a^4d} - \frac{B \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{24a^4d} + \frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} \right\} \frac{1}{(a \cos(c) + a)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^4,x)

[Out] Piecewise((-A\*tan(c/2 + d\*x/2)\*\*7/(56\*a\*\*4\*d) - A\*tan(c/2 + d\*x/2)\*\*5/(40\*a\*\*4\*d) + A\*tan(c/2 + d\*x/2)\*\*3/(24\*a\*\*4\*d) + A\*tan(c/2 + d\*x/2)/(8\*a\*\*4\*d) + B\*tan(c/2 + d\*x/2)\*\*7/(56\*a\*\*4\*d) - B\*tan(c/2 + d\*x/2)\*\*5/(40\*a\*\*4\*d) - B\*tan(c/2 + d\*x/2)\*\*3/(24\*a\*\*4\*d) + B\*tan(c/2 + d\*x/2)/(8\*a\*\*4\*d), Ne(d, 0)), (x\*(A + B\*cos(c))\*cos(c)/(a\*cos(c) + a)\*\*4, True))

---

**Giac [A]** time = 1.17708, size = 158, normalized size = 1.14

$$\frac{15 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 - 15 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^7 + 21 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 + 21 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^5 - 35 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 35 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 105 A \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 105 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{840 a^4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] -1/840\*(15\*A\*tan(1/2\*d\*x + 1/2\*c)^7 - 15\*B\*tan(1/2\*d\*x + 1/2\*c)^7 + 21\*A\*tan(1/2\*d\*x + 1/2\*c)^5 + 21\*B\*tan(1/2\*d\*x + 1/2\*c)^5 - 35\*A\*tan(1/2\*d\*x + 1/2\*c)^3 + 35\*B\*tan(1/2\*d\*x + 1/2\*c)^3 - 105\*A\*tan(1/2\*d\*x + 1/2\*c) - 105\*B\*tan(1/2\*d\*x + 1/2\*c))/(a^4\*d)

$$3.70 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=138

$$\frac{2(3A+4B) \sin(c+dx)}{105d(a^4 \cos(c+dx)+a^4)} + \frac{2(3A+4B) \sin(c+dx)}{105d(a^2 \cos(c+dx)+a^2)^2} + \frac{(3A+4B) \sin(c+dx)}{35ad(a \cos(c+dx)+a)^3} + \frac{(A-B) \sin(c+dx)}{7d(a \cos(c+dx)+a)^4}$$

[Out] ((A - B)\*Sin[c + d\*x])/(7\*d\*(a + a\*Cos[c + d\*x])^4) + ((3\*A + 4\*B)\*Sin[c + d\*x])/(35\*a\*d\*(a + a\*Cos[c + d\*x])^3) + (2\*(3\*A + 4\*B)\*Sin[c + d\*x])/(105\*d\*(a^2 + a^2\*Cos[c + d\*x])^2) + (2\*(3\*A + 4\*B)\*Sin[c + d\*x])/(105\*d\*(a^4 + a^4\*Cos[c + d\*x]))

**Rubi [A]** time = 0.137988, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {2750, 2650, 2648}

$$\frac{2(3A+4B) \sin(c+dx)}{105d(a^4 \cos(c+dx)+a^4)} + \frac{2(3A+4B) \sin(c+dx)}{105d(a^2 \cos(c+dx)+a^2)^2} + \frac{(3A+4B) \sin(c+dx)}{35ad(a \cos(c+dx)+a)^3} + \frac{(A-B) \sin(c+dx)}{7d(a \cos(c+dx)+a)^4}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(a + a\*Cos[c + d\*x])^4, x]

[Out] ((A - B)\*Sin[c + d\*x])/(7\*d\*(a + a\*Cos[c + d\*x])^4) + ((3\*A + 4\*B)\*Sin[c + d\*x])/(35\*a\*d\*(a + a\*Cos[c + d\*x])^3) + (2\*(3\*A + 4\*B)\*Sin[c + d\*x])/(105\*d\*(a^2 + a^2\*Cos[c + d\*x])^2) + (2\*(3\*A + 4\*B)\*Sin[c + d\*x])/(105\*d\*(a^4 + a^4\*Cos[c + d\*x]))

#### Rule 2750

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rule 2650

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*Cos[c + d\*x]\*(a + b\*Ssin[c + d\*x])^n)/(a\*d\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Ssin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2648

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> -Simp[Cos[c + d\*x]/(d\*(b + a\*Ssin[c + d\*x])), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^4} dx &= \frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{(3A + 4B) \int \frac{1}{(a + a \cos(c + dx))^3} dx}{7a} \\
&= \frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{(3A + 4B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} + \frac{(2(3A + 4B)) \int \frac{1}{(a + a \cos(c + dx))^2} dx}{35a^2} \\
&= \frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{(3A + 4B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} + \frac{2(3A + 4B) \sin(c + dx)}{105d(a^2 + a^2 \cos(c + dx))^2} + \frac{(2(3A + 4B)) \sin(c + dx)}{105d(a^2 + a^2 \cos(c + dx))^2} \\
&= \frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{(3A + 4B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} + \frac{2(3A + 4B) \sin(c + dx)}{105d(a^2 + a^2 \cos(c + dx))^2} + \frac{2(3A + 4B) \sin(c + dx)}{105d(a^2 + a^2 \cos(c + dx))^2}
\end{aligned}$$

**Mathematica [A]** time = 0.324019, size = 109, normalized size = 0.79

$$\frac{\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left( (3A + 4B) \left( 21 \sin\left(c + \frac{3dx}{2}\right) + 7 \sin\left(2c + \frac{5dx}{2}\right) + \sin\left(3c + \frac{7dx}{2}\right) \right) + 35(3A + 2B) \sin\left(\frac{dx}{2}\right) - 70B \sin\left(\frac{c}{2}\right) }{210a^4 d (\cos(c + dx) + 1)^4}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(a + a\*Cos[c + d\*x])^4, x]

[Out] (Cos[(c + d\*x)/2]\*Sec[c/2]\*(35\*(3\*A + 2\*B)\*Sin[(d\*x)/2] - 70\*B\*Sin[c + (d\*x)/2] + (3\*A + 4\*B)\*(21\*Sin[c + (3\*d\*x)/2] + 7\*Sin[2\*c + (5\*d\*x)/2] + Sin[3\*c + (7\*d\*x)/2]))/(210\*a^4\*d\*(1 + Cos[c + d\*x])^4)

**Maple [A]** time = 0.049, size = 88, normalized size = 0.6

$$\frac{1}{8da^4} \left( \frac{A - B}{7} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{3A - B}{5} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{3A + B}{3} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + A \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + B \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^4, x)

[Out] 1/8/d/a^4\*(1/7\*(A-B)\*tan(1/2\*d\*x+1/2\*c)^7+1/5\*(3\*A-B)\*tan(1/2\*d\*x+1/2\*c)^5+1/3\*(3\*A+B)\*tan(1/2\*d\*x+1/2\*c)^3+A\*tan(1/2\*d\*x+1/2\*c)+B\*tan(1/2\*d\*x+1/2\*c))

**Maxima [A]** time = 1.00371, size = 236, normalized size = 1.71

$$\frac{B \left( \frac{105 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} - \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{15 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) + 3A \left( \frac{35 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{840d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^4, x, algorithm="maxima")

[Out] 1/840\*(B\*(105\*sin(d\*x + c)/(cos(d\*x + c) + 1) + 35\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 - 21\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 15\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7)/a^4 + 3\*A\*(35\*sin(d\*x + c)/(cos(d\*x + c) + 1) + 35\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 21\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 + 5\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7)/a^4)



$$d*x + c)^3/(\cos(d*x + c) + 1)^3 + 21*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 5*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4)/d$$

**Fricas [A]** time = 1.40174, size = 311, normalized size = 2.25

$$\frac{(2(3A + 4B)\cos(dx + c)^3 + 8(3A + 4B)\cos(dx + c)^2 + 13(3A + 4B)\cos(dx + c) + 36A + 13B)\sin(dx + c)}{105(a^4d\cos(dx + c)^4 + 4a^4d\cos(dx + c)^3 + 6a^4d\cos(dx + c)^2 + 4a^4d\cos(dx + c) + a^4d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 1/105\*(2\*(3\*A + 4\*B)\*cos(d\*x + c)^3 + 8\*(3\*A + 4\*B)\*cos(d\*x + c)^2 + 13\*(3\*A + 4\*B)\*cos(d\*x + c) + 36\*A + 13\*B)\*sin(d\*x + c)/(a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

**Sympy [A]** time = 8.08858, size = 177, normalized size = 1.28

$$\left\{ \frac{A \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56a^4d} + \frac{3A \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{40a^4d} + \frac{A \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} + \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} - \frac{B \tan^7\left(\frac{c}{2} + \frac{dx}{2}\right)}{56a^4d} - \frac{B \tan^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{40a^4d} + \frac{B \tan^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{24a^4d} + \frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{8a^4d} \right\} \frac{x(A+B\cos(c))}{(a\cos(c)+a)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*4,x)

[Out] Piecewise((A\*tan(c/2 + d\*x/2)\*\*7/(56\*a\*\*4\*d) + 3\*A\*tan(c/2 + d\*x/2)\*\*5/(40\*a\*\*4\*d) + A\*tan(c/2 + d\*x/2)\*\*3/(8\*a\*\*4\*d) + A\*tan(c/2 + d\*x/2)/(8\*a\*\*4\*d) - B\*tan(c/2 + d\*x/2)\*\*7/(56\*a\*\*4\*d) - B\*tan(c/2 + d\*x/2)\*\*5/(40\*a\*\*4\*d) + B\*tan(c/2 + d\*x/2)\*\*3/(24\*a\*\*4\*d) + B\*tan(c/2 + d\*x/2)/(8\*a\*\*4\*d), Ne(d, 0)), (x\*(A + B\*cos(c))/(a\*cos(c) + a)\*\*4, True))

**Giac [A]** time = 1.18987, size = 158, normalized size = 1.14

$$\frac{15A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 15B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 63A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 21B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 + 105A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 35B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 + 105A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 105B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{840a^4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] 1/840\*(15\*A\*tan(1/2\*d\*x + 1/2\*c)^7 - 15\*B\*tan(1/2\*d\*x + 1/2\*c)^7 + 63\*A\*tan(1/2\*d\*x + 1/2\*c)^5 - 21\*B\*tan(1/2\*d\*x + 1/2\*c)^5 + 105\*A\*tan(1/2\*d\*x + 1/2\*c)^3 + 35\*B\*tan(1/2\*d\*x + 1/2\*c)^3 + 105\*A\*tan(1/2\*d\*x + 1/2\*c) + 105\*B\*tan(1/2\*d\*x + 1/2\*c))/(a^4\*d)

$$3.71 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=147

$$\frac{2(80A - 3B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)} - \frac{(55A - 6B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)^2} + \frac{A \tanh^{-1}(\sin(c + dx))}{a^4d} - \frac{(10A - 3B) \sin(c + dx)}{35ad(a \cos(c + dx) + a)^3} - \frac{(A - B) \sin(c + dx)}{7d(a \cos(c + dx) + a)^4}$$

[Out] (A\*ArcTanh[Sin[c + d\*x]])/(a^4\*d) - ((55\*A - 6\*B)\*Sin[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])^2) - (2\*(80\*A - 3\*B)\*Sin[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])) - ((A - B)\*Sin[c + d\*x])/(7\*d\*(a + a\*Cos[c + d\*x])^4) - ((10\*A - 3\*B)\*Sin[c + d\*x])/(35\*a\*d\*(a + a\*Cos[c + d\*x])^3)

**Rubi [A]** time = 0.465687, antiderivative size = 147, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 3, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.103$ , Rules used = {2978, 12, 3770}

$$\frac{2(80A - 3B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)} - \frac{(55A - 6B) \sin(c + dx)}{105a^4d(\cos(c + dx) + 1)^2} + \frac{A \tanh^{-1}(\sin(c + dx))}{a^4d} - \frac{(10A - 3B) \sin(c + dx)}{35ad(a \cos(c + dx) + a)^3} - \frac{(A - B) \sin(c + dx)}{7d(a \cos(c + dx) + a)^4}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + a\*Cos[c + d\*x])^4,x]

[Out] (A\*ArcTanh[Sin[c + d\*x]])/(a^4\*d) - ((55\*A - 6\*B)\*Sin[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])^2) - (2\*(80\*A - 3\*B)\*Sin[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])) - ((A - B)\*Sin[c + d\*x])/(7\*d\*(a + a\*Cos[c + d\*x])^4) - ((10\*A - 3\*B)\*Sin[c + d\*x])/(35\*a\*d\*(a + a\*Cos[c + d\*x])^3)

### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 3770

Int[csc[(c\_) + (d\_)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + a \cos(c + dx))^4} dx &= -\frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{\int \frac{(7aA - 3a(A - B) \cos(c + dx)) \sec(c + dx)}{(a + a \cos(c + dx))^3} dx}{7a^2} \\
&= -\frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(10A - 3B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} + \frac{\int \frac{(35a^2A - 2a^2(10A - 3B) \cos(c + dx)) \sec(c + dx)}{(a + a \cos(c + dx))^2} dx}{35a^4} \\
&= -\frac{(55A - 6B) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(10A - 3B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} \\
&= -\frac{(55A - 6B) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(10A - 3B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} \\
&= -\frac{(55A - 6B) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(10A - 3B) \sin(c + dx)}{35ad(a + a \cos(c + dx))^3} \\
&= \frac{A \tanh^{-1}(\sin(c + dx))}{a^4d} - \frac{(55A - 6B) \sin(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \sin(c + dx)}{7d(a + a \cos(c + dx))^4}
\end{aligned}$$

**Mathematica [A]** time = 1.4191, size = 239, normalized size = 1.63

$$\sec\left(\frac{c}{2}\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(-70(49A - 3B) \sin\left(\frac{dx}{2}\right) + 2170A \sin\left(c + \frac{dx}{2}\right) - 2625A \sin\left(c + \frac{3dx}{2}\right) + 735A \sin\left(2c + \frac{3dx}{2}\right) - \dots\right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + a\*Cos[c + d\*x])^4, x]

[Out] (-6720\*A\*Cos[(c + d\*x)/2]^8\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + Cos[(c + d\*x)/2]\*Sec[c/2]\*(-70\*(49\*A - 3\*B)\*Sin[(d\*x)/2] + 2170\*A\*Sin[c + (d\*x)/2] - 2625\*A\*Sin[c + (3\*d\*x)/2] + 126\*B\*Sin[c + (3\*d\*x)/2] + 735\*A\*Sin[2\*c + (3\*d\*x)/2] - 1015\*A\*Sin[2\*c + (5\*d\*x)/2] + 42\*B\*Sin[2\*c + (5\*d\*x)/2] + 105\*A\*Sin[3\*c + (5\*d\*x)/2] - 160\*A\*Sin[3\*c + (7\*d\*x)/2] + 6\*B\*Sin[3\*c + (7\*d\*x)/2]))/(420\*a^4\*d\*(1 + Cos[c + d\*x])^4)

**Maple [A]** time = 0.095, size = 199, normalized size = 1.4

$$\frac{B}{8da^4} \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + \frac{B}{8da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 + \frac{A}{da^4} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) - \frac{11A}{24da^4} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 - \frac{A}{da^4} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+cos(d\*x+c)\*a)^4, x)

[Out] 1/8/d/a^4\*B\*tan(1/2\*d\*x+1/2\*c)+1/8/d/a^4\*B\*tan(1/2\*d\*x+1/2\*c)^3+1/d/a^4\*A\*ln(tan(1/2\*d\*x+1/2\*c)+1)-11/24/d/a^4\*tan(1/2\*d\*x+1/2\*c)^3\*A-1/d/a^4\*A\*ln(tan(1/2\*d\*x+1/2\*c)-1)-15/8/d/a^4\*A\*tan(1/2\*d\*x+1/2\*c)-1/56/d/a^4\*tan(1/2\*d\*x+1/2\*c)^7\*A+1/56/d/a^4\*B\*tan(1/2\*d\*x+1/2\*c)^7-1/8/d/a^4\*A\*tan(1/2\*d\*x+1/2\*c)^5+3/40/d/a^4\*B\*tan(1/2\*d\*x+1/2\*c)^5

**Maxima [A]** time = 1.03875, size = 308, normalized size = 2.1

$$5A \left( \frac{\frac{315 \sin(dx+c)}{\cos(dx+c)+1} + \frac{77 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{3 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{168 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^4} + \frac{168 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^4} \right) - \frac{3B \left( \frac{35 \sin(dx+c)}{\cos(dx+c)+1} + \frac{35 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{21 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right)}{a^4}$$


---

840 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+a\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] -1/840\*(5\*A\*((315\*sin(d\*x + c)/(cos(d\*x + c) + 1) + 77\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 21\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 + 3\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7)/a^4 - 168\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)/a^4 + 168\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) - 1)/a^4) - 3\*B\*(35\*sin(d\*x + c)/(cos(d\*x + c) + 1) + 35\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 21\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 + 5\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7)/a^4)/d

**Fricas [A]** time = 1.48182, size = 624, normalized size = 4.24

$$105 \left( A \cos(dx+c)^4 + 4A \cos(dx+c)^3 + 6A \cos(dx+c)^2 + 4A \cos(dx+c) + A \right) \log(\sin(dx+c)+1) - 105 \left( A \cos(dx+c)^4 + 4A \cos(dx+c)^3 + 6A \cos(dx+c)^2 + 4A \cos(dx+c) + A \right) \log(-\sin(dx+c)+1) - 2 \left( (80A - 3B) \cos(dx+c)^3 + (535A - 24B) \cos(dx+c)^2 + (620A - 39B) \cos(dx+c) + 260A - 36B \right) \sin(dx+c) / (a^4 d \cos(dx+c)^4 + 4a^4 d \cos(dx+c)^3 + 6a^4 d \cos(dx+c)^2 + 4a^4 d \cos(dx+c) + a^4 d)$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 1/210\*(105\*(A\*cos(d\*x + c)^4 + 4\*A\*cos(d\*x + c)^3 + 6\*A\*cos(d\*x + c)^2 + 4\*A\*cos(d\*x + c) + A)\*log(sin(d\*x + c) + 1) - 105\*(A\*cos(d\*x + c)^4 + 4\*A\*cos(d\*x + c)^3 + 6\*A\*cos(d\*x + c)^2 + 4\*A\*cos(d\*x + c) + A)\*log(-sin(d\*x + c) + 1) - 2\*(2\*(80\*A - 3\*B)\*cos(d\*x + c)^3 + (535\*A - 24\*B)\*cos(d\*x + c)^2 + (620\*A - 39\*B)\*cos(d\*x + c) + 260\*A - 36\*B)\*sin(d\*x + c))/(a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+a\*cos(d\*x+c))\*\*4,x)

[Out] Timed out

**Giac [A]** time = 1.25902, size = 246, normalized size = 1.67

$$\frac{840A \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{a^4} - \frac{840A \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{a^4} - \frac{15Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 15Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 + 105Aa^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 63Ba^{24} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5}{a^4}$$


---

840 d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^4,x, algorithm="giac")
```

```
[Out] 1/840*(840*A*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^4 - 840*A*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^4 - (15*A*a^24*tan(1/2*d*x + 1/2*c)^7 - 15*B*a^24*tan(1/2*d*x + 1/2*c)^7 + 105*A*a^24*tan(1/2*d*x + 1/2*c)^5 - 63*B*a^24*tan(1/2*d*x + 1/2*c)^5 + 385*A*a^24*tan(1/2*d*x + 1/2*c)^3 - 105*B*a^24*tan(1/2*d*x + 1/2*c)^3 + 1575*A*a^24*tan(1/2*d*x + 1/2*c) - 105*B*a^24*tan(1/2*d*x + 1/2*c))/a^28)/d
```

### 3.72 $\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^4} dx$

**Optimal.** Leaf size=175

$$\frac{8(83A - 20B) \tan(c + dx)}{105a^4d} - \frac{(4A - B) \tanh^{-1}(\sin(c + dx))}{a^4d} - \frac{(4A - B) \tan(c + dx)}{a^4d(\cos(c + dx) + 1)} - \frac{(88A - 25B) \tan(c + dx)}{105a^4d(\cos(c + dx) + 1)^2} - \frac{(12A - 5B) \tan(c + dx)}{35ad(a + a \cos(c + dx))^3}$$

[Out] -(((4\*A - B)\*ArcTanh[Sin[c + d\*x]])/(a^4\*d)) + (8\*(83\*A - 20\*B)\*Tan[c + d\*x])/(105\*a^4\*d) - ((88\*A - 25\*B)\*Tan[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])^2) - ((4\*A - B)\*Tan[c + d\*x])/(a^4\*d\*(1 + Cos[c + d\*x])) - ((A - B)\*Tan[c + d\*x])/(7\*d\*(a + a\*Cos[c + d\*x])^4) - ((12\*A - 5\*B)\*Tan[c + d\*x])/(35\*a\*d\*(a + a\*Cos[c + d\*x])^3)

**Rubi [A]** time = 0.671646, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2978, 2748, 3767, 8, 3770}

$$\frac{8(83A - 20B) \tan(c + dx)}{105a^4d} - \frac{(4A - B) \tanh^{-1}(\sin(c + dx))}{a^4d} - \frac{(4A - B) \tan(c + dx)}{a^4d(\cos(c + dx) + 1)} - \frac{(88A - 25B) \tan(c + dx)}{105a^4d(\cos(c + dx) + 1)^2} - \frac{(12A - 5B) \tan(c + dx)}{35ad(a + a \cos(c + dx))^3}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(a + a\*Cos[c + d\*x])^4,x]

[Out] -(((4\*A - B)\*ArcTanh[Sin[c + d\*x]])/(a^4\*d)) + (8\*(83\*A - 20\*B)\*Tan[c + d\*x])/(105\*a^4\*d) - ((88\*A - 25\*B)\*Tan[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])^2) - ((4\*A - B)\*Tan[c + d\*x])/(a^4\*d\*(1 + Cos[c + d\*x])) - ((A - B)\*Tan[c + d\*x])/(7\*d\*(a + a\*Cos[c + d\*x])^4) - ((12\*A - 5\*B)\*Tan[c + d\*x])/(35\*a\*d\*(a + a\*Cos[c + d\*x])^3)

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3767

Int[csc[(c\_) + (d\_)\*(x\_)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned}
 \int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + a \cos(c + dx))^4} dx &= -\frac{(A - B) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{\int \frac{(a(8A - B) - 4a(A - B) \cos(c + dx)) \sec^2(c + dx)}{(a + a \cos(c + dx))^3} dx}{7a^2} \\
 &= -\frac{(A - B) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(12A - 5B) \tan(c + dx)}{35ad(a + a \cos(c + dx))^3} + \frac{\int \frac{(2a^2(26A - 5B) - 3a^2(12A - 5B) \cos(c + dx)) \sec^2(c + dx)}{(a + a \cos(c + dx))^2} dx}{7a^2} \\
 &= -\frac{(88A - 25B) \tan(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(12A - 5B) \tan(c + dx)}{35ad(a + a \cos(c + dx))^3} \\
 &= -\frac{(88A - 25B) \tan(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(12A - 5B) \tan(c + dx)}{35ad(a + a \cos(c + dx))^3} \\
 &= -\frac{(88A - 25B) \tan(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(12A - 5B) \tan(c + dx)}{35ad(a + a \cos(c + dx))^3} \\
 &= -\frac{(4A - B) \tanh^{-1}(\sin(c + dx))}{a^4d} - \frac{(88A - 25B) \tan(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} \\
 &= -\frac{(4A - B) \tanh^{-1}(\sin(c + dx))}{a^4d} + \frac{8(83A - 20B) \tan(c + dx)}{105a^4d} - \frac{(88A - 25B) \tan(c + dx)}{105a^4d(1 + \cos(c + dx))^2}
 \end{aligned}$$

**Mathematica [B]** time = 4.87917, size = 595, normalized size = 3.4

$$\frac{26880(4A - B) \cos^8\left(\frac{1}{2}(c + dx)\right) \left( \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) \right)}{1680a^4d(1 + \cos(c + dx))^4}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(a + a\*Cos[c + d\*x])^4,x]

[Out] (26880\*(4\*A - B)\*Cos[(c + d\*x)/2]^8\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + Cos[(c + d\*x)/2]\*Sec[c/2]\*Sec[c]\*Sec[c + d\*x]\*(-245\*(44\*A - 17\*B)\*Sin[(d\*x)/2] + 7\*(2684\*A - 635\*B)\*Sin[(3\*d\*x)/2] - 20524\*A\*Sin[c - (d\*x)/2] + 4795\*B\*Sin[c - (d\*x)/2] + 14644\*A\*Sin[c + (d\*x)/2] - 4795\*B\*Sin[c + (d\*x)/2] - 16660\*A\*Sin[2\*c + (d\*x)/2] + 4165\*B\*Sin[2\*c + (d\*x)/2] - 4690\*A\*Sin[c + (3\*d\*x)/2] + 2275\*B\*Sin[c + (3\*d\*x)/2] + 14378\*A\*Sin[2\*c + (3\*d\*x)/2] - 4445\*B\*Sin[2\*c + (3\*d\*x)/2] - 9100\*A\*Sin[3\*c + (3\*d\*x)/2] + 2275\*B\*Sin[3\*c + (3\*d\*x)/2] + 11668\*A\*Sin[c + (5\*d\*x)/2] - 2785\*B\*Sin[c + (5\*d\*x)/2] - 630\*A\*Sin[2\*c + (5\*d\*x)/2] + 735\*B\*Sin[2\*c + (5\*d\*x)/2] + 9358\*A\*Sin[3\*c + (5\*d\*x)/2] - 2785\*B\*Sin[3\*c + (5\*d\*x)/2] - 2940\*A\*Sin[4\*c + (5\*d\*x)/2] + 735\*B\*Sin[4\*c + (5\*d\*x)/2] + 4228\*A\*Sin[2\*c + (7\*d\*x)/2] - 1015\*B\*Sin[2\*c + (7\*d\*x)/2] + 315\*A\*Sin[3\*c + (7\*d\*x)/2] + 105\*B\*Sin[3\*c + (7\*d\*x)/2] + 3493\*A\*Sin[4\*c + (7\*d\*x)/2] - 1015\*B\*Sin[4\*c + (7\*d\*x)/2] - 420\*A\*Sin[5\*c + (7\*d\*x)/2] + 105\*B\*Sin[5\*c + (7\*d\*x)/2] + 664\*A\*Sin[3\*c + (9\*d\*x)/2] - 160\*B\*Sin[3\*c + (9\*d\*x)/2] + 105\*A\*Sin[4\*c + (9\*d\*x)/2] + 559\*A\*Sin[5\*c + (9\*d\*x)/2] - 160\*B\*Sin[5\*c + (9\*d\*x)/2]))/(1680\*a^4\*d\*(1 + Cos[c + d\*x])^4)

**Maple [A]** time = 0.113, size = 285, normalized size = 1.6

$$\frac{A}{56 da^4} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 - \frac{B}{56 da^4} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{7A}{40 da^4} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{B}{8 da^4} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{23A}{24 da^4} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{B}{24 da^4} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{49A}{8 da^4} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \frac{15B}{8 da^4} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + \frac{4A}{da^4} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) - \frac{1}{da^4} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) * B - \frac{1}{da^4} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) * A - \frac{4}{da^4} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) + \frac{1}{da^4} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) * B - \frac{1}{da^4} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) * A$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+cos(d\*x+c)\*a)^4,x)

[Out] 1/56/d/a^4\*tan(1/2\*d\*x+1/2\*c)^7\*A-1/56/d/a^4\*B\*tan(1/2\*d\*x+1/2\*c)^7+7/40/d/a^4\*A\*tan(1/2\*d\*x+1/2\*c)^5-1/8/d/a^4\*B\*tan(1/2\*d\*x+1/2\*c)^5+23/24/d/a^4\*tan(1/2\*d\*x+1/2\*c)^3\*A-11/24/d/a^4\*B\*tan(1/2\*d\*x+1/2\*c)^3+49/8/d/a^4\*A\*tan(1/2\*d\*x+1/2\*c)-15/8/d/a^4\*B\*tan(1/2\*d\*x+1/2\*c)+4/d/a^4\*A\*ln(tan(1/2\*d\*x+1/2\*c)-1)-1/d/a^4\*ln(tan(1/2\*d\*x+1/2\*c)-1)\*B-1/d/a^4\*A/(tan(1/2\*d\*x+1/2\*c)-1)-4/d/a^4\*A\*ln(tan(1/2\*d\*x+1/2\*c)+1)+1/d/a^4\*ln(tan(1/2\*d\*x+1/2\*c)+1)\*B-1/d/a^4\*A/(tan(1/2\*d\*x+1/2\*c)+1)

**Maxima [A]** time = 1.03907, size = 440, normalized size = 2.51

$$A \left( \frac{1680 \sin(dx+c)}{\left(a^4 - \frac{a^4 \sin^2(dx+c)}{\cos(dx+c)+1}\right) (\cos(dx+c)+1)} + \frac{\frac{5145 \sin(dx+c)}{\cos(dx+c)+1} + \frac{805 \sin^3(dx+c)}{(\cos(dx+c)+1)^3} + \frac{147 \sin^5(dx+c)}{(\cos(dx+c)+1)^5} + \frac{15 \sin^7(dx+c)}{(\cos(dx+c)+1)^7}}{a^4} - \frac{3360 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^4} + \frac{3360 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^4} \right)$$

840 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] 1/840\*(A\*(1680\*sin(d\*x + c)/((a^4 - a^4\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2)\*(cos(d\*x + c) + 1)) + (5145\*sin(d\*x + c)/(cos(d\*x + c) + 1) + 805\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 147\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 + 15\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7)/a^4 - 3360\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)/a^4 + 3360\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) - 1)/a^4 - 5\*B\*((315\*sin(d\*x + c)/(cos(d\*x + c) + 1) + 77\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 21\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 + 3\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7)/a^4 - 168\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)/a^4 + 168\*log(sin(d\*x + c)/(cos(d\*x + c) + 1) - 1)/a^4)/d

**Fricas [B]** time = 1.41286, size = 838, normalized size = 4.79

$$105 \left( (4A - B) \cos(dx + c)^5 + 4(4A - B) \cos(dx + c)^4 + 6(4A - B) \cos(dx + c)^3 + 4(4A - B) \cos(dx + c)^2 + (4A - B) \cos(dx + c) \right) \log(\sin(dx + c) + 1) - 105 \left( (4A - B) \cos(dx + c)^5 + 4(4A - B) \cos(dx + c)^4 + 6(4A - B) \cos(dx + c)^3 + 4(4A - B) \cos(dx + c)^2 + (4A - B) \cos(dx + c) \right) \log(\sin(dx + c) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] -1/210\*(105\*((4\*A - B)\*cos(d\*x + c)^5 + 4\*(4\*A - B)\*cos(d\*x + c)^4 + 6\*(4\*A - B)\*cos(d\*x + c)^3 + 4\*(4\*A - B)\*cos(d\*x + c)^2 + (4\*A - B)\*cos(d\*x + c))\*log(sin(d\*x + c) + 1) - 105\*((4\*A - B)\*cos(d\*x + c)^5 + 4\*(4\*A - B)\*cos(d\*x + c)^4 + 6\*(4\*A - B)\*cos(d\*x + c)^3 + 4\*(4\*A - B)\*cos(d\*x + c)^2 + (4\*A - B)\*cos(d\*x + c))\*log(sin(d\*x + c) - 1)



$$x + c)^4 + 6*(4*A - B)*\cos(d*x + c)^3 + 4*(4*A - B)*\cos(d*x + c)^2 + (4*A - B)*\cos(d*x + c)*\log(-\sin(d*x + c) + 1) - 2*(8*(83*A - 20*B)*\cos(d*x + c)^4 + (2236*A - 535*B)*\cos(d*x + c)^3 + 4*(659*A - 155*B)*\cos(d*x + c)^2 + 4*(296*A - 65*B)*\cos(d*x + c) + 105*A)*\sin(d*x + c))/(a^4*d*\cos(d*x + c)^5 + 4*a^4*d*\cos(d*x + c)^4 + 6*a^4*d*\cos(d*x + c)^3 + 4*a^4*d*\cos(d*x + c)^2 + a^4*d*\cos(d*x + c))$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2/(a+a\*cos(d\*x+c))\*\*4,x)

[Out] Timed out

**Giac [A]** time = 1.2903, size = 302, normalized size = 1.73

$$\frac{840(4A-B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^4} - \frac{840(4A-B)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^4} + \frac{1680A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)a^4} - \frac{15Aa^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7-15Ba^{24}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^7}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] 
$$-1/840*(840*(4*A - B)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^4 - 840*(4*A - B)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^4 + 1680*A*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 - 1)*a^4) - (15*A*a^{24}*\tan(1/2*d*x + 1/2*c)^7 - 15*B*a^{24}*\tan(1/2*d*x + 1/2*c)^7 + 147*A*a^{24}*\tan(1/2*d*x + 1/2*c)^5 - 105*B*a^{24}*\tan(1/2*d*x + 1/2*c)^5 + 805*A*a^{24}*\tan(1/2*d*x + 1/2*c)^3 - 385*B*a^{24}*\tan(1/2*d*x + 1/2*c)^3 + 5145*A*a^{24}*\tan(1/2*d*x + 1/2*c) - 1575*B*a^{24}*\tan(1/2*d*x + 1/2*c))/a^{28}/d$$

$$3.73 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=232

$$-\frac{8(216A - 83B) \tan(c + dx)}{105a^4d} + \frac{(21A - 8B) \tanh^{-1}(\sin(c + dx))}{2a^4d} + \frac{(21A - 8B) \tan(c + dx) \sec(c + dx)}{2a^4d} - \frac{4(216A - 83B)}{105a^4d}$$

[Out] ((21\*A - 8\*B)\*ArcTanh[Sin[c + d\*x]])/(2\*a^4\*d) - (8\*(216\*A - 83\*B)\*Tan[c + d\*x])/(105\*a^4\*d) + ((21\*A - 8\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*a^4\*d) - ((129\*A - 52\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])^2) - (4\*(216\*A - 83\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])) - ((A - B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(7\*d\*(a + a\*Cos[c + d\*x])^4) - ((2\*A - B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(5\*a\*d\*(a + a\*Cos[c + d\*x])^3)

**Rubi [A]** time = 0.687616, antiderivative size = 232, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2978, 2748, 3768, 3770, 3767, 8}

$$-\frac{8(216A - 83B) \tan(c + dx)}{105a^4d} + \frac{(21A - 8B) \tanh^{-1}(\sin(c + dx))}{2a^4d} + \frac{(21A - 8B) \tan(c + dx) \sec(c + dx)}{2a^4d} - \frac{4(216A - 83B)}{105a^4d}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3)/(a + a\*Cos[c + d\*x])^4,x]

[Out] ((21\*A - 8\*B)\*ArcTanh[Sin[c + d\*x]])/(2\*a^4\*d) - (8\*(216\*A - 83\*B)\*Tan[c + d\*x])/(105\*a^4\*d) + ((21\*A - 8\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*a^4\*d) - ((129\*A - 52\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])^2) - (4\*(216\*A - 83\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(105\*a^4\*d\*(1 + Cos[c + d\*x])) - ((A - B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(7\*d\*(a + a\*Cos[c + d\*x])^4) - ((2\*A - B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(5\*a\*d\*(a + a\*Cos[c + d\*x])^3)

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3768

Int[(csc[(c\_) + (d\_)\*(x\_)]\*(b\_))^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&

IntegerQ[2\*n]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)^(n\_)], x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^4} dx &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} + \frac{\int \frac{(a(9A - 2B) - 5a(A - B) \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^3} dx}{7a^2} \\ &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} - \frac{(2A - B) \sec(c + dx) \tan(c + dx)}{5ad(a + a \cos(c + dx))^3} + \frac{\int \frac{(129A - 52B) \sec(c + dx) \tan(c + dx)}{105a^4d(1 + \cos(c + dx))^2} dx}{7d(a + a \cos(c + dx))^4} \\ &= -\frac{(129A - 52B) \sec(c + dx) \tan(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} \\ &= -\frac{(129A - 52B) \sec(c + dx) \tan(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} \\ &= -\frac{(129A - 52B) \sec(c + dx) \tan(c + dx)}{105a^4d(1 + \cos(c + dx))^2} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{7d(a + a \cos(c + dx))^4} \\ &= \frac{(21A - 8B) \sec(c + dx) \tan(c + dx)}{2a^4d} - \frac{(129A - 52B) \sec(c + dx) \tan(c + dx)}{105a^4d(1 + \cos(c + dx))^2} \\ &= \frac{(21A - 8B) \tanh^{-1}(\sin(c + dx))}{2a^4d} - \frac{8(216A - 83B) \tan(c + dx)}{105a^4d} + \frac{(21A - 8B)}{105a^4d} \end{aligned}$$

**Mathematica [B]** time = 6.44624, size = 798, normalized size = 3.44

$$-\frac{8(21A - 8B) \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) - \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \cos^8\left(\frac{c}{2} + \frac{dx}{2}\right)}{d(\cos(c + dx)a + a)^4} + \frac{8(21A - 8B) \log\left(\cos\left(\frac{c}{2} + \frac{dx}{2}\right) + \sin\left(\frac{c}{2} + \frac{dx}{2}\right)\right) \cos^8\left(\frac{c}{2} + \frac{dx}{2}\right)}{d(\cos(c + dx)a + a)^4}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3)/(a + a\*Cos[c + d\*x])^4,x]

[Out] (-8\*(21\*A - 8\*B)\*Cos[c/2 + (d\*x)/2]^8\*Log[Cos[c/2 + (d\*x)/2] - Sin[c/2 + (d\*x)/2])/(d\*(a + a\*Cos[c + d\*x])^4) + (8\*(21\*A - 8\*B)\*Cos[c/2 + (d\*x)/2]^8\*Log[Cos[c/2 + (d\*x)/2] + Sin[c/2 + (d\*x)/2])/(d\*(a + a\*Cos[c + d\*x])^4) + (Cos[c/2 + (d\*x)/2]\*Sec[c/2]\*Sec[c]\*Sec[c + d\*x]^2\*(73206\*A\*Sin[(d\*x)/2] - 38668\*B\*Sin[(d\*x)/2] - 166668\*A\*Sin[(3\*d\*x)/2] + 64384\*B\*Sin[(3\*d\*x)/2] + 183162\*A\*Sin[c - (d\*x)/2] - 70896\*B\*Sin[c - (d\*x)/2] - 100842\*A\*Sin[c + (d\*x)/2] + 50316\*B\*Sin[c + (d\*x)/2] + 155526\*A\*Sin[2\*c + (d\*x)/2] - 59248\*B\*Sin

$$\begin{aligned} & [2*c + (d*x)/2] + 37380*A*\sin[c + (3*d*x)/2] - 22820*B*\sin[c + (3*d*x)/2] - \\ & 101148*A*\sin[2*c + (3*d*x)/2] + 48004*B*\sin[2*c + (3*d*x)/2] + 102900*A*\sin \\ & [3*c + (3*d*x)/2] - 39200*B*\sin[3*c + (3*d*x)/2] - 119364*A*\sin[c + (5*d*x \\ & )/2] + 46032*B*\sin[c + (5*d*x)/2] + 8820*A*\sin[2*c + (5*d*x)/2] - 8750*B*\sin \\ & [2*c + (5*d*x)/2] - 78204*A*\sin[3*c + (5*d*x)/2] + 35742*B*\sin[3*c + (5*d* \\ & x)/2] + 49980*A*\sin[4*c + (5*d*x)/2] - 19040*B*\sin[4*c + (5*d*x)/2] - 64053 \\ & *A*\sin[2*c + (7*d*x)/2] + 24664*B*\sin[2*c + (7*d*x)/2] - 3885*A*\sin[3*c + ( \\ & 7*d*x)/2] - 1050*B*\sin[3*c + (7*d*x)/2] - 44733*A*\sin[4*c + (7*d*x)/2] + 19 \\ & 834*B*\sin[4*c + (7*d*x)/2] + 15435*A*\sin[5*c + (7*d*x)/2] - 5880*B*\sin[5*c \\ & + (7*d*x)/2] - 21987*A*\sin[3*c + (9*d*x)/2] + 8456*B*\sin[3*c + (9*d*x)/2] - \\ & 3675*A*\sin[4*c + (9*d*x)/2] + 630*B*\sin[4*c + (9*d*x)/2] - 16107*A*\sin[5*c \\ & + (9*d*x)/2] + 6986*B*\sin[5*c + (9*d*x)/2] + 2205*A*\sin[6*c + (9*d*x)/2] - \\ & 840*B*\sin[6*c + (9*d*x)/2] - 3456*A*\sin[4*c + (11*d*x)/2] + 1328*B*\sin[4*c \\ & + (11*d*x)/2] - 840*A*\sin[5*c + (11*d*x)/2] + 210*B*\sin[5*c + (11*d*x)/2] \\ & - 2616*A*\sin[6*c + (11*d*x)/2] + 1118*B*\sin[6*c + (11*d*x)/2]))/(6720*d*(a \\ & + a*\cos[c + d*x])^4) \end{aligned}$$

**Maple [A]** time = 0.115, size = 374, normalized size = 1.6

$$-\frac{A}{56da^4} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 + \frac{B}{56da^4} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^7 - \frac{9A}{40da^4} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 + \frac{7B}{40da^4} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^5 - \frac{13A}{8da^4} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 + \frac{11B}{8da^4} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 - \frac{9A}{40da^4} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + \frac{7B}{40da^4} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \frac{13A}{8da^4} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right) + \frac{11B}{8da^4} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right) - \frac{9A}{40da^4} + \frac{7B}{40da^4} - \frac{13A}{8da^4} + \frac{11B}{8da^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+cos(d\*x+c)\*a)^4,x)

[Out] 
$$-1/56/d/a^4*\tan(1/2*d*x+1/2*c)^7*A+1/56/d/a^4*B*\tan(1/2*d*x+1/2*c)^7-9/40/d/a^4*A*\tan(1/2*d*x+1/2*c)^5+7/40/d/a^4*B*\tan(1/2*d*x+1/2*c)^5-13/8/d/a^4*\tan(1/2*d*x+1/2*c)^3*A+23/24/d/a^4*B*\tan(1/2*d*x+1/2*c)^3-111/8/d/a^4*A*\tan(1/2*d*x+1/2*c)+49/8/d/a^4*B*\tan(1/2*d*x+1/2*c)-21/2/d/a^4*A*\ln(\tan(1/2*d*x+1/2*c)-1)+4/d/a^4*\ln(\tan(1/2*d*x+1/2*c)-1)*B+9/2/d/a^4*A/(\tan(1/2*d*x+1/2*c)-1)-1/d/a^4/(\tan(1/2*d*x+1/2*c)-1)*B+1/2/d/a^4*A/(\tan(1/2*d*x+1/2*c)-1)^2+9/2/d/a^4*A/(\tan(1/2*d*x+1/2*c)+1)-1/d/a^4/(\tan(1/2*d*x+1/2*c)+1)*B+21/2/d/a^4*A*\ln(\tan(1/2*d*x+1/2*c)+1)-4/d/a^4*\ln(\tan(1/2*d*x+1/2*c)+1)*B-1/2/d/a^4*A/(\tan(1/2*d*x+1/2*c)+1)^2$$

**Maxima [A]** time = 1.03788, size = 566, normalized size = 2.44

$$3A \left( \frac{280 \left( \frac{7 \sin(dx+c)}{\cos(dx+c)+1} - \frac{9 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{a^4 - \frac{2a^4 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{a^4 \sin(dx+c)^4}{(\cos(dx+c)+1)^4}} + \frac{\frac{3885 \sin(dx+c)}{\cos(dx+c)+1} + \frac{455 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{63 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} + \frac{5 \sin(dx+c)^7}{(\cos(dx+c)+1)^7}}{a^4} - \frac{2940 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1\right)}{a^4} + \frac{2940 \log\left(\frac{\sin(dx+c)}{\cos(dx+c)+1} - 1\right)}{a^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] 
$$-1/840*(3*A*(280*(7*\sin(d*x + c))/(\cos(d*x + c) + 1) - 9*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3)/(a^4 - 2*a^4*\sin(d*x + c)^2/(\cos(d*x + c) + 1)^2 + a^4*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4) + (3885*\sin(d*x + c))/(\cos(d*x + c) + 1) + 455*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 63*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 + 5*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)/a^4 - 2940*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)/a^4 + 2940*\log(\sin(d*x + c)/(\cos(d*x + c) + 1) - 1)/a^4$$

$$\frac{1}{a^4} - B \frac{(1680 \sin(dx+c)) / ((a^4 - a^4 \sin(dx+c))^2 / (\cos(dx+c) + 1)^2) * (\cos(dx+c) + 1) + (5145 \sin(dx+c)) / (\cos(dx+c) + 1) + 805 \sin(dx+c)^3 / (\cos(dx+c) + 1)^3 + 147 \sin(dx+c)^5 / (\cos(dx+c) + 1)^5 + 15 \sin(dx+c)^7 / (\cos(dx+c) + 1)^7}{a^4} - \frac{3360 \log(\sin(dx+c)) / (\cos(dx+c) + 1) + 1}{a^4} + \frac{3360 \log(\sin(dx+c)) / (\cos(dx+c) + 1) - 1}{a^4} / d$$

**Fricas [A]** time = 1.51293, size = 938, normalized size = 4.04

$$105 \left( (21A - 8B) \cos(dx+c)^6 + 4(21A - 8B) \cos(dx+c)^5 + 6(21A - 8B) \cos(dx+c)^4 + 4(21A - 8B) \cos(dx+c)^3 + (21A - 8B) \cos(dx+c)^2 \right) \log(\sin(dx+c) + 1) - 105 \left( (21A - 8B) \cos(dx+c)^6 + 4(21A - 8B) \cos(dx+c)^5 + 6(21A - 8B) \cos(dx+c)^4 + 4(21A - 8B) \cos(dx+c)^3 + (21A - 8B) \cos(dx+c)^2 \right) \log(-\sin(dx+c) + 1) - 2(16(216A - 83B) \cos(dx+c)^5 + (11619A - 4472B) \cos(dx+c)^4 + 4(3411A - 1318B) \cos(dx+c)^3 + 4(1509A - 592B) \cos(dx+c)^2 + 210(2A - B) \cos(dx+c) - 105A) \sin(dx+c) / (a^4 d \cos(dx+c)^6 + 4a^4 d \cos(dx+c)^5 + 6a^4 d \cos(dx+c)^4 + 4a^4 d \cos(dx+c)^3 + a^4 d \cos(dx+c)^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 1/420\*(105\*((21\*A - 8\*B)\*cos(d\*x + c)^6 + 4\*(21\*A - 8\*B)\*cos(d\*x + c)^5 + 6\*(21\*A - 8\*B)\*cos(d\*x + c)^4 + 4\*(21\*A - 8\*B)\*cos(d\*x + c)^3 + (21\*A - 8\*B)\*cos(d\*x + c)^2)\*log(sin(d\*x + c) + 1) - 105\*((21\*A - 8\*B)\*cos(d\*x + c)^6 + 4\*(21\*A - 8\*B)\*cos(d\*x + c)^5 + 6\*(21\*A - 8\*B)\*cos(d\*x + c)^4 + 4\*(21\*A - 8\*B)\*cos(d\*x + c)^3 + (21\*A - 8\*B)\*cos(d\*x + c)^2)\*log(-sin(d\*x + c) + 1) - 2\*(16\*(216\*A - 83\*B)\*cos(d\*x + c)^5 + (11619\*A - 4472\*B)\*cos(d\*x + c)^4 + 4\*(3411\*A - 1318\*B)\*cos(d\*x + c)^3 + 4\*(1509\*A - 592\*B)\*cos(d\*x + c)^2 + 210\*(2\*A - B)\*cos(d\*x + c) - 105\*A)\*sin(d\*x + c))/(a^4\*d\*cos(d\*x + c)^6 + 4\*a^4\*d\*cos(d\*x + c)^5 + 6\*a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + a^4\*d\*cos(d\*x + c)^2)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3/(a+a\*cos(d\*x+c))\*\*4,x)

[Out] Timed out

**Giac [A]** time = 1.28189, size = 360, normalized size = 1.55

$$\frac{420(21A-8B) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{a^4} - \frac{420(21A-8B) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{a^4} + \frac{840 \left( 9A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 2B \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 7A \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right)}{\left( \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1 \right)^2 a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] 1/840\*(420\*(21\*A - 8\*B)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)))/a^4 - 420\*(21\*A - 8\*B)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a^4 + 840\*(9\*A\*tan(1/2\*d\*x + 1/2\*c)^3 - 2\*B\*tan(1/2\*d\*x + 1/2\*c)^3 - 7\*A\*tan(1/2\*d\*x + 1/2\*c))/((tan(1/2\*d\*x + 1/2\*c)^2 - 1)^2\*a^4)

$$\begin{aligned} & c)^3 - 2*B*\tan(1/2*d*x + 1/2*c)^3 - 7*A*\tan(1/2*d*x + 1/2*c) + 2*B*\tan(1/2* \\ & d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^4) - (15*A*a^{24}*\tan(1/2*d*x \\ & + 1/2*c)^7 - 15*B*a^{24}*\tan(1/2*d*x + 1/2*c)^7 + 189*A*a^{24}*\tan(1/2*d*x + 1 \\ & /2*c)^5 - 147*B*a^{24}*\tan(1/2*d*x + 1/2*c)^5 + 1365*A*a^{24}*\tan(1/2*d*x + 1/2 \\ & *c)^3 - 805*B*a^{24}*\tan(1/2*d*x + 1/2*c)^3 + 11655*A*a^{24}*\tan(1/2*d*x + 1/2* \\ & c) - 5145*B*a^{24}*\tan(1/2*d*x + 1/2*c))/a^{28})/d \end{aligned}$$

$$3.74 \quad \int \cos^3(c + dx) \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=187

$$\frac{2a(9A + 8B) \sin(c + dx) \cos^3(c + dx)}{63d\sqrt{a \cos(c + dx) + a}} + \frac{4(9A + 8B) \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{105ad} - \frac{8(9A + 8B) \sin(c + dx)\sqrt{a \cos(c + dx)}}{315d}$$

```
[Out] (4*a*(9*A + 8*B)*Sin[c + d*x])/(45*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a*(9*A + 8*B)*Cos[c + d*x]^3*Ssin[c + d*x])/(63*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a*B*Cos[c + d*x]^4*Ssin[c + d*x])/(9*d*Sqrt[a + a*Cos[c + d*x]]) - (8*(9*A + 8*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(315*d) + (4*(9*A + 8*B)*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(105*a*d)
```

**Rubi [A]** time = 0.303999, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2981, 2770, 2759, 2751, 2646}

$$\frac{2a(9A + 8B) \sin(c + dx) \cos^3(c + dx)}{63d\sqrt{a \cos(c + dx) + a}} + \frac{4(9A + 8B) \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{105ad} - \frac{8(9A + 8B) \sin(c + dx)\sqrt{a \cos(c + dx)}}{315d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]
```

```
[Out] (4*a*(9*A + 8*B)*Sin[c + d*x])/(45*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a*(9*A + 8*B)*Cos[c + d*x]^3*Ssin[c + d*x])/(63*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a*B*Cos[c + d*x]^4*Ssin[c + d*x])/(9*d*Sqrt[a + a*Cos[c + d*x]]) - (8*(9*A + 8*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(315*d) + (4*(9*A + 8*B)*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(105*a*d)
```

#### Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Ssin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Ssin[e + f*x]]*(c + d*Ssin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

#### Rule 2770

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Ssin[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Ssin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*(2*n + 1)), Int[Sqrt[a + b*Ssin[e + f*x]]*(c + d*Ssin[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]
```

#### Rule 2759

```
Int[sin[(e_) + (f_)*(x_)]^2*((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_), x_Symbol] := -Simp[(Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Ssin[e + f*x])^m*(b*(m + 1) - a*Ssin[e + f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ
```

[m, -2^(-1)]

### Rule 2751

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

### Rule 2646

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(-2\*b\*Cos[c + d\*x])/(d\*Sqrt[a + b\*Sin[c + d\*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

### Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)\sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) dx &= \frac{2aB \cos^4(c + dx) \sin(c + dx)}{9d\sqrt{a + a \cos(c + dx)}} + \frac{1}{9}(9A + 8B) \int \cos^3(c + dx)\sqrt{a + a \cos(c + dx)} dx \\ &= \frac{2a(9A + 8B) \cos^3(c + dx) \sin(c + dx)}{63d\sqrt{a + a \cos(c + dx)}} + \frac{2aB \cos^4(c + dx) \sin(c + dx)}{9d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a(9A + 8B) \cos^3(c + dx) \sin(c + dx)}{63d\sqrt{a + a \cos(c + dx)}} + \frac{2aB \cos^4(c + dx) \sin(c + dx)}{9d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a(9A + 8B) \cos^3(c + dx) \sin(c + dx)}{63d\sqrt{a + a \cos(c + dx)}} + \frac{2aB \cos^4(c + dx) \sin(c + dx)}{9d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{4a(9A + 8B) \sin(c + dx)}{45d\sqrt{a + a \cos(c + dx)}} + \frac{2a(9A + 8B) \cos^3(c + dx) \sin(c + dx)}{63d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.628738, size = 103, normalized size = 0.55

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right)\sqrt{a(\cos(c + dx) + 1)}(94(9A + 8B) \cos(c + dx) + 4(54A + 83B) \cos(2(c + dx)) + 90A \cos(3(c + dx)) + 13B \cos(4(c + dx)))}{1260d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3\*Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]), x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x])]\*(1368\*A + 1321\*B + 94\*(9\*A + 8\*B)\*Cos[c + d\*x] + 4\*(54\*A + 83\*B)\*Cos[2\*(c + d\*x)] + 90\*A\*Cos[3\*(c + d\*x)] + 80\*B\*Cos[3\*(c + d\*x)] + 35\*B\*Cos[4\*(c + d\*x)])\*Tan[(c + d\*x)/2])/(1260\*d)

**Maple [A]** time = 1.147, size = 121, normalized size = 0.7

$$\frac{2a\sqrt{2}}{315d} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left(560B (\sin(1/2 dx + c/2))^8 + (-360A - 1440B) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^6 + (756A + 1512B) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^4\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(a+cos(d\*x+c)\*a)^(1/2)\*(A+B\*cos(d\*x+c)), x)



```
[Out] 2/315*cos(1/2*d*x+1/2*c)*a*sin(1/2*d*x+1/2*c)*(560*B*sin(1/2*d*x+1/2*c)^8+(-360*A-1440*B)*sin(1/2*d*x+1/2*c)^6+(756*A+1512*B)*sin(1/2*d*x+1/2*c)^4+(-630*A-840*B)*sin(1/2*d*x+1/2*c)^2+315*A+315*B)*2^(1/2)/(cos(1/2*d*x+1/2*c)^2*a)^(1/2)/d
```

**Maxima [A]** time = 1.90054, size = 196, normalized size = 1.05

$$\frac{18 \left( 5 \sqrt{2} \sin \left( \frac{7}{2} dx + \frac{7}{2} c \right) + 7 \sqrt{2} \sin \left( \frac{5}{2} dx + \frac{5}{2} c \right) + 35 \sqrt{2} \sin \left( \frac{3}{2} dx + \frac{3}{2} c \right) + 105 \sqrt{2} \sin \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right) A \sqrt{a} + \left( 35 \sqrt{2} \sin \left( \frac{7}{2} dx + \frac{7}{2} c \right) + 7 \sqrt{2} \sin \left( \frac{5}{2} dx + \frac{5}{2} c \right) + 35 \sqrt{2} \sin \left( \frac{3}{2} dx + \frac{3}{2} c \right) + 105 \sqrt{2} \sin \left( \frac{1}{2} dx + \frac{1}{2} c \right) \right) B \sqrt{a}}{315 (d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")
```

```
[Out] 1/2520*(18*(5*sqrt(2)*sin(7/2*d*x + 7/2*c) + 7*sqrt(2)*sin(5/2*d*x + 5/2*c) + 35*sqrt(2)*sin(3/2*d*x + 3/2*c) + 105*sqrt(2)*sin(1/2*d*x + 1/2*c))*A*sqrt(a) + (35*sqrt(2)*sin(9/2*d*x + 9/2*c) + 45*sqrt(2)*sin(7/2*d*x + 7/2*c) + 252*sqrt(2)*sin(5/2*d*x + 5/2*c) + 420*sqrt(2)*sin(3/2*d*x + 3/2*c) + 1890*sqrt(2)*sin(1/2*d*x + 1/2*c))*B*sqrt(a))/d
```

**Fricas [A]** time = 1.33308, size = 263, normalized size = 1.41

$$\frac{2 \left( 35 B \cos(dx + c)^4 + 5(9A + 8B) \cos(dx + c)^3 + 6(9A + 8B) \cos(dx + c)^2 + 8(9A + 8B) \cos(dx + c) + 144A + 128B \right) \sqrt{a \cos(dx + c)}}{315 (d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] 2/315*(35*B*cos(d*x + c)^4 + 5*(9*A + 8*B)*cos(d*x + c)^3 + 6*(9*A + 8*B)*cos(d*x + c)^2 + 8*(9*A + 8*B)*cos(d*x + c) + 144*A + 128*B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(d*cos(d*x + c) + d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{a \cos(dx + c) + a} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(a*cos(d*x + c) + a)*cos(d*x + c)^3, x)
```

### 3.75 $\int \cos^2(c + dx) \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=144

$$\frac{2(7A + 6B) \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{35ad} - \frac{4(7A + 6B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{105d} + \frac{2a(7A + 6B) \sin(c + dx)}{15d \sqrt{a \cos(c + dx) + a}}$$

[Out] (2\*a\*(7\*A + 6\*B)\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*B\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(7\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - (4\*(7\*A + 6\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(105\*d) + (2\*(7\*A + 6\*B)\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(35\*a\*d)

**Rubi [A]** time = 0.264805, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {2981, 2759, 2751, 2646}

$$\frac{2(7A + 6B) \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{35ad} - \frac{4(7A + 6B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{105d} + \frac{2a(7A + 6B) \sin(c + dx)}{15d \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^2\*Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]),x]

[Out] (2\*a\*(7\*A + 6\*B)\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*B\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(7\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - (4\*(7\*A + 6\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(105\*d) + (2\*(7\*A + 6\*B)\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(35\*a\*d)

#### Rule 2981

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(2\*n + 3)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(b\*d\*(2\*n + 3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

#### Rule 2759

Int[sin[(e\_) + (f\_)\*(x\_)]^2\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_), x\_Symbol] :> -Simp[(Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*(b\*(m + 1) - a\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2751

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

**Rule 2646**

`Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(-2*b*Cos[c + d*x])/(d*Sqrt[a + b*Sin[c + d*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]`

**Rubi steps**

$$\begin{aligned} \int \cos^2(c + dx)\sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) dx &= \frac{2aB \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} + \frac{1}{7}(7A + 6B) \int \cos^2(c + dx)\sqrt{a + a \cos(c + dx)} dx \\ &= \frac{2aB \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} + \frac{2(7A + 6B)(a + a \cos(c + dx))}{35ad} \\ &= \frac{2aB \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} - \frac{4(7A + 6B)\sqrt{a + a \cos(c + dx)}}{105d} \\ &= \frac{2a(7A + 6B) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2aB \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} - \frac{4}{105d} \end{aligned}$$

**Mathematica [A]** time = 0.334778, size = 80, normalized size = 0.56

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right)\sqrt{a(\cos(c + dx) + 1)}((112A + 141B)\cos(c + dx) + 6(7A + 6B)\cos(2(c + dx)) + 266A + 15B\cos(3(c + dx)))}{210d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]), x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x])]\*(266\*A + 228\*B + (112\*A + 141\*B)\*Cos[c + d\*x] + 6\*(7\*A + 6\*B)\*Cos[2\*(c + d\*x)] + 15\*B\*Cos[3\*(c + d\*x)])\*Tan[(c + d\*x)/2])/ (210\*d)

**Maple [A]** time = 0.998, size = 102, normalized size = 0.7

$$\frac{2a\sqrt{2}}{105d} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left( -120B(\sin(1/2 dx + c/2))^6 + (84A + 252B) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^4 + (-140A - 210B) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2 \right) + 105A + 105B \cdot 2^{1/2} / (\cos(1/2 dx + 1/2 c)^2 a)^{1/2} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+cos(d\*x+c)\*a)^(1/2)\*(A+B\*cos(d\*x+c)), x)

[Out] 2/105\*cos(1/2\*d\*x+1/2\*c)\*a\*sin(1/2\*d\*x+1/2\*c)\*(-120\*B\*sin(1/2\*d\*x+1/2\*c)^6+(84\*A+252\*B)\*sin(1/2\*d\*x+1/2\*c)^4+(-140\*A-210\*B)\*sin(1/2\*d\*x+1/2\*c)^2+105\*A+105\*B)\*2^(1/2)/(cos(1/2\*d\*x+1/2\*c)^2\*a)^(1/2)/d

**Maxima [A]** time = 1.93533, size = 159, normalized size = 1.1

$$\frac{14\left(3\sqrt{2}\sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 5\sqrt{2}\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 30\sqrt{2}\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)A\sqrt{a} + 3\left(5\sqrt{2}\sin\left(\frac{7}{2}dx + \frac{7}{2}c\right) + 7\sqrt{2}\sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 30\sqrt{2}\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 30\sqrt{2}\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)B\sqrt{a}}{420d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm
="maxima")
```

```
[Out] 1/420*(14*(3*sqrt(2)*sin(5/2*d*x + 5/2*c) + 5*sqrt(2)*sin(3/2*d*x + 3/2*c)
+ 30*sqrt(2)*sin(1/2*d*x + 1/2*c))*A*sqrt(a) + 3*(5*sqrt(2)*sin(7/2*d*x + 7
/2*c) + 7*sqrt(2)*sin(5/2*d*x + 5/2*c) + 35*sqrt(2)*sin(3/2*d*x + 3/2*c) +
105*sqrt(2)*sin(1/2*d*x + 1/2*c))*B*sqrt(a))/d
```

---

**Fricas [A]** time = 1.22406, size = 219, normalized size = 1.52

$$\frac{2(15B \cos(dx+c)^3 + 3(7A+6B) \cos(dx+c)^2 + 4(7A+6B) \cos(dx+c) + 56A + 48B) \sqrt{a \cos(dx+c) + a} \sin(dx+c)}{105(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm
="fricas")
```

```
[Out] 2/105*(15*B*cos(d*x + c)^3 + 3*(7*A + 6*B)*cos(d*x + c)^2 + 4*(7*A + 6*B)*c
os(d*x + c) + 56*A + 48*B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(d*cos(d*x
+ c) + d)
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm
="giac")
```

```
[Out] Timed out
```

### 3.76 $\int \cos(c+dx)\sqrt{a+a\cos(c+dx)}(A+B\cos(c+dx))dx$

**Optimal.** Leaf size=101

$$\frac{2(5A-2B)\sin(c+dx)\sqrt{a\cos(c+dx)+a}}{15d} + \frac{2a(5A+7B)\sin(c+dx)}{15d\sqrt{a\cos(c+dx)+a}} + \frac{2B\sin(c+dx)(a\cos(c+dx)+a)^{3/2}}{5ad}$$

[Out] (2\*a\*(5\*A + 7\*B)\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*(5\*A - 2\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*d) + (2\*B\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(5\*a\*d)

**Rubi [A]** time = 0.201873, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {2968, 3023, 2751, 2646}

$$\frac{2(5A-2B)\sin(c+dx)\sqrt{a\cos(c+dx)+a}}{15d} + \frac{2a(5A+7B)\sin(c+dx)}{15d\sqrt{a\cos(c+dx)+a}} + \frac{2B\sin(c+dx)(a\cos(c+dx)+a)^{3/2}}{5ad}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]), x]

[Out] (2\*a\*(5\*A + 7\*B)\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*(5\*A - 2\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*d) + (2\*B\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(5\*a\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2751

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2646

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(-2\*b\*Cos[c + d\*x])/(d\*Sqrt[a + b\*Sin[c + d\*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rubi steps

$$\begin{aligned} \int \cos(c+dx)\sqrt{a+a\cos(c+dx)}(A+B\cos(c+dx))dx &= \int \sqrt{a+a\cos(c+dx)}(A\cos(c+dx)+B\cos^2(c+dx))dx \\ &= \frac{2B(a+a\cos(c+dx))^{3/2}\sin(c+dx)}{5ad} + \frac{2\int\sqrt{a+a\cos(c+dx)}dx}{15d} \\ &= \frac{2(5A-2B)\sqrt{a+a\cos(c+dx)}\sin(c+dx)}{15d} + \frac{2B(a+a\cos(c+dx))^{3/2}\sin(c+dx)}{15d} \\ &= \frac{2a(5A+7B)\sin(c+dx)}{15d\sqrt{a+a\cos(c+dx)}} + \frac{2(5A-2B)\sqrt{a+a\cos(c+dx)}}{15d} \end{aligned}$$

**Mathematica [A]** time = 0.185763, size = 64, normalized size = 0.63

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\cos(c+dx)+1)}(2(5A+4B)\cos(c+dx)+20A+3B\cos(2(c+dx))+19B)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]), x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x])]\*(20\*A + 19\*B + 2\*(5\*A + 4\*B)\*Cos[c + d\*x] + 3\*B\*Cos[2\*(c + d\*x)])\*Tan[(c + d\*x)/2])/(15\*d)

**Maple [A]** time = 1.095, size = 83, normalized size = 0.8

$$\frac{2a\sqrt{2}}{15d}\cos\left(\frac{dx}{2}+\frac{c}{2}\right)\sin\left(\frac{dx}{2}+\frac{c}{2}\right)\left(12B(\sin(1/2dx+c/2))^4+(-10A-20B)\left(\sin\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^2+15A+15B\right)\frac{1}{\sqrt{(\cos(\frac{dx}{2}+\frac{c}{2})+1)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+cos(d\*x+c)\*a)^(1/2)\*(A+B\*cos(d\*x+c)), x)

[Out] 2/15\*cos(1/2\*d\*x+1/2\*c)\*a\*sin(1/2\*d\*x+1/2\*c)\*(12\*B\*sin(1/2\*d\*x+1/2\*c)^4+(-10\*A-20\*B)\*sin(1/2\*d\*x+1/2\*c)^2+15\*A+15\*B)\*2^(1/2)/(cos(1/2\*d\*x+1/2\*c)^2\*a)^(1/2)/d

**Maxima [A]** time = 1.82406, size = 119, normalized size = 1.18

$$\frac{10\left(\sqrt{2}\sin\left(\frac{3}{2}dx+\frac{3}{2}c\right)+3\sqrt{2}\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)A\sqrt{a}+\left(3\sqrt{2}\sin\left(\frac{5}{2}dx+\frac{5}{2}c\right)+5\sqrt{2}\sin\left(\frac{3}{2}dx+\frac{3}{2}c\right)+30\sqrt{2}\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)\sqrt{a}}{30d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)), x, algorithm="maxima")

[Out] 1/30\*(10\*(sqrt(2)\*sin(3/2\*d\*x + 3/2\*c) + 3\*sqrt(2)\*sin(1/2\*d\*x + 1/2\*c))\*A\*sqrt(a) + (3\*sqrt(2)\*sin(5/2\*d\*x + 5/2\*c) + 5\*sqrt(2)\*sin(3/2\*d\*x + 3/2\*c))

+ 30\*sqrt(2)\*sin(1/2\*d\*x + 1/2\*c))\*B\*sqrt(a))/d

**Fricas [A]** time = 1.34265, size = 170, normalized size = 1.68

$$\frac{2(3B \cos(dx + c)^2 + (5A + 4B) \cos(dx + c) + 10A + 8B) \sqrt{a \cos(dx + c) + a \sin(dx + c)}}{15(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 2/15\*(3\*B\*cos(d\*x + c)^2 + (5\*A + 4\*B)\*cos(d\*x + c) + 10\*A + 8\*B)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] Timed out



### 3.77 $\int \sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=62

$$\frac{2a(3A + B) \sin(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} + \frac{2B \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{3d}$$

[Out] (2\*a\*(3\*A + B)\*Sin[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*B\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.0586005, antiderivative size = 62, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.08$ , Rules used = {2751, 2646}

$$\frac{2a(3A + B) \sin(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} + \frac{2B \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]), x]

[Out] (2\*a\*(3\*A + B)\*Sin[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*B\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d)

#### Rule 2751

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2646

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(-2\*b\*Cos[c + d\*x])/(d\*Sqrt[a + b\*Sin[c + d\*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rubi steps

$$\begin{aligned} \int \sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) dx &= \frac{2B\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3}(3A + B) \int \sqrt{a + a \cos(c + dx)} \\ &= \frac{2a(3A + B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2B\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.0749198, size = 46, normalized size = 0.74

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}(3A + B \cos(c + dx) + 2B)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]),x]

[Out] (2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(3\*A + 2\*B + B\*Cos[c + d\*x])\*Tan[(c + d\*x)/2])/ (3\*d)

**Maple [A]** time = 1.125, size = 62, normalized size = 1.

$$\frac{2a\sqrt{2}}{3d} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left(2B(\cos(1/2 dx + c/2))^2 + 3A + B\right) \frac{1}{\sqrt{\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2 a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(1/2)\*(A+B\*cos(d\*x+c)),x)

[Out] 2/3\*cos(1/2\*d\*x+1/2\*c)\*a\*sin(1/2\*d\*x+1/2\*c)\*(2\*B\*cos(1/2\*d\*x+1/2\*c)^2+3\*A+B)\*2^(1/2)/(cos(1/2\*d\*x+1/2\*c)^2\*a)^(1/2)/d

**Maxima [A]** time = 1.79246, size = 77, normalized size = 1.24

$$\frac{6\sqrt{2}A\sqrt{a}\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \left(\sqrt{2}\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 3\sqrt{2}\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)B\sqrt{a}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/3\*(6\*sqrt(2)\*A\*sqrt(a)\*sin(1/2\*d\*x + 1/2\*c) + (sqrt(2)\*sin(3/2\*d\*x + 3/2\*c) + 3\*sqrt(2)\*sin(1/2\*d\*x + 1/2\*c))\*B\*sqrt(a))/d

**Fricas [A]** time = 1.33251, size = 126, normalized size = 2.03

$$\frac{2(B\cos(dx+c) + 3A + 2B)\sqrt{a\cos(dx+c) + a}\sin(dx+c)}{3(d\cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 2/3\*(B\*cos(d\*x + c) + 3\*A + 2\*B)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\cos(c + dx) + 1)}(A + B\cos(c + dx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c)),x)

[Out] Integral(sqrt(a\*(cos(c + d\*x) + 1))\*(A + B\*cos(c + d\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(a\*cos(d\*x + c) + a), x)

$$3.78 \quad \int \sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) \sec(c + dx) dx$$

**Optimal.** Leaf size=66

$$\frac{2\sqrt{a}A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{2aB \sin(c + dx)}{d\sqrt{a \cos(c + dx) + a}}$$

[Out] (2\*Sqrt[a]\*A\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d + (2\*a\*B\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.137595, antiderivative size = 66, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.097$ , Rules used = {2981, 2773, 206}

$$\frac{2\sqrt{a}A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{2aB \sin(c + dx)}{d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x],x]

[Out] (2\*Sqrt[a]\*A\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d + (2\*a\*B\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

#### Rule 2773

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

#### Rubi steps

$$\begin{aligned} \int \sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{2aB \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + A \int \sqrt{a + a \cos(c + dx)} \sec(c + dx) dx \\ &= \frac{2aB \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} - \frac{(2aA) \operatorname{Subst}\left(\int \frac{1}{a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} \\ &= \frac{2\sqrt{a}A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} + \frac{2aB \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.085383, size = 66, normalized size = 1.

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(\sqrt{2}A \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2B \sin\left(\frac{1}{2}(c + dx)\right)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x], x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(Sqrt[2]\*A\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]] + 2\*B\*Sin[(c + d\*x)/2]))/d

**Maple [B]** time = 3.296, size = 210, normalized size = 3.2

$$\frac{1}{d} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left( A \ln\left(-4 \frac{\sqrt{a}\sqrt{2}\sqrt{a(\sin(1/2 dx + c/2))^2 - a\sqrt{2} \cos(1/2 dx + c/2) + 2a}}{-2 \cos(1/2 dx + c/2) + \sqrt{2}}\right) + A \ln\left(\dots\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x)

[Out] 1/a^(1/2)\*cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(A\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+A\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+2\*B\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2))/sin(1/2\*d\*x+1/2\*c)/(cos(1/2\*d\*x+1/2\*c)^2\*a)^(1/2)/d

**Maxima [A]** time = 1.63519, size = 28, normalized size = 0.42

$$\frac{2\sqrt{2}B\sqrt{a} \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x, algorithm="maxima")

[Out] 2\*sqrt(2)\*B\*sqrt(a)\*sin(1/2\*d\*x + 1/2\*c)/d

---

**Fricas [B]** time = 1.52075, size = 344, normalized size = 5.21

$$\frac{(A \cos(dx + c) + A)\sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a} \cos(dx+c) + a\sqrt{a}(\cos(dx+c)-2)\sin(dx+c) + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right) + 4\sqrt{a} \cos(dx+c) + aB \sin(dx+c)}{2(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="fricas")

[Out] 1/2\*((A\*cos(d\*x + c) + A)\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) + 4\*sqrt(a\*cos(d\*x + c) + a)\*B\*sin(d\*x + c))/(d\*cos(d\*x + c) + d)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\cos(c + dx) + 1)}(A + B \cos(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x)

[Out] Integral(sqrt(a\*(cos(c + d\*x) + 1))\*(A + B\*cos(c + d\*x))\*sec(c + d\*x), x)

---

**Giac [B]** time = 3.98457, size = 201, normalized size = 3.05

$$\frac{2\sqrt{2}Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}} + \frac{Aa^{\frac{3}{2}} \log\left(\frac{\left|2\left(\sqrt{a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \sqrt{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}\right)^2 - 4\sqrt{2}|a| - 6a\right|}{\left|2\left(\sqrt{a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \sqrt{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}\right)^2 + 4\sqrt{2}|a| - 6a\right|}\right)}{|a|}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="giac")

[Out] (2\*sqrt(2)\*B\*a\*tan(1/2\*d\*x + 1/2\*c)/sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a) + A\*a^(3/2)\*log(abs(2\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 - 4\*sqrt(2)\*abs(a) - 6\*a)/abs(2\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 + 4\*sqrt(2)\*abs(a) - 6\*a))/abs(a))/d

$$3.79 \quad \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=68

$$\frac{\sqrt{a}(A + 2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{aA \tan(c + dx)}{d\sqrt{a \cos(c + dx) + a}}$$

[Out] (Sqrt[a]\*(A + 2\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d + (a\*A\*Tan[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.162592, antiderivative size = 68, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {2980, 2773, 206}

$$\frac{\sqrt{a}(A + 2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{aA \tan(c + dx)}{d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] (Sqrt[a]\*(A + 2\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d + (a\*A\*Tan[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 2773

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\int \sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) \sec^2(c + dx) dx = \frac{aA \tan(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + \frac{1}{2}(A + 2B) \int \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) dx$$

$$= \frac{aA \tan(c + dx)}{d\sqrt{a + a \cos(c + dx)}} - \frac{(a(A + 2B)) \operatorname{Subst}\left(\int \frac{1}{a-x^2} dx, x, -\frac{a}{\sqrt{a}}\right)}{d}$$

$$= \frac{\sqrt{a}(A + 2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} + \frac{aA \tan(c + dx)}{d\sqrt{a + a \cos(c + dx)}}$$

**Mathematica [A]** time = 0.199585, size = 85, normalized size = 1.25

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(\sqrt{2}(A + 2B) \cos(c + dx) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) + 2A \sin\left(\frac{1}{2}(c + dx)\right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x]])\*Sec[(c + d\*x)/2]\*Sec[c + d\*x]\*(Sqrt[2]\*(A + 2\*B)\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Cos[c + d\*x] + 2\*A\*Sin[(c + d\*x)/2]))/(2\*d)

**Maple [B]** time = 3.951, size = 642, normalized size = 9.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x)

[Out] cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*a\*(A\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+A\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+2\*B\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+2\*B\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a)))\*sin(1/2\*d\*x+1/2\*c)^2+2\*A\*a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+A\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+A\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+2\*B\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+2\*B\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a)/a^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2))/(2\*cos(1/2\*d\*x+1/2\*c)-2^(1/2))/sin(1/2\*d\*x+1/2\*c)/(cos(1/2\*d\*x+1/2\*c)^2\*a)^(1/2)/d

**Maxima [B]** time = 1.8696, size = 959, normalized size = 14.1

result too large to display



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] 
$$-1/4*(4*\sqrt{2}*\cos(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c) + 4*\sqrt{2}*\cos(3/2*d*x + 3/2*c)*\sin(2*d*x + 2*c) - 4*\sqrt{2}*\cos(2*d*x + 2*c)*\sin(3/2*d*x + 3/2*c) - (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) + (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 4*(\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(5/2*d*x + 5/2*c) + 4*(\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2})*\sin(2*d*x + 2*c)^2 + 2*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 4*\sqrt{2}*\sin(3/2*d*x + 3/2*c))*A*\sqrt{a}/((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)*d)$$

---

**Fricas [B]** time = 1.56449, size = 406, normalized size = 5.97

$$\frac{\left((A + 2B)\cos(dx + c)^2 + (A + 2B)\cos(dx + c)\right)\sqrt{a}\log\left(\frac{a\cos(dx+c)^3 - 7a\cos(dx+c)^2 - 4\sqrt{a}\cos(dx+c) + a\sqrt{a}(\cos(dx+c)-2)\sin(dx+c) + 8}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)}{4\left(d\cos(dx + c)^2 + d\cos(dx + c)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] 
$$1/4*\left(\left((A + 2*B)*\cos(d*x + c)^2 + (A + 2*B)*\cos(d*x + c)\right)*\sqrt{a}*\log\left(\frac{a*\cos(d*x + c)^3 - 7*a*\cos(d*x + c)^2 - 4*\sqrt{a}*\cos(d*x + c) + a*\sqrt{a}*(\cos(d*x + c) - 2)*\sin(d*x + c) + 8*a}{(\cos(d*x + c)^3 + \cos(d*x + c)^2)}\right) + 4*\sqrt{a}*\sin(d*x + c)\right)/\left(d*\cos(d*x + c)^2 + d*\cos(d*x + c)\right)$$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2,x)

[Out] Timed out

---

**Giac [B]** time = 2.85137, size = 351, normalized size = 5.16

$$(A\sqrt{a} + 2B\sqrt{a}) \log \left( \left( \sqrt{a} \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - \sqrt{a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^2 + a} \right)^2 - a(2\sqrt{2} + 3) \right) - (A\sqrt{a} + 2B\sqrt{a}) \log \left( \left( \sqrt{a} \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - \sqrt{a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^2 + a} \right)^2 - a(2\sqrt{2} - 3) \right)$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] 1/2\*((A\*sqrt(a) + 2\*B\*sqrt(a))\*log(abs((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 - a\*(2\*sqrt(2) + 3))) - (A\*sqrt(a) + 2\*B\*sqrt(a))\*log(abs((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 + a\*(2\*sqrt(2) - 3))) + 4\*sqrt(2)\*(3\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2\*A\*a^(3/2) - A\*a^(5/2))/((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^4 - 6\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2\*a + a^2))/d

$$3.80 \quad \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^3(c + dx) dx$$

**Optimal.** Leaf size=117

$$\frac{a(3A + 4B) \tan(c + dx)}{4d\sqrt{a \cos(c + dx) + a}} + \frac{\sqrt{a}(3A + 4B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{4d} + \frac{aA \tan(c + dx) \sec(c + dx)}{2d\sqrt{a \cos(c + dx) + a}}$$

[Out] (Sqrt[a]\*(3\*A + 4\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]/(4\*d) + (a\*(3\*A + 4\*B)\*Tan[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*A\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.220356, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {2980, 2772, 2773, 206}

$$\frac{a(3A + 4B) \tan(c + dx)}{4d\sqrt{a \cos(c + dx) + a}} + \frac{\sqrt{a}(3A + 4B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{4d} + \frac{aA \tan(c + dx) \sec(c + dx)}{2d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] (Sqrt[a]\*(3\*A + 4\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]/(4\*d) + (a\*(3\*A + 4\*B)\*Tan[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*A\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^n, x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] & & NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 2772

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^n, x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

#### Rule 2773

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) \sec^3(c + dx) dx &= \frac{aA \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} + \frac{1}{4}(3A + 4B) \int \sqrt{a + a \cos(c + dx)} dx \\ &= \frac{a(3A + 4B) \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{aA \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} + \frac{1}{8}(3A + 4B) \int \sqrt{a + a \cos(c + dx)} dx \\ &= \frac{a(3A + 4B) \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{aA \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} - \frac{a(3A + 4B)}{8d} \int \sqrt{a + a \cos(c + dx)} dx \\ &= \frac{\sqrt{a}(3A + 4B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{4d} + \frac{a(3A + 4B) \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.781155, size = 101, normalized size = 0.86

$$\frac{\sqrt{a(\cos(c + dx) + 1)} \left( 6 \tan\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) ((3A + 4B) \cos(c + dx) + 2A) + 3\sqrt{2}(3A + 4B) \sec\left(\frac{1}{2}(c + dx)\right) \tanh\left(\frac{1}{2}(c + dx)\right) \right)}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x])]\*(3\*Sqrt[2]\*(3\*A + 4\*B)\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Sec[(c + d\*x)/2] + 6\*(2\*A + (3\*A + 4\*B)\*Cos[c + d\*x])\*Sec[c + d\*x]^2\*Tan[(c + d\*x)/2]))/(24\*d)

**Maple [B]** time = 3.84, size = 991, normalized size = 8.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x)

[Out] 1/2\*cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(4\*a\*(3\*A\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+3\*A\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+4\*B\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+4\*B\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a)))\*sin(1/2\*d\*x+1/2\*c)^4-4\*(3\*A\*a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+4\*B\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)+3\*A\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+3\*A\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+4\*B\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*





$$\begin{aligned} & \left( \sqrt{2} \cos\left(\frac{1}{2} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\right)\right) - 2 \sqrt{2} \cos\left(\frac{1}{2} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\right)\right) - 2 \right. \\ & \left. \sqrt{2} \sin\left(\frac{1}{2} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\right)\right) + 2\right) - 4 \left( \sqrt{2} \cos(2dx+2c) + \sqrt{2} \sin(5/2dx+5/2c) + 4 \sqrt{2} \cos(2dx+2c) \right. \\ & \left. + \sqrt{2} \sin(2dx+2c)^2 + 2 \sqrt{2} \cos(2dx+2c) + \sqrt{2} \sin\left(\frac{1}{2} \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\right)\right) - 4 \sqrt{2} \sin(3/2dx+3/2c) \right) \\ & \left. \frac{B \sqrt{a}}{\cos(2dx+2c)^2 + \sin(2dx+2c)^2 + 2 \cos(2dx+2c) + 1} \right) dx \end{aligned}$$

**Fricas [A]** time = 1.51406, size = 460, normalized size = 3.93

$$\frac{\left( (3A + 4B) \cos(dx+c)^3 + (3A + 4B) \cos(dx+c)^2 \right) \sqrt{a} \log\left( \frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a} \cos(dx+c) + a \sqrt{a} (\cos(dx+c) - 2) \sin(dx+c)}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{16 \left( d \cos(dx+c)^3 + d \cos(dx+c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(dx+c))^(1/2)*(A+B*cos(dx+c))*sec(dx+c)^3,x, algorithm="fricas")
```

```
[Out] 1/16*(((3*A + 4*B)*cos(dx+c)^3 + (3*A + 4*B)*cos(dx+c)^2)*sqrt(a)*log((a*cos(dx+c)^3 - 7*a*cos(dx+c)^2 - 4*sqrt(a*cos(dx+c) + a)*sqrt(a)*(cos(dx+c) - 2)*sin(dx+c) + 8*a)/(cos(dx+c)^3 + cos(dx+c)^2)) + 4*(((3*A + 4*B)*cos(dx+c) + 2*A)*sqrt(a*cos(dx+c) + a)*sin(dx+c))/(d*cos(dx+c)^3 + d*cos(dx+c)^2)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(dx+c))**(1/2)*(A+B*cos(dx+c))*sec(dx+c)**3,x)
```

```
[Out] Timed out
```

**Giac [B]** time = 2.76518, size = 637, normalized size = 5.44

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(dx+c))^(1/2)*(A+B*cos(dx+c))*sec(dx+c)^3,x, algorithm="giac")
```

```
[Out] 1/8*((3*A*sqrt(a) + 4*B*sqrt(a))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - (3*A*sqrt(a) + 4*B*sqrt(a))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) - 4*sqrt(2)*(5*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*a^(3/2) - 12*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^6*B*a^(3/2) + 19*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4*A*a^(5/2) + 76*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))
```

$$\frac{\begin{aligned} &^4 B a^{5/2} - 17(\sqrt{a} \tan(1/2 dx + 1/2 c) - \sqrt{a \tan^2(1/2 dx + 1/2 c) + a})^2 A a^{7/2} - 36(\sqrt{a} \tan(1/2 dx + 1/2 c) - \sqrt{a \tan^2(1/2 dx + 1/2 c) + a})^2 B a^{7/2} + A a^{9/2} + 4 B a^{9/2} \\ & \end{aligned}}{(\sqrt{a} \tan(1/2 dx + 1/2 c) - \sqrt{a \tan^2(1/2 dx + 1/2 c) + a})^4 - 6(\sqrt{a} \tan(1/2 dx + 1/2 c) - \sqrt{a \tan^2(1/2 dx + 1/2 c) + a})^2 a + a^2} \frac{1}{d}$$



$$3.81 \quad \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^4(c + dx) dx$$

**Optimal.** Leaf size=160

$$\frac{a(5A + 6B) \tan(c + dx)}{8d\sqrt{a \cos(c + dx) + a}} + \frac{\sqrt{a}(5A + 6B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{8d} + \frac{a(5A + 6B) \tan(c + dx) \sec(c + dx)}{12d\sqrt{a \cos(c + dx) + a}} + \frac{aA \tan(c + dx)}{3d\sqrt{a \cos(c + dx) + a}}$$

[Out] (Sqrt[a]\*(5\*A + 6\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]])/(8\*d) + (a\*(5\*A + 6\*B)\*Tan[c + d\*x])/(8\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*(5\*A + 6\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(12\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*A\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.292719, antiderivative size = 160, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {2980, 2772, 2773, 206}

$$\frac{a(5A + 6B) \tan(c + dx)}{8d\sqrt{a \cos(c + dx) + a}} + \frac{\sqrt{a}(5A + 6B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{8d} + \frac{a(5A + 6B) \tan(c + dx) \sec(c + dx)}{12d\sqrt{a \cos(c + dx) + a}} + \frac{aA \tan(c + dx)}{3d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out] (Sqrt[a]\*(5\*A + 6\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]])/(8\*d) + (a\*(5\*A + 6\*B)\*Tan[c + d\*x])/(8\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*(5\*A + 6\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(12\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*A\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])^((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 2772

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

#### Rule 2773

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d,

e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned} \int \sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) \sec^4(c + dx) dx &= \frac{aA \sec^2(c + dx) \tan(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{1}{6}(5A + 6B) \int \sqrt{a + a \cos(c + dx)} \sec^3(c + dx) dx \\ &= \frac{a(5A + 6B) \sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} + \frac{aA \sec^2(c + dx) \tan(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a(5A + 6B) \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} + \frac{a(5A + 6B) \sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a(5A + 6B) \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} + \frac{a(5A + 6B) \sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{\sqrt{a}(5A + 6B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{8d} + \frac{a(5A + 6B) \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 1.78713, size = 129, normalized size = 0.81

$$\frac{\sec^3(c + dx)\sqrt{a(\cos(c + dx) + 1)}\left(\tan\left(\frac{1}{2}(c + dx)\right)(4(5A + 6B)\cos(c + dx) + 3(5A + 6B)\cos(2(c + dx)) + 31A + 18B) + 31A + 18B\right)}{48d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[c + d\*x]^3\*(3\*Sqrt[2]\*(5\*A + 6\*B)\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Cos[c + d\*x]^3\*Sec[(c + d\*x)/2] + (31\*A + 18\*B + 4\*(5\*A + 6\*B)\*Cos[c + d\*x] + 3\*(5\*A + 6\*B)\*Cos[2\*(c + d\*x)])\*Tan[(c + d\*x)/2])/ (48\*d)

**Maple [B]** time = 3.984, size = 1311, normalized size = 8.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x)

[Out] 1/6\*cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-24\*a\*(5\*A\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+5\*A\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+6\*B\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+6\*B\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-a\*



$$\begin{aligned}
& *c)^2 + 2*(3*\sqrt{2}*\cos(4*d*x + 4*c) + 3*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2} \\
& )*\cos(6*d*x + 6*c) + 6*(3*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\cos(4*d*x + \\
& 4*c) + 6*(\sqrt{2}*\sin(4*d*x + 4*c) + \sqrt{2}*\sin(2*d*x + 2*c))*\sin(6*d*x + \\
& 6*c) + 6*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\log(2*\cos(1/2*\arctan2(\sin(d*x \\
& + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + \\
& 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2*\sqrt{2}*\sin(1/2 \\
& *\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 15*(\sqrt{2}*\cos(6*d*x + 6*c)^2 \\
& + 9*\sqrt{2}*\cos(4*d*x + 4*c)^2 + 9*\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin \\
& (6*d*x + 6*c)^2 + 9*\sqrt{2}*\sin(4*d*x + 4*c)^2 + 18*\sqrt{2}*\sin(4*d*x + 4* \\
& c)*\sin(2*d*x + 2*c) + 9*\sqrt{2}*\sin(2*d*x + 2*c)^2 + 2*(3*\sqrt{2}*\cos(4*d*x \\
& + 4*c) + 3*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2}))*\cos(6*d*x + 6*c) + 6*(3*\sqrt{2} \\
& *\cos(2*d*x + 2*c) + \sqrt{2}))*\cos(4*d*x + 4*c) + 6*(\sqrt{2}*\sin(4*d*x + \\
& 4*c) + \sqrt{2}*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\cos(2*d*x + 2 \\
& *c) + \sqrt{2})*\log(2*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin \\
& (1/2*\arctan2(\sin(d*x + c), \cos(d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin \\
& (d*x + c), \cos(d*x + c))) + 2*\sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x \\
& + c))) + 2) + 15*(\sqrt{2}*\cos(6*d*x + 6*c)^2 + 9*\sqrt{2}*\cos(4*d*x + 4*c)^2 \\
& + 9*\sqrt{2}*\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(6*d*x + 6*c)^2 + 9*\sqrt{2}*\sin \\
& (4*d*x + 4*c)^2 + 18*\sqrt{2}*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sqrt{2} \\
& )*\sin(2*d*x + 2*c)^2 + 2*(3*\sqrt{2}*\cos(4*d*x + 4*c) + 3*\sqrt{2}*\cos(2*d*x \\
& + 2*c) + \sqrt{2}))*\cos(6*d*x + 6*c) + 6*(3*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2} \\
& )*\cos(4*d*x + 4*c) + 6*(\sqrt{2}*\sin(4*d*x + 4*c) + \sqrt{2}*\sin(2*d*x + 2*c \\
& ))*\sin(6*d*x + 6*c) + 6*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2})*\log(2*\ar \\
& \text{ctan2}(\sin(d*x + c), \cos(d*x + c)))^2 + 2*\sin(1/2*\arctan2(\sin(d*x + c), \cos \\
& (d*x + c)))^2 - 2*\sqrt{2}*\cos(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) - 2* \\
& \sqrt{2}*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 2) - 120*(\cos(6*d*x \\
& + 6*c) + 3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\sin(13/2*d*x + 13/2*c \\
& ) + 8*(15*\cos(11/2*d*x + 11/2*c) + 50*\cos(9/2*d*x + 9/2*c) + 42*\cos(7/2*d*x \\
& + 7/2*c) + 3*\cos(5/2*d*x + 5/2*c) - 5*\cos(3/2*d*x + 3/2*c))*\sin(6*d*x + 6* \\
& c) - 120*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\sin(11/2*d*x + 11/2* \\
& c) - 400*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\sin(9/2*d*x + 9/2*c) \\
& + 24*(42*\cos(7/2*d*x + 7/2*c) + 3*\cos(5/2*d*x + 5/2*c) - 5*\cos(3/2*d*x + 3 \\
& /2*c))*\sin(4*d*x + 4*c) - 336*(3*\cos(2*d*x + 2*c) + 1)*\sin(7/2*d*x + 7/2*c) \\
& - 24*(3*\cos(2*d*x + 2*c) + 1)*\sin(5/2*d*x + 5/2*c) + 1008*\cos(7/2*d*x + 7/ \\
& 2*c)*\sin(2*d*x + 2*c) + 72*\cos(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c) - 120*\cos( \\
& 3/2*d*x + 3/2*c)*\sin(2*d*x + 2*c) + 120*\cos(2*d*x + 2*c)*\sin(3/2*d*x + 3/2* \\
& c) + 120*(2*(3*\cos(4*d*x + 4*c) + 3*\cos(2*d*x + 2*c) + 1)*\cos(6*d*x + 6*c) \\
& + \cos(6*d*x + 6*c)^2 + 6*(3*\cos(2*d*x + 2*c) + 1)*\cos(4*d*x + 4*c) + 9*\cos( \\
& 4*d*x + 4*c)^2 + 9*\cos(2*d*x + 2*c)^2 + 6*(\sin(4*d*x + 4*c) + \sin(2*d*x + 2 \\
& *c))*\sin(6*d*x + 6*c) + \sin(6*d*x + 6*c)^2 + 9*\sin(4*d*x + 4*c)^2 + 18*\sin( \\
& 4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sin(2*d*x + 2*c)^2 + 6*\cos(2*d*x + 2*c) + \\
& 1)*\sin(1/2*\arctan2(\sin(d*x + c), \cos(d*x + c))) + 40*\sin(3/2*d*x + 3/2*c) \\
& )*\sqrt{a}/(\sqrt{2}*\cos(6*d*x + 6*c)^2 + 9*\sqrt{2}*\cos(4*d*x + 4*c)^2 + 9*\sqrt{2} \\
& *\cos(2*d*x + 2*c)^2 + \sqrt{2}*\sin(6*d*x + 6*c)^2 + 9*\sqrt{2}*\sin(4*d*x \\
& + 4*c)^2 + 18*\sqrt{2}*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*\sqrt{2}*\sin(2 \\
& *d*x + 2*c)^2 + 2*(3*\sqrt{2}*\cos(4*d*x + 4*c) + 3*\sqrt{2}*\cos(2*d*x + 2*c) \\
& + \sqrt{2}))*\cos(6*d*x + 6*c) + 6*(3*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2}))*\cos( \\
& 4*d*x + 4*c) + 6*(\sqrt{2}*\sin(4*d*x + 4*c) + \sqrt{2}*\sin(2*d*x + 2*c))*\sin( \\
& 6*d*x + 6*c) + 6*\sqrt{2}*\cos(2*d*x + 2*c) + \sqrt{2}) - 6*(3*(\log(2*\cos(1/2* \\
& d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) \\
& + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin \\
& (1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d \\
& *x + 1/2*c) + 2) + \log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 \\
& - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log \\
& (2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 - 2*\sqrt{2}*\cos(1/2*d \\
& *x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(4*d*x + 4*c)^2 + 12* \\
& (\log(2*\cos(1/2*d*x + 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/ \\
& 2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \log(2*\cos(1/2*d*x + \\
& 1/2*c))^2 + 2*\sin(1/2*d*x + 1/2*c))^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}
\end{aligned}$$

$$\begin{aligned}
& \text{rt}(2) * \sin(1/2 * d * x + 1/2 * c) + 2) + \log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * \\
& d * x + 1/2 * c)^2 - 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) + 2 * \sqrt{2} * \sin(1/2 * d * x + 1 \\
& /2 * c) + 2) - \log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 - 2 * \sqrt{2} * \\
& \text{rt}(2) * \cos(1/2 * d * x + 1/2 * c) - 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 2)) * \cos(2 * d * x \\
& + 2 * c)^2 + 3 * (\log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 + 2 * \\
& \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) + 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 2) - \log(2 * \\
& \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 + 2 * \sqrt{2} * \cos(1/2 * d * x + \\
& 1/2 * c) - 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 2) + \log(2 * \cos(1/2 * d * x + 1/2 * c)^ \\
& 2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 - 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) + 2 * \sqrt{2} * \text{si} \\
& \text{in}(1/2 * d * x + 1/2 * c) + 2) - \log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1 \\
& /2 * c)^2 - 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) - 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + \\
& 2)) * \sin(4 * d * x + 4 * c)^2 + 12 * (\log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x \\
& + 1/2 * c)^2 + 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) + 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c \\
& ) + 2) - \log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 + 2 * \sqrt{2} (2 \\
& ) * \cos(1/2 * d * x + 1/2 * c) - 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 2) + \log(2 * \cos(1/ \\
& 2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 - 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c \\
& ) + 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 2) - \log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \\
& \sin(1/2 * d * x + 1/2 * c)^2 - 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) - 2 * \sqrt{2} * \sin(1/2 \\
& * d * x + 1/2 * c) + 2)) * \sin(2 * d * x + 2 * c)^2 - 24 * \sqrt{2} * \cos(7/2 * d * x + 7/2 * c) * \text{si} \\
& \text{in}(2 * d * x + 2 * c) - 8 * \sqrt{2} * \cos(5/2 * d * x + 5/2 * c) * \sin(2 * d * x + 2 * c) + 2 * (6 * (\text{lo} \\
& \text{g}(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 + 2 * \sqrt{2} * \cos(1/2 * d \\
& * x + 1/2 * c) + 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 2) - \log(2 * \cos(1/2 * d * x + 1/2 \\
& * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 + 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) - 2 * \sqrt{2} ( \\
& 2) * \sin(1/2 * d * x + 1/2 * c) + 2) + \log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x \\
& + 1/2 * c)^2 - 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) + 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * \\
& c) + 2) - \log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 - 2 * \sqrt{2} ( \\
& 2) * \cos(1/2 * d * x + 1/2 * c) - 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 2)) * \cos(2 * d * x + \\
& 2 * c) + 6 * \sqrt{2} * \sin(7/2 * d * x + 7/2 * c) + 2 * \sqrt{2} * \sin(5/2 * d * x + 5/2 * c) - 2 * \\
& \sqrt{2} * \sin(3/2 * d * x + 3/2 * c) - 6 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 3 * \log(2 * \cos \\
& (1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 + 2 * \sqrt{2} * \cos(1/2 * d * x + 1/ \\
& 2 * c) + 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 2) - 3 * \log(2 * \cos(1/2 * d * x + 1/2 * c)^2 \\
& + 2 * \sin(1/2 * d * x + 1/2 * c)^2 + 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) - 2 * \sqrt{2} * \text{si} \\
& \text{in}(1/2 * d * x + 1/2 * c) + 2) + 3 * \log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + \\
& 1/2 * c)^2 - 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) + 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) \\
& + 2) - 3 * \log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 - 2 * \sqrt{2} (2 \\
& ) * \cos(1/2 * d * x + 1/2 * c) - 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 2)) * \cos(4 * d * x + 4 \\
& * c) - 4 * (2 * \sqrt{2} * \sin(3/2 * d * x + 3/2 * c) + 6 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) - \\
& 3 * \log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 + 2 * \sqrt{2} * \cos(1 \\
& /2 * d * x + 1/2 * c) + 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 2) + 3 * \log(2 * \cos(1/2 * d * x \\
& + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 + 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) - 2 \\
& * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 2) - 3 * \log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin \\
& (1/2 * d * x + 1/2 * c)^2 - 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) + 2 * \sqrt{2} * \sin(1/2 * d * \\
& x + 1/2 * c) + 2) + 3 * \log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 \\
& - 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) - 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 2)) * \text{co} \\
& \text{s}(2 * d * x + 2 * c) + 4 * (3 * (\log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c \\
& )^2 + 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) + 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 2) \\
& - \log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 + 2 * \sqrt{2} * \cos(1 \\
& /2 * d * x + 1/2 * c) - 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 2) + \log(2 * \cos(1/2 * d * x + \\
& 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 - 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) + 2 * \sqrt{2} * \text{si} \\
& \text{in}(1/2 * d * x + 1/2 * c) + 2) - \log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 \\
& * d * x + 1/2 * c)^2 - 2 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c) - 2 * \sqrt{2} * \sin(1/2 * d * x + \\
& 1/2 * c) + 2)) * \sin(2 * d * x + 2 * c) - 3 * \sqrt{2} * \cos(7/2 * d * x + 7/2 * c) - \sqrt{2} * \text{co} \\
& \text{s}(5/2 * d * x + 5/2 * c) + \sqrt{2} * \cos(3/2 * d * x + 3/2 * c) + 3 * \sqrt{2} * \cos(1/2 * d * x + \\
& 1/2 * c)) * \sin(4 * d * x + 4 * c) + 12 * (2 * \sqrt{2} * \cos(2 * d * x + 2 * c) + \sqrt{2} * \sin(7 \\
& /2 * d * x + 7/2 * c) + 4 * (2 * \sqrt{2} * \cos(2 * d * x + 2 * c) + \sqrt{2} * \sin(5/2 * d * x + 5/ \\
& 2 * c) + 8 * (\sqrt{2} * \cos(3/2 * d * x + 3/2 * c) + 3 * \sqrt{2} * \cos(1/2 * d * x + 1/2 * c)) * \text{si} \\
& \text{in}(2 * d * x + 2 * c) - 4 * \sqrt{2} * \sin(3/2 * d * x + 3/2 * c) - 12 * \sqrt{2} * \sin(1/2 * d * x + \\
& 1/2 * c) + 3 * \log(2 * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * \sin(1/2 * d * x + 1/2 * c)^2 + 2 * \sqrt{2} \\
& (2) * \cos(1/2 * d * x + 1/2 * c) + 2 * \sqrt{2} * \sin(1/2 * d * x + 1/2 * c) + 2) - 3 * \log(2 * \text{co}
\end{aligned}$$

$$\frac{\begin{aligned} & \sin(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 + 2\sqrt{2}\cos(1/2dx + 1/2c) \\ & - 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) + 3\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 \\ & - 2\sqrt{2}\cos(1/2dx + 1/2c) + 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) - 3\log(2\cos(1/2dx + 1/2c)^2 + 2\sin(1/2dx + 1/2c)^2 \\ & - 2\sqrt{2}\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2dx + 1/2c) + 2)) * B\sqrt{a} / (2(2\cos(2dx + 2c) + 1)\cos(4dx + 4c) + \cos(4dx + 4c)^2 \\ & + 4\cos(2dx + 2c)^2 + \sin(4dx + 4c)^2 + 4\sin(4dx + 4c)\sin(2dx + 2c) + 4\sin(2dx + 2c)^2 + 4\cos(2dx + 2c) + 1) / d \end{aligned}}$$

**Fricas [A]** time = 1.61382, size = 508, normalized size = 3.18

$$\frac{3\left((5A + 6B)\cos(dx + c)^4 + (5A + 6B)\cos(dx + c)^3\right)\sqrt{a}\log\left(\frac{a\cos(dx+c)^3 - 7a\cos(dx+c)^2 - 4\sqrt{a}\cos(dx+c) + a\sqrt{a}(\cos(dx+c)-2)\sin(dx+c)}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)}{96\left(d\cos(dx + c)^4 + d\cos(dx + c)^3\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="fricas")

[Out] 1/96\*(3\*((5\*A + 6\*B)\*cos(d\*x + c)^4 + (5\*A + 6\*B)\*cos(d\*x + c)^3)\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) + 4\*(3\*(5\*A + 6\*B)\*cos(d\*x + c)^2 + 2\*(5\*A + 6\*B)\*cos(d\*x + c) + 8\*A)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c)^4 + d\*cos(d\*x + c)^3)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*4,x)

[Out] Timed out

**Giac [B]** time = 2.7927, size = 861, normalized size = 5.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] 1/48\*(3\*(5\*A\*sqrt(a) + 6\*B\*sqrt(a))\*log(abs((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 - a\*(2\*sqrt(2) + 3))) - 3\*(5\*A\*sqrt(a) + 6\*B\*sqrt(a))\*log(abs((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 + a\*(2\*sqrt(2) - 3))) + 4\*sqrt(2)\*(63\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^10\*A\*a^(3/2) - 30\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^10\*B\*a^(3/2) - 369\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^10)

$$\begin{aligned}
& 8Aa^{5/2} + 66(\sqrt{a}\tan(1/2dx + 1/2c) - \sqrt{a\tan(1/2dx + 1/2c)^2 + a})^8 \\
& B a^{5/2} + 1638(\sqrt{a}\tan(1/2dx + 1/2c) - \sqrt{a\tan(1/2dx + 1/2c)^2 + a})^6 \\
& A a^{7/2} + 756(\sqrt{a}\tan(1/2dx + 1/2c) - \sqrt{a\tan(1/2dx + 1/2c)^2 + a})^4 \\
& A a^{9/2} - 732(\sqrt{a}\tan(1/2dx + 1/2c) - \sqrt{a\tan(1/2dx + 1/2c)^2 + a})^2 \\
& A a^{11/2} + 138(\sqrt{a}\tan(1/2dx + 1/2c) - \sqrt{a\tan(1/2dx + 1/2c)^2 + a})^2 \\
& B a^{11/2} - 13A a^{13/2} - 6B a^{13/2} / ((\sqrt{a}\tan(1/2dx + 1/2c) - \sqrt{a\tan(1/2dx + 1/2c)^2 + a})^4 \\
& - 6(\sqrt{a}\tan(1/2dx + 1/2c) - \sqrt{a\tan(1/2dx + 1/2c)^2 + a})^2 a + a^2)^3 / d
\end{aligned}$$

### 3.82 $\int \cos^3(c + dx)(a + a \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=234

$$\frac{2a^2(11A + 12B) \sin(c + dx) \cos^4(c + dx)}{99d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(187A + 168B) \sin(c + dx) \cos^3(c + dx)}{693d\sqrt{a \cos(c + dx) + a}} + \frac{4a^2(187A + 168B) \sin(c + dx)}{495d\sqrt{a \cos(c + dx) + a}}$$

[Out] (4\*a^2\*(187\*A + 168\*B)\*Sin[c + d\*x])/(495\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(187\*A + 168\*B)\*Cos[c + d\*x]^3\*Ssin[c + d\*x])/(693\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(11\*A + 12\*B)\*Cos[c + d\*x]^4\*Ssin[c + d\*x])/(99\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - (8\*a\*(187\*A + 168\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3465\*d) + (2\*a\*B\*Cos[c + d\*x]^4\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(11\*d) + (4\*(187\*A + 168\*B)\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(1155\*d)

**Rubi [A]** time = 0.529324, antiderivative size = 234, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2976, 2981, 2770, 2759, 2751, 2646}

$$\frac{2a^2(11A + 12B) \sin(c + dx) \cos^4(c + dx)}{99d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(187A + 168B) \sin(c + dx) \cos^3(c + dx)}{693d\sqrt{a \cos(c + dx) + a}} + \frac{4a^2(187A + 168B) \sin(c + dx)}{495d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^3\*(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]), x]

[Out] (4\*a^2\*(187\*A + 168\*B)\*Sin[c + d\*x])/(495\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(187\*A + 168\*B)\*Cos[c + d\*x]^3\*Ssin[c + d\*x])/(693\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(11\*A + 12\*B)\*Cos[c + d\*x]^4\*Ssin[c + d\*x])/(99\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - (8\*a\*(187\*A + 168\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3465\*d) + (2\*a\*B\*Cos[c + d\*x]^4\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(11\*d) + (4\*(187\*A + 168\*B)\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(1155\*d)

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2981

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(2\*n + 3)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(b\*d\*(2\*n + 3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 -



$b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& !\text{LtQ}[n, -1]$

### Rule 2770

$\text{Int}[\text{Sqrt}[(a_) + (b_.)\sin[(e_) + (f_.)\cdot(x_)]]*((c_) + (d_.)\sin[(e_) + (f_.)\cdot(x_)])^n, x\_Symbol] \text{ :> } \text{Simp}[(-2*b*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^n)/(f*(2*n + 1)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[(2*n*(b*c + a*d))/(b*(2*n + 1)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^{n-1}, x], x] /;$   $\text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[n, 0] \&\& \text{IntegerQ}[2*n]$

### Rule 2759

$\text{Int}[\sin[(e_) + (f_.)\cdot(x_)]^2*((a_) + (b_.)\sin[(e_) + (f_.)\cdot(x_)])^m, x\_Symbol] \text{ :> } -\text{Simp}[(\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m+1})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(b*(m + 1) - a*\text{Sin}[e + f*x]), x], x] /;$   $\text{FreeQ}[\{a, b, e, f, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}]$

### Rule 2751

$\text{Int}[(a_) + (b_.)\sin[(e_) + (f_.)\cdot(x_)]^m*((c_) + (d_.)\sin[(e_) + (f_.)\cdot(x_)]), x\_Symbol] \text{ :> } -\text{Simp}[(d*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(a*d*m + b*c*(m + 1))/(b*(m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m, x], x] /;$   $\text{FreeQ}[\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}]$

### Rule 2646

$\text{Int}[\text{Sqrt}[(a_) + (b_.)\sin[(c_) + (d_.)\cdot(x_)]], x\_Symbol] \text{ :> } \text{Simp}[(-2*b*\text{Cos}[c + d*x])/(d*\text{Sqrt}[a + b*\text{Sin}[c + d*x]]), x] /;$   $\text{FreeQ}[\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

### Rubi steps

$$\begin{aligned} \int \cos^3(c + dx)(a + a \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx &= \frac{2aB \cos^4(c + dx)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{11d} + \frac{2}{11} \int \\ &= \frac{2a^2(11A + 12B) \cos^4(c + dx) \sin(c + dx)}{99d\sqrt{a + a \cos(c + dx)}} + \frac{2aB \cos^4(c + dx)}{11d} \\ &= \frac{2a^2(187A + 168B) \cos^3(c + dx) \sin(c + dx)}{693d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(11A + 12B) \cos^4(c + dx)}{99d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a^2(187A + 168B) \cos^3(c + dx) \sin(c + dx)}{693d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(11A + 12B) \cos^4(c + dx)}{99d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a^2(187A + 168B) \cos^3(c + dx) \sin(c + dx)}{693d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(11A + 12B) \cos^4(c + dx)}{99d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{4a^2(187A + 168B) \sin(c + dx)}{495d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(187A + 168B) \cos^3(c + dx)}{693d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.956185, size = 125, normalized size = 0.53

$$a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}((35156A + 34734B) \cos(c + dx) + 8(1507A + 1743B) \cos(2(c + dx)) + 3740A)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^3\*(a + a\*cos[c + d\*x])^(3/2)\*(A + B\*cos[c + d\*x]),x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(59158\*A + 55482\*B + (35156\*A + 34734\*B)\*Cos[c + d\*x] + 8\*(1507\*A + 1743\*B)\*Cos[2\*(c + d\*x)] + 3740\*A\*cos[3\*(c + d\*x)] + 4935\*B\*cos[3\*(c + d\*x)] + 770\*A\*cos[4\*(c + d\*x)] + 1470\*B\*cos[4\*(c + d\*x)] + 315\*B\*cos[5\*(c + d\*x)])\*Tan[(c + d\*x)/2])/(27720\*d)

**Maple [A]** time = 1.046, size = 142, normalized size = 0.6

$$\frac{4a^2\sqrt{2}}{3465d} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left( -5040B(\sin(1/2 dx + c/2))^{10} + (3080A + 18480B) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^8 + (-9900A - \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(a+cos(d\*x+c)\*a)^(3/2)\*(A+B\*cos(d\*x+c)),x)

[Out] 4/3465\*cos(1/2\*d\*x+1/2\*c)\*a^2\*sin(1/2\*d\*x+1/2\*c)\*(-5040\*B\*sin(1/2\*d\*x+1/2\*c)^10+(3080\*A+18480\*B)\*sin(1/2\*d\*x+1/2\*c)^8+(-9900\*A-27720\*B)\*sin(1/2\*d\*x+1/2\*c)^6+(12474\*A+22176\*B)\*sin(1/2\*d\*x+1/2\*c)^4+(-8085\*A-10395\*B)\*sin(1/2\*d\*x+1/2\*c)^2+3465\*A+3465\*B)\*2^(1/2)/(cos(1/2\*d\*x+1/2\*c)^2\*a)^(1/2)/d

**Maxima [A]** time = 2.00005, size = 250, normalized size = 1.07

$$22 \left( 35\sqrt{2}a \sin\left(\frac{9}{2}dx + \frac{9}{2}c\right) + 135\sqrt{2}a \sin\left(\frac{7}{2}dx + \frac{7}{2}c\right) + 378\sqrt{2}a \sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 1050\sqrt{2}a \sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 3780 \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/55440\*(22\*(35\*sqrt(2)\*a\*sin(9/2\*d\*x + 9/2\*c) + 135\*sqrt(2)\*a\*sin(7/2\*d\*x + 7/2\*c) + 378\*sqrt(2)\*a\*sin(5/2\*d\*x + 5/2\*c) + 1050\*sqrt(2)\*a\*sin(3/2\*d\*x + 3/2\*c) + 3780\*sqrt(2)\*a\*sin(1/2\*d\*x + 1/2\*c))\*A\*sqrt(a) + 21\*(15\*sqrt(2)\*a\*sin(11/2\*d\*x + 11/2\*c) + 55\*sqrt(2)\*a\*sin(9/2\*d\*x + 9/2\*c) + 165\*sqrt(2)\*a\*sin(7/2\*d\*x + 7/2\*c) + 429\*sqrt(2)\*a\*sin(5/2\*d\*x + 5/2\*c) + 990\*sqrt(2)\*a\*sin(3/2\*d\*x + 3/2\*c) + 3630\*sqrt(2)\*a\*sin(1/2\*d\*x + 1/2\*c))\*B\*sqrt(a))/d

**Fricas [A]** time = 1.33085, size = 351, normalized size = 1.5

$$2 \left( 315Ba \cos(dx + c)^5 + 35(11A + 21B)a \cos(dx + c)^4 + 5(187A + 168B)a \cos(dx + c)^3 + 6(187A + 168B)a \cos(dx + c)^2 + 8(187A + 168B)a \cos(dx + c) + 3465(d \cos(dx + c) + d) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 2/3465\*(315\*B\*a\*cos(d\*x + c)^5 + 35\*(11\*A + 21\*B)\*a\*cos(d\*x + c)^4 + 5\*(187\*A + 168\*B)\*a\*cos(d\*x + c)^3 + 6\*(187\*A + 168\*B)\*a\*cos(d\*x + c)^2 + 8\*(187\*A + 168\*B)\*a\*cos(d\*x + c) + 3465(d\*cos(dx + c) + d))

$A + 168*B)*a*\cos(dx + c) + 16*(187*A + 168*B)*a)*\sqrt{a*\cos(dx + c) + a)*\sin(dx + c)/(d*\cos(dx + c) + d)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)\*\*3\*(a+a\*cos(dx+c))\*\*(3/2)\*(A+B\*cos(dx+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3\*(a+a\*cos(dx+c))^(3/2)\*(A+B\*cos(dx+c)),x, algorithm="giac")

[Out] integrate((B\*cos(dx + c) + A)\*(a\*cos(dx + c) + a)^(3/2)\*cos(dx + c)^3, x)

### 3.83 $\int \cos^2(c + dx)(a + a \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=189

$$\frac{2a^2(9A + 10B) \sin(c + dx) \cos^3(c + dx)}{63d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(39A + 34B) \sin(c + dx)}{45d\sqrt{a \cos(c + dx) + a}} + \frac{2(39A + 34B) \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{105d}$$

```
[Out] (2*a^2*(39*A + 34*B)*Sin[c + d*x])/(45*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a^2*(9*A + 10*B)*Cos[c + d*x]^3*Ssin[c + d*x])/(63*d*Sqrt[a + a*Cos[c + d*x]]) - (4*a*(39*A + 34*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(315*d) + (2*a*B*Cos[c + d*x]^3*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(9*d) + (2*(39*A + 34*B)*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(105*d)
```

**Rubi [A]** time = 0.446453, antiderivative size = 189, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2976, 2981, 2759, 2751, 2646}

$$\frac{2a^2(9A + 10B) \sin(c + dx) \cos^3(c + dx)}{63d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(39A + 34B) \sin(c + dx)}{45d\sqrt{a \cos(c + dx) + a}} + \frac{2(39A + 34B) \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{105d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]), x]
```

```
[Out] (2*a^2*(39*A + 34*B)*Sin[c + d*x])/(45*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a^2*(9*A + 10*B)*Cos[c + d*x]^3*Ssin[c + d*x])/(63*d*Sqrt[a + a*Cos[c + d*x]]) - (4*a*(39*A + 34*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(315*d) + (2*a*B*Cos[c + d*x]^3*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(9*d) + (2*(39*A + 34*B)*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(105*d)
```

#### Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(-2*b*B*Cos[e + f*x]*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Ssin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Ssin[e + f*x]]*(c + d*Ssin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

#### Rule 2759

```
Int[sin[(e_.) + (f_.)*(x_)]^2*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_),
x_Symbol] :> -Simp[(Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)
), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*(b*(m + 1) - a*Sin[e
+ f*x]), x], x] /; FreeQ[{a, b, e, f, m}, x] && EqQ[a^2 - b^2, 0] && !LtQ
[m, -2^(-1)]
```

### Rule 2751

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] :> -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f
*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e +
f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] &&
EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]
```

### Rule 2646

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(-2*b*Cos
[c + d*x])/(d*Sqrt[a + b*Sin[c + d*x]]), x] /; FreeQ[{a, b, c, d}, x] && Eq
Q[a^2 - b^2, 0]
```

### Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + a \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx &= \frac{2aB \cos^3(c + dx) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{9d} + \frac{2}{9} \int \\ &= \frac{2a^2(9A + 10B) \cos^3(c + dx) \sin(c + dx)}{63d \sqrt{a + a \cos(c + dx)}} + \frac{2aB \cos^3(c + dx)}{63d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a^2(9A + 10B) \cos^3(c + dx) \sin(c + dx)}{63d \sqrt{a + a \cos(c + dx)}} + \frac{2aB \cos^3(c + dx)}{63d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a^2(9A + 10B) \cos^3(c + dx) \sin(c + dx)}{63d \sqrt{a + a \cos(c + dx)}} - \frac{4a(39A + 34B)}{63d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a^2(39A + 34B) \sin(c + dx)}{45d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(9A + 10B) \cos^3(c + dx)}{63d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.528046, size = 103, normalized size = 0.54

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}(2(759A + 799B) \cos(c + dx) + (468A + 548B) \cos(2(c + dx)) + 90A \cos(3(c + dx)))}{1260d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^2*(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]), x]
```

```
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*(2964*A + 2689*B + 2*(759*A + 799*B)*Cos[c +
d*x] + (468*A + 548*B)*Cos[2*(c + d*x)] + 90*A*Cos[3*(c + d*x)] + 170*B*Cos
[3*(c + d*x)] + 35*B*Cos[4*(c + d*x)])*Tan[(c + d*x)/2])/(1260*d)
```

**Maple [A]** time = 1.463, size = 123, normalized size = 0.7

$$\frac{4a^2\sqrt{2}}{315d} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left(280B (\sin(1/2 dx + c/2))^8 + (-180A - 900B) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^6 + (504A + 1134B) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^4 + (180A + 900B) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2 + 90A\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+cos(d*x+c)*a)^(3/2)*(A+B*cos(d*x+c)),x)`

[Out]  $4/315*\cos(1/2*d*x+1/2*c)*a^2*\sin(1/2*d*x+1/2*c)*(280*B*\sin(1/2*d*x+1/2*c)^8 + (-180*A-900*B)*\sin(1/2*d*x+1/2*c)^6 + (504*A+1134*B)*\sin(1/2*d*x+1/2*c)^4 + (-525*A-735*B)*\sin(1/2*d*x+1/2*c)^2 + 315*A+315*B)*2^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2*a)^{(1/2)}/d$

**Maxima [A]** time = 1.96898, size = 208, normalized size = 1.1

$6\left(15\sqrt{2}a\sin\left(\frac{7}{2}dx + \frac{7}{2}c\right) + 63\sqrt{2}a\sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 175\sqrt{2}a\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 735\sqrt{2}a\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)A\sqrt{a} + (35\sqrt{2}a\sin(9/2dx + 9/2c) + 135\sqrt{2}a\sin(7/2dx + 7/2c) + 378\sqrt{2}a\sin(5/2dx + 5/2c) + 1050\sqrt{2}a\sin(3/2dx + 3/2c) + 3780\sqrt{2}a\sin(1/2dx + 1/2c))B\sqrt{a})/d$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out]  $1/2520*(6*(15*\sqrt{2}*a*\sin(7/2*d*x + 7/2*c) + 63*\sqrt{2}*a*\sin(5/2*d*x + 5/2*c) + 175*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 735*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c))*A*\sqrt{a} + (35*\sqrt{2}*a*\sin(9/2*d*x + 9/2*c) + 135*\sqrt{2}*a*\sin(7/2*d*x + 7/2*c) + 378*\sqrt{2}*a*\sin(5/2*d*x + 5/2*c) + 1050*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 3780*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c))*B*\sqrt{a})/d$

**Fricas [A]** time = 1.40363, size = 286, normalized size = 1.51

$2\left(35Ba\cos(dx+c)^4 + 5(9A+17B)a\cos(dx+c)^3 + 3(39A+34B)a\cos(dx+c)^2 + 4(39A+34B)a\cos(dx+c) + 8(39A+34B)a\right)/315(d\cos(dx+c)+d)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")`

[Out]  $2/315*(35*B*a*\cos(d*x + c)^4 + 5*(9*A + 17*B)*a*\cos(d*x + c)^3 + 3*(39*A + 34*B)*a*\cos(d*x + c)^2 + 4*(39*A + 34*B)*a*\cos(d*x + c) + 8*(39*A + 34*B)*a)*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c)/(d*\cos(d*x + c) + d)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c)),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^(3/2)*cos(d*x + c)^2, x
)
```

### 3.84 $\int \cos(c + dx)(a + a \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=138

$$\frac{8a^2(21A + 19B) \sin(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{2(7A - 2B) \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{35d} + \frac{2a(21A + 19B) \sin(c + dx)\sqrt{a \cos(c + dx)}}{105d}$$

[Out] (8\*a^2\*(21\*A + 19\*B)\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*(21\*A + 19\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(105\*d) + (2\*(7\*A - 2\*B)\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(35\*d) + (2\*B\*(a + a\*Cos[c + d\*x])^(5/2)\*Sin[c + d\*x])/(7\*a\*d)

**Rubi [A]** time = 0.250352, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2968, 3023, 2751, 2647, 2646}

$$\frac{8a^2(21A + 19B) \sin(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{2(7A - 2B) \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{35d} + \frac{2a(21A + 19B) \sin(c + dx)\sqrt{a \cos(c + dx)}}{105d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]),x]

[Out] (8\*a^2\*(21\*A + 19\*B)\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*(21\*A + 19\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(105\*d) + (2\*(7\*A - 2\*B)\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(35\*d) + (2\*B\*(a + a\*Cos[c + d\*x])^(5/2)\*Sin[c + d\*x])/(7\*a\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2), x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2751

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2647



```
Int[((a_) + (b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[
c + d*x]*(a + b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(a*(2*n - 1))/n, In
t[(a + b*Sin[c + d*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2
- b^2, 0] && IGtQ[n - 1/2, 0]
```

### Rule 2646

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(-2*b*Cos
[c + d*x]/(d*Sqrt[a + b*Sin[c + d*x]]), x] /; FreeQ[{a, b, c, d}, x] && Eq
Q[a^2 - b^2, 0]
```

### Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + a \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx &= \int (a + a \cos(c + dx))^{3/2} (A \cos(c + dx) + B \cos^2(c + dx)) dx \\ &= \frac{2B(a + a \cos(c + dx))^{5/2} \sin(c + dx)}{7ad} + \frac{2 \int (a + a \cos(c + dx))^{3/2} (A \cos(c + dx) + B \cos^2(c + dx)) dx}{7ad} \\ &= \frac{2(7A - 2B)(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{35d} + \frac{2B(a + a \cos(c + dx))^{5/2} \sin(c + dx)}{35d} \\ &= \frac{2a(21A + 19B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{105d} + \frac{2(7A - 2B)(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{105d} \\ &= \frac{8a^2(21A + 19B) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{2a(21A + 19B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{105d} \end{aligned}$$

**Mathematica [A]** time = 0.356695, size = 81, normalized size = 0.59

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}((252A + 253B) \cos(c + dx) + 6(7A + 13B) \cos(2(c + dx)) + 546A + 15B \cos(3(c + dx)))}{210d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]), x]
```

```
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*(546*A + 494*B + (252*A + 253*B)*Cos[c + d*x]
+ 6*(7*A + 13*B)*Cos[2*(c + d*x)] + 15*B*Cos[3*(c + d*x)])*Tan[(c + d*x)/2
])/ (210*d)
```

**Maple [A]** time = 1.29, size = 104, normalized size = 0.8

$$\frac{4a^2\sqrt{2}}{105d} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left( -60B (\sin(1/2 dx + c/2))^6 + (42A + 168B) \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^4 + (-105A - 175B) \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(a+cos(d*x+c)*a)^(3/2)*(A+B*cos(d*x+c)), x)
```

```
[Out] 4/105*cos(1/2*d*x+1/2*c)*a^2*sin(1/2*d*x+1/2*c)*(-60*B*sin(1/2*d*x+1/2*c)^6
+(42*A+168*B)*sin(1/2*d*x+1/2*c)^4+(-105*A-175*B)*sin(1/2*d*x+1/2*c)^2+105*
A+105*B)*2^(1/2)/(cos(1/2*d*x+1/2*c)^2*a)^(1/2)/d
```

---

**Maxima [A]** time = 1.85982, size = 166, normalized size = 1.2

$$\frac{42 \left( \sqrt{2}a \sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 5\sqrt{2}a \sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 20\sqrt{2}a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right) A\sqrt{a} + \left( 15\sqrt{2}a \sin\left(\frac{7}{2}dx + \frac{7}{2}c\right) + 63\sqrt{2}a \sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 175\sqrt{2}a \sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 735\sqrt{2}a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right) B\sqrt{a}}{420d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/420\*(42\*(sqrt(2)\*a\*sin(5/2\*d\*x + 5/2\*c) + 5\*sqrt(2)\*a\*sin(3/2\*d\*x + 3/2\*c) + 20\*sqrt(2)\*a\*sin(1/2\*d\*x + 1/2\*c))\*A\*sqrt(a) + (15\*sqrt(2)\*a\*sin(7/2\*d\*x + 7/2\*c) + 63\*sqrt(2)\*a\*sin(5/2\*d\*x + 5/2\*c) + 175\*sqrt(2)\*a\*sin(3/2\*d\*x + 3/2\*c) + 735\*sqrt(2)\*a\*sin(1/2\*d\*x + 1/2\*c))\*B\*sqrt(a))/d

---

**Fricas [A]** time = 1.61644, size = 236, normalized size = 1.71

$$\frac{2 \left( 15Ba \cos(dx + c)^3 + 3(7A + 13B)a \cos(dx + c)^2 + (63A + 52B)a \cos(dx + c) + 2(63A + 52B)a \right) \sqrt{a \cos(dx + c) + a}}{105(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 2/105\*(15\*B\*a\*cos(d\*x + c)^3 + 3\*(7\*A + 13\*B)\*a\*cos(d\*x + c)^2 + (63\*A + 52\*B)\*a\*cos(d\*x + c) + 2\*(63\*A + 52\*B)\*a)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] Timed out

### 3.85 $\int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=101

$$\frac{8a^2(5A + 3B) \sin(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2a(5A + 3B) \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{15d} + \frac{2B \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{5d}$$

[Out]  $(8*a^2*(5*A + 3*B)*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a*(5*A + 3*B)*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*d) + (2*B*(a + a*\text{Cos}[c + d*x])^(3/2)*\text{Sin}[c + d*x])/(5*d)$

**Rubi [A]** time = 0.0866019, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$ , Rules used = {2751, 2647, 2646}

$$\frac{8a^2(5A + 3B) \sin(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2a(5A + 3B) \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{15d} + \frac{2B \sin(c + dx)(a \cos(c + dx) + a)^{3/2}}{5d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^(3/2)*(A + B*\text{Cos}[c + d*x]), x]$

[Out]  $(8*a^2*(5*A + 3*B)*\text{Sin}[c + d*x])/(15*d*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]) + (2*a*(5*A + 3*B)*\text{Sqrt}[a + a*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*d) + (2*B*(a + a*\text{Cos}[c + d*x])^(3/2)*\text{Sin}[c + d*x])/(5*d)$

#### Rule 2751

$\text{Int}[(a + b*\sin[(e + f*x)])^m * (c + d*\sin[(e + f*x)])^n, x\_Symbol] \rightarrow -\text{Simp}[(d*\cos[e + f*x]*(a + b*\sin[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(a*d*m + b*c*(m + 1))/(b*(m + 1)), \text{Int}[(a + b*\sin[e + f*x])^m, x], x] /;$  FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2647

$\text{Int}[(a + b*\sin[(c + d*x)])^n, x\_Symbol] \rightarrow -\text{Simp}[(b*\cos[c + d*x]*(a + b*\sin[c + d*x])^{n-1})/(d*n), x] + \text{Dist}[(a*(2*n - 1))/n, \text{Int}[(a + b*\sin[c + d*x])^{n-1}, x], x] /;$  FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n - 1/2, 0]

#### Rule 2646

$\text{Int}[\text{Sqrt}[(a + b*\sin[(c + d*x)])], x\_Symbol] \rightarrow \text{Simp}[(-2*b*\cos[c + d*x])/(d*\text{Sqrt}[a + b*\sin[c + d*x]]), x] /;$  FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx &= \frac{2B(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{1}{5}(5A + 3B) \int (a + a \cos(c + dx))^{3/2} dx \\ &= \frac{2a(5A + 3B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2B(a + a \cos(c + dx))^{3/2}}{5d} \\ &= \frac{8a^2(5A + 3B) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2a(5A + 3B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15d} \end{aligned}$$

**Mathematica [A]** time = 0.179546, size = 65, normalized size = 0.64

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}(2(5A + 9B) \cos(c + dx) + 50A + 3B \cos(2(c + dx)) + 39B)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]),x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(50\*A + 39\*B + 2\*(5\*A + 9\*B)\*Cos[c + d\*x] + 3\*B\*Cos[2\*(c + d\*x)])\*Tan[(c + d\*x)/2])/(15\*d)

**Maple [A]** time = 1.117, size = 85, normalized size = 0.8

$$\frac{4a^2\sqrt{2}}{15d} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left(6B(\sin(1/2 dx + c/2))^4 + (-5A - 15B) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2 + 15A + 15B\right) \frac{1}{\sqrt{\cos\left(\frac{dx}{2}\right)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(3/2)\*(A+B\*cos(d\*x+c)),x)

[Out] 4/15\*cos(1/2\*d\*x+1/2\*c)\*a^2\*sin(1/2\*d\*x+1/2\*c)\*(6\*B\*sin(1/2\*d\*x+1/2\*c)^4+(-5\*A-15\*B)\*sin(1/2\*d\*x+1/2\*c)^2+15\*A+15\*B)\*2^(1/2)/(cos(1/2\*d\*x+1/2\*c)^2\*a)^(1/2)/d

**Maxima [A]** time = 1.81095, size = 126, normalized size = 1.25

$$\frac{10\left(\sqrt{2}a \sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 9\sqrt{2}a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)A\sqrt{a} + 3\left(\sqrt{2}a \sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 5\sqrt{2}a \sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 20\sqrt{2}a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)B\sqrt{a}}{30d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/30\*(10\*(sqrt(2)\*a\*sin(3/2\*d\*x + 3/2\*c) + 9\*sqrt(2)\*a\*sin(1/2\*d\*x + 1/2\*c))\*A\*sqrt(a) + 3\*(sqrt(2)\*a\*sin(5/2\*d\*x + 5/2\*c) + 5\*sqrt(2)\*a\*sin(3/2\*d\*x + 3/2\*c) + 20\*sqrt(2)\*a\*sin(1/2\*d\*x + 1/2\*c))\*B\*sqrt(a))/d

**Fricas [A]** time = 1.61242, size = 182, normalized size = 1.8

$$\frac{2\left(3Ba \cos(dx + c)^2 + (5A + 9B)a \cos(dx + c) + (25A + 18B)a\right)\sqrt{a \cos(dx + c) + a} \sin(dx + c)}{15(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 2/15\*(3\*B\*a\*cos(d\*x + c)^2 + (5\*A + 9\*B)\*a\*cos(d\*x + c) + (25\*A + 18\*B)\*a)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] Timed out

### 3.86 $\int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec(c + dx) dx$

**Optimal.** Leaf size=105

$$\frac{2a^2(3A + 4B) \sin(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} + \frac{2a^{3/2}A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{d} + \frac{2aB \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{3d}$$

[Out]  $(2*a^{(3/2)}*A*ArcTanh[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/d + (2*a^2*(3*A + 4*B)*Sin[c + d*x])/(3*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a*B*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(3*d)$

**Rubi [A]** time = 0.265283, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {2976, 2981, 2773, 206}

$$\frac{2a^2(3A + 4B) \sin(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} + \frac{2a^{3/2}A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{d} + \frac{2aB \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^{(3/2)}*(A + B*\text{Cos}[c + d*x])*Sec[c + d*x], x]$

[Out]  $(2*a^{(3/2)}*A*ArcTanh[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/d + (2*a^2*(3*A + 4*B)*Sin[c + d*x])/(3*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a*B*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(3*d)$

#### Rule 2976

$\text{Int}[(a + b*\sin(e + f*x))^m * ((A + B*\sin(e + f*x)) + (c + d*\sin(e + f*x))^n), x\_Symbol] \rightarrow -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1})/(d*f*(m + n + 1)), x] + \text{Dist}[1/(d*(m + n + 1)), \text{Int}[(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^n * \text{Simp}[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*\sin[e + f*x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2981

$\text{Int}[Sqrt[(a + b*\sin(e + f*x))] * ((A + B*\sin(e + f*x)) + (c + d*\sin(e + f*x))^n), x\_Symbol] \rightarrow \text{Simp}[(-2*b*B*\text{Cos}[e + f*x]*(c + d*\sin[e + f*x])^{n+1})/(d*f*(2*n + 3)*Sqrt[a + b*\sin[e + f*x]]), x] + \text{Dist}[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), \text{Int}[Sqrt[a + b*\sin[e + f*x]]*(c + d*\sin[e + f*x])^n, x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

#### Rule 2773

$\text{Int}[Sqrt[(a + b*\sin(e + f*x))]/((c + d*\sin(e + f*x)) + (f*(x))), x\_Symbol] \rightarrow \text{Dist}[(-2*b)/f, \text{Subst}[\text{Int}[1/(b*c + a*d - d*x^2), x], x, (b*\text{Cos}[e + f*x])/Sqrt[a + b*\sin[e + f*x]]], x] /;$  FreeQ[{a, b, c, d,

$e, f], x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 206

$\text{Int}[(a + b*x^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{2aB\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} + \frac{2}{3} \int \sqrt{a + a \cos(c + dx)} \sec(c + dx) dx \\ &= \frac{2a^2(3A + 4B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2aB\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} \\ &= \frac{2a^2(3A + 4B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2aB\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} \\ &= \frac{2a^{3/2} A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{d} + \frac{2a^2(3A + 4B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.191837, size = 85, normalized size = 0.81

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) (3A + B \cos(c + dx) + 5B) + 3\sqrt{2}A \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x], x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(3\*Sqrt[2]\*A\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]] + 2\*(3\*A + 5\*B + B\*Cos[c + d\*x])\*Sin[(c + d\*x)/2]))/(3\*d)

**Maple [B]** time = 3.507, size = 272, normalized size = 2.6

$$\frac{1}{3d} \sqrt{a} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left( -4B\sqrt{2}\sqrt{a}(\sin(1/2 dx + c/2))^2 \sqrt{a}(\sin(1/2 dx + c/2))^2 + 6A\sqrt{a}\sqrt{2}\sqrt{a}(\sin(1/2 dx + c/2))^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x)

[Out] 1/3\*a^(1/2)\*cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-4\*B\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2+6\*A\*a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+3\*A\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+3\*A\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+12\*B\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2))/sin(1/2\*d\*x+1/2\*c)/(cos(1/2\*d\*x+1/2\*c))

$$/2*c)^{2*a}^{(1/2)}/d$$

**Maxima [A]** time = 1.6593, size = 53, normalized size = 0.5

$$\frac{\left(\sqrt{2}a \sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 9\sqrt{2}a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)B\sqrt{a}}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="maxima")

[Out] 1/3\*(sqrt(2)\*a\*sin(3/2\*d\*x + 3/2\*c) + 9\*sqrt(2)\*a\*sin(1/2\*d\*x + 1/2\*c))\*B\*sqrt(a)/d

**Fricas [A]** time = 2.15792, size = 397, normalized size = 3.78

$$\frac{3(Aa \cos(dx+c) + Aa)\sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a} \cos(dx+c) + a\sqrt{a}(\cos(dx+c)-2)\sin(dx+c) + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right) + 4(Ba \cos(dx+c) + (3A + 5B)a)}{6(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="fricas")

[Out] 1/6\*(3\*(A\*a\*cos(d\*x + c) + A\*a)\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) + 4\*(B\*a\*cos(d\*x + c) + (3\*A + 5\*B)\*a)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x)

[Out] Timed out

**Giac [B]** time = 5.90329, size = 265, normalized size = 2.52

$$\frac{3Aa^{\frac{5}{2}} \log\left(\frac{\left|2\left(\sqrt{a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \sqrt{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}\right) - 4\sqrt{2}|a| - 6a\right|}{\left|2\left(\sqrt{a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \sqrt{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}\right) + 4\sqrt{2}|a| - 6a\right|}\right)}{|a|} + \frac{2\left(3\sqrt{2}Aa^3 + 6\sqrt{2}Ba^3 + (3\sqrt{2}Aa^3 + 4\sqrt{2}Ba^3) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2\right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left(a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a\right)^{\frac{3}{2}}}$$

$$3d$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="
giac")
```

```
[Out] 1/3*(3*A*a^(5/2)*log(abs(2*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d
*x + 1/2*c)^2 + a))^2 - 4*sqrt(2)*abs(a) - 6*a)/abs(2*(sqrt(a)*tan(1/2*d*x
+ 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + 4*sqrt(2)*abs(a) - 6*a))
/abs(a) + 2*(3*sqrt(2)*A*a^3 + 6*sqrt(2)*B*a^3 + (3*sqrt(2)*A*a^3 + 4*sqrt(
2)*B*a^3)*tan(1/2*d*x + 1/2*c)^2)*tan(1/2*d*x + 1/2*c)/(a*tan(1/2*d*x + 1/2
*c)^2 + a)^(3/2))/d
```

$$3.87 \quad \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=103

$$-\frac{a^2(A-2B)\sin(c+dx)}{d\sqrt{a\cos(c+dx)+a}} + \frac{a^{3/2}(3A+2B)\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{d} + \frac{aA\tan(c+dx)\sqrt{a\cos(c+dx)+a}}{d}$$

[Out] (a^(3/2)\*(3\*A + 2\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d - (a^2\*(A - 2\*B)\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Tan[c + d\*x])/d

**Rubi [A]** time = 0.284083, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {2975, 2981, 2773, 206}

$$-\frac{a^2(A-2B)\sin(c+dx)}{d\sqrt{a\cos(c+dx)+a}} + \frac{a^{3/2}(3A+2B)\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{d} + \frac{aA\tan(c+dx)\sqrt{a\cos(c+dx)+a}}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] (a^(3/2)\*(3\*A + 2\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d - (a^2\*(A - 2\*B)\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Tan[c + d\*x])/d

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2981

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(2\*n + 3)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(b\*d\*(2\*n + 3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

#### Rule 2773

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d,



$$\begin{aligned} & (1/2*c)+2*a)) * a + 3*A*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)})) * (a^{(1/2)} * 2^{(1/2)} * (a * \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)} + a * 2^{(1/2)} * \cos(1/2*d*x+1/2*c)+2*a)) * a + 2*A*a^{(1/2)} \\ & ) * 2^{(1/2)} * (a * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} + 2*B*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2 \\ & ^{(1/2)})) * (a^{(1/2)} * 2^{(1/2)} * (a * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} - a * 2^{(1/2)} * \cos(1/2*d \\ & *x+1/2*c)+2*a)) * a + 2*B*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)})) * (a^{(1/2)} * 2^{(1/2)} * \\ & (a * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} + a * 2^{(1/2)} * \cos(1/2*d*x+1/2*c)+2*a)) * a + 4*B*2^{( \\ & 1/2)} * (a * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * a^{(1/2)} / (2*\cos(1/2*d*x+1/2*c)-2^{(1/2)}) \\ & / (2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}) / \sin(1/2*d*x+1/2*c) / (\cos(1/2*d*x+1/2*c)^2*a \\ & ^{(1/2)}) / d \end{aligned}$$

**Maxima [B]** time = 1.90662, size = 1775, normalized size = 17.23

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/4*(2*\sqrt{2}*a*\cos(7/2*d*x + 7/2*c)*\sin(2*d*x + 2*c) + 6*\sqrt{2}*a*\cos(5 \\ & /2*d*x + 5/2*c)*\sin(2*d*x + 2*c) + (2*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 6*\sqrt{2} \\ & *a*\sin(1/2*d*x + 1/2*c) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2 \\ & *d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + \\ & 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + \\ & 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a \\ & * \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/ \\ & 2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d* \\ & x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - \\ & 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c)^2 + (2*\sqrt{2}*a*\sin( \\ & 3/2*d*x + 3/2*c) + 6*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) - 3*a*\log(2*\cos(1/2*d*x \\ & + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2 \\ & *\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*s \\ & \sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2* \\ & d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2* \\ & c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) \\ & + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2})* \\ & \cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\sin(2*d*x + 2*c \\ & )^2 - 4*\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) + 4*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) - \\ & 2*(\sqrt{2}*a*\sin(3/2*d*x + 3/2*c) - 5*\sqrt{2}*a*\sin(1/2*d*x + 1/2*c) + 3*a \\ & * \log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/ \\ & 2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d* \\ & x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - \\ & 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2* \\ & \sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2 \\ & *d*x + 1/2*c) + 2) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2 \\ & *c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2 \\ & ))*\cos(2*d*x + 2*c) - 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/ \\ & 2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + \\ & 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2} \\ & )*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 3*a*\log(2*co \\ & s(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1 \\ & /2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 3*a*\log(2*\cos(1/2*d*x + 1/2*c \\ & )^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2} \\ & *\sin(1/2*d*x + 1/2*c) + 2) - 2*(\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a*\sin \\ & (7/2*d*x + 7/2*c) - 6*(\sqrt{2}*a*\cos(2*d*x + 2*c) + \sqrt{2}*a*\sin(5/2*d*x \\ & + 5/2*c) + 2*(3*\sqrt{2}*a*\cos(3/2*d*x + 3/2*c) + \sqrt{2}*a*\cos(1/2*d*x + 1/ \\ & 2*c))*\sin(2*d*x + 2*c))*A*\sqrt{a}/((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 \end{aligned}$$

+ 2\*cos(2\*d\*x + 2\*c) + 1)\*d)

**Fricas [A]** time = 2.38678, size = 451, normalized size = 4.38

$$\frac{((3A + 2B)a \cos(dx + c)^2 + (3A + 2B)a \cos(dx + c))\sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a} \cos(dx+c) + a\sqrt{a}(\cos(dx+c)-2) \sin(dx+c)}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)}{4(d \cos(dx + c)^2 + d \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] 1/4\*(((3\*A + 2\*B)\*a\*cos(d\*x + c)^2 + (3\*A + 2\*B)\*a\*cos(d\*x + c))\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2) + 4\*(2\*B\*a\*cos(d\*x + c) + A\*a)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c))/(d\*cos(d\*x + c)^2 + d\*cos(d\*x + c))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2,x)

[Out] Timed out

**Giac [B]** time = 3.12875, size = 401, normalized size = 3.89

$$\frac{4\sqrt{2}Ba^2 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}} + \left(3Aa^{\frac{3}{2}} + 2Ba^{\frac{3}{2}}\right) \log\left(\left(\sqrt{a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \sqrt{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}\right)^2 - a(2\sqrt{2} + 3)\right) - (3Aa^{\frac{3}{2}} + 2Ba^{\frac{3}{2}})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] 1/2\*(4\*sqrt(2)\*B\*a^2\*tan(1/2\*d\*x + 1/2\*c)/sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a) + (3\*A\*a^(3/2) + 2\*B\*a^(3/2))\*log(abs((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 - a\*(2\*sqrt(2) + 3))) - (3\*A\*a^(3/2) + 2\*B\*a^(3/2))\*log(abs((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 + a\*(2\*sqrt(2) - 3))) + 4\*sqrt(2)\*(3\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2\*A\*a^(5/2) - A\*a^(7/2))/((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^4 - 6\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2\*a + a^2))/d

$$3.88 \quad \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx$$

**Optimal.** Leaf size=119

$$\frac{a^2(5A + 4B) \tan(c + dx)}{4d\sqrt{a \cos(c + dx) + a}} + \frac{a^{3/2}(7A + 12B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{4d} + \frac{aA \tan(c + dx) \sec(c + dx) \sqrt{a \cos(c + dx) + a}}{2d}$$

[Out] (a^(3/2)\*(7\*A + 12\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]])/(4\*d) + (a^2\*(5\*A + 4\*B)\*Tan[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

**Rubi [A]** time = 0.325217, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {2975, 2980, 2773, 206}

$$\frac{a^2(5A + 4B) \tan(c + dx)}{4d\sqrt{a \cos(c + dx) + a}} + \frac{a^{3/2}(7A + 12B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{4d} + \frac{aA \tan(c + dx) \sec(c + dx) \sqrt{a \cos(c + dx) + a}}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] (a^(3/2)\*(7\*A + 12\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]])/(4\*d) + (a^2\*(5\*A + 4\*B)\*Tan[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 2773

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d,

e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx &= \frac{aA\sqrt{a + a \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) dx \\ &= \frac{a^2(5A + 4B) \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{aA\sqrt{a + a \cos(c + dx)} \sec(c + dx)}{2d} \\ &= \frac{a^2(5A + 4B) \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{aA\sqrt{a + a \cos(c + dx)} \sec(c + dx)}{2d} \\ &= \frac{a^{3/2}(7A + 12B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{4d} + \frac{a^2(5A + 4B) \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.51095, size = 109, normalized size = 0.92

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) ((7A + 4B) \cos(c + dx) + 2A) + \sqrt{2}(7A + 12B) \cos\left(\frac{1}{2}(c + dx)\right)\right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sec[c + d\*x]^2\*(Sqrt[2]\*(7\*A + 12\*B)\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Cos[c + d\*x]^2 + 2\*(2\*A + (7\*A + 4\*B)\*Cos[c + d\*x])\*Sin[(c + d\*x)/2]))/(8\*d)

**Maple [B]** time = 3.779, size = 991, normalized size = 8.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x)

[Out] 1/2\*a^(1/2)\*cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(4\*a\*(7\*A\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+7\*A\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+12\*B\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+12\*B\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a)))\*sin(1/2\*d\*x+1/2\*c)^4-4\*(7\*A\*a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+4\*B\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)+7\*A\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*







```
t(2)*cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) + 3*a*log(2
*cos(1/2*d*x + 1/2*c)^2 + 2*sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*cos(1/2*d*x
+ 1/2*c) - 2*sqrt(2)*sin(1/2*d*x + 1/2*c) + 2) - 2*(sqrt(2)*a*cos(2*d*x + 2
*c) + sqrt(2)*a)*sin(7/2*d*x + 7/2*c) - 6*(sqrt(2)*a*cos(2*d*x + 2*c) + sqrt
(2)*a)*sin(5/2*d*x + 5/2*c) + 2*(3*sqrt(2)*a*cos(3/2*d*x + 3/2*c) + sqrt(2
)*a*cos(1/2*d*x + 1/2*c))*sin(2*d*x + 2*c))*B*sqrt(a)/(cos(2*d*x + 2*c)^2 +
sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1))/d
```

**Fricas [A]** time = 1.97786, size = 474, normalized size = 3.98

$$\frac{\left( (7A + 12B)a \cos(dx + c)^3 + (7A + 12B)a \cos(dx + c)^2 \right) \sqrt{a} \log \left( \frac{a \cos(dx + c)^3 - 7a \cos(dx + c)^2 - 4\sqrt{a} \cos(dx + c) + a \sqrt{a} (\cos(dx + c) - 2) \sin(dx + c)}{\cos(dx + c)^3 + \cos(dx + c)^2} \right)}{16 \left( d \cos(dx + c)^3 + d \cos(dx + c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm
="fricas")
```

```
[Out] 1/16*(((7*A + 12*B)*a*cos(d*x + c)^3 + (7*A + 12*B)*a*cos(d*x + c)^2)*sqrt(
a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*
sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x +
c)^2)) + 4*(((7*A + 4*B)*a*cos(d*x + c) + 2*A*a)*sqrt(a*cos(d*x + c) + a)*si
n(d*x + c))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)
```

```
[Out] Timed out
```

**Giac [B]** time = 2.97151, size = 639, normalized size = 5.37

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm
="giac")
```

```
[Out] 1/8*(((7*A*a^(3/2) + 12*B*a^(3/2))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - s
qrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - (7*A*a^(3/2) +
12*B*a^(3/2))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x +
1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(7*(sqrt(a)*tan(1/2*d*x
+ 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*a^(5/2) + 12*(sqrt(a)*t
an(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^6*B*a^(5/2) - 95*
(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4*A*a^(
7/2) - 76*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a
```

$$\begin{aligned} & ))^4 * B * a^{(7/2)} + 53 * (\text{sqrt}(a) * \tan(1/2 * d * x + 1/2 * c) - \text{sqrt}(a * \tan(1/2 * d * x + 1/2 * c)^2 + a))^2 * A * a^{(9/2)} + 36 * (\text{sqrt}(a) * \tan(1/2 * d * x + 1/2 * c) - \text{sqrt}(a * \tan(1/2 * d * x + 1/2 * c)^2 + a))^2 * B * a^{(9/2)} - 5 * A * a^{(11/2)} - 4 * B * a^{(11/2)}) / ((\text{sqrt}(a) * \tan(1/2 * d * x + 1/2 * c) - \text{sqrt}(a * \tan(1/2 * d * x + 1/2 * c)^2 + a))^4 - 6 * (\text{sqrt}(a) * \tan(1/2 * d * x + 1/2 * c) - \text{sqrt}(a * \tan(1/2 * d * x + 1/2 * c)^2 + a))^2 * a + a^2)^2) / d \end{aligned}$$

$$3.89 \quad \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^4(c + dx) dx$$

**Optimal.** Leaf size=164

$$\frac{a^2(11A + 14B) \tan(c + dx)}{8d\sqrt{a \cos(c + dx) + a}} + \frac{a^{3/2}(11A + 14B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^2(7A + 6B) \tan(c + dx) \sec(c + dx)}{12d\sqrt{a \cos(c + dx) + a}} + \frac{aA \tan(c + dx)}{d}$$

[Out] (a^(3/2)\*(11\*A + 14\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(8\*d) + (a^2\*(11\*A + 14\*B)\*Tan[c + d\*x])/(8\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(7\*A + 6\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(12\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.400216, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2975, 2980, 2772, 2773, 206}

$$\frac{a^2(11A + 14B) \tan(c + dx)}{8d\sqrt{a \cos(c + dx) + a}} + \frac{a^{3/2}(11A + 14B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^2(7A + 6B) \tan(c + dx) \sec(c + dx)}{12d\sqrt{a \cos(c + dx) + a}} + \frac{aA \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out] (a^(3/2)\*(11\*A + 14\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(8\*d) + (a^2\*(11\*A + 14\*B)\*Tan[c + d\*x])/(8\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(7\*A + 6\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(12\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*d)

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 2772

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1), x]

$+ f*x])^{(n + 1)}/(f*(n + 1)*(c^2 - d^2)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[\text{((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2))}, \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^{(n + 1)}, x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

### Rule 2773

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\text{sin}[(e_) + (f_)*(x_)]]/((c_) + (d_)*\text{sin}[(e_) + (f_)*(x_)]), x\_Symbol] := \text{Dist}[(-2*b)/f, \text{Subst}[\text{Int}[1/(b*c + a*d - d*x^2), x], x, (b*\text{Cos}[e + f*x])/ \text{Sqrt}[a + b*\text{Sin}[e + f*x]]], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 206

$\text{Int}[(a_) + (b_)*(x_)^2]^{-1}, x\_Symbol] := \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$  FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^4(c + dx) dx &= \frac{aA\sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \dots \\ &= \frac{a^2(7A + 6B) \sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} + \frac{aA\sqrt{a + a \cos(c + dx)}}{3d} \\ &= \frac{a^2(11A + 14B) \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(7A + 6B) \sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a^2(11A + 14B) \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(7A + 6B) \sec(c + dx) \tan(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a^{3/2}(11A + 14B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{8d} + \frac{a^2(11A + 14B) \tan(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.919483, size = 132, normalized size = 0.8

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sec^3(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) (4(11A + 6B) \cos(c + dx) + (33A + 42B) \cos(2(c + dx)))\right)}{48d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sec[c + d\*x]^3\*(3\*Sqrt[2]\*(1 + 14\*B)\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Cos[c + d\*x]^3 + (7\*(7\*A + 6\*B) + 4\*(11\*A + 6\*B)\*Cos[c + d\*x] + (33\*A + 42\*B)\*Cos[2\*(c + d\*x)])\*Sin[(c + d\*x)/2])/ (48\*d)

**Maple [B]** time = 4.168, size = 1310, normalized size = 8.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x)

[Out]  $\frac{1}{6}a^{1/2}\cos(1/2dx+1/2c)(a\sin(1/2dx+1/2c)^2)^{1/2}(-24a(11A\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a^{1/2}2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}+a2^{1/2}\cos(1/2dx+1/2c)+2a))+11A\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a^{1/2}2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}-a2^{1/2}\cos(1/2dx+1/2c)+2a))+14B\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a^{1/2}2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}+a2^{1/2}\cos(1/2dx+1/2c)+2a))+14B\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a^{1/2}2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}-a2^{1/2}\cos(1/2dx+1/2c)+2a))\sin(1/2dx+1/2c)^6+12(22Aa^{1/2}2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}+28B2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}+33A\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a^{1/2}2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}+a2^{1/2}\cos(1/2dx+1/2c)+2a))a+33A\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a^{1/2}2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}-a2^{1/2}\cos(1/2dx+1/2c)+2a))a+42B\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a^{1/2}2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}+a2^{1/2}\cos(1/2dx+1/2c)+2a))a+42B\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a^{1/2}2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}-a2^{1/2}\cos(1/2dx+1/2c)+2a))a)\sin(1/2dx+1/2c)^4+(-352Aa^{1/2}2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}-198A\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a^{1/2}2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}-a2^{1/2}\cos(1/2dx+1/2c)+2a))a-198A\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a^{1/2}2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}+a2^{1/2}\cos(1/2dx+1/2c)+2a))a-384B2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}-252B\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a^{1/2}2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}-a2^{1/2}\cos(1/2dx+1/2c)+2a))a-252B\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a^{1/2}2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}+a2^{1/2}\cos(1/2dx+1/2c)+2a))a)\sin(1/2dx+1/2c)^2+126Aa^{1/2}2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}+33A\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a^{1/2}2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}-a2^{1/2}\cos(1/2dx+1/2c)+2a))a+33A\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a^{1/2}2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}+a2^{1/2}\cos(1/2dx+1/2c)+2a))a+108B2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}+42B\ln(-4/(-2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a^{1/2}2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}-a2^{1/2}\cos(1/2dx+1/2c)+2a))a+42B\ln(4/(2\cos(1/2dx+1/2c)+2^{1/2}))^{1/2}(a^{1/2}2^{1/2}(a\sin(1/2dx+1/2c)^2)^{1/2}+a2^{1/2}\cos(1/2dx+1/2c)+2a))a)/(2\cos(1/2dx+1/2c)-2^{1/2})^3/(2\cos(1/2dx+1/2c)+2^{1/2})^3/\sin(1/2dx+1/2c)/(\cos(1/2dx+1/2c)^2a)^{1/2}/d$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 1.99327, size = 531, normalized size = 3.24

$$\frac{3\left((11A+14B)a\cos(dx+c)^4+(11A+14B)a\cos(dx+c)^3\right)\sqrt{a}\log\left(\frac{a\cos(dx+c)^3-7a\cos(dx+c)^2-4\sqrt{a}\cos(dx+c)+a\sqrt{a}(\cos(dx+c)-2)}{\cos(dx+c)^3+\cos(dx+c)^2}\right)}{96(d\cos(dx+c))^4+}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm
="fricas")
```

```
[Out] 1/96*(3*((11*A + 14*B)*a*cos(d*x + c)^4 + (11*A + 14*B)*a*cos(d*x + c)^3)*s
qrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) +
a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*
x + c)^2)) + 4*(3*(11*A + 14*B)*a*cos(d*x + c)^2 + 2*(11*A + 6*B)*a*cos(d*x
+ c) + 8*A*a)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c))/(d*cos(d*x + c)^4 + d
*cos(d*x + c)^3)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**4,x)
```

```
[Out] Timed out
```

**Giac [B]** time = 2.92349, size = 861, normalized size = 5.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm
="giac")
```

```
[Out] 1/48*(3*(11*A*a^(3/2) + 14*B*a^(3/2))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c)
- sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(11*A*a^(
3/2) + 14*B*a^(3/2))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/
2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(33*(sqrt(a)*tan
(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^10*A*a^(5/2) + 42*(
sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^10*B*a^(
5/2) - 303*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 +
a))^8*A*a^(7/2) - 822*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x +
1/2*c)^2 + a))^8*B*a^(7/2) + 2394*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*ta
n(1/2*d*x + 1/2*c)^2 + a))^6*A*a^(9/2) + 3780*(sqrt(a)*tan(1/2*d*x + 1/2*c)
- sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^6*B*a^(9/2) - 1806*(sqrt(a)*tan(1/2*
d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4*A*a^(11/2) - 2508*(sqr
t(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4*B*a^(11/2
) + 309*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))
^2*A*a^(13/2) + 498*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/
2*c)^2 + a))^2*B*a^(13/2) - 19*A*a^(15/2) - 30*B*a^(15/2))/((sqrt(a)*tan(1/
2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(a)*tan(1/2
*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)^3)/d
```

### 3.90 $\int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx$

**Optimal.** Leaf size=209

$$\frac{a^2(75A + 88B) \tan(c + dx)}{64d\sqrt{a \cos(c + dx) + a}} + \frac{a^{3/2}(75A + 88B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{64d} + \frac{a^2(9A + 8B) \tan(c + dx) \sec^2(c + dx)}{24d\sqrt{a \cos(c + dx) + a}} + \frac{a^2(75A + 88B) \tan(c + dx)}{64d\sqrt{a \cos(c + dx) + a}}$$

[Out] (a^(3/2)\*(75\*A + 88\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(64\*d) + (a^2\*(75\*A + 88\*B)\*Tan[c + d\*x])/(64\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(75\*A + 88\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(96\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(9\*A + 8\*B)\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(24\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*A\*Sqrt[a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(4\*d)

**Rubi [A]** time = 0.484684, antiderivative size = 209, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2975, 2980, 2772, 2773, 206}

$$\frac{a^2(75A + 88B) \tan(c + dx)}{64d\sqrt{a \cos(c + dx) + a}} + \frac{a^{3/2}(75A + 88B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{64d} + \frac{a^2(9A + 8B) \tan(c + dx) \sec^2(c + dx)}{24d\sqrt{a \cos(c + dx) + a}} + \frac{a^2(75A + 88B) \tan(c + dx)}{64d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^5,x]

[Out] (a^(3/2)\*(75\*A + 88\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(64\*d) + (a^2\*(75\*A + 88\*B)\*Tan[c + d\*x])/(64\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(75\*A + 88\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(96\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(9\*A + 8\*B)\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(24\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*A\*Sqrt[a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(4\*d)

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]



Rule 2772

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (
f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e
+ f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dis
t[(((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e +
f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x]
&& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -
1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]
```

Rule 2773

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (
f_)*(x_)]), x_Symbol] := Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x
], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d,
e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \frac{aA\sqrt{a + a \cos(c + dx)} \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int \dots \\ &= \frac{a^2(9A + 8B) \sec^2(c + dx) \tan(c + dx)}{24d\sqrt{a + a \cos(c + dx)}} + \frac{aA\sqrt{a + a \cos(c + dx)} \sec^3(c + dx) \tan(c + dx)}{4d} \\ &= \frac{a^2(75A + 88B) \sec(c + dx) \tan(c + dx)}{96d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(9A + 8B) \sec^3(c + dx) \tan(c + dx)}{24d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a^2(75A + 88B) \tan(c + dx)}{64d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(75A + 88B) \sec(c + dx)}{96d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a^2(75A + 88B) \tan(c + dx)}{64d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(75A + 88B) \sec(c + dx)}{96d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a^{3/2}(75A + 88B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{64d} + \frac{a^2(75A + 88B) \sec(c + dx)}{64d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 1.47133, size = 151, normalized size = 0.72

$$a \sec\left(\frac{1}{2}(c + dx)\right) \sec^4(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) ((1155A + 1048B) \cos(c + dx) + 4(75A + 88B) \cos(c + dx))\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^5,x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sec[c + d\*x]^4\*(6\*Sqrt[2]\*(75\*A + 88\*B)\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Cos[c + d\*x]^4 + (492\*A + 352\*B + (1155\*A + 1048\*B)\*Cos[c + d\*x] + 4\*(75\*A + 88\*B)\*Cos[2\*(c + d\*x)] + 225\*A\*Cos[3\*(c + d\*x)] + 264\*B\*Cos[3\*(c + d\*x)])\*Sin[(c + d\*x)/2])/(768\*d)

**Maple [B]** time = 4.114, size = 1631, normalized size = 7.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+\cos(dx+c)*a)^{(3/2)}*(A+B*\cos(dx+c))*\sec(dx+c)^5,x)$

[Out]  $\frac{1}{24}a^{1/2}\cos(1/2dx+1/2c)*(a*\sin(1/2dx+1/2c)^2)^{1/2}*(48*a*(75*A*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))+75*A*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))+88*B*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))+88*B*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))*\sin(1/2dx+1/2c)^8-48*(75*A*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+88*B*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2})*a^{1/2}+150*A*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))*a+150*A*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))*a+176*B*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))*a+176*B*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))*a*\sin(1/2dx+1/2c)^6+8*(825*A*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+968*B*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2})*a^{1/2}+675*A*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))*a+675*A*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))*a+792*B*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))*a+792*B*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))*a*\sin(1/2dx+1/2c)^4-4*(1095*A*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+1208*B*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2})*a^{1/2}+450*A*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))*a+450*A*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))*a+528*B*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))*a+528*B*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))*a*\sin(1/2dx+1/2c)^2+1086*A*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+225*A*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))*a+225*A*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))*a+1008*B*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2})*a^{1/2}+264*B*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))*a+264*B*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2*a))*a)/(2*\cos(1/2dx+1/2c)-2^{1/2})^4/(2*\cos(1/2dx+1/2c)+2^{1/2})^4/\sin(1/2dx+1/2c)/(\cos(1/2dx+1/2c)^2*a)^{1/2}/d$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm
="maxima")
```

```
[Out] Timed out
```

---

**Fricas [A]** time = 2.23668, size = 581, normalized size = 2.78

$$3 \left( (75A + 88B)a \cos(dx + c)^5 + (75A + 88B)a \cos(dx + c)^4 \right) \sqrt{a} \log \left( \frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a} \cos(dx+c) + a\sqrt{a}(\cos(dx+c)^3 + \cos(dx+c)^2)}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm
="fricas")
```

```
[Out] 1/768*(3*((75*A + 88*B)*a*cos(d*x + c)^5 + (75*A + 88*B)*a*cos(d*x + c)^4)*
sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c)
+ a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d
*x + c)^2)) + 4*(3*(75*A + 88*B)*a*cos(d*x + c)^3 + 2*(75*A + 88*B)*a*cos(d
*x + c)^2 + 8*(15*A + 8*B)*a*cos(d*x + c) + 48*A*a)*sqrt(a*cos(d*x + c) + a
)*sin(d*x + c))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**5,x)
```

```
[Out] Timed out
```

---

**Giac [B]** time = 3.21408, size = 1083, normalized size = 5.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm
="giac")
```

```
[Out] 1/384*(3*(75*A*a^(3/2) + 88*B*a^(3/2))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c)
) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(75*A*a
^(3/2) + 88*B*a^(3/2))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1
/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(225*(sqrt(a)*t
an(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^14*A*a^(5/2) + 26
4*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^14*B*
a^(5/2) - 6261*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^
2 + a))^12*A*a^(7/2) - 4008*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*
d*x + 1/2*c)^2 + a))^12*B*a^(7/2) + 35925*(sqrt(a)*tan(1/2*d*x + 1/2*c) - s
```

$$\begin{aligned}
& \sqrt{a \tan(1/2 dx + 1/2 c)^2 + a}^{10} A a^{9/2} + 33960 (\sqrt{a} \tan(1/2 dx + 1/2 c) - \sqrt{a \tan(1/2 dx + 1/2 c)^2 + a})^{10} B a^{9/2} - 127449 (\sqrt{a} \tan(1/2 dx + 1/2 c) - \sqrt{a \tan(1/2 dx + 1/2 c)^2 + a})^8 A a^{11/2} \\
& - 131784 (\sqrt{a} \tan(1/2 dx + 1/2 c) - \sqrt{a \tan(1/2 dx + 1/2 c)^2 + a})^8 B a^{11/2} + 101667 (\sqrt{a} \tan(1/2 dx + 1/2 c) - \sqrt{a \tan(1/2 dx + 1/2 c)^2 + a})^6 A a^{13/2} + 108312 (\sqrt{a} \tan(1/2 dx + 1/2 c) - \sqrt{a \tan(1/2 dx + 1/2 c)^2 + a})^6 B a^{13/2} \\
& - 26079 (\sqrt{a} \tan(1/2 dx + 1/2 c) - \sqrt{a \tan(1/2 dx + 1/2 c)^2 + a})^4 A a^{15/2} - 29432 (\sqrt{a} \tan(1/2 dx + 1/2 c) - \sqrt{a \tan(1/2 dx + 1/2 c)^2 + a})^4 B a^{15/2} \\
& + 3303 (\sqrt{a} \tan(1/2 dx + 1/2 c) - \sqrt{a \tan(1/2 dx + 1/2 c)^2 + a})^2 A a^{17/2} + 3384 (\sqrt{a} \tan(1/2 dx + 1/2 c) - \sqrt{a \tan(1/2 dx + 1/2 c)^2 + a})^2 B a^{17/2} - 147 A a^{19/2} - 152 B a^{19/2} \\
& / ((\sqrt{a} \tan(1/2 dx + 1/2 c) - \sqrt{a \tan(1/2 dx + 1/2 c)^2 + a})^4 - 6 (\sqrt{a} \tan(1/2 dx + 1/2 c) - \sqrt{a \tan(1/2 dx + 1/2 c)^2 + a})^2 a + a^2)^4 / d
\end{aligned}$$

### 3.91 $\int \cos^2(c + dx)(a + a \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=237

$$\frac{2a^3(209A + 194B) \sin(c + dx) \cos^3(c + dx)}{693d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(11A + 14B) \sin(c + dx) \cos^3(c + dx)\sqrt{a \cos(c + dx) + a}}{99d} + \frac{2a^3(803A + 710B)}{495d}$$

```
[Out] (2*a^3*(803*A + 710*B)*Sin[c + d*x])/(495*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a^3*(209*A + 194*B)*Cos[c + d*x]^3*Ssin[c + d*x])/(693*d*Sqrt[a + a*Cos[c + d*x]]) - (4*a^2*(803*A + 710*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(3465*d) + (2*a^2*(11*A + 14*B)*Cos[c + d*x]^3*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(99*d) + (2*a*(803*A + 710*B)*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(1155*d) + (2*a*B*Cos[c + d*x]^3*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(11*d)
```

**Rubi [A]** time = 0.648012, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2976, 2981, 2759, 2751, 2646}

$$\frac{2a^3(209A + 194B) \sin(c + dx) \cos^3(c + dx)}{693d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(11A + 14B) \sin(c + dx) \cos^3(c + dx)\sqrt{a \cos(c + dx) + a}}{99d} + \frac{2a^3(803A + 710B)}{495d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]), x]
```

```
[Out] (2*a^3*(803*A + 710*B)*Sin[c + d*x])/(495*d*Sqrt[a + a*Cos[c + d*x]]) + (2*a^3*(209*A + 194*B)*Cos[c + d*x]^3*Ssin[c + d*x])/(693*d*Sqrt[a + a*Cos[c + d*x]]) - (4*a^2*(803*A + 710*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(3465*d) + (2*a^2*(11*A + 14*B)*Cos[c + d*x]^3*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(99*d) + (2*a*(803*A + 710*B)*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(1155*d) + (2*a*B*Cos[c + d*x]^3*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(11*d)
```

#### Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
```

$b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& !\text{LtQ}[n, -1]$

### Rule 2759

$\text{Int}[\sin[(e_.) + (f_.)(x_)]^2*((a_.) + (b_.)\sin[(e_.) + (f_.)(x_)]^{(m_.)}, x\_Symbol] :> -\text{Simp}[(\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(b*(m + 1) - a*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, e, f, m\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}]$

### Rule 2751

$\text{Int}(((a_.) + (b_.)\sin[(e_.) + (f_.)(x_)]^{(m_.)}*((c_.) + (d_.)\sin[(e_.) + (f_.)(x_)]), x\_Symbol] :> -\text{Simp}[(d*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(a*d*m + b*c*(m + 1))/(b*(m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}]$

### Rule 2646

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)\sin[(c_.) + (d_.)(x_)]], x\_Symbol] :> \text{Simp}[(-2*b*\text{Cos}[c + d*x])/(d*\text{Sqrt}[a + b*\text{Sin}[c + d*x]]), x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

### Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + a \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx &= \frac{2aB \cos^3(c + dx)(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{11d} + \frac{2}{11} \int \\ &= \frac{2a^2(11A + 14B) \cos^3(c + dx) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{99d} \\ &= \frac{2a^3(209A + 194B) \cos^3(c + dx) \sin(c + dx)}{693d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(11A + 14B) \cos^3(c + dx) \sin(c + dx)}{693d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a^3(209A + 194B) \cos^3(c + dx) \sin(c + dx)}{693d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(11A + 14B) \cos^3(c + dx) \sin(c + dx)}{693d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a^3(209A + 194B) \cos^3(c + dx) \sin(c + dx)}{693d \sqrt{a + a \cos(c + dx)}} - \frac{4a^2(803A + 710B) \cos^3(c + dx) \sin(c + dx)}{693d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a^3(803A + 710B) \sin(c + dx)}{495d \sqrt{a + a \cos(c + dx)}} + \frac{2a^3(209A + 194B) \cos^3(c + dx) \sin(c + dx)}{693d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 1.08507, size = 127, normalized size = 0.54

$$a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}((68552A + 69890B) \cos(c + dx) + 16(1397A + 1625B) \cos(2(c + dx)) + 5720A \cos(3(c + dx)) + 8675B \cos(3(c + dx)) + 770A \cos(4(c + dx)) + 2240B \cos(4(c + dx)) + 315B \cos(5(c + dx))) \tan\left(\frac{c + dx}{2}\right) / (27720*d)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + a\*cos[c + d\*x])^(5/2)\*(A + B\*cos[c + d\*x]), x]

[Out] (a^2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(124366\*A + 114640\*B + (68552\*A + 69890\*B)\*Cos[c + d\*x] + 16\*(1397\*A + 1625\*B)\*Cos[2\*(c + d\*x)] + 5720\*A\*cos[3\*(c + d\*x)] + 8675\*B\*cos[3\*(c + d\*x)] + 770\*A\*cos[4\*(c + d\*x)] + 2240\*B\*cos[4\*(c + d\*x)] + 315\*B\*cos[5\*(c + d\*x)])\*Tan[(c + d\*x)/2])/(27720\*d)

---

**Maple [A]** time = 1.161, size = 142, normalized size = 0.6

$$\frac{8a^3\sqrt{2}}{3465d} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left( -2520B (\sin(1/2 dx + c/2))^{10} + (1540A + 10780B) \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^8 + (-5940A + 10780B) \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^6 + (9009A + 17325B) \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^4 + (-6930A - 9240B) \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 + 3465A + 3465B \right) \cdot 2^{1/2} / (\cos(1/2 dx + 1/2 c)^2 a)^{1/2} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+cos(d\*x+c)\*a)^(5/2)\*(A+B\*cos(d\*x+c)),x)

[Out] 8/3465\*cos(1/2\*d\*x+1/2\*c)\*a^3\*sin(1/2\*d\*x+1/2\*c)\*(-2520\*B\*sin(1/2\*d\*x+1/2\*c)^10+(1540\*A+10780\*B)\*sin(1/2\*d\*x+1/2\*c)^8+(-5940\*A-18810\*B)\*sin(1/2\*d\*x+1/2\*c)^6+(9009\*A+17325\*B)\*sin(1/2\*d\*x+1/2\*c)^4+(-6930\*A-9240\*B)\*sin(1/2\*d\*x+1/2\*c)^2+3465\*A+3465\*B)\*2^(1/2)/(cos(1/2\*d\*x+1/2\*c)^2\*a)^(1/2)/d

---

**Maxima [A]** time = 3.01999, size = 279, normalized size = 1.18

$$22 \left( 35 \sqrt{2} a^2 \sin\left(\frac{9}{2} dx + \frac{9}{2} c\right) + 225 \sqrt{2} a^2 \sin\left(\frac{7}{2} dx + \frac{7}{2} c\right) + 756 \sqrt{2} a^2 \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right) + 2100 \sqrt{2} a^2 \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right) + 8190 \sqrt{2} a^2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right) \cdot A \sqrt{a} + 5 \left( 63 \sqrt{2} a^2 \sin\left(\frac{11}{2} dx + \frac{11}{2} c\right) + 385 \sqrt{2} a^2 \sin\left(\frac{9}{2} dx + \frac{9}{2} c\right) + 1287 \sqrt{2} a^2 \sin\left(\frac{7}{2} dx + \frac{7}{2} c\right) + 3465 \sqrt{2} a^2 \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right) + 8778 \sqrt{2} a^2 \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right) + 31878 \sqrt{2} a^2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right) \cdot B \sqrt{a} / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/55440\*(22\*(35\*sqrt(2)\*a^2\*sin(9/2\*d\*x + 9/2\*c) + 225\*sqrt(2)\*a^2\*sin(7/2\*d\*x + 7/2\*c) + 756\*sqrt(2)\*a^2\*sin(5/2\*d\*x + 5/2\*c) + 2100\*sqrt(2)\*a^2\*sin(3/2\*d\*x + 3/2\*c) + 8190\*sqrt(2)\*a^2\*sin(1/2\*d\*x + 1/2\*c))\*A\*sqrt(a) + 5\*(63\*sqrt(2)\*a^2\*sin(11/2\*d\*x + 11/2\*c) + 385\*sqrt(2)\*a^2\*sin(9/2\*d\*x + 9/2\*c) + 1287\*sqrt(2)\*a^2\*sin(7/2\*d\*x + 7/2\*c) + 3465\*sqrt(2)\*a^2\*sin(5/2\*d\*x + 5/2\*c) + 8778\*sqrt(2)\*a^2\*sin(3/2\*d\*x + 3/2\*c) + 31878\*sqrt(2)\*a^2\*sin(1/2\*d\*x + 1/2\*c))\*B\*sqrt(a)/d

---

**Fricas [A]** time = 1.65931, size = 366, normalized size = 1.54

$$2 \left( 315 B a^2 \cos(dx + c)^5 + 35 (11 A + 32 B) a^2 \cos(dx + c)^4 + 5 (286 A + 355 B) a^2 \cos(dx + c)^3 + 3 (803 A + 710 B) a^2 \cos(dx + c)^2 + 4 (803 A + 710 B) a^2 \cos(dx + c) + 8 (803 A + 710 B) a^2 \sqrt{a \cos(dx + c) + a} \sin(dx + c) \right) / (d \cos(dx + c) + d)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 2/3465\*(315\*B\*a^2\*cos(d\*x + c)^5 + 35\*(11\*A + 32\*B)\*a^2\*cos(d\*x + c)^4 + 5\*(286\*A + 355\*B)\*a^2\*cos(d\*x + c)^3 + 3\*(803\*A + 710\*B)\*a^2\*cos(d\*x + c)^2 + 4\*(803\*A + 710\*B)\*a^2\*cos(d\*x + c) + 8\*(803\*A + 710\*B)\*a^2\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(d\*cos(d\*x + c) + d)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^(5/2)*cos(d*x + c)^2, x)
```



$$3.92 \quad \int \cos(c + dx)(a + a \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=175

$$\frac{16a^2(15A + 13B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{315d} + \frac{64a^3(15A + 13B) \sin(c + dx)}{315d \sqrt{a \cos(c + dx) + a}} + \frac{2(9A - 2B) \sin(c + dx)(a \cos(c + dx) + a)}{63d}$$

```
[Out] (64*a^3*(15*A + 13*B)*Sin[c + d*x])/(315*d*Sqrt[a + a*Cos[c + d*x]]) + (16*a^2*(15*A + 13*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(315*d) + (2*a*(15*A + 13*B)*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(105*d) + (2*(9*A - 2*B)*(a + a*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(63*d) + (2*B*(a + a*Cos[c + d*x])^(7/2)*Sin[c + d*x])/(9*a*d)
```

**Rubi [A]** time = 0.279669, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2968, 3023, 2751, 2647, 2646}

$$\frac{16a^2(15A + 13B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{315d} + \frac{64a^3(15A + 13B) \sin(c + dx)}{315d \sqrt{a \cos(c + dx) + a}} + \frac{2(9A - 2B) \sin(c + dx)(a \cos(c + dx) + a)}{63d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]*(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]
```

```
[Out] (64*a^3*(15*A + 13*B)*Sin[c + d*x])/(315*d*Sqrt[a + a*Cos[c + d*x]]) + (16*a^2*(15*A + 13*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(315*d) + (2*a*(15*A + 13*B)*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(105*d) + (2*(9*A - 2*B)*(a + a*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(63*d) + (2*B*(a + a*Cos[c + d*x])^(7/2)*Sin[c + d*x])/(9*a*d)
```

#### Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

#### Rule 2751

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]
```

Rule 2647

```
Int[((a_) + (b_.)*sin[(c_) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[
c + d*x]*(a + b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(a*(2*n - 1))/n, In
t[(a + b*Sin[c + d*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2
- b^2, 0] && IGtQ[n - 1/2, 0]
```

Rule 2646

```
Int[Sqrt[(a_) + (b_.)*sin[(c_) + (d_.)*(x_)]], x_Symbol] := Simp[(-2*b*Cos
[c + d*x])/(d*Sqrt[a + b*Sin[c + d*x]]), x] /; FreeQ[{a, b, c, d}, x] && Eq
Q[a^2 - b^2, 0]
```

Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + a \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx &= \int (a + a \cos(c + dx))^{5/2} (A \cos(c + dx) + B \cos^2(c + dx)) dx \\ &= \frac{2B(a + a \cos(c + dx))^{7/2} \sin(c + dx)}{9ad} + \frac{2 \int (a + a \cos(c + dx))^{5/2} (A \cos(c + dx) + B \cos^2(c + dx)) dx}{9ad} \\ &= \frac{2(9A - 2B)(a + a \cos(c + dx))^{5/2} \sin(c + dx)}{63d} + \frac{2B(a + a \cos(c + dx))^{5/2} \sin^2(c + dx)}{63d} \\ &= \frac{2a(15A + 13B)(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{105d} + \frac{2(9A - 2B)(a + a \cos(c + dx))^{5/2} \sin^2(c + dx)}{105d} \\ &= \frac{16a^2(15A + 13B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{315d} + \frac{2a(15A - 2B)(a + a \cos(c + dx))^{3/2} \sin^2(c + dx)}{315d} \\ &= \frac{64a^3(15A + 13B) \sin(c + dx)}{315d\sqrt{a + a \cos(c + dx)}} + \frac{16a^2(15A + 13B)\sqrt{a + a \cos(c + dx)} \sin^2(c + dx)}{315d} \end{aligned}$$

**Mathematica [A]** time = 0.670721, size = 105, normalized size = 0.6

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}((3030A + 3116B) \cos(c + dx) + 8(90A + 127B) \cos(2(c + dx)) + 90A \cos(3(c + dx)))}{1260d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]), x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*(6240*A + 5653*B + (3030*A + 3116*B)*Cos[c
+ d*x] + 8*(90*A + 127*B)*Cos[2*(c + d*x)] + 90*A*Cos[3*(c + d*x)] + 260*B*
Cos[3*(c + d*x)] + 35*B*Cos[4*(c + d*x)])*Tan[(c + d*x)/2])/(1260*d)
```

**Maple [A]** time = 1.134, size = 123, normalized size = 0.7

$$\frac{8a^3\sqrt{2}}{315d} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left(140B(\sin(1/2 dx + c/2))^8 + (-90A - 540B) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^6 + (315A + 819B) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^4 + (-90A - 540B) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2 + 90A\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(a+cos(d*x+c)*a)^(5/2)*(A+B*cos(d*x+c)), x)
```

```
[Out] 8/315*cos(1/2*d*x+1/2*c)*a^3*sin(1/2*d*x+1/2*c)*(140*B*sin(1/2*d*x+1/2*c)^8
+(-90*A-540*B)*sin(1/2*d*x+1/2*c)^6+(315*A+819*B)*sin(1/2*d*x+1/2*c)^4+(-42
```

$0 \cdot A - 630 \cdot B) \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + 315 \cdot A + 315 \cdot B) \cdot 2^{(1/2)} / (\cos(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 \cdot a)^{(1/2)} / d$

**Maxima [A]** time = 2.79148, size = 232, normalized size = 1.33

$30 \left( 3 \sqrt{2} a^2 \sin\left(\frac{7}{2} dx + \frac{7}{2} c\right) + 21 \sqrt{2} a^2 \sin\left(\frac{5}{2} dx + \frac{5}{2} c\right) + 77 \sqrt{2} a^2 \sin\left(\frac{3}{2} dx + \frac{3}{2} c\right) + 315 \sqrt{2} a^2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right) A \sqrt{a} +$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out]  $1/2520 \cdot (30 \cdot (3 \cdot \sqrt{2}) \cdot a^2 \cdot \sin(7/2 \cdot d \cdot x + 7/2 \cdot c) + 21 \cdot \sqrt{2}) \cdot a^2 \cdot \sin(5/2 \cdot d \cdot x + 5/2 \cdot c) + 77 \cdot \sqrt{2}) \cdot a^2 \cdot \sin(3/2 \cdot d \cdot x + 3/2 \cdot c) + 315 \cdot \sqrt{2}) \cdot a^2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)) \cdot A \cdot \sqrt{a} + (35 \cdot \sqrt{2}) \cdot a^2 \cdot \sin(9/2 \cdot d \cdot x + 9/2 \cdot c) + 225 \cdot \sqrt{2}) \cdot a^2 \cdot \sin(7/2 \cdot d \cdot x + 7/2 \cdot c) + 756 \cdot \sqrt{2}) \cdot a^2 \cdot \sin(5/2 \cdot d \cdot x + 5/2 \cdot c) + 2100 \cdot \sqrt{2}) \cdot a^2 \cdot \sin(3/2 \cdot d \cdot x + 3/2 \cdot c) + 8190 \cdot \sqrt{2}) \cdot a^2 \cdot \sin(1/2 \cdot d \cdot x + 1/2 \cdot c)) \cdot B \cdot \sqrt{a}) / d$

**Fricas [A]** time = 1.62873, size = 302, normalized size = 1.73

$2 \left( 35 B a^2 \cos(dx + c)^4 + 5(9 A + 26 B) a^2 \cos(dx + c)^3 + 3(60 A + 73 B) a^2 \cos(dx + c)^2 + (345 A + 292 B) a^2 \cos(dx + c) + 2(345 A + 292 B) a^2 \right) \sqrt{a \cos(dx + c) + a} \sin(dx + c) / (d \cos(dx + c) + d)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out]  $2/315 \cdot (35 \cdot B \cdot a^2 \cdot \cos(dx + c)^4 + 5 \cdot (9 \cdot A + 26 \cdot B) \cdot a^2 \cdot \cos(dx + c)^3 + 3 \cdot (60 \cdot A + 73 \cdot B) \cdot a^2 \cdot \cos(dx + c)^2 + (345 \cdot A + 292 \cdot B) \cdot a^2 \cdot \cos(dx + c) + 2 \cdot (345 \cdot A + 292 \cdot B) \cdot a^2) \cdot \sqrt{a \cdot \cos(dx + c) + a} \cdot \sin(dx + c) / (d \cdot \cos(dx + c) + d)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+a\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="
giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^(5/2)*cos(d*x + c), x)
```

### 3.93 $\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=138

$$\frac{64a^3(7A + 5B) \sin(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{16a^2(7A + 5B) \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{105d} + \frac{2a(7A + 5B) \sin(c + dx)(a \cos(c + dx))}{35d}$$

```
[Out] (64*a^3*(7*A + 5*B)*Sin[c + d*x])/(105*d*Sqrt[a + a*Cos[c + d*x]]) + (16*a^2*(7*A + 5*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(105*d) + (2*a*(7*A + 5*B)*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(35*d) + (2*B*(a + a*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(7*d)
```

**Rubi [A]** time = 0.10898, antiderivative size = 138, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$ , Rules used = {2751, 2647, 2646}

$$\frac{64a^3(7A + 5B) \sin(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{16a^2(7A + 5B) \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{105d} + \frac{2a(7A + 5B) \sin(c + dx)(a \cos(c + dx))}{35d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]
```

```
[Out] (64*a^3*(7*A + 5*B)*Sin[c + d*x])/(105*d*Sqrt[a + a*Cos[c + d*x]]) + (16*a^2*(7*A + 5*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(105*d) + (2*a*(7*A + 5*B)*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(35*d) + (2*B*(a + a*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(7*d)
```

#### Rule 2751

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]
```

#### Rule 2647

```
Int[((a_) + (b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]*(a + b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(a*(2*n - 1))/n, Int[(a + b*Sin[c + d*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && IGtQ[n - 1/2, 0]
```

#### Rule 2646

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(-2*b*Cos[c + d*x])/(d*Sqrt[a + b*Sin[c + d*x]]), x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

#### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) dx &= \frac{2B(a + a \cos(c + dx))^{5/2} \sin(c + dx)}{7d} + \frac{1}{7}(7A + 5B) \int (a + a \cos(c + dx))^{5/2} dx \\ &= \frac{2a(7A + 5B)(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{35d} + \frac{2B(a + a \cos(c + dx))^{5/2} \sin(c + dx)}{7d} \\ &= \frac{16a^2(7A + 5B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{105d} + \frac{2a(7A + 5B)(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{35d} \\ &= \frac{64a^3(7A + 5B) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{16a^2(7A + 5B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{105d} \end{aligned}$$

**Mathematica [A]** time = 0.319035, size = 83, normalized size = 0.6

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}((392A + 505B) \cos(c + dx) + 6(7A + 20B) \cos(2(c + dx)) + 1246A + 15B \cos(3(c + dx)))}{210d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]),x]

[Out] (a^2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(1246\*A + 1040\*B + (392\*A + 505\*B)\*Cos[c + d\*x] + 6\*(7\*A + 20\*B)\*Cos[2\*(c + d\*x)] + 15\*B\*Cos[3\*(c + d\*x)])\*Tan[(c + d\*x)/2])/(210\*d)

**Maple [A]** time = 1., size = 104, normalized size = 0.8

$$\frac{8a^3\sqrt{2}}{105d} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \left( -30B(\sin(1/2 dx + c/2))^6 + (21A + 105B) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^4 + (-70A - 140B) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2 \right) + (-70A - 140B) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(5/2)\*(A+B\*cos(d\*x+c)),x)

[Out] 8/105\*cos(1/2\*d\*x+1/2\*c)\*a^3\*sin(1/2\*d\*x+1/2\*c)\*(-30\*B\*sin(1/2\*d\*x+1/2\*c)^6 + (21\*A+105\*B)\*sin(1/2\*d\*x+1/2\*c)^4 + (-70\*A-140\*B)\*sin(1/2\*d\*x+1/2\*c)^2 + 105\*A + 105\*B)\*a^(1/2)/(cos(1/2\*d\*x+1/2\*c)^2\*a)^(1/2)/d

**Maxima [A]** time = 2.64998, size = 188, normalized size = 1.36

$$\frac{14\left(3\sqrt{2}a^2 \sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 25\sqrt{2}a^2 \sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 150\sqrt{2}a^2 \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)A\sqrt{a} + 5\left(3\sqrt{2}a^2 \sin\left(\frac{7}{2}dx + \frac{7}{2}c\right) + 21\sqrt{2}a^2 \sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 77\sqrt{2}a^2 \sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 315\sqrt{2}a^2 \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)B\sqrt{a}}{420d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/420\*(14\*(3\*sqrt(2)\*a^2\*sin(5/2\*d\*x + 5/2\*c) + 25\*sqrt(2)\*a^2\*sin(3/2\*d\*x + 3/2\*c) + 150\*sqrt(2)\*a^2\*sin(1/2\*d\*x + 1/2\*c))\*A\*sqrt(a) + 5\*(3\*sqrt(2)\*a^2\*sin(7/2\*d\*x + 7/2\*c) + 21\*sqrt(2)\*a^2\*sin(5/2\*d\*x + 5/2\*c) + 77\*sqrt(2)\*a^2\*sin(3/2\*d\*x + 3/2\*c) + 315\*sqrt(2)\*a^2\*sin(1/2\*d\*x + 1/2\*c))\*B\*sqrt(a)

/d

---

**Fricas [A]** time = 1.61758, size = 248, normalized size = 1.8

$$\frac{2 \left( 15 B a^2 \cos(dx + c)^3 + 3 (7 A + 20 B) a^2 \cos(dx + c)^2 + (98 A + 115 B) a^2 \cos(dx + c) + (301 A + 230 B) a^2 \right) \sqrt{a \cos(dx + c) + a}}{105 (d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] 2/105*(15*B*a^2*cos(d*x + c)^3 + 3*(7*A + 20*B)*a^2*cos(d*x + c)^2 + (98*A + 115*B)*a^2*cos(d*x + c) + (301*A + 230*B)*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/(d*cos(d*x + c) + d)
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

### 3.94 $\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec(c + dx) dx$

**Optimal.** Leaf size=142

$$\frac{2a^3(35A + 32B) \sin(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(5A + 8B) \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{15d} + \frac{2a^{5/2}A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{2aB \sin(c + dx)}{5d}$$

[Out] (2\*a^(5/2)\*A\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d + (2\*a^3\*(35\*A + 32\*B)\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(5\*A + 8\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*d) + (2\*a\*B\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(5\*d)

**Rubi [A]** time = 0.414053, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {2976, 2981, 2773, 206}

$$\frac{2a^3(35A + 32B) \sin(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(5A + 8B) \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{15d} + \frac{2a^{5/2}A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{2aB \sin(c + dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x], x]

[Out] (2\*a^(5/2)\*A\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d + (2\*a^3\*(35\*A + 32\*B)\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(5\*A + 8\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*d) + (2\*a\*B\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(5\*d)

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2981

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(2\*n + 3)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(b\*d\*(2\*n + 3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

#### Rule 2773

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x



], x, (b\*cos[e + f\*x])/sqrt[a + b\*sin[e + f\*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{2aB(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{2}{5} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec(c + dx) dx \\ &= \frac{2a^2(5A + 8B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2aB(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{15d} \\ &= \frac{2a^3(35A + 32B) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(5A + 8B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15d} \\ &= \frac{2a^3(35A + 32B) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(5A + 8B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15d} \\ &= \frac{2a^{5/2} A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{d} + \frac{2a^3(35A + 32B) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.380174, size = 104, normalized size = 0.73

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) (2(5A + 14B) \cos(c + dx) + 80A + 3B \cos(2(c + dx))) + 89B\right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*cos[c + d\*x])^(5/2)\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x], x]

[Out] (a^2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(15\*Sqrt[2]\*A\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]] + (80\*A + 89\*B + 2\*(5\*A + 14\*B)\*Cos[c + d\*x] + 3\*B\*Cos[2\*(c + d\*x)])\*Sin[(c + d\*x)/2]))/(15\*d)

**Maple [B]** time = 4.168, size = 311, normalized size = 2.2

$$\frac{1}{15d} a^{\frac{3}{2}} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(24B\sqrt{2}\sqrt{a(\sin(1/2 dx + c/2))^2} \sqrt{a(\sin(1/2 dx + c/2))^4} - 20\sqrt{a(\sin(1/2 dx + c/2))^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x)

[Out] 1/15\*a^(3/2)\*cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(24\*B\*2^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)\*sin(1/2\*d\*x+1/2\*c)^4-20\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)\*2^(1/2)\*(A+4\*B)\*sin(1/2\*d\*x+1/2\*c)^2+90\*A\*a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+15\*A\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)))

$$)+2^{(1/2)}*(a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*a+15*A*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*a+120*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)})/\sin(1/2*d*x+1/2*c)/(\cos(1/2*d*x+1/2*c)^2*a)^{(1/2)}/d$$

**Maxima [A]** time = 2.64634, size = 82, normalized size = 0.58

$$\frac{\left(3\sqrt{2}a^2\sin\left(\frac{5}{2}dx + \frac{5}{2}c\right) + 25\sqrt{2}a^2\sin\left(\frac{3}{2}dx + \frac{3}{2}c\right) + 150\sqrt{2}a^2\sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)B\sqrt{a}}{30d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="maxima")

[Out] 1/30\*(3\*sqrt(2)\*a^2\*sin(5/2\*d\*x + 5/2\*c) + 25\*sqrt(2)\*a^2\*sin(3/2\*d\*x + 3/2\*c) + 150\*sqrt(2)\*a^2\*sin(1/2\*d\*x + 1/2\*c))\*B\*sqrt(a)/d

**Fricas [A]** time = 1.7643, size = 462, normalized size = 3.25

$$\frac{15\left(Aa^2\cos(dx+c) + Aa^2\right)\sqrt{a}\log\left(\frac{a\cos(dx+c)^3 - 7a\cos(dx+c)^2 - 4\sqrt{a\cos(dx+c)+a}\sqrt{a}(\cos(dx+c)-2)\sin(dx+c)+8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right) + 4\left(3Ba^2\cos(dx+c) + \dots\right)}{30(d\cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="fricas")

[Out] 1/30\*(15\*(A\*a^2\*cos(d\*x + c) + A\*a^2)\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) + 4\*(3\*B\*a^2\*cos(d\*x + c)^2 + (5\*A + 14\*B)\*a^2\*cos(d\*x + c) + (40\*A + 43\*B)\*a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c))/(d\*cos(d\*x + c) + d)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x)

[Out] Timed out

**Giac [A]** time = 3.8328, size = 306, normalized size = 2.15

$$\frac{15 A a^{\frac{7}{2}} \log \left( \frac{\left| 2 \left( \sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \right)^2 - 4 \sqrt{2} |a| - 6 a}{\left| 2 \left( \sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \right)^2 + 4 \sqrt{2} |a| - 6 a} \right|}{|a|} \right)}{15 d} + \frac{2 \left( 45 \sqrt{2} A a^5 + 60 \sqrt{2} B a^5 + \left( 80 \sqrt{2} A a^5 + 80 \sqrt{2} B a^5 + (35 \sqrt{2} A a^5 + 32 \sqrt{2} B a^5) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)^2 \right)}{\left( a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + a \right)^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="giac")

[Out] 1/15\*(15\*A\*a^(7/2)\*log(abs(2\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 - 4\*sqrt(2)\*abs(a) - 6\*a)/abs(2\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 + 4\*sqrt(2)\*abs(a) - 6\*a))/abs(a) + 2\*(45\*sqrt(2)\*A\*a^5 + 60\*sqrt(2)\*B\*a^5 + (80\*sqrt(2)\*A\*a^5 + 80\*sqrt(2)\*B\*a^5 + (35\*sqrt(2)\*A\*a^5 + 32\*sqrt(2)\*B\*a^5)\*tan(1/2\*d\*x + 1/2\*c)^2)\*tan(1/2\*d\*x + 1/2\*c)^2\*tan(1/2\*d\*x + 1/2\*c)/(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)^(5/2))/d

### 3.95 $\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$

**Optimal.** Leaf size=144

$$\frac{a^3(3A + 14B) \sin(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} - \frac{a^2(3A - 2B) \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{3d} + \frac{a^{5/2}(5A + 2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{d} + \frac{aA \tan(c + dx)}{d}$$

```
[Out] (a^(5/2)*(5*A + 2*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]])/d + (a^3*(3*A + 14*B)*Sin[c + d*x])/(3*d*Sqrt[a + a*Cos[c + d*x]]) - (a^2*(3*A - 2*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (a*A*(a + a*Cos[c + d*x])^(3/2)*Tan[c + d*x])/d
```

**Rubi [A]** time = 0.447146, antiderivative size = 144, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2975, 2976, 2981, 2773, 206}

$$\frac{a^3(3A + 14B) \sin(c + dx)}{3d\sqrt{a \cos(c + dx) + a}} - \frac{a^2(3A - 2B) \sin(c + dx)\sqrt{a \cos(c + dx) + a}}{3d} + \frac{a^{5/2}(5A + 2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{d} + \frac{aA \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]
```

```
[Out] (a^(5/2)*(5*A + 2*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]])/d + (a^3*(3*A + 14*B)*Sin[c + d*x])/(3*d*Sqrt[a + a*Cos[c + d*x]]) - (a^2*(3*A - 2*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(3*d) + (a*A*(a + a*Cos[c + d*x])^(3/2)*Tan[c + d*x])/d
```

#### Rule 2975

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^(n + 1)*Simp[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +
b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

### Rule 2773

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (
f_)*(x_)]), x_Symbol] := Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x
], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d,
e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^{3/2} \tan(c + dx)}{d} + \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx \\ &= -\frac{a^2(3A - 2B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} + \frac{aA(a + a \cos(c + dx))^{5/2}}{d} \\ &= \frac{a^3(3A + 14B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} - \frac{a^2(3A - 2B)\sqrt{a + a \cos(c + dx)}}{3d} \\ &= \frac{a^3(3A + 14B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} - \frac{a^2(3A - 2B)\sqrt{a + a \cos(c + dx)}}{3d} \\ &= \frac{a^{5/2}(5A + 2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{d} + \frac{a^3(3A + 14B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.504775, size = 120, normalized size = 0.83

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) (2(3A + 8B) \cos(c + dx) + 3A + B \cos(2(c + dx)))\right)}{6d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sec[c + d*x]*(3*Sqrt[2]*(5
*A + 2*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x] + 2*(3*A + B + 2*(
3*A + 8*B)*Cos[c + d*x] + B*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(6*d)
```

**Maple [B]** time = 3.766, size = 756, normalized size = 5.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+\cos(dx+c))^5*(A+B*\cos(dx+c))*\sec(dx+c)^2,x)$

[Out]  $\frac{1}{3}a^{3/2}\cos(1/2dx+1/2c)*(a*\sin(1/2dx+1/2c)^2)^{1/2}*(16B^2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}\sin(1/2dx+1/2c)^4+(-24Aa^{1/2})*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-30A*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a-30A*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a-80B^2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}-12B*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a-12B*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a)*\sin(1/2dx+1/2c)^2+18Aa^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+15A*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a+15A*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a+36B^2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}a^{1/2}+6B*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a+6B*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a)/(2*\cos(1/2dx+1/2c)-2^{1/2})/(2*\cos(1/2dx+1/2c)+2^{1/2})/\sin(1/2dx+1/2c)/(\cos(1/2dx+1/2c)^2a)^{1/2}/d$

**Maxima [B]** time = 4.80759, size = 10954, normalized size = 76.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+a*\cos(dx+c))^5*(A+B*\cos(dx+c))*\sec(dx+c)^2,x, \text{algorithm}="maxima")$

[Out]  $-1/252*(1449*\sqrt{2})a^2*\cos(5/2dx+5/2c)^3*\sin(2dx+2c)-1260*\sqrt{2}a^2*\sin(1/2dx+1/2c)^3-1449*(\sqrt{2})a^2*\cos(2dx+2c)+\sqrt{2}a^2*\sin(5/2dx+5/2c)^3+21*(25*\sqrt{2})a^2*\cos(2dx+2c)^2*\sin(3/2dx+3/2c)+25*\sqrt{2}a^2*\sin(2dx+2c)^2*\sin(3/2dx+3/2c)-60*\sqrt{2}a^2*\sin(1/2dx+1/2c)+5*(5*\sqrt{2})a^2*\sin(3/2dx+3/2c)-12*\sqrt{2}a^2*\sin(1/2dx+1/2c))*\cos(2dx+2c)+(25*\sqrt{2})a^2*\cos(3/2dx+3/2c)+198*\sqrt{2}a^2*\cos(1/2dx+1/2c))*\sin(2dx+2c))*\cos(5/2dx+5/2c)^2-21*(12*\sqrt{2})a^2*\sin(1/2dx+1/2c)-25*(\sqrt{2})a^2*\cos(1/2dx+1/2c)^2+\sqrt{2}a^2*\sin(1/2dx+1/2c)^2)*\sin(3/2dx+3/2c))*\cos(2dx+2c)^2+21*(25*\sqrt{2})a^2*\cos(2dx+2c)^2*\sin(3/2dx+3/2c)+25*\sqrt{2}a^2*\sin(2dx+2c)^2*\sin(3/2dx+3/2c)+69*\sqrt{2}a^2*\cos(5/2dx+5/2c)*\sin(2dx+2c)-198*\sqrt{2}a^2*\sin(1/2dx+1/2c)+(25*\sqrt{2})a^2*\sin(3/2dx+3/2c)-198*\sqrt{2}a^2*\sin(1/2dx+1/2c))*\cos(2dx+2c)+5*(5*\sqrt{2})a^2*\cos(3/2dx+3/2c)+12*\sqrt{2}a^2*\cos(1/2dx+1/2c))*\sin(2dx+2c))*\sin(5/2dx+5/2c)^2-21*(12*\sqrt{2})a^2*\sin(1/2dx+1/2c)-25*(\sqrt{2})a^2*\cos(1/2dx+1/2c)^2+\sqrt{2}a^2*\sin(1/2dx+1/2c)^2)*\sin(3/2dx+3/2c))*\sin(2dx+2c)^2-35*(\sqrt{2})a^2*\cos(5/2dx+5/2c)^2*\sin(2dx+2c)+2*\sqrt{2}a^2*\cos(5/2dx+5/2c)*\cos(1/2dx+1/2c)*\sin(2dx+2c)+\sqrt{2}a^2*\sin(5/2dx+5/2c)^2*\sin(2dx+2c)+2*\sqrt{2}a^2*\sin(5/2dx+5/2c)*\sin(2dx+2c)*\sin(1/2dx+1/2c)+(\sqrt{2})a^2*\cos(1/2dx+1/2c)^2+\sqrt{2}a^2*\sin(1/2dx+1/2c)^2)*\sin(2dx+2c))*\cos(13/2dx+13/2c)-135*(\sqrt{2})a^2*\cos(5/2dx+5/2c)^2$

$$\begin{aligned}
& 2*\sin(2*d*x + 2*c) + 2*\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)*\cos(1/2*d*x + 1/2*c) \\
& )*\sin(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c)^2*\sin(2*d*x + 2*c) + \\
& 2*\sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) + \\
& (\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin \\
& (2*d*x + 2*c))*\cos(11/2*d*x + 11/2*c) - 98*(\sqrt{2}*a^2*\cos(5/2*d*x + 5/2 \\
& *c)^2*\sin(2*d*x + 2*c) + 2*\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)*\cos(1/2*d*x + 1 \\
& /2*c)*\sin(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c)^2*\sin(2*d*x + 2*c) \\
& ) + 2*\sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) \\
& ) + (\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c)^2) \\
& )*\sin(2*d*x + 2*c))*\cos(9/2*d*x + 9/2*c) + 390*(\sqrt{2}*a^2*\cos(5/2*d*x + \\
& 5/2*c)^2*\sin(2*d*x + 2*c) + 2*\sqrt{2}*a^2*\cos(5/2*d*x + 5/2*c)*\cos(1/2*d*x \\
& + 1/2*c)*\sin(2*d*x + 2*c) + \sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c)^2*\sin(2*d*x + \\
& 2*c) + 2*\sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c)*\sin(1/2*d*x + 1/ \\
& 2*c) + (\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) \\
& c)^2)*\sin(2*d*x + 2*c))*\cos(7/2*d*x + 7/2*c) + 21*(50*\sqrt{2}*a^2*\cos(2*d*x \\
& + 2*c)^2*\cos(1/2*d*x + 1/2*c)*\sin(3/2*d*x + 3/2*c) + 50*\sqrt{2}*a^2*\cos(1/ \\
& 2*d*x + 1/2*c)*\sin(2*d*x + 2*c)^2*\sin(3/2*d*x + 3/2*c) - 120*\sqrt{2}*a^2*\cos \\
& (1/2*d*x + 1/2*c)*\sin(1/2*d*x + 1/2*c) + 10*(5*\sqrt{2}*a^2*\cos(1/2*d*x + 1 \\
& /2*c)*\sin(3/2*d*x + 3/2*c) - 12*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)*\sin(1/2*d* \\
& x + 1/2*c))*\cos(2*d*x + 2*c) + (50*\sqrt{2}*a^2*\cos(3/2*d*x + 3/2*c)*\cos(1/2 \\
& *d*x + 1/2*c) + 189*\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + 69*\sqrt{2}*a^2*\sin \\
& (1/2*d*x + 1/2*c)^2)*\sin(2*d*x + 2*c))*\cos(5/2*d*x + 5/2*c) - 21*(60*\sqrt{2} \\
& )*a^2*\sin(1/2*d*x + 1/2*c)^3 - 25*(\sqrt{2}*a^2*\cos(1/2*d*x + 1/2*c)^2 + \sqrt{2} \\
& )*a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(3/2*d*x + 3/2*c) + 12*(5*\sqrt{2}*a^2*\cos \\
& (1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*a^2)*\sin(1/2*d*x + 1/2*c))*\cos(2*d*x + 2* \\
& c) - 315*(a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2 + (a^2*\cos \\
& (2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\cos \\
& (5/2*d*x + 5/2*c)^2 + (a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2 \\
& *c)^2)*\cos(2*d*x + 2*c)^2 + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 \\
& + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\sin(5/2*d*x + 5/2*c)^2 + (a^2*\cos(1/2*d*x \\
& + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)*\sin(2*d*x + 2*c)^2 + 2*(a^2*\cos(2 \\
& *d*x + 2*c)^2*\cos(1/2*d*x + 1/2*c) + a^2*\cos(1/2*d*x + 1/2*c)*\sin(2*d*x + 2 \\
& *c)^2 + 2*a^2*\cos(2*d*x + 2*c)*\cos(1/2*d*x + 1/2*c) + a^2*\cos(1/2*d*x + 1/2 \\
& *c))*\cos(5/2*d*x + 5/2*c) + 2*(a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x \\
& + 1/2*c)^2)*\cos(2*d*x + 2*c) + 2*(a^2*\cos(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2 \\
& *c) + a^2*\sin(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + 2*a^2*\cos(2*d*x + 2*c)* \\
& \sin(1/2*d*x + 1/2*c) + a^2*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c))*\log( \\
& 2*\cos(1/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sin(1/ \\
& 3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sqrt{2}*\cos(1/ \\
& 3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2*\sqrt{2}*\sin(1/3* \\
& \arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2) + 315*(a^2*\cos(1/ \\
& 2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2 + (a^2*\cos(2*d*x + 2*c)^2 + a \\
& ^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(5/2*d*x + 5/2*c)^2 \\
& + (a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d*x + 2 \\
& *c)^2 + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x \\
& + 2*c) + a^2)*\sin(5/2*d*x + 5/2*c)^2 + (a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin \\
& (1/2*d*x + 1/2*c)^2)*\sin(2*d*x + 2*c)^2 + 2*(a^2*\cos(2*d*x + 2*c)^2*\cos(1/ \\
& 2*d*x + 1/2*c) + a^2*\cos(1/2*d*x + 1/2*c)*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2* \\
& d*x + 2*c)*\cos(1/2*d*x + 1/2*c) + a^2*\cos(1/2*d*x + 1/2*c))*\cos(5/2*d*x + 5 \\
& /2*c) + 2*(a^2*\cos(1/2*d*x + 1/2*c)^2 + a^2*\sin(1/2*d*x + 1/2*c)^2)*\cos(2*d \\
& *x + 2*c) + 2*(a^2*\cos(2*d*x + 2*c)^2*\sin(1/2*d*x + 1/2*c) + a^2*\sin(2*d*x \\
& + 2*c)^2*\sin(1/2*d*x + 1/2*c) + 2*a^2*\cos(2*d*x + 2*c)*\sin(1/2*d*x + 1/2*c) \\
& + a^2*\sin(1/2*d*x + 1/2*c))*\sin(5/2*d*x + 5/2*c))*\log(2*\cos(1/3*\arctan2(\sin \\
& (3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sin(1/3*\arctan2(\sin(3/2*d* \\
& x + 3/2*c), \cos(3/2*d*x + 3/2*c))))^2 + 2*\sqrt{2}*\cos(1/3*\arctan2(\sin(3/2*d* \\
& x + 3/2*c), \cos(3/2*d*x + 3/2*c)))) - 2*\sqrt{2}*\sin(1/3*\arctan2(\sin(3/2*d*x \\
& + 3/2*c), \cos(3/2*d*x + 3/2*c)))) + 2) - 315*(a^2*\cos(1/2*d*x + 1/2*c)^2 + a \\
& ^2*\sin(1/2*d*x + 1/2*c)^2 + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 \\
& + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(5/2*d*x + 5/2*c)^2 + (a^2*\cos(1/2*d*x
\end{aligned}$$







```

cos(2*d*x + 2*c) + sqrt(2)*a^2*sin(5/2*d*x + 5/2*c)^2 + (sqrt(2)*a^2*cos(1/2*d*x + 1/2*c)^2 + sqrt(2)*a^2*sin(1/2*d*x + 1/2*c)^2)*sin(2*d*x + 2*c)^2 + 2*(sqrt(2)*a^2*cos(2*d*x + 2*c)^2*cos(1/2*d*x + 1/2*c) + sqrt(2)*a^2*cos(1/2*d*x + 1/2*c)*sin(2*d*x + 2*c)^2 + 2*sqrt(2)*a^2*cos(2*d*x + 2*c)*cos(1/2*d*x + 1/2*c) + sqrt(2)*a^2*cos(1/2*d*x + 1/2*c))*cos(5/2*d*x + 5/2*c) + 2*(sqrt(2)*a^2*cos(1/2*d*x + 1/2*c)^2 + sqrt(2)*a^2*sin(1/2*d*x + 1/2*c)^2)*cos(2*d*x + 2*c) + 2*(sqrt(2)*a^2*cos(2*d*x + 2*c)^2*sin(1/2*d*x + 1/2*c) + sqrt(2)*a^2*sin(2*d*x + 2*c)^2*sin(1/2*d*x + 1/2*c) + 2*sqrt(2)*a^2*cos(2*d*x + 2*c)*sin(1/2*d*x + 1/2*c) + sqrt(2)*a^2*sin(1/2*d*x + 1/2*c))*sin(5/2*d*x + 5/2*c))*sin(1/3*arctan2(sin(3/2*d*x + 3/2*c), cos(3/2*d*x + 3/2*c)))
)*A*sqrt(a)/(((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*cos(5/2*d*x + 5/2*c)^2 + (cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2)*cos(2*d*x + 2*c)^2 + (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)*sin(5/2*d*x + 5/2*c)^2 + (cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2)*sin(2*d*x + 2*c)^2 + 2*(cos(2*d*x + 2*c)^2*cos(1/2*d*x + 1/2*c) + cos(1/2*d*x + 1/2*c)*sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c)*cos(1/2*d*x + 1/2*c) + cos(1/2*d*x + 1/2*c))*cos(5/2*d*x + 5/2*c) + 2*(cos(1/2*d*x + 1/2*c)^2 + sin(1/2*d*x + 1/2*c)^2)*cos(2*d*x + 2*c) + cos(1/2*d*x + 1/2*c)^2 + 2*(cos(2*d*x + 2*c)^2*sin(1/2*d*x + 1/2*c) + sin(2*d*x + 2*c)^2*sin(1/2*d*x + 1/2*c) + 2*cos(2*d*x + 2*c)*sin(1/2*d*x + 1/2*c) + sin(1/2*d*x + 1/2*c))*sin(5/2*d*x + 5/2*c) + sin(1/2*d*x + 1/2*c)^2)*d)

```

**Fricas [A]** time = 1.94461, size = 516, normalized size = 3.58

$$\frac{3 \left( (5A + 2B)a^2 \cos(dx + c)^2 + (5A + 2B)a^2 \cos(dx + c) \right) \sqrt{a} \log \left( \frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a} \cos(dx+c) + a \sqrt{a} (\cos(dx+c) - 2) \sin(dx+c)}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)}{12 \left( d \cos(dx + c)^2 + d \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="fricas")
```

```
[Out] 1/12*(3*((5*A + 2*B)*a^2*cos(d*x + c)^2 + (5*A + 2*B)*a^2*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*(2*B*a^2*cos(d*x + c)^2 + 2*(3*A + 8*B)*a^2*cos(d*x + c) + 3*A*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c))/(d*cos(d*x + c)^2 + d*cos(d*x + c))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)
```

```
[Out] Timed out
```

**Giac [B]** time = 2.82763, size = 460, normalized size = 3.19

$$3 \left( 5 A a^{\frac{5}{2}} + 2 B a^{\frac{5}{2}} \right) \log \left( \left( \sqrt{a} \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - \sqrt{a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^2 + a} \right)^2 - a(2\sqrt{2} + 3) \right) - 3 \left( 5 A a^{\frac{5}{2}} + 2 B a^{\frac{5}{2}} \right) \log \left( \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] 1/6\*(3\*(5\*A\*a^(5/2) + 2\*B\*a^(5/2))\*log(abs((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 - a\*(2\*sqrt(2) + 3))) - 3\*(5\*A\*a^(5/2) + 2\*B\*a^(5/2))\*log(abs((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 + a\*(2\*sqrt(2) - 3))) + 12\*sqrt(2)\*(3\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2\*A\*a^(7/2) - A\*a^(9/2)) / ((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^4 - 6\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2\*a + a^2) + 4\*(3\*sqrt(2)\*A\*a^4 + 9\*sqrt(2)\*B\*a^4 + (3\*sqrt(2)\*A\*a^4 + 7\*sqrt(2)\*B\*a^4)\*tan(1/2\*d\*x + 1/2\*c)^2)\*tan(1/2\*d\*x + 1/2\*c)/(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)^(3/2))/d

### 3.96 $\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx$

**Optimal.** Leaf size=156

$$-\frac{a^3(9A - 4B) \sin(c + dx)}{4d\sqrt{a \cos(c + dx) + a}} + \frac{a^2(7A + 4B) \tan(c + dx)\sqrt{a \cos(c + dx) + a}}{4d} + \frac{a^{5/2}(19A + 20B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{4d} + \frac{a^{5/2}(19A + 20B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{4d}$$

[Out] (a^(5/2)\*(19\*A + 20\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]/(4\*d) - (a^3\*(9\*A - 4\*B)\*Sin[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(7\*A + 4\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Tan[c + d\*x])/(4\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

**Rubi [A]** time = 0.47386, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {2975, 2981, 2773, 206}

$$-\frac{a^3(9A - 4B) \sin(c + dx)}{4d\sqrt{a \cos(c + dx) + a}} + \frac{a^2(7A + 4B) \tan(c + dx)\sqrt{a \cos(c + dx) + a}}{4d} + \frac{a^{5/2}(19A + 20B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{4d} + \frac{a^{5/2}(19A + 20B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{4d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] (a^(5/2)\*(19\*A + 20\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]/(4\*d) - (a^3\*(9\*A - 4\*B)\*Sin[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(7\*A + 4\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Tan[c + d\*x])/(4\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2981

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(2\*n + 3)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(b\*d\*(2\*n + 3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

#### Rule 2773

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x

], x, (b\*cos[e + f\*x])/sqrt[a + b\*sin[e + f\*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^{3/2} \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int \\ &= \frac{a^2(7A + 4B)\sqrt{a + a \cos(c + dx)} \tan(c + dx)}{4d} + \frac{aA(a + a \cos(c + dx))^{3/2} \sec(c + dx) \tan(c + dx)}{2d} \\ &= -\frac{a^3(9A - 4B) \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(7A + 4B)\sqrt{a + a \cos(c + dx)} \tan(c + dx)}{4d} \\ &= -\frac{a^3(9A - 4B) \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(7A + 4B)\sqrt{a + a \cos(c + dx)} \tan(c + dx)}{4d} \\ &= \frac{a^{5/2}(19A + 20B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{4d} - \frac{a^3(9A - 4B)}{4d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.620257, size = 126, normalized size = 0.81

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) ((11A + 4B) \cos(c + dx) + 2(A + 2B \cos(2(c + dx))))\right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*cos[c + d\*x])^(5/2)\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] (a^2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sec[c + d\*x]^2\*(Sqrt[2]\*(19\*A + 20\*B)\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Cos[c + d\*x]^2 + 2\*((11\*A + 4\*B)\*Cos[c + d\*x] + 2\*(A + 2\*B + 2\*B\*Cos[2\*(c + d\*x)])))\*Sin[(c + d\*x)/2])/ (8\*d)

**Maple [B]** time = 4.404, size = 1016, normalized size = 6.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x)

[Out] 1/2\*a^(3/2)\*cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((76\*A\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+76\*A\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+80\*B\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*a+80\*B

```
*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)
^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+64*B*2^(1/2)*(a*sin(1/2*d*x+
1/2*c)^2)^(1/2)*a^(1/2))*sin(1/2*d*x+1/2*c)^4+(-76*A*ln(-4/(-2*cos(1/2*d*x+
1/2*c)+2^(1/2))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-a*2^(1/2)*c
os(1/2*d*x+1/2*c)+2*a))*a-76*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2))*(a^(1/2)
*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*
a-44*A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-80*B*ln(-4/(-2*cos(1/
2*d*x+1/2*c)+2^(1/2))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-a*2^(
1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-80*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2))*(a
^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+
2*a))*a-80*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))*sin(1/2*d*x+1/
2*c)^2+19*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2))*(a^(1/2)*2^(1/2)*(a*sin(1
/2*d*x+1/2*c)^2)^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+19*A*ln(4/(2*co
s(1/2*d*x+1/2*c)+2^(1/2))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a
*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+26*A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2
*c)^2)^(1/2)+20*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2))*(a^(1/2)*2^(1/2)*(a
*sin(1/2*d*x+1/2*c)^2)^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+20*B*ln(4
/(2*cos(1/2*d*x+1/2*c)+2^(1/2))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(
1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+24*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c
)^2)^(1/2)*a^(1/2))/(2*cos(1/2*d*x+1/2*c)-2^(1/2))^2/(2*cos(1/2*d*x+1/2*c)+
2^(1/2))^2/sin(1/2*d*x+1/2*c)/(cos(1/2*d*x+1/2*c)^2*a)^(1/2)/d
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm
="maxima")
```

[Out] Timed out

**Fricas [A]** time = 2.02725, size = 522, normalized size = 3.35

$$\frac{\left( (19A + 20B)a^2 \cos(dx + c)^3 + (19A + 20B)a^2 \cos(dx + c)^2 \right) \sqrt{a} \log\left( \frac{a \cos(dx + c)^3 - 7a \cos(dx + c)^2 - 4\sqrt{a} \cos(dx + c) + a\sqrt{a}(\cos(dx + c) - 2)}{\cos(dx + c)^3 + \cos(dx + c)^2} \right)}{16 \left( d \cos(dx + c)^3 + d \cos(dx + c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm
="fricas")
```

```
[Out] 1/16*(((19*A + 20*B)*a^2*cos(d*x + c)^3 + (19*A + 20*B)*a^2*cos(d*x + c)^2)
*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c)
+ a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(
d*x + c)^2)) + 4*(8*B*a^2*cos(d*x + c)^2 + (11*A + 4*B)*a^2*cos(d*x + c) +
2*A*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c))/(d*cos(d*x + c)^3 + d*cos(d
*x + c)^2)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)
```

```
[Out] Timed out
```

**Giac [B]** time = 3.12869, size = 686, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="giac")
```

```
[Out] 1/8*(16*sqrt(2)*B*a^3*tan(1/2*d*x + 1/2*c)/sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a) + (19*A*a^(5/2) + 20*B*a^(5/2))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - (19*A*a^(5/2) + 20*B*a^(5/2))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(19*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*a^(7/2) + 12*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^6*B*a^(7/2) - 171*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4*A*a^(9/2) - 76*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4*B*a^(9/2) + 89*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*a^(11/2) + 36*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2*B*a^(11/2) - 9*A*a^(13/2) - 4*B*a^(13/2))/(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)/d
```

### 3.97 $\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^4(c + dx) dx$

**Optimal.** Leaf size=164

$$\frac{a^3(49A + 54B) \tan(c + dx)}{24d\sqrt{a \cos(c + dx) + a}} + \frac{a^{5/2}(25A + 38B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^2(3A + 2B) \tan(c + dx) \sec(c + dx) \sqrt{a \cos(c + dx)}}{4d}$$

[Out] (a^(5/2)\*(25\*A + 38\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(8\*d) + (a^3\*(49\*A + 54\*B)\*Tan[c + d\*x])/(24\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(3\*A + 2\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]\*Tan[c + d\*x])/(4\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.52581, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {2975, 2980, 2773, 206}

$$\frac{a^3(49A + 54B) \tan(c + dx)}{24d\sqrt{a \cos(c + dx) + a}} + \frac{a^{5/2}(25A + 38B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^2(3A + 2B) \tan(c + dx) \sec(c + dx) \sqrt{a \cos(c + dx)}}{4d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out] (a^(5/2)\*(25\*A + 38\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(8\*d) + (a^3\*(49\*A + 54\*B)\*Tan[c + d\*x])/(24\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(3\*A + 2\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]\*Tan[c + d\*x])/(4\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*d)

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 2773

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x



], x, (b\*cos[e + f\*x])/sqrt[a + b\*sin[e + f\*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^4(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^{3/2} \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \frac{a^2(3A + 2B)\sqrt{a + a \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{4d} dx \\ &= \frac{a^3(49A + 54B) \tan(c + dx)}{24d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(3A + 2B)\sqrt{a + a \cos(c + dx)}}{4d} \\ &= \frac{a^3(49A + 54B) \tan(c + dx)}{24d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(3A + 2B)\sqrt{a + a \cos(c + dx)}}{4d} \\ &= \frac{a^{5/2}(25A + 38B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{8d} + \frac{a^3(49A + 54B) \tan(c + dx)}{24d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 1.05021, size = 131, normalized size = 0.8

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec^3(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) (4(17A + 6B) \cos(c + dx) + (75A + 66B) \cos(2(c + dx)))\right)}{48d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*cos[c + d\*x])^(5/2)\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^4, x]

[Out] (a^2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sec[c + d\*x]^3\*(3\*Sqrt[2]\*(25\*A + 38\*B)\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Cos[c + d\*x]^3 + (91\*A + 66\*B + 4\*(17\*A + 6\*B)\*Cos[c + d\*x] + (75\*A + 66\*B)\*Cos[2\*(c + d\*x)])\*Sin[(c + d\*x)/2]))/(48\*d)

**Maple [B]** time = 4.138, size = 1310, normalized size = 8.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4, x)

[Out] 1/6\*a^(3/2)\*cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-24\*a\*(25\*A\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+25\*A\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+38\*B\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))+38\*B\*1

$$\begin{aligned} & n(-4/(-2*\cos(1/2*d*x+1/2*c)+2^(1/2))*(a^(1/2)*2^(1/2)*(a*\sin(1/2*d*x+1/2*c) \\ & ^2)^(1/2)-a*2^(1/2)*\cos(1/2*d*x+1/2*c)+2*a)))*\sin(1/2*d*x+1/2*c)^6+12*(50*A \\ & *a^(1/2)*2^(1/2)*(a*\sin(1/2*d*x+1/2*c)^2)^(1/2)+44*B*2^(1/2)*(a*\sin(1/2*d*x \\ & +1/2*c)^2)^(1/2)*a^(1/2)+75*A*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)* \\ & 2^(1/2)*(a*\sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*\cos(1/2*d*x+1/2*c)+2*a))*a \\ & +75*A*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*\sin(1/2*d*x \\ & +1/2*c)^2)^(1/2)-a*2^(1/2)*\cos(1/2*d*x+1/2*c)+2*a))*a+114*B*\ln(4/(2*\cos(1/2 \\ & *d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*\sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1 \\ & /2)*\cos(1/2*d*x+1/2*c)+2*a))*a+114*B*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^(1/2)))* \\ & (a^(1/2)*2^(1/2)*(a*\sin(1/2*d*x+1/2*c)^2)^(1/2)-a*2^(1/2)*\cos(1/2*d*x+1/2*c \\ & )+2*a))*a*\sin(1/2*d*x+1/2*c)^4+(-450*A*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^(1/2 \\ & ))*(a^(1/2)*2^(1/2)*(a*\sin(1/2*d*x+1/2*c)^2)^(1/2)-a*2^(1/2)*\cos(1/2*d*x+1/ \\ & 2*c)+2*a))*a-450*A*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a* \\ & \sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*\cos(1/2*d*x+1/2*c)+2*a))*a-736*A*a^(1 \\ & /2)*2^(1/2)*(a*\sin(1/2*d*x+1/2*c)^2)^(1/2)-684*B*\ln(-4/(-2*\cos(1/2*d*x+1/2* \\ & c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*\sin(1/2*d*x+1/2*c)^2)^(1/2)-a*2^(1/2)*\cos(1 \\ & /2*d*x+1/2*c)+2*a))*a-684*B*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^( \\ & 1/2)*(a*\sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*\cos(1/2*d*x+1/2*c)+2*a))*a-5 \\ & 76*B*2^(1/2)*(a*\sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))*\sin(1/2*d*x+1/2*c)^2+7 \\ & 5*A*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*\sin(1/2*d*x+1 \\ & /2*c)^2)^(1/2)-a*2^(1/2)*\cos(1/2*d*x+1/2*c)+2*a))*a+75*A*\ln(4/(2*\cos(1/2*d* \\ & x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*\sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2) \\ & *\cos(1/2*d*x+1/2*c)+2*a))*a+234*A*a^(1/2)*2^(1/2)*(a*\sin(1/2*d*x+1/2*c)^2)^( \\ & 1/2)+114*B*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*\sin(1 \\ & /2*d*x+1/2*c)^2)^(1/2)-a*2^(1/2)*\cos(1/2*d*x+1/2*c)+2*a))*a+114*B*\ln(4/(2*c \\ & os(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*\sin(1/2*d*x+1/2*c)^2)^(1/2)+ \\ & a*2^(1/2)*\cos(1/2*d*x+1/2*c)+2*a))*a+156*B*2^(1/2)*(a*\sin(1/2*d*x+1/2*c)^2) \\ & ^2)^(1/2)*a^(1/2))/(2*\cos(1/2*d*x+1/2*c)-2^(1/2))^3/(2*\cos(1/2*d*x+1/2*c)+2^(1 \\ & /2))^3/\sin(1/2*d*x+1/2*c)/(\cos(1/2*d*x+1/2*c)^2*a)^(1/2)/d \end{aligned}$$


---

**Maxima [B]** time = 22.5043, size = 10792, normalized size = 65.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out] 
$$\begin{aligned} & -1/96*((1530*a^2*\cos(4*d*x + 4*c)^2*\sin(3/2*d*x + 3/2*c) + 1530*a^2*\cos(2*d \\ & *x + 2*c)^2*\sin(3/2*d*x + 3/2*c) + 1530*a^2*\sin(4*d*x + 4*c)^2*\sin(3/2*d*x \\ & + 3/2*c) + 1530*a^2*\sin(2*d*x + 2*c)^2*\sin(3/2*d*x + 3/2*c) + 4176*a^2*\cos( \\ & 7/2*d*x + 7/2*c)*\sin(2*d*x + 2*c) + 2430*a^2*\cos(5/2*d*x + 5/2*c)*\sin(2*d*x \\ & + 2*c) + 678*a^2*\cos(3/2*d*x + 3/2*c)*\sin(2*d*x + 2*c) + 342*a^2*\cos(2*d*x \\ & + 2*c)*\sin(3/2*d*x + 3/2*c) + 10*(a^2*\sin(9/2*d*x + 9/2*c) + 17*a^2*\sin(3/ \\ & 2*d*x + 3/2*c))*\cos(6*d*x + 6*c)^2 + 10*(a^2*\sin(9/2*d*x + 9/2*c) + 17*a^2* \\ & \sin(3/2*d*x + 3/2*c))*\sin(6*d*x + 6*c)^2 - 56*a^2*\sin(3/2*d*x + 3/2*c) + 10 \\ & *(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + 3*a^2*\sin(2*d*x + 2*c))*c \\ & os(21/2*d*x + 21/2*c) - 30*(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + \\ & 3*a^2*\sin(2*d*x + 2*c))*\cos(19/2*d*x + 19/2*c) - 48*(a^2*\sin(6*d*x + 6*c) \\ & + 3*a^2*\sin(4*d*x + 4*c) + 3*a^2*\sin(2*d*x + 2*c))*\cos(17/2*d*x + 17/2*c) + \\ & 80*(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4*c) + 3*a^2*\sin(2*d*x + 2*c) \\ & )*\cos(15/2*d*x + 15/2*c) + 396*(a^2*\sin(6*d*x + 6*c) + 3*a^2*\sin(4*d*x + 4* \\ & c) + 3*a^2*\sin(2*d*x + 2*c))*\cos(13/2*d*x + 13/2*c) + 6*(170*a^2*\cos(4*d*x \\ & + 4*c)*\sin(3/2*d*x + 3/2*c) + 170*a^2*\cos(2*d*x + 2*c)*\sin(3/2*d*x + 3/2*c) \\ & - 170*a^2*\sin(11/2*d*x + 11/2*c) - 232*a^2*\sin(7/2*d*x + 7/2*c) - 135*a^2* \\ & \sin(5/2*d*x + 5/2*c) + 19*a^2*\sin(3/2*d*x + 3/2*c) + 10*(a^2*\cos(4*d*x + 4* \end{aligned}$$

$$\begin{aligned}
& c) + a^2 \cos(2dx + 2c) - 25a^2 \sin(9/2dx + 9/2c) \cos(6dx + 6c) \\
& + 3060(a^2 \sin(4dx + 4c) + a^2 \sin(2dx + 2c)) \cos(11/2dx + 11/2c) \\
& + 4560(a^2 \sin(4dx + 4c) + a^2 \sin(2dx + 2c)) \cos(9/2dx + 9/2c) \\
& + 18(170a^2 \cos(2dx + 2c) \sin(3/2dx + 3/2c) - 232a^2 \sin(7/2dx + 7/2c) \\
& - 135a^2 \sin(5/2dx + 5/2c) + 19a^2 \sin(3/2dx + 3/2c)) \cos(4dx + 4c) \\
& - 75(\sqrt{2}a^2 \cos(6dx + 6c))^2 + 9\sqrt{2}a^2 \cos(4dx + 4c)^2 + 9\sqrt{2}a^2 \cos(2dx + 2c)^2 \\
& + \sqrt{2}a^2 \sin(6dx + 6c)^2 + 9\sqrt{2}a^2 \sin(4dx + 4c)^2 + 18\sqrt{2}a^2 \sin(4dx + 4c) \sin(2dx + 2c) \\
& + 9\sqrt{2}a^2 \sin(2dx + 2c)^2 + 6\sqrt{2}a^2 \cos(2dx + 2c) + \sqrt{2}a^2 + 2(3\sqrt{2}a^2 \cos(4dx + 4c) \\
& + 3\sqrt{2}a^2 \cos(2dx + 2c) + \sqrt{2}a^2) \cos(6dx + 6c) + 6(3\sqrt{2}a^2 \cos(2dx + 2c) \\
& + \sqrt{2}a^2) \cos(4dx + 4c) + 6(\sqrt{2}a^2 \sin(4dx + 4c) + \sqrt{2}a^2 \sin(2dx + 2c)) \sin(6dx + 6c) \\
& \log(2\cos(1/3\arctan2(\sin(3/2dx + 3/2c), \cos(3/2dx + 3/2c))), \cos(3/2dx + 3/2c))^2 \\
& + 2\sin(1/3\arctan2(\sin(3/2dx + 3/2c), \cos(3/2dx + 3/2c)))^2 + 2\sqrt{2} \cos(1/3\arctan2(\sin(3/2dx + 3/2c), \cos(3/2dx + 3/2c))) \\
& + 2\sqrt{2} \sin(1/3\arctan2(\sin(3/2dx + 3/2c), \cos(3/2dx + 3/2c))) + 2) + 75(\sqrt{2}a^2 \cos(6dx + 6c))^2 + 9\sqrt{2}a^2 \cos(4dx + 4c)^2 \\
& + 9\sqrt{2}a^2 \cos(2dx + 2c)^2 + \sqrt{2}a^2 \sin(6dx + 6c)^2 + 9\sqrt{2}a^2 \sin(4dx + 4c)^2 + 18\sqrt{2}a^2 \sin(4dx + 4c) \sin(2dx + 2c) \\
& + 9\sqrt{2}a^2 \sin(2dx + 2c)^2 + 6\sqrt{2}a^2 \cos(2dx + 2c) + \sqrt{2}a^2 + 2(3\sqrt{2}a^2 \cos(4dx + 4c) + 3\sqrt{2}a^2 \cos(2dx + 2c) \\
& + \sqrt{2}a^2) \cos(6dx + 6c) + 6(3\sqrt{2}a^2 \cos(2dx + 2c) + \sqrt{2}a^2) \cos(4dx + 4c) + 6(\sqrt{2}a^2 \sin(4dx + 4c) \\
& + \sqrt{2}a^2 \sin(2dx + 2c)) \sin(6dx + 6c) \log(2\cos(1/3\arctan2(\sin(3/2dx + 3/2c), \cos(3/2dx + 3/2c))), \cos(3/2dx + 3/2c))^2 \\
& + 2\sin(1/3\arctan2(\sin(3/2dx + 3/2c), \cos(3/2dx + 3/2c)))^2 + 2\sqrt{2} \cos(1/3\arctan2(\sin(3/2dx + 3/2c), \cos(3/2dx + 3/2c))) \\
& - 2\sqrt{2} \sin(1/3\arctan2(\sin(3/2dx + 3/2c), \cos(3/2dx + 3/2c))) + 2) - 75(\sqrt{2}a^2 \cos(6dx + 6c))^2 + 9\sqrt{2}a^2 \cos(4dx + 4c)^2 \\
& + 9\sqrt{2}a^2 \cos(2dx + 2c)^2 + \sqrt{2}a^2 \sin(6dx + 6c)^2 + 9\sqrt{2}a^2 \sin(4dx + 4c)^2 + 18\sqrt{2}a^2 \sin(4dx + 4c) \sin(2dx + 2c) \\
& + 9\sqrt{2}a^2 \sin(2dx + 2c)^2 + 6\sqrt{2}a^2 \cos(2dx + 2c) + \sqrt{2}a^2 + 2(3\sqrt{2}a^2 \cos(4dx + 4c) + 3\sqrt{2}a^2 \cos(2dx + 2c) \\
& + \sqrt{2}a^2) \cos(6dx + 6c) + 6(3\sqrt{2}a^2 \cos(2dx + 2c) + \sqrt{2}a^2) \cos(4dx + 4c) + 6(\sqrt{2}a^2 \sin(4dx + 4c) \\
& + \sqrt{2}a^2 \sin(2dx + 2c)) \sin(6dx + 6c) \log(2\cos(1/3\arctan2(\sin(3/2dx + 3/2c), \cos(3/2dx + 3/2c))), \cos(3/2dx + 3/2c))^2 \\
& + 2\sin(1/3\arctan2(\sin(3/2dx + 3/2c), \cos(3/2dx + 3/2c)))^2 - 2\sqrt{2} \cos(1/3\arctan2(\sin(3/2dx + 3/2c), \cos(3/2dx + 3/2c))) \\
& + 2\sqrt{2} \sin(1/3\arctan2(\sin(3/2dx + 3/2c), \cos(3/2dx + 3/2c))) + 2) + 75(\sqrt{2}a^2 \cos(6dx + 6c))^2 + 9\sqrt{2}a^2 \cos(4dx + 4c)^2 \\
& + 9\sqrt{2}a^2 \cos(2dx + 2c)^2 + \sqrt{2}a^2 \sin(6dx + 6c)^2 + 9\sqrt{2}a^2 \sin(4dx + 4c)^2 + 18\sqrt{2}a^2 \sin(4dx + 4c) \sin(2dx + 2c) \\
& + 9\sqrt{2}a^2 \sin(2dx + 2c)^2 + 6\sqrt{2}a^2 \cos(2dx + 2c) + \sqrt{2}a^2 + 2(3\sqrt{2}a^2 \cos(4dx + 4c) + 3\sqrt{2}a^2 \cos(2dx + 2c) \\
& + \sqrt{2}a^2) \cos(6dx + 6c) + 6(3\sqrt{2}a^2 \cos(2dx + 2c) + \sqrt{2}a^2) \cos(4dx + 4c) + 6(\sqrt{2}a^2 \sin(4dx + 4c) \\
& + \sqrt{2}a^2 \sin(2dx + 2c)) \sin(6dx + 6c) \log(2\cos(1/3\arctan2(\sin(3/2dx + 3/2c), \cos(3/2dx + 3/2c))), \cos(3/2dx + 3/2c))^2 \\
& + 2\sin(1/3\arctan2(\sin(3/2dx + 3/2c), \cos(3/2dx + 3/2c)))^2 - 2\sqrt{2} \cos(1/3\arctan2(\sin(3/2dx + 3/2c), \cos(3/2dx + 3/2c))) \\
& - 2\sqrt{2} \sin(1/3\arctan2(\sin(3/2dx + 3/2c), \cos(3/2dx + 3/2c))) + 2) - 10(a^2 \cos(6dx + 6c) + 3a^2 \cos(4dx + 4c) \\
& + 3a^2 \cos(2dx + 2c) + a^2) \sin(21/2dx + 21/2c) + 30(a^2 \cos(6dx + 6c) + 3a^2 \cos(4dx + 4c) + 3a^2 \cos(2dx + 2c) \\
& + a^2) \sin(19/2dx + 19/2c) + 48(a^2 \cos(6dx + 6c) + 3a^2 \cos(4dx + 4c) + 3a^2 \cos(2dx + 2c) + a^2) \sin(17/2dx + 17/2c) \\
& - 80(a^2 \cos(6dx + 6c) + 3a^2 \cos(4dx + 4c) + 3a^2 \cos(2dx + 2c) + a^2) \sin(15/2dx + 15/2c) - 396(a^2 \cos(6dx + 6c) \\
& + 3a^2 \cos(4dx + 4c) + 3a^2 \cos(2dx + 2c) + a^2) \sin(13/2dx + 13/2c) + 2(510a^2 \sin(4dx + 4c) \sin(3/2dx + 3/2c) \\
& + 510a^2 \sin(2dx + 2c) \sin(3/2dx + 3/2c) + 510a^2 \cos(6dx + 6c) \cos(3/2dx + 3/2c) + 510a^2 \cos(4dx + 4c) \cos(3/2dx + 3/2c) \\
& + 510a^2 \cos(2dx + 2c) \cos(3/2dx + 3/2c) + 510a^2 \sin(4dx + 4c) \cos(3/2dx + 3/2c) + 510a^2 \sin(2dx + 2c) \cos(3/2dx + 3/2c)
\end{aligned}$$

$$\begin{aligned}
& \cos(11/2*d*x + 11/2*c) + 760*a^2*\cos(9/2*d*x + 9/2*c) + 696*a^2*\cos(7/2*d*x \\
& + 7/2*c) + 405*a^2*\cos(5/2*d*x + 5/2*c) + 113*a^2*\cos(3/2*d*x + 3/2*c) + 30 \\
& *(a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*\sin(9/2*d*x + 9/2*c))*\sin(6* \\
& d*x + 6*c) - 1020*(3*a^2*\cos(4*d*x + 4*c) + 3*a^2*\cos(2*d*x + 2*c) + a^2)*s \\
& \sin(11/2*d*x + 11/2*c) + 10*(9*a^2*\cos(4*d*x + 4*c)^2 + 9*a^2*\cos(2*d*x + 2* \\
& c)^2 + 9*a^2*\sin(4*d*x + 4*c)^2 + 18*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) \\
& + 9*a^2*\sin(2*d*x + 2*c)^2 - 450*a^2*\cos(2*d*x + 2*c) - 151*a^2 + 18*(a^2*c \\
& \cos(2*d*x + 2*c) - 25*a^2)*\cos(4*d*x + 4*c))*\sin(9/2*d*x + 9/2*c) + 6*(510*a \\
& ^2*\sin(2*d*x + 2*c)*\sin(3/2*d*x + 3/2*c) + 696*a^2*\cos(7/2*d*x + 7/2*c) + 4 \\
& 05*a^2*\cos(5/2*d*x + 5/2*c) + 113*a^2*\cos(3/2*d*x + 3/2*c))*\sin(4*d*x + 4*c \\
& ) - 1392*(3*a^2*\cos(2*d*x + 2*c) + a^2)*\sin(7/2*d*x + 7/2*c) - 810*(3*a^2*c \\
& \cos(2*d*x + 2*c) + a^2)*\sin(5/2*d*x + 5/2*c) - 30*(a^2*\cos(6*d*x + 6*c)^2 + \\
& 9*a^2*\cos(4*d*x + 4*c)^2 + 9*a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(6*d*x + 6*c)^ \\
& 2 + 9*a^2*\sin(4*d*x + 4*c)^2 + 18*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9 \\
& *a^2*\sin(2*d*x + 2*c)^2 + 6*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(3*a^2*\cos(4*d*x \\
& + 4*c) + 3*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 6*(3*a^2*\cos(2*d \\
& *x + 2*c) + a^2)*\cos(4*d*x + 4*c) + 6*(a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x \\
& + 2*c))*\sin(6*d*x + 6*c))*\sin(7/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d* \\
& x + 3/2*c))) - 78*(a^2*\cos(6*d*x + 6*c)^2 + 9*a^2*\cos(4*d*x + 4*c)^2 + 9*a^ \\
& 2*\cos(2*d*x + 2*c)^2 + a^2*\sin(6*d*x + 6*c)^2 + 9*a^2*\sin(4*d*x + 4*c)^2 + \\
& 18*a^2*\sin(4*d*x + 4*c)*\sin(2*d*x + 2*c) + 9*a^2*\sin(2*d*x + 2*c)^2 + 6*a^2 \\
& *\cos(2*d*x + 2*c) + a^2 + 2*(3*a^2*\cos(4*d*x + 4*c) + 3*a^2*\cos(2*d*x + 2*c \\
& ) + a^2)*\cos(6*d*x + 6*c) + 6*(3*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(4*d*x + 4* \\
& c) + 6*(a^2*\sin(4*d*x + 4*c) + a^2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c))*\sin( \\
& 5/3*\arctan2(\sin(3/2*d*x + 3/2*c), \cos(3/2*d*x + 3/2*c))) + 600*(a^2*\cos(6*d \\
& *x + 6*c)^2 + 9*a^2*\cos(4*d*x + 4*c)^2 + 9*a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin \\
& (6*d*x + 6*c)^2 + 9*a^2*\sin(4*d*x + 4*c)^2 + 18*a^2*\sin(4*d*x + 4*c)*\sin(2* \\
& d*x + 2*c) + 9*a^2*\sin(2*d*x + 2*c)^2 + 6*a^2*\cos(2*d*x + 2*c) + a^2 + 2*(3 \\
& *a^2*\cos(4*d*x + 4*c) + 3*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(6*d*x + 6*c) + 6* \\
& (3*a^2*\cos(2*d*x + 2*c) + a^2)*\cos(4*d*x + 4*c) + 6*(a^2*\sin(4*d*x + 4*c) + \\
& a^2*\sin(2*d*x + 2*c))*\sin(6*d*x + 6*c))*\sin(1/3*\arctan2(\sin(3/2*d*x + 3/2* \\
& c), \cos(3/2*d*x + 3/2*c))) * A*sqrt(a)/(sqrt(2)*cos(6*d*x + 6*c)^2 + 9*sqrt( \\
& 2)*cos(4*d*x + 4*c)^2 + 9*sqrt(2)*cos(2*d*x + 2*c)^2 + sqrt(2)*sin(6*d*x + \\
& 6*c)^2 + 9*sqrt(2)*sin(4*d*x + 4*c)^2 + 18*sqrt(2)*sin(4*d*x + 4*c)*\sin(2*d \\
& *x + 2*c) + 9*sqrt(2)*sin(2*d*x + 2*c)^2 + 2*(3*sqrt(2)*cos(4*d*x + 4*c) + \\
& 3*sqrt(2)*cos(2*d*x + 2*c) + sqrt(2))*cos(6*d*x + 6*c) + 6*(3*sqrt(2)*cos(2 \\
& *d*x + 2*c) + sqrt(2))*cos(4*d*x + 4*c) + 6*(sqrt(2)*sin(4*d*x + 4*c) + sqr \\
& t(2)*sin(2*d*x + 2*c))*\sin(6*d*x + 6*c) + 6*sqrt(2)*cos(2*d*x + 2*c) + sqrt \\
& (2)) + 6*(150*sqrt(2)*a^2*\cos(7/2*d*x + 7/2*c)*\sin(2*d*x + 2*c) + 154*sqrt( \\
& 2)*a^2*\cos(5/2*d*x + 5/2*c)*\sin(2*d*x + 2*c) - 28*sqrt(2)*a^2*\sin(3/2*d*x + \\
& 3/2*c) + 44*sqrt(2)*a^2*\sin(1/2*d*x + 1/2*c) - (3*sqrt(2)*a^2*\sin(7/2*d*x \\
& + 7/2*c) + 5*sqrt(2)*a^2*\sin(5/2*d*x + 5/2*c) - 17*sqrt(2)*a^2*\sin(3/2*d*x \\
& + 3/2*c) - 55*sqrt(2)*a^2*\sin(1/2*d*x + 1/2*c) + 19*a^2*\log(2*\cos(1/2*d*x + \\
& 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*\cos(1/2*d*x + 1/2*c) + 2*s \\
& qrt(2)*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2* \\
& \sin(1/2*d*x + 1/2*c)^2 + 2*sqrt(2)*\cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*\sin(1/2 \\
& *d*x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + \\
& 1/2*c)^2 - 2*sqrt(2)*\cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*\sin(1/2*d*x + 1/2*c) \\
& + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*s \\
& qrt(2)*\cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*\sin(1/2*d*x + 1/2*c) + 2))*\cos(4*d* \\
& x + 4*c)^2 + 4*(17*sqrt(2)*a^2*\sin(3/2*d*x + 3/2*c) + 55*sqrt(2)*a^2*\sin(1/ \\
& 2*d*x + 1/2*c) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2* \\
& c)^2 + 2*sqrt(2)*\cos(1/2*d*x + 1/2*c) + 2*sqrt(2)*\sin(1/2*d*x + 1/2*c) + 2) \\
& + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*sqrt( \\
& 2)*\cos(1/2*d*x + 1/2*c) - 2*sqrt(2)*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log( \\
& 2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*\cos(1/2*d*x \\
& + 1/2*c) + 2*sqrt(2)*\sin(1/2*d*x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x \\
& + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*sqrt(2)*\cos(1/2*d*x + 1/2*c) - 2* \\
& sqrt(2)*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c)^2 - 19*a^2*\log(2*\cos(1/
\end{aligned}$$

$$\begin{aligned}
& 2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) \\
& ) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c) \\
& ^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2} * \\
& \sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2 \\
& *d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + \\
& 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^ \\
& 2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - \\
& (3*\sqrt{2}*a^2*\sin(7/2*d*x + 7/2*c) + 5*\sqrt{2}*a^2*\sin(5/2*d*x + 5/2*c) - \\
& 17*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) - 55*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) + \\
& 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}) \\
& *\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2* \\
& \cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + \\
& 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + \\
& 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{ \\
& rt(2)*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*s \\
& in(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2* \\
& d*x + 1/2*c) + 2))*\sin(4*d*x + 4*c)^2 + 4*(17*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2 \\
& *c) + 55*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2* \\
& c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2} \\
& )*\sin(1/2*d*x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1 \\
& /2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x \\
& + 1/2*c) + 2) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c) \\
& )^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) \\
& + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2} \\
& )*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\sin(2*d*x + 2 \\
& *c)^2 - 3*(\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 2*\sqrt{2}*a^2*\sin(2*d*x + 2*c))*\cos \\
& (15/2*d*x + 15/2*c) - 5*(\sqrt{2}*a^2*\sin(4*d*x + 4*c) + 2*\sqrt{2}*a^2*\sin \\
& (2*d*x + 2*c))*\cos(13/2*d*x + 13/2*c) + 11*(\sqrt{2}*a^2*\sin(4*d*x + 4*c) + \\
& 2*\sqrt{2}*a^2*\sin(2*d*x + 2*c))*\cos(11/2*d*x + 11/2*c) + 45*(\sqrt{2}*a^2*\sin \\
& (4*d*x + 4*c) + 2*\sqrt{2}*a^2*\sin(2*d*x + 2*c))*\cos(9/2*d*x + 9/2*c) - (11 \\
& *\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) - 99*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2*c) + 3 \\
& 8*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2})*\cos \\
& (1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 38*a^2*\log(2*\cos \\
& (1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1 \\
& /2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 38*a^2*\log(2*\cos(1/2*d*x + 1/ \\
& 2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{ \\
& 2)*\sin(1/2*d*x + 1/2*c) + 2) - 38*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin \\
& (1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d* \\
& x + 1/2*c) + 2) - 4*(17*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) + 55*\sqrt{2}*a^2*s \\
& in(1/2*d*x + 1/2*c) - 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + \\
& 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) \\
& + 2) + 19*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2* \\
& \sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 19*a^2 \\
& *\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/ \\
& 2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 19*a^2*\log(2*\cos(1/2 \\
& *d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) \\
& - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c) + 3*(4*\sqrt{2}*a^2 \\
& *\cos(2*d*x + 2*c) + 27*\sqrt{2}*a^2)*\sin(7/2*d*x + 7/2*c) + (20*\sqrt{2}*a^2* \\
& \cos(2*d*x + 2*c) + 87*\sqrt{2}*a^2)*\sin(5/2*d*x + 5/2*c))*\cos(4*d*x + 4*c) - \\
& 2*(11*\sqrt{2}*a^2*\sin(3/2*d*x + 3/2*c) - 99*\sqrt{2}*a^2*\sin(1/2*d*x + 1/2* \\
& c) + 38*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{ \\
& 2)*\cos(1/2*d*x + 1/2*c) + 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 38*a^2*\log \\
& (2*\cos(1/2*d*x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 + 2*\sqrt{2}*\cos(1/2*d \\
& *x + 1/2*c) - 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) + 38*a^2*\log(2*\cos(1/2*d* \\
& x + 1/2*c)^2 + 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) + \\
& 2*\sqrt{2}*\sin(1/2*d*x + 1/2*c) + 2) - 38*a^2*\log(2*\cos(1/2*d*x + 1/2*c)^2 + \\
& 2*\sin(1/2*d*x + 1/2*c)^2 - 2*\sqrt{2}*\cos(1/2*d*x + 1/2*c) - 2*\sqrt{2}*\sin( \\
& 1/2*d*x + 1/2*c) + 2))*\cos(2*d*x + 2*c) + 3*(\sqrt{2}*a^2*\cos(4*d*x + 4*c) + \\
& 2*\sqrt{2}*a^2*\cos(2*d*x + 2*c) + \sqrt{2}*a^2)*\sin(15/2*d*x + 15/2*c) + 5*(
\end{aligned}$$

$$\begin{aligned} & \sqrt{2}a^2\cos(4dx + 4c) + 2\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2 \\ & \sin(13/2dx + 13/2c) - 11(\sqrt{2}a^2\cos(4dx + 4c) + 2\sqrt{2}a^2 \\ & \cos(2dx + 2c) + \sqrt{2}a^2)\sin(11/2dx + 11/2c) - 45(\sqrt{2}a^2\cos(4dx + 4c) + 2\sqrt{2}a^2\cos(2dx + 2c) + \sqrt{2}a^2)\sin(9/2dx \\ & + 9/2c) - (12\sqrt{2}a^2\sin(7/2dx + 7/2c)\sin(2dx + 2c) + 20\sqrt{2} \\ & (2)a^2\sin(5/2dx + 5/2c)\sin(2dx + 2c) - 75\sqrt{2}a^2\cos(7/2dx \\ & + 7/2c) - 77\sqrt{2}a^2\cos(5/2dx + 5/2c) - 45\sqrt{2}a^2\cos(3/2dx \\ & + 3/2c) - 11\sqrt{2}a^2\cos(1/2dx + 1/2c) - 4(17\sqrt{2}a^2\sin(3/2 \\ & dx + 3/2c) + 55\sqrt{2}a^2\sin(1/2dx + 1/2c) - 19a^2\log(2\cos(1/2 \\ & dx + 1/2c))^2 + 2\sin(1/2dx + 1/2c))^2 + 2\sqrt{2}\cos(1/2dx + 1/2c) \\ & + 2\sqrt{2}\sin(1/2dx + 1/2c) + 2) + 19a^2\log(2\cos(1/2dx + 1/2c))^2 \\ & + 2\sin(1/2dx + 1/2c))^2 + 2\sqrt{2}\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin \\ & (1/2dx + 1/2c) + 2) - 19a^2\log(2\cos(1/2dx + 1/2c))^2 + 2\sin(1/2dx \\ & + 1/2c))^2 - 2\sqrt{2}\cos(1/2dx + 1/2c) + 2\sqrt{2}\sin(1/2dx + 1/ \\ & 2c) + 2) + 19a^2\log(2\cos(1/2dx + 1/2c))^2 + 2\sin(1/2dx + 1/2c))^2 \\ & - 2\sqrt{2}\cos(1/2dx + 1/2c) - 2\sqrt{2}\sin(1/2dx + 1/2c) + 2)\sin \\ & (2dx + 2c))\sin(4dx + 4c) - 6(2\sqrt{2}a^2\cos(2dx + 2c))^2 + 2\sqrt{2} \\ & a^2\sin(2dx + 2c))^2 + 27\sqrt{2}a^2\cos(2dx + 2c) + 13\sqrt{2} \\ & (2)a^2\sin(7/2dx + 7/2c) - 2(10\sqrt{2}a^2\cos(2dx + 2c))^2 + 10\sqrt{2} \\ & a^2\sin(2dx + 2c))^2 + 87\sqrt{2}a^2\cos(2dx + 2c) + 41\sqrt{2} \\ & a^2\sin(5/2dx + 5/2c) + 2(45\sqrt{2}a^2\cos(3/2dx + 3/2c) + 11\sqrt{2} \\ & a^2\cos(1/2dx + 1/2c))\sin(2dx + 2c))B\sqrt{a}/(2(2\cos(2dx \\ & + 2c) + 1)\cos(4dx + 4c) + \cos(4dx + 4c))^2 + 4\cos(2dx + 2c))^2 + \\ & \sin(4dx + 4c))^2 + 4\sin(4dx + 4c)\sin(2dx + 2c) + 4\sin(2dx + 2 \\ & c))^2 + 4\cos(2dx + 2c) + 1))/d \end{aligned}$$

**Fricas [A]** time = 2.04682, size = 544, normalized size = 3.32

$$3\left((25A + 38B)a^2\cos(dx + c)^4 + (25A + 38B)a^2\cos(dx + c)^3\right)\sqrt{a}\log\left(\frac{a\cos(dx+c)^3 - 7a\cos(dx+c)^2 - 4\sqrt{a}\cos(dx+c) + a\sqrt{a}(\cos(dx+c) - 2)\sin(dx+c) + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)$$

$96(d\cos(dx + c))$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))^(5/2)\*(A+B\*cos(dx+c))\*sec(dx+c)^4,x, algorithm="fricas")

[Out] 1/96\*(3\*((25\*A + 38\*B)\*a^2\*cos(dx + c)^4 + (25\*A + 38\*B)\*a^2\*cos(dx + c)^3)\*sqrt(a)\*log((a\*cos(dx + c)^3 - 7\*a\*cos(dx + c)^2 - 4\*sqrt(a\*cos(dx + c) + a)\*sqrt(a)\*(cos(dx + c) - 2)\*sin(dx + c) + 8\*a)/(cos(dx + c)^3 + cos(dx + c)^2)) + 4\*(3\*(25\*A + 22\*B)\*a^2\*cos(dx + c)^2 + 2\*(17\*A + 6\*B)\*a^2\*cos(dx + c) + 8\*A\*a^2)\*sqrt(a\*cos(dx + c) + a)\*sin(dx + c))/(d\*cos(dx + c)^4 + d\*cos(dx + c)^3)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))\*\*(5/2)\*(A+B\*cos(dx+c))\*sec(dx+c)\*\*4,x)

[Out] Timed out

---

**Giac [B]** time = 3.2778, size = 861, normalized size = 5.25

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] 
$$\frac{1}{48} \cdot (3 \cdot (25 \cdot A \cdot a^{5/2} + 38 \cdot B \cdot a^{5/2})) \cdot \log(\text{abs}((\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^2 - a \cdot (2 \cdot \sqrt{2} + 3))) - 3 \cdot (25 \cdot A \cdot a^{5/2} + 38 \cdot B \cdot a^{5/2})) \cdot \log(\text{abs}((\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^2 + a \cdot (2 \cdot \sqrt{2} - 3))) + 4 \cdot \sqrt{2} \cdot (75 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^{10} \cdot A \cdot a^{7/2} + 114 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^{10} \cdot B \cdot a^{7/2} - 1125 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^8 \cdot A \cdot a^{9/2} - 1710 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^8 \cdot B \cdot a^{9/2} + 6174 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^6 \cdot A \cdot a^{11/2} + 6804 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^6 \cdot B \cdot a^{11/2} - 4314 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^4 \cdot A \cdot a^{13/2} - 4284 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^4 \cdot B \cdot a^{13/2} + 807 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^2 \cdot A \cdot a^{15/2} + 858 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^2 \cdot B \cdot a^{15/2} - 49 \cdot A \cdot a^{17/2} - 54 \cdot B \cdot a^{17/2}) / ((\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^4 - 6 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^2 \cdot a + a^2)^3) / d$$

### 3.98 $\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx$

**Optimal.** Leaf size=209

$$\frac{a^3(163A + 200B) \tan(c + dx)}{64d\sqrt{a \cos(c + dx) + a}} + \frac{a^{5/2}(163A + 200B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{64d} + \frac{a^2(11A + 8B) \tan(c + dx) \sec^2(c + dx) \sqrt{a \cos(c + dx) + a}}{24d}$$

[Out] (a^(5/2)\*(163\*A + 200\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(64\*d) + (a^3\*(163\*A + 200\*B)\*Tan[c + d\*x])/(64\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^3\*(95\*A + 104\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(96\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(11\*A + 8\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(24\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(4\*d)

**Rubi [A]** time = 0.608621, antiderivative size = 209, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2975, 2980, 2772, 2773, 206}

$$\frac{a^3(163A + 200B) \tan(c + dx)}{64d\sqrt{a \cos(c + dx) + a}} + \frac{a^{5/2}(163A + 200B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{64d} + \frac{a^2(11A + 8B) \tan(c + dx) \sec^2(c + dx) \sqrt{a \cos(c + dx) + a}}{24d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^5,x]

[Out] (a^(5/2)\*(163\*A + 200\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(64\*d) + (a^3\*(163\*A + 200\*B)\*Tan[c + d\*x])/(64\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^3\*(95\*A + 104\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(96\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(11\*A + 8\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(24\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(4\*d)

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]



Rule 2772

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]
```

Rule 2773

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^{3/2} \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int \dots \\ &= \frac{a^2(11A + 8B)\sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \tan(c + dx)}{24d} \\ &= \frac{a^3(95A + 104B) \sec(c + dx) \tan(c + dx)}{96d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(11A + 8B)}{96d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a^3(163A + 200B) \tan(c + dx)}{64d\sqrt{a + a \cos(c + dx)}} + \frac{a^3(95A + 104B) \sec(c + dx)}{96d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a^3(163A + 200B) \tan(c + dx)}{64d\sqrt{a + a \cos(c + dx)}} + \frac{a^3(95A + 104B) \sec(c + dx)}{96d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a^{5/2}(163A + 200B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{64d} + \frac{a^3(163A + 200B)}{64d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 1.65608, size = 152, normalized size = 0.73

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec^4(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right) ((2203A + 2056B) \cos(c + dx) + (652A + 544B))\right)}{768d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^5, x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sec[c + d*x]^4*(6*Sqrt[2]*(163*A + 200*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^4 + (844*A + 544*B + (2203*A + 2056*B)*Cos[c + d*x] + (652*A + 544*B)*Cos[2*(c + d*x)] + 489*A*Cos[3*(c + d*x)] + 600*B*Cos[3*(c + d*x)])*Sin[(c + d*x)/2])/ (768*d)
```

---

**Maple [B]** time = 4.174, size = 1630, normalized size = 7.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+\cos(dx+c)*a)^{(5/2)}*(A+B*\cos(dx+c))*\sec(dx+c)^5,x)$

[Out]  $\frac{1}{24}a^{3/2}\cos(1/2dx+1/2c)*(a*\sin(1/2dx+1/2c)^2)^{1/2}*(48a*(163A*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2a))+163A*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a))+200B*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2a))+200B*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a)))*\sin(1/2dx+1/2c)^8-48*(163A*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+200B*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2})*a^{1/2}+326A*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a+326A*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a+400B*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a+400B*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a)*\sin(1/2dx+1/2c)^6+8*(1793A*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+2072B*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2})*a^{1/2}+1467A*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a+1467A*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a+1800B*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a+1800B*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a)*\sin(1/2dx+1/2c)^4+(-9212A*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-3912A*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a-3912A*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a-9632B*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2})*a^{1/2}-4800B*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a-4800B*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a)*\sin(1/2dx+1/2c)^2+2094A*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+489A*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a+489A*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a+1872B*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2})*a^{1/2}+600B*\ln(4/(2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}+a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a+600B*\ln(-4/(-2*\cos(1/2dx+1/2c)+2^{1/2}))*a^{1/2}*2^{1/2}*(a*\sin(1/2dx+1/2c)^2)^{1/2}-a*2^{1/2}*\cos(1/2dx+1/2c)+2a))*a)/(2*\cos(1/2dx+1/2c)-2^{1/2})^4/(2*\cos(1/2dx+1/2c)+2^{1/2})^4/\sin(1/2dx+1/2c)/(\cos(1/2dx+1/2c)^2*a)^{1/2}/d$

---

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm
="maxima")
```

[Out] Timed out

**Fricas [A]** time = 2.18219, size = 608, normalized size = 2.91

$$3 \left( (163 A + 200 B) a^2 \cos(dx + c)^5 + (163 A + 200 B) a^2 \cos(dx + c)^4 \right) \sqrt{a} \log \left( \frac{a \cos(dx+c)^3 - 7 a \cos(dx+c)^2 - 4 \sqrt{a} \cos(dx+c) + a \sqrt{a}}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm
="fricas")
```

```
[Out] 1/768*(3*((163*A + 200*B)*a^2*cos(d*x + c)^5 + (163*A + 200*B)*a^2*cos(d*x
+ c)^4)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d
*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3
+ cos(d*x + c)^2)) + 4*(3*(163*A + 200*B)*a^2*cos(d*x + c)^3 + 2*(163*A +
136*B)*a^2*cos(d*x + c)^2 + 8*(23*A + 8*B)*a^2*cos(d*x + c) + 48*A*a^2)*sqrt
(a*cos(d*x + c) + a)*sin(d*x + c))/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**5,x)
```

[Out] Timed out

**Giac [B]** time = 3.40891, size = 1083, normalized size = 5.18

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm
="giac")
```

```
[Out] 1/384*(3*(163*A*a^(5/2) + 200*B*a^(5/2))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2
*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3))) - 3*(163*
A*a^(5/2) + 200*B*a^(5/2))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*t
an(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3))) + 4*sqrt(2)*(489*(sqrt(
a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^14*A*a^(7/2)
+ 600*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^1
4*B*a^(7/2) - 10269*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/
```

$$\begin{aligned}
& 2*c)^2 + a))^12*A*a^{(9/2)} - 12600*(\text{sqrt}(a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(a*\tan(1/2*d*x + 1/2*c)^2 + a))^12*B*a^{(9/2)} + 69885*(\text{sqrt}(a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(a*\tan(1/2*d*x + 1/2*c)^2 + a))^10*A*a^{(11/2)} + 103992*(\text{sqrt}(a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(a*\tan(1/2*d*x + 1/2*c)^2 + a))^10*B*a^{(11/2)} - 259233*(\text{sqrt}(a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(a*\tan(1/2*d*x + 1/2*c)^2 + a))^8*A*a^{(13/2)} - 339864*(\text{sqrt}(a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(a*\tan(1/2*d*x + 1/2*c)^2 + a))^8*B*a^{(13/2)} + 209979*(\text{sqrt}(a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(a*\tan(1/2*d*x + 1/2*c)^2 + a))^6*A*a^{(15/2)} + 262920*(\text{sqrt}(a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(a*\tan(1/2*d*x + 1/2*c)^2 + a))^6*B*a^{(15/2)} - 55511*(\text{sqrt}(a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(a*\tan(1/2*d*x + 1/2*c)^2 + a))^4*A*a^{(17/2)} - 73640*(\text{sqrt}(a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(a*\tan(1/2*d*x + 1/2*c)^2 + a))^4*B*a^{(17/2)} + 6687*(\text{sqrt}(a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(a*\tan(1/2*d*x + 1/2*c)^2 + a))^2*A*a^{(19/2)} + 8808*(\text{sqrt}(a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(a*\tan(1/2*d*x + 1/2*c)^2 + a))^2*B*a^{(19/2)} - 299*A*a^{(21/2)} - 392*B*a^{(21/2)})/((\text{sqrt}(a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(a*\tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(\text{sqrt}(a)*\tan(1/2*d*x + 1/2*c) - \text{sqrt}(a*\tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)^4)/d
\end{aligned}$$

$$3.99 \quad \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^6(c + dx) dx$$

**Optimal.** Leaf size=254

$$\frac{a^3(283A + 326B) \tan(c + dx)}{128d\sqrt{a \cos(c + dx) + a}} + \frac{a^{5/2}(283A + 326B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{128d} + \frac{a^2(13A + 10B) \tan(c + dx) \sec^3(c + dx)}{40d}$$

[Out] (a^(5/2)\*(283\*A + 326\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(128\*d) + (a^3\*(283\*A + 326\*B)\*Tan[c + d\*x])/(128\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^3\*(283\*A + 326\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(192\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^3\*(157\*A + 170\*B)\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(240\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(13\*A + 10\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(40\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^4\*Tan[c + d\*x])/(5\*d)

**Rubi [A]** time = 0.713067, antiderivative size = 254, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2975, 2980, 2772, 2773, 206}

$$\frac{a^3(283A + 326B) \tan(c + dx)}{128d\sqrt{a \cos(c + dx) + a}} + \frac{a^{5/2}(283A + 326B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{128d} + \frac{a^2(13A + 10B) \tan(c + dx) \sec^3(c + dx)}{40d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^6,x]

[Out] (a^(5/2)\*(283\*A + 326\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(128\*d) + (a^3\*(283\*A + 326\*B)\*Tan[c + d\*x])/(128\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^3\*(283\*A + 326\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(192\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^3\*(157\*A + 170\*B)\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(240\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(13\*A + 10\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^3\*Tan[c + d\*x])/(40\*d) + (a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^4\*Tan[c + d\*x])/(5\*d)

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(

$c + d \sin[e + f x]^{(n+1)}, x, x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \& \& \text{NeQ}[b*c - a*d, 0] \& \& \text{EqQ}[a^2 - b^2, 0] \& \& \text{NeQ}[c^2 - d^2, 0] \& \& \text{LtQ}[n, -1]$

### Rule 2772

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{(n_)}, x\_Symbol] :> \text{Simp}[(b*c - a*d)*\text{Cos}[e + f*x]*(c + d*\sin[e + f*x])^{(n+1)})/(f*(n+1)*(c^2 - d^2)*\text{Sqrt}[a + b*\sin[e + f*x]], x] + \text{Dist}[(2*n + 3)*(b*c - a*d)/(2*b*(n+1)*(c^2 - d^2)), \text{Int}[\text{Sqrt}[a + b*\sin[e + f*x]]*(c + d*\sin[e + f*x])^{(n+1)}, x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \& \& \text{NeQ}[b*c - a*d, 0] \& \& \text{EqQ}[a^2 - b^2, 0] \& \& \text{NeQ}[c^2 - d^2, 0] \& \& \text{LtQ}[n, -1] \& \& \text{NeQ}[2*n + 3, 0] \& \& \text{IntegerQ}[2*n]$

### Rule 2773

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*\sin[(e_) + (f_)*(x_)]), x\_Symbol] :> \text{Dist}[(-2*b)/f, \text{Subst}[\text{Int}[1/(b*c + a*d - d*x^2), x], x, (b*\text{Cos}[e + f*x])/ \text{Sqrt}[a + b*\sin[e + f*x]]], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \& \& \text{NeQ}[b*c - a*d, 0] \& \& \text{EqQ}[a^2 - b^2, 0] \& \& \text{NeQ}[c^2 - d^2, 0]$

### Rule 206

$\text{Int}[(a_) + (b_)*(x_)^2]^{-1}, x\_Symbol] :> \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x\} \& \& \text{NegQ}[a/b] \& \& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^6(c + dx) dx &= \frac{aA(a + a \cos(c + dx))^{3/2} \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx \\ &= \frac{a^2(13A + 10B)\sqrt{a + a \cos(c + dx)} \sec^3(c + dx) \tan(c + dx)}{40d} \\ &= \frac{a^3(157A + 170B) \sec^2(c + dx) \tan(c + dx)}{240d\sqrt{a + a \cos(c + dx)}} + \frac{a^2(13A + 10B)\sqrt{a + a \cos(c + dx)} \sec^3(c + dx) \tan(c + dx)}{40d} \\ &= \frac{a^3(283A + 326B) \sec(c + dx) \tan(c + dx)}{192d\sqrt{a + a \cos(c + dx)}} + \frac{a^3(157A + 170B) \sec^2(c + dx) \tan(c + dx)}{240d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a^3(283A + 326B) \tan(c + dx)}{128d\sqrt{a + a \cos(c + dx)}} + \frac{a^3(283A + 326B) \sec(c + dx)}{192d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a^3(283A + 326B) \tan(c + dx)}{128d\sqrt{a + a \cos(c + dx)}} + \frac{a^3(283A + 326B) \sec(c + dx)}{192d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a^{5/2}(283A + 326B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{128d} + \frac{a^3(283A + 326B)}{128d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 2.02376, size = 176, normalized size = 0.69

$$a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec^5(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(\sin\left(\frac{1}{2}(c + dx)\right)\right) (36(781A + 650B) \cos(c + dx) + 4(6509A + 6730B))$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^6,x]

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sec[c + d*x]^5*(60*Sqrt[2]
*(283*A + 326*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^5 + (24863*
A + 22030*B + 36*(781*A + 650*B)*Cos[c + d*x] + 4*(6509*A + 6730*B)*Cos[2*(
c + d*x)] + 5660*A*Cos[3*(c + d*x)] + 6520*B*Cos[3*(c + d*x)] + 4245*A*Cos[
4*(c + d*x)] + 4890*B*Cos[4*(c + d*x)])*Sin[(c + d*x)/2))/(15360*d)
```

**Maple [B]** time = 4.312, size = 1951, normalized size = 7.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^6,x)
```

```
[Out] 1/120*a^(3/2)*cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-480*a*(28
3*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1
/2*c)^2)^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))+283*A*ln(4/(2*cos(1/2*d*x
+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*
cos(1/2*d*x+1/2*c)+2*a))+326*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/
2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a)
)+326*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x
+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a)))*sin(1/2*d*x+1/2*c)^10+
240*(566*A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+652*B*2^(1/2)*(a*
sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+1415*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(
1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-a*2^(1/2)*cos(1/2*d*x
+1/2*c)+2*a))*a+1415*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)
*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+1630*B
*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*
c)^2)^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+1630*B*ln(4/(2*cos(1/2*d*x
+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*
cos(1/2*d*x+1/2*c)+2*a))*a)*sin(1/2*d*x+1/2*c)^8-80*(3962*A*a^(1/2)*2^(1/2)
*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+4564*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/
2)*a^(1/2)+4245*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a
*sin(1/2*d*x+1/2*c)^2)^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+4245*A*ln
(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)
^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+4890*B*ln(-4/(-2*cos(1/2*d*x+1/
2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-a*2^(1/2)*cos
(1/2*d*x+1/2*c)+2*a))*a+4890*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)
*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*
a)*sin(1/2*d*x+1/2*c)^6+8*(36224*A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)
^(1/2)+40960*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+21225*A*ln(-4
/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)
^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+21225*A*ln(4/(2*cos(1/2*d*x+1/2*
c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1
/2*d*x+1/2*c)+2*a))*a+24450*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)
*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))
*a+24450*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*
d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)*sin(1/2*d*x+1/2*c
)^4-10*(12556*A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+13400*B*2^(1
/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+4245*A*ln(-4/(-2*cos(1/2*d*x+1/2
*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-a*2^(1/2)*cos(
1/2*d*x+1/2*c)+2*a))*a+4245*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*
2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a
+4890*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d
*x+1/2*c)^2)^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+4890*B*ln(4/(2*cos(
1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2
^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)*sin(1/2*d*x+1/2*c)^2+22230*A*a^(1/2)*2^(
```

$$\frac{1}{2} * (a * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) + 4245 * A * \ln(-4 / (-2 * \cos(1/2 * d * x + 1/2 * c) + 2 ^ (1/2))) * (a ^ (1/2) * 2 ^ (1/2) * (a * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) - a * 2 ^ (1/2) * \cos(1/2 * d * x + 1/2 * c) + 2 * a) * a + 4245 * A * \ln(4 / (2 * \cos(1/2 * d * x + 1/2 * c) + 2 ^ (1/2))) * (a ^ (1/2) * 2 ^ (1/2) * (a * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) + a * 2 ^ (1/2) * \cos(1/2 * d * x + 1/2 * c) + 2 * a) * a + 20940 * B * 2 ^ (1/2) * (a * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * a ^ (1/2) + 4890 * B * \ln(-4 / (-2 * \cos(1/2 * d * x + 1/2 * c) + 2 ^ (1/2))) * (a ^ (1/2) * 2 ^ (1/2) * (a * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) - a * 2 ^ (1/2) * \cos(1/2 * d * x + 1/2 * c) + 2 * a) * a + 4890 * B * \ln(4 / (2 * \cos(1/2 * d * x + 1/2 * c) + 2 ^ (1/2))) * (a ^ (1/2) * 2 ^ (1/2) * (a * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) + a * 2 ^ (1/2) * \cos(1/2 * d * x + 1/2 * c) + 2 * a) * a) / (2 * \cos(1/2 * d * x + 1/2 * c) + 2 ^ (1/2)) ^ 5 / (2 * \cos(1/2 * d * x + 1/2 * c) - 2 ^ (1/2)) ^ 5 / \sin(1/2 * d * x + 1/2 * c) / (\cos(1/2 * d * x + 1/2 * c) ^ 2 * a) ^ (1/2) / d$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 2.32016, size = 670, normalized size = 2.64

$$15 \left( (283 A + 326 B) a^2 \cos(dx + c)^6 + (283 A + 326 B) a^2 \cos(dx + c)^5 \right) \sqrt{a} \log \left( \frac{a \cos(dx+c)^3 - 7 a \cos(dx+c)^2 - 4 \sqrt{a \cos(dx+c) + a} \sqrt{a \cos(dx+c)}}{\cos(dx+c)^3 + \cos(dx+c)^2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="fricas")

[Out]  $\frac{1}{7680} * (15 * ((283 * A + 326 * B) * a^2 * \cos(d * x + c) ^ 6 + (283 * A + 326 * B) * a^2 * \cos(d * x + c) ^ 5) * \sqrt{a} * \log((a * \cos(d * x + c) ^ 3 - 7 * a * \cos(d * x + c) ^ 2 - 4 * \sqrt{a * \cos(d * x + c) + a} * \sqrt{a * \cos(d * x + c)}) / (\cos(d * x + c) ^ 3 + \cos(d * x + c) ^ 2)) + 4 * (15 * (283 * A + 326 * B) * a^2 * \cos(d * x + c) ^ 4 + 10 * (283 * A + 326 * B) * a^2 * \cos(d * x + c) ^ 3 + 8 * (283 * A + 230 * B) * a^2 * \cos(d * x + c) ^ 2 + 48 * (29 * A + 10 * B) * a^2 * \cos(d * x + c) + 384 * A * a^2) * \sqrt{a * \cos(d * x + c) + a} * \sin(d * x + c)) / (d * \cos(d * x + c) ^ 6 + d * \cos(d * x + c) ^ 5)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*6,x)

[Out] Timed out



**Giac [B]** time = 3.56792, size = 1304, normalized size = 5.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="giac")

[Out] 
$$\frac{1}{3840} \cdot (15 \cdot (283 \cdot A \cdot a^{5/2} + 326 \cdot B \cdot a^{5/2})) \cdot \log(\text{abs}((\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^2 - a \cdot (2 \cdot \sqrt{2} + 3))) - 15 \cdot (283 \cdot A \cdot a^{5/2} + 326 \cdot B \cdot a^{5/2}) \cdot \log(\text{abs}((\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^2 + a \cdot (2 \cdot \sqrt{2} - 3))) + 4 \cdot \sqrt{2} \cdot (4245 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^{18} \cdot A \cdot a^{7/2} + 4890 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^{18} \cdot B \cdot a^{7/2} - 114615 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^{16} \cdot A \cdot a^{9/2} - 132030 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^{16} \cdot B \cdot a^{9/2} + 1298820 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^{14} \cdot A \cdot a^{11/2} + 1319880 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^{14} \cdot B \cdot a^{11/2} - 6176700 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^{12} \cdot A \cdot a^{13/2} - 6888120 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^{12} \cdot B \cdot a^{13/2} + 16394598 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^{10} \cdot A \cdot a^{15/2} + 18352620 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^{10} \cdot B \cdot a^{15/2} - 14042770 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^8 \cdot A \cdot a^{17/2} - 15746180 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^8 \cdot B \cdot a^{17/2} + 4791060 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^6 \cdot A \cdot a^{19/2} + 5497320 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^6 \cdot B \cdot a^{19/2} - 860300 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^4 \cdot A \cdot a^{21/2} - 959320 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^4 \cdot B \cdot a^{21/2} + 75885 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^2 \cdot A \cdot a^{23/2} + 84810 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^2 \cdot B \cdot a^{23/2} - 2671 \cdot A \cdot a^{25/2} - 2990 \cdot B \cdot a^{25/2}) / ((\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^4 - 6 \cdot (\sqrt{a} \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - \sqrt{a \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 + a})^2 \cdot a + a^2)^5 / d$$

$$3.100 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=202

$$\frac{2(7A - B) \sin(c + dx) \cos^2(c + dx)}{35d\sqrt{a \cos(c + dx) + a}} - \frac{2(7A - 31B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{105ad} + \frac{4(49A - 37B) \sin(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} - \frac{\sqrt{2}(A - B)}{105d}$$

[Out] -((Sqrt[2]\*(A - B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d) + (4\*(49\*A - 37\*B)\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*(7\*A - B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(35\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*B\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(7\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - (2\*(7\*A - 31\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(105\*a\*d)

**Rubi [A]** time = 0.577639, antiderivative size = 202, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2983, 2968, 3023, 2751, 2649, 206}

$$\frac{2(7A - B) \sin(c + dx) \cos^2(c + dx)}{35d\sqrt{a \cos(c + dx) + a}} - \frac{2(7A - 31B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{105ad} + \frac{4(49A - 37B) \sin(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} - \frac{\sqrt{2}(A - B)}{105d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^3\*(A + B\*Cos[c + d\*x]))/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] -((Sqrt[2]\*(A - B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d) + (4\*(49\*A - 37\*B)\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*(7\*A - B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(35\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*B\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(7\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - (2\*(7\*A - 31\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(105\*a\*d)

#### Rule 2983

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + n + 1)), x] + Dist[1/(b\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*b\*c\*(m + n + 1) + B\*(a\*c\*m + b\*d\*n) + (A\*b\*d\*(m + n + 1) + B\*(a\*d\*m + b\*c\*n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2), x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 1) + C)]\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&  
!LtQ[m, -1]

### Rule 2751

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) +  
(f\_)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m)/(f  
\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Ssin[e +  
f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] &&  
EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

### Rule 2649

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[-2/d, S  
ubst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Ssin[c + d\*x]]],  
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/  
Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt  
Q[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{\sqrt{a + a \cos(c + dx)}} dx &= \frac{2B \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} + \frac{2 \int \frac{\cos^2(c + dx) \left(3aB + \frac{1}{2}a(7A - B) \cos(c + dx)\right)}{\sqrt{a + a \cos(c + dx)}} dx}{7a} \\ &= \frac{2(7A - B) \cos^2(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2B \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} + \frac{4 \int \frac{\cos(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx}{7a} \\ &= \frac{2(7A - B) \cos^2(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2B \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} + \frac{4 \int \frac{a^{2/7}}{\sqrt{a + a \cos(c + dx)}} dx}{7a} \\ &= \frac{2(7A - B) \cos^2(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2B \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} - \frac{2(7A - B)}{7a} \\ &= \frac{4(49A - 37B) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{2(7A - B) \cos^2(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2B \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{4(49A - 37B) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{2(7A - B) \cos^2(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2B \cos^3(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2}\sqrt{a + a \cos(c + dx)}}\right)}{\sqrt{ad}} + \frac{4(49A - 37B) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{2(7A - B)}{7a} \end{aligned}$$

**Mathematica [A]** time = 0.64239, size = 111, normalized size = 0.55

$$\frac{\cos\left(\frac{1}{2}(c + dx)\right) \left(2 \sin\left(\frac{1}{2}(c + dx)\right) ((169B - 28A) \cos(c + dx) + 6(7A - B) \cos(2(c + dx)) + 406A + 15B \cos(3(c + dx)))\right)}{210d\sqrt{a}(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^3\*(A + B\*Cos[c + d\*x]))/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out]  $(\cos[(c + dx)/2] * (-420 * (A - B) * \text{ArcTanh}[\sin[(c + dx)/2]] + 2 * (406 * A - 178 * B + (-28 * A + 169 * B) * \cos[c + dx] + 6 * (7 * A - B) * \cos[2 * (c + dx)] + 15 * B * \cos[3 * (c + dx)]) * \sin[(c + dx)/2]) / (210 * d * \sqrt{a * (1 + \cos[c + dx])})$

**Maple [A]** time = 2.797, size = 281, normalized size = 1.4

$$\frac{1}{105d} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left( -240 B \sqrt{2} \sqrt{a (\sin(1/2 dx + c/2))^2} \sqrt{a (\sin(1/2 dx + c/2))^6} + 168 \sqrt{2} \sqrt{a (\sin(1/2 dx + c/2))^6} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+cos(d*x+c)*a)^(1/2),x)`

[Out]  $1/105 * \cos(1/2 * d * x + 1/2 * c) * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-240 * B * 2^{(1/2)} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^{(1/2)} * \sin(1/2 * d * x + 1/2 * c)^6 + 168 * 2^{(1/2)} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^{(1/2)} * (A + 2 * B) * \sin(1/2 * d * x + 1/2 * c)^4 - 140 * 2^{(1/2)} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^{(1/2)} * (A + 2 * B) * \sin(1/2 * d * x + 1/2 * c)^2 - 105 * 2^{(1/2)} * \ln(4 / \cos(1/2 * d * x + 1/2 * c) * (a^{(1/2)} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} + a)) * a * A + 105 * 2^{(1/2)} * \ln(4 / \cos(1/2 * d * x + 1/2 * c) * (a^{(1/2)} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} + a)) * a * B + 210 * A * a^{(1/2)} * 2^{(1/2)} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / a^{(3/2)} / \sin(1/2 * d * x + 1/2 * c) / (\cos(1/2 * d * x + 1/2 * c)^2 * a)^{(1/2)} / d$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Timed out

**Fricas [A]** time = 1.66485, size = 494, normalized size = 2.45

$$\frac{4(15B \cos(dx + c)^3 + 3(7A - B) \cos(dx + c)^2 - (7A - 31B) \cos(dx + c) + 91A - 43B) \sqrt{a \cos(dx + c) + a} \sin(dx + c) - 105 \sqrt{2} ((A - B) * a * \cos(dx + c) + (A - B) * a) * \log(-(\cos(dx + c))^2 - 2 * \sqrt{2} * \sqrt{a * \cos(dx + c) + a} * \sin(dx + c) / \sqrt{a} - 2 * \cos(dx + c) - 3) / (\cos(dx + c) + a) - 2 * \cos(dx + c) - 3)}{210(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")`

[Out]  $1/210 * (4 * (15 * B * \cos(dx + c)^3 + 3 * (7 * A - B) * \cos(dx + c)^2 - (7 * A - 31 * B) * \cos(dx + c) + 91 * A - 43 * B) * \sqrt{a * \cos(dx + c) + a} * \sin(dx + c) - 105 * \sqrt{2} * ((A - B) * a * \cos(dx + c) + (A - B) * a) * \log(-(\cos(dx + c))^2 - 2 * \sqrt{2} * \sqrt{a * \cos(dx + c) + a} * \sin(dx + c) / \sqrt{a} - 2 * \cos(dx + c) - 3) / (\cos(dx + c) + a) - 2 * \cos(dx + c) - 3) / (\cos(dx + c) + a) - 2 * \cos(dx + c) - 3)$

+ c)^2 + 2\*cos(d\*x + c) + 1))/sqrt(a))/(a\*d\*cos(d\*x + c) + a\*d)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

**Giac [A]** time = 1.77195, size = 244, normalized size = 1.21

$$\frac{105\sqrt{2}(A-B)\log\left(-\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)}{\sqrt{a}} + \frac{2\left(105\sqrt{2}Aa^3+\left(\sqrt{2}(119Aa^3-92Ba^3)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+7\sqrt{2}(37Aa^3-16Ba^3)\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)}{105d\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] 1/105\*(105\*sqrt(2)\*(A - B)\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/sqrt(a) + 2\*(105\*sqrt(2)\*A\*a^3 + ((sqrt(2)\*(119\*A\*a^3 - 92\*B\*a^3)\*tan(1/2\*d\*x + 1/2\*c)^2 + 7\*sqrt(2)\*(37\*A\*a^3 - 16\*B\*a^3))\*tan(1/2\*d\*x + 1/2\*c)^2 + 35\*sqrt(2)\*(7\*A\*a^3 - 4\*B\*a^3))\*tan(1/2\*d\*x + 1/2\*c)^2)\*tan(1/2\*d\*x + 1/2\*c)/(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)^(7/2))/d

$$3.101 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=159

$$\frac{2(5A - B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{15ad} - \frac{4(5A - 7B) \sin(c + dx)}{15d \sqrt{a \cos(c + dx) + a}} + \frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2B \sin(c + dx)}{5d \sqrt{a \cos(c + dx) + a}}$$

[Out] (Sqrt[2]\*(A - B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d) - (4\*(5\*A - 7\*B)\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*B\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(5\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*(5\*A - B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*a\*d)

**Rubi [A]** time = 0.384485, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2983, 2968, 3023, 2751, 2649, 206}

$$\frac{2(5A - B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{15ad} - \frac{4(5A - 7B) \sin(c + dx)}{15d \sqrt{a \cos(c + dx) + a}} + \frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2B \sin(c + dx)}{5d \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] (Sqrt[2]\*(A - B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d) - (4\*(5\*A - 7\*B)\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*B\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(5\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*(5\*A - B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*a\*d)

### Rule 2983

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + n + 1)), x] + Dist[1/(b\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*b\*c\*(m + n + 1) + B\*(a\*c\*m + b\*d\*n) + (A\*b\*d\*(m + n + 1) + B\*(a\*d\*m + b\*c\*n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])

### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

### Rule 3023

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)^2], x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2751

Int[((a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)])^(m\_)\*((c\_) + (d\_.)\*sin[(e\_) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

Rule 2649

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{\sqrt{a + a \cos(c + dx)}} dx &= \frac{2B \cos^2(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{2 \int \frac{\cos(c+dx)\left(2aB + \frac{1}{2}a(5A-B) \cos(c+dx)\right) dx}{\sqrt{a+a \cos(c+dx)}}}{5a} \\ &= \frac{2B \cos^2(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{2 \int \frac{2aB \cos(c+dx) + \frac{1}{2}a(5A-B) \cos^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx}{5a} \\ &= \frac{2B \cos^2(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{2(5A - B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15ad} + \frac{4}{15d\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{4(5A - 7B) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2B \cos^2(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{2(5A - B)\sqrt{a + a \cos(c + dx)}}{15d\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{4(5A - 7B) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2B \cos^2(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{2(5A - B)\sqrt{a + a \cos(c + dx)}}{15d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{ad}} - \frac{4(5A - 7B) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2B \cos^2(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.319758, size = 94, normalized size = 0.59

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left(15(A - B) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) + \sin\left(\frac{1}{2}(c + dx)\right) (2(5A - B) \cos(c + dx) - 10A + 3B \cos(2(c + dx)))\right)}{15d\sqrt{a(\cos(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (2\*Cos[(c + d\*x)/2]\*(15\*(A - B)\*ArcTanh[Sin[(c + d\*x)/2]] + (-10\*A + 29\*B + 2\*(5\*A - B)\*Cos[c + d\*x] + 3\*B\*Cos[2\*(c + d\*x)])\*Sin[(c + d\*x)/2]))/(15\*d\*Sqrt[a\*(1 + Cos[c + d\*x])])

**Maple [A]** time = 2.135, size = 240, normalized size = 1.5

$$\frac{1}{15d} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left( 24B\sqrt{2}\sqrt{a(\sin(1/2 dx + c/2))^2} \sqrt{a}(\sin(1/2 dx + c/2))^4 - 20\sqrt{2}\sqrt{a}(\sin(1/2 dx + c/2))^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+cos(d*x+c)*a)^(1/2),x)`

[Out] `1/15*cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(24*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*sin(1/2*d*x+1/2*c)^4-20*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*(A+B)*sin(1/2*d*x+1/2*c)^2+15*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a*A-15*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a*B+30*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))/a^(3/2)/sin(1/2*d*x+1/2*c)/(cos(1/2*d*x+1/2*c)^2*a)^(1/2)/d`

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Timed out

**Fricas [A]** time = 1.72292, size = 446, normalized size = 2.81

$15\sqrt{2}((A-B)a\cos(dx+c)+(A-B)a)\log$

$$\frac{4(3B\cos(dx+c)^2 + (5A-B)\cos(dx+c) - 5A + 13B)\sqrt{a\cos(dx+c) + a\sin(dx+c)} - 15\sqrt{2}((A-B)a\cos(dx+c)+(A-B)a)\log}{30(ad\cos(dx+c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")`

[Out] `1/30*(4*(3*B*cos(d*x + c)^2 + (5*A - B)*cos(d*x + c) - 5*A + 13*B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c) - 15*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*log(-(cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c) + a*d)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

---

**Giac [A]** time = 1.74188, size = 213, normalized size = 1.34

$$\frac{15(\sqrt{2}A - \sqrt{2}B) \log\left(\left| -\sqrt{a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \sqrt{a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a} \right|\right)}{\sqrt{a}} - \frac{2\left(15\sqrt{2}Ba^2 - \left(10\sqrt{2}Aa^2 - 20\sqrt{2}Ba^2 + (10\sqrt{2}Aa^2 - 17\sqrt{2}Ba^2) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{\left(a \tan^2\left(\frac{1}{2}dx + \frac{1}{2}c\right) + a\right)^{\frac{5}{2}}}$$


---

$15d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out]  $-1/15*(15*(\text{sqrt}(2)*A - \text{sqrt}(2)*B)*\log(\text{abs}(-\text{sqrt}(a)*\tan(1/2*d*x + 1/2*c) + \text{sqrt}(a*\tan(1/2*d*x + 1/2*c)^2 + a)))/\text{sqrt}(a) - 2*(15*\text{sqrt}(2)*B*a^2 - (10*\text{sqrt}(2)*A*a^2 - 20*\text{sqrt}(2)*B*a^2 + (10*\text{sqrt}(2)*A*a^2 - 17*\text{sqrt}(2)*B*a^2)*\tan(1/2*d*x + 1/2*c)^2)*\tan(1/2*d*x + 1/2*c)^2)*\tan(1/2*d*x + 1/2*c)/(a*\tan(1/2*d*x + 1/2*c)^2 + a)^{(5/2)}/d$

$$3.102 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=118

$$\frac{2(3A-2B) \sin(c+dx)}{3d\sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2B \sin(c+dx)\sqrt{a \cos(c+dx)+a}}{3ad}$$

[Out] -((Sqrt[2]\*(A - B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d) + (2\*(3\*A - 2\*B)\*Sin[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*B\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*a\*d)

**Rubi [A]** time = 0.209553, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2968, 3023, 2751, 2649, 206}

$$\frac{2(3A-2B) \sin(c+dx)}{3d\sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2B \sin(c+dx)\sqrt{a \cos(c+dx)+a}}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] -((Sqrt[2]\*(A - B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d) + (2\*(3\*A - 2\*B)\*Sin[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*B\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*a\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2751

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]],

$x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0]$

### Rule 206

$\text{Int}[(a + b \cdot x^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1 \cdot \text{ArcTanh}[\text{Rt}[-b, 2] \cdot x] / \text{Rt}[a, 2]) / (\text{Rt}[a, 2] \cdot \text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

### Rubi steps

$$\begin{aligned} \int \frac{\cos(c + dx)(A + B \cos(c + dx))}{\sqrt{a + a \cos(c + dx)}} dx &= \int \frac{A \cos(c + dx) + B \cos^2(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx \\ &= \frac{2B\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3ad} + \frac{2 \int \frac{\frac{aB}{2} + \frac{1}{2}a(3A-2B) \cos(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx}{3a} \\ &= \frac{2(3A - 2B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2B\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3ad} + (-A + B) \int \frac{1}{\sqrt{a + a \cos(c + dx)}} dx \\ &= \frac{2(3A - 2B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2B\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3ad} + \frac{(2(A - B)) \text{Subst}(\int \frac{1}{\sqrt{a + a \cos(c + dx)}} dx, c + dx)}{3ad} \\ &= -\frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{ad}} + \frac{2(3A - 2B) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2B\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3ad} \end{aligned}$$

**Mathematica [A]** time = 0.155997, size = 78, normalized size = 0.66

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left(-3(A - B) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) + 6A \sin\left(\frac{1}{2}(c + dx)\right) - 4B \sin^3\left(\frac{1}{2}(c + dx)\right)\right)}{3d\sqrt{a(\cos(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] (2\*Cos[(c + d\*x)/2]\*(-3\*(A - B)\*ArcTanh[Sin[(c + d\*x)/2]] + 6\*A\*Sin[(c + d\*x)/2] - 4\*B\*Sin[(c + d\*x)/2]^3))/(3\*d\*Sqrt[a\*(1 + Cos[c + d\*x])])

**Maple [A]** time = 2.51, size = 194, normalized size = 1.6

$$\frac{\sqrt{2}}{3d} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-4B\sqrt{a}\sqrt{a(\sin(1/2 dx + c/2))^2} (\sin(1/2 dx + c/2))^2 + 6A\sqrt{a}\sqrt{a(\sin(1/2 dx + c/2))^2} + 6A\sqrt{a}\sqrt{a(\sin(1/2 dx + c/2))^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^(1/2),x)

[Out] 1/3\*cos(1/2\*d\*x+1/2\*c)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-4\*B\*a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2+6\*A\*a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-3\*A\*ln(4/cos(1/2\*d\*x+1/2\*c)\*(a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a))\*a+3\*B\*ln(4/cos(1/2\*d\*x+1/2\*c)\*(a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a))\*a)/a^(3/2)/sin(1/2\*d\*x+1/2\*c)/(cos(1/2\*d\*x+1/2\*c)^2\*a)^(1/2)

2)/d

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")
```

[Out] Timed out

**Fricas [A]** time = 1.66431, size = 400, normalized size = 3.39

$$4(B \cos(dx + c) + 3A - B)\sqrt{a \cos(dx + c) + a \sin(dx + c)} - \frac{3\sqrt{2}((A-B)a \cos(dx+c) + (A-B)a) \log\left(\frac{\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a \cos(dx+c) + a \sin(dx+c)}}{\sqrt{a}}\right)}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1}}{6(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] 1/6*(4*(B*cos(d*x + c) + 3*A - B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c) - 3*sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*log(-(cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a)/(a*d*cos(d*x + c) + a*d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(1/2),x)
```

[Out] Timed out

**Giac [A]** time = 1.72588, size = 153, normalized size = 1.3

$$\frac{3\sqrt{2}(A-B) \log\left(-\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)}{\sqrt{a}} + \frac{2\left(\sqrt{2}(3Aa - 2Ba) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 3\sqrt{2}Aa\right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a\right)^{\frac{3}{2}}}$$

3d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] 1/3*(3*sqrt(2)*(A - B)*log(abs(-sqrt(a)*tan(1/2*d*x + 1/2*c) + sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a)))/sqrt(a) + 2*(sqrt(2)*(3*A*a - 2*B*a)*tan(1/2*d*x + 1/2*c)^2 + 3*sqrt(2)*A*a)*tan(1/2*d*x + 1/2*c)/(a*tan(1/2*d*x + 1/2*c)^2 + a)^(3/2))/d
```

$$3.103 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=78

$$\frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2B \sin(c+dx)}{d\sqrt{a \cos(c+dx)+a}}$$

[Out] (Sqrt[2]\*(A - B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d) + (2\*B\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.0712777, antiderivative size = 78, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$ , Rules used = {2751, 2649, 206}

$$\frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2B \sin(c+dx)}{d\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] (Sqrt[2]\*(A - B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d) + (2\*B\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2751

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e + f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]
```

#### Rule 2649

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

#### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

#### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx &= \frac{2B \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + (A - B) \int \frac{1}{\sqrt{a + a \cos(c + dx)}} dx \\ &= \frac{2B \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} - \frac{(2(A - B)) \operatorname{Subst}\left(\int \frac{1}{2a - x^2} dx, x, -\frac{a \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{d} \\ &= \frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2}\sqrt{a + a \cos(c + dx)}}\right)}{\sqrt{ad}} + \frac{2B \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.0632729, size = 60, normalized size = 0.77

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left( (A - B) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) + 2B \sin\left(\frac{1}{2}(c + dx)\right) \right)}{d\sqrt{a}(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] (2\*Cos[(c + d\*x)/2]\*((A - B)\*ArcTanh[Sin[(c + d\*x)/2]] + 2\*B\*Sin[(c + d\*x)/2]))/(d\*Sqrt[a\*(1 + Cos[c + d\*x])])

**Maple [B]** time = 1.862, size = 160, normalized size = 2.1

$$\frac{\sqrt{2}}{d} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left( A \ln\left(4 \frac{\sqrt{a} \sqrt{a \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 + a}}{\cos\left(\frac{1}{2} dx + \frac{c}{2}\right)}\right) a + 2B \sqrt{a} \sqrt{a \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2} - E \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^(1/2),x)

[Out] cos(1/2\*d\*x+1/2\*c)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(A\*ln(4/cos(1/2\*d\*x+1/2\*c)\*(a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a))\*a+2\*B\*a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-B\*ln(4/cos(1/2\*d\*x+1/2\*c)\*(a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a))\*a)/a^(3/2)/sin(1/2\*d\*x+1/2\*c)/(cos(1/2\*d\*x+1/2\*c)^2\*a)^(1/2)/d

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [B]** time = 1.64399, size = 363, normalized size = 4.65

$$\frac{4\sqrt{a}\cos(dx+c) + aB\sin(dx+c) - \frac{\sqrt{2}((A-B)a\cos(dx+c) + (A-B)a)\log\left(\frac{\cos(dx+c)^2 + 2\sqrt{2}\sqrt{a}\cos(dx+c) + a\sin(dx+c) - 2\cos(dx+c) - 3}{\sqrt{a}}\right)}{\cos(dx+c)^2 + 2\cos(dx+c) + 1}}{2(ad\cos(dx+c) + ad)\sqrt{a}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 1/2\*(4\*sqrt(a\*cos(d\*x + c) + a)\*B\*sin(d\*x + c) - sqrt(2)\*((A - B)\*a\*cos(d\*x + c) + (A - B)\*a)\*log(-(cos(d\*x + c)^2 + 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(a) - 2\*cos(d\*x + c) - 3)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1))/sqrt(a)/(a\*d\*cos(d\*x + c) + a\*d)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \cos(c + dx)}{\sqrt{a}(\cos(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))/sqrt(a\*(cos(c + d\*x) + 1)), x)

**Giac [A]** time = 1.6717, size = 119, normalized size = 1.53

$$\frac{2\sqrt{2}B\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}} - \frac{(\sqrt{2}A - \sqrt{2}B)\log\left(\left|-\sqrt{a}\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \sqrt{a\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}\right|\right)}{\sqrt{a}}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] (2\*sqrt(2)\*B\*tan(1/2\*d\*x + 1/2\*c)/sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a) - (sqrt(2)\*A - sqrt(2)\*B)\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/sqrt(a))/d



$$3.104 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=91

$$\frac{2A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] (2\*A\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(Sqrt[a]\*d) - (Sqrt[2]\*(A - B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])/(Sqrt[a]\*d)

**Rubi [A]** time = 0.165683, antiderivative size = 91, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {2985, 2649, 206, 2773}

$$\frac{2A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] (2\*A\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(Sqrt[a]\*d) - (Sqrt[2]\*(A - B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])/(Sqrt[a]\*d)

#### Rule 2985

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] :> Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[Sqrt[a + b\*Sin[e + f\*x]]/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rule 2773

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx &= \frac{A \int \sqrt{a + a \cos(c + dx)} \sec(c + dx) dx}{a} - (A - B) \int \frac{1}{\sqrt{a + a \cos(c + dx)}} dx \\ &= \frac{(2A) \text{Subst}\left(\int \frac{1}{a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} + \frac{(2(A-B)) \text{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} \\ &= \frac{2A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{ad}} - \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{ad}} \end{aligned}$$

**Mathematica [A]** time = 0.0768419, size = 72, normalized size = 0.79

$$-\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left( (A - B) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) - \sqrt{2}A \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) \right)}{d\sqrt{a}(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] (-2\*((A - B)\*ArcTanh[Sin[(c + d\*x)/2]] - Sqrt[2]\*A\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]])\*Cos[(c + d\*x)/2]/(d\*Sqrt[a\*(1 + Cos[c + d\*x])])

**Maple [B]** time = 4.029, size = 268, normalized size = 3.

$$-\frac{1}{d} \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{a \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left( \sqrt{2} \ln\left(4 \frac{\sqrt{a} \sqrt{a (\sin(1/2 dx + c/2))^2 + a}}{\cos(1/2 dx + c/2)}\right) A - \sqrt{2} \ln\left(4 \frac{\sqrt{a} \sqrt{a (\sin(1/2 dx + c/2))^2}}{\cos(1/2 dx + c/2)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+cos(d\*x+c)\*a)^(1/2),x)

[Out] -cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2^(1/2)\*ln(4/cos(1/2\*d\*x+1/2\*c))\*(a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a))\*A-2^(1/2)\*ln(4/cos(1/2\*d\*x+1/2\*c))\*(a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a))\*B-A\*ln(-4/(-2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))-A\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))/a^(1/2)/sin(1/2\*d\*x+1/2\*c)/(cos(1/2\*d\*x+1/2\*c)^2\*a)^(1/2)/d

**Maxima [A]** time = 2.02556, size = 123, normalized size = 1.35

$$\frac{\left(\sqrt{2} \log\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 2 \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right) - \sqrt{2} \log\left(\cos\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + \sin\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2\right)}{2\sqrt{ad}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out]  $\frac{1}{2} \cdot (\sqrt{2} \cdot \log(\cos(\frac{1}{2} d x + \frac{1}{2} c)^2 + \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 + 2 \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c) + 1) - \sqrt{2} \cdot \log(\cos(\frac{1}{2} d x + \frac{1}{2} c)^2 + \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 2 \cdot \sin(\frac{1}{2} d x + \frac{1}{2} c) + 1)) \cdot B / (\sqrt{a} \cdot d)$

**Fricas [B]** time = 1.80238, size = 464, normalized size = 5.1

$$\frac{\sqrt{2}(A-B)\sqrt{a} \log\left(\frac{\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a}\cos(dx+c)+a\sin(dx+c) - 2\cos(dx+c) - 3}{\sqrt{a}}\right) - A\sqrt{a} \log\left(\frac{a\cos(dx+c)^3 - 7a\cos(dx+c)^2 - 4\sqrt{a}\cos(dx+c)+a\sqrt{a}}{\cos(dx+c)^3 + \cos(dx+c)}\right)}{2ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out]  $-\frac{1}{2} \cdot (\sqrt{2} \cdot (A - B) \cdot \sqrt{a} \cdot \log(-(\cos(dx + c)^2 - 2 \cdot \sqrt{2} \cdot \sqrt{a} \cdot \cos(dx + c) + a) \cdot \sin(dx + c) / \sqrt{a} - 2 \cdot \cos(dx + c) - 3) / (\cos(dx + c)^2 + 2 \cdot \cos(dx + c) + 1)) - A \cdot \sqrt{a} \cdot \log((a \cdot \cos(dx + c)^3 - 7 \cdot a \cdot \cos(dx + c)^2 - 4 \cdot \sqrt{a} \cdot \cos(dx + c) + a) \cdot \sqrt{a} \cdot (\cos(dx + c) - 2) \cdot \sin(dx + c) + 8 \cdot a) / (\cos(dx + c)^3 + \cos(dx + c)^2)) / (a \cdot d)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{\sqrt{a} (\cos(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+a\*cos(d\*x+c))^(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*sec(c + d\*x)/sqrt(a\*(cos(c + d\*x) + 1)), x)

**Giac [B]** time = 2.7415, size = 227, normalized size = 2.49

$$\frac{\sqrt{2}(A\sqrt{a}-B\sqrt{a}) \log\left(\frac{\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}}{a}\right)}{a} + \frac{2A \log\left(\frac{\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}}{\sqrt{a}}\right) - a(2\sqrt{2}+3)}{\sqrt{a}}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out]  $\frac{1}{2} \cdot (\sqrt{2} \cdot (A \cdot \sqrt{a} - B \cdot \sqrt{a}) \cdot \log((\sqrt{a} \cdot \tan(\frac{1}{2} d x + \frac{1}{2} c) - \sqrt{a \cdot \tan(\frac{1}{2} d x + \frac{1}{2} c)^2 + a})^2 / a + 2 \cdot A \cdot \log(\text{abs}((\sqrt{a} \cdot \tan(\frac{1}{2} d x + \frac{1}{2} c) - \sqrt{a \cdot \tan(\frac{1}{2} d x + \frac{1}{2} c)^2 + a})^2 - a \cdot (2 \cdot \sqrt{2} + 3))) / \sqrt{a} - 2 \cdot A \cdot \log(\text{abs}((\sqrt{a} \cdot \tan(\frac{1}{2} d x + \frac{1}{2} c) - \sqrt{a \cdot \tan(\frac{1}{2} d x + \frac{1}{2} c)^2 + a})^2 + a \cdot (2 \cdot \sqrt{2} - 3))) / \sqrt{a}) / d$

$$3.105 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=119

$$-\frac{(A-2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{A \tan(c+dx)}{d\sqrt{a \cos(c+dx)+a}}$$

[Out] -(((A - 2\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(Sqrt[a]\*d)) + (Sqrt[2]\*(A - B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])]/(Sqrt[a]\*d) + (A\*Tan[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]]))

**Rubi [A]** time = 0.308313, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2984, 2985, 2649, 206, 2773}

$$-\frac{(A-2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{A \tan(c+dx)}{d\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] -(((A - 2\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(Sqrt[a]\*d)) + (Sqrt[2]\*(A - B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])]/(Sqrt[a]\*d) + (A\*Tan[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]]))

#### Rule 2984

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(b\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*(a\*d\*m + b\*c\*(n + 1)) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

#### Rule 2985

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])), x\_Symbol] :> Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[Sqrt[a + b\*Sin[e + f\*x]]/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]



$$2)+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))-A*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))+2*B*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))+2*B*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*\sin(1/2*d*x+1/2*c)^2+2*2^{(1/2)}*\ln(4/\cos(1/2*d*x+1/2*c))*(a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+a))*a*A-2*2^{(1/2)}*\ln(4/\cos(1/2*d*x+1/2*c))*(a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+a))*a*B-A*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*a-A*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*a+2*A*a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*B*\ln(-4/(-2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*a+2*B*\ln(4/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)}))*(a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+a*2^{(1/2)}*\cos(1/2*d*x+1/2*c)+2*a))*a)/a^{(3/2)}/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)})/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)})/\sin(1/2*d*x+1/2*c)/(cos(1/2*d*x+1/2*c)^2*a)^{(1/2)}/d$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [B]** time = 2.15602, size = 699, normalized size = 5.87

$$\frac{((A - 2B) \cos(dx + c)^2 + (A - 2B) \cos(dx + c)) \sqrt{a} \log\left(\frac{a \cos(dx+c)^3 - 7a \cos(dx+c)^2 - 4\sqrt{a \cos(dx+c)+a} \sqrt{a} (\cos(dx+c)-2) \sin(dx+c) + 8a}{\cos(dx+c)^3 + \cos(dx+c)^2}\right)}{4(ad \cos(dx + c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 
$$-1/4*((A - 2*B)*\cos(d*x + c)^2 + (A - 2*B)*\cos(d*x + c))*\sqrt{a}*\log((a*\cos(d*x + c)^3 - 7*a*\cos(d*x + c)^2 - 4*\sqrt{a*\cos(d*x + c) + a}*\sqrt{a}*(\cos(d*x + c) - 2)*\sin(d*x + c) + 8*a)/(\cos(d*x + c)^3 + \cos(d*x + c)^2)) - 4*\sqrt{a*\cos(d*x + c) + a}*A*\sin(d*x + c) + 2*\sqrt{2}*((A - B)*a*\cos(d*x + c)^2 + (A - B)*a*\cos(d*x + c))*\log(-(\cos(d*x + c)^2 + 2*\sqrt{2})*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c)/\sqrt{a} - 2*\cos(d*x + c) - 3)/(\cos(d*x + c)^2 + 2*\cos(d*x + c) + 1))/\sqrt{a})/(a*d*\cos(d*x + c)^2 + a*d*\cos(d*x + c))$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{\sqrt{a} (\cos(c + dx) + 1)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2/(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*sec(c + d\*x)\*\*2/sqrt(a\*(cos(c + d\*x) + 1)), x)

---

**Giac [B]** time = 2.93754, size = 433, normalized size = 3.64

$$\frac{\sqrt{2}(A\sqrt{a}-B\sqrt{a})\log\left(\left(\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2\right)}{a} + \frac{(A\sqrt{a}-2B\sqrt{a})\log\left(\left(\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2-a(2\sqrt{2}+3)\right)}{a}$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/2*(\sqrt{2}*(A*\sqrt{a} - B*\sqrt{a}))*\log((\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2)/a + (A*\sqrt{a} - 2*B*\sqrt{a})*\log(\text{abs} \\ & ((\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 - a*(2*\sqrt{2} + 3)))/a - (A*\sqrt{a} - 2*B*\sqrt{a})*\log(\text{abs}((\sqrt{a}*\tan(1/2*d*x \\ & + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3)))/a \\ & - 4*\sqrt{2}*(3*(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*A*\sqrt{a} - A*a^{(3/2)})/((\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2))/d \end{aligned}$$

$$3.106 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=165

$$-\frac{(A-4B) \tan(c+dx)}{4d\sqrt{a \cos(c+dx)+a}} + \frac{(7A-4B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4\sqrt{ad}} - \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{A \tan(c+dx) \sec(c+dx)}{2d\sqrt{a \cos(c+dx)+a}}$$

[Out] ((7\*A - 4\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(4\*Sqrt[a]\*d) - (Sqrt[2]\*(A - B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d) - ((A - 4\*B)\*Tan[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (A\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.480372, antiderivative size = 165, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2984, 2985, 2649, 206, 2773}

$$-\frac{(A-4B) \tan(c+dx)}{4d\sqrt{a \cos(c+dx)+a}} + \frac{(7A-4B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4\sqrt{ad}} - \frac{\sqrt{2}(A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{A \tan(c+dx) \sec(c+dx)}{2d\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3)/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] ((7\*A - 4\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(4\*Sqrt[a]\*d) - (Sqrt[2]\*(A - B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d) - ((A - 4\*B)\*Tan[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (A\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2984

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(b\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*(a\*d\*m + b\*c\*(n + 1)) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

#### Rule 2985

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] :> Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[Sqrt[a + b\*Sin[e + f\*x]]/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]],



x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

### Rule 206

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]]/(Rt[a, 2]\*Rt[-b, 2])), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 2773

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx &= \frac{A \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} + \frac{\int \frac{\left(-\frac{1}{2}a(A-4B) + \frac{3}{2}aA \cos(c+dx)\right) \sec^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx}{2a} \\ &= -\frac{(A - 4B) \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{A \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} + \frac{\int \frac{\left(\frac{1}{4}a^2(7A-4B) - \frac{1}{4}a^2(A-4B)\right)}{\sqrt{a+a \cos(c+dx)}} dx}{2a} \\ &= -\frac{(A - 4B) \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{A \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} + \frac{(7A - 4B) \int \sqrt{a + a \cos(c + dx)} dx}{2a} \\ &= -\frac{(A - 4B) \tan(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{A \sec(c + dx) \tan(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} - \frac{(7A - 4B) \text{Subst}\left(\int \sqrt{a + a \cos(c + dx)} dx\right)}{2a} \\ &= \frac{(7A - 4B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{4\sqrt{ad}} - \frac{\sqrt{2}(A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{ad}} \end{aligned}$$

**Mathematica [A]** time = 0.771305, size = 114, normalized size = 0.69

$$\frac{\cos\left(\frac{1}{2}(c + dx)\right) \left(-8(A - B) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) + \sqrt{2}(7A - 4B) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right)\right)}{4d\sqrt{a(\cos(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3)/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (Cos[(c + d\*x)/2]\*(-8\*(A - B)\*ArcTanh[Sin[(c + d\*x)/2]] + Sqrt[2]\*(7\*A - 4\*B)\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]] + 2\*Sec[c + d\*x]\*(-A + 4\*B + 2\*A\*Sec[c + d\*x])\*Sin[(c + d\*x)/2))/(4\*d\*Sqrt[a\*(1 + Cos[c + d\*x])])

**Maple [B]** time = 5.027, size = 1240, normalized size = 7.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+cos(d\*x+c)\*a)^(1/2), x)

```
[Out] -1/2*cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-4*a*(-8*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*A+8*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*B+7*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))+7*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))-4*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))-4*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a)))*sin(1/2*d*x+1/2*c)^4-4*(A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+8*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a*A-4*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)-8*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a*B-7*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-7*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+4*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+4*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)*sin(1/2*d*x+1/2*c)^2+8*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a*A-8*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c)*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a*B-2*A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-7*A*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-7*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a-8*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)+4*B*ln(-4/(-2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a+4*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*a)/a^(3/2)/(2*cos(1/2*d*x+1/2*c)-2^(1/2))^2/(2*cos(1/2*d*x+1/2*c)+2^(1/2))^2/sin(1/2*d*x+1/2*c)/(cos(1/2*d*x+1/2*c)^2*a)^(1/2)/d
```

---

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

---

**Fricas [B]** time = 2.13617, size = 753, normalized size = 4.56

$$\frac{((7A - 4B) \cos(dx + c)^3 + (7A - 4B) \cos(dx + c)^2) \sqrt{a} \log\left(\frac{a \cos(dx + c)^3 - 7a \cos(dx + c)^2 + 4\sqrt{a \cos(dx + c) + a} \sqrt{a} (\cos(dx + c) - 2) \sin(dx + c)}{\cos(dx + c)^3 + \cos(dx + c)^2}\right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^(1/2),x, algorithm
="fricas")
```

```
[Out] -1/16*(((7*A - 4*B)*cos(d*x + c)^3 + (7*A - 4*B)*cos(d*x + c)^2)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 + 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2) + 4*((A - 4*B)*cos(d*x + c) - 2*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c) + 8*sqrt(2)*((A - B)*a*cos(d*x + c)^3 + (A - B)*a*cos(d*x + c)^2)*log(-(cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(a) - 2*cos(d*x + c) - 3)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1))/sqrt(a))/(a*d*cos(d*x + c)^3 + a*d*cos(d*x + c)^2)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**3/(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

**Giac [B]** time = 3.09068, size = 722, normalized size = 4.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^(1/2),x, algorithm
="giac")
```

```
[Out] 1/8*(4*sqrt(2)*(A*sqrt(a) - B*sqrt(a))*log((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2/a + (7*A*sqrt(a) - 4*B*sqrt(a))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3)))/a - (7*A*sqrt(a) - 4*B*sqrt(a))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3)))/a - 4*sqrt(2)*(17*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*sqrt(a) - 12*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^6*B*sqrt(a) - 57*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4*A*a^(3/2) + 76*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4*B*a^(3/2) + 19*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*a^(5/2) - 36*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2*B*a^(5/2) - 3*A*a^(7/2) + 4*B*a^(7/2))/((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)/d
```

$$3.107 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=261

$$-\frac{(273A - 397B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{210a^2d} - \frac{(15A - 19B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A - B) \sin(c + dx) \cos^4(c + dx)}{2d(a \cos(c + dx) + a)^{3/2}}$$

[Out] -((15\*A - 19\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(2\*Sqrt[2]\*a^(3/2)\*d) + ((A - B)\*Cos[c + d\*x]^4\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2)) + ((651\*A - 799\*B)\*Sin[c + d\*x])/(105\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + ((63\*A - 67\*B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(70\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - ((7\*A - 11\*B)\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(14\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - ((273\*A - 397\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(210\*a^2\*d)

**Rubi [A]** time = 0.785725, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2977, 2983, 2968, 3023, 2751, 2649, 206}

$$-\frac{(273A - 397B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{210a^2d} - \frac{(15A - 19B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A - B) \sin(c + dx) \cos^4(c + dx)}{2d(a \cos(c + dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^4\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] -((15\*A - 19\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(2\*Sqrt[2]\*a^(3/2)\*d) + ((A - B)\*Cos[c + d\*x]^4\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2)) + ((651\*A - 799\*B)\*Sin[c + d\*x])/(105\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + ((63\*A - 67\*B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(70\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - ((7\*A - 11\*B)\*Cos[c + d\*x]^3\*Sin[c + d\*x])/(14\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - ((273\*A - 397\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(210\*a^2\*d)

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2983

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + n + 1)), x] + Dist[1/(b\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*b\*c\*(m + n + 1) + B\*(a\*c\*m + b\*d\*n) + (A\*b\*d\*(m + n + 1) + B\*(a\*d\*m + b\*c\*n))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d,

$e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[n, 0] \&\& (\text{IntegerQ}[n] \mid\mid \text{EqQ}[m + 1/2, 0])$

#### Rule 2968

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Int}[(a + b*\sin[e + f*x])^m*(A*c + (B*c + A*d)*\sin[e + f*x] + B*d*\sin[e + f*x]^2), x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

#### Rule 3023

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] \rightarrow -\text{Simp}[(C*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[(a + b*\sin[e + f*x])^m*\text{Simp}[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\sin[e + f*x], x], x], x] /;$   $\text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& !\text{LtQ}[m, -1]$

#### Rule 2751

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow -\text{Simp}[(d*\cos[e + f*x]*(a + b*\sin[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(a*d*m + b*c*(m + 1))/(b*(m + 1)), \text{Int}[(a + b*\sin[e + f*x])^m, x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}]$

#### Rule 2649

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Dist}[-2/d, \text{Subst}[\text{Int}[1/(2*a - x^2), x], x, (b*\cos[c + d*x])/\text{Sqrt}[a + b*\sin[c + d*x]]], x] /;$   $\text{FreeQ}\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

#### Rule 206

$\text{Int}[(a_.) + (b_.)*(x_.)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$   $\text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \mid\mid \text{LtQ}[b, 0])$

#### Rubi steps

$$\begin{aligned}
\int \frac{\cos^4(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{3/2}} dx &= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{\int \frac{\cos^3(c+dx)\left(4a(A-B)-\frac{1}{2}a(7A-11B)\cos(c+dx)\right)}{\sqrt{a+a\cos(c+dx)}} dx}{2a^2} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} - \frac{(7A-11B)\cos^3(c+dx)\sin(c+dx)}{14ad\sqrt{a+a\cos(c+dx)}} + \frac{\int \frac{\cos^3(c+dx)\left(4a(A-B)-\frac{1}{2}a(7A-11B)\cos(c+dx)\right)}{\sqrt{a+a\cos(c+dx)}} dx}{2a^2} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{(63A-67B)\cos^2(c+dx)\sin(c+dx)}{70ad\sqrt{a+a\cos(c+dx)}} - \frac{(7A-11B)\cos^3(c+dx)\sin(c+dx)}{14ad\sqrt{a+a\cos(c+dx)}} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{(63A-67B)\cos^2(c+dx)\sin(c+dx)}{70ad\sqrt{a+a\cos(c+dx)}} - \frac{(7A-11B)\cos^3(c+dx)\sin(c+dx)}{14ad\sqrt{a+a\cos(c+dx)}} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{(63A-67B)\cos^2(c+dx)\sin(c+dx)}{70ad\sqrt{a+a\cos(c+dx)}} - \frac{(7A-11B)\cos^3(c+dx)\sin(c+dx)}{14ad\sqrt{a+a\cos(c+dx)}} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{(651A-799B)\sin(c+dx)}{105ad\sqrt{a+a\cos(c+dx)}} + \frac{(63A-67B)\cos^3(c+dx)\sin(c+dx)}{70ad\sqrt{a+a\cos(c+dx)}} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{(651A-799B)\sin(c+dx)}{105ad\sqrt{a+a\cos(c+dx)}} + \frac{(63A-67B)\cos^3(c+dx)\sin(c+dx)}{70ad\sqrt{a+a\cos(c+dx)}} \\
&= -\frac{(15A-19B)\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{(63A-67B)\cos^3(c+dx)\sin(c+dx)}{70ad\sqrt{a+a\cos(c+dx)}}
\end{aligned}$$

**Mathematica [A]** time = 1.06607, size = 167, normalized size = 0.64

$$\frac{105(15A-19B)\cos^5\left(\frac{1}{2}(c+dx)\right)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right) - \frac{1}{2}\sin\left(\frac{1}{2}(c+dx)\right)\cos^3\left(\frac{1}{2}(c+dx)\right)(6(273A-277B)\cos(c+dx) - 105d\left(\sin^2\left(\frac{1}{2}(c+dx)\right) - 1\right))}{105d\left(\sin^2\left(\frac{1}{2}(c+dx)\right) - 1\right)}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^4\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] (105\*(15\*A - 19\*B)\*ArcTanh[Sin[(c + d\*x)/2]]\*Cos[(c + d\*x)/2]^5 - (Cos[(c + d\*x)/2]^3\*(1974\*A - 2161\*B + 6\*(273\*A - 277\*B)\*Cos[c + d\*x] + (-84\*A + 256\*B)\*Cos[2\*(c + d\*x)] + 42\*A\*Cos[3\*(c + d\*x)] - 18\*B\*Cos[3\*(c + d\*x)] + 15\*B\*Cos[4\*(c + d\*x)])\*Sin[(c + d\*x)/2])/2)/(105\*d\*(a\*(1 + Cos[c + d\*x]))^(3/2)\*(-1 + Sin[(c + d\*x)/2]^2))

**Maple [A]** time = 2.718, size = 448, normalized size = 1.7

$$\frac{1}{420d}\sqrt{a\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2}\left(960B\sqrt{2}\sqrt{a(\sin(1/2dx+c/2))^2}\sqrt{a}(\sin(1/2dx+c/2))^8 - 96\sqrt{2}\sqrt{a}\sqrt{a(\sin(1/2dx+c/2))^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^(3/2), x)

```
[Out] 1/420*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(960*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*sin(1/2*d*x+1/2*c)^8-96*2^(1/2)*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(7*A+17*B)*sin(1/2*d*x+1/2*c)^6+224*2^(1/2)*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(3*A+8*B)*sin(1/2*d*x+1/2*c)^4-35*2^(1/2)*(48*A*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-45*A*ln(4/cos(1/2*d*x+1/2*c))*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a-16*B*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+57*B*ln(4/cos(1/2*d*x+1/2*c))*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a)*sin(1/2*d*x+1/2*c)^2-1575*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c))*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a*A+1995*2^(1/2)*ln(4/cos(1/2*d*x+1/2*c))*(a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a))*a*B+1785*A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-1785*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))/cos(1/2*d*x+1/2*c)/a^(5/2)/sin(1/2*d*x+1/2*c)/(cos(1/2*d*x+1/2*c)^2*a)^(1/2)/d
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")
```

[Out] Timed out

**Fricas [A]** time = 1.79064, size = 653, normalized size = 2.5

$$105\sqrt{2}\left((15A-19B)\cos(dx+c)^2+2(15A-19B)\cos(dx+c)+15A-19B\right)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2-2\sqrt{2}\sqrt{a}\cos(dx+c)+\cos(dx+c)^2+2}{\cos(dx+c)^2+2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] -1/840*(105*sqrt(2)*((15*A - 19*B)*cos(d*x + c)^2 + 2*(15*A - 19*B)*cos(d*x + c) + 15*A - 19*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(60*B*cos(d*x + c)^4 + 12*(7*A - 3*B)*cos(d*x + c)^3 - 28*(3*A - 7*B)*cos(d*x + c)^2 + 12*(63*A - 67*B)*cos(d*x + c) + 1029*A - 1201*B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(3/2),x)
```

[Out] Timed out

**Giac [A]** time = 1.99236, size = 343, normalized size = 1.31

$$\frac{105(15\sqrt{2}A-19\sqrt{2}B)\log\left(\left|-\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right|\right)}{a^{\frac{3}{2}}} + \frac{\left(\left(\left(\frac{105(\sqrt{2}A^5-\sqrt{2}Ba^5)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{a^3} + \frac{4(693\sqrt{2}A^5-877\sqrt{2}Ba^5)}{a^3}\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^2}{420d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] 1/420\*(105\*(15\*sqrt(2)\*A - 19\*sqrt(2)\*B)\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/a^(3/2) + (((((105\*(sqrt(2)\*A\*a^5 - sqrt(2)\*B\*a^5)\*tan(1/2\*d\*x + 1/2\*c)^2/a^3 + 4\*(693\*sqrt(2)\*A\*a^5 - 877\*sqrt(2)\*B\*a^5)/a^3)\*tan(1/2\*d\*x + 1/2\*c)^2 + 14\*(453\*sqrt(2)\*A\*a^5 - 517\*sqrt(2)\*B\*a^5)/a^3)\*tan(1/2\*d\*x + 1/2\*c)^2 + 140\*(39\*sqrt(2)\*A\*a^5 - 47\*sqrt(2)\*B\*a^5)/a^3)\*tan(1/2\*d\*x + 1/2\*c)/(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)^(7/2))/d



$$3.108 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=216

$$\frac{(35A - 39B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{30a^2d} + \frac{(11A - 15B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A - B) \sin(c + dx) \cos^3(c + dx)}{2d(a \cos(c + dx) + a)^{3/2}}$$

```
[Out] ((11*A - 15*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Cos[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Cos[c + d*x]^3*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2)) - ((65*A - 93*B)*Sin[c + d*x])/(15*a*d*Sqrt[a + a*Cos[c + d*x]]) - ((5*A - 9*B)*Cos[c + d*x]^2*Sin[c + d*x])/(10*a*d*Sqrt[a + a*Cos[c + d*x]]) + ((35*A - 39*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(30*a^2*d)
```

**Rubi [A]** time = 0.59499, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2977, 2983, 2968, 3023, 2751, 2649, 206}

$$\frac{(35A - 39B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{30a^2d} + \frac{(11A - 15B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A - B) \sin(c + dx) \cos^3(c + dx)}{2d(a \cos(c + dx) + a)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(3/2),x]
```

```
[Out] ((11*A - 15*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[a + a*Cos[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Cos[c + d*x]^3*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2)) - ((65*A - 93*B)*Sin[c + d*x])/(15*a*d*Sqrt[a + a*Cos[c + d*x]]) - ((5*A - 9*B)*Cos[c + d*x]^2*Sin[c + d*x])/(10*a*d*Sqrt[a + a*Cos[c + d*x]]) + ((35*A - 39*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(30*a^2*d)
```

### Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

### Rule 2983

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2751

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f
*(m + 1)), x] + Dist[(a*d*m + b*c*(m + 1))/(b*(m + 1)), Int[(a + b*Sin[e +
f*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b*c - a*d, 0] &&
EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]
```

Rule 2649

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[-2/d, S
ubst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{3/2}} dx &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{\int \frac{\cos^2(c+dx)\left(3a(A-B)-\frac{1}{2}a(5A-9B)\cos(c+dx)\right)}{\sqrt{a+a\cos(c+dx)}} dx}{2a^2} \\
&= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} - \frac{(5A-9B)\cos^2(c+dx)\sin(c+dx)}{10ad\sqrt{a+a\cos(c+dx)}} + \frac{\int \dots}{\dots} \\
&= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} - \frac{(5A-9B)\cos^2(c+dx)\sin(c+dx)}{10ad\sqrt{a+a\cos(c+dx)}} + \frac{\int \dots}{\dots} \\
&= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} - \frac{(5A-9B)\cos^2(c+dx)\sin(c+dx)}{10ad\sqrt{a+a\cos(c+dx)}} + \frac{(35A-45B)\cos(c+dx)\sin(c+dx)}{10ad\sqrt{a+a\cos(c+dx)}} \\
&= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} - \frac{(65A-93B)\sin(c+dx)}{15ad\sqrt{a+a\cos(c+dx)}} - \frac{(5A-9B)\cos(c+dx)}{10ad\sqrt{a+a\cos(c+dx)}} \\
&= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} - \frac{(65A-93B)\sin(c+dx)}{15ad\sqrt{a+a\cos(c+dx)}} - \frac{(5A-9B)\cos(c+dx)}{10ad\sqrt{a+a\cos(c+dx)}} \\
&= \frac{(11A-15B)\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} - \dots
\end{aligned}$$

**Mathematica [A]** time = 0.870648, size = 142, normalized size = 0.66

$$\frac{\sin\left(\frac{1}{2}(c+dx)\right)\cos^3\left(\frac{1}{2}(c+dx)\right)(3(20A-39B)\cos(c+dx)+(6B-10A)\cos(2(c+dx))+85A-3B\cos(3(c+dx)))-15d\left(\sin^2\left(\frac{1}{2}(c+dx)\right)-1\right)(a(\cos(c+dx)+1))^{3/2}}{2d(a+a\cos(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^3\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] (-15\*(11\*A - 15\*B)\*ArcTanh[Sin[(c + d\*x)/2]]\*Cos[(c + d\*x)/2]^5 + Cos[(c + d\*x)/2]^3\*(85\*A - 141\*B + 3\*(20\*A - 39\*B)\*Cos[c + d\*x] + (-10\*A + 6\*B)\*Cos[2\*(c + d\*x)] - 3\*B\*Cos[3\*(c + d\*x)])\*Sin[(c + d\*x)/2]/(15\*d\*(a\*(1 + Cos[c + d\*x]))^(3/2)\*(-1 + Sin[(c + d\*x)/2]^2))

**Maple [B]** time = 2.473, size = 407, normalized size = 1.9

$$\frac{1}{60d}\sqrt{a\left(\sin\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^2}\left(-96B\sqrt{2}\sqrt{a(\sin(1/2dx+c/2))^2}\sqrt{a(\sin(1/2dx+c/2))^6}+16\sqrt{2}\sqrt{a}\sqrt{a(\sin(1/2dx+c/2))^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^(3/2), x)

[Out] 1/60/cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-96\*B\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)\*sin(1/2\*d\*x+1/2\*c)^6+16\*2^(1/2)\*a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(5\*A+6\*B)\*sin(1/2\*d\*x+1/2\*c)^4+5\*2^(1/2)\*(8\*A

$$*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-33*A*\ln(4/\cos(1/2*d*x+1/2*c))*(a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+a)*a-48*B*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+45*B*\ln(4/\cos(1/2*d*x+1/2*c))*(a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+a)*a*\sin(1/2*d*x+1/2*c)^2+165*2^{(1/2)}*\ln(4/\cos(1/2*d*x+1/2*c))*(a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+a)*a*A-225*2^{(1/2)}*\ln(4/\cos(1/2*d*x+1/2*c))*(a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+a)*a*B-135*A*a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+255*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)})/a^{(5/2)}/\sin(1/2*d*x+1/2*c)/(\cos(1/2*d*x+1/2*c)^2*a)^{(1/2)}/d$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 1.79943, size = 601, normalized size = 2.78

$$15\sqrt{2}\left((11A-15B)\cos(dx+c)^2+2(11A-15B)\cos(dx+c)+11A-15B\right)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2+2\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a\sin(dx+c)}}{\cos(dx+c)^2+2\cos(dx+c)+1}\right)$$

$$120(a^2d)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] 
$$-1/120*(15*\sqrt{2})*((11*A - 15*B)*\cos(d*x + c)^2 + 2*(11*A - 15*B)*\cos(d*x + c) + 11*A - 15*B)*\sqrt{a}*\log(-(a*\cos(d*x + c)^2 + 2*\sqrt{2})*\sqrt{a*\cos(d*x + c) + a}*\sqrt{a*\sin(d*x + c) - 2*a*\cos(d*x + c) - 3*a})/(\cos(d*x + c)^2 + 2*\cos(d*x + c) + 1)) - 4*(12*B*\cos(d*x + c)^3 + 4*(5*A - 3*B)*\cos(d*x + c)^2 - 12*(5*A - 9*B)*\cos(d*x + c) - 95*A + 147*B)*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c))/a^2*d*\cos(d*x + c)^2 + 2*a^2*d*\cos(d*x + c) + a^2*d$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out

**Giac [A]** time = 1.92885, size = 273, normalized size = 1.26

$$\frac{15\sqrt{2}(11A-15B)\log\left(-\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)}{a^{\frac{3}{2}}} + \frac{\left(\left(\frac{15\sqrt{2}(Aa^3-Ba^3)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{a^2} + \frac{\sqrt{2}(245Aa^3-381Ba^3)}{a^2}\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2 + \frac{5\sqrt{2}(7A-5B)}{a^2}\right)}{60d} \left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)^{\frac{5}{2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] -1/60\*(15\*sqrt(2)\*(11\*A - 15\*B)\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/a^(3/2) + (((15\*sqrt(2)\*(A\*a^3 - B\*a^3)\*tan(1/2\*d\*x + 1/2\*c)^2/a^2 + sqrt(2)\*(245\*A\*a^3 - 381\*B\*a^3)/a^2)\*tan(1/2\*d\*x + 1/2\*c)^2 + 5\*sqrt(2)\*(73\*A\*a^3 - 105\*B\*a^3)/a^2)\*tan(1/2\*d\*x + 1/2\*c)^2 + 15\*sqrt(2)\*(9\*A\*a^3 - 17\*B\*a^3)/a^2)\*tan(1/2\*d\*x + 1/2\*c)/(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)^(5/2))/d

$$3.109 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=171

$$-\frac{(3A-7B) \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{6a^2d} - \frac{(7A-11B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2\sqrt{a} \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A-B) \sin(c+dx) \cos^2(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}} +$$

[Out] -((7\*A - 11\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(2\*Sqrt[2]\*a^(3/2)\*d) + ((A - B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2)) + ((9\*A - 13\*B)\*Sin[c + d\*x])/(3\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - ((3\*A - 7\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(6\*a^2\*d)

**Rubi [A]** time = 0.420456, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2977, 2968, 3023, 2751, 2649, 206}

$$-\frac{(3A-7B) \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{6a^2d} - \frac{(7A-11B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2\sqrt{a} \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A-B) \sin(c+dx) \cos^2(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}} +$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] -((7\*A - 11\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(2\*Sqrt[2]\*a^(3/2)\*d) + ((A - B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2)) + ((9\*A - 13\*B)\*Sin[c + d\*x])/(3\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - ((3\*A - 7\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(6\*a^2\*d)

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2), x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m +

2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

### Rule 2751

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

### Rule 2649

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[Rt[-b, 2]\*x]/Rt[a, 2])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{3/2}} dx &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{\cos(c+dx)\left(2a(A-B) - \frac{1}{2}a(3A-7B) \cos(c+dx)\right)}{\sqrt{a+a \cos(c+dx)}} dx}{2a^2} \\ &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{2a(A-B) \cos(c+dx) - \frac{1}{2}a(3A-7B) \cos^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx}{2a^2} \\ &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{(3A - 7B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{6a^2d} \\ &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(9A - 13B) \sin(c + dx)}{3ad\sqrt{a + a \cos(c + dx)}} - \frac{(3A - 7B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{6a^2d} \\ &= \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(9A - 13B) \sin(c + dx)}{3ad\sqrt{a + a \cos(c + dx)}} - \frac{(3A - 7B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{6a^2d} \\ &= -\frac{(7A - 11B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \cos(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A - B) \cos^2(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \end{aligned}$$

**Mathematica [A]** time = 0.704158, size = 97, normalized size = 0.57

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) (12(A - B) \cos(c + dx) + 15A + 2B \cos(2(c + dx)) - 17B) - 3(7A - 11B) \cos\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)}{6ad\sqrt{a(\cos(c + dx) + 1)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out]  $(-3*(7*A - 11*B)*\text{ArcTanh}[\text{Sin}[(c + d*x)/2]]*\text{Cos}[(c + d*x)/2] + (15*A - 17*B + 12*(A - B)*\text{Cos}[c + d*x] + 2*B*\text{Cos}[2*(c + d*x)])*\text{Tan}[(c + d*x)/2])/(6*a*d*\text{Sqrt}[a*(1 + \text{Cos}[c + d*x])])$

**Maple [B]** time = 2.164, size = 327, normalized size = 1.9

$$-\frac{1}{12d} \sqrt{a \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} \left( -16B\sqrt{2}\sqrt{a(\sin(1/2 dx + c/2))^2} \sqrt{a} (\cos(1/2 dx + c/2))^4 + 21A \ln \left( 2 \frac{2\sqrt{a}\sqrt{a(\sin(1/2 dx + c/2))^2}}{\cos(1/2 dx + c/2)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+cos(d*x+c)*a)^(3/2),x)`

[Out]  $-1/12*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-16*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\cos(1/2*d*x+1/2*c)^4+21*A*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^2*a-33*B*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^2*a-24*A*a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)^2+40*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\cos(1/2*d*x+1/2*c)^2-3*A*a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+3*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)})/\cos(1/2*d*x+1/2*c)/a^{(5/2)}/\sin(1/2*d*x+1/2*c)/(\cos(1/2*d*x+1/2*c)^2*a)^{(1/2)}/d$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] Timed out

**Fricas [A]** time = 1.68249, size = 544, normalized size = 3.18

$$\frac{3\sqrt{2}((7A - 11B)\cos(dx + c)^2 + 2(7A - 11B)\cos(dx + c) + 7A - 11B)\sqrt{a} \log\left(\frac{-a\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sin(dx+c)}{\cos(dx+c)^2 + 2\cos(dx+c) + 1}\right)}{24(a^2d\cos(dx + c)^2 + 2a^2d\cos(dx + c) + a^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="fricas")`

[Out]  $-1/24*(3*\text{sqrt}(2)*((7*A - 11*B)*\cos(d*x + c)^2 + 2*(7*A - 11*B)*\cos(d*x + c) + 7*A - 11*B)*\text{sqrt}(a)*\log(-(a*\cos(d*x + c)^2 - 2*\text{sqrt}(2)*\text{sqrt}(a*\cos(d*x + c) + a))*\text{sqrt}(a)*\sin(d*x + c) - 2*a*\cos(d*x + c) - 3*a)/(\cos(d*x + c)^2 + 2*\cos(d*x + c) + 1)) - 4*(4*B*\cos(d*x + c)^2 + 12*(A - B)*\cos(d*x + c) + 15*A - 19*B)*\text{sqrt}(a*\cos(d*x + c) + a)*\sin(d*x + c))/(a^2*d*\cos(d*x + c)^2 + 2*a$



$$^2*d*\cos(d*x + c) + a^2*d)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out

**Giac [A]** time = 1.91589, size = 227, normalized size = 1.33

$$\frac{3(7\sqrt{2}A-11\sqrt{2}B)\log\left(-\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)}{a^{\frac{3}{2}}} + \frac{\left(\left(\frac{3(\sqrt{2}Aa-\sqrt{2}Ba)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{a}+\frac{2(15\sqrt{2}Aa-23\sqrt{2}Ba)}{a}\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+\frac{27(\sqrt{2}Aa-a)}{a}\right)}{\left(a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a\right)^{\frac{3}{2}}}$$

$12d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] 1/12\*(3\*(7\*sqrt(2)\*A - 11\*sqrt(2)\*B)\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/a^(3/2) + ((3\*(sqrt(2)\*A\*a - sqrt(2)\*B\*a)\*tan(1/2\*d\*x + 1/2\*c)^2/a + 2\*(15\*sqrt(2)\*A\*a - 23\*sqrt(2)\*B\*a)/a)\*tan(1/2\*d\*x + 1/2\*c)^2 + 27\*(sqrt(2)\*A\*a - sqrt(2)\*B\*a)/a\*tan(1/2\*d\*x + 1/2\*c)/(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)^(3/2))/d

$$3.110 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=118

$$\frac{(3A - 7B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A - B) \sin(c + dx)}{2d(a \cos(c + dx) + a)^{3/2}} + \frac{2B \sin(c + dx)}{ad\sqrt{a \cos(c + dx) + a}}$$

[Out] ((3\*A - 7\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(2\*Sqrt[2]\*a^(3/2)\*d) - ((A - B)\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2)) + (2\*B\*Sin[c + d\*x])/(a\*d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.22318, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2968, 3019, 2751, 2649, 206}

$$\frac{(3A - 7B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A - B) \sin(c + dx)}{2d(a \cos(c + dx) + a)^{3/2}} + \frac{2B \sin(c + dx)}{ad\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] ((3\*A - 7\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(2\*Sqrt[2]\*a^(3/2)\*d) - ((A - B)\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2)) + (2\*B\*Sin[c + d\*x])/(a\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3019

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> Simp[(A\*b - a\*B + b\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m/(a\*f\*(2\*m + 1)), x] + Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[a\*A\*(m + 1) + m\*(b\*B - a\*C) + b\*C\*(2\*m + 1)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

#### Rule 2751

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(b\*(m + 1)), Int[(a + b\*Sin[e + f\*x])^m, x], x] /; FreeQ[{a, b, c, d, e, f, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && !LtQ[m, -2^(-1)]

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]],

$x] /; \text{FreeQ}\{a, b, c, d\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0]$

### Rule 206

$\text{Int}[(a + b \cos(x))^2]^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1 * \text{ArcTanh}[\text{Rt}[-b, 2] * x] / \text{Rt}[a, 2]) / (\text{Rt}[a, 2] * \text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$

### Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{3/2}} dx &= \int \frac{A\cos(c+dx)+B\cos^2(c+dx)}{(a+a\cos(c+dx))^{3/2}} dx \\ &= -\frac{(A-B)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} - \frac{\int \frac{-\frac{3}{2}a(A-B)-2aB\cos(c+dx)}{\sqrt{a+a\cos(c+dx)}} dx}{2a^2} \\ &= -\frac{(A-B)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{2B\sin(c+dx)}{ad\sqrt{a+a\cos(c+dx)}} + \frac{(3A-7B)\int \frac{1}{\sqrt{a+a\cos(c+dx)}} dx}{4a} \\ &= -\frac{(A-B)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{2B\sin(c+dx)}{ad\sqrt{a+a\cos(c+dx)}} - \frac{(3A-7B)\text{Subst}\left(\int \frac{1}{2a-\cos(2u)} du\right)}{2a} \\ &= \frac{(3A-7B)\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{2B\sin(c+dx)}{ad\sqrt{a+a\cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.392973, size = 104, normalized size = 0.88

$$\frac{\sin\left(\frac{1}{2}(c+dx)\right)\cos^3\left(\frac{1}{2}(c+dx)\right)(A-4B\cos(c+dx)-5B)-(3A-7B)\cos^5\left(\frac{1}{2}(c+dx)\right)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)}{d\left(\sin^2\left(\frac{1}{2}(c+dx)\right)-1\right)(a(\cos(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] (-((3\*A - 7\*B)\*ArcTanh[Sin[(c + d\*x)/2]]\*Cos[(c + d\*x)/2]^5) + Cos[(c + d\*x)/2]^3\*(A - 5\*B - 4\*B\*Cos[c + d\*x])\*Sin[(c + d\*x)/2])/(d\*(a\*(1 + Cos[c + d\*x]))^(3/2)\*(-1 + Sin[(c + d\*x)/2]^2))

**Maple [B]** time = 2.435, size = 256, normalized size = 2.2

$$\frac{1}{4d}\sqrt{a\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2}\left(3A\ln\left(2\frac{2\sqrt{a}\sqrt{a(\sin(1/2dx+c/2))^2+2a}}{\cos(1/2dx+c/2)}\right)\sqrt{2}(\cos(1/2dx+c/2))^2a-7B\ln\left(2\frac{2\sqrt{a}\sqrt{a(\sin(1/2dx+c/2))^2+2a}}{\cos(1/2dx+c/2)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^(3/2), x)

[Out] 1/4/cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(3\*A\*ln(2\*(2\*a^(1/2)\*a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*a)/cos(1/2\*d\*x+1/2\*c))\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)^2\*a-7\*B\*ln(2\*(2\*a^(1/2)\*a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*a)/cos(1/2

$*d*x+1/2*c)) * 2^{(1/2)} * \cos(1/2*d*x+1/2*c)^{2*a+8*B*2^{(1/2)}} * (a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * a^{(1/2)} * \cos(1/2*d*x+1/2*c)^{2-A*a^{(1/2)}} * 2^{(1/2)} * (a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} + B*2^{(1/2)} * (a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * a^{(1/2)} / a^{(5/2)} / \sin(1/2*d*x+1/2*c) / (\cos(1/2*d*x+1/2*c)^{2*a})^{(1/2)} / d$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 1.76719, size = 493, normalized size = 4.18

$$\frac{\sqrt{2}((3A - 7B) \cos(dx + c)^2 + 2(3A - 7B) \cos(dx + c) + 3A - 7B) \sqrt{a} \log\left(-\frac{a \cos(dx+c)^2 + 2\sqrt{2}\sqrt{a} \cos(dx+c) + a\sqrt{a} \sin(dx+c) - 2a}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1}\right)}{8(a^2 d \cos(dx + c)^2 + 2 a^2 d \cos(dx + c) + a^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out]  $-1/8*(\sqrt{2}*((3A - 7B) \cos(dx + c)^2 + 2(3A - 7B) \cos(dx + c) + 3A - 7B) \sqrt{a} \log(-\frac{a \cos(dx+c)^2 + 2\sqrt{2}\sqrt{a} \cos(dx+c) + a\sqrt{a} \sin(dx+c) - 2a}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1}) - 4*(4B \cos(dx + c) - A + 5B) \sqrt{a \cos(dx + c) + a} \sin(dx + c)) / (a^2 d \cos(dx + c)^2 + 2 a^2 d \cos(dx + c) + a^2 d)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2),x)

[Out] Timed out

**Giac [A]** time = 1.89274, size = 177, normalized size = 1.5

$$\frac{\left(\frac{\sqrt{2}(Aa^2 - Ba^2) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a^3} + \frac{\sqrt{2}(Aa^2 - 9Ba^2)}{a^3}\right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{2}(3A - 7B) \log\left(-\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)}{\sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} + \frac{3}{a^2}}$$

$4d$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="
giac")
```

```
[Out] -1/4*((sqrt(2)*(A*a^2 - B*a^2)*tan(1/2*d*x + 1/2*c)^2/a^3 + sqrt(2)*(A*a^2
- 9*B*a^2)/a^3)*tan(1/2*d*x + 1/2*c)/sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a) + s
qrt(2)*(3*A - 7*B)*log(abs(-sqrt(a)*tan(1/2*d*x + 1/2*c) + sqrt(a*tan(1/2*d
*x + 1/2*c)^2 + a)))/a^(3/2))/d
```

$$3.111 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=87

$$\frac{(A+3B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A-B) \sin(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

[Out] ((A + 3\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])]/(2\*Sqrt[2]\*a^(3/2)\*d) + ((A - B)\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2))

**Rubi [A]** time = 0.0768915, antiderivative size = 87, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.12$ , Rules used = {2750, 2649, 206}

$$\frac{(A+3B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A-B) \sin(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] ((A + 3\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])]/(2\*Sqrt[2]\*a^(3/2)\*d) + ((A - B)\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 2750

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NegQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

#### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx &= \frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(A + 3B) \int \frac{1}{\sqrt{a+a \cos(c+dx)}} dx}{4a} \\ &= \frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{(A + 3B) \operatorname{Subst}\left(\int \frac{1}{2a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{2ad} \\ &= \frac{(A + 3B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \cos(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.184055, size = 63, normalized size = 0.72

$$\frac{\frac{1}{2}(A - B) \sin(c + dx) + (A + 3B) \cos^3\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)}{d(a(\cos(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] ((A + 3\*B)\*ArcTanh[Sin[(c + d\*x)/2]]\*Cos[(c + d\*x)/2]^3 + ((A - B)\*Sin[c + d\*x])/2)/(d\*(a\*(1 + Cos[c + d\*x]))^(3/2))

**Maple [B]** time = 2.506, size = 220, normalized size = 2.5

$$\frac{1}{4d} \sqrt{a \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} \left( A \ln \left( 2 \frac{2\sqrt{a} \sqrt{a \left( \sin\left(\frac{1}{2} dx + \frac{c}{2}\right) \right)^2 + 2a}}{\cos\left(\frac{1}{2} dx + \frac{c}{2}\right)} \right) \sqrt{2} \left( \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 a + 3B \ln \left( 2 \frac{2\sqrt{a} \sqrt{a \left( \sin\left(\frac{1}{2} dx + \frac{c}{2}\right) \right)^2 + 2a}}{\cos\left(\frac{1}{2} dx + \frac{c}{2}\right)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^(3/2), x)

[Out] 1/4/cos(1/2\*d\*x+1/2\*c)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(A\*ln(2\*(2\*a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*a)/cos(1/2\*d\*x+1/2\*c))\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)^2\*a+3\*B\*ln(2\*(2\*a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*a)/cos(1/2\*d\*x+1/2\*c))\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)^2\*a+A\*a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-B\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2))/a^(5/2)/sin(1/2\*d\*x+1/2\*c)/(cos(1/2\*d\*x+1/2\*c)^2\*a)^(1/2)/d

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="maxima")

[Out] Timed out

**Fricas [B]** time = 1.72948, size = 455, normalized size = 5.23

$$\frac{\sqrt{2}((A + 3B) \cos(dx + c)^2 + 2(A + 3B) \cos(dx + c) + A + 3B) \sqrt{a} \log\left(-\frac{a \cos(dx+c)^2 - 2\sqrt{2}\sqrt{a \cos(dx+c)+a} \sqrt{a} \sin(dx+c) - 2a \cos(dx+c)}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1}\right)}{8(a^2 d \cos(dx + c)^2 + 2 a^2 d \cos(dx + c) + a^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] 1/8\*(sqrt(2)\*((A + 3\*B)\*cos(d\*x + c)^2 + 2\*(A + 3\*B)\*cos(d\*x + c) + A + 3\*B)\*sqrt(a)\*log(-(a\*cos(d\*x + c)^2 - 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sin(d\*x + c) - 2\*a\*cos(d\*x + c) - 3\*a)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)) + 4\*sqrt(a\*cos(d\*x + c) + a)\*(A - B)\*sin(d\*x + c)/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out

**Giac [A]** time = 1.74244, size = 136, normalized size = 1.56

$$\frac{(\sqrt{2}A + 3\sqrt{2}B) \log\left(-\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a}\right)}{a^{\frac{3}{2}}} - \frac{\sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} (\sqrt{2}Aa - \sqrt{2}Ba) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{a^3}$$


---


$$4d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] -1/4\*((sqrt(2)\*A + 3\*sqrt(2)\*B)\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/a^(3/2) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)\*(sqrt(2)\*A\*a - sqrt(2)\*B\*a)\*tan(1/2\*d\*x + 1/2\*c)/a^3/d



$$3.112 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=127

$$-\frac{(5A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(A-B) \sin(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

[Out] (2\*A\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(a^(3/2)\*d) - ((5\*A - B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])]/(2\*Sqrt[2]\*a^(3/2)\*d) - ((A - B)\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2))

**Rubi [A]** time = 0.315465, antiderivative size = 127, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2978, 2985, 2649, 206, 2773}

$$-\frac{(5A-B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(A-B) \sin(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] (2\*A\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(a^(3/2)\*d) - ((5\*A - B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])]/(2\*Sqrt[2]\*a^(3/2)\*d) - ((A - B)\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2985

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])), x\_Symbol] := Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[Sqrt[a + b\*Sin[e + f\*x]]/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

Rule 2773

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*cos[e + f\*x])/Sqrt[a + b\*sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx &= -\frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{(2aA - \frac{1}{2}a(A-B) \cos(c+dx)) \sec(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx}{2a^2} \\ &= -\frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{A \int \sqrt{a + a \cos(c + dx)} \sec(c + dx) dx}{a^2} - \frac{(5A - B) \int \sqrt{a + a \cos(c + dx)} dx}{a^2} \\ &= -\frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{(2A) \operatorname{Subst}\left(\int \frac{1}{a-x^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{ad} + \frac{(5A - B) \int \sqrt{a + a \cos(c + dx)} dx}{a^2} \\ &= \frac{2A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{a^{3/2}d} - \frac{(5A - B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2\sqrt{a+a \cos(c+dx)}}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A - B) \int \sqrt{a + a \cos(c + dx)} dx}{2d(a + a \cos(c + dx))^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.646331, size = 131, normalized size = 1.03

$$\frac{(A - B) \sin\left(\frac{1}{2}(c + dx)\right) \cos^3\left(\frac{1}{2}(c + dx)\right) + (5A - B) \cos^5\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) - 4\sqrt{2}A \cos^5\left(\frac{1}{2}(c + dx)\right)}{d\left(\sin^2\left(\frac{1}{2}(c + dx)\right) - 1\right)(a(\cos(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] ((5\*A - B)\*ArcTanh[Sin[(c + d\*x)/2]]\*Cos[(c + d\*x)/2]^5 - 4\*sqrt[2]\*A\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Cos[(c + d\*x)/2]^5 + (A - B)\*Cos[(c + d\*x)/2]^3\*Sin[(c + d\*x)/2]/(d\*(a\*(1 + Cos[c + d\*x]))^(3/2)\*(-1 + Sin[(c + d\*x)/2]^2))

**Maple [B]** time = 4.757, size = 374, normalized size = 2.9

$$-\frac{1}{4d} \sqrt{a \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} \left( 5A \ln \left( 2 \frac{2\sqrt{a}\sqrt{a(\sin(1/2 dx + c/2))^2 + 2a}}{\cos(1/2 dx + c/2)} \right) \sqrt{2} (\cos(1/2 dx + c/2))^2 a - B \ln \left( 2 \frac{2\sqrt{a}\sqrt{a(\sin(1/2 dx + c/2))^2 + 2a}}{\cos(1/2 dx + c/2)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+cos(d\*x+c)\*a)^(3/2), x)

```
[Out] -1/4/a^(5/2)/cos(1/2*d*x+1/2*c)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(5*A*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^2*a-B*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^2*a-4*A*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))*cos(1/2*d*x+1/2*c)^2*a-4*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*cos(1/2*d*x+1/2*c)^2*a+A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))/sin(1/2*d*x+1/2*c)/(cos(1/2*d*x+1/2*c)^2*a)^(1/2)/d
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")
```

[Out] Timed out

**Fricas [B]** time = 1.9338, size = 737, normalized size = 5.8

$$\sqrt{2}((5A - B) \cos(dx + c)^2 + 2(5A - B) \cos(dx + c) + 5A - B) \sqrt{a} \log\left(-\frac{a \cos(dx+c)^2 - 2\sqrt{2}\sqrt{a \cos(dx+c)+a} \sqrt{a} \sin(dx+c) - 2a \cos(dx+c)}{\cos(dx+c)^2 + 2 \cos(dx+c) + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] -1/8*(sqrt(2)*((5*A - B)*cos(d*x + c)^2 + 2*(5*A - B)*cos(d*x + c) + 5*A - B)*sqrt(a)*log(-(a*cos(d*x + c)^2 - 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(A*cos(d*x + c)^2 + 2*A*cos(d*x + c) + A)*sqrt(a)*log((a*cos(d*x + c)^3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) - 2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) + 4*sqrt(a*cos(d*x + c) + a)*(A - B)*sin(d*x + c))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a (\cos(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^(3/2),x)
```

[Out] Integral((A + B\*cos(c + d\*x))\*sec(c + d\*x)/(a\*(cos(c + d\*x) + 1))\*\*(3/2), x)

---

**Giac [B]** time = 3.08904, size = 289, normalized size = 2.28

$$\frac{\sqrt{2}(5A\sqrt{a}-B\sqrt{a})\log\left(\left(\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2\right)}{a^2} + \frac{8A\log\left(\left(\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2-a(2\sqrt{2}+3)\right)}{a^{\frac{3}{2}}} - \frac{8A\log\left(\left(\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2-a(2\sqrt{2}-3)\right)}{a^{\frac{3}{2}}}}{8d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] 1/8\*(sqrt(2)\*(5\*A\*sqrt(a) - B\*sqrt(a))\*log((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2)/a^2 + 8\*A\*log(abs((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 - a\*(2\*sqrt(2) + 3)))/a^(3/2) - 8\*A\*log(abs((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 + a\*(2\*sqrt(2) - 3)))/a^(3/2) - 2\*sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)\*(sqrt(2)\*A\*a - sqrt(2)\*B\*a)\*tan(1/2\*d\*x + 1/2\*c)/a^3/d

$$3.113 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=170

$$-\frac{(3A-2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2}d} + \frac{(9A-5B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(3A-B) \tan(c+dx)}{2ad\sqrt{a \cos(c+dx)+a}} - \frac{(A-B) \tan(c+dx)}{2d(a \cos(c+dx)+a)}$$

[Out] -(((3\*A - 2\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]])/(a^(3/2)\*d) + ((9\*A - 5\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(2\*Sqrt[2]\*a^(3/2)\*d) - ((A - B)\*Tan[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2)) + ((3\*A - B)\*Tan[c + d\*x])/(2\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.520934, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2978, 2984, 2985, 2649, 206, 2773}

$$-\frac{(3A-2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2}d} + \frac{(9A-5B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(3A-B) \tan(c+dx)}{2ad\sqrt{a \cos(c+dx)+a}} - \frac{(A-B) \tan(c+dx)}{2d(a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] -(((3\*A - 2\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]])/(a^(3/2)\*d) + ((9\*A - 5\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(2\*Sqrt[2]\*a^(3/2)\*d) - ((A - B)\*Tan[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2)) + ((3\*A - B)\*Tan[c + d\*x])/(2\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2984

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)/(f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(b\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*(a\*d\*m + b\*c\*(n + 1)) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

Rule 2985

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[(A*b - a*B)/(b*c - a*d), Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[Sqrt[a + b*Sin[e + f*x]]/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2649

```
Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Dist[-2/d, Subst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

Rule 206

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])
```

Rule 2773

```
Int[Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[(-2*b)/f, Subst[Int[1/(b*c + a*d - d*x^2), x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx &= -\frac{(A - B) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{(a(3A-B) - \frac{3}{2}a(A-B) \cos(c+dx)) \sec^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx}{2a^2} \\ &= -\frac{(A - B) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(3A - B) \tan(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} + \frac{\int \frac{(-a^2(3A-2B) + \frac{1}{2}a^2(3A-B) \cos(c+dx)) \sec^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx}{2a^3} \\ &= -\frac{(A - B) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(3A - B) \tan(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} + \frac{(9A - 5B) \int \frac{1}{\sqrt{a+a \cos(c+dx)}} dx}{4a} \\ &= -\frac{(A - B) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(3A - B) \tan(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} - \frac{(9A - 5B) \operatorname{Subst}\left(\int \frac{1}{2a-x} dx\right)}{2a} \\ &= -\frac{(3A - 2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{a^{3/2}d} + \frac{(9A - 5B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \cos(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(9A - 5B) \operatorname{Subst}\left(\int \frac{1}{2a-x} dx\right)}{2a} \end{aligned}$$

**Mathematica [A]** time = 1.03759, size = 141, normalized size = 0.83

$$\frac{\cos^3\left(\frac{1}{2}(c + dx)\right) \left( 2(9A - 5B) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) + \frac{2 \sin\left(\frac{1}{2}(c + dx)\right) (-2A \sec(c + dx) - 3A + B) + 4\sqrt{2}(3A - 2B) \cos^2\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)}{\sin^2\left(\frac{1}{2}(c + dx)\right) - 1} \right)}{2d(a(\cos(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + a*Cos[c + d*x])^(3/2), x]
```

```
[Out] (Cos[(c + d*x)/2]^3*(2*(9*A - 5*B)*ArcTanh[Sin[(c + d*x)/2]] + (4*Sqrt[2]*(3*A - 2*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^2 + 2*(-3*A + B - 2*A*Sec[c + d*x])*Sin[(c + d*x)/2])/(-1 + Sin[(c + d*x)/2]^2))/(2*d*(a*(1 + Cos[c + d*x]))^(3/2))
```

**Maple [B]** time = 4.868, size = 1051, normalized size = 6.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+cos(d*x+c)*a)^(3/2),x)
```

```
[Out] 1/2*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(18*A*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^4*a-10*B*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^4*a-12*A*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-a^(1/2))*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))*cos(1/2*d*x+1/2*c)^4*a-12*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*cos(1/2*d*x+1/2*c)^4*a+8*B*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-a^(1/2))*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))*cos(1/2*d*x+1/2*c)^4*a+8*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*cos(1/2*d*x+1/2*c)^4*a-9*A*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^2*a+5*B*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^2*a+6*A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)^2+6*A*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-a^(1/2))*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))*cos(1/2*d*x+1/2*c)^2*a+6*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*cos(1/2*d*x+1/2*c)^2*a-2*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^2-4*B*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-a^(1/2))*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))*cos(1/2*d*x+1/2*c)^2*a-4*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*cos(1/2*d*x+1/2*c)^2*a-A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))/a^(5/2)/cos(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)-2^(1/2))/(2*cos(1/2*d*x+1/2*c)+2^(1/2))/sin(1/2*d*x+1/2*c)/(cos(1/2*d*x+1/2*c)^2*a)^(1/2)/d
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

**Fricas [B]** time = 2.30093, size = 880, normalized size = 5.18

$$\sqrt{2}((9A - 5B)\cos(dx + c)^3 + 2(9A - 5B)\cos(dx + c)^2 + (9A - 5B)\cos(dx + c))\sqrt{a}\log\left(\frac{-a\cos(dx+c)^2 + 2\sqrt{2}\sqrt{a\cos(dx+c)}}{\cos(dx+c)^2 + a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] -1/8\*(sqrt(2)\*((9\*A - 5\*B)\*cos(d\*x + c)^3 + 2\*(9\*A - 5\*B)\*cos(d\*x + c)^2 + (9\*A - 5\*B)\*cos(d\*x + c))\*sqrt(a)\*log(-(a\*cos(d\*x + c)^2 + 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sin(d\*x + c) - 2\*a\*cos(d\*x + c) - 3\*a)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)) + 2\*((3\*A - 2\*B)\*cos(d\*x + c)^3 + 2\*(3\*A - 2\*B)\*cos(d\*x + c)^2 + (3\*A - 2\*B)\*cos(d\*x + c))\*sqrt(a)\*log((a\*cos(d\*x + c)^3 - 7\*a\*cos(d\*x + c)^2 - 4\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*(cos(d\*x + c) - 2)\*sin(d\*x + c) + 8\*a)/(cos(d\*x + c)^3 + cos(d\*x + c)^2)) - 4\*((3\*A - B)\*cos(d\*x + c) + 2\*A)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(a^2\*d\*cos(d\*x + c)^3 + 2\*a^2\*d\*cos(d\*x + c)^2 + a^2\*d\*cos(d\*x + c))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a(\cos(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2/(a+a\*cos(d\*x+c))\*\*(3/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*sec(c + d\*x)\*\*2/(a\*(cos(c + d\*x) + 1))\*\*(3/2), x)

**Giac [B]** time = 3.22686, size = 504, normalized size = 2.96

$$\frac{\sqrt{2}(9A\sqrt{a}-5B\sqrt{a})\log\left(\left(\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2\right)}{a^2} + \frac{4(3A\sqrt{a}-2B\sqrt{a})\log\left(\left(\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)^2-a(2\sqrt{2}+3)\right)}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] -1/8\*(sqrt(2)\*(9\*A\*sqrt(a) - 5\*B\*sqrt(a))\*log((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2/a^2 + 4\*(3\*A\*sqrt(a) - 2\*B\*sqrt(a))\*log(abs((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 - a\*(2\*sqrt(2) + 3)))/a^2 - 4\*(3\*A\*sqrt(a) - 2\*B\*sqrt(a))\*log(abs((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 + a\*(2\*sqrt(2) - 3)))/a^2 - 16\*sqrt(2)\*(3\*(sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2\*A\*sqrt(a) - A\*a^(3/2))/(((sqrt(a)\*tan(1/2\*d\*x



$$\begin{aligned}
& + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{a}*\tan(1/2*d*x + \\
& 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)*a) - 2*\sqrt{a*\tan( \\
& 1/2*d*x + 1/2*c)^2 + a}*(\sqrt{2}*A*a - \sqrt{2}*B*a)*\tan(1/2*d*x + 1/2*c)/a^ \\
& 3)/d
\end{aligned}$$

$$3.114 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=221

$$\frac{(19A - 12B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4a^{3/2}d} - \frac{(13A - 9B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(7A - 6B) \tan(c+dx)}{4ad\sqrt{a \cos(c+dx)+a}} + \frac{(2A - B) \tan(c+dx)}{2ad\sqrt{a \cos(c+dx)+a}}$$

[Out] ((19\*A - 12\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(4\*a^(3/2)\*d) - ((13\*A - 9\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])]/(2\*Sqrt[2]\*a^(3/2)\*d) - ((7\*A - 6\*B)\*Tan[c + d\*x])/(4\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - ((A - B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2)) + ((2\*A - B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.705256, antiderivative size = 221, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2978, 2984, 2985, 2649, 206, 2773}

$$\frac{(19A - 12B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4a^{3/2}d} - \frac{(13A - 9B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(7A - 6B) \tan(c+dx)}{4ad\sqrt{a \cos(c+dx)+a}} + \frac{(2A - B) \tan(c+dx)}{2ad\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3)/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] ((19\*A - 12\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(4\*a^(3/2)\*d) - ((13\*A - 9\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])]/(2\*Sqrt[2]\*a^(3/2)\*d) - ((7\*A - 6\*B)\*Tan[c + d\*x])/(4\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - ((A - B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2)) + ((2\*A - B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2984

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(b\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*(a\*d\*m + b\*c\*(n + 1)) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m

+ 1/2, 0])

### Rule 2985

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] := Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[Sqrt[a + b\*Sin[e + f\*x]]/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2649

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 2773

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{(2a(2A - B) - \frac{5}{2}a(A - B) \cos(c + dx)) \sec^3(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx}{2a^2} \\ &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(2A - B) \sec(c + dx) \tan(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} + \frac{\int \frac{(2A - B) \sec^3(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx}{2a^2} \\ &= -\frac{(7A - 6B) \tan(c + dx)}{4ad\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(2A - B) \sec(c + dx) \tan(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{(7A - 6B) \tan(c + dx)}{4ad\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(2A - B) \sec(c + dx) \tan(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{(7A - 6B) \tan(c + dx)}{4ad\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(2A - B) \sec(c + dx) \tan(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}} \\ &= \frac{(19A - 12B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{4a^{3/2}d} - \frac{(13A - 9B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2\sqrt{a + a \cos(c + dx)}}}\right)}{2\sqrt{2}a^{3/2}d} \end{aligned}$$

**Mathematica [A]** time = 1.46235, size = 205, normalized size = 0.93

$$\cos^3\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \left(4 \sin\left(\frac{1}{2}(c + dx)\right) ((6A - 8B) \cos(c + dx) + (7A - 6B) \cos(2(c + dx))) + 3(A - 2B)\right) + 4C$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*cos[c + d*x])*Sec[c + d*x]^3)/(a + a*cos[c + d*x])^(3/2), x]
```

```
[Out] (Cos[(c + d*x)/2]^3*Sec[c + d*x]^2*(4*(13*A - 9*B)*ArcTanh[Sin[(c + d*x)/2]]*(Cos[(c + d*x)/2] + Cos[(3*(c + d*x))/2])^2 - 2*Sqrt[2]*(19*A - 12*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*(Cos[(c + d*x)/2] + Cos[(3*(c + d*x))/2])^2 + 4*(3*(A - 2*B) + (6*A - 8*B)*Cos[c + d*x] + (7*A - 6*B)*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(16*d*(a*(1 + Cos[c + d*x]))^(3/2)*(-1 + Sin[(c + d*x)/2])^2))
```

**Maple [B]** time = 5.48, size = 1540, normalized size = 7.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+cos(d*x+c)*a)^(3/2), x)
```

```
[Out] -1/2*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(104*A*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^6*a-72*B*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^6*a-76*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*cos(1/2*d*x+1/2*c)^6*a-76*A*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))*cos(1/2*d*x+1/2*c)^6*a+48*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*cos(1/2*d*x+1/2*c)^6*a+48*B*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))*cos(1/2*d*x+1/2*c)^6*a-104*A*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^4*a+72*B*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^4*a+28*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^4+76*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*cos(1/2*d*x+1/2*c)^4*a+76*A*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))*cos(1/2*d*x+1/2*c)^4*a-24*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^4-48*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*cos(1/2*d*x+1/2*c)^4*a-48*B*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))*cos(1/2*d*x+1/2*c)^4*a+26*A*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^2*a-18*B*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^2*a-22*A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)^2-19*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*cos(1/2*d*x+1/2*c)^2*a-19*A*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))*cos(1/2*d*x+1/2*c)^2*a+16*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^2+12*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2)))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))*cos(1/2*d*x+1/2*c)^2*a+12*B*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))*cos(1/2*d*x+1/2*c)^2*a+2*A*a^(1/2)*2^(1/2)*(a*sin
```

$$\left(\frac{1}{2}dx + \frac{1}{2}c\right)^{1/2} - 2B \cdot 2^{1/2} \cdot \left(a \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^{1/2} \cdot a^{1/2} \\ \left. \right) / a^{5/2} / \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) / \left(2 \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 2^{1/2}\right)^2 / \left(2 \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 2^{1/2}\right)^2 / \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) / \left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)^2 \cdot a^{1/2} / d$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 2.35302, size = 944, normalized size = 4.27

$$2\sqrt{2}\left((13A - 9B)\cos(dx + c)^4 + 2(13A - 9B)\cos(dx + c)^3 + (13A - 9B)\cos(dx + c)^2\right)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a}\cos(dx+c) + a}{a\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a}\cos(dx+c) + a}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] 
$$-1/16 \cdot (2\sqrt{2}) \cdot ((13A - 9B)\cos(dx + c)^4 + 2(13A - 9B)\cos(dx + c)^3 + (13A - 9B)\cos(dx + c)^2) \cdot \sqrt{a} \cdot \log\left(-\frac{a\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a}\cos(dx+c) + a}{a\cos(dx+c)^2 - 2\sqrt{2}\sqrt{a}\cos(dx+c) + a}\right) \\ + ((19A - 12B)\cos(dx + c)^4 + 2(19A - 12B)\cos(dx + c)^3 + (19A - 12B)\cos(dx + c)^2) \cdot \sqrt{a} \cdot \log\left(\frac{a\cos(dx+c)^3 - 7a\cos(dx+c)^2 + 4\sqrt{a}\cos(dx+c) + a}{a\cos(dx+c)^3 - 7a\cos(dx+c)^2 + 4\sqrt{a}\cos(dx+c) + a}\right) \\ + 4 \cdot ((7A - 6B)\cos(dx + c)^2 + (3A - 4B)\cos(dx + c) - 2A) \cdot \sqrt{a\cos(dx+c) + a} \cdot \sin(dx + c) / (a^2d\cos(dx + c)^4 + 2a^2d\cos(dx + c)^3 + a^2d\cos(dx + c)^2)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3/(a+a\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out

**Giac [B]** time = 3.27547, size = 787, normalized size = 3.56

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+a*cos(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] 1/8*(sqrt(2)*(13*A*sqrt(a) - 9*B*sqrt(a))*log((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2/a^2 + (19*A*sqrt(a) - 12*B*sqrt(a))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3)))/a^2 - (19*A*sqrt(a) - 12*B*sqrt(a))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3)))/a^2 - 2*sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a)*(sqrt(2)*A*a - sqrt(2)*B*a)*tan(1/2*d*x + 1/2*c)/a^3 - 4*sqrt(2)*(29*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^6*A*sqrt(a) - 12*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^6*B*sqrt(a) - 133*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4*A*a^(3/2) + 76*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4*B*a^(3/2) + 55*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*a^(5/2) - 36*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2*B*a^(5/2) - 7*A*a^(7/2) + 4*B*a^(7/2))/(((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)^2*a))/d
```

$$3.115 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=261

$$\frac{(85A - 157B) \sin(c + dx) \cos^2(c + dx)}{80a^2 d \sqrt{a \cos(c + dx) + a}} + \frac{(475A - 787B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{240a^3 d} - \frac{(985A - 1729B) \sin(c + dx)}{120a^2 d \sqrt{a \cos(c + dx) + a}}$$

[Out]  $((163A - 283B) \text{ArcTanh}[(\text{Sqrt}[a] \text{Sin}[c + d*x])]/(\text{Sqrt}[2] \text{Sqrt}[a + a \text{Cos}[c + d*x]])) / (16 \text{Sqrt}[2] a^{(5/2)} d) + ((A - B) \text{Cos}[c + d*x]^4 \text{Sin}[c + d*x]) / (4 d (a + a \text{Cos}[c + d*x])^{(5/2)}) + ((13A - 21B) \text{Cos}[c + d*x]^3 \text{Sin}[c + d*x]) / (16 a d (a + a \text{Cos}[c + d*x])^{(3/2)}) - ((985A - 1729B) \text{Sin}[c + d*x]) / (120 a^2 d \text{Sqrt}[a + a \text{Cos}[c + d*x]]) - ((85A - 157B) \text{Cos}[c + d*x]^2 \text{Sin}[c + d*x]) / (80 a^2 d \text{Sqrt}[a + a \text{Cos}[c + d*x]]) + ((475A - 787B) \text{Sqrt}[a + a \text{Cos}[c + d*x]] \text{Sin}[c + d*x]) / (240 a^3 d)$

**Rubi [A]** time = 0.798846, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2977, 2983, 2968, 3023, 2751, 2649, 206}

$$\frac{(85A - 157B) \sin(c + dx) \cos^2(c + dx)}{80a^2 d \sqrt{a \cos(c + dx) + a}} + \frac{(475A - 787B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{240a^3 d} - \frac{(985A - 1729B) \sin(c + dx)}{120a^2 d \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]^4 (A + B \text{Cos}[c + d*x])) / (a + a \text{Cos}[c + d*x])^{(5/2)}, x]$

[Out]  $((163A - 283B) \text{ArcTanh}[(\text{Sqrt}[a] \text{Sin}[c + d*x])]/(\text{Sqrt}[2] \text{Sqrt}[a + a \text{Cos}[c + d*x]])) / (16 \text{Sqrt}[2] a^{(5/2)} d) + ((A - B) \text{Cos}[c + d*x]^4 \text{Sin}[c + d*x]) / (4 d (a + a \text{Cos}[c + d*x])^{(5/2)}) + ((13A - 21B) \text{Cos}[c + d*x]^3 \text{Sin}[c + d*x]) / (16 a d (a + a \text{Cos}[c + d*x])^{(3/2)}) - ((985A - 1729B) \text{Sin}[c + d*x]) / (120 a^2 d \text{Sqrt}[a + a \text{Cos}[c + d*x]]) - ((85A - 157B) \text{Cos}[c + d*x]^2 \text{Sin}[c + d*x]) / (80 a^2 d \text{Sqrt}[a + a \text{Cos}[c + d*x]]) + ((475A - 787B) \text{Sqrt}[a + a \text{Cos}[c + d*x]] \text{Sin}[c + d*x]) / (240 a^3 d)$

#### Rule 2977

$\text{Int}[(a_ + (b_.) \sin[(e_.) + (f_.) (x_)])^{(m_)} ((A_.) + (B_.) \sin[(e_.) + (f_.) (x_)])^{(n_)}], x\_Symbol] \rightarrow \text{Simp}[(A*b - a*B) \text{Cos}[e + f*x] (a + b \text{Sin}[e + f*x])^m (c + d \text{Sin}[e + f*x])^n / (a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b \text{Sin}[e + f*x])^{(m + 1)} (c + d \text{Sin}[e + f*x])^{(n - 1)} \text{Simp}[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1)) \text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] || \text{EqQ}[c, 0])$

#### Rule 2983

$\text{Int}[(a_ + (b_.) \sin[(e_.) + (f_.) (x_)])^{(m_)} ((A_.) + (B_.) \sin[(e_.) + (f_.) (x_)])^{(n_)}], x\_Symbol] \rightarrow -\text{Simp}[(B \text{Cos}[e + f*x] (a + b \text{Sin}[e + f*x])^m (c + d \text{Sin}[e + f*x])^n) / (f*(m + n + 1)), x] + \text{Dist}[1/(b*(m + n + 1)), \text{Int}[(a + b \text{Sin}[e + f*x])^{(m)} (c + d \text{Sin}[e + f*x])^{(n - 1)} \text{Simp}[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n)) \text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d,$

$e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[n, 0] \&\& (\text{IntegerQ}[n] \mid\mid \text{EqQ}[m + 1/2, 0])$

#### Rule 2968

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Int}[(a + b*\sin[e + f*x])^m*(A*c + (B*c + A*d)*\sin[e + f*x] + B*d*\sin[e + f*x]^2), x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

#### Rule 3023

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] \rightarrow -\text{Simp}[(C*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[(a + b*\sin[e + f*x])^m*\text{Simp}[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\sin[e + f*x], x], x], x] /;$   $\text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& !\text{LtQ}[m, -1]$

#### Rule 2751

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow -\text{Simp}[(d*\cos[e + f*x]*(a + b*\sin[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(a*d*m + b*c*(m + 1))/(b*(m + 1)), \text{Int}[(a + b*\sin[e + f*x])^m, x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}]$

#### Rule 2649

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)*\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \rightarrow \text{Dist}[-2/d, \text{Subst}[\text{Int}[1/(2*a - x^2), x], x, (b*\cos[c + d*x])/ \text{Sqrt}[a + b*\sin[c + d*x]]], x] /;$   $\text{FreeQ}\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

#### Rule 206

$\text{Int}[(a_.) + (b_.)*(x_.)^2]^{(-1)}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[(\text{Rt}[-b, 2]*x)/\text{Rt}[a, 2]])/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /;$   $\text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \mid\mid \text{LtQ}[b, 0])$

#### Rubi steps



$$\begin{aligned}
\int \frac{\cos^4(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{5/2}} dx &= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{\int \frac{\cos^3(c+dx)\left(4a(A-B)-\frac{1}{2}a(5A-13B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^{3/2}} dx}{4a^2} \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(13A-21B)\cos^3(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} + \dots \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(13A-21B)\cos^3(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} - \dots \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(13A-21B)\cos^3(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} - \dots \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(13A-21B)\cos^3(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} - \dots \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(13A-21B)\cos^3(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} - \dots \\
&= \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(13A-21B)\cos^3(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} - \dots \\
&= \frac{(163A-283B)\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A-B)\cos^4(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}}
\end{aligned}$$

**Mathematica [A]** time = 1.46063, size = 139, normalized size = 0.53

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)\left(-5(479A-887B)\cos(c+dx)+(832B-400A)\cos(2(c+dx))+40A\cos(3(c+dx))-1895A-40B\right)}{240ad(a(\cos(c+dx)+1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^4\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (30\*(163\*A - 283\*B)\*ArcTanh[Sin[(c + d\*x)/2]]\*Cos[(c + d\*x)/2]^3 + (-1895\*A + 3491\*B - 5\*(479\*A - 887\*B)\*Cos[c + d\*x] + (-400\*A + 832\*B)\*Cos[2\*(c + d\*x)] + 40\*A\*Cos[3\*(c + d\*x)] - 40\*B\*Cos[3\*(c + d\*x)] + 12\*B\*Cos[4\*(c + d\*x)])\*Tan[(c + d\*x)/2])/(240\*a\*d\*(a\*(1 + Cos[c + d\*x]))^(3/2))

**Maple [B]** time = 2.654, size = 467, normalized size = 1.8

$$\frac{1}{480d}\sqrt{a\left(\sin\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^2}\left(768B\sqrt{2}\sqrt{a(\sin(1/2dx+c/2))^2}\sqrt{a}(\cos(1/2dx+c/2))^8+640A\sqrt{2}\sqrt{a}(\sin(1/2dx+c/2))\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^(5/2), x)

```
[Out] 1/480*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(768*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^8+640*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^6-2176*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^4+2445*A*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^4*a-4245*B*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*d*x+1/2*c)^4*a-2560*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^4+5248*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^4-435*A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)^2+555*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^2+30*A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-30*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))/cos(1/2*d*x+1/2*c)^3/a^(7/2)/sin(1/2*d*x+1/2*c)/(cos(1/2*d*x+1/2*c)^2*a)^(1/2)/d
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")
```

[Out] Timed out

**Fricas [A]** time = 1.72255, size = 741, normalized size = 2.84

$$15\sqrt{2}\left((163A - 283B)\cos(dx + c)^3 + 3(163A - 283B)\cos(dx + c)^2 + 3(163A - 283B)\cos(dx + c) + 163A - 283B\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] -1/960*(15*sqrt(2)*((163*A - 283*B)*cos(d*x + c)^3 + 3*(163*A - 283*B)*cos(d*x + c)^2 + 3*(163*A - 283*B)*cos(d*x + c) + 163*A - 283*B)*sqrt(a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sin(d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(96*B*cos(d*x + c)^4 + 160*(A - B)*cos(d*x + c)^3 - 32*(25*A - 49*B)*cos(d*x + c)^2 - 5*(503*A - 911*B)*cos(d*x + c) - 1495*A + 2671*B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(5/2),x)
```

[Out] Timed out

---

**Giac [A]** time = 2.28102, size = 347, normalized size = 1.33

$$\frac{15(163\sqrt{2}A-283\sqrt{2}B)\log\left(-\sqrt{a}\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+\sqrt{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a}\right)}{a^{\frac{5}{2}}}-\left(\left(\left(\frac{2(\sqrt{2}Aa^2-\sqrt{2}Ba^2)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2}{a^2}-\frac{21\sqrt{2}Aa^2-29\sqrt{2}Ba^2}{a^2}\right)\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)\right)\right)$$

---

480 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] -1/480\*(15\*(163\*sqrt(2)\*A - 283\*sqrt(2)\*B)\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/a^(5/2) - (((15\*(2\*(sqrt(2)\*A\*a^2 - sqrt(2)\*B\*a^2)\*tan(1/2\*d\*x + 1/2\*c)^2/a^2 - (21\*sqrt(2)\*A\*a^2 - 29\*sqrt(2)\*B\*a^2)/a^2)\*tan(1/2\*d\*x + 1/2\*c)^2 - (3685\*sqrt(2)\*A\*a^2 - 6733\*sqrt(2)\*B\*a^2)/a^2)\*tan(1/2\*d\*x + 1/2\*c)^2 - 5\*(1133\*sqrt(2)\*A\*a^2 - 1973\*sqrt(2)\*B\*a^2)/a^2)\*tan(1/2\*d\*x + 1/2\*c)/((a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)^(5/2))/d

$$3.116 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=216

$$-\frac{(39A-95B)\sin(c+dx)\sqrt{a\cos(c+dx)+a}}{48a^3d} + \frac{(93A-197B)\sin(c+dx)}{24a^2d\sqrt{a\cos(c+dx)+a}} - \frac{(75A-163B)\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a\cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \dots$$

[Out]  $-\left(\frac{(75A-163B)\operatorname{ArcTanh}\left[\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a\cos(c+dx)+a}}\right]}{16\sqrt{2}a^{5/2}d} + \frac{(A-B)\cos(c+dx)^3\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(9A-17B)\cos(c+dx)^2\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} + \frac{(93A-197B)\sin(c+dx)}{24a^2d\sqrt{a\cos(c+dx)+a}} - \frac{(39A-95B)\sqrt{a\cos(c+dx)+a}\sin(c+dx)}{48a^3d}\right)$

**Rubi [A]** time = 0.611347, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2977, 2968, 3023, 2751, 2649, 206}

$$-\frac{(39A-95B)\sin(c+dx)\sqrt{a\cos(c+dx)+a}}{48a^3d} + \frac{(93A-197B)\sin(c+dx)}{24a^2d\sqrt{a\cos(c+dx)+a}} - \frac{(75A-163B)\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a\cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \dots$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(\cos(c+dx))^3(A+B\cos(c+dx))]/(a+a\cos(c+dx))^{5/2}, x]$

[Out]  $-\left(\frac{(75A-163B)\operatorname{ArcTanh}\left[\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a\cos(c+dx)+a}}\right]}{16\sqrt{2}a^{5/2}d} + \frac{(A-B)\cos(c+dx)^3\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(9A-17B)\cos(c+dx)^2\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} + \frac{(93A-197B)\sin(c+dx)}{24a^2d\sqrt{a\cos(c+dx)+a}} - \frac{(39A-95B)\sqrt{a\cos(c+dx)+a}\sin(c+dx)}{48a^3d}\right)$

### Rule 2977

$\operatorname{Int}[(a_+ + (b_+)\sin(e_+ + (f_+)(x_+)))^{(m_+)}((A_+) + (B_+)\sin(e_+ + (f_+)(x_+)))]((c_+) + (d_+)\sin(e_+ + (f_+)(x_+)))^{(n_+)}, x\_Symbol] \rightarrow \operatorname{Simp}[(A_+b_+ - a_+B_+)\cos[e_+ + f_+x_+](a_+ + b_+\sin[e_+ + f_+x_+])^{m_+}(c_+ + d_+\sin[e_+ + f_+x_+])^{n_+}/(a_+f_+(2m_+ + 1)), x] - \operatorname{Dist}[1/(a_+b_+(2m_+ + 1)), \operatorname{Int}[(a_+ + b_+\sin[e_+ + f_+x_+])^{(m_+ + 1)}(c_+ + d_+\sin[e_+ + f_+x_+])^{(n_+ - 1)}\operatorname{Simp}[A_+(a_+d_+n_+ - b_+c_+(m_+ + 1)) - B_+(a_+c_+m_+ + b_+d_+n_+) - d_+(a_+B_+(m_+ - n_+) + A_+b_+(m_+ + n_ + 1))\sin[e_+ + f_+x_+], x], x], x] /;$  Free Q[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

### Rule 2968

$\operatorname{Int}[(a_+ + (b_+)\sin(e_+ + (f_+)(x_+)))^{(m_+)}((A_+) + (B_+)\sin(e_+ + (f_+)(x_+)))]((c_+) + (d_+)\sin(e_+ + (f_+)(x_+))), x\_Symbol] \rightarrow \operatorname{Int}[(a_+ + b_+\sin[e_+ + f_+x_+])^{m_+}(A_+c_+ + (B_+c_+ + A_+d_+)\sin[e_+ + f_+x_+] + B_+d_+\sin[e_+ + f_+x_+]^2), x] /;$  Free Q[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

### Rule 3023

$\operatorname{Int}[(a_+ + (b_+)\sin(e_+ + (f_+)(x_+)))^{(m_+)}((A_+) + (B_+)\sin(e_+ + (f_+)(x_+)) + (C_+)\sin(e_+ + (f_+)(x_+))^2), x\_Symbol] \rightarrow -\operatorname{Simp}[(C_+\cos$



[In] Integrate[(Cos[c + d\*x]^3\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out]  $(-6*(75*A - 163*B)*\text{ArcTanh}[\text{Sin}[(c + d*x)/2]]*\text{Cos}[(c + d*x)/2]^3 + (195*A - 379*B + (255*A - 479*B)*\text{Cos}[c + d*x] + 16*(3*A - 5*B)*\text{Cos}[2*(c + d*x)] + 8*B*\text{Cos}[3*(c + d*x)])*\text{Tan}[(c + d*x)/2])/(48*a*d*(a*(1 + \text{Cos}[c + d*x]))^(3/2))$

**Maple [B]** time = 2.477, size = 397, normalized size = 1.8

$$-\frac{1}{96d} \sqrt{a \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} \left( -128 B \sqrt{2} \sqrt{a (\sin(1/2 dx + c/2))^2} \sqrt{a} (\cos(1/2 dx + c/2))^6 + 225 A \ln \left( 2 \frac{2 \sqrt{a} \sqrt{a (\sin(1/2 dx + c/2))^2}}{\cos(1/2 dx + c/2)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^(5/2), x)

[Out]  $-1/96*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-128*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\cos(1/2*d*x+1/2*c)^6+225*A*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^4*a-489*B*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a)/\cos(1/2*d*x+1/2*c))*2^{(1/2)}*\cos(1/2*d*x+1/2*c)^4*a-192*A*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\cos(1/2*d*x+1/2*c)^4+512*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\cos(1/2*d*x+1/2*c)^4-63*A*a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)^2+87*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)}*\cos(1/2*d*x+1/2*c)^2+6*A*a^{(1/2)}*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-6*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^{(1/2)})/\cos(1/2*d*x+1/2*c)^3/a^{(7/2)}/\sin(1/2*d*x+1/2*c)/(\cos(1/2*d*x+1/2*c)^2*a)^{(1/2)}/d$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2), x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 1.7759, size = 687, normalized size = 3.18

$$3 \sqrt{2} \left( (75 A - 163 B) \cos(dx + c)^3 + 3 (75 A - 163 B) \cos(dx + c)^2 + 3 (75 A - 163 B) \cos(dx + c) + 75 A - 163 B \right) \sqrt{a} \ln \left( \frac{2 \sqrt{a} \sqrt{a (\sin(1/2 dx + c/2))^2}}{\cos(1/2 dx + c/2)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

```
[Out] -1/192*(3*sqrt(2)*((75*A - 163*B)*cos(d*x + c)^3 + 3*(75*A - 163*B)*cos(d*x
+ c)^2 + 3*(75*A - 163*B)*cos(d*x + c) + 75*A - 163*B)*sqrt(a)*log(-(a*cos
(d*x + c)^2 - 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sin(d*x + c) - 2*a
*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) - 4*(32*B*cos(d
*x + c)^3 + 32*(3*A - 5*B)*cos(d*x + c)^2 + (255*A - 503*B)*cos(d*x + c) +
147*A - 299*B)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c))/(a^3*d*cos(d*x + c)^3
+ 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(5/2), x)
```

[Out] Timed out

**Giac [A]** time = 2.20505, size = 275, normalized size = 1.27

$$\frac{\left( \left( 3 \left( \frac{2\sqrt{2}(Aa^5 - Ba^5)\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2}{a^6} - \frac{\sqrt{2}(15Aa^5 - 23Ba^5)}{a^6} \right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \frac{4\sqrt{2}(75Aa^5 - 167Ba^5)}{a^6} \right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \frac{3\sqrt{2}(83Aa^5 - 155Ba^5)}{a^6} \right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\left( a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a \right)^{\frac{3}{2}}}$$

96 d

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2), x, algorithm
="giac")
```

```
[Out] -1/96*(((3*(2*sqrt(2)*(A*a^5 - B*a^5)*tan(1/2*d*x + 1/2*c)^2/a^6 - sqrt(2)*
(15*A*a^5 - 23*B*a^5)/a^6)*tan(1/2*d*x + 1/2*c)^2 - 4*sqrt(2)*(75*A*a^5 - 1
67*B*a^5)/a^6)*tan(1/2*d*x + 1/2*c)^2 - 3*sqrt(2)*(83*A*a^5 - 155*B*a^5)/a^
6)*tan(1/2*d*x + 1/2*c)/(a*tan(1/2*d*x + 1/2*c)^2 + a)^(3/2) - 3*sqrt(2)*(7
5*A - 163*B)*log(abs(-sqrt(a)*tan(1/2*d*x + 1/2*c) + sqrt(a*tan(1/2*d*x + 1
/2*c)^2 + a)))/a^(5/2))/d
```

$$3.117 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=169

$$-\frac{(A-9B) \sin(c+dx)}{4a^2 d \sqrt{a \cos(c+dx)+a}} + \frac{(19A-75B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A-B) \sin(c+dx) \cos^2(c+dx)}{4d(a \cos(c+dx)+a)^{5/2}} - \frac{(5A-13B) \sin(c+dx)}{16ad(a \cos(c+dx)+a)^{5/2}}$$

[Out] ((19\*A - 75\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(16\*Sqrt[2]\*a^(5/2)\*d) + ((A - B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) - ((5\*A - 13\*B)\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2)) - ((A - 9\*B)\*Sin[c + d\*x])/(4\*a^2\*d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.420275, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2977, 2968, 3019, 2751, 2649, 206}

$$-\frac{(A-9B) \sin(c+dx)}{4a^2 d \sqrt{a \cos(c+dx)+a}} + \frac{(19A-75B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A-B) \sin(c+dx) \cos^2(c+dx)}{4d(a \cos(c+dx)+a)^{5/2}} - \frac{(5A-13B) \sin(c+dx)}{16ad(a \cos(c+dx)+a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] ((19\*A - 75\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(16\*Sqrt[2]\*a^(5/2)\*d) + ((A - B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) - ((5\*A - 13\*B)\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2)) - ((A - 9\*B)\*Sin[c + d\*x])/(4\*a^2\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3019

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] :> Simp[((A\*b - a\*B + b\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[1



$$\int (a^2(2m+1)) \int (a + b\sin[e + fx])^{m+1} \text{Simp}[aA(m+1) + m(bB - aC) + bC(2m+1)\sin[e + fx], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{EqQ}[a^2 - b^2, 0]$$

### Rule 2751

$$\text{Int}[(a + b\sin[e + fx])^m (c + d\sin[e + fx]), x\_Symbol] \rightarrow -\text{Simp}[(d\cos[e + fx](a + b\sin[e + fx])^m) / (f(m+1)), x] + \text{Dist}[(a*d*m + b*c*(m+1)) / (b*(m+1)), \text{Int}[(a + b\sin[e + fx])^m, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -2^{(-1)}]$$

### Rule 2649

$$\text{Int}[1/\sqrt{(a + b\sin[c + dx])}, x\_Symbol] \rightarrow \text{Dist}[-2/d, \text{Subst}[\text{Int}[1/(2a - x^2), x], x, (b\cos[c + dx])/\sqrt{a + b\sin[c + dx]}], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$$

### Rule 206

$$\text{Int}[(a + b(x^2)^{-1}), x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x] / \text{Rt}[a, 2]) / (\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \parallel \text{LtQ}[b, 0])$$

### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{5/2}} dx &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{\int \frac{\cos(c+dx)(2a(A-B) - \frac{1}{2}a(A-9B)\cos(c+dx))}{(a+a\cos(c+dx))^{3/2}} dx}{4a^2} \\ &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{\int \frac{2a(A-B)\cos(c+dx) - \frac{1}{2}a(A-9B)\cos^2(c+dx)}{(a+a\cos(c+dx))^{3/2}} dx}{4a^2} \\ &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} - \frac{(5A-13B)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} - \frac{\int \frac{-\frac{3}{4}a^2(5A-13B)\cos^3(c+dx)}{(a+a\cos(c+dx))^{3/2}} dx}{4a^2} \\ &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} - \frac{(5A-13B)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} - \frac{(A-9B)\sin(c+dx)}{4a^2d\sqrt{a+a\cos(c+dx)}} \\ &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} - \frac{(5A-13B)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} - \frac{(A-9B)\sin(c+dx)}{4a^2d\sqrt{a+a\cos(c+dx)}} \\ &= \frac{(19A-75B)\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} \end{aligned}$$

**Mathematica [A]** time = 0.685333, size = 100, normalized size = 0.59

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)((85B-13A)\cos(c+dx) - 9A + 16B\cos(2(c+dx)) + 65B) + 2(19A-75B)\cos^3\left(\frac{1}{2}(c+dx)\right)\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{16ad(a(\cos(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out]  $(2*(19*A - 75*B)*\text{ArcTanh}[\text{Sin}[(c + d*x)/2]]*\text{Cos}[(c + d*x)/2]^3 + (-9*A + 65*B + (-13*A + 85*B)*\text{Cos}[c + d*x] + 16*B*\text{Cos}[2*(c + d*x)])*\text{Tan}[(c + d*x)/2]) / (16*a*d*(a*(1 + \text{Cos}[c + d*x]))^(3/2))$

**Maple [B]** time = 2.579, size = 327, normalized size = 1.9

$$\frac{1}{32d} \sqrt{a} \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \left( 19A \ln\left( 2 \frac{2\sqrt{a}\sqrt{a(\sin(1/2 dx + c/2))^2 + 2a}}{\cos(1/2 dx + c/2)} \right) \sqrt{2} (\cos(1/2 dx + c/2))^4 a - 75B \ln\left( 2 \frac{2\sqrt{a}\sqrt{a(\sin(1/2 dx + c/2))^2 + 2a}}{\cos(1/2 dx + c/2)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+cos(d*x+c)*a)^(5/2),x)`

[Out]  $\frac{1}{32} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (19 * A * \ln(2 * (2 * a^{(1/2)} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} + 2 * a) / \cos(1/2 * d * x + 1/2 * c)) * 2^{(1/2)} * \cos(1/2 * d * x + 1/2 * c)^4 * a - 75 * B * \ln(2 * (2 * a^{(1/2)} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} + 2 * a) / \cos(1/2 * d * x + 1/2 * c)) * 2^{(1/2)} * \cos(1/2 * d * x + 1/2 * c)^4 * a + 64 * B * 2^{(1/2)} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^{(1/2)} * \cos(1/2 * d * x + 1/2 * c)^4 - 13 * A * a^{(1/2)} * 2^{(1/2)} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \cos(1/2 * d * x + 1/2 * c)^2 + 21 * B * 2^{(1/2)} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^{(1/2)} * \cos(1/2 * d * x + 1/2 * c)^2 + 2 * A * a^{(1/2)} * 2^{(1/2)} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} - 2 * B * 2^{(1/2)} * (a * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a^{(1/2)}) / \cos(1/2 * d * x + 1/2 * c)^3 / a^{(7/2)} / \sin(1/2 * d * x + 1/2 * c) / (\cos(1/2 * d * x + 1/2 * c)^2 * a)^{(1/2)} / d$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

**Fricas [A]** time = 1.69405, size = 628, normalized size = 3.72

$$\frac{\sqrt{2}((19A - 75B) \cos(dx + c)^3 + 3(19A - 75B) \cos(dx + c)^2 + 3(19A - 75B) \cos(dx + c) + 19A - 75B) \sqrt{a} \log\left(-\frac{a}{\cos(dx + c)}\right)}{64(a^3 d \cos(dx + c))^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="fricas")`

[Out]  $-1/64 * (\text{sqrt}(2) * ((19 * A - 75 * B) * \cos(d * x + c)^3 + 3 * (19 * A - 75 * B) * \cos(d * x + c)^2 + 3 * (19 * A - 75 * B) * \cos(d * x + c) + 19 * A - 75 * B) * \text{sqrt}(a) * \log(-a * \cos(d * x + c)) + 2 * \text{sqrt}(2) * \text{sqrt}(a * \cos(d * x + c) + a) * \text{sqrt}(a) * \sin(d * x + c) - 2 * a * \cos(d * x + c) - 3 * a) / (\cos(d * x + c)^2 + 2 * \cos(d * x + c) + 1) - 4 * (32 * B * \cos(d * x + c)^2 - (13 * A - 85 * B) * \cos(d * x + c) - 9 * A + 49 * B) * \text{sqrt}(a * \cos(d * x + c) + a) * \sin(d * x + c) / (\cos(d * x + c)^2 * a)^{(1/2)} / d$

$d*x + c)) / (a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

**Giac [A]** time = 2.18537, size = 244, normalized size = 1.44

$$\frac{\left( \frac{2(\sqrt{2}Aa^6 - \sqrt{2}Ba^6)\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2}{a^8} - \frac{9\sqrt{2}Aa^6 - 17\sqrt{2}Ba^6}{a^8}\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - \frac{11\sqrt{2}Aa^6 - 83\sqrt{2}Ba^6}{a^8}\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) \right) (19\sqrt{2}A - 75\sqrt{2}B)\log\left(-\sqrt{a}\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + \frac{5}{a^2}\right)}{\sqrt{a\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}} \cdot \frac{1}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] 1/32\*(((2\*(sqrt(2)\*A\*a^6 - sqrt(2)\*B\*a^6)\*tan(1/2\*d\*x + 1/2\*c)^2/a^8 - (9\*sqrt(2)\*A\*a^6 - 17\*sqrt(2)\*B\*a^6)/a^8)\*tan(1/2\*d\*x + 1/2\*c)^2 - (11\*sqrt(2)\*A\*a^6 - 83\*sqrt(2)\*B\*a^6)/a^8)\*tan(1/2\*d\*x + 1/2\*c)/sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a) - (19\*sqrt(2)\*A - 75\*sqrt(2)\*B)\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/a^(5/2))/d

$$3.118 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=126

$$\frac{(5A + 19B) \tanh^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}} \right)}{16\sqrt{2}a^{5/2}d} + \frac{(5A - 13B) \sin(c + dx)}{16ad(a \cos(c + dx) + a)^{3/2}} - \frac{(A - B) \sin(c + dx)}{4d(a \cos(c + dx) + a)^{5/2}}$$

[Out] ((5\*A + 19\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(16\*Sqrt[2]\*a^(5/2)\*d) - ((A - B)\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) + ((5\*A - 13\*B)\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2))

**Rubi [A]** time = 0.229703, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2968, 3019, 2750, 2649, 206}

$$\frac{(5A + 19B) \tanh^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a \cos(c+dx)+a}} \right)}{16\sqrt{2}a^{5/2}d} + \frac{(5A - 13B) \sin(c + dx)}{16ad(a \cos(c + dx) + a)^{3/2}} - \frac{(A - B) \sin(c + dx)}{4d(a \cos(c + dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] ((5\*A + 19\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(16\*Sqrt[2]\*a^(5/2)\*d) - ((A - B)\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) + ((5\*A - 13\*B)\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3019

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> Simp[((A\*b - a\*B + b\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[a\*A\*(m + 1) + m\*(b\*B - a\*C) + b\*C\*(2\*m + 1)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && EqQ[a^2 - b^2, 0]

#### Rule 2750

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rule 2649

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)], x_Symbol] := Dist[-2/d, S
ubst[Int[1/(2*a - x^2), x], x, (b*Cos[c + d*x])/Sqrt[a + b*Sin[c + d*x]]],
x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]
```

### Rule 206

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(1*ArcTanh[(Rt[-b, 2]*x)/
Rt[a, 2]])/(Rt[a, 2]*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (Gt
Q[a, 0] || LtQ[b, 0])
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{5/2}} dx &= \int \frac{A\cos(c+dx)+B\cos^2(c+dx)}{(a+a\cos(c+dx))^{5/2}} dx \\ &= -\frac{(A-B)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} - \frac{\int \frac{-\frac{5}{2}a(A-B)-4aB\cos(c+dx)}{(a+a\cos(c+dx))^{3/2}} dx}{4a^2} \\ &= -\frac{(A-B)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(5A-13B)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} + \frac{(5A+19B)\int \frac{1}{\sqrt{a+a\cos(c+dx)}} dx}{32a^2} \\ &= -\frac{(A-B)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(5A-13B)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} - \frac{(5A+19B)\text{Subst}\left(\int \frac{1}{\sqrt{a+a\cos(c+dx)}} dx\right)}{32a^2} \\ &= \frac{(5A+19B)\tanh^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{a+a\cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A-B)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(5A-13B)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 0.461535, size = 87, normalized size = 0.69

$$\frac{\tan\left(\frac{1}{2}(c+dx)\right)\left((5A-13B)\cos(c+dx)+A-9B\right)+2(5A+19B)\cos^3\left(\frac{1}{2}(c+dx)\right)\tanh^{-1}\left(\sin\left(\frac{1}{2}(c+dx)\right)\right)}{16ad(a(\cos(c+dx)+1))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(5/2), x]
```

```
[Out] (2*(5*A + 19*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^3 + (A - 9*B + (
5*A - 13*B)*Cos[c + d*x])*Tan[(c + d*x)/2])/(16*a*d*(a*(1 + Cos[c + d*x]))^(
3/2))
```

**Maple [B]** time = 2.665, size = 292, normalized size = 2.3

$$\frac{1}{32d}\sqrt{a\left(\sin\left(\frac{dx}{2}+\frac{c}{2}\right)\right)^2}\left(5A\ln\left(2\frac{2\sqrt{a}\sqrt{a(\sin(1/2dx+c/2))^2+2a}}{\cos(1/2dx+c/2)}\right)\sqrt{2}(\cos(1/2dx+c/2))^4a+19B\ln\left(2\frac{2\sqrt{a}\sqrt{a}}{\cos(1/2dx+c/2)}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(A+B*cos(d*x+c))/(a+cos(d*x+c)*a)^(5/2), x)
```

```
[Out] 1/32/cos(1/2*d*x+1/2*c)^3*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(5*A*ln(2*(2*a^(1/
2)*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))*2^(1/2)*cos(1/2*c)
```

$$d*x+1/2*c)^4*a+19*B*\ln(2*(2*a^(1/2)*(a*\sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/\cos(1/2*d*x+1/2*c))*2^(1/2)*\cos(1/2*d*x+1/2*c)^4*a+5*A*a^(1/2)*2^(1/2)*(a*\sin(1/2*d*x+1/2*c)^2)^(1/2)*\cos(1/2*d*x+1/2*c)^2-13*B*2^(1/2)*(a*\sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*\cos(1/2*d*x+1/2*c)^2-2*A*a^(1/2)*2^(1/2)*(a*\sin(1/2*d*x+1/2*c)^2)^(1/2)+2*B*2^(1/2)*(a*\sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))/a^(7/2)/\sin(1/2*d*x+1/2*c)/(\cos(1/2*d*x+1/2*c)^2*a)^(1/2)/d$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [B]** time = 1.67616, size = 586, normalized size = 4.65

$$\frac{\sqrt{2}(5A + 19B)\cos(dx + c)^3 + 3(5A + 19B)\cos(dx + c)^2 + 3(5A + 19B)\cos(dx + c) + 5A + 19B}{64(a^3d\cos(dx + c)^3 + 3a^3d\cos(dx + c))} \sqrt{a} \log\left(-\frac{a\cos(dx + c)}{a + \cos(dx + c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] 1/64\*(sqrt(2)\*((5\*A + 19\*B)\*cos(d\*x + c)^3 + 3\*(5\*A + 19\*B)\*cos(d\*x + c)^2 + 3\*(5\*A + 19\*B)\*cos(d\*x + c) + 5\*A + 19\*B)\*sqrt(a)\*log(-(a\*cos(d\*x + c))^2 - 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sin(d\*x + c) - 2\*a\*cos(d\*x + c) - 3\*a)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)) + 4\*((5\*A - 13\*B)\*cos(d\*x + c) + A - 9\*B)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c))/(a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + 3\*a^3\*d\*cos(d\*x + c) + a^3\*d)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2),x)

[Out] Timed out

**Giac [A]** time = 2.12077, size = 181, normalized size = 1.44

$$\frac{\sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \left( \frac{2\sqrt{2}(Aa^5 - Ba^5) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a^8} - \frac{\sqrt{2}(3Aa^5 - 11Ba^5)}{a^8} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \frac{\sqrt{2}(5A + 19B) \log\left(-\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)}{a^{\frac{5}{2}}}}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="
giac")
```

```
[Out] -1/32*(sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a)*(2*sqrt(2)*(A*a^5 - B*a^5)*tan(1/
2*d*x + 1/2*c)^2/a^8 - sqrt(2)*(3*A*a^5 - 11*B*a^5)/a^8)*tan(1/2*d*x + 1/2*
c) + sqrt(2)*(5*A + 19*B)*log(abs(-sqrt(a)*tan(1/2*d*x + 1/2*c) + sqrt(a)*ta
n(1/2*d*x + 1/2*c)^2 + a)))/a^(5/2))/d
```

$$3.119 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=126

$$\frac{(3A+5B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2\sqrt{a} \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(3A+5B) \sin(c+dx)}{16ad(a \cos(c+dx)+a)^{3/2}} + \frac{(A-B) \sin(c+dx)}{4d(a \cos(c+dx)+a)^{5/2}}$$

[Out] ((3\*A + 5\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(16\*Sqrt[2]\*a^(5/2)\*d) + ((A - B)\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) + ((3\*A + 5\*B)\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2))

**Rubi [A]** time = 0.10286, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.16$ , Rules used = {2750, 2650, 2649, 206}

$$\frac{(3A+5B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2\sqrt{a} \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(3A+5B) \sin(c+dx)}{16ad(a \cos(c+dx)+a)^{3/2}} + \frac{(A-B) \sin(c+dx)}{4d(a \cos(c+dx)+a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] ((3\*A + 5\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(16\*Sqrt[2]\*a^(5/2)\*d) + ((A - B)\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) + ((3\*A + 5\*B)\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 2750

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(a\*f\*(2\*m + 1)), x] + Dist[(a\*d\*m + b\*c\*(m + 1))/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NegQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)]

#### Rule 2650

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^n)/(a\*d\*(2\*n + 1)), x] + Dist[(n + 1)/(a\*(2\*n + 1)), Int[(a + b\*Sin[c + d\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

#### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])



Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{(3A + 5B) \int \frac{1}{(a + a \cos(c + dx))^{3/2}} dx}{8a} \\
&= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{(3A + 5B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{(3A + 5B) \int \frac{1}{\sqrt{a + a \cos(c + dx)}} dx}{32a^2} \\
&= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{(3A + 5B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} - \frac{(3A + 5B) \operatorname{Subst}\left(\int \frac{1}{2a - x^2} dx, x, \sqrt{a + a \cos(c + dx)}\right)}{16a^2d} \\
&= \frac{(3A + 5B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{a + a \cos(c + dx)}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{(3A + 5B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}}
\end{aligned}$$

**Mathematica [A]** time = 0.454785, size = 80, normalized size = 0.63

$$\frac{\sin(c + dx)((3A + 5B) \cos(c + dx) + 7A + B) + 4(3A + 5B) \cos^5\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)}{16d(a(\cos(c + dx) + 1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (4\*(3\*A + 5\*B)\*ArcTanh[Sin[(c + d\*x)/2]]\*Cos[(c + d\*x)/2]^5 + (7\*A + B + (3\*A + 5\*B)\*Cos[c + d\*x])\*Sin[c + d\*x])/(16\*d\*(a\*(1 + Cos[c + d\*x]))^(5/2))

**Maple [B]** time = 2.23, size = 292, normalized size = 2.3

$$\frac{1}{32d} \sqrt{a \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} \left( 3A \ln \left( 2 \frac{2\sqrt{a}\sqrt{a(\sin(1/2 dx + c/2))^2 + 2a}}{\cos(1/2 dx + c/2)} \right) \sqrt{2} (\cos(1/2 dx + c/2))^4 a + 5B \ln \left( 2 \frac{2\sqrt{a}\sqrt{a}}{\cos(1/2 dx + c/2)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^(5/2), x)

[Out] 1/32/cos(1/2\*d\*x+1/2\*c)^3\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(3\*A\*ln(2\*(2\*a^(1/2)\*a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*a)/cos(1/2\*d\*x+1/2\*c))^2^(1/2)\*cos(1/2\*d\*x+1/2\*c)^4\*a+5\*B\*ln(2\*(2\*a^(1/2)\*a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*a)/cos(1/2\*d\*x+1/2\*c))^2^(1/2)\*cos(1/2\*d\*x+1/2\*c)^4\*a+3\*A\*a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*cos(1/2\*d\*x+1/2\*c)^2+5\*B\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)\*cos(1/2\*d\*x+1/2\*c)^2+2\*A\*a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-2\*B\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2))/a^(7/2)/sin(1/2\*d\*x+1/2\*c)/(cos(1/2\*d\*x+1/2\*c)^2\*a)^(1/2)/d

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [B]** time = 1.72635, size = 579, normalized size = 4.6

$$\frac{\sqrt{2}((3A + 5B)\cos(dx + c)^3 + 3(3A + 5B)\cos(dx + c)^2 + 3(3A + 5B)\cos(dx + c) + 3A + 5B)\sqrt{a}\log\left(-\frac{a\cos(dx+c)^2-2}{64(a^3d\cos(dx+c)^3 + 3a^3d\cos(dx+c) + a^3d)}\right)}{64(a^3d\cos(dx+c)^3 + 3a^3d\cos(dx+c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] 1/64\*(sqrt(2)\*((3\*A + 5\*B)\*cos(d\*x + c)^3 + 3\*(3\*A + 5\*B)\*cos(d\*x + c)^2 + 3\*(3\*A + 5\*B)\*cos(d\*x + c) + 3\*A + 5\*B)\*sqrt(a)\*log(-(a\*cos(d\*x + c)^2 - 2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sin(d\*x + c) - 2\*a\*cos(d\*x + c) - 3\*a)/(cos(d\*x + c)^2 + 2\*cos(d\*x + c) + 1)) + 4\*((3\*A + 5\*B)\*cos(d\*x + c) + 7\*A + B)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/(a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + 3\*a^3\*d\*cos(d\*x + c) + a^3\*d)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2),x)

[Out] Timed out

**Giac [A]** time = 1.87054, size = 181, normalized size = 1.44

$$\frac{\sqrt{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a} \left( \frac{2\sqrt{2}(Aa^5 - Ba^5) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2}{a^8} + \frac{\sqrt{2}(5Aa^5 + 3Ba^5)}{a^8} \right) \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - \frac{\sqrt{2}(3A + 5B) \log\left(-\sqrt{a} \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + \sqrt{a}\right)}{a^{\frac{5}{2}}}}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] 1/32\*(sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)\*(2\*sqrt(2)\*(A\*a^5 - B\*a^5)\*tan(1/2\*d\*x + 1/2\*c)^2/a^8 + sqrt(2)\*(5\*A\*a^5 + 3\*B\*a^5)/a^8)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(2)\*(3\*A + 5\*B)\*log(abs(-sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) + sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)))/a^(5/2))/d

$$3.120 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=164

$$-\frac{(43A-3B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2\sqrt{a} \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(11A-3B) \sin(c+dx)}{16ad(a \cos(c+dx)+a)^{3/2}} - \frac{(A-B) \sin(c+dx)}{4d(a \cos(c+dx)+a)^{3/2}}$$

[Out] (2\*A\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(a^(5/2)\*d) - ((43\*A - 3\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])]/(16\*Sqrt[2]\*a^(5/2)\*d) - ((A - B)\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) - ((11\*A - 3\*B)\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2))

**Rubi [A]** time = 0.465548, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2978, 2985, 2649, 206, 2773}

$$-\frac{(43A-3B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2\sqrt{a} \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(11A-3B) \sin(c+dx)}{16ad(a \cos(c+dx)+a)^{3/2}} - \frac{(A-B) \sin(c+dx)}{4d(a \cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (2\*A\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(a^(5/2)\*d) - ((43\*A - 3\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])]/(16\*Sqrt[2]\*a^(5/2)\*d) - ((A - B)\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) - ((11\*A - 3\*B)\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2985

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[Sqrt[a + b\*Sin[e + f\*x]]/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2649

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]],

x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

### Rule 206

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 2773

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= -\frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{\int \frac{(4aA - \frac{3}{2}a(A-B) \cos(c+dx)) \sec(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx}{4a^2} \\ &= -\frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(11A - 3B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{(8a^2A - \frac{1}{4}a^2(11A-3B) \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx}{8a^4} \\ &= -\frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(11A - 3B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{A \int \sqrt{a + a \cos(c + dx)}}{a^3} \\ &= -\frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(11A - 3B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} - \frac{(2A) \operatorname{Subst}\left(\int \frac{1}{a-x^2} dx\right)}{a^2d} \\ &= \frac{2A \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{a^{5/2}d} - \frac{(43A - 3B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{a+a \cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A - B)}{4d(a + a \cos(c + dx))^{3/2}} \end{aligned}$$

**Mathematica [A]** time = 1.37921, size = 126, normalized size = 0.77

$$\frac{\tan\left(\frac{1}{2}(c + dx)\right) \left( (3B - 11A) \cos(c + dx) - 15A + 7B \right) - 2(43A - 3B) \cos^3\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) + 64\sqrt{2}A}{16ad(a(\cos(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (-2\*(43\*A - 3\*B)\*ArcTanh[Sin[(c + d\*x)/2]]\*Cos[(c + d\*x)/2]^3 + 64\*Sqrt[2]\*A\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Cos[(c + d\*x)/2]^3 + (-15\*A + 7\*B + (-1)\*A + 3\*B)\*Cos[c + d\*x]\*Tan[(c + d\*x)/2])/(16\*a\*d\*(a\*(1 + Cos[c + d\*x]))^(3/2))

**Maple [B]** time = 4.747, size = 445, normalized size = 2.7

$$\frac{1}{32d} \sqrt{a \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} \left( -43A \ln \left( 2 \frac{2\sqrt{a}\sqrt{a}(\sin(1/2 dx + c/2))^2 + 2a}{\cos(1/2 dx + c/2)} \right) \sqrt{2} (\cos(1/2 dx + c/2))^4 a + 3B \ln \left( 2 \frac{2\sqrt{a}\sqrt{a}(\sin(1/2 dx + c/2))^2 + 2a}{\cos(1/2 dx + c/2)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*sec(d*x+c)/(a+cos(d*x+c)*a)^(5/2),x)`

[Out] 
$$\frac{1}{32} (a \sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{\frac{1}{2}} (-43 A \ln(2 (2 a^{\frac{1}{2}} (a \sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{\frac{1}{2}} + 2 a) / \cos(\frac{1}{2} d x + \frac{1}{2} c)) * 2^{\frac{1}{2}} \cos(\frac{1}{2} d x + \frac{1}{2} c)^{4 a + 3 B} \ln(2 (2 a^{\frac{1}{2}} (a \sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{\frac{1}{2}} + 2 a) / \cos(\frac{1}{2} d x + \frac{1}{2} c)) * 2^{\frac{1}{2}} \cos(\frac{1}{2} d x + \frac{1}{2} c)^{4 a + 32 A} \ln(-4 (a^{\frac{1}{2}} \cos(\frac{1}{2} d x + \frac{1}{2} c) - a^{\frac{1}{2}}) * 2^{\frac{1}{2}} (a \sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{\frac{1}{2}} - 2 a) / (2 \cos(\frac{1}{2} d x + \frac{1}{2} c) - 2^{\frac{1}{2}})) * \cos(\frac{1}{2} d x + \frac{1}{2} c)^{4 a + 32 A} \ln(4 / (2 \cos(\frac{1}{2} d x + \frac{1}{2} c) + 2^{\frac{1}{2}})) * (a^{\frac{1}{2}}) * 2^{\frac{1}{2}} (a \sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{\frac{1}{2}} + a * 2^{\frac{1}{2}} \cos(\frac{1}{2} d x + \frac{1}{2} c) + 2 a) * \cos(\frac{1}{2} d x + \frac{1}{2} c)^{4 a - 11 A} a^{\frac{1}{2}} * 2^{\frac{1}{2}} (a \sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{\frac{1}{2}} * \cos(\frac{1}{2} d x + \frac{1}{2} c)^2 + 3 B * 2^{\frac{1}{2}} (a \sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{\frac{1}{2}} a^{\frac{1}{2}} \cos(\frac{1}{2} d x + \frac{1}{2} c)^2 - 2 A a^{\frac{1}{2}} * 2^{\frac{1}{2}} (a \sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{\frac{1}{2}} + 2 B * 2^{\frac{1}{2}} (a \sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{\frac{1}{2}} a^{\frac{1}{2}}) / a^{\frac{7}{2}} / \cos(\frac{1}{2} d x + \frac{1}{2} c)^3 / \sin(\frac{1}{2} d x + \frac{1}{2} c) / (\cos(\frac{1}{2} d x + \frac{1}{2} c)^2 a)^{\frac{1}{2}} / d$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

**Fricas [B]** time = 1.91114, size = 902, normalized size = 5.5

$$\sqrt{2} \left( (43 A - 3 B) \cos(dx + c)^3 + 3(43 A - 3 B) \cos(dx + c)^2 + 3(43 A - 3 B) \cos(dx + c) + 43 A - 3 B \right) \sqrt{a} \log \left( -\frac{a \cos(dx + c)}{\dots} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+a*cos(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] 
$$\begin{aligned} & -1/64 * (\sqrt{2}) * ((43*A - 3*B) * \cos(dx + c)^3 + 3*(43*A - 3*B) * \cos(dx + c)^2 \\ & + 3*(43*A - 3*B) * \cos(dx + c) + 43*A - 3*B) * \sqrt{a} * \log(- (a * \cos(dx + c))^2 \\ & - 2 * \sqrt{2} * \sqrt{a * \cos(dx + c) + a} * \sqrt{a} * \sin(dx + c) - 2 * a * \cos(dx + \\ & c) - 3 * a) / (\cos(dx + c)^2 + 2 * \cos(dx + c) + 1)) - 32 * (A * \cos(dx + c)^3 + 3 \\ & * A * \cos(dx + c)^2 + 3 * A * \cos(dx + c) + A) * \sqrt{a} * \log((a * \cos(dx + c))^3 - 7 \\ & * a * \cos(dx + c)^2 - 4 * \sqrt{a * \cos(dx + c) + a} * \sqrt{a} * (\cos(dx + c) - 2) * \sin(dx + \\ & c) + 8 * a) / (\cos(dx + c)^3 + \cos(dx + c)^2)) + 4 * ((11*A - 3*B) * \cos \\ & (dx + c) + 15*A - 7*B) * \sqrt{a * \cos(dx + c) + a} * \sin(dx + c) / (a^3 * d * \cos(dx + c)^3 \\ & + 3 * a^3 * d * \cos(dx + c)^2 + 3 * a^3 * d * \cos(dx + c) + a^3 * d) \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+a\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

---

**Giac [A]** time = 3.28883, size = 338, normalized size = 2.06

$$2\sqrt{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a} \left( \frac{2\sqrt{2}(Aa^5 - Ba^5) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2}{a^8} + \frac{\sqrt{2}(13Aa^5 - 5Ba^5)}{a^8} \right) \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \frac{\sqrt{2}(43A\sqrt{a} - 3B\sqrt{a}) \log\left(\sqrt{a} \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{a^3}$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] -1/64\*(2\*sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a)\*(2\*sqrt(2)\*(A\*a^5 - B\*a^5)\*tan(1/2\*d\*x + 1/2\*c)^2/a^8 + sqrt(2)\*(13\*A\*a^5 - 5\*B\*a^5)/a^8)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(2)\*(43\*A\*sqrt(a) - 3\*B\*sqrt(a))\*log((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2/a^3 - 64\*A\*log(abs((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 - a\*(2\*sqrt(2) + 3)))/a^(5/2) + 64\*A\*log(abs((sqrt(a)\*tan(1/2\*d\*x + 1/2\*c) - sqrt(a\*tan(1/2\*d\*x + 1/2\*c)^2 + a))^2 + a\*(2\*sqrt(2) - 3)))/a^(5/2))/d

$$3.121 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=207

$$\frac{(35A - 11B) \tan(c + dx)}{16a^2 d \sqrt{a \cos(c + dx) + a}} - \frac{(5A - 2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2} d} + \frac{(115A - 43B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{(15A - 7B) \tan(c + dx)}{16ad(a \cos(c + dx) + a)}$$

[Out] -(((5\*A - 2\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]])/(a^(5/2)\*d) + ((115\*A - 43\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(16\*Sqrt[2]\*a^(5/2)\*d) - ((A - B)\*Tan[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) - ((15\*A - 7\*B)\*Tan[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2)) + ((35\*A - 11\*B)\*Tan[c + d\*x])/(16\*a^2\*d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.714781, antiderivative size = 207, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2978, 2984, 2985, 2649, 206, 2773}

$$\frac{(35A - 11B) \tan(c + dx)}{16a^2 d \sqrt{a \cos(c + dx) + a}} - \frac{(5A - 2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2} d} + \frac{(115A - 43B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2} a^{5/2} d} - \frac{(15A - 7B) \tan(c + dx)}{16ad(a \cos(c + dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] -(((5\*A - 2\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]])/(a^(5/2)\*d) + ((115\*A - 43\*B)\*ArcTanh[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[a + a\*Cos[c + d\*x]])])/(16\*Sqrt[2]\*a^(5/2)\*d) - ((A - B)\*Tan[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) - ((15\*A - 7\*B)\*Tan[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2)) + ((35\*A - 11\*B)\*Tan[c + d\*x])/(16\*a^2\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2984

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(b\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*(a\*d\*m + b\*c\*(n + 1)) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m

+ 1/2, 0])

### Rule 2985

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] :> Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[Sqrt[a + b\*Sin[e + f\*x]]/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2649

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Dist[-2/d, Subst[Int[1/(2\*a - x^2), x], x, (b\*Cos[c + d\*x])/Sqrt[a + b\*Sin[c + d\*x]]], x] /; FreeQ[{a, b, c, d}, x] && EqQ[a^2 - b^2, 0]

### Rule 206

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(1\*ArcTanh[(Rt[-b, 2]\*x)/Rt[a, 2]])/(Rt[a, 2]\*Rt[-b, 2]), x] /; FreeQ[{a, b}, x] && NegQ[a/b] && (GtQ[a, 0] || LtQ[b, 0])

### Rule 2773

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Dist[(-2\*b)/f, Subst[Int[1/(b\*c + a\*d - d\*x^2), x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= -\frac{(A - B) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{\int \frac{(a(5A - B) - \frac{5}{2}a(A - B) \cos(c + dx)) \sec^2(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx}{4a^2} \\ &= -\frac{(A - B) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(15A - 7B) \tan(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{(\frac{1}{2}a^2(35A - 11B) - \frac{3}{4}a^2(15A - 7B) \cos(c + dx)) \sec^2(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx}{16a^2d} \\ &= -\frac{(A - B) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(15A - 7B) \tan(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{(35A - 11B) \tan(c + dx)}{16a^2d\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{(A - B) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(15A - 7B) \tan(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{(35A - 11B) \tan(c + dx)}{16a^2d\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{(A - B) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(15A - 7B) \tan(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \frac{(35A - 11B) \tan(c + dx)}{16a^2d\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{(5A - 2B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{a^{5/2}d} + \frac{(115A - 43B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2}\sqrt{a + a \cos(c + dx)}}\right)}{16\sqrt{2}a^{5/2}d} \end{aligned}$$

**Mathematica [A]** time = 3.0522, size = 142, normalized size = 0.69

$$\frac{\tan(c + dx)(10(11A - 3B) \cos(c + dx) + (35A - 11B) \cos(2(c + dx)) + 67A - 11B) + 8(115A - 43B) \cos^5\left(\frac{1}{2}(c + dx)\right) \tan\left(\frac{1}{2}(c + dx)\right)}{32d(a(\cos(c + dx) + 1))^{5/2}}$$



Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + a*Cos[c + d*x])^(5/2),
x]
```

```
[Out] (8*(115*A - 43*B)*ArcTanh[Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^5 - 128*sqrt[2]
)*(5*A - 2*B)*ArcTanh[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[(c + d*x)/2]^5 + (67*A
- 11*B + 10*(11*A - 3*B)*Cos[c + d*x] + (35*A - 11*B)*Cos[2*(c + d*x)])*Tan
[c + d*x]/(32*d*(a*(1 + Cos[c + d*x]))^(5/2))
```

**Maple [B]** time = 5.265, size = 1122, normalized size = 5.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+cos(d*x+c)*a)^(5/2), x)
```

```
[Out] 1/16*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*(230*A*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))^2^(1/2)*cos(1/2*d*x+1/2*c)^6*a-86*B
*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))^2^(1/2)*cos(1/2*d*x+1/2*c)^6*a-160*A*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))
*cos(1/2*d*x+1/2*c)^6*a-160*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))
*cos(1/2*d*x+1/2*c)^6*a+64*B*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))
*cos(1/2*d*x+1/2*c)^6*a+64*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))
*cos(1/2*d*x+1/2*c)^6*a-115*A*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))^2^(1/2)*cos(1/2*d*x+1/2*c)^4*a+43*B*ln(2*(2*a^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a)/cos(1/2*d*x+1/2*c))^2^(1/2)*cos(1/2*d*x+1/2*c)^4*a+70*A*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^4+80*A*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))
*cos(1/2*d*x+1/2*c)^4*a+80*A*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))
*cos(1/2*d*x+1/2*c)^4*a-22*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^4-32*B*ln(-4*(a*2^(1/2)*cos(1/2*d*x+1/2*c)-a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)-2*a)/(2*cos(1/2*d*x+1/2*c)-2^(1/2)))
*cos(1/2*d*x+1/2*c)^4*a-32*B*ln(4/(2*cos(1/2*d*x+1/2*c)+2^(1/2))*(a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+a*2^(1/2)*cos(1/2*d*x+1/2*c)+2*a))
*cos(1/2*d*x+1/2*c)^4*a-15*A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)^2+7*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2)*cos(1/2*d*x+1/2*c)^2-2*A*a^(1/2)*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)+2*B*2^(1/2)*(a*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^(1/2))/a^(7/2)/cos(1/2*d*x+1/2*c)^3/(2*cos(1/2*d*x+1/2*c)-2^(1/2))/(2*cos(1/2*d*x+1/2*c)+2^(1/2))/sin(1/2*d*x+1/2*c)/(cos(1/2*d*x+1/2*c)^2*a)^(1/2)/d
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^(5/2),x, algorithm
="maxima")
```

```
[Out] Exception raised: RuntimeError
```

**Fricas [B]** time = 2.46193, size = 1067, normalized size = 5.15

$$\sqrt{2}((115A - 43B)\cos(dx + c)^4 + 3(115A - 43B)\cos(dx + c)^3 + 3(115A - 43B)\cos(dx + c)^2 + (115A - 43B)\cos(dx + c))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^(5/2),x, algorithm
="fricas")
```

```
[Out] -1/64*(sqrt(2)*((115*A - 43*B)*cos(d*x + c)^4 + 3*(115*A - 43*B)*cos(d*x +
c)^3 + 3*(115*A - 43*B)*cos(d*x + c)^2 + (115*A - 43*B)*cos(d*x + c))*sqrt(
a)*log(-(a*cos(d*x + c)^2 + 2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sin(
d*x + c) - 2*a*cos(d*x + c) - 3*a)/(cos(d*x + c)^2 + 2*cos(d*x + c) + 1)) +
16*((5*A - 2*B)*cos(d*x + c)^4 + 3*(5*A - 2*B)*cos(d*x + c)^3 + 3*(5*A - 2
*B)*cos(d*x + c)^2 + (5*A - 2*B)*cos(d*x + c))*sqrt(a)*log((a*cos(d*x + c)^
3 - 7*a*cos(d*x + c)^2 - 4*sqrt(a*cos(d*x + c) + a)*sqrt(a)*(cos(d*x + c) -
2)*sin(d*x + c) + 8*a)/(cos(d*x + c)^3 + cos(d*x + c)^2)) - 4*((35*A - 11*
B)*cos(d*x + c)^2 + 5*(11*A - 3*B)*cos(d*x + c) + 16*A)*sqrt(a*cos(d*x + c)
+ a)*sin(d*x + c))/(a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + 3*a^3*
d*cos(d*x + c)^2 + a^3*d*cos(d*x + c))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**2/(a+a*cos(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

**Giac [B]** time = 3.76784, size = 552, normalized size = 2.67

$$2\sqrt{a\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + a}\left(\frac{2\sqrt{2}(Aa^5 - Ba^5)\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2}{a^8} + \frac{\sqrt{2}(21Aa^5 - 13Ba^5)}{a^8}\right)\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - \frac{\sqrt{2}(115A\sqrt{a} - 43B\sqrt{a})\log\left(\left(\sqrt{a}\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)\right)}{a^{\frac{5}{2}}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+a*cos(d*x+c))^(5/2),x, algorithm
="giac")
```

```
[Out] 1/64*(2*sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a)*(2*sqrt(2)*(A*a^5 - B*a^5)*tan(1/2*d*x + 1/2*c)^2/a^8 + sqrt(2)*(21*A*a^5 - 13*B*a^5)/a^8)*tan(1/2*d*x + 1/2*c) - sqrt(2)*(115*A*sqrt(a) - 43*B*sqrt(a))*log((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2)/a^3 - 32*(5*A*sqrt(a) - 2*B*sqrt(a))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 - a*(2*sqrt(2) + 3)))/a^3 + 32*(5*A*sqrt(a) - 2*B*sqrt(a))*log(abs((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2 + a*(2*sqrt(2) - 3)))/a^3 + 128*sqrt(2)*(3*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2*A*sqrt(a) - A*a^(3/2))/(((sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^4 - 6*(sqrt(a)*tan(1/2*d*x + 1/2*c) - sqrt(a*tan(1/2*d*x + 1/2*c)^2 + a))^2*a + a^2)*a^2))/d
```

$$3.122 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=264

$$-\frac{7(9A-5B) \tan(c+dx)}{16a^2 d \sqrt{a \cos(c+dx)+a}} + \frac{(39A-20B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4a^{5/2}d} - \frac{(219A-115B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2\sqrt{a} \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(31A-11B) \tan(c+dx)}{16a^2 d \sqrt{a \cos(c+dx)+a}}$$

```
[Out] ((39*A - 20*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(4
*a^(5/2)*d) - ((219*A - 115*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt
[a + a*Cos[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - (7*(9*A - 5*B)*Tan[c + d*x
])/(16*a^2*d*Sqrt[a + a*Cos[c + d*x]]) - ((A - B)*Sec[c + d*x]*Tan[c + d*x
])/(4*d*(a + a*Cos[c + d*x])^(5/2)) - ((19*A - 11*B)*Sec[c + d*x]*Tan[c + d
*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2)) + ((31*A - 15*B)*Sec[c + d*x]*Tan[c
+ d*x])/(16*a^2*d*Sqrt[a + a*Cos[c + d*x]])
```

**Rubi [A]** time = 0.922992, antiderivative size = 264, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2978, 2984, 2985, 2649, 206, 2773}

$$-\frac{7(9A-5B) \tan(c+dx)}{16a^2 d \sqrt{a \cos(c+dx)+a}} + \frac{(39A-20B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4a^{5/2}d} - \frac{(219A-115B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2\sqrt{a} \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(31A-11B) \tan(c+dx)}{16a^2 d \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + a*Cos[c + d*x])^(5/2), x]
```

```
[Out] ((39*A - 20*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(4
*a^(5/2)*d) - ((219*A - 115*B)*ArcTanh[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt
[a + a*Cos[c + d*x]])])/(16*Sqrt[2]*a^(5/2)*d) - (7*(9*A - 5*B)*Tan[c + d*x
])/(16*a^2*d*Sqrt[a + a*Cos[c + d*x]]) - ((A - B)*Sec[c + d*x]*Tan[c + d*x
])/(4*d*(a + a*Cos[c + d*x])^(5/2)) - ((19*A - 11*B)*Sec[c + d*x]*Tan[c + d
*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2)) + ((31*A - 15*B)*Sec[c + d*x]*Tan[c
+ d*x])/(16*a^2*d*Sqrt[a + a*Cos[c + d*x]])
```

#### Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1
)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
```

$x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegerQ}[n] \mid \mid \text{EqQ}[m + 1/2, 0])$

### Rule 2985

$\text{Int}[(A + B)\sin(e + f*x)]/(\text{Sqrt}[a + b*\sin(e + f*x)]), x\_Symbol] \rightarrow \text{Dist}[(A*b - a*B)/(b*c - a*d), \text{Int}[1/\text{Sqrt}[a + b*\sin[e + f*x]], x], x] + \text{Dist}[(B*c - A*d)/(b*c - a*d), \text{Int}[\text{Sqrt}[a + b*\sin[e + f*x]]/(c + d*\sin[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 2649

$\text{Int}[1/\text{Sqrt}[a + b*\sin(c + d*x)], x\_Symbol] \rightarrow \text{Dist}[-2/d, \text{Subst}[\text{Int}[1/(2*a - x^2), x], x, (b*\cos[c + d*x])/\text{Sqrt}[a + b*\sin[c + d*x]]], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{EqQ}[a^2 - b^2, 0]$

### Rule 206

$\text{Int}[(a + b*x^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(1*\text{ArcTanh}[\text{Rt}[-b, 2]*x]/\text{Rt}[a, 2])]/(\text{Rt}[a, 2]*\text{Rt}[-b, 2]), x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{NegQ}[a/b] \&\& (\text{GtQ}[a, 0] \mid \mid \text{LtQ}[b, 0])$

### Rule 2773

$\text{Int}[\text{Sqrt}[a + b*\sin(e + f*x)]/((c + d*\sin(e + f*x))), x\_Symbol] \rightarrow \text{Dist}[(-2*b)/f, \text{Subst}[\text{Int}[1/(b*c + a*d - d*x^2), x], x, (b*\cos[e + f*x])/\text{Sqrt}[a + b*\sin[e + f*x]]], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \int \frac{\left(2a(3A - B) - \frac{7}{2}a(A - B) \cos(c + dx)\right) \sec^3(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx \\ &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(19A - 11B) \sec(c + dx) \tan(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \\ &= -\frac{(A - B) \sec(c + dx) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(19A - 11B) \sec(c + dx) \tan(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \\ &= -\frac{7(9A - 5B) \tan(c + dx)}{16a^2d\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(19A - 11B)}{16ad(a + a \cos(c + dx))^{3/2}} \\ &= -\frac{7(9A - 5B) \tan(c + dx)}{16a^2d\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(19A - 11B)}{16ad(a + a \cos(c + dx))^{3/2}} \\ &= -\frac{7(9A - 5B) \tan(c + dx)}{16a^2d\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec(c + dx) \tan(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(19A - 11B)}{16ad(a + a \cos(c + dx))^{3/2}} \\ &= \frac{(39A - 20B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{4a^{5/2}d} - \frac{(219A - 115B) \tanh^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2}\sqrt{a + a \cos(c + dx)}}\right)}{16\sqrt{2}a^{5/2}d} \end{aligned}$$

**Mathematica [A]** time = 5.65572, size = 178, normalized size = 0.67

$$-8(219A - 115B) \cos^3\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sin\left(\frac{1}{2}(c + dx)\right)\right) + 32\sqrt{2}(39A - 20B) \cos^3\left(\frac{1}{2}(c + dx)\right) \tanh^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3)/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (-8\*(219\*A - 115\*B)\*ArcTanh[Sin[(c + d\*x)/2]]\*Cos[(c + d\*x)/2]^3 + 32\*sqrt[2]\*(39\*A - 20\*B)\*ArcTanh[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Cos[(c + d\*x)/2]^3 + (-158\*A + 110\*B + (-269\*A + 169\*B)\*Cos[c + d\*x] + (-190\*A + 110\*B)\*Cos[2\*(c + d\*x)] - 63\*A\*Cos[3\*(c + d\*x)] + 35\*B\*Cos[3\*(c + d\*x)])\*Sec[c + d\*x]^2\*Tan[(c + d\*x)/2])/(64\*a\*d\*(a\*(1 + Cos[c + d\*x]))^(3/2))

**Maple [B]** time = 5.76, size = 1610, normalized size = 6.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+cos(d\*x+c)\*a)^(5/2), x)

[Out] 1/8\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*A\*a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-252\*A\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)\*cos(1/2\*d\*x+1/2\*c)^6+140\*B\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)\*cos(1/2\*d\*x+1/2\*c)^6+624\*A\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*cos(1/2\*d\*x+1/2\*c)^8\*a+624\*A\*ln(-4\*(a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)-a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-2\*a)/(2\*cos(1/2\*d\*x+1/2\*c)-2^(1/2)))\*cos(1/2\*d\*x+1/2\*c)^8\*a-320\*B\*ln(-4\*(a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)-a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-2\*a)/(2\*cos(1/2\*d\*x+1/2\*c)-2^(1/2)))\*cos(1/2\*d\*x+1/2\*c)^8\*a-320\*B\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*cos(1/2\*d\*x+1/2\*c)^8\*a-876\*A\*ln(2\*(2\*a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*a)/cos(1/2\*d\*x+1/2\*c))\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)^8\*a+460\*B\*ln(2\*(2\*a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*a)/cos(1/2\*d\*x+1/2\*c))\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)^8\*a+2\*B\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^(1/2)-624\*A\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*cos(1/2\*d\*x+1/2\*c)^6\*a-624\*A\*ln(-4\*(a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)-a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-2\*a)/(2\*cos(1/2\*d\*x+1/2\*c)-2^(1/2)))\*cos(1/2\*d\*x+1/2\*c)^6\*a+320\*B\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*cos(1/2\*d\*x+1/2\*c)^6\*a+320\*B\*ln(-4\*(a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)-a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-2\*a)/(2\*cos(1/2\*d\*x+1/2\*c)-2^(1/2)))\*cos(1/2\*d\*x+1/2\*c)^6\*a+156\*A\*ln(-4\*(a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)-a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-2\*a)/(2\*cos(1/2\*d\*x+1/2\*c)-2^(1/2)))\*cos(1/2\*d\*x+1/2\*c)^4\*a+156\*A\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*cos(1/2\*d\*x+1/2\*c)^4\*a-80\*B\*ln(-4\*(a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)-a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)-2\*a)/(2\*cos(1/2\*d\*x+1/2\*c)-2^(1/2)))\*cos(1/2\*d\*x+1/2\*c)^4\*a-80\*B\*ln(4/(2\*cos(1/2\*d\*x+1/2\*c)+2^(1/2)))\*(a^(1/2)\*2^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+a\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)+2\*a))\*cos(1/2\*d\*x+1/2\*c)^4\*a-219\*A\*ln(2\*(2\*a^(1/2)\*(a\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*a)/cos(1/2\*d\*x+1/2\*c))\*2^(1/2)\*cos(1/2\*d\*x+1/2\*c)^4\*a+115\*B\*

$$\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)+2*a}/\cos(1/2*d*x+1/2*c))*2^{(1/2)*\cos(1/2*d*x+1/2*c)^4*a+876*A*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)+2*a}/\cos(1/2*d*x+1/2*c))*2^{(1/2)*\cos(1/2*d*x+1/2*c)^6*a-460*B*\ln(2*(2*a^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)+2*a}/\cos(1/2*d*x+1/2*c))*2^{(1/2)*\cos(1/2*d*x+1/2*c)^6*a+188*A*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)*a^{(1/2)*\cos(1/2*d*x+1/2*c)^4-100*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)*a^{(1/2)*\cos(1/2*d*x+1/2*c)^4-19*A*a^{(1/2)*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)*\cos(1/2*d*x+1/2*c)^2+11*B*2^{(1/2)}*(a*\sin(1/2*d*x+1/2*c)^2)^{(1/2)*a^{(1/2)*\cos(1/2*d*x+1/2*c)^2}}/a^{(7/2)}/\cos(1/2*d*x+1/2*c)^3/(2*\cos(1/2*d*x+1/2*c)-2^{(1/2)})^2/(2*\cos(1/2*d*x+1/2*c)+2^{(1/2)})^2/\sin(1/2*d*x+1/2*c)/(\cos(1/2*d*x+1/2*c)^2*a)^{(1/2)}/d$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 2.54037, size = 1131, normalized size = 4.28

$$\sqrt{2}((219 A - 115 B) \cos(dx + c)^5 + 3(219 A - 115 B) \cos(dx + c)^4 + 3(219 A - 115 B) \cos(dx + c)^3 + (219 A - 115 B) \cos(dx + c)^2 + 3(219 A - 115 B) \cos(dx + c) + 3(219 A - 115 B))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] 
$$-1/64*(\sqrt{2}*((219*A - 115*B)*\cos(d*x + c)^5 + 3*(219*A - 115*B)*\cos(d*x + c)^4 + 3*(219*A - 115*B)*\cos(d*x + c)^3 + (219*A - 115*B)*\cos(d*x + c)^2 + 3*(219*A - 115*B)*\cos(d*x + c) + 3*(219*A - 115*B)))$$
  

$$*\sqrt{a}*\log(-(a*\cos(d*x + c))^2 - 2*\sqrt{2}*\sqrt{a*\cos(d*x + c) + a}*\sqrt{a}*\sin(d*x + c) - 2*a*\cos(d*x + c) - 3*a)/(\cos(d*x + c)^2 + 2*\cos(d*x + c) + 1)) + 4*((39*A - 20*B)*\cos(d*x + c)^5 + 3*(39*A - 20*B)*\cos(d*x + c)^4 + 3*(39*A - 20*B)*\cos(d*x + c)^3 + (39*A - 20*B)*\cos(d*x + c)^2)*\sqrt{a}*\log((a*\cos(d*x + c))^3 - 7*a*\cos(d*x + c)^2 + 4*\sqrt{a*\cos(d*x + c) + a}*\sqrt{a}*(\cos(d*x + c) - 2)*\sin(d*x + c) + 8*a)/(\cos(d*x + c)^3 + \cos(d*x + c)^2)) + 4*(7*(9*A - 5*B)*\cos(d*x + c)^3 + 5*(19*A - 11*B)*\cos(d*x + c)^2 + 4*(5*A - 4*B)*\cos(d*x + c) - 8*A)*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c))/(a^3*d*\cos(d*x + c)^5 + 3*a^3*d*\cos(d*x + c)^4 + 3*a^3*d*\cos(d*x + c)^3 + a^3*d*\cos(d*x + c)^2)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3/(a+a\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

**Giac [B]** time = 3.76846, size = 837, normalized size = 3.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/64*(2*\sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a}*(2*\sqrt{2}*(A*a^5 - B*a^5)*\tan( \\ & 1/2*d*x + 1/2*c)^2/a^8 + \sqrt{2}*(29*A*a^5 - 21*B*a^5)/a^8)*\tan(1/2*d*x + 1 \\ & /2*c) - \sqrt{2}*(219*A*\sqrt{a} - 115*B*\sqrt{a})*\log((\sqrt{a}*\tan(1/2*d*x + \\ & 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2/a^3 - 8*(39*A*\sqrt{a} - 20* \\ & B*\sqrt{a})*\log(\text{abs}((\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2* \\ & c)^2 + a})^2 - a*(2*\sqrt{2} + 3)))/a^3 + 8*(39*A*\sqrt{a} - 20*B*\sqrt{a})*\log(\text{abs}((\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2 + a*(2*\sqrt{2} - 3)))/a^3 + 32*\sqrt{2}*(41*(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*A*\sqrt{a} - 12*(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^6*B*\sqrt{a} - 209*(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*A*a^{(3/2)} + 76*(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^4*B*a^{(3/2)} + 91*(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*A*a^{(5/2)} - 36*(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*B*a^{(5/2)} - 11*A*a^{(7/2)} + 4*B*a^{(7/2)})/(((\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^4 - 6*(\sqrt{a}*\tan(1/2*d*x + 1/2*c) - \sqrt{a*\tan(1/2*d*x + 1/2*c)^2 + a})^2*a + a^2)^2*a^2))/d \end{aligned}$$



$$3.123 \quad \int \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=159

$$\frac{10a(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{2a(9A+7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{2a(A+B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{7d} + \frac{2a(9A+7B)\sin(c+dx)}{7d}$$

[Out] (2\*a\*(9\*A + 7\*B)\*EllipticE[(c + d\*x)/2, 2])/(15\*d) + (10\*a\*(A + B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (10\*a\*(A + B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(21\*d) + (2\*a\*(9\*A + 7\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(45\*d) + (2\*a\*(A + B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(7\*d) + (2\*a\*B\*Cos[c + d\*x]^(7/2)\*Sin[c + d\*x])/(9\*d)

**Rubi [A]** time = 0.19904, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2968, 3023, 2748, 2635, 2639, 2641}

$$\frac{10a(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{2a(9A+7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{2a(A+B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{7d} + \frac{2a(9A+7B)\sin(c+dx)}{7d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(5/2)\*(a + a\*cos[c + d\*x])\*(A + B\*cos[c + d\*x]), x]

[Out] (2\*a\*(9\*A + 7\*B)\*EllipticE[(c + d\*x)/2, 2])/(15\*d) + (10\*a\*(A + B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (10\*a\*(A + B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(21\*d) + (2\*a\*(9\*A + 7\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(45\*d) + (2\*a\*(A + B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(7\*d) + (2\*a\*B\*Cos[c + d\*x]^(7/2)\*Sin[c + d\*x])/(9\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2, x\_Symbol] := -Simp[(C\*cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx = \int \cos^{\frac{5}{2}}(c + dx) (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)) dx$$

$$= \frac{2aB \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{9d} + \frac{2}{9} \int \cos^{\frac{5}{2}}(c + dx) \left( \frac{1}{2} a(9A + 7B) \cos^2(c + dx) + \frac{1}{2} a(9A + 7B) \cos(c + dx) \sin(c + dx) \right) dx$$

$$= \frac{2aB \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{9d} + (a(A + B)) \int \cos^{\frac{7}{2}}(c + dx) dx$$

$$= \frac{2a(9A + 7B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{45d} + \frac{2a(A + B) \cos^{\frac{5}{2}}(c + dx)}{7d}$$

$$= \frac{2a(9A + 7B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{10a(A + B)\sqrt{\cos(c + dx)} \sin(c + dx)}{21d}$$

$$= \frac{2a(9A + 7B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{10a(A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}$$

**Mathematica [C]** time = 6.31392, size = 914, normalized size = 5.75

$$a \left( \sqrt{\cos(c + dx)} (\cos(c + dx) + 1) \left( -\frac{(9A + 7B) \cot(c)}{15d} + \frac{23(A + B) \cos(dx) \sin(c)}{84d} + \frac{(18A + 19B) \cos(2dx) \sin(2c)}{180d} + \frac{(A + B) \cos(3dx) \sin(3c)}{28d} + \frac{B \cos(4dx) \sin(4c)}{72d} + \frac{23(A + B) \cos(c) \sin(dx)}{84d} + \frac{(18A + 19B) \cos(2c) \sin(2dx)}{180d} + \frac{(A + B) \cos(3c) \sin(3dx)}{28d} + \frac{B \cos(4c) \sin(4dx)}{72d} \right) - (5A*(1 + \cos[c + d*x])*Csc[c]*HypergeometricPFQ[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*Sec[c/2 + (d*x)/2]^2$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]
```

```
[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(-((9*A + 7*B)
)*Cot[c])/(15*d) + (23*(A + B)*Cos[d*x]*Sin[c])/(84*d) + ((18*A + 19*B)*Cos
[2*d*x]*Sin[2*c])/(180*d) + ((A + B)*Cos[3*d*x]*Sin[3*c])/(28*d) + (B*Cos[4
*d*x]*Sin[4*c])/(72*d) + (23*(A + B)*Cos[c]*Sin[d*x])/(84*d) + ((18*A + 19*
B)*Cos[2*c]*Sin[2*d*x])/(180*d) + ((A + B)*Cos[3*c]*Sin[3*d*x])/(28*d) + (B
*Cos[4*c]*Sin[4*d*x])/(72*d)) - (5*A*(1 + Cos[c + d*x])*Csc[c]*Hypergeometr
icPFQ[\{1/4, 1/2\}, \{5/4\}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2
```

$$\begin{aligned} & \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 \\ & + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{C} \\ & \text{ot}[c]]]] / (21*d*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (5*B*(1 + \text{Cos}[c + d*x]) * \text{Csc}[c] * \text{Hyperg} \\ & \text{eometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \text{Sec}[c/2 + (d*x) \\ & /2]^2 * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-( \\ & \text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{Ar} \\ & \text{cTan}[\text{Cot}[c]]]] / (21*d*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (3*A*(1 + \text{Cos}[c + d*x]) * \text{Csc}[c] * \\ & \text{Sec}[c/2 + (d*x)/2]^2 * ((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{Arc} \\ & \text{Tan}[\text{Tan}[c]]]^2] * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTa} \\ & \text{n}[\text{Tan}[c]]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTa} \\ & \text{n}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan} \\ & [c]]] * \text{Tan}[c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sq} \\ & \text{rt}[1 + \text{Tan}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c] \\ & ]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) / (10*d) - (7*B*(1 + \text{Cos}[c + d*x]) * \text{Csc}[c] * \text{Sec}[c/2 + \\ & (d*x)/2]^2 * ((\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c] \\ & ]]]^2] * \text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan}[c]) / (\text{Sqrt}[1 - \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c] \\ & ]]] * \text{Sqrt}[1 + \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]]] * \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c] \\ & ]]] * \text{Sqrt}[1 + \text{Tan}[c]^2]) * \text{Sqrt}[1 + \text{Tan}[c]^2]) - ((\text{Sin}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Tan} \\ & [c]) / \text{Sqrt}[1 + \text{Tan}[c]^2] + (2*\text{Cos}[c]^2 * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[1 + \text{Ta} \\ & \text{n}[c]^2]) / (\text{Cos}[c]^2 + \text{Sin}[c]^2)) / \text{Sqrt}[\text{Cos}[c] * \text{Cos}[d*x + \text{ArcTan}[\text{Tan}[c]]] * \text{Sqrt}[ \\ & 1 + \text{Tan}[c]^2]) / (30*d) \end{aligned}$$

**Maple [B]** time = 3.214, size = 411, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(5/2)*(a+cos(d*x+c)*a)*(A+B*cos(d*x+c)),x)`

[Out] 
$$\begin{aligned} & -2/315 * ((2*\text{cos}(1/2*d*x+1/2*c)^2-1) * \text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * a * (-1120*B * \text{c} \\ & \text{os}(1/2*d*x+1/2*c) * \text{sin}(1/2*d*x+1/2*c)^{10} + (720*A+2960*B) * \text{sin}(1/2*d*x+1/2*c)^8 \\ & * \text{cos}(1/2*d*x+1/2*c) + (-1584*A-3152*B) * \text{sin}(1/2*d*x+1/2*c)^6 * \text{cos}(1/2*d*x+1/2*c \\ & ) + (1344*A+1792*B) * \text{sin}(1/2*d*x+1/2*c)^4 * \text{cos}(1/2*d*x+1/2*c) + (-366*A-408*B) * \text{si} \\ & \text{n}(1/2*d*x+1/2*c)^2 * \text{cos}(1/2*d*x+1/2*c) + 75*A * (\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * (2* \\ & \text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}) - 189*A * ( \\ & \text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\text{cos}( \\ & 1/2*d*x+1/2*c), 2^{(1/2)}) + 75*B * (\text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\text{sin}(1/2*d*x+1/ \\ & 2*c)^2-1)^{(1/2)} * \text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), 2^{(1/2)}) - 147*B * (\text{sin}(1/2*d*x+1/ \\ & 2*c)^2)^{(1/2)} * (2*\text{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)} * \text{EllipticE}(\text{cos}(1/2*d*x+1/2*c) \\ & , 2^{(1/2)})) / (-2*\text{sin}(1/2*d*x+1/2*c)^4 + \text{sin}(1/2*d*x+1/2*c)^2)^{(1/2)} / \text{sin}(1/2*d*x \\ & +1/2*c) / (2*\text{cos}(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)*cos(d*x + c)^(5/2), x)`

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba \cos(dx + c)^4 + (A + B)a \cos(dx + c)^3 + Aa \cos(dx + c)^2\right)\sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*a\*cos(d\*x + c)^4 + (A + B)\*a\*cos(d\*x + c)^3 + A\*a\*cos(d\*x + c)^2)\*sqrt(cos(d\*x + c)), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)\*(a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2), x)

$$3.124 \quad \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=132

$$\frac{2a(7A + 5B)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{21d} + \frac{6a(A + B)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{2a(A + B)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{2a(7A + 5B)\sin(c + dx)}{21d}$$

[Out] (6\*a\*(A + B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*a\*(7\*A + 5\*B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (2\*a\*(7\*A + 5\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(21\*d) + (2\*a\*(A + B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(5\*d) + (2\*a\*B\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(7\*d)

**Rubi [A]** time = 0.175311, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2968, 3023, 2748, 2635, 2641, 2639}

$$\frac{2a(7A + 5B)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{21d} + \frac{6a(A + B)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{5d} + \frac{2a(A + B)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{2a(7A + 5B)\sin(c + dx)}{21d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)\*(a + a\*cos[c + d\*x])\*(A + B\*cos[c + d\*x]),x]

[Out] (6\*a\*(A + B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*a\*(7\*A + 5\*B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (2\*a\*(7\*A + 5\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(21\*d) + (2\*a\*(A + B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(5\*d) + (2\*a\*B\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(7\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2, x\_Symbol] := -Simp[(C\*cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[(b\*cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 1), x], x]

+ d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))(A + B \cos(c + dx)) dx &= \int \cos^{\frac{3}{2}}(c + dx) (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)) dx \\ &= \frac{2aB \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d} + \frac{2}{7} \int \cos^{\frac{3}{2}}(c + dx) \left( \frac{1}{2} a(7A + 5B) \cos(c + dx) + \frac{1}{2} aB \cos^2(c + dx) \right) dx \\ &= \frac{2aB \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d} + (a(A + B)) \int \cos^{\frac{5}{2}}(c + dx) dx \\ &= \frac{2a(7A + 5B) \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} + \frac{2a(A + B) \cos^{\frac{3}{2}}(c + dx)}{5d} \\ &= \frac{6a(A + B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(7A + 5B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \dots \end{aligned}$$

**Mathematica [C]** time = 6.24721, size = 872, normalized size = 6.61

$$a \left( \sqrt{\cos(c + dx)} (\cos(c + dx) + 1) \left( -\frac{3(A + B) \cot(c)}{5d} + \frac{(28A + 23B) \cos(dx) \sin(c)}{84d} + \frac{(A + B) \cos(2dx) \sin(2c)}{10d} + \frac{B \cos(3dx) \sin(3c)}{28d} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^(3/2)\*(a + a\*cos[c + d\*x])\*(A + B\*cos[c + d\*x]),x]

[Out] a\*(Sqrt[Cos[c + d\*x]]\*(1 + Cos[c + d\*x])\*Sec[c/2 + (d\*x)/2]^2\*((-3\*(A + B)\*Cot[c])/(5\*d) + ((28\*A + 23\*B)\*Cos[d\*x]\*Sin[c])/(84\*d) + ((A + B)\*Cos[2\*d\*x]\*Sin[2\*c])/(10\*d) + (B\*Cos[3\*d\*x]\*Sin[3\*c])/(28\*d) + ((28\*A + 23\*B)\*Cos[c]\*Sin[d\*x])/(84\*d) + ((A + B)\*Cos[2\*c]\*Sin[2\*d\*x])/(10\*d) + (B\*Cos[3\*c]\*Sin[3\*d\*x])/(28\*d)) - (A\*(1 + Cos[c + d\*x])\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^2\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(3\*d\*Sqrt[1 + Cot[c]^2]) - (5\*B\*(1 + Cos[c + d\*x])\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^2\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="
fricas")
```

```
[Out] integral((B*a*cos(d*x + c)^3 + (A + B)*a*cos(d*x + c)^2 + A*a*cos(d*x + c))
*sqrt(cos(d*x + c)), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="
giac")
```

```
[Out] Timed out
```



$$3.125 \quad \int \sqrt{\cos(c + dx)}(a + a \cos(c + dx))(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=101

$$\frac{2a(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(5A+3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(A+B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{2aB\sin(c+dx)}{5d}$$

[Out] (2\*a\*(5\*A + 3\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*a\*(A + B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*a\*(A + B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d) + (2\*a\*B\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(5\*d)

**Rubi [A]** time = 0.158298, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2968, 3023, 2748, 2639, 2635, 2641}

$$\frac{2a(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(5A+3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(A+B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{2aB\sin(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*(a + a\*cos[c + d\*x])\*(A + B\*cos[c + d\*x]),x]

[Out] (2\*a\*(5\*A + 3\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*a\*(A + B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*a\*(A + B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d) + (2\*a\*B\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(5\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] := -Simp[(C\*cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*cos[c + d*x]
)*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \sqrt{\cos(c + dx)}(a + a \cos(c + dx))(A + B \cos(c + dx)) dx = \int \sqrt{\cos(c + dx)} (aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)) dx$$

$$= \frac{2aB \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{2}{5} \int \sqrt{\cos(c + dx)} \left( \frac{1}{2} a(5A + 3B) \cos^{\frac{3}{2}}(c + dx) \right) dx$$

$$= \frac{2aB \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} + (a(A + B)) \int \cos^{\frac{3}{2}}(c + dx) dx$$

$$= \frac{2a(5A + 3B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(A + B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d}$$

$$= \frac{2a(5A + 3B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d}$$

**Mathematica [C]** time = 6.19786, size = 830, normalized size = 8.22

$$a \sqrt{\cos(c + dx)} (\cos(c + dx) + 1) \left( -\frac{(5A + 3B) \cot(c)}{5d} + \frac{(A + B) \cos(dx) \sin(c)}{3d} + \frac{B \cos(2dx) \sin(2c)}{10d} + \frac{(A + B) \cos(c) \sin(c)}{3d} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])*(A + B*cos[c + d*x]),x]
```

```
[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(-((5*A + 3*B)
)*Cot[c])/(5*d) + ((A + B)*Cos[d*x]*Sin[c])/(3*d) + (B*cos[2*d*x]*Sin[2*c])
/(10*d) + ((A + B)*Cos[c]*Sin[d*x])/(3*d) + (B*cos[2*c]*Sin[2*d*x])/(10*d)
- (A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x
- ArcTan[Cot[c]]]^2)*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[
1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - A
rcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]])]/(3*d*Sqrt[1 + Cot[c]^
2]) - (B*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin
[d*x - ArcTan[Cot[c]]]^2)*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*Sq
rt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x
- ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]])]/(3*d*Sqrt[1 + Cot[
c]^2]) - (A*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*((Hypergeometric
PFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[
c]])*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]])]*Sqrt[1 + Cos[d*x + ArcTan
[Tan[c]])]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1
```

$$+ \tan[c]^2) - ((\sin[d*x + \text{ArcTan}[\tan[c]]] * \tan[c]) / \sqrt{1 + \tan[c]^2} + (2 * \cos[c]^2 * \cos[d*x + \text{ArcTan}[\tan[c]]] * \sqrt{1 + \tan[c]^2}) / (\cos[c]^2 + \sin[c]^2)) / \sqrt{\cos[c] * \cos[d*x + \text{ArcTan}[\tan[c]]] * \sqrt{1 + \tan[c]^2}}) / (2*d) - (3 * B * (1 + \cos[c + d*x]) * \text{Csc}[c] * \text{Sec}[c/2 + (d*x)/2]^2 * (\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\tan[c]]]^2] * \sin[d*x + \text{ArcTan}[\tan[c]]] * \tan[c]) / (\sqrt{1 - \cos[d*x + \text{ArcTan}[\tan[c]]]} * \sqrt{1 + \cos[d*x + \text{ArcTan}[\tan[c]]]} * \sqrt{\cos[c] * \cos[d*x + \text{ArcTan}[\tan[c]]] * \sqrt{1 + \tan[c]^2}} * \sqrt{1 + \tan[c]^2}) - ((\sin[d*x + \text{ArcTan}[\tan[c]]] * \tan[c]) / \sqrt{1 + \tan[c]^2} + (2 * \cos[c]^2 * \cos[d*x + \text{ArcTan}[\tan[c]]] * \sqrt{1 + \tan[c]^2}) / (\cos[c]^2 + \sin[c]^2)) / \sqrt{\cos[c] * \cos[d*x + \text{ArcTan}[\tan[c]]] * \sqrt{1 + \tan[c]^2}}) / (10*d)$$

**Maple [B]** time = 3.14, size = 355, normalized size = 3.5

$$-\frac{2a}{15d} \sqrt{\left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-24B \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 + (20A + 44B) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)\*(A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2),x)

[Out] 
$$-2/15 * ((2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a * (-24 * B * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^6 + (20 * A + 44 * B) * \sin(1/2 * d * x + 1/2 * c)^4) * \cos(1/2 * d * x + 1/2 * c) + (-10 * A - 16 * B) * \sin(1/2 * d * x + 1/2 * c)^2 * \cos(1/2 * d * x + 1/2 * c) + 5 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 15 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 5 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 9 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a) \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa\right) \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] `integral((B*a*cos(d*x + c)^2 + (A + B)*a*cos(d*x + c) + A*a)*sqrt(cos(d*x + c)), x)`

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*cos(d*x+c)**(1/2), x)`

[Out] Timed out

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))*cos(d*x+c)^(1/2), x, algorithm="giac")`

[Out] Timed out

$$3.126 \quad \int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=70

$$\frac{2a(3A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(A+B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aB \sin(c+dx)\sqrt{\cos(c+dx)}}{3d}$$

[Out] (2\*a\*(A + B)\*EllipticE[(c + d\*x)/2, 2])/d + (2\*a\*(3\*A + B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*a\*B\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.144455, antiderivative size = 70, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2968, 3023, 2748, 2641, 2639}

$$\frac{2a(3A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a(A+B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aB \sin(c+dx)\sqrt{\cos(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]],x]

[Out] (2\*a\*(A + B)\*EllipticE[(c + d\*x)/2, 2])/d + (2\*a\*(3\*A + B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*a\*B\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2748

Int(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))(A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \int \frac{aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2aB\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{1}{2}a(3A + B) + \frac{3}{2}a(A + B) \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2aB\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + (a(A + B)) \int \sqrt{\cos(c + dx)} dx + \frac{1}{3}(a(3A + B)) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2a(A + B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a(3A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2aB\sqrt{\cos(c + dx)} \sin(c + dx)}{3d}
\end{aligned}$$

**Mathematica [C]** time = 5.73377, size = 309, normalized size = 4.41

$$a(\cos(c + dx) + 1) \sec^2\left(\frac{1}{2}(c + dx)\right) \left(\sqrt{\sin^2(\tan^{-1}(\tan(c)) + dx)} \left(-4(3A + B) \sin(c) \sqrt{\csc^2(c)} \sqrt{\sec^2(c)} \cos(c + dx) \sqrt{\cos^2(c + dx)}\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]],x]

[Out] (a\*(1 + Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*(-6\*(A + B)\*HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sec[c]\*Sin[d\*x + ArcTan[Tan[c]]] + (9\*(A + B)\*Cos[c - d\*x - ArcTan[Tan[c]]]\*Csc[c]\*Sec[c] + 3\*A\*Cos[c + d\*x + ArcTan[Tan[c]]]\*Csc[c]\*Sec[c] + 3\*B\*Cos[c + d\*x + ArcTan[Tan[c]]]\*Csc[c]\*Sec[c] - 12\*A\*Cos[c + d\*x]\*Cot[c]\*Sqrt[Sec[c]^2] - 12\*B\*Cos[c + d\*x]\*Cot[c]\*Sqrt[Sec[c]^2] - 4\*(3\*A + B)\*Cos[c + d\*x]\*Sqrt[Cos[d\*x - ArcTan[Cot[c]]]^2]\*Sqrt[Csc[c]^2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sqrt[Sec[c]^2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sin[c] + 4\*B\*Cos[c + d\*x]\*Sqrt[Sec[c]^2]\*Sin[c + d\*x]\*Sqrt[Sin[d\*x + ArcTan[Tan[c]]]^2]))/(12\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c]^2]\*Sqrt[Sin[d\*x + ArcTan[Tan[c]]]^2])

**Maple [B]** time = 3.188, size = 321, normalized size = 4.6

$$-\frac{2a}{3d} \sqrt{\left(2(\cos(1/2 dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(4B \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^4 + 3A \sqrt{(\sin(1/2 dx + c/2))^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x)

[Out] -2/3\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a\*(4\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4+3\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-3\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-3\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-2\*B\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)/sqrt(cos(d\*x + c)), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*a\*cos(d\*x + c)^2 + (A + B)\*a\*cos(d\*x + c) + A\*a)/sqrt(cos(d\*x + c)), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(1/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)/sqrt(cos(d\*x + c)), x)

$$3.127 \quad \int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=66

$$\frac{2a(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} - \frac{2a(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aA \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

[Out] (-2\*a\*(A - B)\*EllipticE[(c + d\*x)/2, 2])/d + (2\*a\*(A + B)\*EllipticF[(c + d\*x)/2, 2])/d + (2\*a\*A\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]])

**Rubi [A]** time = 0.147927, antiderivative size = 66, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2968, 3021, 2748, 2641, 2639}

$$\frac{2a(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} - \frac{2a(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aA \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]

[Out] (-2\*a\*(A - B)\*EllipticE[(c + d\*x)/2, 2])/d + (2\*a\*(A + B)\*EllipticF[(c + d\*x)/2, 2])/d + (2\*a\*A\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]])

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2639



Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - P  
i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))(A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \int \frac{aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{\frac{1}{2}a(A + B) - \frac{1}{2}a(A - B) \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2aA \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - (a(A - B)) \int \sqrt{\cos(c + dx)} dx + (a(A + B)) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= -\frac{2a(A - B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a(A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2aA \sin(c + dx)}{d\sqrt{\cos(c + dx)}} \end{aligned}$$

**Mathematica [C]** time = 5.82003, size = 256, normalized size = 3.88

$$a(\cos(c + dx) + 1) \sec^2\left(\frac{1}{2}(c + dx)\right) \left( \frac{2(A-B) \sec(c) \sin(\tan^{-1}(\tan(c)) + dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(dx + \tan^{-1}(\tan(c)))\right)}{\sqrt{\sec^2(c)} \sqrt{\sin^2(\tan^{-1}(\tan(c)) + dx)}} - 4(A + B) \sin(c) \sqrt{\cos(c)} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]

[Out] (a\*(1 + Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*((Csc[c]\*(-3\*(A - B)\*Cos[c - d\*x - ArcTan[Tan[c]]])\*Sec[c] - (A - B)\*Cos[c + d\*x + ArcTan[Tan[c]]])\*Sec[c] + 2\*((2\*A - B)\*Cos[d\*x] - B\*Cos[2\*c + d\*x])\*Sqrt[Sec[c]^2])/Sqrt[Sec[c]^2] - 4\*(A + B)\*Cos[c + d\*x]\*Sqrt[Cos[d\*x - ArcTan[Cot[c]]]^2]\*Sqrt[Csc[c]^2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sin[c] + (2\*(A - B)\*HypergeometricPFQ[-1/2, -1/4, {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sec[c]\*Sin[d\*x + ArcTan[Tan[c]]])/(Sqrt[Sec[c]^2]\*Sqrt[Sin[d\*x + ArcTan[Tan[c]]]^2]))/(4\*d\*Sqrt[Cos[c + d\*x]])

**Maple [B]** time = 3.251, size = 240, normalized size = 3.6

$$-2 \frac{a \left( A \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{2 (\sin(1/2 dx + c/2))^2 - 1} \text{EllipticF}(\cos(1/2 dx + c/2), \sqrt{2}) + A \sqrt{(\sin(1/2 dx + c/2))^2} \right)}{\cos(d*x + c)^{3/2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x)

[Out] -2\*a\*(A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-2\*A\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2+B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))

$$\sqrt{\frac{1}{2}}) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{1/2} / d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)/cos(d\*x + c)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa}{\cos(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B\*a\*cos(d\*x + c)^2 + (A + B)\*a\*cos(d\*x + c) + A\*a)/cos(d\*x + c)^(3/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)/cos(d\*x + c)^(3/2), x)

$$3.128 \quad \int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=95

$$\frac{2a(A+3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a(A+B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a(A+B)\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2aA\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)}$$

[Out]  $(-2*a*(A+B)*\text{EllipticE}[(c+d*x)/2, 2])/d + (2*a*(A+3*B)*\text{EllipticF}[(c+d*x)/2, 2])/(3*d) + (2*a*A*\text{Sin}[c+d*x])/(3*d*\text{Cos}[c+d*x]^{(3/2)}) + (2*a*(A+B)*\text{Sin}[c+d*x])/(d*\text{Sqrt}[\text{Cos}[c+d*x]])$

**Rubi [A]** time = 0.169493, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2968, 3021, 2748, 2636, 2639, 2641}

$$\frac{2a(A+3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a(A+B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a(A+B)\sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2aA\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a+a*\text{Cos}[c+d*x])*(A+B*\text{Cos}[c+d*x])]/\text{Cos}[c+d*x]^{(5/2)}, x]$

[Out]  $(-2*a*(A+B)*\text{EllipticE}[(c+d*x)/2, 2])/d + (2*a*(A+3*B)*\text{EllipticF}[(c+d*x)/2, 2])/(3*d) + (2*a*A*\text{Sin}[c+d*x])/(3*d*\text{Cos}[c+d*x]^{(3/2)}) + (2*a*(A+B)*\text{Sin}[c+d*x])/(d*\text{Sqrt}[\text{Cos}[c+d*x]])$

#### Rule 2968

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

#### Rule 3021

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m+1)}]/(b*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)}*\text{Simp}[b*(a*A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m+1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

#### Rule 2748

$\text{Int}[(b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rule 2636

$\text{Int}[(b_.)*\text{sin}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n+1)})/(b*d*(n+1)), x] + \text{Dist}[(n+2)/(b^2*(n+1)), \text{In}$

$t[(b*\sin[c + d*x])^{(n + 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x \ \&\& \text{LtQ}[n, -1] \ \&\& \text{IntegerQ}[2*n]$

### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \text{:>} \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \text{:>} \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))(A + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx &= \int \frac{aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{\frac{3}{2}a(A + B) + \frac{1}{2}a(A + 3B) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + (a(A + B)) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx + \frac{1}{3}(a(A + 3B)) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2a(A + 3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2aA \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{d\sqrt{\cos(c + dx)}} \\ &= -\frac{2a(A + B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2a(A + 3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2aA \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} \end{aligned}$$

**Mathematica [C]** time = 6.32984, size = 813, normalized size = 8.56

$$a \left( \sqrt{\cos(c + dx)}(\cos(c + dx) + 1) \left( \frac{A \sec(c) \sin(dx) \sec^2(c + dx)}{3d} + \frac{\sec(c)(A \sin(c) + 3A \sin(dx) + 3B \sin(dx)) \sec(c + dx)}{3d} \right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(5/2),x]

[Out]  $a*(\text{Sqrt}[\text{Cos}[c + d*x]]*(1 + \text{Cos}[c + d*x])* \text{Sec}[c/2 + (d*x)/2]^2*((A + B)*\text{Csc}[c]*\text{Sec}[c])/d + (A*\text{Sec}[c]*\text{Sec}[c + d*x]^2*\text{Sin}[d*x])/(3*d) + (\text{Sec}[c]*\text{Sec}[c + d*x]*(A*\text{Sin}[c] + 3*A*\text{Sin}[d*x] + 3*B*\text{Sin}[d*x]))/(3*d)) - (A*(1 + \text{Cos}[c + d*x])*\text{Csc}[c]*\text{HypergeometricPFQ}\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2)*\text{Sec}[c/2 + (d*x)/2]^2*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (B*(1 + \text{Cos}[c + d*x])* \text{Csc}[c]*\text{HypergeometricPFQ}\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2)*\text{Sec}[c/2 + (d*x)/2]^2*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \text{Cot}[c]^2])*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \text{Cot}[c]^2])$

```

rt[1 + Sin[d*x - ArcTan[Cot[c]]]]/(d*Sqrt[1 + Cot[c]^2]) + (A*(1 + Cos[c +
d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*(HypergeometricPFQ[{-1/2, -1/4}, {3/4},
Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - C
os[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*C
os[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x
+ ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcT
an[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x
+ ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(2*d) + (B*(1 + Cos[c + d*x])*Csc[c
]*Sec[c/2 + (d*x)/2]^2*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + A
rcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + Arc
Tan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + Arc
Tan[Tan[c]]]*Sqrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[T
an[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*
Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan
[c]]]*Sqrt[1 + Tan[c]^2]))/(2*d)

```

**Maple [B]** time = 7.918, size = 426, normalized size = 4.5

$$-4 \frac{\sqrt{-2 (\cos(1/2 dx + c/2))^2 + 1} (\sin(1/2 dx + c/2))^2 a}{\sin(1/2 dx + c/2) \sqrt{2 (\cos(1/2 dx + c/2))^2 - 1} d} \left( \frac{1}{2} \frac{B \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2 (\cos(1/2 dx + c/2))^2 + 1}}{\sqrt{-2 (\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2), x)
```

```

[Out] -4*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a*(1/2*B*(sin(
1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1
/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+
(1/2*A+1/2*B)*(-sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2
)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*
x+1/2*c), 2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*co
s(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+
1/2*c)^2-1)+1/2*A*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2
*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2
)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*
d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2)))/sin(1/2*d*x+1/2
*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2), x, algorithm="
maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)/cos(d*x + c)^(5/2), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa}{\cos(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B\*a\*cos(d\*x + c)^2 + (A + B)\*a\*cos(d\*x + c) + A\*a)/cos(d\*x + c)^(5/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)/cos(d\*x + c)^(5/2), x)

$$3.129 \quad \int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=132

$$\frac{2a(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a(3A+5B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(A+B)\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2a(3A+5B)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}} + \frac{2a}{5d}$$

[Out]  $(-2*a*(3*A + 5*B)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*a*(A + B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a*A*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*a*(A + B)*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*a*(3*A + 5*B)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

**Rubi [A]** time = 0.177031, antiderivative size = 132, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2968, 3021, 2748, 2636, 2641, 2639}

$$\frac{2a(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a(3A+5B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(A+B)\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)} + \frac{2a(3A+5B)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}} + \frac{2a}{5d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{(7/2)}, x]$

[Out]  $(-2*a*(3*A + 5*B)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*a*(A + B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a*A*\text{Sin}[c + d*x])/(5*d*\text{Cos}[c + d*x]^{(5/2)}) + (2*a*(A + B)*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*a*(3*A + 5*B)*\text{Sin}[c + d*x])/(5*d*\text{Sqrt}[\text{Cos}[c + d*x]])$

#### Rule 2968

$\text{Int}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

#### Rule 3021

$\text{Int}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m+1)})/(b*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)}*\text{Simp}[b*(a*A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m+1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

#### Rule 2748

$\text{Int}[(b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m+1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rule 2636

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \frac{(a + a \cos(c + dx))(A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx = \int \frac{aA + (aA + aB) \cos(c + dx) + aB \cos^2(c + dx)}{\cos^{\frac{7}{2}}(c + dx)} dx$$

$$= \frac{2aA \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{\frac{5}{2}a(A + B) + \frac{1}{2}a(3A + 5B) \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2aA \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + (a(A + B)) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx + \frac{1}{5}(a(3A + 5B)) \int \frac{\cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2aA \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a(3A + 5B) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}} + \frac{1}{3} \int \frac{\cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx$$

$$= -\frac{2a(3A + 5B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a(A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2aA \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)}$$

**Mathematica [C]** time = 6.37362, size = 865, normalized size = 6.55

$$a \left( \sqrt{\cos(c + dx)}(\cos(c + dx) + 1) \left( \frac{A \sec(c) \sin(dx) \sec^3(c + dx)}{5d} + \frac{\sec(c)(3A \sin(c) + 5A \sin(dx) + 5B \sin(dx)) \sec^2(c + dx)}{15d} \right) \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2),x]
```

```
[Out] a*(Sqrt[Cos[c + d*x]]*(1 + Cos[c + d*x])*Sec[c/2 + (d*x)/2]^2*(((3*A + 5*B)
*Csc[c]*Sec[c])/(5*d) + (A*Sec[c]*Sec[c + d*x]^3*Sin[d*x])/(5*d) + (Sec[c]*
Sec[c + d*x]^2*(3*A*Sin[c] + 5*A*Sin[d*x] + 5*B*Sin[d*x]))/(15*d) + (Sec[c]
*Sec[c + d*x]*(5*A*Sin[c] + 5*B*Sin[c] + 9*A*Sin[d*x] + 15*B*Sin[d*x]))/(15
*d)) - (A*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Si
n[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]]*S
qrt[1 - Sin[d*x - ArcTan[Cot[c]]])*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x
- ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[1 + Cot
[c]^2]) - (B*(1 + Cos[c + d*x])*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4},
```



```

Sin[d*x - ArcTan[Cot[c]]]^2*Sec[c/2 + (d*x)/2]^2*Sec[d*x - ArcTan[Cot[c]]
]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[
d*x - ArcTan[Cot[c]]])] *Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]]/(3*d*Sqrt[1 +
Cot[c]^2]) + (3*A*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*(Hypergeo
metricPFQ[{-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTa
n[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x +
ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]*
Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2
] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + S
in[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d
) + (B*(1 + Cos[c + d*x])*Csc[c]*Sec[c/2 + (d*x)/2]^2*(HypergeometricPFQ[{
-1/2, -1/4}, {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2]*Sin[d*x + ArcTan[Tan[c]]]*
Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[
c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Ta
n[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[
c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/S
qrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]))/(2*d)

```

**Maple [B]** time = 10.085, size = 661, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x)
```

```

[Out] -4*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a*(1/2*B*(-(si
n(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+
1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+
2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*s
in(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)+(1/2*A
+1/2*B)*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c
)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-
2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)
^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-1/10*A/(8*sin(1/2*d*x+1/2*
c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2
*(12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)
*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*
cos(1/2*d*x+1/2*c)-12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+
1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(
1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1
/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-8*sin(1/2*d*
x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^
2)^(1/2))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="
maxima")
```

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)/cos(d\*x + c)^(7/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa}{\cos(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((B\*a\*cos(d\*x + c)^2 + (A + B)\*a\*cos(d\*x + c) + A\*a)/cos(d\*x + c)^(7/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)/cos(d\*x + c)^(7/2), x)

$$3.130 \quad \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=194

$$\frac{4a^2(6A + 5B)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{21d} + \frac{4a^2(9A + 8B)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{15d} + \frac{2a^2(9A + 11B)\sin(c + dx)\cos^{\frac{5}{2}}(c + dx)}{63d} + \frac{4a^2(9A + 11B)\sin(c + dx)\cos^{\frac{5}{2}}(c + dx)}{63d} + \frac{4a^2(9A + 11B)\sin(c + dx)\cos^{\frac{5}{2}}(c + dx)}{63d}$$

[Out] (4\*a^2\*(9\*A + 8\*B)\*EllipticE[(c + d\*x)/2, 2])/(15\*d) + (4\*a^2\*(6\*A + 5\*B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (4\*a^2\*(6\*A + 5\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(21\*d) + (4\*a^2\*(9\*A + 8\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(45\*d) + (2\*a^2\*(9\*A + 11\*B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(63\*d) + (2\*B\*Cos[c + d\*x]^(5/2)\*(a^2 + a^2\*Cos[c + d\*x])\*Sin[c + d\*x])/(9\*d)

**Rubi [A]** time = 0.318823, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2976, 2968, 3023, 2748, 2635, 2641, 2639}

$$\frac{4a^2(6A + 5B)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{21d} + \frac{4a^2(9A + 8B)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{15d} + \frac{2a^2(9A + 11B)\sin(c + dx)\cos^{\frac{5}{2}}(c + dx)}{63d} + \frac{4a^2(9A + 11B)\sin(c + dx)\cos^{\frac{5}{2}}(c + dx)}{63d} + \frac{4a^2(9A + 11B)\sin(c + dx)\cos^{\frac{5}{2}}(c + dx)}{63d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)\*(a + a\*cos[c + d\*x])^2\*(A + B\*cos[c + d\*x]), x]

[Out] (4\*a^2\*(9\*A + 8\*B)\*EllipticE[(c + d\*x)/2, 2])/(15\*d) + (4\*a^2\*(6\*A + 5\*B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (4\*a^2\*(6\*A + 5\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(21\*d) + (4\*a^2\*(9\*A + 8\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(45\*d) + (2\*a^2\*(9\*A + 11\*B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(63\*d) + (2\*B\*Cos[c + d\*x]^(5/2)\*(a^2 + a^2\*Cos[c + d\*x])\*Sin[c + d\*x])/(9\*d)

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)^2], x\_Symbol] :> -Simp[(C\*Cos

```
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

### Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned}
 \int \cos^3(c + dx)(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx &= \frac{2B \cos^{\frac{5}{2}}(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{9d} + \frac{2}{9} \int \cos^{\frac{5}{2}}(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx) dx \\
 &= \frac{2B \cos^{\frac{5}{2}}(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{9d} + \frac{2}{9} \int \cos^{\frac{5}{2}}(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx) dx \\
 &= \frac{2a^2(9A + 11B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{63d} + \frac{2B \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{63d} \\
 &= \frac{2a^2(9A + 11B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{63d} + \frac{2B \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{63d} \\
 &= \frac{4a^2(6A + 5B) \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} + \frac{4a^2(9A + 8B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{21d} \\
 &= \frac{4a^2(9A + 8B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^2(6A + 5B)F\left(\frac{1}{2}(c + dx)\right)}{21d}
 \end{aligned}$$

**Mathematica [C]** time = 6.26267, size = 944, normalized size = 4.87

$$\sqrt{\cos(c + dx)}(\cos(c + dx)a + a)^2 \left( -\frac{(9A + 8B) \cot(c)}{15d} + \frac{(51A + 46B) \cos(dx) \sin(c)}{168d} + \frac{(36A + 37B) \cos(2dx) \sin(2c)}{360d} + \dots \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^(3/2)\*(a + a\*cos[c + d\*x])^2\*(A + B\*cos[c + d\*x]),x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*cos[c + d\*x])^2\*Sec[c/2 + (d\*x)/2]^4\*(-((9\*A + 8\*B)\*Cot[c])/(15\*d) + ((51\*A + 46\*B)\*Cos[d\*x]\*Sin[c])/(168\*d) + ((36\*A + 37\*B)\*Cos[2\*d\*x]\*Sin[2\*c])/(360\*d) + ((A + 2\*B)\*Cos[3\*d\*x]\*Sin[3\*c])/(56\*d) + (B\*cos[4\*d\*x]\*Sin[4\*c])/(144\*d) + ((51\*A + 46\*B)\*Cos[c]\*Sin[d\*x])/(168\*d) + ((36\*A + 37\*B)\*Cos[2\*c]\*Sin[2\*d\*x])/(360\*d) + ((A + 2\*B)\*Cos[3\*c]\*Sin[3\*d\*x])/(56\*d) + (B\*cos[4\*c]\*Sin[4\*d\*x])/(144\*d)) - (2\*A\*(a + a\*cos[c + d\*x])^2\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^4\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(7\*d\*Sqrt[1 + Cot[c]^2]) - (5\*B\*(a + a\*cos[c + d\*x])^2\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^4\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(21\*d\*Sqrt[1 + Cot[c]^2]) - (3\*A\*(a + a\*cos[c + d\*x])^2\*Csc[c]\*Sec[c/2 + (d\*x)/2]^4\*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2)\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(10\*d) - (4\*B\*(a + a\*cos[c + d\*x])^2\*Csc[c]\*Sec[c/2 + (d\*x)/2]^4\*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2)\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(15\*d)

**Maple [A]** time = 3.137, size = 413, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(a+cos(d\*x+c)\*a)^2\*(A+B\*cos(d\*x+c)),x)

[Out] -4/315\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^2\*(-560\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^10+(360\*A+1840\*B)\*sin(1/2\*d\*x+1/2\*c)^8\*cos(1/2\*d\*x+1/2\*c)+(-1044\*A-2368\*B)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+(1134\*A+1568\*B)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-351\*A-387\*B)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+90\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-189\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+75\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-168\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm
="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2*cos(d*x + c)^(3/2), x
)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba^2 \cos(dx + c)^4 + (A + 2B)a^2 \cos(dx + c)^3 + (2A + B)a^2 \cos(dx + c)^2 + Aa^2 \cos(dx + c)\right)\sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm
="fricas")
```

```
[Out] integral((B*a^2*cos(d*x + c)^4 + (A + 2*B)*a^2*cos(d*x + c)^3 + (2*A + B)*a
^2*cos(d*x + c)^2 + A*a^2*cos(d*x + c))*sqrt(cos(d*x + c)), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+a*cos(d*x+c))**2*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2*cos(d*x + c)^(3/2), x
)
```

$$3.131 \quad \int \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=161

$$\frac{4a^2(7A + 6B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^2(4A + 3B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a^2(7A + 9B)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{35d} + \frac{4a^2(7A + 6B)\sqrt{\cos(c + dx)}}{7d}$$

[Out] (4\*a^2\*(4\*A + 3\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (4\*a^2\*(7\*A + 6\*B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (4\*a^2\*(7\*A + 6\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(21\*d) + (2\*a^2\*(7\*A + 9\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(35\*d) + (2\*B\*Cos[c + d\*x]^(3/2)\*(a^2 + a^2\*Cos[c + d\*x])\*Sin[c + d\*x])/(7\*d)

**Rubi [A]** time = 0.288749, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2976, 2968, 3023, 2748, 2639, 2635, 2641}

$$\frac{4a^2(7A + 6B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^2(4A + 3B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2a^2(7A + 9B)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{35d} + \frac{4a^2(7A + 6B)\sqrt{\cos(c + dx)}}{7d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*(a + a\*cos[c + d\*x])^2\*(A + B\*cos[c + d\*x]),x]

[Out] (4\*a^2\*(4\*A + 3\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (4\*a^2\*(7\*A + 6\*B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (4\*a^2\*(7\*A + 6\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(21\*d) + (2\*a^2\*(7\*A + 9\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(35\*d) + (2\*B\*Cos[c + d\*x]^(3/2)\*(a^2 + a^2\*Cos[c + d\*x])\*Sin[c + d\*x])/(7\*d)

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Ssin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Ssin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)^2], x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Ssin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&

!LtQ[m, -1]

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x] * (b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx &= \frac{2B \cos^{\frac{3}{2}}(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{7d} + \frac{2}{7} \int \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx \\
&= \frac{2B \cos^{\frac{3}{2}}(c + dx) (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{7d} + \frac{2}{7} \int \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2(A + B \cos(c + dx)) dx \\
&= \frac{2a^2(7A + 9B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d} + \frac{2B \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{7d} \\
&= \frac{2a^2(7A + 9B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d} + \frac{2B \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{7d} \\
&= \frac{4a^2(4A + 3B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^2(7A + 6B)\sqrt{\cos(c + dx)}}{21d} \\
&= \frac{4a^2(4A + 3B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^2(7A + 6B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d}
\end{aligned}$$

**Mathematica [C]** time = 6.22658, size = 898, normalized size = 5.58

$$\sqrt{\cos(c + dx)}(\cos(c + dx)a + a)^2 \left( -\frac{(4A + 3B) \cot(c)}{5d} + \frac{(56A + 51B) \cos(dx) \sin(c)}{168d} + \frac{(A + 2B) \cos(2dx) \sin(2c)}{20d} + \frac{B \cos(c)}{7d} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x]), x]
```



```
[Out] Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^2*Sec[c/2 + (d*x)/2]^4*(-((4*A + 3*B)*Cot[c])/(5*d) + ((56*A + 51*B)*Cos[d*x]*Sin[c])/(168*d) + ((A + 2*B)*Cos[2*d*x]*Sin[2*c])/(20*d) + (B*Cos[3*d*x]*Sin[3*c])/(56*d) + ((56*A + 51*B)*Cos[c]*Sin[d*x])/(168*d) + ((A + 2*B)*Cos[2*c]*Sin[2*d*x])/(20*d) + (B*Cos[3*c]*Sin[3*d*x])/(56*d)) - (A*(a + a*cos[c + d*x])^2*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(3*d*Sqrt[1 + Cot[c]^2]) - (2*B*(a + a*cos[c + d*x])^2*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]])]/(7*d*Sqrt[1 + Cot[c]^2]) - (2*A*(a + a*cos[c + d*x])^2*Csc[c]*Sec[c/2 + (d*x)/2]^4*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(5*d) - (3*B*(a + a*cos[c + d*x])^2*Csc[c]*Sec[c/2 + (d*x)/2]^4*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(10*d)
```

---

**Maple [A]** time = 3.511, size = 385, normalized size = 2.4

$$-\frac{4a^2}{105d} \sqrt{\left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(120B \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^8 + (-84A - 348B) \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 + (224A + 378B) \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4 + (-91A - 117B) \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 + 35A \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2\right) \sqrt{\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^2*(A+B*cos(d*x+c))*cos(d*x+c)^(1/2), x)
```

```
[Out] -4/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*(120*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-84*A-348*B)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(224*A+378*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-91*A-117*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+35*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-84*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+30*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-63*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2*sqrt(cos(d*x + c)), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba^2 \cos(dx + c)^3 + (A + 2B)a^2 \cos(dx + c)^2 + (2A + B)a^2 \cos(dx + c) + Aa^2\right)\sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((B*a^2*cos(d*x + c)^3 + (A + 2*B)*a^2*cos(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c) + A*a^2)*sqrt(cos(d*x + c)), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.132 \quad \int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=126

$$\frac{4a^2(2A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{4a^2(5A+4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a^2(5A+7B)\sin(c+dx)\sqrt{\cos(c+dx)}}{15d} + \frac{2B\sin(c+dx)}{5d}$$

[Out] (4\*a^2\*(5\*A + 4\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (4\*a^2\*(2\*A + B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*a^2\*(5\*A + 7\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*d) + (2\*B\*Sqrt[Cos[c + d\*x]]\*(a^2 + a^2\*Cos[c + d\*x])\*Sin[c + d\*x])/(5\*d)

**Rubi [A]** time = 0.274285, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^2(2A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{4a^2(5A+4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a^2(5A+7B)\sin(c+dx)\sqrt{\cos(c+dx)}}{15d} + \frac{2B\sin(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]],x]

[Out] (4\*a^2\*(5\*A + 4\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (4\*a^2\*(2\*A + B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*a^2\*(5\*A + 7\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*d) + (2\*B\*Sqrt[Cos[c + d\*x]]\*(a^2 + a^2\*Cos[c + d\*x])\*Sin[c + d\*x])/(5\*d)

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&

!LtQ[m, -1]

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^2 (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \frac{2B\sqrt{\cos(c + dx)} (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d} + \frac{2}{5} \int \frac{(a + a \cos(c + dx))^2 (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2B\sqrt{\cos(c + dx)} (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d} + \frac{2}{5} \int \frac{\frac{1}{2}a^2(5A + B) + (A + B)\cos(c + dx)}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2a^2(5A + 7B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15d} + \frac{2B\sqrt{\cos(c + dx)} (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d} \\ &= \frac{2a^2(5A + 7B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15d} + \frac{2B\sqrt{\cos(c + dx)} (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d} \\ &= \frac{4a^2(5A + 4B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^2(2A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2(5A + B)\sqrt{\cos(c + dx)}}{6d} \end{aligned}$$

**Mathematica [C]** time = 6.27118, size = 852, normalized size = 6.76

$$\sqrt{\cos(c + dx)}(\cos(c + dx)a + a)^2 \left( -\frac{(5A + 4B) \cot(c)}{5d} + \frac{(A + 2B) \cos(dx) \sin(c)}{6d} + \frac{B \cos(2dx) \sin(2c)}{20d} + \frac{(A + 2B) \cos(c)}{6d} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]], x]
```

```
[Out] Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^2*Sec[c/2 + (d*x)/2]^4*(-((5*A + 4*B)*Cot[c])/(5*d) + ((A + 2*B)*Cos[d*x]*Sin[c])/(6*d) + (B*Cos[2*d*x]*Sin[2*c])/(20*d) + ((A + 2*B)*Cos[c]*Sin[d*x])/(6*d) + (B*Cos[2*c]*Sin[2*d*x])/(20*d)) - (2*A*(a + a*Cos[c + d*x])^2*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*Sqrt[
```

$$1 + \cot[c]^2) - (B*(a + a*\cos[c + d*x])^2*\csc[c]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2*\sec[c/2 + (d*x)/2]^4*\sec[d*x - \text{ArcTan}[\cot[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]]}*\sqrt{-(\sqrt{1 + \cot[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\cot[c]]])}*\sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]]})]/(3*d*\sqrt{1 + \cot[c]^2}) - (A*(a + a*\cos[c + d*x])^2*\csc[c]*\sec[c/2 + (d*x)/2]^4*(\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\tan[c]]]^2*\sin[d*x + \text{ArcTan}[\tan[c]]]*\tan[c])/(\sqrt{1 - \cos[d*x + \text{ArcTan}[\tan[c]]]}*\sqrt{1 + \cos[d*x + \text{ArcTan}[\tan[c]]]}*\sqrt{\cos[c]*\cos[d*x + \text{ArcTan}[\tan[c]]]}*\sqrt{1 + \tan[c]^2})}*\sqrt{1 + \tan[c]^2}) - ((\sin[d*x + \text{ArcTan}[\tan[c]]]*\tan[c])/(\sqrt{1 + \tan[c]^2} + (2*\cos[c]^2*\cos[d*x + \text{ArcTan}[\tan[c]]]*\sqrt{1 + \tan[c]^2}))/(\cos[c]^2 + \sin[c]^2))/\sqrt{\cos[c]*\cos[d*x + \text{ArcTan}[\tan[c]]}*\sqrt{1 + \tan[c]^2}))/((2*d) - (2*B*(a + a*\cos[c + d*x])^2*\csc[c]*\sec[c/2 + (d*x)/2]^4*(\text{HypergeometricPFQ}[\{-1/2, -1/4\}, \{3/4\}, \cos[d*x + \text{ArcTan}[\tan[c]]]^2*\sin[d*x + \text{ArcTan}[\tan[c]]]*\tan[c])/(\sqrt{1 - \cos[d*x + \text{ArcTan}[\tan[c]]]}*\sqrt{1 + \cos[d*x + \text{ArcTan}[\tan[c]]]}*\sqrt{\cos[c]*\cos[d*x + \text{ArcTan}[\tan[c]]]}*\sqrt{1 + \tan[c]^2})}*\sqrt{1 + \tan[c]^2}) - ((\sin[d*x + \text{ArcTan}[\tan[c]]]*\tan[c])/(\sqrt{1 + \tan[c]^2} + (2*\cos[c]^2*\cos[d*x + \text{ArcTan}[\tan[c]]]*\sqrt{1 + \tan[c]^2}))/(\cos[c]^2 + \sin[c]^2))/\sqrt{\cos[c]*\cos[d*x + \text{ArcTan}[\tan[c]]}*\sqrt{1 + \tan[c]^2}))/((5*d)$$

**Maple [B]** time = 3.53, size = 357, normalized size = 2.8

$$-\frac{4a^2}{15d}\sqrt{\left(2(\cos(1/2dx + c/2))^2 - 1\right)\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2}\left(-12B\cos(1/2dx + c/2)(\sin(1/2dx + c/2))^6 + (10A + 32B)\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2), x)

[Out]  $-4/15*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*(-12*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(10*A+32*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-5*A-13*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+10*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-15*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+5*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-12*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^2/sqrt(cos(d\*x + c)), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba^2 \cos(dx+c)^3 + (A+2B)a^2 \cos(dx+c)^2 + (2A+B)a^2 \cos(dx+c) + Aa^2}{\sqrt{\cos(dx+c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*a^2\*cos(d\*x + c)^3 + (A + 2\*B)\*a^2\*cos(d\*x + c)^2 + (2\*A + B)\*a^2\*cos(d\*x + c) + A\*a^2)/sqrt(cos(d\*x + c)), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(1/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx+c) + A)(a \cos(dx+c) + a)^2}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^2/sqrt(cos(d\*x + c)), x)

$$3.133 \quad \int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{3 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=118

$$\frac{4a^2(3A+2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a^2(3A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{2A\sin(c+dx)(a^2\cos(c+dx)+a^2)}{d\sqrt{\cos(c+dx)}} + \frac{4a^2E}{3d}$$

[Out] (4\*a^2\*B\*EllipticE[(c+d\*x)/2, 2])/d + (4\*a^2\*(3\*A+2\*B)\*EllipticF[(c+d\*x)/2, 2])/(3\*d) - (2\*a^2\*(3\*A-B)\*Sqrt[Cos[c+d\*x]]\*Sin[c+d\*x])/(3\*d) + (2\*A\*(a^2+a^2\*Cos[c+d\*x])\*Sin[c+d\*x])/(d\*Sqrt[Cos[c+d\*x]])

**Rubi [A]** time = 0.26874, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2975, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^2(3A+2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a^2(3A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{2A\sin(c+dx)(a^2\cos(c+dx)+a^2)}{d\sqrt{\cos(c+dx)}} + \frac{4a^2E}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]

[Out] (4\*a^2\*B\*EllipticE[(c+d\*x)/2, 2])/d + (4\*a^2\*(3\*A+2\*B)\*EllipticF[(c+d\*x)/2, 2])/(3\*d) - (2\*a^2\*(3\*A-B)\*Sqrt[Cos[c+d\*x]]\*Sin[c+d\*x])/(3\*d) + (2\*A\*(a^2+a^2\*Cos[c+d\*x])\*Sin[c+d\*x])/(d\*Sqrt[Cos[c+d\*x]])

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m-1)\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(n+1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n+1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m-1)\*(c + d\*Sin[e + f\*x])^(n+1)\*Simp[A\*d\*(m-n-2) - B\*(a\*c\*(m-1) + b\*d\*(n+1)) - (A\*b\*d\*(m+n+1) - B\*(b\*c\*m - a\*d\*(n+1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2, x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m+1))/(b\*f\*(m+2)), x] + Dist[1/(b\*(m+2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m+2) + b\*C\*(m+1) + (b\*B\*(m+2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^2 (A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{(a + a \cos(c + dx)) \left(\frac{1}{2}a(3A - B) \sqrt{\cos(c + dx)}\right)}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{\frac{1}{2}a^2(3A + B) + \left(-\frac{1}{2}a^2(3A - B)\right) \sin(c + dx)}{\sqrt{\cos(c + dx)}} dx \\ &= -\frac{2a^2(3A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{d\sqrt{\cos(c + dx)}} \\ &= -\frac{2a^2(3A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{d\sqrt{\cos(c + dx)}} \\ &= \frac{4a^2BE \left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{4a^2(3A + 2B)F \left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2a^2(3A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} \end{aligned}$$

**Mathematica [C]** time = 6.33418, size = 623, normalized size = 5.28

$$\frac{A \csc(c) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c + dx) + a)^2 \sqrt{1 - \sin(dx - \tan^{-1}(\cot(c)))} \sqrt{\sin(c) \left(-\sqrt{\cot^2(c) + 1}\right) \sin(dx - \tan^{-1}(\cot(c)))}}{d\sqrt{\cot^2(c) + 1}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^2\*Sec[c/2 + (d\*x)/2]^4\*(-((-A + 2\*B + A\*Cos[2\*c] + 2\*B\*Cos[2\*c])\*Csc[c]\*Sec[c])/(4\*d) + (B\*Cos[d\*x]\*Sin[c])/(6\*d) + (B\*Cos[c]\*Sin[d\*x])/(6\*d) + (A\*Sec[c]\*Sec[c + d\*x]\*Sin[d\*x])/(2\*d)) - (A\*(a + a\*Cos[c + d\*x])^2\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^4\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]])\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]])]/(d\*Sqrt[1 + Cot[c]^2]) - (2\*B\*(a + a\*Cos[c + d\*x])^2\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^4\*Sec[d\*x - ArcTan[Cot[c]]])



]])\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]]/(3\*d\*Sqrt[1 + Cot[c]^2]) - (B\*(a + a\*cos[c + d\*x])^2\*Csc[c]\*Sec[c/2 + (d\*x)/2]^4\*((HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*cos[c]^2\*cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Tan[c]^2]))/(2\*d)

**Maple [B]** time = 3.598, size = 388, normalized size = 3.3

$$-\frac{4a^2}{3d} \left( 2B\sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^4} - \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x)

[Out] 
$$-4/3*a^2*(2*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(3*A+B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-3*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)^2)/((2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^2/cos(d\*x + c)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{Ba^2 \cos(dx + c)^3 + (A + 2B)a^2 \cos(dx + c)^2 + (2A + B)a^2 \cos(dx + c) + Aa^2}{\cos(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] integral((B*a^2*cos(d*x + c)^3 + (A + 2*B)*a^2*cos(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c) + A*a^2)/cos(d*x + c)^(3/2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**2*(A+B*cos(d*x+c))/cos(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2/cos(d*x + c)^(3/2), x)
```

$$3.134 \quad \int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{5 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=120

$$\frac{4a^2(2A+3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a^2(5A+3B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}} - \frac{4a^2AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2A\sin(c+dx)(a^2\cos(c+dx))}{3d\cos^{\frac{3}{2}}(c+dx)}$$

[Out]  $(-4*a^2*A*EllipticE[(c+d*x)/2, 2])/d + (4*a^2*(2*A+3*B)*EllipticF[(c+d*x)/2, 2])/(3*d) + (2*a^2*(5*A+3*B)*Sin[c+d*x])/(3*d*sqrt[Cos[c+d*x]]) + (2*A*(a^2+a^2*Cos[c+d*x])*Sin[c+d*x])/(3*d*Cos[c+d*x]^(3/2))$

**Rubi [A]** time = 0.280193, antiderivative size = 120, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2975, 2968, 3021, 2748, 2641, 2639}

$$\frac{4a^2(2A+3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2a^2(5A+3B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}} - \frac{4a^2AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2A\sin(c+dx)(a^2\cos(c+dx))}{3d\cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a+a\cos[c+dx])^2(A+B\cos[c+dx])/\cos[c+dx]^{5/2}, x]$

[Out]  $(-4*a^2*A*EllipticE[(c+d*x)/2, 2])/d + (4*a^2*(2*A+3*B)*EllipticF[(c+d*x)/2, 2])/(3*d) + (2*a^2*(5*A+3*B)*Sin[c+d*x])/(3*d*sqrt[Cos[c+d*x]]) + (2*A*(a^2+a^2*Cos[c+d*x])*Sin[c+d*x])/(3*d*Cos[c+d*x]^(3/2))$

#### Rule 2975

$\text{Int}[(a_+ + (b_+)*\sin[(e_+) + (f_+)*(x_+)])^{(m_+)}*((A_+) + (B_+)*\sin[(e_+) + (f_+)*(x_+)])^{(n_+)}, x\_Symbol] \rightarrow -\text{Simp}[(b^2*(B*c - A*d)*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m-1)}*(c + d*\sin[e + f*x])^{(n+1)})/(d*f*(n+1)*(b*c + a*d)), x] - \text{Dist}[b/(d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\sin[e + f*x])^{(m-1)}*(c + d*\sin[e + f*x])^{(n+1)}*\text{Simp}[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1))]*\sin[e + f*x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1/2] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] \mid \mid \text{EqQ}[c, 0])$

#### Rule 2968

$\text{Int}[(a_+ + (b_+)*\sin[(e_+) + (f_+)*(x_+)])^{(m_+)}*((A_+) + (B_+)*\sin[(e_+) + (f_+)*(x_+)])^{(n_+)}, x\_Symbol] \rightarrow \text{Int}[(a + b*\sin[e + f*x])^m*(A*c + (B*c + A*d)*\sin[e + f*x] + B*d*\sin[e + f*x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x \&\& \text{NeQ}[b*c - a*d, 0]$

#### Rule 3021

$\text{Int}[(a_+ + (b_+)*\sin[(e_+) + (f_+)*(x_+)])^{(m_+)}*((A_+) + (B_+)*\sin[(e_+) + (f_+)*(x_+)] + (C_+)*\sin[(e_+) + (f_+)*(x_+)]^2), x\_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m+1)})/(b*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{(m+1)}*\text{Simp}[b*(a*A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m+1)]*\sin[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B,$

C}], x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^2 (A + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx &= \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{(a + a \cos(c + dx)) \left(\frac{1}{2}a(5A + 3B) + \left(-\frac{1}{2}a^2(A - B) \cos(c + dx)\right)\right)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{\frac{1}{2}a^2(5A + 3B) + \left(-\frac{1}{2}a^2(A - B) \cos(c + dx)\right)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2a^2(5A + 3B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} + \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{4}{3} \int \frac{\left(-\frac{1}{2}a^2(A - B) \cos(c + dx)\right)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2a^2(5A + 3B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} + \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} - (2a^2(A - B)) \int \frac{\cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= -\frac{4a^2 AE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{4a^2(2A + 3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2(5A + 3B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} \end{aligned}$$

**Mathematica [C]** time = 6.39363, size = 624, normalized size = 5.2

$$\frac{A \csc(c) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right) (a \cos(c + dx) + a)^2 \left( \frac{\tan(c) \sin(\tan^{-1}(\tan(c)) + dx) {}_2F_1\left(-\frac{1}{2}, -\frac{1}{4}; \frac{3}{4}; \cos^2(dx + \tan^{-1}(\tan(c)))\right)}{\sqrt{\tan^2(c) + 1} \sqrt{1 - \cos(\tan^{-1}(\tan(c)) + dx)} \sqrt{\cos(\tan^{-1}(\tan(c)) + dx) + 1} \sqrt{\cos(c) \sqrt{\tan^2(c) + 1} \cos(\tan^{-1}(\tan(c)) + dx)}} \right)}{2d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(5/2), x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^2\*Sec[c/2 + (d\*x)/2]^4\*(-((-4\*A - B + B\*Cos[2\*c])\*Csc[c]\*Sec[c])/(4\*d) + (A\*Sec[c]\*Sec[c + d\*x]^2\*Sin[d\*x])/(6\*d) + (Sec[c]\*Sec[c + d\*x]\*(A\*Sin[c] + 6\*A\*Sin[d\*x] + 3\*B\*Sin[d\*x]))/(6\*d) - (2\*A\*(a + a\*Cos[c + d\*x])^2\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^4\*Sec[d\*x - ArcTan[Cot[c]]])

```
*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d
*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]]/(3*d*Sqrt[1 + C
ot[c]^2]) - (B*(a + a*Cos[c + d*x])^2*Csc[c]*HypergeometricPFQ[{1/4, 1/2},
{5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*Sec[d*x - ArcTan[C
ot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c
]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]]/(d*Sqrt[
1 + Cot[c]^2]) + (A*(a + a*Cos[c + d*x])^2*Csc[c]*Sec[c/2 + (d*x)/2]^4*(Hy
pergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x +
ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[
d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c
]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Ta
n[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]
^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2]))
/(2*d)
```

---

**Maple [B]** time = 3.663, size = 513, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^2*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x)
```

```
[Out] -4/3*(6*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A+B)*cos(1/
2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*
c)^2)^(1/2)*(7*A+3*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-2*(-2*sin(1/2
*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*s
in(1/2*d*x+1/2*c)^2-1)^(1/2)*(2*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+3*A
*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+3*B*EllipticF(cos(1/2*d*x+1/2*c),2^(
1/2)))*sin(1/2*d*x+1/2*c)^2+2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x
+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/
2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+3*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x
+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1
/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+3*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1
/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*
d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2))*a^2/(-2*sin(1/2*d*x+1/2*c
)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^(3/2)/sin(1/2*d*
x+1/2*c)/d
```

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm
="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2/cos(d*x + c)^(5/2), x
)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba^2 \cos(dx+c)^3 + (A+2B)a^2 \cos(dx+c)^2 + (2A+B)a^2 \cos(dx+c) + Aa^2}{\cos(dx+c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B\*a^2\*cos(d\*x + c)^3 + (A + 2\*B)\*a^2\*cos(d\*x + c)^2 + (2\*A + B)\*a^2\*cos(d\*x + c) + A\*a^2)/cos(d\*x + c)^(5/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx+c) + A)(a \cos(dx+c) + a)^2}{\cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^2/cos(d\*x + c)^(5/2), x)

$$3.135 \quad \int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{7 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=159

$$\frac{4a^2(A+2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{4a^2(4A+5B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a^2(7A+5B)\sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx)} + \frac{4a^2(4A+5B)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}}$$

[Out]  $(-4*a^2*(4*A + 5*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^2*(A + 2*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(7*A + 5*B)*Sin[c + d*x])/(15*d*Cos[c + d*x]^{(3/2)}) + (4*a^2*(4*A + 5*B)*Sin[c + d*x])/(5*d*sqrt[Cos[c + d*x]]) + (2*A*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(5*d*Cos[c + d*x]^{(5/2)})$

**Rubi [A]** time = 0.305887, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2975, 2968, 3021, 2748, 2636, 2639, 2641}

$$\frac{4a^2(A+2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{4a^2(4A+5B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a^2(7A+5B)\sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx)} + \frac{4a^2(4A+5B)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{(7/2)}, x]$

[Out]  $(-4*a^2*(4*A + 5*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (4*a^2*(A + 2*B)*EllipticF[(c + d*x)/2, 2])/(3*d) + (2*a^2*(7*A + 5*B)*Sin[c + d*x])/(15*d*Cos[c + d*x]^{(3/2)}) + (4*a^2*(4*A + 5*B)*Sin[c + d*x])/(5*d*sqrt[Cos[c + d*x]]) + (2*A*(a^2 + a^2*Cos[c + d*x])*Sin[c + d*x])/(5*d*Cos[c + d*x]^{(5/2)})$

#### Rule 2975

$\text{Int}[(a + b*\sin[e + f*x])^m * ((A + B*\sin[e + f*x]) + (C + D*\sin[e + f*x])^2), x\_Symbol] \rightarrow -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1})/(d*f*(n+1)*(b*c + a*d)), x] - \text{Dist}[b/(d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1}*\text{Simp}[A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1))]*\sin[e + f*x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

$\text{Int}[(a + b*\sin[e + f*x])^m * ((A + B*\sin[e + f*x]) + (C + D*\sin[e + f*x])^2), x\_Symbol] \rightarrow \text{Int}[(a + b*\sin[e + f*x])^m * (A*c + (B*c + A*d)*\sin[e + f*x] + B*d*\sin[e + f*x]^2), x] /;$  FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

$\text{Int}[(a + b*\sin[e + f*x])^m * ((A + B*\sin[e + f*x]) + (C + D*\sin[e + f*x])^2), x\_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m+1})/(b*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^m * ((A + B*\sin[e + f*x]) + (C + D*\sin[e + f*x])^2), x]$

$(m + 1) * \text{Simp}[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1)*\text{Sin}[e + f*x], x], x] /;$  FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

### Rule 2748

$\text{Int}[(b_*)*\text{sin}[(e_*) + (f_*)*(x_*)]^{(m_*)}*((c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_*)]), x\_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /;$  FreeQ[{b, c, d, e, f, m}, x]

### Rule 2636

$\text{Int}[(b_*)*\text{sin}[(c_*) + (d_*)*(x_*)]^{(n_*)}, x\_Symbol] := \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)})/(b*d*(n + 1)), x] + \text{Dist}[(n + 2)/(b^2*(n + 1)), \text{Int}[(b*\text{Sin}[c + d*x])^{(n + 2)}, x], x] /;$  FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

### Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_*) + (d_*)*(x_*)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

### Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_*) + (d_*)*(x_*)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^2 (A + B \cos(c + dx))}{\cos^{\frac{7}{5}}(c + dx)} dx &= \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d \cos^{\frac{5}{5}}(c + dx)} + \frac{2}{5} \int \frac{(a + a \cos(c + dx)) \left(\frac{1}{2}a(7A + 5B) + \frac{1}{2}a^2(A + B)\right)}{\cos^{\frac{5}{5}}(c + dx)} dx \\ &= \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d \cos^{\frac{5}{5}}(c + dx)} + \frac{2}{5} \int \frac{\frac{1}{2}a^2(7A + 5B) + \left(\frac{1}{2}a^2(A + B)\right)}{\cos^{\frac{5}{5}}(c + dx)} dx \\ &= \frac{2a^2(7A + 5B) \sin(c + dx)}{15d \cos^{\frac{3}{5}}(c + dx)} + \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d \cos^{\frac{5}{5}}(c + dx)} + \frac{4}{15} \int \frac{1}{\cos^{\frac{5}{5}}(c + dx)} dx \\ &= \frac{2a^2(7A + 5B) \sin(c + dx)}{15d \cos^{\frac{3}{5}}(c + dx)} + \frac{2A(a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{5d \cos^{\frac{5}{5}}(c + dx)} + \frac{1}{3} \int \frac{1}{\cos^{\frac{5}{5}}(c + dx)} dx \\ &= \frac{4a^2(A + 2B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2(7A + 5B) \sin(c + dx)}{15d \cos^{\frac{3}{5}}(c + dx)} + \frac{4a^2(4A + 5B)}{5d \sqrt{\cos(c + dx)}} \\ &= -\frac{4a^2(4A + 5B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^2(A + 2B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2(7A + 5B) \sin(c + dx)}{15d \cos^{\frac{3}{5}}(c + dx)} \end{aligned}$$

**Mathematica [C]** time = 6.46279, size = 883, normalized size = 5.55

$$\sqrt{\cos(c + dx)}(\cos(c + dx)a + a)^2 \left( \frac{A \sec(c) \sin(dx) \sec^3(c + dx)}{10d} + \frac{\sec(c)(3A \sin(c) + 10A \sin(dx) + 5B \sin(dx)) \sec^2(c + dx)}{30d} \right)$$



Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + a*cos[c + d*x])^2*(A + B*cos[c + d*x]))/cos[c + d*x]^(7/2),
x]
```

```
[Out] Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^2*Sec[c/2 + (d*x)/2]^4*(((4*A + 5*B)
)*Csc[c]*Sec[c])/(5*d) + (A*Sec[c]*Sec[c + d*x]^3*Sin[d*x])/(10*d) + (Sec[c
]*Sec[c + d*x]^2*(3*A*Sin[c] + 10*A*Sin[d*x] + 5*B*Sin[d*x]))/(30*d) + (Sec
[c]*Sec[c + d*x]*(10*A*Sin[c] + 5*B*Sin[c] + 24*A*Sin[d*x] + 30*B*Sin[d*x])
)/(30*d) - (A*(a + a*cos[c + d*x])^2*Csc[c]*HypergeometricPFQ[{1/4, 1/2},
{5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*Sec[d*x - ArcTan[C
ot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c
]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*Sqr
t[1 + Cot[c]^2]) - (2*B*(a + a*cos[c + d*x])^2*Csc[c]*HypergeometricPFQ[{1/
4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^4*Sec[d*x -
ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]
^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])
/(3*d*Sqrt[1 + Cot[c]^2]) + (2*A*(a + a*cos[c + d*x])^2*Csc[c]*Sec[c/2 + (d
*x)/2]^4*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]
^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*
Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*S
qrt[1 + Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c]
)/Sqrt[1 + Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c
]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 +
Tan[c]^2]))/(5*d) + (B*(a + a*cos[c + d*x])^2*Csc[c]*Sec[c/2 + (d*x)/2]^4
*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[
d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 +
Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 +
Tan[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1
+ Tan[c]^2] + (2*Cos[c]^2*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(C
os[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^
2]))/(2*d)
```

---

**Maple [B]** time = 10.34, size = 741, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^2*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x)
```

```
[Out] -8*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*(1/4*B*(si
n(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x
+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))
+(1/4*A+1/2*B)*(-sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1
/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*
d*x+1/2*c), 2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*
cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*
x+1/2*c)^2-1)+(1/2*A+1/4*B)*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)
^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*
x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)
^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-1/20*A
/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/
sin(1/2*d*x+1/2*c)^2*(12*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d
*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*s
in(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*EllipticE(cos(1/2*d*x+1/2*c), 2^(1
/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*
```

$d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)})/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^2/cos(d\*x + c)^(7/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba^2 \cos(dx + c)^3 + (A + 2B)a^2 \cos(dx + c)^2 + (2A + B)a^2 \cos(dx + c) + Aa^2}{\cos(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((B\*a^2\*cos(d\*x + c)^3 + (A + 2\*B)\*a^2\*cos(d\*x + c)^2 + (2\*A + B)\*a^2\*cos(d\*x + c) + A\*a^2)/cos(d\*x + c)^(7/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2/cos(d*x + c)^(7/2), x )
```

$$3.136 \quad \int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{9 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=194

$$\frac{4a^2(6A+7B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} - \frac{4a^2(3A+4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{4a^2(6A+7B)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a^2(9A+7B)\sin(c+dx)}{35d \cos^{\frac{5}{2}}(c+dx)}$$

[Out] (-4\*a^2\*(3\*A + 4\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (4\*a^2\*(6\*A + 7\*B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (2\*a^2\*(9\*A + 7\*B)\*Sin[c + d\*x])/(35\*d\*Cos[c + d\*x]^(5/2)) + (4\*a^2\*(6\*A + 7\*B)\*Sin[c + d\*x])/(21\*d\*Cos[c + d\*x]^(3/2)) + (4\*a^2\*(3\*A + 4\*B)\*Sin[c + d\*x])/(5\*d\*Sqrt[Cos[c + d\*x]]) + (2\*A\*(a^2 + a^2\*Cos[c + d\*x])\*Sin[c + d\*x])/(7\*d\*Cos[c + d\*x]^(7/2))

**Rubi [A]** time = 0.337491, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2975, 2968, 3021, 2748, 2636, 2641, 2639}

$$\frac{4a^2(6A+7B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} - \frac{4a^2(3A+4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{4a^2(6A+7B)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a^2(9A+7B)\sin(c+dx)}{35d \cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(9/2), x]

[Out] (-4\*a^2\*(3\*A + 4\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (4\*a^2\*(6\*A + 7\*B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (2\*a^2\*(9\*A + 7\*B)\*Sin[c + d\*x])/(35\*d\*Cos[c + d\*x]^(5/2)) + (4\*a^2\*(6\*A + 7\*B)\*Sin[c + d\*x])/(21\*d\*Cos[c + d\*x]^(3/2)) + (4\*a^2\*(3\*A + 4\*B)\*Sin[c + d\*x])/(5\*d\*Sqrt[Cos[c + d\*x]]) + (2\*A\*(a^2 + a^2\*Cos[c + d\*x])\*Sin[c + d\*x])/(7\*d\*Cos[c + d\*x]^(7/2))

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m-1)\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(n+1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n+1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m-1)\*(c + d\*Sin[e + f\*x])^(n+1)\*Simp[a\*A\*d\*(m-n-2) - B\*(a\*c\*(m-1) + b\*d\*(n+1)) - (A\*b\*d\*(m+n+1) - B\*(b\*c\*m - a\*d\*(n+1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2, x\_Symbol] :> -Simp[(A\*b^2

- a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C)\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2636

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \cos(c + dx))^2 (A + B \cos(c + dx))}{\cos^{\frac{9}{2}}(c + dx)} dx &= \frac{2A (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{(a + a \cos(c + dx)) \left(\frac{1}{2}a(9A + 7B) + \frac{1}{2}a^2(3A + 4B) \cos(c + dx)\right)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2A (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{\frac{1}{2}a^2(9A + 7B) + \left(\frac{1}{2}a^2(3A + 4B) \cos(c + dx)\right)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2a^2(9A + 7B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx)} + \frac{2A (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{a^2(3A + 4B) \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2a^2(9A + 7B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx)} + \frac{2A (a^2 + a^2 \cos(c + dx)) \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2a^2(3A + 4B)}{7} \int \frac{\cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2a^2(9A + 7B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx)} + \frac{4a^2(6A + 7B) \sin(c + dx)}{21d \cos^{\frac{3}{2}}(c + dx)} + \frac{4a^2(3A + 4B)}{5d \sqrt{\cos(c + dx)}} \\
 &= -\frac{4a^2(3A + 4B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^2(6A + 7B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^2(3A + 4B)}{5d \sqrt{\cos(c + dx)}}
 \end{aligned}$$

**Mathematica [C]** time = 6.53333, size = 925, normalized size = 4.77

$$\sqrt{\cos(c+dx)}(\cos(c+dx)a+a)^2 \left( \frac{A \sec(c) \sin(dx) \sec^4(c+dx)}{14d} + \frac{\sec(c)(5A \sin(c) + 14A \sin(dx) + 7B \sin(dx)) \sec^3(c+dx)}{70d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(9/2), x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^2\*Sec[c/2 + (d\*x)/2]^4\*(((3\*A + 4\*B)\*Csc[c]\*Sec[c])/(5\*d) + (A\*Sec[c]\*Sec[c + d\*x]^4\*Sin[d\*x])/(14\*d) + (Sec[c]\*Sec[c + d\*x]^3\*(5\*A\*Sin[c] + 14\*A\*Sin[d\*x] + 7\*B\*Sin[d\*x]))/(70\*d) + (Sec[c]\*Sec[c + d\*x]^2\*(42\*A\*Sin[c] + 21\*B\*Sin[c] + 60\*A\*Sin[d\*x] + 70\*B\*Sin[d\*x]))/(210\*d) + (Sec[c]\*Sec[c + d\*x]\*(30\*A\*Sin[c] + 35\*B\*Sin[c] + 63\*A\*Sin[d\*x] + 84\*B\*Sin[d\*x]))/(105\*d)) - (2\*A\*(a + a\*Cos[c + d\*x])^2\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^4\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]])]/(7\*d\*Sqrt[1 + Cot[c]^2]) - (B\*(a + a\*Cos[c + d\*x])^2\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^4\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]])]/(3\*d\*Sqrt[1 + Cot[c]^2]) + (3\*A\*(a + a\*Cos[c + d\*x])^2\*Csc[c]\*Sec[c/2 + (d\*x)/2]^4\*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(10\*d) + (2\*B\*(a + a\*Cos[c + d\*x])^2\*Csc[c]\*Sec[c/2 + (d\*x)/2]^4\*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(5\*d)

**Maple [B]** time = 12.111, size = 851, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2), x)

[Out] -8\*(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^2\*(1/4\*B\*(-(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+2\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2/sin(1/2\*d\*x+1/2\*c)^2/(2\*sin(1/2\*d\*x+1/2\*c)^2-1)+1/4

```
*A+1/2*B)*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))+1/4*A*(-1/56*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))-1/5*(1/2*A+1/4*B)/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2/cos(d*x + c)^(9/2), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba^2 \cos(dx + c)^3 + (A + 2B)a^2 \cos(dx + c)^2 + (2A + B)a^2 \cos(dx + c) + Aa^2}{\cos(dx + c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="fricas")
```

```
[Out] integral((B*a^2*cos(d*x + c)^3 + (A + 2*B)*a^2*cos(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c) + A*a^2)/cos(d*x + c)^(9/2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(9/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^2/cos(d\*x + c)^(9/2), x  
)



$$3.137 \quad \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=237

$$\frac{4a^3(121A + 105B)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{231d} + \frac{4a^3(17A + 15B)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{15d} + \frac{20a^3(22A + 21B)\sin(c + dx)\cos^{\frac{5}{2}}(c + dx)}{693d} +$$

[Out] (4\*a^3\*(17\*A + 15\*B)\*EllipticE[(c + d\*x)/2, 2])/(15\*d) + (4\*a^3\*(121\*A + 105\*B)\*EllipticF[(c + d\*x)/2, 2])/(231\*d) + (4\*a^3\*(121\*A + 105\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(231\*d) + (4\*a^3\*(17\*A + 15\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(45\*d) + (20\*a^3\*(22\*A + 21\*B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(693\*d) + (2\*a\*B\*Cos[c + d\*x]^(5/2)\*(a + a\*Cos[c + d\*x])^2\*Sin[c + d\*x])/(11\*d) + (2\*(11\*A + 15\*B)\*Cos[c + d\*x]^(5/2)\*(a^3 + a^3\*Cos[c + d\*x])\*Sin[c + d\*x])/(99\*d)

**Rubi [A]** time = 0.479203, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2976, 2968, 3023, 2748, 2635, 2641, 2639}

$$\frac{4a^3(121A + 105B)F\left(\frac{1}{2}(c + dx)\middle|2\right)}{231d} + \frac{4a^3(17A + 15B)E\left(\frac{1}{2}(c + dx)\middle|2\right)}{15d} + \frac{20a^3(22A + 21B)\sin(c + dx)\cos^{\frac{5}{2}}(c + dx)}{693d} +$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x]),x]

[Out] (4\*a^3\*(17\*A + 15\*B)\*EllipticE[(c + d\*x)/2, 2])/(15\*d) + (4\*a^3\*(121\*A + 105\*B)\*EllipticF[(c + d\*x)/2, 2])/(231\*d) + (4\*a^3\*(121\*A + 105\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(231\*d) + (4\*a^3\*(17\*A + 15\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(45\*d) + (20\*a^3\*(22\*A + 21\*B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(693\*d) + (2\*a\*B\*Cos[c + d\*x]^(5/2)\*(a + a\*Cos[c + d\*x])^2\*Sin[c + d\*x])/(11\*d) + (2\*(11\*A + 15\*B)\*Cos[c + d\*x]^(5/2)\*(a^3 + a^3\*Cos[c + d\*x])\*Sin[c + d\*x])/(99\*d)

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] :> -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3(A + B \cos(c + dx)) dx &= \frac{2aB \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{11d} + \frac{2}{11} \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3(A + B \cos(c + dx)) dx \\
&= \frac{2aB \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{11d} + \frac{2(11A + 15B)}{11d} \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3 dx \\
&= \frac{2aB \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{11d} + \frac{2(11A + 15B)}{11d} \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3 dx \\
&= \frac{20a^3(22A + 21B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{693d} + \frac{2aB \cos^{\frac{5}{2}}(c + dx)}{11d} \\
&= \frac{20a^3(22A + 21B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{693d} + \frac{2aB \cos^{\frac{5}{2}}(c + dx)}{11d} \\
&= \frac{4a^3(121A + 105B) \sqrt{\cos(c + dx)} \sin(c + dx)}{231d} + \frac{4a^3(17A + 15B)}{231d} \\
&= \frac{4a^3(17A + 15B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^3(121A + 105B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{231d}
\end{aligned}$$

**Mathematica [C]** time = 6.2976, size = 990, normalized size = 4.18

$$\sqrt{\cos(c+dx)}(\cos(c+dx)a+a)^3 \left( -\frac{(17A+15B)\cot(c)}{30d} + \frac{(2134A+1953B)\cos(dx)\sin(c)}{7392d} + \frac{(73A+75B)\cos(2dx)\sin(c)}{720d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Cos[c + d\*x]^(3/2)\*(a + a\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x]), x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*(-((17\*A + 15\*B)\*Cot[c])/(30\*d) + ((2134\*A + 1953\*B)\*Cos[d\*x]\*Sin[c])/(7392\*d) + ((73\*A + 75\*B)\*Cos[2\*d\*x]\*Sin[2\*c])/(720\*d) + (3\*(44\*A + 63\*B)\*Cos[3\*d\*x]\*Sin[3\*c])/(4928\*d) + ((A + 3\*B)\*Cos[4\*d\*x]\*Sin[4\*c])/(288\*d) + (B\*cos[5\*d\*x]\*Sin[5\*c])/(704\*d) + ((2134\*A + 1953\*B)\*Cos[c]\*Sin[d\*x])/(7392\*d) + ((73\*A + 75\*B)\*Cos[2\*c]\*Sin[2\*d\*x])/(720\*d) + (3\*(44\*A + 63\*B)\*Cos[3\*c]\*Sin[3\*d\*x])/(4928\*d) + ((A + 3\*B)\*Cos[4\*c]\*Sin[4\*d\*x])/(288\*d) + (B\*cos[5\*c]\*Sin[5\*d\*x])/(704\*d) - (11\*A\*(a + a\*cos[c + d\*x])^3\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^6\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(42\*d\*Sqrt[1 + Cot[c]^2]) - (5\*B\*(a + a\*cos[c + d\*x])^3\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^6\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(22\*d\*Sqrt[1 + Cot[c]^2]) - (17\*A\*(a + a\*cos[c + d\*x])^3\*Csc[c]\*Sec[c/2 + (d\*x)/2]^6\*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2)\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(60\*d) - (B\*(a + a\*cos[c + d\*x])^3\*Csc[c]\*Sec[c/2 + (d\*x)/2]^6\*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2)\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(4\*d)

**Maple [A]** time = 4.067, size = 441, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(a+cos(d\*x+c)\*a)^3\*(A+B\*cos(d\*x+c)), x)

[Out] -4/3465\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^3\*(10080\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^12+(-6160\*A-43680\*B)\*sin(1/2\*d\*x+1/2\*c)^10\*cos(1/2\*d\*x+1/2\*c)+(24200\*A+77280\*B)\*sin(1/2\*d\*x+1/2\*c)^8\*cos(1/2\*d\*x+1/2\*c)+(-37532\*A-72240\*B)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+(29722

$*A+39270*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-8118*A-8820*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+1815*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3927*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1575*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3465*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^3\*cos(d\*x + c)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral((Ba^3 cos(dx + c)^5 + (A + 3B)a^3 cos(dx + c)^4 + 3(A + B)a^3 cos(dx + c)^3 + (3A + B)a^3 cos(dx + c)^2 + Aa^3 cos(dx + c)), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*a^3\*cos(d\*x + c)^5 + (A + 3\*B)\*a^3\*cos(d\*x + c)^4 + 3\*(A + B)\*a^3\*cos(d\*x + c)^3 + (3\*A + B)\*a^3\*cos(d\*x + c)^2 + A\*a^3\*cos(d\*x + c))\*sqrt(cos(d\*x + c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(a+a\*cos(d\*x+c))\*\*3\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*cos(d*x + c)^(3/2), x)
```

$$3.138 \quad \int \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=204

$$\frac{4a^3(13A + 11B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^3(21A + 17B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^3(24A + 23B)\sin(c + dx)\cos^3(c + dx)}{105d} + \frac{2(9A + 13B)\cos^3(c + dx)}{63d}$$

[Out] (4\*a^3\*(21\*A + 17\*B)\*EllipticE[(c + d\*x)/2, 2])/(15\*d) + (4\*a^3\*(13\*A + 11\*B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (4\*a^3\*(13\*A + 11\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(21\*d) + (4\*a^3\*(24\*A + 23\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(105\*d) + (2\*a\*B\*Cos[c + d\*x]^(3/2)\*(a + a\*cos[c + d\*x])^2\*sin[c + d\*x])/(9\*d) + (2\*(9\*A + 13\*B)\*Cos[c + d\*x]^(3/2)\*(a^3 + a^3\*cos[c + d\*x])\*Sin[c + d\*x])/(63\*d)

**Rubi [A]** time = 0.447287, antiderivative size = 204, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2976, 2968, 3023, 2748, 2639, 2635, 2641}

$$\frac{4a^3(13A + 11B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^3(21A + 17B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^3(24A + 23B)\sin(c + dx)\cos^3(c + dx)}{105d} + \frac{2(9A + 13B)\cos^3(c + dx)}{63d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*(a + a\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x]),x]

[Out] (4\*a^3\*(21\*A + 17\*B)\*EllipticE[(c + d\*x)/2, 2])/(15\*d) + (4\*a^3\*(13\*A + 11\*B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (4\*a^3\*(13\*A + 11\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(21\*d) + (4\*a^3\*(24\*A + 23\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(105\*d) + (2\*a\*B\*Cos[c + d\*x]^(3/2)\*(a + a\*cos[c + d\*x])^2\*sin[c + d\*x])/(9\*d) + (2\*(9\*A + 13\*B)\*Cos[c + d\*x]^(3/2)\*(a^3 + a^3\*cos[c + d\*x])\*Sin[c + d\*x])/(63\*d)

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*B\*cos[e + f\*x]\*(a + b\*sin[e + f\*x])^(m - 1)\*(c + d\*sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*sin[e + f\*x])^(m - 1)\*(c + d\*sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)^2], x\_Symbol] :> -Simp[(C\*cos

$[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)}/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[(a + b*\sin[e + f*x])^m*\text{Simp}[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\sin[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x\} \&\& !\text{LtQ}[m, -1]$

#### Rule 2748

$\text{Int}[(b*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])], x\_Symbol] :> \text{Dist}[c, \text{Int}[(b*\sin[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\sin[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x\}$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] :> \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x\}$

#### Rule 2635

$\text{Int}[(b*\sin[(c_.) + (d_.)*(x_.)])^{(n_.)}, x\_Symbol] :> -\text{Simp}[(b*\cos[c + d*x]*(b*\sin[c + d*x])^{(n - 1)})/(d*n), x] + \text{Dist}[(b^2*(n - 1))/n, \text{Int}[(b*\sin[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}\{b, c, d\}, x\} \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] :> \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x\}$

#### Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3(A + B \cos(c + dx)) dx &= \frac{2aB \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{9d} + \frac{2}{9} \int \\ &= \frac{2aB \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{9d} + \frac{2(9A + 2B) \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{9d} \\ &= \frac{2aB \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{9d} + \frac{2(9A + 2B) \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{9d} \\ &= \frac{4a^3(24A + 23B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d} + \frac{2aB \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{9d} \\ &= \frac{4a^3(24A + 23B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d} + \frac{2aB \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2 \sin(c + dx)}{9d} \\ &= \frac{4a^3(21A + 17B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^3(13A + 11B)\sqrt{\cos(c + dx)}}{21d} \\ &= \frac{4a^3(21A + 17B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^3(13A + 11B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} \end{aligned}$$

**Mathematica [C]** time = 6.25951, size = 944, normalized size = 4.63

$$\sqrt{\cos(c + dx)}(\cos(c + dx)a + a)^3 \left( -\frac{(21A + 17B) \cot(c)}{30d} + \frac{(107A + 97B) \cos(dx) \sin(c)}{336d} + \frac{(54A + 73B) \cos(2dx) \sin(2c)}{720d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[Cos[c + d\*x]]\*(a + a\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x]),x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*(-((21\*A + 17\*B)\*Cot[c])/(30\*d) + ((107\*A + 97\*B)\*Cos[d\*x]\*Sin[c])/(336\*d) + ((54\*A + 73\*B)\*Cos[2\*d\*x]\*Sin[2\*c])/(720\*d) + ((A + 3\*B)\*Cos[3\*d\*x]\*Sin[3\*c])/(112\*d) + (B\*cos[4\*d\*x]\*Sin[4\*c])/(288\*d) + ((107\*A + 97\*B)\*Cos[c]\*Sin[d\*x])/(336\*d) + ((54\*A + 73\*B)\*Cos[2\*c]\*Sin[2\*d\*x])/(720\*d) + ((A + 3\*B)\*Cos[3\*c]\*Sin[3\*d\*x])/(112\*d) + (B\*cos[4\*c]\*Sin[4\*d\*x])/(288\*d)) - (13\*A\*(a + a\*cos[c + d\*x])^3\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^6\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(42\*d\*Sqrt[1 + Cot[c]^2]) - (11\*B\*(a + a\*cos[c + d\*x])^3\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^6\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(42\*d\*Sqrt[1 + Cot[c]^2]) - (7\*A\*(a + a\*cos[c + d\*x])^3\*Csc[c]\*Sec[c/2 + (d\*x)/2]^6\*(HypergeometricPFQ[-1/2, -1/4, {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(20\*d) - (17\*B\*(a + a\*cos[c + d\*x])^3\*Csc[c]\*Sec[c/2 + (d\*x)/2]^6\*(HypergeometricPFQ[-1/2, -1/4, {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(60\*d)

**Maple [A]** time = 3.167, size = 413, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^3\*(A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2),x)

[Out] -4/315\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^3\*(-560\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^10+(360\*A+2200\*B)\*sin(1/2\*d\*x+1/2\*c)^8\*cos(1/2\*d\*x+1/2\*c)+(-1296\*A-3412\*B)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+(1806\*A+2702\*B)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-624\*A-738\*B)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+195\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-441\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+165\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-357\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d



**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^3\*sqrt(cos(d\*x + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba^3 \cos(dx + c)^4 + (A + 3B)a^3 \cos(dx + c)^3 + 3(A + B)a^3 \cos(dx + c)^2 + (3A + B)a^3 \cos(dx + c) + Aa^3\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*a^3\*cos(d\*x + c)^4 + (A + 3\*B)\*a^3\*cos(d\*x + c)^3 + 3\*(A + B)\*a^3\*cos(d\*x + c)^2 + (3\*A + B)\*a^3\*cos(d\*x + c) + A\*a^3)\*sqrt(cos(d\*x + c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*(A+B\*cos(d\*x+c))\*cos(d\*x+c)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^3\*sqrt(cos(d\*x + c)), x)

$$3.139 \quad \int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=171

$$\frac{4a^3(21A+13B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{4a^3(9A+7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{4a^3(42A+41B)\sin(c+dx)\sqrt{\cos(c+dx)}}{105d} + \frac{2(7A+13B)}{105d}$$

[Out] (4\*a^3\*(9\*A + 7\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (4\*a^3\*(21\*A + 13\*B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (4\*a^3\*(42\*A + 41\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(105\*d) + (2\*a\*B\*Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^2\*Sin[c + d\*x])/(7\*d) + (2\*(7\*A + 11\*B)\*Sqrt[Cos[c + d\*x]]\*(a^3 + a^3\*Cos[c + d\*x])\*Sin[c + d\*x])/(35\*d)

**Rubi [A]** time = 0.427102, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^3(21A+13B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{4a^3(9A+7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{4a^3(42A+41B)\sin(c+dx)\sqrt{\cos(c+dx)}}{105d} + \frac{2(7A+13B)}{105d}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x]))/Sqrt[Cos[c + d\*x]], x]

[Out] (4\*a^3\*(9\*A + 7\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (4\*a^3\*(21\*A + 13\*B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (4\*a^3\*(42\*A + 41\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(105\*d) + (2\*a\*B\*Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^2\*Sin[c + d\*x])/(7\*d) + (2\*(7\*A + 11\*B)\*Sqrt[Cos[c + d\*x]]\*(a^3 + a^3\*Cos[c + d\*x])\*Sin[c + d\*x])/(35\*d)

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*B\*cos[e + f\*x]\*(a + b\*sin[e + f\*x])^(m - 1)\*(c + d\*sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*sin[e + f\*x])^(m - 1)\*(c + d\*sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] :> -Simp[(C\*cos[e + f\*x]\*(a + b\*sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 1) + C\*d)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b\*c - a\*d, 0]

2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&  
!LtQ[m, -1]

### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^3 (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \frac{2aB\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2 \sin(c + dx)}{7d} + \frac{2}{7} \int \frac{(a + a \cos(c + dx))^3 (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2aB\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2 \sin(c + dx)}{7d} + \frac{2(7A + 11B)\sqrt{\cos(c + dx)}}{7d} \int \frac{(a + a \cos(c + dx))^3 (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2aB\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2 \sin(c + dx)}{7d} + \frac{2(7A + 11B)\sqrt{\cos(c + dx)}}{7d} \int \frac{(a + a \cos(c + dx))^3 (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{4a^3(42A + 41B)\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} + \frac{2aB\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2 \sin(c + dx)}{7d} \\ &= \frac{4a^3(42A + 41B)\sqrt{\cos(c + dx)} \sin(c + dx)}{105d} + \frac{2aB\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2 \sin(c + dx)}{7d} \\ &= \frac{4a^3(9A + 7B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^3(21A + 13B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \dots \end{aligned}$$

**Mathematica [C]** time = 6.32061, size = 898, normalized size = 5.25

$$\sqrt{\cos(c + dx)}(\cos(c + dx)a + a)^3 \left( -\frac{(9A + 7B) \cot(c)}{10d} + \frac{(84A + 107B) \cos(dx) \sin(c)}{336d} + \frac{(A + 3B) \cos(2dx) \sin(2c)}{40d} + \dots \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]], x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*(-((9\*A + 7\*B)\*Cot[c])/(10\*d) + ((84\*A + 107\*B)\*Cos[d\*x]\*Sin[c])/(336\*d) + ((A + 3\*B)\*Cos[2\*d\*x]\*Sin[2\*c])/(40\*d) + (B\*Cos[3\*d\*x]\*Sin[3\*c])/(112\*d) + ((84\*A + 107

\*B)\*Cos[c]\*Sin[d\*x]]/(336\*d) + ((A + 3\*B)\*Cos[2\*c]\*Sin[2\*d\*x]]/(40\*d) + (B\*Cos[3\*c]\*Sin[3\*d\*x]]/(112\*d)) - (A\*(a + a\*cos[c + d\*x])^3\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2\*Sec[c/2 + (d\*x)/2]^6\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(2\*d\*Sqrt[1 + Cot[c]^2]) - (13\*B\*(a + a\*cos[c + d\*x])^3\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2\*Sec[c/2 + (d\*x)/2]^6\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(42\*d\*Sqrt[1 + Cot[c]^2]) - (9\*A\*(a + a\*cos[c + d\*x])^3\*Csc[c]\*Sec[c/2 + (d\*x)/2]^6\*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]]\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(20\*d) - (7\*B\*(a + a\*cos[c + d\*x])^3\*Csc[c]\*Sec[c/2 + (d\*x)/2]^6\*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]]\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(20\*d)

**Maple [A]** time = 3.609, size = 385, normalized size = 2.3

$$-\frac{4a^3}{105d} \sqrt{(2(\cos(1/2 dx + c/2))^2 - 1) \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} \left( 120 B \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^8 + (-84 A - 432 B) \left( \sin(1/2 dx + c/2) \right)^8 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2), x)

[Out] -4/105\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^3\*(120\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8+(-84\*A-432\*B)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+(294\*A+602\*B)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-126\*A-208\*B)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+105\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-189\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+65\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-147\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2)))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^3/sqrt(cos(d\*x + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral(
$$\frac{Ba^3 \cos(dx + c)^4 + (A + 3B)a^3 \cos(dx + c)^3 + 3(A + B)a^3 \cos(dx + c)^2 + (3A + B)a^3 \cos(dx + c) + Aa^3}{\sqrt{\cos(dx + c)}}$$
, x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*a^3\*cos(d\*x + c)^4 + (A + 3\*B)\*a^3\*cos(d\*x + c)^3 + 3\*(A + B)\*a^3\*cos(d\*x + c)^2 + (3\*A + B)\*a^3\*cos(d\*x + c) + A\*a^3)/sqrt(cos(d\*x + c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^3/sqrt(cos(d\*x + c)), x)

$$3.140 \quad \int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=169

$$\frac{4a^3(5A+3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{4a^3(5A+9B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} - \frac{4a^3(5A-6B)\sin(c+dx)\sqrt{\cos(c+dx)}}{15d} - \frac{2(5A-B)\sin(c+dx)}{15d}$$

[Out] (4\*a^3\*(5\*A + 9\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (4\*a^3\*(5\*A + 3\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) - (4\*a^3\*(5\*A - 6\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*d) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^2\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]) - (2\*(5\*A - B)\*Sqrt[Cos[c + d\*x]]\*(a^3 + a^3\*Cos[c + d\*x])\*Sin[c + d\*x])/(5\*d)

**Rubi [A]** time = 0.434165, antiderivative size = 169, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2975, 2976, 2968, 3023, 2748, 2641, 2639}

$$\frac{4a^3(5A+3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{4a^3(5A+9B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} - \frac{4a^3(5A-6B)\sin(c+dx)\sqrt{\cos(c+dx)}}{15d} - \frac{2(5A-B)\sin(c+dx)}{15d}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]

[Out] (4\*a^3\*(5\*A + 9\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (4\*a^3\*(5\*A + 3\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) - (4\*a^3\*(5\*A - 6\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*d) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^2\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]) - (2\*(5\*A - B)\*Sqrt[Cos[c + d\*x]]\*(a^3 + a^3\*Cos[c + d\*x])\*Sin[c + d\*x])/(5\*d)

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^3 (A + B \cos(c + dx))}{\cos^3(c + dx)} dx &= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{(a + a \cos(c + dx))^2 \left(\frac{1}{2}a(5A + 3B) + \frac{1}{2}a(5A - 3B)\cos(c + dx)\right)}{d\sqrt{\cos(c + dx)}} dx \\
&= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - \frac{2(5A - B)\sqrt{\cos(c + dx)}(a^3 + 3a^2B)}{5d} \\
&= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - \frac{2(5A - B)\sqrt{\cos(c + dx)}(a^3 + 3a^2B)}{5d} \\
&= -\frac{4a^3(5A - 6B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15d} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} \\
&= -\frac{4a^3(5A - 6B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15d} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} \\
&= \frac{4a^3(5A + 9B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^3(5A + 3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{4a^3(5A - 3B)\sqrt{\cos(c + dx)}}{5d}
\end{aligned}$$

**Mathematica [C]** time = 6.41195, size = 888, normalized size = 5.25

$$\sqrt{\cos(c+dx)}(\cos(c+dx)a+a)^3 \left( -\frac{(15\cos(2c)A+5A+18B+18B\cos(2c))\csc(c)\sec(c)}{40d} + \frac{A\sec(c+dx)\sin(dx)\sec(c)}{4d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*(-((5\*A + 18\*B + 15\*A\*cos[2\*c] + 18\*B\*cos[2\*c])\*Csc[c]\*Sec[c])/(40\*d) + ((A + 3\*B)\*Cos[d\*x]\*Sin[c])/(12\*d) + (B\*cos[2\*d\*x]\*Sin[2\*c])/(40\*d) + ((A + 3\*B)\*Cos[c]\*Sin[d\*x])/(12\*d) + (A\*Sec[c]\*Sec[c + d\*x]\*Sin[d\*x])/(4\*d) + (B\*cos[2\*c]\*Sin[2\*d\*x])/(40\*d)) - (5\*A\*(a + a\*cos[c + d\*x])^3\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^6\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(6\*d\*Sqrt[1 + Cot[c]^2]) - (B\*(a + a\*cos[c + d\*x])^3\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^6\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(2\*d\*Sqrt[1 + Cot[c]^2]) - (A\*(a + a\*cos[c + d\*x])^3\*Csc[c]\*Sec[c/2 + (d\*x)/2]^6\*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2)\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*cos[c]^2\*cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(4\*d) - (9\*B\*(a + a\*cos[c + d\*x])^3\*Csc[c]\*Sec[c/2 + (d\*x)/2]^6\*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2)\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Tan[c]^2])\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*cos[c]^2\*cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(20\*d)

**Maple [B]** time = 4.093, size = 519, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x)

[Out] -4/15\*a^3\*(-12\*B\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+2\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(5\*A+21\*B)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)-2\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(10\*A+9\*B)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+25\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(-2\*sin(1/2\*d\*x+1/2\*c)^



$$4 + \sin(1/2 * d * x + 1/2 * c)^2)^{1/2} - 15 * A * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{1/2} * (\sin(1/2 * d * x + 1/2 * c)^2)^{1/2} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{1/2} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{1/2}) + 15 * B * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{1/2} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{1/2}) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{1/2} * (\sin(1/2 * d * x + 1/2 * c)^2)^{1/2} - 27 * B * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{1/2} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{1/2}) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{1/2} * (\sin(1/2 * d * x + 1/2 * c)^2)^{1/2} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{1/2} / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{1/2} / d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{Ba^3 \cos(dx + c)^4 + (A + 3B)a^3 \cos(dx + c)^3 + 3(A + B)a^3 \cos(dx + c)^2 + (3A + B)a^3 \cos(dx + c) + Aa^3}{\cos(dx + c)^{\frac{3}{2}}} \right),$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B\*a^3\*cos(d\*x + c)^4 + (A + 3\*B)\*a^3\*cos(d\*x + c)^3 + 3\*(A + B)\*a^3\*cos(d\*x + c)^2 + (3\*A + B)\*a^3\*cos(d\*x + c) + A\*a^3)/cos(d\*x + c)^(3/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3/cos(d*x + c)^(3/2), x)
```

$$3.141 \quad \int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{5 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=161

$$\frac{20a^3(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{4a^3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} - \frac{4a^3(4A+B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{2(7A+3B)\sin(c+dx)}{3d}$$

[Out] (-4\*a^3\*(A - B)\*EllipticE[(c + d\*x)/2, 2])/d + (20\*a^3\*(A + B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) - (4\*a^3\*(4\*A + B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d) + (2\*a\*A\*(a + a\*cos[c + d\*x])^2\*sin[c + d\*x])/(3\*d\*cos[c + d\*x]^(3/2)) + (2\*(7\*A + 3\*B)\*(a^3 + a^3\*cos[c + d\*x])\*sin[c + d\*x])/(3\*d\*Sqrt[Cos[c + d\*x]])

**Rubi [A]** time = 0.430076, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2975, 2968, 3023, 2748, 2641, 2639}

$$\frac{20a^3(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{4a^3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} - \frac{4a^3(4A+B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3d} + \frac{2(7A+3B)\sin(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x]))/cos[c + d\*x]^(5/2), x]

[Out] (-4\*a^3\*(A - B)\*EllipticE[(c + d\*x)/2, 2])/d + (20\*a^3\*(A + B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) - (4\*a^3\*(4\*A + B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d) + (2\*a\*A\*(a + a\*cos[c + d\*x])^2\*sin[c + d\*x])/(3\*d\*cos[c + d\*x]^(3/2)) + (2\*(7\*A + 3\*B)\*(a^3 + a^3\*cos[c + d\*x])\*sin[c + d\*x])/(3\*d\*Sqrt[Cos[c + d\*x]])

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(C\*cos

```
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^3 (A + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx &= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{(a + a \cos(c + dx))^2 \left(\frac{1}{2}a(7A + 3B) + B \cos(c + dx)\right)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(7A + 3B)(a^3 + a^3 \cos(c + dx))}{3d \sqrt{\cos(c + dx)}} \\ &= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(7A + 3B)(a^3 + a^3 \cos(c + dx))}{3d \sqrt{\cos(c + dx)}} \\ &= -\frac{4a^3(4A + B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} \\ &= -\frac{4a^3(4A + B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} \\ &= -\frac{4a^3(A - B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{20a^3(A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{4a^3(4A + B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} \end{aligned}$$

**Mathematica [C]** time = 6.48191, size = 879, normalized size = 5.46

$$\sqrt{\cos(c + dx)}(\cos(c + dx)a + a)^3 \left( \frac{A \sec(c) \sin(dx) \sec^2(c + dx)}{12d} + \frac{\sec(c)(A \sin(c) + 9A \sin(dx) + 3B \sin(dx)) \sec(c + dx)}{12d} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]
```

```
[Out] Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(-((-5*A + B
+ A*cos[2*c] + 3*B*cos[2*c])*Csc[c]*Sec[c])/(8*d) + (B*cos[d*x]*Sin[c])/(1
2*d) + (B*cos[c]*Sin[d*x])/(12*d) + (A*Sec[c]*Sec[c + d*x]^2*sin[d*x])/(12*
d) + (Sec[c]*Sec[c + d*x]*(A*sin[c] + 9*A*sin[d*x] + 3*B*sin[d*x]))/(12*d))
- (5*A*(a + a*cos[c + d*x])^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}, {5/4},
Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*Sec[d*x - ArcTan[Cot[c]]]
*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d
*x - ArcTan[Cot[c]]])] *Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(6*d*Sqrt[1 + C
ot[c]^2]) - (5*B*(a + a*cos[c + d*x])^3*Csc[c]*HypergeometricPFQ[{1/4, 1/2}
, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^6*Sec[d*x - ArcTan
[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin
[c]*Sin[d*x - ArcTan[Cot[c]]])] *Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(6*d*S
qrt[1 + Cot[c]^2]) + (A*(a + a*cos[c + d*x])^3*Csc[c]*Sec[c/2 + (d*x)/2]^6*
(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d
*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 +
Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + T
an[c]^2])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1
+ Tan[c]^2] + (2*cos[c]^2*cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Co
s[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2
]))/(4*d) - (B*(a + a*cos[c + d*x])^3*Csc[c]*Sec[c/2 + (d*x)/2]^6*((Hyperg
eometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + ArcTan[Tan[c]]]^2)*Sin[d*x + Arc
Tan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x
+ ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2
])*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]
^2] + (2*cos[c]^2*cos[d*x + ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 +
Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[1 + Tan[c]^2]))/(4*
d)
```

---

**Maple [B]** time = 4.144, size = 654, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^3*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x)
```

```
[Out] -4/3*(-4*B*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x
+1/2*c)*sin(1/2*d*x+1/2*c)^6+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^
2)^(1/2)*(9*A+5*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)-2*(-2*sin(1/2*d*
x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(5*A+2*B)*sin(1/2*d*x+1/2*c)^2*cos(1
/2*d*x+1/2*c)-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin
(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(5*A*EllipticF(cos(
1/2*d*x+1/2*c),2^(1/2))+3*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+5*B*Ellip
ticF(cos(1/2*d*x+1/2*c),2^(1/2))-3*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))
*sin(1/2*d*x+1/2*c)^2+5*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c
)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4
+sin(1/2*d*x+1/2*c)^2)^(1/2)+3*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c
)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*El
lipticE(cos(1/2*d*x+1/2*c),2^(1/2))+5*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*El
lipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/
2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)-3*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(
1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2
*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2))*a^3/(-2*sin(1/2*d*x+1/2*
c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^(3/2)/sin(1/2*d
*x+1/2*c)/d
```

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3/cos(d*x + c)^(5/2), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{Ba^3 \cos(dx + c)^4 + (A + 3B)a^3 \cos(dx + c)^3 + 3(A + B)a^3 \cos(dx + c)^2 + (3A + B)a^3 \cos(dx + c) + Aa^3}{\cos(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="fricas")
```

```
[Out] integral((B*a^3*cos(d*x + c)^4 + (A + 3*B)*a^3*cos(d*x + c)^3 + 3*(A + B)*a^3*cos(d*x + c)^2 + (3*A + B)*a^3*cos(d*x + c) + A*a^3)/cos(d*x + c)^(5/2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))/cos(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3/cos(d*x + c)^(5/2), x)
```

$$3.142 \quad \int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{7 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=171

$$\frac{4a^3(3A+5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{4a^3(9A+5B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(9A+5B)\sin(c+dx)(a^3\cos(c+dx)+a^3)}{15d\cos^{\frac{3}{2}}(c+dx)} + \frac{4a^3}{15d\cos^{\frac{3}{2}}(c+dx)}$$

[Out] (-4\*a^3\*(9\*A + 5\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (4\*a^3\*(3\*A + 5\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (4\*a^3\*(21\*A + 20\*B)\*Sin[c + d\*x])/(15\*d\*Sqrt[Cos[c + d\*x]]) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^2\*Sin[c + d\*x])/(5\*d\*Cos[c + d\*x]^(5/2)) + (2\*(9\*A + 5\*B)\*(a^3 + a^3\*Cos[c + d\*x])\*Sin[c + d\*x])/(15\*d\*Cos[c + d\*x]^(3/2))

**Rubi [A]** time = 0.461566, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2975, 2968, 3021, 2748, 2641, 2639}

$$\frac{4a^3(3A+5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{4a^3(9A+5B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(9A+5B)\sin(c+dx)(a^3\cos(c+dx)+a^3)}{15d\cos^{\frac{3}{2}}(c+dx)} + \frac{4a^3}{15d\cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(7/2), x]

[Out] (-4\*a^3\*(9\*A + 5\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (4\*a^3\*(3\*A + 5\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (4\*a^3\*(21\*A + 20\*B)\*Sin[c + d\*x])/(15\*d\*Sqrt[Cos[c + d\*x]]) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^2\*Sin[c + d\*x])/(5\*d\*Cos[c + d\*x]^(5/2)) + (2\*(9\*A + 5\*B)\*(a^3 + a^3\*Cos[c + d\*x])\*Sin[c + d\*x])/(15\*d\*Cos[c + d\*x]^(3/2))

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m-1)\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(n+1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n+1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m-1)\*(c + d\*Sin[e + f\*x])^(n+1)\*Simp[a\*A\*d\*(m-n-2) - B\*(a\*c\*(m-1) + b\*d\*(n+1)) - (A\*b\*d\*(m+n+1) - B\*(b\*c\*m - a\*d\*(n+1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2), x\_Symbol] := -Simp[((A\*b^2

```
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

### Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_
)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rule 2641

```
Int[1/Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 2639

```
Int[Sqrt[sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^3 (A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx &= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + a \cos(c + dx))^2 \left(\frac{1}{2}a(9A \right.}{\cos} \\ &= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(9A + 5B)(a^3 + a^3 \cos(c + dx))}{15d \cos^{\frac{3}{2}}(c + dx)} \\ &= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(9A + 5B)(a^3 + a^3 \cos(c + dx))}{15d \cos^{\frac{3}{2}}(c + dx)} \\ &= \frac{4a^3(21A + 20B) \sin(c + dx)}{15d \sqrt{\cos(c + dx)}} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(9A + 5B)(a^3 + a^3 \cos(c + dx))}{15d \cos^{\frac{3}{2}}(c + dx)} \\ &= \frac{4a^3(21A + 20B) \sin(c + dx)}{15d \sqrt{\cos(c + dx)}} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(9A + 5B)(a^3 + a^3 \cos(c + dx))}{15d \cos^{\frac{3}{2}}(c + dx)} \\ &= -\frac{4a^3(9A + 5B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^3(3A + 5B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{4a^3(9A + 5B)(a^3 + a^3 \cos(c + dx))}{15d \cos^{\frac{3}{2}}(c + dx)} \end{aligned}$$

**Mathematica [C]** time = 6.52813, size = 890, normalized size = 5.2

$$\sqrt{\cos(c + dx)}(\cos(c + dx)a + a)^3 \left( \frac{A \sec(c) \sin(dx) \sec^3(c + dx)}{20d} + \frac{\sec(c)(3A \sin(c) + 15A \sin(dx) + 5B \sin(dx)) \sec^2(c + dx)}{60d} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2),
x]
```



```
[Out] Sqrt[Cos[c + d*x]]*(a + a*cos[c + d*x])^3*Sec[c/2 + (d*x)/2]^6*(-((-36*A -
25*B + 5*B*cos[2*c])*Csc[c]*Sec[c])/(40*d) + (A*Sec[c]*Sec[c + d*x]^3*sin[d
*x]))/(20*d) + (Sec[c]*Sec[c + d*x]^2*(3*A*sin[c] + 15*A*sin[d*x] + 5*B*sin[
d*x]))/(60*d) + (Sec[c]*Sec[c + d*x]*(15*A*sin[c] + 5*B*sin[c] + 54*A*sin[d
*x] + 45*B*sin[d*x]))/(60*d) - (A*(a + a*cos[c + d*x])^3*Csc[c]*Hypergeome
tricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 + (d*x)/2]^
6*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt
[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan
[Cot[c]]]])/(2*d*Sqrt[1 + Cot[c]^2]) - (5*B*(a + a*cos[c + d*x])^3*Csc[c]*H
ypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2 +
(d*x)/2]^6*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sq
rt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x
- ArcTan[Cot[c]]]])/(6*d*Sqrt[1 + Cot[c]^2]) + (9*A*(a + a*cos[c + d*x])^3
*Csc[c]*Sec[c/2 + (d*x)/2]^6*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d
*x + ArcTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x
+ ArcTan[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x
+ ArcTan[Tan[c]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + Ar
cTan[Tan[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*cos[c]^2*cos[d*x + ArcTan[Tan
[c]]]*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcT
an[Tan[c]]]*Sqrt[1 + Tan[c]^2]))/(20*d) + (B*(a + a*cos[c + d*x])^3*Csc[c]
*Sec[c/2 + (d*x)/2]^6*(HypergeometricPFQ[-1/2, -1/4], {3/4}, Cos[d*x + Ar
cTan[Tan[c]]]^2)*Sin[d*x + ArcTan[Tan[c]]]*Tan[c])/(Sqrt[1 - Cos[d*x + ArcT
an[Tan[c]]]]*Sqrt[1 + Cos[d*x + ArcTan[Tan[c]]]]*Sqrt[Cos[c]*Cos[d*x + ArcT
an[Tan[c]]]*Sqrt[1 + Tan[c]^2]]*Sqrt[1 + Tan[c]^2]) - ((Sin[d*x + ArcTan[Ta
n[c]]]*Tan[c])/Sqrt[1 + Tan[c]^2] + (2*cos[c]^2*cos[d*x + ArcTan[Tan[c]]]*S
qrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]*Cos[d*x + ArcTan[Tan[
c]]]*Sqrt[1 + Tan[c]^2]))/(4*d)
```

---

**Maple [B]** time = 10.02, size = 916, normalized size = 5.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^3*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x)
```

```
[Out] 4/15*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3/(8*sin(1
/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d
*x+1/2*c)^3*(60*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(
1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*sin(1/2*d*x+1/2*c)^4+108*A*Ellip
ticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*
d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-216*A*cos(1/2*d*x+1/2*c)*sin(1/2*d
*x+1/2*c)^6+100*B*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*
c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4+60*B*(sin(1
/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d
*x+1/2*c), 2^(1/2))*sin(1/2*d*x+1/2*c)^4-180*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*
x+1/2*c)^6-60*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/
2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*sin(1/2*d*x+1/2*c)^2-108*A*Ellipti
cE(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*
x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+246*A*cos(1/2*d*x+1/2*c)*sin(1/2*d*x
+1/2*c)^4-100*B*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)
^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2-60*B*(sin(1/2
*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x
+1/2*c), 2^(1/2))*sin(1/2*d*x+1/2*c)^2+190*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+
1/2*c)^4+15*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)
*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+27*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2
*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))-72*A*c
```

$\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+25*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+15*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-50*B*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(7/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba^3 \cos(dx + c)^4 + (A + 3B)a^3 \cos(dx + c)^3 + 3(A + B)a^3 \cos(dx + c)^2 + (3A + B)a^3 \cos(dx + c) + Aa^3}{\cos(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((B\*a^3\*cos(d\*x + c)^4 + (A + 3\*B)\*a^3\*cos(d\*x + c)^3 + 3\*(A + B)\*a^3\*cos(d\*x + c)^2 + (3\*A + B)\*a^3\*cos(d\*x + c) + A\*a^3)/cos(d\*x + c)^(7/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3/cos(d*x + c)^(7/2), x )
```

$$3.143 \quad \int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{9 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=204

$$\frac{4a^3(13A + 21B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} - \frac{4a^3(7A + 9B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^3(41A + 42B)\sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(11A + 7B)\sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx)}$$

[Out] (-4\*a^3\*(7\*A + 9\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (4\*a^3\*(13\*A + 21\*B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (4\*a^3\*(41\*A + 42\*B)\*Sin[c + d\*x])/(10\*5\*d\*Cos[c + d\*x]^(3/2)) + (4\*a^3\*(7\*A + 9\*B)\*Sin[c + d\*x])/(5\*d\*Sqrt[Cos[c + d\*x]]) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^2\*Ssin[c + d\*x])/(7\*d\*Cos[c + d\*x]^(7/2)) + (2\*(11\*A + 7\*B)\*(a^3 + a^3\*Cos[c + d\*x])\*Sin[c + d\*x])/(35\*d\*Cos[c + d\*x]^(5/2))

**Rubi [A]** time = 0.490751, antiderivative size = 204, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2975, 2968, 3021, 2748, 2636, 2639, 2641}

$$\frac{4a^3(13A + 21B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} - \frac{4a^3(7A + 9B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^3(41A + 42B)\sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(11A + 7B)\sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(9/2), x]

[Out] (-4\*a^3\*(7\*A + 9\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (4\*a^3\*(13\*A + 21\*B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (4\*a^3\*(41\*A + 42\*B)\*Sin[c + d\*x])/(10\*5\*d\*Cos[c + d\*x]^(3/2)) + (4\*a^3\*(7\*A + 9\*B)\*Sin[c + d\*x])/(5\*d\*Sqrt[Cos[c + d\*x]]) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^2\*Ssin[c + d\*x])/(7\*d\*Cos[c + d\*x]^(7/2)) + (2\*(11\*A + 7\*B)\*(a^3 + a^3\*Cos[c + d\*x])\*Sin[c + d\*x])/(35\*d\*Cos[c + d\*x]^(5/2))

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Ssin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Ssin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C)\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2636

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \cos(c + dx))^3 (A + B \cos(c + dx))}{\cos^{\frac{9}{2}}(c + dx)} dx &= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{(a + a \cos(c + dx))^2 \left(\frac{1}{2}a\right)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2(11A + 7B)(a^3 + a^3 \cos(c + dx))}{35d \cos^{\frac{5}{2}}(c + dx)} \\
 &= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2(11A + 7B)(a^3 + a^3 \cos(c + dx))}{35d \cos^{\frac{5}{2}}(c + dx)} \\
 &= \frac{4a^3(41A + 42B) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} \\
 &= \frac{4a^3(41A + 42B) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} \\
 &= \frac{4a^3(13A + 21B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4a^3(41A + 42B) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx)} + \frac{4aA(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} \\
 &= -\frac{4a^3(7A + 9B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{4a^3(13A + 21B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{4aA(a + a \cos(c + dx))^2 \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)}
 \end{aligned}$$

**Mathematica [C]** time = 6.56303, size = 925, normalized size = 4.53

$$\sqrt{\cos(c+dx)}(\cos(c+dx)a+a)^3 \left( \frac{A \sec(c) \sin(dx) \sec^4(c+dx)}{28d} + \frac{\sec(c)(5A \sin(c) + 21A \sin(dx) + 7B \sin(dx)) \sec^3(c+dx)}{140d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((a + a\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(9/2), x]

[Out] Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^3\*Sec[c/2 + (d\*x)/2]^6\*(((7\*A + 9\*B)\*Csc[c]\*Sec[c])/(10\*d) + (A\*Sec[c]\*Sec[c + d\*x]^4\*Sin[d\*x])/(28\*d) + (Sec[c]\*Sec[c + d\*x]^3\*(5\*A\*Sin[c] + 21\*A\*Sin[d\*x] + 7\*B\*Sin[d\*x]))/(140\*d) + (Sec[c]\*Sec[c + d\*x]^2\*(63\*A\*Sin[c] + 21\*B\*Sin[c] + 130\*A\*Sin[d\*x] + 105\*B\*Sin[d\*x]))/(420\*d) + (Sec[c]\*Sec[c + d\*x]\*(130\*A\*Sin[c] + 105\*B\*Sin[c] + 294\*A\*Sin[d\*x] + 378\*B\*Sin[d\*x]))/(420\*d)) - (13\*A\*(a + a\*Cos[c + d\*x])^3\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^6\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(42\*d\*Sqrt[1 + Cot[c]^2]) - (B\*(a + a\*Cos[c + d\*x])^3\*Csc[c]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2 + (d\*x)/2]^6\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(2\*d\*Sqrt[1 + Cot[c]^2]) + (7\*A\*(a + a\*Cos[c + d\*x])^3\*Csc[c]\*Sec[c/2 + (d\*x)/2]^6\*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]]\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(20\*d) + (9\*B\*(a + a\*Cos[c + d\*x])^3\*Csc[c]\*Sec[c/2 + (d\*x)/2]^6\*(HypergeometricPFQ[{-1/2, -1/4}, {3/4}, Cos[d\*x + ArcTan[Tan[c]]]^2]\*Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/(Sqrt[1 - Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[1 + Cos[d\*x + ArcTan[Tan[c]]]]\*Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]]\*Sqrt[1 + Tan[c]^2]) - ((Sin[d\*x + ArcTan[Tan[c]]]\*Tan[c])/Sqrt[1 + Tan[c]^2] + (2\*Cos[c]^2\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2])/(Cos[c]^2 + Sin[c]^2))/Sqrt[Cos[c]\*Cos[d\*x + ArcTan[Tan[c]]]\*Sqrt[1 + Tan[c]^2]))/(20\*d)

**Maple [B]** time = 13.096, size = 929, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2), x)

[Out] -16\*(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^3\*(1/8\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-1/5\*(3/8\*A+1/8\*B)/(8\*sin(1/2\*d\*x+1/2\*c)^6-12\*sin(1/2\*d\*x+1/2\*c)^4+6\*sin(1/2\*d\*x+1/2\*c)^2-1)/sin(1/2\*d\*x+1/2\*c)^2\*(12\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^

$$\begin{aligned} & (1/2)) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * \sin(1/ \\ & 2 * d * x + 1/2 * c) ^ 4 - 24 * \sin(1/2 * d * x + 1/2 * c) ^ 6 * \cos(1/2 * d * x + 1/2 * c) - 12 * \text{EllipticE}(\cos( \\ & 1/2 * d * x + 1/2 * c), 2 ^ (1/2)) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) \\ & ) ^ 2) ^ (1/2) * \sin(1/2 * d * x + 1/2 * c) ^ 2 + 24 * \sin(1/2 * d * x + 1/2 * c) ^ 4 * \cos(1/2 * d * x + 1/2 * c) + \\ & 3 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * \text{EllipticE}(\cos( \\ & 1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 8 * \sin(1/2 * d * x + 1/2 * c) ^ 2 * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin( \\ & 1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) + (1/8 * A + 3/8 * B) * (-\sin(1/2 * d * \\ & x + 1/2 * c) ^ 2) ^ (1/2) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 \\ & + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) + 2 * (-2 * \sin( \\ & 1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d \\ & * x + 1/2 * c) ^ 2) / \sin(1/2 * d * x + 1/2 * c) ^ 2 / (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) + (3/8 * A + 3/8 * B) * \\ & (-1/6 * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/ \\ & 2) / (\cos(1/2 * d * x + 1/2 * c) ^ 2 - 1/2) ^ 2 + 1/3 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * \cos(1/ \\ & 2 * d * x + 1/2 * c) ^ 2 + 1) ^ (1/2) / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) \\ & ) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) + 1/8 * A * (-1/56 * \cos(1/2 * d * x + 1/2 * c) * (- \\ & 2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / (\cos(1/2 * d * x + 1/2 * c) ^ 2 - 1/ \\ & 2) ^ 4 - 5/42 * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) \\ & ^ (1/2) / (\cos(1/2 * d * x + 1/2 * c) ^ 2 - 1/2) ^ 2 + 5/21 * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (-2 * \cos( \\ & 1/2 * d * x + 1/2 * c) ^ 2 + 1) ^ (1/2) / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) \\ & ^ (1/2) * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/ \\ & 2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) / d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(9/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{Ba^3 \cos(dx + c)^4 + (A + 3B)a^3 \cos(dx + c)^3 + 3(A + B)a^3 \cos(dx + c)^2 + (3A + B)a^3 \cos(dx + c) + Aa^3}{\cos(dx + c)^{\frac{9}{2}}} \right),$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2),x, algorithm="fricas")

[Out] integral((B\*a^3\*cos(d\*x + c)^4 + (A + 3\*B)\*a^3\*cos(d\*x + c)^3 + 3\*(A + B)\*a^3\*cos(d\*x + c)^2 + (3\*A + B)\*a^3\*cos(d\*x + c) + A\*a^3)/cos(d\*x + c)^(9/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(9/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(9/2), x)



$$3.144 \quad \int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\cos^{\frac{11}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=237

$$\frac{4a^3(11A+13B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} - \frac{4a^3(17A+21B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{4a^3(11A+13B)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{4a^3(23A+24B)}{105d \cos^{\frac{5}{2}}(c+dx)}$$

[Out]  $(-4*a^3*(17*A + 21*B)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^3*(11*A + 13*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^3*(23*A + 24*B)*Sin[c + d*x])/(105*d*\text{Cos}[c + d*x]^{5/2}) + (4*a^3*(11*A + 13*B)*Sin[c + d*x])/(21*d*\text{Cos}[c + d*x]^{3/2}) + (4*a^3*(17*A + 21*B)*Sin[c + d*x])/(15*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*a*A*(a + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(9*d*\text{Cos}[c + d*x]^{9/2}) + (2*(13*A + 9*B)*(a^3 + a^3*\text{Cos}[c + d*x])*Sin[c + d*x])/(63*d*\text{Cos}[c + d*x]^{7/2})$

**Rubi [A]** time = 0.521141, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2975, 2968, 3021, 2748, 2636, 2641, 2639}

$$\frac{4a^3(11A+13B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} - \frac{4a^3(17A+21B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{15d} + \frac{4a^3(11A+13B)\sin(c+dx)}{21d \cos^{\frac{3}{2}}(c+dx)} + \frac{4a^3(23A+24B)}{105d \cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^3*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{11/2}, x]$

[Out]  $(-4*a^3*(17*A + 21*B)*EllipticE[(c + d*x)/2, 2])/(15*d) + (4*a^3*(11*A + 13*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (4*a^3*(23*A + 24*B)*Sin[c + d*x])/(105*d*\text{Cos}[c + d*x]^{5/2}) + (4*a^3*(11*A + 13*B)*Sin[c + d*x])/(21*d*\text{Cos}[c + d*x]^{3/2}) + (4*a^3*(17*A + 21*B)*Sin[c + d*x])/(15*d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*a*A*(a + a*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(9*d*\text{Cos}[c + d*x]^{9/2}) + (2*(13*A + 9*B)*(a^3 + a^3*\text{Cos}[c + d*x])*Sin[c + d*x])/(63*d*\text{Cos}[c + d*x]^{7/2})$

#### Rule 2975

$\text{Int}[(a + b*\sin[e + f*x])^m*(A + B*\sin[e + f*x])^n, x\_Symbol] := -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1})/(d*f*(n+1)*(b*c + a*d)), x] - \text{Dist}[b/(d*(n+1)*(b*c + a*d)), \text{Int}[(a + b*\sin[e + f*x])^{m-1}*(c + d*\sin[e + f*x])^{n+1}*\text{Simp}[a*A*d*(m-n-2) - B*(a*c*(m-1) + b*d*(n+1)) - (A*b*d*(m+n+1) - B*(b*c*m - a*d*(n+1))]*\sin[e + f*x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2968

$\text{Int}[(a + b*\sin[e + f*x])^m*(A + B*\sin[e + f*x])^n, x\_Symbol] := \text{Int}[(a + b*\sin[e + f*x])^m*(A*c + (B*c + A*d)*\sin[e + f*x] + B*d*\sin[e + f*x]^2), x] /;$  FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(
m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^3 (A + B \cos(c + dx))}{\cos^{\frac{11}{2}}(c + dx)} dx &= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2}{9} \int \frac{(a + a \cos(c + dx))^2 \left(\frac{1}{2}a(13A + 9B) \cos^{\frac{7}{2}}(c + dx) + 2a^3 \cos^{\frac{5}{2}}(c + dx)\right)}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2(13A + 9B)(a^3 + a^3 \cos(c + dx))}{63d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2(13A + 9B)(a^3 + a^3 \cos(c + dx))}{63d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{4a^3(23A + 24B) \sin(c + dx)}{105d \cos^{\frac{5}{2}}(c + dx)} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2(13A + 9B)(a^3 + a^3 \cos(c + dx))}{63d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{4a^3(23A + 24B) \sin(c + dx)}{105d \cos^{\frac{5}{2}}(c + dx)} + \frac{2aA(a + a \cos(c + dx))^2 \sin(c + dx)}{9d \cos^{\frac{9}{2}}(c + dx)} + \frac{2(13A + 9B)(a^3 + a^3 \cos(c + dx))}{63d \cos^{\frac{7}{2}}(c + dx)} \\
&= \frac{4a^3(23A + 24B) \sin(c + dx)}{105d \cos^{\frac{5}{2}}(c + dx)} + \frac{4a^3(11A + 13B) \sin(c + dx)}{21d \cos^{\frac{3}{2}}(c + dx)} + \frac{4a^3(17A + 21B)}{15d} \\
&= -\frac{4a^3(17A + 21B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{4a^3(11A + 13B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \dots
\end{aligned}$$



$$2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^3 - 14/15 * \sin(1/2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c) / (-(-2*\cos(1/2*d*x+1/2*c)^2 + 1) * \sin(1/2*d*x+1/2*c)^2)^{1/2} + 7/15 * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{1/2} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) - 7/15 * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{1/2} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} * (\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) - \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2})) - 1/5 * (3/8*A + 3/8*B) / (8*\sin(1/2*d*x+1/2*c)^6 - 12*\sin(1/2*d*x+1/2*c)^4 + 6*\sin(1/2*d*x+1/2*c)^2 - 1) / \sin(1/2*d*x+1/2*c)^2 * (12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2})) * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{1/2} * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * \sin(1/2*d*x+1/2*c)^4 - 24*\sin(1/2*d*x+1/2*c)^6 * \cos(1/2*d*x+1/2*c) - 12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{1/2} * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * \sin(1/2*d*x+1/2*c)^2 + 24*\sin(1/2*d*x+1/2*c)^4 * \cos(1/2*d*x+1/2*c) + 3 * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{1/2} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) - 8*\sin(1/2*d*x+1/2*c)^2 * \cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} + 1/8*B * (-\sin(1/2*d*x+1/2*c)^2)^{1/2} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{1/2} * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) + 2 * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 / \sin(1/2*d*x+1/2*c)^2 / (2*\sin(1/2*d*x+1/2*c)^2 - 1) + (1/8*A + 3/8*B) * (-1/6*\cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^2 + 1/3 * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{1/2} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2})) + (3/8*A + 1/8*B) * (-1/56*\cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^4 - 5/42*\cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} / (\cos(1/2*d*x+1/2*c)^2 - 1/2)^2 + 5/21 * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{1/2} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2})) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{1/2} / d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(11/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(11/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{Ba^3 \cos(dx + c)^4 + (A + 3B)a^3 \cos(dx + c)^3 + 3(A + B)a^3 \cos(dx + c)^2 + (3A + B)a^3 \cos(dx + c) + Aa^3}{\cos(dx + c)^{\frac{11}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(11/2),x, algorithm="fricas")

```
[Out] integral((B*a^3*cos(d*x + c)^4 + (A + 3*B)*a^3*cos(d*x + c)^3 + 3*(A + B)*a^3*cos(d*x + c)^2 + (3*A + B)*a^3*cos(d*x + c) + A*a^3)/cos(d*x + c)^(11/2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))/cos(d*x+c)**(11/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3/cos(d*x + c)^(11/2), x)
```

$$3.145 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=156

$$\frac{5(A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{3(5A-7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} + \frac{(A-B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{d(a\cos(c+dx)+a)} - \frac{(5A-7B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{5ad}$$

[Out] (-3\*(5\*A - 7\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*a\*d) + (5\*(A - B)\*EllipticF[(c + d\*x)/2, 2])/(3\*a\*d) + (5\*(A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*a\*d) - ((5\*A - 7\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(5\*a\*d) + ((A - B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(d\*(a + a\*cos[c + d\*x]))

**Rubi [A]** time = 0.198745, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2977, 2748, 2635, 2641, 2639}

$$\frac{5(A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{3(5A-7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} + \frac{(A-B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{d(a\cos(c+dx)+a)} - \frac{(5A-7B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{5ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(5/2)\*(A + B\*cos[c + d\*x]))/(a + a\*cos[c + d\*x]),x]

[Out] (-3\*(5\*A - 7\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*a\*d) + (5\*(A - B)\*EllipticF[(c + d\*x)/2, 2])/(3\*a\*d) + (5\*(A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*a\*d) - ((5\*A - 7\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(5\*a\*d) + ((A - B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(d\*(a + a\*cos[c + d\*x]))

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*sin[e + f\*x])^m\*(c + d\*sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*sin[e + f\*x])^(m + 1)\*(c + d\*sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2635

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*cos[c + d\*x])\*(b\*sin[c + d\*x])^(n - 1)]/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\cos(c+dx))}{a+a\cos(c+dx)} dx &= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{\int \cos^{\frac{3}{2}}(c+dx) \left( \frac{5}{2}a(A-B) - \frac{1}{2}a(5A-7B) \right)}{a^2} \\ &= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{(5A-7B)\int \cos^{\frac{5}{2}}(c+dx) dx}{2a} + \frac{(5A-7B)\int \cos^{\frac{3}{2}}(c+dx) dx}{5ad} \\ &= \frac{5(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3ad} - \frac{(5A-7B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{5ad} + \frac{3(5A-7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5ad} + \frac{5(A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{5(A-B)\sqrt{\cos(c+dx)}}{5ad} \end{aligned}$$

**Mathematica [C]** time = 6.5567, size = 1182, normalized size = 7.58

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d\*x]^(5/2)\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x]), x]

[Out] (((-3\*I)/4)\*A\*Cos[c/2 + (d\*x)/2]^2\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c])^2)]\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c])^2)]\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x]) + (((21\*I)/20)\*B\*Cos[c/2 + (d\*x)/2]^2\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c])^2)]\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c])^2)]\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x]) + (Cos[c/2 + (d\*x)/2]^2\*Sqrt[Cos[c + d\*x]]\*((2\*(5\*A - 5\*B + 10\*A\*Cos[c] - 16\*B\*Cos[c])\*Csc[c])/(5\*d) + (4\*(A - B)\*Cos[d\*x]\*Sin[c])/(3\*d) + (2\*B\*Cos[2\*d\*x]\*Sin[2\*c])/(5\*d) + (2\*Sec[c/2]\*Sec[c/2 + (d\*x)/2]\*(A\*Sin[(d\*x)/2] - B\*Sin[(d\*x)/2]))/d + (4\*(A - B)\*Cos[c]\*Sin[d\*x])/(3\*d) + (2\*B\*Cos[2\*c]\*Sin[2\*d\*x])/(5\*d)))/(a + a\*Cos[c + d\*x]) - (5\*A\*Cos[c/2 + (d\*x)/2]^2\*Csc[c/2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]])])

]]]/(3\*d\*(a + a\*cos[c + d\*x])\*sqrt[1 + Cot[c]^2)) + (5\*B\*cos[c/2 + (d\*x)/2]^2\*csc[c/2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2]\*Sec[d\*x - ArcTan[Cot[c]]]\*sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*sqrt[-(sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(3\*d\*(a + a\*cos[c + d\*x])\*sqrt[1 + Cot[c]^2])

**Maple [A]** time = 3.599, size = 281, normalized size = 1.8

$$-\frac{1}{15da} \sqrt{(2(\cos(1/2 dx + c/2))^2 - 1) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{2(\sin(1/2 dx + c/2))^2 - 1} (25$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a), x)

[Out] -1/15\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(cos(1/2\*d\*x+1/2\*c)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(25\*A\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+45\*A\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-25\*B\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-63\*B\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2)))+48\*B\*sin(1/2\*d\*x+1/2\*c)^8+(-40\*A-56\*B)\*sin(1/2\*d\*x+1/2\*c)^6+(90\*A-30\*B)\*sin(1/2\*d\*x+1/2\*c)^4+(-35\*A+23\*B)\*sin(1/2\*d\*x+1/2\*c)^2)/a/cos(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^3 + A \cos(dx + c)^2) \sqrt{\cos(dx + c)}}{a \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^3 + A\*cos(d\*x + c)^2)\*sqrt(cos(d\*x + c))/(a\*cos(d\*x + c) + a), x)



---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a), x)

$$3.146 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=123

$$-\frac{(3A-5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)\sin(c+dx)\cos^3(c+dx)}{d(a\cos(c+dx)+a)} - \frac{(3A-5B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3ad}$$

[Out] (3\*(A - B)\*EllipticE[(c + d\*x)/2, 2])/(a\*d) - ((3\*A - 5\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*a\*d) - ((3\*A - 5\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*a\*d) + ((A - B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(d\*(a + a\*Cos[c + d\*x]))

**Rubi [A]** time = 0.17957, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2977, 2748, 2639, 2635, 2641}

$$-\frac{(3A-5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)\sin(c+dx)\cos^3(c+dx)}{d(a\cos(c+dx)+a)} - \frac{(3A-5B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x]),x]

[Out] (3\*(A - B)\*EllipticE[(c + d\*x)/2, 2])/(a\*d) - ((3\*A - 5\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*a\*d) - ((3\*A - 5\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*a\*d) + ((A - B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(d\*(a + a\*Cos[c + d\*x]))

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2635

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{a+a\cos(c+dx)} dx &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{\int \sqrt{\cos(c+dx)} \left( \frac{3}{2}a(A-B) - \frac{1}{2}a(3A-5B) \right)}{a^2} \\ &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{(3A-5B)\int \cos^3(c+dx) dx}{2a} + \frac{(3(A-B))}{d(a+a\cos(c+dx))} \\ &= \frac{3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(3A-5B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3ad} + \frac{(A-B)\cos(c+dx)}{d(a+a\cos(c+dx))} \\ &= \frac{3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(3A-5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} - \frac{(3A-5B)\sqrt{\cos(c+dx)}}{3ad} \end{aligned}$$

**Mathematica [C]** time = 6.48848, size = 1129, normalized size = 9.18

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x]), x]

[Out] (((3\*I)/4)\*A\*Cos[c/2 + (d\*x)/2]^2\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x]) - (((3\*I)/4)\*B\*Cos[c/2 + (d\*x)/2]^2\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x]) + (Cos[c/2 + (d\*x)/2]^2\*Sqrt[Cos[c + d\*x]]\*((-2\*(A - B)\*(1 + 2\*Cos[c])\*Csc[c])/d + (4\*B\*Cos[d\*x]\*Sin[c])/(3\*d) - (2\*Sec[c/2]\*Sec[c/2 + (d\*x)/2]\*(A\*Sin[(d\*x)/2] - B\*Sin[(d\*x)/2]))/d + (4\*B\*Cos[c]\*Sin[d\*x])/(3\*d)))/(a + a\*Cos[c + d\*x]) + (A\*Cos[c/2 + (d\*x)/2]^2\*Csc[c/2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(d\*(a + a\*Cos[c + d\*x])\*Sqrt[1 + Cot[c]^2]) - (5\*B\*Cos[c/2 + (d\*x)/2]^2\*Csc[c/2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2]\*Sec[d\*x - ArcTan[Co

$t[c]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(a + a*\text{Cos}[c + d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2])$

**Maple [A]** time = 2.849, size = 262, normalized size = 2.1

$$\frac{1}{3da} \sqrt{2 (\cos(1/2 dx + c/2))^2 - 1} \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \left( \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2 (\sin(1/2 dx + c/2))^2 - 1} \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \right) (3AE)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+cos(d*x+c)*a), x)`

[Out]  $\frac{1}{3} * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (\cos(1/2 * d * x + 1/2 * c) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (3 * A * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) + 9 * A * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 5 * B * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 9 * B * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2))) + 8 * B * \sin(1/2 * d * x + 1/2 * c) ^ 6 + (6 * A - 18 * B) * \sin(1/2 * d * x + 1/2 * c) ^ 4 + (-3 * A + 7 * B) * \sin(1/2 * d * x + 1/2 * c) ^ 2) / a / \cos(1/2 * d * x + 1/2 * c) / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) / d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)), x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^2 + A \cos(dx + c)) \sqrt{\cos(dx + c)}}{a \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c)), x, algorithm="fricas")`

[Out] `integral((B*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a), x)

$$3.147 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=85

$$\frac{(A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a\cos(c+dx)+a)}$$

[Out] -(((A - 3\*B)\*EllipticE[(c + d\*x)/2, 2])/(a\*d)) + ((A - B)\*EllipticF[(c + d\*x)/2, 2])/(a\*d) + ((A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*(a + a\*Cos[c + d\*x]))

**Rubi [A]** time = 0.149822, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {2977, 2748, 2641, 2639}

$$\frac{(A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x]),x]

[Out] -(((A - 3\*B)\*EllipticE[(c + d\*x)/2, 2])/(a\*d)) + ((A - B)\*EllipticF[(c + d\*x)/2, 2])/(a\*d) + ((A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*(a + a\*Cos[c + d\*x]))

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{a+a\cos(c+dx)} dx &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{d(a+a\cos(c+dx))} + \frac{\int \frac{\frac{1}{2}a(A-B)-\frac{1}{2}a(A-3B)\cos(c+dx)}{\sqrt{\cos(c+dx)}} dx}{a^2} \\ &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{d(a+a\cos(c+dx))} - \frac{(A-3B)\int \sqrt{\cos(c+dx)} dx}{2a} + \frac{(A-B)}{a^2} \\ &= -\frac{(A-3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)\sqrt{\cos(c+dx)}}{d(a+a\cos(c+dx))} \end{aligned}$$

**Mathematica [C]** time = 6.4083, size = 1098, normalized size = 12.92

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x]),x]

[Out]  $((-I/4)*A*\cos[c/2 + (d*x)/2]^2*\csc[c/2]*\sec[c/2]*((2*E^((2*I)*d*x))*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(\cos[c] + I*\sin[c])^2])*\sqrt{(2*(1 + E^((2*I)*d*x))*\cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*\sin[c])/E^((I*d*x))}*\sqrt{1 + E^((2*I)*d*x)*\cos[2*c] + I*E^((2*I)*d*x)*\sin[2*c]})/((3*I)*d*(1 + E^((2*I)*d*x))*\cos[c] - 3*d*(-1 + E^((2*I)*d*x))*\sin[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(\cos[c] + I*\sin[c])^2])*\sqrt{(2*(1 + E^((2*I)*d*x))*\cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*\sin[c])/E^((I*d*x))}*\sqrt{1 + E^((2*I)*d*x)*\cos[2*c] + I*E^((2*I)*d*x)*\sin[2*c]})/((-I)*d*(1 + E^((2*I)*d*x))*\cos[c] + d*(-1 + E^((2*I)*d*x))*\sin[c]))/(a + a*\cos[c + d*x]) + (((3*I)/4)*B*\cos[c/2 + (d*x)/2]^2*\csc[c/2]*\sec[c/2]*((2*E^((2*I)*d*x))*\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(\cos[c] + I*\sin[c])^2])*\sqrt{(2*(1 + E^((2*I)*d*x))*\cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*\sin[c])/E^((I*d*x))}*\sqrt{1 + E^((2*I)*d*x)*\cos[2*c] + I*E^((2*I)*d*x)*\sin[2*c]})/((3*I)*d*(1 + E^((2*I)*d*x))*\cos[c] - 3*d*(-1 + E^((2*I)*d*x))*\sin[c]) - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(\cos[c] + I*\sin[c])^2])*\sqrt{(2*(1 + E^((2*I)*d*x))*\cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*\sin[c])/E^((I*d*x))}*\sqrt{1 + E^((2*I)*d*x)*\cos[2*c] + I*E^((2*I)*d*x)*\sin[2*c]})/((-I)*d*(1 + E^((2*I)*d*x))*\cos[c] + d*(-1 + E^((2*I)*d*x))*\sin[c]))/(a + a*\cos[c + d*x]) + (\cos[c/2 + (d*x)/2]^2*\sqrt{\cos[c + d*x]}*((-2*(-A + B + 2*B*\cos[c]))*\csc[c])/d + (2*\sec[c/2]*\sec[c/2 + (d*x)/2]*(A*\sin[(d*x)/2] - B*\sin[(d*x)/2]))/d)/(a + a*\cos[c + d*x]) - (A*\cos[c/2 + (d*x)/2]^2*\csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\sec[c/2]*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}]*\sqrt{-(\sqrt{1 + \text{Cot}[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}})/(d*(a + a*\cos[c + d*x])*\sqrt{1 + \text{Cot}[c]^2}) + (B*\cos[c/2 + (d*x)/2]^2*\csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\sec[c/2]*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}]*\sqrt{-(\sqrt{1 + \text{Cot}[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}})/(d*(a + a*\cos[c + d*x])*\sqrt{1 + \text{Cot}[c]^2})$

**Maple [A]** time = 3.473, size = 244, normalized size = 2.9

$$-\frac{1}{da}\sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2}\left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\sqrt{2(\sin(1/2 dx + c/2))^2 - 1}\sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2}\right)(A)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*cos(d*x+c)^(1/2)/(a+cos(d*x+c)*a),x)`

[Out]  $-\left(\left(2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)\right)\left(2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{\frac{1}{2}}\left(\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\left(A\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{\frac{1}{2}}\right)+A\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{\frac{1}{2}}\right)-B\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{\frac{1}{2}}\right)-3B\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right),2^{\frac{1}{2}}\right)\right)+\left(2A-2B\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\left(-A+B\right)\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)/a/\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)/\left(-2\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}/\sin\left(\frac{1}{2}d*x+\frac{1}{2}c\right)/\left(2\cos\left(\frac{1}{2}d*x+\frac{1}{2}c\right)^2-1\right)^{\frac{1}{2}}/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*cos(d*x+c)^(1/2)/(a+a*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*cos(d*x+c)^(1/2)/(a+a*cos(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*cos(d*x+c)**(1/2)/(a+a*cos(d*x+c)),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a \cos(dx + c) + a} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*cos(d*x+c)^(1/2)/(a+a*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a), x)
```

$$3.148 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)(a+a \cos(c+dx))}} dx$$

**Optimal.** Leaf size=83

$$\frac{(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a\cos(c+dx)+a)}$$

[Out] ((A - B)\*EllipticE[(c + d\*x)/2, 2])/(a\*d) + ((A + B)\*EllipticF[(c + d\*x)/2, 2])/(a\*d) - ((A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*(a + a\*Cos[c + d\*x]))

**Rubi [A]** time = 0.150444, antiderivative size = 83, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {2978, 2748, 2641, 2639}

$$\frac{(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])),x]

[Out] ((A - B)\*EllipticE[(c + d\*x)/2, 2])/(a\*d) + ((A + B)\*EllipticF[(c + d\*x)/2, 2])/(a\*d) - ((A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*(a + a\*Cos[c + d\*x]))

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} dx &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{d(a + a \cos(c + dx))} + \frac{\int \frac{\frac{1}{2}a(A+B) + \frac{1}{2}a(A-B) \cos(c+dx)}{\sqrt{\cos(c+dx)}} dx}{a^2} \\ &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{d(a + a \cos(c + dx))} + \frac{(A - B) \int \sqrt{\cos(c + dx)} dx}{2a} + \frac{(A + B)}{a} \\ &= \frac{(A - B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{(A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} - \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{d(a + a \cos(c + dx))} \end{aligned}$$

**Mathematica [C]** time = 6.42271, size = 1094, normalized size = 13.18

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])),x]

[Out] ((I/4)\*A\*Cos[c/2 + (d\*x)/2]^2\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x]) - ((I/4)\*B\*Cos[c/2 + (d\*x)/2]^2\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x]) + (Cos[c/2 + (d\*x)/2]^2\*Sqrt[Cos[c + d\*x]]\*((-2\*(A - B)\*Csc[c])/d - (2\*Sec[c/2]\*Sec[c/2 + (d\*x)/2]\*(A\*Sin[(d\*x)/2] - B\*Sin[(d\*x)/2])/d))/(a + a\*Cos[c + d\*x]) - (A\*Cos[c/2 + (d\*x)/2]^2\*Csc[c/2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]])\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]])]/(d\*(a + a\*Cos[c + d\*x])\*Sqrt[1 + Cot[c]^2]) - (B\*Cos[c/2 + (d\*x)/2]^2\*Csc[c/2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]])\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]])]/(d\*(a + a\*Cos[c + d\*x])\*Sqrt[1 + Cot[c]^2])

**Maple [A]** time = 3.329, size = 243, normalized size = 2.9

$$\frac{1}{da} \sqrt{\left(2 \left(\cos\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2 \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1} \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(A \right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/(a*cos(d*x+c)*a)/cos(d*x+c)^(1/2),x)`

[Out]  $((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-\cos(1/2*d*x+1/2*c))*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))+(2*A-2*B)*\sin(1/2*d*x+1/2*c)^4+(-A+B)*\sin(1/2*d*x+1/2*c)^2)/a/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*sqrt(cos(d*x + c))), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a \cos(dx + c)^2 + a \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")`

[Out] `integral((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c)^2 + a*cos(d*x + c)), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/cos(d*x+c)**(1/2),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*sqrt(cos(d*x + c))), x)
```

$$3.149 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))} dx$$

**Optimal.** Leaf size=119

$$-\frac{(A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(3A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(3A-B)\sin(c+dx)}{ad\sqrt{\cos(c+dx)}} - \frac{(A-B)\sin(c+dx)}{d\sqrt{\cos(c+dx)}(a\cos(c+dx)+a)}$$

[Out] -(((3\*A - B)\*EllipticE[(c + d\*x)/2, 2])/(a\*d)) - ((A - B)\*EllipticF[(c + d\*x)/2, 2])/(a\*d) + ((3\*A - B)\*Sin[c + d\*x])/(a\*d\*Sqrt[Cos[c + d\*x]]) - ((A - B)\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x]))

**Rubi [A]** time = 0.173881, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2978, 2748, 2636, 2639, 2641}

$$-\frac{(A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(3A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(3A-B)\sin(c+dx)}{ad\sqrt{\cos(c+dx)}} - \frac{(A-B)\sin(c+dx)}{d\sqrt{\cos(c+dx)}(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])),x]

[Out] -(((3\*A - B)\*EllipticE[(c + d\*x)/2, 2])/(a\*d)) - ((A - B)\*EllipticF[(c + d\*x)/2, 2])/(a\*d) + ((3\*A - B)\*Sin[c + d\*x])/(a\*d\*Sqrt[Cos[c + d\*x]]) - ((A - B)\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x]))

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)]/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2636

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1)]/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\cos^2(c + dx)(a + a \cos(c + dx))} dx &= -\frac{(A - B) \sin(c + dx)}{d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} + \frac{\int \frac{\frac{1}{2}a(3A-B) - \frac{1}{2}a(A-B) \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)} dx}{a^2} \\ &= -\frac{(A - B) \sin(c + dx)}{d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} - \frac{(A - B) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{2a} + \frac{(3A - B) \int \frac{1}{\cos^{\frac{3}{2}}(c+dx)} dx}{2a} \\ &= -\frac{(A - B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{(3A - B) \sin(c + dx)}{ad\sqrt{\cos(c + dx)}} - \frac{(A - B) \sin(c + dx)}{d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} \\ &= -\frac{(3A - B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} - \frac{(A - B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{(3A - B) \sin(c + dx)}{ad\sqrt{\cos(c + dx)}} \end{aligned}$$

**Mathematica [C]** time = 6.60558, size = 1130, normalized size = 9.5

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])),x]

[Out] (((-3\*I)/4)\*A\*Cos[c/2 + (d\*x)/2]^2\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x]) + ((I/4)\*B\*Cos[c/2 + (d\*x)/2]^2\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x]) + (Cos[c/2 + (d\*x)/2]^2\*Sqrt[Cos[c + d\*x]]\*(((2\*A + A\*Cos[c] - B\*Cos[c])\*Csc[c/2]\*Sec[c/2]\*Sec[c])/d + (2\*Sec[c/2]\*Sec[c/2 + (d\*x)/2]\*(A\*Sin[(d\*x)/2] - B\*Sin[(d\*x)/2]))/d + (4\*A\*Sec[c]\*Sec[c + d\*x]\*Sin[d\*x])/d))/(a + a\*Cos[c + d\*x]) + (A\*Cos[c/2 + (d\*x)/2]^2\*Csc[c/2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]])])])

$t[c]]])*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(a + a*\text{Cos}[c + d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (B*\text{Cos}[c/2 + (d*x)/2]^2*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(a + a*\text{Cos}[c + d*x])*\text{Sqrt}[1 + \text{Cot}[c]^2])$

**Maple [A]** time = 6.605, size = 319, normalized size = 2.7

$$-\frac{1}{da} \sqrt{-(-2(\cos(1/2 dx + c/2))^2 + 1) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2(\sin(1/2 dx + c/2))^2 - 1} \sqrt{-2(\sin(1/2 dx + c/2))^2 + 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+cos(d*x+c)*a),x)`

[Out]  $-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/a*(\cos(1/2*d*x+1/2*c)*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-B*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+B*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(3*A-B)*\sin(1/2*d*x+1/2*c)^4+(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(5*A-B)*\sin(1/2*d*x+1/2*c)^2)/\cos(1/2*d*x+1/2*c)/\sin(1/2*d*x+1/2*c)^3/(2*\sin(1/2*d*x+1/2*c)^2-1)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \cos(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*cos(d*x + c)^(3/2)), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a \cos(dx + c)^3 + a \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c)^3 + a*cos(d*x + c)^2), x)`



---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2)/(a+a\*cos(d\*x+c)),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)\*cos(d\*x + c)^(3/2)), x )

$$3.150 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))} dx$$

**Optimal.** Leaf size=153

$$\frac{(5A-3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-B)\sin(c+dx)}{d \cos^{\frac{3}{2}}(c+dx)(a \cos(c+dx)+a)} + \frac{(5A-3B)\sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)} - \frac{3(A-B)\sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)}$$

[Out] (3\*(A - B)\*EllipticE[(c + d\*x)/2, 2])/(a\*d) + ((5\*A - 3\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*a\*d) + ((5\*A - 3\*B)\*Sin[c + d\*x])/(3\*a\*d\*Cos[c + d\*x]^(3/2)) - (3\*(A - B)\*Sin[c + d\*x])/(a\*d\*Sqrt[Cos[c + d\*x]]) - ((A - B)\*Sin[c + d\*x])/(d\*Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x]))

**Rubi [A]** time = 0.194849, antiderivative size = 153, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2978, 2748, 2636, 2641, 2639}

$$\frac{(5A-3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \frac{3(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} - \frac{(A-B)\sin(c+dx)}{d \cos^{\frac{3}{2}}(c+dx)(a \cos(c+dx)+a)} + \frac{(5A-3B)\sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)} - \frac{3(A-B)\sin(c+dx)}{3ad \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(5/2)\*(a + a\*Cos[c + d\*x])),x]

[Out] (3\*(A - B)\*EllipticE[(c + d\*x)/2, 2])/(a\*d) + ((5\*A - 3\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*a\*d) + ((5\*A - 3\*B)\*Sin[c + d\*x])/(3\*a\*d\*Cos[c + d\*x]^(3/2)) - (3\*(A - B)\*Sin[c + d\*x])/(a\*d\*Sqrt[Cos[c + d\*x]]) - ((A - B)\*Sin[c + d\*x])/(d\*Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x]))

#### Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2748

```
Int[((b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

#### Rule 2636

```
Int[((b_)*sin[(c_) + (d_)*(x_)])^(n_), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]
```

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))} dx &= -\frac{(A - B) \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} + \frac{\int \frac{\frac{1}{2}a(5A-3B) - \frac{3}{2}a(A-B) \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)} dx}{a^2} \\ &= -\frac{(A - B) \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} + \frac{(5A - 3B) \int \frac{1}{\cos^{\frac{5}{2}}(c+dx)} dx}{2a} - \frac{(3(A - B))}{2a} \\ &= \frac{(5A - 3B) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} - \frac{3(A - B) \sin(c + dx)}{ad \sqrt{\cos(c + dx)}} - \frac{(A - B) \sin(c + dx)}{d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))} \\ &= \frac{3(A - B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{(5A - 3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3ad} + \frac{(5A - 3B) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} \end{aligned}$$

**Mathematica [C]** time = 6.91151, size = 1167, normalized size = 7.63

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(5/2)\*(a + a\*Cos[c + d\*x])), x]

[Out] (((3\*I)/4)\*A\*Cos[c/2 + (d\*x)/2]^2\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x]) - (((3\*I)/4)\*B\*Cos[c/2 + (d\*x)/2]^2\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x]) + (Cos[c/2 + (d\*x)/2]^2\*Sqrt[Cos[c + d\*x]]\*(-(((A - B)\*(2 + Cos[c])\*Csc[c/2]\*Sec[c/2]\*Sec[c])/d - (2\*Sec[c/2]\*Sec[c/2 + (d\*x)/2]\*(A\*Sin[(d\*x)/2] - B\*Sin[(d\*x)/2])))/d + (4\*A\*Sec[c]\*Sec[c + d\*x]^2\*Sin[d\*x])/(3\*d) + (4\*Sec[c]\*Sec[c + d\*x]\*(A\*Sin[c] - 3\*A\*Sin[d\*x] + 3\*B\*Sin[d\*x]))/(3\*d)))/(a + a\*Cos[c + d\*x])

x]) - (5\*A\*cos[c/2 + (d\*x)/2]^2\*Csc[c/2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])]/(3\*d\*(a + a\*cos[c + d\*x])\*Sqrt[1 + Cot[c]^2]) + (B\*cos[c/2 + (d\*x)/2]^2\*Csc[c/2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])]/(d\*(a + a\*cos[c + d\*x])\*Sqrt[1 + Cot[c]^2])

**Maple [B]** time = 10.125, size = 493, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+cos(d\*x+c)\*a), x)

[Out] -((-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/a\*((A-B)\*(cos(1/2\*d\*x+1/2\*c)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2)))-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)/cos(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+(-2\*A+2\*B)\*(-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+2\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2)/sin(1/2\*d\*x+1/2\*c)^2/(2\*sin(1/2\*d\*x+1/2\*c)^2-1)+2\*A\*(-1/6\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(cos(1/2\*d\*x+1/2\*c)^2-1/2)^2+1/3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))))/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \cos(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c)), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(B \cos(dx + c) + A) \sqrt{\cos(dx + c)}}{a \cos(dx + c)^4 + a \cos(dx + c)^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c)),x, algorithm="
fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c)^4 + a*cos(
d*x + c)^3), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+a*cos(d*x+c)),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c)),x, algorithm="
giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*cos(d*x + c)^(5/2)), x
)
```

$$3.151 \quad \int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=203

$$\frac{5(2A-3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{7(5A-8B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5a^2d} + \frac{(2A-3B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{a^2d(\cos(c+dx)+1)} - \frac{7(5A-8B)\sin(c+dx)}{15a^2d}$$

[Out]  $(-7*(5*A - 8*B)*\text{EllipticE}[(c + d*x)/2, 2])/(5*a^2*d) + (5*(2*A - 3*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*a^2*d) + (5*(2*A - 3*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*a^2*d) - (7*(5*A - 8*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(15*a^2*d) + ((2*A - 3*B)*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(a^2*d*(1 + \text{Cos}[c + d*x])) + ((A - B)*\text{Cos}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(3*d*(a + a*\text{Cos}[c + d*x])^2)$

**Rubi [A]** time = 0.406793, antiderivative size = 203, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2977, 2748, 2635, 2641, 2639}

$$\frac{5(2A-3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{7(5A-8B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5a^2d} + \frac{(2A-3B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{a^2d(\cos(c+dx)+1)} - \frac{7(5A-8B)\sin(c+dx)}{15a^2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]^{(7/2)}*(A + B*\text{Cos}[c + d*x]))/(a + a*\text{Cos}[c + d*x])^2, x]$

[Out]  $(-7*(5*A - 8*B)*\text{EllipticE}[(c + d*x)/2, 2])/(5*a^2*d) + (5*(2*A - 3*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*a^2*d) + (5*(2*A - 3*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*a^2*d) - (7*(5*A - 8*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(15*a^2*d) + ((2*A - 3*B)*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(a^2*d*(1 + \text{Cos}[c + d*x])) + ((A - B)*\text{Cos}[c + d*x]^{(7/2)}*\text{Sin}[c + d*x])/(3*d*(a + a*\text{Cos}[c + d*x])^2)$

#### Rule 2977

$\text{Int}[(a + (b*\sin[e + f*x] + (f_*)*(x_)))^m * ((A + (B*\sin[e + f*x] + (f_*)*(x_))) * ((c + (d_*)*\sin[e + f*x])^n), x\_Symbol] := \text{Simp}[(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n]/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m+1}*(c + d*\text{Sin}[e + f*x])^{n-1}]*\text{Simp}[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*\text{Sin}[e + f*x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

$\text{Int}[(b*\sin[e + f*x] + (f_*)*(x_))^m * ((c + (d_*)*\sin[e + f*x] + (f_*)*(x_))), x\_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{m+1}, x], x] /;$  FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2635

$\text{Int}[(b*\sin[c + d*x] + (d_*)*(x_))^n, x\_Symbol] := -\text{Simp}[(b*\text{Cos}[c + d*x] * (b*\text{Sin}[c + d*x])^{n-1})/(d*n), x] + \text{Dist}[(b^2*(n-1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{n-2}, x], x] /;$  FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^2} dx &= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \int \frac{\cos^{\frac{5}{2}}(c+dx)\left(\frac{7}{2}a(A-B)-\frac{1}{2}a(5A-11B)\cos(c+dx)\right)}{a+a\cos(c+dx)} dx \\
 &= \frac{(2A-3B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{a^2d(1+\cos(c+dx))} + \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \int \frac{\cos^{\frac{3}{2}}(c+dx)\left(\frac{7}{2}a(A-B)-\frac{1}{2}a(5A-11B)\cos(c+dx)\right)}{a+a\cos(c+dx)} dx \\
 &= \frac{(2A-3B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{a^2d(1+\cos(c+dx))} + \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} - \frac{(7A-11B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} \\
 &= \frac{5(2A-3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d} - \frac{7(5A-8B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15a^2d} \\
 &= -\frac{7(5A-8B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5a^2d} + \frac{5(2A-3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{5(2A-3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d}
 \end{aligned}$$

**Mathematica [C]** time = 6.76995, size = 1262, normalized size = 6.22

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d\*x]^(7/2)\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^2, x]

[Out] (((-7\*I)/2)\*A\*Cos[c/2 + (d\*x)/2]^4\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c])^2)]\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c])^2)]\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x])^2 + (((28\*I)/5)\*B\*Cos[c/2 + (d\*x)/2]^4\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c])^2)]\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c])^2)]\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x])^2

$$2 - (20*A*\cos[c/2 + (d*x)/2]^4*\csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2]*\sec[c/2]*\sec[d*x - \text{ArcTan}[\cot[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]}]*\sqrt{-(\sqrt{1 + \cot[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\cot[c]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]}]/(3*d*(a + a*\cos[c + d*x])^2*\sqrt{1 + \cot[c]^2}) + (10*B*\cos[c/2 + (d*x)/2]^4*\csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2]*\sec[c/2]*\sec[d*x - \text{ArcTan}[\cot[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]}]*\sqrt{-(\sqrt{1 + \cot[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\cot[c]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]}]/(d*(a + a*\cos[c + d*x])^2*\sqrt{1 + \cot[c]^2}) + (\cos[c/2 + (d*x)/2]^4*\sqrt{\cos[c + d*x]}*((4*(15*A - 20*B + 20*A*\cos[c] - 36*B*\cos[c])*csc[c])/(5*d) + (8*(A - 2*B)*\cos[d*x]*\sin[c])/(3*d) + (4*B*\cos[2*d*x]*\sin[2*c])/(5*d) + (4*\sec[c/2]*\sec[c/2 + (d*x)/2]*(3*A*\sin[(d*x)/2] - 4*B*\sin[(d*x)/2]))/d - (2*\sec[c/2]*\sec[c/2 + (d*x)/2]^3*(A*\sin[(d*x)/2] - B*\sin[(d*x)/2]))/(3*d) + (8*(A - 2*B)*\cos[c]*\sin[d*x])/(3*d) + (4*B*\cos[2*c]*\sin[2*d*x])/(5*d) - (2*(A - B)*\sec[c/2 + (d*x)/2]^2*\tan[c/2])/(3*d)))/(a + a*\cos[c + d*x])^2$$

**Maple [A]** time = 3.945, size = 465, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(d*x+c)^{(7/2)}*(A+B*\cos(d*x+c))/(a+\cos(d*x+c)*a)^2,x)$

[Out]  $-1/30*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(96*B*\cos(1/2*d*x+1/2*c)^{10}+80*A*\cos(1/2*d*x+1/2*c)^8-352*B*\cos(1/2*d*x+1/2*c)^8+60*A*\cos(1/2*d*x+1/2*c)^6+100*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3+210*A*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+120*B*\cos(1/2*d*x+1/2*c)^6-150*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^3-336*B*\cos(1/2*d*x+1/2*c)^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-240*A*\cos(1/2*d*x+1/2*c)^4+266*B*\cos(1/2*d*x+1/2*c)^4+105*A*\cos(1/2*d*x+1/2*c)^2-135*B*\cos(1/2*d*x+1/2*c)^2-5*A+5*B)/a^2/\cos(1/2*d*x+1/2*c)^3/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{7}{2}}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(d*x+c)^{(7/2)}*(A+B*\cos(d*x+c))/(a+a*\cos(d*x+c))^2,x, \text{algorithm}="maxima")$

[Out]  $\text{integrate}((B*\cos(d*x + c) + A)*\cos(d*x + c)^{(7/2))/(a*\cos(d*x + c) + a)^2, x)$



**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(B \cos(dx + c)^4 + A \cos(dx + c)^3) \sqrt{\cos(dx + c)}}{a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^4 + A\*cos(d\*x + c)^3)\*sqrt(cos(d\*x + c))/(a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(7/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{7}{2}}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(7/2)/(a\*cos(d\*x + c) + a)^2, x)

$$3.152 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=166

$$\frac{5(A-2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{(4A-7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(4A-7B)\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{3a^2d(\cos(c+dx)+1)} - \frac{5(A-2B)\sin(c+dx)}{3a^2d}$$

[Out]  $((4A - 7B)*\text{EllipticE}[(c + d*x)/2, 2])/(a^2*d) - (5*(A - 2B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*a^2*d) - (5*(A - 2B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*a^2*d) + ((4A - 7B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*a^2*d*(1 + \text{Cos}[c + d*x])) + ((A - B)*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(3*d*(a + a*\text{Cos}[c + d*x])^2)$

**Rubi [A]** time = 0.389269, antiderivative size = 166, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2977, 2748, 2639, 2635, 2641}

$$\frac{5(A-2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{(4A-7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(4A-7B)\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{3a^2d(\cos(c+dx)+1)} - \frac{5(A-2B)\sin(c+dx)}{3a^2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]^{(5/2)}*(A + B*\text{Cos}[c + d*x]))/(a + a*\text{Cos}[c + d*x])^2, x]$

[Out]  $((4A - 7B)*\text{EllipticE}[(c + d*x)/2, 2])/(a^2*d) - (5*(A - 2B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*a^2*d) - (5*(A - 2B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*a^2*d) + ((4A - 7B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*a^2*d*(1 + \text{Cos}[c + d*x])) + ((A - B)*\text{Cos}[c + d*x]^{(5/2)}*\text{Sin}[c + d*x])/(3*d*(a + a*\text{Cos}[c + d*x])^2)$

#### Rule 2977

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]])^{(m_)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_)]])^{(n_)}, x\_Symbol] \rightarrow \text{Simp}[(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n]/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(n - 1)}*\text{Simp}[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] \mid \mid \text{EqQ}[c, 0])$

#### Rule 2748

$\text{Int}[(b_.)*\sin[(e_.) + (f_.)*(x_)]])^{(m_)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

#### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rule 2635

```
Int[(b_.)*sin[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^2} dx &= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \int \frac{\cos^{\frac{3}{2}}(c+dx)\left(\frac{5}{2}a(A-B)-\frac{3}{2}a(A-3B)\cos(c+dx)\right)}{a+a\cos(c+dx)} dx \\ &= \frac{(4A-7B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2d(1+\cos(c+dx))} + \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \int \frac{\cos^{\frac{1}{2}}(c+dx)\left(\frac{5}{2}a(A-B)-\frac{3}{2}a(A-3B)\cos(c+dx)\right)}{a+a\cos(c+dx)} dx \\ &= \frac{(4A-7B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3a^2d(1+\cos(c+dx))} + \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{(4A-7B)\cos^{\frac{1}{2}}(c+dx)\sin(c+dx)}{3a^2d} \\ &= \frac{(4A-7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{5(A-2B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d} + \frac{(4A-7B)\cos^{\frac{1}{2}}(c+dx)\sin(c+dx)}{3a^2d} \\ &= \frac{(4A-7B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{5(A-2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{5(A-2B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d} \end{aligned}$$

**Mathematica [C]** time = 6.682, size = 1218, normalized size = 7.34

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^2,
x]
```

```
[Out] ((2*I)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeom
etric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1
+ E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqr
t[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^
((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F
1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^
((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 +
E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d
*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^2 - (((
7*I)/2)*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeo
metric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1
+ E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sq
rt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^
((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2
F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^
((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 +
E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*
d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^2 + (1
0*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[
d*x - ArcTan[Cot[c]]]^2)*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*
```

```
x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])
*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(a + a*cos[c + d*x])^2*Sqr
t[1 + Cot[c]^2]) - (20*B*cos[c/2 + (d*x)/2]^4*Csc[c/2]*HypergeometricPFQ[{1
/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2*Sec[c/2]*Sec[d*x - ArcTan[Cot
[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*
Sin[d*x - ArcTan[Cot[c]]]])*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(a +
a*cos[c + d*x])^2*Sqrt[1 + Cot[c]^2]) + (Cos[c/2 + (d*x)/2]^4*Sqrt[Cos[c +
d*x]]*((-4*(2*A - 3*B + 2*A*cos[c] - 4*B*cos[c])*Csc[c])/d + (8*B*cos[d*x]*
Sin[c])/(3*d) - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(2*A*sin[(d*x)/2] - 3*B*sin[
(d*x)/2]))/d + (2*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(A*sin[(d*x)/2] - B*sin[(d*
x)/2]))/(3*d) + (8*B*cos[c]*Sin[d*x])/(3*d) + (2*(A - B)*Sec[c/2 + (d*x)/2
]^2*Tan[c/2])/(3*d)))/(a + a*cos[c + d*x])^2
```

**Maple [B]** time = 3.277, size = 435, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+cos(d*x+c)*a)^2,x)
```

```
[Out] 1/6*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-16*B*cos(1/2*
d*x+1/2*c)^8+24*A*cos(1/2*d*x+1/2*c)^6+10*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-
2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1
/2*d*x+1/2*c)^3+24*A*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*
cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-12*B*co
s(1/2*d*x+1/2*c)^6-20*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)
^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^3-42*B
*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)
^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-38*A*cos(1/2*d*x+1/2*c)^4+4
8*B*cos(1/2*d*x+1/2*c)^4+15*A*cos(1/2*d*x+1/2*c)^2-21*B*cos(1/2*d*x+1/2*c)
^2-A+B)/a^2/cos(1/2*d*x+1/2*c)^3/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)
^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm
="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*cos(d*x + c) + a)^2, x
)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^3 + A \cos(dx + c)^2)\sqrt{\cos(dx + c)}}{a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm
="fricas")
```

```
[Out] integral((B*cos(d*x + c)^3 + A*cos(d*x + c)^2)*sqrt(cos(d*x + c))/(a^2*cos(
d*x + c)^2 + 2*a^2*cos(d*x + c) + a^2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**2,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*cos(d*x + c) + a)^2, x
)
```

$$3.153 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=136

$$\frac{(2A-5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{(A-4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(2A-5B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3a^2d(\cos(c+dx)+1)} + \frac{(A-B)\sin(c+dx)\cos^2\left(\frac{1}{2}(c+dx)\right)}{3d(a\cos(c+dx)+a)}$$

[Out] -(((A - 4\*B)\*EllipticE[(c + d\*x)/2, 2])/(a^2\*d)) + ((2\*A - 5\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*a^2\*d) + ((2\*A - 5\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*a^2\*d\*(1 + Cos[c + d\*x])) + ((A - B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d\*(a + a\*Cos[c + d\*x])^2)

**Rubi [A]** time = 0.31367, antiderivative size = 136, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {2977, 2748, 2641, 2639}

$$\frac{(2A-5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{(A-4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(2A-5B)\sin(c+dx)\sqrt{\cos(c+dx)}}{3a^2d(\cos(c+dx)+1)} + \frac{(A-B)\sin(c+dx)\cos^2\left(\frac{1}{2}(c+dx)\right)}{3d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^2,x]

[Out] -(((A - 4\*B)\*EllipticE[(c + d\*x)/2, 2])/(a^2\*d)) + ((2\*A - 5\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*a^2\*d) + ((2\*A - 5\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*a^2\*d\*(1 + Cos[c + d\*x])) + ((A - B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d\*(a + a\*Cos[c + d\*x])^2)

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - P  
i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^2} dx &= \frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \int \frac{\sqrt{\cos(c+dx)}\left(\frac{3}{2}a(A-B)-\frac{1}{2}a(A-7B)\cos(c+dx)\right)}{a+a\cos(c+dx)} dx \\ &= \frac{(2A-5B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d(1+\cos(c+dx))} + \frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \int \frac{\sqrt{\cos(c+dx)}\left(\frac{3}{2}a(A-B)-\frac{1}{2}a(A-7B)\cos(c+dx)\right)}{a+a\cos(c+dx)} dx \\ &= \frac{(2A-5B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3a^2d(1+\cos(c+dx))} + \frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \frac{(A-4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(2A-5B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{(2A-5B)\sqrt{\cos(c+dx)}}{3a^2d(1+\cos(c+dx))} \end{aligned}$$

**Mathematica [C]** time = 6.57746, size = 1184, normalized size = 8.71

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^2, x]

[Out] ((-I/2)\*A\*Cos[c/2 + (d\*x)/2]^4\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^((I\*d\*x))]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^((I\*d\*x))]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x])^2 + ((2\*I)\*B\*Cos[c/2 + (d\*x)/2]^4\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^((I\*d\*x))]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^((I\*d\*x))]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x])^2 - (4\*A\*Cos[c/2 + (d\*x)/2]^4\*Csc[c/2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]])\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]])])\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(3\*d\*(a + a\*Cos[c + d\*x])^2\*Sqrt[1 + Cot[c]^2]) + (10\*B\*Cos[c/2 + (d\*x)/2]^4\*Csc[c/2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]])\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]])])\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(3\*d\*(a + a\*Cos[c + d\*x])^2\*Sqrt[1 + Cot[c]^2]) + (Cos[c/2 + (d\*x)/2]^4\*Sqrt[Cos[c + d\*x]]\*((-4\*(-A + 2\*B + 2\*B\*Cos[c])\*Csc[c])/d + (4\*Sec[c/2]\*Sec[c/2 + (d\*x)/2]\*(A\*Sin[(d\*x)/2] - 2\*B\*Sin[(d\*x)/2]))/d - (2\*Sec[c/2]\*Sec[c/2 + (d\*x)/2]^3\*(A

$\frac{\sin\left(\frac{dx}{2}\right) - B\sin\left(\frac{dx}{2}\right)}{(3d) - (2(A - B)\sec\left[\frac{c}{2} + \frac{dx}{2}\right]^2 \tan\left[\frac{c}{2}\right]) / (3d)} / (a + a\cos[c + dx])^2$

**Maple [B]** time = 3.768, size = 421, normalized size = 3.1

$$-\frac{1}{6a^2d} \sqrt{\left(2(\cos(1/2 dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(12A(\cos(1/2 dx + c/2))^6 + 4A\sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+cos(d*x+c)*a)^2,x)`

[Out] 
$$-1/6 * ((2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (12 * A * \cos(1/2 * d * x + 1/2 * c)^6 + 4 * A * \sqrt{(\sin(1/2 * d * x + 1/2 * c))^2} * \sqrt{-2 * (\cos(1/2 * d * x + 1/2 * c))^2 - 1})$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^2, x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^2 + A \cos(dx + c)) \sqrt{\cos(dx + c)}}{a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2,x, algorithm="fricas")`

[Out] `integral((B*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt(cos(d*x + c))/(a^2*cos(d*x + c)^2 + 2*a^2*cos(d*x + c) + a^2), x)`



---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a)^2, x)

$$3.154 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=121

$$\frac{(A+2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{B \sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} + \frac{(A-B) \sin(c+dx)\sqrt{\cos(c+dx)}}{3d(a \cos(c+dx)+a)^2}$$

[Out]  $-(B*\text{EllipticE}[(c+d*x)/2, 2])/(a^2*d) + ((A+2*B)*\text{EllipticF}[(c+d*x)/2, 2])/(3*a^2*d) + (B*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(a^2*d*(1+\text{Cos}[c+d*x])) + ((A-B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(3*d*(a+a*\text{Cos}[c+d*x])^2)$

**Rubi [A]** time = 0.27677, antiderivative size = 121, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2977, 2978, 2748, 2641, 2639}

$$\frac{(A+2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{B \sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} + \frac{(A-B) \sin(c+dx)\sqrt{\cos(c+dx)}}{3d(a \cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sqrt}[\text{Cos}[c+d*x]]*(A+B*\text{Cos}[c+d*x]))/(a+a*\text{Cos}[c+d*x])^2, x]$

[Out]  $-(B*\text{EllipticE}[(c+d*x)/2, 2])/(a^2*d) + ((A+2*B)*\text{EllipticF}[(c+d*x)/2, 2])/(3*a^2*d) + (B*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(a^2*d*(1+\text{Cos}[c+d*x])) + ((A-B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x])/(3*d*(a+a*\text{Cos}[c+d*x])^2)$

#### Rule 2977

$\text{Int}[(a_+ + (b_+)*\sin[(e_+) + (f_+)*(x_+)])^{(m_+)}*((A_+) + (B_+)*\sin[(e_+) + (f_+)*(x_+)])^{(n_+)}, x\_Symbol] \rightarrow \text{Simp}[(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e + f*x])^{(n-1)}*\text{Simp}[A*(a*d*n - b*c*(m+1)) - B*(a*c*m + b*d*n) - d*(a*B*(m-n) + A*b*(m+n+1))*\text{Sin}[e + f*x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2978

$\text{Int}[(a_+ + (b_+)*\sin[(e_+) + (f_+)*(x_+)])^{(m_+)}*((A_+) + (B_+)*\sin[(e_+) + (f_+)*(x_+)])^{(n_+)}, x\_Symbol] \rightarrow \text{Simp}[(b*(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(a*f*(2*m + 1)*(b*c - a*d)), x] + \text{Dist}[1/(a*(2*m + 1)*(b*c - a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[B*(a*c*m + b*d*(n+1)) + A*(b*c*(m+1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m+n+2)*\text{Sin}[e + f*x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{(a+a\cos(c+dx))^2} dx &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \int \frac{\frac{1}{2}a(A-B)+\frac{1}{2}a(A+5B)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))} dx \\ &= \frac{B\sqrt{\cos(c+dx)}\sin(c+dx)}{a^2d(1+\cos(c+dx))} + \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3d(a+a\cos(c+dx))^2} + \int \frac{\frac{1}{2}a^2(A+2B)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))} dx \\ &= \frac{B\sqrt{\cos(c+dx)}\sin(c+dx)}{a^2d(1+\cos(c+dx))} + \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3d(a+a\cos(c+dx))^2} - \frac{B \int \sqrt{\cos(c+dx)} dx}{2} \\ &= -\frac{BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(A+2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{B\sqrt{\cos(c+dx)}\sin(c+dx)}{a^2d(1+\cos(c+dx))} \end{aligned}$$

**Mathematica [C]** time = 6.4721, size = 815, normalized size = 6.74

$$iB \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \left( \frac{2e^{2idx} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2idx}(\cos(c)+i\sin(c))^2\right) \sqrt{e^{-idx}(2(1+e^{2idx})\cos(c)+2i(-1+e^{2idx})\sin(c))} \sqrt{e^{2idx}\cos(2c)+ie^{2idx}\sin(2c)+1}}{3id(1+e^{2idx})\cos(c)-3d(-1+e^{2idx})\sin(c)} - \frac{2 {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2idx}(\cos(c)+i\sin(c))^2\right) \sqrt{e^{-idx}(2(1+e^{2idx})\cos(c)+2i(-1+e^{2idx})\sin(c))} \sqrt{e^{2idx}\cos(2c)+ie^{2idx}\sin(2c)+1}}{3id(1+e^{2idx})\cos(c)-3d(-1+e^{2idx})\sin(c)} \right) \frac{1}{2(\cos(c+dx)a+a\cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^2, x]

[Out] ((-I/2)\*B\*Cos[c/2 + (d\*x)/2]^4\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2]]\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2]]\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x])^2 - (2\*A\*Cos[c/2 + (d\*x)/2]^4\*Csc[c/2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(3\*d\*(a + a\*Cos[c + d\*x])^2\*Sqrt[1 + Cot[c]^2]) - (4\*B\*Cos[c/2 + (d\*x)/2]^4\*Csc[c/2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2]\*Sec[d\*x - ArcTan[Cot[c]]])

]])\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(3\*d\*(a + a\*Cos[c + d\*x])^2\*Sqrt[1 + Cot[c]^2]) + (Cos[c/2 + (d\*x)/2]^4\*Sqrt[Cos[c + d\*x]])\*((4\*B\*Csc[c])/d + (4\*B\*Sec[c/2]\*Sec[c/2 + (d\*x)/2]\*Sin[(d\*x)/2])/d + (2\*Sec[c/2]\*Sec[c/2 + (d\*x)/2]^3\*(A\*Sin[(d\*x)/2] - B\*Sin[(d\*x)/2]))/(3\*d) + (2\*(A - B)\*Sec[c/2 + (d\*x)/2]^2\*Tan[c/2])/(3\*d))/(a + a\*Cos[c + d\*x])^2

**Maple [B]** time = 3.144, size = 350, normalized size = 2.9

$$-\frac{1}{6a^2d} \sqrt{\left(2(\cos(1/2 dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(2A \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 + 1} \text{EllipticF}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2)/(a+cos(d\*x+c)\*a)^2,x)

[Out] -1/6\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^3+12\*B\*cos(1/2\*d\*x+1/2\*c)^6+4\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^3+6\*B\*cos(1/2\*d\*x+1/2\*c)^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+2\*A\*cos(1/2\*d\*x+1/2\*c)^4-20\*B\*cos(1/2\*d\*x+1/2\*c)^4-3\*A\*cos(1/2\*d\*x+1/2\*c)^2+9\*B\*cos(1/2\*d\*x+1/2\*c)^2+A-B)/a^2/cos(1/2\*d\*x+1/2\*c)^3/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/(a\*cos(d\*x + c) + a)^2, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(B \cos(dx + c) + A) \sqrt{\cos(dx + c)}}{a^2 \cos(dx + c)^2 + 2 a^2 \cos(dx + c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] `integral((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a^2*cos(d*x + c)^2 + 2*a^2*cos(d*x + c) + a^2), x)`

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*cos(d*x+c)**(1/2)/(a+a*cos(d*x+c))**2,x)`

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^2,x, algorithm="giac")`

[Out] `integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a)^2, x)`

$$3.155 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=121

$$\frac{(2A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{A \sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} - \frac{(A-B) \sin(c+dx)\sqrt{\cos(c+dx)}}{3d(a \cos(c+dx)+a)^2}$$

[Out] (A\*EllipticE[(c + d\*x)/2, 2])/(a^2\*d) + ((2\*A + B)\*EllipticF[(c + d\*x)/2, 2])/(3\*a^2\*d) - (A\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(a^2\*d\*(1 + Cos[c + d\*x])) - ((A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*(a + a\*Cos[c + d\*x])^2)

**Rubi [A]** time = 0.342349, antiderivative size = 121, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {2978, 2748, 2641, 2639}

$$\frac{(2A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{AE\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{A \sin(c+dx)\sqrt{\cos(c+dx)}}{a^2d(\cos(c+dx)+1)} - \frac{(A-B) \sin(c+dx)\sqrt{\cos(c+dx)}}{3d(a \cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^2), x]

[Out] (A\*EllipticE[(c + d\*x)/2, 2])/(a^2\*d) + ((2\*A + B)\*EllipticF[(c + d\*x)/2, 2])/(3\*a^2\*d) - (A\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(a^2\*d\*(1 + Cos[c + d\*x])) - ((A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*(a + a\*Cos[c + d\*x])^2)

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} dx &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a(5A+B) - \frac{1}{2}a(A-B) \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))} dx}{3a^2} \\
&= -\frac{A\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2d(1 + \cos(c + dx))} - \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a^2(2A+B)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))} dx}{3a^2} \\
&= -\frac{A\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2d(1 + \cos(c + dx))} - \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d(a + a \cos(c + dx))^2} + \frac{A \int \sqrt{\cos(c+dx)}}{3a^2} \\
&= \frac{AE \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{a^2d} + \frac{(2A + B)F \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{3a^2d} - \frac{A\sqrt{\cos(c + dx)} \sin(c + dx)}{a^2d(1 + \cos(c + dx))}
\end{aligned}$$

**Mathematica [C]** time = 6.48553, size = 815, normalized size = 6.74

$$iA \operatorname{csc} \left( \frac{c}{2} \right) \operatorname{sec} \left( \frac{c}{2} \right) \left( \frac{2e^{2idx} {}_2F_1 \left( \frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2idx} (\cos(c) + i \sin(c))^2 \right) \sqrt{e^{-idx} (2(1+e^{2idx}) \cos(c) + 2i(-1+e^{2idx}) \sin(c))} \sqrt{e^{2idx} \cos(2c) + ie^{2idx} \sin(2c) + 1}}{3id(1+e^{2idx}) \cos(c) - 3d(-1+e^{2idx}) \sin(c)} - \frac{{}_2F_1 \left( \frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2idx} (\cos(c) + i \sin(c))^2 \right) \sqrt{e^{-idx} (2(1+e^{2idx}) \cos(c) + 2i(-1+e^{2idx}) \sin(c))} \sqrt{e^{2idx} \cos(2c) + ie^{2idx} \sin(2c) + 1}}{3id(1+e^{2idx}) \cos(c) - 3d(-1+e^{2idx}) \sin(c)} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^2), x]

[Out] ((I/2)\*A\*Cos[c/2 + (d\*x)/2]^4\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x])^2 - (4\*A\*Cos[c/2 + (d\*x)/2]^4\*Csc[c/2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(3\*d\*(a + a\*Cos[c + d\*x])^2\*Sqrt[1 + Cot[c]^2]) - (2\*B\*Cos[c/2 + (d\*x)/2]^4\*Csc[c/2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]]]\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(3\*d\*(a + a\*Cos[c + d\*x])^2\*Sqrt[1 + Cot[c]^2]) + (Cos[c/2 + (d\*x)/2]^4\*Sqrt[Cos[c + d\*x]])\*((-4\*A\*Csc[c])/d - (4\*A\*Sec[c/2]\*Sec[c/2 + (d\*x)/2]\*Sin[(d\*x)/2])/d - (2\*Sec[c/2]\*Sec[c/2 + (d\*x)/2]^3\*(A\*Sin[(d\*x)/2] - B\*Sin[(d\*x)/2]))/(3\*d) - (2\*(A - B)\*Sec[c/2 + (d\*x)/2]^2\*Tan[c/2])/(3\*d))/(a + a\*Cos[c + d\*x])^2

**Maple [B]** time = 3.663, size = 350, normalized size = 2.9

$$\frac{1}{6a^2d} \sqrt{\left(2(\cos(1/2 dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(12A(\cos(1/2 dx + c/2))^6 - 4A\sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/(a*cos(d*x+c)*a)^2/cos(d*x+c)^(1/2),x)`

[Out]  $\frac{1}{6} * ((2 * \cos(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 2 - 1) * \sin(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 2) ^ (1/2) * (12 * A * \cos(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 6 - 4 * A * (\sin(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 2) ^ (1/2) * (-2 * \cos(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 2 + 1) ^ (1/2) * \text{EllipticF}(\cos(\frac{1}{2} * d * x + \frac{1}{2} * c), 2 ^ (1/2)) * \cos(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 3 + 6 * A * \cos(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 3 * (\sin(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 2) ^ (1/2) * (-2 * \cos(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 2 + 1) ^ (1/2) * \text{EllipticE}(\cos(\frac{1}{2} * d * x + \frac{1}{2} * c), 2 ^ (1/2)) - 2 * B * (\sin(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 2) ^ (1/2) * (-2 * \cos(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 2 + 1) ^ (1/2) * \text{EllipticF}(\cos(\frac{1}{2} * d * x + \frac{1}{2} * c), 2 ^ (1/2)) * \cos(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 3 - 16 * A * \cos(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 4 - 2 * B * \cos(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 4 + 3 * A * \cos(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 2 + 3 * B * \cos(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 2 + A - B) / a ^ 2 / \cos(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 3 / (-2 * \sin(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 4 + \sin(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 2) ^ (1/2) / \sin(\frac{1}{2} * d * x + \frac{1}{2} * c) / (2 * \cos(\frac{1}{2} * d * x + \frac{1}{2} * c) ^ 2 - 1) ^ (1/2) / d$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/cos(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a^2 \cos(dx + c)^3 + 2a^2 \cos(dx + c)^2 + a^2 \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/cos(d*x+c)^(1/2),x, algorithm="fricas")`

[Out] `integral((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a^2*cos(d*x + c)^3 + 2*a^2*cos(d*x + c)^2 + a^2*cos(d*x + c)), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**2/cos(d*x+c)**(1/2),x)`

[Out] Timed out



**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/cos(d*x+c)^(1/2),x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^2*sqrt(cos(d*x + c))),
x)
```

$$3.156 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=168

$$-\frac{(5A-2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{(4A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(4A-B)\sin(c+dx)}{a^2d\sqrt{\cos(c+dx)}} - \frac{(5A-2B)\sin(c+dx)}{3a^2d\sqrt{\cos(c+dx)}(\cos(c+dx)+1)}$$

[Out] -(((4\*A - B)\*EllipticE[(c + d\*x)/2, 2])/(a^2\*d)) - ((5\*A - 2\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*a^2\*d) + ((4\*A - B)\*Sin[c + d\*x])/(a^2\*d\*Sqrt[Cos[c + d\*x]]) - ((5\*A - 2\*B)\*Sin[c + d\*x])/(3\*a^2\*d\*Sqrt[Cos[c + d\*x]]\*(1 + Cos[c + d\*x])) - ((A - B)\*Sin[c + d\*x])/(3\*d\*Sqrt[Cos[c + d\*x]]\*(a + a\*cos[c + d\*x])^2)

**Rubi [A]** time = 0.359309, antiderivative size = 168, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2978, 2748, 2636, 2639, 2641}

$$-\frac{(5A-2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{(4A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} + \frac{(4A-B)\sin(c+dx)}{a^2d\sqrt{\cos(c+dx)}} - \frac{(5A-2B)\sin(c+dx)}{3a^2d\sqrt{\cos(c+dx)}(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^2), x]

[Out] -(((4\*A - B)\*EllipticE[(c + d\*x)/2, 2])/(a^2\*d)) - ((5\*A - 2\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*a^2\*d) + ((4\*A - B)\*Sin[c + d\*x])/(a^2\*d\*Sqrt[Cos[c + d\*x]]) - ((5\*A - 2\*B)\*Sin[c + d\*x])/(3\*a^2\*d\*Sqrt[Cos[c + d\*x]]\*(1 + Cos[c + d\*x])) - ((A - B)\*Sin[c + d\*x])/(3\*d\*Sqrt[Cos[c + d\*x]]\*(a + a\*cos[c + d\*x])^2)

### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Ssin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Ssin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

### Rule 2636

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Ssin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Ssin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&

IntegerQ[2\*n]

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} dx = -\frac{(A - B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a(7A-B) - \frac{3}{2}a(A-B) \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))} dx}{3a^2}$$

$$= -\frac{(5A - 2B) \sin(c + dx)}{3a^2 d \sqrt{\cos(c + dx)}(1 + \cos(c + dx))} - \frac{(A - B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2}$$

$$= -\frac{(5A - 2B) \sin(c + dx)}{3a^2 d \sqrt{\cos(c + dx)}(1 + \cos(c + dx))} - \frac{(A - B) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^2}$$

$$= -\frac{(5A - 2B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2 d} + \frac{(4A - B) \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} - \frac{(5A - 2B) \sin(c + dx)}{3a^2 d \sqrt{\cos(c + dx)}(1 + \cos(c + dx))}$$

$$= -\frac{(4A - B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} - \frac{(5A - 2B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2 d} + \frac{(4A - B) \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}}$$

**Mathematica [C]** time = 6.68985, size = 1217, normalized size = 7.24

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/((Cos[c + d*x])^(3/2)*(a + a*Cos[c + d*x])^2), x]
```

```
[Out] ((-2*I)*A*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^2 + ((I/2)*B*Cos[c/2 + (d*x)/2]^4*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^2
```

$$\begin{aligned} & I) * d * x) * \cos[c] + (2 * I) * (-1 + E^{((2 * I) * d * x)}) * \sin[c] / E^{(I * d * x)} * \sqrt{1 + E^{((2 * I) * d * x)} * \cos[2 * c] + I * E^{((2 * I) * d * x)} * \sin[2 * c]}} / ((-I) * d * (1 + E^{((2 * I) * d * x)}) * \cos[c] + d * (-1 + E^{((2 * I) * d * x)}) * \sin[c])) / (a + a * \cos[c + d * x])^2 + (10 * A * \cos[c/2 + (d * x)/2]^4 * \csc[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * \sec[d * x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]} * \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d * x - \text{ArcTan}[\text{Cot}[c]])}} * \sqrt{1 + \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]}) / (3 * d * (a + a * \cos[c + d * x])^2 * \sqrt{1 + \text{Cot}[c]^2}) - (4 * B * \cos[c/2 + (d * x)/2]^4 * \csc[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]^2] * \sec[c/2] * \sec[d * x - \text{ArcTan}[\text{Cot}[c]]] * \sqrt{1 - \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]} * \sqrt{-(\sqrt{1 + \text{Cot}[c]^2} * \sin[c] * \sin[d * x - \text{ArcTan}[\text{Cot}[c]])}} * \sqrt{1 + \sin[d * x - \text{ArcTan}[\text{Cot}[c]]]}) / (3 * d * (a + a * \cos[c + d * x])^2 * \sqrt{1 + \text{Cot}[c]^2}) + (\cos[c/2 + (d * x)/2]^4 * \sqrt{\cos[c + d * x]} * ((2 * (2 * A + 2 * A * \cos[c] - B * \cos[c]) * \csc[c/2] * \sec[c/2] * \sec[c]) / d + (2 * \sec[c/2] * \sec[c/2 + (d * x)/2]^3 * (A * \sin[(d * x)/2] - B * \sin[(d * x)/2])) / (3 * d) + (4 * \sec[c/2] * \sec[c/2 + (d * x)/2] * (2 * A * \sin[(d * x)/2] - B * \sin[(d * x)/2])) / d + (8 * A * \sec[c] * \sec[c + d * x] * \sin[d * x]) / d + (2 * (A - B) * \sec[c/2 + (d * x)/2]^2 * \tan[c/2]) / (3 * d)) / (a + a * \cos[c + d * x])^2 \end{aligned}$$

**Maple [B]** time = 4.243, size = 494, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+cos(d\*x+c)\*a)^2,x)

[Out] 
$$\begin{aligned} & -1/6 * (-2 * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (12 * A * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 5 * A * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 3 * B * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 2 * B * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)})) * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^2 + 2 * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (12 * A * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 5 * A * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) - 3 * B * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 2 * B * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)})) * \cos(1/2 * d * x + 1/2 * c) - 12 * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (4 * A - B) * \sin(1/2 * d * x + 1/2 * c)^6 + 2 * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (43 * A - 10 * B) * \sin(1/2 * d * x + 1/2 * c)^4 - (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (37 * A - 7 * B) * \sin(1/2 * d * x + 1/2 * c)^2) / a^2 / \cos(1/2 * d * x + 1/2 * c)^3 / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a^2 \cos(dx + c)^4 + 2a^2 \cos(dx + c)^3 + a^2 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/(a^2\*cos(d\*x + c)^4 + 2\*a^2\*cos(d\*x + c)^3 + a^2\*cos(d\*x + c)^2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2)/(a+a\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(3/2)), x)

$$3.157 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=201

$$\frac{5(2A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{(7A-4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(7A-4B)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)(\cos(c+dx)+1)} + \frac{5(2A-B)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)}$$

[Out] ((7\*A - 4\*B)\*EllipticE[(c + d\*x)/2, 2])/(a^2\*d) + (5\*(2\*A - B)\*EllipticF[(c + d\*x)/2, 2])/(3\*a^2\*d) + (5\*(2\*A - B)\*Sin[c + d\*x])/(3\*a^2\*d\*Cos[c + d\*x]^(3/2)) - ((7\*A - 4\*B)\*Sin[c + d\*x])/(a^2\*d\*Sqrt[Cos[c + d\*x]]) - ((7\*A - 4\*B)\*Sin[c + d\*x])/(3\*a^2\*d\*Cos[c + d\*x]^(3/2)\*(1 + Cos[c + d\*x])) - ((A - B)\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^2)

**Rubi [A]** time = 0.363733, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2978, 2748, 2636, 2641, 2639}

$$\frac{5(2A-B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} + \frac{(7A-4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d} - \frac{(7A-4B)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)(\cos(c+dx)+1)} + \frac{5(2A-B)\sin(c+dx)}{3a^2d \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(5/2)\*(a + a\*Cos[c + d\*x])^2), x]

[Out] ((7\*A - 4\*B)\*EllipticE[(c + d\*x)/2, 2])/(a^2\*d) + (5\*(2\*A - B)\*EllipticF[(c + d\*x)/2, 2])/(3\*a^2\*d) + (5\*(2\*A - B)\*Sin[c + d\*x])/(3\*a^2\*d\*Cos[c + d\*x]^(3/2)) - ((7\*A - 4\*B)\*Sin[c + d\*x])/(a^2\*d\*Sqrt[Cos[c + d\*x]]) - ((7\*A - 4\*B)\*Sin[c + d\*x])/(3\*a^2\*d\*Cos[c + d\*x]^(3/2)\*(1 + Cos[c + d\*x])) - ((A - B)\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^2)

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Ssin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Ssin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2636

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Ssin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Ssin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&

IntegerQ[2\*n]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2} dx &= -\frac{(A - B) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} + \int \frac{\frac{3}{2}a(3A-B) - \frac{5}{2}a(A-B) \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))} dx \\ &= -\frac{(7A - 4B) \sin(c + dx)}{3a^2d \cos^{\frac{3}{2}}(c + dx)(1 + \cos(c + dx))} - \frac{(A - B) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} \\ &= -\frac{(7A - 4B) \sin(c + dx)}{3a^2d \cos^{\frac{3}{2}}(c + dx)(1 + \cos(c + dx))} - \frac{(A - B) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^2} \\ &= \frac{5(2A - B) \sin(c + dx)}{3a^2d \cos^{\frac{3}{2}}(c + dx)} - \frac{(7A - 4B) \sin(c + dx)}{a^2d \sqrt{\cos(c + dx)}} - \frac{(7A - 4B) \sin(c + dx)}{3a^2d \cos^{\frac{3}{2}}(c + dx)(1 + \cos(c + dx))} \\ &= \frac{(7A - 4B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d} + \frac{5(2A - B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2d} + \frac{5(2A - B) \sin(c + dx)}{3a^2d \cos^{\frac{3}{2}}(c + dx)(1 + \cos(c + dx))} \end{aligned}$$

**Mathematica [C]** time = 7.19355, size = 1258, normalized size = 6.26

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(5/2)\*(a + a\*Cos[c + d\*x])^2), x]

[Out] (((7\*I)/2)\*A\*Cos[c/2 + (d\*x)/2]^4\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x])^2 - ((2\*I)\*B\*Cos[c/2 + (d\*x)/2]^4\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2

$$F1[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\cos[c] + I*\sin[c])^2)]*\sqrt{(2*(1 + E^{(2*I)*d*x})*\cos[c] + (2*I)*(-1 + E^{(2*I)*d*x})*\sin[c])/E^{(I*d*x)}}*\sqrt{1 + E^{((2*I)*d*x)}*\cos[2*c] + I*E^{((2*I)*d*x)}*\sin[2*c]}/((-I)*d*(1 + E^{(2*I)*d*x})*\cos[c] + d*(-1 + E^{(2*I)*d*x})*\sin[c]))/(a + a*\cos[c + d*x])^2 - (20*A*\cos[c/2 + (d*x)/2]^4*\csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\sec[c/2]*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}]*\sqrt{-(\sqrt{1 + \text{Cot}[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}]}]/(3*d*(a + a*\cos[c + d*x])^2*\sqrt{1 + \text{Cot}[c]^2}) + (10*B*\cos[c/2 + (d*x)/2]^4*\csc[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\sec[c/2]*\sec[d*x - \text{ArcTan}[\text{Cot}[c]]]*\sqrt{1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}]*\sqrt{-(\sqrt{1 + \text{Cot}[c]^2}*\sin[c]*\sin[d*x - \text{ArcTan}[\text{Cot}[c]])})*\sqrt{1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]}]}]/(3*d*(a + a*\cos[c + d*x])^2*\sqrt{1 + \text{Cot}[c]^2}) + (\cos[c/2 + (d*x)/2]^4*\sqrt{\cos[c + d*x]}*((-2*(4*A - 2*B + 3*A*\cos[c] - 2*B*\cos[c])*csc[c/2]*\sec[c/2]*\sec[c])/d - (4*\sec[c/2]*\sec[c/2 + (d*x)/2]*(3*A*\sin[(d*x)/2] - 2*B*\sin[(d*x)/2]))/d - (2*\sec[c/2]*\sec[c/2 + (d*x)/2]^3*(A*\sin[(d*x)/2] - B*\sin[(d*x)/2]))/(3*d) + (8*A*\sec[c]*\sec[c + d*x]^2*\sin[d*x])/(3*d) + (8*\sec[c]*\sec[c + d*x]*(A*\sin[c] - 6*A*\sin[d*x] + 3*B*\sin[d*x]))/(3*d) - (2*(A - B)*\sec[c/2 + (d*x)/2]^2*\tan[c/2])/(3*d)))/(a + a*\cos[c + d*x])^2$$

**Maple [B]** time = 11.656, size = 750, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((A+B*\cos(d*x+c))/\cos(d*x+c)^{(5/2)}/(a+\cos(d*x+c)*a)^2,x)$

[Out]  $-1/2*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/a^2*((4*A-2*B)*(\cos(1/2*d*x+1/2*c)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2})*(\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2}+(-8*A+4*B)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2})*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2})*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+4*A*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2}))/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2})*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2})*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/3*(A-B)*(2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2})*(2*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2})*(2*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))*\cos(1/2*d*x+1/2*c)-12*\sin(1/2*d*x+1/2*c)^6+20*\sin(1/2*d*x+1/2*c)^4-7*\sin(1/2*d*x+1/2*c)^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2}))/\cos(1/2*d*x+1/2*c)/(-1+\sin(1/2*d*x+1/2*c)^2))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2}))/d$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a^2 \cos(dx + c)^5 + 2a^2 \cos(dx + c)^4 + a^2 \cos(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/(a^2\*cos(d\*x + c)^5 + 2\*a^2\*cos(d\*x + c)^4 + a^2\*cos(d\*x + c)^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2)/(a+a\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(5/2)), x)

$$3.158 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=254

$$\frac{(11A - 21B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{2a^3d} - \frac{7(17A - 33B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{3(11A - 21B) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{10d(a^3 \cos(c + dx) + a^3)} - \frac{7(17A - 33B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{10d(a^3 \cos(c + dx) + a^3)}$$

[Out] (-7\*(17\*A - 33\*B)\*EllipticE[(c + d\*x)/2, 2])/(10\*a^3\*d) + ((11\*A - 21\*B)\*EllipticF[(c + d\*x)/2, 2])/(2\*a^3\*d) + ((11\*A - 21\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*a^3\*d) - (7\*(17\*A - 33\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(30\*a^3\*d) + ((A - B)\*Cos[c + d\*x]^(9/2)\*Sin[c + d\*x])/(5\*d\*(a + a\*cos[c + d\*x])^3) + ((7\*A - 12\*B)\*Cos[c + d\*x]^(7/2)\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*cos[c + d\*x])^2) + (3\*(11\*A - 21\*B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(10\*d\*(a^3 + a^3\*cos[c + d\*x]))

**Rubi [A]** time = 0.547762, antiderivative size = 254, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2977, 2748, 2635, 2641, 2639}

$$\frac{(11A - 21B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{2a^3d} - \frac{7(17A - 33B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{3(11A - 21B) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{10d(a^3 \cos(c + dx) + a^3)} - \frac{7(17A - 33B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{10d(a^3 \cos(c + dx) + a^3)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(9/2)\*(A + B\*cos[c + d\*x]))/(a + a\*cos[c + d\*x])^3,x]

[Out] (-7\*(17\*A - 33\*B)\*EllipticE[(c + d\*x)/2, 2])/(10\*a^3\*d) + ((11\*A - 21\*B)\*EllipticF[(c + d\*x)/2, 2])/(2\*a^3\*d) + ((11\*A - 21\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*a^3\*d) - (7\*(17\*A - 33\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(30\*a^3\*d) + ((A - B)\*Cos[c + d\*x]^(9/2)\*Sin[c + d\*x])/(5\*d\*(a + a\*cos[c + d\*x])^3) + ((7\*A - 12\*B)\*Cos[c + d\*x]^(7/2)\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*cos[c + d\*x])^2) + (3\*(11\*A - 21\*B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(10\*d\*(a^3 + a^3\*cos[c + d\*x]))

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] :> Dist[c, Int[(b\*Ssin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Ssin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^3} dx &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\int \frac{\cos^7(c+dx)\left(\frac{9}{2}a(A-B)-\frac{5}{2}a(A-3B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^2} dx}{5a^2} \\ &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(7A-12B)\cos^7(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \dots \\ &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(7A-12B)\cos^7(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \dots \\ &= \frac{(A-B)\cos^2(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(7A-12B)\cos^7(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \dots \\ &= \frac{(11A-21B)\sqrt{\cos(c+dx)}\sin(c+dx)}{2a^3d} - \frac{7(17A-33B)\cos^3(c+dx)\sin(c+dx)}{30a^3d} \\ &= -\frac{7(17A-33B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(11A-21B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{2a^3d} + \frac{(11A-21B)}{10a^3d} \end{aligned}$$

**Mathematica [C]** time = 7.02844, size = 1346, normalized size = 5.3

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(9/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3,
x]
```

```
[Out] (((-119*I)/10)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*H
ypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqr
t[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d
*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((3*I)*d*
(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeo
metric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(
1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*S
qrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((-I)*d*(1 + E^
((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])
^3 + (((231*I)/10)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*
```

$$\begin{aligned}
& x) * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)} * (\text{Cos}[c] + I * \text{Sin}[c])^2)] \\
& * \text{Sqrt}[(2*(1 + E^{((2*I)*d*x)}) * \text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)}) * \text{Sin}[c]) / E^{(I*d*x)}] \\
& * \text{Sqrt}[1 + E^{((2*I)*d*x)} * \text{Cos}[2*c] + I * E^{((2*I)*d*x)} * \text{Sin}[2*c]] / ((3*I) \\
& * d * (1 + E^{((2*I)*d*x)}) * \text{Cos}[c] - 3*d * (-1 + E^{((2*I)*d*x)}) * \text{Sin}[c] - (2 * \text{Hypergeometric2F1}[-1/4, 1/2, 3/4, \\
& -(E^{((2*I)*d*x)} * (\text{Cos}[c] + I * \text{Sin}[c])^2)] * \text{Sqrt}[(2*(1 + E^{((2*I)*d*x)}) * \text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)}) * \text{Sin}[c]) / E^{(I*d*x)}] \\
& * \text{Sqrt}[1 + E^{((2*I)*d*x)} * \text{Cos}[2*c] + I * E^{((2*I)*d*x)} * \text{Sin}[2*c]] / ((-I) * d * (1 + E^{((2*I)*d*x)}) * \text{Cos}[c] + d * (-1 + E^{((2*I)*d*x)}) * \text{Sin}[c])) / (a + a * \text{Cos}[c + d * x])^3 \\
& - (22 * A * \text{Cos}[c/2 + (d*x)/2]^6 * \text{Csc}[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \text{Sec}[c/2] * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (d * (a + a * \text{Cos}[c + d * x])^3 * \text{Sqrt}[1 + \text{Cot}[c]^2]) + (42 * B * \text{Cos}[c/2 + (d*x)/2]^6 * \text{Csc}[c/2] * \text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2] * \text{Sec}[c/2] * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \text{Sin}[c] * \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]) / (d * (a + a * \text{Cos}[c + d * x])^3 * \text{Sqrt}[1 + \text{Cot}[c]^2]) + (\text{Cos}[c/2 + (d*x)/2]^6 * \text{Sqrt}[\text{Cos}[c + d*x]] * ((4 * (59 * A - 99 * B + 60 * A * \text{Cos}[c] - 132 * B * \text{Cos}[c]) * \text{Csc}[c]) / (5 * d) + (16 * (A - 3 * B) * \text{Cos}[d*x] * \text{Sin}[c]) / (3 * d) + (8 * B * \text{Cos}[2 * d*x] * \text{Sin}[2 * c]) / (5 * d) + (4 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2] * (59 * A * \text{Sin}[(d*x)/2] - 99 * B * \text{Sin}[(d*x)/2])) / (5 * d) - (4 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^3 * (19 * A * \text{Sin}[(d*x)/2] - 24 * B * \text{Sin}[(d*x)/2])) / (15 * d) + (2 * \text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^5 * (A * \text{Sin}[(d*x)/2] - B * \text{Sin}[(d*x)/2])) / (5 * d) + (16 * (A - 3 * B) * \text{Cos}[c] * \text{Sin}[d*x]) / (3 * d) + (8 * B * \text{Cos}[2 * c] * \text{Sin}[2 * d*x]) / (5 * d) - (4 * (19 * A - 24 * B) * \text{Sec}[c/2 + (d*x)/2]^2 * \text{Tan}[c/2]) / (15 * d) + (2 * (A - B) * \text{Sec}[c/2 + (d*x)/2]^4 * \text{Tan}[c/2]) / (5 * d)) / (a + a * \text{Cos}[c + d * x])^3
\end{aligned}$$

**Maple [A]** time = 3.471, size = 493, normalized size = 1.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (\cos(dx+c)^{9/2} * (A+B*\cos(dx+c)) / (a+\cos(dx+c)*a)^3, x)$

[Out]  $-1/60 * ((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{1/2} * (192*B*\cos(1/2*d*x+1/2*c)^{12}+160*A*\cos(1/2*d*x+1/2*c)^{10}-864*B*\cos(1/2*d*x+1/2*c)^{10}+468*A*\cos(1/2*d*x+1/2*c)^8+330*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) * \cos(1/2*d*x+1/2*c)^5+714*A*\cos(1/2*d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{1/2} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) - 228*B*\cos(1/2*d*x+1/2*c)^8-630*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{1/2}) * \cos(1/2*d*x+1/2*c)^5-1386*B*\cos(1/2*d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^{1/2} * (-2*\cos(1/2*d*x+1/2*c)^{2+1})^{1/2} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{1/2}) - 1058*A*\cos(1/2*d*x+1/2*c)^6+1590*B*\cos(1/2*d*x+1/2*c)^6+474*A*\cos(1/2*d*x+1/2*c)^4-744*B*\cos(1/2*d*x+1/2*c)^4-47*A*\cos(1/2*d*x+1/2*c)^2+57*B*\cos(1/2*d*x+1/2*c)^2+3*A-3*B) / a^3 / \cos(1/2*d*x+1/2*c)^5 / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{1/2} / d$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(9/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx+c)^5 + A \cos(dx+c)^4)\sqrt{\cos(dx+c)}}{a^3 \cos(dx+c)^3 + 3a^3 \cos(dx+c)^2 + 3a^3 \cos(dx+c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(9/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^5 + A\*cos(d\*x + c)^4)\*sqrt(cos(d\*x + c))/(a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(9/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx+c) + A) \cos(dx+c)^{\frac{9}{2}}}{(a \cos(dx+c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(9/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(9/2)/(a\*cos(d\*x + c) + a)^3, x)

$$3.159 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=219

$$-\frac{(13A-33B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{7(7A-17B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{7(7A-17B)\sin(c+dx)\cos^3(c+dx)}{30d(a^3\cos(c+dx)+a^3)} - \frac{(13A-33B)\sin(c+dx)}{30d(a^3\cos(c+dx)+a^3)}$$

[Out] (7\*(7\*A - 17\*B)\*EllipticE[(c + d\*x)/2, 2])/(10\*a^3\*d) - ((13\*A - 33\*B)\*EllipticF[(c + d\*x)/2, 2])/(6\*a^3\*d) - ((13\*A - 33\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(6\*a^3\*d) + ((A - B)\*Cos[c + d\*x]^(7/2)\*Sin[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) + ((A - 2\*B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(3\*a\*d\*(a + a\*Cos[c + d\*x])^2) + (7\*(7\*A - 17\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(30\*d\*(a^3 + a^3\*Cos[c + d\*x]))

**Rubi [A]** time = 0.518275, antiderivative size = 219, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2977, 2748, 2639, 2635, 2641}

$$-\frac{(13A-33B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{7(7A-17B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{7(7A-17B)\sin(c+dx)\cos^3(c+dx)}{30d(a^3\cos(c+dx)+a^3)} - \frac{(13A-33B)\sin(c+dx)}{30d(a^3\cos(c+dx)+a^3)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(7/2)\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^3,x]

[Out] (7\*(7\*A - 17\*B)\*EllipticE[(c + d\*x)/2, 2])/(10\*a^3\*d) - ((13\*A - 33\*B)\*EllipticF[(c + d\*x)/2, 2])/(6\*a^3\*d) - ((13\*A - 33\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(6\*a^3\*d) + ((A - B)\*Cos[c + d\*x]^(7/2)\*Sin[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) + ((A - 2\*B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(3\*a\*d\*(a + a\*Cos[c + d\*x])^2) + (7\*(7\*A - 17\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(30\*d\*(a^3 + a^3\*Cos[c + d\*x]))

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x] * (b*Ssin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Ssin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^3} dx &= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\int \frac{\cos^{\frac{5}{2}}(c+dx)\left(\frac{7}{2}a(A-B)-\frac{1}{2}a(3A-13B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^2} dx}{5a^2} \\ &= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(A-2B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3ad(a+a\cos(c+dx))^2} + \frac{\int \frac{\cos^{\frac{3}{2}}(c+dx)\left(\frac{5}{2}a(A-B)-\frac{1}{2}a(3A-13B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^2} dx}{5a^2} \\ &= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(A-2B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3ad(a+a\cos(c+dx))^2} + \frac{7(7A-17B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{10a^3d} \\ &= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(A-2B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3ad(a+a\cos(c+dx))^2} + \frac{7(7A-17B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{10a^3d} \\ &= \frac{7(7A-17B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(13A-33B)\sqrt{\cos(c+dx)}\sin(c+dx)}{6a^3d} + \frac{(A-2B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{3ad(a+a\cos(c+dx))^2} \\ &= \frac{7(7A-17B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(13A-33B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(13A-33B)\sqrt{\cos(c+dx)}\sin(c+dx)}{6a^3d} \end{aligned}$$

**Mathematica [C]** time = 6.85712, size = 1306, normalized size = 5.96

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(7/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3, x]
```

```
[Out] (((49*I)/10)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)])*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^3 - (((119*I)/10)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)])*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^3
```

```
*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2)]*S
qrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I
*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((3*I)*
d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c] - (2*Hyperg
eometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2
*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]
*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((-I)*d*(1 +
E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*cos[c + d*x
])^3 + (26*A*cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5
/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1
- Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - Ar
cTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(a + a*cos[c + d*x
])^3*Sqrt[1 + Cot[c]^2]) - (22*B*cos[c/2 + (d*x)/2]^6*Csc[c/2]*Hypergeomet
ricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - A
rcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2
]*Sin[c]*Sin[d*x - ArcTan[Cot[c]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(
d*(a + a*cos[c + d*x])^3*Sqrt[1 + Cot[c]^2]) + (Cos[c/2 + (d*x)/2]^6*Sqrt[C
os[c + d*x]]*((-4*(29*A - 59*B + 20*A*cos[c] - 60*B*cos[c])*Csc[c])/(5*d) +
(16*B*cos[d*x]*Sin[c])/(3*d) - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(29*A*sin[(d
*x)/2] - 59*B*sin[(d*x)/2]))/(5*d) + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(14*A
*sin[(d*x)/2] - 19*B*sin[(d*x)/2]))/(15*d) - (2*Sec[c/2]*Sec[c/2 + (d*x)/2
]^5*(A*sin[(d*x)/2] - B*sin[(d*x)/2]))/(5*d) + (16*B*cos[c]*Sin[d*x])/(3*d)
+ (4*(14*A - 19*B)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(15*d) - (2*(A - B)*Sec[c
/2 + (d*x)/2]^4*Tan[c/2])/(5*d)))/(a + a*cos[c + d*x])^3
```

**Maple [A]** time = 3.536, size = 465, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(7/2)*(A+B*cos(d*x+c))/(a+cos(d*x+c)*a)^3,x)
```

```
[Out] 1/60*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-160*B*cos(1/
2*d*x+1/2*c)^10+348*A*cos(1/2*d*x+1/2*c)^8+130*A*(sin(1/2*d*x+1/2*c)^2)^(1/
2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*
cos(1/2*d*x+1/2*c)^5+294*A*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2
)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-4
68*B*cos(1/2*d*x+1/2*c)^8-330*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*
x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c
)^5-714*B*cos(1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x
+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-578*A*cos(1/2*d*x+
1/2*c)^6+1058*B*cos(1/2*d*x+1/2*c)^6+264*A*cos(1/2*d*x+1/2*c)^4-474*B*cos(1
/2*d*x+1/2*c)^4-37*A*cos(1/2*d*x+1/2*c)^2+47*B*cos(1/2*d*x+1/2*c)^2+3*A-3*B
)/a^3/cos(1/2*d*x+1/2*c)^5/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(
1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(7/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3,x, algorithm
="maxima")
```



[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^4 + A \cos(dx + c)^3)\sqrt{\cos(dx + c)}}{a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^4 + A\*cos(d\*x + c)^3)\*sqrt(cos(d\*x + c))/(a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(7/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{7}{2}}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(7/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(7/2)/(a\*cos(d\*x + c) + a)^3, x)

$$3.160 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=188

$$\frac{(3A-13B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(9A-49B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(3A-13B)\sin(c+dx)\sqrt{\cos(c+dx)}}{6d(a^3\cos(c+dx)+a^3)} + \frac{(A-B)\sin(c+dx)}{5d(a\cos(c+dx)+a)}$$

[Out]  $-\left((9A-49B)*\text{EllipticE}[(c+d*x)/2, 2]\right)/(10*a^3*d) + \left((3A-13B)*\text{EllipticF}[(c+d*x)/2, 2]\right)/(6*a^3*d) + \left((A-B)*\text{Cos}[c+d*x]^{(5/2)}*\text{Sin}[c+d*x]\right)/(5*d*(a+a*\text{Cos}[c+d*x])^3) + \left((3A-8*B)*\text{Cos}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x]\right)/(15*a*d*(a+a*\text{Cos}[c+d*x])^2) + \left((3A-13*B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x]\right)/(6*d*(a^3+a^3*\text{Cos}[c+d*x]))$

**Rubi [A]** time = 0.477571, antiderivative size = 188, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {2977, 2748, 2641, 2639}

$$\frac{(3A-13B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(9A-49B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(3A-13B)\sin(c+dx)\sqrt{\cos(c+dx)}}{6d(a^3\cos(c+dx)+a^3)} + \frac{(A-B)\sin(c+dx)}{5d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c+d*x]^{(5/2)}*(A+B*\text{Cos}[c+d*x]))/(a+a*\text{Cos}[c+d*x])^3, x]$

[Out]  $-\left((9A-49B)*\text{EllipticE}[(c+d*x)/2, 2]\right)/(10*a^3*d) + \left((3A-13B)*\text{EllipticF}[(c+d*x)/2, 2]\right)/(6*a^3*d) + \left((A-B)*\text{Cos}[c+d*x]^{(5/2)}*\text{Sin}[c+d*x]\right)/(5*d*(a+a*\text{Cos}[c+d*x])^3) + \left((3A-8*B)*\text{Cos}[c+d*x]^{(3/2)}*\text{Sin}[c+d*x]\right)/(15*a*d*(a+a*\text{Cos}[c+d*x])^2) + \left((3A-13*B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{Sin}[c+d*x]\right)/(6*d*(a^3+a^3*\text{Cos}[c+d*x]))$

#### Rule 2977

$\text{Int}[(a_+ + (b_+)*\sin[(e_+) + (f_+)*(x_+)])^{(m_+)}*((A_+) + (B_+)*\sin[(e_+) + (f_+)*(x_+)])^{(n_+)}, x\_Symbol] \rightarrow \text{Simp}[(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n]/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(n - 1)}*\text{Simp}[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] || \text{EqQ}[c, 0])$

#### Rule 2748

$\text{Int}[(b_+)*\sin[(e_+) + (f_+)*(x_+)])^{(m_+)}*((c_+) + (d_+)*\sin[(e_+) + (f_+)*(x_+)])^{(n_+)}, x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_+) + (d_+)*(x_+)]], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - P  
i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^3} dx &= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \int \frac{\cos^{\frac{3}{2}}(c+dx)\left(\frac{5}{2}a(A-B)-\frac{1}{2}a(A-11B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^2} dx \\ &= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(3A-8B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \int \frac{\cos^{\frac{1}{2}}(c+dx)\left(\frac{5}{2}a(A-B)-\frac{1}{2}a(A-11B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^2} dx \\ &= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(3A-8B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \frac{(3A-13B)\cos^{\frac{1}{2}}(c+dx)\sin(c+dx)}{6a^2d} + \int \frac{\cos^{\frac{1}{2}}(c+dx)\left(\frac{5}{2}a(A-B)-\frac{1}{2}a(A-11B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^2} dx \\ &= \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(3A-8B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \frac{(3A-13B)\cos^{\frac{1}{2}}(c+dx)\sin(c+dx)}{6a^2d} + \frac{(9A-49B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(3A-13B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(A-B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} \end{aligned}$$

**Mathematica [C]** time = 6.79305, size = 1273, normalized size = 6.77

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(5/2)\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^3, x]

[Out] (((-9\*I)/10)\*A\*Cos[c/2 + (d\*x)/2]^6\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c])^2)]\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)])\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c])^2)]\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x])^3 + (((49\*I)/10)\*B\*Cos[c/2 + (d\*x)/2]^6\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c])^2)]\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x)\*(Cos[c] + I\*Sin[c])^2)]\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x])^3 - (2\*A\*Cos[c/2 + (d\*x)/2]^6\*Csc[c/2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]])\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(d\*(a + a\*Cos[c + d\*x])^3\*Sqrt[1 + Cot[c]^2]) + (26\*B\*Cos[c/2 + (d\*x)/2]^6\*Csc[c/2]\*HypergeometricP

$$\text{FQ}\left\{\frac{1}{4}, \frac{1}{2}\right\}, \left\{\frac{5}{4}\right\}, \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]^2 * \text{Sec}[c/2] * \text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]] * \text{Sqrt}[1 - \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]] * \text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2] * \sin[c] * \sin[d*x - \text{ArcTan}[\text{Cot}[c]]])] * \text{Sqrt}[1 + \sin[d*x - \text{ArcTan}[\text{Cot}[c]]]] / (3*d*(a + a*\text{Cos}[c + d*x])^3 * \text{Sqrt}[1 + \text{Cot}[c]^2]) + (\text{Cos}[c/2 + (d*x)/2]^6 * \text{Sqrt}[\text{Cos}[c + d*x]] * ((-4*(-9*A + 29*B + 20*B*\text{Cos}[c]) * \text{Csc}[c]) / (5*d) + (4*\text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2] * (9*A*\text{Sin}[(d*x)/2] - 29*B*\text{Sin}[(d*x)/2])) / (5*d) - (4*\text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^3 * (9*A*\text{Sin}[(d*x)/2] - 14*B*\text{Sin}[(d*x)/2])) / (15*d) + (2*\text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^5 * (A*\text{Sin}[(d*x)/2] - B*\text{Sin}[(d*x)/2])) / (5*d) - (4*(9*A - 14*B) * \text{Sec}[c/2 + (d*x)/2]^2 * \text{Tan}[c/2]) / (15*d) + (2*(A - B) * \text{Sec}[c/2 + (d*x)/2]^4 * \text{Tan}[c/2]) / (5*d)) / (a + a*\text{Cos}[c + d*x])^3$$

**Maple [B]** time = 3.592, size = 451, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(d*x+c)^{(5/2)} * (A+B*\cos(d*x+c)) / (a+\cos(d*x+c)*a)^3, x)$

[Out]  $-1/60 * ((2*\cos(1/2*d*x+1/2*c)^2-1) * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (108*A*\cos(1/2*d*x+1/2*c)^8+30*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^5+54*A*\cos(1/2*d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 348*B*\cos(1/2*d*x+1/2*c)^8-130*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^5-294*B*\cos(1/2*d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 198*A*\cos(1/2*d*x+1/2*c)^6+578*B*\cos(1/2*d*x+1/2*c)^6+114*A*\cos(1/2*d*x+1/2*c)^4-264*B*\cos(1/2*d*x+1/2*c)^4-27*A*\cos(1/2*d*x+1/2*c)^2+37*B*\cos(1/2*d*x+1/2*c)^2+3*A-3*B) / a^3 / \cos(1/2*d*x+1/2*c)^5 / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(d*x+c)^{(5/2)} * (A+B*\cos(d*x+c)) / (a+a*\cos(d*x+c))^3, x, \text{algorithm} = \text{"maxima"})$

[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^3 + A \cos(dx + c)^2) \sqrt{\cos(dx + c)}}{a^3 \cos(dx + c)^3 + 3 a^3 \cos(dx + c)^2 + 3 a^3 \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^3 + A\*cos(d\*x + c)^2)\*sqrt(cos(d\*x + c))/(a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^3, x)

$$3.161 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=180

$$\frac{(A+3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(A+9B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(A+9B)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{(A-B)\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{5d(a\cos(c+dx)+a)}$$

[Out] -((A + 9\*B)\*EllipticE[(c + d\*x)/2, 2])/(10\*a^3\*d) + ((A + 3\*B)\*EllipticF[(c + d\*x)/2, 2])/(6\*a^3\*d) + ((A - B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(5\*d\*(a + a\*cos[c + d\*x])^3) + ((A - 6\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*cos[c + d\*x])^2) + ((A + 9\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(10\*d\*(a^3 + a^3\*cos[c + d\*x]))

**Rubi [A]** time = 0.470111, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2977, 2978, 2748, 2641, 2639}

$$\frac{(A+3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(A+9B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(A+9B)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{(A-B)\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{5d(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(3/2)\*(A + B\*cos[c + d\*x]))/(a + a\*cos[c + d\*x])^3,x]

[Out] -((A + 9\*B)\*EllipticE[(c + d\*x)/2, 2])/(10\*a^3\*d) + ((A + 3\*B)\*EllipticF[(c + d\*x)/2, 2])/(6\*a^3\*d) + ((A - B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(5\*d\*(a + a\*cos[c + d\*x])^3) + ((A - 6\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*cos[c + d\*x])^2) + ((A + 9\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(10\*d\*(a^3 + a^3\*cos[c + d\*x]))

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_)\*((c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^3} dx &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\int \frac{\sqrt{\cos(c+dx)}\left(\frac{3}{2}a(A-B)+\frac{1}{2}a(A+9B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^2} dx}{5a^2} \\ &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(A-6B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \int \frac{(A-6B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} dx \\ &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(A-6B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \frac{(A-6B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} \\ &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(A-6B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \frac{(A-6B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} \\ &= -\frac{(A+9B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(A+3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{5d(a+a\cos(c+dx))^3} \end{aligned}$$

**Mathematica [C]** time = 6.69926, size = 1265, normalized size = 7.03

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^3, x]

[Out] ((-I/10)\*A\*Cos[c/2 + (d\*x)/2]^6\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x])^3 - ((9\*I)/10)\*B\*Cos[c/2 + (d\*x)/2]^6\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 +

$$\begin{aligned}
& E^{((2*I)*d*x))*\text{Cos}[c] - 3*d*(-1 + E^{((2*I)*d*x))*\text{Sin}[c]} - (2*\text{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x))*(\text{Cos}[c] + I*\text{Sin}[c])^2])*\text{Sqrt}[(2*(1 + E^{((2*I)*d*x))*\text{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x))*\text{Sin}[c]})/E^{(I*d*x)}]*\text{Sqrt}[1 + E^{((2*I)*d*x))*\text{Cos}[2*c] + I*E^{((2*I)*d*x))*\text{Sin}[2*c]])/((-I)*d*(1 + E^{((2*I)*d*x))*\text{Cos}[c] + d*(-1 + E^{((2*I)*d*x))*\text{Sin}[c]])))/(a + a*\text{Cos}[c + d*x])^3 - \\
& (2*A*\text{Cos}[c/2 + (d*x)/2]^6*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]])])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(3*d*(a + a*\text{Cos}[c + d*x])^3*\text{Sqrt}[1 + \text{Cot}[c]^2]) - (2*B*\text{Cos}[c/2 + (d*x)/2]^6*\text{Csc}[c/2]*\text{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]^2]*\text{Sec}[c/2]*\text{Sec}[d*x - \text{ArcTan}[\text{Cot}[c]]]*\text{Sqrt}[1 - \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]]*\text{Sqrt}[-(\text{Sqrt}[1 + \text{Cot}[c]^2]*\text{Sin}[c]*\text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]])])]*\text{Sqrt}[1 + \text{Sin}[d*x - \text{ArcTan}[\text{Cot}[c]]]])/(d*(a + a*\text{Cos}[c + d*x])^3*\text{Sqrt}[1 + \text{Cot}[c]^2]) + (\text{Cos}[c/2 + (d*x)/2]^6*\text{Sqrt}[\text{Cos}[c + d*x]])*((4*(A + 9*B)*\text{Csc}[c])/(5*d) + (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^3*(4*A*\text{Sin}[(d*x)/2] - 9*B*\text{Sin}[(d*x)/2]))/(15*d) - (2*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]^5*(A*\text{Sin}[(d*x)/2] - B*\text{Sin}[(d*x)/2]))/(5*d) + (4*\text{Sec}[c/2]*\text{Sec}[c/2 + (d*x)/2]*(A*\text{Sin}[(d*x)/2] + 9*B*\text{Sin}[(d*x)/2]))/(5*d) + (4*(4*A - 9*B)*\text{Sec}[c/2 + (d*x)/2]^2*\text{Tan}[c/2])/(15*d) - (2*(A - B)*\text{Sec}[c/2 + (d*x)/2]^4*\text{Tan}[c/2])/(5*d))/(a + a*\text{Cos}[c + d*x])^3
\end{aligned}$$

**Maple [B]** time = 3.637, size = 451, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(d*x+c)^{(3/2)}*(A+B*\cos(d*x+c))/(a+\cos(d*x+c)*a)^3,x)$

[Out]  $-1/60*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(12*A*\cos(1/2*d*x+1/2*c)^8+10*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^5+6*A*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+108*B*\cos(1/2*d*x+1/2*c)^8+30*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*\cos(1/2*d*x+1/2*c)^5+54*B*\cos(1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-2*A*\cos(1/2*d*x+1/2*c)^6-198*B*\cos(1/2*d*x+1/2*c)^6-24*A*\cos(1/2*d*x+1/2*c)^4+114*B*\cos(1/2*d*x+1/2*c)^4+17*A*\cos(1/2*d*x+1/2*c)^2-27*B*\cos(1/2*d*x+1/2*c)^2-3*A+3*B)/a^3/\cos(1/2*d*x+1/2*c)^5/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(d*x+c)^{(3/2)}*(A+B*\cos(d*x+c))/(a+a*\cos(d*x+c))^3,x, \text{algorithm}="maxima")$



[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a)^3, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^2 + A \cos(dx + c))\sqrt{\cos(dx + c)}}{a^3 \cos(dx + c)^3 + 3 a^3 \cos(dx + c)^2 + 3 a^3 \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^2 + A\*cos(d\*x + c))\*sqrt(cos(d\*x + c))/(a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a)^3, x)

$$3.162 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=178

$$\frac{(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{(A+4B)\sin(c+dx)\sqrt{\cos(c+dx)}}{15ad(a\cos(c+dx)+a)^2}$$

```
[Out] ((A - B)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((A + B)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) + ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) + ((A + 4*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*Cos[c + d*x])^2) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*Cos[c + d*x]))
```

**Rubi [A]** time = 0.464352, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2977, 2978, 2748, 2641, 2639}

$$\frac{(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} + \frac{(A+4B)\sin(c+dx)\sqrt{\cos(c+dx)}}{15ad(a\cos(c+dx)+a)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^3,x]
```

```
[Out] ((A - B)*EllipticE[(c + d*x)/2, 2])/(10*a^3*d) + ((A + B)*EllipticF[(c + d*x)/2, 2])/(6*a^3*d) + ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(5*d*(a + a*Cos[c + d*x])^3) + ((A + 4*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(15*a*d*(a + a*Cos[c + d*x])^2) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(10*d*(a^3 + a^3*Cos[c + d*x]))
```

#### Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_)\*((c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{(a+a\cos(c+dx))^3} dx &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{\int \frac{\frac{1}{2}a(A-B) + \frac{1}{2}a(3A+7B)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^2} dx}{5a^2} \\ &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(A+4B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} + \int \frac{(A+4B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} dx \\ &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(A+4B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} - \frac{(A+4B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} \\ &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{5d(a+a\cos(c+dx))^3} + \frac{(A+4B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} - \frac{(A+4B)\sqrt{\cos(c+dx)}\sin(c+dx)}{15ad(a+a\cos(c+dx))^2} \\ &= \frac{(A-B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{5d(a+a\cos(c+dx))^2} \end{aligned}$$

**Mathematica [C]** time = 6.58703, size = 1264, normalized size = 7.1

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^3, x]

[Out] ((I/10)\*A\*Cos[c/2 + (d\*x)/2]^6\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x])^3 - ((I/10)\*B\*Cos[c/2 + (d\*x)/2]^6\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x])^3

$2*I*d*x)) * \cos[c] - 3*d*(-1 + E^{((2*I)*d*x)}) * \sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}) * (\cos[c] + I*\sin[c])^2]) * \sqrt{(2*(1 + E^{((2*I)*d*x)}) * \cos[c] + (2*I)*(-1 + E^{((2*I)*d*x)}) * \sin[c])/E^{(I*d*x)}} * \sqrt{1 + E^{((2*I)*d*x)} * \cos[2*c] + I * E^{((2*I)*d*x)} * \sin[2*c]}) / ((-I)*d*(1 + E^{((2*I)*d*x)}) * \cos[c] + d*(-1 + E^{((2*I)*d*x)}) * \sin[c])) / (a + a*\cos[c + d*x])^3 - (2*A*\cos[c/2 + (d*x)/2]^6 * \csc[c/2] * HypergeometricPFQ[{1/4, 1/2}, {5/4}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2] * \sec[c/2] * \sec[d*x - \text{ArcTan}[\cot[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]]}) * \sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]]}) / (3*d*(a + a*\cos[c + d*x])^3 * \sqrt{1 + \cot[c]^2}) - (2*B*\cos[c/2 + (d*x)/2]^6 * \csc[c/2] * HypergeometricPFQ[{1/4, 1/2}, {5/4}, \sin[d*x - \text{ArcTan}[\cot[c]]]^2] * \sec[c/2] * \sec[d*x - \text{ArcTan}[\cot[c]]] * \sqrt{1 - \sin[d*x - \text{ArcTan}[\cot[c]]]}) * \sqrt{1 + \sin[d*x - \text{ArcTan}[\cot[c]]]}) / (3*d*(a + a*\cos[c + d*x])^3 * \sqrt{1 + \cot[c]^2}) + (\cos[c/2 + (d*x)/2]^6 * \sqrt{\cos[c + d*x]} * ((-4*(A - B)*\csc[c]) / (5*d) - (4*\sec[c/2] * \sec[c/2 + (d*x)/2] * (A*\sin[(d*x)/2] - B*\sin[(d*x)/2])) / (5*d) + (2*\sec[c/2] * \sec[c/2 + (d*x)/2]^5 * (A*\sin[(d*x)/2] - B*\sin[(d*x)/2])) / (5*d) + (4*\sec[c/2] * \sec[c/2 + (d*x)/2]^3 * (A*\sin[(d*x)/2] + 4*B*\sin[(d*x)/2])) / (15*d) + (4*(A + 4*B) * \sec[c/2 + (d*x)/2]^2 * \tan[c/2]) / (15*d) + (2*(A - B) * \sec[c/2 + (d*x)/2]^4 * \tan[c/2]) / (5*d)) / (a + a*\cos[c + d*x])^3$

**Maple [B]** time = 3.708, size = 451, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((A+B*\cos(d*x+c))*\cos(d*x+c)^{(1/2)}/(a+\cos(d*x+c)*a)^3,x)$

[Out]  $\frac{1}{60} * ((2*\cos(1/2*d*x+1/2*c))^2 - 1) * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (12*A*\cos(1/2*d*x+1/2*c)^8 - 10*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^5 + 6*A*\cos(1/2*d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 12*B*\cos(1/2*d*x+1/2*c)^8 - 10*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^5 - 6*B*\cos(1/2*d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 22*A*\cos(1/2*d*x+1/2*c)^6 + 2*B*\cos(1/2*d*x+1/2*c)^6 + 6*A*\cos(1/2*d*x+1/2*c)^4 + 24*B*\cos(1/2*d*x+1/2*c)^4 + 7*A*\cos(1/2*d*x+1/2*c)^2 - 17*B*\cos(1/2*d*x+1/2*c)^2 - 3*A + 3*B) / a^3 / \cos(1/2*d*x+1/2*c)^5 / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((A+B*\cos(d*x+c))*\cos(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^3,x, \text{algorithm}="maxima")$

[Out]  $\text{integrate}((B*\cos(d*x + c) + A)*\text{sqrt}(\cos(d*x + c))/(a*\cos(d*x + c) + a)^3, x)$

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/(a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*cos(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/(a\*cos(d\*x + c) + a)^3, x)

$$3.163 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=182

$$\frac{(3A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(9A+B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(9A+B)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} - \frac{(6A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{15ad(a\cos(c+dx)+a)}$$

[Out] ((9\*A + B)\*EllipticE[(c + d\*x)/2, 2])/(10\*a^3\*d) + ((3\*A + B)\*EllipticF[(c + d\*x)/2, 2])/(6\*a^3\*d) - ((A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) - ((6\*A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) - ((9\*A + B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(10\*d\*(a^3 + a^3\*Cos[c + d\*x]))

**Rubi [A]** time = 0.480036, antiderivative size = 182, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {2978, 2748, 2641, 2639}

$$\frac{(3A+B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(9A+B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} - \frac{(9A+B)\sin(c+dx)\sqrt{\cos(c+dx)}}{10d(a^3\cos(c+dx)+a^3)} - \frac{(6A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{15ad(a\cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^3), x]

[Out] ((9\*A + B)\*EllipticE[(c + d\*x)/2, 2])/(10\*a^3\*d) + ((3\*A + B)\*EllipticF[(c + d\*x)/2, 2])/(6\*a^3\*d) - ((A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(5\*d\*(a + a\*Cos[c + d\*x])^3) - ((6\*A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Cos[c + d\*x])^2) - ((9\*A + B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(10\*d\*(a^3 + a^3\*Cos[c + d\*x]))

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)]/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - P  
i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)(a + a \cos(c + dx))^3}} dx &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} + \frac{\int \frac{\frac{1}{2}a(9A+B) - \frac{3}{2}a(A-B) \cos(c+dx)}{\sqrt{\cos(c+dx)(a+a \cos(c+dx))^2}} dx}{5a^2} \\ &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(6A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} + \dots \\ &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(6A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} - \dots \\ &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{5d(a + a \cos(c + dx))^3} - \frac{(6A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{15ad(a + a \cos(c + dx))^2} - \dots \\ &= \frac{(9A + B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{(3A + B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} - \frac{(A - B)\sqrt{\cos(c + dx)}}{5d(a + a \cos(c + dx))} \end{aligned}$$

**Mathematica [C]** time = 6.65855, size = 1265, normalized size = 6.95

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^3),  
x]

[Out] (((9\*I)/10)\*A\*Cos[c/2 + (d\*x)/2]^6\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x])^3 + ((I/10)\*B\*Cos[c/2 + (d\*x)/2]^6\*Csc[c/2]\*Sec[c/2]\*((2\*E^((2\*I)\*d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((3\*I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] - 3\*d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]) - (2\*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2\*I)\*d\*x))\*(Cos[c] + I\*Sin[c])^2])\*Sqrt[(2\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + (2\*I)\*(-1 + E^((2\*I)\*d\*x))\*Sin[c])/E^(I\*d\*x)]\*Sqrt[1 + E^((2\*I)\*d\*x)\*Cos[2\*c] + I\*E^((2\*I)\*d\*x)\*Sin[2\*c]])/((-I)\*d\*(1 + E^((2\*I)\*d\*x))\*Cos[c] + d\*(-1 + E^((2\*I)\*d\*x))\*Sin[c]))/(a + a\*Cos[c + d\*x])^3 - (2\*A\*Cos[c/2 + (d\*x)/2]^6\*Csc[c/2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2]\*Sec[d\*x - ArcTan[Cot[c]]]\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]])\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Sin[d\*x - ArcTan[Cot[c]])]\*Sqrt[1 + Sin[d\*x - ArcTan[Cot[c]]]])/(d\*(a + a\*Cos[c + d\*x])^3\*Sqrt[1 + Cot[c]^2]) - (2\*B\*Cos[c/2 + (d\*x)/2]^6\*Csc[c/2]\*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d\*x - ArcTan[Cot[c]]]^2]\*Sec[c/2]\*Sec[d\*x - ArcTan[Cot[c]]])\*Sqrt[1 - Sin[d\*x - ArcTan[Cot[c]]])\*Sqrt[-(Sqrt[1 + Cot[c]^2]\*Sin[c]\*Si

```
n[d*x - ArcTan[Cot[c]]]]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(a + a*
Cos[c + d*x])^3*Sqrt[1 + Cot[c]^2]) + (Cos[c/2 + (d*x)/2]^6*Sqrt[Cos[c + d*
x]]*((-4*(9*A + B)*Csc[c])/(5*d) - (2*Sec[c/2]*Sec[c/2 + (d*x)/2]^5*(A*Sin[
(d*x)/2] - B*Sin[(d*x)/2]))/(5*d) - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(6*A*S
in[(d*x)/2] - B*Sin[(d*x)/2]))/(15*d) - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(9*A
*Sin[(d*x)/2] + B*Sin[(d*x)/2]))/(5*d) - (4*(6*A - B)*Sec[c/2 + (d*x)/2]^2*
Tan[c/2])/(15*d) - (2*(A - B)*Sec[c/2 + (d*x)/2]^4*Tan[c/2])/(5*d)))/(a + a
*Cos[c + d*x])^3
```

**Maple [B]** time = 3.121, size = 451, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/(a+cos(d*x+c)*a)^3/cos(d*x+c)^(1/2),x)
```

```
[Out] 1/60*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(108*A*cos(1/2
*d*x+1/2*c)^8-30*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)
^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^5+54*A*cos(
1/2*d*x+1/2*c)^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(
1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+12*B*cos(1/2*d*x+1/2*c)^8-10*B*(
sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos
(1/2*d*x+1/2*c),2^(1/2))*cos(1/2*d*x+1/2*c)^5+6*B*cos(1/2*d*x+1/2*c)^5*(sin
(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/
2*d*x+1/2*c),2^(1/2))-138*A*cos(1/2*d*x+1/2*c)^6-22*B*cos(1/2*d*x+1/2*c)^6+
24*A*cos(1/2*d*x+1/2*c)^4+6*B*cos(1/2*d*x+1/2*c)^4+3*A*cos(1/2*d*x+1/2*c)^2
+7*B*cos(1/2*d*x+1/2*c)^2+3*A-3*B)/a^3/cos(1/2*d*x+1/2*c)^5/(-2*sin(1/2*d*x
+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2
*c)^2-1)^(1/2)/d
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/cos(d*x+c)^(1/2),x, algorithm
="maxima")
```

```
[Out] Timed out
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a^3 \cos(dx + c)^4 + 3a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + a^3 \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^3/cos(d*x+c)^(1/2),x, algorithm
="fricas")
```



[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/(a^3\*cos(d\*x + c)^4 + 3\*a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + a^3\*cos(d\*x + c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3/cos(d\*x+c)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^3 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^3\*sqrt(cos(d\*x + c))), x)

$$3.164 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=221

$$-\frac{(13A-3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(49A-9B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(49A-9B)\sin(c+dx)}{10a^3d\sqrt{\cos(c+dx)}} - \frac{(13A-3B)\sin(c+dx)}{6d\sqrt{\cos(c+dx)}(a^3\cos(c+dx))}$$

[Out] -((49\*A - 9\*B)\*EllipticE[(c + d\*x)/2, 2])/(10\*a^3\*d) - ((13\*A - 3\*B)\*EllipticF[(c + d\*x)/2, 2])/(6\*a^3\*d) + ((49\*A - 9\*B)\*Sin[c + d\*x])/(10\*a^3\*d\*Sqrt[Cos[c + d\*x]]) - ((A - B)\*Sin[c + d\*x])/(5\*d\*Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^3) - ((8\*A - 3\*B)\*Sin[c + d\*x])/(15\*a\*d\*Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^2) - ((13\*A - 3\*B)\*Sin[c + d\*x])/(6\*d\*Sqrt[Cos[c + d\*x]]\*(a^3 + a^3\*Cos[c + d\*x]))

**Rubi [A]** time = 0.518832, antiderivative size = 221, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2978, 2748, 2636, 2639, 2641}

$$-\frac{(13A-3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} - \frac{(49A-9B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{10a^3d} + \frac{(49A-9B)\sin(c+dx)}{10a^3d\sqrt{\cos(c+dx)}} - \frac{(13A-3B)\sin(c+dx)}{6d\sqrt{\cos(c+dx)}(a^3\cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^3), x]

[Out] -((49\*A - 9\*B)\*EllipticE[(c + d\*x)/2, 2])/(10\*a^3\*d) - ((13\*A - 3\*B)\*EllipticF[(c + d\*x)/2, 2])/(6\*a^3\*d) + ((49\*A - 9\*B)\*Sin[c + d\*x])/(10\*a^3\*d\*Sqrt[Cos[c + d\*x]]) - ((A - B)\*Sin[c + d\*x])/(5\*d\*Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^3) - ((8\*A - 3\*B)\*Sin[c + d\*x])/(15\*a\*d\*Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^2) - ((13\*A - 3\*B)\*Sin[c + d\*x])/(6\*d\*Sqrt[Cos[c + d\*x]]\*(a^3 + a^3\*Cos[c + d\*x]))

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2636

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), In

`t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]`

### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\cos^2(c + dx)(a + a \cos(c + dx))^3} dx &= -\frac{(A - B) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} + \frac{\int \frac{\frac{1}{2}a(11A-B) - \frac{5}{2}a(A-B) \cos(c+dx)}{\cos^2(c+dx)(a+a \cos(c+dx))^2} dx}{5a^2} \\ &= -\frac{(A - B) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} - \frac{(8A - 3B) \sin(c + dx)}{15ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} \\ &= -\frac{(A - B) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} - \frac{(8A - 3B) \sin(c + dx)}{15ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} \\ &= -\frac{(A - B) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^3} - \frac{(8A - 3B) \sin(c + dx)}{15ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} \\ &= -\frac{(13A - 3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \frac{(49A - 9B) \sin(c + dx)}{10a^3d\sqrt{\cos(c + dx)}} - \frac{(A - B) \sin(c + dx)}{5d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))} \\ &= -\frac{(49A - 9B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} - \frac{(13A - 3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \frac{(49A - 9B) \sin(c + dx)}{10a^3d\sqrt{\cos(c + dx)}} \end{aligned}$$

**Mathematica [C]** time = 6.92708, size = 1305, normalized size = 5.9

result too large to display

Antiderivative was successfully verified.

[In] `Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^3), x]`

[Out] `(((-49*I)/10)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c] - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x))*(Cos[c] + I*Sin[c])^2])*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*Cos[c + d*x])^3 + ((9*I)/10)*B*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*`

```

Hypergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((3*I)*d*(1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c]) - (2*Hypergeometric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]]/((-I)*d*(1 + E^((2*I)*d*x))*Cos[c] + d*(-1 + E^((2*I)*d*x))*Sin[c]))/(a + a*cos[c + d*x])^3 + (26*A*cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(3*d*(a + a*cos[c + d*x])^3*Sqrt[1 + Cot[c]^2]) - (2*B*cos[c/2 + (d*x)/2]^6*Csc[c/2]*HypergeometricPFQ[{1/4, 1/2}, {5/4}, Sin[d*x - ArcTan[Cot[c]]]^2]*Sec[c/2]*Sec[d*x - ArcTan[Cot[c]]]*Sqrt[1 - Sin[d*x - ArcTan[Cot[c]]]]*Sqrt[-(Sqrt[1 + Cot[c]^2]*Sin[c]*Sin[d*x - ArcTan[Cot[c]]])]*Sqrt[1 + Sin[d*x - ArcTan[Cot[c]]]])/(d*(a + a*cos[c + d*x])^3*Sqrt[1 + Cot[c]^2]) + (Cos[c/2 + (d*x)/2]^6*Sqrt[Cos[c + d*x]]*((2*(20*A + 29*A*cos[c] - 9*B*cos[c])*Csc[c/2]*Sec[c/2]*Sec[c])/(5*d) + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(29*A*sin[(d*x)/2] - 9*B*sin[(d*x)/2]))/(5*d) + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(11*A*sin[(d*x)/2] - 6*B*sin[(d*x)/2]))/(15*d) + (2*Sec[c/2]*Sec[c/2 + (d*x)/2]^5*(A*sin[(d*x)/2] - B*sin[(d*x)/2]))/(5*d) + (16*A*Sec[c]*Sec[c + d*x]*Sin[d*x])/d + (4*(11*A - 6*B)*Sec[c/2 + (d*x)/2]^2*Tan[c/2])/(15*d) + (2*(A - B)*Sec[c/2 + (d*x)/2]^4*Tan[c/2])/(5*d)))/(a + a*cos[c + d*x])^3

```

**Maple [B]** time = 4.433, size = 685, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((A+B*\cos(d*x+c))/\cos(d*x+c)^{(3/2)}/(a+\cos(d*x+c)*a)^3,x)$

```

[Out] -1/60*(-2*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(65*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-147*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-15*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+27*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+4*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(65*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-147*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-15*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+27*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-2*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(65*A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-147*A*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-15*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+27*B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))*cos(1/2*d*x+1/2*c)+12*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(49*A-9*B)*sin(1/2*d*x+1/2*c)^8-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(817*A-147*B)*sin(1/2*d*x+1/2*c)^6+6*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(248*A-43*B)*sin(1/2*d*x+1/2*c)^4-(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(439*A-69*B)*sin(1/2*d*x+1/2*c)^2)/a^3/cos(1/2*d*x+1/2*c)^5/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: RuntimeError

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{a^3 \cos(dx + c)^5 + 3a^3 \cos(dx + c)^4 + 3a^3 \cos(dx + c)^3 + a^3 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/(a^3\*cos(d\*x + c)^5 + 3\*a^3\*cos(d\*x + c)^4 + 3\*a^3\*cos(d\*x + c)^3 + a^3\*cos(d\*x + c)^2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2)/(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^3\*cos(d\*x + c)^(3/2)), x)

$$3.165 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=254

$$\frac{(33A - 13B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \frac{7(17A - 7B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} - \frac{7(17A - 7B) \sin(c + dx)}{30d \cos^{\frac{3}{2}}(c + dx) (a^3 \cos(c + dx) + a^3)} + \frac{(33A - 13B) \sin(c + dx)}{6a^3d \cos^{\frac{3}{2}}(c + dx)}$$

[Out] (7\*(17\*A - 7\*B)\*EllipticE[(c + d\*x)/2, 2])/(10\*a^3\*d) + ((33\*A - 13\*B)\*EllipticF[(c + d\*x)/2, 2])/(6\*a^3\*d) + ((33\*A - 13\*B)\*Sin[c + d\*x])/(6\*a^3\*d\*Cos[c + d\*x]^(3/2)) - (7\*(17\*A - 7\*B)\*Sin[c + d\*x])/(10\*a^3\*d\*sqrt[Cos[c + d\*x]]) - ((A - B)\*Sin[c + d\*x])/(5\*d\*Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^3) - ((2\*A - B)\*Sin[c + d\*x])/(3\*a\*d\*Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^2) - (7\*(17\*A - 7\*B)\*Sin[c + d\*x])/(30\*d\*Cos[c + d\*x]^(3/2)\*(a^3 + a^3\*Cos[c + d\*x]))

**Rubi [A]** time = 0.602667, antiderivative size = 254, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2978, 2748, 2636, 2641, 2639}

$$\frac{(33A - 13B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \frac{7(17A - 7B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} - \frac{7(17A - 7B) \sin(c + dx)}{30d \cos^{\frac{3}{2}}(c + dx) (a^3 \cos(c + dx) + a^3)} + \frac{(33A - 13B) \sin(c + dx)}{6a^3d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(5/2)\*(a + a\*Cos[c + d\*x])^3), x]

[Out] (7\*(17\*A - 7\*B)\*EllipticE[(c + d\*x)/2, 2])/(10\*a^3\*d) + ((33\*A - 13\*B)\*EllipticF[(c + d\*x)/2, 2])/(6\*a^3\*d) + ((33\*A - 13\*B)\*Sin[c + d\*x])/(6\*a^3\*d\*Cos[c + d\*x]^(3/2)) - (7\*(17\*A - 7\*B)\*Sin[c + d\*x])/(10\*a^3\*d\*sqrt[Cos[c + d\*x]]) - ((A - B)\*Sin[c + d\*x])/(5\*d\*Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^3) - ((2\*A - B)\*Sin[c + d\*x])/(3\*a\*d\*Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^2) - (7\*(17\*A - 7\*B)\*Sin[c + d\*x])/(30\*d\*Cos[c + d\*x]^(3/2)\*(a^3 + a^3\*Cos[c + d\*x]))

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2748

Int[((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2636

```
Int[(b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]
```

### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^3} dx = -\frac{(A - B) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} + \frac{\int \frac{\frac{1}{2}a(13A - 3B) - \frac{7}{2}a(A - B) \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^2} dx}{5a^2}$$

$$= -\frac{(A - B) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} - \frac{(2A - B) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))}$$

$$= -\frac{(A - B) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} - \frac{(2A - B) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))}$$

$$= -\frac{(A - B) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^3} - \frac{(2A - B) \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))}$$

$$= \frac{(33A - 13B) \sin(c + dx)}{6a^3d \cos^{\frac{3}{2}}(c + dx)} - \frac{7(17A - 7B) \sin(c + dx)}{10a^3d \sqrt{\cos(c + dx)}} - \frac{(A - B) \sin(c + dx)}{5d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))}$$

$$= \frac{7(17A - 7B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{10a^3d} + \frac{(33A - 13B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{6a^3d} + \frac{(33A - 13B)}{6a^3d \cos^{\frac{3}{2}}(c + dx)}$$

**Mathematica [C]** time = 7.47439, size = 1346, normalized size = 5.3

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^3),
x]
```

```
[Out] (((119*I)/10)*A*Cos[c/2 + (d*x)/2]^6*Csc[c/2]*Sec[c/2]*((2*E^((2*I)*d*x))*Hy
pergeometric2F1[1/2, 3/4, 7/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt
[(2*(1 + E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*
x)]*Sqrt[1 + E^((2*I)*d*x)*Cos[2*c] + I*E^((2*I)*d*x)*Sin[2*c]])/((3*I)*d*(
1 + E^((2*I)*d*x))*Cos[c] - 3*d*(-1 + E^((2*I)*d*x))*Sin[c] - (2*Hypergeom
etric2F1[-1/4, 1/2, 3/4, -(E^((2*I)*d*x)*(Cos[c] + I*Sin[c])^2)]*Sqrt[(2*(1
+ E^((2*I)*d*x))*Cos[c] + (2*I)*(-1 + E^((2*I)*d*x))*Sin[c])/E^(I*d*x)]*Sq
```

$$\begin{aligned} & \operatorname{rt}[1 + E^{((2*I)*d*x)}*\operatorname{Cos}[2*c] + I*E^{((2*I)*d*x)}*\operatorname{Sin}[2*c]]/((-I)*d*(1 + E^{((2*I)*d*x)}*\operatorname{Cos}[c] + d*(-1 + E^{((2*I)*d*x)}*\operatorname{Sin}[c])))/(a + a*\operatorname{Cos}[c + d*x])^3 \\ & - (((49*I)/10)*B*\operatorname{Cos}[c/2 + (d*x)/2]^6*\operatorname{Csc}[c/2]*\operatorname{Sec}[c/2]*((2*E^{((2*I)*d*x)}*\operatorname{Hypergeometric2F1}[1/2, 3/4, 7/4, -(E^{((2*I)*d*x)}*(\operatorname{Cos}[c] + I*\operatorname{Sin}[c])^2)]*S \\ & \operatorname{qrt}[(2*(1 + E^{((2*I)*d*x)}*\operatorname{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)}*\operatorname{Sin}[c])/E^{(I*d*x)}]*\operatorname{Sqrt}[1 + E^{((2*I)*d*x)}*\operatorname{Cos}[2*c] + I*E^{((2*I)*d*x)}*\operatorname{Sin}[2*c]]/((3*I)* \\ & d*(1 + E^{((2*I)*d*x)}*\operatorname{Cos}[c] - 3*d*(-1 + E^{((2*I)*d*x)}*\operatorname{Sin}[c]) - (2*\operatorname{Hypergeometric2F1}[-1/4, 1/2, 3/4, -(E^{((2*I)*d*x)}*(\operatorname{Cos}[c] + I*\operatorname{Sin}[c])^2)]* \operatorname{Sqrt}[(2 \\ & *(1 + E^{((2*I)*d*x)}*\operatorname{Cos}[c] + (2*I)*(-1 + E^{((2*I)*d*x)}*\operatorname{Sin}[c])/E^{(I*d*x)}] \\ & *\operatorname{Sqrt}[1 + E^{((2*I)*d*x)}*\operatorname{Cos}[2*c] + I*E^{((2*I)*d*x)}*\operatorname{Sin}[2*c]]/((-I)*d*(1 + E^{((2*I)*d*x)}*\operatorname{Cos}[c] + d*(-1 + E^{((2*I)*d*x)}*\operatorname{Sin}[c])))/(a + a*\operatorname{Cos}[c + d*x] \\ & )^3 - (22*A*\operatorname{Cos}[c/2 + (d*x)/2]^6*\operatorname{Csc}[c/2]*\operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \operatorname{Sin}[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]^2]*\operatorname{Sec}[c/2]*\operatorname{Sec}[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]*\operatorname{Sqrt}[1 \\ & - \operatorname{Sin}[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]]*\operatorname{Sqrt}[-(\operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2]*\operatorname{Sin}[c]*\operatorname{Sin}[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]])])]*\operatorname{Sqrt}[1 + \operatorname{Sin}[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]])/(d*(a + a*\operatorname{Cos}[c + d*x] \\ & )^3*\operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2]) + (26*B*\operatorname{Cos}[c/2 + (d*x)/2]^6*\operatorname{Csc}[c/2]*\operatorname{HypergeometricPFQ}[\{1/4, 1/2\}, \{5/4\}, \operatorname{Sin}[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]^2]*\operatorname{Sec}[c/2]*\operatorname{Sec}[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]*\operatorname{Sqrt}[1 - \operatorname{Sin}[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]]*\operatorname{Sqrt}[-(\operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2]* \\ & \operatorname{Sin}[c]*\operatorname{Sin}[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]])])]*\operatorname{Sqrt}[1 + \operatorname{Sin}[d*x - \operatorname{ArcTan}[\operatorname{Cot}[c]]]])/(3*d*(a + a*\operatorname{Cos}[c + d*x])^3*\operatorname{Sqrt}[1 + \operatorname{Cot}[c]^2]) + (\operatorname{Cos}[c/2 + (d*x)/2]^6*\operatorname{Sqrt}[\operatorname{Cos}[c + d*x]]*((-2*(60*A - 20*B + 59*A*\operatorname{Cos}[c] - 29*B*\operatorname{Cos}[c])* \operatorname{Csc}[c/2]*\operatorname{Sec}[c/2]*\operatorname{Sec}[c])/(5*d) - (4*\operatorname{Sec}[c/2]*\operatorname{Sec}[c/2 + (d*x)/2]*(59*A*\operatorname{Sin}[(d*x)/2] - 29*B*\operatorname{Sin}[(d*x)/2]))/(5*d) - (4*\operatorname{Sec}[c/2]*\operatorname{Sec}[c/2 + (d*x)/2]^3*(16*A*\operatorname{Sin}[(d*x)/2] - 11*B*\operatorname{Sin}[(d*x)/2]))/(15*d) - (2*\operatorname{Sec}[c/2]*\operatorname{Sec}[c/2 + (d*x)/2]^5*(A*\operatorname{Sin}[(d*x)/2] - B*\operatorname{Sin}[(d*x)/2]))/(5*d) + (16*A*\operatorname{Sec}[c]*\operatorname{Sec}[c + d*x]^2*\operatorname{Sin}[d*x])/(3*d) + (16*\operatorname{Sec}[c]*\operatorname{Sec}[c + d*x]*(A*\operatorname{Sin}[c] - 9*A*\operatorname{Sin}[d*x] + 3*B*\operatorname{Sin}[d*x]))/(3*d) - (4*(16*A - 11*B)*\operatorname{Sec}[c/2 + (d*x)/2]^2*\operatorname{Tan}[c/2])/(15*d) - (2*(A - B)*\operatorname{Sec}[c/2 + (d*x)/2]^4*\operatorname{Tan}[c/2])/(5*d)))/(a + a*\operatorname{Cos}[c + d*x])^3 \end{aligned}$$

**Maple [B]** time = 4.655, size = 876, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\operatorname{int}((A+B*\operatorname{cos}(d*x+c))/\operatorname{cos}(d*x+c)^{(5/2)}/(a+\operatorname{cos}(d*x+c)*a)^3,x)$

[Out]  $\begin{aligned} & 1/60*(4*(-2*\operatorname{sin}(1/2*d*x+1/2*c)^4+\operatorname{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(\operatorname{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\operatorname{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(165*A*\operatorname{EllipticF}(\operatorname{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-357*A*\operatorname{EllipticE}(\operatorname{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-65*B*\operatorname{EllipticF}(\operatorname{cos}(1/2*d*x+1/2*c), 2^{(1/2)})+147*B*\operatorname{EllipticE}(\operatorname{cos}(1/2*d*x+1/2*c), 2^{(1/2)})))* \\ & \operatorname{cos}(1/2*d*x+1/2*c)*\operatorname{sin}(1/2*d*x+1/2*c)^6-10*(-2*\operatorname{sin}(1/2*d*x+1/2*c)^4+\operatorname{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(\operatorname{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\operatorname{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(165*A*\operatorname{EllipticF}(\operatorname{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-357*A*\operatorname{EllipticE}(\operatorname{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-65*B*\operatorname{EllipticF}(\operatorname{cos}(1/2*d*x+1/2*c), 2^{(1/2)})+147*B*\operatorname{EllipticE}(\operatorname{cos}(1/2*d*x+1/2*c), 2^{(1/2)})))*\operatorname{sin}(1/2*d*x+1/2*c)^4*\operatorname{cos}(1/2*d*x+1/2*c)+ \\ & 8*(-2*\operatorname{sin}(1/2*d*x+1/2*c)^4+\operatorname{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(\operatorname{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\operatorname{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(165*A*\operatorname{EllipticF}(\operatorname{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-357*A*\operatorname{EllipticE}(\operatorname{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-65*B*\operatorname{EllipticF}(\operatorname{cos}(1/2*d*x+1/2*c), 2^{(1/2)})+147*B*\operatorname{EllipticE}(\operatorname{cos}(1/2*d*x+1/2*c), 2^{(1/2)})))*\operatorname{sin}(1/2*d*x+1/2*c)^2*\operatorname{cos}(1/2*d*x+1/2*c)-2*(-2*\operatorname{sin}(1/2*d*x+1/2*c)^4+\operatorname{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(\operatorname{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\operatorname{sin}(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(165*A*\operatorname{EllipticF}(\operatorname{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-357*A*\operatorname{EllipticE}(\operatorname{cos}(1/2*d*x+1/2*c), 2^{(1/2)})-65*B*\operatorname{EllipticF}(\operatorname{cos}(1/2*d*x+1/2*c), 2^{(1/2)})+147*B*\operatorname{EllipticE}(\operatorname{cos}(1/2*d*x+1/2*c), 2^{(1/2)})))*\operatorname{cos}(1/2*d*x+1/2*c)-168*(-2*\operatorname{sin}(1/2*d*x+1/2*c)^4+\operatorname{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(17*A-7*B)*\operatorname{sin}(1/2*d*x+1/2*c)^{10}+8*(-2*\operatorname{sin}(1/2*d*x+1/2*c)^4+\operatorname{sin}(1/2*d*x+1/2*c)^2)^{(1/2)}*(1167*A-482*B)*\operatorname{sin}(1/2*d*x+1/2*c) \end{aligned}$



$$\begin{aligned} &^8 - 10(-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{1/2} (1111A - 461B) \sin(1/2dx+1/2c)^6 \\ &+ 14(-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{1/2} (404A - 169B) \sin(1/2dx+1/2c)^4 \\ &- (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{1/2} (1029A - 439B) \sin(1/2dx+1/2c)^2 \\ &/ (2\cos(1/2dx+1/2c)^2 - 1)^{3/2} / (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{1/2} / \cos(1/2dx+1/2c)^5 \\ &/ a^3 / \sin(1/2dx+1/2c) / d \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)^(5/2)/(a+a\*cos(dx+c))^3,x, algorithm="maxima")

[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx+c) + A)\sqrt{\cos(dx+c)}}{a^3 \cos(dx+c)^6 + 3a^3 \cos(dx+c)^5 + 3a^3 \cos(dx+c)^4 + a^3 \cos(dx+c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)^(5/2)/(a+a\*cos(dx+c))^3,x, algorithm="fricas")

[Out] integral((B\*cos(dx+c) + A)\*sqrt(cos(dx+c))/(a^3\*cos(dx+c)^6 + 3\*a^3\*cos(dx+c)^5 + 3\*a^3\*cos(dx+c)^4 + a^3\*cos(dx+c)^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)\*\*(5/2)/(a+a\*cos(dx+c))\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx+c) + A}{(a \cos(dx+c) + a)^3 \cos(dx+c)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)^(5/2)/(a+a\*cos(dx+c))^3,x, algorithm="giac")

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^3*cos(d*x + c)^(5/2)),  
x)
```

$$3.166 \quad \int \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=221

$$\frac{a(8A + 7B) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{24d\sqrt{a \cos(c + dx) + a}} + \frac{5a(8A + 7B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{96d\sqrt{a \cos(c + dx) + a}} + \frac{5\sqrt{a}(8A + 7B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{64d}$$

```
[Out] (5*Sqrt[a]*(8*A + 7*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]])/(64*d) + (5*a*(8*A + 7*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(64*d*Sqrt[a + a*Cos[c + d*x]]) + (5*a*(8*A + 7*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(96*d*Sqrt[a + a*Cos[c + d*x]]) + (a*(8*A + 7*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(24*d*Sqrt[a + a*Cos[c + d*x]]) + (a*B*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(4*d*Sqrt[a + a*Cos[c + d*x]])
```

**Rubi [A]** time = 0.349647, antiderivative size = 221, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2981, 2770, 2774, 216}

$$\frac{a(8A + 7B) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{24d\sqrt{a \cos(c + dx) + a}} + \frac{5a(8A + 7B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{96d\sqrt{a \cos(c + dx) + a}} + \frac{5\sqrt{a}(8A + 7B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{64d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(5/2)*Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]
```

```
[Out] (5*Sqrt[a]*(8*A + 7*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]])/(64*d) + (5*a*(8*A + 7*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(64*d*Sqrt[a + a*Cos[c + d*x]]) + (5*a*(8*A + 7*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(96*d*Sqrt[a + a*Cos[c + d*x]]) + (a*(8*A + 7*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(24*d*Sqrt[a + a*Cos[c + d*x]]) + (a*B*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(4*d*Sqrt[a + a*Cos[c + d*x]])
```

#### Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

#### Rule 2770

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]
```

#### Rule 2774

```
Int[Sqrt[(a_) + (b_.)*sin[(e_) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rubi steps

$$\int \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) dx = \frac{aB \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{1}{8}(8A + 7B) \int \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)} dx$$

$$= \frac{a(8A + 7B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{24d\sqrt{a + a \cos(c + dx)}} + \frac{aB \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{5a(8A + 7B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{96d\sqrt{a + a \cos(c + dx)}} + \frac{a(8A + 7B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{24d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{5a(8A + 7B)\sqrt{\cos(c + dx)} \sin(c + dx)}{64d\sqrt{a + a \cos(c + dx)}} + \frac{5a(8A + 7B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{96d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{5a(8A + 7B)\sqrt{\cos(c + dx)} \sin(c + dx)}{64d\sqrt{a + a \cos(c + dx)}} + \frac{5a(8A + 7B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{96d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{5\sqrt{a}(8A + 7B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{64d} + \frac{5a(8A + 7B)\sqrt{\cos(c + dx)} \sin(c + dx)}{64d\sqrt{a + a \cos(c + dx)}}$$

**Mathematica [A]** time = 0.985495, size = 135, normalized size = 0.61

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(15\sqrt{2}(8A + 7B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)}(2(40A + 53B) \cos[c + dx] + 4(8A + 7B) \cos[2(c + dx)] + 12B \cos[3(c + dx)]) \sin[(c + dx)/2]\right)}{384d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(5/2)*Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]), x]
```

```
[Out] (Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(15*Sqrt[2]*(8*A + 7*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(152*A + 133*B + 2*(40*A + 53*B)*Cos[c + d*x] + 4*(8*A + 7*B)*Cos[2*(c + d*x)] + 12*B*Cos[3*(c + d*x)])*Sin[(c + d*x)/2]))/(384*d)
```

**Maple [B]** time = 0.678, size = 428, normalized size = 1.9

$$\frac{(-1 + \cos(dx + c))^4}{192d(\sin(dx + c))^8} \left( 64A \sin(dx + c) \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{3/2} (\cos(dx + c))^3 + 144A \sin(dx + c) \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{3/2} (\cos(dx + c))^2 + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(dx+c)^{(5/2)}*(a+\cos(dx+c)*a)^{(1/2)}*(A+B*\cos(dx+c)),x)$

[Out]  $\frac{1}{192}d*(-1+\cos(dx+c))^{4*(64*A*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(3/2)}*\cos(dx+c)^3+144*A*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(3/2)}*\cos(dx+c)^2+48*B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*\cos(dx+c)^4+200*A*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(3/2)}*\cos(dx+c)+56*B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*\cos(dx+c)^3+120*A*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(3/2)}+70*B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*\cos(dx+c)^2+105*B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*\cos(dx+c)+120*A*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}/\cos(dx+c))*\cos(dx+c)+105*B*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}/\cos(dx+c))*\cos(dx+c)^{(5/2)}*(a*(1+\cos(dx+c)))^{(1/2)}/\sin(dx+c)^8/(\cos(dx+c)/(1+\cos(dx+c)))^{(7/2)}$

---

**Maxima [B]** time = 4.52693, size = 11097, normalized size = 50.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)^{(5/2)}*(a+a*\cos(dx+c))^{(1/2)}*(A+B*\cos(dx+c)),x, \text{algorithm}=\text{"maxima"})$

[Out]  $\frac{1}{768}*(8*(4*(\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(3/4)}*(\cos(3/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))*\sin(3*d*x + 3*c) - (\cos(3*d*x + 3*c) - 1)*\sin(3/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))*\sqrt{a} + 6*(\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)}*((\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 5*\sin(1/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))))*\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) - (\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 3*\cos(1/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) - 4)*\sin(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))*\sqrt{a} + 15*\sqrt{a}*(\arctan2(-(\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))*\sin(1/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) - \cos(1/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))*\sin(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))), (\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)}*(\cos(1/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))*\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) + \sin(1/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))*\sin(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))) + 1) - \arctan2(-(\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))$



$$\begin{aligned}
& c), \cos(4*d*x + 4*c))\wedge 2 - 8*\cos(4*d*x + 4*c)\wedge 2 + (32*(\cos(4*d*x + 4*c)\wedge 2 + \\
& \sin(4*d*x + 4*c)\wedge 2 - 2*\cos(4*d*x + 4*c) + 1)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c)))\wedge 2 + 32*(\cos(4*d*x + 4*c)\wedge 2 + \sin(4*d*x + 4*c)\wedge 2 + 2 \\
& *\cos(4*d*x + 4*c) + 1)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) \\
& \wedge 2 + 8*\cos(4*d*x + 4*c)\wedge 2 + 2*(16*\cos(4*d*x + 4*c)\wedge 2 + 16*\sin(4*d*x + 4*c)\wedge \\
& 2 - 55*\cos(4*d*x + 4*c) + 39)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + \\
& 4*c))) + 8*\sin(4*d*x + 4*c)\wedge 2 - 2*(64*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + \\
& 4*c)))*\sin(4*d*x + 4*c) + 55*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c))) - 39*\cos(4*d*x + 4*c))*\cos(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) \\
& + 4*(39*\cos(4*d*x + 4*c)\wedge 3 + (39*\cos(4*d*x + 4*c) - 8)*\sin(4*d*x + 4*c)\wedge 2 - 47*\cos(4*d*x + 4*c)\wedge 2 + 8*\cos(4*d*x + \\
& 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 39*(2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) - 2*(\cos(4*d*x + 4*c) + 1)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c))) + \sin(4*d*x + 4*c))*\sin(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*(39 \\
& *\cos(4*d*x + 4*c) - 8)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) \\
& *\sin(4*d*x + 4*c) + (39*\cos(4*d*x + 4*c) - 8)*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c))))*\sin(3/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \\
& \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1))*\sqrt{a} - 6*(\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4 \\
& *d*x + 4*c)))\wedge 2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))\wedge 2 + \\
& 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1)\wedge (1/4)*((4*(11*\sin(4*d*x + 4*c)\wedge 3 + \\
& 11*(\cos(4*d*x + 4*c)\wedge 2 - 2*\cos(4*d*x + 4*c) + 1)*\sin(4*d*x + 4*c) - 24*(\cos(4*d*x + 4*c)\wedge 2 + \sin(4*d*x + 4*c)\wedge 2 - \\
& 2*\cos(4*d*x + 4*c) + 1)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c)))\wedge 2 + 11*\cos(4*d*x + 4*c)\wedge 2*\sin(4*d*x + 4*c) + 11*\sin(4*d*x + 4*c)\wedge 3 + 4*(11*\sin(4*d*x + 4*c)\wedge 3 + \\
& 11*(\cos(4*d*x + 4*c)\wedge 2 + 2*\cos(4*d*x + 4*c) + 1)*\sin(4*d*x + 4*c) - 24*(\cos(4*d*x + 4*c)\wedge 2 + \sin(4*d*x + 4*c)\wedge 2 + \\
& 2*\cos(4*d*x + 4*c) + 1)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c)))\wedge 2 + 2*(22*\sin(4*d*x + 4*c)\wedge 3 + 22*(\cos(4*d*x + 4*c)\wedge 2 - \cos(4*d*x + 4*c))*\sin(4*d*x + 4*c) + \\
& 11*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))\wedge 2 + 11*\cos(4*d*x + 4*c)\wedge 2*\sin(4*d*x + 4*c) - (48*\cos(4*d*x + 4*c)\wedge 2 + \\
& 48*\sin(4*d*x + 4*c)\wedge 2 - 37*\cos(4*d*x + 4*c) - 11)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) \\
& ))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 11*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) \\
& *\sin(4*d*x + 4*c) - 2*(8*(11*\sin(4*d*x + 4*c)\wedge 2 - 24*\sin(4*d*x + 4*c))*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) \\
& ))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 11*(\cos(4*d*x + 4*c) + 1)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c))) + 22*\sin(4*d*x + 4*c)\wedge 2 - 37*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c)))\wedge 2 + 24*\cos(4*d*x + 4*c)\wedge 2 + 24*\sin(4*d*x + 4*c)\wedge 2 + 11*\cos(4*d*x + 4*c))*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c)))\wedge 2 + 11*\cos(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \\
& \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1)) - (11*\cos(4*d*x + 4*c)\wedge 3 + 4*(11*\cos(4*d*x + 4*c) \\
& \wedge 3 + (11*\cos(4*d*x + 4*c) + 24)*\sin(4*d*x + 4*c)\wedge 2 + 2*\cos(4*d*x + 4*c)\wedge 2 - 24*(\cos(4*d*x + 4*c)\wedge 2 + \sin(4*d*x + 4*c)\wedge 2 - \\
& 2*\cos(4*d*x + 4*c) + 1)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 37*\cos(4*d*x + 4*c) + 24)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c)))\wedge 2 + (11*\cos(4*d*x + 4*c) + 24)*\sin(4*d*x + 4*c)\wedge 2 + 4*(11*\cos(4*d*x + 4*c)\wedge 3 + (11*\cos(4*d*x + 4*c) \\
& + 24)*\sin(4*d*x + 4*c)\wedge 2 + 46*\cos(4*d*x + 4*c)\wedge 2 - 24*(\cos(4*d*x + 4*c)\wedge 2 + \sin(4*d*x + 4*c)\wedge 2 + 2*\cos(4*d*x + 4*c) + 1)*\cos(1/4*\arctan2(\sin(4 \\
& *d*x + 4*c), \cos(4*d*x + 4*c))) + 59*\cos(4*d*x + 4*c) + 24)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))\wedge 2 + 24*\cos(4*d*x + 4*c)\wedge 2 + \\
& 2*(22*\cos(4*d*x + 4*c)\wedge 3 + 2*(11*\cos(4*d*x + 4*c) + 24)*\sin(4*d*x + 4*c)\wedge 2 + 26*\cos(4*d*x + 4*c)\wedge 2 - (48*\cos(4*d*x + 4*c)\wedge 2 + \\
& 48*\sin(4*d*x + 4*c)\wedge 2 - 37*\cos(4*d*x + 4*c) - 11)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 11*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c))) - 48*\cos(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - (2
\end{aligned}$$

$$\begin{aligned}
& 4\cos(4dx + 4c)^2 + 24\sin(4dx + 4c)^2 + 11\cos(4dx + 4c)\cos(1/4 \\
& \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) - 2*(8*((11\cos(4dx + 4c) \\
& + 24)\sin(4dx + 4c) - 24\cos(1/4\arctan2(\sin(4dx + 4c), \cos(4dx + 4c) \\
& ))*\sin(4dx + 4c))*\cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c) \\
& )) + 2*(11\cos(4dx + 4c) + 24)\sin(4dx + 4c) - 37\cos(1/4\arctan2(\sin( \\
& 4dx + 4c), \cos(4dx + 4c))*\sin(4dx + 4c) - 11*(\cos(4dx + 4c) + \\
& 1)\sin(1/4\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))))*\sin(1/2\arctan2(\sin( \\
& 4dx + 4c), \cos(4dx + 4c))) - 11\sin(4dx + 4c)*\sin(1/4\arctan2(\sin( \\
& 4dx + 4c), \cos(4dx + 4c))))*\sin(1/2\arctan2(\sin(1/2\arctan2(\sin(4d \\
& x + 4c), \cos(4dx + 4c))), \cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx \\
& + 4c)))) + 1)))*\sqrt{a} + 105*((4*(\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 \\
& - 2\cos(4dx + 4c) + 1)*\cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c) \\
& ))^2 + 4*(\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 + 2*\cos(4dx + 4c) + 1) \\
& )*\sin(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + \cos(4dx + 4c) \\
& ^2 + 4*(\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 - \cos(4dx + 4c))*\cos(1/2 \\
& \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + \sin(4dx + 4c)^2 - 4*(4c \\
& \cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))*\sin(4dx + 4c) + \sin( \\
& 4dx + 4c))*\sin(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))))*\arctan2 \\
& (-(\cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + \sin(1/2\arctan2 \\
& (\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 2*\cos(1/2\arctan2(\sin(4dx + 4c) \\
& ), \cos(4dx + 4c))) + 1)^{1/4}*(\cos(1/2\arctan2(\sin(1/2\arctan2(\sin(4dx \\
& + 4c), \cos(4dx + 4c))), \cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + \\
& 4c))) + 1))*\sin(1/4\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) - \cos(1/4 \\
& \arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))*\sin(1/2\arctan2(\sin(1/2\arcta \\
& n2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2\arctan2(\sin(4dx + 4c), \\
& \cos(4dx + 4c))) + 1)), (\cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4 \\
& c)))^2 + \sin(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 2*\cos(1/ \\
& 2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1)^{1/4}*(\cos(1/4\arctan2( \\
& \sin(4dx + 4c), \cos(4dx + 4c)))*\cos(1/2\arctan2(\sin(1/2\arctan2(\sin(4d \\
& x + 4c), \cos(4dx + 4c))), \cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx \\
& + 4c))) + 1)) + \sin(1/4\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))*\sin( \\
& 1/2\arctan2(\sin(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2\ar \\
& ctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1))) + 1) - (4*(\cos(4dx + 4 \\
& c)^2 + \sin(4dx + 4c)^2 - 2*\cos(4dx + 4c) + 1)*\cos(1/2\arctan2(\sin(4d \\
& x + 4c), \cos(4dx + 4c)))^2 + 4*(\cos(4dx + 4c)^2 + \sin(4dx + 4c) \\
& ^2 + 2*\cos(4dx + 4c) + 1)*\sin(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + \\
& 4c)))^2 + \cos(4dx + 4c)^2 + 4*(\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 \\
& - \cos(4dx + 4c))*\cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + \\
& \sin(4dx + 4c)^2 - 4*(4*\cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c) \\
& ))*\sin(4dx + 4c) + \sin(4dx + 4c))*\sin(1/2\arctan2(\sin(4dx + 4c), \\
& \cos(4dx + 4c))))*\arctan2(-(\cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + \\
& 4c)))^2 + \sin(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 2*\cos( \\
& 1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1)^{1/4}*(\cos(1/2\arctan \\
& 2(\sin(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2\arctan2(\sin \\
& (4dx + 4c), \cos(4dx + 4c))) + 1))*\sin(1/4\arctan2(\sin(4dx + 4c), c \\
& \os(4dx + 4c))) - \cos(1/4\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))*\si \\
& n(1/2\arctan2(\sin(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2 \\
& \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1))), (\cos(1/2\arctan2(\sin( \\
& 4dx + 4c), \cos(4dx + 4c)))^2 + \sin(1/2\arctan2(\sin(4dx + 4c), \cos( \\
& 4dx + 4c)))^2 + 2*\cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + \\
& 1)^{1/4}*(\cos(1/4\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))*\cos(1/2\arc \\
& tan2(\sin(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2\arctan2( \\
& \sin(4dx + 4c), \cos(4dx + 4c))) + 1)) + \sin(1/4\arctan2(\sin(4dx + 4* \\
& c), \cos(4dx + 4c)))*\sin(1/2\arctan2(\sin(1/2\arctan2(\sin(4dx + 4c), co \\
& s(4dx + 4c))), \cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1) \\
& )) - 1) - (4*(\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 - 2*\cos(4dx + 4c) \\
& + 1)*\cos(1/2\arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 4*(\cos(4dx \\
& + 4c)^2 + \sin(4dx + 4c)^2 + 2*\cos(4dx + 4c) + 1)*\sin(1/2\arctan2(\sin \\
& (4dx + 4c), \cos(4dx + 4c)))^2 + \cos(4dx + 4c)^2 + 4*(\cos(4dx + 4
\end{aligned}$$



```

*c)^2 + sin(4*d*x + 4*c)^2 - cos(4*d*x + 4*c))*cos(1/2*arctan2(sin(4*d*x +
4*c), cos(4*d*x + 4*c))) + sin(4*d*x + 4*c)^2 - 4*(4*cos(1/2*arctan2(sin(4*
d*x + 4*c), cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + sin(4*d*x + 4*c))*sin(1/2
*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))))*arctan2((cos(1/2*arctan2(sin
(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*d*x + 4*c), cos
(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))
+ 1)^(1/4)*sin(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*
c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))) + 1)), (cos(1/2*
arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*d*x
+ 4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*
x + 4*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos
(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))) + 1))
+ 1) + (4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - 2*cos(4*d*x + 4*c) +
1)*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 4*(cos(4*d*x +
4*c)^2 + sin(4*d*x + 4*c)^2 + 2*cos(4*d*x + 4*c) + 1)*sin(1/2*arctan2(sin(4
*d*x + 4*c), cos(4*d*x + 4*c)))^2 + cos(4*d*x + 4*c)^2 + 4*(cos(4*d*x + 4*c
)^2 + sin(4*d*x + 4*c)^2 - cos(4*d*x + 4*c))*cos(1/2*arctan2(sin(4*d*x + 4*
c), cos(4*d*x + 4*c))) + sin(4*d*x + 4*c)^2 - 4*(4*cos(1/2*arctan2(sin(4*d*
x + 4*c), cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + sin(4*d*x + 4*c))*sin(1/2*a
rctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))))*arctan2((cos(1/2*arctan2(sin(4
*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4
*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) +
1)^(1/4)*sin(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)
))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))) + 1)), (cos(1/2*ar
ctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*d*x +
4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x
+ 4*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4
*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))) + 1)) -
1))*sqrt(a)*B/(4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - 2*cos(4*d*x +
4*c) + 1)*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 4*(cos(
4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 + 2*cos(4*d*x + 4*c) + 1)*sin(1/2*arcta
n2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + cos(4*d*x + 4*c)^2 + 4*(cos(4*d
*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - cos(4*d*x + 4*c))*cos(1/2*arctan2(sin(4*
d*x + 4*c), cos(4*d*x + 4*c))) + sin(4*d*x + 4*c)^2 - 4*(4*cos(1/2*arctan2(
sin(4*d*x + 4*c), cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + sin(4*d*x + 4*c))*s
in(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))))/d

```

---

**Fricas [A]** time = 2.23, size = 423, normalized size = 1.91

$$\frac{(48 B \cos(dx + c)^3 + 8(8A + 7B) \cos(dx + c)^2 + 10(8A + 7B) \cos(dx + c) + 120A + 105B) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{192(d \cos(dx + c) + 1)}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^(5/2)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algo
rithm="fricas")

```

```

[Out] 1/192*((48*B*cos(d*x + c)^3 + 8*(8*A + 7*B)*cos(d*x + c)^2 + 10*(8*A + 7*B)
*cos(d*x + c) + 120*A + 105*B)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*
sin(d*x + c) - 15*((8*A + 7*B)*cos(d*x + c) + 8*A + 7*B)*sqrt(a)*arctan(sqrt
(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/(d*cos(d*
x + c) + d)

```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.167 \quad \int \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=176

$$\frac{a(6A + 5B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{12d\sqrt{a \cos(c + dx) + a}} + \frac{\sqrt{a}(6A + 5B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{8d} + \frac{a(6A + 5B) \sin(c + dx) \sqrt{\cos(c + dx)}}{8d\sqrt{a \cos(c + dx) + a}} +$$

[Out] (Sqrt[a]\*(6\*A + 5\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(8\*d) + (a\*(6\*A + 5\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(8\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*(6\*A + 5\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(12\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*B\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.297564, antiderivative size = 176, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2981, 2770, 2774, 216}

$$\frac{a(6A + 5B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{12d\sqrt{a \cos(c + dx) + a}} + \frac{\sqrt{a}(6A + 5B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{8d} + \frac{a(6A + 5B) \sin(c + dx) \sqrt{\cos(c + dx)}}{8d\sqrt{a \cos(c + dx) + a}} +$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]),x]

[Out] (Sqrt[a]\*(6\*A + 5\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(8\*d) + (a\*(6\*A + 5\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(8\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*(6\*A + 5\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(12\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*B\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2981

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(2\*n + 3)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(b\*d\*(2\*n + 3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

#### Rule 2770

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(-2\*b\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x], (b\*Cos

$[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] \&\& EqQ[a^2 - b^2, 0] \&\& EqQ[d, a/b]$

### Rule 216

$Int[1/Sqrt[(a_) + (b_)*(x_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] \&\& GtQ[a, 0] \&\& NegQ[b]$

### Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) dx &= \frac{aB \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{1}{6}(6A + 5B) \int \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} dx \\ &= \frac{a(6A + 5B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} + \frac{aB \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a(6A + 5B) \sqrt{\cos(c + dx)} \sin(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} + \frac{a(6A + 5B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{a(6A + 5B) \sqrt{\cos(c + dx)} \sin(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} + \frac{a(6A + 5B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{12d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{\sqrt{a}(6A + 5B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{8d} + \frac{a(6A + 5B) \sqrt{\cos(c + dx)} \sin(c + dx)}{8d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.530712, size = 118, normalized size = 0.67

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2}(6A + 5B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)}(2(6A + 5B) \cos(c + dx) + 4B \cos(2(c + dx)))\right)}{48d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]), x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(3\*Sqrt[2]\*(6\*A + 5\*B)\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]] + 2\*Sqrt[Cos[c + d\*x]]\*(18\*A + 19\*B + 2\*(6\*A + 5\*B)\*Cos[c + d\*x] + 4\*B\*Cos[2\*(c + d\*x)])\*Sin[(c + d\*x)/2]))/(48\*d)

**Maple [B]** time = 0.721, size = 356, normalized size = 2.

$$-\frac{(-1 + \cos(dx + c))^3}{24d(\sin(dx + c))^6} \left(12A \sin(dx + c) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)}\right)^{3/2} (\cos(dx + c))^2 + 30A \sin(dx + c) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)}\right)^{3/2} \cos(dx + c) + 8B \sin(dx + c) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)}\right)^{1/2} \cos(dx + c)^3 + 18A \sin(dx + c) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)}\right)^{3/2} \cos(dx + c)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(a+cos(d\*x+c)\*a)^(1/2)\*(A+B\*cos(d\*x+c)), x)

[Out] -1/24/d\*(-1+cos(d\*x+c))^3\*(12\*A\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*cos(d\*x+c)^2+30\*A\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*cos(d\*x+c)+8\*B\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^3+18\*A\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*cos(d\*x+c)

$$+c) * (\cos(d*x+c) / (1+\cos(d*x+c)))^{(3/2)} + 10*B*\sin(d*x+c) * (\cos(d*x+c) / (1+\cos(d*x+c)))^{(1/2)} * \cos(d*x+c)^2 + 15*B*\sin(d*x+c) * (\cos(d*x+c) / (1+\cos(d*x+c)))^{(1/2)} * \cos(d*x+c) + 18*A*\arctan(\sin(d*x+c) * (\cos(d*x+c) / (1+\cos(d*x+c)))^{(1/2)} / \cos(d*x+c)) * \cos(d*x+c) + 15*B*\arctan(\sin(d*x+c) * (\cos(d*x+c) / (1+\cos(d*x+c)))^{(1/2)} / \cos(d*x+c)) * \cos(d*x+c) * \cos(d*x+c)^{(3/2)} * (a*(1+\cos(d*x+c)))^{(1/2)} / \sin(d*x+c)^6 / (\cos(d*x+c) / (1+\cos(d*x+c)))^{(5/2)}$$

**Maxima [B]** time = 3.62505, size = 4024, normalized size = 22.86

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 
$$\begin{aligned} & 1/96 * (6 * (2 * (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1)^{1/4} * ((\cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(2*d*x + 2*c) - (\cos(2*d*x + 2*c) - 2) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \sin(2*d*x + 2*c)) * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + ((\cos(2*d*x + 2*c) - 2) * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \sin(2*d*x + 2*c)) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) - \cos(2*d*x + 2*c) + 2) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) * \sqrt{a} + 3 * \sqrt{a} * (\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1)^{1/4} * (\cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1)^{1/4} * (\cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1) - \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1)^{1/4} * (\cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1)^{1/4} * (\cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))) - 1) - \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1)^{1/4} * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1)^{1/4} * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + 1) + \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1)^{1/4} * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1)^{1/4} * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1))) * A + (4 * (\cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2 * \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{3/4} * (\cos(3/2 * \arctan2(\sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) * \sin(3*d*x + 3*c) - (\cos(3*d*x + 3*c) - 1) * \sin(3/2 * \arctan2(\sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))) * \sqrt{a} + 6 * (\cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2 * \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{1/4} * ((\sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))$$



**Fricas [A]** time = 1.99075, size = 373, normalized size = 2.12

$$\frac{(8B \cos(dx+c)^2 + 2(6A+5B) \cos(dx+c) + 18A + 15B) \sqrt{a \cos(dx+c) + a} \sqrt{\cos(dx+c)} \sin(dx+c) - 3((6A+5B) \cos(dx+c) + 6A + 5B) \sqrt{a} \arctan(\sqrt{a \cos(dx+c) + a} \sqrt{\cos(dx+c)})}{24(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/24*((8*B*cos(d*x + c)^2 + 2*(6*A + 5*B)*cos(d*x + c) + 18*A + 15*B)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - 3*((6*A + 5*B)*cos(d*x + c) + 6*A + 5*B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))))/(d*cos(d*x + c) + d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.168 \quad \int \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=131

$$\frac{\sqrt{a}(4A + 3B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{a(4A + 3B) \sin(c + dx) \sqrt{\cos(c + dx)}}{4d \sqrt{a \cos(c + dx) + a}} + \frac{aB \sin(c + dx) \cos^3(c + dx)}{2d \sqrt{a \cos(c + dx) + a}}$$

[Out] (Sqrt[a]\*(4\*A + 3\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]/(4\*d) + (a\*(4\*A + 3\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*B\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(2\*d\*Sqrt[a + a\*Cos[c + d\*x]]))

**Rubi [A]** time = 0.227166, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2981, 2770, 2774, 216}

$$\frac{\sqrt{a}(4A + 3B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{a(4A + 3B) \sin(c + dx) \sqrt{\cos(c + dx)}}{4d \sqrt{a \cos(c + dx) + a}} + \frac{aB \sin(c + dx) \cos^3(c + dx)}{2d \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]),x]

[Out] (Sqrt[a]\*(4\*A + 3\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]/(4\*d) + (a\*(4\*A + 3\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*B\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(2\*d\*Sqrt[a + a\*Cos[c + d\*x]]))

#### Rule 2981

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(2\*n + 3)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(b\*d\*(2\*n + 3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

#### Rule 2770

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n - 1), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]



**Rule 216**

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)(x_)^2], x\_Symbol] \text{ :> Simp}[\text{ArcSin}[(\text{Rt}[-b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] \text{ /; FreeQ}\{a, b\}, x\} \ \&\& \ \text{GtQ}[a, 0] \ \&\& \ \text{NegQ}[b]$

**Rubi steps**

$$\begin{aligned} \int \sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}(A+B\cos(c+dx))dx &= \frac{aB\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d\sqrt{a+a\cos(c+dx)}} + \frac{1}{4}(4A+3B) \int \sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}dx \\ &= \frac{a(4A+3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d\sqrt{a+a\cos(c+dx)}} + \frac{aB\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d\sqrt{a+a\cos(c+dx)}} \\ &= \frac{a(4A+3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d\sqrt{a+a\cos(c+dx)}} + \frac{aB\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2d\sqrt{a+a\cos(c+dx)}} \\ &= \frac{\sqrt{a}(4A+3B)\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{4d} + \frac{a(4A+3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d\sqrt{a+a\cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.287942, size = 100, normalized size = 0.76

$$\frac{\sec\left(\frac{1}{2}(c+dx)\right)\sqrt{a(\cos(c+dx)+1)}\left(\sqrt{2}(4A+3B)\sin^{-1}\left(\sqrt{2}\sin\left(\frac{1}{2}(c+dx)\right)\right)+2\sin\left(\frac{1}{2}(c+dx)\right)\sqrt{\cos(c+dx)}(4A+3B)\right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]), x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x])] \* Sec[(c + d\*x)/2] \* (Sqrt[2]\*(4\*A + 3\*B)\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]] + 2\*Sqrt[Cos[c + d\*x]]\*(4\*A + 3\*B + 2\*B\*Cos[c + d\*x]))\*Sin[(c + d\*x)/2])/(8\*d)

**Maple [B]** time = 0.681, size = 284, normalized size = 2.2

$$\frac{(-1 + \cos(dx + c))^2}{4d(\sin(dx + c))^4} \left( 4A \sin(dx + c) \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{3/2} \cos(dx + c) + 4A \sin(dx + c) \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{3/2} + 2B \sin(dx + c) \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{3/2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(a+cos(d\*x+c)\*a)^(1/2)\*(A+B\*cos(d\*x+c)), x)

[Out] 1/4/d\*(-1+cos(d\*x+c))^2\*(4\*A\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*cos(d\*x+c)+4\*A\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+2\*B\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^2+3\*B\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)+4\*A\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*cos(d\*x+c)+3\*B\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*cos(d\*x+c)^(1/2)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)^4/(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)

**Maxima [B]** time = 2.72743, size = 2499, normalized size = 19.08

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 
$$\frac{1}{16} \cdot (4 \cdot (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \sin(dx + c) - (\cos(dx + c) - 1) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) \cdot \sqrt{a} + \sqrt{a} \cdot (\arctan2(-(\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \sin(dx + c) - \cos(dx + c) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot (\cos(dx + c) \cdot \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) + \sin(dx + c) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) + 1) - \arctan2(-(\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \sin(dx + c) - \cos(dx + c) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot (\cos(dx + c) \cdot \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) + \sin(dx + c) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) - 1) - \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - 1)) \cdot A + (2 \cdot (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot ((\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \sin(2dx + 2c) - (\cos(2dx + 2c) - 2) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) + \sin(2dx + 2c)) \cdot \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) + ((\cos(2dx + 2c) - 2) \cdot \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) + \sin(2dx + 2c) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) - \cos(2dx + 2c) + 2) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) \cdot \sqrt{a} + 3 \cdot \sqrt{a} \cdot (\arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) + \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) + 1) - \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) + \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) - 1) - \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))$$

$$+ 1)) + 1) + \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1))) * B) / d$$

**Fricas [A]** time = 1.95919, size = 324, normalized size = 2.47

$$\frac{(2B \cos(dx + c) + 4A + 3B)\sqrt{a \cos(dx + c) + a}\sqrt{\cos(dx + c)} \sin(dx + c) - ((4A + 3B) \cos(dx + c) + 4A + 3B)\sqrt{a}}{4(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/4\*((2\*B\*cos(d\*x + c) + 4\*A + 3\*B)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - ((4\*A + 3\*B)\*cos(d\*x + c) + 4\*A + 3\*B)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))))/(d\*cos(d\*x + c) + d)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(a+a\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)\sqrt{a \cos(dx + c) + a}\sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c)),x)

$$3.169 \quad \int \frac{\sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=78

$$\frac{\sqrt{a}(2A+B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{aB \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a \cos(c+dx)+a}}$$

[Out] (Sqrt[a]\*(2\*A + B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d + (a\*B\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.168901, antiderivative size = 78, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$ , Rules used = {2981, 2774, 216}

$$\frac{\sqrt{a}(2A+B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{aB \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]],x]

[Out] (Sqrt[a]\*(2\*A + B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d + (a\*B\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

#### Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]
```

#### Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

#### Rubi steps

$$\int \frac{\sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx = \frac{aB\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + \frac{1}{2}(2A + B) \int \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{aB\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} - \frac{(2A + B) \operatorname{Subst} \left( \int \frac{1}{\sqrt{1 - \frac{x^2}{a}}} dx, x, -\frac{a \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{d}$$

$$= \frac{\sqrt{a}(2A + B) \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{d} + \frac{aB\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}}$$

**Mathematica [A]** time = 0.152891, size = 83, normalized size = 1.06

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left( \sqrt{2}(2A + B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2B \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)} \right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]], x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x])] \* Sec[(c + d\*x)/2] \* (Sqrt[2]\*(2\*A + B)\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]] + 2\*B\*Sqrt[Cos[c + d\*x]]\*Sin[(c + d\*x)/2]))/(2\*d)

**Maple [B]** time = 0.692, size = 164, normalized size = 2.1

$$-\frac{-1 + \cos(dx + c)}{d(\sin(dx + c))^2} \left( B \sin(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} + 2A \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}\right) + B \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2), x)

[Out] -1/d\*(-1+cos(d\*x+c))\*(B\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+2\*A\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+B\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c)))\*cos(d\*x+c)^(1/2)\*(a\*(1+cos(d\*x+c)))^(1/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)^2

**Maxima [B]** time = 2.66541, size = 1268, normalized size = 16.26

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2), x, algorithm="maxima")

[Out] 1/4\*(4\*A\*sqrt(a)\*arctan2((cos(2\*d\*x + 2\*c))^2 + sin(2\*d\*x + 2\*c))^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)) +

1)) + sin(d\*x + c), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + cos(d\*x + c)) + (2\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*sin(d\*x + c) - (cos(d\*x + c) - 1)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))))\*sqrt(a) + sqrt(a)\*(arctan2(-(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*sin(d\*x + c) - cos(d\*x + c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(d\*x + c)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + sin(d\*x + c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))) + 1) - arctan2(-(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*sin(d\*x + c) - cos(d\*x + c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(d\*x + c)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + sin(d\*x + c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))) - 1) - arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + 1) + arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - 1))) \* B) / d

**Fricas [A]** time = 1.88755, size = 274, normalized size = 3.51

$$\frac{\sqrt{a \cos(dx+c) + aB} \sqrt{\cos(dx+c)} \sin(dx+c) - ((2A+B) \cos(dx+c) + 2A+B) \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c) + a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)}{d \cos(dx+c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorith="fricas")

[Out] (sqrt(a\*cos(d\*x + c) + a)\*B\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - ((2\*A + B)\*cos(d\*x + c) + 2\*A + B)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))))/(d\*cos(d\*x + c) + d)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a(\cos(c+dx)+1)}(A+B\cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(1/2),x)

[Out] Integral(sqrt(a\*(cos(c + d\*x) + 1))\*(A + B\*cos(c + d\*x))/sqrt(cos(c + d\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{a \cos(dx + c) + a}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(a\*cos(d\*x + c) + a)/sqrt(cos(d\*x + c)), x)

$$3.170 \quad \int \frac{\sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=76

$$\frac{2aA \sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} + \frac{2\sqrt{a}B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d}$$

[Out] (2\*Sqrt[a]\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d + (2\*a\*A\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.164648, antiderivative size = 76, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$ , Rules used = {2980, 2774, 216}

$$\frac{2aA \sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} + \frac{2\sqrt{a}B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2),x]

[Out] (2\*Sqrt[a]\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d + (2\*a\*A\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

#### Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]
```

#### Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

#### Rubi steps



$$\int \frac{\sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx = \frac{2aA \sin(c + dx)}{d\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}} + B \int \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{2aA \sin(c + dx)}{d\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}} - \frac{(2B) \text{Subst} \left( \int \frac{1}{\sqrt{1 - \frac{x^2}{a}}} dx, x, -\frac{a}{\sqrt{a + a \cos(c + dx)}} \right)}{d}$$

$$= \frac{2\sqrt{a}B \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{d} + \frac{2aA \sin(c + dx)}{d\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}}$$

**Mathematica [A]** time = 0.162091, size = 86, normalized size = 1.13

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(2A \sin\left(\frac{1}{2}(c + dx)\right) + \sqrt{2}B \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)}}{d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]

[Out] (Sqrt[a\*(1 + Cos[c + d\*x])] \* Sec[(c + d\*x)/2] \* (Sqrt[2]\*B\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]] \* Sqrt[Cos[c + d\*x]] + 2\*A\*Sin[(c + d\*x)/2])) / (d\*Sqrt[Cos[c + d\*x]])

**Maple [A]** time = 0.657, size = 109, normalized size = 1.4

$$-2 \frac{\sqrt{a(1 + \cos(dx + c))}}{d \sin(dx + c) \sqrt{\cos(dx + c)}} \left( -B \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}\right) \sin(dx + c) + A \cos(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x)

[Out] -2/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*sin(d\*x+c)+A\*cos(d\*x+c)-A)/sin(d\*x+c)/cos(d\*x+c)^(1/2)

**Maxima [B]** time = 2.30896, size = 331, normalized size = 4.36

$$B\sqrt{a} \arctan\left(\left(\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1\right)^{\frac{1}{4}} \sin\left(\frac{1}{2} \arctan(\sin(2dx + 2c), \cos(2dx + 2c))\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x, algorithm="maxima")

```
[Out] (B*sqrt(a)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + cos(d*x + c)) + 2*A*(sqrt(2)*sqrt(a)*sin(d*x + c)/(cos(d*x + c) + 1) - sqrt(2)*sqrt(a)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3)/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(3/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(3/2))/d
```

**Fricas [A]** time = 1.62316, size = 298, normalized size = 3.92

$$\frac{2\left(\sqrt{a \cos(dx+c)} + aA\sqrt{\cos(dx+c)} \sin(dx+c) - (B \cos(dx+c)^2 + B \cos(dx+c))\sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c)} + a\sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)\right)}{d \cos(dx+c)^2 + d \cos(dx+c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] 2*(sqrt(a*cos(d*x + c) + a)*A*sqrt(cos(d*x + c))*sin(d*x + c) - (B*cos(d*x + c)^2 + B*cos(d*x + c))*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))))/(d*cos(d*x + c)^2 + d*cos(d*x + c))
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a(\cos(c+dx)+1)}(A+B\cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(3/2),x)
```

```
[Out] Integral(sqrt(a*(cos(c + d*x) + 1))*(A + B*cos(c + d*x))/cos(c + d*x)**(3/2), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx+c) + A)\sqrt{a \cos(dx+c)} + a}{\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(a*cos(d*x + c) + a)/cos(d*x + c)^(3/2), x)
```

$$3.171 \quad \int \frac{\sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=85

$$\frac{2a(2A+3B) \sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} + \frac{2aA \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \cos(c+dx)+a}}$$

[Out] (2\*a\*A\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*(2\*A + 3\*B)\*Sin[c + d\*x])/(3\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.163463, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.057$ , Rules used = {2980, 2771}

$$\frac{2a(2A+3B) \sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} + \frac{2aA \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(5/2), x]

[Out] (2\*a\*A\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*(2\*A + 3\*B)\*Sin[c + d\*x])/(3\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] & & NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx &= \frac{2aA \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)\sqrt{a+a \cos(c+dx)}} + \frac{1}{3}(2A+3B) \int \frac{\sqrt{a+a \cos(c+dx)}}{\cos^{\frac{3}{2}}(c+dx)} \\ &= \frac{2aA \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)\sqrt{a+a \cos(c+dx)}} + \frac{2a(2A+3B) \sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.143265, size = 57, normalized size = 0.67

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}((2A + 3B) \cos(c + dx) + A)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(5/2), x]

[Out] (2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(A + (2\*A + 3\*B)\*Cos[c + d\*x])\*Tan[(c + d\*x)/2])/(3\*d\*Cos[c + d\*x]^(3/2))

**Maple [A]** time = 0.647, size = 62, normalized size = 0.7

$$\frac{(-2 + 2 \cos(dx + c))(2A \cos(dx + c) + 3B \cos(dx + c) + A) \sqrt{a(1 + \cos(dx + c))} (\cos(dx + c))^{-\frac{3}{2}}}{3d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2), x)

[Out] -2/3/d\*(-1+cos(d\*x+c))\*(2\*A\*cos(d\*x+c)+3\*B\*cos(d\*x+c)+A)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)/cos(d\*x+c)^(3/2)

**Maxima [B]** time = 1.83452, size = 390, normalized size = 4.59

$$2 \frac{\left( \frac{3B \left( \frac{\sqrt{2}\sqrt{a} \sin(dx+c)}{\cos(dx+c)+1} - \frac{\sqrt{2}\sqrt{a} \sin(dx+c)^3}{(\cos(dx+c)+1)^3} \right)}{\left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{3}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{3}{2}}} + \frac{A \left( \frac{3\sqrt{2}\sqrt{a} \sin(dx+c)}{\cos(dx+c)+1} - \frac{4\sqrt{2}\sqrt{a} \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sqrt{2}\sqrt{a} \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2}{\left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left( \frac{2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)} \right)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2), x, algorith="maxima")

[Out] 2/3\*(3\*B\*(sqrt(2)\*sqrt(a)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - sqrt(2)\*sqrt(a)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3)/((sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(3/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(3/2)) + A\*(3\*sqrt(2)\*sqrt(a)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 4\*sqrt(2)\*sqrt(a)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + sqrt(2)\*sqrt(a)\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5)\*(sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 1)^2/((sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(5/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(5/2)\*(2\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4 + 1)))/d

**Fricas [A]** time = 1.46101, size = 177, normalized size = 2.08

$$\frac{2((2A + 3B) \cos(dx + c) + A) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c)}{3(d \cos(dx + c)^3 + d \cos(dx + c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="fricas")
```

```
[Out] 2/3*((2*A + 3*B)*cos(d*x + c) + A)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{a \cos(dx + c) + a}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(a*cos(d*x + c) + a)/cos(d*x + c)^(5/2), x)
```

$$3.172 \quad \int \frac{\sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=130

$$\frac{2a(4A+5B)\sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \cos(c+dx)+a}} + \frac{4a(4A+5B)\sin(c+dx)}{15d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} + \frac{2aA \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)\sqrt{a \cos(c+dx)+a}}$$

[Out] (2\*a\*A\*Sin[c + d\*x])/(5\*d\*Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*(4\*A + 5\*B)\*Sin[c + d\*x])/(15\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (4\*a\*(4\*A + 5\*B)\*Sin[c + d\*x])/(15\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.218488, antiderivative size = 130, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$ , Rules used = {2980, 2772, 2771}

$$\frac{2a(4A+5B)\sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \cos(c+dx)+a}} + \frac{4a(4A+5B)\sin(c+dx)}{15d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} + \frac{2aA \sin(c+dx)}{5d \cos^{\frac{5}{2}}(c+dx)\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(7/2), x]

[Out] (2\*a\*A\*Sin[c + d\*x])/(5\*d\*Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*(4\*A + 5\*B)\*Sin[c + d\*x])/(15\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (4\*a\*(4\*A + 5\*B)\*Sin[c + d\*x])/(15\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 2772

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

#### Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] :> Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int \frac{\sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx = \frac{2aA \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{1}{5}(4A + 5B) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{5}{2}}(c + dx)}$$

$$= \frac{2aA \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a(4A + 5B) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{2aA \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a(4A + 5B) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

**Mathematica [A]** time = 0.239307, size = 78, normalized size = 0.6

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}((4A + 5B) \cos(c + dx) + (4A + 5B) \cos(2(c + dx)) + 7A + 5B)}{15d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2), x]
```

```
[Out] (2*Sqrt[a*(1 + Cos[c + d*x])]*(7*A + 5*B + (4*A + 5*B)*Cos[c + d*x] + (4*A + 5*B)*Cos[2*(c + d*x)])*Tan[(c + d*x)/2])/((15*d*Cos[c + d*x])^(5/2))
```

**Maple [A]** time = 0.715, size = 86, normalized size = 0.7

$$\frac{(-2 + 2 \cos(dx + c)) (8 A (\cos(dx + c))^2 + 10 B (\cos(dx + c))^2 + 4 A \cos(dx + c) + 5 B \cos(dx + c) + 3 A) \sqrt{a(1 + \cos(dx + c))}}{15 d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x)
```

```
[Out] -2/15/d*(-1+cos(d*x+c))*(8*A*cos(d*x+c)^2+10*B*cos(d*x+c)^2+4*A*cos(d*x+c)+5*B*cos(d*x+c)+3*A)*(a*(1+cos(d*x+c)))^(1/2)/sin(d*x+c)/cos(d*x+c)^(5/2)
```

**Maxima [B]** time = 2.0141, size = 578, normalized size = 4.45

$$2 \frac{\left( \frac{5B \left( \frac{3\sqrt{2}\sqrt{a}\sin(dx+c)}{\cos(dx+c)+1} - \frac{4\sqrt{2}\sqrt{a}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sqrt{2}\sqrt{a}\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2}{\left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left( \frac{2\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)} + \frac{A \left( \frac{15\sqrt{2}\sqrt{a}\sin(dx+c)}{\cos(dx+c)+1} - \frac{25\sqrt{2}\sqrt{a}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{17\sqrt{2}\sqrt{a}\sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{7\sqrt{2}\sqrt{a}\sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2}{\left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left( \frac{3\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{3\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)} \right)}{15d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x, algorithm="maxima")
```

```
[Out] 2/15*(5*B*(3*sqrt(2)*sqrt(a)*sin(d*x + c)/(cos(d*x + c) + 1) - 4*sqrt(2)*sqrt(a)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + sqrt(2)*sqrt(a)*sin(d*x + c)^5/
```

$$\begin{aligned} & (\cos(dx + c) + 1)^5 * (\sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + 1)^2 / ((\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{5/2} * (-\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{5/2} * (2 * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + \sin(dx + c)^4 / (\cos(dx + c) + 1)^4 + 1)) \\ & + A * (15 * \sqrt{2} * \sqrt{a} * \sin(dx + c) / (\cos(dx + c) + 1) - 25 * \sqrt{2} * \sqrt{a} * \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 17 * \sqrt{2} * \sqrt{a} * \sin(dx + c)^5 / (\cos(dx + c) + 1)^5 - 7 * \sqrt{2} * \sqrt{a} * \sin(dx + c)^7 / (\cos(dx + c) + 1)^7) * (\sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + 1)^3 / ((\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{7/2} * (-\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{7/2} * (3 * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + 3 * \sin(dx + c)^4 / (\cos(dx + c) + 1)^4 + \sin(dx + c)^6 / (\cos(dx + c) + 1)^6 + 1)) / d \end{aligned}$$

**Fricas [A]** time = 1.42773, size = 223, normalized size = 1.72

$$\frac{2 \left( 2(4A + 5B) \cos(dx + c)^2 + (4A + 5B) \cos(dx + c) + 3A \right) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c)}{15 \left( d \cos(dx + c)^4 + d \cos(dx + c)^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))^(1/2)\*(A+B\*cos(dx+c))/cos(dx+c)^(7/2),x, algorithm="fricas")

[Out] 2/15\*(2\*(4\*A + 5\*B)\*cos(dx + c)^2 + (4\*A + 5\*B)\*cos(dx + c) + 3\*A)\*sqrt(a\*cos(dx + c) + a)\*sqrt(cos(dx + c))\*sin(dx + c)/(d\*cos(dx + c)^4 + d\*cos(dx + c)^3)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))\*\*(1/2)\*(A+B\*cos(dx+c))/cos(dx+c)\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{a \cos(dx + c) + a}}{\cos(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))^(1/2)\*(A+B\*cos(dx+c))/cos(dx+c)^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(dx + c) + A)\*sqrt(a\*cos(dx + c) + a)/cos(dx + c)^(7/2), x)



$$3.173 \quad \int \frac{\sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=175

$$\frac{8a(6A+7B)\sin(c+dx)}{105d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \cos(c+dx)+a}} + \frac{2a(6A+7B)\sin(c+dx)}{35d \cos^{\frac{5}{2}}(c+dx)\sqrt{a \cos(c+dx)+a}} + \frac{16a(6A+7B)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}$$

[Out] (2\*a\*A\*Sin[c + d\*x])/(7\*d\*Cos[c + d\*x]^(7/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*(6\*A + 7\*B)\*Sin[c + d\*x])/(35\*d\*Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (8\*a\*(6\*A + 7\*B)\*Sin[c + d\*x])/(105\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (16\*a\*(6\*A + 7\*B)\*Sin[c + d\*x])/(105\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.28595, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$ , Rules used = {2980, 2772, 2771}

$$\frac{8a(6A+7B)\sin(c+dx)}{105d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \cos(c+dx)+a}} + \frac{2a(6A+7B)\sin(c+dx)}{35d \cos^{\frac{5}{2}}(c+dx)\sqrt{a \cos(c+dx)+a}} + \frac{16a(6A+7B)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(9/2), x]

[Out] (2\*a\*A\*Sin[c + d\*x])/(7\*d\*Cos[c + d\*x]^(7/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*(6\*A + 7\*B)\*Sin[c + d\*x])/(35\*d\*Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (8\*a\*(6\*A + 7\*B)\*Sin[c + d\*x])/(105\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (16\*a\*(6\*A + 7\*B)\*Sin[c + d\*x])/(105\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] & & NeQ[b\*c - a\*d, 0] & & EqQ[a^2 - b^2, 0] & & NeQ[c^2 - d^2, 0] & & LtQ[n, -1]

#### Rule 2772

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] & & NeQ[b\*c - a\*d, 0] & & EqQ[a^2 - b^2, 0] & & NeQ[c^2 - d^2, 0] & & LtQ[n, -1] & & NeQ[2\*n + 3, 0] & & IntegerQ[2\*n]

#### Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d,

e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx))}{\cos^{\frac{9}{2}}(c + dx)} dx &= \frac{2aA \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{1}{7}(6A + 7B) \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{\frac{7}{2}}(c + dx)} \\ &= \frac{2aA \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a(6A + 7B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} \\ &= \frac{2aA \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a(6A + 7B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} \\ &= \frac{2aA \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a(6A + 7B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.367869, size = 102, normalized size = 0.58

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}(9(6A + 7B) \cos(c + dx) + 2(6A + 7B) \cos(2(c + dx)) + 12A \cos(3(c + dx)) + 27A)}{105d \cos^{\frac{7}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(9/2), x]

[Out] (2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(27\*A + 14\*B + 9\*(6\*A + 7\*B)\*Cos[c + d\*x] + 2\*(6\*A + 7\*B)\*Cos[2\*(c + d\*x)] + 12\*A\*Cos[3\*(c + d\*x)] + 14\*B\*Cos[3\*(c + d\*x)])\*Tan[(c + d\*x)/2])/(105\*d\*Cos[c + d\*x]^(7/2))

**Maple [A]** time = 0.605, size = 108, normalized size = 0.6

$$\frac{(-2 + 2 \cos(dx + c)) (48 A (\cos(dx + c))^3 + 56 B (\cos(dx + c))^3 + 24 A (\cos(dx + c))^2 + 28 B (\cos(dx + c))^2 + 18 A \cos(dx + c) + 18 B)}{105 d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2), x)

[Out] -2/105/d\*(-1+cos(d\*x+c))\*(48\*A\*cos(d\*x+c)^3+56\*B\*cos(d\*x+c)^3+24\*A\*cos(d\*x+c)^2+28\*B\*cos(d\*x+c)^2+18\*A\*cos(d\*x+c)+21\*B\*cos(d\*x+c)+15\*A\*(a\*(1+cos(d\*x+c))))^(1/2)/sin(d\*x+c)/cos(d\*x+c)^(7/2)

**Maxima [B]** time = 2.04267, size = 705, normalized size = 4.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2), x, algorithm="maxima")

```
[Out] 2/105*(7*B*(15*sqrt(2)*sqrt(a)*sin(d*x + c)/(cos(d*x + c) + 1) - 25*sqrt(2)
*sqrt(a)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 17*sqrt(2)*sqrt(a)*sin(d*x +
c)^5/(cos(d*x + c) + 1)^5 - 7*sqrt(2)*sqrt(a)*sin(d*x + c)^7/(cos(d*x + c)
+ 1)^7)*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^3/((sin(d*x + c)/(cos(d*
x + c) + 1) + 1)^(7/2)*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(7/2)*(3*sin(
d*x + c)^2/(cos(d*x + c) + 1)^2 + 3*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + s
in(d*x + c)^6/(cos(d*x + c) + 1)^6 + 1)) + 3*A*(35*sqrt(2)*sqrt(a)*sin(d*x
+ c)/(cos(d*x + c) + 1) - 70*sqrt(2)*sqrt(a)*sin(d*x + c)^3/(cos(d*x + c) +
1)^3 + 84*sqrt(2)*sqrt(a)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 58*sqrt(2)
*sqrt(a)*sin(d*x + c)^7/(cos(d*x + c) + 1)^7 + 9*sqrt(2)*sqrt(a)*sin(d*x +
c)^9/(cos(d*x + c) + 1)^9)*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^4/((si
n(d*x + c)/(cos(d*x + c) + 1) + 1)^(9/2)*(-sin(d*x + c)/(cos(d*x + c) + 1)
+ 1)^(9/2)*(4*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 6*sin(d*x + c)^4/(cos(d
*x + c) + 1)^4 + 4*sin(d*x + c)^6/(cos(d*x + c) + 1)^6 + sin(d*x + c)^8/(co
s(d*x + c) + 1)^8 + 1)))/d
```

**Fricas [A]** time = 1.41965, size = 270, normalized size = 1.54

$$\frac{2 \left( 8(6A + 7B) \cos(dx + c)^3 + 4(6A + 7B) \cos(dx + c)^2 + 3(6A + 7B) \cos(dx + c) + 15A \right) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{105 \left( d \cos(dx + c)^5 + d \cos(dx + c)^4 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algor
ithm="fricas")
```

```
[Out] 2/105*(8*(6*A + 7*B)*cos(d*x + c)^3 + 4*(6*A + 7*B)*cos(d*x + c)^2 + 3*(6*A
+ 7*B)*cos(d*x + c) + 15*A)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*si
n(d*x + c)/(d*cos(d*x + c)^5 + d*cos(d*x + c)^4)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(9/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{a \cos(dx + c) + a}}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algor
ithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(a*cos(d*x + c) + a)/cos(d*x + c)^(9/2),
x)
```

$$3.174 \quad \int \cos^{\frac{3}{2}}(c+dx)(a+a\cos(c+dx))^{3/2}(A+B\cos(c+dx))dx$$

**Optimal.** Leaf size=227

$$\frac{a^2(8A+9B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{24d\sqrt{a\cos(c+dx)+a}} + \frac{a^2(88A+75B)\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{96d\sqrt{a\cos(c+dx)+a}} + \frac{a^{3/2}(88A+75B)\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{64d}$$

[Out] (a^(3/2)\*(88\*A + 75\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]/(64\*d) + (a^2\*(88\*A + 75\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(64\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(88\*A + 75\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(96\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(8\*A + 9\*B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(24\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*B\*Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d)

**Rubi [A]** time = 0.504117, antiderivative size = 227, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2976, 2981, 2770, 2774, 216}

$$\frac{a^2(8A+9B)\sin(c+dx)\cos^{\frac{5}{2}}(c+dx)}{24d\sqrt{a\cos(c+dx)+a}} + \frac{a^2(88A+75B)\sin(c+dx)\cos^{\frac{3}{2}}(c+dx)}{96d\sqrt{a\cos(c+dx)+a}} + \frac{a^{3/2}(88A+75B)\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{64d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]),x]

[Out] (a^(3/2)\*(88\*A + 75\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]/(64\*d) + (a^2\*(88\*A + 75\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(64\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(88\*A + 75\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(96\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(8\*A + 9\*B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(24\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*B\*Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d)

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2981

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(2\*n + 3)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(b\*d\*(2\*n + 3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 -

$b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& !\text{LtQ}[n, -1]$

### Rule 2770

$\text{Int}[\text{Sqrt}[(a_) + (b_.)\sin[(e_) + (f_.)*(x_)]]*((c_) + (d_.)\sin[(e_) + (f_.)*(x_)])^n, x\_Symbol] \rightarrow \text{Simp}[(-2*b*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^n)/(f*(2*n + 1)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[(2*n*(b*c + a*d))/(b*(2*n + 1)), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^{n-1}, x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

### Rule 2774

$\text{Int}[\text{Sqrt}[(a_) + (b_.)\sin[(e_) + (f_.)*(x_)]]/\text{Sqrt}[(d_.)\sin[(e_) + (f_.)*(x_)]], x\_Symbol] \rightarrow \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/\text{Sqrt}[1 - x^2/a], x], x, (b*\text{Cos}[e + f*x])/\text{Sqrt}[a + b*\text{Sin}[e + f*x]]], x] /;$  FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

### Rule 216

$\text{Int}[1/\text{Sqrt}[(a_) + (b_.)*(x_)^2], x\_Symbol] \rightarrow \text{Simp}[\text{ArcSin}[(\text{Rt}[-b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] /;$  FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{\frac{3}{2}}(A + B \cos(c + dx)) dx &= \frac{aB \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{4d} + \frac{1}{4} \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{\frac{3}{2}}(A + B \cos(c + dx)) dx \\ &= \frac{a^2(8A + 9B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)}} + \frac{aB \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{4d} \\ &= \frac{a^2(88A + 75B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{96d \sqrt{a + a \cos(c + dx)}} + \frac{a^2(8A + 9B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{24d} \\ &= \frac{a^2(88A + 75B) \sqrt{\cos(c + dx)} \sin(c + dx)}{64d \sqrt{a + a \cos(c + dx)}} + \frac{a^2(88A + 75B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{96d} \\ &= \frac{a^2(88A + 75B) \sqrt{\cos(c + dx)} \sin(c + dx)}{64d \sqrt{a + a \cos(c + dx)}} + \frac{a^2(88A + 75B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{96d} \\ &= \frac{a^{3/2}(88A + 75B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{64d} + \frac{a^2(88A + 75B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{64d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 1.09903, size = 136, normalized size = 0.6

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2}(88A + 75B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)}\right)}{384d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]), x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(3\*Sqrt[2]\*(88\*A + 75\*B)\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]] + 2\*Sqrt[Cos[c + d\*x]]\*(296\*A + 285\*B + 2\*(88





$$\begin{aligned}
& *x + 4*c) + 2*(16*a*\cos(4*d*x + 4*c)^2 + 16*a*\sin(4*d*x + 4*c)^2 - 25*a*\cos \\
& (4*d*x + 4*c) + 9*a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - \\
& 2*(64*a*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4 \\
& *c) + 25*a*\sin(4*d*x + 4*c)) * \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + \\
& 4*c)))) * \sin(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 36*(4*a*\cos( \\
& 1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c)^2 + a*\sin \\
& (4*d*x + 4*c)^2 * \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \cos( \\
& 3/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*a \\
& rctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1)) - (9*a*\cos(4*d*x + 4*c)^3 \\
& - 8*a*\cos(4*d*x + 4*c)^2 + 4*(9*a*\cos(4*d*x + 4*c)^3 - 26*a*\cos(4*d*x + 4* \\
& c)^2 + (9*a*\cos(4*d*x + 4*c) - 8*a)*\sin(4*d*x + 4*c)^2 + 25*a*\cos(4*d*x + 4 \\
& *c) - 8*a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + (9*a*co \\
& s(4*d*x + 4*c) - 8*a)*\sin(4*d*x + 4*c)^2 + 4*(9*a*\cos(4*d*x + 4*c)^3 + 10*a \\
& *cos(4*d*x + 4*c)^2 + (9*a*\cos(4*d*x + 4*c) - 8*a)*\sin(4*d*x + 4*c)^2 - 7*a \\
& *cos(4*d*x + 4*c) - 8*a)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c) \\
& ))^2 + (8*a*\cos(4*d*x + 4*c)^2 + 32*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4 \\
& *c)^2 - 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d \\
& *x + 4*c)))^2 + 8*a*\sin(4*d*x + 4*c)^2 + 32*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4 \\
& *d*x + 4*c)^2 + 2*a*\cos(4*d*x + 4*c) + a)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c)))^2 - 9*a*\cos(4*d*x + 4*c) + 2*(16*a*\cos(4*d*x + 4*c)^2 + \\
& 16*a*\sin(4*d*x + 4*c)^2 - 25*a*\cos(4*d*x + 4*c) + 9*a)*\cos(1/2*\arctan2(\sin \\
& (4*d*x + 4*c), \cos(4*d*x + 4*c))) - 2*(64*a*\cos(1/2*\arctan2(\sin(4*d*x + 4*c \\
& ), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + 25*a*\sin(4*d*x + 4*c)) * \sin(1/2*arc \\
& tan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \cos(3/4*\arctan2(\sin(4*d*x + 4*c) \\
& , \cos(4*d*x + 4*c))) + 4*(9*a*\cos(4*d*x + 4*c)^3 - 17*a*\cos(4*d*x + 4*c)^2 \\
& + (9*a*\cos(4*d*x + 4*c) - 8*a)*\sin(4*d*x + 4*c)^2 + 8*a*\cos(4*d*x + 4*c))*c \\
& os(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 9*(2*a*\cos(1/2*\arctan \\
& 2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + a*\sin(4*d*x + 4*c \\
& ) - 2*(a*\cos(4*d*x + 4*c) + a)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c)))) * \sin(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*(9*a* \\
& cos(4*d*x + 4*c) - 8*a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)) \\
& ) * \sin(4*d*x + 4*c) + (9*a*\cos(4*d*x + 4*c) - 8*a)*\sin(4*d*x + 4*c)) * \sin(1/2 \\
& *arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \sin(3/2*\arctan2(\sin(1/2*arct \\
& an2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c))) + 1))) * \sqrt{a} - 2*(\cos(1/2*\arctan2(\sin(4*d*x + 4*c), c \\
& os(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^ \\
& 2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^(1/4)*((7*a \\
& *cos(4*d*x + 4*c)^2*\sin(4*d*x + 4*c) + 7*a*\sin(4*d*x + 4*c)^3 - 48*(a*\cos(4 \\
& *d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 + 2*a*\cos(4*d*x + 4*c) + a)*\sin(1/2*ar \\
& ctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^3 + 4*(7*a*\sin(4*d*x + 4*c)^3 + \\
& 7*(a*\cos(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + a)*\sin(4*d*x + 4*c) - 68*( \\
& a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + a)*\sin \\
& (1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \cos(1/2*\arctan2(\sin(4*d* \\
& x + 4*c), \cos(4*d*x + 4*c)))^2 + 7*a*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos( \\
& 4*d*x + 4*c))) * \sin(4*d*x + 4*c) + 4*(7*a*\sin(4*d*x + 4*c)^3 + 48*a*\cos(1/2* \\
& arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + (7*a*\cos(4* \\
& d*x + 4*c)^2 + 14*a*\cos(4*d*x + 4*c) + 19*a)*\sin(4*d*x + 4*c) - 68*(a*\cos(4 \\
& *d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 + 2*a*\cos(4*d*x + 4*c) + a)*\sin(1/4*ar \\
& ctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \sin(1/2*\arctan2(\sin(4*d*x + 4*c \\
& ), \cos(4*d*x + 4*c)))^2 + 2*(14*a*\sin(4*d*x + 4*c)^3 + 7*a*\cos(1/4*\arctan2( \\
& sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + 14*(a*\cos(4*d*x + 4 \\
& *c)^2 - a*\cos(4*d*x + 4*c)) * \sin(4*d*x + 4*c) - (136*a*\cos(4*d*x + 4*c)^2 + \\
& 136*a*\sin(4*d*x + 4*c)^2 - 129*a*\cos(4*d*x + 4*c) - 7*a)*\sin(1/4*\arctan2(si \\
& n(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4 \\
& *d*x + 4*c))) - 2*(6*a*\cos(4*d*x + 4*c)^2 + 24*(a*\cos(4*d*x + 4*c)^2 + a*si \\
& n(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/2*\arctan2(\sin(4*d*x + 4* \\
& c), \cos(4*d*x + 4*c)))^2 + 20*a*\sin(4*d*x + 4*c)^2 - 129*a*\sin(4*d*x + 4*c) \\
& * \sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 8*(3*a*\cos(4*d*x + \\
& 4*c)^2 + 10*a*\sin(4*d*x + 4*c)^2 - 68*a*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(si
\end{aligned}$$



$$\begin{aligned}
& n(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 3*a*\cos(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 7*(a*\cos(4*d*x + 4*c) + a)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - (68*a*\cos(4*d*x + 4*c)^2 + 68*a*\sin(4*d*x + 4*c)^2 + 7*a*\cos(4*d*x + 4*c))*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)) - (7*a*\cos(4*d*x + 4*c)^3 - 48*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^3 + 56*a*\cos(4*d*x + 4*c)^2 + 4*(7*a*\cos(4*d*x + 4*c)^3 + 30*a*\cos(4*d*x + 4*c)^2 + (7*a*\cos(4*d*x + 4*c) + 44*a)*\sin(4*d*x + 4*c)^2 - 93*a*\cos(4*d*x + 4*c) - 44*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 56*a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 7*(a*\cos(4*d*x + 4*c) + 8*a)*\sin(4*d*x + 4*c)^2 + 4*(7*a*\cos(4*d*x + 4*c)^3 + 70*a*\cos(4*d*x + 4*c)^2 + 7*(a*\cos(4*d*x + 4*c) + 8*a)*\sin(4*d*x + 4*c)^2 + 119*a*\cos(4*d*x + 4*c) - 12*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 + 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 44*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 + 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 56*a)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 - 7*a*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 2*(14*a*\cos(4*d*x + 4*c)^3 + 92*a*\cos(4*d*x + 4*c)^2 + 2*(7*a*\cos(4*d*x + 4*c) + 53*a)*\sin(4*d*x + 4*c)^2 - 7*a*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 112*a*\cos(4*d*x + 4*c) - (88*a*\cos(4*d*x + 4*c)^2 + 88*a*\sin(4*d*x + 4*c)^2 - 81*a*\cos(4*d*x + 4*c) - 7*a)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - (44*a*\cos(4*d*x + 4*c)^2 + 44*a*\sin(4*d*x + 4*c)^2 + 7*a*\cos(4*d*x + 4*c))*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 2*(96*a*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2*\sin(4*d*x + 4*c) + 81*a*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + 8*(44*a*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) - (7*a*\cos(4*d*x + 4*c) + 53*a)*\sin(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 14*(a*\cos(4*d*x + 4*c) + 8*a)*\sin(4*d*x + 4*c) + 7*(a*\cos(4*d*x + 4*c) + a)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1))) * \sqrt{a} + 75*((a*\cos(4*d*x + 4*c)^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + a*\sin(4*d*x + 4*c)^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - a*\cos(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*a*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + a*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\arctan2(-(\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^(1/4)*(\cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1))*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - \cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1))), (\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^(1/4)*(\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)) + \sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(4*d*x + 4*c)))
\end{aligned}$$

$$\begin{aligned}
& 4*c)), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1))) + 1) - \\
& (a*\cos(4*d*x + 4*c)^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - 2 \\
& *a*\cos(4*d*x + 4*c) + a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c) \\
& ))^2 + a*\sin(4*d*x + 4*c)^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 \\
& + 2*a*\cos(4*d*x + 4*c) + a)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + \\
& 4*c)))^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - a*\cos(4*d*x + \\
& 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*a*\cos(1/2 \\
& *\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + a*\sin(4*d* \\
& x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\arctan2(-(c \\
& os(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin \\
& (4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), c \\
& os(4*d*x + 4*c))) + 1)^(1/4)*(\cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4 \\
& *c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c) \\
& )) + 1))*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - \cos(1/4*\arctan2 \\
& (\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(1/2*\arctan2(\sin(1/2*\arctan2(s \\
& in(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos( \\
& 4*d*x + 4*c))) + 1))), (\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c) \\
& ))^2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\ar \\
& ctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^(1/4)*(\cos(1/4*\arctan2(\sin( \\
& 4*d*x + 4*c), \cos(4*d*x + 4*c)))*\cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x \\
& + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4 \\
& *c))) + 1)) + \sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(1/2* \\
& arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arcta \\
& n2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1))) - 1) - (a*\cos(4*d*x + 4*c)^2 \\
& + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + \\
& a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + a*\sin(4*d*x + 4 \\
& *c)^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 + 2*a*\cos(4*d*x + 4* \\
& c) + a)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 4*(a*\cos(4 \\
& *d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - a*\cos(4*d*x + 4*c))*\cos(1/2*\arctan2( \\
& \sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*a*\cos(1/2*\arctan2(\sin(4*d*x + 4 \\
& *c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + a*\sin(4*d*x + 4*c))*\sin(1/2*\arct \\
& an2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\arctan2((\cos(1/2*\arctan2(\sin(4*d* \\
& x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d* \\
& x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^( \\
& 1/4)*\sin(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \\
& \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)), (\cos(1/2*\arcta \\
& n2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c \\
& ), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4 \\
& *c))) + 1)^(1/4)*\cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d* \\
& x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)) + 1) \\
& + (a*\cos(4*d*x + 4*c)^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - \\
& 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4* \\
& c)))^2 + a*\sin(4*d*x + 4*c)^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c \\
& )^2 + 2*a*\cos(4*d*x + 4*c) + a)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c)))^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - a*\cos(4*d*x \\
& + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*a*\cos(1 \\
& /2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + a*\sin(4* \\
& d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\arctan2(( \\
& \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(si \\
& n(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c))) + 1)^(1/4)*\sin(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4 \\
& *c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c) \\
& )) + 1)), (\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2 \\
& *\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d \\
& *x + 4*c), \cos(4*d*x + 4*c))) + 1)^(1/4)*\cos(1/2*\arctan2(\sin(1/2*\arctan2(si \\
& n(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4 \\
& *d*x + 4*c))) + 1)) - 1))*\sqrt{a})*B/(4*(\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4 \\
& *c)^2 - 2*\cos(4*d*x + 4*c) + 1)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c)))^2 + 4*(\cos(4*d*x + 4*c)^2 + \sin(4*d*x + 4*c)^2 + 2*\cos(4*d*x + 4*
\end{aligned}$$

$$\frac{(c + 1) \sin\left(\frac{1}{2} \arctan\left(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)}\right)\right)^2 + \cos(4dx + 4c)^2 + 4(\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 - \cos(4dx + 4c)) \cos\left(\frac{1}{2} \arctan\left(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)}\right)\right) + \sin(4dx + 4c)^2 - 4(4\cos\left(\frac{1}{2} \arctan\left(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)}\right)\right) \sin(4dx + 4c) + \sin(4dx + 4c)) \sin\left(\frac{1}{2} \arctan\left(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)}\right)\right)}{d}$$

**Fricas [A]** time = 2.32066, size = 451, normalized size = 1.99

$$\frac{(48Ba \cos(dx + c)^3 + 8(8A + 15B)a \cos(dx + c)^2 + 2(88A + 75B)a \cos(dx + c) + 3(88A + 75B)a) \sqrt{a \cos(dx + c)}}{192(d \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(dx+c)^(3/2)*(a+a*cos(dx+c))^(3/2)*(A+B*cos(dx+c)),x, algorithm="fricas")
```

```
[Out] 1/192*((48*B*a*cos(dx + c)^3 + 8*(8*A + 15*B)*a*cos(dx + c)^2 + 2*(88*A + 75*B)*a*cos(dx + c) + 3*(88*A + 75*B)*a)*sqrt(a*cos(dx + c) + a)*sqrt(cos(dx + c))*sin(dx + c) - 3*((88*A + 75*B)*a*cos(dx + c) + (88*A + 75*B)*a)*sqrt(a)*arctan(sqrt(a*cos(dx + c) + a)*sqrt(cos(dx + c))/(sqrt(a)*sin(dx + c)))/(d*cos(dx + c) + d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(dx+c)**(3/2)*(a+a*cos(dx+c))**(3/2)*(A+B*cos(dx+c)),x)
```

```
[Out] Timed out
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(dx+c)^(3/2)*(a+a*cos(dx+c))^(3/2)*(A+B*cos(dx+c)),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.175 \quad \int \sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{3/2}(A+B\cos(c+dx))dx$$

**Optimal.** Leaf size=180

$$\frac{a^2(6A+7B)\sin(c+dx)\cos^3(c+dx)}{12d\sqrt{a\cos(c+dx)+a}} + \frac{a^{3/2}(14A+11B)\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{8d} + \frac{a^2(14A+11B)\sin(c+dx)\sqrt{\cos(c+dx)}}{8d\sqrt{a\cos(c+dx)+a}}$$

[Out] (a^(3/2)\*(14\*A + 11\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]])/(8\*d) + (a^2\*(14\*A + 11\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(8\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(6\*A + 7\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(12\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*B\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.412213, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2976, 2981, 2770, 2774, 216}

$$\frac{a^2(6A+7B)\sin(c+dx)\cos^3(c+dx)}{12d\sqrt{a\cos(c+dx)+a}} + \frac{a^{3/2}(14A+11B)\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{8d} + \frac{a^2(14A+11B)\sin(c+dx)\sqrt{\cos(c+dx)}}{8d\sqrt{a\cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]),x]

[Out] (a^(3/2)\*(14\*A + 11\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]])/(8\*d) + (a^2\*(14\*A + 11\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(8\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(6\*A + 7\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(12\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a\*B\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d)

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2981

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(2\*n + 3)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(b\*d\*(2\*n + 3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

#### Rule 2770

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]
```

#### Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]
```

#### Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

#### Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx &= \frac{aB \cos^3(c + dx) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d} + \frac{1}{3} \int \\ &= \frac{a^2(6A + 7B) \cos^3(c + dx) \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)}} + \frac{aB \cos^3(c + dx)}{12d} \\ &= \frac{a^2(14A + 11B) \sqrt{\cos(c + dx)} \sin(c + dx)}{8d \sqrt{a + a \cos(c + dx)}} + \frac{a^2(6A + 7B)}{12d} \\ &= \frac{a^2(14A + 11B) \sqrt{\cos(c + dx)} \sin(c + dx)}{8d \sqrt{a + a \cos(c + dx)}} + \frac{a^2(6A + 7B)}{12d} \\ &= \frac{a^{3/2}(14A + 11B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{8d} + \frac{a^2(14A + 11B)}{8d \sqrt{a}} \end{aligned}$$

**Mathematica [A]** time = 0.654253, size = 119, normalized size = 0.66

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2}(14A + 11B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)}\right)}{48d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]), x]
```

```
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(3*Sqrt[2]*(14*A + 11*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(42*A + 37*B + 2*(6*A + 11*B)*Cos[c + d*x] + 4*B*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(48*d)
```

**Maple [B]** time = 0.689, size = 357, normalized size = 2.

$$\frac{a(-1 + \cos(dx + c))^2}{24d(\sin(dx + c))^4} \left( 12A \sin(dx + c) \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{3/2} (\cos(dx + c))^2 + 54A \sin(dx + c) \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{3/2} \cos(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(a+cos(d\*x+c)\*a)^(3/2)\*(A+B\*cos(d\*x+c)),x)

[Out] 1/24/d\*a\*(-1+cos(d\*x+c))^2\*(12\*A\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*cos(d\*x+c)^2+54\*A\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*cos(d\*x+c)+8\*B\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^3+42\*A\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+22\*B\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^2+33\*B\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)+42\*A\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*cos(d\*x+c)+33\*B\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*cos(d\*x+c)\*(a\*(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^(1/2)/sin(d\*x+c)^4/(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)

**Maxima [B]** time = 3.47846, size = 4081, normalized size = 22.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x, algorith="maxima")

[Out] 1/96\*(6\*(2\*(cos(2\*d\*x + 2\*c))^2 + sin(2\*d\*x + 2\*c))^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*((a\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*sin(2\*d\*x + 2\*c) + a\*sin(2\*d\*x + 2\*c) - (a\*cos(2\*d\*x + 2\*c) - 6\*a)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + (a\*sin(2\*d\*x + 2\*c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) - a\*cos(2\*d\*x + 2\*c) + (a\*cos(2\*d\*x + 2\*c) - 6\*a)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*sqrt(a) + 7\*(a\*arctan2((cos(2\*d\*x + 2\*c))^2 + sin(2\*d\*x + 2\*c))^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))), (cos(2\*d\*x + 2\*c))^2 + sin(2\*d\*x + 2\*c))^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) - a\*arctan2((cos(2\*d\*x + 2\*c))^2 + sin(2\*d\*x + 2\*c))^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))), (cos(2\*d\*x + 2\*c))^2 + sin(2\*d\*x + 2\*c))^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) - 1) - a\*arctan2((cos(2\*d\*x + 2\*c))^2 + sin(2\*d\*x + 2\*c))^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)), (cos(2\*d\*x + 2\*c))^2 + sin(2\*d\*x + 2\*c))^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + 1) + a\*arctan2((cos(2\*d\*x +

$$\begin{aligned}
& 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2*\arctan2 \\
& (\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x \\
& + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c) + 1)) - 1))*\sqrt{a})*A + (4*(a*\cos(3/2*\arctan2(\sin(2/3*\arctan2 \\
& (\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c) \\
& , \cos(3*d*x + 3*c))) + 1))*\sin(3*d*x + 3*c) - (a*\cos(3*d*x + 3*c) - a)*\sin( \\
& 3/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*a \\
& rctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))*(\cos(2/3*\arctan2(\sin(3*d \\
& *x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d \\
& *x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1) \\
& ^{(3/4)}*\sqrt{a} + 6*(\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 \\
& + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2 \\
& 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)}*((3*a*\sin(2/3*\arctan2(\sin \\
& (3*d*x + 3*c), \cos(3*d*x + 3*c))) + 11*a*\sin(1/3*\arctan2(\sin(3*d*x + 3*c), \\
& \cos(3*d*x + 3*c))))*\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3 \\
& *d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) - \\
& (3*a*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 5*a*\cos(1/3*\ar \\
& ctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) - 8*a)*\sin(1/2*\arctan2(\sin(2/3*a \\
& rctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3* \\
& c), \cos(3*d*x + 3*c))) + 1))*\sqrt{a} + 33*(a*\arctan2(-(\cos(2/3*\arctan2(\sin \\
& (3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos \\
& (3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) \\
& + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3 \\
& *c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))*\sin(1/3*a \\
& rctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) - \cos(1/3*\arctan2(\sin(3*d*x + 3 \\
& *c), \cos(3*d*x + 3*c)))*\sin(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), c \\
& os(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1 \\
& )), (\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arct \\
& an2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + \\
& 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)}*(\cos(1/3*\arctan2(\sin(3*d*x + 3*c), \cos( \\
& 3*d*x + 3*c)))*\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x \\
& + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) + \sin( \\
& 1/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))*\sin(1/2*\arctan2(\sin(2/3*\ar \\
& ctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c) \\
& ), \cos(3*d*x + 3*c))) + 1))) + 1) - a*\arctan2(-(\cos(2/3*\arctan2(\sin(3*d*x + \\
& 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + \\
& 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/ \\
& 4)}*(\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), c \\
& os(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))*\sin(1/3*\arctan2(s \\
& in(3*d*x + 3*c), \cos(3*d*x + 3*c))) - \cos(1/3*\arctan2(\sin(3*d*x + 3*c), \cos \\
& (3*d*x + 3*c)))*\sin(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x \\
& + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))), (co \\
& s(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin( \\
& 3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), co \\
& s(3*d*x + 3*c))) + 1)^{(1/4)}*(\cos(1/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + \\
& 3*c)))*\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) \\
& , \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) + \sin(1/3*\arct \\
& an2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))*\sin(1/2*\arctan2(\sin(2/3*\arctan2(si \\
& n(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3 \\
& *d*x + 3*c))) + 1))) - 1) - a*\arctan2((\cos(2/3*\arctan2(\sin(3*d*x + 3*c), co \\
& s(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 \\
& + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)}*\sin(1/ \\
& 2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arct \\
& tan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)), (\cos(2/3*\arctan2(\sin(3*d*x \\
& + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x \\
& + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{( \\
& 1/4)}*\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \\
& \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) + 1) + a*\arctan2 \\
& ((\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(
\end{aligned}$$

$$\frac{\sin(3dx + 3c), \cos(3dx + 3c))^2 + 2\cos(2/3\arctan2(\sin(3dx + 3c), \cos(3dx + 3c))) + 1)^{1/4}\sin(1/2\arctan2(\sin(2/3\arctan2(\sin(3dx + 3c), \cos(3dx + 3c))), \cos(2/3\arctan2(\sin(3dx + 3c), \cos(3dx + 3c)))) + 1)), (\cos(2/3\arctan2(\sin(3dx + 3c), \cos(3dx + 3c)))^2 + \sin(2/3\arctan2(\sin(3dx + 3c), \cos(3dx + 3c)))^2 + 2\cos(2/3\arctan2(\sin(3dx + 3c), \cos(3dx + 3c))) + 1)^{1/4}\cos(1/2\arctan2(\sin(2/3\arctan2(\sin(3dx + 3c), \cos(3dx + 3c))), \cos(2/3\arctan2(\sin(3dx + 3c), \cos(3dx + 3c)))) + 1)) - 1)\sqrt{a})B)/d$$

**Fricas [A]** time = 1.90417, size = 401, normalized size = 2.23

$$\frac{(8Ba \cos(dx + c)^2 + 2(6A + 11B)a \cos(dx + c) + 3(14A + 11B)a)\sqrt{a \cos(dx + c) + a}\sqrt{\cos(dx + c)}\sin(dx + c) - 3((14A + 11B)a \cos(dx + c) + (14A + 11B)a)\sqrt{a}\arctan(\sqrt{a \cos(dx + c) + a})}{24(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/24\*((8\*B\*a\*cos(d\*x + c)^2 + 2\*(6\*A + 11\*B)\*a\*cos(d\*x + c) + 3\*(14\*A + 11\*B)\*a)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 3\*((14\*A + 11\*B)\*a\*cos(d\*x + c) + (14\*A + 11\*B)\*a)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c)))/(sqrt(a)\*sin(d\*x + c)))/(d\*cos(d\*x + c) + d)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(a+a\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] Exception raised: TypeError



$$3.176 \quad \int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=133

$$\frac{a^{3/2}(12A+7B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{a^2(4A+5B) \sin(c+dx) \sqrt{\cos(c+dx)}}{4d \sqrt{a \cos(c+dx)+a}} + \frac{aB \sin(c+dx) \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)}}{2d}$$

```
[Out] (a^(3/2)*(12*A + 7*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]/(4*d) + (a^2*(4*A + 5*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[a + a*Cos[c + d*x]]) + (a*B*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(2*d)
```

**Rubi [A]** time = 0.329873, antiderivative size = 133, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2976, 2981, 2774, 216}

$$\frac{a^{3/2}(12A+7B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} + \frac{a^2(4A+5B) \sin(c+dx) \sqrt{\cos(c+dx)}}{4d \sqrt{a \cos(c+dx)+a}} + \frac{aB \sin(c+dx) \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)}}{2d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]], x]
```

```
[Out] (a^(3/2)*(12*A + 7*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]/(4*d) + (a^2*(4*A + 5*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[a + a*Cos[c + d*x]]) + (a*B*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(2*d)
```

#### Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

#### Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
```

$(e + f*x)/\text{Sqrt}[a + b*\text{Sin}[e + f*x]]], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{EqQ}[d, a/b]$

### Rule 216

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x\_Symbol] :> \text{Simp}[\text{ArcSin}[(\text{Rt}[-b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{GtQ}[a, 0] \&\& \text{NegQ}[b]$

### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{3/2}(A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \frac{aB\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d} + \frac{1}{2} \int \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{a^2(4A + 5B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{aB\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}}{2d} \\ &= \frac{a^2(4A + 5B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{aB\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}}{2d} \\ &= \frac{a^{3/2}(12A + 7B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{4d} + \frac{a^2(4A + 5B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.355379, size = 101, normalized size = 0.76

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(\sqrt{2}(12A + 7B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)}(4A + 5B)\right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]], x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(Sqrt[2]\*(12\*A + 7\*B)\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]] + 2\*Sqrt[Cos[c + d\*x]]\*(4\*A + 7\*B + 2\*B\*Cos[c + d\*x])\*Sin[(c + d\*x)/2]))/(8\*d)

**Maple [B]** time = 0.677, size = 283, normalized size = 2.1

$$-\frac{a(-1 + \cos(dx + c))}{4d(\sin(dx + c))^2} \left( 4A \sin(dx + c) \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{3/2} \cos(dx + c) + 4A \sin(dx + c) \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{3/2} + 2B \sin(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2), x)

[Out] -1/4/d\*a\*(-1+cos(d\*x+c))\*(4\*A\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*cos(d\*x+c)+4\*A\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+2\*B\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^2+7\*B\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)+12\*A\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)/cos(d\*x+c)\*cos(d\*x+c)+7\*B\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)/cos(d\*x+c)\*cos(d\*x+c)+7\*B\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)/cos(d\*x+c)\*cos(d\*x+c)



```
, cos(2*d*x + 2*c))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) +
1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - 1) - a*arctan2
((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*s
in(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^
2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(
2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + a*arctan2((cos(2*d*x + 2*c)^2 +
sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d
*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2
+ 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*
x + 2*c) + 1)) - 1))*sqrt(a))*B)/d
```

**Fricas [A]** time = 1.8741, size = 343, normalized size = 2.58

$$\frac{(2Ba \cos(dx + c) + (4A + 7B)a)\sqrt{a \cos(dx + c) + a}\sqrt{\cos(dx + c)} \sin(dx + c) - ((12A + 7B)a \cos(dx + c) + (12A + 7B)a \sin(dx + c))\sqrt{a \cos(dx + c) + a}}{4(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algor
ithm="fricas")
```

```
[Out] 1/4*((2*B*a*cos(d*x + c) + (4*A + 7*B)*a)*sqrt(a*cos(d*x + c) + a)*sqrt(cos
(d*x + c))*sin(d*x + c) - ((12*A + 7*B)*a*cos(d*x + c) + (12*A + 7*B)*a)*sq
rt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x +
c))))/(d*cos(d*x + c) + d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algor
ithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^(3/2)/sqrt(cos(d*x + c)
), x)
```

$$3.177 \quad \int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=126

$$\frac{a^{3/2}(2A+3B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} - \frac{a^2(2A-B) \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a \cos(c+dx)+a}} + \frac{2aA \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{d \sqrt{\cos(c+dx)}}$$

[Out] (a^(3/2)\*(2\*A + 3\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d - (a^2\*(2\*A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]])

**Rubi [A]** time = 0.33107, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2975, 2981, 2774, 216}

$$\frac{a^{3/2}(2A+3B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} - \frac{a^2(2A-B) \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a \cos(c+dx)+a}} + \frac{2aA \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]

[Out] (a^(3/2)\*(2\*A + 3\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d - (a^2\*(2\*A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]])

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m-1)\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(n+1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n+1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m-1)\*(c + d\*Sin[e + f\*x])^(n+1)\*Simp[A\*d\*(m-n-2) - B\*(a\*c\*(m-1) + b\*d\*(n+1)) - (A\*b\*d\*(m+n+1) - B\*(b\*c\*m - a\*d\*(n+1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2981

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(2\*n+3)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n+3) - B\*(b\*c - 2\*a\*d\*(n+1)))/(b\*d\*(2\*n+3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos

$(e + f*x)/\text{Sqrt}[a + b*\text{Sin}[e + f*x]]$ , x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\cos^3(c + dx)} dx &= \frac{2aA\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{\sqrt{a + a \cos(c + dx)} \left(\frac{1}{2}a(2A + 3B)\right)}{\sqrt{\cos(c + dx)}} dx \\ &= -\frac{a^2(2A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} \\ &= -\frac{a^2(2A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} \\ &= \frac{a^{3/2}(2A + 3B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{d} - \frac{a^2(2A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.310588, size = 107, normalized size = 0.85

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(\sqrt{2}(2A + 3B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)} + 2 \sin\left(\frac{1}{2}(c + dx)\right) (2A + 3B)}{2d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(Sqrt[2]\*(2\*A + 3\*B)\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Sqrt[Cos[c + d\*x]] + 2\*(2\*A + B\*Cos[c + d\*x])\*Sin[(c + d\*x)/2]))/(2\*d\*Sqrt[Cos[c + d\*x]])

**Maple [B]** time = 0.596, size = 300, normalized size = 2.4

$$\frac{a}{d(1 + \cos(dx + c))} \sqrt{a(1 + \cos(dx + c))} \left( 2A \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}\right) \cos(dx + c) + 3B \left(\frac{\sin(dx + c)}{\cos(dx + c)} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x)

[Out] 1/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(2\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*cos(d\*x+c)+3\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*cos(d\*x+c)+2\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+3\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*cos(d\*x+c)



$$+ 1)^{1/4} \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - 1) * (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \sqrt{a} + 4 * (a \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) - (a \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) * \sqrt{a} * A / (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} / d$$

**Fricas [A]** time = 2.05926, size = 362, normalized size = 2.87

$$\frac{(Ba \cos(dx + c) + 2Aa) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) - ((2A + 3B)a \cos(dx + c)^2 + (2A + 3B)a \cos(dx + c))}{d \cos(dx + c)^2 + d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] ((B\*a\*cos(d\*x + c) + 2\*A\*a)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - ((2\*A + 3\*B)\*a\*cos(d\*x + c)^2 + (2\*A + 3\*B)\*a\*cos(d\*x + c))\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))))/(d\*cos(d\*x + c)^2 + d\*cos(d\*x + c))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^(3/2)/cos(d\*x + c)^(3/2), x)



$$3.178 \quad \int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{5 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=125

$$\frac{2a^2(4A+3B) \sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} + \frac{2a^{3/2}B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{2aA \sin(c+dx)\sqrt{a \cos(c+dx)+a}}{3d \cos^2(c+dx)}$$

[Out] (2\*a^(3/2)\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d + (2\*a^2\*(4\*A + 3\*B)\*Sin[c + d\*x])/(3\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2))

**Rubi [A]** time = 0.315417, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2975, 2980, 2774, 216}

$$\frac{2a^2(4A+3B) \sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} + \frac{2a^{3/2}B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{2aA \sin(c+dx)\sqrt{a \cos(c+dx)+a}}{3d \cos^2(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(5/2), x]

[Out] (2\*a^(3/2)\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d + (2\*a^2\*(4\*A + 3\*B)\*Sin[c + d\*x])/(3\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2))

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m-1)\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(n+1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n+1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m-1)\*(c + d\*Sin[e + f\*x])^(n+1)\*Simp[A\*d\*(m-n-2) - B\*(a\*c\*(m-1) + b\*d\*(n+1)) - (A\*b\*d\*(m+n+1) - B\*(b\*c\*m - a\*d\*(n+1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(n+1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n+3) - B\*(b\*c - 2\*a\*d\*(n+1)))/(2\*d\*(n+1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n+1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x], (b\*Cos

$[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] \&\& EqQ[a^2 - b^2, 0] \&\& EqQ[d, a/b]$

**Rule 216**

$Int[1/Sqrt[(a_) + (b_)*(x_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] \&\& GtQ[a, 0] \&\& NegQ[b]$

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^{3/2}(A + B \cos(c + dx))}{\cos^5(c + dx)} dx = \frac{2aA\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \cos^3(c + dx)} + \frac{2}{3} \int \frac{\sqrt{a + a \cos(c + dx)} \left(\frac{1}{2}a(4A + 3B) \cos(c + dx) + A\right)}{\cos^3(c + dx)} dx$$

$$= \frac{2a^2(4A + 3B) \sin(c + dx)}{3d\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \cos^3(c + dx)}$$

$$= \frac{2a^2(4A + 3B) \sin(c + dx)}{3d\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \cos^3(c + dx)}$$

$$= \frac{2a^{3/2}B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} + \frac{2a^2(4A + 3B) \sin(c + dx)}{3d\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \cos^3(c + dx)}$$

**Mathematica [A]** time = 0.36892, size = 106, normalized size = 0.85

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) ((5A + 3B) \cos(c + dx) + A) + 3\sqrt{2}B \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{3d \cos^3(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(5/2),x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*(3\*Sqrt[2]\*B\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Cos[c + d\*x]^(3/2) + 2\*(A + (5\*A + 3\*B)\*Cos[c + d\*x])\*Sin[(c + d\*x)/2]))/(3\*d\*Cos[c + d\*x]^(3/2))

**Maple [A]** time = 0.596, size = 211, normalized size = 1.7

$$-\frac{2a}{3d \sin(dx + c)} \sqrt{a(1 + \cos(dx + c))} \left( -3B \sin(dx + c) \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{3/2} \arctan\left( \frac{\sin(dx + c)}{\cos(dx + c)} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x)

[Out] -2/3/d\*a\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-3\*B\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*cos(d\*x+c)-3\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*sin(d\*x+c)+5\*A\*cos(d\*x+c)^2+3\*B\*cos(d\*x+c))

$$x+c)^2-4*A*\cos(d*x+c)-3*B*\cos(d*x+c)-A)/\sin(d*x+c)/\cos(d*x+c)^{(3/2)}$$

**Maxima [B]** time = 2.10996, size = 1517, normalized size = 12.14

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] 
$$\frac{1}{6} * (3 * ((a * \arctan2(\cos(2 * d * x + 2 * c)^2 + \sin(2 * d * x + 2 * c)^2 + 2 * \cos(2 * d * x + 2 * c) + 1)^{1/4} * (\cos(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) * \sin(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) + 1)) - \cos(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) + 1)) * \sin(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))))), (\cos(2 * d * x + 2 * c)^2 + \sin(2 * d * x + 2 * c)^2 + 2 * \cos(2 * d * x + 2 * c) + 1)^{1/4} * (\cos(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) + 1)) * \cos(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) + \sin(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) + 1)) * \sin(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c)))) + 1) - a * \arctan2(\cos(2 * d * x + 2 * c)^2 + \sin(2 * d * x + 2 * c)^2 + 2 * \cos(2 * d * x + 2 * c) + 1)^{1/4} * (\cos(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) * \sin(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) + 1)) - \cos(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) + 1)) * \sin(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))))), (\cos(2 * d * x + 2 * c)^2 + \sin(2 * d * x + 2 * c)^2 + 2 * \cos(2 * d * x + 2 * c) + 1)^{1/4} * (\cos(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) + 1)) * \cos(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) + \sin(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) + 1)) * \sin(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c)))) - 1) - a * \arctan2(\cos(2 * d * x + 2 * c)^2 + \sin(2 * d * x + 2 * c)^2 + 2 * \cos(2 * d * x + 2 * c) + 1)^{1/4} * \sin(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) + 1)), (\cos(2 * d * x + 2 * c)^2 + \sin(2 * d * x + 2 * c)^2 + 2 * \cos(2 * d * x + 2 * c) + 1)^{1/4} * \cos(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) + 1)) + 1) + a * \arctan2(\cos(2 * d * x + 2 * c)^2 + \sin(2 * d * x + 2 * c)^2 + 2 * \cos(2 * d * x + 2 * c) + 1)^{1/4} * \sin(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) + 1)), (\cos(2 * d * x + 2 * c)^2 + \sin(2 * d * x + 2 * c)^2 + 2 * \cos(2 * d * x + 2 * c) + 1)^{1/4} * \cos(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) + 1)) - 1)) * (\cos(2 * d * x + 2 * c)^2 + \sin(2 * d * x + 2 * c)^2 + 2 * \cos(2 * d * x + 2 * c) + 1)^{1/4} * \sqrt{a} + 4 * (a * \cos(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) + 1)) * \sin(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c)))) - (a * \cos(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c))) - a) * \sin(1/2 * \arctan2(\sin(2 * d * x + 2 * c), \cos(2 * d * x + 2 * c) + 1))) * \sqrt{a}) * B / (\cos(2 * d * x + 2 * c)^2 + \sin(2 * d * x + 2 * c)^2 + 2 * \cos(2 * d * x + 2 * c) + 1)^{1/4} + 8 * (3 * \sqrt{2}) * a^{3/2} * \sin(d * x + c) / (\cos(d * x + c) + 1) - 5 * \sqrt{2} * a^{3/2} * \sin(d * x + c)^3 / (\cos(d * x + c) + 1)^3 + 2 * \sqrt{2} * a^{3/2} * \sin(d * x + c)^5 / (\cos(d * x + c) + 1)^5 * A / ((\sin(d * x + c) / (\cos(d * x + c) + 1) + 1)^{5/2}) * (-\sin(d * x + c) / (\cos(d * x + c) + 1) + 1)^{5/2} / d$$

**Fricas [A]** time = 1.93496, size = 359, normalized size = 2.87

$$\frac{2 \left( ((5A + 3B)a \cos(dx + c) + Aa) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) - 3 (Ba \cos(dx + c)^3 + Ba \cos(dx + c)) \right)}{3 (d \cos(dx + c)^3 + d \cos(dx + c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="fricas")

```
[Out] 2/3*(((5*A + 3*B)*a*cos(d*x + c) + A*a)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - 3*(B*a*cos(d*x + c)^3 + B*a*cos(d*x + c)^2)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/(d*cos(d*x + c)^3 + d*cos(d*x + c)^2)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^(3/2)/cos(d*x + c)^(5/2), x)
```

$$3.179 \quad \int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{7 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=134

$$\frac{2a^2(6A+5B) \sin(c+dx)}{15d \cos^3(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2a^2(18A+25B) \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} + \frac{2aA \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{5d \cos^5(c+dx)}$$

[Out] (2\*a^2\*(6\*A + 5\*B)\*Sin[c + d\*x])/(15\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(18\*A + 25\*B)\*Sin[c + d\*x])/(15\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(5\*d\*Cos[c + d\*x]^(5/2))

**Rubi [A]** time = 0.339731, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$ , Rules used = {2975, 2980, 2771}

$$\frac{2a^2(6A+5B) \sin(c+dx)}{15d \cos^3(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2a^2(18A+25B) \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} + \frac{2aA \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{5d \cos^5(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(7/2), x]

[Out] (2\*a^2\*(6\*A + 5\*B)\*Sin[c + d\*x])/(15\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(18\*A + 25\*B)\*Sin[c + d\*x])/(15\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(5\*d\*Cos[c + d\*x]^(5/2))

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m-1)\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(n+1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n+1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m-1)\*(c + d\*Sin[e + f\*x])^(n+1)\*Simp[A\*d\*(m-n-2) - B\*(a\*c\*(m-1) + b\*d\*(n+1)) - (A\*b\*d\*(m+n+1) - B\*(b\*c\*m - a\*d\*(n+1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(n+1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n+3) - B\*(b\*c - 2\*a\*d\*(n+1)))/(2\*d\*(n+1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n+1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*S

`qrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\cos^2(c + dx)} dx = \frac{2aA\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{5d \cos^2(c + dx)} + \frac{2}{5} \int \frac{\sqrt{a + a \cos(c + dx)} \left(\frac{1}{2}a(6A + 5B) \cos(c + dx) + 24A + 25B\right)}{5d \cos^2(c + dx)} dx$$

$$= \frac{2a^2(6A + 5B) \sin(c + dx)}{15d \cos^2(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{5d \cos^2(c + dx)}$$

$$= \frac{2a^2(6A + 5B) \sin(c + dx)}{15d \cos^2(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(18A + 25B) \sin(c + dx)}{15d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}$$

**Mathematica [A]** time = 0.29614, size = 80, normalized size = 0.6

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} (2(9A + 5B) \cos(c + dx) + (18A + 25B) \cos(2(c + dx)) + 24A + 25B)}{15d \cos^2(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(7/2), x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(24\*A + 25\*B + 2\*(9\*A + 5\*B)\*Cos[c + d\*x] + (18\*A + 25\*B)\*Cos[2\*(c + d\*x)]\*Tan[(c + d\*x)/2])/(15\*d\*Cos[c + d\*x]^(5/2))

**Maple [A]** time = 0.567, size = 87, normalized size = 0.7

$$\frac{2a(-1 + \cos(dx + c)) (18A(\cos(dx + c))^2 + 25B(\cos(dx + c))^2 + 9A \cos(dx + c) + 5B \cos(dx + c) + 3A) \sqrt{a(1 + \cos(dx + c))}}{15d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2), x)

[Out] -2/15/d\*a\*(-1+cos(d\*x+c))\*(18\*A\*cos(d\*x+c)^2+25\*B\*cos(d\*x+c)^2+9\*A\*cos(d\*x+c)+5\*B\*cos(d\*x+c)+3\*A)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)/cos(d\*x+c)^(5/2)

**Maxima [B]** time = 1.67331, size = 464, normalized size = 3.46

$$\frac{4 \left( \frac{5 \left( \frac{3\sqrt{2}a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{5\sqrt{2}a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{2\sqrt{2}a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) B + \frac{3 \left( \frac{5\sqrt{2}a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10\sqrt{2}a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{7\sqrt{2}a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{2\sqrt{2}a^2 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) A \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} \right)}{\left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}}} + \frac{\left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left( \frac{2 \sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)}{15d} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] 
$$\frac{4}{15} * (5 * (3 * \sqrt{2}) * a^{3/2} * \sin(dx + c) / (\cos(dx + c) + 1) - 5 * \sqrt{2}) * a^{3/2} * \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 2 * \sqrt{2} * a^{3/2} * \sin(dx + c)^5 / (\cos(dx + c) + 1)^5 * B / ((\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{5/2} * (-\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{5/2}) + 3 * (5 * \sqrt{2}) * a^{3/2} * \sin(dx + c) / (\cos(dx + c) + 1) - 10 * \sqrt{2}) * a^{3/2} * \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 7 * \sqrt{2} * a^{3/2} * \sin(dx + c)^5 / (\cos(dx + c) + 1)^5 - 2 * \sqrt{2}) * a^{3/2} * \sin(dx + c)^7 / (\cos(dx + c) + 1)^7 * A * (\sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + 1)^2 / ((\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{7/2} * (-\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{7/2} * (2 * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + \sin(dx + c)^4 / (\cos(dx + c) + 1)^4 + 1))) / d$$

**Fricas [A]** time = 1.65871, size = 231, normalized size = 1.72

$$\frac{2 \left( (18A + 25B)a \cos(dx + c)^2 + (9A + 5B)a \cos(dx + c) + 3Aa \right) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c)}{15 \left( d \cos(dx + c)^4 + d \cos(dx + c)^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] 
$$\frac{2}{15} * ((18 * A + 25 * B) * a * \cos(dx + c)^2 + (9 * A + 5 * B) * a * \cos(dx + c) + 3 * A * a) * \sqrt{a * \cos(dx + c) + a} * \sqrt{\cos(dx + c)} * \sin(dx + c) / (d * \cos(dx + c)^4 + d * \cos(dx + c)^3)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(dx + c) + A)\*(a\*cos(dx + c) + a)^(3/2)/cos(dx + c)^(7/2), x)

$$3.180 \quad \int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{9 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=181

$$\frac{2a^2(52A+63B)\sin(c+dx)}{105d \cos^3(c+dx)\sqrt{a \cos(c+dx)+a}} + \frac{2a^2(8A+7B)\sin(c+dx)}{35d \cos^5(c+dx)\sqrt{a \cos(c+dx)+a}} + \frac{4a^2(52A+63B)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} + \dots$$

[Out] (2\*a^2\*(8\*A + 7\*B)\*Sin[c + d\*x])/(35\*d\*Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(52\*A + 63\*B)\*Sin[c + d\*x])/(105\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (4\*a^2\*(52\*A + 63\*B)\*Sin[c + d\*x])/(105\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(7\*d\*Cos[c + d\*x]^(7/2))

**Rubi [A]** time = 0.431021, antiderivative size = 181, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2975, 2980, 2772, 2771}

$$\frac{2a^2(52A+63B)\sin(c+dx)}{105d \cos^3(c+dx)\sqrt{a \cos(c+dx)+a}} + \frac{2a^2(8A+7B)\sin(c+dx)}{35d \cos^5(c+dx)\sqrt{a \cos(c+dx)+a}} + \frac{4a^2(52A+63B)\sin(c+dx)}{105d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} + \dots$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(9/2), x]

[Out] (2\*a^2\*(8\*A + 7\*B)\*Sin[c + d\*x])/(35\*d\*Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(52\*A + 63\*B)\*Sin[c + d\*x])/(105\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (4\*a^2\*(52\*A + 63\*B)\*Sin[c + d\*x])/(105\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(7\*d\*Cos[c + d\*x]^(7/2))

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 2772



```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (
f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e
+ f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dis
t[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e +
f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x]
&& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -
1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]
```

### Rule 2771

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (
f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*S
qrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d,
e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\cos^2(c + dx)} dx &= \frac{2aA\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} + \frac{2}{7} \int \frac{\sqrt{a + a \cos(c + dx)} \left(\frac{1}{2}a\right)}{\cos^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2a^2(8A + 7B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{7d \cos^{\frac{7}{2}}(c + dx)} \\ &= \frac{2a^2(8A + 7B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(52A + 63B) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a^2(8A + 7B) \sin(c + dx)}{35d \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(52A + 63B) \sin(c + dx)}{105d \cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.503632, size = 102, normalized size = 0.56

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} (3(78A + 77B) \cos(c + dx) + (52A + 63B) \cos(2(c + dx)) + 52A \cos(3(c + dx)))}{105d \cos^{\frac{7}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(9/2), x]
```

```
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*(82*A + 63*B + 3*(78*A + 77*B)*Cos[c + d*x] + (52*A + 63*B)*Cos[2*(c + d*x)] + 52*A*Cos[3*(c + d*x)] + 63*B*Cos[3*(c + d*x)])*Tan[(c + d*x)/2])/(105*d*Cos[c + d*x]^(7/2))
```

**Maple [A]** time = 0.576, size = 109, normalized size = 0.6

$$\frac{2a(-1 + \cos(dx + c)) \left(104A(\cos(dx + c))^3 + 126B(\cos(dx + c))^3 + 52A(\cos(dx + c))^2 + 63B(\cos(dx + c))^2 + 3\right)}{105d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2), x)
```

[Out]  $-2/105/d*a*(-1+\cos(d*x+c))*(104*A*\cos(d*x+c)^3+126*B*\cos(d*x+c)^3+52*A*\cos(d*x+c)^2+63*B*\cos(d*x+c)^2+39*A*\cos(d*x+c)+21*B*\cos(d*x+c)+15*A)*(a*(1+\cos(d*x+c)))^{(1/2)}/\sin(d*x+c)/\cos(d*x+c)^{(7/2)}$

**Maxima [B]** time = 1.67757, size = 649, normalized size = 3.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="maxima")`

[Out]  $4/105*(21*(5*\sqrt{2})*a^{(3/2)}*\sin(d*x+c)/(\cos(d*x+c)+1)-10*\sqrt{2})*a^{(3/2)}*\sin(d*x+c)^3/(\cos(d*x+c)+1)^3+7*\sqrt{2})*a^{(3/2)}*\sin(d*x+c)^5/(\cos(d*x+c)+1)^5-2*\sqrt{2})*a^{(3/2)}*\sin(d*x+c)^7/(\cos(d*x+c)+1)^7)*B*(\sin(d*x+c)^2/(\cos(d*x+c)+1)^2+1)^{7/2}/((\sin(d*x+c)/(\cos(d*x+c)+1)+1)^{7/2}*(-\sin(d*x+c)/(\cos(d*x+c)+1)+1)^{7/2}*(2*\sin(d*x+c)^2/(\cos(d*x+c)+1)^2+\sin(d*x+c)^4/(\cos(d*x+c)+1)^4+1))+105*\sqrt{2})*a^{(3/2)}*\sin(d*x+c)/(\cos(d*x+c)+1)-245*\sqrt{2})*a^{(3/2)}*\sin(d*x+c)^3/(\cos(d*x+c)+1)^3+273*\sqrt{2})*a^{(3/2)}*\sin(d*x+c)^5/(\cos(d*x+c)+1)^5-171*\sqrt{2})*a^{(3/2)}*\sin(d*x+c)^7/(\cos(d*x+c)+1)^7+38*\sqrt{2})*a^{(3/2)}*\sin(d*x+c)^9/(\cos(d*x+c)+1)^9)*A*(\sin(d*x+c)^2/(\cos(d*x+c)+1)^2+1)^{3/2}/((\sin(d*x+c)/(\cos(d*x+c)+1)+1)^{(9/2)}*(-\sin(d*x+c)/(\cos(d*x+c)+1)+1)^{(9/2)}*(3*\sin(d*x+c)^2/(\cos(d*x+c)+1)^2+3*\sin(d*x+c)^4/(\cos(d*x+c)+1)^4+\sin(d*x+c)^6/(\cos(d*x+c)+1)^6+1)))/d$

**Fricas [A]** time = 1.78047, size = 285, normalized size = 1.57

$$\frac{2\left(2(52A+63B)a\cos(dx+c)^3+(52A+63B)a\cos(dx+c)^2+3(13A+7B)a\cos(dx+c)+15Aa\right)\sqrt{a\cos(dx+c)+1}}{105\left(d\cos(dx+c)^5+d\cos(dx+c)^4\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="fricas")`

[Out]  $2/105*(2*(52*A+63*B)*a*\cos(d*x+c)^3+(52*A+63*B)*a*\cos(d*x+c)^2+3*(13*A+7*B)*a*\cos(d*x+c)+15*A*a)*\sqrt{a*\cos(d*x+c)+a}*\sqrt{\cos(d*x+c)}*\sin(d*x+c)/(d*\cos(d*x+c)^5+d*\cos(d*x+c)^4)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(9/2),x)`

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^(3/2)/cos(d*x + c)^(9/2), x)
```

$$3.181 \quad \int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^{\frac{11}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=228

$$\frac{8a^2(34A + 39B) \sin(c + dx)}{315d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^2(34A + 39B) \sin(c + dx)}{105d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^2(10A + 9B) \sin(c + dx)}{63d \cos^{\frac{7}{2}}(c + dx) \sqrt{a \cos(c + dx) + a}} + \dots$$

[Out] (2\*a^2\*(10\*A + 9\*B)\*Sin[c + d\*x])/(63\*d\*Cos[c + d\*x]^(7/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(34\*A + 39\*B)\*Sin[c + d\*x])/(105\*d\*Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (8\*a^2\*(34\*A + 39\*B)\*Sin[c + d\*x])/(315\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (16\*a^2\*(34\*A + 39\*B)\*Sin[c + d\*x])/(315\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(9\*d\*Cos[c + d\*x]^(9/2))

**Rubi [A]** time = 0.505171, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2975, 2980, 2772, 2771}

$$\frac{8a^2(34A + 39B) \sin(c + dx)}{315d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^2(34A + 39B) \sin(c + dx)}{105d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^2(10A + 9B) \sin(c + dx)}{63d \cos^{\frac{7}{2}}(c + dx) \sqrt{a \cos(c + dx) + a}} + \dots$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(11/2), x]

[Out] (2\*a^2\*(10\*A + 9\*B)\*Sin[c + d\*x])/(63\*d\*Cos[c + d\*x]^(7/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(34\*A + 39\*B)\*Sin[c + d\*x])/(105\*d\*Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (8\*a^2\*(34\*A + 39\*B)\*Sin[c + d\*x])/(315\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (16\*a^2\*(34\*A + 39\*B)\*Sin[c + d\*x])/(315\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(9\*d\*Cos[c + d\*x]^(9/2))

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rule 2772

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (
f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e
+ f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dis
t[(((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e +
f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x]
&& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -
1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]
```

Rule 2771

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (
f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*S
qrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d,
e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\cos^{11/2}(c + dx)} dx = \frac{2aA\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{2}{9} \int \frac{\sqrt{a + a \cos(c + dx)}}{\cos^{11/2}(c + dx)} dx$$

$$= \frac{2a^2(10A + 9B) \sin(c + dx)}{63d \cos^{7/2}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)}$$

$$= \frac{2a^2(10A + 9B) \sin(c + dx)}{63d \cos^{7/2}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(34A + 39B) \sin(c + dx)}{105d \cos^{5/2}(c + dx) \sqrt{a + a \cos(c + dx)}}$$

$$= \frac{2a^2(10A + 9B) \sin(c + dx)}{63d \cos^{7/2}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(34A + 39B) \sin(c + dx)}{105d \cos^{5/2}(c + dx) \sqrt{a + a \cos(c + dx)}}$$

$$= \frac{2a^2(10A + 9B) \sin(c + dx)}{63d \cos^{7/2}(c + dx) \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(34A + 39B) \sin(c + dx)}{105d \cos^{5/2}(c + dx) \sqrt{a + a \cos(c + dx)}}$$

**Mathematica [A]** time = 0.652843, size = 124, normalized size = 0.54

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}((374A + 324B) \cos(c + dx) + 11(34A + 39B) \cos(2(c + dx)) + 68A \cos(3(c + dx) - \frac{1}{2}(c + dx)))}{315d \cos^{9/2}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(1
1/2), x]
```

```
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*(376*A + 351*B + (374*A + 324*B)*Cos[c + d*x]
+ 11*(34*A + 39*B)*Cos[2*(c + d*x)] + 68*A*Cos[3*(c + d*x)] + 78*B*Cos[3*(
c + d*x)] + 68*A*Cos[4*(c + d*x)] + 78*B*Cos[4*(c + d*x)])*Tan[(c + d*x)/2]
)/(315*d*Cos[c + d*x]^(9/2))
```

**Maple [A]** time = 0.639, size = 131, normalized size = 0.6

$$\frac{2a(-1 + \cos(dx + c)) \left( 272A(\cos(dx + c))^4 + 312B(\cos(dx + c))^4 + 136A(\cos(dx + c))^3 + 156B(\cos(dx + c))^3 - \dots \right)}{315d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+cos(d*x+c)*a)^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2),x)`

[Out] 
$$-2/315/d*a*(-1+\cos(d*x+c))*(272*A*\cos(d*x+c)^4+312*B*\cos(d*x+c)^4+136*A*\cos(d*x+c)^3+156*B*\cos(d*x+c)^3+102*A*\cos(d*x+c)^2+117*B*\cos(d*x+c)^2+85*A*\cos(d*x+c)+45*B*\cos(d*x+c)+35*A)*(a*(1+\cos(d*x+c)))^{1/2}/\sin(d*x+c)/\cos(d*x+c)^{9/2}$$

**Maxima [B]** time = 1.75113, size = 774, normalized size = 3.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2),x, algorithm="maxima")`

[Out] 
$$\begin{aligned} &4/315*(3*(105*\sqrt{2}*a^{3/2}*\sin(d*x+c)/(\cos(d*x+c)+1) - 245*\sqrt{2} \\ &*a^{3/2}*\sin(d*x+c)^3/(\cos(d*x+c)+1)^3 + 273*\sqrt{2}*a^{3/2}*\sin(d*x \\ &+c)^5/(\cos(d*x+c)+1)^5 - 171*\sqrt{2}*a^{3/2}*\sin(d*x+c)^7/(\cos(d*x \\ &+c)+1)^7 + 38*\sqrt{2}*a^{3/2}*\sin(d*x+c)^9/(\cos(d*x+c)+1)^9)*B*(\sin \\ &(d*x+c)^2/(\cos(d*x+c)+1)^2 + 1)^3/((\sin(d*x+c)/(\cos(d*x+c)+1) + \\ &1)^{9/2})*(-\sin(d*x+c)/(\cos(d*x+c)+1) + 1)^{9/2}*(3*\sin(d*x+c)^2/(c \\ &\cos(d*x+c)+1)^2 + 3*\sin(d*x+c)^4/(\cos(d*x+c)+1)^4 + \sin(d*x+c)^6 \\ &/(\cos(d*x+c)+1)^6 + 1)) + (315*\sqrt{2}*a^{3/2}*\sin(d*x+c)/(\cos(d*x+c) \\ &+1) - 840*\sqrt{2}*a^{3/2}*\sin(d*x+c)^3/(\cos(d*x+c)+1)^3 + 1344*\sqrt{2} \\ &*a^{3/2}*\sin(d*x+c)^5/(\cos(d*x+c)+1)^5 - 1242*\sqrt{2}*a^{3/2}*\sin \\ &(d*x+c)^7/(\cos(d*x+c)+1)^7 + 517*\sqrt{2}*a^{3/2}*\sin(d*x+c)^9/(\cos \\ &(d*x+c)+1)^9 - 94*\sqrt{2}*a^{3/2}*\sin(d*x+c)^{11}/(\cos(d*x+c)+1)^{11} \\ &)*A*(\sin(d*x+c)^2/(\cos(d*x+c)+1)^2 + 1)^4/((\sin(d*x+c)/(\cos(d*x+c) \\ &+1) + 1)^{11/2})*(-\sin(d*x+c)/(\cos(d*x+c)+1) + 1)^{11/2}*(4*\sin(d*x \\ &+c)^2/(\cos(d*x+c)+1)^2 + 6*\sin(d*x+c)^4/(\cos(d*x+c)+1)^4 + 4*\sin \\ &(d*x+c)^6/(\cos(d*x+c)+1)^6 + \sin(d*x+c)^8/(\cos(d*x+c)+1)^8 + 1 \\ &))/d \end{aligned}$$

**Fricas [A]** time = 1.86035, size = 335, normalized size = 1.47

$$\frac{2(8(34A + 39B)a \cos(dx + c)^4 + 4(34A + 39B)a \cos(dx + c)^3 + 3(34A + 39B)a \cos(dx + c)^2 + 5(17A + 9B)a \cos(dx + c) + 35Aa)}{315(d \cos(dx + c)^6 + d \cos(dx + c)^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2),x, algorithm="fricas")`

[Out] 
$$2/315*(8*(34*A + 39*B)*a*\cos(d*x+c)^4 + 4*(34*A + 39*B)*a*\cos(d*x+c)^3 + 3*(34*A + 39*B)*a*\cos(d*x+c)^2 + 5*(17*A + 9*B)*a*\cos(d*x+c) + 35*A*a)*\sqrt{a*\cos(d*x+c)+a}*\sqrt{\cos(d*x+c)}*\sin(d*x+c)/(d*\cos(d*x+c)^6 + d*\cos(d*x+c)^5)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(11/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(11/2),x, algo  
rithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^(3/2)/cos(d\*x + c)^(11/  
2), x)

$$3.182 \quad \int \cos^2(c+dx)(a+a\cos(c+dx))^{5/2}(A+B\cos(c+dx)) dx$$

**Optimal.** Leaf size=274

$$\frac{a^3(170A+157B)\sin(c+dx)\cos^5(c+dx)}{240d\sqrt{a\cos(c+dx)+a}} + \frac{a^3(326A+283B)\sin(c+dx)\cos^3(c+dx)}{192d\sqrt{a\cos(c+dx)+a}} + \frac{a^2(10A+13B)\sin(c+dx)\cos(c+dx)}{40d}$$

[Out] (a^(5/2)\*(326\*A + 283\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(128\*d) + (a^3\*(326\*A + 283\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(128\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^3\*(326\*A + 283\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(192\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^3\*(170\*A + 157\*B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(240\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(10\*A + 13\*B)\*Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(40\*d) + (a\*B\*Cos[c + d\*x]^(5/2)\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(5\*d)

**Rubi [A]** time = 0.708842, antiderivative size = 274, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2976, 2981, 2770, 2774, 216}

$$\frac{a^3(170A+157B)\sin(c+dx)\cos^5(c+dx)}{240d\sqrt{a\cos(c+dx)+a}} + \frac{a^3(326A+283B)\sin(c+dx)\cos^3(c+dx)}{192d\sqrt{a\cos(c+dx)+a}} + \frac{a^2(10A+13B)\sin(c+dx)\cos(c+dx)}{40d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]), x]

[Out] (a^(5/2)\*(326\*A + 283\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(128\*d) + (a^3\*(326\*A + 283\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(128\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^3\*(326\*A + 283\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(192\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^3\*(170\*A + 157\*B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(240\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(10\*A + 13\*B)\*Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(40\*d) + (a\*B\*Cos[c + d\*x]^(5/2)\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(5\*d)

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2981

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(2\*n + 3)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(b\*d\*(2\*n + 3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x], x]



;/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

#### Rule 2770

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

#### Rubi steps

$$\begin{aligned}
 \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx &= \frac{aB \cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{1}{5} \int \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2} B dx \\
 &= \frac{a^2(10A + 13B) \cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{40d} \\
 &= \frac{a^3(170A + 157B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{240d \sqrt{a + a \cos(c + dx)}} + \frac{a^2(10A + 13B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{240d \sqrt{a + a \cos(c + dx)}} \\
 &= \frac{a^3(326A + 283B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{192d \sqrt{a + a \cos(c + dx)}} + \frac{a^3(170A + 157B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{240d \sqrt{a + a \cos(c + dx)}} \\
 &= \frac{a^3(326A + 283B) \sqrt{\cos(c + dx)} \sin(c + dx)}{128d \sqrt{a + a \cos(c + dx)}} + \frac{a^3(326A + 283B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{128d \sqrt{a + a \cos(c + dx)}} \\
 &= \frac{a^3(326A + 283B) \sqrt{\cos(c + dx)} \sin(c + dx)}{128d \sqrt{a + a \cos(c + dx)}} + \frac{a^3(326A + 283B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{128d \sqrt{a + a \cos(c + dx)}} \\
 &= \frac{a^{5/2}(326A + 283B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{128d} + \frac{a^3(326A + 283B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{128d \sqrt{a + a \cos(c + dx)}}
 \end{aligned}$$

**Mathematica [A]** time = 1.87209, size = 159, normalized size = 0.58

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(15\sqrt{2}(326A + 283B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)}\right)}{128d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]), x]

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(15*Sqrt[2]*(326*A + 283*B)
)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(5810*A + 5521*B
+ (3620*A + 3874*B)*Cos[c + d*x] + 4*(230*A + 331*B)*Cos[2*(c + d*x)] + 120
*A*Cos[3*(c + d*x)] + 348*B*Cos[3*(c + d*x)] + 48*B*Cos[4*(c + d*x)])*Sin[(
c + d*x)/2]))/(3840*d)
```

**Maple [B]** time = 0.561, size = 503, normalized size = 1.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(a+cos(d*x+c)*a)^(5/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] -1/1920/d*a^2*(-1+cos(d*x+c))^3*(480*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/
(1+cos(d*x+c)))^(3/2)+2320*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*c
os(d*x+c)^3+384*B*sin(d*x+c)*cos(d*x+c)^5*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)
+5100*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)^2+1392*B*si
n(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^4+8150*A*sin(d*x+c)*
(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)+2264*B*sin(d*x+c)*(cos(d*x+c)/
(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^3+4890*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+
c)))^(3/2)+2830*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^2
+4245*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)+4890*A*arct
an(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*cos(d*x+c)+4245
*B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*cos(d*x+
c))*(a*(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^(3/2)/sin(d*x+c)^6/(cos(d*x+c)/(1+c
os(d*x+c)))^(5/2)
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algor
ithm="maxima")
```

```
[Out] Timed out
```

**Fricas [A]** time = 2.48549, size = 540, normalized size = 1.97

$$(384Ba^2 \cos(dx + c)^4 + 48(10A + 29B)a^2 \cos(dx + c)^3 + 8(230A + 283B)a^2 \cos(dx + c)^2 + 10(326A + 283B)a^2 \cos(dx + c) + \dots)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algor
ithm="fricas")
```

```
[Out] 1/1920*((384*B*a^2*cos(d*x + c)^4 + 48*(10*A + 29*B)*a^2*cos(d*x + c)^3 + 8
*(230*A + 283*B)*a^2*cos(d*x + c)^2 + 10*(326*A + 283*B)*a^2*cos(d*x + c) +
```

$$15*(326*A + 283*B)*a^2*\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)}*\sin(d*x + c) - 15*((326*A + 283*B)*a^2*\cos(d*x + c) + (326*A + 283*B)*a^2)*\sqrt{a}*\arctan(\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)})/(\sqrt{a}*\sin(d*x + c)))/(d*\cos(d*x + c) + d)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(a+a\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.183 \quad \int \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=227

$$\frac{a^3(104A + 95B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{96d\sqrt{a \cos(c + dx) + a}} + \frac{a^2(8A + 11B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)\sqrt{a \cos(c + dx) + a}}{24d} + \frac{a^{5/2}(200A + 163B)}{4d}$$

[Out] (a^(5/2)\*(200\*A + 163\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(64\*d) + (a^3\*(200\*A + 163\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(64\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^3\*(104\*A + 95\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(96\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(8\*A + 11\*B)\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(24\*d) + (a\*B\*Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(4\*d)

**Rubi [A]** time = 0.71324, antiderivative size = 227, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2976, 2981, 2770, 2774, 216}

$$\frac{a^3(104A + 95B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{96d\sqrt{a \cos(c + dx) + a}} + \frac{a^2(8A + 11B) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)\sqrt{a \cos(c + dx) + a}}{24d} + \frac{a^{5/2}(200A + 163B)}{4d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]),x]

[Out] (a^(5/2)\*(200\*A + 163\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(64\*d) + (a^3\*(200\*A + 163\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(64\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^3\*(104\*A + 95\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(96\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(8\*A + 11\*B)\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(24\*d) + (a\*B\*Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(4\*d)

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2981

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(2\*n + 3)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(b\*d\*(2\*n + 3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

Rule 2770

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (
f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])
^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*
(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x],
x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]
```

Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*
(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}(A+B\cos(c+dx))dx &= \frac{aB\cos^3(c+dx)(a+a\cos(c+dx))^{3/2}\sin(c+dx)}{4d} + \frac{1}{4} \\ &= \frac{a^2(8A+11B)\cos^3(c+dx)\sqrt{a+a\cos(c+dx)}\sin(c+dx)}{24d} \\ &= \frac{a^3(104A+95B)\cos^3(c+dx)\sin(c+dx)}{96d\sqrt{a+a\cos(c+dx)}} + \frac{a^2(8A+11B)\cos^3(c+dx)\sin(c+dx)}{24d} \\ &= \frac{a^3(200A+163B)\sqrt{\cos(c+dx)}\sin(c+dx)}{64d\sqrt{a+a\cos(c+dx)}} + \frac{a^3(104A+95B)\cos^3(c+dx)\sin(c+dx)}{96d\sqrt{a+a\cos(c+dx)}} \\ &= \frac{a^3(200A+163B)\sqrt{\cos(c+dx)}\sin(c+dx)}{64d\sqrt{a+a\cos(c+dx)}} + \frac{a^3(104A+95B)\cos^3(c+dx)\sin(c+dx)}{96d\sqrt{a+a\cos(c+dx)}} \\ &= \frac{a^{5/2}(200A+163B)\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{64d} + \frac{a^3(200A+95B)\cos^3(c+dx)\sin(c+dx)}{96d\sqrt{a+a\cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 1.2012, size = 137, normalized size = 0.6

$$\frac{a^2 \sec\left(\frac{1}{2}(c+dx)\right) \sqrt{a(\cos(c+dx)+1)} \left(3\sqrt{2}(200A+163B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c+dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c+dx)\right) \sqrt{\cos(c+dx)}\right)}{384d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]
),x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(3*Sqrt[2]*(200*A + 163*B)
*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(632*A + 581*B + (
272*A + 362*B)*Cos[c + d*x] + 4*(8*A + 23*B)*Cos[2*(c + d*x)] + 12*B*Cos[3*
(c + d*x)]*Sin[(c + d*x)/2]))/(384*d)
```





$$\begin{aligned}
& 4*c))) - 2*(64*a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin \\
& (4*d*x + 4*c) + 19*a^2*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c))))*\sin(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - \\
& 12*(4*a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + \\
& 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d* \\
& x + 4*c))))*\cos(3/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4 \\
& *c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1)) - (3*a^2* \\
& \cos(4*d*x + 4*c)^3 - 8*a^2*\cos(4*d*x + 4*c)^2 + 4*(3*a^2*\cos(4*d*x + 4*c)^3 \\
& - 14*a^2*\cos(4*d*x + 4*c)^2 + 19*a^2*\cos(4*d*x + 4*c) + (3*a^2*\cos(4*d*x + \\
& 4*c) - 8*a^2)*\sin(4*d*x + 4*c)^2 - 8*a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c) \\
& , \cos(4*d*x + 4*c)))^2 + (3*a^2*\cos(4*d*x + 4*c) - 8*a^2)*\sin(4*d*x + 4*c)^ \\
& 2 + 4*(3*a^2*\cos(4*d*x + 4*c)^3 - 2*a^2*\cos(4*d*x + 4*c)^2 - 13*a^2*\cos(4*d \\
& *x + 4*c) + (3*a^2*\cos(4*d*x + 4*c) - 8*a^2)*\sin(4*d*x + 4*c)^2 - 8*a^2)*\sin \\
& (1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + (8*a^2*\cos(4*d*x + 4 \\
& *c)^2 + 8*a^2*\sin(4*d*x + 4*c)^2 - 3*a^2*\cos(4*d*x + 4*c) + 32*(a^2*\cos(4*d \\
& *x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/ \\
& 2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 32*(a^2*\cos(4*d*x + 4*c) \\
& ^2 + a^2*\sin(4*d*x + 4*c)^2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/2*\arctan2 \\
& (\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*(16*a^2*\cos(4*d*x + 4*c)^2 + 16 \\
& *a^2*\sin(4*d*x + 4*c)^2 - 19*a^2*\cos(4*d*x + 4*c) + 3*a^2)*\cos(1/2*\arctan2( \\
& \sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 2*(64*a^2*\cos(1/2*\arctan2(\sin(4*d*x \\
& + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + 19*a^2*\sin(4*d*x + 4*c))*\sin( \\
& 1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(3/4*\arctan2(\sin(4*d*x \\
& + 4*c), \cos(4*d*x + 4*c)))) + 4*(3*a^2*\cos(4*d*x + 4*c)^3 - 11*a^2*\cos(4*d* \\
& x + 4*c)^2 + 8*a^2*\cos(4*d*x + 4*c) + (3*a^2*\cos(4*d*x + 4*c) - 8*a^2)*\sin( \\
& 4*d*x + 4*c)^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 3*(2 \\
& *a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) \\
& + a^2*\sin(4*d*x + 4*c) - 2*(a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/2*\arctan2(\sin \\
& (4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4* \\
& d*x + 4*c))) - 4*(4*(3*a^2*\cos(4*d*x + 4*c) - 8*a^2)*\cos(1/2*\arctan2(\sin(4* \\
& d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + (3*a^2*\cos(4*d*x + 4*c) - \\
& 8*a^2)*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c \\
& ))))*\sin(3/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \\
& \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1)))*\sqrt{a} - 6*(\cos \\
& (1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin( \\
& 4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos \\
& (4*d*x + 4*c))) + 1)^(1/4))*((3*a^2*\cos(4*d*x + 4*c)^2*\sin(4*d*x + 4*c) + 3 \\
& *a^2*\sin(4*d*x + 4*c)^3 + 3*a^2*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x \\
& + 4*c)))*\sin(4*d*x + 4*c) - 160*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + \\
& 4*c)^2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos \\
& (4*d*x + 4*c)))^3 + 4*(3*a^2*\sin(4*d*x + 4*c)^3 + 3*(a^2*\cos(4*d*x + 4*c)^ \\
& 2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(4*d*x + 4*c) - 160*(a^2*\cos(4*d*x + 4 \\
& *c)^2 + a^2*\sin(4*d*x + 4*c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/4*\arct \\
& an2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \\
& \cos(4*d*x + 4*c)))^2 + 4*(3*a^2*\sin(4*d*x + 4*c)^3 + 160*a^2*\cos(1/2*\arctan \\
& 2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + (3*a^2*\cos(4*d*x \\
& + 4*c)^2 + 6*a^2*\cos(4*d*x + 4*c) + 43*a^2)*\sin(4*d*x + 4*c) - 160*(a^2*\cos \\
& (4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin \\
& (1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(1/2*\arctan2(\sin(4* \\
& d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*(6*a^2*\sin(4*d*x + 4*c)^3 + 3*a^2*\cos( \\
& 1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*\sin(4*d*x + 4*c) + 6*(a^2* \\
& \cos(4*d*x + 4*c)^2 - a^2*\cos(4*d*x + 4*c))*\sin(4*d*x + 4*c) - (320*a^2*\cos( \\
& 4*d*x + 4*c)^2 + 320*a^2*\sin(4*d*x + 4*c)^2 - 317*a^2*\cos(4*d*x + 4*c) - 3* \\
& a^2)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(1/2*\arctan2( \\
& \sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 2*(20*a^2*\cos(4*d*x + 4*c)^2 + 26*a^ \\
& 2*\sin(4*d*x + 4*c)^2 - 317*a^2*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + \\
& 4*c), \cos(4*d*x + 4*c))) + 80*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4* \\
& c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos( \\
& 4*d*x + 4*c)))^2 + 8*(10*a^2*\cos(4*d*x + 4*c)^2 + 13*a^2*\sin(4*d*x + 4*c)^2
\end{aligned}$$





$$\begin{aligned}
& \text{an2}(\sin(4dx + 4c), \cos(4dx + 4c)), \cos(1/2 \cdot \arctan2(\sin(4dx + 4c), \\
& \cos(4dx + 4c))) + 1)) + \sin(1/4 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4 \\
& c))) \cdot \sin(1/2 \cdot \arctan2(\sin(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))), \\
& \cos(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1))) + 1) - (a^2 \cdot \cos \\
& (4dx + 4c)^2 + a^2 \cdot \sin(4dx + 4c)^2 + 4 \cdot (a^2 \cdot \cos(4dx + 4c)^2 + a^2 \\
& \cdot \sin(4dx + 4c)^2 - 2 \cdot a^2 \cdot \cos(4dx + 4c) + a^2) \cdot \cos(1/2 \cdot \arctan2(\sin(4d \\
& x + 4c), \cos(4dx + 4c)))^2 + 4 \cdot (a^2 \cdot \cos(4dx + 4c)^2 + a^2 \cdot \sin(4dx \\
& + 4c)^2 + 2 \cdot a^2 \cdot \cos(4dx + 4c) + a^2) \cdot \sin(1/2 \cdot \arctan2(\sin(4dx + 4c), \\
& \cos(4dx + 4c)))^2 + 4 \cdot (a^2 \cdot \cos(4dx + 4c)^2 + a^2 \cdot \sin(4dx + 4c)^2 \\
& - a^2 \cdot \cos(4dx + 4c)) \cdot \cos(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c)) \\
& ) - 4 \cdot (4 \cdot a^2 \cdot \cos(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) \cdot \sin(4dx \\
& + 4c) + a^2 \cdot \sin(4dx + 4c)) \cdot \sin(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx \\
& + 4c)))) \cdot \arctan2(-(\cos(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 \\
& + \sin(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 2 \cdot \cos(1/2 \cdot \arcta \\
& n2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1)^{1/4} \cdot (\cos(1/2 \cdot \arctan2(\sin(1/2 \\
& \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2 \cdot \arctan2(\sin(4dx + \\
& 4c), \cos(4dx + 4c))) + 1)) \cdot \sin(1/4 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx \\
& + 4c))) - \cos(1/4 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) \cdot \sin(1/2 \cdot \arct \\
& an2(\sin(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2 \cdot \arctan2( \\
& \sin(4dx + 4c), \cos(4dx + 4c))) + 1))), (\cos(1/2 \cdot \arctan2(\sin(4dx + 4 \\
& c), \cos(4dx + 4c)))^2 + \sin(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4 \\
& c)))^2 + 2 \cdot \cos(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1)^{1/4} \\
& \cdot (\cos(1/4 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) \cdot \cos(1/2 \cdot \arctan2(\sin( \\
& 1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2 \cdot \arctan2(\sin(4dx \\
& + 4c), \cos(4dx + 4c))) + 1)) + \sin(1/4 \cdot \arctan2(\sin(4dx + 4c), \cos(4 \\
& dx + 4c))) \cdot \sin(1/2 \cdot \arctan2(\sin(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + \\
& 4c))), \cos(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1))) - 1) - \\
& (a^2 \cdot \cos(4dx + 4c)^2 + a^2 \cdot \sin(4dx + 4c)^2 + 4 \cdot (a^2 \cdot \cos(4dx + 4c) \\
& ^2 + a^2 \cdot \sin(4dx + 4c)^2 - 2 \cdot a^2 \cdot \cos(4dx + 4c) + a^2) \cdot \cos(1/2 \cdot \arctan2 \\
& (\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 4 \cdot (a^2 \cdot \cos(4dx + 4c)^2 + a^2 \cdot \sin \\
& (4dx + 4c)^2 + 2 \cdot a^2 \cdot \cos(4dx + 4c) + a^2) \cdot \sin(1/2 \cdot \arctan2(\sin(4dx \\
& + 4c), \cos(4dx + 4c)))^2 + 4 \cdot (a^2 \cdot \cos(4dx + 4c)^2 + a^2 \cdot \sin(4dx + \\
& 4c)^2 - a^2 \cdot \cos(4dx + 4c)) \cdot \cos(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx \\
& + 4c))) - 4 \cdot (4 \cdot a^2 \cdot \cos(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) \cdot \sin \\
& (4dx + 4c) + a^2 \cdot \sin(4dx + 4c)) \cdot \sin(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos \\
& (4dx + 4c)))) \cdot \arctan2((\cos(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4 \\
& c)))^2 + \sin(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 2 \cdot \cos(1/ \\
& 2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1)^{1/4} \cdot \sin(1/2 \cdot \arctan2(s \\
& in(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2 \cdot \arctan2(\sin(4 \\
& dx + 4c), \cos(4dx + 4c))) + 1)), (\cos(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos \\
& (4dx + 4c)))^2 + \sin(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 \\
& + 2 \cdot \cos(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1)^{1/4} \cdot \cos(1/ \\
& 2 \cdot \arctan2(\sin(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))), \cos(1/2 \cdot \arct \\
& an2(\sin(4dx + 4c), \cos(4dx + 4c))) + 1)) + 1) + (a^2 \cdot \cos(4dx + 4c) \\
& )^2 + a^2 \cdot \sin(4dx + 4c)^2 + 4 \cdot (a^2 \cdot \cos(4dx + 4c)^2 + a^2 \cdot \sin(4dx + \\
& 4c)^2 - 2 \cdot a^2 \cdot \cos(4dx + 4c) + a^2) \cdot \cos(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos \\
& (4dx + 4c)))^2 + 4 \cdot (a^2 \cdot \cos(4dx + 4c)^2 + a^2 \cdot \sin(4dx + 4c)^2 + 2 \\
& \cdot a^2 \cdot \cos(4dx + 4c) + a^2) \cdot \sin(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + \\
& 4c)))^2 + 4 \cdot (a^2 \cdot \cos(4dx + 4c)^2 + a^2 \cdot \sin(4dx + 4c)^2 - a^2 \cdot \cos(4dx \\
& + 4c)) \cdot \cos(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) - 4 \cdot (4 \cdot a^2 \cdot \\
& \cos(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c))) \cdot \sin(4dx + 4c) + a^2 \\
& \cdot \sin(4dx + 4c)) \cdot \sin(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))) \cdot \ar \\
& ctan2((\cos(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + \sin(1/2 \cdot \arct \\
& an2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 2 \cdot \cos(1/2 \cdot \arctan2(\sin(4dx + \\
& 4c), \cos(4dx + 4c))) + 1)^{1/4} \cdot \sin(1/2 \cdot \arctan2(\sin(1/2 \cdot \arctan2(\sin(4 \\
& dx + 4c), \cos(4dx + 4c))), \cos(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx \\
& + 4c))) + 1)), (\cos(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + \\
& \sin(1/2 \cdot \arctan2(\sin(4dx + 4c), \cos(4dx + 4c)))^2 + 2 \cdot \cos(1/2 \cdot \arctan2( \\
& \sin(4dx + 4c), \cos(4dx + 4c))) + 1)^{1/4} \cdot \cos(1/2 \cdot \arctan2(\sin(1/2 \cdot \arct
\end{aligned}$$

```
tan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c),
cos(4*d*x + 4*c))) + 1)) - 1))*sqrt(a))*B/(4*(cos(4*d*x + 4*c)^2 + sin(4*
d*x + 4*c)^2 - 2*cos(4*d*x + 4*c) + 1)*cos(1/2*arctan2(sin(4*d*x + 4*c), co
s(4*d*x + 4*c)))^2 + 4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 + 2*cos(4*d
*x + 4*c) + 1)*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + cos
(4*d*x + 4*c)^2 + 4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - cos(4*d*x +
4*c))*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + sin(4*d*x + 4*
c)^2 - 4*(4*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))*sin(4*d*x
+ 4*c) + sin(4*d*x + 4*c))*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*
c)))))/d
```

**Fricas [A]** time = 2.00076, size = 478, normalized size = 2.11

$$\frac{(48 B a^2 \cos(dx + c)^3 + 8(8 A + 23 B) a^2 \cos(dx + c)^2 + 2(136 A + 163 B) a^2 \cos(dx + c) + 3(200 A + 163 B) a^2) \sqrt{a \cos(dx + c)}}{192}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algo
rithm="fricas")
```

```
[Out] 1/192*((48*B*a^2*cos(d*x + c)^3 + 8*(8*A + 23*B)*a^2*cos(d*x + c)^2 + 2*(13
6*A + 163*B)*a^2*cos(d*x + c) + 3*(200*A + 163*B)*a^2)*sqrt(a*cos(d*x + c)
+ a)*sqrt(cos(d*x + c))*sin(d*x + c) - 3*((200*A + 163*B)*a^2*cos(d*x + c)
+ (200*A + 163*B)*a^2)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x
+ c))/(sqrt(a)*sin(d*x + c)))/(d*cos(d*x + c) + d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algo
rithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.184 \quad \int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=180

$$\frac{a^{5/2}(38A + 25B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^3(54A + 49B) \sin(c+dx) \sqrt{\cos(c+dx)}}{24d \sqrt{a \cos(c+dx)+a}} + \frac{a^2(2A + 3B) \sin(c+dx) \sqrt{\cos(c+dx)}}{4d}$$

[Out] (a^(5/2)\*(38\*A + 25\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]])/(8\*d) + (a^3\*(54\*A + 49\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(24\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(2\*A + 3\*B)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d) + (a\*B\*Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.547004, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2976, 2981, 2774, 216}

$$\frac{a^{5/2}(38A + 25B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^3(54A + 49B) \sin(c+dx) \sqrt{\cos(c+dx)}}{24d \sqrt{a \cos(c+dx)+a}} + \frac{a^2(2A + 3B) \sin(c+dx) \sqrt{\cos(c+dx)}}{4d}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]],x]

[Out] (a^(5/2)\*(38\*A + 25\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]])/(8\*d) + (a^3\*(54\*A + 49\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(24\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (a^2\*(2\*A + 3\*B)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d) + (a\*B\*Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(3\*d)

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2981

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(2\*n + 3)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(b\*d\*(2\*n + 3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

#### Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*
*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]
```

### Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \frac{aB \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2} \sin(c + dx)}{3d} + \frac{1}{3} \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{a^2 (2A + 3B) \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{4d} + \frac{aB \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2} \sin(c + dx)}{3d} \\ &= \frac{a^3 (54A + 49B) \sqrt{\cos(c + dx)} \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 (2A + 3B) \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{4d} \\ &= \frac{a^3 (54A + 49B) \sqrt{\cos(c + dx)} \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)}} + \frac{a^2 (2A + 3B) \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{4d} \\ &= \frac{a^{5/2} (38A + 25B) \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{8d} + \frac{a^3 (54A + 49B) \sqrt{\cos(c + dx)} \sin(c + dx)}{24d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.731708, size = 121, normalized size = 0.67

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2}(38A + 25B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)}\right)}{48d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*
x]], x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(3*Sqrt[2]*(38*A + 25*B)*A
rcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(66*A + 79*B + 2*(6*
A + 17*B)*Cos[c + d*x] + 4*B*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(48*d)
```

**Maple [B]** time = 0.708, size = 357, normalized size = 2.

$$-\frac{a^2 (-1 + \cos(dx + c))}{24d (\sin(dx + c))^2} \left( 12 A \sin(dx + c) \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{3/2} (\cos(dx + c))^2 + 78 A \sin(dx + c) \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2), x)
```

```
[Out] -1/24/d*a^2*(-1+cos(d*x+c))*(12*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)^2+78*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)+8*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^3+66*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+34*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^2+75*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)+114*A*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*cos(d*x+c)+75*B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*cos(d*x+c)*(a*(1+cos(d*x+c)))^(1/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c)^(1/2)/sin(d*x+c)^2
```

---

**Maxima [B]** time = 4.6714, size = 4146, normalized size = 23.03

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] 1/96*(6*(2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*((a^2*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(2*d*x + 2*c) + a^2*sin(2*d*x + 2*c) - (a^2*cos(2*d*x + 2*c) - 10*a^2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + (a^2*sin(2*d*x + 2*c)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) - a^2*cos(2*d*x + 2*c) + 10*a^2 + (a^2*cos(2*d*x + 2*c) - 10*a^2)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sqrt(a) + 19*(a^2*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 1) - a^2*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))) - 1) - a^2*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + a^2*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*sqrt(a))*A + (4*(a^2*cos(3/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 1))*sin(3*d*x + 3*c) - (a^2*cos(3*d*x + 3*c) - a^2)*sin(3/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))) + 1))*((cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))))^2 + 2*cos(2/3*arctan2(sin(3
```



---

**Fricas [A]** time = 1.67226, size = 414, normalized size = 2.3

$$\frac{(8Ba^2 \cos(dx+c)^2 + 2(6A+17B)a^2 \cos(dx+c) + 3(22A+25B)a^2)\sqrt{a \cos(dx+c)+a}\sqrt{\cos(dx+c)} \sin(dx+c) - 3}{24(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] 1/24\*((8\*B\*a^2\*cos(d\*x + c)^2 + 2\*(6\*A + 17\*B)\*a^2\*cos(d\*x + c) + 3\*(22\*A + 25\*B)\*a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 3\*((38\*A + 25\*B)\*a^2\*cos(d\*x + c) + (38\*A + 25\*B)\*a^2)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c)))/(d\*cos(d\*x + c) + d)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(1/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx+c) + A)(a \cos(dx+c) + a)^{\frac{5}{2}}}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^(5/2)/sqrt(cos(d\*x + c)), x)



$$3.185 \quad \int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=178

$$\frac{a^{5/2}(20A + 19B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} - \frac{a^3(4A - 9B) \sin(c+dx) \sqrt{\cos(c+dx)}}{4d \sqrt{a \cos(c+dx)+a}} - \frac{a^2(4A - B) \sin(c+dx) \sqrt{\cos(c+dx)}}{2d}$$

[Out] (a^(5/2)\*(20\*A + 19\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]/(4\*d) - (a^3\*(4\*A - 9\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - (a^2\*(4\*A - B)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]])

**Rubi [A]** time = 0.552139, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2975, 2976, 2981, 2774, 216}

$$\frac{a^{5/2}(20A + 19B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4d} - \frac{a^3(4A - 9B) \sin(c+dx) \sqrt{\cos(c+dx)}}{4d \sqrt{a \cos(c+dx)+a}} - \frac{a^2(4A - B) \sin(c+dx) \sqrt{\cos(c+dx)}}{2d}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]

[Out] (a^(5/2)\*(20\*A + 19\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]/(4\*d) - (a^3\*(4\*A - 9\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - (a^2\*(4\*A - B)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]])

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2976

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 1) + B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) + (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^3(c + dx)} dx = \frac{2aA(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{(a + a \cos(c + dx))^{3/2} \left(\frac{1}{2}a\right)}{\cos^2(c + dx)} dx$$

$$= -\frac{a^2(4A - B)\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d} + \frac{2aA(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

$$= -\frac{a^3(4A - 9B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} - \frac{a^2(4A - B)\sqrt{\cos(c + dx)}\sqrt{a}}{2d}$$

$$= -\frac{a^3(4A - 9B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} - \frac{a^2(4A - B)\sqrt{\cos(c + dx)}\sqrt{a}}{2d}$$

$$= \frac{a^{5/2}(20A + 19B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{4d} - \frac{a^3(4A - 9B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}}$$

**Mathematica [A]** time = 0.66313, size = 126, normalized size = 0.71

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(\sqrt{2}(20A + 19B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)} + 2 \sin\left(\frac{1}{2}(c + dx)\right) ((4A - B)\sqrt{\cos(c + dx)} + B)}{8d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2), x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(Sqrt[2]*(20*A + 19*B)*Arc
Sin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + 2*(8*A + B + (4*A + 11*B
)*Cos[c + d*x] + B*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(8*d*Sqrt[Cos[c + d
*x]])
```

**Maple [B]** time = 0.689, size = 336, normalized size = 1.9

$$\frac{a^2}{4d(1+\cos(dx+c))}\sqrt{a(1+\cos(dx+c))}\left(20A\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\right)\cos(dx+c)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x)

[Out] 1/4/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(20\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*cos(d\*x+c)+2\*B\*sin(d\*x+c)\*cos(d\*x+c)^2+19\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*cos(d\*x+c)+4\*A\*cos(d\*x+c)\*sin(d\*x+c)+20\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+11\*B\*sin(d\*x+c)\*cos(d\*x+c)+19\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+8\*A\*sin(d\*x+c))\*a^2/(1+cos(d\*x+c))/cos(d\*x+c)^(1/2)

**Maxima [B]** time = 3.37, size = 2808, normalized size = 15.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] 1/16\*((2\*(cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*((a^2\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))\*sin(2\*d\*x + 2\*c) + a^2\*sin(2\*d\*x + 2\*c) - (a^2\*cos(2\*d\*x + 2\*c) - 10\*a^2)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + (a^2\*sin(2\*d\*x + 2\*c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) - a^2\*cos(2\*d\*x + 2\*c) + 10\*a^2 + (a^2\*cos(2\*d\*x + 2\*c) - 10\*a^2)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*sqrt(a) + 19\*(a^2\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))) - a^2\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))) - 1) - a^2\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1))

$$\begin{aligned} & c) + 1)^{1/4} \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) + 1) \\ & + a^2 \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) \\ & ) + 1)^{1/4} \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)), (\cos \\ & (2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cos(1/ \\ & 2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - 1)) \sqrt{a} * B + 4 * (2 * \\ & (a^2 \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \sin(dx + c) \\ & - (a^2 \cos(dx + c) - a^2) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2 * \\ & c) + 1))) \sqrt{\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) \\ & + 1} \sqrt{a} + 5 * (a^2 \arctan2(-(\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + \\ & 2\cos(2dx + 2c) + 1)^{1/4} * (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx \\ & + 2c) + 1)) \sin(dx + c) - \cos(dx + c) \sin(1/2 \arctan2(\sin(2dx + 2c), \\ & \cos(2dx + 2c) + 1))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2 \\ & * dx + 2c) + 1)^{1/4} * (\cos(dx + c) \cos(1/2 \arctan2(\sin(2dx + 2c), \cos( \\ & 2dx + 2c) + 1)) + \sin(dx + c) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2d \\ & * x + 2c) + 1))) + 1) - a^2 \arctan2(-(\cos(2dx + 2c)^2 + \sin(2dx + 2c) \\ & ^2 + 2\cos(2dx + 2c) + 1)^{1/4} * (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2 \\ & * dx + 2c) + 1)) \sin(dx + c) - \cos(dx + c) \sin(1/2 \arctan2(\sin(2dx + 2 \\ & * c), \cos(2dx + 2c) + 1))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2 * \\ & \cos(2dx + 2c) + 1)^{1/4} * (\cos(dx + c) \cos(1/2 \arctan2(\sin(2dx + 2c), \\ & \cos(2dx + 2c) + 1)) + \sin(dx + c) \sin(1/2 \arctan2(\sin(2dx + 2c), co \\ & s(2dx + 2c) + 1))) - 1) - a^2 \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + \\ & 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \sin(1/2 \arctan2(\sin(2dx + 2c), co \\ & s(2dx + 2c) + 1)), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx \\ & x + 2c) + 1)^{1/4} \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1) \\ & ) + 1) + a^2 \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx \\ & + 2c) + 1)^{1/4} \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \\ & , (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} * \\ & \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - 1)) * (\cos(2dx + \\ & 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \sqrt{a} + 8 * (a \\ & ^2 \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \sin(dx + c) - \\ & (a^2 \cos(dx + c) - a^2) \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) \\ & + 1))) \sqrt{a}) * A / (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + \\ & 2c) + 1)^{1/4}) / d \end{aligned}$$

**Fricas [A]** time = 1.66248, size = 432, normalized size = 2.43

$$\frac{(2Ba^2 \cos(dx + c)^2 + (4A + 11B)a^2 \cos(dx + c) + 8Aa^2) \sqrt{a \cos(dx + c)} + a \sqrt{\cos(dx + c)} \sin(dx + c) - ((20A + 19B) \cos(dx + c)^2 + (20A + 19B)a^2 \cos(dx + c)) \sqrt{a}}{4(d \cos(dx + c)^2 + d \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))^(5/2)\*(A+B\*cos(dx+c))/cos(dx+c)^(3/2),x, algorithm="fricas")

[Out] 1/4\*((2\*B\*a^2\*cos(dx + c)^2 + (4\*A + 11\*B)\*a^2\*cos(dx + c) + 8\*A\*a^2)\*sqrt(a\*cos(dx + c) + a)\*sqrt(cos(dx + c))\*sin(dx + c) - ((20\*A + 19\*B)\*a^2\*cos(dx + c)^2 + (20\*A + 19\*B)\*a^2\*cos(dx + c))\*sqrt(a)\*arctan(sqrt(a\*cos(dx + c) + a)\*sqrt(cos(dx + c))/(sqrt(a)\*sin(dx + c))))/(d\*cos(dx + c)^2 + d\*cos(dx + c))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(3/2), x)

$$3.186 \quad \int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=173

$$\frac{a^{5/2}(2A+5B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} - \frac{a^3(14A+3B) \sin(c+dx) \sqrt{\cos(c+dx)}}{3d \sqrt{a \cos(c+dx)+a}} + \frac{2a^2(2A+B) \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{d \sqrt{\cos(c+dx)}}$$

[Out] (a^(5/2)\*(2\*A + 5\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d - (a^3\*(14\*A + 3\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(2\*A + B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2))

**Rubi [A]** time = 0.532847, antiderivative size = 173, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2975, 2981, 2774, 216}

$$\frac{a^{5/2}(2A+5B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} - \frac{a^3(14A+3B) \sin(c+dx) \sqrt{\cos(c+dx)}}{3d \sqrt{a \cos(c+dx)+a}} + \frac{2a^2(2A+B) \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{d \sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(5/2), x]

[Out] (a^(5/2)\*(2\*A + 5\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d - (a^3\*(14\*A + 3\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(2\*A + B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2))

### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m-1)\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(n+1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n+1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m-1)\*(c + d\*Sin[e + f\*x])^(n+1)\*Simp[a\*A\*d\*(m-n-2) - B\*(a\*c\*(m-1) + b\*d\*(n+1)) - (A\*b\*d\*(m+n+1) - B\*(b\*c\*m - a\*d\*(n+1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

### Rule 2981

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(2\*n+3)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n+3) - B\*(b\*c - 2\*a\*d\*(n+1)))/(b\*d\*(2\*n+3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

### Rule 2774

```
Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]
```

### Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^2(c + dx)} dx &= \frac{2aA(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{3d \cos^2(c + dx)} + \frac{2}{3} \int \frac{(a + a \cos(c + dx))^{3/2}}{\cos^2(c + dx)} dx \\ &= \frac{2a^2(2A + B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2aA(a + a \cos(c + dx))^{3/2}}{3d \cos^2(c + dx)} \\ &= -\frac{a^3(14A + 3B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(2A + B)\sqrt{a + a \cos(c + dx)}}{d\sqrt{\cos(c + dx)}} \\ &= -\frac{a^3(14A + 3B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(2A + B)\sqrt{a + a \cos(c + dx)}}{d\sqrt{\cos(c + dx)}} \\ &= \frac{a^{5/2}(2A + 5B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{d} - \frac{a^3(14A + 3B)\sqrt{\cos(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.708525, size = 130, normalized size = 0.75

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2}(2A + 5B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \cos^{\frac{3}{2}}(c + dx) + \sin\left(\frac{1}{2}(c + dx)\right) (4(8A + 3B) \cos^{\frac{3}{2}}(c + dx) + 3d \cos^{\frac{3}{2}}(c + dx))}{6d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(3*Sqrt[2]*(2*A + 5*B)*Arc
Sin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(3/2) + (4*A + 3*B + 4*(8*A + 3*
B)*Cos[c + d*x] + 3*B*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(6*d*Cos[c + d*x]
]^(3/2))
```

**Maple [B]** time = 0.514, size = 484, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2), x)
```

```
[Out] -1/3/d*sin(d*x+c)^2*(a*(1+cos(d*x+c)))^(1/2)*(6*A*cos(d*x+c)^2*(cos(d*x+c)/
(1+cos(d*x+c)))^(3/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/c
os(d*x+c))+15*B*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arctan(sin(d
*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+12*A*cos(d*x+c)*(cos(d*
x+c)/(1+cos(d*x+c)))^(3/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1
/2)/cos(d*x+c))+30*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arctan(si
n(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+6*A*(cos(d*x+c)/(1+c
os(d*x+c)))^(3/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d
*x+c))+15*B*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arctan(sin(d*x+c)*(cos(d*x+c)
/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+3*B*sin(d*x+c)*cos(d*x+c)^2+16*A*cos(d*x
+c)*sin(d*x+c)+6*B*sin(d*x+c)*cos(d*x+c)+2*A*sin(d*x+c))*a^2/(-1+cos(d*x+c)
)/(1+cos(d*x+c))^2/cos(d*x+c)^(3/2)
```

**Maxima [B]** time = 2.88245, size = 3200, normalized size = 18.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algo
rithm="maxima")
```

```
[Out] 1/12*(3*(2*(a^2*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*si
n(d*x + c) - (a^2*cos(d*x + c) - a^2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos
(2*d*x + 2*c) + 1)))*sqrt(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2
*d*x + 2*c) + 1)*sqrt(a) + 5*(a^2*arctan2(-(cos(2*d*x + 2*c)^2 + sin(2*d*x
+ 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(sin(2*d
*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^
2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x + 2*
c), cos(2*d*x + 2*c) + 1)))) + 1) - a^2*arctan2(-(cos(2*d*x + 2*c)^2 + sin(2
*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x +
2*c), cos(2*d*x + 2*c) + 1))*sin(d*x + c) - cos(d*x + c)*sin(1/2*arctan2(si
n(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x +
2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(d*x + c)*cos(1/2*arctan2(sin(2*
d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(d*x + c)*sin(1/2*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c) + 1)))) - 1) - a^2*arctan2((cos(2*d*x + 2*c)^2 + s
in(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x
+ 2*c), cos(2*d*x + 2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 +
2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x
+ 2*c) + 1)) + 1) + a^2*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 +
2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x +
2*c) + 1))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c)
+ 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1))*
(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sq
rt(a) + 8*(a^2*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(
d*x + c) - (a^2*cos(d*x + c) - a^2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2
*d*x + 2*c) + 1)))*sqrt(a))*B/(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*
cos(2*d*x + 2*c) + 1)^(1/4) + 2*(30*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^
2 + 2*cos(2*d*x + 2*c) + 1)^(3/4)*a^(5/2)*sin(1/2*arctan2(sin(2*d*x + 2*c),
cos(2*d*x + 2*c) + 1)) - 2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*co
s(2*d*x + 2*c) + 1)^(1/4)*((12*a^2*cos(3/2*arctan2(sin(2*d*x + 2*c), cos(2*
d*x + 2*c)))*sin(2*d*x + 2*c) - 3*a^2*sin(2*d*x + 2*c) - 4*(3*a^2*cos(2*d*x
+ 2*c) + 4*a^2)*sin(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*cos(
3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + (12*a^2*sin(2*d*x +
2*c)*sin(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 3*a^2*cos(2*d*x
```



$$\begin{aligned}
& + 2*c) - a^2 + 4*(3*a^2*\cos(2*d*x + 2*c) + 4*a^2)*\cos(3/2*\arctan2(\sin(2*d*x \\
& x + 2*c), \cos(2*d*x + 2*c))) * \sin(3/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c) + 1)) * \sqrt{a} + 3*((a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 \\
& + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2 \\
& *c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4})*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c))) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \\
& \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\arctan2(\sin \\
& (2*d*x + 2*c), \cos(2*d*x + 2*c))))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c \\
& )^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4})*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos( \\
& 2*d*x + 2*c) + 1))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \sin \\
& (1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2*\arctan2(\sin \\
& (2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 1) - (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin \\
& (2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\arctan2((\cos(2*d*x + 2*c)^2 \\
& + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4})*(\cos(1/2*\arctan2(\sin( \\
& 2*d*x + 2*c), \cos(2*d*x + 2*c))) * \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d* \\
& x + 2*c) + 1)) - \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin \\
& (1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))), (\cos(2*d*x + 2*c)^2 + \\
& \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4})*(\cos(1/2*\arctan2(\sin(2* \\
& d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2* \\
& d*x + 2*c))) + \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin \\
& (1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - 1) - (a^2*\cos(2*d*x + \\
& 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\arctan2((\cos \\
& (2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4})*\sin(1 \\
& /2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \\
& \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4})*\cos(1/2*\arctan2(\sin(2*d* \\
& x + 2*c), \cos(2*d*x + 2*c) + 1)) + 1) + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2 \\
& *d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\arctan2((\cos(2*d*x + 2*c)^2 + \\
& \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{1/4})*\sin(1/2*\arctan2(\sin(2*d \\
& *x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 \\
& + 2*\cos(2*d*x + 2*c) + 1)^{1/4})*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d* \\
& x + 2*c) + 1)) - 1)) * \sqrt{a}) * A / (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + \\
& 2*\cos(2*d*x + 2*c) + 1)) / d
\end{aligned}$$

**Fricas [A]** time = 1.5839, size = 436, normalized size = 2.52

$$\frac{(3Ba^2 \cos(dx+c)^2 + 2(8A+3B)a^2 \cos(dx+c) + 2Aa^2) \sqrt{a \cos(dx+c) + a} \sqrt{\cos(dx+c)} \sin(dx+c) - 3((2A+5B)a^2 \cos(dx+c)^3 + d \cos(dx+c)^2)}{3(d \cos(dx+c)^3 + d \cos(dx+c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorith="fricas")

[Out] 1/3\*((3\*B\*a^2\*cos(d\*x + c)^2 + 2\*(8\*A + 3\*B)\*a^2\*cos(d\*x + c) + 2\*A\*a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 3\*((2\*A + 5\*B)\*a^2\*cos(d\*x + c)^3 + (2\*A + 5\*B)\*a^2\*cos(d\*x + c)^2)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c)))/(d\*cos(d\*x + c)^3 + d\*cos(d\*x + c)^2)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(5/2), x)

$$3.187 \quad \int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{7 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=172

$$\frac{2a^2(8A+5B) \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{15d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a^3(32A+35B) \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} + \frac{2a^{5/2} B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} +$$

[Out] (2\*a^(5/2)\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d + (2\*a^3\*(32\*A + 35\*B)\*Sin[c + d\*x])/(15\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(8\*A + 5\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*d\*Cos[c + d\*x]^(3/2)) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(5\*d\*Cos[c + d\*x]^(5/2))

**Rubi [A]** time = 0.506073, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2975, 2980, 2774, 216}

$$\frac{2a^2(8A+5B) \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{15d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a^3(32A+35B) \sin(c+dx)}{15d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} + \frac{2a^{5/2} B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} +$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(7/2), x]

[Out] (2\*a^(5/2)\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/d + (2\*a^3\*(32\*A + 35\*B)\*Sin[c + d\*x])/(15\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(8\*A + 5\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*d\*Cos[c + d\*x]^(3/2)) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(5\*d\*Cos[c + d\*x]^(5/2))

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 2774

```
Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^7(c + dx)} dx = \frac{2aA(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d \cos^5(c + dx)} + \frac{2}{5} \int \frac{(a + a \cos(c + dx))^{3/2} \left(\frac{1}{2}a \cos(c + dx) + \frac{1}{2}a\right)}{\cos^5(c + dx)} dx$$

$$= \frac{2a^2(8A + 5B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{15d \cos^3(c + dx)} + \frac{2aA(a + a \cos(c + dx))^{3/2}}{5d \cos^5(c + dx)}$$

$$= \frac{2a^3(32A + 35B) \sin(c + dx)}{15d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(8A + 5B)\sqrt{a + a \cos(c + dx)}}{15d \cos^3(c + dx)}$$

$$= \frac{2a^3(32A + 35B) \sin(c + dx)}{15d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(8A + 5B)\sqrt{a + a \cos(c + dx)}}{15d \cos^3(c + dx)}$$

$$= \frac{2a^{5/2}B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{d} + \frac{2a^3(32A + 35B) \sin(c + dx)}{15d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(8A + 5B)\sqrt{a + a \cos(c + dx)}}{15d \cos^3(c + dx)}$$

**Mathematica [A]** time = 0.725331, size = 130, normalized size = 0.76

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) (2(14A + 5B) \cos(c + dx) + (43A + 40B) \cos(2(c + dx)) + 49A) \right)}{30d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2),x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*(30*Sqrt[2]*B*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(5/2) + 2*(49*A + 40*B + 2*(14*A + 5*B)*Cos[c + d*x] + (43*A + 40*B)*Cos[2*(c + d*x)])*Sin[(c + d*x)/2])/(30*d*Cos[c + d*x]^(5/2))
```

**Maple [B]** time = 0.674, size = 306, normalized size = 1.8

$$-\frac{2a^2}{15d \sin(dx + c)} \sqrt{a(1 + \cos(dx + c))} \left( -15B \sin(dx + c) (\cos(dx + c))^2 \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{5/2} \arctan\left( \frac{\sin(dx + c)}{\cos(dx + c)} \sqrt{\frac{1 + \cos(dx + c)}{2}} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x)
```

```
[Out] -2/15/d*a^2*(a*(1+cos(d*x+c)))^(1/2)*(-15*B*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))-30*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))-15*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+43*A*cos(d*x+c)^3+40*B*cos(d*x+c)^3-29*A*cos(d*x+c)^2-35*B*cos(d*x+c)^2-11*A*cos(d*x+c)-5*B*cos(d*x+c)-3*A)/sin(d*x+c)/cos(d*x+c)^(5/2)
```

**Maxima [B]** time = 3.19795, size = 2090, normalized size = 12.15

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="maxima")
```

```
[Out] 1/30*(5*(30*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(3/4)*a^(5/2)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4))*((12*a^2*cos(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*sin(2*d*x + 2*c) - 3*a^2*sin(2*d*x + 2*c) - 4*(3*a^2*cos(2*d*x + 2*c) + 4*a^2)*sin(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*cos(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + (12*a^2*sin(2*d*x + 2*c)*sin(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 3*a^2*cos(2*d*x + 2*c) - a^2 + 4*(3*a^2*cos(2*d*x + 2*c) + 4*a^2)*cos(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))*sin(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sqrt(a) + 3*((a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + 1) - (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)))*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 1) - (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + 1) + (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^(1/4)*cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + 1) + 1) + 1)
```

$$\frac{1)^{(1/4)} \cdot \cos(1/2 \cdot \arctan2(\sin(2 \cdot dx + 2 \cdot c), \cos(2 \cdot dx + 2 \cdot c) + 1)) - 1) \cdot \sqrt{t(a)} \cdot B / (\cos(2 \cdot dx + 2 \cdot c)^2 + \sin(2 \cdot dx + 2 \cdot c)^2 + 2 \cdot \cos(2 \cdot dx + 2 \cdot c) + 1) + 16 \cdot (15 \cdot \sqrt{2}) \cdot a^{(5/2)} \cdot \sin(dx + c) / (\cos(dx + c) + 1) - 35 \cdot \sqrt{2}) \cdot a^{(5/2)} \cdot \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + 28 \cdot \sqrt{2}) \cdot a^{(5/2)} \cdot \sin(dx + c)^5 / (\cos(dx + c) + 1)^5 - 8 \cdot \sqrt{2}) \cdot a^{(5/2)} \cdot \sin(dx + c)^7 / (\cos(dx + c) + 1)^7 \cdot A / ((\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{(7/2)} \cdot (-\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{(7/2}))}{d}$$

**Fricas [A]** time = 1.34738, size = 424, normalized size = 2.47

$$\frac{2 \left( \left( (43A + 40B)a^2 \cos(dx + c)^2 + (14A + 5B)a^2 \cos(dx + c) + 3Aa^2 \right) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) - 15 \left( d \cos(dx + c)^4 + d \cos(dx + c)^3 \right) \right)}{15 \left( d \cos(dx + c)^4 + d \cos(dx + c)^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))^(5/2)\*(A+B\*cos(dx+c))/cos(dx+c)^(7/2),x, algorithm="fricas")

[Out]  $\frac{2}{15} \cdot \left( \left( (43A + 40B) \cdot a^2 \cdot \cos(dx + c)^2 + (14A + 5B) \cdot a^2 \cdot \cos(dx + c) + 3A \cdot a^2 \right) \cdot \sqrt{a \cdot \cos(dx + c) + a} \cdot \sqrt{\cos(dx + c)} \cdot \sin(dx + c) - 15 \cdot (B \cdot a^2 \cdot \cos(dx + c)^4 + B \cdot a^2 \cdot \cos(dx + c)^3) \cdot \sqrt{a} \cdot \arctan\left(\frac{\sqrt{a \cdot \cos(dx + c) + a} \cdot \sqrt{\cos(dx + c)}}{\sqrt{a} \cdot \sin(dx + c)}\right) \right) / (d \cdot \cos(dx + c)^4 + d \cdot \cos(dx + c)^3)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))\*\*(5/2)\*(A+B\*cos(dx+c))/cos(dx+c)\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))^(5/2)\*(A+B\*cos(dx+c))/cos(dx+c)^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(dx + c) + A)\*(a\*cos(dx + c) + a)^(5/2)/cos(dx + c)^(7/2), x)

$$3.188 \quad \int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{9 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=181

$$\frac{2a^3(10A+11B) \sin(c+dx)}{15d \cos^3(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2a^2(10A+7B) \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{35d \cos^5(c+dx)} + \frac{2a^3(230A+301B) \sin(c+dx)}{105d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

[Out] (2\*a^3\*(10\*A + 11\*B)\*Sin[c + d\*x])/(15\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^3\*(230\*A + 301\*B)\*Sin[c + d\*x])/(105\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(10\*A + 7\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(35\*d\*Cos[c + d\*x]^(5/2)) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(7\*d\*Cos[c + d\*x]^(7/2))

**Rubi [A]** time = 0.55189, antiderivative size = 181, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 3, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$ , Rules used = {2975, 2980, 2771}

$$\frac{2a^3(10A+11B) \sin(c+dx)}{15d \cos^3(c+dx) \sqrt{a \cos(c+dx)+a}} + \frac{2a^2(10A+7B) \sin(c+dx) \sqrt{a \cos(c+dx)+a}}{35d \cos^5(c+dx)} + \frac{2a^3(230A+301B) \sin(c+dx)}{105d \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(9/2), x]

[Out] (2\*a^3\*(10\*A + 11\*B)\*Sin[c + d\*x])/(15\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^3\*(230\*A + 301\*B)\*Sin[c + d\*x])/(105\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(10\*A + 7\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(35\*d\*Cos[c + d\*x]^(5/2)) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(7\*d\*Cos[c + d\*x]^(7/2))

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m-1)\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(n+1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n+1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m-1)\*(c + d\*Sin[e + f\*x])^(n+1)\*Simp[A\*d\*(m-n-2) - B\*(a\*c\*(m-1) + b\*d\*(n+1)) - (A\*b\*d\*(m+n+1) - B\*(b\*c\*m - a\*d\*(n+1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(n+1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n+3) - B\*(b\*c - 2\*a\*d\*(n+1)))/(2\*d\*(n+1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n+1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 2771

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^2(c + dx)} dx = \frac{2aA(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{7d \cos^2(c + dx)} + \frac{2}{7} \int \frac{(a + a \cos(c + dx))^{3/2} \left(\frac{1}{2}a\right)}{\cos^2(c + dx)} dx$$

$$= \frac{2a^2(10A + 7B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{35d \cos^5(c + dx)} + \frac{2aA(a + a \cos(c + dx))^{3/2}}{7d \cos^2(c + dx)}$$

$$= \frac{2a^3(10A + 11B) \sin(c + dx)}{15d \cos^3(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(10A + 7B)\sqrt{a + a \cos(c + dx)}}{35d \cos^5(c + dx)}$$

$$= \frac{2a^3(10A + 11B) \sin(c + dx)}{15d \cos^3(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a^3(230A + 301B) \sin(c + dx)}{105d \sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}}$$

**Mathematica [A]** time = 0.600312, size = 104, normalized size = 0.57

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}((930A + 987B) \cos(c + dx) + 2(115A + 98B) \cos(2(c + dx)) + 230A \cos(3(c + dx)))}{210d \cos^{\frac{7}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(9/2), x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*(290*A + 196*B + (930*A + 987*B)*Cos[c + d*x] + 2*(115*A + 98*B)*Cos[2*(c + d*x)] + 230*A*Cos[3*(c + d*x)] + 301*B*Cos[3*(c + d*x)])*Tan[(c + d*x)/2])/(210*d*Cos[c + d*x]^(7/2))
```

**Maple [A]** time = 0.601, size = 111, normalized size = 0.6

$$\frac{2a^2(-1 + \cos(dx + c))(230A(\cos(dx + c))^3 + 301B(\cos(dx + c))^3 + 115A(\cos(dx + c))^2 + 98B(\cos(dx + c))^2 + 60A\cos(dx + c) + 30A)}{105d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2), x)
```

```
[Out] -2/105/d*a^2*(-1+cos(d*x+c))*(230*A*cos(d*x+c)^3+301*B*cos(d*x+c)^3+115*A*cos(d*x+c)^2+98*B*cos(d*x+c)^2+60*A*cos(d*x+c)+21*B*cos(d*x+c)+15*A)*(a*(1+cos(d*x+c)))^(1/2)/sin(d*x+c)/cos(d*x+c)^(7/2)
```



**Maxima [B]** time = 2.00511, size = 535, normalized size = 2.96

$$8 \frac{\left( 7 \left( \frac{15\sqrt{2}a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{35\sqrt{2}a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{28\sqrt{2}a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{8\sqrt{2}a^2 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) B}{\left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}}} + \frac{5 \left( \frac{21\sqrt{2}a^2 \sin(dx+c)}{\cos(dx+c)+1} - \frac{56\sqrt{2}a^2 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{63\sqrt{2}a^2 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{36\sqrt{2}a^2 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) A}{\left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}} \left( \frac{2\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{9}{2}}}$$

105 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] 8/105\*(7\*(15\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 35\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 28\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 8\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7)\*B/((sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(7/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(7/2)) + 5\*(21\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 56\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 63\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 36\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7 + 8\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^9/(cos(d\*x + c) + 1)^9)\*A\*(sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 1)^2/((sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(9/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(9/2)\*(2\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4 + 1)))

**Fricas [A]** time = 1.26924, size = 297, normalized size = 1.64

$$\frac{2 \left( (230 A + 301 B) a^2 \cos(dx + c)^3 + (115 A + 98 B) a^2 \cos(dx + c)^2 + 3 (20 A + 7 B) a^2 \cos(dx + c) + 15 A a^2 \right) \sqrt{a \cos(dx + c)}}{105 \left( d \cos(dx + c)^5 + d \cos(dx + c)^4 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2),x, algorithm="fricas")

[Out] 2/105\*((230\*A + 301\*B)\*a^2\*cos(d\*x + c)^3 + (115\*A + 98\*B)\*a^2\*cos(d\*x + c)^2 + 3\*(20\*A + 7\*B)\*a^2\*cos(d\*x + c) + 15\*A\*a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(d\*cos(d\*x + c)^5 + d\*cos(d\*x + c)^4)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(9/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(9/2), x)

$$3.189 \quad \int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{11}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=228

$$\frac{2a^3(292A + 345B) \sin(c + dx)}{315d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(124A + 135B) \sin(c + dx)}{315d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^2(4A + 3B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{21d \cos^{\frac{7}{2}}(c + dx)}$$

[Out] (2\*a^3\*(124\*A + 135\*B)\*Sin[c + d\*x])/(315\*d\*Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^3\*(292\*A + 345\*B)\*Sin[c + d\*x])/(315\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (4\*a^3\*(292\*A + 345\*B)\*Sin[c + d\*x])/(315\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(4\*A + 3\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(21\*d\*Cos[c + d\*x]^(7/2)) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(9\*d\*Cos[c + d\*x]^(9/2))

**Rubi [A]** time = 0.7035, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2975, 2980, 2772, 2771}

$$\frac{2a^3(292A + 345B) \sin(c + dx)}{315d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(124A + 135B) \sin(c + dx)}{315d \cos^{\frac{5}{2}}(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^2(4A + 3B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{21d \cos^{\frac{7}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(11/2), x]

[Out] (2\*a^3\*(124\*A + 135\*B)\*Sin[c + d\*x])/(315\*d\*Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^3\*(292\*A + 345\*B)\*Sin[c + d\*x])/(315\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (4\*a^3\*(292\*A + 345\*B)\*Sin[c + d\*x])/(315\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(4\*A + 3\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(21\*d\*Cos[c + d\*x]^(7/2)) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(9\*d\*Cos[c + d\*x]^(9/2))

#### Rule 2975

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rule 2772

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]
```

Rule 2771

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^{11/2}(c + dx)} dx = \frac{2aA(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{2}{9} \int \frac{(a + a \cos(c + dx))^{3/2} \left(\frac{3}{2}a\right)}{\cos^{7/2}(c + dx)} dx$$

$$= \frac{2a^2(4A + 3B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{21d \cos^{7/2}(c + dx)} + \frac{2aA(a + a \cos(c + dx))}{9d \cos^{9/2}(c + dx)}$$

$$= \frac{2a^3(124A + 135B) \sin(c + dx)}{315d \cos^{5/2}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(4A + 3B)\sqrt{a + a \cos(c + dx)}}{21d \cos^{7/2}(c + dx)}$$

$$= \frac{2a^3(124A + 135B) \sin(c + dx)}{315d \cos^{5/2}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a^3(292A + 345B) \sin(c + dx)}{315d \cos^{3/2}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{2a^3(124A + 135B) \sin(c + dx)}{315d \cos^{5/2}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a^3(292A + 345B) \sin(c + dx)}{315d \cos^{3/2}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

**Mathematica [A]** time = 0.829134, size = 126, normalized size = 0.55

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}((1396A + 1215B) \cos(c + dx) + 2(803A + 870B) \cos(2(c + dx)) + 292A \cos(3(c + dx)))}{630d \cos^{9/2}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(11/2), x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*(1454*A + 1395*B + (1396*A + 1215*B)*Cos[c + d*x] + 2*(803*A + 870*B)*Cos[2*(c + d*x)] + 292*A*Cos[3*(c + d*x)] + 345*B*Cos[3*(c + d*x)] + 292*A*Cos[4*(c + d*x)] + 345*B*Cos[4*(c + d*x)])*Tan[(c + d*x)/2])/(630*d*Cos[c + d*x]^(9/2))
```

**Maple [A]** time = 0.621, size = 133, normalized size = 0.6

$$\frac{2a^2(-1 + \cos(dx + c)) \left(584A(\cos(dx + c))^4 + 690B(\cos(dx + c))^4 + 292A(\cos(dx + c))^3 + 345B(\cos(dx + c))^3 + \dots\right)}{315d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+\cos(dx+c)*a)^{(5/2)}*(A+B*\cos(dx+c))/\cos(dx+c)^{(11/2)},x)$

[Out]  $-2/315/d*a^2*(-1+\cos(dx+c))*(584*A*\cos(dx+c)^4+690*B*\cos(dx+c)^4+292*A*\cos(dx+c)^3+345*B*\cos(dx+c)^3+219*A*\cos(dx+c)^2+180*B*\cos(dx+c)^2+130*A*\cos(dx+c)+45*B*\cos(dx+c)+35*A)*(a*(1+\cos(dx+c)))^{(1/2)}/\sin(dx+c)/\cos(dx+c)^{(9/2)}$

**Maxima [B]** time = 2.45213, size = 720, normalized size = 3.16

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+a*\cos(dx+c))^{(5/2)}*(A+B*\cos(dx+c))/\cos(dx+c)^{(11/2)},x, \text{algorithm}="maxima")$

[Out]  $8/315*(15*(21*\sqrt{2})*a^{(5/2)}*\sin(dx+c)/(\cos(dx+c)+1) - 56*\sqrt{2})*a^{(5/2)}*\sin(dx+c)^3/(\cos(dx+c)+1)^3 + 63*\sqrt{2})*a^{(5/2)}*\sin(dx+c)^5/(\cos(dx+c)+1)^5 - 36*\sqrt{2})*a^{(5/2)}*\sin(dx+c)^7/(\cos(dx+c)+1)^7 + 8*\sqrt{2})*a^{(5/2)}*\sin(dx+c)^9/(\cos(dx+c)+1)^9)*B*(\sin(dx+c)^2/(\cos(dx+c)+1)^2 + 1)^2/((\sin(dx+c)/(\cos(dx+c)+1)+1)^{(9/2)}*(-\sin(dx+c)/(\cos(dx+c)+1)+1)^{(9/2)}*(2*\sin(dx+c)^2/(\cos(dx+c)+1)^2 + \sin(dx+c)^4/(\cos(dx+c)+1)^4 + 1)) + (315*\sqrt{2})*a^{(5/2)}*\sin(dx+c)/(\cos(dx+c)+1) - 945*\sqrt{2})*a^{(5/2)}*\sin(dx+c)^3/(\cos(dx+c)+1)^3 + 1449*\sqrt{2})*a^{(5/2)}*\sin(dx+c)^5/(\cos(dx+c)+1)^5 - 1287*\sqrt{2})*a^{(5/2)}*\sin(dx+c)^7/(\cos(dx+c)+1)^7 + 572*\sqrt{2})*a^{(5/2)}*\sin(dx+c)^9/(\cos(dx+c)+1)^9 - 104*\sqrt{2})*a^{(5/2)}*\sin(dx+c)^{11}/(\cos(dx+c)+1)^{11})*A*(\sin(dx+c)^2/(\cos(dx+c)+1)^2 + 1)^3/((\sin(dx+c)/(\cos(dx+c)+1)+1)^{(11/2)}*(-\sin(dx+c)/(\cos(dx+c)+1)+1)^{(11/2)}*(3*\sin(dx+c)^2/(\cos(dx+c)+1)^2 + 3*\sin(dx+c)^4/(\cos(dx+c)+1)^4 + \sin(dx+c)^6/(\cos(dx+c)+1)^6 + 1)))/d$

**Fricas [A]** time = 1.19209, size = 351, normalized size = 1.54

$$\frac{2(2(292A + 345B)a^2 \cos(dx+c)^4 + (292A + 345B)a^2 \cos(dx+c)^3 + 3(73A + 60B)a^2 \cos(dx+c)^2 + 5(26A + 9B)a^2 \cos(dx+c) + 35Aa^2)\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}\sin(dx+c)}{315(d\cos(dx+c)^6 + d\cos(dx+c)^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+a*\cos(dx+c))^{(5/2)}*(A+B*\cos(dx+c))/\cos(dx+c)^{(11/2)},x, \text{algorithm}="fricas")$

[Out]  $2/315*(2*(292*A + 345*B)*a^2*\cos(dx+c)^4 + (292*A + 345*B)*a^2*\cos(dx+c)^3 + 3*(73*A + 60*B)*a^2*\cos(dx+c)^2 + 5*(26*A + 9*B)*a^2*\cos(dx+c) + 35*A*a^2)*\sqrt{a*\cos(dx+c)+a}*\sqrt{\cos(dx+c)}*\sin(dx+c)/(d*\cos(dx+c)^6 + d*\cos(dx+c)^5)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(11/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(11/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(11/2), x)

$$3.190 \quad \int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=275

$$\frac{8a^3(710A + 803B) \sin(c + dx)}{3465d \cos^3(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(710A + 803B) \sin(c + dx)}{1155d \cos^5(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(194A + 209B) \sin(c + dx)}{693d \cos^7(c + dx) \sqrt{a \cos(c + dx) + a}}$$

```
[Out] (2*a^3*(194*A + 209*B)*Sin[c + d*x])/(693*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Cos[c + d*x]]) + (2*a^3*(710*A + 803*B)*Sin[c + d*x])/(1155*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Cos[c + d*x]]) + (8*a^3*(710*A + 803*B)*Sin[c + d*x])/(3465*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Cos[c + d*x]]) + (16*a^3*(710*A + 803*B)*Sin[c + d*x])/(3465*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]]) + (2*a^2*(14*A + 11*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(99*d*Cos[c + d*x]^(9/2)) + (2*a*A*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(11*d*Cos[c + d*x]^(11/2))
```

**Rubi [A]** time = 0.713863, antiderivative size = 275, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2975, 2980, 2772, 2771}

$$\frac{8a^3(710A + 803B) \sin(c + dx)}{3465d \cos^3(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(710A + 803B) \sin(c + dx)}{1155d \cos^5(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(194A + 209B) \sin(c + dx)}{693d \cos^7(c + dx) \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(13/2), x]
```

```
[Out] (2*a^3*(194*A + 209*B)*Sin[c + d*x])/(693*d*Cos[c + d*x]^(7/2)*Sqrt[a + a*Cos[c + d*x]]) + (2*a^3*(710*A + 803*B)*Sin[c + d*x])/(1155*d*Cos[c + d*x]^(5/2)*Sqrt[a + a*Cos[c + d*x]]) + (8*a^3*(710*A + 803*B)*Sin[c + d*x])/(3465*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Cos[c + d*x]]) + (16*a^3*(710*A + 803*B)*Sin[c + d*x])/(3465*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]]) + (2*a^2*(14*A + 11*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(99*d*Cos[c + d*x]^(9/2)) + (2*a*A*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(11*d*Cos[c + d*x]^(11/2))
```

#### Rule 2975

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)), x] - Dist[b/(d*(n + 1)*(b*c + a*d)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[a*A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*
```

```
(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

### Rule 2772

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]
```

### Rule 2771

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^{13/2}(c + dx)} dx &= \frac{2aA(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{11d \cos^{11/2}(c + dx)} + \frac{2}{11} \int \frac{(a + a \cos(c + dx))^{3/2} \left(\frac{1}{2}\right)}{\cos^{11/2}(c + dx)} dx \\ &= \frac{2a^2(14A + 11B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{99d \cos^9(c + dx)} + \frac{2aA(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{11d \cos^{11/2}(c + dx)} \\ &= \frac{2a^3(194A + 209B) \sin(c + dx)}{693d \cos^7(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(14A + 11B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{99d \cos^9(c + dx)} \\ &= \frac{2a^3(194A + 209B) \sin(c + dx)}{693d \cos^7(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a^3(710A + 803B) \sin(c + dx)}{1155d \cos^5(c + dx)\sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a^3(194A + 209B) \sin(c + dx)}{693d \cos^7(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a^3(710A + 803B) \sin(c + dx)}{1155d \cos^5(c + dx)\sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a^3(194A + 209B) \sin(c + dx)}{693d \cos^7(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2a^3(710A + 803B) \sin(c + dx)}{1155d \cos^5(c + dx)\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.959139, size = 147, normalized size = 0.53

$$a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sqrt{a(\cos(c + dx) + 1)}((25070A + 24827B) \cos(c + dx) + (9230A + 9284B) \cos(2(c + dx)) + 9230A \cos(3(c + dx)))$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(13/2), x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*(9070*A + 7678*B + (25070*A + 24827*B)*Cos[c + d*x] + (9230*A + 9284*B)*Cos[2*(c + d*x)] + 9230*A*Cos[3*(c + d*x)] + 1
```



$$0439*B*\text{Cos}[3*(c + d*x)] + 1420*A*\text{Cos}[4*(c + d*x)] + 1606*B*\text{Cos}[4*(c + d*x)] \\ + 1420*A*\text{Cos}[5*(c + d*x)] + 1606*B*\text{Cos}[5*(c + d*x)]*\text{Tan}[(c + d*x)/2]/(69 \\ 30*d*\text{Cos}[c + d*x]^{(11/2)})$$

**Maple [A]** time = 0.635, size = 155, normalized size = 0.6

$$2a^2(-1 + \cos(dx + c)) \left( 5680A(\cos(dx + c))^5 + 6424B(\cos(dx + c))^5 + 2840A(\cos(dx + c))^4 + 3212B(\cos(dx + c))^4 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(13/2),x)

[Out]  $-2/3465/d*a^2*(-1+\cos(d*x+c))*(5680*A*\cos(d*x+c)^5+6424*B*\cos(d*x+c)^5+2840$   
 $*A*\cos(d*x+c)^4+3212*B*\cos(d*x+c)^4+2130*A*\cos(d*x+c)^3+2409*B*\cos(d*x+c)^3$   
 $+1775*A*\cos(d*x+c)^2+1430*B*\cos(d*x+c)^2+1120*A*\cos(d*x+c)+385*B*\cos(d*x+c)$   
 $+315*A)*(a*(1+\cos(d*x+c)))^{(1/2)}/\sin(d*x+c)/\cos(d*x+c)^{(11/2)}$

**Maxima [B]** time = 2.35852, size = 845, normalized size = 3.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(13/2),x, algo  
rithm="maxima")

[Out]  $8/3465*(11*(315*\sqrt{2})*a^{(5/2)}*\sin(d*x + c)/(\cos(d*x + c) + 1) - 945*\sqrt{2}$   
 $(2)*a^{(5/2)}*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 1449*\sqrt{2})*a^{(5/2)}*\sin(d$   
 $*x + c)^5/(\cos(d*x + c) + 1)^5 - 1287*\sqrt{2})*a^{(5/2)}*\sin(d*x + c)^7/(\cos(d$   
 $*x + c) + 1)^7 + 572*\sqrt{2})*a^{(5/2)}*\sin(d*x + c)^9/(\cos(d*x + c) + 1)^9 -$   
 $104*\sqrt{2})*a^{(5/2)}*\sin(d*x + c)^11/(\cos(d*x + c) + 1)^11)*B*(\sin(d*x + c)^$   
 $2/(\cos(d*x + c) + 1)^2 + 1)^3/((\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{(11/2)}$   
 $*(-\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{(11/2)}*(3*\sin(d*x + c)^2/(\cos(d*x +$   
 $c) + 1)^2 + 3*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + \sin(d*x + c)^6/(\cos(d*$   
 $x + c) + 1)^6 + 1)) + 5*(693*\sqrt{2})*a^{(5/2)}*\sin(d*x + c)/(\cos(d*x + c) + 1$   
 $) - 2310*\sqrt{2})*a^{(5/2)}*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 4620*\sqrt{2}$   
 $*a^{(5/2)}*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 5478*\sqrt{2})*a^{(5/2)}*\sin(d*x$   
 $+ c)^7/(\cos(d*x + c) + 1)^7 + 3575*\sqrt{2})*a^{(5/2)}*\sin(d*x + c)^9/(\cos(d*x$   
 $+ c) + 1)^9 - 1300*\sqrt{2})*a^{(5/2)}*\sin(d*x + c)^11/(\cos(d*x + c) + 1)^11 +$   
 $200*\sqrt{2})*a^{(5/2)}*\sin(d*x + c)^13/(\cos(d*x + c) + 1)^13)*A*(\sin(d*x + c)$   
 $^2/(\cos(d*x + c) + 1)^2 + 1)^4/((\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{(13/2)}$   
 $*(-\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{(13/2)}*(4*\sin(d*x + c)^2/(\cos(d*x$   
 $+ c) + 1)^2 + 6*\sin(d*x + c)^4/(\cos(d*x + c) + 1)^4 + 4*\sin(d*x + c)^6/(\cos$   
 $(d*x + c) + 1)^6 + \sin(d*x + c)^8/(\cos(d*x + c) + 1)^8 + 1))/d$

**Fricas [A]** time = 1.12629, size = 414, normalized size = 1.51

$$2 \left( 8(710A + 803B)a^2 \cos(dx + c)^5 + 4(710A + 803B)a^2 \cos(dx + c)^4 + 3(710A + 803B)a^2 \cos(dx + c)^3 + 5(355 \right. \\ \left. 3465(d \cos(dx + c)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(13/2),x, algorith="fricas")

[Out] 2/3465\*(8\*(710\*A + 803\*B)\*a^2\*cos(d\*x + c)^5 + 4\*(710\*A + 803\*B)\*a^2\*cos(d\*x + c)^4 + 3\*(710\*A + 803\*B)\*a^2\*cos(d\*x + c)^3 + 5\*(355\*A + 286\*B)\*a^2\*cos(d\*x + c)^2 + 35\*(32\*A + 11\*B)\*a^2\*cos(d\*x + c) + 315\*A\*a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(d\*cos(d\*x + c)^7 + d\*cos(d\*x + c)^6)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(13/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{13}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(13/2),x, algorith="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(13/2), x)

$$3.191 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=190

$$\frac{(4A-7B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4\sqrt{ad}} + \frac{(4A-B) \sin(c+dx) \sqrt{\cos(c+dx)}}{4d\sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] -((4\*A - 7\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(4\*Sqrt[a]\*d) + (Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d) + ((4\*A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (B\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(2\*d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.594787, antiderivative size = 190, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2983, 2982, 2782, 205, 2774, 216}

$$\frac{(4A-7B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{4\sqrt{ad}} + \frac{(4A-B) \sin(c+dx) \sqrt{\cos(c+dx)}}{4d\sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]))/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] -((4\*A - 7\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(4\*Sqrt[a]\*d) + (Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d) + ((4\*A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (B\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(2\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2983

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + n + 1)), x] + Dist[1/(b\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*b\*c\*(m + n + 1) + B\*(a\*c\*m + b\*d\*n) + (A\*b\*d\*(m + n + 1) + B\*(a\*d\*m + b\*c\*n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])

#### Rule 2982

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])]\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[(A\*b - a\*B)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])]\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c

- b\*d)\*x^2), x], x, (b\*cos[e + f\*x])/(sqrt[a + b\*sin[e + f\*x]]\*sqrt[c + d\*sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*cos[e + f\*x])/Sqrt[a + b\*sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rubi steps

$$\int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{\sqrt{a + a \cos(c + dx)}} dx = \frac{B \cos^3(c + dx) \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} + \frac{\int \frac{\sqrt{\cos(c+dx)} \left( \frac{3aB}{2} + \frac{1}{2}a(4A-B) \cos(c+dx) \right)}{\sqrt{a+a \cos(c+dx)}} dx}{2a}$$

$$= \frac{(4A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{B \cos^3(c + dx) \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} + \frac{\int \frac{\frac{1}{4}a^2(4A-B)}{\sqrt{\cos(c+dx)}} dx}{2a}$$

$$= \frac{(4A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{B \cos^3(c + dx) \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} - \frac{(4A - 7B) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{2a}$$

$$= \frac{(4A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}} + \frac{B \cos^3(c + dx) \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)}} + \frac{(4A - 7B) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{2a}$$

$$= -\frac{(4A - 7B) \sin^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}} \right)}{4\sqrt{ad}} + \frac{\sqrt{2}(A - B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}} \right)}{\sqrt{ad}}$$

**Mathematica [C]** time = 1.82602, size = 348, normalized size = 1.83

$$\cos\left(\frac{1}{2}(c + dx)\right) \left( \frac{4 \sin\left(\frac{1}{2}(c+dx)\right) \sqrt{\cos(c+dx)}(4A+2B \cos(c+dx)-B)}{d} + \frac{\sqrt{2}e^{\frac{1}{2}i(c+dx)} \sqrt{e^{-i(c+dx)}(1+e^{2i(c+dx)})} (-8i\sqrt{2}(A-B) \log(1+e^{i(c+dx)}) + i(4A-7B) \sinh^{-1}(\dots))}{8\sqrt{a}(\cos(c + dx))} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(3/2)\*(A + B\*cos[c + d\*x]))/sqrt[a + a\*cos[c + d\*x]], x]

[Out] (Cos[(c + d\*x)/2]\*((Sqrt[2]\*E^((I/2)\*(c + d\*x))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))]/E^(I\*(c + d\*x)))\*(-4\*A\*d\*x + 7\*B\*d\*x + I\*(4\*A - 7\*B)\*ArcSinh[E^(I\*(c + d\*x))]) - (8\*I)\*Sqrt[2]\*(A - B)\*Log[1 + E^(I\*(c + d\*x))] - (4\*I)\*A\*Log[1 + S

```

qrt[1 + E^((2*I)*(c + d*x))] + (7*I)*B*Log[1 + Sqrt[1 + E^((2*I)*(c + d*x)
)]] + (8*I)*Sqrt[2]*A*Log[1 - E^(I*(c + d*x)) + Sqrt[2]*Sqrt[1 + E^((2*I)*
(c + d*x))] - (8*I)*Sqrt[2]*B*Log[1 - E^(I*(c + d*x)) + Sqrt[2]*Sqrt[1 + E^
((2*I)*(c + d*x))]])/(d*Sqrt[1 + E^((2*I)*(c + d*x))] + (4*Sqrt[Cos[c + d
*x]]*(4*A - B + 2*B*Cos[c + d*x])*Sin[(c + d*x)/2])/d)/(8*Sqrt[a*(1 + Cos[
c + d*x])])

```

**Maple [B]** time = 0.73, size = 346, normalized size = 1.8

$$\frac{(-1 + \cos(dx + c))^3}{4d(\sin(dx + c))^6 a} (\cos(dx + c))^{\frac{3}{2}} \sqrt{a(1 + \cos(dx + c))} \left( -4A \sin(dx + c) \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{\frac{3}{2}} \cos(dx + c) - 4A \sin(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+cos(d*x+c)*a)^(1/2),x)
```

```
[Out] 1/4/d*cos(d*x+c)^(3/2)*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^3*(-4*A*sin
(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*cos(d*x+c)-4*A*sin(d*x+c)*(cos(d*
x+c)/(1+cos(d*x+c)))^(3/2)-2*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)
*cos(d*x+c)^2+4*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)*2^(1/2)-4*B
*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)*2^(1/2)+B*sin(d*x+c)*(cos(d*
x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)+4*A*arctan(sin(d*x+c)*(cos(d*x+c)/(1+
cos(d*x+c)))^(1/2)/cos(d*x+c))*cos(d*x+c)-7*B*arctan(sin(d*x+c)*(cos(d*x+c)
/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*cos(d*x+c)/sin(d*x+c)^6/(cos(d*x+c)/(1+
cos(d*x+c)))^(5/2)/a
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algor
ithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/sqrt(a*cos(d*x + c) + a),
x)
```

**Fricas [A]** time = 20.8539, size = 516, normalized size = 2.72

$$\frac{(2B \cos(dx + c) + 4A - B) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) + ((4A - 7B) \cos(dx + c) + 4A - 7B) \sqrt{a \cos(dx + c) + a}}{4(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algor
ithm="fricas")
```

```
[Out] 1/4*((2*B*cos(d*x + c) + 4*A - B)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))
)*sin(d*x + c) + ((4*A - 7*B)*cos(d*x + c) + 4*A - 7*B)*sqrt(a)*arctan(sqrt
(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - 4*sqrt(2
)*((A - B)*a*cos(d*x + c) + (A - B)*a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) +
a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c) +
a*d)
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(1/2),x, algor
ithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/sqrt(a*cos(d*x + c) + a),
x)
```

$$3.192 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=141

$$\frac{(2A - B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{\sqrt{2}(A - B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}}\right)}{\sqrt{ad}} + \frac{B \sin(c + dx) \sqrt{\cos(c + dx)}}{d \sqrt{a \cos(c + dx) + a}}$$

[Out] ((2\*A - B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(Sqrt[a]\*d) - (Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])/(Sqrt[a]\*d) + (B\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.39654, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2983, 2982, 2782, 205, 2774, 216}

$$\frac{(2A - B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{\sqrt{2}(A - B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}}\right)}{\sqrt{ad}} + \frac{B \sin(c + dx) \sqrt{\cos(c + dx)}}{d \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] ((2\*A - B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(Sqrt[a]\*d) - (Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])/(Sqrt[a]\*d) + (B\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])

### Rule 2983

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + n + 1)), x] + Dist[1/(b\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*b\*c\*(m + n + 1) + B\*(a\*c\*m + b\*d\*n) + (A\*b\*d\*(m + n + 1) + B\*(a\*d\*m + b\*c\*n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])

### Rule 2982

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])]\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[(A\*b - a\*B)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])]\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] &&

EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Ssin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rubi steps

$$\int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{\sqrt{a+a\cos(c+dx)}} dx = \frac{B\sqrt{\cos(c+dx)}\sin(c+dx)}{d\sqrt{a+a\cos(c+dx)}} + \frac{\int \frac{\frac{aB}{2} + \frac{1}{2}a(2A-B)\cos(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}} dx}{a}$$

$$= \frac{B\sqrt{\cos(c+dx)}\sin(c+dx)}{d\sqrt{a+a\cos(c+dx)}} + \frac{(2A-B)\int \frac{\sqrt{a+a\cos(c+dx)}}{\sqrt{\cos(c+dx)}} dx}{2a} + (-A+B)\int \frac{1}{\sqrt{\cos(c+dx)}} dx$$

$$= \frac{B\sqrt{\cos(c+dx)}\sin(c+dx)}{d\sqrt{a+a\cos(c+dx)}} + \frac{(2a(A-B))\text{Subst}\left(\int \frac{1}{2a^2+ax^2} dx, x, -\frac{a\sin(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{d}$$

$$= \frac{(2A-B)\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{\sqrt{ad}} - \frac{\sqrt{2}(A-B)\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{\sqrt{ad}}$$

**Mathematica [C]** time = 1.21748, size = 222, normalized size = 1.57

$$\cos\left(\frac{1}{2}(c+dx)\right) \left( \frac{4B\sin\left(\frac{1}{2}(c+dx)\right)\sqrt{\cos(c+dx)}}{d} - \frac{i\sqrt{2}e^{\frac{1}{2}(c+dx)}\sqrt{e^{-i(c+dx)}(1+e^{2i(c+dx)})}\left((2A-B)\sinh^{-1}(e^{i(c+dx)})+2\sqrt{2}(A-B)\tanh^{-1}\left(\frac{1-e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right)\right)}{d\sqrt{1+e^{2i(c+dx)}}} \right) \frac{1}{2\sqrt{a}(\cos(c+dx)+1)}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (Cos[(c + d\*x)/2]\*((( -I)\*Sqrt[2]\*E^((I/2)\*(c + d\*x))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))]/E^(I\*(c + d\*x)))\*((2\*A - B)\*ArcSinh[E^(I\*(c + d\*x))] + 2\*Sqrt[2]\*(A - B)\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) + (-2\*A + B)\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])/(d\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]) + (4\*B\*Sqrt[Cos[c + d\*x]]\*Sin[(c + d\*x)/2])/d)/(2\*Sqrt[a\*(1 + Cos[c + d\*x])])



**Maple [A]** time = 0.62, size = 216, normalized size = 1.5

$$\frac{(-1 + \cos(dx + c))^2}{d(\sin(dx + c))^4 a} (\cos(dx + c))^{\frac{3}{2}} \sqrt{a(1 + \cos(dx + c))} \left( A \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \sqrt{2} - B \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^(1/2),x)

[Out] 1/d\*cos(d\*x+c)^(3/2)\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^2\*(A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)-B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)+B\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+2\*A\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)/cos(d\*x+c)-B\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)/cos(d\*x+c))/sin(d\*x+c)^4/(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/a

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(1/2),x, algorith="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 10.9809, size = 466, normalized size = 3.3

$$\frac{\sqrt{a \cos(dx + c) + aB} \sqrt{\cos(dx + c)} \sin(dx + c) - ((2A - B) \cos(dx + c) + 2A - B) \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{\sqrt{a} \sin(dx + c)}\right)}{ad \cos(dx + c) + ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(1/2),x, algorith="fricas")

[Out] (sqrt(a\*cos(d\*x + c) + a)\*B\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - ((2\*A - B)\*cos(d\*x + c) + 2\*A - B)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) + sqrt(2)\*((A - B)\*a\*cos(d\*x + c) + (A - B)\*a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c)))/sqrt(a))/(a\*d\*cos(d\*x + c) + a\*d)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\cos(c + dx)}}{\sqrt{a(\cos(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*sqrt(cos(c + d\*x))/sqrt(a\*(cos(c + d\*x) + 1)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/sqrt(a\*cos(d\*x + c) + a), x)

$$3.193 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=100

$$\frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] (2\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(Sqrt[a]\*d) + (Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])/(Sqrt[a]\*d)

**Rubi [A]** time = 0.242146, antiderivative size = 100, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2982, 2782, 205, 2774, 216}

$$\frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]),x]

[Out] (2\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(Sqrt[a]\*d) + (Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])/(Sqrt[a]\*d)

#### Rule 2982

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Dist[(A\*b - a\*B)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 216

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x\_Symbol] \text{ :> Simp}[\text{ArcSin}[\text{Rt}[-b, 2]*x]/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] /;$  FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} dx = (A - B) \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} dx + \frac{B \int \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx}{a}$$

$$= \frac{(2a(A - B)) \text{Subst}\left(\int \frac{1}{2a^2 + ax^2} dx, x, -\frac{a \sin(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{d} - \frac{(2B) \text{Subst}\left(\int \frac{\sqrt{a + a \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx, x, -\frac{a \sin(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{a}$$

$$= \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right)}{\sqrt{ad}} + \frac{\sqrt{2}(A - B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{\sqrt{ad}}$$

**Mathematica [A]** time = 0.138071, size = 82, normalized size = 0.82

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \left( (A - B) \tan^{-1}\left(\frac{\sin\left(\frac{1}{2}(c + dx)\right)}{\sqrt{\cos(c + dx)}}\right) + \sqrt{2} B \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) \right)}{d \sqrt{a} (\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]), x]

[Out] (2\*(Sqrt[2]\*B\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]] + (A - B)\*ArcTan[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]])\*Cos[(c + d\*x)/2]/(d\*Sqrt[a\*(1 + Cos[c + d\*x])])

**Maple [A]** time = 0.749, size = 149, normalized size = 1.5

$$\frac{-1 + \cos(dx + c)}{da (\sin(dx + c))^2} \sqrt{a(1 + \cos(dx + c))} \sqrt{\cos(dx + c)} \left( A \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \sqrt{2} - B \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \right) \sqrt{2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+cos(d\*x+c)\*a)^(1/2), x)

[Out] 1/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^(1/2)\*(-1+cos(d\*x+c))\*(A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)-B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)-2\*B\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c)))/(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/a/sin(d\*x+c)^2

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [A]** time = 8.53816, size = 278, normalized size = 2.78

$$\frac{\sqrt{2}(A - B)\sqrt{a} \arctan\left(\frac{\sqrt{2}\sqrt{a}\cos(dx+c)+a\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right) + 2B\sqrt{a} \arctan\left(\frac{\sqrt{a}\cos(dx+c)+a\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] -(sqrt(2)*(A - B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*B*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))))/(a*d)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \cos(c + dx)}{\sqrt{a(\cos(c + dx) + 1)}\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + B*cos(c + d*x))/(sqrt(a*(cos(c + d*x) + 1))*sqrt(cos(c + d*x))), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))), x)
```

$$3.194 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=99

$$\frac{2A \sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] -((Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(Sqrt[a]\*d)) + (2\*A\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]))

**Rubi [A]** time = 0.192438, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2984, 12, 2782, 205}

$$\frac{2A \sin(c+dx)}{d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]),x]

[Out] -((Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(Sqrt[a]\*d)) + (2\*A\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]))

#### Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

#### Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx &= \frac{2A \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} + \frac{2 \int -\frac{a(A-B)}{2\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}} dx}{a} \\ &= \frac{2A \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} + (-A + B) \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} dx \\ &= \frac{2A \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} + \frac{(2a(A - B)) \text{Subst}\left(\int \frac{1}{2a^2 + ax^2} dx, x, -\frac{1}{\sqrt{c}}\right)}{d} \\ &= -\frac{\sqrt{2}(A - B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{ad}} + \frac{2A \sin(c + dx)}{d \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [C]** time = 1.52052, size = 203, normalized size = 2.05

$$2 \sin\left(\frac{1}{2}(c + dx)\right) \cos\left(\frac{1}{2}(c + dx)\right) \left(10B \cos(c + dx) - (A - B) \left(\frac{1}{2} \sin(c + dx) \tan(c + dx) {}_2F_1\left(2, \frac{5}{2}; \frac{7}{2}; -\sec(c + dx) \sin^2\right)\right)\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]), x]

[Out] (2\*Cos[(c + d\*x)/2]\*Sin[(c + d\*x)/2]\*(10\*B\*Cos[c + d\*x] - (A - B)\*((-5\*(1 + 4\*Cos[c + d\*x] + Cos[2\*(c + d\*x)])\*Csc[(c + d\*x)/2]^4\*(1 - Cos[c + d\*x] + ArcTanh[Sqrt[-(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)])\*Cos[c + d\*x]\*Sqrt[2 - 2\*Sec[c + d\*x]]))/4 + (Hypergeometric2F1[2, 5/2, 7/2, -(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)]\*Sin[c + d\*x]\*Tan[(c + d\*x)/2]))/(5\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a\*(1 + Cos[c + d\*x])])

**Maple [B]** time = 0.593, size = 230, normalized size = 2.3

$$\frac{1}{da(1 + \cos(dx + c))} \sqrt{a(1 + \cos(dx + c))} \left( A \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \sqrt{2} \cos(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} - B \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+cos(d\*x+c)\*a)^(1/2), x)

[Out] 1/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+2\*A\*sin(d\*x+c)/a/(1+cos(d\*x+c))/cos(d\*x+c)^(1/2)

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.28712, size = 396, normalized size = 4.

$$2\sqrt{a\cos(dx+c)+a}A\sqrt{\cos(dx+c)}\sin(dx+c) - \frac{\sqrt{2}\left((A-B)a\cos(dx+c)^2+(A-B)a\cos(dx+c)\right)\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}\sin(dx+c)}{2\left(\cos(dx+c)^2+\cos(dx+c)\right)\sqrt{a}}\right)}{\sqrt{a}}$$


---


$$ad\cos(dx+c)^2+ad\cos(dx+c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] (2\*sqrt(a\*cos(d\*x + c) + a)\*A\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - sqrt(2)\*((A - B)\*a\*cos(d\*x + c)^2 + (A - B)\*a\*cos(d\*x + c))\*arctan(1/2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/((cos(d\*x + c)^2 + cos(d\*x + c))\*sqrt(a)))/sqrt(a))/(a\*d\*cos(d\*x + c)^2 + a\*d\*cos(d\*x + c))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \cos(c + dx)}{\sqrt{a(\cos(c + dx) + 1)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2)/(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))/(sqrt(a\*(cos(c + d\*x) + 1))\*cos(c + d\*x)\*\*(3/2)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{\sqrt{a \cos(dx + c) + a} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(sqrt(a\*cos(d\*x + c) + a)\*cos(d\*x + c)^(3/2)), x)



$$3.195 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=142

$$-\frac{2(A-3B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{\sqrt{2}(A-B)\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)\sqrt{a\cos(c+dx)}}$$

```
[Out] (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*
Sqrt[a + a*Cos[c + d*x]])]/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(3*d*Cos[c + d
*x]^(3/2)*Sqrt[a + a*Cos[c + d*x]]) - (2*(A - 3*B)*Sin[c + d*x])/(3*d*Sqrt[
Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])
```

**Rubi [A]** time = 0.335527, antiderivative size = 142, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2984, 12, 2782, 205}

$$-\frac{2(A-3B)\sin(c+dx)}{3d\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{\sqrt{2}(A-B)\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A\sin(c+dx)}{3d\cos^{\frac{3}{2}}(c+dx)\sqrt{a\cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*Sqrt[a + a*Cos[c + d*x]]), x]
```

```
[Out] (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*
Sqrt[a + a*Cos[c + d*x]])]/(Sqrt[a]*d) + (2*A*Sin[c + d*x])/(3*d*Cos[c + d
*x]^(3/2)*Sqrt[a + a*Cos[c + d*x]]) - (2*(A - 3*B)*Sin[c + d*x])/(3*d*Sqrt[
Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])
```

#### Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n +
1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])
```

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

#### Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e
_) + (f_)*(x_)])], x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c
- b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*S
in[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+cos(d*x+c)*a)^(1/2),x)`

[Out] 
$$\frac{1}{3} \frac{d \cdot (a(1+\cos(dx+c)))^{1/2} \sin(dx+c)^2 (3A \arcsin((-1+\cos(dx+c))/\sin(dx+c)) \cos(dx+c) / (1+\cos(dx+c)))^{3/2} 2^{1/2} \cos(dx+c)^2 - 3B \arcsin((-1+\cos(dx+c))/\sin(dx+c)) \cos(dx+c) / (1+\cos(dx+c)))^{3/2} 2^{1/2} \cos(dx+c)^2 + 6A \arcsin((-1+\cos(dx+c))/\sin(dx+c)) \cos(dx+c) / (1+\cos(dx+c)))^{3/2} 2^{1/2} \cos(dx+c) - 6B \arcsin((-1+\cos(dx+c))/\sin(dx+c)) \cos(dx+c) / (1+\cos(dx+c)))^{3/2} 2^{1/2} \cos(dx+c) + 3A \arcsin((-1+\cos(dx+c))/\sin(dx+c)) \cos(dx+c) / (1+\cos(dx+c)))^{3/2} 2^{1/2} - 3B \arcsin((-1+\cos(dx+c))/\sin(dx+c)) \cos(dx+c) / (1+\cos(dx+c)))^{3/2} 2^{1/2} + 2A \cos(dx+c) \sin(dx+c) - 6B \sin(dx+c) \cos(dx+c) - 2A \sin(dx+c)}{a(-1+\cos(dx+c))/(1+\cos(dx+c))^2 \cos(dx+c)^{3/2}}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.37235, size = 447, normalized size = 3.15

$$\frac{2((A-3B)\cos(dx+c)-A)\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}\sin(dx+c) - \frac{3\sqrt{2}((A-B)a\cos(dx+c)^3+(A-B)a\cos(dx+c)^2)\arctan\left(\frac{\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}}\right)}{\sqrt{a}}}{3(ad\cos(dx+c)^3+ad\cos(dx+c)^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")`

[Out] 
$$-\frac{1}{3} \frac{2((A-3B)\cos(dx+c)-A)\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}\sin(dx+c) - 3\sqrt{2}((A-B)a\cos(dx+c)^3+(A-B)a\cos(dx+c)^2)\arctan\left(\frac{\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}}\right)}{3(ad\cos(dx+c)^3+ad\cos(dx+c)^2)}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+a*cos(d*x+c))**(1/2),x)`

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{\sqrt{a \cos(dx + c) + a} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(sqrt(a\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2)), x)

$$3.196 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{7}{2}}(c+dx)\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=187

$$-\frac{2(A-5B)\sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \cos(c+dx)+a}} + \frac{2(13A-5B)\sin(c+dx)}{15d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2}(A-B)\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] -((Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d)) + (2\*A\*Sin[c + d\*x])/(5\*d\*Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]]) - (2\*(A - 5\*B)\*Sin[c + d\*x])/(15\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*(13\*A - 5\*B)\*Sin[c + d\*x])/(15\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.608732, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2984, 12, 2782, 205}

$$-\frac{2(A-5B)\sin(c+dx)}{15d \cos^{\frac{3}{2}}(c+dx)\sqrt{a \cos(c+dx)+a}} + \frac{2(13A-5B)\sin(c+dx)}{15d\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2}(A-B)\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(7/2)\*Sqrt[a + a\*Cos[c + d\*x]]), x]

[Out] -((Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])])/(Sqrt[a]\*d)) + (2\*A\*Sin[c + d\*x])/(5\*d\*Cos[c + d\*x]^(5/2)\*Sqrt[a + a\*Cos[c + d\*x]]) - (2\*(A - 5\*B)\*Sin[c + d\*x])/(15\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*(13\*A - 5\*B)\*Sin[c + d\*x])/(15\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2984

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(b\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*(a\*d\*m + b\*c\*(n + 1)) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] &&

EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{7}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} dx = \frac{2A \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} + \frac{2 \int \frac{-\frac{1}{2}a(A-5B)+2aA \cos(c+dx)}{\cos^2(c+dx)\sqrt{a+a \cos(c+dx)}} dx}{5a}$$

$$= \frac{2A \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} - \frac{2(A - 5B) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} + \dots$$

$$= \frac{2A \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} - \frac{2(A - 5B) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} + \dots$$

$$= \frac{2A \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} - \frac{2(A - 5B) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} + \dots$$

$$= \frac{2A \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} - \frac{2(A - 5B) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}} + \dots$$

$$= -\frac{\sqrt{2}(A - B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}}\right)}{\sqrt{ad}} + \frac{2A \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

**Mathematica [C]** time = 7.91586, size = 1728, normalized size = 9.24

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(7/2)\*Sqrt[a + a\*Cos[c + d\*x]]),x]

[Out] (4\*B\*Cos[c/2 + (d\*x)/2]\*Sin[c/2 + (d\*x)/2])/(5\*d\*Sqrt[a\*(1 + Cos[c + d\*x])]) \* (1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(5/2) + (16\*B\*Cos[c/2 + (d\*x)/2]\*(Sin[c/2 + (d\*x)/2]/(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(3/2) + (2\*Sin[c/2 + (d\*x)/2])/Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2])/(15\*d\*Sqrt[a\*(1 + Cos[c + d\*x])]) - (2\*(A - B)\*Cot[c/2 + (d\*x)/2]\*Csc[c/2 + (d\*x)/2]^6\*(4725\*Sin[c/2 + (d\*x)/2]^2 - 48825\*Sin[c/2 + (d\*x)/2]^4 + 210105\*Sin[c/2 + (d\*x)/2]^6 - 486630\*Sin[c/2 + (d\*x)/2]^8 + 655812\*Sin[c/2 + (d\*x)/2]^10 - 710\*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^10 - 40\*Cos[(c + d\*x)/2]^6\*HypergeometricPFQ[{2, 2, 2, 9/2}, {1, 1, 11/2}, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^10 - 518760\*Sin[c/2 + (d\*x)/2]^12 + 1770\*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^12 + 226656\*Sin[c/2 + (d\*x)/2]^14 - 1500\*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^14 - 42048\*Sin[c/2 + (d\*x)/2]^16 + 440\*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]\*Sin[c/2 + (d\*x)/2]^16 + 4725\*ArcTanh[Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)]]\*Sqrt[Sin[c/2 + (d\*x)/2]^2/(-1 + 2\*Sin[c/2 + (d\*x)/2]^2)])

$$\begin{aligned}
& (-1 + 2\sin[c/2 + (d*x)/2]^2]) - 56700\text{ArcTanh}[\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2\sin[c/2 + (d*x)/2]^2)]] * \sin[c/2 + (d*x)/2]^2 * \text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2\sin[c/2 + (d*x)/2]^2)] + 291060\text{ArcTanh}[\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2\sin[c/2 + (d*x)/2]^2)]] * \sin[c/2 + (d*x)/2]^4 * \text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2\sin[c/2 + (d*x)/2]^2)] - 833760\text{ArcTanh}[\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2\sin[c/2 + (d*x)/2]^2)]] * \sin[c/2 + (d*x)/2]^6 * \text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2\sin[c/2 + (d*x)/2]^2)] + 1458000\text{ArcTanh}[\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2\sin[c/2 + (d*x)/2]^2)]] * \sin[c/2 + (d*x)/2]^8 * \text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2\sin[c/2 + (d*x)/2]^2)] - 1598400\text{ArcTanh}[\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2\sin[c/2 + (d*x)/2]^2)]] * \sin[c/2 + (d*x)/2]^10 * \text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2\sin[c/2 + (d*x)/2]^2)] + 1080000\text{ArcTanh}[\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2\sin[c/2 + (d*x)/2]^2)]] * \sin[c/2 + (d*x)/2]^12 * \text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2\sin[c/2 + (d*x)/2]^2)] - 414720\text{ArcTanh}[\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2\sin[c/2 + (d*x)/2]^2)]] * \sin[c/2 + (d*x)/2]^14 * \text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2\sin[c/2 + (d*x)/2]^2)] + 69120\text{ArcTanh}[\text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2\sin[c/2 + (d*x)/2]^2)]] * \sin[c/2 + (d*x)/2]^16 * \text{Sqrt}[\sin[c/2 + (d*x)/2]^2/(-1 + 2\sin[c/2 + (d*x)/2]^2)] + 60\cos[(c + d*x)/2]^4 * \text{HypergeometricPFQ}[\{2, 2, 9/2\}, \{1, 11/2\}, \sin[c/2 + (d*x)/2]^2/(-1 + 2\sin[c/2 + (d*x)/2]^2)] * \sin[c/2 + (d*x)/2]^10 * (-5 + 4\sin[c/2 + (d*x)/2]^2) / (675*d*\text{Sqrt}[a*(1 + \cos[c + d*x])] * (1 - 2\sin[c/2 + (d*x)/2]^2)^(7/2) * (-1 + 2\sin[c/2 + (d*x)/2]^2))
\end{aligned}$$

**Maple [B]** time = 0.68, size = 519, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2)/(a+cos(d\*x+c)\*a)^(1/2),x)

[Out]  $1/15/d*\sin(d*x+c)^4*(a*(1+\cos(d*x+c)))^{(1/2)}*(15*A*2^{(1/2)}*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))-15*B*2^{(1/2)}*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))+45*A*2^{(1/2)}*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))-45*B*2^{(1/2)}*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))+45*A*2^{(1/2)}*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))-45*B*2^{(1/2)}*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))+15*A*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))-15*B*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))+26*A*\sin(d*x+c)*\cos(d*x+c)^2-10*B*\sin(d*x+c)*\cos(d*x+c)^2-2*A*\cos(d*x+c)*\sin(d*x+c)+10*B*\sin(d*x+c)*\cos(d*x+c)+6*A*\sin(d*x+c))/a/(-1+\cos(d*x+c))^2/(1+\cos(d*x+c))^3/\cos(d*x+c)^{(5/2)}$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [A]** time = 1.30428, size = 491, normalized size = 2.63

$$\frac{2 \left( (13A - 5B) \cos(dx + c)^2 - (A - 5B) \cos(dx + c) + 3A \right) \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)} \sin(dx + c) - \frac{15 \sqrt{2} (A - B) a \cos(dx + c)}{15 \left( ad \cos(dx + c)^4 + ad \cos(dx + c)^3 \right)}}{15 \left( ad \cos(dx + c)^4 + ad \cos(dx + c)^3 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 1/15\*(2\*((13\*A - 5\*B)\*cos(d\*x + c)^2 - (A - 5\*B)\*cos(d\*x + c) + 3\*A)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) - 15\*sqrt(2)\*((A - B)\*a\*cos(d\*x + c)^4 + (A - B)\*a\*cos(d\*x + c)^3)\*arctan(1/2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/((cos(d\*x + c)^2 + cos(d\*x + c))\*sqrt(a)))/sqrt(a))/(a\*d\*cos(d\*x + c)^4 + a\*d\*cos(d\*x + c)^3)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(7/2)/(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{\sqrt{a \cos(dx + c) + a} \cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(sqrt(a\*cos(d\*x + c) + a)\*cos(d\*x + c)^(7/2)), x)



$$3.197 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=197

$$\frac{(2A-3B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(5A-9B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A-B) \sin(c+dx) \cos^3(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

[Out]  $((2*A - 3*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(a^(3/2)*d) - ((5*A - 9*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2)) - ((A - 3*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Cos[c + d*x]])$

**Rubi [A]** time = 0.636338, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2977, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{(2A-3B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(5A-9B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(A-B) \sin(c+dx) \cos^3(c+dx)}{2d(a \cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]^{3/2}*(A + B*\text{Cos}[c + d*x]))/(a + a*\text{Cos}[c + d*x])^{3/2}, x]$

[Out]  $((2*A - 3*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(a^(3/2)*d) - ((5*A - 9*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2)) - ((A - 3*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*a*d*Sqrt[a + a*Cos[c + d*x]])$

#### Rule 2977

$\text{Int}[(a_ + (b_)*\sin[(e_.) + (f_)*(x_)] )^{(m_)}*((A_.) + (B_)*\sin[(e_.) + (f_)*(x_)] )^{(n_)}, x\_Symbol] \rightarrow \text{Simp}[(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n/(a*f*(2*m + 1)), x] - \text{Dist}[1/(a*b*(2*m + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(n - 1)}*\text{Simp}[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] || \text{EqQ}[c, 0])$

#### Rule 2983

$\text{Int}[(a_ + (b_)*\sin[(e_.) + (f_)*(x_)] )^{(m_)}*((A_.) + (B_)*\sin[(e_.) + (f_)*(x_)] )^{(n_)}, x\_Symbol] \rightarrow -\text{Simp}[(B*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n)/(f*(m + n + 1)), x] + \text{Dist}[1/(b*(m + n + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m)}*(c + d*\text{Sin}[e + f*x])^{(n - 1)}*\text{Simp}[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n))*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[n, 0] \&\& (\text{IntegerQ}[n] || \text{EqQ}[m + 1/2, 0])$

Rule 2982

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]), x\_Symbol] := Dist[(A\*b - a\*B)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2782

Int[1/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 205

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2774

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 216

Int[1/Sqrt[(a\_.) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{3/2}} dx &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} + \frac{\int \frac{\sqrt{\cos(c+dx)} \left( \frac{3}{2}a(A-B) - a(A-3B)\cos(c+dx) \right)}{\sqrt{a+a\cos(c+dx)}} dx}{2a^2} \\ &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} - \frac{(A-3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{2ad\sqrt{a+a\cos(c+dx)}} + \frac{\int \frac{-\frac{1}{2}a^2}{\sqrt{a+a\cos(c+dx)}} dx}{2a^2} \\ &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} - \frac{(A-3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{2ad\sqrt{a+a\cos(c+dx)}} - \frac{(5A-9B)\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{a^{3/2}d} \\ &= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{2d(a+a\cos(c+dx))^{3/2}} - \frac{(A-3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{2ad\sqrt{a+a\cos(c+dx)}} + \frac{(5A-9B)\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} \end{aligned}$$

**Mathematica [C]** time = 2.10118, size = 362, normalized size = 1.84

$$\cos^3\left(\frac{1}{2}(c+dx)\right)\left(\frac{2\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sec\left(\frac{1}{2}(c+dx)\right)(-A+2B\cos(c+dx)+3B)}{d} + \frac{\sqrt{2}e^{\frac{1}{2}i(c+dx)}\sqrt{e^{-i(c+dx)}(1+e^{2i(c+dx)})}(i\sqrt{2}(5A-9B)\log(1+e^{i(c+dx)}))}{d}\right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] (Cos[(c + d\*x)/2]^3\*((Sqrt[2]\*E^((I/2)\*(c + d\*x))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))])\*(4\*A\*d\*x - 6\*B\*d\*x - (2\*I)\*(2\*A - 3\*B)\*ArcSinh[E^(I\*(c + d\*x))] + I\*Sqrt[2]\*(5\*A - 9\*B)\*Log[1 + E^(I\*(c + d\*x))] + (4\*I)\*A\*Log[1 + Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) - (6\*I)\*B\*Log[1 + Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) - (5\*I)\*Sqrt[2]\*A\*Log[1 - E^(I\*(c + d\*x)) + Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) + (9\*I)\*Sqrt[2]\*B\*Log[1 - E^(I\*(c + d\*x)) + Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]))/(d\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]) + (2\*Sqrt[Cos[c + d\*x]]\*(-A + 3\*B + 2\*B\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]\*Tan[(c + d\*x)/2])/d)/(2\*(a\*(1 + Cos[c + d\*x]))^(3/2))

**Maple [B]** time = 0.602, size = 379, normalized size = 1.9

$$-\frac{(-1 + \cos(dx + c))^3}{4d(\sin(dx + c))^7 a^2} (\cos(dx + c))^{\frac{3}{2}} \sqrt{a(1 + \cos(dx + c))} \left( 2A \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{3/2} (\cos(dx + c))^2 + 5A \arcsin\left(\frac{-1 + \cos(dx + c)}{1 + \cos(dx + c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^(3/2), x)

[Out] -1/4/d\*cos(d\*x+c)^(3/2)\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^3\*(2\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*cos(d\*x+c)^2+5\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*2^(1/2)\*cos(d\*x+c)-4\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^3-9\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*2^(1/2)\*cos(d\*x+c)-2\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+8\*A\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*sin(d\*x+c)\*cos(d\*x+c)-2\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^2-12\*B\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*sin(d\*x+c)\*cos(d\*x+c)+6\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c))/sin(d\*x+c)^7/(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)/a^2

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2), x, algorith="maxima")

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^(3/2), x)
```

**Fricas [A]** time = 40.7271, size = 644, normalized size = 3.27

$$\sqrt{2}((5A - 9B)\cos(dx + c)^2 + 2(5A - 9B)\cos(dx + c) + 5A - 9B)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right) + 2(2B\cos(dx + c) - A + 3B)\sqrt{a\cos(dx + c) + a}\sqrt{\cos(dx + c)}\sin(dx + c) - 4((2A - 3B)\cos(dx + c)^2 + 2(2A - 3B)\cos(dx + c) + 2A - 3B)\sqrt{a}\arctan(\sqrt{a\cos(dx + c) + a}\sqrt{\cos(dx + c)})/(a^2d\cos(dx + c)^2 + 2a^2d\cos(dx + c) + a^2d)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] 1/4*(sqrt(2)*((5*A - 9*B)*cos(d*x + c)^2 + 2*(5*A - 9*B)*cos(d*x + c) + 5*A - 9*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*(2*B*cos(d*x + c) - A + 3*B)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - 4*((2*A - 3*B)*cos(d*x + c)^2 + 2*(2*A - 3*B)*cos(d*x + c) + 2*A - 3*B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(3/2), x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^(3/2), x)
```

$$3.198 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=145

$$\frac{(A-5B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2}d} + \frac{(A-B) \sin(c+dx)\sqrt{\cos(c+dx)}}{2d(a \cos(c+dx)+a)^{3/2}}$$

[Out] (2\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(a^(3/2)\*d) + ((A - 5\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(2\*Sqrt[2]\*a^(3/2)\*d) + ((A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2))

**Rubi [A]** time = 0.403173, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2977, 2982, 2782, 205, 2774, 216}

$$\frac{(A-5B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{3/2}d} + \frac{(A-B) \sin(c+dx)\sqrt{\cos(c+dx)}}{2d(a \cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] (2\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(a^(3/2)\*d) + ((A - 5\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(2\*Sqrt[2]\*a^(3/2)\*d) + ((A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2982

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] :> Dist[(A\*b - a\*B)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] :> Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x]

`in[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]`

**Rule 205**

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

**Rule 2774**

`Int[Sqrt[(a_) + (b_.)*sin[(e_) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_) + (f_.)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Ssin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]`

**Rule 216**

`Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]`

Rubi steps

$$\int \frac{\sqrt{\cos(c + dx)}(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{3/2}} dx = \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{\frac{1}{2}a(A-B)+2aB \cos(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}} dx}{2a^2}$$

$$= \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(A - 5B) \int \frac{1}{\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}} dx}{4a} + \dots$$

$$= \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{(A - 5B) \text{Subst}\left(\int \frac{1}{2a^2+ax^2} dx, x, -\frac{a \sin(c+dx)}{\sqrt{\cos(c+dx)}}\right)}{2d}$$

$$= \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a+a \cos(c+dx)}}\right)}{a^{3/2}d} + \frac{(A - 5B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} + \dots$$

**Mathematica [C]** time = 1.8249, size = 226, normalized size = 1.56

$$\cos^3\left(\frac{1}{2}(c + dx)\right) \frac{\left(\frac{(A-B)\sqrt{\cos(c+dx)} \tan\left(\frac{1}{2}(c+dx)\right) \sec\left(\frac{1}{2}(c+dx)\right)}{d} - \frac{ie^{\frac{1}{2}i(c+dx)} \sqrt{e^{-i(c+dx)}(1+e^{2i(c+dx)})} \left(-\sqrt{2}(A-5B) \tanh^{-1}\left(\frac{1-e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right) + 4B \sinh^{-1}(e^{\frac{1}{2}i(c+dx)})\right)}{\sqrt{2d}\sqrt{1+e^{2i(c+dx)}}}\right)}{(a(\cos(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

`[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(3/2), x]`

`[Out] (Cos[(c + d*x)/2]^3*(((I)*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))]*(4*B*ArcSinh[E^(I*(c + d*x))] - Sqrt[2]*(A - 5*B)*ArcTanh[(1 - E^(I*(c + d*x))]/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))])]) - 4*B*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])/(Sqrt[2]*d*Sqrt[1 + E^((2*I)*(c + d*x))])) + ((A - B)*Sqrt[Cos[c + d*x]]*Sec[(c + d*x)/2]*Tan[(c + d*x)/2])/d)/(a*(1 + Cos[c + d*x]))^(3/2)`

**Maple [B]** time = 0.579, size = 298, normalized size = 2.1

$$\frac{(-1 + \cos(dx + c))^2}{4d(\sin(dx + c))^5 a^2} \sqrt{\cos(dx + c)} \sqrt{a(1 + \cos(dx + c))} \left( 2A \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{3/2} (\cos(dx + c))^2 + A \arcsin \left( \frac{-1 + \cos(dx + c)}{\sin(dx + c)} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^(3/2),x)

[Out] -1/4/d\*cos(d\*x+c)^(1/2)\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^2\*(2\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*cos(d\*x+c)^2+A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*2^(1/2)\*cos(d\*x+c)-5\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*2^(1/2)\*cos(d\*x+c)-2\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-2\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^2-8\*B\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*sin(d\*x+c)\*cos(d\*x+c)+2\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c))/sin(d\*x+c)^5/(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/a^2

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/(a\*cos(d\*x + c) + a)^(3/2), x)

**Fricas [A]** time = 34.5713, size = 571, normalized size = 3.94

$$\frac{\sqrt{2}((A - 5B) \cos(dx + c)^2 + 2(A - 5B) \cos(dx + c) + A - 5B) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{\sqrt{a} \sin(dx + c)}\right) - 2 \sqrt{a} \cos(dx + c)}{4(a^2 d \cos(dx + c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] -1/4\*(sqrt(2)\*((A - 5\*B)\*cos(d\*x + c)^2 + 2\*(A - 5\*B)\*cos(d\*x + c) + A - 5\*B)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 2\*sqrt(a\*cos(d\*x + c) + a)\*(A - B)\*sqrt(cos(d\*x + c))\*sin(d\*x + c) + 8\*(B\*cos(d\*x + c)^2 + 2\*B\*cos(d\*x + c) + B)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c)))/(a^2\*d\*cos(d\*x + c)^2 + 2\*a^2\*d\*cos(d\*x + c) + a^2\*d)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\cos(c + dx)}}{(a(\cos(c + dx) + 1))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*(3/2), x)

[Out] Integral((A + B\*cos(c + d\*x))\*sqrt(cos(c + d\*x))/(a\*(cos(c + d\*x) + 1))\*\*(3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/(a\*cos(d\*x + c) + a)^(3/2), x)



$$3.199 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=107

$$\frac{(3A+B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B) \sin(c+dx)\sqrt{\cos(c+dx)}}{2d(a \cos(c+dx)+a)^{3/2}}$$

[Out] ((3\*A + B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(2\*Sqrt[2]\*a^(3/2)\*d) - ((A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2))

**Rubi [A]** time = 0.216302, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2978, 12, 2782, 205}

$$\frac{(3A+B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B) \sin(c+dx)\sqrt{\cos(c+dx)}}{2d(a \cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(3/2)),x]

[Out] ((3\*A + B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(2\*Sqrt[2]\*a^(3/2)\*d) - ((A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] :> Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{3/2}} dx &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{a(3A+B)}{2\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}} dx}{2a^2} \\
&= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(3A + B) \int \frac{1}{\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}} dx}{4a} \\
&= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} - \frac{(3A + B) \operatorname{Subst}\left(\int \frac{1}{2a^2+ax^2} dx, x, -\frac{1}{\sqrt{\cos(c+dx)}}\right)}{2d} \\
&= \frac{(3A + B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}}
\end{aligned}$$

**Mathematica [C]** time = 1.11506, size = 212, normalized size = 1.98

$$\frac{\frac{1}{2}i(A - B)e^{-\frac{1}{2}i(c+dx)}(-1 + e^{i(c+dx)})\sqrt{1 + e^{2i(c+dx)}}\sqrt{\cos(c + dx)}\cos\left(\frac{1}{2}(c + dx)\right) + i(3A + B)e^{\frac{1}{2}i(c+dx)}\sqrt{e^{-i(c+dx)}(1 + e^{2i(c+dx)})}}{d\sqrt{1 + e^{2i(c+dx)}}(a(\cos(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(3/2)), x]

[Out] (I\*(3\*A + B)\*E^((I/2)\*(c + d\*x))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*Cos[(c + d\*x)/2]^3 + ((I/2)\*(A - B)\*(-1 + E^(I\*(c + d\*x)))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*Cos[(c + d\*x)/2]\*Sqrt[Cos[c + d\*x]]/E^((I/2)\*(c + d\*x)))/(d\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*(a\*(1 + Cos[c + d\*x]))^(3/2))

**Maple [B]** time = 0.55, size = 247, normalized size = 2.3

$$-\frac{-1 + \cos(dx + c)}{4a^2d(\sin(dx + c))^3}\sqrt{a(1 + \cos(dx + c))}\left(2A\left(\frac{\cos(dx + c)}{1 + \cos(dx + c)}\right)^{3/2}(\cos(dx + c))^2 - 3A\arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right)\sin(dx + c)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+cos(d\*x+c)\*a)^(3/2), x)

[Out] -1/4/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))\*(2\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*cos(d\*x+c)^2-3\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*2^(1/2)\*cos(d\*x+c)-B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*2^(1/2)\*cos(d\*x+c)-2\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-2\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^2+2\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c))/(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/a^2/cos(d\*x+c)^(1/2)/sin(d\*x+c)^3

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c))), x)
```

---

**Fricas [A]** time = 1.64034, size = 447, normalized size = 4.18

$$\frac{\sqrt{2}((3A + B)\cos(dx + c)^2 + 2(3A + B)\cos(dx + c) + 3A + B)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a\cos(dx+c)}\sin(dx+c)}{2(a\cos(dx+c)^2+a\cos(dx+c))}\right) - 2\sqrt{a}\cos(dx+c)}{4(a^2d\cos(dx+c)^2 + 2a^2d\cos(dx+c) + a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] 1/4*(sqrt(2)*((3*A + B)*cos(d*x + c)^2 + 2*(3*A + B)*cos(d*x + c) + 3*A + B)*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c))) - 2*sqrt(a*cos(d*x + c) + a)*(A - B)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)
```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \cos(c + dx)}{(a(\cos(c + dx) + 1))^{\frac{3}{2}} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(3/2),x)
```

```
[Out] Integral((A + B*cos(c + d*x))/((a*(cos(c + d*x) + 1))**(3/2)*sqrt(cos(c + d*x))), x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c))), x)
```

$$3.200 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=156

$$-\frac{(7A-3B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(5A-B) \sin(c+dx)}{2ad\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} - \frac{(A-B) \sin(c+dx)}{2d\sqrt{\cos(c+dx)}(a \cos(c+dx)+a)}$$

[Out] -((7\*A - 3\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(2\*Sqrt[2]\*a^(3/2)\*d) - ((A - B)\*Sin[c + d\*x])/(2\*d\*Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(3/2)) + ((5\*A - B)\*Sin[c + d\*x])/(2\*a\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.384014, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2978, 2984, 12, 2782, 205}

$$-\frac{(7A-3B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(5A-B) \sin(c+dx)}{2ad\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}} - \frac{(A-B) \sin(c+dx)}{2d\sqrt{\cos(c+dx)}(a \cos(c+dx)+a)}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(3/2)), x]

[Out] -((7\*A - 3\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(2\*Sqrt[2]\*a^(3/2)\*d) - ((A - B)\*Sin[c + d\*x])/(2\*d\*Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(3/2)) + ((5\*A - B)\*Sin[c + d\*x])/(2\*a\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2984

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2), x] + Dist[1/(b\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*(a\*d\*m + b\*c\*(n + 1)) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\cos^3(c + dx)(a + a \cos(c + dx))^{3/2}} dx &= -\frac{(A - B) \sin(c + dx)}{2d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{3/2}} + \frac{\int \frac{\frac{1}{2}a(5A-B) - a(A-B)\cos(c+dx)}{\cos^3(c+dx)\sqrt{a+a\cos(c+dx)}} dx}{2a^2} \\ &= -\frac{(A - B) \sin(c + dx)}{2d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{3/2}} + \frac{(5A - B) \sin(c + dx)}{2ad\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{(A - B) \sin(c + dx)}{2d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{3/2}} + \frac{(5A - B) \sin(c + dx)}{2ad\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{(A - B) \sin(c + dx)}{2d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{3/2}} + \frac{(5A - B) \sin(c + dx)}{2ad\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}} \\ &= -\frac{(7A - 3B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A - B) \sin(c + dx)}{2d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{3/2}} \end{aligned}$$

**Mathematica [C]** time = 3.68397, size = 423, normalized size = 2.71

$$\cos^3\left(\frac{1}{2}(c + dx)\right) \frac{\left(\frac{A+3B}{2}\right) \csc^3\left(\frac{1}{2}(c+dx)\right) \left(5(4\cos(c+dx)+\cos(2(c+dx))+1)\left(-\cos(c+dx)+\cos(c+dx)\sqrt{2-2\sec(c+dx)}\right) \tanh^{-1}\left(\sqrt{\sin^2\left(\frac{1}{2}(c+dx)\right)}(-\sec(c+dx))\right)\right)}{2\cos^3(c+dx)}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(3/2)), x]

[Out] (Cos[(c + d\*x)/2]^3\*(30\*(A - B)\*ArcTan[(1 - 2\*Sin[(c + d\*x)/2])/Sqrt[Cos[c + d\*x]]] - 30\*(A - B)\*ArcTan[(1 + 2\*Sin[(c + d\*x)/2])/Sqrt[Cos[c + d\*x]]] - (20\*(A - B)\*Sqrt[Cos[c + d\*x]])/(-1 + Sin[(c + d\*x)/2]) - (20\*(A - B)\*Sqrt[Cos[c + d\*x]])/(1 + Sin[(c + d\*x)/2]) + (5\*(A - B)\*(-1 + 2\*Sin[(c + d\*x)/2]))/(Sqrt[Cos[c + d\*x]]\*(Cos[(c + d\*x)/4] + Sin[(c + d\*x)/4])^2) - (5\*(A - B)\*(1 + 2\*Sin[(c + d\*x)/2]))/(Sqrt[Cos[c + d\*x]]\*(-1 + Sin[(c + d\*x)/2])) + ((A + 3\*B)\*Csc[(c + d\*x)/2]^3\*(5\*(1 + 4\*Cos[c + d\*x] + Cos[2\*(c + d\*x)])\*(1 - Cos[c + d\*x] + ArcTanh[Sqrt[-(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)]])\*Cos[c + d\*x]\*Sqrt[2 - 2\*Sec[c + d\*x]]) - 2\*Hypergeometric2F1[2, 5/2, 7/2, -(Sec[c

$$\frac{+ d*x]*Sin[(c + d*x)/2]^2]*Sin[(c + d*x)/2]^4*Sin[c + d*x]*Tan[c + d*x])}{(2*Cos[c + d*x]^(3/2)))/(10*d*(a*(1 + Cos[c + d*x]))^(3/2))}$$

**Maple [B]** time = 0.577, size = 299, normalized size = 1.9

$$\frac{1}{4 a^2 d \sin(dx + c) (1 + \cos(dx + c))} \sqrt{a (1 + \cos(dx + c))} \left( 7 A \sin(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \cos(dx + c) \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+cos(d*x+c)*a)^(3/2),x)
```

```
[Out] 1/4/d*(a*(1+cos(d*x+c)))^(1/2)*(7*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)-3*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)+7*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)-3*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)-10*A*cos(d*x+c)^2+2*B*cos(d*x+c)^2+2*A*cos(d*x+c)-2*B*cos(d*x+c)+8*A)/a^2/sin(d*x+c)/(1+cos(d*x+c))/cos(d*x+c)^(1/2)
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

**Fricas [A]** time = 1.74568, size = 531, normalized size = 3.4

$$\frac{\sqrt{2}((7A - 3B) \cos(dx + c)^3 + 2(7A - 3B) \cos(dx + c)^2 + (7A - 3B) \cos(dx + c)) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a} \cos(dx + c) + a \sqrt{a} \sqrt{\cos(dx + c)}}{2(a \cos(dx + c)^2 + a \cos(dx + c) + a)}\right)}{4(a^2 d \cos(dx + c)^3 + 2 a^2 d \cos(dx + c)^2 + a^2 d \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] -1/4*(sqrt(2)*((7*A - 3*B)*cos(d*x + c)^3 + 2*(7*A - 3*B)*cos(d*x + c)^2 + (7*A - 3*B)*cos(d*x + c))*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c))) - 2*((5*A - B)*cos(d*x + c) + 4*A)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^2*d*cos(d*x + c)^3 + 2*a^2*d*cos(d*x + c)^2 + a^2*d*cos(d*x + c))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2)/(a+a\*cos(d\*x+c))\*\*(3/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^(3/2)\*cos(d\*x + c)^(3/2)), x)

**3.201** 
$$\int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=203

$$\frac{(11A - 7B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(7A - 3B) \sin(c + dx)}{6ad \cos^2(c + dx)\sqrt{a \cos(c + dx) + a}} - \frac{(A - B) \sin(c + dx)}{2d \cos^2(c + dx)(a \cos(c + dx) + a)}$$

[Out] `((11*A - 7*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^(3/2)) + ((7*A - 3*B)*Sin[c + d*x])/(6*a*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Cos[c + d*x]]) - ((19*A - 15*B)*Sin[c + d*x])/(6*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])`

**Rubi [A]** time = 0.555461, antiderivative size = 203, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2978, 2984, 12, 2782, 205}

$$\frac{(11A - 7B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(7A - 3B) \sin(c + dx)}{6ad \cos^2(c + dx)\sqrt{a \cos(c + dx) + a}} - \frac{(A - B) \sin(c + dx)}{2d \cos^2(c + dx)(a \cos(c + dx) + a)}$$

Antiderivative was successfully verified.

[In] `Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^(3/2)), x]`

[Out] `((11*A - 7*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sin[c + d*x])/(2*d*Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^(3/2)) + ((7*A - 3*B)*Sin[c + d*x])/(6*a*d*Cos[c + d*x]^(3/2)*Sqrt[a + a*Cos[c + d*x]]) - ((19*A - 15*B)*Sin[c + d*x])/(6*a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])`

**Rule 2978**

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

**Rule 2984**

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```



Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^{\frac{3}{2}}} dx = -\frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{\frac{3}{2}}} + \frac{\int \frac{\frac{1}{2}a(7A-3B)-2a(A-B) \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)\sqrt{a+a \cos(c+dx)}} dx}{2a^2}$$

$$= -\frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{\frac{3}{2}}} + \frac{(7A - 3B) \sin(c + dx)}{6ad \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{\frac{3}{2}}} + \frac{(7A - 3B) \sin(c + dx)}{6ad \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{\frac{3}{2}}} + \frac{(7A - 3B) \sin(c + dx)}{6ad \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

$$= -\frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{\frac{3}{2}}} + \frac{(7A - 3B) \sin(c + dx)}{6ad \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{(11A - 7B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2}\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}}\right)}{2\sqrt{2}a^{\frac{3}{2}}d} - \frac{(A - B) \sin(c + dx)}{2d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{\frac{3}{2}}}$$

**Mathematica [C]** time = 6.80029, size = 1054, normalized size = 5.19

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(5/2)\*(a + a\*Cos[c + d\*x])^(3/2)), x]

[Out] -((A - B)\*Cos[c/2 + (d\*x)/2]^3\*(1 - 2\*Sin[c/2 + (d\*x)/2]))/(6\*d\*(a\*(1 + Cos[c + d\*x])^(3/2)\*(1 + Sin[c/2 + (d\*x)/2])\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(3/2)) + ((A - B)\*Cos[c/2 + (d\*x)/2]^3\*(1 + 2\*Sin[c/2 + (d\*x)/2]))/(6\*d\*(a\*(1 + Cos[c + d\*x])^(3/2)\*(1 - Sin[c/2 + (d\*x)/2])\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(3/2)) - ((A - B)\*Cos[c/2 + (d\*x)/2]^3\*(5\*ArcTan[(1 - 2\*Sin[c/2 + (d\*x)/2])/Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]] + (1 + Sin[c/2 + (d\*x)/2])/(1 - Sin[c

$$\begin{aligned} & /2 + (d*x)/2]) * \text{Sqrt}[1 - 2*\text{Sin}[c/2 + (d*x)/2]^2]) + (3*\text{Sqrt}[1 - 2*\text{Sin}[c/2 + \\ & (d*x)/2]^2]) / (1 - \text{Sin}[c/2 + (d*x)/2]) / (d*(a*(1 + \text{Cos}[c + d*x]))^{(3/2)}) + \\ & ((A - B)*\text{Cos}[c/2 + (d*x)/2]^3*(5*\text{ArcTan}[(1 + 2*\text{Sin}[c/2 + (d*x)/2]) / \text{Sqrt}[1 - \\ & 2*\text{Sin}[c/2 + (d*x)/2]^2]) + (1 - \text{Sin}[c/2 + (d*x)/2]) / ((1 + \text{Sin}[c/2 + (d*x)/ \\ & 2]) * \text{Sqrt}[1 - 2*\text{Sin}[c/2 + (d*x)/2]^2]) + (3*\text{Sqrt}[1 - 2*\text{Sin}[c/2 + (d*x)/2]^2] \\ & ) / (1 + \text{Sin}[c/2 + (d*x)/2])) / (d*(a*(1 + \text{Cos}[c + d*x]))^{(3/2)}) + ((A + 3*B)* \\ & \text{Cot}[c/2 + (d*x)/2]^3 * \text{Csc}[c/2 + (d*x)/2]^2 * (-12*\text{Cos}[(c + d*x)/2]^4 * \text{Hypergeom} \\ & \text{etricPFQ}\{2, 2, 7/2\}, \{1, 9/2\}, -(\text{Sin}[c/2 + (d*x)/2]^2 / (1 - 2*\text{Sin}[c/2 + (d* \\ & x)/2]^2))) * \text{Sin}[c/2 + (d*x)/2]^8 - 12*\text{Hypergeometric2F1}[2, 7/2, 9/2, -(\text{Sin}[c \\ & /2 + (d*x)/2]^2 / (1 - 2*\text{Sin}[c/2 + (d*x)/2]^2))] * \text{Sin}[c/2 + (d*x)/2]^8 * (4 - 7* \\ & \text{Sin}[c/2 + (d*x)/2]^2 + 3*\text{Sin}[c/2 + (d*x)/2]^4) + 7*\text{Sqrt}[-(\text{Sin}[c/2 + (d*x)/2 \\ & ]^2 / (1 - 2*\text{Sin}[c/2 + (d*x)/2]^2))] * (1 - 2*\text{Sin}[c/2 + (d*x)/2]^2)^3 * (15 - 20* \\ & \text{Sin}[c/2 + (d*x)/2]^2 + 8*\text{Sin}[c/2 + (d*x)/2]^4) * ((3 - 7*\text{Sin}[c/2 + (d*x)/2]^2 \\ & ) * \text{Sqrt}[-(\text{Sin}[c/2 + (d*x)/2]^2 / (1 - 2*\text{Sin}[c/2 + (d*x)/2]^2))] - 3*\text{ArcTanh}[\text{Sq} \\ & \text{rt}[-(\text{Sin}[c/2 + (d*x)/2]^2 / (1 - 2*\text{Sin}[c/2 + (d*x)/2]^2))]) * (1 - 2*\text{Sin}[c/2 + \\ & (d*x)/2]^2)) / (63*d*(a*(1 + \text{Cos}[c + d*x]))^{(3/2)} * (1 - 2*\text{Sin}[c/2 + (d*x)/2 \\ & ^2])^{(7/2)}) \end{aligned}$$

**Maple [B]** time = 0.623, size = 443, normalized size = 2.2

$$\frac{\sin(dx+c)}{12a^2d(-1+\cos(dx+c))(1+\cos(dx+c))^2} \sqrt{a(1+\cos(dx+c))} \left( 33A \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) (\cos(dx+c))^2 \sqrt{2} \sin(dx+c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+cos(d\*x+c)\*a)^(3/2),x)

[Out] 1/12/d\*sin(d\*x+c)\*(a\*(1+cos(d\*x+c)))^(1/2)\*(33\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*2^(1/2)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-21\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*2^(1/2)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+66\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*(1/2)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-42\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*(1/2)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+33\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-21\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-38\*A\*cos(d\*x+c)^3+30\*B\*cos(d\*x+c)^3+14\*A\*cos(d\*x+c)^2-6\*B\*cos(d\*x+c)^2+32\*A\*cos(d\*x+c)-24\*B\*cos(d\*x+c)-8\*A)/a^2/(-1+cos(d\*x+c))/(1+cos(d\*x+c))^2/cos(d\*x+c)^(3/2)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 1.72612, size = 586, normalized size = 2.89

$$\frac{3\sqrt{2}\left((11A-7B)\cos(dx+c)^4 + 2(11A-7B)\cos(dx+c)^3 + (11A-7B)\cos(dx+c)^2\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a}\cos(dx+c)+a}{2(a\cos(dx+c)+a)}\right)}{12\left(a^2d\cos(dx+c)^4 + 2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] 1/12\*(3\*sqrt(2)\*((11\*A - 7\*B)\*cos(d\*x + c)^4 + 2\*(11\*A - 7\*B)\*cos(d\*x + c)^3 + (11\*A - 7\*B)\*cos(d\*x + c)^2)\*sqrt(a)\*arctan(1/2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a\*cos(d\*x + c)^2 + a\*cos(d\*x + c))) - 2\*((19\*A - 15\*B)\*cos(d\*x + c)^2 + 12\*(A - B)\*cos(d\*x + c) - 4\*A)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a^2\*d\*cos(d\*x + c)^4 + 2\*a^2\*d\*cos(d\*x + c)^3 + a^2\*d\*cos(d\*x + c)^2)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2)/(a+a\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx+c) + A}{(a \cos(dx+c) + a)^{\frac{3}{2}} \cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^(3/2)\*cos(d\*x + c)^(5/2)), x)

$$3.202 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=246

$$\frac{(2A - 5B) \sin^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}} \right)}{a^{5/2}d} - \frac{(11A - 35B) \sin(c+dx) \sqrt{\cos(c+dx)}}{16a^2d \sqrt{a \cos(c+dx)+a}} - \frac{(43A - 115B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{16\sqrt{2}a^{5/2}d}$$

[Out] ((2\*A - 5\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(a^(5/2)\*d) - ((43\*A - 115\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(16\*Sqrt[2]\*a^(5/2)\*d) + ((A - B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x]/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) + ((7\*A - 15\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x]/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2)) - ((11\*A - 35\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x]/(16\*a^2\*d\*Sqrt[a + a\*Cos[c + d\*x]]))

**Rubi [A]** time = 0.836839, antiderivative size = 246, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2977, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{(2A - 5B) \sin^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}} \right)}{a^{5/2}d} - \frac{(11A - 35B) \sin(c+dx) \sqrt{\cos(c+dx)}}{16a^2d \sqrt{a \cos(c+dx)+a}} - \frac{(43A - 115B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{16\sqrt{2}a^{5/2}d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(5/2)\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] ((2\*A - 5\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(a^(5/2)\*d) - ((43\*A - 115\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(16\*Sqrt[2]\*a^(5/2)\*d) + ((A - B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x]/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) + ((7\*A - 15\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x]/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2)) - ((11\*A - 35\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x]/(16\*a^2\*d\*Sqrt[a + a\*Cos[c + d\*x]]))

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2983

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + n + 1)), x] + Dist[1/(b\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*b\*c\*(m + n + 1) + B\*(a\*c\*m + b\*d\*n) + (A\*b\*d\*(m + n + 1) + B\*(a\*d\*m + b\*c\*n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d,

$e, f, A, B, m, x$  &&  $\text{NeQ}[b*c - a*d, 0]$  &&  $\text{EqQ}[a^2 - b^2, 0]$  &&  $\text{NeQ}[c^2 - d^2, 0]$  &&  $\text{GtQ}[n, 0]$  &&  $(\text{IntegerQ}[n] \mid\mid \text{EqQ}[m + 1/2, 0])$

#### Rule 2982

$\text{Int}[(A + (B \sin(e) + f x)) / (\sqrt{a + b \sin(e) + f x} \sqrt{c + d \sin(e) + f x}), x_{\text{Symbol}}] \rightarrow \text{Dist}[(A*b - a*B)/b, \text{Int}[1/(\sqrt{a + b \sin(e + f x)} \sqrt{c + d \sin(e + f x)}), x], x] + \text{Dist}[B/b, \text{Int}[\sqrt{a + b \sin(e + f x)} / \sqrt{c + d \sin(e + f x)}, x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, A, B, x\}$  &&  $\text{NeQ}[b*c - a*d, 0]$  &&  $\text{EqQ}[a^2 - b^2, 0]$  &&  $\text{NeQ}[c^2 - d^2, 0]$

#### Rule 2782

$\text{Int}[1/(\sqrt{a + b \sin(e) + f x} \sqrt{c + d \sin(e) + f x}), x_{\text{Symbol}}] \rightarrow \text{Dist}[(-2*a)/f, \text{Subst}[\text{Int}[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b \cos(e + f x)) / (\sqrt{a + b \sin(e + f x)} \sqrt{c + d \sin(e + f x)})], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, x\}$  &&  $\text{NeQ}[b*c - a*d, 0]$  &&  $\text{EqQ}[a^2 - b^2, 0]$  &&  $\text{NeQ}[c^2 - d^2, 0]$

#### Rule 205

$\text{Int}[(a + b x^2)^{-1}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] * \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$   $\text{FreeQ}\{a, b, x\}$  &&  $\text{PosQ}[a/b]$

#### Rule 2774

$\text{Int}[\sqrt{a + b \sin(e) + f x} / \sqrt{d \sin(e) + f x}, x_{\text{Symbol}}] \rightarrow \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/\sqrt{1 - x^2/a}], x], x, (b \cos(e + f x)) / \sqrt{a + b \sin(e + f x)}], x] /;$   $\text{FreeQ}\{a, b, d, e, f, x\}$  &&  $\text{EqQ}[a^2 - b^2, 0]$  &&  $\text{EqQ}[d, a/b]$

#### Rule 216

$\text{Int}[1/\sqrt{a + b x^2}, x_{\text{Symbol}}] \rightarrow \text{Simp}[\text{ArcSin}[(\text{Rt}[-b, 2]*x)/\sqrt{a}]/\text{Rt}[-b, 2], x] /;$   $\text{FreeQ}\{a, b, x\}$  &&  $\text{GtQ}[a, 0]$  &&  $\text{NegQ}[b]$

#### Rubi steps



```

in(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)+22*A*(cos(d*x+c)/(1+cos(d*x+c)))
^(3/2)*cos(d*x+c)^2-32*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^4-115
*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*cos(d*x+c)^2*sin(d*x+c)+64*A*
arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*cos(d*x+c)^
2*sin(d*x+c)+43*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*2^(1/2)*cos
(d*x+c)-30*A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-160*B*arctan(sin(
d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*cos(d*x+c)^2*sin(d*x+c
)-78*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^3-115*B*arcsin((-1+cos(
d*x+c))/sin(d*x+c))*sin(d*x+c)*2^(1/2)*cos(d*x+c)+64*A*arctan(sin(d*x+c)*(c
os(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*sin(d*x+c)*cos(d*x+c)-22*A*(cos
(d*x+c)/(1+cos(d*x+c)))^(3/2)-160*B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*
x+c)))^(1/2)/cos(d*x+c))*sin(d*x+c)*cos(d*x+c)+40*B*(cos(d*x+c)/(1+cos(d*x+
c)))^(1/2)*cos(d*x+c)^2+70*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)/
sin(d*x+c)^11/(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)/a^3

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algor
ithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(a*cos(d*x + c) + a)^(5/2
), x)
```

**Fricas [A]** time = 98.4708, size = 830, normalized size = 3.37

$$\sqrt{2}((43A - 115B) \cos(dx + c)^3 + 3(43A - 115B) \cos(dx + c)^2 + 3(43A - 115B) \cos(dx + c) + 43A - 115B) \sqrt{a}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algor
ithm="fricas")
```

```
[Out] 1/32*(sqrt(2))*((43*A - 115*B)*cos(d*x + c)^3 + 3*(43*A - 115*B)*cos(d*x + c
)^2 + 3*(43*A - 115*B)*cos(d*x + c) + 43*A - 115*B)*sqrt(a)*arctan(sqrt(2)*
sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*(16
*B*cos(d*x + c)^2 - 5*(3*A - 11*B)*cos(d*x + c) - 11*A + 35*B)*sqrt(a*cos(d
*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c) - 32*((2*A - 5*B)*cos(d*x + c)
^3 + 3*(2*A - 5*B)*cos(d*x + c)^2 + 3*(2*A - 5*B)*cos(d*x + c) + 2*A - 5*B)
*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*
x + c))))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x
+ c) + a^3*d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^(5/2), x)



$$3.203 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=194

$$\frac{(3A - 43B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} + \frac{(A - B) \sin(c + dx) \cos^3(c + dx)}{4d(a \cos(c + dx) + a)^{5/2}} + \frac{(3A - 11B) \sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a \cos(c + dx) + a)^{5/2}}$$

[Out] (2\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(a^(5/2)\*d) + ((3\*A - 43\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(16\*Sqrt[2]\*a^(5/2)\*d) + ((A - B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) + ((3\*A - 11\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2))

**Rubi [A]** time = 0.582239, antiderivative size = 194, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2977, 2982, 2782, 205, 2774, 216}

$$\frac{(3A - 43B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} + \frac{(A - B) \sin(c + dx) \cos^3(c + dx)}{4d(a \cos(c + dx) + a)^{5/2}} + \frac{(3A - 11B) \sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a \cos(c + dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (2\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(a^(5/2)\*d) + ((3\*A - 43\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(16\*Sqrt[2]\*a^(5/2)\*d) + ((A - B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) + ((3\*A - 11\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2982

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])]\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Dist[(A\*b - a\*B)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rubi steps

$$\int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{5/2}} dx = \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{\int \frac{\sqrt{\cos(c+dx)}\left(\frac{3}{2}a(A-B)+4aB\cos(c+dx)\right) dx}{(a+a\cos(c+dx))^{3/2}}}{4a^2}$$

$$= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(3A-11B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} + \int \frac{1}{4}$$

$$= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(3A-11B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} + \frac{(3A-11B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}}$$

$$= \frac{(A-B)\cos^3(c+dx)\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(3A-11B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} - \frac{(3A-11B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}}$$

$$= \frac{2B\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{a^{5/2}d} + \frac{(3A-43B)\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A-11B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}}$$

**Mathematica [C]** time = 2.03008, size = 246, normalized size = 1.27

$$\frac{\cos^5\left(\frac{1}{2}(c+dx)\right)\left(\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sec^3\left(\frac{1}{2}(c+dx)\right)\left((7A-15B)\cos(c+dx)+3A-11B\right) - \frac{i\sqrt{2}e^{\frac{1}{2}i(c+dx)}\sqrt{e^{-i(c+dx)}}}{8d(a(\cos(c+dx)+1))^{5/2}}\right)}{8d(a(\cos(c+dx)+1))^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(5/2), x]
```

```
[Out] (Cos[(c + d*x)/2]^5*(((I)*Sqrt[2]*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))])*(32*B*ArcSinh[E^(I*(c + d*x))] - Sqrt[2]*(3*A -
```

$$43*B)*\text{ArcTanh}[(1 - E^{(I*(c + d*x))})/(\text{Sqrt}[2]*\text{Sqrt}[1 + E^{((2*I)*(c + d*x))})]) - 32*B*\text{ArcTanh}[\text{Sqrt}[1 + E^{((2*I)*(c + d*x))})])]/\text{Sqrt}[1 + E^{((2*I)*(c + d*x))})]) + \text{Sqrt}[\text{Cos}[c + d*x]]*(3*A - 11*B + (7*A - 15*B)*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^3*\text{Tan}[(c + d*x)/2])/ (8*d*(a*(1 + \text{Cos}[c + d*x]))^{(5/2)})]$$

**Maple [B]** time = 0.593, size = 515, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+cos(d*x+c)*a)^(5/2),x)`

[Out] 
$$-1/32/d*\cos(d*x+c)^{(3/2)}*(a*(1+\cos(d*x+c)))^{(1/2)}*(-1+\cos(d*x+c))^{4*(14*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}*\cos(d*x+c)^3+3*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*2^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)+6*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}*\cos(d*x+c)^2-43*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*2^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)+3*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*2^{(1/2)}*\cos(d*x+c)-14*A*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}-43*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*2^{(1/2)}*\cos(d*x+c)-64*B*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}/\cos(d*x+c))*\cos(d*x+c)^2*\sin(d*x+c)-30*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)^3-6*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}-64*B*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}/\cos(d*x+c))*\sin(d*x+c)*\cos(d*x+c)+8*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)^2+22*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c))/\sin(d*x+c)^9/(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}/a^3$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorith="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^(5/2), x)`

**Fricas [A]** time = 69.3504, size = 736, normalized size = 3.79

$$\sqrt{2}((3A - 43B) \cos(dx + c)^3 + 3(3A - 43B) \cos(dx + c)^2 + 3(3A - 43B) \cos(dx + c) + 3A - 43B) \sqrt{a} \arctan\left(\frac{\dots}{\dots}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorith="fricas")`

```
[Out] -1/32*(sqrt(2)*((3*A - 43*B)*cos(d*x + c)^3 + 3*(3*A - 43*B)*cos(d*x + c)^2
+ 3*(3*A - 43*B)*cos(d*x + c) + 3*A - 43*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*
cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - 2*((7*A - 15
*B)*cos(d*x + c) + 3*A - 11*B)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*
sin(d*x + c) + 64*(B*cos(d*x + c)^3 + 3*B*cos(d*x + c)^2 + 3*B*cos(d*x + c)
+ B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*s
in(d*x + c))))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos
(d*x + c) + a^3*d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(5/2), x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2), x, algo
rithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^(5/2
), x)
```

$$3.204 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=154

$$\frac{(5A + 3B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A + 7B) \sin(c + dx)\sqrt{\cos(c + dx)}}{16ad(a \cos(c + dx) + a)^{3/2}} + \frac{(A - B) \sin(c + dx)\sqrt{\cos(c + dx)}}{4d(a \cos(c + dx) + a)^{5/2}}$$

[Out] ((5\*A + 3\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(16\*Sqrt[2]\*a^(5/2)\*d) + ((A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) + ((A + 7\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2))

**Rubi [A]** time = 0.376915, antiderivative size = 154, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2977, 2978, 12, 2782, 205}

$$\frac{(5A + 3B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A + 7B) \sin(c + dx)\sqrt{\cos(c + dx)}}{16ad(a \cos(c + dx) + a)^{3/2}} + \frac{(A - B) \sin(c + dx)\sqrt{\cos(c + dx)}}{4d(a \cos(c + dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] ((5\*A + 3\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(16\*Sqrt[2]\*a^(5/2)\*d) + ((A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) + ((A + 7\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*Sqrt[(c_) + (d_)*sin[(e
_) + (f_)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c
- b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*S
in[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{5/2}} dx = \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{\int \frac{\frac{1}{2}a(A-B)+a(A+3B)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{3/2}} dx}{4a^2}$$

$$= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(A+7B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} + \frac{\int \frac{5A-3B}{4\sqrt{\cos(c+dx)}} dx}{16ad(a+a\cos(c+dx))^{3/2}}$$

$$= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}} + \frac{(A+7B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{3/2}} + \frac{(5A-3B)\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{4d(a+a\cos(c+dx))^{5/2}}$$

**Mathematica [C]** time = 1.40628, size = 198, normalized size = 1.29

$$\cos^5\left(\frac{1}{2}(c+dx)\right) \frac{\left(\frac{1}{2}\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sec^3\left(\frac{1}{2}(c+dx)\right)\left((A+7B)\cos(c+dx)+5A+3B\right) + \frac{i(5A+3B)e^{\frac{1}{2}i(c+dx)}\sqrt{e^{-i(c+dx)}}}{4d(a(\cos(c+dx)+1))^{5/2}}\right)}{4d(a(\cos(c+dx)+1))^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + a*cos[c + d*x])^(5/2), x]
```

```
[Out] (Cos[(c + d*x)/2]^5*((I*(5*A + 3*B)*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])]/Sqrt[1 + E^((2*I)*(c + d*x))] + (Sqrt[Cos[c + d*x]]*(5*A + 3*B + (A + 7*B)*Cos[c + d*x])*Sec[(c + d*x)/2]^3*Tan[(c + d*x)/2])/(4*d*(a*(1 + Cos[c + d*x]))^(5/2))
```

**Maple [B]** time = 0.563, size = 413, normalized size = 2.7

$$\frac{(-1 + \cos(dx + c))^3}{32d(\sin(dx + c))^7 a^3} \sqrt{\cos(dx + c)} \sqrt{a(1 + \cos(dx + c))} \left( 2A \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{3/2} (\cos(dx + c))^3 + 10A \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{3/2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+cos(d*x+c)*a)^(5/2),x)`

[Out] 
$$\frac{1}{32}d\cos(d*x+c)^{(1/2)}*(a*(1+\cos(d*x+c)))^{(1/2)}*(-1+\cos(d*x+c))^{3/2}*(2*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}*\cos(d*x+c)^3+10*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}*\cos(d*x+c)^2+5*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*2^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)+3*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*2^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)-2*A*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}+5*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*2^{(1/2)}*\cos(d*x+c)+14*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)^3+3*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*2^{(1/2)}*\cos(d*x+c)-10*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}-8*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)^2-6*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c))/\sin(d*x+c)^7/(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}/a^3$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a)^(5/2), x)`

**Fricas [A]** time = 1.3748, size = 571, normalized size = 3.71

$$\frac{\sqrt{2}((5A + 3B)\cos(dx + c)^3 + 3(5A + 3B)\cos(dx + c)^2 + 3(5A + 3B)\cos(dx + c) + 5A + 3B)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a}\cos(dx + c)}{2}\right)}{32(a^3d\cos(dx + c)^3 + 3a^3d\cos(dx + c)^2 + 3a^3d\cos(dx + c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] 
$$\frac{1}{32}*(\sqrt{2})*((5*A + 3*B)*\cos(d*x + c)^3 + 3*(5*A + 3*B)*\cos(d*x + c)^2 + 3*(5*A + 3*B)*\cos(d*x + c) + 5*A + 3*B)*\sqrt{a}*\arctan(1/2*\sqrt{2}*\sqrt{a*\cos(d*x + c) + a}*\sqrt{a}*\sqrt{\cos(d*x + c)}*\sin(d*x + c)/(a*\cos(d*x + c)^2 + a*\cos(d*x + c))) + 2*((A + 7*B)*\cos(d*x + c) + 5*A + 3*B)*\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)}*\sin(d*x + c)/(a^3*d*\cos(d*x + c)^3 + 3*a^3*d*\cos(d*x + c)^2 + 3*a^3*d*\cos(d*x + c) + a^3*d)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2),x, algo-
rithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a)^(5/2), x)
```



$$3.205 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=156

$$\frac{(19A + 5B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(9A - B) \sin(c + dx)\sqrt{\cos(c + dx)}}{16ad(a \cos(c + dx) + a)^{3/2}} - \frac{(A - B) \sin(c + dx)\sqrt{\cos(c + dx)}}{4d(a \cos(c + dx) + a)^{5/2}}$$

[Out] ((19\*A + 5\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(16\*Sqrt[2]\*a^(5/2)\*d) - ((A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) - ((9\*A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2))

**Rubi [A]** time = 0.439014, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2978, 12, 2782, 205}

$$\frac{(19A + 5B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(9A - B) \sin(c + dx)\sqrt{\cos(c + dx)}}{16ad(a \cos(c + dx) + a)^{3/2}} - \frac{(A - B) \sin(c + dx)\sqrt{\cos(c + dx)}}{4d(a \cos(c + dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(5/2)), x]

[Out] ((19\*A + 5\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(16\*Sqrt[2]\*a^(5/2)\*d) - ((A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)) - ((9\*A - B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)(a + a \cos(c + dx))}^{5/2}} dx &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{\int \frac{\frac{1}{2}a(7A+B)-a(A-B) \cos(c+dx)}{\sqrt{\cos(c+dx)(a+a \cos(c+dx))}^{3/2}} dx}{4a^2} \\ &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(9A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \int \\ &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(9A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \int \\ &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(9A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} - \int \\ &= \frac{(19A + 5B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} \end{aligned}$$

**Mathematica [C]** time = 1.36854, size = 200, normalized size = 1.28

$$\frac{\cos^5\left(\frac{1}{2}(c + dx)\right) \left( -\frac{1}{2}\sqrt{\cos(c + dx)} \tan\left(\frac{1}{2}(c + dx)\right) \sec^3\left(\frac{1}{2}(c + dx)\right) ((9A - B) \cos(c + dx) + 13A - 5B) + \frac{i(19A+5B)e^{\frac{1}{2}i(c+dx)}}{4d(a(\cos(c + dx) + 1))^{5/2}} \right)}{4d(a(\cos(c + dx) + 1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(5/2)), x]

[Out] (Cos[(c + d\*x)/2]^5\*((I\*(19\*A + 5\*B)\*E^((I/2)\*(c + d\*x))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])/Sqrt[1 + E^((2\*I)\*(c + d\*x))]] - (Sqrt[Cos[c + d\*x]]\*(13\*A - 5\*B + (9\*A - B)\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^3\*Tan[(c + d\*x)/2])/2)/(4\*d\*(a\*(1 + Cos[c + d\*x]))^(5/2))

**Maple [B]** time = 0.561, size = 413, normalized size = 2.7

$$\frac{(-1 + \cos(dx + c))^2}{32 da^3 (\sin(dx + c))^5} \sqrt{a(1 + \cos(dx + c))} \left( 18 A \left( \frac{\cos(dx + c)}{1 + \cos(dx + c)} \right)^{3/2} (\cos(dx + c))^3 - 19 A \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+cos(d\*x+c)\*a)^(5/2), x)

[Out] 1/32/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^2\*(18\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*cos(d\*x+c)^3-19\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*cos(d\*x+c)^2\*sin(d\*x+c)+26\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*cos(d\*x+c)^2-5\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*cos(d\*x+c)^2\*sin(d\*x+c)-19

\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*2^(1/2)\*cos(d\*x+c)-18\*A\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-2\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^3-5\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*2^(1/2)\*cos(d\*x+c)-26\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-8\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^2+10\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c))/(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/a^3/cos(d\*x+c)^(1/2)/sin(d\*x+c)^5

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorith="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^(5/2)\*sqrt(cos(d\*x + c))), x)

**Fricas [A]** time = 1.38651, size = 578, normalized size = 3.71

$$\frac{\sqrt{2}((19A + 5B) \cos(dx + c)^3 + 3(19A + 5B) \cos(dx + c)^2 + 3(19A + 5B) \cos(dx + c) + 19A + 5B) \sqrt{a} \arctan\left(\frac{\sqrt{2}}{\sqrt{a^3 d \cos(dx + c)^3 + 3a^3 d \cos(dx + c)^2 + 3a^3 d \cos(dx + c) + a^3 d}}\right)}{32(a^3 d \cos(dx + c)^3 + 3a^3 d \cos(dx + c)^2 + 3a^3 d \cos(dx + c) + a^3 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorith="fricas")

[Out] 1/32\*(sqrt(2)\*((19\*A + 5\*B)\*cos(d\*x + c)^3 + 3\*(19\*A + 5\*B)\*cos(d\*x + c)^2 + 3\*(19\*A + 5\*B)\*cos(d\*x + c) + 19\*A + 5\*B)\*sqrt(a)\*arctan(1/2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a\*cos(d\*x + c)^2 + a\*cos(d\*x + c))) - 2\*((9\*A - B)\*cos(d\*x + c) + 13\*A - 5\*B)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + 3\*a^3\*d\*cos(d\*x + c) + a^3\*d)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(5/2)*sqrt(cos(d*x + c))), x)
```

$$3.206 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=203

$$\frac{(49A - 9B) \sin(c + dx)}{16a^2 d \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}} - \frac{(75A - 19B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(13A - 5B) \sin(c + dx)}{16ad \sqrt{\cos(c + dx)} (a \cos(c + dx) + a)}$$

[Out] -((75\*A - 19\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(16\*Sqrt[2]\*a^(5/2)\*d) - ((A - B)\*Sin[c + d\*x])/(4\*d\*Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(5/2)) - ((13\*A - 5\*B)\*Sin[c + d\*x])/(16\*a\*d\*Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(3/2)) + ((49\*A - 9\*B)\*Sin[c + d\*x])/(16\*a^2\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.56656, antiderivative size = 203, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2978, 2984, 12, 2782, 205}

$$\frac{(49A - 9B) \sin(c + dx)}{16a^2 d \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}} - \frac{(75A - 19B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(13A - 5B) \sin(c + dx)}{16ad \sqrt{\cos(c + dx)} (a \cos(c + dx) + a)}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(5/2)), x]

[Out] -((75\*A - 19\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(16\*Sqrt[2]\*a^(5/2)\*d) - ((A - B)\*Sin[c + d\*x])/(4\*d\*Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(5/2)) - ((13\*A - 5\*B)\*Sin[c + d\*x])/(16\*a\*d\*Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(3/2)) + ((49\*A - 9\*B)\*Sin[c + d\*x])/(16\*a^2\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2984

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(b\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n + 1)\*Simp[A\*(a\*d\*m + b\*c\*(n + 1)) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} dx = -\frac{(A - B) \sin(c + dx)}{4d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}} + \frac{\int \frac{\frac{1}{2}a(9A-B)-2a(A-B) \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+a \cos(c+dx))^{3/2}} dx}{4a^2}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}} - \frac{(13A - 5B) \sin(c + dx)}{16ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}} - \frac{(13A - 5B) \sin(c + dx)}{16ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}} - \frac{(13A - 5B) \sin(c + dx)}{16ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}} - \frac{(13A - 5B) \sin(c + dx)}{16ad\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(75A - 19B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A - B) \sin(c + dx)}{4d\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}}$$

Mathematica [C] time = 2.5741, size = 217, normalized size = 1.07

$$\frac{\cos^5\left(\frac{1}{2}(c + dx)\right) \left( \frac{\tan\left(\frac{1}{2}(c+dx)\right) \sec^3\left(\frac{1}{2}(c+dx)\right) (2(85A-13B) \cos(c+dx) + (49A-9B) \cos(2(c+dx)) + 113A-9B)}{4\sqrt{\cos(c+dx)}} - \frac{i(75A-19B)e^{\frac{1}{2}i(c+dx)} \sqrt{e^{-i(c+dx)}(1+e^{2i(c+dx)})}}{\sqrt{1+e^{2i(c+dx)}}} \right)}{4d(a(\cos(c + dx) + 1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(5/2)), x]

[Out] (Cos[(c + d\*x)/2]^5\*((( -1)\*(75\*A - 19\*B)\*E^((I/2)\*(c + d\*x))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])/Sqrt[1 + E^((2\*I)\*(c + d\*x))] + ((113\*A - 9\*B + 2\*(85\*A - 13\*B)\*Cos[c + d\*x] + (49\*A - 9\*B)\*Cos[2\*(c + d\*x)])\*Sec[(c +

$(d*x)/2]^3*\text{Tan}[(c + d*x)/2]/(4*\text{Sqrt}[\text{Cos}[c + d*x]])))/(4*d*(a*(1 + \text{Cos}[c + d*x]))^{(5/2)})$

**Maple [B]** time = 0.632, size = 443, normalized size = 2.2

$$\frac{-1 + \cos(dx + c)}{32 da^3 (\sin(dx + c))^3 (1 + \cos(dx + c))} \sqrt{a(1 + \cos(dx + c))} \left( -75 A (\cos(dx + c))^2 \sin(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \sqrt{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+cos(d\*x+c)\*a)^(5/2),x)

[Out] 1/32/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))\*(-75\*A\*cos(d\*x+c)^2\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*2^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))+19\*B\*cos(d\*x+c)^2\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*2^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-150\*A\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)+38\*B\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)-75\*A\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)+19\*B\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)+98\*A\*cos(d\*x+c)^3-18\*B\*cos(d\*x+c)^3+72\*A\*cos(d\*x+c)^2-8\*B\*cos(d\*x+c)^2-106\*A\*cos(d\*x+c)+26\*B\*cos(d\*x+c)-64\*A)/a^3/sin(d\*x+c)^3/(1+cos(d\*x+c))/cos(d\*x+c)^(1/2)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 1.40351, size = 666, normalized size = 3.28

$$\frac{\sqrt{2}((75A - 19B)\cos(dx + c)^4 + 3(75A - 19B)\cos(dx + c)^3 + 3(75A - 19B)\cos(dx + c)^2 + (75A - 19B)\cos(dx + c))}{32(a^3 d \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] -1/32\*(sqrt(2))\*((75\*A - 19\*B)\*cos(d\*x + c)^4 + 3\*(75\*A - 19\*B)\*cos(d\*x + c)^3 + 3\*(75\*A - 19\*B)\*cos(d\*x + c)^2 + (75\*A - 19\*B)\*cos(d\*x + c))\*sqrt(a)\*arctan(1/2\*sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(a)\*sqrt(cos(d\*x + c))\*sin(d\*x + c)/(a\*cos(d\*x + c)^2 + a\*cos(d\*x + c))) - 2\*((49\*A - 9\*B)\*cos(d\*x + c)^2 + (85\*A - 13\*B)\*cos(d\*x + c) + 32\*A)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))

```
*x + c))*sin(d*x + c))/(a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + a^3*d*cos(d*x + c))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(5/2), x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(5/2), x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(5/2)*cos(d*x + c)^(3/2)), x)
```



$$3.207 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=250

$$\frac{(95A - 39B) \sin(c + dx)}{48a^2d \cos^{\frac{3}{2}}(c + dx)\sqrt{a \cos(c + dx) + a}} - \frac{(299A - 147B) \sin(c + dx)}{48a^2d\sqrt{\cos(c + dx)}\sqrt{a \cos(c + dx) + a}} + \frac{(163A - 75B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2}\sqrt{\cos(c + dx)}\sqrt{a \cos(c + dx) + a}}\right)}{16\sqrt{2}a^{5/2}d}$$

[Out]  $((163*A - 75*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(16*Sqrt[2]*a^{(5/2)*d} - ((A - B)*Sin[c + d*x])/(4*d*Cos[c + d*x]^{(3/2)}*(a + a*Cos[c + d*x])^{(5/2)}) - ((17*A - 9*B)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^{(3/2)}*(a + a*Cos[c + d*x])^{(3/2)}) + ((95*A - 39*B)*Sin[c + d*x])/(48*a^2*d*Cos[c + d*x]^{(3/2)}*Sqrt[a + a*Cos[c + d*x]]) - ((299*A - 147*B)*Sin[c + d*x])/(48*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])$

**Rubi [A]** time = 0.751786, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2978, 2984, 12, 2782, 205}

$$\frac{(95A - 39B) \sin(c + dx)}{48a^2d \cos^{\frac{3}{2}}(c + dx)\sqrt{a \cos(c + dx) + a}} - \frac{(299A - 147B) \sin(c + dx)}{48a^2d\sqrt{\cos(c + dx)}\sqrt{a \cos(c + dx) + a}} + \frac{(163A - 75B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2}\sqrt{\cos(c + dx)}\sqrt{a \cos(c + dx) + a}}\right)}{16\sqrt{2}a^{5/2}d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*\text{Cos}[c + d*x])]/(\text{Cos}[c + d*x]^{(5/2)}*(a + a*\text{Cos}[c + d*x])^{(5/2)}), x]$

[Out]  $((163*A - 75*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(16*Sqrt[2]*a^{(5/2)*d} - ((A - B)*Sin[c + d*x])/(4*d*Cos[c + d*x]^{(3/2)}*(a + a*Cos[c + d*x])^{(5/2)}) - ((17*A - 9*B)*Sin[c + d*x])/(16*a*d*Cos[c + d*x]^{(3/2)}*(a + a*Cos[c + d*x])^{(3/2)}) + ((95*A - 39*B)*Sin[c + d*x])/(48*a^2*d*Cos[c + d*x]^{(3/2)}*Sqrt[a + a*Cos[c + d*x]]) - ((299*A - 147*B)*Sin[c + d*x])/(48*a^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])$

#### Rule 2978

$\text{Int}[(a + (b_*)\sin[(e_*) + (f_*)(x_*)])^{(m_*)}((A_*) + (B_*)\sin[(e_*) + (f_*)(x_*)])^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(b*(A*b - a*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(a*f*(2*m + 1)*(b*c - a*d)), x] + \text{Dist}[1/(a*(2*m + 1)*(b*c - a*d)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& !\text{GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] || \text{EqQ}[c, 0])$

#### Rule 2984

$\text{Int}[(a + (b_*)\sin[(e_*) + (f_*)(x_*)])^{(m_*)}((A_*) + (B_*)\sin[(e_*) + (f_*)(x_*)])^{(n_*)}, x\_Symbol] \rightarrow \text{Simp}[(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(f*(n + 1)*(c^2 - d^2)), x] + \text{Dist}[1/(b*(n + 1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{(n + 1)}*\text{Simp}[A*(a*d*m + b*c*(n + 1)$

) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} dx = -\frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} + \frac{\int \frac{\frac{1}{2}a(11A-3B)-3a(A-B) \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^{3/2}} dx}{4a^2}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} - \frac{(17A - 9B) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} - \frac{(17A - 9B) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} - \frac{(17A - 9B) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} - \frac{(17A - 9B) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} - \frac{(17A - 9B) \sin(c + dx)}{16ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}}$$

$$= \frac{(163A - 75B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(A - B) \sin(c + dx)}{4d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}}$$

**Mathematica [C]** time = 3.33274, size = 239, normalized size = 0.96

$$\cos^5\left(\frac{1}{2}(c + dx)\right) \left( -\frac{\tan\left(\frac{1}{2}(c+dx)\right) \sec^3\left(\frac{1}{2}(c+dx)\right) ((1537A-825B) \cos(c+dx)+2(503A-255B) \cos(2(c+dx))+299A \cos(3(c+dx))+878A-147B \cos(3(c+dx)))}{8 \cos^{\frac{3}{2}}(c+dx)} \right)$$


---


$$12d(a(\cos(c + dx) + 1))^{5/2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + a*Cos[c + d*x])^(5/2)),x]
```

```
[Out] (Cos[(c + d*x)/2]^5*((3*I)*(163*A - 75*B)*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])]/Sqrt[1 + E^((2*I)*(c + d*x))] - ((878*A - 510*B + (1537*A - 825*B)*Cos[c + d*x] + 2*(503*A - 255*B)*Cos[2*(c + d*x)] + 299*A*Cos[3*(c + d*x)] - 147*B*Cos[3*(c + d*x)])*Sec[(c + d*x)/2]^3*Tan[(c + d*x)/2])/(8*Cos[c + d*x]^(3/2)))/(12*d*(a*(1 + Cos[c + d*x]))^(5/2))
```

**Maple [B]** time = 0.527, size = 571, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+cos(d*x+c)*a)^(5/2),x)
```

```
[Out] -1/96/d*(a*(1+cos(d*x+c)))^(1/2)*(489*A*sin(d*x+c)*2^(1/2)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-225*B*sin(d*x+c)*2^(1/2)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+1467*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-675*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+1467*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)*2^(1/2)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-675*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)*2^(1/2)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+489*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-225*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-598*A*cos(d*x+c)^4+294*B*cos(d*x+c)^4-408*A*cos(d*x+c)^3+216*B*cos(d*x+c)^3+686*A*cos(d*x+c)^2-318*B*cos(d*x+c)^2+384*A*cos(d*x+c)-192*B*cos(d*x+c)-64*A)/a^3/sin(d*x+c)/(1+cos(d*x+c))^2/cos(d*x+c)^(3/2)
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

**Fricas [A]** time = 1.44291, size = 728, normalized size = 2.91

$$3\sqrt{2}\left((163A - 75B)\cos(dx + c)^5 + 3(163A - 75B)\cos(dx + c)^4 + 3(163A - 75B)\cos(dx + c)^3 + (163A - 75B)\cos(dx + c)^2\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] 1/96*(3*sqrt(2)*((163*A - 75*B)*cos(d*x + c)^5 + 3*(163*A - 75*B)*cos(d*x + c)^4 + 3*(163*A - 75*B)*cos(d*x + c)^3 + (163*A - 75*B)*cos(d*x + c)^2)*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c))) - 2*((299*A - 147*B)*cos(d*x + c)^3 + (503*A - 255*B)*cos(d*x + c)^2 + 32*(5*A - 3*B)*cos(d*x + c) - 32*A)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^3*d*cos(d*x + c)^5 + 3*a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + a^3*d*cos(d*x + c)^2)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+a*cos(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(5/2)*cos(d*x + c)^(5/2)), x)
```

$$3.208 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=293

$$\frac{(79A - 259B) \sin(c + dx) \cos^3(c + dx)}{192a^2d(a \cos(c + dx) + a)^{3/2}} + \frac{(2A - 7B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{7/2}d} - \frac{7(7A - 27B) \sin(c + dx) \sqrt{\cos(c + dx)}}{64a^3d \sqrt{a \cos(c + dx) + a}}$$

```
[Out] ((2*A - 7*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(a^(7/2)*d) - ((177*A - 637*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(64*Sqrt[2]*a^(7/2)*d) + ((A - B)*Cos[c + d*x]^(7/2)*Sin[c + d*x]/(6*d*(a + a*Cos[c + d*x])^(7/2)) + ((3*A - 7*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x]/(16*a*d*(a + a*Cos[c + d*x])^(5/2)) + ((79*A - 259*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x]/(192*a^2*d*(a + a*Cos[c + d*x])^(3/2)) - (7*(7*A - 27*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x]/(64*a^3*d*Sqrt[a + a*Cos[c + d*x]]))
```

**Rubi [A]** time = 1.04402, antiderivative size = 293, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2977, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{(79A - 259B) \sin(c + dx) \cos^3(c + dx)}{192a^2d(a \cos(c + dx) + a)^{3/2}} + \frac{(2A - 7B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{7/2}d} - \frac{7(7A - 27B) \sin(c + dx) \sqrt{\cos(c + dx)}}{64a^3d \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(7/2)*(A + B*Cos[c + d*x]))/(a + a*Cos[c + d*x])^(7/2), x]
```

```
[Out] ((2*A - 7*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])/(a^(7/2)*d) - ((177*A - 637*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(64*Sqrt[2]*a^(7/2)*d) + ((A - B)*Cos[c + d*x]^(7/2)*Sin[c + d*x]/(6*d*(a + a*Cos[c + d*x])^(7/2)) + ((3*A - 7*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x]/(16*a*d*(a + a*Cos[c + d*x])^(5/2)) + ((79*A - 259*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x]/(192*a^2*d*(a + a*Cos[c + d*x])^(3/2)) - (7*(7*A - 27*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x]/(64*a^3*d*Sqrt[a + a*Cos[c + d*x]]))
```

#### Rule 2977

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[[(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n]/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2983

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> -Simp[(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n]/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

```
e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m +
n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d,
e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d
^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

### Rule 2982

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) +
(f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dis
t[(A*b - a*B)/b, Int[1/(Sqrt[a + b*SIN[e + f*x]]*Sqrt[c + d*SIN[e + f*x]]),
x], x] + Dist[B/b, Int[Sqrt[a + b*SIN[e + f*x]]/Sqrt[c + d*SIN[e + f*x]],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^
2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2782

```
Int[1/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c
- b*d)*x^2), x], x, (b*cos[e + f*x])/(Sqrt[a + b*SIN[e + f*x]]*Sqrt[c + d*S
IN[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 205

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rule 2774

```
Int[Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*cos
[e + f*x])/Sqrt[a + b*SIN[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]
```

### Rule 216

```
Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\cos^{\frac{7}{2}}(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{\frac{7}{2}}} dx &= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} + \int \frac{\cos^{\frac{5}{2}}(c+dx)\left(\frac{7}{2}a(A-B)-a(A-7B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^{\frac{5}{2}}} dx \\
&= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} + \frac{(3A-7B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{5}{2}}} + \int \\
&= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} + \frac{(3A-7B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{5}{2}}} + \int \\
&= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} + \frac{(3A-7B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{5}{2}}} + \int \\
&= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} + \frac{(3A-7B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{5}{2}}} + \int \\
&= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} + \frac{(3A-7B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{5}{2}}} + \int \\
&= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} + \frac{(3A-7B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{5}{2}}} + \int \\
&= \frac{(A-B)\cos^{\frac{7}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{\frac{7}{2}}} + \frac{(3A-7B)\cos^{\frac{5}{2}}(c+dx)\sin(c+dx)}{16ad(a+a\cos(c+dx))^{\frac{5}{2}}} + \int \\
&= \frac{(2A-7B)\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{a^{\frac{7}{2}}d} - \frac{(177A-637B)\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{64\sqrt{2}a^{\frac{7}{2}}d}
\end{aligned}$$

**Mathematica [C]** time = 5.51663, size = 396, normalized size = 1.35

$$\cos^7\left(\frac{1}{2}(c+dx)\right)\left(\frac{1}{4}\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sec^5\left(\frac{1}{2}(c+dx)\right)\left((3172B-724A)\cos(c+dx)+(1099B-247A)\cos\right.\right.$$


---

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(7/2)\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(7/2), x]

[Out] (Cos[(c + d\*x)/2]^7\*((3\*Sqrt[2]\*E^((I/2)\*(c + d\*x))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))])\*(128\*A\*d\*x - 448\*B\*d\*x - (64\*I)\*(2\*A - 7\*B)\*ArcSin h[E^(I\*(c + d\*x))] + I\*Sqrt[2]\*(177\*A - 637\*B)\*Log[1 + E^(I\*(c + d\*x))] + (128\*I)\*A\*Log[1 + Sqrt[1 + E^((2\*I)\*(c + d\*x))]] - (448\*I)\*B\*Log[1 + Sqrt[1 + E^((2\*I)\*(c + d\*x))]] - (177\*I)\*Sqrt[2]\*A\*Log[1 - E^(I\*(c + d\*x))] + Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]) + (637\*I)\*Sqrt[2]\*B\*Log[1 - E^(I\*(c + d\*x))] + Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]))/Sqrt[1 + E^((2\*I)\*(c + d\*x))] + (Sqrt[Cos[c + d\*x]]\*(-541\*A + 2233\*B + (-724\*A + 3172\*B)\*Cos[c + d\*x] + (-247\*A + 1099\*B)\*Cos[2\*(c + d\*x)] + 96\*B\*Cos[3\*(c + d\*x)])\*Sec[(c + d\*x)/2]^5\*Tan[(c + d\*x)/2])/4)/(48\*d\*(a\*(1 + Cos[c + d\*x]))^(7/2))

---

**Maple [B]** time = 0.665, size = 887, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(dx+c)^{(7/2)}*(A+B*\cos(dx+c))/(a+\cos(dx+c)*a)^{(7/2)},x)$

[Out]  $-1/384/d*\cos(dx+c)^{(7/2)}*(a*(1+\cos(dx+c)))^{(1/2)}*(-1+\cos(dx+c))^{7*(494*A*(\cos(dx+c)/(1+\cos(dx+c)))^{(3/2)}*\cos(dx+c)^4+531*A*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*2^{(1/2)}*\cos(dx+c)^3*\sin(dx+c)+724*A*(\cos(dx+c)/(1+\cos(dx+c)))^{(3/2)}*\cos(dx+c)^3-384*B*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*\cos(dx+c)^5-1911*B*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*2^{(1/2)}*\cos(dx+c)^3*\sin(dx+c)+768*A*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}/\cos(dx+c))*\cos(dx+c)^3*\sin(dx+c)+1062*A*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*2^{(1/2)}*\cos(dx+c)^2*\sin(dx+c)-200*A*(\cos(dx+c)/(1+\cos(dx+c)))^{(3/2)}*\cos(dx+c)^2-1814*B*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*\cos(dx+c)^4-2688*B*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}/\cos(dx+c))*\cos(dx+c)^3*\sin(dx+c)-3822*B*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*2^{(1/2)}*\cos(dx+c)^2*\sin(dx+c)+1536*A*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}/\cos(dx+c))*\cos(dx+c)^2*\sin(dx+c)+531*A*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\sin(dx+c)*2^{(1/2)}*\cos(dx+c)-724*A*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(3/2)}-686*B*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*\cos(dx+c)^3-5376*B*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}/\cos(dx+c))*\cos(dx+c)^2*\sin(dx+c)-1911*B*\arcsin((-1+\cos(dx+c))/\sin(dx+c))*\sin(dx+c)*2^{(1/2)}*\cos(dx+c)+768*A*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}/\cos(dx+c))*\sin(dx+c)*\cos(dx+c)-294*A*(\cos(dx+c)/(1+\cos(dx+c)))^{(3/2)}+1750*B*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*\cos(dx+c)^2-2688*B*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}/\cos(dx+c))*\sin(dx+c)*\cos(dx+c)+1134*B*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*\cos(dx+c))/\sin(dx+c)^{15}/(\cos(dx+c)/(1+\cos(dx+c)))^{(9/2)}/a^4$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)^{(7/2)}*(A+B*\cos(dx+c))/(a+a*\cos(dx+c))^{(7/2)},x, \text{algorithm}="maxima")$

[Out] Timed out

**Fricas [A]** time = 141.259, size = 1018, normalized size = 3.47

$3\sqrt{2}((177A - 637B)\cos(dx+c)^4 + 4(177A - 637B)\cos(dx+c)^3 + 6(177A - 637B)\cos(dx+c)^2 + 4(177A - 637B)\cos(dx+c) + 177A - 637B)\sqrt{a}\arctan(\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)/(\sqrt{a}\sin(dx+c))}) + 2*(192*B*\cos(dx+c)^3 - (247*A - 1099*B)*\cos(dx+c)^2 - 2*(181*A - 721*B)*\cos(dx+c) - 147*A + 567*B)*\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}*\sin(dx+c) - 384*((2*A - 7*B)*\cos(dx+c)^4 + 4*(2*A - 7*B)*\cos(dx+c)^3 + 6*(2*A - 7*B)*\cos(dx+c)^2 +$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)^{(7/2)}*(A+B*\cos(dx+c))/(a+a*\cos(dx+c))^{(7/2)},x, \text{algorithm}="fricas")$

[Out]  $1/384*(3*\sqrt{2})*((177*A - 637*B)*\cos(dx+c)^4 + 4*(177*A - 637*B)*\cos(dx+c)^3 + 6*(177*A - 637*B)*\cos(dx+c)^2 + 4*(177*A - 637*B)*\cos(dx+c) + 177*A - 637*B)*\sqrt{a}\arctan(\sqrt{2}\sqrt{a*\cos(dx+c)+a}\sqrt{\cos(dx+c)/(\sqrt{a}\sin(dx+c))}) + 2*(192*B*\cos(dx+c)^3 - (247*A - 1099*B)*\cos(dx+c)^2 - 2*(181*A - 721*B)*\cos(dx+c) - 147*A + 567*B)*\sqrt{a*\cos(dx+c)+a}\sqrt{\cos(dx+c)}*\sin(dx+c) - 384*((2*A - 7*B)*\cos(dx+c)^4 + 4*(2*A - 7*B)*\cos(dx+c)^3 + 6*(2*A - 7*B)*\cos(dx+c)^2 +$



$4*(2*A - 7*B)*\cos(dx + c) + 2*A - 7*B)*\sqrt{a}*\arctan(\sqrt{a*\cos(dx + c) + a}*\sqrt{\cos(dx + c)})/(\sqrt{a}*\sin(dx + c)))/(a^4*d*\cos(dx + c)^4 + 4*a^4*d*\cos(dx + c)^3 + 6*a^4*d*\cos(dx + c)^2 + 4*a^4*d*\cos(dx + c) + a^4*d)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)\*\*(7/2)\*(A+B\*cos(dx+c))/(a+a\*cos(dx+c))\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{7}{2}}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(7/2)\*(A+B\*cos(dx+c))/(a+a\*cos(dx+c))^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(dx + c) + A)\*cos(dx + c)^(7/2)/(a\*cos(dx + c) + a)^(7/2), x)

$$3.209 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=241

$$\frac{(5A - 49B) \sin(c + dx) \sqrt{\cos(c + dx)}}{64a^2 d (a \cos(c + dx) + a)^{3/2}} + \frac{(5A - 177B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d} + \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{7/2}d} + \frac{(A - B) \cos(c + dx)^{5/2} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} + \frac{(5A - 17B) \cos(c + dx)^{3/2} \sin(c + dx)}{48a^2 d (a + a \cos(c + dx))^{5/2}} + \frac{(5A - 49B) \sqrt{\cos(c + dx)} \sin(c + dx)}{64a^2 d (a + a \cos(c + dx))^{3/2}}$$

[Out] (2\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(a^(7/2)\*d) + ((5\*A - 177\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(64\*Sqrt[2]\*a^(7/2)\*d) + ((A - B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(6\*d\*(a + a\*Cos[c + d\*x])^(7/2)) + ((5\*A - 17\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(48\*a\*d\*(a + a\*Cos[c + d\*x])^(5/2)) + ((5\*A - 49\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(64\*a^2\*d\*(a + a\*Cos[c + d\*x])^(3/2))

**Rubi [A]** time = 0.765032, antiderivative size = 241, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2977, 2982, 2782, 205, 2774, 216}

$$\frac{(5A - 49B) \sin(c + dx) \sqrt{\cos(c + dx)}}{64a^2 d (a \cos(c + dx) + a)^{3/2}} + \frac{(5A - 177B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d} + \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{7/2}d} + \frac{(A - B) \cos(c + dx)^{5/2} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} + \frac{(5A - 17B) \cos(c + dx)^{3/2} \sin(c + dx)}{48a^2 d (a + a \cos(c + dx))^{5/2}} + \frac{(5A - 49B) \sqrt{\cos(c + dx)} \sin(c + dx)}{64a^2 d (a + a \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(5/2)\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(7/2), x]

[Out] (2\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])/(a^(7/2)\*d) + ((5\*A - 177\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(64\*Sqrt[2]\*a^(7/2)\*d) + ((A - B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(6\*d\*(a + a\*Cos[c + d\*x])^(7/2)) + ((5\*A - 17\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(48\*a\*d\*(a + a\*Cos[c + d\*x])^(5/2)) + ((5\*A - 49\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(64\*a^2\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2982

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])]\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] :> Dist[(A\*b - a\*B)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rubi steps

$$\begin{aligned} \int \frac{\cos^5(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{7/2}} dx &= \frac{(A-B)\cos^5(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{\int \frac{\cos^3(c+dx)\left(\frac{5}{2}a(A-B)+6aB\cos(c+dx)\right)}{(a+a\cos(c+dx))^{5/2}} dx}{6a^2} \\ &= \frac{(A-B)\cos^5(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(5A-17B)\cos^3(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} + \dots \\ &= \frac{(A-B)\cos^5(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(5A-17B)\cos^3(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} + \dots \\ &= \frac{(A-B)\cos^5(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(5A-17B)\cos^3(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} + \dots \\ &= \frac{(A-B)\cos^5(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(5A-17B)\cos^3(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} + \dots \\ &= \frac{(A-B)\cos^5(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(5A-17B)\cos^3(c+dx)\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} + \dots \\ &= \frac{2B\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a+a\cos(c+dx)}}\right)}{a^{7/2}d} + \frac{(5A-177B)\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{64\sqrt{2}a^{7/2}d} + \dots \end{aligned}$$

**Mathematica [C]** time = 3.03985, size = 266, normalized size = 1.1

$$\cos^7\left(\frac{1}{2}(c+dx)\right)\left(\frac{1}{4}\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sec^5\left(\frac{1}{2}(c+dx)\right)(4(25A-181B)\cos(c+dx)+(67A-247B)\cos(2(c+dx)))\right)$$

48d(a(c

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(5/2)\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(7/2),x]

[Out] (Cos[(c + d\*x)/2]^7\*((-3\*I)\*Sqrt[2]\*E^((I/2)\*(c + d\*x))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]\*(128\*B\*ArcSinh[E^(I\*(c + d\*x))] - Sqrt[2]\*(5\*A - 177\*B)\*ArcTanh[(1 - E^(I\*(c + d\*x))]/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) - 128\*B\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])/Sqrt[1 + E^((2\*I)\*(c + d\*x))] + (Sqrt[Cos[c + d\*x]]\*(97\*A - 541\*B + 4\*(25\*A - 181\*B)\*Cos[c + d\*x] + (67\*A - 247\*B)\*Cos[2\*(c + d\*x)])\*Sec[(c + d\*x)/2]^5\*Tan[(c + d\*x)/2])/4)/(48\*d\*(a\*(1 + Cos[c + d\*x]))^(7/2))

**Maple [B]** time = 0.635, size = 703, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^(7/2),x)

[Out] -1/384/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^6\*cos(d\*x+c)^(5/2)\*(134\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*cos(d\*x+c)^4+15\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*cos(d\*x+c)^3\*sin(d\*x+c)+100\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*cos(d\*x+c)^3-531\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*cos(d\*x+c)^3\*sin(d\*x+c)+30\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*cos(d\*x+c)^2\*sin(d\*x+c)-104\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*cos(d\*x+c)^2-494\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^4-768\*B\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*cos(d\*x+c)^3\*sin(d\*x+c)-1062\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*cos(d\*x+c)^2\*sin(d\*x+c)+15\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*2^(1/2)\*cos(d\*x+c)-100\*A\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-230\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^3-1536\*B\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*cos(d\*x+c)^2\*sin(d\*x+c)-531\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*2^(1/2)\*cos(d\*x+c)-30\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+430\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^2-768\*B\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*sin(d\*x+c)\*cos(d\*x+c)+294\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)/sin(d\*x+c)^13/(cos(d\*x+c)/(1+cos(d\*x+c)))^(7/2)/a^4

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^(7/2), x)

**Fricas [A]** time = 98.4538, size = 905, normalized size = 3.76

$$3\sqrt{2}\left((5A - 177B)\cos(dx + c)^4 + 4(5A - 177B)\cos(dx + c)^3 + 6(5A - 177B)\cos(dx + c)^2 + 4(5A - 177B)\cos(dx + c)\right)$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="fricas")

[Out] 
$$\frac{-1/384*(3*\sqrt{2}*((5*A - 177*B)*\cos(d*x + c)^4 + 4*(5*A - 177*B)*\cos(d*x + c)^3 + 6*(5*A - 177*B)*\cos(d*x + c)^2 + 4*(5*A - 177*B)*\cos(d*x + c) + 5*A - 177*B)*\sqrt{a}*\arctan(\sqrt{2}*\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)})/(\sqrt{a}*\sin(d*x + c))) - 2*((67*A - 247*B)*\cos(d*x + c)^2 + 2*(25*A - 181*B)*\cos(d*x + c) + 15*A - 147*B)*\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)}*\sin(d*x + c) + 768*(B*\cos(d*x + c)^4 + 4*B*\cos(d*x + c)^3 + 6*B*\cos(d*x + c)^2 + 4*B*\cos(d*x + c) + B)*\sqrt{a}*\arctan(\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)})/(\sqrt{a}*\sin(d*x + c)))}{(a^4*d*\cos(d*x + c)^4 + 4*a^4*d*\cos(d*x + c)^3 + 6*a^4*d*\cos(d*x + c)^2 + 4*a^4*d*\cos(d*x + c) + a^4*d)}$$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*(7/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^(7/2), x)

$$3.210 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=201

$$\frac{(17A + 67B) \sin(c + dx) \sqrt{\cos(c + dx)}}{192a^2 d (a \cos(c + dx) + a)^{3/2}} + \frac{(7A + 5B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{64 \sqrt{2} a^{7/2} d} + \frac{(A - B) \sin(c + dx) \cos^3(c + dx)}{6d (a \cos(c + dx) + a)^{7/2}}$$

[Out] ((7\*A + 5\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(64\*Sqrt[2]\*a^(7/2)\*d) + ((A - B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(6\*d\*(a + a\*Cos[c + d\*x])^(7/2)) + ((A - 13\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(48\*a\*d\*(a + a\*Cos[c + d\*x])^(5/2)) + ((17\*A + 67\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(192\*a^2\*d\*(a + a\*Cos[c + d\*x])^(3/2))

**Rubi [A]** time = 0.587176, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2977, 2978, 12, 2782, 205}

$$\frac{(17A + 67B) \sin(c + dx) \sqrt{\cos(c + dx)}}{192a^2 d (a \cos(c + dx) + a)^{3/2}} + \frac{(7A + 5B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}} \right)}{64 \sqrt{2} a^{7/2} d} + \frac{(A - B) \sin(c + dx) \cos^3(c + dx)}{6d (a \cos(c + dx) + a)^{7/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(7/2), x]

[Out] ((7\*A + 5\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(64\*Sqrt[2]\*a^(7/2)\*d) + ((A - B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(6\*d\*(a + a\*Cos[c + d\*x])^(7/2)) + ((A - 13\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(48\*a\*d\*(a + a\*Cos[c + d\*x])^(5/2)) + ((17\*A + 67\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(192\*a^2\*d\*(a + a\*Cos[c + d\*x])^(3/2))

#### Rule 2977

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{7/2}} dx &= \frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{\int \frac{\sqrt{\cos(c+dx)}\left(\frac{3}{2}a(A-B)+a(A+5B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^{5/2}} dx}{6a^2} \\ &= \frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(A-13B)\sqrt{\cos(c+dx)}\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} + \int \frac{\sqrt{\cos(c+dx)}\left(\frac{3}{2}a(A-B)+a(A+5B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^{5/2}} dx}{6a^2} \\ &= \frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(A-13B)\sqrt{\cos(c+dx)}\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} + \int \frac{\sqrt{\cos(c+dx)}\left(\frac{3}{2}a(A-B)+a(A+5B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^{5/2}} dx \\ &= \frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(A-13B)\sqrt{\cos(c+dx)}\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} + \int \frac{\sqrt{\cos(c+dx)}\left(\frac{3}{2}a(A-B)+a(A+5B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^{5/2}} dx \\ &= \frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(A-13B)\sqrt{\cos(c+dx)}\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} + \int \frac{\sqrt{\cos(c+dx)}\left(\frac{3}{2}a(A-B)+a(A+5B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^{5/2}} dx \\ &= \frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(A-13B)\sqrt{\cos(c+dx)}\sin(c+dx)}{48ad(a+a\cos(c+dx))^{5/2}} + \int \frac{\sqrt{\cos(c+dx)}\left(\frac{3}{2}a(A-B)+a(A+5B)\cos(c+dx)\right)}{(a+a\cos(c+dx))^{5/2}} dx \\ &= \frac{(7A+5B)\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{64\sqrt{2}a^{7/2}d} + \frac{(A-B)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} \end{aligned}$$

**Mathematica [C]** time = 2.24854, size = 217, normalized size = 1.08

$$\frac{\cos^7\left(\frac{1}{2}(c+dx)\right)\left(\frac{1}{8}\sqrt{\cos(c+dx)}\tan\left(\frac{1}{2}(c+dx)\right)\sec^5\left(\frac{1}{2}(c+dx)\right)(20(7A+5B)\cos(c+dx)+(17A+67B)\cos(2(c+dx)))\right)}{24d(a(\cos(c+dx)+1))^{7/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(7/2), x]

[Out] (Cos[(c + d\*x)/2]^7\*((3\*I)\*(7\*A + 5\*B)\*E^((I/2)\*(c + d\*x))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])/Sqrt[1 + E^((2\*I)\*(c + d\*x))] + (Sqrt[Cos[c + d\*x]]\*(59\*A + 97\*B + 20\*(7\*A + 5\*B)\*Cos[c + d\*x] + (17\*A + 67\*B)\*Cos[2\*(c + d\*x)])\*Sec[(c + d\*x)/2]^5\*Tan[(c + d\*x)/2])/8)/(24\*d\*(a\*(1 + Cos[c + d\*x]))

]))^(7/2))

**Maple [B]** time = 0.649, size = 549, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^(7/2),x)

[Out] 1/384/d\*cos(d\*x+c)^(3/2)\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^5\*(34\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*cos(d\*x+c)^4+140\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*cos(d\*x+c)^3+21\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*cos(d\*x+c)^3\*sin(d\*x+c)+15\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*cos(d\*x+c)^3\*sin(d\*x+c)+8\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*cos(d\*x+c)^2+42\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*cos(d\*x+c)^2\*sin(d\*x+c)+134\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^4+30\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*cos(d\*x+c)^2\*sin(d\*x+c)-140\*A\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+21\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*2^(1/2)\*cos(d\*x+c)-34\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^3+15\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*2^(1/2)\*cos(d\*x+c)-42\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-70\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^2-30\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)/sin(d\*x+c)^11/(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)/a^4

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a)^(7/2), x)

**Fricas [A]** time = 1.7205, size = 702, normalized size = 3.49

$$3\sqrt{2}((7A + 5B) \cos(dx + c)^4 + 4(7A + 5B) \cos(dx + c)^3 + 6(7A + 5B) \cos(dx + c)^2 + 4(7A + 5B) \cos(dx + c) + 7A + 5B) \cos(dx + c)^{\frac{3}{2}}$$

$$384(a^4 d \cos(dx + c)^{\frac{3}{2}})$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="fricas")

[Out] 1/384\*(3\*sqrt(2))\*((7\*A + 5\*B)\*cos(d\*x + c)^4 + 4\*(7\*A + 5\*B)\*cos(d\*x + c)^3 + 6\*(7\*A + 5\*B)\*cos(d\*x + c)^2 + 4\*(7\*A + 5\*B)\*cos(d\*x + c) + 7\*A + 5\*B)\*s



```

qrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c
))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c))) + 2*((17*A + 67*B)*cos
(d*x + c)^2 + 10*(7*A + 5*B)*cos(d*x + c) + 21*A + 15*B)*sqrt(a*cos(d*x + c
) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos
(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)

```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(7/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2),x, algo
rithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^(7/2
), x)
```

$$3.211 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=201

$$-\frac{(5A-17B) \sin(c+dx) \sqrt{\cos(c+dx)}}{192a^2 d (a \cos(c+dx) + a)^{3/2}} + \frac{(13A+7B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d} + \frac{(A+3B) \sin(c+dx) \sqrt{\cos(c+dx)}}{16ad(a \cos(c+dx) + a)^{5/2}}$$

[Out]  $((13A + 7B) \text{ArcTan}[\text{Sqrt}[a] \text{Sin}[c + d*x]] / (\text{Sqrt}[2] \text{Sqrt}[\text{Cos}[c + d*x]] \text{Sqrt}[a + a \text{Cos}[c + d*x]])) / (64 \text{Sqrt}[2] a^{7/2} d) + ((A - B) \text{Sqrt}[\text{Cos}[c + d*x]] \text{Sin}[c + d*x]) / (6 d (a + a \text{Cos}[c + d*x])^{7/2}) + ((A + 3B) \text{Sqrt}[\text{Cos}[c + d*x]] \text{Sin}[c + d*x]) / (16 a d (a + a \text{Cos}[c + d*x])^{5/2}) - ((5A - 17B) \text{Sqrt}[\text{Cos}[c + d*x]] \text{Sin}[c + d*x]) / (192 a^2 d (a + a \text{Cos}[c + d*x])^{3/2})$

**Rubi [A]** time = 0.579293, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2977, 2978, 12, 2782, 205}

$$-\frac{(5A-17B) \sin(c+dx) \sqrt{\cos(c+dx)}}{192a^2 d (a \cos(c+dx) + a)^{3/2}} + \frac{(13A+7B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d} + \frac{(A+3B) \sin(c+dx) \sqrt{\cos(c+dx)}}{16ad(a \cos(c+dx) + a)^{5/2}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Sqrt}[\text{Cos}[c + d*x]] * (A + B \text{Cos}[c + d*x])) / (a + a \text{Cos}[c + d*x])^{7/2}, x]$

[Out]  $((13A + 7B) \text{ArcTan}[\text{Sqrt}[a] \text{Sin}[c + d*x]] / (\text{Sqrt}[2] \text{Sqrt}[\text{Cos}[c + d*x]] \text{Sqrt}[a + a \text{Cos}[c + d*x]])) / (64 \text{Sqrt}[2] a^{7/2} d) + ((A - B) \text{Sqrt}[\text{Cos}[c + d*x]] \text{Sin}[c + d*x]) / (6 d (a + a \text{Cos}[c + d*x])^{7/2}) + ((A + 3B) \text{Sqrt}[\text{Cos}[c + d*x]] \text{Sin}[c + d*x]) / (16 a d (a + a \text{Cos}[c + d*x])^{5/2}) - ((5A - 17B) \text{Sqrt}[\text{Cos}[c + d*x]] \text{Sin}[c + d*x]) / (192 a^2 d (a + a \text{Cos}[c + d*x])^{3/2})$

#### Rule 2977

$\text{Int}[(a + b \sin(e + f x))^m ((A + B \sin(e + f x)) + (C + D \sin(e + f x))^n), x_{\text{Symbol}}] \rightarrow \text{Simp}[(A b - a B) \text{Cos}[e + f x] (a + b \text{Sin}[e + f x])^m (c + d \text{Sin}[e + f x])^n / (a f (2m + 1)), x] - \text{Dist}[1 / (a b (2m + 1)), \text{Int}[(a + b \text{Sin}[e + f x])^{m+1} (c + d \text{Sin}[e + f x])^{n-1} \text{Simp}[A (a d n - b c (m + 1)) - B (a c m + b d n) - d (a B (m - n) + A b (m + n + 1)) \text{Sin}[e + f x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \&\& \text{NeQ}[b c - a d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0] \&\& \text{IntegerQ}[2m] \&\& (\text{IntegerQ}[2n] \parallel \text{EqQ}[c, 0])$

#### Rule 2978

$\text{Int}[(a + b \sin(e + f x))^m ((A + B \sin(e + f x)) + (C + D \sin(e + f x))^n), x_{\text{Symbol}}] \rightarrow \text{Simp}[(b (A b - a B) \text{Cos}[e + f x] (a + b \text{Sin}[e + f x])^m (c + d \text{Sin}[e + f x])^{n+1}) / (a f (2m + 1) (b c - a d)), x] + \text{Dist}[1 / (a (2m + 1) (b c - a d)), \text{Int}[(a + b \text{Sin}[e + f x])^{m+1} (c + d \text{Sin}[e + f x])^n \text{Simp}[B (a c m + b d (n + 1)) + A (b c (m + 1) - a d (2m + n + 2)) + d (A b - a B) (m + n + 2) \text{Sin}[e + f x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x \&\& \text{NeQ}[b c - a d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& !\text{GtQ}[n, 0] \&\& \text{IntegerQ}[2m] \&\& (\text{IntegerQ}[2n] \parallel \text{EqQ}[c, 0])$

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{(a+a\cos(c+dx))^{7/2}} dx &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{\int \frac{\frac{1}{2}a(A-B)+2a(A+2B)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} dx}{6a^2} \\ &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(A+3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}} + \int \frac{\frac{1}{2}a(A-B)+2a(A+2B)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} dx \\ &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(A+3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}} - \frac{\int \frac{\frac{1}{2}a(A-B)+2a(A+2B)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} dx}{6a^2} \\ &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(A+3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}} - \frac{\int \frac{\frac{1}{2}a(A-B)+2a(A+2B)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} dx}{6a^2} \\ &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(A+3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}} - \frac{\int \frac{\frac{1}{2}a(A-B)+2a(A+2B)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} dx}{6a^2} \\ &= \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} + \frac{(A+3B)\sqrt{\cos(c+dx)}\sin(c+dx)}{16ad(a+a\cos(c+dx))^{5/2}} - \frac{\int \frac{\frac{1}{2}a(A-B)+2a(A+2B)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a\cos(c+dx))^{5/2}} dx}{6a^2} \\ &= \frac{(13A+7B)\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)}{64\sqrt{2}a^{7/2}d} + \frac{(A-B)\sqrt{\cos(c+dx)}\sin(c+dx)}{6d(a+a\cos(c+dx))^{7/2}} \end{aligned}$$

**Mathematica [C]** time = 1.99237, size = 215, normalized size = 1.07

$$\cos^7\left(\frac{1}{2}(c+dx)\right) \left( \frac{1}{8}\sqrt{\cos(c+dx)} \tan\left(\frac{1}{2}(c+dx)\right) \sec^5\left(\frac{1}{2}(c+dx)\right) (4(A+35B)\cos(c+dx) + (17B-5A)\cos(2(c+dx))) \right) / (24d(a(\cos(c+dx)+1))^{7/2})$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/(a + a\*Cos[c + d\*x])^(7/2), x]

[Out] (Cos[(c + d\*x)/2])^7 \* (((3\*I)\*(13\*A + 7\*B)\*E^((I/2)\*(c + d\*x))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))])\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])/Sqrt[1 + E^((2\*I)\*(c + d\*x))] + (Sqrt[Cos[c + d\*x]]\*(73\*A + 59\*B + 4\*(A + 35\*B)\*Cos[c + d\*x] + (-5\*A + 17\*B)\*Cos[2\*(c + d\*x)])\*Sec[(c + d\*x)/2]^5\*Tan[(c + d\*x)/2])/8)/(24\*d\*(a\*(1 + Cos[c + d\*x]))^(7/2))

)^(7/2))

**Maple [B]** time = 0.62, size = 549, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+cos(d*x+c)*a)^(7/2),x)`

[Out] 
$$\frac{1}{384} \frac{d \cos(d*x+c)^{(1/2)} (a*(1+\cos(d*x+c)))^{(1/2)} (-1+\cos(d*x+c))^4 (10*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)} \cos(d*x+c)^4 - 39*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*2^{(1/2)} \cos(d*x+c)^3 \sin(d*x+c) - 4*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)} \cos(d*x+c)^3 - 21*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*2^{(1/2)} \cos(d*x+c)^3 \sin(d*x+c) - 78*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*2^{(1/2)} \cos(d*x+c)^2 \sin(d*x+c) - 88*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)} \cos(d*x+c)^2 - 34*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cos(d*x+c)^4 - 42*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*2^{(1/2)} \cos(d*x+c)^2 \sin(d*x+c) - 39*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*2^{(1/2)} \cos(d*x+c) + 4*A*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)} - 106*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cos(d*x+c)^3 - 21*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*2^{(1/2)} \cos(d*x+c) + 78*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)} + 98*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cos(d*x+c)^2 + 42*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \cos(d*x+c))/\sin(d*x+c)^9 / (\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)} / a^4$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a)^(7/2), x)`

**Fricas [A]** time = 1.65976, size = 705, normalized size = 3.51

$$3\sqrt{2}((13A + 7B)\cos(dx + c)^4 + 4(13A + 7B)\cos(dx + c)^3 + 6(13A + 7B)\cos(dx + c)^2 + 4(13A + 7B)\cos(dx + c) + 13A + 7)$$

$$384(a^4 d \cos(dx + c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2),x, algorithm="fricas")`

[Out] 
$$\frac{1}{384} (3\sqrt{2}) ((13A + 7B)\cos(dx + c)^4 + 4(13A + 7B)\cos(dx + c)^3 + 6(13A + 7B)\cos(dx + c)^2 + 4(13A + 7B)\cos(dx + c) + 13A + 7)$$

```
*B)*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c))) - 2*((5*A - 17*B)*cos(d*x + c)^2 - 2*(A + 35*B)*cos(d*x + c) - 39*A - 21*B)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(7/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(a*cos(d*x + c) + a)^(7/2), x)
```

$$3.212 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=203

$$-\frac{(103A+5B)\sin(c+dx)\sqrt{\cos(c+dx)}}{192a^2d(a\cos(c+dx)+a)^{3/2}} + \frac{(63A+13B)\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d} - \frac{(5A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{16ad(a\cos(c+dx)+a)^{5/2}}$$

[Out]  $((63*A + 13*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(64*Sqrt[2]*a^{(7/2)*d}) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*d*(a + a*Cos[c + d*x])^{(7/2)}) - ((5*A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^{(5/2)}) - ((103*A + 5*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(192*a^2*d*(a + a*Cos[c + d*x])^{(3/2)})$

**Rubi [A]** time = 0.591436, antiderivative size = 203, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2978, 12, 2782, 205}

$$-\frac{(103A+5B)\sin(c+dx)\sqrt{\cos(c+dx)}}{192a^2d(a\cos(c+dx)+a)^{3/2}} + \frac{(63A+13B)\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d} - \frac{(5A-B)\sin(c+dx)\sqrt{\cos(c+dx)}}{16ad(a\cos(c+dx)+a)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(7/2)), x]

[Out]  $((63*A + 13*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(64*Sqrt[2]*a^{(7/2)*d}) - ((A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(6*d*(a + a*Cos[c + d*x])^{(7/2)}) - ((5*A - B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^{(5/2)}) - ((103*A + 5*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(192*a^2*d*(a + a*Cos[c + d*x])^{(3/2)})$

#### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] :> Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} dx &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} + \frac{\int \frac{\frac{1}{2}a(11A+B) - 2a(A-B) \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+a \cos(c+dx))^{5/2}} dx}{6a^2} \\ &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(5A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}} + \\ &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(5A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}} \\ &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(5A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}} \\ &= -\frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(5A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}} \\ &= \frac{(63A + 13B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}}\right)}{64\sqrt{2}a^{7/2}d} - \frac{(A - B)\sqrt{\cos(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} \end{aligned}$$

**Mathematica [C]** time = 2.01223, size = 216, normalized size = 1.06

$$\cos^7\left(\frac{1}{2}(c + dx)\right) \left( -\frac{1}{8}\sqrt{\cos(c + dx)} \tan\left(\frac{1}{2}(c + dx)\right) \sec^5\left(\frac{1}{2}(c + dx)\right) ((532A - 4B) \cos(c + dx) + (103A + 5B) \cos(2(c + dx))) \right) / 24d(a(\cos(c + dx) + 1))^{7/2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + a\*Cos[c + d\*x])^(7/2)), x]

[Out] (Cos[(c + d\*x)/2]^7\*(((3\*I)\*(63\*A + 13\*B)\*E^((I/2)\*(c + d\*x))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])]/Sqrt[1 + E^((2\*I)\*(c + d\*x))] - (Sqrt[Cos[c + d\*x]]\*(493\*A - 73\*B + (532\*A - 4\*B)\*Cos[c + d\*x] + (103\*A + 5\*B)\*Cos[2\*(c + d\*x)])\*Sec[(c + d\*x)/2]^5\*Tan[(c + d\*x)/2])/8)/(24\*d\*(a\*(1 + Cos[c + d\*x]))^(7/2))

**Maple [B]** time = 0.606, size = 549, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+cos(d\*x+c)\*a)^(7/2), x)

[Out] -1/384/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^3\*(206\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*cos(d\*x+c)^4-189\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(-

$$\begin{aligned} & \frac{1}{2} \cos(dx+c)^3 \sin(dx+c) + 532A \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{3/2} \cos(dx+c)^3 \sin(dx+c) \\ & - 39B \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \cdot 2^{1/2} \cos(dx+c)^3 \sin(dx+c) \\ & - 378A \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \cdot 2^{1/2} \cos(dx+c)^2 \sin(dx+c) \\ & + 184A \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{3/2} \cos(dx+c)^2 + 10B \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \cos(dx+c)^4 \\ & - 78B \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \cdot 2^{1/2} \cos(dx+c)^2 \sin(dx+c) \\ & - 189A \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sin(dx+c) \cdot 2^{1/2} \cos(dx+c) \\ & - 532A \cos(dx+c) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{3/2} \\ & - 14B \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \cos(dx+c)^3 - 39B \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sin(dx+c) \\ & \cdot 2^{1/2} \cos(dx+c) - 390A \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{3/2} - 74B \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \cos(dx+c)^2 \\ & + 78B \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \cos(dx+c) / \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} / a^4 \cos(dx+c)^{1/2} / \sin(dx+c)^7 \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)^(1/2)/(a+a\*cos(dx+c))^(7/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 1.686, size = 716, normalized size = 3.53

$$3\sqrt{2}((63A + 13B)\cos(dx+c)^4 + 4(63A + 13B)\cos(dx+c)^3 + 6(63A + 13B)\cos(dx+c)^2 + 4(63A + 13B)\cos(dx+c) + 63A + 13B)$$

$$384(a^4 d \cos(dx+c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)^(1/2)/(a+a\*cos(dx+c))^(7/2),x, algorithm="fricas")

[Out]  $\frac{1}{384} \cdot (3\sqrt{2}) \cdot ((63A + 13B)\cos(dx+c)^4 + 4(63A + 13B)\cos(dx+c)^3 + 6(63A + 13B)\cos(dx+c)^2 + 4(63A + 13B)\cos(dx+c) + 63A + 13B) \cdot \sqrt{a} \cdot \arctan\left(\frac{1}{2}\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{a}\sqrt{\cos(dx+c)}\sin(dx+c)/(a\cos(dx+c)^2+a\cos(dx+c))\right) - 2 \cdot ((103A + 5B)\cos(dx+c)^2 + 2(133A - B)\cos(dx+c) + 195A - 39B) \cdot \sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}\sin(dx+c)/(a^4 d \cos(dx+c)^4 + 4a^4 d \cos(dx+c)^3 + 6a^4 d \cos(dx+c)^2 + 4a^4 d \cos(dx+c) + a^4 d)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)\*\*(1/2)/(a+a\*cos(dx+c))\*\*(7/2),x)



[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^(7/2)\*sqrt(cos(d\*x + c))), x)

$$3.213 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)(a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=250

$$\frac{(691A - 103B) \sin(c + dx)}{192a^3 d \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}} - \frac{(199A - 43B) \sin(c + dx)}{192a^2 d \sqrt{\cos(c + dx)} (a \cos(c + dx) + a)^{3/2}} - \frac{3(121A - 21B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)}}\right)}{64 \sqrt{2} a^{7/2} d}$$

```
[Out] (-3*(121*A - 21*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(64*Sqrt[2]*a^(7/2)*d) - ((A - B)*Sin[c + d*x])/(6*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(7/2)) - ((19*A - 7*B)*Sin[c + d*x])/(48*a*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(5/2)) - ((199*A - 43*B)*Sin[c + d*x])/(192*a^2*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(3/2)) + ((691*A - 103*B)*Sin[c + d*x])/(192*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])
```

**Rubi [A]** time = 0.803849, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2978, 2984, 12, 2782, 205}

$$\frac{(691A - 103B) \sin(c + dx)}{192a^3 d \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}} - \frac{(199A - 43B) \sin(c + dx)}{192a^2 d \sqrt{\cos(c + dx)} (a \cos(c + dx) + a)^{3/2}} - \frac{3(121A - 21B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)}}\right)}{64 \sqrt{2} a^{7/2} d}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + a*Cos[c + d*x])^(7/2)),x]
```

```
[Out] (-3*(121*A - 21*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]/(64*Sqrt[2]*a^(7/2)*d) - ((A - B)*Sin[c + d*x])/(6*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(7/2)) - ((19*A - 7*B)*Sin[c + d*x])/(48*a*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(5/2)) - ((199*A - 43*B)*Sin[c + d*x])/(192*a^2*d*Sqrt[Cos[c + d*x]]*(a + a*Cos[c + d*x])^(3/2)) + ((691*A - 103*B)*Sin[c + d*x])/(192*a^3*d*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])
```

#### Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
```

```
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e
_) + (f_)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c
- b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*S
in[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} dx = -\frac{(A - B) \sin(c + dx)}{6d \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} + \frac{\int \frac{\frac{1}{2}a(13A - B) - 3a(A - B) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{5/2}} dx}{6a^2}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B) \sin(c + dx)}{48ad \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B) \sin(c + dx)}{48ad \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B) \sin(c + dx)}{48ad \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B) \sin(c + dx)}{48ad \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B) \sin(c + dx)}{48ad \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B) \sin(c + dx)}{48ad \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} - \frac{3(121A - 21B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right)}{64 \sqrt{2} a^{7/2} d} - \frac{(A - B) \sin(c + dx)}{6d \sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}}$$

**Mathematica [C]** time = 2.73043, size = 240, normalized size = 0.96

$$\cos^7\left(\frac{1}{2}(c + dx)\right) \frac{\tan\left(\frac{1}{2}(c + dx)\right) \sec^5\left(\frac{1}{2}(c + dx)\right) (9(941A - 121B) \cos(c + dx) + 4(937A - 133B) \cos(2(c + dx)) + 691A \cos(3(c + dx)) + 5284A - 103B \cos(3(c + dx)))}{16 \sqrt{\cos(c + dx)}}}{24d(a(\cos(c + dx) + 1))^{7/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + a*cos[c + d*x])^(7/2)),x]
```

```
[Out] (Cos[(c + d*x)/2]^7*((-9*I)*(121*A - 21*B)*E^((I/2)*(c + d*x))*Sqrt[(1 + E^((2*I)*(c + d*x)))/E^(I*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])]/Sqrt[1 + E^((2*I)*(c + d*x))] + ((5284*A - 532*B + 9*(941*A - 121*B)*Cos[c + d*x] + 4*(937*A - 133*B)*Cos[2*(c + d*x)] + 691*A*cos[3*(c + d*x)] - 103*B*cos[3*(c + d*x)])*Sec[(c + d*x)/2]^5*Tan[(c + d*x)/2]/(16*Sqrt[Cos[c + d*x]]))/(24*d*(a*(1 + Cos[c + d*x]))^(7/2))
```

**Maple [B]** time = 0.625, size = 581, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+cos(d*x+c)*a)^(7/2),x)
```

```
[Out] 1/384/d*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^2*(1089*A*sin(d*x+c)*2^(1/2)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-189*B*sin(d*x+c)*2^(1/2)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+3267*A*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*2^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-567*B*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*2^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+3267*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)-567*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)+1089*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)-1382*A*cos(d*x+c)^4-189*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))*2^(1/2)+206*B*cos(d*x+c)^4-2366*A*cos(d*x+c)^3+326*B*cos(d*x+c)^3+550*A*cos(d*x+c)^2-142*B*cos(d*x+c)^2+2430*A*cos(d*x+c)-390*B*cos(d*x+c)+768*A)/a^4/sin(d*x+c)^5/(1+cos(d*x+c))/cos(d*x+c)^(1/2)
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="maxima")
```

```
[Out] Timed out
```

**Fricas [A]** time = 1.73288, size = 810, normalized size = 3.24

$$9\sqrt{2}\left((121A - 21B)\cos(dx + c)^5 + 4(121A - 21B)\cos(dx + c)^4 + 6(121A - 21B)\cos(dx + c)^3 + 4(121A - 21B)\cos(dx + c)^2 + 2(121A - 21B)\cos(dx + c) + 121A - 21B\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="fricas")
```

```
[Out] -1/384*(9*sqrt(2)*((121*A - 21*B)*cos(d*x + c)^5 + 4*(121*A - 21*B)*cos(d*x + c)^4 + 6*(121*A - 21*B)*cos(d*x + c)^3 + 4*(121*A - 21*B)*cos(d*x + c)^2 + (121*A - 21*B)*cos(d*x + c))*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c))) - 2*((691*A - 103*B)*cos(d*x + c)^3 + 2*(937*A - 133*B)*cos(d*x + c)^2 + 39*(41*A - 5*B)*cos(d*x + c) + 384*A)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^4*d*cos(d*x + c)^5 + 4*a^4*d*cos(d*x + c)^4 + 6*a^4*d*cos(d*x + c)^3 + 4*a^4*d*cos(d*x + c)^2 + a^4*d*cos(d*x + c))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(7/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{7}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(7/2)*cos(d*x + c)^(3/2)), x)
```

$$3.214 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=297

$$\frac{(579A - 199B) \sin(c + dx)}{192a^3 d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \cos(c + dx) + a}} - \frac{(109A - 41B) \sin(c + dx)}{64a^2 d \cos^{\frac{3}{2}}(c + dx) (a \cos(c + dx) + a)^{3/2}} - \frac{(1887A - 691B) \sin(c + dx)}{192a^3 d \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}}$$

[Out] ((1015\*A - 363\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(64\*Sqrt[2]\*a^(7/2)\*d) - ((A - B)\*Sin[c + d\*x])/(6\*d\*Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(7/2)) - ((23\*A - 11\*B)\*Sin[c + d\*x])/(48\*a\*d\*Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(5/2)) - ((109\*A - 41\*B)\*Sin[c + d\*x])/(64\*a^2\*d\*Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(3/2)) + ((579\*A - 199\*B)\*Sin[c + d\*x])/(192\*a^3\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) - ((1887\*A - 691\*B)\*Sin[c + d\*x])/(192\*a^3\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 1.03211, antiderivative size = 297, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2978, 2984, 12, 2782, 205}

$$\frac{(579A - 199B) \sin(c + dx)}{192a^3 d \cos^{\frac{3}{2}}(c + dx) \sqrt{a \cos(c + dx) + a}} - \frac{(109A - 41B) \sin(c + dx)}{64a^2 d \cos^{\frac{3}{2}}(c + dx) (a \cos(c + dx) + a)^{3/2}} - \frac{(1887A - 691B) \sin(c + dx)}{192a^3 d \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(5/2)\*(a + a\*Cos[c + d\*x])^(7/2)), x]

[Out] ((1015\*A - 363\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]/(64\*Sqrt[2]\*a^(7/2)\*d) - ((A - B)\*Sin[c + d\*x])/(6\*d\*Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(7/2)) - ((23\*A - 11\*B)\*Sin[c + d\*x])/(48\*a\*d\*Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(5/2)) - ((109\*A - 41\*B)\*Sin[c + d\*x])/(64\*a^2\*d\*Cos[c + d\*x]^(3/2)\*(a + a\*Cos[c + d\*x])^(3/2)) + ((579\*A - 199\*B)\*Sin[c + d\*x])/(192\*a^3\*d\*Cos[c + d\*x]^(3/2)\*Sqrt[a + a\*Cos[c + d\*x]]) - ((1887\*A - 691\*B)\*Sin[c + d\*x])/(192\*a^3\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])

### Rule 2978

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

### Rule 2984

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n

+ 1))/(f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(b\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*(a\*d\*m + b\*c\*(n + 1)) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} dx = -\frac{(A - B) \sin(c + dx)}{6d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} + \frac{\int \frac{\frac{3}{2}a(5A-B) - 4a(A-B) \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+a \cos(c+dx))^{5/2}} dx}{6a^2}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} - \frac{(23A - 11B) \sin(c + dx)}{48ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} - \frac{(23A - 11B) \sin(c + dx)}{48ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} - \frac{(23A - 11B) \sin(c + dx)}{48ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} - \frac{(23A - 11B) \sin(c + dx)}{48ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} - \frac{(23A - 11B) \sin(c + dx)}{48ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} - \frac{(23A - 11B) \sin(c + dx)}{48ad \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}}$$

$$= \frac{(1015A - 363B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}}\right)}{64\sqrt{2}a^{7/2}d} - \frac{(A - B) \sin(c + dx)}{6d \cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}}$$

**Mathematica [C]** time = 5.10489, size = 262, normalized size = 0.88

$$\cos^7\left(\frac{1}{2}(c+dx)\right) \left( -\frac{\tan\left(\frac{1}{2}(c+dx)\right)\sec^5\left(\frac{1}{2}(c+dx)\right)(4(9415A-3579B)\cos(c+dx)+8(3069A-1145B)\cos(2(c+dx))+10164A\cos(3(c+dx))+1887A\cos(4(c+dx)))}{32\cos^2(c+dx)} \right)$$


---


$$24d(a(\cos(c+dx) +$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(5/2)\*(a + a\*Cos[c + d\*x])^(7/2)), x]

[Out] (Cos[(c + d\*x)/2]^7\*((3\*I)\*(1015\*A - 363\*B)\*E^((I/2)\*(c + d\*x))\*Sqrt[(1 + E^((2\*I)\*(c + d\*x)))/E^(I\*(c + d\*x))]\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])/Sqrt[1 + E^((2\*I)\*(c + d\*x))] - ((21641\*A - 8469\*B + 4\*(9415\*A - 3579\*B)\*Cos[c + d\*x] + 8\*(3069\*A - 1145\*B)\*Cos[2\*(c + d\*x)] + 10164\*A\*Cos[3\*(c + d\*x)] - 3748\*B\*Cos[3\*(c + d\*x)] + 1887\*A\*Cos[4\*(c + d\*x)] - 691\*B\*Cos[4\*(c + d\*x)])\*Sec[(c + d\*x)/2]^5\*Tan[(c + d\*x)/2])/(32\*Cos[c + d\*x]^(3/2)))/(24\*d\*(a\*(1 + Cos[c + d\*x]))^(7/2))

**Maple [B]** time = 0.484, size = 715, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+cos(d\*x+c)\*a)^(7/2), x)

[Out] 1/384/d\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))\*(3045\*A\*2^(1/2)\*sin(d\*x+c)\*cos(d\*x+c)^4\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-1089\*B\*2^(1/2)\*sin(d\*x+c)\*cos(d\*x+c)^4\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))+12180\*A\*sin(d\*x+c)\*2^(1/2)\*cos(d\*x+c)^3\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-4356\*B\*sin(d\*x+c)\*2^(1/2)\*cos(d\*x+c)^3\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))+18270\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*2^(1/2)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-6534\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*2^(1/2)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+12180\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)\*2^(1/2)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-4356\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)\*2^(1/2)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+3045\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-1089\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*2^(1/2)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-3774\*A\*cos(d\*x+c)^5+1382\*B\*cos(d\*x+c)^5-6390\*A\*cos(d\*x+c)^4+2366\*B\*cos(d\*x+c)^4+1662\*A\*cos(d\*x+c)^3-550\*B\*cos(d\*x+c)^3+6710\*A\*cos(d\*x+c)^2-2430\*B\*cos(d\*x+c)^2+2048\*A\*cos(d\*x+c)-768\*B\*cos(d\*x+c)-256\*A)/a^4/sin(d\*x+c)^3/(1+cos(d\*x+c))^2/cos(d\*x+c)^(3/2)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2),x, algorith="maxima")
```

```
[Out] Timed out
```

**Fricas [A]** time = 1.88757, size = 878, normalized size = 2.96

$$3\sqrt{2}\left((1015A - 363B)\cos(dx + c)^6 + 4(1015A - 363B)\cos(dx + c)^5 + 6(1015A - 363B)\cos(dx + c)^4 + 4(1015A - 363B)\cos(dx + c)^3 + (1015A - 363B)\cos(dx + c)^2\right) \sqrt{a} \arctan\left(\frac{1}{2}\sqrt{2}\sqrt{a\cos(dx + c) + a}\sqrt{\cos(dx + c)}\sin(dx + c)\right) - 2\left((1887A - 691B)\cos(dx + c)^4 + 2(2541A - 937B)\cos(dx + c)^3 + 39(109A - 41B)\cos(dx + c)^2 + 128(7A - 3B)\cos(dx + c) - 128A\right)\sqrt{a\cos(dx + c) + a}\sqrt{\cos(dx + c)}\sin(dx + c) / (a^4d\cos(dx + c)^6 + 4a^4d\cos(dx + c)^5 + 6a^4d\cos(dx + c)^4 + 4a^4d\cos(dx + c)^3 + a^4d\cos(dx + c)^2)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2),x, algorith="fricas")
```

```
[Out] 1/384*(3*sqrt(2)*((1015*A - 363*B)*cos(d*x + c)^6 + 4*(1015*A - 363*B)*cos(d*x + c)^5 + 6*(1015*A - 363*B)*cos(d*x + c)^4 + 4*(1015*A - 363*B)*cos(d*x + c)^3 + (1015*A - 363*B)*cos(d*x + c)^2)*sqrt(a)*arctan(1/2*sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a*cos(d*x + c)^2 + a*cos(d*x + c))) - 2*((1887*A - 691*B)*cos(d*x + c)^4 + 2*(2541*A - 937*B)*cos(d*x + c)^3 + 39*(109*A - 41*B)*cos(d*x + c)^2 + 128*(7*A - 3*B)*cos(d*x + c) - 128*A)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))*sin(d*x + c)/(a^4*d*cos(d*x + c)^6 + 4*a^4*d*cos(d*x + c)^5 + 6*a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + a^4*d*cos(d*x + c)^2)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+a*cos(d*x+c))**(7/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{7}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2),x, algorith="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(7/2)*cos(d*x + c)^(5/2)), x)
```

### 3.215 $\int \cos^2(c + dx)(a + b \cos(c + dx))(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=105

$$-\frac{(aB + Ab) \sin^3(c + dx)}{3d} + \frac{(aB + Ab) \sin(c + dx)}{d} + \frac{(4aA + 3bB) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(4aA + 3bB) + \frac{bB \sin(c + dx)}{8d}$$

[Out]  $((4*a*A + 3*b*B)*x)/8 + ((A*b + a*B)*\text{Sin}[c + d*x])/d + ((4*a*A + 3*b*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) + (b*B*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(4*d) - ((A*b + a*B)*\text{Sin}[c + d*x]^3)/(3*d)$

**Rubi [A]** time = 0.169751, antiderivative size = 105, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {2968, 3023, 2748, 2635, 8, 2633}

$$-\frac{(aB + Ab) \sin^3(c + dx)}{3d} + \frac{(aB + Ab) \sin(c + dx)}{d} + \frac{(4aA + 3bB) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(4aA + 3bB) + \frac{bB \sin(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]^2*(a + b*\text{Cos}[c + d*x])*(A + B*\text{Cos}[c + d*x]), x]$

[Out]  $((4*a*A + 3*b*B)*x)/8 + ((A*b + a*B)*\text{Sin}[c + d*x])/d + ((4*a*A + 3*b*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(8*d) + (b*B*\text{Cos}[c + d*x]^3*\text{Sin}[c + d*x])/(4*d) - ((A*b + a*B)*\text{Sin}[c + d*x]^3)/(3*d)$

#### Rule 2968

$\text{Int}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_)]])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_)]])*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_)]), x\_Symbol] \rightarrow \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] /;$  FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

$\text{Int}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_)]])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_)]^2), x\_Symbol] \rightarrow -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*\text{Simp}[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\text{Sin}[e + f*x], x], x], x] /;$  FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2748

$\text{Int}[(b_.)*\text{sin}[(e_.) + (f_.)*(x_)]])^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /;$  FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2635

$\text{Int}[(b_.)*\text{sin}[(c_.) + (d_.)*(x_)]])^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b*\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n - 1)})/(d*n), x] + \text{Dist}[(b^2*(n - 1))/n, \text{Int}[(b*\text{Sin}[c + d*x])^{(n - 2)}, x], x] /;$  FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + b \cos(c + dx))(A + B \cos(c + dx)) dx &= \int \cos^2(c + dx) (aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) dx \\ &= \frac{bB \cos^3(c + dx) \sin(c + dx)}{4d} + \frac{1}{4} \int \cos^2(c + dx)(4aA + 3bB) dx \\ &= \frac{bB \cos^3(c + dx) \sin(c + dx)}{4d} + (Ab + aB) \int \cos^3(c + dx) dx \\ &= \frac{(4aA + 3bB) \cos(c + dx) \sin(c + dx)}{8d} + \frac{bB \cos^3(c + dx) \sin(c + dx)}{4d} \\ &= \frac{1}{8}(4aA + 3bB)x + \frac{(Ab + aB) \sin(c + dx)}{d} + \frac{(4aA + 3bB) \cos(c + dx) \sin(c + dx)}{8d} \end{aligned}$$

**Mathematica [A]** time = 0.219568, size = 91, normalized size = 0.87

$$\frac{-32(aB + Ab) \sin^3(c + dx) + 96(aB + Ab) \sin(c + dx) + 24(aA + bB) \sin(2(c + dx)) + 48aAc + 48aAdx + 3bB \sin(4(c + dx))}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]), x]

[Out] (48\*a\*A\*c + 36\*b\*B\*c + 48\*a\*A\*d\*x + 36\*b\*B\*d\*x + 96\*(A\*b + a\*B)\*Sin[c + d\*x] - 32\*(A\*b + a\*B)\*Sin[c + d\*x]^3 + 24\*(a\*A + b\*B)\*Sin[2\*(c + d\*x)] + 3\*b\*B\*Ssin[4\*(c + d\*x)])/(96\*d)

**Maple [A]** time = 0.042, size = 107, normalized size = 1.

$$\frac{1}{d} \left( Bb \left( \frac{\sin(dx + c)}{4} \left( (\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{Ab(2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + \frac{aB(2 + \cos(dx + c)) \sin(dx + c)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)), x)

[Out] 1/d\*(B\*b\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+1/3\*A\*b\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+1/3\*a\*B\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+a\*A\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c))

**Maxima [A]** time = 0.998019, size = 136, normalized size = 1.3

$$\frac{24(2dx + 2c + \sin(2dx + 2c))Aa - 32(\sin(dx + c)^3 - 3 \sin(dx + c))Ba - 32(\sin(dx + c)^3 - 3 \sin(dx + c))Ab + 3bB \sin(4(c + dx))}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out]  $\frac{1}{96}*(24*(2*d*x + 2*c + \sin(2*d*x + 2*c))*A*a - 32*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*B*a - 32*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*A*b + 3*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*B*b)/d$

**Fricas [A]** time = 1.39391, size = 205, normalized size = 1.95

$$\frac{3(4Aa + 3Bb)dx + (6Bb \cos(dx + c)^3 + 8(Ba + Ab) \cos(dx + c)^2 + 16Ba + 16Ab + 3(4Aa + 3Bb) \cos(dx + c)) \sin(dx + c)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out]  $\frac{1}{24}*(3*(4*A*a + 3*B*b)*d*x + (6*B*b*\cos(d*x + c)^3 + 8*(B*a + A*b)*\cos(d*x + c)^2 + 16*B*a + 16*A*b + 3*(4*A*a + 3*B*b)*\cos(d*x + c))*\sin(d*x + c)/d$

**Sympy [A]** time = 1.30528, size = 252, normalized size = 2.4

$$\left\{ \begin{array}{l} \frac{Aax \sin^2(c+dx)}{2} + \frac{Aax \cos^2(c+dx)}{2} + \frac{Aa \sin(c+dx) \cos(c+dx)}{2d} + \frac{2Ab \sin^3(c+dx)}{3d} + \frac{Ab \sin(c+dx) \cos^2(c+dx)}{d} + \frac{2Ba \sin^3(c+dx)}{3d} + \frac{Ba \sin(c+dx) \cos^2(c+dx)}{d} \\ x(A + B \cos(c))(a + b \cos(c)) \cos^2(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x)

[Out] Piecewise((A\*a\*x\*sin(c + d\*x)\*\*2/2 + A\*a\*x\*cos(c + d\*x)\*\*2/2 + A\*a\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + 2\*A\*b\*sin(c + d\*x)\*\*3/(3\*d) + A\*b\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + 2\*B\*a\*sin(c + d\*x)\*\*3/(3\*d) + B\*a\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + 3\*B\*b\*x\*sin(c + d\*x)\*\*4/8 + 3\*B\*b\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + 3\*B\*b\*x\*cos(c + d\*x)\*\*4/8 + 3\*B\*b\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + 5\*B\*b\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d), Ne(d, 0)), (x\*(A + B\*cos(c))\*(a + b\*cos(c))\*cos(c)\*\*2, True))

**Giac [A]** time = 1.43524, size = 120, normalized size = 1.14

$$\frac{1}{8}(4Aa + 3Bb)x + \frac{Bb \sin(4dx + 4c)}{32d} + \frac{(Ba + Ab) \sin(3dx + 3c)}{12d} + \frac{(Aa + Bb) \sin(2dx + 2c)}{4d} + \frac{3(Ba + Ab) \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out]  $\frac{1}{8}*(4*A*a + 3*B*b)*x + \frac{1}{32}*B*b*\sin(4*d*x + 4*c)/d + \frac{1}{12}*(B*a + A*b)*\sin(3*d*x + 3*c)/d + \frac{1}{4}*(A*a + B*b)*\sin(2*d*x + 2*c)/d + \frac{3}{4}*(B*a + A*b)*\sin(d*x + c)/d$

### 3.216 $\int \cos(c + dx)(a + b \cos(c + dx))(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=84

$$\frac{(3aA + 2bB) \sin(c + dx)}{3d} + \frac{(aB + Ab) \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}x(aB + Ab) + \frac{bB \sin(c + dx) \cos^2(c + dx)}{3d}$$

[Out] ((A\*b + a\*B)\*x)/2 + ((3\*a\*A + 2\*b\*B)\*Sin[c + d\*x])/(3\*d) + ((A\*b + a\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d) + (b\*B\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.0896968, antiderivative size = 84, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {2968, 3023, 2734}

$$\frac{(3aA + 2bB) \sin(c + dx)}{3d} + \frac{(aB + Ab) \sin(c + dx) \cos(c + dx)}{2d} + \frac{1}{2}x(aB + Ab) + \frac{bB \sin(c + dx) \cos^2(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]),x]

[Out] ((A\*b + a\*B)\*x)/2 + ((3\*a\*A + 2\*b\*B)\*Sin[c + d\*x])/(3\*d) + ((A\*b + a\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d) + (b\*B\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(3\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2734

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + b \cos(c + dx))(A + B \cos(c + dx)) dx &= \int \cos(c + dx) (aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) dx \\ &= \frac{bB \cos^2(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} \int \cos(c + dx) (3aA + 2bB) dx \\ &= \frac{1}{2} (Ab + aB)x + \frac{(3aA + 2bB) \sin(c + dx)}{3d} + \frac{(Ab + aB) \cos(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.151935, size = 75, normalized size = 0.89

$$\frac{3(4aA + 3bB) \sin(c + dx) + 3(aB + Ab) \sin(2(c + dx)) + 6aBc + 6aBdx + 6Abc + 6Abdx + bB \sin(3(c + dx))}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]),x]

[Out] (6\*A\*b\*c + 6\*a\*B\*c + 6\*A\*b\*d\*x + 6\*a\*B\*d\*x + 3\*(4\*a\*A + 3\*b\*B)\*Sin[c + d\*x] + 3\*(A\*b + a\*B)\*Sin[2\*(c + d\*x)] + b\*B\*Sin[3\*(c + d\*x)])/(12\*d)

**Maple [A]** time = 0.037, size = 85, normalized size = 1.

$$\frac{1}{d} \left( \frac{Bb(2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + Ab \left( \frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + aB \left( \frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x)

[Out] 1/d\*(1/3\*B\*b\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+A\*b\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+a\*B\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+a\*A\*sin(d\*x+c)

**Maxima [A]** time = 1.11735, size = 107, normalized size = 1.27

$$\frac{3(2dx + 2c + \sin(2dx + 2c))Ba + 3(2dx + 2c + \sin(2dx + 2c))Ab - 4(\sin(dx + c)^3 - 3\sin(dx + c))Bb + 12Aa \sin(dx + c)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/12\*(3\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*B\*a + 3\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*A\*b - 4\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*B\*b + 12\*A\*a\*sin(d\*x + c))/d

**Fricas [A]** time = 1.36506, size = 149, normalized size = 1.77

$$\frac{3(Ba + Ab)dx + (2Bb \cos(dx + c)^2 + 6Aa + 4Bb + 3(Ba + Ab) \cos(dx + c)) \sin(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/6\*(3\*(B\*a + A\*b)\*d\*x + (2\*B\*b\*cos(d\*x + c)^2 + 6\*A\*a + 4\*B\*b + 3\*(B\*a + A\*b)\*cos(d\*x + c))\*sin(d\*x + c))/d

---

**Sympy [A]** time = 0.668947, size = 168, normalized size = 2.

$$\left\{ \begin{array}{l} \frac{Aa \sin(c+dx)}{d} + \frac{Abx \sin^2(c+dx)}{2} + \frac{Abx \cos^2(c+dx)}{2} + \frac{Ab \sin(c+dx) \cos(c+dx)}{2d} + \frac{Bax \sin^2(c+dx)}{2} + \frac{Bax \cos^2(c+dx)}{2} + \frac{Ba \sin(c+dx) \cos(c+dx)}{2d} \\ x(A + B \cos(c))(a + b \cos(c)) \cos(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x)

[Out] Piecewise((A\*a\*sin(c + d\*x)/d + A\*b\*x\*sin(c + d\*x)\*\*2/2 + A\*b\*x\*cos(c + d\*x)\*\*2/2 + A\*b\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + B\*a\*x\*sin(c + d\*x)\*\*2/2 + B\*a\*x\*cos(c + d\*x)\*\*2/2 + B\*a\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + 2\*B\*b\*sin(c + d\*x)\*\*3/(3\*d) + B\*b\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d, Ne(d, 0)), (x\*(A + B\*cos(c))\*(a + b\*cos(c))\*cos(c), True))

---

**Giac [A]** time = 1.32706, size = 92, normalized size = 1.1

$$\frac{1}{2}(Ba + Ab)x + \frac{Bb \sin(3dx + 3c)}{12d} + \frac{(Ba + Ab) \sin(2dx + 2c)}{4d} + \frac{(4Aa + 3Bb) \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/2\*(B\*a + A\*b)\*x + 1/12\*B\*b\*sin(3\*d\*x + 3\*c)/d + 1/4\*(B\*a + A\*b)\*sin(2\*d\*x + 2\*c)/d + 1/4\*(4\*A\*a + 3\*B\*b)\*sin(d\*x + c)/d

### 3.217 $\int (a + b \cos(c + dx))(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=52

$$\frac{(aB + Ab) \sin(c + dx)}{d} + \frac{1}{2}x(2aA + bB) + \frac{bB \sin(c + dx) \cos(c + dx)}{2d}$$

[Out]  $((2*a*A + b*B)*x)/2 + ((A*b + a*B)*\text{Sin}[c + d*x])/d + (b*B*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*d)$

**Rubi [A]** time = 0.0228202, antiderivative size = 52, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 21,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.048$ , Rules used = {2734}

$$\frac{(aB + Ab) \sin(c + dx)}{d} + \frac{1}{2}x(2aA + bB) + \frac{bB \sin(c + dx) \cos(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])*(A + B*\text{Cos}[c + d*x]),x]$

[Out]  $((2*a*A + b*B)*x)/2 + ((A*b + a*B)*\text{Sin}[c + d*x])/d + (b*B*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(2*d)$

#### Rule 2734

$\text{Int}[(a + b*\sin[(e + f*x)])*((c + d*\sin[(e + f*x)])*(x))], x\_Symbol] :> \text{Simp}[(2*a*c + b*d)*x/2, x] + (-\text{Simp}[(b*c + a*d)*\text{Cos}[e + f*x])/f, x] - \text{Simp}[(b*d*\text{Cos}[e + f*x]*\text{Sin}[e + f*x])/(2*f), x] /; \text{FreeQ}\{a, b, c, d, e, f, x\} \&\& \text{NeQ}[b*c - a*d, 0]$

#### Rubi steps

$$\int (a + b \cos(c + dx))(A + B \cos(c + dx)) dx = \frac{1}{2}(2aA + bB)x + \frac{(Ab + aB) \sin(c + dx)}{d} + \frac{bB \cos(c + dx) \sin(c + dx)}{2d}$$

**Mathematica [A]** time = 0.0839046, size = 51, normalized size = 0.98

$$\frac{4(aB + Ab) \sin(c + dx) + 4aAdx + bB \sin(2(c + dx)) + 2bBc + 2bBdx}{4d}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[(a + b*\text{Cos}[c + d*x])*(A + B*\text{Cos}[c + d*x]),x]$

[Out]  $(2*b*B*c + 4*a*A*d*x + 2*b*B*d*x + 4*(A*b + a*B)*\text{Sin}[c + d*x] + b*B*\text{Sin}[2*(c + d*x)])/(4*d)$

**Maple [A]** time = 0.038, size = 57, normalized size = 1.1

$$\frac{1}{d} \left( Bb \left( \frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + Ab \sin(dx + c) + aB \sin(dx + c) + aA(dx + c) \right)$$



Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x)`

[Out]  $1/d*(B*b*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+A*b*sin(d*x+c)+a*B*sin(d*x+c)+a*A*(d*x+c))$

**Maxima [A]** time = 1.01024, size = 74, normalized size = 1.42

$$\frac{4(dx+c)Aa + (2dx+2c+\sin(2dx+2c))Bb + 4Ba\sin(dx+c) + 4Ab\sin(dx+c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out]  $1/4*(4*(d*x+c)*A*a + (2*d*x+2*c+\sin(2*d*x+2*c))*B*b + 4*B*a*\sin(d*x+c) + 4*A*b*\sin(d*x+c))/d$

**Fricas [A]** time = 1.35626, size = 104, normalized size = 2.

$$\frac{(2Aa+Bb)dx + (Bb\cos(dx+c) + 2Ba + 2Ab)\sin(dx+c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="fricas")`

[Out]  $1/2*((2*A*a + B*b)*d*x + (B*b*cos(d*x + c) + 2*B*a + 2*A*b)*sin(d*x + c))/d$

**Sympy [A]** time = 0.316311, size = 94, normalized size = 1.81

$$\begin{cases} Aax + \frac{Ab\sin(c+dx)}{d} + \frac{Ba\sin(c+dx)}{d} + \frac{Bbx\sin^2(c+dx)}{2} + \frac{Bbx\cos^2(c+dx)}{2} + \frac{Bb\sin(c+dx)\cos(c+dx)}{2d} & \text{for } d \neq 0 \\ x(A+B\cos(c))(a+b\cos(c)) & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x)`

[Out] `Piecewise((A*a*x + A*b*sin(c + d*x)/d + B*a*sin(c + d*x)/d + B*b*x*sin(c + d*x)**2/2 + B*b*x*cos(c + d*x)**2/2 + B*b*sin(c + d*x)*cos(c + d*x)/(2*d), Ne(d, 0)), (x*(A + B*cos(c))*(a + b*cos(c)), True))`

**Giac [A]** time = 1.36641, size = 61, normalized size = 1.17

$$\frac{1}{2}(2Aa+Bb)x + \frac{Bb\sin(2dx+2c)}{4d} + \frac{(Ba+Ab)\sin(dx+c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/2*(2*A*a + B*b)*x + 1/4*B*b*sin(2*d*x + 2*c)/d + (B*a + A*b)*sin(d*x + c)
/d
```

### 3.218 $\int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec(c + dx) dx$

**Optimal.** Leaf size=35

$$x(aB + Ab) + \frac{aA \tanh^{-1}(\sin(c + dx))}{d} + \frac{bB \sin(c + dx)}{d}$$

[Out] (A\*b + a\*B)\*x + (a\*A\*ArcTanh[Sin[c + d\*x]])/d + (b\*B\*Sin[c + d\*x])/d

**Rubi [A]** time = 0.105084, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 27,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.148$ , Rules used = {2968, 3023, 2735, 3770}

$$x(aB + Ab) + \frac{aA \tanh^{-1}(\sin(c + dx))}{d} + \frac{bB \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x],x]

[Out] (A\*b + a\*B)\*x + (a\*A\*ArcTanh[Sin[c + d\*x]])/d + (b\*B\*Sin[c + d\*x])/d

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec(c + dx) dx &= \int (aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) \sec(c + dx) dx \\
&= \frac{bB \sin(c + dx)}{d} + \int (aA + (Ab + aB) \cos(c + dx)) \sec(c + dx) dx \\
&= (Ab + aB)x + \frac{bB \sin(c + dx)}{d} + (aA) \int \sec(c + dx) dx \\
&= (Ab + aB)x + \frac{aA \tanh^{-1}(\sin(c + dx))}{d} + \frac{bB \sin(c + dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.0265727, size = 46, normalized size = 1.31

$$\frac{aA \tanh^{-1}(\sin(c + dx))}{d} + aBx + Abx + \frac{bB \sin(c) \cos(dx)}{d} + \frac{bB \cos(c) \sin(dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x], x]

[Out] A\*b\*x + a\*B\*x + (a\*A\*ArcTanh[Sin[c + d\*x]])/d + (b\*B\*Cos[d\*x]\*Sin[c])/d + (b\*B\*Cos[c]\*Sin[d\*x])/d

**Maple [A]** time = 0.06, size = 56, normalized size = 1.6

$$Abx + aBx + \frac{aA \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Abc}{d} + \frac{Bb \sin(dx + c)}{d} + \frac{Bac}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x)

[Out] A\*b\*x+a\*B\*x+1/d\*a\*A\*ln(sec(d\*x+c)+tan(d\*x+c))+1/d\*A\*b\*c+b\*B\*sin(d\*x+c)/d+1/d\*B\*a\*c

**Maxima [A]** time = 1.09902, size = 63, normalized size = 1.8

$$\frac{(dx + c)Ba + (dx + c)Ab + Aa \log(\sec(dx + c) + \tan(dx + c)) + Bb \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x, algorithm="maxima")

[Out] ((d\*x + c)\*B\*a + (d\*x + c)\*A\*b + A\*a\*log(sec(d\*x + c) + tan(d\*x + c)) + B\*b\*sin(d\*x + c))/d

**Fricas [A]** time = 1.4341, size = 142, normalized size = 4.06

$$\frac{2(Ba + Ab)dx + Aa \log(\sin(dx + c) + 1) - Aa \log(-\sin(dx + c) + 1) + 2Bb \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="fricas")

[Out] 1/2\*(2\*(B\*a + A\*b)\*d\*x + A\*a\*log(sin(d\*x + c) + 1) - A\*a\*log(-sin(d\*x + c) + 1) + 2\*B\*b\*sin(d\*x + c))/d

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (A + B \cos(c + dx)) (a + b \cos(c + dx)) \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x)

[Out] Integral((A + B\*cos(c + d\*x))\*(a + b\*cos(c + d\*x))\*sec(c + d\*x), x)

**Giac [B]** time = 1.59196, size = 107, normalized size = 3.06

$$\frac{Aa \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - Aa \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + (Ba + Ab)(dx + c) + \frac{2Bb \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="giac")

[Out] (A\*a\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - A\*a\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) + (B\*a + A\*b)\*(d\*x + c) + 2\*B\*b\*tan(1/2\*d\*x + 1/2\*c)/(tan(1/2\*d\*x + 1/2\*c)^2 + 1))/d

### 3.219 $\int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^2(c + dx) dx$

**Optimal.** Leaf size=35

$$\frac{(aB + Ab) \tanh^{-1}(\sin(c + dx))}{d} + \frac{aA \tan(c + dx)}{d} + bBx$$

[Out] b\*B\*x + ((A\*b + a\*B)\*ArcTanh[Sin[c + d\*x]])/d + (a\*A\*Tan[c + d\*x])/d

**Rubi [A]** time = 0.113709, antiderivative size = 35, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$ , Rules used = {2968, 3021, 2735, 3770}

$$\frac{(aB + Ab) \tanh^{-1}(\sin(c + dx))}{d} + \frac{aA \tan(c + dx)}{d} + bBx$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] b\*B\*x + ((A\*b + a\*B)\*ArcTanh[Sin[c + d\*x]])/d + (a\*A\*Tan[c + d\*x])/d

#### Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

#### Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^2(c + dx) dx &= \int (aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) \sec^2(c + dx) dx \\
&= \frac{aA \tan(c + dx)}{d} + \int (Ab + aB + bB \cos(c + dx)) \sec(c + dx) dx \\
&= bBx + \frac{aA \tan(c + dx)}{d} - (-Ab - aB) \int \sec(c + dx) dx \\
&= bBx + \frac{(Ab + aB) \tanh^{-1}(\sin(c + dx))}{d} + \frac{aA \tan(c + dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.0139163, size = 43, normalized size = 1.23

$$\frac{aA \tan(c + dx)}{d} + \frac{aB \tanh^{-1}(\sin(c + dx))}{d} + \frac{Ab \tanh^{-1}(\sin(c + dx))}{d} + bBx$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] b\*B\*x + (A\*b\*ArcTanh[Sin[c + d\*x]])/d + (a\*B\*ArcTanh[Sin[c + d\*x]])/d + (a\*A\*Tan[c + d\*x])/d

**Maple [A]** time = 0.07, size = 65, normalized size = 1.9

$$bBx + \frac{A \tan(dx + c) a}{d} + \frac{Ab \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{aB \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Bbc}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x)

[Out] b\*B\*x+a\*A\*tan(d\*x+c)/d+1/d\*A\*b\*ln(sec(d\*x+c)+tan(d\*x+c))+1/d\*a\*B\*ln(sec(d\*x+c)+tan(d\*x+c))+1/d\*B\*b\*c

**Maxima [B]** time = 1.10044, size = 99, normalized size = 2.83

$$\frac{2(dx + c)Bb + Ba(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + Ab(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] 1/2\*(2\*(d\*x + c)\*B\*b + B\*a\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + A\*b\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 2\*A\*a\*tan(d\*x + c))/d

**Fricas [B]** time = 1.50891, size = 225, normalized size = 6.43

$$\frac{2Bbdx \cos(dx + c) + (Ba + Ab) \cos(dx + c) \log(\sin(dx + c) + 1) - (Ba + Ab) \cos(dx + c) \log(-\sin(dx + c) + 1) + 2Aa \tan(dx + c)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] 1/2\*(2\*B\*b\*d\*x\*cos(d\*x + c) + (B\*a + A\*b)\*cos(d\*x + c)\*log(sin(d\*x + c) + 1) - (B\*a + A\*b)\*cos(d\*x + c)\*log(-sin(d\*x + c) + 1) + 2\*A\*a\*sin(d\*x + c))/(d\*cos(d\*x + c))

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (A + B \cos(c + dx))(a + b \cos(c + dx)) \sec^2(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2,x)

[Out] Integral((A + B\*cos(c + d\*x))\*(a + b\*cos(c + d\*x))\*sec(c + d\*x)\*\*2, x)

**Giac [B]** time = 1.28301, size = 113, normalized size = 3.23

$$\frac{(dx + c)Bb + (Ba + Ab) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right) - (Ba + Ab) \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right) - \frac{2Aa \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - 1}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] ((d\*x + c)\*B\*b + (B\*a + A\*b)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - (B\*a + A\*b)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*A\*a\*tan(1/2\*d\*x + 1/2\*c)/(tan(1/2\*d\*x + 1/2\*c)^2 - 1))/d



### 3.220 $\int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^3(c + dx) dx$

**Optimal.** Leaf size=61

$$\frac{(aB + Ab) \tan(c + dx)}{d} + \frac{(aA + 2bB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aA \tan(c + dx) \sec(c + dx)}{2d}$$

[Out]  $((a*A + 2*b*B)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*d) + ((A*b + a*B)*\text{Tan}[c + d*x])/d + (a*A*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d)$

**Rubi [A]** time = 0.147897, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {2968, 3021, 2748, 3767, 8, 3770}

$$\frac{(aB + Ab) \tan(c + dx)}{d} + \frac{(aA + 2bB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aA \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])*(A + B*\text{Cos}[c + d*x])*\text{Sec}[c + d*x]^3, x]$

[Out]  $((a*A + 2*b*B)*\text{ArcTanh}[\text{Sin}[c + d*x]])/(2*d) + ((A*b + a*B)*\text{Tan}[c + d*x])/d + (a*A*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/(2*d)$

#### Rule 2968

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

#### Rule 3021

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)}]/(b*f*(m + 1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*\text{Simp}[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

#### Rule 2748

$\text{Int}[(b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

#### Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /; \text{FreeQ}\{c, d\}, x] \&\& \text{IGtQ}[n/2, 0]$

#### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^3(c + dx) dx &= \int (aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) \sec^3(c + dx) dx \\ &= \frac{aA \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int (2(Ab + aB) + (aA + 2bB) \cos^2(c + dx)) \sec^2(c + dx) dx \\ &= \frac{aA \sec(c + dx) \tan(c + dx)}{2d} + (Ab + aB) \int \sec^2(c + dx) dx + \frac{bB \tan(c + dx)}{d} \\ &= \frac{(aA + 2bB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aA \sec(c + dx) \tan(c + dx)}{2d} + \frac{(Ab + aB) \tan(c + dx)}{d} \\ &= \frac{(aA + 2bB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(Ab + aB) \tan(c + dx)}{d} + \frac{aA \sec(c + dx) \tan(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.0221397, size = 75, normalized size = 1.23

$$\frac{aA \tanh^{-1}(\sin(c + dx))}{2d} + \frac{aA \tan(c + dx) \sec(c + dx)}{2d} + \frac{aB \tan(c + dx)}{d} + \frac{Ab \tan(c + dx)}{d} + \frac{bB \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] (a\*A\*ArcTanh[Sin[c + d\*x]]/(2\*d) + (b\*B\*ArcTanh[Sin[c + d\*x]]/d + (A\*b\*Tan[c + d\*x])/d + (a\*B\*Tan[c + d\*x])/d + (a\*A\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d))

**Maple [A]** time = 0.1, size = 86, normalized size = 1.4

$$\frac{aA \sec(dx + c) \tan(dx + c)}{2d} + \frac{aA \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{aB \tan(dx + c)}{d} + \frac{Ab \tan(dx + c)}{d} + \frac{Bb \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x)

[Out] 1/2\*a\*A\*sec(d\*x+c)\*tan(d\*x+c)/d+1/2/d\*a\*A\*ln(sec(d\*x+c)+tan(d\*x+c))+1/d\*a\*B\*tan(d\*x+c)+1/d\*A\*b\*tan(d\*x+c)+1/d\*B\*b\*ln(sec(d\*x+c)+tan(d\*x+c))

**Maxima [A]** time = 0.979855, size = 128, normalized size = 2.1

$$Aa \left( \frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1) \right) - 2Bb(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) - 4$$

4d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out] 
$$-1/4*(A*a*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) - 2*B*b*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) - 4*B*a*\tan(d*x + c) - 4*A*b*\tan(d*x + c))/d$$

**Fricas [A]** time = 1.50592, size = 247, normalized size = 4.05

$$\frac{(Aa + 2Bb) \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (Aa + 2Bb) \cos(dx + c)^2 \log(-\sin(dx + c) + 1) + 2(Aa + 2(Ba + Ab)) \cos(dx + c) \sin(dx + c)}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] 
$$1/4*((A*a + 2*B*b)*\cos(d*x + c)^2*\log(\sin(d*x + c) + 1) - (A*a + 2*B*b)*\cos(d*x + c)^2*\log(-\sin(d*x + c) + 1) + 2*(A*a + 2*(B*a + A*b))*\cos(d*x + c)*\sin(d*x + c))/(d*\cos(d*x + c)^2)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.44335, size = 204, normalized size = 3.34

$$\frac{(Aa + 2Bb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (Aa + 2Bb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \frac{2\left(Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 2Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)\right)}{2d}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] 
$$1/2*((A*a + 2*B*b)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - (A*a + 2*B*b)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) + 2*(A*a*\tan(1/2*d*x + 1/2*c)^3 - 2*B*a*\tan(1/2*d*x + 1/2*c)^3 - 2*A*b*\tan(1/2*d*x + 1/2*c)^3 + A*a*\tan(1/2*d*x + 1/2*c) + 2*B*a*\tan(1/2*d*x + 1/2*c) + 2*A*b*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^2)/d$$

### 3.221 $\int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^4(c + dx) dx$

**Optimal.** Leaf size=93

$$\frac{(2aA + 3bB) \tan(c + dx)}{3d} + \frac{(aB + Ab) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(aB + Ab) \tan(c + dx) \sec(c + dx)}{2d} + \frac{aA \tan(c + dx) \sec^2(c + dx)}{3d}$$

[Out] ((A\*b + a\*B)\*ArcTanh[Sin[c + d\*x]])/(2\*d) + ((2\*a\*A + 3\*b\*B)\*Tan[c + d\*x])/(3\*d) + ((A\*b + a\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d) + (a\*A\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.163321, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.241$ , Rules used = {2968, 3021, 2748, 3768, 3770, 3767, 8}

$$\frac{(2aA + 3bB) \tan(c + dx)}{3d} + \frac{(aB + Ab) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(aB + Ab) \tan(c + dx) \sec(c + dx)}{2d} + \frac{aA \tan(c + dx) \sec^2(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out] ((A\*b + a\*B)\*ArcTanh[Sin[c + d\*x]])/(2\*d) + ((2\*a\*A + 3\*b\*B)\*Tan[c + d\*x])/(3\*d) + ((A\*b + a\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d) + (a\*A\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Int[(a + b\*SIN[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*SIN[e + f\*x] + B\*d\*SIN[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*SIN[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*SIN[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*SIN[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*SIN[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&

IntegerQ[2\*n]

Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)^(n\_)], x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^4(c + dx) dx &= \int (aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) \sec^4(c + dx) dx \\ &= \frac{aA \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int (3(Ab + aB) + (2aA + 3bB) \cos^2(c + dx)) \sec^3(c + dx) dx \\ &= \frac{aA \sec^2(c + dx) \tan(c + dx)}{3d} + (Ab + aB) \int \sec^3(c + dx) dx + \frac{2aA + 3bB}{3} \int \sec(c + dx) \tan(c + dx) dx \\ &= \frac{(Ab + aB) \sec(c + dx) \tan(c + dx)}{2d} + \frac{aA \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{(2aA + 3bB) \tan(c + dx)}{3d} \\ &= \frac{(Ab + aB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(2aA + 3bB) \tan(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.263559, size = 67, normalized size = 0.72

$$\frac{3(aB + Ab) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (3(aB + Ab) \sec(c + dx) + 2aA \tan^2(c + dx) + 6aA + 6bB)}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out] (3\*(A\*b + a\*B)\*ArcTanh[Sin[c + d\*x]] + Tan[c + d\*x]\*(6\*a\*A + 6\*b\*B + 3\*(A\*b + a\*B)\*Sec[c + d\*x] + 2\*a\*A\*Tan[c + d\*x]^2))/(6\*d)

**Maple [A]** time = 0.073, size = 128, normalized size = 1.4

$$\frac{2 A \tan(dx + c) a}{3 d} + \frac{a A (\sec(dx + c))^2 \tan(dx + c)}{3 d} + \frac{a B \sec(dx + c) \tan(dx + c)}{2 d} + \frac{a B \ln(\sec(dx + c) + \tan(dx + c))}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x)

[Out] 2/3\*a\*A\*tan(d\*x+c)/d+1/3\*a\*A\*sec(d\*x+c)^2\*tan(d\*x+c)/d+1/2/d\*a\*B\*sec(d\*x+c)\*tan(d\*x+c)+1/2/d\*a\*B\*ln(sec(d\*x+c)+tan(d\*x+c))+1/2/d\*A\*b\*sec(d\*x+c)\*tan(d\*x+c)

$x+c)+1/2/d*A*b*\ln(\sec(d*x+c)+\tan(d*x+c))+1/d*B*b*\tan(d*x+c)$

**Maxima [A]** time = 1.03363, size = 171, normalized size = 1.84

$$\frac{4\left(\tan(dx+c)^3+3\tan(dx+c)\right)Aa-3Ba\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1}-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1)\right)-3Ab\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1}-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1)\right)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out] 1/12\*(4\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*A\*a - 3\*B\*a\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) - 3\*A\*b\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) + 12\*B\*b\*tan(d\*x + c))/d

**Fricas [A]** time = 1.40996, size = 298, normalized size = 3.2

$$\frac{3(Ba + Ab)\cos(dx+c)^3\log(\sin(dx+c)+1) - 3(Ba + Ab)\cos(dx+c)^3\log(-\sin(dx+c)+1) + 2\left(2(2Aa + 3Bb)\cos(dx+c)^2 + 2Aa + 3(Ba + Ab)\cos(dx+c)\right)\sin(dx+c)}{12d\cos(dx+c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="fricas")

[Out] 1/12\*(3\*(B\*a + A\*b)\*cos(d\*x + c)^3\*log(sin(d\*x + c) + 1) - 3\*(B\*a + A\*b)\*cos(d\*x + c)^3\*log(-sin(d\*x + c) + 1) + 2\*(2\*(2\*A\*a + 3\*B\*b)\*cos(d\*x + c)^2 + 2\*A\*a + 3\*(B\*a + A\*b)\*cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c)^3)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*4,x)

[Out] Timed out

**Giac [B]** time = 1.35696, size = 284, normalized size = 3.05

$$3(Ba + Ab)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(Ba + Ab)\log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2\left(6Aa\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 3Ba\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5\right)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="giac")
```

```
[Out] 1/6*(3*(B*a + A*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 3*(B*a + A*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(6*A*a*tan(1/2*d*x + 1/2*c)^5 - 3*B*a*tan(1/2*d*x + 1/2*c)^5 - 3*A*b*tan(1/2*d*x + 1/2*c)^5 + 6*B*b*tan(1/2*d*x + 1/2*c)^5 - 4*A*a*tan(1/2*d*x + 1/2*c)^3 - 12*B*b*tan(1/2*d*x + 1/2*c)^3 + 6*A*a*tan(1/2*d*x + 1/2*c) + 3*B*a*tan(1/2*d*x + 1/2*c) + 3*A*b*tan(1/2*d*x + 1/2*c) + 6*B*b*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^3/d
```

### 3.222 $\int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^5(c + dx) dx$

**Optimal.** Leaf size=114

$$\frac{(aB + Ab) \tan^3(c + dx)}{3d} + \frac{(aB + Ab) \tan(c + dx)}{d} + \frac{(3aA + 4bB) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(3aA + 4bB) \tan(c + dx) \sec(c + dx)}{8d}$$

[Out]  $((3*a*A + 4*b*B)*ArcTanh[Sin[c + d*x]])/(8*d) + ((A*b + a*B)*Tan[c + d*x])/d + ((3*a*A + 4*b*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*A*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + ((A*b + a*B)*Tan[c + d*x]^3)/(3*d)$

**Rubi [A]** time = 0.178587, antiderivative size = 114, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {2968, 3021, 2748, 3767, 3768, 3770}

$$\frac{(aB + Ab) \tan^3(c + dx)}{3d} + \frac{(aB + Ab) \tan(c + dx)}{d} + \frac{(3aA + 4bB) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(3aA + 4bB) \tan(c + dx) \sec(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])*(A + B*\text{Cos}[c + d*x])*Sec[c + d*x]^5, x]$

[Out]  $((3*a*A + 4*b*B)*ArcTanh[Sin[c + d*x]])/(8*d) + ((A*b + a*B)*Tan[c + d*x])/d + ((3*a*A + 4*b*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a*A*Sec[c + d*x]^3*Tan[c + d*x])/(4*d) + ((A*b + a*B)*Tan[c + d*x]^3)/(3*d)$

#### Rule 2968

$\text{Int}[(a + b*\sin[e + f*x])^m * ((A + B*\sin[e + f*x]) + (C + D*\sin[e + f*x])^2), x\_Symbol] \rightarrow \text{Int}[(a + b*\sin[e + f*x])^m * (A*c + (B*c + A*d)*\sin[e + f*x] + B*d*\sin[e + f*x]^2), x] /;$  FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

$\text{Int}[(a + b*\sin[e + f*x])^m * ((c + d*\sin[e + f*x]) + (e + f*\sin[e + f*x])^2), x\_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x] * (a + b*\sin[e + f*x])^{m+1} / (b*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\sin[e + f*x])^{m+1} * \text{Simp}[b*(a*A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m+1)*\sin[e + f*x], x], x] /;$  FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

#### Rule 2748

$\text{Int}[(b*\sin[e + f*x])^m * ((c + d*\sin[e + f*x]) + (e + f*\sin[e + f*x])^2), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\sin[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\sin[e + f*x])^{m+1}, x], x] /;$  FreeQ[{b, c, d, e, f, m}, x]

#### Rule 3767

$\text{Int}[\text{csc}[(c + d*x)^n], x\_Symbol] \rightarrow -\text{Dist}[d^{-1}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{n/2 - 1}, x], x], x, \text{Cot}[c + d*x]], x] /;$  FreeQ[{c, d}, x] && IGtQ[n/2, 0]



Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Csc[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_.)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^5(c + dx) dx &= \int (aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) \sec^5(c + dx) dx \\ &= \frac{aA \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int (4(Ab + aB) + (3aA + 4bB) \cos(c + dx)) \sec^4(c + dx) dx \\ &= \frac{aA \sec^3(c + dx) \tan(c + dx)}{4d} + (Ab + aB) \int \sec^4(c + dx) dx + \frac{3aA + 4bB}{4} \int \sec^2(c + dx) dx \\ &= \frac{(3aA + 4bB) \sec(c + dx) \tan(c + dx)}{8d} + \frac{aA \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{(Ab + aB) \tan(c + dx)}{d} \\ &= \frac{(3aA + 4bB) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(Ab + aB) \tan(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.583825, size = 85, normalized size = 0.75

$$\frac{3(3aA + 4bB) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \sec(c + dx) (8(aB + Ab)(\cos(2(c + dx)) + 2) \sec(c + dx) + 6aA \sec^2(c + dx))}{24d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*cos[c + d*x])*(A + B*cos[c + d*x])*Sec[c + d*x]^5, x]
```

```
[Out] (3*(3*a*A + 4*b*B)*ArcTanh[Sin[c + d*x]] + Sec[c + d*x]*(9*a*A + 12*b*B + 8
*(A*b + a*B)*(2 + Cos[2*(c + d*x)]))*Sec[c + d*x] + 6*a*A*Sec[c + d*x]^2)*Tan
n[c + d*x])/(24*d)
```

**Maple [A]** time = 0.076, size = 171, normalized size = 1.5

$$\frac{aA (\sec(dx + c))^3 \tan(dx + c)}{4d} + \frac{3aA \sec(dx + c) \tan(dx + c)}{8d} + \frac{3aA \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{2aB \tan(dx + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^5, x)
```

```
[Out] 1/4*a*A*sec(d*x+c)^3*tan(d*x+c)/d+3/8*a*A*sec(d*x+c)*tan(d*x+c)/d+3/8/d*a*A
*ln(sec(d*x+c)+tan(d*x+c))+2/3/d*a*B*tan(d*x+c)+1/3/d*a*B*tan(d*x+c)*sec(d*
x+c)^2+2/3/d*A*b*tan(d*x+c)+1/3/d*A*b*tan(d*x+c)*sec(d*x+c)^2+1/2/d*B*b*tan
(d*x+c)*sec(d*x+c)+1/2/d*B*b*ln(sec(d*x+c)+tan(d*x+c))
```

**Maxima [A]** time = 1.08998, size = 220, normalized size = 1.93

$$\frac{16(\tan(dx+c)^3 + 3 \tan(dx+c))Ba + 16(\tan(dx+c)^3 + 3 \tan(dx+c))Ab - 3Aa \left( \frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \log(\sin(dx+c) + 1) \right)}{48d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="maxima")

[Out] 1/48\*(16\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*B\*a + 16\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*A\*b - 3\*A\*a\*(2\*(3\*sin(d\*x + c)^3 - 5\*sin(d\*x + c))/(sin(d\*x + c)^4 - 2\*sin(d\*x + c)^2 + 1) - 3\*log(sin(d\*x + c) + 1) + 3\*log(sin(d\*x + c) - 1)) - 12\*B\*b\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)))/d

**Fricas [A]** time = 1.41719, size = 352, normalized size = 3.09

$$\frac{3(3Aa + 4Bb) \cos(dx+c)^4 \log(\sin(dx+c) + 1) - 3(3Aa + 4Bb) \cos(dx+c)^4 \log(-\sin(dx+c) + 1) + 2(16(Ba + Ab) \cos(dx+c)^3 + 3(3Aa + 4Bb) \cos(dx+c)^2 + 6Aa + 8(Ba + Ab) \cos(dx+c) \sin(dx+c)) / (d \cos(dx+c)^4)}{48d \cos(dx+c)^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="fricas")

[Out] 1/48\*(3\*(3\*A\*a + 4\*B\*b)\*cos(d\*x + c)^4\*log(sin(d\*x + c) + 1) - 3\*(3\*A\*a + 4\*B\*b)\*cos(d\*x + c)^4\*log(-sin(d\*x + c) + 1) + 2\*(16\*(B\*a + A\*b)\*cos(d\*x + c)^3 + 3\*(3\*A\*a + 4\*B\*b)\*cos(d\*x + c)^2 + 6\*A\*a + 8\*(B\*a + A\*b)\*cos(d\*x + c)\*sin(d\*x + c))/(d\*cos(d\*x + c)^4)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*5,x)

[Out] Timed out

**Giac [B]** time = 1.36246, size = 410, normalized size = 3.6

$$3(3Aa + 4Bb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(3Aa + 4Bb) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + \frac{2\left(15Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^7 - 24Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^6 + 15Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^5 - 24Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^4 + 15Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^3 - 24Ba \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 15Aa \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 24Ba\right)}{48d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="giac")

[Out]  $\frac{1}{24} \cdot (3 \cdot (3Aa + 4Bb) \cdot \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) + 1)) - 3 \cdot (3Aa + 4Bb) \cdot \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) - 1) + 2 \cdot (15Aa \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 24Ba \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 24Ab \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 12Bb \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 9Aa \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 40Ba \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 40Ab \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 - 12Bb \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 9Aa \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 40Ba \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 40Ab \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 12Bb \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 + 15Aa \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c) + 24Ba \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c) + 24Ab \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c) + 12Bb \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)) / (\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^4 / d$

### 3.223 $\int \cos^2(c + dx)(a + b \cos(c + dx))^2(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=189

$$\frac{(4a^2A + 6abB + 3Ab^2) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(4a^2A + 6abB + 3Ab^2) - \frac{(5a(aB + 2Ab) + 4b^2B) \sin^3(c + dx)}{15d} + \frac{(5a(aB + 2Ab) + 4b^2B) \sin^3(c + dx)}{15d}$$

[Out]  $((4a^2A + 3Ab^2 + 6abB)x)/8 + ((4b^2B + 5a(2Ab + aB))\sin[c + dx])/(5d) + ((4a^2A + 3Ab^2 + 6abB)\cos[c + dx]\sin[c + dx])/(8d) + (b(5Ab + 6aB)\cos[c + dx]^3\sin[c + dx])/(20d) + (bB\cos[c + dx]^3(a + b\cos[c + dx])\sin[c + dx])/(5d) - ((4b^2B + 5a(2Ab + aB))\sin[c + dx]^3)/(15d)$

**Rubi [A]** time = 0.311075, antiderivative size = 189, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2990, 3023, 2748, 2635, 8, 2633}

$$\frac{(4a^2A + 6abB + 3Ab^2) \sin(c + dx) \cos(c + dx)}{8d} + \frac{1}{8}x(4a^2A + 6abB + 3Ab^2) - \frac{(5a(aB + 2Ab) + 4b^2B) \sin^3(c + dx)}{15d} + \frac{(5a(aB + 2Ab) + 4b^2B) \sin^3(c + dx)}{15d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\cos[c + dx]^2(a + b\cos[c + dx])^2(A + B\cos[c + dx]), x]$

[Out]  $((4a^2A + 3Ab^2 + 6abB)x)/8 + ((4b^2B + 5a(2Ab + aB))\sin[c + dx])/(5d) + ((4a^2A + 3Ab^2 + 6abB)\cos[c + dx]\sin[c + dx])/(8d) + (b(5Ab + 6aB)\cos[c + dx]^3\sin[c + dx])/(20d) + (bB\cos[c + dx]^3(a + b\cos[c + dx])\sin[c + dx])/(5d) - ((4b^2B + 5a(2Ab + aB))\sin[c + dx]^3)/(15d)$

#### Rule 2990

$\text{Int}[(a + b\sin[e + f*x])^m((c + d\sin[e + f*x])^n), x\_Symbol] \rightarrow -\text{Simp}[(bB\cos[e + f*x](a + b\sin[e + f*x])^{m-1}(c + d\sin[e + f*x])^{n+1})/(d*f*(m + n + 1)), x] + \text{Dist}[1/(d*(m + n + 1)), \text{Int}[(a + b\sin[e + f*x])^{m-2}(c + d\sin[e + f*x])^n\text{Simp}[a^2A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*\sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*\sin[e + f*x]^2, x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 3023

$\text{Int}[(a + b\sin[e + f*x])^m((c + d\sin[e + f*x])^2), x\_Symbol] \rightarrow -\text{Simp}[(C\cos[e + f*x](a + b\sin[e + f*x])^{m+1})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[(a + b\sin[e + f*x])^m\text{Simp}[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\sin[e + f*x], x], x] /;$  FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2748

$\text{Int}[(b\sin[e + f*x])^m((c + d\sin[e + f*x])^2), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b\sin[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b\sin[e + f*x])^m, x], x]$

$b \sin[e + f x]^{m+1}, x, x] /; \text{FreeQ}[\{b, c, d, e, f, m\}, x]$

### Rule 2635

$\text{Int}[(b \sin[c + d x] + d x)^n, x\_Symbol] :> -\text{Simp}[(b \cos[c + d x] \cdot (b \sin[c + d x])^{n-1}) / (d \cdot n), x] + \text{Dist}[(b^2 (n-1)) / n, \text{Int}[(b \sin[c + d x])^{n-2}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2 \cdot n]$

### Rule 8

$\text{Int}[a, x\_Symbol] :> \text{Simp}[a x, x] /; \text{FreeQ}[a, x]$

### Rule 2633

$\text{Int}[\sin[c + d x]^n, x\_Symbol] :> -\text{Dist}[d^{-1}, \text{Subst}[\text{Int}[\text{Expand}[(1 - x^2)^{(n-1)/2}, x], x], x, \text{Cos}[c + d x]], x] /; \text{FreeQ}[\{c, d\}, x] \ \&\& \ \text{IGtQ}[(n-1)/2, 0]$

### Rubi steps

$$\begin{aligned} \int \cos^2(c + dx)(a + b \cos(c + dx))^2(A + B \cos(c + dx)) dx &= \frac{bB \cos^3(c + dx)(a + b \cos(c + dx)) \sin(c + dx)}{5d} + \frac{1}{5} \int \cos^3(c + dx)(a + b \cos(c + dx))^2(A + B \cos(c + dx)) dx \\ &= \frac{b(5Ab + 6aB) \cos^3(c + dx) \sin(c + dx)}{20d} + \frac{bB \cos^3(c + dx)}{20d} \\ &= \frac{b(5Ab + 6aB) \cos^3(c + dx) \sin(c + dx)}{20d} + \frac{bB \cos^3(c + dx)}{20d} \\ &= \frac{(4a^2A + 3Ab^2 + 6abB) \cos(c + dx) \sin(c + dx)}{8d} + \frac{b(5Ab + 6aB) \cos^3(c + dx)}{20d} \\ &= \frac{1}{8} (4a^2A + 3Ab^2 + 6abB) x + \frac{(4b^2B + 5a(2Ab + aB)) \sin(c + dx)}{5d} \end{aligned}$$

**Mathematica [A]** time = 0.456626, size = 146, normalized size = 0.77

$$\frac{60(c + dx)(4a^2A + 6abB + 3Ab^2) + 60(6a^2B + 12aAb + 5b^2B) \sin(c + dx) + 120(a^2A + 2abB + Ab^2) \sin(2(c + dx))}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + b\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x]),x]

[Out] (60\*(4\*a^2\*A + 3\*A\*b^2 + 6\*a\*b\*B)\*(c + d\*x) + 60\*(12\*a\*A\*b + 6\*a^2\*B + 5\*b^2\*B)\*Sin[c + d\*x] + 120\*(a^2\*A + A\*b^2 + 2\*a\*b\*B)\*Sin[2\*(c + d\*x)] + 10\*(8\*a\*A\*b + 4\*a^2\*B + 5\*b^2\*B)\*Sin[3\*(c + d\*x)] + 15\*b\*(A\*b + 2\*a\*B)\*Sin[4\*(c + d\*x)] + 6\*b^2\*B\*Ssin[5\*(c + d\*x)])/(480\*d)

**Maple [A]** time = 0.043, size = 184, normalized size = 1.

$$\frac{1}{d} \left( a^2 A \left( \frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + \frac{Ba^2 (2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + \frac{2Aab (2 + (\cos(dx + c))^2) \sin(dx + c)}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x)`

[Out]  $\frac{1}{d} \left( a^2 A \left( \frac{1}{2} \cos(dx+c) \sin(dx+c) + \frac{1}{2} dx + \frac{1}{2} c \right) + \frac{1}{3} B a^2 (2 + \cos(dx+c))^2 \sin(dx+c) + \frac{2}{3} A a b (2 + \cos(dx+c))^2 \sin(dx+c) + 2 B a b \left( \frac{1}{4} (\cos(dx+c))^3 + \frac{3}{2} \cos(dx+c) \right) \sin(dx+c) + \frac{3}{8} dx + \frac{3}{8} c \right) + A b^2 \left( \frac{1}{4} (\cos(dx+c))^3 + \frac{3}{2} \cos(dx+c) \right) \sin(dx+c) + \frac{3}{8} dx + \frac{3}{8} c + \frac{1}{5} b^2 B \left( \frac{8}{3} + \cos(dx+c)^4 + \frac{4}{3} \cos(dx+c)^2 \right) \sin(dx+c) \right)$

**Maxima [A]** time = 1.09796, size = 238, normalized size = 1.26

$\frac{120(2dx + 2c + \sin(2dx + 2c))Aa^2 - 160(\sin(dx + c)^3 - 3\sin(dx + c))Ba^2 - 320(\sin(dx + c)^3 - 3\sin(dx + c))Aab}{120d}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out]  $\frac{1}{480} \left( 120(2dx + 2c + \sin(2dx + 2c))Aa^2 - 160(\sin(dx + c)^3 - 3\sin(dx + c))Ba^2 - 320(\sin(dx + c)^3 - 3\sin(dx + c))Aab + 30(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))Bab + 15(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))A^2b^2 + 32(3\sin(dx + c)^5 - 10\sin(dx + c)^3 + 15\sin(dx + c))B^2b^2 \right) / d$

**Fricas [A]** time = 1.40327, size = 350, normalized size = 1.85

$\frac{15(4Aa^2 + 6Bab + 3Ab^2)dx + (24Bb^2 \cos(dx + c)^4 + 30(2Bab + Ab^2) \cos(dx + c)^3 + 80Ba^2 + 160Aab + 64Bb^2 + 80A^2b^2) \sin(dx + c)}{120d}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="fricas")`

[Out]  $\frac{1}{120} \left( 15(4Aa^2 + 6Bab + 3Ab^2)dx + (24Bb^2 \cos(dx + c)^4 + 30(2Bab + Ab^2) \cos(dx + c)^3 + 80Ba^2 + 160Aab + 64Bb^2 + 8(5B^2a^2 + 10A^2ab + 4B^2b^2) \cos(dx + c)^2 + 15(4Aa^2 + 6Bab + 3Ab^2) \cos(dx + c)) \sin(dx + c) \right) / d$

**Sympy [A]** time = 3.44535, size = 459, normalized size = 2.43

$\frac{\left\{ \begin{array}{l} \frac{Aa^2x \sin^2(c+dx)}{2} + \frac{Aa^2x \cos^2(c+dx)}{2} + \frac{Aa^2 \sin(c+dx) \cos(c+dx)}{2d} + \frac{4Aab \sin^3(c+dx)}{3d} + \frac{2Aab \sin(c+dx) \cos^2(c+dx)}{d} + \frac{3Ab^2x \sin^4(c+dx)}{8} + \frac{3Ab^2x \cos^4(c+dx)}{8} \\ x(A + B \cos(c))(a + b \cos(c))^2 \cos^2(c) \end{array} \right.}{120d}$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**2*(a+b*cos(d*x+c))**2*(A+B*cos(d*x+c)),x)`

[Out]  $\text{Piecewise} \left( \left( \frac{A^2 a^2 x \sin(c + dx)^2}{2} + \frac{A^2 a^2 x \cos(c + dx)^2}{2} + \frac{A^2 a^2 \sin(c + dx) \cos(c + dx)}{2d} + \frac{4A^2 a b \sin(c + dx)^3}{3d} + \frac{2A^2 a b \sin(c + dx) \cos(c + dx)^2}{d} + \frac{3A^2 b^2 x \sin^4(c + dx)}{8} + \frac{3A^2 b^2 x \cos^4(c + dx)}{8} \right), \left( x(A + B \cos(c))(a + b \cos(c))^2 \cos^2(c) \right) \right)$

```

sin(c + d*x)**2*cos(c + d*x)**2/4 + 3*A*b**2*x*cos(c + d*x)**4/8 + 3*A*b**2
*sin(c + d*x)**3*cos(c + d*x)/(8*d) + 5*A*b**2*sin(c + d*x)*cos(c + d*x)**3
/(8*d) + 2*B*a**2*sin(c + d*x)**3/(3*d) + B*a**2*sin(c + d*x)*cos(c + d*x)*
**2/d + 3*B*a*b*x*sin(c + d*x)**4/4 + 3*B*a*b*x*sin(c + d*x)**2*cos(c + d*x)
**2/2 + 3*B*a*b*x*cos(c + d*x)**4/4 + 3*B*a*b*sin(c + d*x)**3*cos(c + d*x)/
(4*d) + 5*B*a*b*sin(c + d*x)*cos(c + d*x)**3/(4*d) + 8*B*b**2*sin(c + d*x)*
*5/(15*d) + 4*B*b**2*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + B*b**2*sin(c +
d*x)*cos(c + d*x)**4/d, Ne(d, 0)), (x*(A + B*cos(c))*(a + b*cos(c))**2*cos
(c)**2, True))

```

---

**Giac [A]** time = 1.43544, size = 211, normalized size = 1.12

$$\frac{Bb^2 \sin(5dx + 5c)}{80d} + \frac{1}{8} (4Aa^2 + 6Bab + 3Ab^2)x + \frac{(2Bab + Ab^2) \sin(4dx + 4c)}{32d} + \frac{(4Ba^2 + 8Aab + 5Bb^2) \sin(3dx + 3c)}{48d}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="gi
ac")

```

```

[Out] 1/80*B*b^2*sin(5*d*x + 5*c)/d + 1/8*(4*A*a^2 + 6*B*a*b + 3*A*b^2)*x + 1/32*
(2*B*a*b + A*b^2)*sin(4*d*x + 4*c)/d + 1/48*(4*B*a^2 + 8*A*a*b + 5*B*b^2)*s
in(3*d*x + 3*c)/d + 1/4*(A*a^2 + 2*B*a*b + A*b^2)*sin(2*d*x + 2*c)/d + 1/8*
(6*B*a^2 + 12*A*a*b + 5*B*b^2)*sin(d*x + c)/d

```

### 3.224 $\int \cos(c + dx)(a + b \cos(c + dx))^2(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=170

$$\frac{(4a^2Ab + a^3(-B) + 8ab^2B + 4Ab^3) \sin(c + dx)}{6bd} + \frac{(-2a^2B + 8aAb + 9b^2B) \sin(c + dx) \cos(c + dx)}{24d} + \frac{1}{8}x(4a^2B + 8aAb +$$

[Out]  $((8*a*A*b + 4*a^2*B + 3*b^2*B)*x)/8 + ((4*a^2*A*b + 4*A*b^3 - a^3*B + 8*a*b^2*B)*Sin[c + d*x])/(6*b*d) + ((8*a*A*b - 2*a^2*B + 9*b^2*B)*Cos[c + d*x]*Sin[c + d*x])/(24*d) + ((4*A*b - a*B)*(a + b*Cos[c + d*x])^2*SIN[c + d*x])/(12*b*d) + (B*(a + b*Cos[c + d*x])^3*SIN[c + d*x])/(4*b*d)$

**Rubi [A]** time = 0.233517, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$ , Rules used = {2968, 3023, 2753, 2734}

$$\frac{(4a^2Ab + a^3(-B) + 8ab^2B + 4Ab^3) \sin(c + dx)}{6bd} + \frac{(-2a^2B + 8aAb + 9b^2B) \sin(c + dx) \cos(c + dx)}{24d} + \frac{1}{8}x(4a^2B + 8aAb +$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x]), x]$

[Out]  $((8*a*A*b + 4*a^2*B + 3*b^2*B)*x)/8 + ((4*a^2*A*b + 4*A*b^3 - a^3*B + 8*a*b^2*B)*Sin[c + d*x])/(6*b*d) + ((8*a*A*b - 2*a^2*B + 9*b^2*B)*Cos[c + d*x]*Sin[c + d*x])/(24*d) + ((4*A*b - a*B)*(a + b*Cos[c + d*x])^2*SIN[c + d*x])/(12*b*d) + (B*(a + b*Cos[c + d*x])^3*SIN[c + d*x])/(4*b*d)$

#### Rule 2968

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]), x\_Symbol] \rightarrow \text{Int}[(a + b*\sin[e + f*x])^m*(A*c + (B*c + A*d)*\sin[e + f*x] + B*d*\sin[e + f*x]^2), x] /;$  FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)] + (C_.)*\sin[(e_.) + (f_.)*(x_)]^2), x\_Symbol] \rightarrow -\text{Simp}[(C*\cos[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[(a + b*\sin[e + f*x])^m*\text{Simp}[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\sin[e + f*x], x], x], x] /;$  FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2753

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]), x\_Symbol] \rightarrow -\text{Simp}[(d*\cos[e + f*x]*(a + b*\sin[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[1/(m + 1), \text{Int}[(a + b*\sin[e + f*x])^{(m - 1)}*\text{Simp}[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*\sin[e + f*x], x], x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

#### Rule 2734



```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*
*(x_)]), x_Symbol] := Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[((b*c + a*d)*Co
s[e + f*x])/f, x] - Simp[(b*d*Cos[e + f*x]*Sin[e + f*x])/(2*f), x]) /; Free
Q[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rubi steps

$$\int \cos(c + dx)(a + b \cos(c + dx))^2(A + B \cos(c + dx)) dx = \int (a + b \cos(c + dx))^2 (A \cos(c + dx) + B \cos^2(c + dx)) dx$$

$$= \frac{B(a + b \cos(c + dx))^3 \sin(c + dx)}{4bd} + \frac{\int (a + b \cos(c + dx))^2 dx}{12bd}$$

$$= \frac{(4Ab - aB)(a + b \cos(c + dx))^2 \sin(c + dx)}{12bd} + \frac{B(a + b \cos(c + dx))^2}{12bd}$$

$$= \frac{1}{8} (8aAb + 4a^2B + 3b^2B)x + \frac{(4a^2Ab + 4Ab^3 - a^3B + 8ab^2B) \sin(c + dx)}{6bd}$$

**Mathematica [A]** time = 0.430768, size = 118, normalized size = 0.69

$$\frac{12(c + dx)(4a^2B + 8aAb + 3b^2B) + 24(4a^2A + 6abB + 3Ab^2) \sin(c + dx) + 24(a^2B + 2aAb + b^2B) \sin(2(c + dx))}{96d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]),x]
```

```
[Out] (12*(8*a*A*b + 4*a^2*B + 3*b^2*B)*(c + d*x) + 24*(4*a^2*A + 3*A*b^2 + 6*a*b
*B)*Sin[c + d*x] + 24*(2*a*A*b + a^2*B + b^2*B)*Sin[2*(c + d*x)] + 8*b*(A*b
+ 2*a*B)*Sin[3*(c + d*x)] + 3*b^2*B*Ssin[4*(c + d*x)])/(96*d)
```

**Maple [A]** time = 0.047, size = 152, normalized size = 0.9

$$\frac{1}{d} \left( a^2 A \sin(dx + c) + Ba^2 \left( \frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + 2Aab \left( \frac{1}{2} \cos(dx + c) \sin(dx + c) + \frac{1}{2} dx + \frac{c}{2} \right) + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x)
```

```
[Out] 1/d*(a^2*A*sin(d*x+c)+B*a^2*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+2*A*a
*b*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)+2/3*B*a*b*(2+cos(d*x+c)^2)*sin
(d*x+c)+1/3*A*b^2*(2+cos(d*x+c)^2)*sin(d*x+c)+b^2*B*(1/4*(cos(d*x+c)^3+3/2*
cos(d*x+c))*sin(d*x+c)+3/8*d*x+3/8*c))
```

**Maxima [A]** time = 1.09274, size = 192, normalized size = 1.13

$$\frac{24(2dx + 2c + \sin(2dx + 2c))Ba^2 + 48(2dx + 2c + \sin(2dx + 2c))Aab - 64(\sin(dx + c)^3 - 3 \sin(dx + c))Bab - \dots}{96d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out]  $\frac{1}{96}*(24*(2*d*x + 2*c + \sin(2*d*x + 2*c))*B*a^2 + 48*(2*d*x + 2*c + \sin(2*d*x + 2*c))*A*a*b - 64*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*B*a*b - 32*(\sin(d*x + c)^3 - 3*\sin(d*x + c))*A*b^2 + 3*(12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c))*B*b^2 + 96*A*a^2*\sin(d*x + c))/d$

**Fricas [A]** time = 1.42785, size = 274, normalized size = 1.61

$$\frac{3(4Ba^2 + 8Aab + 3Bb^2)dx + (6Bb^2 \cos(dx + c)^3 + 24Aa^2 + 32Bab + 16Ab^2 + 8(2Bab + Ab^2)\cos(dx + c)^2 + 3(4Ba^2 + 8Aab + 3Bb^2)\cos(dx + c)\sin(dx + c))}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out]  $\frac{1}{24}*(3*(4*B*a^2 + 8*A*a*b + 3*B*b^2)*d*x + (6*B*b^2*\cos(d*x + c)^3 + 24*A*a^2 + 32*B*a*b + 16*A*b^2 + 8*(2*B*a*b + A*b^2)*\cos(d*x + c)^2 + 3*(4*B*a^2 + 8*A*a*b + 3*B*b^2)*\cos(d*x + c))*\sin(d*x + c))/d$

**Sympy [A]** time = 1.7511, size = 338, normalized size = 1.99

$$\begin{cases} \frac{Aa^2 \sin(c+dx)}{d} + Aabx \sin^2(c+dx) + Aabx \cos^2(c+dx) + \frac{Aab \sin(c+dx) \cos(c+dx)}{d} + \frac{2Ab^2 \sin^3(c+dx)}{3d} + \frac{Ab^2 \sin(c+dx) \cos^2(c+dx)}{d} + \\ x(A+B \cos(c))(a+b \cos(c))^2 \cos(c) \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c)),x)

[Out] Piecewise((A\*a\*\*2\*sin(c + d\*x)/d + A\*a\*b\*x\*sin(c + d\*x)\*\*2 + A\*a\*b\*x\*cos(c + d\*x)\*\*2 + A\*a\*b\*sin(c + d\*x)\*cos(c + d\*x)/d + 2\*A\*b\*\*2\*sin(c + d\*x)\*\*3/(3\*d) + A\*b\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + B\*a\*\*2\*x\*sin(c + d\*x)\*\*2/2 + B\*a\*\*2\*x\*cos(c + d\*x)\*\*2/2 + B\*a\*\*2\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + 4\*B\*a\*b\*sin(c + d\*x)\*\*3/(3\*d) + 2\*B\*a\*b\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + 3\*B\*b\*\*2\*x\*sin(c + d\*x)\*\*4/8 + 3\*B\*b\*\*2\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + 3\*B\*b\*\*2\*x\*cos(c + d\*x)\*\*4/8 + 3\*B\*b\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + 5\*B\*b\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d), Ne(d, 0)), (x\*(A + B\*cos(c))\*(a + b\*cos(c))\*\*2\*cos(c), True))

**Giac [A]** time = 1.56091, size = 167, normalized size = 0.98

$$\frac{Bb^2 \sin(4dx + 4c)}{32d} + \frac{1}{8}(4Ba^2 + 8Aab + 3Bb^2)x + \frac{(2Bab + Ab^2) \sin(3dx + 3c)}{12d} + \frac{(Ba^2 + 2Aab + Bb^2) \sin(2dx + 2c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

```
[Out] 1/32*B*b^2*sin(4*d*x + 4*c)/d + 1/8*(4*B*a^2 + 8*A*a*b + 3*B*b^2)*x + 1/12*  
(2*B*a*b + A*b^2)*sin(3*d*x + 3*c)/d + 1/4*(B*a^2 + 2*A*a*b + B*b^2)*sin(2*  
d*x + 2*c)/d + 1/4*(4*A*a^2 + 6*B*a*b + 3*A*b^2)*sin(d*x + c)/d
```

### 3.225 $\int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=107

$$\frac{2(a^2B + 3aAb + b^2B) \sin(c + dx)}{3d} + \frac{1}{2}x(2a^2A + 2abB + Ab^2) + \frac{b(2aB + 3Ab) \sin(c + dx) \cos(c + dx)}{6d} + \frac{B \sin(c + dx)(a + b \cos(c + dx))^2}{3d}$$

[Out]  $((2a^2A + A*b^2 + 2a*b*B)*x)/2 + (2*(3a*A*b + a^2*B + b^2*B)*\text{Sin}[c + d*x])/(3*d) + (b*(3A*b + 2*a*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(6*d) + (B*(a + b*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(3*d)$

**Rubi [A]** time = 0.0935754, antiderivative size = 107, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {2753, 2734}

$$\frac{2(a^2B + 3aAb + b^2B) \sin(c + dx)}{3d} + \frac{1}{2}x(2a^2A + 2abB + Ab^2) + \frac{b(2aB + 3Ab) \sin(c + dx) \cos(c + dx)}{6d} + \frac{B \sin(c + dx)(a + b \cos(c + dx))^2}{3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x]), x]$

[Out]  $((2a^2A + A*b^2 + 2a*b*B)*x)/2 + (2*(3a*A*b + a^2*B + b^2*B)*\text{Sin}[c + d*x])/(3*d) + (b*(3A*b + 2*a*B)*\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(6*d) + (B*(a + b*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(3*d)$

#### Rule 2753

$\text{Int}[(a + b*\text{sin}[e + f*x])^m * ((c + d*\text{sin}[e + f*x]) + (f*x))], x\_Symbol] :> -\text{Simp}[(d*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[1/(m + 1), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m-1} * \text{Simp}[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*\text{Sin}[e + f*x], x], x] /; \text{FreeQ}[a, b, c, d, e, f], x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{IntegerQ}[2*m]$

#### Rule 2734

$\text{Int}[(a + b*\text{sin}[e + f*x]) * ((c + d*\text{sin}[e + f*x]) + (f*x))], x\_Symbol] :> \text{Simp}[(2*a*c + b*d)*x/2, x] + (-\text{Simp}[(b*c + a*d)*\text{Cos}[e + f*x]/f, x] - \text{Simp}[(b*d*\text{Cos}[e + f*x]*\text{Sin}[e + f*x])/(2*f), x]) /; \text{FreeQ}[a, b, c, d, e, f], x] \&\& \text{NeQ}[b*c - a*d, 0]$

#### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) dx &= \frac{B(a + b \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{1}{3} \int (a + b \cos(c + dx))(3aA + 2bB + b \cos(c + dx)) dx \\ &= \frac{1}{2} (2a^2A + Ab^2 + 2abB) x + \frac{2(3aAb + a^2B + b^2B) \sin(c + dx)}{3d} + \frac{b(3Ab + a^2B + b^2B) \cos(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.213408, size = 90, normalized size = 0.84

$$\frac{6(c + dx)(2a^2A + 2abB + Ab^2) + 3(4a^2B + 8aAb + 3b^2B) \sin(c + dx) + 3b(2aB + Ab) \sin(2(c + dx)) + b^2B \sin(3(c + dx))}{12d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^2\*(A + B\*cos[c + d\*x]),x]

[Out] 
$$\frac{(6*(2*a^2*A + A*b^2 + 2*a*b*B)*(c + d*x) + 3*(8*a*A*b + 4*a^2*B + 3*b^2*B)*\sin[c + d*x] + 3*b*(A*b + 2*a*B)*\sin[2*(c + d*x)] + b^2*B*\sin[3*(c + d*x)])}{(12*d)}$$

**Maple [A]** time = 0.039, size = 114, normalized size = 1.1

$$\frac{1}{d} \left( \frac{b^2 B (2 + (\cos(dx + c))^2) \sin(dx + c)}{3} + Ab^2 \left( \frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + 2 Bab (1/2 \cos(dx + c) \sin(dx + c)) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c)),x)

[Out] 
$$\frac{1}{d} \left( \frac{1}{3} b^2 B (2 + \cos(d*x+c)^2) \sin(d*x+c) + A b^2 \left( \frac{1}{2} \cos(d*x+c) \sin(d*x+c) + \frac{1}{2} d*x + \frac{1}{2} c \right) + 2 B a b \left( \frac{1}{2} \cos(d*x+c) \sin(d*x+c) + \frac{1}{2} d*x + \frac{1}{2} c \right) + 2 A a b \sin(d*x+c) + B a^2 \sin(d*x+c) + a^2 A (d*x+c) \right)$$

**Maxima [A]** time = 1.0408, size = 146, normalized size = 1.36

$$\frac{12(dx + c)Aa^2 + 6(2dx + 2c + \sin(2dx + 2c))Bab + 3(2dx + 2c + \sin(2dx + 2c))Ab^2 - 4(\sin(dx + c)^3 - 3\sin(dx + c)\cos(dx + c))}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 
$$\frac{1}{12} \left( 12(d*x + c)Aa^2 + 6(2*d*x + 2*c + \sin(2*d*x + 2*c))B*a*b + 3(2*d*x + 2*c + \sin(2*d*x + 2*c))A*b^2 - 4(\sin(d*x + c)^3 - 3*\sin(d*x + c)*\cos(d*x + c)) * b^2 + 12*B*a^2*\sin(d*x + c) + 24*A*a*b*\sin(d*x + c) \right) / d$$

**Fricas [A]** time = 1.33801, size = 201, normalized size = 1.88

$$\frac{3(2Aa^2 + 2Bab + Ab^2)dx + (2Bb^2 \cos(dx + c)^2 + 6Ba^2 + 12Aab + 4Bb^2 + 3(2Bab + Ab^2) \cos(dx + c)) \sin(dx + c)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 
$$\frac{1}{6} \left( 3(2Aa^2 + 2Bab + Ab^2)dx + (2Bb^2 \cos(dx + c)^2 + 6Ba^2 + 12Aab + 4Bb^2 + 3(2Bab + Ab^2) \cos(dx + c)) \sin(dx + c) \right) / d$$

**Sympy [A]** time = 0.839749, size = 199, normalized size = 1.86

$$\left\{ \begin{array}{l} Aa^2x + \frac{2Aab \sin(c+dx)}{d} + \frac{Ab^2x \sin^2(c+dx)}{2} + \frac{Ab^2x \cos^2(c+dx)}{2} + \frac{Ab^2 \sin(c+dx) \cos(c+dx)}{2d} + \frac{Ba^2 \sin(c+dx)}{d} + Babx \sin^2(c + dx) + Ba^2 \cos^2(c + dx) \\ x(A + B \cos(c))(a + b \cos(c))^2 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*2\*(A+B\*cos(d\*x+c)),x)

[Out] Piecewise((A\*a\*\*2\*x + 2\*A\*a\*b\*sin(c + d\*x)/d + A\*b\*\*2\*x\*sin(c + d\*x)\*\*2/2 + A\*b\*\*2\*x\*cos(c + d\*x)\*\*2/2 + A\*b\*\*2\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + B\*a\*\*2\*sin(c + d\*x)/d + B\*a\*b\*x\*sin(c + d\*x)\*\*2 + B\*a\*b\*x\*cos(c + d\*x)\*\*2 + B\*a\*b\*sin(c + d\*x)\*cos(c + d\*x)/d + 2\*B\*b\*\*2\*sin(c + d\*x)\*\*3/(3\*d) + B\*b\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d, Ne(d, 0)), (x\*(A + B\*cos(c))\*(a + b\*cos(c))\*\*2, True))

**Giac [A]** time = 1.3853, size = 126, normalized size = 1.18

$$\frac{Bb^2 \sin(3dx + 3c)}{12d} + \frac{1}{2}(2Aa^2 + 2Bab + Ab^2)x + \frac{(2Bab + Ab^2) \sin(2dx + 2c)}{4d} + \frac{(4Ba^2 + 8Aab + 3Bb^2) \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/12\*B\*b^2\*sin(3\*d\*x + 3\*c)/d + 1/2\*(2\*A\*a^2 + 2\*B\*a\*b + A\*b^2)\*x + 1/4\*(2\*B\*a\*b + A\*b^2)\*sin(2\*d\*x + 2\*c)/d + 1/4\*(4\*B\*a^2 + 8\*A\*a\*b + 3\*B\*b^2)\*sin(d\*x + c)/d

$$3.226 \quad \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec(c + dx) dx$$

**Optimal.** Leaf size=86

$$\frac{1}{2}x(2a^2B + 4aAb + b^2B) + \frac{a^2A \tanh^{-1}(\sin(c + dx))}{d} + \frac{b(3aB + 2Ab) \sin(c + dx)}{2d} + \frac{bB \sin(c + dx)(a + b \cos(c + dx))}{2d}$$

[Out] ((4\*a\*A\*b + 2\*a^2\*B + b^2\*B)\*x)/2 + (a^2\*A\*ArcTanh[Sin[c + d\*x]])/d + (b\*(2\*A\*b + 3\*a\*B)\*Sin[c + d\*x])/(2\*d) + (b\*B\*(a + b\*Cos[c + d\*x])\*Sin[c + d\*x])/(2\*d)

**Rubi [A]** time = 0.176197, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$ , Rules used = {2990, 3023, 2735, 3770}

$$\frac{1}{2}x(2a^2B + 4aAb + b^2B) + \frac{a^2A \tanh^{-1}(\sin(c + dx))}{d} + \frac{b(3aB + 2Ab) \sin(c + dx)}{2d} + \frac{bB \sin(c + dx)(a + b \cos(c + dx))}{2d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x], x]

[Out] ((4\*a\*A\*b + 2\*a^2\*B + b^2\*B)\*x)/2 + (a^2\*A\*ArcTanh[Sin[c + d\*x]])/d + (b\*(2\*A\*b + 3\*a\*B)\*Sin[c + d\*x])/(2\*d) + (b\*B\*(a + b\*Cos[c + d\*x])\*Sin[c + d\*x])/(2\*d)

#### Rule 2990

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^2\*A\*d\*(m + n + 1) + b\*B\*(b\*c\*(m - 1) + a\*d\*(n + 1)) + (a\*d\*(2\*A\*b + a\*B)\*(m + n + 1) - b\*B\*(a\*c - b\*d\*(m + n)))\*Sin[e + f\*x] + b\*(A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{bB(a + b \cos(c + dx)) \sin(c + dx)}{2d} + \frac{1}{2} \int (2a^2 A + (4aAb + 2a^2 B) \cos(c + dx)) \sec(c + dx) dx \\ &= \frac{b(2Ab + 3aB) \sin(c + dx)}{2d} + \frac{bB(a + b \cos(c + dx)) \sin(c + dx)}{2d} \\ &= \frac{1}{2} (4aAb + 2a^2 B + b^2 B) x + \frac{b(2Ab + 3aB) \sin(c + dx)}{2d} + \frac{bB(a + b \cos(c + dx)) \sin(c + dx)}{2d} \\ &= \frac{1}{2} (4aAb + 2a^2 B + b^2 B) x + \frac{a^2 A \tanh^{-1}(\sin(c + dx))}{d} + \frac{b(2Ab + 3aB) \sin(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.221827, size = 120, normalized size = 1.4

$$\frac{2(c + dx)(2a^2 B + 4aAb + b^2 B) - 4a^2 A \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + 4a^2 A \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x], x]
```

```
[Out] (2*(4*a*A*b + 2*a^2*B + b^2*B)*(c + d*x) - 4*a^2*A*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 4*a^2*A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 4*b*(A*b + 2*a*B)*Sin[c + d*x] + b^2*B*Sin[2*(c + d*x)])/(4*d)
```

**Maple [A]** time = 0.07, size = 120, normalized size = 1.4

$$\frac{a^2 A \ln(\sec(dx + c) + \tan(dx + c))}{d} + a^2 B x + \frac{B a^2 c}{d} + 2 A a b x + 2 \frac{A a b c}{d} + 2 \frac{B a b \sin(dx + c)}{d} + \frac{A b^2 \sin(dx + c)}{d} + \frac{b^2 B \cos(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c), x)
```

```
[Out] 1/d*a^2*A*ln(sec(d*x+c)+tan(d*x+c))+a^2*B*x+1/d*B*a^2*c+2*A*a*b*x+2/d*A*a*b*c+2/d*B*a*b*sin(d*x+c)+1/d*A*b^2*sin(d*x+c)+1/2/d*b^2*B*cos(d*x+c)*sin(d*x+c)+1/2*b^2*B*x+1/2/d*b^2*B*c
```

**Maxima [A]** time = 1.04364, size = 124, normalized size = 1.44

$$\frac{4(dx + c)Ba^2 + 8(dx + c)Aab + (2dx + 2c + \sin(2dx + 2c))Bb^2 + 4Aa^2 \log(\sec(dx + c) + \tan(dx + c)) + 8Bab \sin(dx + c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c), x, algorithm="maxima")
```

```
[Out] 1/4*(4*(d*x + c)*B*a^2 + 8*(d*x + c)*A*a*b + (2*d*x + 2*c + sin(2*d*x + 2*c))*B*b^2 + 4*A*a^2*log(sec(d*x + c) + tan(d*x + c)) + 8*B*a*b*sin(d*x + c))
```



$$+ 4Ab^2 \sin(dx + c)/d$$

**Fricas [A]** time = 1.54185, size = 213, normalized size = 2.48

$$\frac{Aa^2 \log(\sin(dx + c) + 1) - Aa^2 \log(-\sin(dx + c) + 1) + (2Ba^2 + 4Aab + Bb^2)dx + (Bb^2 \cos(dx + c) + 4Bab + 2Aa^2 \sin(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="fricas")

[Out] 1/2\*(A\*a^2\*log(sin(d\*x + c) + 1) - A\*a^2\*log(-sin(d\*x + c) + 1) + (2\*B\*a^2 + 4\*A\*a\*b + B\*b^2)\*d\*x + (B\*b^2\*cos(d\*x + c) + 4\*B\*a\*b + 2\*A\*b^2)\*sin(d\*x + c))/d

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (A + B \cos(c + dx)) (a + b \cos(c + dx))^2 \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x)

[Out] Integral((A + B\*cos(c + d\*x))\*(a + b\*cos(c + d\*x))\*\*2\*sec(c + d\*x), x)

**Giac [B]** time = 1.297, size = 240, normalized size = 2.79

$$2Aa^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 2Aa^2 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + (2Ba^2 + 4Aab + Bb^2)(dx + c) + \frac{2(4Bab \tan(\frac{1}{2}dx + \frac{1}{2}c) + (Bb^2 - Aa^2) \sec^2(\frac{1}{2}dx + \frac{1}{2}c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="giac")

[Out] 1/2\*(2\*A\*a^2\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 2\*A\*a^2\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))) + (2\*B\*a^2 + 4\*A\*a\*b + B\*b^2)\*(d\*x + c) + 2\*(4\*B\*a\*b\*tan(1/2\*d\*x + 1/2\*c)^3 + 2\*A\*b^2\*tan(1/2\*d\*x + 1/2\*c)^3 - B\*b^2\*tan(1/2\*d\*x + 1/2\*c)^3 + 4\*B\*a\*b\*tan(1/2\*d\*x + 1/2\*c) + 2\*A\*b^2\*tan(1/2\*d\*x + 1/2\*c) + B\*b^2\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 + 1)^2/d

### 3.227 $\int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^2(c + dx) dx$

**Optimal.** Leaf size=60

$$\frac{a^2 A \tan(c + dx)}{d} + \frac{a(aB + 2Ab) \tanh^{-1}(\sin(c + dx))}{d} + bx(2aB + Ab) + \frac{b^2 B \sin(c + dx)}{d}$$

[Out] b\*(A\*b + 2\*a\*B)\*x + (a\*(2\*A\*b + a\*B)\*ArcTanh[Sin[c + d\*x]])/d + (b^2\*B\*Sin[c + d\*x])/d + (a^2\*A\*Tan[c + d\*x])/d

**Rubi [A]** time = 0.168526, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {2988, 3023, 2735, 3770}

$$\frac{a^2 A \tan(c + dx)}{d} + \frac{a(aB + 2Ab) \tanh^{-1}(\sin(c + dx))}{d} + bx(2aB + Ab) + \frac{b^2 B \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] b\*(A\*b + 2\*a\*B)\*x + (a\*(2\*A\*b + a\*B)\*ArcTanh[Sin[c + d\*x]])/d + (b^2\*B\*Sin[c + d\*x])/d + (a^2\*A\*Tan[c + d\*x])/d

#### Rule 2988

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^2*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_), x_Symbol] :> Simp[
((B*c - A*d)*(b*c - a*d)^2*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*d^
2*(n + 1)*(c^2 - d^2)), x] - Dist[1/(d^2*(n + 1)*(c^2 - d^2)), Int[(c + d*S
in[e + f*x])^(n + 1)*Simp[d*(n + 1)*(B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c -
2*a*b*d)) - ((B*c - A*d)*(a^2*d^2*(n + 2) + b^2*(c^2 + d^2*(n + 1))) + 2*a
*b*d*(A*c*d*(n + 2) - B*(c^2 + d^2*(n + 1)))*Sin[e + f*x] - b^2*B*d*(n +
1)*(c^2 - d^2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n
, -1]
```

#### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

#### Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])/((c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_.)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x]  
 /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \frac{a^2 A \tan(c + dx)}{d} - \int (-a(2Ab + aB) - b(Ab + 2aB) \cos(c + dx)) \sec^2(c + dx) dx \\ &= \frac{b^2 B \sin(c + dx)}{d} + \frac{a^2 A \tan(c + dx)}{d} - \int (-a(2Ab + aB) - b(Ab + 2aB) \cos(c + dx)) \sec^2(c + dx) dx \\ &= b(Ab + 2aB)x + \frac{b^2 B \sin(c + dx)}{d} + \frac{a^2 A \tan(c + dx)}{d} + (a(2Ab + aB) - b(Ab + 2aB)) \int \sec^2(c + dx) dx \\ &= b(Ab + 2aB)x + \frac{a(2Ab + aB) \tanh^{-1}(\sin(c + dx))}{d} + \frac{b^2 B \sin(c + dx)}{d} + \frac{a^2 A \tan(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.473277, size = 109, normalized size = 1.82

$$\frac{a^2 A \tan(c + dx) + b(c + dx)(2aB + Ab) - a(aB + 2Ab) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + a(aB + 2Ab) \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] (b\*(A\*b + 2\*a\*B)\*(c + d\*x) - a\*(2\*A\*b + a\*B)\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + a\*(2\*A\*b + a\*B)\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + b^2\*B\*Sin[c + d\*x] + a^2\*A\*Tan[c + d\*x])/d

**Maple [A]** time = 0.071, size = 104, normalized size = 1.7

$$Ab^2x + 2Babx + \frac{a^2 A \tan(dx + c)}{d} + 2 \frac{Aab \ln(\sec(dx + c) + \tan(dx + c))}{d} + \frac{Ab^2c}{d} + \frac{b^2 B \sin(dx + c)}{d} + \frac{Ba^2 \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x)

[Out] A\*b^2\*x+2\*B\*a\*b\*x+a^2\*A\*tan(d\*x+c)/d+2/d\*A\*a\*b\*ln(sec(d\*x+c)+tan(d\*x+c))+1/d\*A\*b^2\*c+b^2\*B\*sin(d\*x+c)/d+1/d\*B\*a^2\*ln(sec(d\*x+c)+tan(d\*x+c))+2/d\*B\*a\*b\*c

**Maxima [A]** time = 0.969159, size = 139, normalized size = 2.32

$$\frac{4(dx + c)Bab + 2(dx + c)Ab^2 + Ba^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 2Aab(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out]  $\frac{1}{2}*(4*(d*x + c)*B*a*b + 2*(d*x + c)*A*b^2 + B*a^2*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 2*A*a*b*(\log(\sin(d*x + c) + 1) - \log(\sin(d*x + c) - 1)) + 2*B*b^2*\sin(d*x + c) + 2*A*a^2*\tan(d*x + c))/d$

**Fricas [A]** time = 1.40506, size = 294, normalized size = 4.9

$$\frac{2(2Bab + Ab^2)dx \cos(dx + c) + (Ba^2 + 2Aab) \cos(dx + c) \log(\sin(dx + c) + 1) - (Ba^2 + 2Aab) \cos(dx + c) \log(-\sin(dx + c) + 1)}{2d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out]  $\frac{1}{2}*(2*(2*B*a*b + A*b^2)*d*x*\cos(d*x + c) + (B*a^2 + 2*A*a*b)*\cos(d*x + c)*\log(\sin(d*x + c) + 1) - (B*a^2 + 2*A*a*b)*\cos(d*x + c)*\log(-\sin(d*x + c) + 1) + 2*(B*b^2*\cos(d*x + c) + A*a^2)*\sin(d*x + c))/(d*\cos(d*x + c))$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x)

[Out] Timed out

**Giac [B]** time = 1.51963, size = 205, normalized size = 3.42

$$\frac{(2Bab + Ab^2)(dx + c) + (Ba^2 + 2Aab) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (Ba^2 + 2Aab) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) - \frac{2(Aa^2 + Ab^2)}{d}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="giac")

[Out]  $((2*B*a*b + A*b^2)*(d*x + c) + (B*a^2 + 2*A*a*b)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - (B*a^2 + 2*A*a*b)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(A*a^2*\tan(1/2*d*x + 1/2*c)^3 - B*b^2*\tan(1/2*d*x + 1/2*c)^3 + A*a^2*\tan(1/2*d*x + 1/2*c) + B*b^2*\tan(1/2*d*x + 1/2*c)))/(\tan(1/2*d*x + 1/2*c)^4 - 1)/d$

$$3.228 \quad \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^3(c + dx) dx$$

**Optimal.** Leaf size=80

$$\frac{(a^2 A + 4abB + 2Ab^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2 A \tan(c + dx) \sec(c + dx)}{2d} + \frac{a(aB + 2Ab) \tan(c + dx)}{d} + b^2 Bx$$

[Out] b^2\*B\*x + ((a^2\*A + 2\*A\*b^2 + 4\*a\*b\*B)\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (a\*(2\*A\*b + a\*B)\*Tan[c + d\*x])/d + (a^2\*A\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

**Rubi [A]** time = 0.19951, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {2988, 3021, 2735, 3770}

$$\frac{(a^2 A + 4abB + 2Ab^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2 A \tan(c + dx) \sec(c + dx)}{2d} + \frac{a(aB + 2Ab) \tan(c + dx)}{d} + b^2 Bx$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] b^2\*B\*x + ((a^2\*A + 2\*A\*b^2 + 4\*a\*b\*B)\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (a\*(2\*A\*b + a\*B)\*Tan[c + d\*x])/d + (a^2\*A\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

#### Rule 2988

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^2\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_)), x\_Symbol] := Simp[((B\*c - A\*d)\*(b\*c - a\*d)^2\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*d^2\*(n + 1)\*(c^2 - d^2)), x] - Dist[1/(d^2\*(n + 1)\*(c^2 - d^2)), Int[(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[d\*(n + 1)\*(B\*(b\*c - a\*d)^2 - A\*d\*(a^2\*c + b^2\*c - 2\*a\*b\*d)) - ((B\*c - A\*d)\*(a^2\*d^2\*(n + 2) + b^2\*(c^2 + d^2\*(n + 1))) + 2\*a\*b\*d\*(A\*c\*d\*(n + 2) - B\*(c^2 + d^2\*(n + 1)))\*Sin[e + f\*x] - b^2\*B\*d\*(n + 1)\*(c^2 - d^2)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^3(c + dx) dx &= \frac{a^2 A \sec(c + dx) \tan(c + dx)}{2d} - \frac{1}{2} \int (-2a(2Ab + aB) - (a^2 A \\ &= \frac{a(2Ab + aB) \tan(c + dx)}{d} + \frac{a^2 A \sec(c + dx) \tan(c + dx)}{2d} - \frac{1}{2} \\ &= b^2 Bx + \frac{a(2Ab + aB) \tan(c + dx)}{d} + \frac{a^2 A \sec(c + dx) \tan(c + dx)}{2d} \\ &= b^2 Bx + \frac{(a^2 A + 2Ab^2 + 4abB) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a(2Ab + aB) \tan(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.265642, size = 67, normalized size = 0.84

$$\frac{(a^2 A + 4abB + 2Ab^2) \tanh^{-1}(\sin(c + dx)) + a \tan(c + dx)(aA \sec(c + dx) + 2aB + 4Ab) + 2b^2 Bdx}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]
```

```
[Out] (2*b^2*B*d*x + (a^2*A + 2*A*b^2 + 4*a*b*B)*ArcTanh[Sin[c + d*x]] + a*(4*A*b + 2*a*B + a*A*Sec[c + d*x])*Tan[c + d*x])/(2*d)
```

**Maple [A]** time = 0.088, size = 133, normalized size = 1.7

$$\frac{a^2 A \sec(dx + c) \tan(dx + c)}{2d} + \frac{a^2 A \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{Ba^2 \tan(dx + c)}{d} + 2 \frac{Aab \tan(dx + c)}{d} + 2 \frac{Bab \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^3,x)
```

```
[Out] 1/2*a^2*A*sec(d*x+c)*tan(d*x+c)/d+1/2/d*a^2*A*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*a^2*tan(d*x+c)+2/d*A*a*b*tan(d*x+c)+2/d*B*a*b*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*b^2*ln(sec(d*x+c)+tan(d*x+c))+b^2*B*x+1/d*b^2*B*c
```

**Maxima [A]** time = 1.03715, size = 189, normalized size = 2.36

$$\frac{4(dx + c)Bb^2 - Aa^2 \left( \frac{2 \sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1) \right) + 4Bab(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1))}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="maxima")
```

```
[Out] 1/4*(4*(d*x + c)*B*b^2 - A*a^2*(2*sin(d*x + c)/(sin(d*x + c)^2 - 1) - log(sin(d*x + c) + 1) + log(sin(d*x + c) - 1)) + 4*B*a*b*(log(sin(d*x + c) + 1) - log(sin(d*x + c) - 1)))/d
```

$-\log(\sin(dx + c) - 1) + 2A^2b^2(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 4B^2a^2\tan(dx + c) + 8A^2ab\tan(dx + c))/d$

**Fricas [A]** time = 1.41339, size = 335, normalized size = 4.19

$$\frac{4Bb^2dx \cos(dx + c)^2 + (Aa^2 + 4Bab + 2Ab^2) \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (Aa^2 + 4Bab + 2Ab^2) \cos(dx + c)^2 \log(\sin(dx + c) - 1) + 4B^2a^2 \tan(dx + c) + 8A^2ab \tan(dx + c)}{4d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^2\*(A+B\*cos(dx+c))\*sec(dx+c)^3,x, algorithm="fricas")

[Out]  $\frac{1}{4} * (4B^2b^2dx \cos(dx + c)^2 + (A^2a^2 + 4B^2ab + 2A^2b^2) \cos(dx + c)^2 \log(\sin(dx + c) + 1) - (A^2a^2 + 4B^2ab + 2A^2b^2) \cos(dx + c)^2 \log(\sin(dx + c) - 1) + 2(A^2a^2 + 2(B^2a^2 + 2A^2ab) \cos(dx + c)) \sin(dx + c)) / (d \cos(dx + c)^2)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))\*\*2\*(A+B\*cos(dx+c))\*sec(dx+c)\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.5992, size = 257, normalized size = 3.21

$$2(dx + c)Bb^2 + (Aa^2 + 4Bab + 2Ab^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (Aa^2 + 4Bab + 2Ab^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^2\*(A+B\*cos(dx+c))\*sec(dx+c)^3,x, algorithm="giac")

[Out]  $\frac{1}{2} * (2(dx + c)B^2b^2 + (A^2a^2 + 4B^2ab + 2A^2b^2) \log(\abs{\tan(1/2dx + 1/2c) + 1}) - (A^2a^2 + 4B^2ab + 2A^2b^2) \log(\abs{\tan(1/2dx + 1/2c) - 1}) + 2(A^2a^2 \tan(1/2dx + 1/2c)^3 - 2B^2a^2 \tan(1/2dx + 1/2c)^3 - 4A^2ab \tan(1/2dx + 1/2c)^3 + A^2a^2 \tan(1/2dx + 1/2c) + 2B^2a^2 \tan(1/2dx + 1/2c) + 4A^2ab \tan(1/2dx + 1/2c)) / (\tan(1/2dx + 1/2c)^2 - 1)^2) / d$

$$3.229 \quad \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^4(c + dx) dx$$

**Optimal.** Leaf size=116

$$\frac{(2a^2A + 6abB + 3Ab^2) \tan(c + dx)}{3d} + \frac{(a^2B + 2aAb + 2b^2B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2A \tan(c + dx) \sec^2(c + dx)}{3d} + \frac{a(aB + b^2)}{3d}$$

[Out]  $((2*a*A*b + a^2*B + 2*b^2*B)*ArcTanh[Sin[c + d*x]])/(2*d) + ((2*a^2*A + 3*A*b^2 + 6*a*b*B)*Tan[c + d*x])/(3*d) + (a*(2*A*b + a*B)*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (a^2*A*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)$

**Rubi [A]** time = 0.270161, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2988, 3021, 2748, 3767, 8, 3770}

$$\frac{(2a^2A + 6abB + 3Ab^2) \tan(c + dx)}{3d} + \frac{(a^2B + 2aAb + 2b^2B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2A \tan(c + dx) \sec^2(c + dx)}{3d} + \frac{a(aB + b^2)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out]  $((2*a*A*b + a^2*B + 2*b^2*B)*ArcTanh[Sin[c + d*x]])/(2*d) + ((2*a^2*A + 3*A*b^2 + 6*a*b*B)*Tan[c + d*x])/(3*d) + (a*(2*A*b + a*B)*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (a^2*A*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)$

#### Rule 2988

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((B\*c - A\*d)\*(b\*c - a\*d)^2\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*d^2\*(n + 1)\*(c^2 - d^2)), x] - Dist[1/(d^2\*(n + 1)\*(c^2 - d^2)), Int[(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[d\*(n + 1)\*(B\*(b\*c - a\*d)^2 - A\*d\*(a^2\*c + b^2\*c - 2\*a\*b\*d)) - ((B\*c - A\*d)\*(a^2\*d^2\*(n + 2) + b^2\*(c^2 + d^2\*(n + 1))) + 2\*a\*b\*d\*(A\*c\*d\*(n + 2) - B\*(c^2 + d^2\*(n + 1)))\*Sin[e + f\*x] - b^2\*B\*d\*(n + 1)\*(c^2 - d^2)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]



Rule 3767

`Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]`

Rule 8

`Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]`

Rule 3770

`Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]`

Rubi steps

$$\begin{aligned}
 \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^4(c + dx) dx &= \frac{a^2 A \sec^2(c + dx) \tan(c + dx)}{3d} - \frac{1}{3} \int (-3a(2Ab + aB) - ( \\
 &= \frac{a(2Ab + aB) \sec(c + dx) \tan(c + dx)}{2d} + \frac{a^2 A \sec^2(c + dx)}{3d} \\
 &= \frac{a(2Ab + aB) \sec(c + dx) \tan(c + dx)}{2d} + \frac{a^2 A \sec^2(c + dx)}{3d} \\
 &= \frac{(2aAb + a^2B + 2b^2B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a(2Ab + aB)}{3d} \\
 &= \frac{(2aAb + a^2B + 2b^2B) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{(2a^2A + 3a(2Ab + aB))}{6d}
 \end{aligned}$$

**Mathematica [A]** time = 0.450794, size = 92, normalized size = 0.79

$$\frac{3(a^2B + 2aAb + 2b^2B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (2(a^2A \tan^2(c + dx) + 3a^2A + 6abB + 3Ab^2) + 3a(aB + 2a^2A))}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out] (3\*(2\*a\*A\*b + a^2\*B + 2\*b^2\*B)\*ArcTanh[Sin[c + d\*x]] + Tan[c + d\*x]\*(3\*a\*(2\*a\*B + a\*B)\*Sec[c + d\*x] + 2\*(3\*a^2\*A + 3\*A\*b^2 + 6\*a\*b\*B + a^2\*A\*Tan[c + d\*x]^2)))/(6\*d)

**Maple [A]** time = 0.083, size = 174, normalized size = 1.5

$$\frac{2a^2A \tan(dx + c)}{3d} + \frac{a^2A (\sec(dx + c))^2 \tan(dx + c)}{3d} + \frac{Ba^2 \sec(dx + c) \tan(dx + c)}{2d} + \frac{Ba^2 \ln(\sec(dx + c) + \tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x)

[Out] 2/3\*a^2\*A\*tan(d\*x+c)/d+1/3\*a^2\*A\*sec(d\*x+c)^2\*tan(d\*x+c)/d+1/2/d\*B\*a^2\*sec(d\*x+c)\*tan(d\*x+c)+1/2/d\*B\*a^2\*ln(sec(d\*x+c)+tan(d\*x+c))+1/d\*A\*a\*b\*sec(d\*x+c)\*tan(d\*x+c)+1/d\*A\*a\*b\*ln(sec(d\*x+c)+tan(d\*x+c))+2/d\*B\*a\*b\*tan(d\*x+c)+1/d\*A

$*b^2*\tan(dx+c)+1/d*b^2*B*\ln(\sec(dx+c)+\tan(dx+c))$

**Maxima [A]** time = 1.05812, size = 232, normalized size = 2.

$$4\left(\tan(dx+c)^3+3\tan(dx+c)\right)Aa^2-3Ba^2\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1}-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1)\right)-6Aab\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1}-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^2\*(A+B\*cos(dx+c))\*sec(dx+c)^4,x, algorithm="maxima")

[Out] 1/12\*(4\*(tan(dx+c)^3+3\*tan(dx+c))\*A\*a^2-3\*B\*a^2\*(2\*sin(dx+c)/(sin(dx+c)^2-1)-log(sin(dx+c)+1)+log(sin(dx+c)-1))-6\*A\*a\*b\*(2\*sin(dx+c)/(sin(dx+c)^2-1)-log(sin(dx+c)+1)+log(sin(dx+c)-1))+6\*B\*b^2\*(log(sin(dx+c)+1)-log(sin(dx+c)-1))+24\*B\*a\*b\*tan(dx+c)+12\*A\*b^2\*tan(dx+c))/d

**Fricas [A]** time = 1.45872, size = 371, normalized size = 3.2

$$\frac{3\left(Ba^2+2Aab+2Bb^2\right)\cos(dx+c)^3\log(\sin(dx+c)+1)-3\left(Ba^2+2Aab+2Bb^2\right)\cos(dx+c)^3\log(-\sin(dx+c)+1)}{12d\cos(dx+c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^2\*(A+B\*cos(dx+c))\*sec(dx+c)^4,x, algorithm="fricas")

[Out] 1/12\*(3\*(B\*a^2+2\*A\*a\*b+2\*B\*b^2)\*cos(dx+c)^3\*log(sin(dx+c)+1)-3\*(B\*a^2+2\*A\*a\*b+2\*B\*b^2)\*cos(dx+c)^3\*log(-sin(dx+c)+1)+2\*(2\*A\*a^2+2\*(2\*A\*a^2+6\*B\*a\*b+3\*A\*b^2)\*cos(dx+c)^2+3\*(B\*a^2+2\*A\*a\*b)\*cos(dx+c))\*sin(dx+c))/(d\*cos(dx+c)^3)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^2\*(A+B\*cos(dx+c))\*sec(dx+c)\*\*4,x)

[Out] Timed out

**Giac [B]** time = 1.49652, size = 397, normalized size = 3.42

$$3\left(Ba^2+2Aab+2Bb^2\right)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)-3\left(Ba^2+2Aab+2Bb^2\right)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)-\frac{2\left(6Aa^2\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+6Aab+6Bb^2\right)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="giac")

[Out]  $\frac{1}{6} \cdot (3 \cdot (B \cdot a^2 + 2 \cdot A \cdot a \cdot b + 2 \cdot B \cdot b^2) \cdot \log(\tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) + 1)) - 3 \cdot (B \cdot a^2 + 2 \cdot A \cdot a \cdot b + 2 \cdot B \cdot b^2) \cdot \log(\tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) - 1)) - 2 \cdot (6 \cdot A \cdot a^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 3 \cdot B \cdot a^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 6 \cdot A \cdot a \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 + 12 \cdot B \cdot a \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 + 6 \cdot A \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^5 - 4 \cdot A \cdot a^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 - 24 \cdot B \cdot a \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 - 12 \cdot A \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^3 + 6 \cdot A \cdot a^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) + 3 \cdot B \cdot a^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) + 6 \cdot A \cdot a \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) + 12 \cdot B \cdot a \cdot b \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c) + 6 \cdot A \cdot b^2 \cdot \tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)) / (\tan(\frac{1}{2} \cdot d \cdot x + \frac{1}{2} \cdot c)^2 - 1)^3 / d$

### 3.230 $\int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^5(c + dx) dx$

**Optimal.** Leaf size=156

$$\frac{(2a^2B + 4aAb + 3b^2B) \tan(c + dx)}{3d} + \frac{(3a^2A + 8abB + 4Ab^2) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(3a^2A + 8abB + 4Ab^2) \tan(c + dx)}{8d}$$

[Out]  $((3a^2A + 4Ab^2 + 8aAb) \operatorname{ArcTanh}[\sin(c + dx)]) / (8d) + ((4aAb + 2a^2B + 3b^2B) \tan(c + dx)) / (3d) + ((3a^2A + 4Ab^2 + 8aAb) \sec(c + dx) \tan(c + dx)) / (8d) + (a(2Ab + aB) \sec(c + dx)^2 \tan(c + dx)) / (3d) + (a^2A \sec(c + dx)^3 \tan(c + dx)) / (4d)$

**Rubi [A]** time = 0.293472, antiderivative size = 156, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2988, 3021, 2748, 3768, 3770, 3767, 8}

$$\frac{(2a^2B + 4aAb + 3b^2B) \tan(c + dx)}{3d} + \frac{(3a^2A + 8abB + 4Ab^2) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(3a^2A + 8abB + 4Ab^2) \tan(c + dx)}{8d}$$

Antiderivative was successfully verified.

[In]  $\int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^5(c + dx) dx$

[Out]  $((3a^2A + 4Ab^2 + 8aAb) \operatorname{ArcTanh}[\sin(c + dx)]) / (8d) + ((4aAb + 2a^2B + 3b^2B) \tan(c + dx)) / (3d) + ((3a^2A + 4Ab^2 + 8aAb) \sec(c + dx) \tan(c + dx)) / (8d) + (a(2Ab + aB) \sec(c + dx)^2 \tan(c + dx)) / (3d) + (a^2A \sec(c + dx)^3 \tan(c + dx)) / (4d)$

#### Rule 2988

$\operatorname{Int}[(a + b \sin(e + f x))^2 (A + B \sin(e + f x) + (f x) \sin(e + f x))]^n, x_{\text{Symbol}}] \rightarrow \operatorname{Simp}[(Bc - Ad)(bc - ad)^2 \cos[e + fx] (c + d \sin[e + fx])^{n+1}] / (fd^{2(n+1)}(c^2 - d^2)), x] - \operatorname{Dist}[1/(d^{2(n+1)}(c^2 - d^2)), \operatorname{Int}[(c + d \sin[e + fx])^{n+1} \operatorname{Simp}[d(n+1)(B(bc - ad)^2 - A(ad^2c + b^2c - 2abd)) - (Bc - Ad)(a^2d^{2(n+2)} + b^2(c^2 + d^2(n+1))) + 2abd(Acd(n+2) - B(c^2 + d^2(n+1))) \sin[e + fx] - b^2Bd(n+1)(c^2 - d^2) \sin[e + fx]^2, x], x], x] /; \operatorname{FreeQ}\{a, b, c, d, e, f, A, B, x\} \&\& \operatorname{NeQ}[bc - ad, 0] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{LtQ}[n, -1]$

#### Rule 3021

$\operatorname{Int}[(a + b \sin(e + f x))^m (A + B \sin(e + f x) + (f x) \sin(e + f x)) + C \sin(e + f x)^2, x_{\text{Symbol}}] \rightarrow -\operatorname{Simp}[(Ab^2 - aBb + a^2C) \cos[e + fx] (a + b \sin[e + fx])^{m+1}] / (bf(m+1)(a^2 - b^2)), x] + \operatorname{Dist}[1/(b(m+1)(a^2 - b^2)), \operatorname{Int}[(a + b \sin[e + fx])^{m+1} \operatorname{Simp}[b(aA - bB + aC)(m+1) - (Ab^2 - aBb + a^2C + b(Ab - aB + bC))(m+1) \sin[e + fx], x], x], x] /; \operatorname{FreeQ}\{a, b, e, f, A, B, C, x\} \&\& \operatorname{LtQ}[m, -1] \&\& \operatorname{NeQ}[a^2 - b^2, 0]$

#### Rule 2748

$\operatorname{Int}[(b \sin(e + f x))^m (c + d \sin(e + f x) + (f x) \sin(e + f x)), x_{\text{Symbol}}] \rightarrow \operatorname{Dist}[c, \operatorname{Int}[(b \sin[e + fx])^m, x], x] + \operatorname{Dist}[d/b, \operatorname{Int}[($

$b \sin[e + f x]^{m+1}, x, x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

### Rule 3768

$\text{Int}[(\text{csc}[c + d x] + (d x) \text{csc}[c + d x])^n, x\_Symbol] :> -\text{Simp}[(b \cos[c + d x] \text{csc}[c + d x]^{n-1}) / (d (n-1)), x] + \text{Dist}[(b^2 (n-2)) / (n-1), \text{Int}[(b \text{csc}[c + d x])^{n-2}, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2 n]$

### Rule 3770

$\text{Int}[\text{csc}[c + d x] \text{ArcTanh}[\cos[c + d x]], x\_Symbol] :> -\text{Simp}[\text{ArcTanh}[\cos[c + d x]] / d, x] /; \text{FreeQ}\{c, d\}, x]$

### Rule 3767

$\text{Int}[\text{csc}[c + d x] \text{ArcTanh}[\cos[c + d x]]^n, x\_Symbol] :> -\text{Dist}[d^{-1}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{n/2 - 1}, x], x], x, \text{Cot}[c + d x]], x] /; \text{FreeQ}\{c, d\}, x] \&\& \text{IGtQ}[n/2, 0]$

### Rule 8

$\text{Int}[a x, x\_Symbol] :> \text{Simp}[a x, x] /; \text{FreeQ}[a, x]$

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \frac{a^2 A \sec^3(c + dx) \tan(c + dx)}{4d} - \frac{1}{4} \int (-4a(2Ab + aB) - (2a^2A + 4abB + 4Ab^2) \sec^2(c + dx) \tan(c + dx)) \sec^3(c + dx) dx \\ &= \frac{a(2Ab + aB) \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{a^2 A \sec^3(c + dx)}{4d} \\ &= \frac{a(2Ab + aB) \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{a^2 A \sec^3(c + dx)}{4d} \\ &= \frac{(3a^2 A + 4Ab^2 + 8abB) \sec(c + dx) \tan(c + dx)}{8d} + \frac{a(2Ab + aB) \sec^2(c + dx) \tan(c + dx)}{3d} \\ &= \frac{(3a^2 A + 4Ab^2 + 8abB) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(4aAb + a^2 A) \sec^2(c + dx) \tan(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.693543, size = 120, normalized size = 0.77

$$\frac{3(3a^2 A + 8abB + 4Ab^2) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (3(3a^2 A + 8abB + 4Ab^2) \sec(c + dx) + 24(a^2 B + 2aAb))}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b Cos[c + d x])^2 (A + B Cos[c + d x]) Sec[c + d x]^5, x]

[Out] (3\*(3\*a^2\*A + 4\*A\*b^2 + 8\*a\*b\*B)\*ArcTanh[Sin[c + d\*x]] + Tan[c + d\*x]\*(24\*(2\*a\*A\*b + a^2\*B + b^2\*B) + 3\*(3\*a^2\*A + 4\*A\*b^2 + 8\*a\*b\*B)\*Sec[c + d\*x] + 6\*a^2\*A\*Sec[c + d\*x]^3 + 8\*a\*(2\*A\*b + a\*B)\*Tan[c + d\*x]^2))/(24\*d)

**Maple [A]** time = 0.084, size = 241, normalized size = 1.5

$$\frac{a^2 A (\sec(dx + c))^3 \tan(dx + c)}{4d} + \frac{3 a^2 A \sec(dx + c) \tan(dx + c)}{8d} + \frac{3 a^2 A \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{2 B a^2 \tan(dx + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^5,x)`

[Out]  $\frac{1}{4}a^2A\sec(d*x+c)^3\tan(d*x+c)/d + \frac{3}{8}a^2A\sec(d*x+c)\tan(d*x+c)/d + \frac{3}{8}d*a^2*A*\ln(\sec(d*x+c)+\tan(d*x+c)) + \frac{2}{3}d*B*a^2*\tan(d*x+c) + \frac{1}{3}d*B*a^2*\tan(d*x+c)*\sec(d*x+c)^2 + \frac{4}{3}d*A*a*b*\tan(d*x+c) + \frac{2}{3}d*A*a*b*\tan(d*x+c)*\sec(d*x+c)^2 + \frac{1}{d}B*a*b*\tan(d*x+c)*\sec(d*x+c) + \frac{1}{d}B*a*b*\ln(\sec(d*x+c)+\tan(d*x+c)) + \frac{1}{2}d*A*b^2*\tan(d*x+c)*\sec(d*x+c) + \frac{1}{2}d*A*b^2*\ln(\sec(d*x+c)+\tan(d*x+c)) + \frac{1}{d}b^2*B*\tan(d*x+c)$

**Maxima [A]** time = 1.10652, size = 308, normalized size = 1.97

$16(\tan(dx+c)^3 + 3\tan(dx+c))Ba^2 + 32(\tan(dx+c)^3 + 3\tan(dx+c))Aab - 3Aa^2\left(\frac{2(3\sin(dx+c)^3 - 5\sin(dx+c))}{\sin(dx+c)^4 - 2\sin(dx+c)^2 + 1} - 3\log\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="maxima")`

[Out]  $\frac{1}{48}(16(\tan(d*x+c)^3 + 3\tan(d*x+c))*B*a^2 + 32(\tan(d*x+c)^3 + 3\tan(d*x+c))*A*a*b - 3A*a^2*(2*(3*\sin(d*x+c)^3 - 5*\sin(d*x+c))/(\sin(d*x+c)^4 - 2*\sin(d*x+c)^2 + 1) - 3*\log(\sin(d*x+c) + 1) + 3*\log(\sin(d*x+c) - 1)) - 24*B*a*b*(2*\sin(d*x+c)/(\sin(d*x+c)^2 - 1) - \log(\sin(d*x+c) + 1) + \log(\sin(d*x+c) - 1)) - 12*A*b^2*(2*\sin(d*x+c)/(\sin(d*x+c)^2 - 1) - \log(\sin(d*x+c) + 1) + \log(\sin(d*x+c) - 1)) + 48*B*b^2*\tan(d*x+c))/d$

**Fricas [A]** time = 1.47, size = 443, normalized size = 2.84

$3(3Aa^2 + 8Bab + 4Ab^2)\cos(dx+c)^4\log(\sin(dx+c)+1) - 3(3Aa^2 + 8Bab + 4Ab^2)\cos(dx+c)^4\log(-\sin(dx+c)+1)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="fricas")`

[Out]  $\frac{1}{48}(3*(3*A*a^2 + 8*B*a*b + 4*A*b^2)*\cos(d*x+c)^4*\log(\sin(d*x+c)+1) - 3*(3*A*a^2 + 8*B*a*b + 4*A*b^2)*\cos(d*x+c)^4*\log(-\sin(d*x+c)+1) + 2*(8*(2*B*a^2 + 4*A*a*b + 3*B*b^2)*\cos(d*x+c)^3 + 6*A*a^2 + 3*(3*A*a^2 + 8*B*a*b + 4*A*b^2)*\cos(d*x+c)^2 + 8*(B*a^2 + 2*A*a*b)*\cos(d*x+c))*\sin(d*x+c))/d$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**2*(A+B*cos(d*x+c))*sec(d*x+c)**5,x)
```

```
[Out] Timed out
```

**Giac [B]** time = 1.49832, size = 645, normalized size = 4.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="giac")
```

```
[Out] 1/24*(3*(3*A*a^2 + 8*B*a*b + 4*A*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) -
3*(3*A*a^2 + 8*B*a*b + 4*A*b^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 2*(15*
A*a^2*tan(1/2*d*x + 1/2*c)^7 - 24*B*a^2*tan(1/2*d*x + 1/2*c)^7 - 48*A*a*b*t
an(1/2*d*x + 1/2*c)^7 + 24*B*a*b*tan(1/2*d*x + 1/2*c)^7 + 12*A*b^2*tan(1/2*
d*x + 1/2*c)^7 - 24*B*b^2*tan(1/2*d*x + 1/2*c)^7 + 9*A*a^2*tan(1/2*d*x + 1/
2*c)^5 + 40*B*a^2*tan(1/2*d*x + 1/2*c)^5 + 80*A*a*b*tan(1/2*d*x + 1/2*c)^5
- 24*B*a*b*tan(1/2*d*x + 1/2*c)^5 - 12*A*b^2*tan(1/2*d*x + 1/2*c)^5 + 72*B*
b^2*tan(1/2*d*x + 1/2*c)^5 + 9*A*a^2*tan(1/2*d*x + 1/2*c)^3 - 40*B*a^2*tan(
1/2*d*x + 1/2*c)^3 - 80*A*a*b*tan(1/2*d*x + 1/2*c)^3 - 24*B*a*b*tan(1/2*d*x
+ 1/2*c)^3 - 12*A*b^2*tan(1/2*d*x + 1/2*c)^3 - 72*B*b^2*tan(1/2*d*x + 1/2*
c)^3 + 15*A*a^2*tan(1/2*d*x + 1/2*c) + 24*B*a^2*tan(1/2*d*x + 1/2*c) + 48*A
*a*b*tan(1/2*d*x + 1/2*c) + 24*B*a*b*tan(1/2*d*x + 1/2*c) + 12*A*b^2*tan(1/
2*d*x + 1/2*c) + 24*B*b^2*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1
)^4/d
```

### 3.231 $\int \cos^2(c + dx)(a + b \cos(c + dx))^3(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=269

$$\frac{(15a^2Ab + 5a^3B + 12ab^2B + 4Ab^3) \sin^3(c + dx)}{15d} + \frac{(15a^2Ab + 5a^3B + 12ab^2B + 4Ab^3) \sin(c + dx)}{5d} + \frac{b(14a^2B + 18aAb^2 + 5a^3B)}{5d}$$

[Out]  $((8a^3A + 18a^2Ab + 18a^2bB + 5b^3B)x)/16 + ((15a^2Ab + 4a^3B + 5a^3B + 12ab^2B) \sin^3(c + dx))/(5d) + ((8a^3A + 18a^2Ab + 18a^2bB + 5b^3B) \cos(c + dx) \sin(c + dx))/(16d) + (b(18a^2Ab + 14a^2bB + 5b^2B) \cos^3(c + dx) \sin(c + dx))/(24d) + (b^2(3Ab + 4aB) \cos^4(c + dx) \sin(c + dx))/(15d) + (bB \cos^3(c + dx) (a + b \cos(c + dx))^2 \sin(c + dx))/(6d) - ((15a^2Ab + 4a^3B + 5a^3B + 12ab^2B) \sin^3(c + dx))/(15d)$

**Rubi [A]** time = 0.507479, antiderivative size = 269, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2990, 3033, 3023, 2748, 2635, 8, 2633}

$$\frac{(15a^2Ab + 5a^3B + 12ab^2B + 4Ab^3) \sin^3(c + dx)}{15d} + \frac{(15a^2Ab + 5a^3B + 12ab^2B + 4Ab^3) \sin(c + dx)}{5d} + \frac{b(14a^2B + 18aAb^2 + 5a^3B)}{5d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\cos^2(c + dx)(a + b \cos(c + dx))^3(A + B \cos(c + dx)), x]$

[Out]  $((8a^3A + 18a^2Ab + 18a^2bB + 5b^3B)x)/16 + ((15a^2Ab + 4a^3B + 5a^3B + 12ab^2B) \sin^3(c + dx))/(5d) + ((8a^3A + 18a^2Ab + 18a^2bB + 5b^3B) \cos(c + dx) \sin(c + dx))/(16d) + (b(18a^2Ab + 14a^2bB + 5b^2B) \cos^3(c + dx) \sin(c + dx))/(24d) + (b^2(3Ab + 4aB) \cos^4(c + dx) \sin(c + dx))/(15d) + (bB \cos^3(c + dx) (a + b \cos(c + dx))^2 \sin(c + dx))/(6d) - ((15a^2Ab + 4a^3B + 5a^3B + 12ab^2B) \sin^3(c + dx))/(15d)$

#### Rule 2990

$\text{Int}[(a + b \sin(e + f x))^m ((c + d \sin(e + f x))^n), x] \text{Symbol} \rightarrow -\text{Simp}[(bB \cos[e + f x] (a + b \sin[e + f x])^{m-1} (c + d \sin[e + f x])^n) / (d f (m + n + 1)), x] + \text{Dist}[1 / (d (m + n + 1)), \text{Int}[(a + b \sin[e + f x])^{m-2} (c + d \sin[e + f x])^n \text{Simp}[a^2 A d (m + n + 1) + b B (b c (m - 1) + a d (n + 1)) + (a d (2 A b + a B) (m + n + 1) - b B (a c - b d (m + n))] \sin[e + f x] + b (A b d (m + n + 1) - B (b c m - a d (2 m + n))] \sin[e + f x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b c - a d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& !( \text{IGtQ}[n, 1] \&\& ( ! \text{IntegerQ}[m] || (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0]) ) )$

#### Rule 3033

$\text{Int}[(a + b \sin(e + f x))^m ((c + d \sin(e + f x))^n + (C + D \sin(e + f x))^2), x] \text{Symbol} \rightarrow -\text{Simp}[(C d \cos[e + f x] \sin[e + f x] (a + b \sin[e + f x])^{m+1}) / (b f (m + 3)), x] + \text{Dist}[1 / (b (m + 3)), \text{Int}[(a + b \sin[e + f x])^m \text{Simp}[a C d + A b c (m + 3) + b (B c (m + 3) + d (C (m + 2) + A (m + 3))) \sin[e + f x] - (2 a C d - b (c C + B d) (m + 3)) \sin[e + f x]^2, x]$



], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_.)])^(n\_.), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_.)]^(n\_.), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[(n - 1)/2, 0]

### Rubi steps

$$\begin{aligned}
 \int \cos^2(c + dx)(a + b \cos(c + dx))^3(A + B \cos(c + dx)) dx &= \frac{bB \cos^3(c + dx)(a + b \cos(c + dx))^2 \sin(c + dx)}{6d} + \frac{1}{6} \int \cos^2(c + dx)(a + b \cos(c + dx))^3(A + B \cos(c + dx)) dx \\
 &= \frac{b^2(3Ab + 4aB) \cos^4(c + dx) \sin(c + dx)}{15d} + \frac{bB \cos^3(c + dx) \sin(c + dx)}{6d} \\
 &= \frac{b(18aAb + 14a^2B + 5b^2B) \cos^3(c + dx) \sin(c + dx)}{24d} + \frac{b^2 \cos^3(c + dx) \sin(c + dx)}{6d} \\
 &= \frac{b(18aAb + 14a^2B + 5b^2B) \cos^3(c + dx) \sin(c + dx)}{24d} + \frac{b^2 \cos^3(c + dx) \sin(c + dx)}{6d} \\
 &= \frac{(8a^3A + 18aAb^2 + 18a^2bB + 5b^3B) \cos(c + dx) \sin(c + dx)}{16d} \\
 &= \frac{1}{16} (8a^3A + 18aAb^2 + 18a^2bB + 5b^3B) x + \frac{(15a^2Ab + 4a^2B + 4aAb^2 + 4a^2B) \sin(2(c + dx))}{16}
 \end{aligned}$$

**Mathematica [A]** time = 0.653479, size = 289, normalized size = 1.07

$$\frac{120(18a^2Ab + 6a^3B + 15ab^2B + 5Ab^3) \sin(c + dx) + 15(16a^3A + 48a^2bB + 48aAb^2 + 15b^3B) \sin(2(c + dx)) + 240a^2B \cos(2(c + dx))}{16}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + b\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x]),x]

[Out] (480\*a^3\*A\*c + 1080\*a\*A\*b^2\*c + 1080\*a^2\*b\*B\*c + 300\*b^3\*B\*c + 480\*a^3\*A\*d\*x + 1080\*a\*A\*b^2\*d\*x + 1080\*a^2\*b\*B\*d\*x + 300\*b^3\*B\*d\*x + 120\*(18\*a^2\*A\*b + 5\*A\*b^3 + 6\*a^3\*B + 15\*a\*b^2\*B)\*Sin[c + d\*x] + 15\*(16\*a^3\*A + 48\*a\*A\*b^2 + 48\*a^2\*b\*B + 15\*b^3\*B)\*Sin[2\*(c + d\*x)] + 240\*a^2\*A\*b\*Ssin[3\*(c + d\*x)] + 100\*A\*b^3\*Ssin[3\*(c + d\*x)] + 80\*a^3\*B\*Ssin[3\*(c + d\*x)] + 300\*a\*b^2\*B\*Ssin[3\*(c + d\*x)] + 90\*a\*A\*b^2\*Ssin[4\*(c + d\*x)] + 90\*a^2\*b\*B\*Ssin[4\*(c + d\*x)] + 45\*b^3\*B\*Ssin[4\*(c + d\*x)] + 12\*A\*b^3\*Ssin[5\*(c + d\*x)] + 36\*a\*b^2\*B\*Ssin[5\*(c + d\*x)] + 5\*b^3\*B\*Ssin[6\*(c + d\*x)])/(960\*d)

**Maple [A]** time = 0.052, size = 270, normalized size = 1.

$$\frac{1}{d} \left( Aa^3 \left( \frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + \frac{a^3 B (2 + (\cos(dx+c))^2) \sin(dx+c)}{3} + Aa^2 b (2 + (\cos(dx+c))^2) \sin(dx+c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x)

[Out] 1/d\*(A\*a^3\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+1/3\*a^3\*B\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+A\*a^2\*b\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+3\*a^2\*b\*B\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+3\*A\*a\*b^2\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+3/5\*B\*a\*b^2\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)+1/5\*A\*b^3\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)+B\*b^3\*(1/6\*(cos(d\*x+c)^5+5/4\*cos(d\*x+c)^3+15/8\*cos(d\*x+c))\*sin(d\*x+c)+5/16\*d\*x+5/16\*c))

**Maxima [A]** time = 1.00011, size = 359, normalized size = 1.33

$$240(2dx + 2c + \sin(2dx + 2c))Aa^3 - 320(\sin(dx + c)^3 - 3\sin(dx + c))Ba^3 - 960(\sin(dx + c)^3 - 3\sin(dx + c))Aa^2b$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/960\*(240\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*A\*a^3 - 320\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*B\*a^3 - 960\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*A\*a^2\*b + 90\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*B\*a^2\*b + 90\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*A\*a\*b^2 + 192\*(3\*sin(d\*x + c)^5 - 10\*sin(d\*x + c)^3 + 15\*sin(d\*x + c))\*B\*a\*b^2 + 64\*(3\*sin(d\*x + c)^5 - 10\*sin(d\*x + c)^3 + 15\*sin(d\*x + c))\*A\*b^3 - 5\*(4\*sin(2\*d\*x + 2\*c)^3 - 60\*d\*x - 60\*c - 9\*sin(4\*d\*x + 4\*c) - 48\*sin(2\*d\*x + 2\*c))\*B\*b^3)/d

**Fricas [A]** time = 1.58892, size = 517, normalized size = 1.92

$$15(8Aa^3 + 18Ba^2b + 18Aab^2 + 5Bb^3)dx + (40Bb^3 \cos(dx + c)^5 + 48(3Bab^2 + Ab^3) \cos(dx + c)^4 + 160Ba^3 + 480Aa^2b)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out]  $\frac{1}{240}*(15*(8*A*a^3 + 18*B*a^2*b + 18*A*a*b^2 + 5*B*b^3)*d*x + (40*B*b^3*\cos(d*x + c)^5 + 48*(3*B*a*b^2 + A*b^3)*\cos(d*x + c)^4 + 160*B*a^3 + 480*A*a^2*b + 384*B*a*b^2 + 128*A*b^3 + 10*(18*B*a^2*b + 18*A*a*b^2 + 5*B*b^3)*\cos(d*x + c)^3 + 16*(5*B*a^3 + 15*A*a^2*b + 12*B*a*b^2 + 4*A*b^3)*\cos(d*x + c)^2 + 15*(8*A*a^3 + 18*B*a^2*b + 18*A*a*b^2 + 5*B*b^3)*\cos(d*x + c))*\sin(d*x + c))/d$

**Sympy [A]** time = 7.0304, size = 721, normalized size = 2.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(a+b\*cos(d\*x+c))\*\*3\*(A+B\*cos(d\*x+c)),x)

[Out] Piecewise((A\*a\*\*3\*x\*sin(c + d\*x)\*\*2/2 + A\*a\*\*3\*x\*cos(c + d\*x)\*\*2/2 + A\*a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + 2\*A\*a\*\*2\*b\*sin(c + d\*x)\*\*3/d + 3\*A\*a\*\*2\*b\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + 9\*A\*a\*b\*\*2\*x\*sin(c + d\*x)\*\*4/8 + 9\*A\*a\*b\*\*2\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + 9\*A\*a\*b\*\*2\*x\*cos(c + d\*x)\*\*4/8 + 9\*A\*a\*b\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + 15\*A\*a\*b\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d) + 8\*A\*b\*\*3\*sin(c + d\*x)\*\*5/(15\*d) + 4\*A\*b\*\*3\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*2/(3\*d) + A\*b\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*4/d + 2\*B\*a\*\*3\*sin(c + d\*x)\*\*3/(3\*d) + B\*a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + 9\*B\*a\*\*2\*b\*x\*sin(c + d\*x)\*\*4/8 + 9\*B\*a\*\*2\*b\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + 9\*B\*a\*\*2\*b\*x\*cos(c + d\*x)\*\*4/8 + 9\*B\*a\*\*2\*b\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + 15\*B\*a\*\*2\*b\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d) + 8\*B\*a\*b\*\*2\*sin(c + d\*x)\*\*5/(5\*d) + 4\*B\*a\*b\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*2/d + 3\*B\*a\*b\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*4/d + 5\*B\*b\*\*3\*x\*sin(c + d\*x)\*\*6/16 + 15\*B\*b\*\*3\*x\*sin(c + d\*x)\*\*4\*cos(c + d\*x)\*\*2/16 + 15\*B\*b\*\*3\*x\*cos(c + d\*x)\*\*6/16 + 5\*B\*b\*\*3\*sin(c + d\*x)\*\*5\*cos(c + d\*x)/(16\*d) + 5\*B\*b\*\*3\*sin(c + d\*x)\*\*3\*cos(c + d\*x)\*\*3/(6\*d) + 11\*B\*b\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*5/(16\*d), Ne(d, 0)), (x\*(A + B\*cos(c))\*(a + b\*cos(c))\*\*3\*cos(c)\*\*2, True))

**Giac [A]** time = 1.30493, size = 311, normalized size = 1.16

$$\frac{Bb^3 \sin(6dx + 6c)}{192d} + \frac{1}{16} (8Aa^3 + 18Ba^2b + 18Aab^2 + 5Bb^3)x + \frac{(3Bab^2 + Ab^3) \sin(5dx + 5c)}{80d} + \frac{3(2Ba^2b + 2Aa^2b^2 + 2Aab^2 + Bb^3) \sin(4dx + 4c)}{64d} + \frac{1}{48} (4B*a^3 + 12*A*a^2*b + 15*B*a*b^2 + 5*A*b^3) \sin(3dx + 3c)/d + \frac{1}{64} (16*A*a^3 + 48*B*a^2*b + 48*A*a*b^2 + 15*B*b^3) \sin(2dx + 2c)/d + \frac{1}{8} (6*B*a^3 + 18*A*a^2*b + 15*B*a*b^2 + 5*A*b^3) \sin(dx + c)/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out]  $\frac{1}{192}B*b^3*\sin(6*d*x + 6*c)/d + \frac{1}{16}*(8*A*a^3 + 18*B*a^2*b + 18*A*a*b^2 + 5*B*b^3)*x + \frac{1}{80}*(3*B*a*b^2 + A*b^3)*\sin(5*d*x + 5*c)/d + \frac{3}{64}*(2*B*a^2*b + 2*A*a*b^2 + B*b^3)*\sin(4*d*x + 4*c)/d + \frac{1}{48}*(4*B*a^3 + 12*A*a^2*b + 15*B*a*b^2 + 5*A*b^3)*\sin(3*d*x + 3*c)/d + \frac{1}{64}*(16*A*a^3 + 48*B*a^2*b + 48*A*a*b^2 + 15*B*b^3)*\sin(2*d*x + 2*c)/d + \frac{1}{8}*(6*B*a^3 + 18*A*a^2*b + 15*B*a*b^2 + 5*A*b^3)*\sin(d*x + c)/d$

$$3.232 \quad \int \cos(c + dx)(a + b \cos(c + dx))^3(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=243

$$\frac{(15a^3Ab + 52a^2b^2B - 3a^4B + 60aAb^3 + 16b^4B) \sin(c + dx)}{30bd} + \frac{(-3a^2B + 15aAb + 16b^2B) \sin(c + dx)(a + b \cos(c + dx))^2}{60bd}$$

[Out] ((12\*a^2\*A\*b + 3\*A\*b^3 + 4\*a^3\*B + 9\*a\*b^2\*B)\*x)/8 + ((15\*a^3\*A\*b + 60\*a\*A\*b^3 - 3\*a^4\*B + 52\*a^2\*b^2\*B + 16\*b^4\*B)\*Sin[c + d\*x])/(30\*b\*d) + ((30\*a^2\*A\*b + 45\*A\*b^3 - 6\*a^3\*B + 71\*a\*b^2\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(120\*d) + ((15\*a\*A\*b - 3\*a^2\*B + 16\*b^2\*B)\*(a + b\*Cos[c + d\*x])^2\*SIN[c + d\*x])/(60\*b\*d) + ((5\*A\*b - a\*B)\*(a + b\*Cos[c + d\*x])^3\*SIN[c + d\*x])/(20\*b\*d) + (B\*(a + b\*Cos[c + d\*x])^4\*SIN[c + d\*x])/(5\*b\*d)

**Rubi [A]** time = 0.333154, antiderivative size = 243, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$ , Rules used = {2968, 3023, 2753, 2734}

$$\frac{(15a^3Ab + 52a^2b^2B - 3a^4B + 60aAb^3 + 16b^4B) \sin(c + dx)}{30bd} + \frac{(-3a^2B + 15aAb + 16b^2B) \sin(c + dx)(a + b \cos(c + dx))^2}{60bd}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x]), x]

[Out] ((12\*a^2\*A\*b + 3\*A\*b^3 + 4\*a^3\*B + 9\*a\*b^2\*B)\*x)/8 + ((15\*a^3\*A\*b + 60\*a\*A\*b^3 - 3\*a^4\*B + 52\*a^2\*b^2\*B + 16\*b^4\*B)\*Sin[c + d\*x])/(30\*b\*d) + ((30\*a^2\*A\*b + 45\*A\*b^3 - 6\*a^3\*B + 71\*a\*b^2\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(120\*d) + ((15\*a\*A\*b - 3\*a^2\*B + 16\*b^2\*B)\*(a + b\*Cos[c + d\*x])^2\*SIN[c + d\*x])/(60\*b\*d) + ((5\*A\*b - a\*B)\*(a + b\*Cos[c + d\*x])^3\*SIN[c + d\*x])/(20\*b\*d) + (B\*(a + b\*Cos[c + d\*x])^4\*SIN[c + d\*x])/(5\*b\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Int[(a + b\*SIN[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*SIN[e + f\*x] + B\*d\*SIN[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[(C\*COS[e + f\*x]\*(a + b\*SIN[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*SIN[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*SIN[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2753

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> -Simp[(d\*COS[e + f\*x]\*(a + b\*SIN[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b\*SIN[e + f\*x])^(m - 1)\*Simp[b\*d\*m + a\*c\*(m + 1) + (a\*d\*m + b\*c\*(m + 1))\*SIN[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]

&& IntegerQ[2\*m]

### Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*Cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

### Rubi steps

$$\begin{aligned} \int \cos(c + dx)(a + b \cos(c + dx))^3(A + B \cos(c + dx)) dx &= \int (a + b \cos(c + dx))^3 (A \cos(c + dx) + B \cos^2(c + dx)) dx \\ &= \frac{B(a + b \cos(c + dx))^4 \sin(c + dx)}{5bd} + \frac{\int (a + b \cos(c + dx))^3 dx}{5bd} \\ &= \frac{(5Ab - aB)(a + b \cos(c + dx))^3 \sin(c + dx)}{20bd} + \frac{B(a + b \cos(c + dx))^3}{5bd} \\ &= \frac{(15aAb - 3a^2B + 16b^2B)(a + b \cos(c + dx))^2 \sin(c + dx)}{60bd} \\ &= \frac{1}{8} (12a^2Ab + 3Ab^3 + 4a^3B + 9ab^2B) x + \frac{(15a^3Ab + 60aAb^2 + 12a^2Ab^2 + 3a^2b^2B + 12a^2b^2B + 5b^3B) \sin(3(c + dx)) + 60(8a^3A + 18a^2bB + 12a^2b^2B + 5b^3B) \sin(2(c + dx)) + 10b(12a^2B + 12aAb + 5b^2B) \sin(c + dx)}{480d} \end{aligned}$$

**Mathematica [A]** time = 0.671014, size = 176, normalized size = 0.72

$$\frac{60(c + dx)(12a^2Ab + 4a^3B + 9ab^2B + 3Ab^3) + 10b(12a^2B + 12aAb + 5b^2B) \sin(3(c + dx)) + 60(8a^3A + 18a^2bB + 12a^2b^2B + 5b^3B) \sin(2(c + dx)) + 10b(12a^2B + 12aAb + 5b^2B) \sin(c + dx)}{480d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x]),x]

[Out] (60\*(12\*a^2\*A\*b + 3\*A\*b^3 + 4\*a^3\*B + 9\*a\*b^2\*B)\*(c + d\*x) + 60\*(8\*a^3\*A + 18\*a\*A\*b^2 + 18\*a^2\*b\*B + 5\*b^3\*B)\*Sin[c + d\*x] + 120\*(3\*a^2\*A\*b + A\*b^3 + a^3\*B + 3\*a\*b^2\*B)\*Sin[2\*(c + d\*x)] + 10\*b\*(12\*a\*A\*b + 12\*a^2\*B + 5\*b^2\*B)\*Sin[3\*(c + d\*x)] + 15\*b^2\*(A\*b + 3\*a\*B)\*Sin[4\*(c + d\*x)] + 6\*b^3\*B\*Ssin[5\*(c + d\*x)])/(480\*d)

**Maple [A]** time = 0.125, size = 227, normalized size = 0.9

$$\frac{1}{d} \left( Aa^3 \sin(dx + c) + a^3B \left( \frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + 3Aa^2b \left( \frac{1}{2} \cos(dx + c) \sin(dx + c) + \frac{1}{2} dx + \frac{c}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x)

[Out] 1/d\*(A\*a^3\*sin(d\*x+c)+a^3\*B\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+3\*A\*a^2\*b\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+a^2\*b\*B\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+A\*a\*b^2\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+3\*B\*a\*b^2\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+A\*b^3\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+1/5\*B\*b^3\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)

---

**Maxima [A]** time = 1.11803, size = 293, normalized size = 1.21

$$\frac{120(2dx + 2c + \sin(2dx + 2c))Ba^3 + 360(2dx + 2c + \sin(2dx + 2c))Aa^2b - 480(\sin(dx + c)^3 - 3\sin(dx + c))Ba^2b}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] 1/480\*(120\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*B\*a^3 + 360\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*A\*a^2\*b - 480\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*B\*a^2\*b - 480\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*A\*a\*b^2 + 45\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*B\*a\*b^2 + 15\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*A\*b^3 + 32\*(3\*sin(d\*x + c)^5 - 10\*sin(d\*x + c)^3 + 15\*sin(d\*x + c))\*B\*b^3 + 480\*A\*a^3\*sin(d\*x + c))/d

---

**Fricas [A]** time = 1.5275, size = 423, normalized size = 1.74

$$\frac{15(4Ba^3 + 12Aa^2b + 9Bab^2 + 3Ab^3)dx + (24Bb^3 \cos(dx + c)^4 + 120Aa^3 + 240Ba^2b + 240Aab^2 + 64Bb^3 + 30(3Ba^3 + 12Aa^2b + 9Bab^2 + 3Ab^3)\cos(dx + c)^3 + 8(15Bb^3 \cos(dx + c)^2 + 15(4Ba^3 + 12Aa^2b + 9Bab^2 + 3Ab^3)\cos(dx + c))\sin(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/120\*(15\*(4\*B\*a^3 + 12\*A\*a^2\*b + 9\*B\*a\*b^2 + 3\*A\*b^3)\*d\*x + (24\*B\*b^3\*cos(d\*x + c)^4 + 120\*A\*a^3 + 240\*B\*a^2\*b + 240\*A\*a\*b^2 + 64\*B\*b^3 + 30\*(3\*B\*a\*b^2 + A\*b^3)\*cos(d\*x + c)^3 + 8\*(15\*B\*a^2\*b + 15\*A\*a\*b^2 + 4\*B\*b^3)\*cos(d\*x + c)^2 + 15\*(4\*B\*a^3 + 12\*A\*a^2\*b + 9\*B\*a\*b^2 + 3\*A\*b^3)\*cos(d\*x + c))\*sin(d\*x + c))/d

---

**Sympy [A]** time = 3.85204, size = 551, normalized size = 2.27

$$\left\{ \begin{array}{l} \frac{Aa^3 \sin(c+dx)}{d} + \frac{3Aa^2bx \sin^2(c+dx)}{2} + \frac{3Aa^2bx \cos^2(c+dx)}{2} + \frac{3Aa^2b \sin(c+dx) \cos(c+dx)}{2d} + \frac{2Aab^2 \sin^3(c+dx)}{d} + \frac{3Aab^2 \sin(c+dx) \cos^2(c+dx)}{d} + \frac{3Ab^3 \sin^3(c+dx)}{d} \\ x(A + B \cos(c))(a + b \cos(c))^3 \cos(c) \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x)

[Out] Piecewise((A\*a\*\*3\*sin(c + d\*x)/d + 3\*A\*a\*\*2\*b\*x\*sin(c + d\*x)\*\*2/2 + 3\*A\*a\*\*2\*b\*x\*cos(c + d\*x)\*\*2/2 + 3\*A\*a\*\*2\*b\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + 2\*A\*a\*b\*\*2\*sin(c + d\*x)\*\*3/d + 3\*A\*a\*b\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + 3\*A\*b\*\*3\*x\*sin(c + d\*x)\*\*4/8 + 3\*A\*b\*\*3\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + 3\*A\*b\*\*3\*x\*cos(c + d\*x)\*\*4/8 + 3\*A\*b\*\*3\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + 5\*A\*b\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d) + B\*a\*\*3\*x\*sin(c + d\*x)\*\*2/2 + B\*a\*\*3\*x\*cos(c + d\*x)\*\*2/2 + B\*a\*\*3\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + 2\*B\*a\*\*2\*b\*sin(c + d\*x)\*\*3/d + 3\*B\*a\*\*2\*b\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + 9\*B\*a\*b\*\*2\*x\*sin(c + d\*x)\*\*4/8 + 9\*B\*a\*b\*\*2\*x\*sin(c + d\*x)\*\*2\*cos(c + d\*x)\*\*2/4 + 9\*B\*a\*b\*\*2\*x\*cos(c + d\*x)\*\*4/8 + 9\*B\*a\*b\*\*2\*sin(c + d\*x)\*\*3\*cos(c + d\*x)

```
/(8*d) + 15*B*a*b**2*sin(c + d*x)*cos(c + d*x)**3/(8*d) + 8*B*b**3*sin(c +
d*x)**5/(15*d) + 4*B*b**3*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + B*b**3*si
n(c + d*x)*cos(c + d*x)**4/d, Ne(d, 0)), (x*(A + B*cos(c))*(a + b*cos(c))**
3*cos(c), True))
```

---

**Giac [A]** time = 1.34094, size = 254, normalized size = 1.05

$$\frac{Bb^3 \sin(5dx + 5c)}{80d} + \frac{1}{8} (4Ba^3 + 12Aa^2b + 9Bab^2 + 3Ab^3)x + \frac{(3Bab^2 + Ab^3) \sin(4dx + 4c)}{32d} + \frac{(12Ba^2b + 12Aab^2)}{32d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm="giac
")
```

```
[Out] 1/80*B*b^3*sin(5*d*x + 5*c)/d + 1/8*(4*B*a^3 + 12*A*a^2*b + 9*B*a*b^2 + 3*A
*b^3)*x + 1/32*(3*B*a*b^2 + A*b^3)*sin(4*d*x + 4*c)/d + 1/48*(12*B*a^2*b +
12*A*a*b^2 + 5*B*b^3)*sin(3*d*x + 3*c)/d + 1/4*(B*a^3 + 3*A*a^2*b + 3*B*a*b
^2 + A*b^3)*sin(2*d*x + 2*c)/d + 1/8*(8*A*a^3 + 18*B*a^2*b + 18*A*a*b^2 + 5
*B*b^3)*sin(d*x + c)/d
```

### 3.233 $\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=171

$$\frac{(16a^2Ab + 3a^3B + 12ab^2B + 4Ab^3) \sin(c + dx)}{6d} + \frac{b(6a^2B + 20aAb + 9b^2B) \sin(c + dx) \cos(c + dx)}{24d} + \frac{1}{8}x(8a^3A + 12a^2b$$

[Out] ((8\*a^3\*A + 12\*a\*A\*b^2 + 12\*a^2\*b\*B + 3\*b^3\*B)\*x)/8 + ((16\*a^2\*A\*b + 4\*A\*b^3 + 3\*a^3\*B + 12\*a\*b^2\*B)\*Sin[c + d\*x])/(6\*d) + (b\*(20\*a\*A\*b + 6\*a^2\*B + 9\*b^2\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(24\*d) + ((4\*A\*b + 3\*a\*B)\*(a + b\*Cos[c + d\*x])^2\*SIN[c + d\*x])/(12\*d) + (B\*(a + b\*Cos[c + d\*x])^3\*SIN[c + d\*x])/(4\*d)

**Rubi [A]** time = 0.196937, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {2753, 2734}

$$\frac{(16a^2Ab + 3a^3B + 12ab^2B + 4Ab^3) \sin(c + dx)}{6d} + \frac{b(6a^2B + 20aAb + 9b^2B) \sin(c + dx) \cos(c + dx)}{24d} + \frac{1}{8}x(8a^3A + 12a^2b$$

Antiderivative was successfully verified.

[In] Int[(a + b\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x]),x]

[Out] ((8\*a^3\*A + 12\*a\*A\*b^2 + 12\*a^2\*b\*B + 3\*b^3\*B)\*x)/8 + ((16\*a^2\*A\*b + 4\*A\*b^3 + 3\*a^3\*B + 12\*a\*b^2\*B)\*Sin[c + d\*x])/(6\*d) + (b\*(20\*a\*A\*b + 6\*a^2\*B + 9\*b^2\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(24\*d) + ((4\*A\*b + 3\*a\*B)\*(a + b\*Cos[c + d\*x])^2\*SIN[c + d\*x])/(12\*d) + (B\*(a + b\*Cos[c + d\*x])^3\*SIN[c + d\*x])/(4\*d)

#### Rule 2753

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*cos[e + f\*x]\*(a + b\*sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b\*sin[e + f\*x])^(m - 1)\*Simp[b\*d\*m + a\*c\*(m + 1) + (a\*d\*m + b\*c\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

#### Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)], x\_Symbol] :> Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[(b\*c + a\*d)\*Cos[e + f\*x]/f, x] - Simp[(b\*d\*cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) dx &= \frac{B(a + b \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{1}{4} \int (a + b \cos(c + dx))^2 (4aA + 3bB \\ &= \frac{(4Ab + 3aB)(a + b \cos(c + dx))^2 \sin(c + dx)}{12d} + \frac{B(a + b \cos(c + dx))^3 \sin(c + dx)}{4d} \\ &= \frac{1}{8} (8a^3A + 12aAb^2 + 12a^2bB + 3b^3B) x + \frac{(16a^2Ab + 4Ab^3 + 3a^3B + 12a^2bB + 3b^3B) \sin(c + dx)}{6d} \end{aligned}$$



**Mathematica [A]** time = 0.381848, size = 140, normalized size = 0.82

$$\frac{12(c + dx) \left( 8a^3A + 12a^2bB + 12aAb^2 + 3b^3B \right) + 24b \left( 3a^2B + 3aAb + b^2B \right) \sin(2(c + dx)) + 24 \left( 12a^2Ab + 4a^3B + 9ab^2 \right)}{96d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x]), x]

[Out] (12\*(8\*a^3\*A + 12\*a\*A\*b^2 + 12\*a^2\*b\*B + 3\*b^3\*B)\*(c + d\*x) + 24\*(12\*a^2\*A\*b + 3\*A\*b^3 + 4\*a^3\*B + 9\*a\*b^2\*B)\*Sin[c + d\*x] + 24\*b\*(3\*a\*A\*b + 3\*a^2\*B + b^2\*B)\*Sin[2\*(c + d\*x)] + 8\*b^2\*(A\*b + 3\*a\*B)\*Sin[3\*(c + d\*x)] + 3\*b^3\*B\*Sin[4\*(c + d\*x)])/(96\*d)

**Maple [A]** time = 0.045, size = 180, normalized size = 1.1

$$\frac{1}{d} \left( Bb^3 \left( \frac{\sin(dx + c)}{4} \left( (\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3dx}{8} + \frac{3c}{8} \right) + \frac{Ab^3 \left( 2 + (\cos(dx + c))^2 \right) \sin(dx + c)}{3} + Bab^2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)), x)

[Out] 1/d\*(B\*b^3\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+1/3\*A\*b^3\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+B\*a\*b^2\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+3\*A\*a\*b^2\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+3\*a^2\*b\*B\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+3\*A\*a^2\*b\*sin(d\*x+c)+a^3\*B\*sin(d\*x+c)+A\*a^3\*(d\*x+c))

**Maxima [A]** time = 1.16311, size = 231, normalized size = 1.35

$$\frac{96(dx + c)Aa^3 + 72(2dx + 2c + \sin(2dx + 2c))Ba^2b + 72(2dx + 2c + \sin(2dx + 2c))Aab^2 - 96(\sin(dx + c)^3 - 3\sin(dx + c))Bab^2 - 32(\sin(dx + c)^3 - 3\sin(dx + c))Aab^3 + 3(12d^2x + 12c + \sin(4d^2x + 4c) + 8\sin(2d^2x + 2c))Bb^3 + 96Bba^3\sin(dx + c) + 288Aa^2b\sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)), x, algorithm="maxima")

[Out] 1/96\*(96\*(d\*x + c)\*A\*a^3 + 72\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*B\*a^2\*b + 72\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*A\*a\*b^2 - 96\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*B\*a\*b^2 - 32\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*A\*b^3 + 3\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*B\*b^3 + 96\*B\*a^3\*sin(d\*x + c) + 288\*A\*a^2\*b\*sin(d\*x + c))/d

**Fricas [A]** time = 1.34661, size = 321, normalized size = 1.88

$$\frac{3 \left( 8Aa^3 + 12Ba^2b + 12Aab^2 + 3Bb^3 \right) dx + \left( 6Bb^3 \cos(dx + c)^3 + 24Ba^3 + 72Aa^2b + 48Bab^2 + 16Ab^3 + 8 \left( 3Bab^2 - 3Aab^3 \right) \sin(dx + c) \right)}{24d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out]  $\frac{1}{24} * (3 * (8 * A * a^3 + 12 * B * a^2 * b + 12 * A * a * b^2 + 3 * B * b^3) * d * x + (6 * B * b^3 * \cos(d * x + c)^3 + 24 * B * a^3 + 72 * A * a^2 * b + 48 * B * a * b^2 + 16 * A * b^3 + 8 * (3 * B * a * b^2 + A * b^3) * \cos(d * x + c)^2 + 9 * (4 * B * a^2 * b + 4 * A * a * b^2 + B * b^3) * \cos(d * x + c))) * \sin(d * x + c) / d$

**Sympy [A]** time = 1.76105, size = 386, normalized size = 2.26

$$\left\{ \begin{array}{l} Aa^3x + \frac{3Aa^2b \sin(c+dx)}{d} + \frac{3Aab^2x \sin^2(c+dx)}{2} + \frac{3Aab^2x \cos^2(c+dx)}{2} + \frac{3Aab^2 \sin(c+dx) \cos(c+dx)}{2d} + \frac{2Ab^3 \sin^3(c+dx)}{3d} + \frac{Ab^3 \sin(c+dx) \cos^2(c+dx)}{d} \\ x(A+B \cos(c))(a+b \cos(c))^3 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*3\*(A+B\*cos(d\*x+c)),x)

[Out] Piecewise((A\*a\*\*3\*x + 3\*A\*a\*\*2\*b\*sin(c + d\*x)/d + 3\*A\*a\*b\*\*2\*x\*sin(c + d\*x)\*\*2/2 + 3\*A\*a\*b\*\*2\*x\*cos(c + d\*x)\*\*2/2 + 3\*A\*a\*b\*\*2\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + 2\*A\*b\*\*3\*sin(c + d\*x)\*\*3/(3\*d) + A\*b\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + B\*a\*\*3\*sin(c + d\*x)/d + 3\*B\*a\*\*2\*b\*x\*sin(c + d\*x)\*\*2/2 + 3\*B\*a\*\*2\*b\*x\*cos(c + d\*x)\*\*2/2 + 3\*B\*a\*\*2\*b\*sin(c + d\*x)\*cos(c + d\*x)/(2\*d) + 2\*B\*a\*b\*\*2\*sin(c + d\*x)\*\*3/d + 3\*B\*a\*b\*\*2\*sin(c + d\*x)\*cos(c + d\*x)\*\*2/d + 3\*B\*b\*\*3\*x\*sin(c + d\*x)\*\*4/8 + 3\*B\*b\*\*3\*x\*cos(c + d\*x)\*\*4/8 + 3\*B\*b\*\*3\*sin(c + d\*x)\*\*3\*cos(c + d\*x)/(8\*d) + 5\*B\*b\*\*3\*sin(c + d\*x)\*cos(c + d\*x)\*\*3/(8\*d), Ne(d, 0)), (x\*(A + B\*cos(c))\*(a + b\*cos(c))\*\*3, True))

**Giac [A]** time = 1.36552, size = 200, normalized size = 1.17

$$\frac{Bb^3 \sin(4dx + 4c)}{32d} + \frac{1}{8} (8Aa^3 + 12Ba^2b + 12Aab^2 + 3Bb^3)x + \frac{(3Bab^2 + Ab^3) \sin(3dx + 3c)}{12d} + \frac{(3Ba^2b + 3Aab^2 + Bb^3) \cos(3dx + 3c)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out]  $\frac{1}{32} * B * b^3 * \sin(4 * d * x + 4 * c) / d + \frac{1}{8} * (8 * A * a^3 + 12 * B * a^2 * b + 12 * A * a * b^2 + 3 * B * b^3) * x + \frac{1}{12} * (3 * B * a * b^2 + A * b^3) * \sin(3 * d * x + 3 * c) / d + \frac{1}{4} * (3 * B * a^2 * b + 3 * A * a * b^2 + B * b^3) * \sin(2 * d * x + 2 * c) / d + \frac{1}{4} * (4 * B * a^3 + 12 * A * a^2 * b + 9 * B * a * b^2 + 3 * A * b^3) * \sin(d * x + c) / d$

### 3.234 $\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec(c + dx) dx$

**Optimal.** Leaf size=137

$$\frac{b(8a^2B + 9aAb + 2b^2B) \sin(c + dx)}{3d} + \frac{1}{2}x(6a^2Ab + 2a^3B + 3ab^2B + Ab^3) + \frac{a^3A \tanh^{-1}(\sin(c + dx))}{d} + \frac{b^2(5aB + 3Ab^2)}{3d}$$

[Out]  $((6*a^2*A*b + A*b^3 + 2*a^3*B + 3*a*b^2*B)*x)/2 + (a^3*A*ArcTanh[Sin[c + d*x]])/d + (b*(9*a*A*b + 8*a^2*B + 2*b^2*B)*Sin[c + d*x])/(3*d) + (b^2*(3*A*b + 5*a*B)*Cos[c + d*x]*Sin[c + d*x])/(6*d) + (b*B*(a + b*Cos[c + d*x])^2*Sin[c + d*x])/(3*d)$

**Rubi [A]** time = 0.323917, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {2990, 3033, 3023, 2735, 3770}

$$\frac{b(8a^2B + 9aAb + 2b^2B) \sin(c + dx)}{3d} + \frac{1}{2}x(6a^2Ab + 2a^3B + 3ab^2B + Ab^3) + \frac{a^3A \tanh^{-1}(\sin(c + dx))}{d} + \frac{b^2(5aB + 3Ab^2)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x],x]

[Out]  $((6*a^2*A*b + A*b^3 + 2*a^3*B + 3*a*b^2*B)*x)/2 + (a^3*A*ArcTanh[Sin[c + d*x]])/d + (b*(9*a*A*b + 8*a^2*B + 2*b^2*B)*Sin[c + d*x])/(3*d) + (b^2*(3*A*b + 5*a*B)*Cos[c + d*x]*Sin[c + d*x])/(6*d) + (b*B*(a + b*Cos[c + d*x])^2*Sin[c + d*x])/(3*d)$

#### Rule 2990

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> -Simp[(b\*B\*cos[e + f\*x]\*(a + b\*sin[e + f\*x])^(m - 1)\*(c + d\*sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*sin[e + f\*x])^(m - 2)\*(c + d\*sin[e + f\*x])^n\*Simp[a^2\*A\*d\*(m + n + 1) + b\*B\*(b\*c\*(m - 1) + a\*d\*(n + 1)) + (a\*d\*(2\*A\*b + a\*B)\*(m + n + 1) - b\*B\*(a\*c - b\*d\*(m + n)))\*sin[e + f\*x] + b\*(A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 3033

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[(C\*d\*cos[e + f\*x]\*sin[e + f\*x]\*(a + b\*sin[e + f\*x])^(m + 1))/(b\*f\*(m + 3)), x] + Dist[1/(b\*(m + 3)), Int[(a + b\*sin[e + f\*x])^m\*Simp[a\*C\*d + A\*b\*c\*(m + 3) + b\*(B\*c\*(m + 3) + d\*(C\*(m + 2) + A\*(m + 3)))\*sin[e + f\*x] - (2\*a\*C\*d - b\*(c\*C + B\*d)\*(m + 3))\*sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[(C\*cos

```
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{bB(a + b \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{1}{3} \int (a + b \cos(c + dx)) \sec(c + dx) dx \\ &= \frac{b^2(3Ab + 5aB) \cos(c + dx) \sin(c + dx)}{6d} + \frac{bB(a + b \cos(c + dx)) \sin(c + dx)}{3d} \\ &= \frac{b(9aAb + 8a^2B + 2b^2B) \sin(c + dx)}{3d} + \frac{b^2(3Ab + 5aB) \cos(c + dx) \sin(c + dx)}{6d} \\ &= \frac{1}{2} (6a^2Ab + Ab^3 + 2a^3B + 3ab^2B) x + \frac{b(9aAb + 8a^2B + 2b^2B) \sin(c + dx)}{3d} \\ &= \frac{1}{2} (6a^2Ab + Ab^3 + 2a^3B + 3ab^2B) x + \frac{a^3A \tanh^{-1}(\sin(c + dx))}{d} \end{aligned}$$

**Mathematica [A]** time = 0.370471, size = 159, normalized size = 1.16

$$\frac{6(c + dx)(6a^2Ab + 2a^3B + 3ab^2B + Ab^3) + 9b(4a^2B + 4aAb + b^2B) \sin(c + dx) - 12a^3A \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right)}{12d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x], x]
```

```
[Out] (6*(6*a^2*A*b + A*b^3 + 2*a^3*B + 3*a*b^2*B)*(c + d*x) - 12*a^3*A*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 12*a^3*A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + 9*b*(4*a*A*b + 4*a^2*B + b^2*B)*Sin[c + d*x] + 3*b^2*(A*b + 3*a*B)*Sin[2*(c + d*x)] + b^3*B*Sin[3*(c + d*x)])/(12*d)
```

**Maple [A]** time = 0.077, size = 207, normalized size = 1.5

$$\frac{Aa^3 \ln(\sec(dx + c) + \tan(dx + c))}{d} + a^3Bx + \frac{Ba^3c}{d} + 3Aa^2bx + 3\frac{Aa^2bc}{d} + 3\frac{a^2bB \sin(dx + c)}{d} + 3\frac{Aab^2 \sin(dx + c)}{d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c), x)
```

[Out]  $\frac{1}{d}Aa^3 \ln(\sec(dx+c) + \tan(dx+c)) + a^3 Bx + \frac{1}{d}Ba^3c + 3Aa^2bx + \frac{3}{d}Aa^2b^2c + \frac{3}{d}a^2bB \sin(dx+c) + \frac{3}{d}Aa^2b^2 \sin(dx+c) + \frac{3}{2} \frac{1}{d}Ba^2b^2 \cos(dx+c) \sin(dx+c) + \frac{3}{2}Ba^2b^2x + \frac{3}{2} \frac{1}{d}Ba^2b^2c + \frac{1}{2} \frac{1}{d}Aa^2b^3 \cos(dx+c) \sin(dx+c) + \frac{1}{2}Aa^2b^3x + \frac{1}{2} \frac{1}{d}Aa^2b^3c + \frac{1}{3} \frac{1}{d}B \sin(dx+c) \cos(dx+c)^2b^3 + \frac{2}{3} \frac{1}{d}Bb^3 \sin(dx+c)$

**Maxima [A]** time = 1.13425, size = 196, normalized size = 1.43

$$\frac{12(dx+c)Ba^3 + 36(dx+c)Aa^2b + 9(2dx+2c+\sin(2dx+2c))Bab^2 + 3(2dx+2c+\sin(2dx+2c))Ab^3 - 4(\sin(dx+c))^3 - 3\sin(dx+c)Bb^3 + 12Aa^3 \log(\sec(dx+c) + \tan(dx+c)) + 36Ba^2b \sin(dx+c) + 36Aa^2b^2 \sin(dx+c)}{12d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^3\*(A+B\*cos(dx+c))\*sec(dx+c),x, algorithm="maxima")

[Out]  $\frac{1}{12} \frac{12(dx+c)Ba^3 + 36(dx+c)Aa^2b + 9(2dx+2c+\sin(2dx+2c))Bab^2 + 3(2dx+2c+\sin(2dx+2c))Ab^3 - 4(\sin(dx+c))^3 - 3\sin(dx+c)Bb^3 + 12Aa^3 \log(\sec(dx+c) + \tan(dx+c)) + 36Ba^2b \sin(dx+c) + 36Aa^2b^2 \sin(dx+c)}{d}$

**Fricas [A]** time = 1.46861, size = 317, normalized size = 2.31

$$\frac{3Aa^3 \log(\sin(dx+c) + 1) - 3Aa^3 \log(-\sin(dx+c) + 1) + 3(2Ba^3 + 6Aa^2b + 3Bab^2 + Ab^3)dx + (2Bb^3 \cos(dx+c) + 2Bb^3)}{6d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^3\*(A+B\*cos(dx+c))\*sec(dx+c),x, algorithm="fricas")

[Out]  $\frac{1}{6} \frac{3Aa^3 \log(\sin(dx+c) + 1) - 3Aa^3 \log(-\sin(dx+c) + 1) + 3(2Ba^3 + 6Aa^2b + 3Bab^2 + Ab^3)dx + (2Bb^3 \cos(dx+c) + 2Bb^3)}{d}$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^3\*(A+B\*cos(dx+c))\*sec(dx+c),x)

[Out] Timed out

**Giac [B]** time = 1.60186, size = 424, normalized size = 3.09

$$6Aa^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 6Aa^3 \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right) + 3(2Ba^3 + 6Aa^2b + 3Bab^2 + Ab^3)(dx+c) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="giac")
```

```
[Out] 1/6*(6*A*a^3*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 6*A*a^3*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 3*(2*B*a^3 + 6*A*a^2*b + 3*B*a*b^2 + A*b^3)*(d*x + c) + 2*(18*B*a^2*b*tan(1/2*d*x + 1/2*c)^5 + 18*A*a*b^2*tan(1/2*d*x + 1/2*c)^5 - 9*B*a*b^2*tan(1/2*d*x + 1/2*c)^5 - 3*A*b^3*tan(1/2*d*x + 1/2*c)^5 + 6*B*b^3*tan(1/2*d*x + 1/2*c)^5 + 36*B*a^2*b*tan(1/2*d*x + 1/2*c)^3 + 36*A*a*b^2*tan(1/2*d*x + 1/2*c)^3 + 4*B*b^3*tan(1/2*d*x + 1/2*c)^3 + 18*B*a^2*b*tan(1/2*d*x + 1/2*c) + 18*A*a*b^2*tan(1/2*d*x + 1/2*c) + 9*B*a*b^2*tan(1/2*d*x + 1/2*c) + 3*A*b^3*tan(1/2*d*x + 1/2*c) + 6*B*b^3*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^3)/d
```

### 3.235 $\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^2(c + dx) dx$

**Optimal.** Leaf size=131

$$\frac{b(2a^2A - 3abB - Ab^2) \sin(c + dx)}{d} + \frac{1}{2}bx(6a^2B + 6aAb + b^2B) + \frac{a^2(aB + 3Ab) \tanh^{-1}(\sin(c + dx))}{d} - \frac{b^2(2aA - b^2)}{d}$$

[Out] (b\*(6\*a\*A\*b + 6\*a^2\*B + b^2\*B)\*x)/2 + (a^2\*(3\*A\*b + a\*B)\*ArcTanh[Sin[c + d\*x]])/d - (b\*(2\*a^2\*A - A\*b^2 - 3\*a\*b\*B)\*Sin[c + d\*x])/d - (b^2\*(2\*a\*A - b\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d) + (a\*A\*(a + b\*Cos[c + d\*x])^2\*Tan[c + d\*x])/d

**Rubi [A]** time = 0.331931, antiderivative size = 131, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2989, 3033, 3023, 2735, 3770}

$$\frac{b(2a^2A - 3abB - Ab^2) \sin(c + dx)}{d} + \frac{1}{2}bx(6a^2B + 6aAb + b^2B) + \frac{a^2(aB + 3Ab) \tanh^{-1}(\sin(c + dx))}{d} - \frac{b^2(2aA - b^2)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] (b\*(6\*a\*A\*b + 6\*a^2\*B + b^2\*B)\*x)/2 + (a^2\*(3\*A\*b + a\*B)\*ArcTanh[Sin[c + d\*x]])/d - (b\*(2\*a^2\*A - A\*b^2 - 3\*a\*b\*B)\*Sin[c + d\*x])/d - (b^2\*(2\*a\*A - b\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d) + (a\*A\*(a + b\*Cos[c + d\*x])^2\*Tan[c + d\*x])/d

#### Rule 2989

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> -Simp[((b\*c - a\*d)\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Ssin[e + f\*x])^(m - 2)\*(c + d\*Ssin[e + f\*x])^(n + 1)\*Simp[b\*(b\*c - a\*d)\*(B\*c - A\*d)\*(m - 1) + a\*d\*(a\*A\*c + b\*B\*c - (A\*b + a\*B)\*d)\*(n + 1) + (b\*(b\*d\*(B\*c - A\*d) + a\*(A\*c\*d + B\*(c^2 - 2\*d^2)))\*(n + 1) - a\*(b\*c - a\*d)\*(B\*c - A\*d)\*(n + 2))\*Sin[e + f\*x] + b\*(d\*(A\*b\*c + a\*B\*c - a\*A\*d)\*(m + n + 1) - b\*B\*(c^2\*m + d^2\*(n + 1)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

#### Rule 3033

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[(C\*d\*cos[e + f\*x]\*Sin[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1))/(b\*f\*(m + 3)), x] + Dist[1/(b\*(m + 3)), Int[(a + b\*Ssin[e + f\*x])^m\*Simp[a\*C\*d + A\*b\*c\*(m + 3) + b\*(B\*c\*(m + 3) + d\*(C\*(m + 2) + A\*(m + 3)))\*Sin[e + f\*x] - (2\*a\*C\*d - b\*(c\*C + B\*d)\*(m + 3))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

#### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

### Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^2 \tan(c + dx)}{d} + \int (a + b \cos(c + dx)) (A + B \cos(c + dx)) \sec^2(c + dx) dx \\ &= -\frac{b^2(2aA - bB) \cos(c + dx) \sin(c + dx)}{2d} + \frac{aA(a + b \cos(c + dx)) \tan(c + dx)}{d} \\ &= -\frac{b(2a^2A - Ab^2 - 3abB) \sin(c + dx)}{d} - \frac{b^2(2aA - bB) \cos(c + dx) \sin(c + dx)}{2d} \\ &= \frac{1}{2}b(6aAb + 6a^2B + b^2B)x - \frac{b(2a^2A - Ab^2 - 3abB) \sin(c + dx)}{d} \\ &= \frac{1}{2}b(6aAb + 6a^2B + b^2B)x + \frac{a^2(3Ab + aB) \tanh^{-1}(\sin(c + dx))}{d} \end{aligned}$$

**Mathematica [A]** time = 0.650147, size = 217, normalized size = 1.66

$$2b(c + dx)(6a^2B + 6aAb + b^2B) - 4a^2(aB + 3Ab) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + 4a^2(aB + 3Ab) \log\left(\sin\left(\frac{1}{2}(c + dx)\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^2, x]
```

```
[Out] (2*b*(6*a*A*b + 6*a^2*B + b^2*B)*(c + d*x) - 4*a^2*(3*A*b + a*B)*Log[Cos[(c
+ d*x)/2] - Sin[(c + d*x)/2]] + 4*a^2*(3*A*b + a*B)*Log[Cos[(c + d*x)/2] +
Sin[(c + d*x)/2]] + (4*a^3*A*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c
+ d*x)/2]) + (4*a^3*A*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2
]) + 4*b^2*(A*b + 3*a*B)*Sin[c + d*x] + b^3*B*Sin[2*(c + d*x)]/(4*d)
```

**Maple [A]** time = 0.075, size = 168, normalized size = 1.3

$$\frac{Aa^3 \tan(dx + c)}{d} + \frac{a^3 B \ln(\sec(dx + c) + \tan(dx + c))}{d} + 3 \frac{Aa^2 b \ln(\sec(dx + c) + \tan(dx + c))}{d} + 3a^2 b B x + 3 \frac{Ba^2 bc}{d} + \dots$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^2,x)`

[Out]  $1/d*A*a^3*\tan(d*x+c)+1/d*a^3*B*\ln(\sec(d*x+c)+\tan(d*x+c))+3/d*A*a^2*b*\ln(\sec(d*x+c)+\tan(d*x+c))+3*a^2*b*B*x+3/d*B*a^2*b*c+3*A*a*b^2*x+3/d*A*a*b^2*c+3/d*B*a*b^2*\sin(d*x+c)+1/d*A*b^3*\sin(d*x+c)+1/2/d*B*b^3*\cos(d*x+c)*\sin(d*x+c)+1/2*b^3*B*x+1/2/d*B*b^3*c$

**Maxima [A]** time = 1.16678, size = 194, normalized size = 1.48

$12(dx+c)Ba^2b + 12(dx+c)Aab^2 + (2dx+2c+\sin(2dx+2c))Bb^3 + 2Ba^3(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) +$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="maxima")`

[Out]  $1/4*(12*(d*x+c)*B*a^2*b + 12*(d*x+c)*A*a*b^2 + (2*d*x+2*c+\sin(2*d*x+2*c))*B*b^3 + 2*B*a^3*(\log(\sin(d*x+c)+1) - \log(\sin(d*x+c)-1)) + 6*A*a^2*b*(\log(\sin(d*x+c)+1) - \log(\sin(d*x+c)-1)) + 12*B*a*b^2*\sin(d*x+c) + 4*A*b^3*\sin(d*x+c) + 4*A*a^3*\tan(d*x+c))/d$

**Fricas [A]** time = 1.56437, size = 369, normalized size = 2.82

$(6Ba^2b + 6Aab^2 + Bb^3)dx \cos(dx+c) + (Ba^3 + 3Aa^2b) \cos(dx+c) \log(\sin(dx+c)+1) - (Ba^3 + 3Aa^2b) \cos(dx+c) \log(-\sin(dx+c)+1) + (Bb^3 \cos(dx+c)^2 + 2Aa^3 + 2*(3B*a*b^2 + A*b^3)) \cos(dx+c) \sin(dx+c) / (d \cos(dx+c))$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="fricas")`

[Out]  $1/2*((6*B*a^2*b + 6*A*a*b^2 + B*b^3)*d*x*\cos(d*x+c) + (B*a^3 + 3*A*a^2*b)*\cos(d*x+c)*\log(\sin(d*x+c)+1) - (B*a^3 + 3*A*a^2*b)*\cos(d*x+c)*\log(-\sin(d*x+c)+1) + (B*b^3*\cos(d*x+c)^2 + 2*A*a^3 + 2*(3*B*a*b^2 + A*b^3))*\cos(d*x+c)*\sin(d*x+c))/(d*\cos(d*x+c))$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)`

[Out] Timed out

**Giac [A]** time = 1.54625, size = 316, normalized size = 2.41

$$\frac{4Aa^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 - 1} - (6Ba^2b + 6Aab^2 + Bb^3)(dx + c) - 2(Ba^3 + 3Aa^2b) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) + 2(Ba^3 + 3Aa^2b)$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="giac")

[Out] -1/2\*(4\*A\*a^3\*tan(1/2\*d\*x + 1/2\*c)/(tan(1/2\*d\*x + 1/2\*c)^2 - 1) - (6\*B\*a^2\*b + 6\*A\*a\*b^2 + B\*b^3)\*(d\*x + c) - 2\*(B\*a^3 + 3\*A\*a^2\*b)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) + 2\*(B\*a^3 + 3\*A\*a^2\*b)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(6\*B\*a\*b^2\*tan(1/2\*d\*x + 1/2\*c)^3 + 2\*A\*b^3\*tan(1/2\*d\*x + 1/2\*c)^3 - B\*b^3\*tan(1/2\*d\*x + 1/2\*c)^3 + 6\*B\*a\*b^2\*tan(1/2\*d\*x + 1/2\*c) + 2\*A\*b^3\*tan(1/2\*d\*x + 1/2\*c) + B\*b^3\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 + 1)^2)/d

### 3.236 $\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^3(c + dx) dx$

**Optimal.** Leaf size=124

$$\frac{a(a^2A + 6abB + 6Ab^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(aB + 2Ab) \tan(c + dx)}{d} - \frac{b^2(aA - 2bB) \sin(c + dx)}{2d} + b^2x(3aB + A)$$

```
[Out] b^2*(A*b + 3*a*B)*x + (a*(a^2*A + 6*A*b^2 + 6*a*b*B)*ArcTanh[Sin[c + d*x]])/(2*d) - (b^2*(a*A - 2*b*B)*Sin[c + d*x])/(2*d) + (a^2*(2*A*b + a*B)*Tan[c + d*x])/d + (a*A*(a + b*Cos[c + d*x])^2*Sec[c + d*x]*Tan[c + d*x])/(2*d)
```

**Rubi [A]** time = 0.339024, antiderivative size = 124, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2989, 3031, 3023, 2735, 3770}

$$\frac{a(a^2A + 6abB + 6Ab^2) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(aB + 2Ab) \tan(c + dx)}{d} - \frac{b^2(aA - 2bB) \sin(c + dx)}{2d} + b^2x(3aB + A)$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]
```

```
[Out] b^2*(A*b + 3*a*B)*x + (a*(a^2*A + 6*A*b^2 + 6*a*b*B)*ArcTanh[Sin[c + d*x]])/(2*d) - (b^2*(a*A - 2*b*B)*Sin[c + d*x])/(2*d) + (a^2*(2*A*b + a*B)*Tan[c + d*x])/d + (a*A*(a + b*Cos[c + d*x])^2*Sec[c + d*x]*Tan[c + d*x])/(2*d)
```

#### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /;
```

FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

#### Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m + 1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m + 1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /;
```

FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

#### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

### Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^3(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^2 \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int (a + b \cos(c + dx))^2 \sec^3(c + dx) dx \\ &= \frac{a^2(2Ab + aB) \tan(c + dx)}{d} + \frac{aA(a + b \cos(c + dx))^2 \sec(c + dx) \tan(c + dx)}{2d} \\ &= -\frac{b^2(aA - 2bB) \sin(c + dx)}{2d} + \frac{a^2(2Ab + aB) \tan(c + dx)}{d} + \frac{aA(a + b \cos(c + dx))^2 \sec(c + dx) \tan(c + dx)}{2d} \\ &= b^2(Ab + 3aB)x - \frac{b^2(aA - 2bB) \sin(c + dx)}{2d} + \frac{a^2(2Ab + aB) \tan(c + dx)}{d} \\ &= b^2(Ab + 3aB)x + \frac{a(a^2A + 6Ab^2 + 6abB) \tanh^{-1}(\sin(c + dx))}{2d} \end{aligned}$$

**Mathematica [B]** time = 2.03464, size = 277, normalized size = 2.23

$$-2a(a^2A + 6abB + 6Ab^2) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2a(a^2A + 6abB + 6Ab^2) \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]
```

```
[Out] (4*b^2*(A*b + 3*a*B)*(c + d*x) - 2*a*(a^2*A + 6*A*b^2 + 6*a*b*B)*Log[Cos[(c
+ d*x)/2] - Sin[(c + d*x)/2]] + 2*a*(a^2*A + 6*A*b^2 + 6*a*b*B)*Log[Cos[(c
+ d*x)/2] + Sin[(c + d*x)/2]] + (a^3*A)/(Cos[(c + d*x)/2] - Sin[(c + d*x)/
2])^2 + (4*a^2*(3*A*b + a*B)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] - Sin[(c +
d*x)/2]) - (a^3*A)/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2])^2 + (4*a^2*(3*A*b
+ a*B)*Sin[(c + d*x)/2])/(Cos[(c + d*x)/2] + Sin[(c + d*x)/2]) + 4*b^3*B*Sin
in[c + d*x])/(4*d)
```

**Maple [A]** time = 0.085, size = 172, normalized size = 1.4

$$\frac{Aa^3 \sec(dx + c) \tan(dx + c)}{2d} + \frac{Aa^3 \ln(\sec(dx + c) + \tan(dx + c))}{2d} + \frac{a^3 B \tan(dx + c)}{d} + 3 \frac{Aa^2 b \tan(dx + c)}{d} + 3 \frac{a^2 b B \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^3,x)`

[Out]  $1/2/d*A*a^3*sec(d*x+c)*tan(d*x+c)+1/2/d*A*a^3*ln(sec(d*x+c)+tan(d*x+c))+1/d*a^3*B*tan(d*x+c)+3/d*A*a^2*b*tan(d*x+c)+3/d*a^2*b*B*ln(sec(d*x+c)+tan(d*x+c))+3/d*A*a*b^2*ln(sec(d*x+c)+tan(d*x+c))+3*B*a*b^2*x+3/d*B*a*b^2*c+A*b^3*x+1/d*A*b^3*c+1/d*B*b^3*sin(d*x+c)$

**Maxima [A]** time = 1.1441, size = 228, normalized size = 1.84

$12(dx+c)Bab^2 + 4(dx+c)Ab^3 - Aa^3 \left( \frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1) \right) + 6Ba^2b(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1))$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="maxima")`

[Out]  $1/4*(12*(d*x+c)*B*a*b^2 + 4*(d*x+c)*A*b^3 - A*a^3*(2*\sin(d*x+c)/(\sin(d*x+c)^2-1) - \log(\sin(d*x+c)+1) + \log(\sin(d*x+c)-1)) + 6*B*a^2*b*(\log(\sin(d*x+c)+1) - \log(\sin(d*x+c)-1)) + 6*A*a*b^2*(\log(\sin(d*x+c)+1) - \log(\sin(d*x+c)-1)) + 4*B*b^3*\sin(d*x+c) + 4*B*a^3*tan(d*x+c) + 12*A*a^2*b*tan(d*x+c))/d$

**Fricas [A]** time = 1.46356, size = 401, normalized size = 3.23

$4(3Bab^2 + Ab^3)dx \cos(dx+c)^2 + (Aa^3 + 6Ba^2b + 6Aab^2) \cos(dx+c)^2 \log(\sin(dx+c)+1) - (Aa^3 + 6Ba^2b + 6Aab^2) \cos(dx+c)^2 \log(-\sin(dx+c)+1) + 2*(2*B*b^3*\cos(dx+c)^2 + A*a^3 + 2*(B*a^3 + 3*A*a^2*b)*\cos(dx+c))*\sin(dx+c)/(d*\cos(dx+c)^2)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="fricas")`

[Out]  $1/4*(4*(3*B*a*b^2 + A*b^3)*d*x*\cos(d*x+c)^2 + (A*a^3 + 6*B*a^2*b + 6*A*a*b^2)*\cos(d*x+c)^2*\log(\sin(d*x+c)+1) - (A*a^3 + 6*B*a^2*b + 6*A*a*b^2)*\cos(d*x+c)^2*\log(-\sin(d*x+c)+1) + 2*(2*B*b^3*\cos(d*x+c)^2 + A*a^3 + 2*(B*a^3 + 3*A*a^2*b)*\cos(d*x+c))*\sin(d*x+c))/(d*\cos(d*x+c)^2)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)`

[Out] Timed out

---

**Giac [B]** time = 1.70623, size = 323, normalized size = 2.6

$$\frac{4Bb^3 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} + 2(3Bab^2 + Ab^3)(dx + c) + (Aa^3 + 6Ba^2b + 6Aab^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - (Aa^3 + 6Ba^2b + 6Aab^2) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] 1/2\*(4\*B\*b^3\*tan(1/2\*d\*x + 1/2\*c)/(tan(1/2\*d\*x + 1/2\*c)^2 + 1) + 2\*(3\*B\*a\*b^2 + A\*b^3)\*(d\*x + c) + (A\*a^3 + 6\*B\*a^2\*b + 6\*A\*a\*b^2)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - (A\*a^3 + 6\*B\*a^2\*b + 6\*A\*a\*b^2)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) + 2\*(A\*a^3\*tan(1/2\*d\*x + 1/2\*c)^3 - 2\*B\*a^3\*tan(1/2\*d\*x + 1/2\*c)^3 - 6\*A\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c)^3 + A\*a^3\*tan(1/2\*d\*x + 1/2\*c) + 2\*B\*a^3\*tan(1/2\*d\*x + 1/2\*c) + 6\*A\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^2)/d

### 3.237 $\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^4(c + dx) dx$

**Optimal.** Leaf size=145

$$\frac{a(2a^2A + 9abB + 8Ab^2) \tan(c + dx)}{3d} + \frac{(3a^2Ab + a^3B + 6ab^2B + 2Ab^3) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(3aB + 5Ab) \tan(c + dx)}{6d}$$

```
[Out] b^3*B*x + ((3*a^2*A*b + 2*A*b^3 + a^3*B + 6*a*b^2*B)*ArcTanh[Sin[c + d*x]])
/(2*d) + (a*(2*a^2*A + 8*A*b^2 + 9*a*b*B)*Tan[c + d*x])/(3*d) + (a^2*(5*A*b
+ 3*a*B)*Sec[c + d*x]*Tan[c + d*x])/(6*d) + (a*A*(a + b*Cos[c + d*x])^2*Se
c[c + d*x]^2*Tan[c + d*x])/(3*d)
```

**Rubi [A]** time = 0.345814, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2989, 3031, 3021, 2735, 3770}

$$\frac{a(2a^2A + 9abB + 8Ab^2) \tan(c + dx)}{3d} + \frac{(3a^2Ab + a^3B + 6ab^2B + 2Ab^3) \tanh^{-1}(\sin(c + dx))}{2d} + \frac{a^2(3aB + 5Ab) \tan(c + dx)}{6d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]
```

```
[Out] b^3*B*x + ((3*a^2*A*b + 2*A*b^3 + a^3*B + 6*a*b^2*B)*ArcTanh[Sin[c + d*x]])
/(2*d) + (a*(2*a^2*A + 8*A*b^2 + 9*a*b*B)*Tan[c + d*x])/(3*d) + (a^2*(5*A*b
+ 3*a*B)*Sec[c + d*x]*Tan[c + d*x])/(6*d) + (a*A*(a + b*Cos[c + d*x])^2*Se
c[c + d*x]^2*Tan[c + d*x])/(3*d)
```

#### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

#### Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f
_.)*(x_)]^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*
(a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.
)*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^4(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^2 \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^4(c + dx) dx \\ &= \frac{a^2(5Ab + 3aB) \sec(c + dx) \tan(c + dx)}{6d} + \frac{aA(a + b \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{3d} \\ &= \frac{a(2a^2A + 8Ab^2 + 9abB) \tan(c + dx)}{3d} + \frac{a^2(5Ab + 3aB) \sec(c + dx)}{6d} \\ &= b^3Bx + \frac{a(2a^2A + 8Ab^2 + 9abB) \tan(c + dx)}{3d} + \frac{a^2(5Ab + 3aB) \sec(c + dx)}{6d} \\ &= b^3Bx + \frac{(3a^2Ab + 2Ab^3 + a^3B + 6ab^2B) \tanh^{-1}(\sin(c + dx))}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.565952, size = 108, normalized size = 0.74

$$\frac{3(3a^2Ab + a^3B + 6ab^2B + 2Ab^3) \tanh^{-1}(\sin(c + dx)) + 3a \tan(c + dx) (2a^2A + a(aB + 3Ab) \sec(c + dx) + 6abB + 6Ab^2)}{6d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]
```

```
[Out] (6*b^3*B*d*x + 3*(3*a^2*A*b + 2*A*b^3 + a^3*B + 6*a*b^2*B)*ArcTanh[Sin[c +
d*x]] + 3*a*(2*a^2*A + 6*A*b^2 + 6*a*b*B + a*(3*A*b + a*B))*Sec[c + d*x])*Ta
n[c + d*x] + 2*a^3*A*Tan[c + d*x]^3)/(6*d)
```

**Maple [A]** time = 0.086, size = 223, normalized size = 1.5

$$\frac{2Aa^3 \tan(dx + c)}{3d} + \frac{Aa^3 \tan(dx + c) (\sec(dx + c))^2}{3d} + \frac{a^3B \sec(dx + c) \tan(dx + c)}{2d} + \frac{a^3B \ln(\sec(dx + c) + \tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^4,x)`

[Out]  $\frac{2}{3}dAa^3\tan(dx+c)+\frac{1}{3}dAa^3\tan(dx+c)\sec(dx+c)^2+\frac{1}{2}d^3B\sec(dx+c)\tan(dx+c)+\frac{1}{2}d^3B\ln(\sec(dx+c)+\tan(dx+c))+\frac{3}{2}dAa^2b\sec(dx+c)\tan(dx+c)+\frac{3}{2}dAa^2b\ln(\sec(dx+c)+\tan(dx+c))+\frac{3}{d}a^2bB\tan(dx+c)+\frac{3}{d}Aa^2b^2\tan(dx+c)+\frac{3}{d}B^2a^2b\ln(\sec(dx+c)+\tan(dx+c))+\frac{1}{d}A^2b^3\ln(\sec(dx+c)+\tan(dx+c))+b^3B^2x+\frac{1}{d}B^2b^3c$

**Maxima [A]** time = 1.15364, size = 292, normalized size = 2.01

$4(\tan(dx+c)^3+3\tan(dx+c))Aa^3+12(dx+c)Bb^3-3Ba^3\left(\frac{2\sin(dx+c)}{\sin(dx+c)^2-1}-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1)\right)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="maxima")`

[Out]  $\frac{1}{12}(4(\tan(dx+c)^3+3\tan(dx+c))Aa^3+12(dx+c)Bb^3-3Ba^3(2\sin(dx+c)/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1))-9Aa^2b(2\sin(dx+c)/(\sin(dx+c)^2-1)-\log(\sin(dx+c)+1)+\log(\sin(dx+c)-1))+18B^2a^2b(\log(\sin(dx+c)+1)-\log(\sin(dx+c)-1))+6A^2b^3(\log(\sin(dx+c)+1)-\log(\sin(dx+c)-1))+36B^2a^2b\tan(dx+c)+36A^2a^2b^2\tan(dx+c))/d$

**Fricas [A]** time = 1.50364, size = 458, normalized size = 3.16

$12Bb^3dx\cos(dx+c)^3+3(Ba^3+3Aa^2b+6Bab^2+2Ab^3)\cos(dx+c)^3\log(\sin(dx+c)+1)-3(Ba^3+3Aa^2b+6Bab^2+2Ab^3)\cos(dx+c)^3\log(-\sin(dx+c)+1)$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm="fricas")`

[Out]  $\frac{1}{12}(12B^2b^3dx\cos(dx+c)^3+3(Ba^3+3Aa^2b+6Bab^2+2Ab^3)\cos(dx+c)^3\log(\sin(dx+c)+1)-3(Ba^3+3Aa^2b+6Bab^2+2Ab^3)\cos(dx+c)^3\log(-\sin(dx+c)+1)+2(2Aa^3+2(2Aa^3+9B^2a^2b+9Aa^2b^2)\cos(dx+c)^2+3(Ba^3+3Aa^2b)\cos(dx+c))\sin(dx+c))/(d\cos(dx+c)^3)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c)**4,x)`

[Out] Timed out

---

**Giac [B]** time = 1.48595, size = 454, normalized size = 3.13

$$6(dx+c)Bb^3 + 3(Ba^3 + 3Aa^2b + 6Bab^2 + 2Ab^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(Ba^3 + 3Aa^2b + 6Bab^2 + 2Ab^3) \log$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] 1/6\*(6\*(d\*x + c)\*B\*b^3 + 3\*(B\*a^3 + 3\*A\*a^2\*b + 6\*B\*a\*b^2 + 2\*A\*b^3)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 3\*(B\*a^3 + 3\*A\*a^2\*b + 6\*B\*a\*b^2 + 2\*A\*b^3)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(6\*A\*a^3\*tan(1/2\*d\*x + 1/2\*c)^5 - 3\*B\*a^3\*tan(1/2\*d\*x + 1/2\*c)^5 - 9\*A\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c)^5 + 18\*B\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c)^5 + 18\*A\*a\*b^2\*tan(1/2\*d\*x + 1/2\*c)^5 - 4\*A\*a^3\*tan(1/2\*d\*x + 1/2\*c)^3 - 36\*B\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c)^3 - 36\*A\*a\*b^2\*tan(1/2\*d\*x + 1/2\*c)^3 + 6\*A\*a^3\*tan(1/2\*d\*x + 1/2\*c) + 3\*B\*a^3\*tan(1/2\*d\*x + 1/2\*c) + 9\*A\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c) + 18\*B\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c) + 18\*A\*a\*b^2\*tan(1/2\*d\*x + 1/2\*c))/(tan(1/2\*d\*x + 1/2\*c)^2 - 1)^3/d

### 3.238 $\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^5(c + dx) dx$

**Optimal.** Leaf size=188

$$\frac{(6a^2Ab + 2a^3B + 9ab^2B + 3Ab^3) \tan(c + dx)}{3d} + \frac{(3a^3A + 12a^2bB + 12aAb^2 + 8b^3B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(3a^2A + 12a^2Ab + 6a^2B + 12ab^2A + 6ab^2B + 3b^3A + 3b^3B)}{8d}$$

```
[Out] ((3*a^3*A + 12*a*A*b^2 + 12*a^2*b*B + 8*b^3*B)*ArcTanh[Sin[c + d*x]])/(8*d)
+ ((6*a^2*A*b + 3*A*b^3 + 2*a^3*B + 9*a*b^2*B)*Tan[c + d*x])/(3*d) + (a*(3
*a^2*A + 10*A*b^2 + 12*a*b*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a^2*(3*A*
b + 2*a*B)*Sec[c + d*x]^2*Tan[c + d*x])/(6*d) + (a*A*(a + b*Cos[c + d*x])^2
*Sec[c + d*x]^3*Tan[c + d*x])/(4*d)
```

**Rubi [A]** time = 0.457663, antiderivative size = 188, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2989, 3031, 3021, 2748, 3767, 8, 3770}

$$\frac{(6a^2Ab + 2a^3B + 9ab^2B + 3Ab^3) \tan(c + dx)}{3d} + \frac{(3a^3A + 12a^2bB + 12aAb^2 + 8b^3B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(3a^2A + 12a^2Ab + 6a^2B + 12ab^2A + 6ab^2B + 3b^3A + 3b^3B)}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^5,x]
```

```
[Out] ((3*a^3*A + 12*a*A*b^2 + 12*a^2*b*B + 8*b^3*B)*ArcTanh[Sin[c + d*x]])/(8*d)
+ ((6*a^2*A*b + 3*A*b^3 + 2*a^3*B + 9*a*b^2*B)*Tan[c + d*x])/(3*d) + (a*(3
*a^2*A + 10*A*b^2 + 12*a*b*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d) + (a^2*(3*A*
b + 2*a*B)*Sec[c + d*x]^2*Tan[c + d*x])/(6*d) + (a*A*(a + b*Cos[c + d*x])^2
*Sec[c + d*x]^3*Tan[c + d*x])/(4*d)
```

#### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

#### Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f
_.)*(x_)])^2, x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

&& LtQ[m, -1]

### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

### Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

### Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^2 \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int (a + \\ &= \frac{a^2(3Ab + 2aB) \sec^2(c + dx) \tan(c + dx)}{6d} + \frac{aA(a + b \cos(c + dx)) \sec^3(c + dx) \tan(c + dx)}{4d} \\ &= \frac{a(3a^2A + 10Ab^2 + 12abB) \sec(c + dx) \tan(c + dx)}{8d} + \frac{a^2(3A + 2B) \sec^2(c + dx) \tan(c + dx)}{4d} \\ &= \frac{a(3a^2A + 10Ab^2 + 12abB) \sec(c + dx) \tan(c + dx)}{8d} + \frac{a^2(3A + 2B) \sec^2(c + dx) \tan(c + dx)}{4d} \\ &= \frac{(3a^3A + 12aAb^2 + 12a^2bB + 8b^3B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(3A + 2B) \sec^2(c + dx) \tan(c + dx)}{4d} \\ &= \frac{(3a^3A + 12aAb^2 + 12a^2bB + 8b^3B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a^2(3A + 2B) \sec^2(c + dx) \tan(c + dx)}{4d} \end{aligned}$$

**Mathematica [A]** time = 0.803062, size = 140, normalized size = 0.74

$$\frac{3(3a^3A + 12a^2bB + 12aAb^2 + 8b^3B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (9a(a^2A + 4abB + 4Ab^2) \sec(c + dx) + 24(3a^2A + 2aB) \sec^2(c + dx) \tan(c + dx))}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^5,x]

[Out] (3\*(3\*a^3\*A + 12\*a\*A\*b^2 + 12\*a^2\*b\*B + 8\*b^3\*B)\*ArcTanh[Sin[c + d\*x]] + Tan[c + d\*x]\*(24\*(3\*a^2\*A\*b + A\*b^3 + a^3\*B + 3\*a\*b^2\*B) + 9\*a\*(a^2\*A + 4\*A\*b^2 + 4\*a\*b\*B)\*Sec[c + d\*x] + 6\*a^3\*A\*Sec[c + d\*x]^3 + 8\*a^2\*(3\*A\*b + a\*B)\*Tan[c + d\*x]^2))/(24\*d)

**Maple [A]** time = 0.098, size = 290, normalized size = 1.5

$$\frac{Aa^3 \tan(dx + c) (\sec(dx + c))^3}{4d} + \frac{3Aa^3 \sec(dx + c) \tan(dx + c)}{8d} + \frac{3Aa^3 \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{2a^3 B \tan(dx + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x)

[Out] 1/4/d\*A\*a^3\*tan(d\*x+c)\*sec(d\*x+c)^3+3/8/d\*A\*a^3\*sec(d\*x+c)\*tan(d\*x+c)+3/8/d\*A\*a^3\*ln(sec(d\*x+c)+tan(d\*x+c))+2/3/d\*a^3\*B\*tan(d\*x+c)+1/3/d\*a^3\*B\*tan(d\*x+c)\*sec(d\*x+c)^2+2/d\*A\*a^2\*b\*tan(d\*x+c)+1/d\*A\*a^2\*b\*tan(d\*x+c)\*sec(d\*x+c)^2+3/2/d\*a^2\*b\*B\*tan(d\*x+c)\*sec(d\*x+c)+3/2/d\*a^2\*b\*B\*ln(sec(d\*x+c)+tan(d\*x+c))+3/2/d\*A\*a\*b^2\*tan(d\*x+c)\*sec(d\*x+c)+3/2/d\*A\*a\*b^2\*ln(sec(d\*x+c)+tan(d\*x+c))+3/d\*B\*a\*b^2\*tan(d\*x+c)+1/d\*A\*b^3\*tan(d\*x+c)+1/d\*B\*b^3\*ln(sec(d\*x+c)+tan(d\*x+c))

**Maxima [A]** time = 1.14916, size = 369, normalized size = 1.96

$$16 \left( \tan(dx + c)^3 + 3 \tan(dx + c) \right) Ba^3 + 48 \left( \tan(dx + c)^3 + 3 \tan(dx + c) \right) Aa^2b - 3Aa^3 \left( \frac{2(3 \sin(dx+c)^3 - 5 \sin(dx+c))}{\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1} - 3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="maxima")

[Out] 1/48\*(16\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*B\*a^3 + 48\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*A\*a^2\*b - 3\*A\*a^3\*(2\*(3\*sin(d\*x + c)^3 - 5\*sin(d\*x + c))/(sin(d\*x + c)^4 - 2\*sin(d\*x + c)^2 + 1) - 3\*log(sin(d\*x + c) + 1) + 3\*log(sin(d\*x + c) - 1)) - 36\*B\*a^2\*b\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) - 36\*A\*a\*b^2\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) + 24\*B\*b^3\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 144\*B\*a\*b^2\*tan(d\*x + c) + 48\*A\*b^3\*tan(d\*x + c))/d

**Fricas [A]** time = 1.57739, size = 510, normalized size = 2.71

$$3 \left( 3Aa^3 + 12Ba^2b + 12Aab^2 + 8Bb^3 \right) \cos(dx + c)^4 \log(\sin(dx + c) + 1) - 3 \left( 3Aa^3 + 12Ba^2b + 12Aab^2 + 8Bb^3 \right) \cos(dx + c)^4 \log(\sin(dx + c) - 1)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="fricas")

[Out]  $\frac{1}{48} \cdot (3 \cdot (3Aa^3 + 12Ba^2b + 12Aab^2 + 8Bb^3) \cdot \cos(dx + c)^4 \cdot \log(\sin(dx + c) + 1) - 3 \cdot (3Aa^3 + 12Ba^2b + 12Aab^2 + 8Bb^3) \cdot \cos(dx + c)^4 \cdot \log(-\sin(dx + c) + 1) + 2 \cdot (6Aa^3 + 8 \cdot (2Ba^3 + 6Aa^2b + 9Bab^2 + 3Ab^3) \cdot \cos(dx + c)^3 + 9 \cdot (Aa^3 + 4Ba^2b + 4Aab^2) \cdot \cos(dx + c)^2 + 8 \cdot (Ba^3 + 3Aa^2b) \cdot \cos(dx + c)) \cdot \sin(dx + c)) / (d \cdot \cos(dx + c)^4)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x)

[Out] Timed out

**Giac [B]** time = 1.36687, size = 791, normalized size = 4.21

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="giac")

[Out]  $\frac{1}{24} \cdot (3 \cdot (3Aa^3 + 12Ba^2b + 12Aab^2 + 8Bb^3) \cdot \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) + 1)) - 3 \cdot (3Aa^3 + 12Ba^2b + 12Aab^2 + 8Bb^3) \cdot \log(\tan(\frac{1}{2}dx + \frac{1}{2}c) - 1) + 2 \cdot (15Aa^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 24Ba^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 72Aa^2b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 36Ba^2b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 36Aa^2b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 72Ba^2b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 - 24Aab^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^7 + 9Aa^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 40Ba^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 120Aa^2b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 - 36Ba^2b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 - 36Aa^2b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 216Ba^2b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 72Aab^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^5 + 9Aa^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 40Ba^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 120Aa^2b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 36Ba^2b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 36Aa^2b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 216Ba^2b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 - 72Aab^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)^3 + 15Aa^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c) + 24Ba^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c) + 72Aa^2b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c) + 36Ba^2b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c) + 36Aa^2b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c) + 72Ba^2b \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c) + 24Aab^3 \cdot \tan(\frac{1}{2}dx + \frac{1}{2}c)) / (\tan(\frac{1}{2}dx + \frac{1}{2}c)^2 - 1)^4 / d$

### 3.239 $\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^6(c + dx) dx$

**Optimal.** Leaf size=236

$$\frac{(8a^3A + 30a^2bB + 30aAb^2 + 15b^3B) \tan(c + dx)}{15d} + \frac{(9a^2Ab + 3a^3B + 12ab^2B + 4Ab^3) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(4a^2A + 3a^2bB + 3aAb^2 + 15b^3B)}{15d}$$

```
[Out] ((9*a^2*A*b + 4*A*b^3 + 3*a^3*B + 12*a*b^2*B)*ArcTanh[Sin[c + d*x]])/(8*d)
+ ((8*a^3*A + 30*a*A*b^2 + 30*a^2*b*B + 15*b^3*B)*Tan[c + d*x])/(15*d) + ((
9*a^2*A*b + 4*A*b^3 + 3*a^3*B + 12*a*b^2*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d
) + (a*(4*a^2*A + 12*A*b^2 + 15*a*b*B)*Sec[c + d*x]^2*Tan[c + d*x])/(15*d)
+ (a^2*(7*A*b + 5*a*B)*Sec[c + d*x]^3*Tan[c + d*x])/(20*d) + (a*A*(a + b*Co
s[c + d*x])^2*Sec[c + d*x]^4*Tan[c + d*x])/(5*d)
```

**Rubi [A]** time = 0.488813, antiderivative size = 236, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$ , Rules used = {2989, 3031, 3021, 2748, 3768, 3770, 3767, 8}

$$\frac{(8a^3A + 30a^2bB + 30aAb^2 + 15b^3B) \tan(c + dx)}{15d} + \frac{(9a^2Ab + 3a^3B + 12ab^2B + 4Ab^3) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{a(4a^2A + 3a^2bB + 3aAb^2 + 15b^3B)}{15d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*cos[c + d*x])^3*(A + B*cos[c + d*x])*Sec[c + d*x]^6,x]
```

```
[Out] ((9*a^2*A*b + 4*A*b^3 + 3*a^3*B + 12*a*b^2*B)*ArcTanh[Sin[c + d*x]])/(8*d)
+ ((8*a^3*A + 30*a*A*b^2 + 30*a^2*b*B + 15*b^3*B)*Tan[c + d*x])/(15*d) + ((
9*a^2*A*b + 4*A*b^3 + 3*a^3*B + 12*a*b^2*B)*Sec[c + d*x]*Tan[c + d*x])/(8*d
) + (a*(4*a^2*A + 12*A*b^2 + 15*a*b*B)*Sec[c + d*x]^2*Tan[c + d*x])/(15*d)
+ (a^2*(7*A*b + 5*a*B)*Sec[c + d*x]^3*Tan[c + d*x])/(20*d) + (a*A*(a + b*Co
s[c + d*x])^2*Sec[c + d*x]^4*Tan[c + d*x])/(5*d)
```

#### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

#### Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f
_.)*(x_)]^2), x_Symbol] :> -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1))))*
Sin[e + f*x], x], x] /;
```

$\text{Sin}[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*\text{Sin}[e + f*x]^2, x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

### Rule 3021

$\text{Int}[\{(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]\}^{(m_.)}*\{(A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2\}, x\_Symbol] := -\text{Simp}[\{(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)}\}/(b*f*(m + 1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*\text{Simp}[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1)*\text{Sin}[e + f*x], x], x], x] /;$  FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

### Rule 2748

$\text{Int}[\{(b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]\}^{(m_.)}*\{(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]\}, x\_Symbol] := \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /;$  FreeQ[{b, c, d, e, f, m}, x]

### Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] := -\text{Simp}[(b*\text{Cos}[c + d*x] * (b*\text{Csc}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] /;$  FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

### Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x\_Symbol] := -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /;$  FreeQ[{c, d}, x]

### Rule 3767

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)]^{(n_.)}, x\_Symbol] := -\text{Dist}[d^{(-1)}, \text{Subst}[\text{Int}[\text{ExpandIntegrand}[(1 + x^2)^{(n/2 - 1)}, x], x], x, \text{Cot}[c + d*x]], x] /;$  FreeQ[{c, d}, x] && IGtQ[n/2, 0]

### Rule 8

$\text{Int}[a_, x\_Symbol] := \text{Simp}[a*x, x] /;$  FreeQ[a, x]

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^6(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^2 \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int (a + \\ &= \frac{a^2(7Ab + 5aB) \sec^3(c + dx) \tan(c + dx)}{20d} + \frac{aA(a + b \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{15d} + \frac{a^2(7a^2A + 12Ab^2 + 15abB) \sec^2(c + dx) \tan(c + dx)}{15d} + \frac{a^2(7a^2A + 12Ab^2 + 15abB) \sec^2(c + dx) \tan(c + dx)}{15d} + \frac{a^2(7a^2A + 12Ab^2 + 15abB) \sec^2(c + dx) \tan(c + dx)}{15d} + \frac{a^2(7a^2A + 12Ab^2 + 15abB) \sec^2(c + dx) \tan(c + dx)}{15d} \\ &= \frac{(9a^2Ab + 4Ab^3 + 3a^3B + 12ab^2B) \sec(c + dx) \tan(c + dx)}{8d} + \frac{(9a^2Ab + 4Ab^3 + 3a^3B + 12ab^2B) \tanh^{-1}(\sin(c + dx))}{8d} + \frac{(8a^2A + 12aBb + 15a^2B) \sec(c + dx) \tan(c + dx)}{8d} + \frac{a^2(7a^2A + 12Ab^2 + 15abB) \sec^2(c + dx) \tan(c + dx)}{15d} + \frac{a^2(7a^2A + 12Ab^2 + 15abB) \sec^2(c + dx) \tan(c + dx)}{15d} + \frac{a^2(7a^2A + 12Ab^2 + 15abB) \sec^2(c + dx) \tan(c + dx)}{15d} + \frac{a^2(7a^2A + 12Ab^2 + 15abB) \sec^2(c + dx) \tan(c + dx)}{15d} \end{aligned}$$



**Mathematica [A]** time = 3.2125, size = 181, normalized size = 0.77

$$15(9a^2Ab + 3a^3B + 12ab^2B + 4Ab^3) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) \left( 8 \left( 5a \left( 2a^2A + 3abB + 3Ab^2 \right) \tan^2(c + dx) + \right. \right.$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^6,x]

[Out] (15\*(9\*a^2\*A\*b + 4\*A\*b^3 + 3\*a^3\*B + 12\*a\*b^2\*B)\*ArcTanh[Sin[c + d\*x]] + Tan[c + d\*x]\*(15\*(9\*a^2\*A\*b + 4\*A\*b^3 + 3\*a^3\*B + 12\*a\*b^2\*B)\*Sec[c + d\*x] + 30\*a^2\*(3\*A\*b + a\*B)\*Sec[c + d\*x]^3 + 8\*(15\*(a^3\*A + 3\*a\*A\*b^2 + 3\*a^2\*b\*B + b^3\*B) + 5\*a\*(2\*a^2\*A + 3\*A\*b^2 + 3\*a\*b\*B)\*Tan[c + d\*x]^2 + 3\*a^3\*A\*Tan[c + d\*x]^4))/(120\*d)

**Maple [A]** time = 0.092, size = 382, normalized size = 1.6

$$\frac{8 A a^3 \tan(dx + c)}{15 d} + \frac{A a^3 \tan(dx + c) (\sec(dx + c))^4}{5 d} + \frac{4 A a^3 \tan(dx + c) (\sec(dx + c))^2}{15 d} + \frac{a^3 B \tan(dx + c) (\sec(dx + c))}{4 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x)

[Out] 8/15/d\*A\*a^3\*tan(d\*x+c)+1/5/d\*A\*a^3\*tan(d\*x+c)\*sec(d\*x+c)^4+4/15/d\*A\*a^3\*tan(d\*x+c)\*sec(d\*x+c)^2+1/4/d\*a^3\*B\*tan(d\*x+c)\*sec(d\*x+c)^3+3/8/d\*a^3\*B\*sec(d\*x+c)\*tan(d\*x+c)+3/8/d\*a^3\*B\*ln(sec(d\*x+c)+tan(d\*x+c))+3/4/d\*A\*a^2\*b\*tan(d\*x+c)\*sec(d\*x+c)^3+9/8/d\*A\*a^2\*b\*sec(d\*x+c)\*tan(d\*x+c)+9/8/d\*A\*a^2\*b\*ln(sec(d\*x+c)+tan(d\*x+c))+2/d\*a^2\*b\*B\*tan(d\*x+c)+1/d\*a^2\*b\*B\*tan(d\*x+c)\*sec(d\*x+c)^2+2/d\*A\*a\*b^2\*tan(d\*x+c)+1/d\*A\*a\*b^2\*tan(d\*x+c)\*sec(d\*x+c)^2+3/2/d\*B\*a\*b^2\*tan(d\*x+c)\*sec(d\*x+c)+3/2/d\*B\*a\*b^2\*ln(sec(d\*x+c)+tan(d\*x+c))+1/2/d\*A\*b^3\*tan(d\*x+c)\*sec(d\*x+c)+1/2/d\*A\*b^3\*ln(sec(d\*x+c)+tan(d\*x+c))+1/d\*B\*b^3\*tan(d\*x+c)

**Maxima [A]** time = 1.11634, size = 460, normalized size = 1.95

$$16(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c)) A a^3 + 240(\tan(dx + c)^3 + 3 \tan(dx + c)) B a^2 b + 240(\tan(dx + c)^3 + 3 \tan(dx + c)) A a b^2 - 15 B a^3 (2(3 \sin(dx + c)^3 - 5 \sin(dx + c)) / (\sin(dx + c)^4 - 2 \sin(dx + c)^2 + 1) - 3 \log(\sin(dx + c) + 1) + 3 \log(\sin(dx + c) - 1)) - 45 A a^2 b (2(3 \sin(dx + c)^3 - 5 \sin(dx + c)) / (\sin(dx + c)^4 - 2 \sin(dx + c)^2 + 1) - 3 \log(\sin(dx + c) + 1) + 3 \log(\sin(dx + c) - 1)) - 180 B a b^2 (2 \sin(dx + c) / (\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) - 60 A b^3 (2 \sin(dx + c) / (\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 240 B b^3 \tan(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="maxima")

[Out] 1/240\*(16\*(3\*tan(d\*x + c)^5 + 10\*tan(d\*x + c)^3 + 15\*tan(d\*x + c))\*A\*a^3 + 240\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*B\*a^2\*b + 240\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*A\*a\*b^2 - 15\*B\*a^3\*(2\*(3\*sin(d\*x + c)^3 - 5\*sin(d\*x + c))/(sin(d\*x + c)^4 - 2\*sin(d\*x + c)^2 + 1) - 3\*log(sin(d\*x + c) + 1) + 3\*log(sin(d\*x + c) - 1)) - 45\*A\*a^2\*b\*(2\*(3\*sin(d\*x + c)^3 - 5\*sin(d\*x + c))/(sin(d\*x + c)^4 - 2\*sin(d\*x + c)^2 + 1) - 3\*log(sin(d\*x + c) + 1) + 3\*log(sin(d\*x + c) - 1)) - 180\*B\*a\*b^2\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) - 60\*A\*b^3\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) + 240\*B\*b^3\*tan(d\*x + c)

c))/d

---

**Fricas [A]** time = 1.52949, size = 612, normalized size = 2.59

$15(3Ba^3 + 9Aa^2b + 12Bab^2 + 4Ab^3) \cos(dx + c)^5 \log(\sin(dx + c) + 1) - 15(3Ba^3 + 9Aa^2b + 12Bab^2 + 4Ab^3) \cos(dx + c)^5 \log(-\sin(dx + c) + 1) + 2(8(8Aa^3 + 30Ba^2b + 30Aa^2b^2 + 15Bb^3) \cos(dx + c)^4 + 24Aa^3 + 15(3Ba^3 + 9Aa^2b + 12Bab^2 + 4Ab^3) \cos(dx + c)^3 + 8(4Aa^3 + 15Ba^2b + 15Aa^2b^2) \cos(dx + c)^2 + 30(Ba^3 + 3Aa^2b) \cos(dx + c)) \sin(dx + c) / (d \cos(dx + c)^5)$

---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="fricas")

[Out] 1/240\*(15\*(3\*B\*a^3 + 9\*A\*a^2\*b + 12\*B\*a\*b^2 + 4\*A\*b^3)\*cos(d\*x + c)^5\*log(sin(d\*x + c) + 1) - 15\*(3\*B\*a^3 + 9\*A\*a^2\*b + 12\*B\*a\*b^2 + 4\*A\*b^3)\*cos(d\*x + c)^5\*log(-sin(d\*x + c) + 1) + 2\*(8\*(8\*A\*a^3 + 30\*B\*a^2\*b + 30\*A\*a^2\*b^2 + 15\*B\*b^3)\*cos(d\*x + c)^4 + 24\*A\*a^3 + 15\*(3\*B\*a^3 + 9\*A\*a^2\*b + 12\*B\*a\*b^2 + 4\*A\*b^3)\*cos(d\*x + c)^3 + 8\*(4\*A\*a^3 + 15\*B\*a^2\*b + 15\*A\*a^2\*b^2)\*cos(d\*x + c)^2 + 30\*(B\*a^3 + 3\*A\*a^2\*b)\*cos(d\*x + c))\*sin(d\*x + c))/(d\*cos(d\*x + c)^5)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*6,x)

[Out] Timed out

---

**Giac [B]** time = 1.52396, size = 975, normalized size = 4.13

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="giac")

[Out] 1/120\*(15\*(3\*B\*a^3 + 9\*A\*a^2\*b + 12\*B\*a\*b^2 + 4\*A\*b^3)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1)) - 15\*(3\*B\*a^3 + 9\*A\*a^2\*b + 12\*B\*a\*b^2 + 4\*A\*b^3)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1)) - 2\*(120\*A\*a^3\*tan(1/2\*d\*x + 1/2\*c)^9 - 75\*B\*a^3\*tan(1/2\*d\*x + 1/2\*c)^9 - 225\*A\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c)^9 + 360\*B\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c)^9 + 360\*A\*a^2\*b^2\*tan(1/2\*d\*x + 1/2\*c)^9 - 180\*B\*a^2\*b^2\*tan(1/2\*d\*x + 1/2\*c)^9 - 60\*A\*b^3\*tan(1/2\*d\*x + 1/2\*c)^9 + 120\*B\*b^3\*tan(1/2\*d\*x + 1/2\*c)^9 - 160\*A\*a^3\*tan(1/2\*d\*x + 1/2\*c)^7 + 30\*B\*a^3\*tan(1/2\*d\*x + 1/2\*c)^7 + 90\*A\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c)^7 - 960\*B\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c)^7 - 960\*A\*a^2\*b^2\*tan(1/2\*d\*x + 1/2\*c)^7 + 360\*B\*a^2\*b^2\*tan(1/2\*d\*x + 1/2\*c)^7 + 120\*A\*b^3\*tan(1/2\*d\*x + 1/2\*c)^7 - 480\*B\*b^3\*tan(1/2\*d\*x + 1/2\*c)^7 + 464\*A\*a^3\*tan(1/2\*d\*x + 1/2\*c)^5 + 1200\*B\*a^2\*b\*tan(1/2\*d\*x + 1/2\*c)^5 + 1200\*A\*a^2\*b^2\*tan(1/2\*d\*x + 1/2\*c)^5 + 720\*B\*b^3\*tan(1/2\*d\*x + 1/2\*c)^5 - 160\*A\*a^3\*tan(1/2\*d\*x + 1/2\*c)^3 - 30\*B\*a^3\*tan(1/2\*d\*x + 1/2\*c)^3 - 90\*A\*a^2

$$\begin{aligned}
& *b*\tan(1/2*d*x + 1/2*c)^3 - 960*B*a^2*b*\tan(1/2*d*x + 1/2*c)^3 - 960*A*a*b^2*\tan(1/2*d*x + 1/2*c)^3 - 360*B*a*b^2*\tan(1/2*d*x + 1/2*c)^3 - 120*A*b^3*\tan(1/2*d*x + 1/2*c)^3 - 480*B*b^3*\tan(1/2*d*x + 1/2*c)^3 + 120*A*a^3*\tan(1/2*d*x + 1/2*c) + 75*B*a^3*\tan(1/2*d*x + 1/2*c) + 225*A*a^2*b*\tan(1/2*d*x + 1/2*c) + 360*B*a^2*b*\tan(1/2*d*x + 1/2*c) + 360*A*a*b^2*\tan(1/2*d*x + 1/2*c) + 180*B*a*b^2*\tan(1/2*d*x + 1/2*c) + 60*A*b^3*\tan(1/2*d*x + 1/2*c) + 120*B*b^3*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^5/d
\end{aligned}$$

### 3.240 $\int \cos^2(c + dx)(a + b \cos(c + dx))^4(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=366

$$\frac{(140a^3Ab + 168a^2b^2B + 35a^4B + 112aAb^3 + 24b^4B) \sin^3(c + dx)}{105d} + \frac{(140a^3Ab + 168a^2b^2B + 35a^4B + 112aAb^3 + 24b^4B) \cos^3(c + dx)}{35d}$$

[Out]  $((8a^4A + 36a^2Ab^2 + 5A^2b^4 + 24a^3bB + 20ab^3B)x)/16 + ((140a^3Ab + 112aAb^3 + 35a^4B + 168a^2b^2B + 24b^4B) \sin[c + dx]) / (35d) + ((8a^4A + 36a^2Ab^2 + 5A^2b^4 + 24a^3bB + 20ab^3B) \cos[c + dx] \sin[c + dx]) / (16d) + (b(224a^2Ab + 35A^2b^3 + 104a^3B + 140ab^2B) \cos[c + dx]^3 \sin[c + dx]) / (168d) + (b^2(49aAb + 31a^2B + 18b^2B) \cos[c + dx]^4 \sin[c + dx]) / (105d) + (b(7Ab + 10aB) \cos[c + dx]^3 (a + b \cos[c + dx])^2 \sin[c + dx]) / (42d) + (bB \cos[c + dx]^3 (a + b \cos[c + dx])^3 \sin[c + dx]) / (7d) - ((140a^3Ab + 112aAb^3 + 35a^4B + 168a^2b^2B + 24b^4B) \sin[c + dx]^3) / (105d)$

**Rubi [A]** time = 0.837696, antiderivative size = 366, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$ , Rules used = {2990, 3049, 3033, 3023, 2748, 2635, 8, 2633}

$$\frac{(140a^3Ab + 168a^2b^2B + 35a^4B + 112aAb^3 + 24b^4B) \sin^3(c + dx)}{105d} + \frac{(140a^3Ab + 168a^2b^2B + 35a^4B + 112aAb^3 + 24b^4B) \cos^3(c + dx)}{35d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + dx]^2\*(a + bCos[c + dx])^4\*(A + BCos[c + dx]), x]

[Out]  $((8a^4A + 36a^2Ab^2 + 5A^2b^4 + 24a^3bB + 20ab^3B)x)/16 + ((140a^3Ab + 112aAb^3 + 35a^4B + 168a^2b^2B + 24b^4B) \sin[c + dx]) / (35d) + ((8a^4A + 36a^2Ab^2 + 5A^2b^4 + 24a^3bB + 20ab^3B) \cos[c + dx] \sin[c + dx]) / (16d) + (b(224a^2Ab + 35A^2b^3 + 104a^3B + 140ab^2B) \cos[c + dx]^3 \sin[c + dx]) / (168d) + (b^2(49aAb + 31a^2B + 18b^2B) \cos[c + dx]^4 \sin[c + dx]) / (105d) + (b(7Ab + 10aB) \cos[c + dx]^3 (a + b \cos[c + dx])^2 \sin[c + dx]) / (42d) + (bB \cos[c + dx]^3 (a + b \cos[c + dx])^3 \sin[c + dx]) / (7d) - ((140a^3Ab + 112aAb^3 + 35a^4B + 168a^2b^2B + 24b^4B) \sin[c + dx]^3) / (105d)$

#### Rule 2990

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[(b\*B\*Cos[e + f\*x]\*(a + bSin[e + f\*x])^(m - 1)\*(c + dSin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + bSin[e + f\*x])^(m - 2)\*(c + dSin[e + f\*x])^n\*Simp[a^2\*A\*d\*(m + n + 1) + b\*B\*(b\*c\*(m - 1) + a\*d\*(n + 1)) + (a\*d\*(2\*A\*b + a\*B)\*(m + n + 1) - b\*B\*(a\*c - b\*d\*(m + n)))\*Sin[e + f\*x] + b\*(A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 3049

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_

```

.) + (f_.)*(x_)^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x
] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

```

### Rule 3033

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f
_.)*(x_)])^2), x_Symbol] := -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[
e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

```

### Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

### Rule 2748

```

Int(((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

### Rule 2635

```

Int(((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

### Rule 8

```

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

```

### Rule 2633

```

Int[sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
nd[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d*x]], x] /; FreeQ[{c, d}, x]
&& IGtQ[(n - 1)/2, 0]

```

### Rubi steps

$$\begin{aligned}
\int \cos^2(c+dx)(a+b\cos(c+dx))^4(A+B\cos(c+dx))dx &= \frac{bB\cos^3(c+dx)(a+b\cos(c+dx))^3\sin(c+dx)}{7d} + \frac{1}{7}\int \cos^2(c+dx)(a+b\cos(c+dx))^4(A+B\cos(c+dx))dx \\
&= \frac{b(7Ab+10aB)\cos^3(c+dx)(a+b\cos(c+dx))^2\sin(c+dx)}{42d} \\
&= \frac{b^2(49aAb+31a^2B+18b^2B)\cos^4(c+dx)\sin(c+dx)}{105d} + \frac{b(7Ab+10aB)\cos^3(c+dx)\sin(c+dx)}{42d} \\
&= \frac{b(224a^2Ab+35Ab^3+104a^3B+140ab^2B)\cos^3(c+dx)\sin(c+dx)}{168d} \\
&= \frac{b(224a^2Ab+35Ab^3+104a^3B+140ab^2B)\cos^3(c+dx)\sin(c+dx)}{168d} \\
&= \frac{(8a^4A+36a^2Ab^2+5Ab^4+24a^3bB+20ab^3B)\cos(c+dx)\sin(c+dx)}{16d} \\
&= \frac{1}{16}(8a^4A+36a^2Ab^2+5Ab^4+24a^3bB+20ab^3B)x + \frac{(140a^3Ab+140a^2b^2B+140a^3B+140ab^3B+140a^4A+140a^3bB+140a^2b^2B+140ab^3B+140a^4B+140a^3b^2B+140a^2b^3B+140ab^4B)\sin(c+dx)}{16d}
\end{aligned}$$

**Mathematica [A]** time = 0.864315, size = 408, normalized size = 1.11

$$\frac{105(192a^3Ab+240a^2b^2B+48a^4B+160aAb^3+35b^4B)\sin(c+dx)+105(96a^2Ab^2+16a^4A+64a^3bB+60ab^3B+15a^4B+15a^3b^2B+15a^2b^3B+15ab^4B)\sin(2(c+dx))}{16d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + b\*Cos[c + d\*x])^4\*(A + B\*Cos[c + d\*x]), x]

[Out] (3360\*a^4\*A\*c + 15120\*a^2\*A\*b^2\*c + 2100\*A\*b^4\*c + 10080\*a^3\*b\*B\*c + 8400\*a\*b^3\*B\*c + 3360\*a^4\*A\*d\*x + 15120\*a^2\*A\*b^2\*d\*x + 2100\*A\*b^4\*d\*x + 10080\*a^3\*b\*B\*d\*x + 8400\*a\*b^3\*B\*d\*x + 105\*(192\*a^3\*A\*b + 160\*a\*A\*b^3 + 48\*a^4\*B + 240\*a^2\*b^2\*B + 35\*b^4\*B)\*Sin[c + d\*x] + 105\*(16\*a^4\*A + 96\*a^2\*A\*b^2 + 15\*A\*b^4 + 64\*a^3\*b\*B + 60\*a\*b^3\*B)\*Sin[2\*(c + d\*x)] + 2240\*a^3\*A\*b\*Ssin[3\*(c + d\*x)] + 2800\*a\*A\*b^3\*Ssin[3\*(c + d\*x)] + 560\*a^4\*B\*Ssin[3\*(c + d\*x)] + 4200\*a^2\*b^2\*B\*Ssin[3\*(c + d\*x)] + 735\*b^4\*B\*Ssin[3\*(c + d\*x)] + 1260\*a^2\*A\*b^2\*Ssin[4\*(c + d\*x)] + 315\*A\*b^4\*Ssin[4\*(c + d\*x)] + 840\*a^3\*b\*B\*Ssin[4\*(c + d\*x)] + 1260\*a\*b^3\*B\*Ssin[4\*(c + d\*x)] + 336\*a\*A\*b^3\*Ssin[5\*(c + d\*x)] + 504\*a^2\*b^2\*B\*Ssin[5\*(c + d\*x)] + 147\*b^4\*B\*Ssin[5\*(c + d\*x)] + 35\*A\*b^4\*Ssin[6\*(c + d\*x)] + 140\*a\*b^3\*B\*Ssin[6\*(c + d\*x)] + 15\*b^4\*B\*Ssin[7\*(c + d\*x)])/(6720\*d)

**Maple [A]** time = 0.047, size = 368, normalized size = 1.

$$\frac{1}{d}\left(Aa^4\left(\frac{\cos(dx+c)\sin(dx+c)}{2} + \frac{dx}{2} + \frac{c}{2}\right) + \frac{a^4B(2+(\cos(dx+c))^2)\sin(dx+c)}{3} + \frac{4Aa^3b(2+(\cos(dx+c))^2)\sin(dx+c)}{3}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c)), x)

[Out] 1/d\*(A\*a^4\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+1/3\*a^4\*B\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+4/3\*A\*a^3\*b\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+4\*B\*a^3\*b\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+6\*A\*a^2\*b^2\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+6/5\*B\*a^2\*b^2\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)+4/5\*A\*a\*b^3\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)+4\*B\*a\*b^3\*(1/6\*(cos(d\*x+c)^5+5/4\*cos(d\*x+c)^3+15/8\*cos(d\*x+c))\*sin(d\*x+c)+5/16\*d\*x+5/16\*c)+A\*b^4\*(1/6\*(cos(d\*x+c)^5+5/4\*cos(d\*x+c)

$$\begin{aligned} &^3+15/8*\cos(d*x+c))*\sin(d*x+c)+5/16*d*x+5/16*c)+1/7*B*b^4*(16/5+\cos(d*x+c))^6 \\ &+6/5*\cos(d*x+c)^4+8/5*\cos(d*x+c)^2)*\sin(d*x+c) \end{aligned}$$

**Maxima [A]** time = 1.17136, size = 494, normalized size = 1.35

$$1680(2dx + 2c + \sin(2dx + 2c))Aa^4 - 2240(\sin(dx + c)^3 - 3\sin(dx + c))Ba^4 - 8960(\sin(dx + c)^3 - 3\sin(dx + c))$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="maxima")
```

```
[Out] 1/6720*(1680*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^4 - 2240*(sin(d*x + c)^3 - 3*sin(d*x + c))*B*a^4 - 8960*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a^3*b + 840*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a^3*b + 1260*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*a^2*b^2 + 2688*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*a^2*b^2 + 1792*(3*sin(d*x + c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*A*a*b^3 - 140*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*x + 2*c))*B*a*b^3 - 35*(4*sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*sin(4*d*x + 4*c) - 48*sin(2*d*x + 2*c))*A*b^4 - 192*(5*sin(d*x + c)^7 - 21*sin(d*x + c)^5 + 35*sin(d*x + c)^3 - 35*sin(d*x + c))*B*b^4)/d
```

**Fricas [A]** time = 1.69899, size = 717, normalized size = 1.96

$$105(8Aa^4 + 24Ba^3b + 36Aa^2b^2 + 20Bab^3 + 5Ab^4)dx + (240Bb^4 \cos(dx + c)^6 + 280(4Bab^3 + Ab^4) \cos(dx + c)^5 -$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/1680*(105*(8*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2 + 20*B*a*b^3 + 5*A*b^4)*d*x + (240*B*b^4*cos(d*x + c)^6 + 280*(4*B*a*b^3 + A*b^4)*cos(d*x + c)^5 + 1120*B*a^4 + 4480*A*a^3*b + 5376*B*a^2*b^2 + 3584*A*a*b^3 + 768*B*b^4 + 96*(21*B*a^2*b^2 + 14*A*a*b^3 + 3*B*b^4)*cos(d*x + c)^4 + 70*(24*B*a^3*b + 36*A*a^2*b^2 + 20*B*a*b^3 + 5*A*b^4)*cos(d*x + c)^3 + 16*(35*B*a^4 + 140*A*a^3*b + 168*B*a^2*b^2 + 112*A*a*b^3 + 24*B*b^4)*cos(d*x + c)^2 + 105*(8*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2 + 20*B*a*b^3 + 5*A*b^4)*cos(d*x + c))*sin(d*x + c))/d
```

**Sympy [A]** time = 11.8799, size = 1017, normalized size = 2.78

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+b*cos(d*x+c))**4*(A+B*cos(d*x+c)),x)
```

```
[Out] Piecewise((A*a**4*x*sin(c + d*x)**2/2 + A*a**4*x*cos(c + d*x)**2/2 + A*a**4
*sin(c + d*x)*cos(c + d*x)/(2*d) + 8*A*a**3*b*sin(c + d*x)**3/(3*d) + 4*A*a
**3*b*sin(c + d*x)*cos(c + d*x)**2/d + 9*A*a**2*b**2*x*sin(c + d*x)**4/4 +
9*A*a**2*b**2*x*cos(c + d*x)**2/2 + 9*A*a**2*b**2*x*cos(c +
d*x)**4/4 + 9*A*a**2*b**2*sin(c + d*x)**3*cos(c + d*x)/(4*d) + 15*A*a**2*b
**2*sin(c + d*x)*cos(c + d*x)**3/(4*d) + 32*A*a*b**3*sin(c + d*x)**5/(15*d)
+ 16*A*a*b**3*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + 4*A*a*b**3*sin(c +
d*x)*cos(c + d*x)**4/d + 5*A*b**4*x*sin(c + d*x)**6/16 + 15*A*b**4*x*sin(c +
d*x)**4*cos(c + d*x)**2/16 + 15*A*b**4*x*cos(c + d*x)**2*cos(c + d*x)**4/1
6 + 5*A*b**4*x*cos(c + d*x)**6/16 + 5*A*b**4*sin(c + d*x)**5*cos(c + d*x)/(
16*d) + 5*A*b**4*sin(c + d*x)**3*cos(c + d*x)**3/(6*d) + 11*A*b**4*sin(c +
d*x)*cos(c + d*x)**5/(16*d) + 2*B*a**4*sin(c + d*x)**3/(3*d) + B*a**4*sin(c
+ d*x)*cos(c + d*x)**2/d + 3*B*a**3*b*x*sin(c + d*x)**4/2 + 3*B*a**3*b*x*s
in(c + d*x)**2*cos(c + d*x)**2 + 3*B*a**3*b*x*cos(c + d*x)**4/2 + 3*B*a**3*
b*sin(c + d*x)**3*cos(c + d*x)/(2*d) + 5*B*a**3*b*sin(c + d*x)*cos(c + d*x)
**3/(2*d) + 16*B*a**2*b**2*sin(c + d*x)**5/(5*d) + 8*B*a**2*b**2*sin(c + d
*x)**3*cos(c + d*x)**2/d + 6*B*a**2*b**2*sin(c + d*x)*cos(c + d*x)**4/d + 5
*B*a*b**3*x*sin(c + d*x)**6/4 + 15*B*a*b**3*x*sin(c + d*x)**4*cos(c + d*x)**
2/4 + 15*B*a*b**3*x*cos(c + d*x)**2*cos(c + d*x)**4/4 + 5*B*a*b**3*x*cos(c
+ d*x)**6/4 + 5*B*a*b**3*sin(c + d*x)**5*cos(c + d*x)/(4*d) + 10*B*a*b**3*s
in(c + d*x)**3*cos(c + d*x)**3/(3*d) + 11*B*a*b**3*sin(c + d*x)*cos(c + d*x
)**5/(4*d) + 16*B*b**4*sin(c + d*x)**7/(35*d) + 8*B*b**4*sin(c + d*x)**5*co
s(c + d*x)**2/(5*d) + 2*B*b**4*sin(c + d*x)**3*cos(c + d*x)**4/d + B*b**4*s
in(c + d*x)*cos(c + d*x)**6/d, Ne(d, 0)), (x*(A + B*cos(c))*(a + b*cos(c))
**4*cos(c)**2, True))
```

---

**Giac [A]** time = 1.46736, size = 423, normalized size = 1.16

$$\frac{Bb^4 \sin(7dx + 7c)}{448d} + \frac{1}{16} (8Aa^4 + 24Ba^3b + 36Aa^2b^2 + 20Bab^3 + 5Ab^4)x + \frac{(4Bab^3 + Ab^4) \sin(6dx + 6c)}{192d} + \frac{(24Ba^2}{16}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="gi
ac")
```

```
[Out] 1/448*B*b^4*sin(7*d*x + 7*c)/d + 1/16*(8*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2
+ 20*B*a*b^3 + 5*A*b^4)*x + 1/192*(4*B*a*b^3 + A*b^4)*sin(6*d*x + 6*c)/d +
1/320*(24*B*a^2*b^2 + 16*A*a*b^3 + 7*B*b^4)*sin(5*d*x + 5*c)/d + 1/64*(8*B*
a^3*b + 12*A*a^2*b^2 + 12*B*a*b^3 + 3*A*b^4)*sin(4*d*x + 4*c)/d + 1/192*(16
*B*a^4 + 64*A*a^3*b + 120*B*a^2*b^2 + 80*A*a*b^3 + 21*B*b^4)*sin(3*d*x + 3*
c)/d + 1/64*(16*A*a^4 + 64*B*a^3*b + 96*A*a^2*b^2 + 60*B*a*b^3 + 15*A*b^4)*
sin(2*d*x + 2*c)/d + 1/64*(48*B*a^4 + 192*A*a^3*b + 240*B*a^2*b^2 + 160*A*a
*b^3 + 35*B*b^4)*sin(d*x + c)/d
```



$$3.241 \quad \int \cos(c + dx)(a + b \cos(c + dx))^4(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=325

$$\frac{(224a^2Ab^3 + 24a^4Ab + 121a^3b^2B - 4a^5B + 128ab^4B + 32Ab^5) \sin(c + dx)}{60bd} + \frac{(-4a^2B + 24aAb + 25b^2B) \sin(c + dx)}{120bd}$$

[Out]  $((32a^3Ab + 24a^4Ab + 8a^5B + 36a^2b^2B + 5b^4B)x)/16 + ((24a^4Ab + 224a^2Ab^3 + 32Ab^5 - 4a^5B + 121a^3b^2B + 128ab^4B) \sin[c + dx])/(60bd) + ((48a^3Ab + 232a^2Ab^3 - 8a^4B + 178a^2b^2B + 75b^4B) \cos[c + dx] \sin[c + dx])/(240d) + ((24a^2Ab + 32Ab^3 - 4a^3B + 53ab^2B)(a + b \cos[c + dx])^2 \sin[c + dx])/(120bd) + ((24aAb - 4a^2B + 25b^2B)(a + b \cos[c + dx])^3 \sin[c + dx])/(120bd) + ((6Ab - aB)(a + b \cos[c + dx])^4 \sin[c + dx])/(30bd) + (B(a + b \cos[c + dx])^5 \sin[c + dx])/(6bd)$

**Rubi [A]** time = 0.509253, antiderivative size = 325, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$ , Rules used = {2968, 3023, 2753, 2734}

$$\frac{(224a^2Ab^3 + 24a^4Ab + 121a^3b^2B - 4a^5B + 128ab^4B + 32Ab^5) \sin(c + dx)}{60bd} + \frac{(-4a^2B + 24aAb + 25b^2B) \sin(c + dx)}{120bd}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + dx]\*(a + bCos[c + dx])^4\*(A + B\*Cos[c + dx]),x]

[Out]  $((32a^3Ab + 24a^4Ab + 8a^5B + 36a^2b^2B + 5b^4B)x)/16 + ((24a^4Ab + 224a^2Ab^3 + 32Ab^5 - 4a^5B + 121a^3b^2B + 128ab^4B) \sin[c + dx])/(60bd) + ((48a^3Ab + 232a^2Ab^3 - 8a^4B + 178a^2b^2B + 75b^4B) \cos[c + dx] \sin[c + dx])/(240d) + ((24a^2Ab + 32Ab^3 - 4a^3B + 53ab^2B)(a + b \cos[c + dx])^2 \sin[c + dx])/(120bd) + ((24aAb - 4a^2B + 25b^2B)(a + b \cos[c + dx])^3 \sin[c + dx])/(120bd) + ((6Ab - aB)(a + b \cos[c + dx])^4 \sin[c + dx])/(30bd) + (B(a + b \cos[c + dx])^5 \sin[c + dx])/(6bd)$

#### Rule 2968

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Int[(a + bSin[e + f\*x])^m\*(A + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)^2], x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + bSin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + bSin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2753

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + bSin[e + f\*x])^m)/(f

```
*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m
+ a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a
, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
&& IntegerQ[2*m]
```

Rule 2734

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)
*(x_)]), x_Symbol] :> Simp[((2*a*c + b*d)*x)/2, x] + (-Simp[((b*c + a*d)*Co
s[e + f*x])/f, x] - Simp[(b*d*Cos[e + f*x]*Sin[e + f*x])/(2*f), x]) /; Free
Q[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rubi steps

$$\int \cos(c + dx)(a + b \cos(c + dx))^4(A + B \cos(c + dx)) dx = \int (a + b \cos(c + dx))^4 (A \cos(c + dx) + B \cos^2(c + dx)) dx$$

$$= \frac{B(a + b \cos(c + dx))^5 \sin(c + dx)}{6bd} + \frac{\int (a + b \cos(c + dx))^4 (5b \cos(c + dx) + A) dx}{6bd}$$

$$= \frac{(6Ab - aB)(a + b \cos(c + dx))^4 \sin(c + dx)}{30bd} + \frac{B(a + b \cos(c + dx))^4}{6bd} \int (a + b \cos(c + dx)) dx$$

$$= \frac{(24aAb - 4a^2B + 25b^2B)(a + b \cos(c + dx))^3 \sin(c + dx)}{120bd} + \frac{B(a + b \cos(c + dx))^4}{6bd} (ax + \frac{a^2 - b^2}{2d} \sin(2(dx + c)))$$

$$= \frac{(24a^2Ab + 32Ab^3 - 4a^3B + 53ab^2B)(a + b \cos(c + dx))^2 \sin(c + dx)}{120bd} + \frac{B(a + b \cos(c + dx))^4}{6bd} (ax + \frac{a^2 - b^2}{2d} \sin(2(dx + c)))$$

$$= \frac{1}{16} (32a^3Ab + 24aAb^3 + 8a^4B + 36a^2b^2B + 5b^4B) x + \frac{(24a^4Ab + 24a^3Ab^2 + 8a^2Ab^3 + 8aAb^4 + 5b^5B) \sin(c + dx)}{16bd}$$

**Mathematica [A]** time = 1.05533, size = 333, normalized size = 1.02

$$120(36a^2Ab^2 + 8a^4A + 24a^3bB + 20ab^3B + 5Ab^4) \sin(c + dx) + 15(64a^3Ab + 96a^2b^2B + 16a^4B + 64aAb^3 + 15b^4B) \sin(2(dx + c))$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*(a + b*Cos[c + d*x])^4*(A + B*Cos[c + d*x]),x]
```

```
[Out] (1920*a^3*A*b*c + 1440*a*A*b^3*c + 480*a^4*B*c + 2160*a^2*b^2*B*c + 300*b^4
*B*c + 1920*a^3*A*b*d*x + 1440*a*A*b^3*d*x + 480*a^4*B*d*x + 2160*a^2*b^2*B
*d*x + 300*b^4*B*d*x + 120*(8*a^4*A + 36*a^2*A*b^2 + 5*A*b^4 + 24*a^3*b*B +
20*a*b^3*B)*Sin[c + d*x] + 15*(64*a^3*A*b + 64*a*A*b^3 + 16*a^4*B + 96*a^2
*b^2*B + 15*b^4*B)*Sin[2*(c + d*x)] + 480*a^2*A*b^2*Ssin[3*(c + d*x)] + 100*
A*b^4*Ssin[3*(c + d*x)] + 320*a^3*b*B*Ssin[3*(c + d*x)] + 400*a*b^3*B*Ssin[3*(
c + d*x)] + 120*a*A*b^3*Ssin[4*(c + d*x)] + 180*a^2*b^2*B*Ssin[4*(c + d*x)] +
45*b^4*B*Ssin[4*(c + d*x)] + 12*A*b^4*Ssin[5*(c + d*x)] + 48*a*b^3*B*Ssin[5*(
c + d*x)] + 5*b^4*B*Ssin[6*(c + d*x)])/(960*d)
```

**Maple [A]** time = 0.084, size = 316, normalized size = 1.

$$\frac{1}{d} \left( Aa^4 \sin(dx + c) + a^4B \left( \frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right) + 4Aa^3b \left( \frac{1}{2} \cos(dx + c) \sin(dx + c) + \frac{1}{2} dx + \frac{c}{2} \right) + \dots \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(a+b*cos(d*x+c))^4*(A+B*cos(d*x+c)),x)`

[Out]  $\frac{1}{d} \left( A^4 \sin(d*x+c) + a^4 B \left( \frac{1}{2} \cos(d*x+c) \sin(d*x+c) + \frac{1}{2} d*x + \frac{1}{2} c \right) + 4 A^3 a b \left( \frac{1}{2} \cos(d*x+c) \sin(d*x+c) + \frac{1}{2} d*x + \frac{1}{2} c \right) + \frac{4}{3} B a^3 b \left( 2 + \cos(d*x+c) \right)^2 \sin(d*x+c) + 2 A a^2 b^2 \left( 2 + \cos(d*x+c) \right)^2 \sin(d*x+c) + 6 B a^2 b^2 \left( \frac{1}{4} \left( \cos(d*x+c) \right)^3 + \frac{3}{2} \cos(d*x+c) \right) \sin(d*x+c) + \frac{3}{8} d*x + \frac{3}{8} c \right) + 4 A a^2 b^3 \left( \frac{1}{4} \left( \cos(d*x+c) \right)^3 + \frac{3}{2} \cos(d*x+c) \right) \sin(d*x+c) + \frac{3}{8} d*x + \frac{3}{8} c \right) + \frac{4}{5} B a^2 b^3 \left( \frac{8}{3} + \cos(d*x+c) \right)^4 + \frac{4}{3} \cos(d*x+c)^2 \sin(d*x+c) + \frac{1}{5} A a b^4 \left( \frac{8}{3} + \cos(d*x+c) \right)^4 + \frac{4}{3} \cos(d*x+c)^2 \sin(d*x+c) + B b^4 \left( \frac{1}{6} \left( \cos(d*x+c) \right)^5 + \frac{5}{4} \cos(d*x+c)^3 + \frac{15}{8} \cos(d*x+c) \right) \sin(d*x+c) + \frac{5}{16} d*x + \frac{5}{16} c \right)$

---

**Maxima [A]** time = 1.04622, size = 414, normalized size = 1.27

$$\frac{240(2dx + 2c + \sin(2dx + 2c))Ba^4 + 960(2dx + 2c + \sin(2dx + 2c))Aa^3b - 1280(\sin(dx + c)^3 - 3\sin(dx + c))B^2a^3b}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+b*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out]  $\frac{1}{960} \left( 240(2d*x + 2*c + \sin(2*d*x + 2*c)) * B*a^4 + 960(2*d*x + 2*c + \sin(2*d*x + 2*c)) * A*a^3*b - 1280 * (\sin(d*x + c)^3 - 3*\sin(d*x + c)) * B*a^3*b - 1920 * (\sin(d*x + c)^3 - 3*\sin(d*x + c)) * A*a^2*b^2 + 180 * (12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c)) * B*a^2*b^2 + 120 * (12*d*x + 12*c + \sin(4*d*x + 4*c) + 8*\sin(2*d*x + 2*c)) * A*a*b^3 + 256 * (3*\sin(d*x + c)^5 - 10*\sin(d*x + c)^3 + 15*\sin(d*x + c)) * B*a*b^3 + 64 * (3*\sin(d*x + c)^5 - 10*\sin(d*x + c)^3 + 15*\sin(d*x + c)) * A*b^4 - 5 * (4*\sin(2*d*x + 2*c)^3 - 60*d*x - 60*c - 9*\sin(4*d*x + 4*c) - 48*\sin(2*d*x + 2*c)) * B*b^4 + 960 * A*a^4 * \sin(d*x + c) \right) / d$

---

**Fricas [A]** time = 1.57297, size = 587, normalized size = 1.81

$$\frac{15(8Ba^4 + 32Aa^3b + 36Ba^2b^2 + 24Aab^3 + 5Bb^4)dx + (40Bb^4 \cos(dx + c)^5 + 240Aa^4 + 640Ba^3b + 960Aa^2b^2 + 512Aa^2b^3 + 128Aab^4 + 48(4B^2a^3b + Ab^4) \cos(dx + c)^4 + 10(36B^2a^2b^2 + 24A^2a^2b^3 + 5B^2b^4) \cos(dx + c)^3 + 32(10B^2a^3b + 15A^2a^2b^2 + 8B^2a^2b^3 + 2Ab^4) \cos(dx + c)^2 + 15(8B^2a^4 + 32A^2a^3b + 36B^2a^2b^2 + 24A^2a^2b^3 + 5B^2b^4) \cos(dx + c)) \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a+b*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="fricas")`

[Out]  $\frac{1}{240} \left( 15(8B^2a^4 + 32A^2a^3b + 36B^2a^2b^2 + 24A^2a^2b^3 + 5B^2b^4) * d*x + (40B^2b^4 * \cos(d*x + c)^5 + 240A^2a^4 + 640B^2a^3b + 960A^2a^2b^2 + 512A^2a^2b^3 + 128A^2ab^4 + 48(4B^2a^3b + Ab^4) * \cos(d*x + c)^4 + 10(36B^2a^2b^2 + 24A^2a^2b^3 + 5B^2b^4) * \cos(d*x + c)^3 + 32(10B^2a^3b + 15A^2a^2b^2 + 8B^2a^2b^3 + 2Ab^4) * \cos(d*x + c)^2 + 15(8B^2a^4 + 32A^2a^3b + 36B^2a^2b^2 + 24A^2a^2b^3 + 5B^2b^4) * \cos(d*x + c)) * \sin(d*x + c) \right) / d$

---

**Sympy [A]** time = 6.86899, size = 811, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.



### 3.242 $\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=241

$$\frac{(95a^3Ab + 112a^2b^2B + 12a^4B + 80aAb^3 + 16b^4B) \sin(c + dx)}{30d} + \frac{(12a^2B + 35aAb + 16b^2B) \sin(c + dx)(a + b \cos(c + dx))}{60d}$$

[Out]  $((8*a^4*A + 24*a^2*A*b^2 + 3*A*b^4 + 16*a^3*b*B + 12*a*b^3*B)*x)/8 + ((95*a^3*A*b + 80*a*A*b^3 + 12*a^4*B + 112*a^2*b^2*B + 16*b^4*B)*Sin[c + d*x])/(30*d) + (b*(130*a^2*A*b + 45*A*b^3 + 24*a^3*B + 116*a*b^2*B)*Cos[c + d*x]*Sin[c + d*x])/(120*d) + ((35*a*A*b + 12*a^2*B + 16*b^2*B)*(a + b*Cos[c + d*x])^2*Sin[c + d*x])/(60*d) + ((5*A*b + 4*a*B)*(a + b*Cos[c + d*x])^3*Sin[c + d*x])/(20*d) + (B*(a + b*Cos[c + d*x])^4*Sin[c + d*x])/(5*d)$

**Rubi [A]** time = 0.337711, antiderivative size = 241, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 2, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.087$ , Rules used = {2753, 2734}

$$\frac{(95a^3Ab + 112a^2b^2B + 12a^4B + 80aAb^3 + 16b^4B) \sin(c + dx)}{30d} + \frac{(12a^2B + 35aAb + 16b^2B) \sin(c + dx)(a + b \cos(c + dx))}{60d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*cos[c + d\*x])^4\*(A + B\*cos[c + d\*x]), x]

[Out]  $((8*a^4*A + 24*a^2*A*b^2 + 3*A*b^4 + 16*a^3*b*B + 12*a*b^3*B)*x)/8 + ((95*a^3*A*b + 80*a*A*b^3 + 12*a^4*B + 112*a^2*b^2*B + 16*b^4*B)*Sin[c + d*x])/(30*d) + (b*(130*a^2*A*b + 45*A*b^3 + 24*a^3*B + 116*a*b^2*B)*Cos[c + d*x]*Sin[c + d*x])/(120*d) + ((35*a*A*b + 12*a^2*B + 16*b^2*B)*(a + b*Cos[c + d*x])^2*Sin[c + d*x])/(60*d) + ((5*A*b + 4*a*B)*(a + b*Cos[c + d*x])^3*Sin[c + d*x])/(20*d) + (B*(a + b*Cos[c + d*x])^4*Sin[c + d*x])/(5*d)$

#### Rule 2753

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*cos[e + f\*x]\*(a + b\*sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b\*sin[e + f\*x])^(m - 1)\*Simp[b\*d\*m + a\*c\*(m + 1) + (a\*d\*m + b\*c\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

#### Rule 2734

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> Simp[((2\*a\*c + b\*d)\*x)/2, x] + (-Simp[((b\*c + a\*d)\*Cos[e + f\*x])/f, x] - Simp[(b\*d\*cos[e + f\*x]\*Sin[e + f\*x])/(2\*f), x]) /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) dx &= \frac{B(a + b \cos(c + dx))^4 \sin(c + dx)}{5d} + \frac{1}{5} \int (a + b \cos(c + dx))^3 (5aA + 4bB) \\
&= \frac{(5Ab + 4aB)(a + b \cos(c + dx))^3 \sin(c + dx)}{20d} + \frac{B(a + b \cos(c + dx))^4 \sin(c + dx)}{5d} \\
&= \frac{(35aAb + 12a^2B + 16b^2B)(a + b \cos(c + dx))^2 \sin(c + dx)}{60d} + \frac{(5Ab + 4aB)(a + b \cos(c + dx))^3 \sin(c + dx)}{20d} \\
&= \frac{1}{8} (8a^4A + 24a^2Ab^2 + 3Ab^4 + 16a^3bB + 12ab^3B) x + \frac{(95a^3Ab + 80aAb^3)}{60d} \sin(c + dx) + \frac{(5Ab + 4aB)(a + b \cos(c + dx))^3 \sin(c + dx)}{20d}
\end{aligned}$$

**Mathematica [A]** time = 0.619624, size = 263, normalized size = 1.09

$$\frac{60(32a^3Ab + 36a^2b^2B + 8a^4B + 24aAb^3 + 5b^4B) \sin(c + dx) + 120b(6a^2Ab + 4a^3B + 4ab^2B + Ab^3) \sin(2(c + dx)) + 1440a^3Ab^2 \sin(3(c + dx)) + 1440a^2b^3B \sin(4(c + dx))}{60d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^4\*(A + B\*Cos[c + d\*x]), x]

[Out] (480\*a^4\*A\*c + 1440\*a^2\*A\*b^2\*c + 180\*A\*b^4\*c + 960\*a^3\*b\*B\*c + 720\*a\*b^3\*B\*c + 480\*a^4\*A\*d\*x + 1440\*a^2\*A\*b^2\*d\*x + 180\*A\*b^4\*d\*x + 960\*a^3\*b\*B\*d\*x + 720\*a\*b^3\*B\*d\*x + 60\*(32\*a^3\*A\*b + 24\*a\*A\*b^3 + 8\*a^4\*B + 36\*a^2\*b^2\*B + 5\*b^4\*B)\*Sin[c + d\*x] + 120\*b\*(6\*a^2\*A\*b + A\*b^3 + 4\*a^3\*B + 4\*a\*b^2\*B)\*Sin[2\*(c + d\*x)] + 160\*a\*A\*b^3\*Ssin[3\*(c + d\*x)] + 240\*a^2\*b^2\*B\*Ssin[3\*(c + d\*x)] + 50\*b^4\*B\*Ssin[3\*(c + d\*x)] + 15\*A\*b^4\*Ssin[4\*(c + d\*x)] + 60\*a\*b^3\*B\*Ssin[4\*(c + d\*x)] + 6\*b^4\*B\*Ssin[5\*(c + d\*x)])/(480\*d)

**Maple [A]** time = 0.04, size = 258, normalized size = 1.1

$$\frac{1}{d} \left( \frac{Bb^4 \sin(dx + c)}{5} \left( \frac{8}{3} + (\cos(dx + c))^4 + \frac{4(\cos(dx + c))^2}{3} \right) + Ab^4 \left( \frac{\sin(dx + c)}{4} \left( (\cos(dx + c))^3 + \frac{3 \cos(dx + c)}{2} \right) + \frac{3 \cos(dx + c)}{2} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c)), x)

[Out] 1/d\*(1/5\*B\*b^4\*(8/3+cos(d\*x+c)^4+4/3\*cos(d\*x+c)^2)\*sin(d\*x+c)+A\*b^4\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+4\*B\*a\*b^3\*(1/4\*(cos(d\*x+c)^3+3/2\*cos(d\*x+c))\*sin(d\*x+c)+3/8\*d\*x+3/8\*c)+4/3\*A\*a\*b^3\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+2\*B\*a^2\*b^2\*(2+cos(d\*x+c)^2)\*sin(d\*x+c)+6\*A\*a^2\*b^2\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+4\*B\*a^3\*b\*(1/2\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*d\*x+1/2\*c)+4\*A\*a^3\*b\*sin(d\*x+c)+a^4\*B\*sin(d\*x+c)+A\*a^4\*(d\*x+c))

**Maxima [A]** time = 1.15258, size = 332, normalized size = 1.38

$$\frac{480(dx + c)Aa^4 + 480(2dx + 2c + \sin(2dx + 2c))Ba^3b + 720(2dx + 2c + \sin(2dx + 2c))Aa^2b^2 - 960(\sin(dx + c))^3 - 1440a^3Ab^2 \sin(3(c + dx)) - 1440a^2b^3B \sin(4(c + dx))}{60d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c)), x, algorithm="maxima")

```
[Out] 1/480*(480*(d*x + c)*A*a^4 + 480*(2*d*x + 2*c + sin(2*d*x + 2*c))*B*a^3*b +
720*(2*d*x + 2*c + sin(2*d*x + 2*c))*A*a^2*b^2 - 960*(sin(d*x + c)^3 - 3*s
in(d*x + c))*B*a^2*b^2 - 640*(sin(d*x + c)^3 - 3*sin(d*x + c))*A*a*b^3 + 60
*(12*d*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*B*a*b^3 + 15*(12*d
*x + 12*c + sin(4*d*x + 4*c) + 8*sin(2*d*x + 2*c))*A*b^4 + 32*(3*sin(d*x +
c)^5 - 10*sin(d*x + c)^3 + 15*sin(d*x + c))*B*b^4 + 480*B*a^4*sin(d*x + c)
+ 1920*A*a^3*b*sin(d*x + c))/d
```

---

**Fricas [A]** time = 1.5214, size = 478, normalized size = 1.98

$$15 \left( 8 Aa^4 + 16 Ba^3b + 24 Aa^2b^2 + 12 Bab^3 + 3 Ab^4 \right) dx + \left( 24 Bb^4 \cos(dx + c)^4 + 120 Ba^4 + 480 Aa^3b + 480 Ba^2b^2 + 3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/120*(15*(8*A*a^4 + 16*B*a^3*b + 24*A*a^2*b^2 + 12*B*a*b^3 + 3*A*b^4)*d*x
+ (24*B*b^4*cos(d*x + c)^4 + 120*B*a^4 + 480*A*a^3*b + 480*B*a^2*b^2 + 320*
A*a*b^3 + 64*B*b^4 + 30*(4*B*a*b^3 + A*b^4)*cos(d*x + c)^3 + 16*(15*B*a^2*b
^2 + 10*A*a*b^3 + 2*B*b^4)*cos(d*x + c)^2 + 15*(16*B*a^3*b + 24*A*a^2*b^2 +
12*B*a*b^3 + 3*A*b^4)*cos(d*x + c))*sin(d*x + c))/d
```

---

**Sympy [A]** time = 3.67264, size = 580, normalized size = 2.41

$$\left\{ \begin{array}{l} Aa^4x + \frac{4Aa^3b \sin(c+dx)}{d} + 3Aa^2b^2x \sin^2(c+dx) + 3Aa^2b^2x \cos^2(c+dx) + \frac{3Aa^2b^2 \sin(c+dx) \cos(c+dx)}{d} + \frac{8Aab^3 \sin^3(c+dx)}{3d} + \\ x(A+B \cos(c))(a+b \cos(c))^4 \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**4*(A+B*cos(d*x+c)),x)
```

```
[Out] Piecewise((A*a**4*x + 4*A*a**3*b*sin(c + d*x)/d + 3*A*a**2*b**2*x*sin(c + d
*x)**2 + 3*A*a**2*b**2*x*cos(c + d*x)**2 + 3*A*a**2*b**2*sin(c + d*x)*cos(c
+ d*x)/d + 8*A*a*b**3*sin(c + d*x)**3/(3*d) + 4*A*a*b**3*sin(c + d*x)*cos(c
+ d*x)**2/d + 3*A*b**4*x*sin(c + d*x)**4/8 + 3*A*b**4*x*sin(c + d*x)**2*c
os(c + d*x)**2/4 + 3*A*b**4*x*cos(c + d*x)**4/8 + 3*A*b**4*sin(c + d*x)**3*
cos(c + d*x)/(8*d) + 5*A*b**4*sin(c + d*x)*cos(c + d*x)**3/(8*d) + B*a**4*s
in(c + d*x)/d + 2*B*a**3*b*x*sin(c + d*x)**2 + 2*B*a**3*b*x*cos(c + d*x)**2
+ 2*B*a**3*b*sin(c + d*x)*cos(c + d*x)/d + 4*B*a**2*b**2*sin(c + d*x)**3/d
+ 6*B*a**2*b**2*sin(c + d*x)*cos(c + d*x)**2/d + 3*B*a*b**3*x*sin(c + d*x)
**4/2 + 3*B*a*b**3*x*sin(c + d*x)**2*cos(c + d*x)**2 + 3*B*a*b**3*x*cos(c +
d*x)**4/2 + 3*B*a*b**3*sin(c + d*x)**3*cos(c + d*x)/(2*d) + 5*B*a*b**3*sin
(c + d*x)*cos(c + d*x)**3/(2*d) + 8*B*b**4*sin(c + d*x)**5/(15*d) + 4*B*b**
4*sin(c + d*x)**3*cos(c + d*x)**2/(3*d) + B*b**4*sin(c + d*x)*cos(c + d*x)*
**4/d, Ne(d, 0)), (x*(A + B*cos(c))*(a + b*cos(c))**4, True))
```

---

**Giac [A]** time = 1.42656, size = 286, normalized size = 1.19

$$\frac{Bb^4 \sin(5dx + 5c)}{80d} + \frac{1}{8} \left( 8 Aa^4 + 16 Ba^3b + 24 Aa^2b^2 + 12 Bab^3 + 3 Ab^4 \right) x + \frac{(4 Bab^3 + Ab^4) \sin(4dx + 4c)}{32d} + \frac{(24 Bb^4 \cos(dx + c)^4 + 120 Ba^4 + 480 Aa^3b + 480 Ba^2b^2 + 320 Aa^2b^2 \cos(dx + c)^3 + 16(15 B a^2 b^2 + 10 A a b^3 + 2 B b^4) \cos(dx + c)^2 + 15(16 B a^3 b + 24 A a^2 b^2 + 12 B a b^3 + 3 A b^4) \cos(dx + c) \sin(dx + c) + 15(16 B a^3 b + 24 A a^2 b^2 + 12 B a b^3 + 3 A b^4) \cos(dx + c) \sin(dx + c)) \sin(dx + c)}{480d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out]  $\frac{1}{80}Bb^4\sin(5dx + 5c)/d + \frac{1}{8}(8Aa^4 + 16Ba^3b + 24Aa^2b^2 + 12Baab^3 + 3Ab^4)x + \frac{1}{32}(4Bab^3 + Ab^4)\sin(4dx + 4c)/d + \frac{1}{4}8(24Ba^2b^2 + 16Aaab^3 + 5Bb^4)\sin(3dx + 3c)/d + \frac{1}{4}(4Ba^3b + 6Aa^2b^2 + 4Bab^3 + Ab^4)\sin(2dx + 2c)/d + \frac{1}{8}(8Ba^4 + 32Aa^3b + 36Ba^2b^2 + 24Aaab^3 + 5Bb^4)\sin(dx + c)/d$



### 3.243 $\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec(c + dx) dx$

**Optimal.** Leaf size=200

$$\frac{b(34a^2Ab + 19a^3B + 16ab^2B + 4Ab^3) \sin(c + dx)}{6d} + \frac{b^2(26a^2B + 32aAb + 9b^2B) \sin(c + dx) \cos(c + dx)}{24d} + \frac{1}{8}x(32a^3A$$

[Out]  $((32*a^3*A*b + 16*a*A*b^3 + 8*a^4*B + 24*a^2*b^2*B + 3*b^4*B)*x)/8 + (a^4*A *ArcTanh[Sin[c + d*x]])/d + (b*(34*a^2*A*b + 4*A*b^3 + 19*a^3*B + 16*a*b^2*B)*Sin[c + d*x])/(6*d) + (b^2*(32*a*A*b + 26*a^2*B + 9*b^2*B)*Cos[c + d*x]*Sin[c + d*x])/(24*d) + (b*(4*A*b + 7*a*B)*(a + b*Cos[c + d*x])^2*Sin[c + d*x])/(12*d) + (b*B*(a + b*Cos[c + d*x])^3*Sin[c + d*x])/(4*d)$

**Rubi [A]** time = 0.547011, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {2990, 3049, 3033, 3023, 2735, 3770}

$$\frac{b(34a^2Ab + 19a^3B + 16ab^2B + 4Ab^3) \sin(c + dx)}{6d} + \frac{b^2(26a^2B + 32aAb + 9b^2B) \sin(c + dx) \cos(c + dx)}{24d} + \frac{1}{8}x(32a^3A$$

Antiderivative was successfully verified.

[In] Int[(a + b\*cos[c + d\*x])^4\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x], x]

[Out]  $((32*a^3*A*b + 16*a*A*b^3 + 8*a^4*B + 24*a^2*b^2*B + 3*b^4*B)*x)/8 + (a^4*A *ArcTanh[Sin[c + d*x]])/d + (b*(34*a^2*A*b + 4*A*b^3 + 19*a^3*B + 16*a*b^2*B)*Sin[c + d*x])/(6*d) + (b^2*(32*a*A*b + 26*a^2*B + 9*b^2*B)*Cos[c + d*x]*Sin[c + d*x])/(24*d) + (b*(4*A*b + 7*a*B)*(a + b*Cos[c + d*x])^2*Sin[c + d*x])/(12*d) + (b*B*(a + b*Cos[c + d*x])^3*Sin[c + d*x])/(4*d)$

#### Rule 2990

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Ssin[e + f\*x])^(m - 2)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a^2\*A\*d\*(m + n + 1) + b\*B\*(b\*c\*(m - 1) + a\*d\*(n + 1)) + (a\*d\*(2\*A\*b + a\*B)\*(m + n + 1) - b\*B\*(a\*c - b\*d\*(m + n)))\*Sin[e + f\*x] + b\*(A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 3049

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 2)), x] + Dist[1/(d\*(m + n + 2)), Int[(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 2) + C\*(b\*c\*m + a\*d\*(n + 1)) + (d\*(A\*b + a\*B)\*(m + n + 2) - C\*(a\*c - b\*d\*(m + n + 1)))\*Sin[e + f\*x] + (C\*(a\*d\*m - b\*c\*(m + 1)) + b\*B\*d\*(m + n + 2))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,

0] && !(IGtQ[n, 0] && ( !IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rule 3033

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[(C\*d\*Cos[e + f\*x]\*Sin[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 3)), x] + Dist[1/(b\*(m + 3)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[a\*C\*d + A\*b\*c\*(m + 3) + b\*(B\*c\*(m + 3) + d\*(C\*(m + 2) + A\*(m + 3)))\*Sin[e + f\*x] - (2\*a\*C\*d - b\*(c\*C + B\*d)\*(m + 3))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned}
 \int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{bB(a + b \cos(c + dx))^3 \sin(c + dx)}{4d} + \frac{1}{4} \int (a + b \cos(c + dx))^2 \\
 &= \frac{b(4Ab + 7aB)(a + b \cos(c + dx))^2 \sin(c + dx)}{12d} + \frac{bB(a + b \cos(c + dx)) \sin(c + dx)}{4d} \\
 &= \frac{b^2 (32aAb + 26a^2B + 9b^2B) \cos(c + dx) \sin(c + dx)}{24d} + \frac{b(4Ab + 7aB) \sin(c + dx)}{4d} \\
 &= \frac{b(34a^2Ab + 4Ab^3 + 19a^3B + 16ab^2B) \sin(c + dx)}{6d} + \frac{b^2 (32a^2Ab + 26a^2B + 9b^2B) \cos(c + dx) \sin(c + dx)}{24d} \\
 &= \frac{1}{8} (32a^3Ab + 16aAb^3 + 8a^4B + 24a^2b^2B + 3b^4B) x + \frac{b(34a^2Ab + 4Ab^3 + 19a^3B + 16ab^2B) \sin(c + dx)}{6d} \\
 &= \frac{1}{8} (32a^3Ab + 16aAb^3 + 8a^4B + 24a^2b^2B + 3b^4B) x + \frac{a^4A \tan(c + dx)}{8d}
 \end{aligned}$$

**Mathematica [A]** time = 0.580132, size = 210, normalized size = 1.05

$$12(c + dx) (32a^3Ab + 24a^2b^2B + 8a^4B + 16aAb^3 + 3b^4B) + 24b (24a^2Ab + 16a^3B + 12ab^2B + 3Ab^3) \sin(c + dx) + 24b^2$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^4\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x], x]

[Out] (12\*(32\*a^3\*A\*b + 16\*a\*A\*b^3 + 8\*a^4\*B + 24\*a^2\*b^2\*B + 3\*b^4\*B)\*(c + d\*x) - 96\*a^4\*A\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 96\*a^4\*A\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + 24\*b\*(24\*a^2\*A\*b + 3\*A\*b^3 + 16\*a^3\*B + 12\*a\*b^2\*B)\*Sin[c + d\*x] + 24\*b^2\*(4\*a\*A\*b + 6\*a^2\*B + b^2\*B)\*Sin[2\*(c + d\*x)] + 8\*b^3\*(A\*b + 4\*a\*B)\*Sin[3\*(c + d\*x)] + 3\*b^4\*B\*Ssin[4\*(c + d\*x)])/(96\*d)

**Maple [A]** time = 0.076, size = 319, normalized size = 1.6

$$\frac{Aa^4 \ln(\sec(dx + c) + \tan(dx + c))}{d} + a^4 Bx + \frac{Ba^4 c}{d} + 4Aa^3 bx + 4 \frac{Aa^3 bc}{d} + 4 \frac{Ba^3 b \sin(dx + c)}{d} + 6 \frac{Aa^2 b^2 \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x)

[Out] 1/d\*A\*a^4\*ln(sec(d\*x+c)+tan(d\*x+c))+a^4\*B\*x+1/d\*B\*a^4\*c+4\*A\*a^3\*b\*x+4/d\*A\*a^3\*b\*c+4/d\*B\*a^3\*b\*sin(d\*x+c)+6/d\*A\*a^2\*b^2\*sin(d\*x+c)+3/d\*B\*a^2\*b^2\*cos(d\*x+c)\*sin(d\*x+c)+3\*B\*a^2\*b^2\*x+3/d\*B\*a^2\*b^2\*c+2/d\*A\*a\*b^3\*cos(d\*x+c)\*sin(d\*x+c)+2\*A\*a\*b^3\*x+2/d\*A\*a\*b^3\*c+4/3/d\*B\*sin(d\*x+c)\*cos(d\*x+c)^2\*a\*b^3+8/3/d\*B\*a\*b^3\*sin(d\*x+c)+1/3/d\*A\*sin(d\*x+c)\*cos(d\*x+c)^2\*b^4+2/3/d\*A\*b^4\*sin(d\*x+c)+1/4/d\*B\*b^4\*sin(d\*x+c)\*cos(d\*x+c)^3+3/8/d\*B\*b^4\*cos(d\*x+c)\*sin(d\*x+c)+3/8\*b^4\*B\*x+3/8/d\*B\*b^4\*c

**Maxima [A]** time = 1.12496, size = 281, normalized size = 1.4

$$\frac{96(dx + c)Ba^4 + 384(dx + c)Aa^3b + 144(2dx + 2c + \sin(2dx + 2c))Ba^2b^2 + 96(2dx + 2c + \sin(2dx + 2c))Aab^3 - 128(\sin(dx + c)^3 - 3\sin(dx + c))B*a*b^3 - 32(\sin(dx + c)^3 - 3\sin(dx + c))A*b^4 + 3(12dx + 12c + \sin(4dx + 4c) + 8\sin(2dx + 2c))*B*b^4 + 96A*a^4*\log(\sec(dx + c) + \tan(dx + c)) + 384B*a^3*b*\sin(dx + c) + 576A*a^2*b^2*\sin(dx + c))/d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x, algorithm="maxima")

[Out] 1/96\*(96\*(d\*x + c)\*B\*a^4 + 384\*(d\*x + c)\*A\*a^3\*b + 144\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*B\*a^2\*b^2 + 96\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*A\*a\*b^3 - 128\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*B\*a\*b^3 - 32\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*A\*b^4 + 3\*(12\*d\*x + 12\*c + sin(4\*d\*x + 4\*c) + 8\*sin(2\*d\*x + 2\*c))\*B\*b^4 + 96\*A\*a^4\*log(sec(d\*x + c) + tan(d\*x + c)) + 384\*B\*a^3\*b\*sin(d\*x + c) + 576\*A\*a^2\*b^2\*sin(d\*x + c))/d

**Fricas [A]** time = 1.54827, size = 447, normalized size = 2.23

$$12Aa^4 \log(\sin(dx + c) + 1) - 12Aa^4 \log(-\sin(dx + c) + 1) + 3(8Ba^4 + 32Aa^3b + 24Ba^2b^2 + 16Aab^3 + 3Bb^4)dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x, algorithm="fricas")

```
[Out] 1/24*(12*A*a^4*log(sin(d*x + c) + 1) - 12*A*a^4*log(-sin(d*x + c) + 1) + 3*(8*B*a^4 + 32*A*a^3*b + 24*B*a^2*b^2 + 16*A*a*b^3 + 3*B*b^4)*d*x + (6*B*b^4*cos(d*x + c)^3 + 96*B*a^3*b + 144*A*a^2*b^2 + 64*B*a*b^3 + 16*A*b^4 + 8*(4*B*a*b^3 + A*b^4)*cos(d*x + c)^2 + 3*(24*B*a^2*b^2 + 16*A*a*b^3 + 3*B*b^4)*cos(d*x + c))*sin(d*x + c))/d
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**4*(A+B*cos(d*x+c))*sec(d*x+c),x)
```

```
[Out] Timed out
```

**Giac [B]** time = 1.53986, size = 814, normalized size = 4.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="giac")
```

```
[Out] 1/24*(24*A*a^4*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - 24*A*a^4*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 3*(8*B*a^4 + 32*A*a^3*b + 24*B*a^2*b^2 + 16*A*a*b^3 + 3*B*b^4)*(d*x + c) + 2*(96*B*a^3*b*tan(1/2*d*x + 1/2*c)^7 + 144*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^7 - 72*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^7 - 48*A*a*b^3*tan(1/2*d*x + 1/2*c)^7 + 96*B*a*b^3*tan(1/2*d*x + 1/2*c)^7 + 24*A*b^4*tan(1/2*d*x + 1/2*c)^7 - 15*B*b^4*tan(1/2*d*x + 1/2*c)^7 + 288*B*a^3*b*tan(1/2*d*x + 1/2*c)^5 + 432*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^5 - 72*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^5 - 48*A*a*b^3*tan(1/2*d*x + 1/2*c)^5 + 160*B*a*b^3*tan(1/2*d*x + 1/2*c)^5 + 40*A*b^4*tan(1/2*d*x + 1/2*c)^5 + 9*B*b^4*tan(1/2*d*x + 1/2*c)^5 + 288*B*a^3*b*tan(1/2*d*x + 1/2*c)^3 + 432*A*a^2*b^2*tan(1/2*d*x + 1/2*c)^3 + 72*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^3 + 48*A*a*b^3*tan(1/2*d*x + 1/2*c)^3 + 160*B*a*b^3*tan(1/2*d*x + 1/2*c)^3 + 40*A*b^4*tan(1/2*d*x + 1/2*c)^3 - 9*B*b^4*tan(1/2*d*x + 1/2*c)^3 + 96*B*a^3*b*tan(1/2*d*x + 1/2*c) + 144*A*a^2*b^2*tan(1/2*d*x + 1/2*c) + 72*B*a^2*b^2*tan(1/2*d*x + 1/2*c) + 48*A*a*b^3*tan(1/2*d*x + 1/2*c) + 96*B*a*b^3*tan(1/2*d*x + 1/2*c) + 24*A*b^4*tan(1/2*d*x + 1/2*c) + 15*B*b^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^4)/d
```

### 3.244 $\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^2(c + dx) dx$

**Optimal.** Leaf size=195

$$\frac{b(6a^3A - 17a^2bB - 12aAb^2 - 2b^3B) \sin(c + dx)}{3d} - \frac{b^2(6a^2A - 8abB - 3Ab^2) \sin(c + dx) \cos(c + dx)}{6d} + \frac{1}{2}bx(12a^2Ab$$

[Out] (b\*(12\*a^2\*A\*b + A\*b^3 + 8\*a^3\*B + 4\*a\*b^2\*B)\*x)/2 + (a^3\*(4\*A\*b + a\*B)\*ArcTanh[Sin[c + d\*x]])/d - (b\*(6\*a^3\*A - 12\*a\*A\*b^2 - 17\*a^2\*b\*B - 2\*b^3\*B)\*Sin[c + d\*x])/(3\*d) - (b^2\*(6\*a^2\*A - 3\*A\*b^2 - 8\*a\*b\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(6\*d) - (b\*(3\*a\*A - b\*B)\*(a + b\*Cos[c + d\*x])^2\*SIN[c + d\*x])/(3\*d) + (a\*A\*(a + b\*Cos[c + d\*x])^3\*Tan[c + d\*x])/d

**Rubi [A]** time = 0.569693, antiderivative size = 195, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2989, 3049, 3033, 3023, 2735, 3770}

$$\frac{b(6a^3A - 17a^2bB - 12aAb^2 - 2b^3B) \sin(c + dx)}{3d} - \frac{b^2(6a^2A - 8abB - 3Ab^2) \sin(c + dx) \cos(c + dx)}{6d} + \frac{1}{2}bx(12a^2Ab$$

Antiderivative was successfully verified.

[In] Int[(a + b\*cos[c + d\*x])^4\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] (b\*(12\*a^2\*A\*b + A\*b^3 + 8\*a^3\*B + 4\*a\*b^2\*B)\*x)/2 + (a^3\*(4\*A\*b + a\*B)\*ArcTanh[Sin[c + d\*x]])/d - (b\*(6\*a^3\*A - 12\*a\*A\*b^2 - 17\*a^2\*b\*B - 2\*b^3\*B)\*Sin[c + d\*x])/(3\*d) - (b^2\*(6\*a^2\*A - 3\*A\*b^2 - 8\*a\*b\*B)\*Cos[c + d\*x]\*Sin[c + d\*x])/(6\*d) - (b\*(3\*a\*A - b\*B)\*(a + b\*Cos[c + d\*x])^2\*SIN[c + d\*x])/(3\*d) + (a\*A\*(a + b\*Cos[c + d\*x])^3\*Tan[c + d\*x])/d

#### Rule 2989

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[((b\*c - a\*d)\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^(m - 1)\*(c + d\*SIN[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*SIN[e + f\*x])^(m - 2)\*(c + d\*SIN[e + f\*x])^(n + 1)\*Simp[b\*(b\*c - a\*d)\*(B\*c - A\*d)\*(m - 1) + a\*d\*(a\*A\*c + b\*B\*c - (A\*b + a\*B)\*d)\*(n + 1) + (b\*(b\*d\*(B\*c - A\*d) + a\*(A\*c\*d + B\*(c^2 - 2\*d^2)))\*(n + 1) - a\*(b\*c - a\*d)\*(B\*c - A\*d)\*(n + 2))\*Sin[e + f\*x] + b\*(d\*(A\*b\*c + a\*B\*c - a\*A\*d)\*(m + n + 1) - b\*B\*(c^2\*m + d^2\*(n + 1)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

#### Rule 3049

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[(C\*cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^m\*(c + d\*SIN[e + f\*x])^(n + 1))/(d\*f\*(m + n + 2)), x] + Dist[1/(d\*(m + n + 2)), Int[(a + b\*SIN[e + f\*x])^(m - 1)\*(c + d\*SIN[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 2) + C\*(b\*c\*m + a\*d\*(n + 1)) + (d\*(A\*b + a\*B)\*(m + n + 2) - C\*(a\*c - b\*d\*(m + n + 1)))\*Sin[e + f\*x] + (C\*(a\*d\*m - b\*c\*(m + 1)) + b\*B\*d\*(m + n + 2))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,

0] && !(IGtQ[n, 0] && ( !IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rule 3033

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f
_.)*(x_)])^2), x_Symbol] := -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[
e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

### Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.
)*(x_)])], x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^3 \tan(c + dx)}{d} + \int (a + b \cos(c + dx))^2 \\ &= -\frac{b(3aA - bB)(a + b \cos(c + dx))^2 \sin(c + dx)}{3d} + \frac{aA(a + b \cos(c + dx))^2 \sin(c + dx)}{3d} \\ &= -\frac{b^2(6a^2A - 3Ab^2 - 8abB) \cos(c + dx) \sin(c + dx)}{6d} - \frac{b(3aA - bB) \cos(c + dx) \sin(c + dx)}{3d} \\ &= -\frac{b(6a^3A - 12aAb^2 - 17a^2bB - 2b^3B) \sin(c + dx)}{3d} - \frac{b^2(6a^2A - 3Ab^2 - 8abB) \cos(c + dx) \sin(c + dx)}{6d} \\ &= \frac{1}{2}b(12a^2Ab + Ab^3 + 8a^3B + 4ab^2B)x - \frac{b(6a^3A - 12aAb^2 - 17a^2bB - 2b^3B) \sin(c + dx)}{3d} \\ &= \frac{1}{2}b(12a^2Ab + Ab^3 + 8a^3B + 4ab^2B)x + \frac{a^3(4Ab + aB) \tanh^2\left(\frac{1}{2}(c + dx)\right)}{d} \end{aligned}$$

**Mathematica [A]** time = 1.01931, size = 257, normalized size = 1.32

$$6b(c + dx)(12a^2Ab + 8a^3B + 4ab^2B + Ab^3) + 3b^2(24a^2B + 16aAb + 3b^2B) \sin(c + dx) - 12a^3(aB + 4Ab) \log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^4\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] (6\*b\*(12\*a^2\*A\*b + A\*b^3 + 8\*a^3\*B + 4\*a\*b^2\*B)\*(c + d\*x) - 12\*a^3\*(4\*A\*b + a\*B)\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 12\*a^3\*(4\*A\*b + a\*B)\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + (12\*a^4\*A\*Sin[(c + d\*x)/2])/(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]) + (12\*a^4\*A\*Sin[(c + d\*x)/2])/(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]) + 3\*b^2\*(16\*a\*A\*b + 24\*a^2\*B + 3\*b^2\*B)\*Sin[c + d\*x] + 3\*b^3\*(A\*b + 4\*a\*B)\*Sin[2\*(c + d\*x)] + b^4\*B\*Sin[3\*(c + d\*x)]/(12\*d)

**Maple [A]** time = 0.084, size = 255, normalized size = 1.3

$$\frac{Aa^4 \tan(dx + c)}{d} + \frac{a^4 B \ln(\sec(dx + c) + \tan(dx + c))}{d} + 4 \frac{Aa^3 b \ln(\sec(dx + c) + \tan(dx + c))}{d} + 4Ba^3bx + 4 \frac{Ba^3b}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x)

[Out] 1/d\*A\*a^4\*tan(d\*x+c)+1/d\*a^4\*B\*ln(sec(d\*x+c)+tan(d\*x+c))+4/d\*A\*a^3\*b\*ln(sec(d\*x+c)+tan(d\*x+c))+4\*B\*a^3\*b\*x+4/d\*B\*a^3\*b\*c+6\*A\*a^2\*b^2\*x+6/d\*A\*a^2\*b^2\*c+6/d\*B\*a^2\*b^2\*sin(d\*x+c)+4/d\*A\*a\*b^3\*sin(d\*x+c)+2/d\*B\*a\*b^3\*cos(d\*x+c)\*sin(d\*x+c)+2\*B\*a\*b^3\*x+2/d\*B\*a\*b^3\*c+1/2/d\*A\*b^4\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*A\*b^4\*x+1/2/d\*A\*b^4\*c+1/3/d\*B\*sin(d\*x+c)\*cos(d\*x+c)^2\*b^4+2/3/d\*B\*b^4\*sin(d\*x+c)

**Maxima [A]** time = 1.12913, size = 266, normalized size = 1.36

$$\frac{48(dx + c)Ba^3b + 72(dx + c)Aa^2b^2 + 12(2dx + 2c + \sin(2dx + 2c))Bab^3 + 3(2dx + 2c + \sin(2dx + 2c))Ab^4 - 4}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] 1/12\*(48\*(d\*x + c)\*B\*a^3\*b + 72\*(d\*x + c)\*A\*a^2\*b^2 + 12\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*B\*a\*b^3 + 3\*(2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*A\*b^4 - 4\*(sin(d\*x + c)^3 - 3\*sin(d\*x + c))\*B\*b^4 + 6\*B\*a^4\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 24\*A\*a^3\*b\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 72\*B\*a^2\*b^2\*sin(d\*x + c) + 48\*A\*a\*b^3\*sin(d\*x + c) + 12\*A\*a^4\*tan(d\*x + c))/d

**Fricas [A]** time = 1.60192, size = 471, normalized size = 2.42

$$\frac{3(8Ba^3b + 12Aa^2b^2 + 4Bab^3 + Ab^4)dx \cos(dx + c) + 3(Ba^4 + 4Aa^3b) \cos(dx + c) \log(\sin(dx + c) + 1) - 3(Ba^4 + 4Aa^3b) \cos(dx + c) \log(\sin(dx + c) - 1)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="fricas")

```
[Out] 1/6*(3*(8*B*a^3*b + 12*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*d*x*cos(d*x + c) + 3*(B*a^4 + 4*A*a^3*b)*cos(d*x + c)*log(sin(d*x + c) + 1) - 3*(B*a^4 + 4*A*a^3*b)*cos(d*x + c)*log(-sin(d*x + c) + 1) + (2*B*b^4*cos(d*x + c)^3 + 6*A*a^4 + 3*(4*B*a*b^3 + A*b^4)*cos(d*x + c)^2 + 4*(9*B*a^2*b^2 + 6*A*a*b^3 + B*b^4)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**4*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)
```

```
[Out] Timed out
```

**Giac [A]** time = 1.52787, size = 501, normalized size = 2.57

$$\frac{12 A a^4 \tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)}{\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right)^2 - 1} - 3 \left(8 B a^3 b + 12 A a^2 b^2 + 4 B a b^3 + A b^4\right) (d x + c) - 6 \left(B a^4 + 4 A a^3 b\right) \log\left(\left|\tan\left(\frac{1}{2} d x + \frac{1}{2} c\right) + 1\right|\right) + 6 \left(\dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="giac")
```

```
[Out] -1/6*(12*A*a^4*tan(1/2*d*x + 1/2*c)/(tan(1/2*d*x + 1/2*c)^2 - 1) - 3*(8*B*a^3*b + 12*A*a^2*b^2 + 4*B*a*b^3 + A*b^4)*(d*x + c) - 6*(B*a^4 + 4*A*a^3*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) + 6*(B*a^4 + 4*A*a^3*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) - 2*(36*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^5 + 24*A*a*b^3*tan(1/2*d*x + 1/2*c)^5 - 12*B*a*b^3*tan(1/2*d*x + 1/2*c)^5 - 3*A*b^4*tan(1/2*d*x + 1/2*c)^5 + 6*B*b^4*tan(1/2*d*x + 1/2*c)^5 + 72*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^3 + 48*A*a*b^3*tan(1/2*d*x + 1/2*c)^3 + 4*B*b^4*tan(1/2*d*x + 1/2*c)^3 + 36*B*a^2*b^2*tan(1/2*d*x + 1/2*c) + 24*A*a*b^3*tan(1/2*d*x + 1/2*c) + 12*B*a*b^3*tan(1/2*d*x + 1/2*c) + 3*A*b^4*tan(1/2*d*x + 1/2*c) + 6*B*b^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 + 1)^3/d
```



### 3.245 $\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^3(c + dx) dx$

**Optimal.** Leaf size=209

$$\frac{b(13a^2Ab + 4a^3B - 8ab^2B - 2Ab^3) \sin(c + dx)}{2d} + \frac{a^2(a^2A + 8abB + 12Ab^2) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{b^2(2a^2B + 6aAb)}{2d}$$

```
[Out] (b^2*(8*a*A*b + 12*a^2*B + b^2*B)*x)/2 + (a^2*(a^2*A + 12*A*b^2 + 8*a*b*B)*
ArcTanh[Sin[c + d*x]])/(2*d) - (b*(13*a^2*A*b - 2*A*b^3 + 4*a^3*B - 8*a*b^2
*B)*Sin[c + d*x])/(2*d) - (b^2*(6*a*A*b + 2*a^2*B - b^2*B)*Cos[c + d*x]*Sin
[c + d*x])/(2*d) + (a*(5*A*b + 2*a*B)*(a + b*Cos[c + d*x])^2*Tan[c + d*x])/
(2*d) + (a*A*(a + b*Cos[c + d*x])^3*Sec[c + d*x]*Tan[c + d*x])/(2*d)
```

**Rubi [A]** time = 0.615265, antiderivative size = 209, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2989, 3047, 3033, 3023, 2735, 3770}

$$\frac{b(13a^2Ab + 4a^3B - 8ab^2B - 2Ab^3) \sin(c + dx)}{2d} + \frac{a^2(a^2A + 8abB + 12Ab^2) \tanh^{-1}(\sin(c + dx))}{2d} - \frac{b^2(2a^2B + 6aAb)}{2d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]
```

```
[Out] (b^2*(8*a*A*b + 12*a^2*B + b^2*B)*x)/2 + (a^2*(a^2*A + 12*A*b^2 + 8*a*b*B)*
ArcTanh[Sin[c + d*x]])/(2*d) - (b*(13*a^2*A*b - 2*A*b^3 + 4*a^3*B - 8*a*b^2
*B)*Sin[c + d*x])/(2*d) - (b^2*(6*a*A*b + 2*a^2*B - b^2*B)*Cos[c + d*x]*Sin
[c + d*x])/(2*d) + (a*(5*A*b + 2*a*B)*(a + b*Cos[c + d*x])^2*Tan[c + d*x])/
(2*d) + (a*A*(a + b*Cos[c + d*x])^3*Sec[c + d*x]*Tan[c + d*x])/(2*d)
```

#### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c +
d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Ssin[e + f*x])^(m - 2)*(c + d*Ssin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

#### Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Ssin[e + f*x])^(m - 1)
*(c + d*Ssin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2)))] - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
```

$^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$   
 $] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{LtQ}[n, -1]$

### Rule 3033

$\text{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] :> -\text{Simp}[(C*d*\text{Cos}[e + f*x]*\text{Sin}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)})/(b*f*(m + 3)), x] + \text{Dist}[1/(b*(m + 3)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*\text{Simp}[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(m + 3)))*\text{Sin}[e + f*x] - (2*a*C*d - b*(c*C + B*d))*(m + 3))*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& !\text{LtQ}[m, -1]$

### Rule 3023

$\text{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] :> -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*\text{Simp}[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& !\text{LtQ}[m, -1]$

### Rule 2735

$\text{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])/((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x\_Symbol] :> \text{Simp}[(b*x)/d, x] - \text{Dist}[(b*c - a*d)/d, \text{Int}[1/(c + d*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

### Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x\_Symbol] :> -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^3(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^3 \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int (a + b \cos(c + dx))^3 \sec^3(c + dx) dx \\ &= \frac{a(5Ab + 2aB)(a + b \cos(c + dx))^2 \tan(c + dx)}{2d} + \frac{aA(a + b \cos(c + dx)) \sec^3(c + dx)}{2d} \\ &= -\frac{b^2(6aAb + 2a^2B - b^2B) \cos(c + dx) \sin(c + dx)}{2d} + \frac{a(5Ab + 2aB)(a + b \cos(c + dx))^2 \tan(c + dx)}{2d} \\ &= -\frac{b(13a^2Ab - 2Ab^3 + 4a^3B - 8ab^2B) \sin(c + dx)}{2d} - \frac{b^2(6aAb + 2a^2B - b^2B) \cos(c + dx) \sin(c + dx)}{2d} \\ &= \frac{1}{2} b^2 (8aAb + 12a^2B + b^2B) x - \frac{b(13a^2Ab - 2Ab^3 + 4a^3B - 8ab^2B) \sin(c + dx)}{2d} \\ &= \frac{1}{2} b^2 (8aAb + 12a^2B + b^2B) x + \frac{a^2(a^2A + 12Ab^2 + 8abB) \tan(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 2.38423, size = 310, normalized size = 1.48

$$2b^2(c + dx)(12a^2B + 8aAb + b^2B) - 2a^2(a^2A + 8abB + 12Ab^2) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2a^2(a^2A + 8abB + 12Ab^2) \tan\left(\frac{1}{2}(c + dx)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^4\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] (2\*b^2\*(8\*a\*A\*b + 12\*a^2\*B + b^2\*B)\*(c + d\*x) - 2\*a^2\*(a^2\*A + 12\*A\*b^2 + 8\*a\*b\*B)\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 2\*a^2\*(a^2\*A + 12\*A\*b^2 + 8\*a\*b\*B)\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + (a^4\*A)/(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])^2 + (4\*a^3\*(4\*A\*b + a\*B)\*Sin[(c + d\*x)/2])/(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]) - (a^4\*A)/(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])^2 + (4\*a^3\*(4\*A\*b + a\*B)\*Sin[(c + d\*x)/2])/(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]) + 4\*b^3\*(A\*b + 4\*a\*B)\*Sin[c + d\*x] + b^4\*B\*Ssin[2\*(c + d\*x)]/(4\*d)

**Maple [A]** time = 0.092, size = 236, normalized size = 1.1

$$\frac{Aa^4 \sec(dx+c) \tan(dx+c)}{2d} + \frac{Aa^4 \ln(\sec(dx+c) + \tan(dx+c))}{2d} + \frac{a^4 B \tan(dx+c)}{d} + 4 \frac{Aa^3 b \tan(dx+c)}{d} + 4 \frac{Ba^4}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x)

[Out] 1/2/d\*A\*a^4\*sec(d\*x+c)\*tan(d\*x+c)+1/2/d\*A\*a^4\*ln(sec(d\*x+c)+tan(d\*x+c))+1/d\*a^4\*B\*tan(d\*x+c)+4/d\*A\*a^3\*b\*tan(d\*x+c)+4/d\*B\*a^3\*b\*ln(sec(d\*x+c)+tan(d\*x+c))+6/d\*A\*a^2\*b^2\*ln(sec(d\*x+c)+tan(d\*x+c))+6\*B\*a^2\*b^2\*x+6/d\*B\*a^2\*b^2\*c+4\*A\*a\*b^3\*x+4/d\*A\*a\*b^3\*c+4/d\*B\*a\*b^3\*sin(d\*x+c)+1/d\*A\*b^4\*sin(d\*x+c)+1/2/d\*B\*b^4\*cos(d\*x+c)\*sin(d\*x+c)+1/2\*b^4\*B\*x+1/2/d\*B\*b^4\*c

**Maxima [A]** time = 1.09024, size = 282, normalized size = 1.35

$$24(dx+c)Ba^2b^2 + 16(dx+c)Aab^3 + (2dx+2c+\sin(2dx+2c))Bb^4 - Aa^4 \left( \frac{2 \sin(dx+c)}{\sin(dx+c)^2-1} - \log(\sin(dx+c)+1) + \log(\sin(dx+c)-1) \right) + 8Ba^3b \log(\sin(dx+c)+1) - 8Ba^3b \log(\sin(dx+c)-1) + 12Aa^2b^2(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 16Bab^3 \sin(dx+c) + 4Aab^4 \sin(dx+c) + 4Bba^4 \tan(dx+c) + 16Aa^3b \tan(dx+c) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out] 1/4\*(24\*(d\*x + c)\*B\*a^2\*b^2 + 16\*(d\*x + c)\*A\*a\*b^3 + (2\*d\*x + 2\*c + sin(2\*d\*x + 2\*c))\*B\*b^4 - A\*a^4\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) + 8\*B\*a^3\*b\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 12\*A\*a^2\*b^2\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 16\*B\*a\*b^3\*sin(d\*x + c) + 4\*A\*b^4\*sin(d\*x + c) + 4\*B\*a^4\*tan(d\*x + c) + 16\*A\*a^3\*b\*tan(d\*x + c))/d

**Fricas [A]** time = 1.5289, size = 479, normalized size = 2.29

$$2(12Ba^2b^2 + 8Aab^3 + Bb^4)dx \cos(dx+c)^2 + (Aa^4 + 8Ba^3b + 12Aa^2b^2) \cos(dx+c)^2 \log(\sin(dx+c)+1) - (Aa^4 + 8Ba^3b + 12Aa^2b^2) \cos(dx+c)^2 \log(\sin(dx+c)-1) + 8Ba^3b \log(\sin(dx+c)+1) - 8Ba^3b \log(\sin(dx+c)-1) + 12Aa^2b^2(\log(\sin(dx+c)+1) - \log(\sin(dx+c)-1)) + 16Bab^3 \sin(dx+c) + 4Aab^4 \sin(dx+c) + 4Bba^4 \tan(dx+c) + 16Aa^3b \tan(dx+c) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="fricas")

```
[Out] 1/4*(2*(12*B*a^2*b^2 + 8*A*a*b^3 + B*b^4)*d*x*cos(d*x + c)^2 + (A*a^4 + 8*B*a^3*b + 12*A*a^2*b^2)*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (A*a^4 + 8*B*a^3*b + 12*A*a^2*b^2)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(B*b^4*cos(d*x + c)^3 + A*a^4 + 2*(4*B*a*b^3 + A*b^4)*cos(d*x + c)^2 + 2*(B*a^4 + 4*A*a^3*b)*cos(d*x + c))*sin(d*x + c))/(d*cos(d*x + c)^2)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**4*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)
```

```
[Out] Timed out
```

**Giac [B]** time = 1.55699, size = 710, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm="giac")
```

```
[Out] 1/2*((12*B*a^2*b^2 + 8*A*a*b^3 + B*b^4)*(d*x + c) + (A*a^4 + 8*B*a^3*b + 12*A*a^2*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1)) - (A*a^4 + 8*B*a^3*b + 12*A*a^2*b^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 2*(A*a^4*tan(1/2*d*x + 1/2*c)^7 - 2*B*a^4*tan(1/2*d*x + 1/2*c)^7 - 8*A*a^3*b*tan(1/2*d*x + 1/2*c)^7 + 8*B*a*b^3*tan(1/2*d*x + 1/2*c)^7 + 2*A*b^4*tan(1/2*d*x + 1/2*c)^7 - B*b^4*tan(1/2*d*x + 1/2*c)^7 + 3*A*a^4*tan(1/2*d*x + 1/2*c)^5 - 2*B*a^4*tan(1/2*d*x + 1/2*c)^5 - 8*A*a^3*b*tan(1/2*d*x + 1/2*c)^5 - 8*B*a*b^3*tan(1/2*d*x + 1/2*c)^5 - 2*A*b^4*tan(1/2*d*x + 1/2*c)^5 + 3*B*b^4*tan(1/2*d*x + 1/2*c)^5 + 3*A*a^4*tan(1/2*d*x + 1/2*c)^3 + 2*B*a^4*tan(1/2*d*x + 1/2*c)^3 + 8*A*a^3*b*tan(1/2*d*x + 1/2*c)^3 - 8*B*a*b^3*tan(1/2*d*x + 1/2*c)^3 - 2*A*b^4*tan(1/2*d*x + 1/2*c)^3 - 3*B*b^4*tan(1/2*d*x + 1/2*c)^3 + A*a^4*tan(1/2*d*x + 1/2*c) + 2*B*a^4*tan(1/2*d*x + 1/2*c) + 8*A*a^3*b*tan(1/2*d*x + 1/2*c) + 8*B*a*b^3*tan(1/2*d*x + 1/2*c) + 2*A*b^4*tan(1/2*d*x + 1/2*c) + B*b^4*tan(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^4 - 1)^2/d
```

### 3.246 $\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^4(c + dx) dx$

**Optimal.** Leaf size=198

$$\frac{b^2 (3a^2B + 8aAb - 6b^2B) \sin(c + dx)}{6d} + \frac{a^2 (2a^2A + 9abB + 9Ab^2) \tan(c + dx)}{3d} + \frac{a (4a^2Ab + a^3B + 12ab^2B + 8Ab^3)}{2d}$$

```
[Out] b^3*(A*b + 4*a*B)*x + (a*(4*a^2*A*b + 8*A*b^3 + a^3*B + 12*a*b^2*B)*ArcTanh
[Sin[c + d*x]])/(2*d) - (b^2*(8*a*A*b + 3*a^2*B - 6*b^2*B)*Sin[c + d*x])/(6
*d) + (a^2*(2*a^2*A + 9*A*b^2 + 9*a*b*B)*Tan[c + d*x])/(3*d) + (a*(2*A*b +
a*B)*(a + b*Cos[c + d*x])^2*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (a*A*(a + b*
Cos[c + d*x])^3*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)
```

**Rubi [A]** time = 0.580128, antiderivative size = 198, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2989, 3047, 3031, 3023, 2735, 3770}

$$\frac{b^2 (3a^2B + 8aAb - 6b^2B) \sin(c + dx)}{6d} + \frac{a^2 (2a^2A + 9abB + 9Ab^2) \tan(c + dx)}{3d} + \frac{a (4a^2Ab + a^3B + 12ab^2B + 8Ab^3)}{2d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]
```

```
[Out] b^3*(A*b + 4*a*B)*x + (a*(4*a^2*A*b + 8*A*b^3 + a^3*B + 12*a*b^2*B)*ArcTanh
[Sin[c + d*x]])/(2*d) - (b^2*(8*a*A*b + 3*a^2*B - 6*b^2*B)*Sin[c + d*x])/(6
*d) + (a^2*(2*a^2*A + 9*A*b^2 + 9*a*b*B)*Tan[c + d*x])/(3*d) + (a*(2*A*b +
a*B)*(a + b*Cos[c + d*x])^2*Sec[c + d*x]*Tan[c + d*x])/(2*d) + (a*A*(a + b*
Cos[c + d*x])^3*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)
```

#### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

#### Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
```

```
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

### Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dist[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m + 1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m + 1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]
```

### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

### Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^4(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^3 \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int (a + b \cos(c + dx))^3 \sec^2(c + dx) \tan(c + dx) dx \\ &= \frac{a(2Ab + aB)(a + b \cos(c + dx))^2 \sec(c + dx) \tan(c + dx)}{2d} + \frac{a^2(2a^2A + 9Ab^2 + 9abB) \tan(c + dx)}{3d} + \frac{a(2Ab + aB)(a + b \cos(c + dx)) \sec^2(c + dx) \tan(c + dx)}{3} \\ &= -\frac{b^2(8aAb + 3a^2B - 6b^2B) \sin(c + dx)}{6d} + \frac{a^2(2a^2A + 9Ab^2 + 9abB) \tan(c + dx)}{3} \\ &= b^3(Ab + 4aB)x - \frac{b^2(8aAb + 3a^2B - 6b^2B) \sin(c + dx)}{6d} + \frac{a^2(2a^2A + 9Ab^2 + 9abB) \tan(c + dx)}{3} \\ &= b^3(Ab + 4aB)x + \frac{a(4a^2Ab + 8Ab^3 + a^3B + 12ab^2B) \tanh^{-1}(\cos(\frac{1}{2}(c + dx)))}{2d} \end{aligned}$$

**Mathematica [B]** time = 5.9631, size = 415, normalized size = 2.1

$$\frac{8a^2(a^2A + 6abB + 9Ab^2) \sin\left(\frac{1}{2}(c + dx)\right)}{\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)} + \frac{8a^2(a^2A + 6abB + 9Ab^2) \sin\left(\frac{1}{2}(c + dx)\right)}{\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)} - 6a(4a^2Ab + a^3B + 12ab^2B + 8Ab^3) \log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) -$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^4\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^4,x]

[Out] (12\*b^3\*(A\*b + 4\*a\*B)\*(c + d\*x) - 6\*a\*(4\*a^2\*A\*b + 8\*A\*b^3 + a^3\*B + 12\*a\*b^2\*B)\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 6\*a\*(4\*a^2\*A\*b + 8\*A\*b^3 + a^3\*B + 12\*a\*b^2\*B)\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + (a^3\*(12\*A\*b + a\*(A + 3\*B)))/(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])^2 + (2\*a^4\*A\*Sin[(c + d\*x)/2])/(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])^3 + (8\*a^2\*(a^2\*A + 9\*A\*b^2 + 6\*a\*b\*B)\*Sin[(c + d\*x)/2])/(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]) + (2\*a^4\*A\*Sin[(c + d\*x)/2])/(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])^3 - (a^3\*(12\*A\*b + a\*(A + 3\*B)))/(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])^2 + (8\*a^2\*(a^2\*A + 9\*A\*b^2 + 6\*a\*b\*B)\*Sin[(c + d\*x)/2])/(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]) + 12\*b^4\*B\*Sin[c + d\*x])/(12\*d)

**Maple [A]** time = 0.102, size = 262, normalized size = 1.3

$$\frac{2 A a^4 \tan(dx + c)}{3 d} + \frac{A a^4 \tan(dx + c) (\sec(dx + c))^2}{3 d} + \frac{a^4 B \sec(dx + c) \tan(dx + c)}{2 d} + \frac{a^4 B \ln(\sec(dx + c) + \tan(dx + c))}{2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x)

[Out] 2/3/d\*A\*a^4\*tan(d\*x+c)+1/3/d\*A\*a^4\*tan(d\*x+c)\*sec(d\*x+c)^2+1/2/d\*a^4\*B\*sec(d\*x+c)\*tan(d\*x+c)+1/2/d\*a^4\*B\*ln(sec(d\*x+c)+tan(d\*x+c))+2/d\*A\*a^3\*b\*sec(d\*x+c)\*tan(d\*x+c)+2/d\*A\*a^3\*b\*ln(sec(d\*x+c)+tan(d\*x+c))+4/d\*B\*a^3\*b\*tan(d\*x+c)+6/d\*A\*a^2\*b^2\*tan(d\*x+c)+6/d\*B\*a^2\*b^2\*ln(sec(d\*x+c)+tan(d\*x+c))+4/d\*A\*a\*b^3\*ln(sec(d\*x+c)+tan(d\*x+c))+4\*B\*a\*b^3\*x+4/d\*B\*a\*b^3\*c+A\*b^4\*x+1/d\*A\*b^4\*c+1/d\*B\*b^4\*sin(d\*x+c)

**Maxima [A]** time = 1.16211, size = 331, normalized size = 1.67

$$4 \left( \tan(dx + c)^3 + 3 \tan(dx + c) \right) A a^4 + 48 (dx + c) B a b^3 + 12 (dx + c) A b^4 - 3 B a^4 \left( \frac{2 \sin(dx + c)}{\sin(dx + c)^2 - 1} - \log(\sin(dx + c) + 1) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out] 1/12\*(4\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*A\*a^4 + 48\*(d\*x + c)\*B\*a\*b^3 + 12\*(d\*x + c)\*A\*b^4 - 3\*B\*a^4\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) - 12\*A\*a^3\*b\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) + 36\*B\*a^2\*b^2\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 24\*A\*a\*b^3\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 12\*B\*b^4\*sin(d\*x + c) + 48\*B\*a^3\*b\*tan(d\*x + c) + 72\*A\*a^2\*b^2\*tan(d\*x + c))/d

**Fricas [A]** time = 1.54464, size = 524, normalized size = 2.65

$$12 \left( 4 B a b^3 + A b^4 \right) dx \cos(dx + c)^3 + 3 \left( B a^4 + 4 A a^3 b + 12 B a^2 b^2 + 8 A a b^3 \right) \cos(dx + c)^3 \log(\sin(dx + c) + 1) - 3 \left( B a^4 + 4 A a^3 b + 12 B a^2 b^2 + 8 A a b^3 \right) \cos(dx + c)^3 \log(\sin(dx + c) - 1) + 36 B a^2 b^2 \left( \log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1) \right) + 24 A a b^3 \left( \log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1) \right) + 12 B b^4 \sin(dx + c) + 48 B a^3 b \tan(dx + c) + 72 A a^2 b^2 \tan(dx + c)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="fricas")

[Out]  $\frac{1}{12}*(12*(4*B*a*b^3 + A*b^4)*d*x*\cos(d*x + c)^3 + 3*(B*a^4 + 4*A*a^3*b + 12*B*a^2*b^2 + 8*A*a*b^3)*\cos(d*x + c)^3*\log(\sin(d*x + c) + 1) - 3*(B*a^4 + 4*A*a^3*b + 12*B*a^2*b^2 + 8*A*a*b^3)*\cos(d*x + c)^3*\log(-\sin(d*x + c) + 1) + 2*(6*B*b^4*\cos(d*x + c)^3 + 2*A*a^4 + 4*(A*a^4 + 6*B*a^3*b + 9*A*a^2*b^2)*\cos(d*x + c)^2 + 3*(B*a^4 + 4*A*a^3*b)*\cos(d*x + c))*\sin(d*x + c))/(d*\cos(d*x + c)^3)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x)

[Out] Timed out

**Giac [B]** time = 1.61798, size = 522, normalized size = 2.64

$$\frac{12Bb^4 \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2 + 1} + 6(4Bab^3 + Ab^4)(dx + c) + 3(Ba^4 + 4Aa^3b + 12Ba^2b^2 + 8Aab^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right) - 3(B$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="giac")

[Out]  $\frac{1}{6}*(12*B*b^4*\tan(1/2*d*x + 1/2*c)/(\tan(1/2*d*x + 1/2*c)^2 + 1) + 6*(4*B*a*b^3 + A*b^4)*(d*x + c) + 3*(B*a^4 + 4*A*a^3*b + 12*B*a^2*b^2 + 8*A*a*b^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1)) - 3*(B*a^4 + 4*A*a^3*b + 12*B*a^2*b^2 + 8*A*a*b^3)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1)) - 2*(6*A*a^4*\tan(1/2*d*x + 1/2*c)^5 - 3*B*a^4*\tan(1/2*d*x + 1/2*c)^5 - 12*A*a^3*b*\tan(1/2*d*x + 1/2*c)^5 + 24*B*a^3*b*\tan(1/2*d*x + 1/2*c)^5 + 36*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^5 - 4*A*a^4*\tan(1/2*d*x + 1/2*c)^3 - 48*B*a^3*b*\tan(1/2*d*x + 1/2*c)^3 - 72*A*a^2*b^2*\tan(1/2*d*x + 1/2*c)^3 + 6*A*a^4*\tan(1/2*d*x + 1/2*c) + 3*B*a^4*\tan(1/2*d*x + 1/2*c) + 12*A*a^3*b*\tan(1/2*d*x + 1/2*c) + 24*B*a^3*b*\tan(1/2*d*x + 1/2*c) + 36*A*a^2*b^2*\tan(1/2*d*x + 1/2*c))/(\tan(1/2*d*x + 1/2*c)^2 - 1)^3/d$



### 3.247 $\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^5(c + dx) dx$

**Optimal.** Leaf size=216

$$\frac{a(16a^2Ab + 4a^3B + 34ab^2B + 19Ab^3) \tan(c + dx)}{6d} + \frac{(24a^2Ab^2 + 3a^4A + 16a^3bB + 32ab^3B + 8Ab^4) \tanh^{-1}(\sin(c + dx))}{8d}$$

```
[Out] b^4*B*x + ((3*a^4*A + 24*a^2*A*b^2 + 8*A*b^4 + 16*a^3*b*B + 32*a*b^3*B)*Arc
Tanh[Sin[c + d*x]])/(8*d) + (a*(16*a^2*A*b + 19*A*b^3 + 4*a^3*B + 34*a*b^2*
B)*Tan[c + d*x])/(6*d) + (a^2*(9*a^2*A + 26*A*b^2 + 32*a*b*B)*Sec[c + d*x]*
Tan[c + d*x])/(24*d) + (a*(7*A*b + 4*a*B)*(a + b*Cos[c + d*x])^2*Sec[c + d*
x]^2*Tan[c + d*x])/(12*d) + (a*A*(a + b*Cos[c + d*x])^3*Sec[c + d*x]^3*Tan[
c + d*x])/(4*d)
```

**Rubi [A]** time = 0.597489, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2989, 3047, 3031, 3021, 2735, 3770}

$$\frac{a(16a^2Ab + 4a^3B + 34ab^2B + 19Ab^3) \tan(c + dx)}{6d} + \frac{(24a^2Ab^2 + 3a^4A + 16a^3bB + 32ab^3B + 8Ab^4) \tanh^{-1}(\sin(c + dx))}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x]^5,x]
```

```
[Out] b^4*B*x + ((3*a^4*A + 24*a^2*A*b^2 + 8*A*b^4 + 16*a^3*b*B + 32*a*b^3*B)*Arc
Tanh[Sin[c + d*x]])/(8*d) + (a*(16*a^2*A*b + 19*A*b^3 + 4*a^3*B + 34*a*b^2*
B)*Tan[c + d*x])/(6*d) + (a^2*(9*a^2*A + 26*A*b^2 + 32*a*b*B)*Sec[c + d*x]*
Tan[c + d*x])/(24*d) + (a*(7*A*b + 4*a*B)*(a + b*Cos[c + d*x])^2*Sec[c + d*
x]^2*Tan[c + d*x])/(12*d) + (a*A*(a + b*Cos[c + d*x])^3*Sec[c + d*x]^3*Tan[
c + d*x])/(4*d)
```

#### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

#### Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2, x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
```

- a\*c\*(n + 2))) - C\*(b\*c\*d\*(n + 1) - a\*(c^2 + d^2\*(n + 1))) \* Sin[e + f\*x] + b\*(d\*(B\*c - A\*d)\*(m + n + 2) - C\*(c^2\*(m + 1) + d^2\*(n + 1))) \* Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

### Rule 3031

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*(A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[((b\*c - a\*d)\*(A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b^2\*f\*(m + 1)\*(a^2 - b^2)), x] - Dist[1/(b^2\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(m + 1)\*((b\*B - a\*C)\*(b\*c - a\*d) - A\*b\*(a\*c - b\*d)) + (b\*B\*(a^2\*d + b^2\*d\*(m + 1) - a\*b\*c\*(m + 2)) + (b\*c - a\*d)\*(A\*b^2\*(m + 2) + C\*(a^2 + b^2\*(m + 1)))]\*Sin[e + f\*x] - b\*C\*d\*(m + 1)\*(a^2 - b^2)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1)]\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned}
 \int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^3 \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int (a + b \cos(c + dx))^3 \sec^3(c + dx) \tan(c + dx) dx \\
 &= \frac{a(7Ab + 4aB)(a + b \cos(c + dx))^2 \sec^2(c + dx) \tan(c + dx)}{12d} + \frac{1}{4} \int (a + b \cos(c + dx))^2 \sec^2(c + dx) \tan(c + dx) dx \\
 &= \frac{a^2(9a^2A + 26Ab^2 + 32abB) \sec(c + dx) \tan(c + dx)}{24d} + \frac{a(7Ab + 4aB)(a + b \cos(c + dx)) \sec(c + dx) \tan(c + dx)}{12d} \\
 &= \frac{a(16a^2Ab + 19Ab^3 + 4a^3B + 34ab^2B) \tan(c + dx)}{6d} + \frac{a^2(9a^2A + 26Ab^2 + 32abB) \sec(c + dx) \tan(c + dx)}{24d} \\
 &= b^4Bx + \frac{a(16a^2Ab + 19Ab^3 + 4a^3B + 34ab^2B) \tan(c + dx)}{6d} + \frac{a^2(9a^2A + 26Ab^2 + 32abB) \sec(c + dx) \tan(c + dx)}{24d} \\
 &= b^4Bx + \frac{(3a^4A + 24a^2Ab^2 + 8Ab^4 + 16a^3bB + 32ab^3B) \tan(c + dx)}{8d}
 \end{aligned}$$

**Mathematica [A]** time = 1.01386, size = 160, normalized size = 0.74

$$\frac{3(24a^2Ab^2 + 3a^4A + 16a^3bB + 32ab^3B + 8Ab^4) \tanh^{-1}(\sin(c + dx)) + 3a \tan(c + dx) (a(3a^2A + 16abB + 24Ab^2) \sec(c + dx) + 3a^2A + 16abB + 24Ab^2)}{24d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^4\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^5,x]

[Out] (24\*b^4\*B\*d\*x + 3\*(3\*a^4\*A + 24\*a^2\*A\*b^2 + 8\*A\*b^4 + 16\*a^3\*b\*B + 32\*a\*b^3\*B)\*ArcTanh[Sin[c + d\*x]] + 3\*a\*(8\*(4\*a^2\*A\*b + 4\*A\*b^3 + a^3\*B + 6\*a\*b^2\*B) + a\*(3\*a^2\*A + 24\*A\*b^2 + 16\*a\*b\*B))\*Sec[c + d\*x] + 2\*a^3\*A\*Sec[c + d\*x]^3)\*Tan[c + d\*x] + 8\*a^3\*(4\*A\*b + a\*B)\*Tan[c + d\*x]^3)/(24\*d)

**Maple [A]** time = 0.098, size = 338, normalized size = 1.6

$$\frac{Aa^4 \tan(dx + c) (\sec(dx + c))^3}{4d} + \frac{3Aa^4 \sec(dx + c) \tan(dx + c)}{8d} + \frac{3Aa^4 \ln(\sec(dx + c) + \tan(dx + c))}{8d} + \frac{2a^4B \tan(dx + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x)

[Out] 1/4/d\*A\*a^4\*tan(d\*x+c)\*sec(d\*x+c)^3+3/8/d\*A\*a^4\*sec(d\*x+c)\*tan(d\*x+c)+3/8/d\*A\*a^4\*ln(sec(d\*x+c)+tan(d\*x+c))+2/3/d\*a^4\*B\*tan(d\*x+c)+1/3/d\*a^4\*B\*tan(d\*x+c)\*sec(d\*x+c)^2+8/3/d\*A\*a^3\*b\*tan(d\*x+c)+4/3/d\*A\*a^3\*b\*tan(d\*x+c)\*sec(d\*x+c)^2+2/d\*B\*a^3\*b\*tan(d\*x+c)\*sec(d\*x+c)+2/d\*B\*a^3\*b\*ln(sec(d\*x+c)+tan(d\*x+c))+3/d\*A\*a^2\*b^2\*tan(d\*x+c)\*sec(d\*x+c)+3/d\*A\*a^2\*b^2\*ln(sec(d\*x+c)+tan(d\*x+c))+6/d\*B\*a^2\*b^2\*tan(d\*x+c)+4/d\*A\*a\*b^3\*tan(d\*x+c)+4/d\*B\*a\*b^3\*ln(sec(d\*x+c)+tan(d\*x+c))+1/d\*A\*b^4\*ln(sec(d\*x+c)+tan(d\*x+c))+b^4\*B\*x+1/d\*B\*b^4\*c

**Maxima [A]** time = 1.13339, size = 428, normalized size = 1.98

$$16(\tan(dx + c)^3 + 3 \tan(dx + c))Ba^4 + 64(\tan(dx + c)^3 + 3 \tan(dx + c))Aa^3b + 48(dx + c)Bb^4 - 3Aa^4 \left( \frac{2(3 \sin(dx + c) - 5 \sin^3(dx + c))}{\sin(dx + c)^4 - 2 \sin^2(dx + c) + 1} - 3 \log(\sin(dx + c) + 1) + 3 \log(\sin(dx + c) - 1) - 48Ba^3b(2 \sin(dx + c) / (\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) - 72Aa^2b^2(2 \sin(dx + c) / (\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 96Ba^2b^3(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 24Aa^2b^4(\log(\sin(dx + c) + 1) - \log(\sin(dx + c) - 1)) + 288Ba^2b^2 \tan(dx + c) + 192Aa^2b^3 \tan(dx + c)) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="maxima")

[Out] 1/48\*(16\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*B\*a^4 + 64\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*A\*a^3\*b + 48\*(d\*x + c)\*B\*b^4 - 3\*A\*a^4\*(2\*(3\*sin(d\*x + c)^3 - 5\*sin(d\*x + c))/(sin(d\*x + c)^4 - 2\*sin(d\*x + c)^2 + 1) - 3\*log(sin(d\*x + c) + 1) + 3\*log(sin(d\*x + c) - 1)) - 48\*B\*a^3\*b\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) - 72\*A\*a^2\*b^2\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) + 96\*B\*a^2\*b^3\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 24\*A\*a^2\*b^4\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 288\*B\*a^2\*b^2\*tan(d\*x + c) + 192\*A\*a^2\*b^3\*tan(d\*x + c))/d



### 3.248 $\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^6(c + dx) dx$

**Optimal.** Leaf size=267

$$\frac{(60a^2Ab^2 + 8a^4A + 40a^3bB + 60ab^3B + 15Ab^4) \tan(c + dx)}{15d} + \frac{(12a^3Ab + 24a^2b^2B + 3a^4B + 16aAb^3 + 8b^4B) \operatorname{tanh}^{-1}\left(\frac{\sin(c + dx)}{d}\right)}{8d}$$

```
[Out] ((12*a^3*A*b + 16*a*A*b^3 + 3*a^4*B + 24*a^2*b^2*B + 8*b^4*B)*ArcTanh[Sin[c + d*x]])/(8*d) + ((8*a^4*A + 60*a^2*A*b^2 + 15*A*b^4 + 40*a^3*b*B + 60*a*b^3*B)*Tan[c + d*x])/(15*d) + (a*(60*a^2*A*b + 56*A*b^3 + 15*a^3*B + 110*a*b^2*B)*Sec[c + d*x]*Tan[c + d*x])/(40*d) + (a^2*(8*a^2*A + 18*A*b^2 + 25*a*b*B)*Sec[c + d*x]^2*Tan[c + d*x])/(30*d) + (a*(8*A*b + 5*a*B)*(a + b*Cos[c + d*x])^2*Sec[c + d*x]^3*Tan[c + d*x])/(20*d) + (a*A*(a + b*Cos[c + d*x])^3*Sec[c + d*x]^4*Tan[c + d*x])/(5*d)
```

**Rubi [A]** time = 0.722923, antiderivative size = 267, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$ , Rules used = {2989, 3047, 3031, 3021, 2748, 3767, 8, 3770}

$$\frac{(60a^2Ab^2 + 8a^4A + 40a^3bB + 60ab^3B + 15Ab^4) \tan(c + dx)}{15d} + \frac{(12a^3Ab + 24a^2b^2B + 3a^4B + 16aAb^3 + 8b^4B) \operatorname{tanh}^{-1}\left(\frac{\sin(c + dx)}{d}\right)}{8d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x]^6,x]
```

```
[Out] ((12*a^3*A*b + 16*a*A*b^3 + 3*a^4*B + 24*a^2*b^2*B + 8*b^4*B)*ArcTanh[Sin[c + d*x]])/(8*d) + ((8*a^4*A + 60*a^2*A*b^2 + 15*A*b^4 + 40*a^3*b*B + 60*a*b^3*B)*Tan[c + d*x])/(15*d) + (a*(60*a^2*A*b + 56*A*b^3 + 15*a^3*B + 110*a*b^2*B)*Sec[c + d*x]*Tan[c + d*x])/(40*d) + (a^2*(8*a^2*A + 18*A*b^2 + 25*a*b*B)*Sec[c + d*x]^2*Tan[c + d*x])/(30*d) + (a*(8*A*b + 5*a*B)*(a + b*Cos[c + d*x])^2*Sec[c + d*x]^3*Tan[c + d*x])/(20*d) + (a*A*(a + b*Cos[c + d*x])^3*Sec[c + d*x]^4*Tan[c + d*x])/(5*d)
```

#### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

#### Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
```

```

*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

### Rule 3031

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f
_.)*(x_)])^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]

```

### Rule 3021

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

```

### Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

### Rule 3767

```

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]

```

### Rule 8

```

Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]

```

### Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

### Rubi steps

$$\int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^6(c + dx) dx = \frac{aA(a + b \cos(c + dx))^3 \sec^4(c + dx) \tan(c + dx)}{5d} + \frac{1}{5} \int (a + b \cos(c + dx))^3 \sec^4(c + dx) \tan(c + dx) dx$$

$$= \frac{a(8Ab + 5aB)(a + b \cos(c + dx))^2 \sec^3(c + dx) \tan(c + dx)}{20d}$$

$$= \frac{a^2(8a^2A + 18Ab^2 + 25abB) \sec^2(c + dx) \tan(c + dx)}{30d} + \frac{a(60a^2Ab + 56Ab^3 + 15a^3B + 110ab^2B) \sec(c + dx) \tan(c + dx)}{40d}$$

$$= \frac{a(60a^2Ab + 56Ab^3 + 15a^3B + 110ab^2B) \sec(c + dx) \tan(c + dx)}{40d}$$

$$= \frac{(12a^3Ab + 16aAb^3 + 3a^4B + 24a^2b^2B + 8b^4B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (80a^2(a^2A + 2abB + 3Ab^2) \tan^2(c + dx) + 4a^2Ab + 4a^2b^2B + 4a^2B)}{8d}$$

**Mathematica [A]** time = 4.15113, size = 198, normalized size = 0.74

$$\frac{15(12a^3Ab + 24a^2b^2B + 3a^4B + 16aAb^3 + 8b^4B) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (80a^2(a^2A + 2abB + 3Ab^2) \tan^2(c + dx) + 4a^2Ab + 4a^2b^2B + 4a^2B)}{8d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x]^6,x]
```

```
[Out] (15*(12*a^3*A*b + 16*a*A*b^3 + 3*a^4*B + 24*a^2*b^2*B + 8*b^4*B)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(120*(a^4*A + 6*a^2*A*b^2 + A*b^4 + 4*a^3*b*B + 4*a*b^3*B) + 15*a*(12*a^2*A*b + 16*A*b^3 + 3*a^3*B + 24*a*b^2*B)*Sec[c + d*x] + 30*a^3*(4*A*b + a*B)*Sec[c + d*x]^3 + 80*a^2*(a^2*A + 3*A*b^2 + 2*a*b*B)*Tan[c + d*x]^2 + 24*a^4*A*Tan[c + d*x]^4))/(120*d)
```

**Maple [A]** time = 0.116, size = 431, normalized size = 1.6

$$\frac{8Aa^4 \tan(dx + c)}{15d} + \frac{Aa^4 \tan(dx + c) (\sec(dx + c))^4}{5d} + \frac{4Aa^4 \tan(dx + c) (\sec(dx + c))^2}{15d} + \frac{a^4B \tan(dx + c) (\sec(dx + c))^2}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^6,x)
```

```
[Out] 8/15/d*A*a^4*tan(d*x+c)+1/5/d*A*a^4*tan(d*x+c)*sec(d*x+c)^4+4/15/d*A*a^4*tan(d*x+c)*sec(d*x+c)^2+1/4/d*a^4*B*tan(d*x+c)*sec(d*x+c)^3+3/8/d*a^4*B*sec(d*x+c)*tan(d*x+c)+3/8/d*a^4*B*ln(sec(d*x+c)+tan(d*x+c))+1/d*A*a^3*b*tan(d*x+c)*sec(d*x+c)^3+3/2/d*A*a^3*b*sec(d*x+c)*tan(d*x+c)+3/2/d*A*a^3*b*ln(sec(d*x+c)+tan(d*x+c))+8/3/d*B*a^3*b*tan(d*x+c)+4/3/d*B*a^3*b*tan(d*x+c)*sec(d*x+c)^2+4/d*A*a^2*b^2*tan(d*x+c)+2/d*A*a^2*b^2*tan(d*x+c)*sec(d*x+c)^2+3/d*B*a^2*b^2*tan(d*x+c)*sec(d*x+c)+3/d*B*a^2*b^2*ln(sec(d*x+c)+tan(d*x+c))+2/d*A*a*b^3*tan(d*x+c)*sec(d*x+c)+2/d*A*a*b^3*ln(sec(d*x+c)+tan(d*x+c))+4/d*B*a*b^3*tan(d*x+c)+1/d*A*b^4*tan(d*x+c)+1/d*B*b^4*ln(sec(d*x+c)+tan(d*x+c))
```

**Maxima [A]** time = 1.05269, size = 521, normalized size = 1.95

$$16(3 \tan(dx+c)^5 + 10 \tan(dx+c)^3 + 15 \tan(dx+c))Aa^4 + 320(\tan(dx+c)^3 + 3 \tan(dx+c))Ba^3b + 480(\tan(dx+c)^3 + 3 \tan(dx+c))Aa^2b^2 - 15B^2a^4(2(3 \sin(dx+c)^3 - 5 \sin(dx+c)) / (\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1)) - 60A^3a^3b(2(3 \sin(dx+c)^3 - 5 \sin(dx+c)) / (\sin(dx+c)^4 - 2 \sin(dx+c)^2 + 1) - 3 \log(\sin(dx+c) + 1) + 3 \log(\sin(dx+c) - 1)) - 360B^2a^2b^2(2 \sin(dx+c) / (\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) - 240A^2a^2b^3(2 \sin(dx+c) / (\sin(dx+c)^2 - 1) - \log(\sin(dx+c) + 1) + \log(\sin(dx+c) - 1)) + 120B^2b^4(\log(\sin(dx+c) + 1) - \log(\sin(dx+c) - 1)) + 960B^2a^2b^3 \tan(dx+c) + 240A^2b^4 \tan(dx+c)) / d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="maxima")

[Out] 1/240\*(16\*(3\*tan(d\*x + c)^5 + 10\*tan(d\*x + c)^3 + 15\*tan(d\*x + c))\*A\*a^4 + 320\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*B\*a^3\*b + 480\*(tan(d\*x + c)^3 + 3\*tan(d\*x + c))\*A\*a^2\*b^2 - 15\*B\*a^4\*(2\*(3\*sin(d\*x + c)^3 - 5\*sin(d\*x + c))/(sin(d\*x + c)^4 - 2\*sin(d\*x + c)^2 + 1) - 3\*log(sin(d\*x + c) + 1) + 3\*log(sin(d\*x + c) - 1)) - 60\*A\*a^3\*b\*(2\*(3\*sin(d\*x + c)^3 - 5\*sin(d\*x + c))/(sin(d\*x + c)^4 - 2\*sin(d\*x + c)^2 + 1) - 3\*log(sin(d\*x + c) + 1) + 3\*log(sin(d\*x + c) - 1)) - 360\*B\*a^2\*b^2\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) - 240\*A\*a^2\*b^3\*(2\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1) - log(sin(d\*x + c) + 1) + log(sin(d\*x + c) - 1)) + 120\*B\*b^4\*(log(sin(d\*x + c) + 1) - log(sin(d\*x + c) - 1)) + 960\*B\*a^2\*b^3\*tan(d\*x + c) + 240\*A\*b^4\*tan(d\*x + c))/d

**Fricas [A]** time = 1.57572, size = 687, normalized size = 2.57

$$15(3Ba^4 + 12Aa^3b + 24Ba^2b^2 + 16Aab^3 + 8Bb^4) \cos(dx+c)^5 \log(\sin(dx+c)+1) - 15(3Ba^4 + 12Aa^3b + 24Ba^2b^2 + 16Aa^2b^3 + 8B^2a^4) \cos(dx+c)^5 \log(-\sin(dx+c)+1) + 2(24A^2a^4 + 8(8A^2a^4 + 40B^2a^3b + 60A^2a^2b^2 + 60B^2a^2b^3 + 15A^2b^4) \cos(dx+c)^4 + 15(3B^2a^4 + 12A^2a^3b + 24B^2a^2b^2 + 16A^2a^2b^3) \cos(dx+c)^3 + 16(2A^2a^4 + 10B^2a^3b + 15A^2a^2b^2) \cos(dx+c)^2 + 30(B^2a^4 + 4A^2a^3b) \cos(dx+c)) \sin(dx+c) / (d \cos(dx+c)^5)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="fricas")

[Out] 1/240\*(15\*(3\*B\*a^4 + 12\*A\*a^3\*b + 24\*B\*a^2\*b^2 + 16\*A\*a\*b^3 + 8\*B\*b^4)\*cos(d\*x + c)^5\*log(sin(d\*x + c) + 1) - 15\*(3\*B\*a^4 + 12\*A\*a^3\*b + 24\*B\*a^2\*b^2 + 16\*A\*a\*b^3 + 8\*B\*b^4)\*cos(d\*x + c)^5\*log(-sin(d\*x + c) + 1) + 2\*(24\*A\*a^4 + 8\*(8\*A\*a^4 + 40\*B\*a^3\*b + 60\*A\*a^2\*b^2 + 60\*B\*a^2\*b^3 + 15\*A\*b^4)\*cos(d\*x + c)^4 + 15\*(3\*B\*a^4 + 12\*A\*a^3\*b + 24\*B\*a^2\*b^2 + 16\*A\*a\*b^3)\*cos(d\*x + c)^3 + 16\*(2\*A\*a^4 + 10\*B\*a^3\*b + 15\*A\*a^2\*b^2)\*cos(d\*x + c)^2 + 30\*(B\*a^4 + 4\*A\*a^3\*b)\*cos(d\*x + c))\*sin(d\*x + c)/(d\*cos(d\*x + c)^5)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x)

[Out] Timed out



**Giac [B]** time = 1.70156, size = 1148, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^6,x, algorithm="giac")

[Out] 
$$\frac{1}{120} \cdot (15 \cdot (3 \cdot B \cdot a^4 + 12 \cdot A \cdot a^3 \cdot b + 24 \cdot B \cdot a^2 \cdot b^2 + 16 \cdot A \cdot a \cdot b^3 + 8 \cdot B \cdot b^4) \cdot \log(\abs{\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 1}) - 15 \cdot (3 \cdot B \cdot a^4 + 12 \cdot A \cdot a^3 \cdot b + 24 \cdot B \cdot a^2 \cdot b^2 + 16 \cdot A \cdot a \cdot b^3 + 8 \cdot B \cdot b^4) \cdot \log(\abs{\tan(1/2 \cdot d \cdot x + 1/2 \cdot c) - 1}) - 2 \cdot (120 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 75 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 300 \cdot A \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 480 \cdot B \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 720 \cdot A \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 360 \cdot B \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 240 \cdot A \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 480 \cdot B \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 + 120 \cdot A \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^9 - 160 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 30 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 120 \cdot A \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 1280 \cdot B \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 1920 \cdot A \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 720 \cdot B \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 480 \cdot A \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 1920 \cdot B \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 - 480 \cdot A \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^7 + 464 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 1600 \cdot B \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 2400 \cdot A \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 2880 \cdot B \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 + 720 \cdot A \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^5 - 160 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 30 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 120 \cdot A \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 1280 \cdot B \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 1920 \cdot A \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 720 \cdot B \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 480 \cdot A \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 1920 \cdot B \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 - 480 \cdot A \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^3 + 120 \cdot A \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 75 \cdot B \cdot a^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 300 \cdot A \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 480 \cdot B \cdot a^3 \cdot b \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 720 \cdot A \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 360 \cdot B \cdot a^2 \cdot b^2 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 240 \cdot A \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 480 \cdot B \cdot a \cdot b^3 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c) + 120 \cdot A \cdot b^4 \cdot \tan(1/2 \cdot d \cdot x + 1/2 \cdot c)) / (\tan(1/2 \cdot d \cdot x + 1/2 \cdot c)^2 - 1)^5) / d$$

$$3.249 \quad \int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^7(c + dx) dx$$

**Optimal.** Leaf size=324

$$\frac{(32a^3Ab + 60a^2b^2B + 8a^4B + 40aAb^3 + 15b^4B) \tan(c + dx)}{15d} + \frac{(36a^2Ab^2 + 5a^4A + 24a^3bB + 32ab^3B + 8Ab^4) \tanh^{-1}(\sin(c + dx))}{16d}$$

```
[Out] ((5*a^4*A + 36*a^2*A*b^2 + 8*A*b^4 + 24*a^3*b*B + 32*a*b^3*B)*ArcTanh[Sin[c + d*x]])/(16*d) + ((32*a^3*A*b + 40*a*A*b^3 + 8*a^4*B + 60*a^2*b^2*B + 15*b^4*B)*Tan[c + d*x])/(15*d) + ((5*a^4*A + 36*a^2*A*b^2 + 8*A*b^4 + 24*a^3*b*B + 32*a*b^3*B)*Sec[c + d*x]*Tan[c + d*x])/(16*d) + (a*(16*a^2*A*b + 13*A*b^3 + 4*a^3*B + 27*a*b^2*B)*Sec[c + d*x]^2*Tan[c + d*x])/(15*d) + (a^2*(25*a^2*A + 48*A*b^2 + 72*a*b*B)*Sec[c + d*x]^3*Tan[c + d*x])/(120*d) + (a*(3*A*b + 2*a*B)*(a + b*Cos[c + d*x])^2*Sec[c + d*x]^4*Tan[c + d*x])/(10*d) + (a*A*(a + b*Cos[c + d*x])^3*Sec[c + d*x]^5*Tan[c + d*x])/(6*d)
```

**Rubi [A]** time = 0.802034, antiderivative size = 324, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.29$ , Rules used = {2989, 3047, 3031, 3021, 2748, 3768, 3770, 3767, 8}

$$\frac{(32a^3Ab + 60a^2b^2B + 8a^4B + 40aAb^3 + 15b^4B) \tan(c + dx)}{15d} + \frac{(36a^2Ab^2 + 5a^4A + 24a^3bB + 32ab^3B + 8Ab^4) \tanh^{-1}(\sin(c + dx))}{16d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x]^7,x]
```

```
[Out] ((5*a^4*A + 36*a^2*A*b^2 + 8*A*b^4 + 24*a^3*b*B + 32*a*b^3*B)*ArcTanh[Sin[c + d*x]])/(16*d) + ((32*a^3*A*b + 40*a*A*b^3 + 8*a^4*B + 60*a^2*b^2*B + 15*b^4*B)*Tan[c + d*x])/(15*d) + ((5*a^4*A + 36*a^2*A*b^2 + 8*A*b^4 + 24*a^3*b*B + 32*a*b^3*B)*Sec[c + d*x]*Tan[c + d*x])/(16*d) + (a*(16*a^2*A*b + 13*A*b^3 + 4*a^3*B + 27*a*b^2*B)*Sec[c + d*x]^2*Tan[c + d*x])/(15*d) + (a^2*(25*a^2*A + 48*A*b^2 + 72*a*b*B)*Sec[c + d*x]^3*Tan[c + d*x])/(120*d) + (a*(3*A*b + 2*a*B)*(a + b*Cos[c + d*x])^2*Sec[c + d*x]^4*Tan[c + d*x])/(10*d) + (a*A*(a + b*Cos[c + d*x])^3*Sec[c + d*x]^5*Tan[c + d*x])/(6*d)
```

### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Ssin[e + f*x])^(m - 2)*(c + d*Ssin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

### Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
```

```

*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

### Rule 3031

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f
_.)*(x_)]^2), x_Symbol] :> -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1))))*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]

```

### Rule 3021

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

```

### Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

### Rule 3768

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> -Simp[(b*Csc[c + d*x]
*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]

```

### Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] :> -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

### Rule 3767

```

Int[csc[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] :> -Dist[d^(-1), Subst[Int[Expa
ndIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d*x]], x] /; FreeQ[{c,
d}, x] && IGtQ[n/2, 0]

```

### Rule 8

```
Int[a_, x_Symbol] := Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^4 (A + B \cos(c + dx)) \sec^7(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^3 \sec^5(c + dx) \tan(c + dx)}{6d} + \frac{1}{6} \int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^6(c + dx) dx \\ &= \frac{a(3Ab + 2aB)(a + b \cos(c + dx))^2 \sec^4(c + dx) \tan(c + dx)}{10d} + \frac{1}{6} \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^5(c + dx) dx \\ &= \frac{a^2 (25a^2 A + 48Ab^2 + 72abB) \sec^3(c + dx) \tan(c + dx)}{120d} + \frac{1}{6} \int (a + b \cos(c + dx)) (A + B \cos(c + dx)) \sec^4(c + dx) dx \\ &= \frac{a (16a^2 Ab + 13Ab^3 + 4a^3 B + 27ab^2 B) \sec^2(c + dx) \tan(c + dx)}{15d} + \frac{1}{6} \int (A + B \cos(c + dx)) \sec^3(c + dx) dx \\ &= \frac{a (16a^2 Ab + 13Ab^3 + 4a^3 B + 27ab^2 B) \sec^2(c + dx) \tan(c + dx)}{15d} + \frac{1}{6} \int (A + B \cos(c + dx)) \sec^2(c + dx) dx \\ &= \frac{(5a^4 A + 36a^2 Ab^2 + 8Ab^4 + 24a^3 bB + 32ab^3 B) \sec(c + dx) \tan(c + dx)}{16d} + \frac{1}{6} \int (A + B \cos(c + dx)) \sec(c + dx) dx \\ &= \frac{(5a^4 A + 36a^2 Ab^2 + 8Ab^4 + 24a^3 bB + 32ab^3 B) \tanh^{-1}(\sin(c + dx))}{16d} + \frac{1}{6} \int (A + B \cos(c + dx)) \sec(c + dx) dx \end{aligned}$$

**Mathematica [A]** time = 2.64182, size = 244, normalized size = 0.75

$$\frac{15 (36a^2 Ab^2 + 5a^4 A + 24a^3 bB + 32ab^3 B + 8Ab^4) \tanh^{-1}(\sin(c + dx)) + \tan(c + dx) (160a (4a^2 Ab + a^3 B + 3ab^2 B + 2A))}{16d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^4*(A + B*Cos[c + d*x])*Sec[c + d*x]^7,x]
```

```
[Out] (15*(5*a^4*A + 36*a^2*A*b^2 + 8*A*b^4 + 24*a^3*b*B + 32*a*b^3*B)*ArcTanh[Sin[c + d*x]] + Tan[c + d*x]*(240*(4*a^3*A*b + 4*a*A*b^3 + a^4*B + 6*a^2*b^2*B + b^4*B) + 15*(5*a^4*A + 36*a^2*A*b^2 + 8*A*b^4 + 24*a^3*b*B + 32*a*b^3*B))*Sec[c + d*x] + 10*a^2*(5*a^2*A + 36*A*b^2 + 24*a*b*B)*Sec[c + d*x]^3 + 40*a^4*A*Sec[c + d*x]^5 + 160*a*(4*a^2*A*b + 2*A*b^3 + a^3*B + 3*a*b^2*B)*Tan[c + d*x]^2 + 48*a^3*(4*A*b + a*B)*Tan[c + d*x]^4)/(240*d)
```

**Maple [A]** time = 0.098, size = 550, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^7,x)
```

```
[Out] 32/15/d*A*a^3*b*tan(d*x+c)+3/2/d*B*a^3*b*ln(sec(d*x+c)+tan(d*x+c))+9/4/d*A*a^2*b^2*ln(sec(d*x+c)+tan(d*x+c))+1/d*B*b^4*tan(d*x+c)+3/2/d*A*a^2*b^2*tan(d*x+c)*sec(d*x+c)^3+2/d*B*a*b^3*tan(d*x+c)*sec(d*x+c)+4/3/d*A*a*b^3*tan(d*x+c)*sec(d*x+c)^2+4/5/d*A*a^3*b*tan(d*x+c)*sec(d*x+c)^4+2/d*B*a^2*b^2*tan(d*x+c)*sec(d*x+c)^2+1/d*B*a^3*b*tan(d*x+c)*sec(d*x+c)^3+8/15/d*a^4*B*tan(d*x+c)+4/15/d*a^4*B*tan(d*x+c)*sec(d*x+c)^2+4/d*B*a^2*b^2*tan(d*x+c)+8/3/d*A*a*b^3*tan(d*x+c)+2/d*B*a*b^3*ln(sec(d*x+c)+tan(d*x+c))+5/16/d*A*a^4*ln(sec(d*x+c)+tan(d*x+c))+1/2/d*A*b^4*ln(sec(d*x+c)+tan(d*x+c))+5/24/d*A*a^4*tan(d*x+c)*sec(d*x+c)^3+16/15/d*A*a^3*b*tan(d*x+c)*sec(d*x+c)^2+3/2/d*B*a^3*b*tan(d*x+c)
```

$d*x+c)*\sec(d*x+c)+9/4/d*A*a^2*b^2*\tan(d*x+c)*\sec(d*x+c)+1/6/d*A*a^4*\tan(d*x+c)*\sec(d*x+c)^5+1/2/d*A*b^4*\tan(d*x+c)*\sec(d*x+c)+1/5/d*a^4*B*\tan(d*x+c)*\sec(d*x+c)^4+5/16/d*A*a^4*\sec(d*x+c)*\tan(d*x+c)$

**Maxima [A]** time = 1.02618, size = 640, normalized size = 1.98

$32(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c))Ba^4 + 128(3 \tan(dx + c)^5 + 10 \tan(dx + c)^3 + 15 \tan(dx + c))Aa^3b + 960(\tan(dx + c)^3 + 3 \tan(dx + c))B^2a^2b^2 + 640(\tan(dx + c)^3 + 3 \tan(dx + c))Aa^2b^3 - 5Aa^4(2(15 \sin(dx + c)^5 - 40 \sin(dx + c)^3 + 33 \sin(dx + c)) / (\sin(dx + c)^6 - 3 \sin(dx + c)^4 + 3 \sin(dx + c)^2 - 1) - 15 \log(\sin(dx + c) + 1) + 15 \log(\sin(dx + c) - 1)) - 120B^3a^3b(2(3 \sin(dx + c)^3 - 5 \sin(dx + c)) / (\sin(dx + c)^4 - 2 \sin(dx + c)^2 + 1) - 3 \log(\sin(dx + c) + 1) + 3 \log(\sin(dx + c) - 1)) - 180Aa^2b^2(2(3 \sin(dx + c)^3 - 5 \sin(dx + c)) / (\sin(dx + c)^4 - 2 \sin(dx + c)^2 + 1) - 3 \log(\sin(dx + c) + 1) + 3 \log(\sin(dx + c) - 1)) - 480B^2a^2b^3(2 \sin(dx + c) / (\sin(dx + c)^2 - 1) - \log(\sin(dx + c) + 1) + \log(\sin(dx + c) - 1)) + 480B^2b^4 \tan(dx + c) / d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^7,x, algorithm="maxima")

[Out]  $1/480*(32*(3*\tan(d*x + c)^5 + 10*\tan(d*x + c)^3 + 15*\tan(d*x + c))*B*a^4 + 128*(3*\tan(d*x + c)^5 + 10*\tan(d*x + c)^3 + 15*\tan(d*x + c))*A*a^3*b + 960*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*B^2*a^2*b^2 + 640*(\tan(d*x + c)^3 + 3*\tan(d*x + c))*A*a^2*b^3 - 5*A*a^4*(2*(15*\sin(d*x + c)^5 - 40*\sin(d*x + c)^3 + 33*\sin(d*x + c))/(\sin(d*x + c)^6 - 3*\sin(d*x + c)^4 + 3*\sin(d*x + c)^2 - 1) - 15*\log(\sin(d*x + c) + 1) + 15*\log(\sin(d*x + c) - 1)) - 120*B^3*a^3*b*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1)) - 180*A*a^2*b^2*(2*(3*\sin(d*x + c)^3 - 5*\sin(d*x + c))/(\sin(d*x + c)^4 - 2*\sin(d*x + c)^2 + 1) - 3*\log(\sin(d*x + c) + 1) + 3*\log(\sin(d*x + c) - 1)) - 480*B^2*a^2*b^3*(2*\sin(d*x + c)/(\sin(d*x + c)^2 - 1) - \log(\sin(d*x + c) + 1) + \log(\sin(d*x + c) - 1)) + 480*B^2*b^4*\tan(d*x + c))/d$

**Fricas [A]** time = 1.67112, size = 797, normalized size = 2.46

$15(5Aa^4 + 24Ba^3b + 36Aa^2b^2 + 32Bab^3 + 8Ab^4) \cos(dx + c)^6 \log(\sin(dx + c) + 1) - 15(5Aa^4 + 24Ba^3b + 36Aa^2b^2 + 32Bab^3 + 8Ab^4) \cos(dx + c)^6 \log(-\sin(dx + c) + 1) + 2*(16*(8B^2a^4 + 32Aa^3b + 60B^2a^2b^2 + 40Aa^2b^3 + 15B^2b^4)*\cos(dx + c)^5 + 40Aa^4 + 15*(5Aa^4 + 24Ba^3b + 36Aa^2b^2 + 32B^2a^2b^3 + 8A^2b^4)*\cos(dx + c)^4 + 32*(2B^2a^4 + 8Aa^3b + 15B^2a^2b^2 + 10Aa^2b^3)*\cos(dx + c)^3 + 10*(5Aa^4 + 24Ba^3b + 36Aa^2b^2)*\cos(dx + c)^2 + 48*(B^2a^4 + 4Aa^3b)*\cos(dx + c))*\sin(dx + c))/(d*\cos(dx + c)^6)$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^4\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^7,x, algorithm="fricas")

[Out]  $1/480*(15*(5*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2 + 32*B*a^2*b^3 + 8*A*b^4))*\cos(dx + c)^6*\log(\sin(dx + c) + 1) - 15*(5*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2 + 32*B*a^2*b^3 + 8*A*b^4))*\cos(dx + c)^6*\log(-\sin(dx + c) + 1) + 2*(16*(8*B^2*a^4 + 32*A*a^3*b + 60*B^2*a^2*b^2 + 40*A*a^2*b^3 + 15*B^2*b^4))*\cos(dx + c)^5 + 40*A*a^4 + 15*(5*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2 + 32*B^2*a^2*b^3 + 8*A^2*b^4))*\cos(dx + c)^4 + 32*(2*B^2*a^4 + 8*A*a^3*b + 15*B^2*a^2*b^2 + 10*A*a^2*b^3))*\cos(dx + c)^3 + 10*(5*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2))*\cos(dx + c)^2 + 48*(B^2*a^4 + 4*A*a^3*b))*\cos(dx + c))*\sin(dx + c))/(d*\cos(dx + c)^6)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**4*(A+B*cos(d*x+c))*sec(d*x+c)**7,x)
```

```
[Out] Timed out
```

**Giac [B]** time = 1.70022, size = 1601, normalized size = 4.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^4*(A+B*cos(d*x+c))*sec(d*x+c)^7,x, algorithm="giac")
```

```
[Out] 1/240*(15*(5*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2 + 32*B*a*b^3 + 8*A*b^4)*log(
abs(tan(1/2*d*x + 1/2*c) + 1)) - 15*(5*A*a^4 + 24*B*a^3*b + 36*A*a^2*b^2 +
32*B*a*b^3 + 8*A*b^4)*log(abs(tan(1/2*d*x + 1/2*c) - 1)) + 2*(165*A*a^4*tan
(1/2*d*x + 1/2*c)^11 - 240*B*a^4*tan(1/2*d*x + 1/2*c)^11 - 960*A*a^3*b*tan(
1/2*d*x + 1/2*c)^11 + 600*B*a^3*b*tan(1/2*d*x + 1/2*c)^11 + 900*A*a^2*b^2*t
an(1/2*d*x + 1/2*c)^11 - 1440*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^11 - 960*A*a*b
^3*tan(1/2*d*x + 1/2*c)^11 + 480*B*a*b^3*tan(1/2*d*x + 1/2*c)^11 + 120*A*b^
4*tan(1/2*d*x + 1/2*c)^11 - 240*B*b^4*tan(1/2*d*x + 1/2*c)^11 + 25*A*a^4*ta
n(1/2*d*x + 1/2*c)^9 + 560*B*a^4*tan(1/2*d*x + 1/2*c)^9 + 2240*A*a^3*b*tan(
1/2*d*x + 1/2*c)^9 - 840*B*a^3*b*tan(1/2*d*x + 1/2*c)^9 - 1260*A*a^2*b^2*ta
n(1/2*d*x + 1/2*c)^9 + 5280*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^9 + 3520*A*a*b^3
*tan(1/2*d*x + 1/2*c)^9 - 1440*B*a*b^3*tan(1/2*d*x + 1/2*c)^9 - 360*A*b^4*t
an(1/2*d*x + 1/2*c)^9 + 1200*B*b^4*tan(1/2*d*x + 1/2*c)^9 + 450*A*a^4*tan(1
/2*d*x + 1/2*c)^7 - 1248*B*a^4*tan(1/2*d*x + 1/2*c)^7 - 4992*A*a^3*b*tan(1/
2*d*x + 1/2*c)^7 + 240*B*a^3*b*tan(1/2*d*x + 1/2*c)^7 + 360*A*a^2*b^2*tan(1
/2*d*x + 1/2*c)^7 - 8640*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^7 - 5760*A*a*b^3*ta
n(1/2*d*x + 1/2*c)^7 + 960*B*a*b^3*tan(1/2*d*x + 1/2*c)^7 + 240*A*b^4*tan(1
/2*d*x + 1/2*c)^7 - 2400*B*b^4*tan(1/2*d*x + 1/2*c)^7 + 450*A*a^4*tan(1/2*d
*x + 1/2*c)^5 + 1248*B*a^4*tan(1/2*d*x + 1/2*c)^5 + 4992*A*a^3*b*tan(1/2*d*
x + 1/2*c)^5 + 240*B*a^3*b*tan(1/2*d*x + 1/2*c)^5 + 360*A*a^2*b^2*tan(1/2*d
*x + 1/2*c)^5 + 8640*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^5 + 5760*A*a*b^3*tan(1/
2*d*x + 1/2*c)^5 + 960*B*a*b^3*tan(1/2*d*x + 1/2*c)^5 + 240*A*b^4*tan(1/2*d
*x + 1/2*c)^5 + 2400*B*b^4*tan(1/2*d*x + 1/2*c)^5 + 25*A*a^4*tan(1/2*d*x +
1/2*c)^3 - 560*B*a^4*tan(1/2*d*x + 1/2*c)^3 - 2240*A*a^3*b*tan(1/2*d*x + 1/
2*c)^3 - 840*B*a^3*b*tan(1/2*d*x + 1/2*c)^3 - 1260*A*a^2*b^2*tan(1/2*d*x +
1/2*c)^3 - 5280*B*a^2*b^2*tan(1/2*d*x + 1/2*c)^3 - 3520*A*a*b^3*tan(1/2*d*x
+ 1/2*c)^3 - 1440*B*a*b^3*tan(1/2*d*x + 1/2*c)^3 - 360*A*b^4*tan(1/2*d*x +
1/2*c)^3 - 1200*B*b^4*tan(1/2*d*x + 1/2*c)^3 + 165*A*a^4*tan(1/2*d*x + 1/2
*c) + 240*B*a^4*tan(1/2*d*x + 1/2*c) + 960*A*a^3*b*tan(1/2*d*x + 1/2*c) + 6
00*B*a^3*b*tan(1/2*d*x + 1/2*c) + 900*A*a^2*b^2*tan(1/2*d*x + 1/2*c) + 1440
*B*a^2*b^2*tan(1/2*d*x + 1/2*c) + 960*A*a*b^3*tan(1/2*d*x + 1/2*c) + 480*B*
a*b^3*tan(1/2*d*x + 1/2*c) + 120*A*b^4*tan(1/2*d*x + 1/2*c) + 240*B*b^4*tan
(1/2*d*x + 1/2*c))/(tan(1/2*d*x + 1/2*c)^2 - 1)^6)/d
```

**3.250** 
$$\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=178

$$\frac{(-3a^2B + 3aAb - 2b^2B) \sin(c + dx)}{3b^3d} - \frac{2a^3(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d\sqrt{a-b}\sqrt{a+b}} + \frac{x(2a^2 + b^2)(Ab - aB)}{2b^4} + \frac{(Ab - aB)}{2b^4}$$

[Out]  $((2*a^2 + b^2)*(A*b - a*B)*x)/(2*b^4) - (2*a^3*(A*b - a*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^4*Sqrt[a + b]*d) - ((3*a*A*b - 3*a^2*B - 2*b^2*B)*Sin[c + d*x])/(3*b^3*d) + ((A*b - a*B)*Cos[c + d*x]*Sin[c + d*x])/(2*b^2*d) + (B*Cos[c + d*x]^2*Sin[c + d*x])/(3*b*d)$

**Rubi [A]** time = 0.493183, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2990, 3049, 3023, 2735, 2659, 205}

$$\frac{(-3a^2B + 3aAb - 2b^2B) \sin(c + dx)}{3b^3d} - \frac{2a^3(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d\sqrt{a-b}\sqrt{a+b}} + \frac{x(2a^2 + b^2)(Ab - aB)}{2b^4} + \frac{(Ab - aB)}{2b^4}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]^3*(A + B*\text{Cos}[c + d*x]))/(a + b*\text{Cos}[c + d*x]),x]$

[Out]  $((2*a^2 + b^2)*(A*b - a*B)*x)/(2*b^4) - (2*a^3*(A*b - a*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]*b^4*Sqrt[a + b]*d) - ((3*a*A*b - 3*a^2*B - 2*b^2*B)*Sin[c + d*x])/(3*b^3*d) + ((A*b - a*B)*Cos[c + d*x]*Sin[c + d*x])/(2*b^2*d) + (B*Cos[c + d*x]^2*Sin[c + d*x])/(3*b*d)$

**Rule 2990**

$\text{Int}[(a + b*\sin[e + f*x])^m * ((c + d*\sin[e + f*x])^n), x\_Symbol] := -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m-1}*(c + d*\text{Sin}[e + f*x])^{n+1})/(d*f*(m + n + 1)), x] + \text{Dist}[1/(d*(m + n + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m-2}*(c + d*\text{Sin}[e + f*x])^n * \text{Simp}[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*\text{Sin}[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*\text{Sin}[e + f*x]^2, x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ !(\text{IGtQ}[n, 1] \ \&\& \ (!\text{IntegerQ}[m] \ || \ (\text{EqQ}[a, 0] \ \&\& \ \text{NeQ}[c, 0])))$

**Rule 3049**

$\text{Int}[(a + b*\sin[e + f*x])^m * ((c + d*\sin[e + f*x])^n * ((A + B*\sin[e + f*x]) + C*\sin[e + f*x])^2), x\_Symbol] := -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{n+1})/(d*f*(m + n + 2)), x] + \text{Dist}[1/(d*(m + n + 2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m-1}*(c + d*\text{Sin}[e + f*x])^n * \text{Simp}[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*\text{Sin}[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*\text{Sin}[e + f*x]^2, x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[m,$

0] && !(IGtQ[n, 0] && ( !IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{a + b \cos(c + dx)} dx &= \frac{B \cos^2(c + dx) \sin(c + dx)}{3bd} + \frac{\int \frac{\cos(c+dx)(2aB+2bB \cos(c+dx)+3(Ab-aB) \cos^2(c+dx))}{a+b \cos(c+dx)} dx}{3b} \\ &= \frac{(Ab - aB) \cos(c + dx) \sin(c + dx)}{2b^2d} + \frac{B \cos^2(c + dx) \sin(c + dx)}{3bd} + \frac{\int \frac{3a(Ab-aB)+b}{a+b \cos(c+dx)} dx}{3b} \\ &= -\frac{(3aAb - 3a^2B - 2b^2B) \sin(c + dx)}{3b^3d} + \frac{(Ab - aB) \cos(c + dx) \sin(c + dx)}{2b^2d} + \frac{B \cos^2(c + dx) \sin(c + dx)}{3bd} \\ &= \frac{(2a^2 + b^2)(Ab - aB)x}{2b^4} - \frac{(3aAb - 3a^2B - 2b^2B) \sin(c + dx)}{3b^3d} + \frac{(Ab - aB) \cos(c + dx) \sin(c + dx)}{2b^2d} \\ &= \frac{(2a^2 + b^2)(Ab - aB)x}{2b^4} - \frac{(3aAb - 3a^2B - 2b^2B) \sin(c + dx)}{3b^3d} + \frac{(Ab - aB) \cos(c + dx) \sin(c + dx)}{2b^2d} \\ &= \frac{(2a^2 + b^2)(Ab - aB)x}{2b^4} - \frac{2a^3(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b}b^4\sqrt{a+bd}} - \frac{(3aAb - 3a^2B - 2b^2B) \sin(c + dx)}{3b^3d} \end{aligned}$$

**Mathematica [A]** time = 0.434912, size = 152, normalized size = 0.85

$$\frac{6(2a^2 + b^2)(c + dx)(Ab - aB) + 3b(4a^2B - 4aAb + 3b^2B) \sin(c + dx) - \frac{24a^3(aB - Ab) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2 - a^2}}\right)}{\sqrt{b^2 - a^2}} + 3b^2(Ab - aB)}{12b^4d}$$

Antiderivative was successfully verified.



[In] Integrate[(Cos[c + d\*x]^3\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x]),x]

[Out]  $(6*(2*a^2 + b^2)*(A*b - a*B)*(c + d*x) - (24*a^3*(-(A*b) + a*B)*\text{ArcTanh}[\frac{(a - b)*\text{Tan}[(c + d*x)/2]}{\sqrt{-a^2 + b^2}}])/\sqrt{-a^2 + b^2} + 3*b*(-4*a*A*b + 4*a^2*B + 3*b^2*B)*\text{Sin}[c + d*x] + 3*b^2*(A*b - a*B)*\text{Sin}[2*(c + d*x)] + b^3*B*\text{Sin}[3*(c + d*x)])/(12*b^4*d)$

**Maple [B]** time = 0.115, size = 641, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x)

[Out]  $-2/d/b^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^5*A*a-1/d/b/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^5*A+2/d/b^3/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^5*a^2*B+1/d/b^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^5*B*a+2/d/b/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^5*B-4/d/b^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^3*A*a+4/d/b^3/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^3*a^2*B+4/3/d/b/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)^3*B-2/d/b^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)*A*a+2/d/b^3/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)*a^2*B+2/d/b/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)*B+1/d/b/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)*A-1/d/b^2/(1+\tan(1/2*d*x+1/2*c))^2)^3*\tan(1/2*d*x+1/2*c)*B*a+2/d/b^3*\arctan(\tan(1/2*d*x+1/2*c))*A*a^2+1/d/b*\arctan(\tan(1/2*d*x+1/2*c))*A-2/d/b^4*\arctan(\tan(1/2*d*x+1/2*c))*a^3*B-1/d/b^2*\arctan(\tan(1/2*d*x+1/2*c))*B*a-2/d*a^3/b^3/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c))*(a-b)/((a-b)*(a+b))^(1/2))*A+2/d*a^4/b^4/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c))*(a-b)/((a-b)*(a+b))^(1/2))*B$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.82331, size = 1164, normalized size = 6.54

$$\frac{3(2Ba^5 - 2Aa^4b - Ba^3b^2 + Aa^2b^3 - Bab^4 + Ab^5)dx - 3(Ba^4 - Aa^3b)\sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2}{b^2 \cos(dx+c)}\right)}{1}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/6*(3*(2*B*a^5 - 2*A*a^4*b - B*a^3*b^2 + A*a^2*b^3 - B*a*b^4 + A*b^5)*d*x \\ & - 3*(B*a^4 - A*a^3*b)*\sqrt{-a^2 + b^2}*\log((2*a*b*\cos(d*x + c) + (2*a^2 - \\ & b^2)*\cos(d*x + c)^2 - 2*\sqrt{-a^2 + b^2}*(a*\cos(d*x + c) + b)*\sin(d*x + c) \\ & - a^2 + 2*b^2)/(b^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + a^2)) - (6*B*a^4 \\ & *b - 6*A*a^3*b^2 - 2*B*a^2*b^3 + 6*A*a*b^4 - 4*B*b^5 + 2*(B*a^2*b^3 - B*b^5) \\ & )*\cos(d*x + c)^2 - 3*(B*a^3*b^2 - A*a^2*b^3 - B*a*b^4 + A*b^5)*\cos(d*x + c) \\ & )*\sin(d*x + c)]/((a^2*b^4 - b^6)*d), -1/6*(3*(2*B*a^5 - 2*A*a^4*b - B*a^3*b \\ & ^2 + A*a^2*b^3 - B*a*b^4 + A*b^5)*d*x - 6*(B*a^4 - A*a^3*b)*\sqrt{a^2 - b^2} \\ & )*\arctan(-(a*\cos(d*x + c) + b)/(sqrt(a^2 - b^2)*\sin(d*x + c))) - (6*B*a^4*b \\ & - 6*A*a^3*b^2 - 2*B*a^2*b^3 + 6*A*a*b^4 - 4*B*b^5 + 2*(B*a^2*b^3 - B*b^5)*c \\ & os(d*x + c)^2 - 3*(B*a^3*b^2 - A*a^2*b^3 - B*a*b^4 + A*b^5)*\cos(d*x + c))*\sin \\ & in(d*x + c)]/((a^2*b^4 - b^6)*d)] \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [B]** time = 1.54545, size = 486, normalized size = 2.73

$$\frac{3(2Ba^3 - 2Aa^2b + Bab^2 - Ab^3)(dx+c)}{b^4} + \frac{12(Ba^4 - Aa^3b) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{\sqrt{a^2 - b^2} b^4} - \frac{2 \left( 6Ba^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)^5}{-c}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] 
$$\begin{aligned} & -1/6*(3*(2*B*a^3 - 2*A*a^2*b + B*a*b^2 - A*b^3)*(d*x + c)/b^4 + 12*(B*a^4 - \\ & A*a^3*b)*(pi*\operatorname{floor}(1/2*(d*x + c)/pi + 1/2)*\operatorname{sgn}(-2*a + 2*b) + \arctan(-(a*\tan \\ & (1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2}))/(\sqrt{a^2 - \\ & b^2})*b^4) - 2*(6*B*a^2*\tan(1/2*d*x + 1/2*c)^5 - 6*A*a*b*\tan(1/2*d*x + 1/2*c \\ & )^5 + 3*B*a*b*\tan(1/2*d*x + 1/2*c)^5 - 3*A*b^2*\tan(1/2*d*x + 1/2*c)^5 + 6*B \\ & *b^2*\tan(1/2*d*x + 1/2*c)^5 + 12*B*a^2*\tan(1/2*d*x + 1/2*c)^3 - 12*A*a*b*\tan \\ & (1/2*d*x + 1/2*c)^3 + 4*B*b^2*\tan(1/2*d*x + 1/2*c)^3 + 6*B*a^2*\tan(1/2*d*x \\ & + 1/2*c) - 6*A*a*b*\tan(1/2*d*x + 1/2*c) - 3*B*a*b*\tan(1/2*d*x + 1/2*c) + 3 \\ & *A*b^2*\tan(1/2*d*x + 1/2*c) + 6*B*b^2*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + \\ & 1/2*c)^2 + 1)^3*b^3))/d \end{aligned}$$

$$3.251 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=134

$$\frac{2a^2(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3 d \sqrt{a-b} \sqrt{a+b}} - \frac{x(-2a^2B + 2aAb - b^2B)}{2b^3} + \frac{(Ab - aB) \sin(c+dx)}{b^2 d} + \frac{B \sin(c+dx) \cos(c+dx)}{2bd}$$

[Out] -((2\*a\*A\*b - 2\*a^2\*B - b^2\*B)\*x)/(2\*b^3) + (2\*a^2\*(A\*b - a\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]\*b^3\*Sqrt[a + b]\*d) + ((A\*b - a\*B)\*Sin[c + d\*x])/(b^2\*d) + (B\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*b\*d)

**Rubi [A]** time = 0.287214, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2990, 3023, 2735, 2659, 205}

$$\frac{2a^2(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3 d \sqrt{a-b} \sqrt{a+b}} - \frac{x(-2a^2B + 2aAb - b^2B)}{2b^3} + \frac{(Ab - aB) \sin(c+dx)}{b^2 d} + \frac{B \sin(c+dx) \cos(c+dx)}{2bd}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x]),x]

[Out] -((2\*a\*A\*b - 2\*a^2\*B - b^2\*B)\*x)/(2\*b^3) + (2\*a^2\*(A\*b - a\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]\*b^3\*Sqrt[a + b]\*d) + ((A\*b - a\*B)\*Sin[c + d\*x])/(b^2\*d) + (B\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*b\*d)

#### Rule 2990

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^2\*A\*d\*(m + n + 1) + b\*B\*(b\*c\*(m - 1) + a\*d\*(n + 1)) + (a\*d\*(2\*A\*b + a\*B)\*(m + n + 1) - b\*B\*(a\*c - b\*d\*(m + n)))\*Sin[e + f\*x] + b\*(A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x]^2, x], x, x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x, x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*

Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{a + b \cos(c + dx)} dx = \frac{B \cos(c + dx) \sin(c + dx)}{2bd} + \frac{\int \frac{aB + bB \cos(c + dx) + 2(Ab - aB) \cos^2(c + dx)}{a + b \cos(c + dx)} dx}{2b}$$

$$= \frac{(Ab - aB) \sin(c + dx)}{b^2d} + \frac{B \cos(c + dx) \sin(c + dx)}{2bd} + \frac{\int \frac{abB - (2aAb - 2a^2B - b^2B) \cos(c + dx)}{a + b \cos(c + dx)} dx}{2b^2}$$

$$= -\frac{(2aAb - 2a^2B - b^2B)x}{2b^3} + \frac{(Ab - aB) \sin(c + dx)}{b^2d} + \frac{B \cos(c + dx) \sin(c + dx)}{2bd}$$

$$= -\frac{(2aAb - 2a^2B - b^2B)x}{2b^3} + \frac{(Ab - aB) \sin(c + dx)}{b^2d} + \frac{B \cos(c + dx) \sin(c + dx)}{2bd}$$

$$= -\frac{(2aAb - 2a^2B - b^2B)x}{2b^3} + \frac{2a^2(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b}b^3\sqrt{a+bd}} + \frac{(Ab - aB) \sin(c + dx)}{b^2d}$$

**Mathematica [A]** time = 0.289127, size = 121, normalized size = 0.9

$$\frac{2(c + dx)(2a^2B - 2aAb + b^2B) + \frac{8a^2(aB - Ab) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{\sqrt{b^2 - a^2}} + 4b(Ab - aB) \sin(c + dx) + b^2B \sin(2(c + dx))}{4b^3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x]),x]

[Out] (2\*(-2\*a\*A\*b + 2\*a^2\*B + b^2\*B)\*(c + d\*x) + (8\*a^2\*(-(A\*b) + a\*B)\*ArcTanh[(a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2])/Sqrt[-a^2 + b^2] + 4\*b\*(A\*b - a\*B)\*Sin[c + d\*x] + b^2\*B\*Sin[2\*(c + d\*x)]/(4\*b^3\*d)

**Maple [B]** time = 0.109, size = 367, normalized size = 2.7

$$2 \frac{(\tan(1/2 dx + c/2))^3 A}{bd(1 + (\tan(1/2 dx + c/2))^2)^2} - 2 \frac{(\tan(1/2 dx + c/2))^3 Ba}{b^2d(1 + (\tan(1/2 dx + c/2))^2)^2} - \frac{B}{bd} \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^3 \left(1 + \left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2\right)^{-2} + 2$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x)`

[Out] 
$$\frac{2/d/b/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*A-2/d/b^2/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*B+a-1/d/b/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)^3*B+2/d/b/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)*A-2/d/b^2/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)*B*a+1/d/b/(1+\tan(1/2*d*x+1/2*c))^2*\tan(1/2*d*x+1/2*c)*B-2/d/b^2*\arctan(\tan(1/2*d*x+1/2*c))*A*a+2/d/b^3*\arctan(\tan(1/2*d*x+1/2*c))*B*a^2+1/d/b*\arctan(\tan(1/2*d*x+1/2*c))*B+2/d*a^2/b^2/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})*A-2/d*a^3/b^3/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})*B}{1}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.89433, size = 918, normalized size = 6.85

$$\frac{\left(2Ba^4 - 2Aa^3b - Ba^2b^2 + 2Aab^3 - Bb^4\right)dx + \left(Ba^3 - Aa^2b\right)\sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2\sqrt{-a^2 + b^2}(a \cos(dx+c) + b \sin(dx+c))}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right)}{2(a^2b^3 - b^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fricas")`

[Out] 
$$\left[\frac{1}{2} * \left( (2Ba^4 - 2Aa^3b - Ba^2b^2 + 2Aab^3 - Bb^4) * dx + (Ba^3 - Aa^2b) * \sqrt{-a^2 + b^2} * \log\left(\frac{2a * b * \cos(dx + c) + (2a^2 - b^2) * \cos(dx + c)^2 + 2 * \sqrt{-a^2 + b^2} * (a * \cos(dx + c) + b * \sin(dx + c))}{b^2 * \cos(dx + c)^2 + 2ab * \cos(dx + c) + a^2}\right) - (2Ba^3b - 2Aa^2b^2 - 2Ba^2b^3 + 2Aab^4 - (Ba^2b^2 - Bb^4) * \cos(dx + c)) * \sin(dx + c) \right) / \left( (a^2 * b^3 - b^5) * d \right), \frac{1}{2} * \left( (2Ba^4 - 2Aa^3b - Ba^2b^2 + 2Aab^3 - Bb^4) * dx - 2 * (Ba^3 - Aa^2b) * \sqrt{a^2 - b^2} * \arctan\left(\frac{-(a * \cos(dx + c) + b * \sin(dx + c))}{\sqrt{a^2 - b^2} * \sin(dx + c)}\right) - (2Ba^3b - 2Aa^2b^2 - 2Ba^2b^3 + 2Aab^4 - (Ba^2b^2 - Bb^4) * \cos(dx + c)) * \sin(dx + c) \right) / \left( (a^2 * b^3 - b^5) * d \right) \right]$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [A]** time = 1.33727, size = 306, normalized size = 2.28

$$\frac{(2Ba^2 - 2Aab + Bb^2)(dx+c)}{b^3} + \frac{4(Ba^3 - Aa^2b) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{\sqrt{a^2 - b^2} b^3} - \frac{2 \left( 2Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 2Ab \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/2\*((2\*B\*a^2 - 2\*A\*a\*b + B\*b^2)\*(d\*x + c)/b^3 + 4\*(B\*a^3 - A\*a^2\*b)\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))/sqrt(a^2 - b^2)\*b^3 - 2\*(2\*B\*a\*tan(1/2\*d\*x + 1/2\*c)^3 - 2\*A\*b\*tan(1/2\*d\*x + 1/2\*c)^3 + B\*b\*tan(1/2\*d\*x + 1/2\*c)^3 + 2\*B\*a\*tan(1/2\*d\*x + 1/2\*c) - 2\*A\*b\*tan(1/2\*d\*x + 1/2\*c) - B\*b\*tan(1/2\*d\*x + 1/2\*c))/((tan(1/2\*d\*x + 1/2\*c)^2 + 1)^2\*b^2)/d

$$3.252 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=89

$$-\frac{2a(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2 d \sqrt{a-b} \sqrt{a+b}} + \frac{x(Ab - aB)}{b^2} + \frac{B \sin(c + dx)}{bd}$$

[Out] ((A\*b - a\*B)\*x)/b^2 - (2\*a\*(A\*b - a\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]\*b^2\*Sqrt[a + b]\*d) + (B\*Sin[c + d\*x])/(b\*d)

**Rubi [A]** time = 0.174094, antiderivative size = 89, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {2968, 3023, 12, 2735, 2659, 205}

$$-\frac{2a(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2 d \sqrt{a-b} \sqrt{a+b}} + \frac{x(Ab - aB)}{b^2} + \frac{B \sin(c + dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x]),x]

[Out] ((A\*b - a\*B)\*x)/b^2 - (2\*a\*(A\*b - a\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]\*b^2\*Sqrt[a + b]\*d) + (B\*Sin[c + d\*x])/(b\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)], x\_Symbol] := Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b +
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(A+B\cos(c+dx))}{a+b\cos(c+dx)} dx &= \int \frac{A\cos(c+dx)+B\cos^2(c+dx)}{a+b\cos(c+dx)} dx \\
&= \frac{B\sin(c+dx)}{bd} + \frac{\int \frac{(Ab-aB)\cos(c+dx)}{a+b\cos(c+dx)} dx}{b} \\
&= \frac{B\sin(c+dx)}{bd} + \frac{(Ab-aB) \int \frac{\cos(c+dx)}{a+b\cos(c+dx)} dx}{b} \\
&= \frac{(Ab-aB)x}{b^2} + \frac{B\sin(c+dx)}{bd} - \frac{(a(Ab-aB)) \int \frac{1}{a+b\cos(c+dx)} dx}{b^2} \\
&= \frac{(Ab-aB)x}{b^2} + \frac{B\sin(c+dx)}{bd} - \frac{(2a(Ab-aB)) \text{Subst}\left(\int \frac{1}{a+b+(a-b)x^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right)\right)}{b^2d} \\
&= \frac{(Ab-aB)x}{b^2} - \frac{2a(Ab-aB) \tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b}b^2\sqrt{a+b}} + \frac{B\sin(c+dx)}{bd}
\end{aligned}$$

**Mathematica [A]** time = 0.195344, size = 85, normalized size = 0.96

$$\frac{-\frac{2a(aB-Ab) \tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} + (c+dx)(Ab-aB) + bB\sin(c+dx)}{b^2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x]), x]
```

```
[Out] ((A*b - a*B)*(c + d*x) - (2*a*(-(A*b) + a*B)*ArcTanh[((a - b)*Tan[(c + d*x)
/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] + b*B*Sin[c + d*x])/(b^2*d)
```

**Maple [B]** time = 0.116, size = 172, normalized size = 1.9

$$2 \frac{B \tan(1/2 dx + c/2)}{bd(1 + (\tan(1/2 dx + c/2))^2)} + 2 \frac{\arctan(\tan(1/2 dx + c/2)) A}{bd} - 2 \frac{\arctan(\tan(1/2 dx + c/2)) Ba}{b^2d} - 2 \frac{aA}{bd\sqrt{(a-b)(a+b)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)), x)
```

```
[Out] 2/d/b*B*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)+2/d/b*arctan(tan(1/2*d*
x+1/2*c))*A-2/d/b^2*arctan(tan(1/2*d*x+1/2*c))*B*a-2/d*a/b/((a-b)*(a+b))^(1
```



$(/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A+2/d*a^2/b^2/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.86228, size = 689, normalized size = 7.74

$$\frac{2(Ba^3 - Aa^2b - Bab^2 + Ab^3)dx - (Ba^2 - Aab)\sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 - 2\sqrt{-a^2 + b^2}(a \cos(dx+c) + b) \sin(dx+c)}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right)}{2(a^2b^2 - b^4)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out]  $[-1/2*(2*(B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*d*x - (B*a^2 - A*a*b)*\sqrt{-a^2 + b^2}*\log((2*a*b*\cos(d*x + c) + (2*a^2 - b^2)*\cos(d*x + c)^2 - 2*\sqrt{-a^2 + b^2}*(a*\cos(d*x + c) + b)*\sin(d*x + c) - a^2 + 2*b^2)/(b^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + a^2)) - 2*(B*a^2*b - B*b^3)*\sin(d*x + c))/((a^2*b^2 - b^4)*d), -((B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*d*x - (B*a^2 - A*a*b)*\sqrt{a^2 - b^2}*\arctan(-(a*\cos(d*x + c) + b)/(\sqrt{a^2 - b^2}*\sin(d*x + c))) - (B*a^2*b - B*b^3)*\sin(d*x + c))/((a^2*b^2 - b^4)*d)]$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [A]** time = 1.29543, size = 192, normalized size = 2.16

$$\frac{(Ba - Ab)(dx+c)}{b^2} - \frac{2B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right)b} + \frac{2(Ba^2 - Aab) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{\sqrt{a^2 - b^2} b^2}$$


---

$d$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] -((B*a - A*b)*(d*x + c)/b^2 - 2*B*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*b) + 2*(B*a^2 - A*a*b)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/(sqrt(a^2 - b^2)*b^2))/d
```

$$3.253 \quad \int \frac{A+B \cos(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=67

$$\frac{2(Ab - aB) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{bd\sqrt{a-b}\sqrt{a+b}} + \frac{Bx}{b}$$

[Out] (B\*x)/b + (2\*(A\*b - a\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]\*b\*Sqrt[a + b]\*d)

**Rubi [A]** time = 0.0777636, antiderivative size = 67, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {2735, 2659, 205}

$$\frac{2(Ab - aB) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{bd\sqrt{a-b}\sqrt{a+b}} + \frac{Bx}{b}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x]),x]

[Out] (B\*x)/b + (2\*(A\*b - a\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]\*b\*Sqrt[a + b]\*d)

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{a + b \cos(c + dx)} dx &= \frac{Bx}{b} - \frac{(-Ab + aB) \int \frac{1}{a+b \cos(c+dx)} dx}{b} \\ &= \frac{Bx}{b} + \frac{(2(Ab - aB)) \text{Subst} \left( \int \frac{1}{a+b+(a-b)x^2} dx, x, \tan\left(\frac{1}{2}(c + dx)\right) \right)}{bd} \\ &= \frac{Bx}{b} + \frac{2(Ab - aB) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} b \sqrt{a+bd}} \end{aligned}$$

**Mathematica [A]** time = 0.11225, size = 68, normalized size = 1.01

$$\frac{2(aB - Ab) \tanh^{-1} \left( \frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2 - a^2}} \right)}{\sqrt{b^2 - a^2}} + B(c + dx)$$


---

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x]), x]

[Out] (B\*(c + d\*x) + (2\*(-(A\*b) + a\*B)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2])/(b\*d)

**Maple [A]** time = 0.098, size = 113, normalized size = 1.7

$$2 \frac{\arctan(\tan(1/2 dx + c/2)) B}{bd} + 2 \frac{A}{d \sqrt{(a-b)(a+b)}} \arctan\left(\frac{\tan(1/2 dx + c/2)(a-b)}{\sqrt{(a-b)(a+b)}}\right) - 2 \frac{aB}{bd \sqrt{(a-b)(a+b)}} \arctan\left(\frac{\tan(1/2 dx + c/2)(a-b)}{\sqrt{(a-b)(a+b)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)), x)

[Out] 2/d/b\*arctan(tan(1/2\*d\*x+1/2\*c))\*B+2/d/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*A-2/d/b/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*a\*B

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)), x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.8237, size = 524, normalized size = 7.82

$$\left[ \frac{2 \left( B a^2 - B b^2 \right) d x + (B a - A b) \sqrt{-a^2 + b^2} \log \left( \frac{2 a b \cos(dx+c) + (2 a^2 - b^2) \cos(dx+c)^2 + 2 \sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2 b^2}{b^2 \cos(dx+c)^2 + 2 a b \cos(dx+c) + a^2} \right)}{2 \left( a^2 b - b^3 \right) d}, (B a^2 - B b^2) d x + (B a - A b) \sqrt{-a^2 + b^2} \log \left( \frac{2 a b \cos(dx+c) + (2 a^2 - b^2) \cos(dx+c)^2 + 2 \sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2 b^2}{b^2 \cos(dx+c)^2 + 2 a b \cos(dx+c) + a^2} \right) \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] [1/2*(2*(B*a^2 - B*b^2)*d*x + (B*a - A*b)*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)))/((a^2*b - b^3)*d), ((B*a^2 - B*b^2)*d*x - (B*a - A*b)*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c)))/((a^2*b - b^3)*d)]
```

**Sympy [A]** time = 127.075, size = 524, normalized size = 7.82

$$\left\{ \begin{array}{l} \frac{\infty x(A+B \cos(c))}{\cos(c)} \\ \frac{A \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{\frac{bd}{A}} + \frac{Bx}{\frac{b}{Bx}} - \frac{B \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{\frac{bd}{B}} \\ \frac{bd \tan\left(\frac{c}{2} + \frac{dx}{2}\right)}{Ax + \frac{B \sin(c+dx)}{d}} + \frac{1}{b} + \frac{1}{bd \tan\left(\frac{c}{2} + \frac{dx}{2}\right)} \\ \frac{x(A+B \cos(c))}{a+b \cos(c)} \\ \frac{Ab \log\left(-\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{abd \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} - b^2 d \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}} - \frac{Ab \log\left(\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{abd \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} - b^2 d \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}} + \frac{Badx \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}}{abd \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} - b^2 d \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}} - \frac{Ba \log\left(-\sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} + \tan\left(\frac{c}{2} + \frac{dx}{2}\right)\right)}{abd \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}} - b^2 d \sqrt{-\frac{a}{a-b}-\frac{b}{a-b}}} \end{array} \right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x)
```

```
[Out] Piecewise((zoo*x*(A + B*cos(c))/cos(c), Eq(a, 0) & Eq(b, 0) & Eq(d, 0)), (A *tan(c/2 + d*x/2)/(b*d) + B*x/b - B*tan(c/2 + d*x/2)/(b*d), Eq(a, b)), (A/(b*d*tan(c/2 + d*x/2)) + B*x/b + B/(b*d*tan(c/2 + d*x/2)), Eq(a, -b)), ((A*x + B*sin(c + d*x)/d)/a, Eq(b, 0)), (x*(A + B*cos(c))/(a + b*cos(c)), Eq(d, 0)), (A*b*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))/(a*b*d*sqrt(-a/(a - b) - b/(a - b)) - b**2*d*sqrt(-a/(a - b) - b/(a - b))) - A*b*log(sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))/(a*b*d*sqrt(-a/(a - b) - b/(a - b)) - b**2*d*sqrt(-a/(a - b) - b/(a - b))) + B*a*d*x*sqrt(-a/(a - b) - b/(a - b))/(a*b*d*sqrt(-a/(a - b) - b/(a - b)) - b**2*d*sqrt(-a/(a - b) - b/(a - b))) - B*a*log(-sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))/(a*b*d*sqrt(-a/(a - b) - b/(a - b)) - b**2*d*sqrt(-a/(a - b) - b/(a - b))) + B*a*log(sqrt(-a/(a - b) - b/(a - b)) + tan(c/2 + d*x/2))/(a*b*d*sqrt(-a/(a - b) - b/(a - b)) - b**2*d*sqrt(-a/(a - b) - b/(a - b))) - B*b*d*x*sqrt(-a/(a - b) - b/(a - b))/(a*b*d*sqrt(-a/(a - b) - b/(a - b)) - b**2*d*sqrt(-a/(a - b) - b/(a - b))), True))
```

**Giac [A]** time = 1.58013, size = 136, normalized size = 2.03

$$\frac{\frac{(dx+c)B}{b} + \frac{2 \left( \pi \left\lfloor \frac{dx+c}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(-2a+2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}} \right) \right) (Ba - Ab)}{\sqrt{a^2 - b^2} b}}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] ((d\*x + c)\*B/b + 2\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))\*(B\*a - A\*b)/(sqrt(a^2 - b^2)\*b))/d

$$3.254 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=76

$$\frac{A \tanh^{-1}(\sin(c+dx))}{ad} - \frac{2(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{ad\sqrt{a-b}\sqrt{a+b}}$$

[Out]  $(-2*(A*b - a*B)*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2])/\text{Sqrt}[a + b]])/(a*\text{Sqrt}[a - b]*\text{Sqrt}[a + b]*d) + (A*\text{ArcTanh}[\text{Sin}[c + d*x]])/(a*d)$

**Rubi [A]** time = 0.115054, antiderivative size = 76, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.138$ , Rules used = {3001, 3770, 2659, 205}

$$\frac{A \tanh^{-1}(\sin(c+dx))}{ad} - \frac{2(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{ad\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x])/(a + b*\text{Cos}[c + d*x]), x]$

[Out]  $(-2*(A*b - a*B)*\text{ArcTan}[(\text{Sqrt}[a - b]*\text{Tan}[(c + d*x)/2])/\text{Sqrt}[a + b]])/(a*\text{Sqrt}[a - b]*\text{Sqrt}[a + b]*d) + (A*\text{ArcTanh}[\text{Sin}[c + d*x]])/(a*d)$

#### Rule 3001

$\text{Int}[(A_. + (B_.)*\sin[(e_.) + (f_.)*(x_.)])/((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]*(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Dist}[(A*b - a*B)/(b*c - a*d), \text{Int}[1/(a + b*\sin[e + f*x]), x], x] + \text{Dist}[(B*c - A*d)/(b*c - a*d), \text{Int}[1/(c + d*\sin[e + f*x]), x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 3770

$\text{Int}[\csc[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2659

$\text{Int}[(a_. + (b_.)*\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_.)])^{-1}, x\_Symbol] \rightarrow \text{With}[e = \text{FreeFactors}[\text{Tan}[(c + d*x)/2], x], \text{Dist}[(2*e)/d, \text{Subst}[\text{Int}[1/(a + b + (a - b)*e^2*x^2), x], x, \text{Tan}[(c + d*x)/2]/e], x]] /;$  FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 205

$\text{Int}[(a_. + (b_.)*(x_.)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$  FreeQ[{a, b}, x] && PosQ[a/b]

#### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{a + b \cos(c + dx)} dx &= \frac{A \int \sec(c + dx) dx}{a} + \frac{(-Ab + aB) \int \frac{1}{a + b \cos(c + dx)} dx}{a} \\ &= \frac{A \tanh^{-1}(\sin(c + dx))}{ad} - \frac{(2(Ab - aB)) \operatorname{Subst}\left(\int \frac{1}{a + b + (a-b)x^2} dx, x, \tan\left(\frac{1}{2}(c + dx)\right)\right)}{ad} \\ &= -\frac{2(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a\sqrt{a-b}\sqrt{a+b}} + \frac{A \tanh^{-1}(\sin(c + dx))}{ad} \end{aligned}$$

**Mathematica [A]** time = 0.154502, size = 112, normalized size = 1.47

$$\frac{2(Ab - aB) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{\sqrt{b^2 - a^2}} + \frac{A \left( \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) \right)}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b\*Cos[c + d\*x]),x]

[Out] ((2\*(A\*b - a\*B)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] + A\*(-Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]])/(a\*d)

**Maple [A]** time = 0.151, size = 135, normalized size = 1.8

$$-\frac{A}{da} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) + \frac{A}{da} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) - 2 \frac{Ab}{da\sqrt{(a-b)(a+b)}} \arctan\left(\frac{\tan(1/2 dx + c/2)(a-b)}{\sqrt{(a-b)(a+b)}}\right) + 2 \frac{A}{da}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c)),x)

[Out] -1/d\*A/a\*ln(tan(1/2\*d\*x+1/2\*c)-1)+1/d\*A/a\*ln(tan(1/2\*d\*x+1/2\*c)+1)-2/d/a/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*A\*b+2/d/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*B

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError



**Fricas [A]** time = 4.65766, size = 689, normalized size = 9.07

$$\frac{(Ba - Ab)\sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 - 2\sqrt{-a^2 + b^2}(a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right) + (Aa^2 - Ab^2) \log(\sin(dx+c))}{2(a^3 - ab^2)d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] [1/2\*((B\*a - A\*b)\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) + (A\*a^2 - A\*b^2)\*log(sin(d\*x + c) + 1) - (A\*a^2 - A\*b^2)\*log(-sin(d\*x + c) + 1))/((a^3 - a\*b^2)\*d), 1/2\*(2\*(B\*a - A\*b)\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(d\*x + c) + b)/sqrt(a^2 - b^2)\*sin(d\*x + c))) + (A\*a^2 - A\*b^2)\*log(sin(d\*x + c) + 1) - (A\*a^2 - A\*b^2)\*log(-sin(d\*x + c) + 1))/((a^3 - a\*b^2)\*d)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c)),x)

[Out] Integral((A + B\*cos(c + d\*x))\*sec(c + d\*x)/(a + b\*cos(c + d\*x)), x)

**Giac [A]** time = 1.48512, size = 171, normalized size = 2.25

$$\frac{A \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a} - \frac{A \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a} + \frac{2 \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}}\right) \right) (Ba - Ab)}{\sqrt{a^2 - b^2} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] (A\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a - A\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a + 2\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(2\*a - 2\*b) + arctan((a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))\*(B\*a - A\*b)/(sqrt(a^2 - b^2)\*a))/d

$$3.255 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=99

$$\frac{2b(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d \sqrt{a-b} \sqrt{a+b}} - \frac{(Ab - aB) \tanh^{-1}(\sin(c + dx))}{a^2 d} + \frac{A \tan(c + dx)}{ad}$$

[Out] (2\*b\*(A\*b - a\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]]/(a^2\*Sqrt[a - b]\*Sqrt[a + b]\*d) - ((A\*b - a\*B)\*ArcTanh[Sin[c + d\*x]])/(a^2\*d) + (A\*Tan[c + d\*x])/(a\*d)

**Rubi [A]** time = 0.183228, antiderivative size = 99, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {3000, 12, 2747, 3770, 2659, 205}

$$\frac{2b(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2 d \sqrt{a-b} \sqrt{a+b}} - \frac{(Ab - aB) \tanh^{-1}(\sin(c + dx))}{a^2 d} + \frac{A \tan(c + dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(a + b\*Cos[c + d\*x]),x]

[Out] (2\*b\*(A\*b - a\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]]/(a^2\*Sqrt[a - b]\*Sqrt[a + b]\*d) - ((A\*b - a\*B)\*ArcTanh[Sin[c + d\*x]])/(a^2\*d) + (A\*Tan[c + d\*x])/(a\*d)

### Rule 3000

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(1 + n))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(a\*A - b\*B)\*(b\*c - a\*d)\*(m + 1) + b\*d\*(A\*b - a\*B)\*(m + n + 2) + (A\*b - a\*B)\*(a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(A\*b - a\*B)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 2747

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] :> Dist[b/(b\*c - a\*d), Int[1/(a + b\*Sin[e + f\*x]), x], x] - Dist[d/(b\*c - a\*d), Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{a + b \cos(c + dx)} dx &= \frac{A \tan(c + dx)}{ad} + \frac{\int \frac{(-Ab + aB) \sec(c + dx)}{a + b \cos(c + dx)} dx}{a} \\ &= \frac{A \tan(c + dx)}{ad} + \frac{(-Ab + aB) \int \frac{\sec(c + dx)}{a + b \cos(c + dx)} dx}{a} \\ &= \frac{A \tan(c + dx)}{ad} - \frac{(Ab - aB) \int \sec(c + dx) dx}{a^2} + \frac{(b(Ab - aB)) \int \frac{1}{a + b \cos(c + dx)} dx}{a^2} \\ &= -\frac{(Ab - aB) \tanh^{-1}(\sin(c + dx))}{a^2 d} + \frac{A \tan(c + dx)}{ad} + \frac{(2b(Ab - aB)) \operatorname{Subst}\left(\frac{1}{a + b \cos(c + dx)}, \frac{1}{2}(c + dx), x\right)}{a^2} \\ &= \frac{2b(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^2 \sqrt{a-b} \sqrt{a+b} d} - \frac{(Ab - aB) \tanh^{-1}(\sin(c + dx))}{a^2 d} + \frac{A \tan(c + dx)}{ad} \end{aligned}$$

**Mathematica [A]** time = 0.517713, size = 129, normalized size = 1.3

$$\frac{2b(Ab - aB) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{\sqrt{b^2 - a^2}} + \frac{(Ab - aB) \left( \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) \right)}{a^2 d}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(a + b\*Cos[c + d\*x]),x]

[Out] ((-2\*b\*(A\*b - a\*B)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] + (A\*b - a\*B)\*(Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]) + a\*A\*Tan[c + d\*x]/(a^2\*d)

**Maple [B]** time = 0.181, size = 228, normalized size = 2.3

$$-\frac{A}{da} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)^{-1} + \frac{Ab}{a^2 d} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) - \frac{B}{da} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) - \frac{A}{da} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^{-1} - \frac{A}{a^2 d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c)),x)`

[Out] 
$$-1/d*A/a/(\tan(1/2*d*x+1/2*c)-1)+1/d/a^2*\ln(\tan(1/2*d*x+1/2*c)-1)*A*b-1/d/a*\ln(\tan(1/2*d*x+1/2*c)-1)*B-1/d*A/a/(\tan(1/2*d*x+1/2*c)+1)-1/d/a^2*\ln(\tan(1/2*d*x+1/2*c)+1)*A*b+1/d/a*\ln(\tan(1/2*d*x+1/2*c)+1)*B+2/d*b^2/a^2/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})*A-2/d*b/a/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})*B$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [B]** time = 1.87672, size = 1049, normalized size = 10.6

$$\left[ \frac{(Bab - Ab^2)\sqrt{-a^2 + b^2} \cos(dx + c) \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2\sqrt{-a^2 + b^2}(a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right) + (Ba^3 - Aa^2b)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c)),x, algorithm="fricas")`

[Out] 
$$\begin{aligned} & [1/2*((B*a*b - A*b^2)*\sqrt{-a^2 + b^2}*\cos(d*x + c)*\log((2*a*b*\cos(d*x + c) \\ & + (2*a^2 - b^2)*\cos(d*x + c)^2 + 2*\sqrt{-a^2 + b^2}*(a*\cos(d*x + c) + b)*\sin(d*x + c) - a^2 + 2*b^2)/(b^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + a^2)) \\ & + (B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*\cos(d*x + c)*\log(\sin(d*x + c) + 1) - \\ & (B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*\cos(d*x + c)*\log(-\sin(d*x + c) + 1) + \\ & 2*(A*a^3 - A*a*b^2)*\sin(d*x + c))/((a^4 - a^2*b^2)*d*\cos(d*x + c)), -1/2*(2 \\ & *(B*a*b - A*b^2)*\sqrt{a^2 - b^2}*\arctan(-(a*\cos(d*x + c) + b)/(\sqrt{a^2 - b^2}*\sin(d*x + c)))*\cos(d*x + c) - \\ & (B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*\cos(d*x + c)*\log(\sin(d*x + c) + 1) + (B*a^3 - A*a^2*b - B*a*b^2 + A*b^3)*\cos(d*x \\ & + c)*\log(-\sin(d*x + c) + 1) - 2*(A*a^3 - A*a*b^2)*\sin(d*x + c))/((a^4 - a^2*b^2)*d*\cos(d*x + c))] \end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)**2/(a+b*cos(d*x+c)),x)`

[Out] Integral((A + B\*cos(c + d\*x))\*sec(c + d\*x)\*\*2/(a + b\*cos(c + d\*x)), x)

**Giac [A]** time = 1.36391, size = 236, normalized size = 2.38

$$\frac{(Ba-Ab)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^2} - \frac{(Ba-Ab)\log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^2} - \frac{2A\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\left(\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)a} + \frac{2(Bab-Ab^2)\left(\pi\left\lfloor\frac{dx+c}{2\pi}+\frac{1}{2}\right\rfloor\operatorname{sgn}(-2a+2b)+\arctan\left(\frac{a+b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{a}\right)\right)}{\sqrt{a^2-b^2}a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] ((B\*a - A\*b)\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a^2 - (B\*a - A\*b)\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a^2 - 2\*A\*tan(1/2\*d\*x + 1/2\*c)/((tan(1/2\*d\*x + 1/2\*c)^2 - 1)\*a) + 2\*(B\*a\*b - A\*b^2)\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))/sqrt(a^2 - b^2)\*a^2)/d

$$3.256 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=143

$$\frac{2b^2(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3 d \sqrt{a-b} \sqrt{a+b}} + \frac{(a^2 A - 2abB + 2Ab^2) \tanh^{-1}(\sin(c+dx))}{2a^3 d} - \frac{(Ab - aB) \tan(c+dx)}{a^2 d} + \frac{A \tan(c+dx)}{a^2 d}$$

[Out]  $(-2*b^2*(A*b - a*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*Sqrt[a - b]*Sqrt[a + b]*d) + ((a^2*A + 2*A*b^2 - 2*a*b*B)*ArcTanh[Sin[c + d*x]])/(2*a^3*d) - ((A*b - a*B)*Tan[c + d*x])/(a^2*d) + (A*Sec[c + d*x]*Tan[c + d*x])/(2*a*d)$

**Rubi [A]** time = 0.490337, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{2b^2(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3 d \sqrt{a-b} \sqrt{a+b}} + \frac{(a^2 A - 2abB + 2Ab^2) \tanh^{-1}(\sin(c+dx))}{2a^3 d} - \frac{(Ab - aB) \tan(c+dx)}{a^2 d} + \frac{A \tan(c+dx)}{a^2 d}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3)/(a + b\*Cos[c + d\*x]),x]

[Out]  $(-2*b^2*(A*b - a*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*Sqrt[a - b]*Sqrt[a + b]*d) + ((a^2*A + 2*A*b^2 - 2*a*b*B)*ArcTanh[Sin[c + d*x]])/(2*a^3*d) - ((A*b - a*B)*Tan[c + d*x])/(a^2*d) + (A*Sec[c + d*x]*Tan[c + d*x])/(2*a*d)$

### Rule 3000

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(1 + n))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(a\*A - b\*B)\*(b\*c - a\*d)\*(m + 1) + b\*d\*(A\*b - a\*B)\*(m + n + 2) + (A\*b - a\*B)\*(a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(A\*b - a\*B)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c

, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3001

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/(a + b\*Sin[e + f\*x]), x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rule 2659

Int[((a\_.) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

### Rule 205

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned}
 \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{a + b \cos(c + dx)} dx &= \frac{A \sec(c + dx) \tan(c + dx)}{2ad} + \frac{\int \frac{(-2(Ab - aB) + aA \cos(c + dx) + Ab \cos^2(c + dx)) \sec^2(c + dx)}{a + b \cos(c + dx)} dx}{2a} \\
 &= -\frac{(Ab - aB) \tan(c + dx)}{a^2 d} + \frac{A \sec(c + dx) \tan(c + dx)}{2ad} + \frac{\int \frac{(a^2 A + 2Ab^2 - 2abB + aA \cos^2(c + dx)) \sec^2(c + dx)}{a + b \cos(c + dx)} dx}{2a} \\
 &= -\frac{(Ab - aB) \tan(c + dx)}{a^2 d} + \frac{A \sec(c + dx) \tan(c + dx)}{2ad} - \frac{(b^2(Ab - aB)) \int \frac{1}{a + b \cos(c + dx)} dx}{a^3} \\
 &= \frac{(a^2 A + 2Ab^2 - 2abB) \tanh^{-1}(\sin(c + dx))}{2a^3 d} - \frac{(Ab - aB) \tan(c + dx)}{a^2 d} + \frac{A \sec(c + dx) \tan(c + dx)}{2ad} \\
 &= -\frac{2b^2(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^3 \sqrt{a-b} \sqrt{a+bd}} + \frac{(a^2 A + 2Ab^2 - 2abB) \tanh^{-1}(\sin(c + dx))}{2a^3 d}
 \end{aligned}$$

**Mathematica [B]** time = 1.59362, size = 300, normalized size = 2.1

$$\frac{8b^2(Ab - aB) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{\sqrt{b^2 - a^2}} - 2(a^2 A - 2abB + 2Ab^2) \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2(a^2 A - 2abB + 2Ab^2)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*cos[c + d\*x])\*Sec[c + d\*x]^3)/(a + b\*cos[c + d\*x]),x]

[Out] ((8\*b^2\*(A\*b - a\*B)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] - 2\*(a^2\*A + 2\*A\*b^2 - 2\*a\*b\*B)\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 2\*(a^2\*A + 2\*A\*b^2 - 2\*a\*b\*B)\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + (a^2\*A)/(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])^2 + (4\*a\*(-(A\*b) + a\*B)\*Sin[(c + d\*x)/2])/(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]) - (a^2\*A)/(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])^2 + (4\*a\*(-(A\*b) + a\*B)\*Sin[(c + d\*x)/2])/(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])/(4\*a^3\*d)

**Maple [B]** time = 0.151, size = 410, normalized size = 2.9

$$\frac{A}{2da} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)^{-2} + \frac{A}{2da} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)^{-1} + \frac{Ab}{a^2d} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)^{-1} - \frac{B}{da} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)^{-1} - \frac{A}{2da}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c)),x)

[Out] 1/2/d\*A/a/(tan(1/2\*d\*x+1/2\*c)-1)^2+1/2/d\*A/a/(tan(1/2\*d\*x+1/2\*c)-1)+1/d/a^2/(tan(1/2\*d\*x+1/2\*c)-1)\*A\*b-1/d/a/(tan(1/2\*d\*x+1/2\*c)-1)\*B-1/2/d\*A/a\*ln(tan(1/2\*d\*x+1/2\*c)-1)-1/d/a^3\*ln(tan(1/2\*d\*x+1/2\*c)-1)\*A\*b^2+1/d/a^2\*ln(tan(1/2\*d\*x+1/2\*c)-1)\*B\*b-1/2/d\*A/a/(tan(1/2\*d\*x+1/2\*c)+1)^2+1/2/d\*A/a/(tan(1/2\*d\*x+1/2\*c)+1)+1/d/a^2/(tan(1/2\*d\*x+1/2\*c)+1)\*A\*b-1/d/a/(tan(1/2\*d\*x+1/2\*c)+1)\*B+1/2/d\*A/a\*ln(tan(1/2\*d\*x+1/2\*c)+1)+1/d/a^3\*ln(tan(1/2\*d\*x+1/2\*c)+1)\*A\*b^2-1/d/a^2\*ln(tan(1/2\*d\*x+1/2\*c)+1)\*B\*b-2/d\*b^3/a^3/((a-b)\*(a+b))^(1/2)\*arc tan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*A+2/d\*b^2/a^2/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*B

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 22.0896, size = 1334, normalized size = 9.33

$$\left[ \frac{2(Bab^2 - Ab^3)\sqrt{-a^2 + b^2} \cos(dx + c)^2 \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 - 2\sqrt{-a^2 + b^2}(a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right) + (Aa^4 -$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c)),x, algorithm="fricas")



```
[Out] [1/4*(2*(B*a*b^2 - A*b^3)*sqrt(-a^2 + b^2)*cos(d*x + c)^2*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) + (A*a^4 - 2*B*a^3*b + A*a^2*b^2 + 2*B*a*b^3 - 2*A*b^4)*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (A*a^4 - 2*B*a^3*b + A*a^2*b^2 + 2*B*a*b^3 - 2*A*b^4)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(A*a^4 - A*a^2*b^2 + 2*(B*a^4 - A*a^3*b - B*a^2*b^2 + A*a*b^3)*cos(d*x + c))*sin(d*x + c))/((a^5 - a^3*b^2)*d*cos(d*x + c)^2), 1/4*(4*(B*a*b^2 - A*b^3)*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c)))*cos(d*x + c)^2 + (A*a^4 - 2*B*a^3*b + A*a^2*b^2 + 2*B*a*b^3 - 2*A*b^4)*cos(d*x + c)^2*log(sin(d*x + c) + 1) - (A*a^4 - 2*B*a^3*b + A*a^2*b^2 + 2*B*a*b^3 - 2*A*b^4)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*(A*a^4 - A*a^2*b^2 + 2*(B*a^4 - A*a^3*b - B*a^2*b^2 + A*a*b^3)*cos(d*x + c))*sin(d*x + c))/((a^5 - a^3*b^2)*d*cos(d*x + c)^2)]
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**3/(a+b*cos(d*x+c)),x)
```

```
[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)**3/(a + b*cos(c + d*x)), x)
```

**Giac [B]** time = 1.64769, size = 363, normalized size = 2.54

$$\frac{(Aa^2-2Bab+2Ab^2) \log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)+1\right|\right)}{a^3} - \frac{(Aa^2-2Bab+2Ab^2) \log\left(\left|\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-1\right|\right)}{a^3} - \frac{4(Bab^2-Ab^3) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2}dx+\frac{1}{2}c\right) + b}{\sqrt{a^2-b^2}}\right) \right)}{\sqrt{a^2-b^2}a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] 1/2*((A*a^2 - 2*B*a*b + 2*A*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^3 - (A*a^2 - 2*B*a*b + 2*A*b^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^3 - 4*(B*a*b^2 - A*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/sqrt(a^2 - b^2)*a^3) + 2*(A*a*tan(1/2*d*x + 1/2*c)^3 - 2*B*a*tan(1/2*d*x + 1/2*c)^3 + 2*A*b*tan(1/2*d*x + 1/2*c)^3 + A*a*tan(1/2*d*x + 1/2*c) + 2*B*a*tan(1/2*d*x + 1/2*c) - 2*A*b*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^2))/d
```

$$3.257 \quad \int \frac{(A+B \cos(c+dx)) \sec^4(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=187

$$\frac{2b^3(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4 d \sqrt{a-b} \sqrt{a+b}} + \frac{(2a^2 A - 3abB + 3Ab^2) \tan(c+dx)}{3a^3 d} - \frac{(a^2 + 2b^2)(Ab - aB) \tanh^{-1}(\sin(c+dx))}{2a^4 d}$$

[Out] (2\*b^3\*(A\*b - a\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]]/(a^4\*Sqrt[a - b]\*Sqrt[a + b]\*d) - ((a^2 + 2\*b^2)\*(A\*b - a\*B)\*ArcTanh[Sin[c + d\*x]])/(2\*a^4\*d) + ((2\*a^2\*A + 3\*A\*b^2 - 3\*a\*b\*B)\*Tan[c + d\*x])/(3\*a^3\*d) - ((A\*b - a\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*a^2\*d) + (A\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*a\*d)

**Rubi [A]** time = 0.769869, antiderivative size = 187, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{2b^3(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4 d \sqrt{a-b} \sqrt{a+b}} + \frac{(2a^2 A - 3abB + 3Ab^2) \tan(c+dx)}{3a^3 d} - \frac{(a^2 + 2b^2)(Ab - aB) \tanh^{-1}(\sin(c+dx))}{2a^4 d}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4)/(a + b\*Cos[c + d\*x]),x]

[Out] (2\*b^3\*(A\*b - a\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]]/(a^4\*Sqrt[a - b]\*Sqrt[a + b]\*d) - ((a^2 + 2\*b^2)\*(A\*b - a\*B)\*ArcTanh[Sin[c + d\*x]])/(2\*a^4\*d) + ((2\*a^2\*A + 3\*A\*b^2 - 3\*a\*b\*B)\*Tan[c + d\*x])/(3\*a^3\*d) - ((A\*b - a\*B)\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*a^2\*d) + (A\*Sec[c + d\*x]^2\*Tan[c + d\*x])/(3\*a\*d)

### Rule 3000

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(p\_), x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(1 + n))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(a\*A - b\*B)\*(b\*c - a\*d)\*(m + 1) + b\*d\*(A\*b - a\*B)\*(m + n + 2) + (A\*b - a\*B)\*(a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(A\*b - a\*B)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b

```
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 3001

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[(A*b
- a*B)/(b*c - a*d), Int[1/(a + b*Ssin[e + f*x]), x], x] + Dist[(B*c - A*d)/(
b*c - a*d), Int[1/(c + d*Ssin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f,
A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^4(c + dx)}{a + b \cos(c + dx)} dx = \frac{A \sec^2(c + dx) \tan(c + dx)}{3ad} + \frac{\int \frac{(-3(Ab - aB) + 2aA \cos(c + dx) + 2Ab \cos^2(c + dx)) \sec^3(c + dx)}{a + b \cos(c + dx)} dx}{3a}$$

$$= -\frac{(Ab - aB) \sec(c + dx) \tan(c + dx)}{2a^2d} + \frac{A \sec^2(c + dx) \tan(c + dx)}{3ad} + \frac{\int \frac{(2a^2A + 3Ab^2 - 3abB) \tan(c + dx)}{3a^3d} dx}{3a}$$

$$= \frac{(2a^2A + 3Ab^2 - 3abB) \tan(c + dx)}{3a^3d} - \frac{(Ab - aB) \sec(c + dx) \tan(c + dx)}{2a^2d} + \frac{\int \frac{(2a^2A + 3Ab^2 - 3abB) \tan(c + dx)}{3a^3d} dx}{3a}$$

$$= \frac{(2a^2A + 3Ab^2 - 3abB) \tan(c + dx)}{3a^3d} - \frac{(Ab - aB) \sec(c + dx) \tan(c + dx)}{2a^2d} + \frac{(a^2 + 2b^2)(Ab - aB) \tanh^{-1}(\sin(c + dx))}{2a^4d} + \frac{(2a^2A + 3Ab^2 - 3abB) \tan(c + dx)}{3a^3d}$$

$$= \frac{2b^3(Ab - aB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^4\sqrt{a-b}\sqrt{a+bd}} - \frac{(a^2 + 2b^2)(Ab - aB) \tanh^{-1}(\sin(c + dx))}{2a^4d}$$

**Mathematica [B]** time = 2.07219, size = 422, normalized size = 2.26

$$\frac{4a(2a^2A-3abB+3Ab^2)\sin\left(\frac{1}{2}(c+dx)\right)}{\cos\left(\frac{1}{2}(c+dx)\right)-\sin\left(\frac{1}{2}(c+dx)\right)} + \frac{4a(2a^2A-3abB+3Ab^2)\sin\left(\frac{1}{2}(c+dx)\right)}{\sin\left(\frac{1}{2}(c+dx)\right)+\cos\left(\frac{1}{2}(c+dx)\right)} + \frac{24b^3(aB-Ab)\tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} - 6(a^2+2b^2)(aB-Ab)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4)/(a + b\*Cos[c + d\*x]),x]

[Out] ((24\*b^3\*(-(A\*b) + a\*B)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]]/Sqrt[-a^2 + b^2] - 6\*(a^2 + 2\*b^2)\*(-(A\*b) + a\*B)\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 6\*(a^2 + 2\*b^2)\*(-(A\*b) + a\*B)\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + (a^2\*(-3\*A\*b + a\*(A + 3\*B)))/(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])^2 + (2\*a^3\*A\*Sin[(c + d\*x)/2])/(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])^3 + (4\*a\*(2\*a^2\*A + 3\*A\*b^2 - 3\*a\*b\*B)\*Sin[(c + d\*x)/2])/(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]) + (2\*a^3\*A\*Sin[(c + d\*x)/2])/(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])^3 - (a^2\*(-3\*A\*b + a\*(A + 3\*B)))/(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])^2 + (4\*a\*(2\*a^2\*A + 3\*A\*b^2 - 3\*a\*b\*B)\*Sin[(c + d\*x)/2])/(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]))/(12\*a^4\*d)

**Maple [B]** time = 0.175, size = 688, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^4/(a+b\*cos(d\*x+c)),x)

[Out] -1/2/d/a^2/(tan(1/2\*d\*x+1/2\*c)-1)\*A\*b+1/2/d/a/(tan(1/2\*d\*x+1/2\*c)-1)\*B+1/2/d\*A/a/(tan(1/2\*d\*x+1/2\*c)+1)^2+1/2/d/a/(tan(1/2\*d\*x+1/2\*c)+1)\*B-1/2/d\*A/a/(tan(1/2\*d\*x+1/2\*c)-1)^2-1/2/d/a^2\*ln(tan(1/2\*d\*x+1/2\*c)+1)\*A\*b-2/d\*b^3/a^3/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*B+2/d\*b^4/a^4/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*A-1/2/d/a^2/(tan(1/2\*d\*x+1/2\*c)+1)\*A\*b+1/2/d/a/(tan(1/2\*d\*x+1/2\*c)-1)^2\*B-1/3/d\*A/a/(tan(1/2\*d\*x+1/2\*c)+1)^3-1/2/d/a/(tan(1/2\*d\*x+1/2\*c)+1)^2\*B-1/3/d\*A/a/(tan(1/2\*d\*x+1/2\*c)-1)^3-1/d/a^3/(tan(1/2\*d\*x+1/2\*c)+1)\*A\*b^2+1/d/a^2/(tan(1/2\*d\*x+1/2\*c)+1)\*B\*b-1/2/d/a^2/(tan(1/2\*d\*x+1/2\*c)-1)^2\*A\*b+1/d/a^4\*ln(tan(1/2\*d\*x+1/2\*c)-1)\*A\*b^3-1/d/a^3\*ln(tan(1/2\*d\*x+1/2\*c)-1)\*B\*b^2-1/d/a^3/(tan(1/2\*d\*x+1/2\*c)-1)\*A\*b^2-1/d\*A/a/(tan(1/2\*d\*x+1/2\*c)-1)-1/2/d/a\*ln(tan(1/2\*d\*x+1/2\*c)-1)\*B-1/d\*A/a/(tan(1/2\*d\*x+1/2\*c)+1)+1/2/d/a\*ln(tan(1/2\*d\*x+1/2\*c)+1)\*B+1/d/a^2/(tan(1/2\*d\*x+1/2\*c)-1)\*B\*b+1/2/d/a^2/(tan(1/2\*d\*x+1/2\*c)+1)^2\*A\*b-1/d/a^4\*ln(tan(1/2\*d\*x+1/2\*c)+1)\*A\*b^3+1/d/a^3\*ln(tan(1/2\*d\*x+1/2\*c)+1)\*B\*b^2+1/2/d/a^2\*ln(tan(1/2\*d\*x+1/2\*c)-1)\*A\*b

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^4/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 5.02031, size = 1634, normalized size = 8.74

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^4/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/12*(6*(B*a*b^3 - A*b^4)*\sqrt{-a^2 + b^2}*\cos(d*x + c)^3*\log((2*a*b*\cos(d*x + c) + (2*a^2 - b^2)*\cos(d*x + c)^2 + 2*\sqrt{-a^2 + b^2}*(a*\cos(d*x + c) + b)*\sin(d*x + c) - a^2 + 2*b^2)/(b^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + a^2)) + 3*(B*a^5 - A*a^4*b + B*a^3*b^2 - A*a^2*b^3 - 2*B*a*b^4 + 2*A*b^5) \\ & * \cos(d*x + c)^3*\log(\sin(d*x + c) + 1) - 3*(B*a^5 - A*a^4*b + B*a^3*b^2 - A*a^2*b^3 - 2*B*a*b^4 + 2*A*b^5)*\cos(d*x + c)^3*\log(-\sin(d*x + c) + 1) + 2*(2*A*a^5 - 2*A*a^3*b^2 + 2*(2*A*a^5 - 3*B*a^4*b + A*a^3*b^2 + 3*B*a^2*b^3 - 3*A*a*b^4)*\cos(d*x + c)^2 + 3*(B*a^5 - A*a^4*b - B*a^3*b^2 + A*a^2*b^3)*\cos(d*x + c))*\sin(d*x + c))/((a^6 - a^4*b^2)*d*\cos(d*x + c)^3), -1/12*(12*(B*a*b^3 - A*b^4)*\sqrt{a^2 - b^2}*\arctan(-(a*\cos(d*x + c) + b)/(\sqrt{a^2 - b^2}*\sin(d*x + c)))*\cos(d*x + c)^3 - 3*(B*a^5 - A*a^4*b + B*a^3*b^2 - A*a^2*b^3 - 2*B*a*b^4 + 2*A*b^5)*\cos(d*x + c)^3*\log(\sin(d*x + c) + 1) + 3*(B*a^5 - A*a^4*b + B*a^3*b^2 - A*a^2*b^3 - 2*B*a*b^4 + 2*A*b^5)*\cos(d*x + c)^3*\log(-\sin(d*x + c) + 1) - 2*(2*A*a^5 - 2*A*a^3*b^2 + 2*(2*A*a^5 - 3*B*a^4*b + A*a^3*b^2 + 3*B*a^2*b^3 - 3*A*a*b^4)*\cos(d*x + c)^2 + 3*(B*a^5 - A*a^4*b - B*a^3*b^2 + A*a^2*b^3)*\cos(d*x + c))*\sin(d*x + c))/((a^6 - a^4*b^2)*d*\cos(d*x + c)^3)] \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*4/(a+b\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [B]** time = 1.73242, size = 556, normalized size = 2.97

$$\frac{3(Ba^3 - Aa^2b + 2Bab^2 - 2Ab^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) + 1\right|\right)}{a^4} - \frac{3(Ba^3 - Aa^2b + 2Bab^2 - 2Ab^3) \log\left(\left|\tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - 1\right|\right)}{a^4} + \frac{12(Bab^3 - Ab^4) \left(\pi \left[\frac{dx+c}{2\pi} + \frac{1}{2}\right] \operatorname{sgn}(-2a+b)\right)}{a^4}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^4/(a+b\*cos(d\*x+c)),x, algorithm="giac")

```
[Out] 1/6*(3*(B*a^3 - A*a^2*b + 2*B*a*b^2 - 2*A*b^3)*log(abs(tan(1/2*d*x + 1/2*c)
+ 1)))/a^4 - 3*(B*a^3 - A*a^2*b + 2*B*a*b^2 - 2*A*b^3)*log(abs(tan(1/2*d*x
+ 1/2*c) - 1))/a^4 + 12*(B*a*b^3 - A*b^4)*(pi*floor(1/2*(d*x + c)/pi + 1/2)
*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c)
)/sqrt(a^2 - b^2)))/(sqrt(a^2 - b^2)*a^4) - 2*(6*A*a^2*tan(1/2*d*x + 1/2*c)
^5 - 3*B*a^2*tan(1/2*d*x + 1/2*c)^5 + 3*A*a*b*tan(1/2*d*x + 1/2*c)^5 - 6*B*
a*b*tan(1/2*d*x + 1/2*c)^5 + 6*A*b^2*tan(1/2*d*x + 1/2*c)^5 - 4*A*a^2*tan(1
/2*d*x + 1/2*c)^3 + 12*B*a*b*tan(1/2*d*x + 1/2*c)^3 - 12*A*b^2*tan(1/2*d*x
+ 1/2*c)^3 + 6*A*a^2*tan(1/2*d*x + 1/2*c) + 3*B*a^2*tan(1/2*d*x + 1/2*c) -
3*A*a*b*tan(1/2*d*x + 1/2*c) - 6*B*a*b*tan(1/2*d*x + 1/2*c) + 6*A*b^2*tan(1
/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^3*a^3))/d
```

$$3.258 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=263

$$\frac{(2a^2Ab - 3a^3B + 2ab^2B - Ab^3) \sin(c+dx)}{b^3d(a^2 - b^2)} + \frac{2a^2(2a^2Ab - 3a^3B + 4ab^2B - 3Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{3/2}(a+b)^{3/2}} + \frac{a(Ab - b^2)}{bd}$$

[Out]  $-\frac{(4a^2Ab - 6a^3B + 2ab^2B - Ab^3) \sin(c+dx)}{b^3d(a^2 - b^2)} + \frac{2a^2(2a^2Ab - 3a^3B + 4ab^2B - 3Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{3/2}(a+b)^{3/2}} + \frac{a(Ab - b^2)}{bd}$

**Rubi [A]** time = 0.658914, antiderivative size = 263, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2989, 3049, 3023, 2735, 2659, 205}

$$\frac{(2a^2Ab - 3a^3B + 2ab^2B - Ab^3) \sin(c+dx)}{b^3d(a^2 - b^2)} + \frac{2a^2(2a^2Ab - 3a^3B + 4ab^2B - 3Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{3/2}(a+b)^{3/2}} + \frac{a(Ab - b^2)}{bd}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\cos[c + dx])^3(A + B \cos[c + dx])]/(a + b \cos[c + dx])^2, x]$

[Out]  $-\frac{(4a^2Ab - 6a^3B + 2ab^2B - Ab^3) \sin(c+dx)}{b^3d(a^2 - b^2)} + \frac{2a^2(2a^2Ab - 3a^3B + 4ab^2B - 3Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{3/2}(a+b)^{3/2}} + \frac{a(Ab - b^2)}{bd}$

### Rule 2989

$\text{Int}[(a + b \sin(e + f x))^m ((A + B \sin(e + f x)) + (C + D \sin(e + f x)))^n, x\_Symbol] \rightarrow -\text{Simp}[(b c - a d)(B c - A d) \cos[e + f x] (a + b \sin[e + f x])^{m-1} (c + d \sin[e + f x])^{n+1}] / (d f (n+1) (c^2 - d^2)), x] + \text{Dist}[1 / (d (n+1) (c^2 - d^2)), \text{Int}[(a + b \sin[e + f x])^{m-2} (c + d \sin[e + f x])^{n+1}] \text{Simp}[b (b c - a d)(B c - A d)(m-1) + a d (a A c + b B c - (A b + a B) d)(n+1) + (b (b d (B c - A d) + a (A c d + B (c^2 - 2 d^2))) (n+1) - a (b c - a d)(B c - A d)(n+2)] \sin[e + f x] + b (d (A b c + a B c - a A d) (m + n + 1) - b B (c^2 m + d^2 (n+1))) \sin[e + f x]^2, x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \} \&\& \text{NeQ}[b c - a d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

### Rule 3049

$\text{Int}[(a + b \sin(e + f x))^m ((c + d \sin(e + f x)) + (f + g \sin(e + f x)))^n, x\_Symbol] \rightarrow -\text{Simp}[(C \cos[e + f x] (a + b \sin[e + f x])^m (c + d \sin[e + f x])^{n+1}] / (d f (m + n + 2)), x] + \text{Dist}[1 / (d (m + n$

```
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])/(c_. + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] :> With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^2} dx = \frac{a(Ab - aB) \cos^2(c + dx) \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))} - \int \frac{\cos(c + dx)(-2a(Ab - aB) + b(Ab - aB) \cos(c + dx) + (2a^2 - b^2) \cos^2(c + dx))}{a + b \cos(c + dx)} dx$$

$$= -\frac{(2aAb - 3a^2B + b^2B) \cos(c + dx) \sin(c + dx)}{2b^2(a^2 - b^2)d} + \frac{a(Ab - aB) \cos^2(c + dx) \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))}$$

$$= \frac{(2a^2Ab - Ab^3 - 3a^3B + 2ab^2B) \sin(c + dx)}{b^3(a^2 - b^2)d} - \frac{(2aAb - 3a^2B + b^2B) \cos(c + dx) \sin(c + dx)}{2b^2(a^2 - b^2)d}$$

$$= -\frac{(4aAb - 6a^2B - b^2B)x}{2b^4} + \frac{(2a^2Ab - Ab^3 - 3a^3B + 2ab^2B) \sin(c + dx)}{b^3(a^2 - b^2)d} - \frac{(2aAb - 3a^2B + b^2B) \cos(c + dx) \sin(c + dx)}{2b^2(a^2 - b^2)d}$$

$$= -\frac{(4aAb - 6a^2B - b^2B)x}{2b^4} + \frac{(2a^2Ab - Ab^3 - 3a^3B + 2ab^2B) \sin(c + dx)}{b^3(a^2 - b^2)d} - \frac{(2aAb - 3a^2B + b^2B) \cos(c + dx) \sin(c + dx)}{2b^2(a^2 - b^2)d}$$

$$= -\frac{(4aAb - 6a^2B - b^2B)x}{2b^4} + \frac{2a^2(2a^2Ab - 3Ab^3 - 3a^3B + 4ab^2B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{c + dx}{2}\right)}{\sqrt{a+b}}\right)}{(a - b)^{3/2}b^4(a + b)^{3/2}d}$$



**Mathematica [A]** time = 0.982682, size = 184, normalized size = 0.7

$$2(c + dx) \left( 6a^2B - 4aAb + b^2B \right) - \frac{8a^2(-2a^2Ab + 3a^3B - 4ab^2B + 3Ab^3) \tanh^{-1} \left( \frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}} \right)}{(b^2-a^2)^{3/2}} + \frac{4a^3b(Ab-aB) \sin(c+dx)}{(a-b)(a+b)(a+b \cos(c+dx))} + 4b(Ab - 2$$


---


$$4b^4d$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^3\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^2,x]

[Out] (2\*(-4\*a\*A\*b + 6\*a^2\*B + b^2\*B)\*(c + d\*x) - (8\*a^2\*(-2\*a^2\*A\*b + 3\*A\*b^3 + 3\*a^3\*B - 4\*a\*b^2\*B)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(3/2) + 4\*b\*(A\*b - 2\*a\*B)\*Sin[c + d\*x] + (4\*a^3\*b\*(A\*b - a\*B)\*Sin[c + d\*x])/((a - b)\*(a + b)\*(a + b\*Cos[c + d\*x])) + b^2\*B\*Ssin[2\*(c + d\*x)])/((4\*b^4\*d)

**Maple [B]** time = 0.145, size = 643, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x)

[Out] 2/d/b^2/(1+tan(1/2\*d\*x+1/2\*c))^2\*tan(1/2\*d\*x+1/2\*c)^3\*A-4/d/b^3/(1+tan(1/2\*d\*x+1/2\*c))^2\*tan(1/2\*d\*x+1/2\*c)^3\*B\*a-1/d/b^2/(1+tan(1/2\*d\*x+1/2\*c))^2\*tan(1/2\*d\*x+1/2\*c)^3\*B+2/d/b^2/(1+tan(1/2\*d\*x+1/2\*c))^2\*tan(1/2\*d\*x+1/2\*c)\*A-4/d/b^3/(1+tan(1/2\*d\*x+1/2\*c))^2\*tan(1/2\*d\*x+1/2\*c)\*B\*a+1/d/b^2/(1+tan(1/2\*d\*x+1/2\*c))^2\*tan(1/2\*d\*x+1/2\*c)\*B-4/d/b^3\*arctan(tan(1/2\*d\*x+1/2\*c))\*A\*a+6/d/b^4\*arctan(tan(1/2\*d\*x+1/2\*c))\*B\*a^2+1/d/b^2\*arctan(tan(1/2\*d\*x+1/2\*c))\*B+2/d\*a^3/b^2/(a^2-b^2)\*tan(1/2\*d\*x+1/2\*c)/(tan(1/2\*d\*x+1/2\*c))^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)\*A-2/d\*a^4/b^3/(a^2-b^2)\*tan(1/2\*d\*x+1/2\*c)/(tan(1/2\*d\*x+1/2\*c))^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)\*B+4/d\*a^4/b^3/(a-b)/(a+b)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*A-6/d\*a^2/b/(a-b)/(a+b)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*A-6/d\*a^5/b^4/(a-b)/(a+b)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*B+8/d\*a^3/b^2/(a-b)/(a+b)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*B

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.59442, size = 2120, normalized size = 8.06

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] [1/2\*((6\*B\*a^6\*b - 4\*A\*a^5\*b^2 - 11\*B\*a^4\*b^3 + 8\*A\*a^3\*b^4 + 4\*B\*a^2\*b^5 - 4\*A\*a\*b^6 + B\*b^7)\*d\*x\*cos(d\*x + c) + (6\*B\*a^7 - 4\*A\*a^6\*b - 11\*B\*a^5\*b^2 + 8\*A\*a^4\*b^3 + 4\*B\*a^3\*b^4 - 4\*A\*a^2\*b^5 + B\*a\*b^6)\*d\*x - (3\*B\*a^6 - 2\*A\*a^5\*b - 4\*B\*a^4\*b^2 + 3\*A\*a^3\*b^3 + (3\*B\*a^5\*b - 2\*A\*a^4\*b^2 - 4\*B\*a^3\*b^3 + 3\*A\*a^2\*b^4)\*cos(d\*x + c))\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - (6\*B\*a^6\*b - 4\*A\*a^5\*b^2 - 10\*B\*a^4\*b^3 + 6\*A\*a^3\*b^4 + 4\*B\*a^2\*b^5 - 2\*A\*a\*b^6 - (B\*a^4\*b^3 - 2\*B\*a^2\*b^5 + B\*b^7)\*cos(d\*x + c)^2 + (3\*B\*a^5\*b^2 - 2\*A\*a^4\*b^3 - 6\*B\*a^3\*b^4 + 4\*A\*a^2\*b^5 + 3\*B\*a\*b^6 - 2\*A\*b^7)\*cos(d\*x + c))\*sin(d\*x + c))/((a^4\*b^5 - 2\*a^2\*b^7 + b^9)\*d\*cos(d\*x + c) + (a^5\*b^4 - 2\*a^3\*b^6 + a\*b^8)\*d), 1/2\*((6\*B\*a^6\*b - 4\*A\*a^5\*b^2 - 11\*B\*a^4\*b^3 + 8\*A\*a^3\*b^4 + 4\*B\*a^2\*b^5 - 4\*A\*a\*b^6 + B\*b^7)\*d\*x\*cos(d\*x + c) + (6\*B\*a^7 - 4\*A\*a^6\*b - 11\*B\*a^5\*b^2 + 8\*A\*a^4\*b^3 + 4\*B\*a^3\*b^4 - 4\*A\*a^2\*b^5 + B\*a\*b^6)\*d\*x - 2\*(3\*B\*a^6 - 2\*A\*a^5\*b - 4\*B\*a^4\*b^2 + 3\*A\*a^3\*b^3 + (3\*B\*a^5\*b - 2\*A\*a^4\*b^2 - 4\*B\*a^3\*b^3 + 3\*A\*a^2\*b^4)\*cos(d\*x + c))\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c))) - (6\*B\*a^6\*b - 4\*A\*a^5\*b^2 - 10\*B\*a^4\*b^3 + 6\*A\*a^3\*b^4 + 4\*B\*a^2\*b^5 - 2\*A\*a\*b^6 - (B\*a^4\*b^3 - 2\*B\*a^2\*b^5 + B\*b^7)\*cos(d\*x + c)^2 + (3\*B\*a^5\*b^2 - 2\*A\*a^4\*b^3 - 6\*B\*a^3\*b^4 + 4\*A\*a^2\*b^5 + 3\*B\*a\*b^6 - 2\*A\*b^7)\*cos(d\*x + c))\*sin(d\*x + c))/((a^4\*b^5 - 2\*a^2\*b^7 + b^9)\*d\*cos(d\*x + c) + (a^5\*b^4 - 2\*a^3\*b^6 + a\*b^8)\*d)]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 1.62894, size = 456, normalized size = 1.73

$$\frac{4(3Ba^5 - 2Aa^4b - 4Ba^3b^2 + 3Aa^2b^3) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^2b^4 - b^6)\sqrt{a^2 - b^2}} - \frac{4(Ba^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - Aa^3b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right))}{(a^2b^3 - b^5) \left( a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

```
[Out] 1/2*(4*(3*B*a^5 - 2*A*a^4*b - 4*B*a^3*b^2 + 3*A*a^2*b^3)*(pi*floor(1/2*(d*x
+ c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1
/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/((a^2*b^4 - b^6)*sqrt(a^2 - b^2)) - 4*(B
*a^4*tan(1/2*d*x + 1/2*c) - A*a^3*b*tan(1/2*d*x + 1/2*c))/((a^2*b^3 - b^5)*
(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 + a + b)) + (6*B*a^2 -
4*A*a*b + B*b^2)*(d*x + c)/b^4 - 2*(4*B*a*tan(1/2*d*x + 1/2*c)^3 - 2*A*b*t
an(1/2*d*x + 1/2*c)^3 + B*b*tan(1/2*d*x + 1/2*c)^3 + 4*B*a*tan(1/2*d*x + 1/
2*c) - 2*A*b*tan(1/2*d*x + 1/2*c) - B*b*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x
+ 1/2*c)^2 + 1)^2*b^3))/d
```

$$3.259 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=155

$$-\frac{2a(a^2Ab - 2a^3B + 3ab^2B - 2Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{3/2}(a+b)^{3/2}} - \frac{a^2(Ab - aB) \sin(c+dx)}{b^2d(a^2 - b^2)(a+b \cos(c+dx))} + \frac{x(Ab - 2aB)}{b^3} + \frac{B \sin(c+dx)}{b}$$

[Out] ((A\*b - 2\*a\*B)\*x)/b^3 - (2\*a\*(a^2\*A\*b - 2\*A\*b^3 - 2\*a^3\*B + 3\*a\*b^2\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)\*b^3\*(a + b)^(3/2)\*d) + (B\*Sin[c + d\*x])/(b^2\*d) - (a^2\*(A\*b - a\*B)\*Sin[c + d\*x])/(b^2\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x]))

**Rubi [A]** time = 0.440118, antiderivative size = 155, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2988, 3023, 2735, 2659, 205}

$$-\frac{2a(a^2Ab - 2a^3B + 3ab^2B - 2Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{3/2}(a+b)^{3/2}} - \frac{a^2(Ab - aB) \sin(c+dx)}{b^2d(a^2 - b^2)(a+b \cos(c+dx))} + \frac{x(Ab - 2aB)}{b^3} + \frac{B \sin(c+dx)}{b}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^2, x]

[Out] ((A\*b - 2\*a\*B)\*x)/b^3 - (2\*a\*(a^2\*A\*b - 2\*A\*b^3 - 2\*a^3\*B + 3\*a\*b^2\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)\*b^3\*(a + b)^(3/2)\*d) + (B\*Sin[c + d\*x])/(b^2\*d) - (a^2\*(A\*b - a\*B)\*Sin[c + d\*x])/(b^2\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x]))

#### Rule 2988

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((B\*c - A\*d)\*(b\*c - a\*d)^2\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*d^2\*(n + 1)\*(c^2 - d^2)), x] - Dist[1/(d^2\*(n + 1)\*(c^2 - d^2)), Int[(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[d\*(n + 1)\*(B\*(b\*c - a\*d)^2 - A\*d\*(a^2\*c + b^2\*c - 2\*a\*b\*d)) - ((B\*c - A\*d)\*(a^2\*d^2\*(n + 2) + b^2\*(c^2 + d^2\*(n + 1))) + 2\*a\*b\*d\*(A\*c\*d\*(n + 2) - B\*(c^2 + d^2\*(n + 1)))\*Sin[e + f\*x] - b^2\*B\*d\*(n + 1)\*(c^2 - d^2)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])/((c_.) + (d_.)*sin[(e_.) + (f_.
)*(x_.)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

**Rule 2659**

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

**Rule 205**

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^2} dx = -\frac{a^2(Ab - aB) \sin(c + dx)}{b^2(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{ab(Ab - aB) + (a^2 - b^2)(Ab - aB) \cos(c + dx) + b(a^2 - b^2)}{a + b \cos(c + dx)} dx}{b^2(a^2 - b^2)}$$

$$= \frac{B \sin(c + dx)}{b^2 d} - \frac{a^2(Ab - aB) \sin(c + dx)}{b^2(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{ab^2(Ab - aB) + b(a^2 - b^2)(Ab - aB)}{a + b \cos(c + dx)} dx}{b^3(a^2 - b^2)}$$

$$= \frac{(Ab - 2aB)x}{b^3} + \frac{B \sin(c + dx)}{b^2 d} - \frac{a^2(Ab - aB) \sin(c + dx)}{b^2(a^2 - b^2)d(a + b \cos(c + dx))} - \frac{(a^2 Ab)}{b^3}$$

$$= \frac{(Ab - 2aB)x}{b^3} + \frac{B \sin(c + dx)}{b^2 d} - \frac{a^2(Ab - aB) \sin(c + dx)}{b^2(a^2 - b^2)d(a + b \cos(c + dx))} - \frac{(2a(a^2 Ab))}{b^3}$$

$$= \frac{(Ab - 2aB)x}{b^3} - \frac{2a(a^2 Ab - 2Ab^3 - 2a^3 B + 3ab^2 B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{(a - b)^{3/2} b^3 (a + b)^{3/2} d}$$

**Mathematica [A]** time = 0.781552, size = 147, normalized size = 0.95

$$\frac{2a(-a^2 Ab + 2a^3 B - 3ab^2 B + 2Ab^3) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{3/2}} + \frac{a^2 b(aB - Ab) \sin(c + dx)}{(a-b)(a+b)(a+b \cos(c + dx))} + (c + dx)(Ab - 2aB) + bB \sin(c + dx)}{b^3 d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2, x]
```

```
[Out] ((A*b - 2*a*B)*(c + d*x) + (2*a*(-a^2*A*b) + 2*A*b^3 + 2*a^3*B - 3*a*b^2*B)
)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]]/(-a^2 + b^2)^(3/2)
+ b*B*Sin[c + d*x] + (a^2*b*(-(A*b) + a*B)*Sin[c + d*x])/((a - b)*(a + b)*(
a + b*Cos[c + d*x]))/(b^3*d)
```

**Maple [B]** time = 0.125, size = 445, normalized size = 2.9

$$2 \frac{B \tan(1/2 dx + c/2)}{b^2 d (1 + (\tan(1/2 dx + c/2))^2)} + 2 \frac{A \arctan(\tan(1/2 dx + c/2))}{b^2 d} - 4 \frac{B \arctan(\tan(1/2 dx + c/2)) a}{db^3} - 2 \frac{a}{bd(a^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x)
```

```
[Out] 2/d/b^2*B*tan(1/2*d*x+1/2*c)/(1+tan(1/2*d*x+1/2*c)^2)+2/d/b^2*A*arctan(tan(
1/2*d*x+1/2*c))-4/d/b^3*B*arctan(tan(1/2*d*x+1/2*c))*a-2/d*a^2/b/(a^2-b^2)*
tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)*A+2/
d*a^3/b^2/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+
1/2*c)^2*b+a+b)*B-2/d*a^3/b^2/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/
2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A+4/d*a/(a-b)/(a+b)/((a-b)*(a+b))^(
1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A+4/d*a^4/b^3/(a-
b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(
1/2))*B-6/d*a^2/b/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c
)*(a-b)/((a-b)*(a+b))^(1/2))*B
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="ma
xima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 1.43307, size = 1701, normalized size = 10.97

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="fr
icas")
```

```
[Out] [-1/2*(2*(2*B*a^5*b - A*a^4*b^2 - 4*B*a^3*b^3 + 2*A*a^2*b^4 + 2*B*a*b^5 - A
*b^6)*d*x*cos(d*x + c) + 2*(2*B*a^6 - A*a^5*b - 4*B*a^4*b^2 + 2*A*a^3*b^3 +
2*B*a^2*b^4 - A*a*b^5)*d*x + (2*B*a^5 - A*a^4*b - 3*B*a^3*b^2 + 2*A*a^2*b^
3 + (2*B*a^4*b - A*a^3*b^2 - 3*B*a^2*b^3 + 2*A*a*b^4)*cos(d*x + c))*sqrt(-a
^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-
a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x +
c)^2 + 2*a*b*cos(d*x + c) + a^2)) - 2*(2*B*a^5*b - A*a^4*b^2 - 3*B*a^3*b^3
+ A*a^2*b^4 + B*a*b^5 + (B*a^4*b^2 - 2*B*a^2*b^4 + B*b^6)*cos(d*x + c))*sin
(d*x + c))/((a^4*b^4 - 2*a^2*b^6 + b^8)*d*cos(d*x + c) + (a^5*b^3 - 2*a^3*b
^5 + a*b^7)*d), -((2*B*a^5*b - A*a^4*b^2 - 4*B*a^3*b^3 + 2*A*a^2*b^4 + 2*B*
a*b^5 - A*b^6)*d*x*cos(d*x + c) + (2*B*a^6 - A*a^5*b - 4*B*a^4*b^2 + 2*A*a^
3*b^3 + 2*B*a^2*b^4 - A*a*b^5)*d*x - (2*B*a^5 - A*a^4*b - 3*B*a^3*b^2 + 2*A
*a^2*b^3 + (2*B*a^4*b - A*a^3*b^2 - 3*B*a^2*b^3 + 2*A*a*b^4)*cos(d*x + c))*
sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c)
) - (2*B*a^5*b - A*a^4*b^2 - 3*B*a^3*b^3 + A*a^2*b^4 + B*a*b^5 + (B*a^4*b^2
- 2*B*a^2*b^4 + B*b^6)*cos(d*x + c))*sin(d*x + c))/((a^4*b^4 - 2*a^2*b^6 +
b^8)*d*cos(d*x + c) + (a^5*b^3 - 2*a^3*b^5 + a*b^7)*d)]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [B]** time = 1.30676, size = 502, normalized size = 3.24

$$\frac{2(2Ba^4 - Aa^3b - 3Ba^2b^2 + 2Aab^3) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^2b^3 - b^5)\sqrt{a^2 - b^2}} - \frac{2 \left( 2Ba^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Aa^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}{\sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] 
$$-(2*(2*B*a^4 - A*a^3*b - 3*B*a^2*b^2 + 2*A*a*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/((a^2*b^3 - b^5)*sqrt(a^2 - b^2)) - 2*(2*B*a^3*tan(1/2*d*x + 1/2*c)^3 - A*a^2*b*tan(1/2*d*x + 1/2*c)^3 - B*a^2*b*tan(1/2*d*x + 1/2*c)^3 - B*a*b^2*tan(1/2*d*x + 1/2*c)^3 + B*b^3*tan(1/2*d*x + 1/2*c)^3 + 2*B*a^3*tan(1/2*d*x + 1/2*c) - A*a^2*b*tan(1/2*d*x + 1/2*c) + B*a^2*b*tan(1/2*d*x + 1/2*c) - B*a*b^2*tan(1/2*d*x + 1/2*c) - B*b^3*tan(1/2*d*x + 1/2*c))/((a*tan(1/2*d*x + 1/2*c)^4 - b*tan(1/2*d*x + 1/2*c)^4 + 2*a*tan(1/2*d*x + 1/2*c)^2 + a + b)*(a^2*b^2 - b^4)) + (2*B*a - A*b)*(d*x + c)/b^3/d$$

$$3.260 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=122

$$\frac{2(a^3B - 2ab^2B + Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{a(Ab - aB) \sin(c+dx)}{bd(a^2 - b^2)(a+b \cos(c+dx))} + \frac{Bx}{b^2}$$

[Out] (B\*x)/b^2 - (2\*(A\*b^3 + a^3\*B - 2\*a\*b^2\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)\*b^2\*(a + b)^(3/2)\*d) + (a\*(A\*b - a\*B)\*Sin[c + d\*x])/(b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x]))

**Rubi [A]** time = 0.240552, antiderivative size = 122, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {2968, 3021, 2735, 2659, 205}

$$\frac{2(a^3B - 2ab^2B + Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{a(Ab - aB) \sin(c+dx)}{bd(a^2 - b^2)(a+b \cos(c+dx))} + \frac{Bx}{b^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^2,x]

[Out] (B\*x)/b^2 - (2\*(A\*b^3 + a^3\*B - 2\*a\*b^2\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(3/2)\*b^2\*(a + b)^(3/2)\*d) + (a\*(A\*b - a\*B)\*Sin[c + d\*x])/(b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x]))

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

#### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 2659

Int[((a\_.) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (



$a - b) * e^{2*x^2}, x], x, \text{Tan}[(c + d*x)/2]/e], x]] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

### Rule 205

$\text{Int}[(a_ + (b_)*(x_)^2)^{-1}, x\_Symbol] :> \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$

### Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^2} dx &= \int \frac{A\cos(c+dx)+B\cos^2(c+dx)}{(a+b\cos(c+dx))^2} dx \\ &= \frac{a(Ab-aB)\sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} - \frac{\int \frac{b(Ab-aB)-(a^2-b^2)B\cos(c+dx)}{a+b\cos(c+dx)} dx}{b(a^2-b^2)} \\ &= \frac{Bx}{b^2} + \frac{a(Ab-aB)\sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} - \frac{(Ab^3+a(a^2-2b^2)B) \int \frac{1}{a+b\cos(c+dx)}}{b^2(a^2-b^2)} \\ &= \frac{Bx}{b^2} + \frac{a(Ab-aB)\sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} - \frac{(2(Ab^3+a(a^2-2b^2)B)) \text{Subst}\left(\int \frac{1}{a+b\cos(c+dx)}\right)}{b^2(a^2-b^2)} \\ &= \frac{Bx}{b^2} - \frac{2(Ab^3+a^3B-2ab^2B) \tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{3/2}b^2(a+b)^{3/2}d} + \frac{a(Ab-aB)\sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} \end{aligned}$$

**Mathematica [A]** time = 0.52837, size = 119, normalized size = 0.98

$$\frac{2(aB(a^2-2b^2)+Ab^3) \tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{3/2}} + \frac{ab(Ab-aB)\sin(c+dx)}{(a-b)(a+b)(a+b\cos(c+dx))} + B(c+dx)}{b^2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^2,x]

[Out]  $(B*(c + d*x) - (2*(A*b^3 + a*(a^2 - 2*b^2)*B)*\text{ArcTanh}[(a - b)*\text{Tan}[(c + d*x)/2])/ \text{Sqrt}[-a^2 + b^2]) / (-a^2 + b^2)^{(3/2)} + (a*b*(A*b - a*B)*\text{Sin}[c + d*x]) / ((a - b)*(a + b)*(a + b*\text{Cos}[c + d*x])) / (b^2*d)$

**Maple [B]** time = 0.131, size = 320, normalized size = 2.6

$$2 \frac{\arctan(\tan(1/2 dx + c/2)) B}{b^2 d} + 2 \frac{a \tan(1/2 dx + c/2) A}{d(a^2 - b^2) \left( (\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b + a + b \right)} - 2 \frac{a(Ab - aB)\sin(c+dx)}{bd(a^2 - b^2)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x)

[Out]  $2/d/b^2*\arctan(\tan(1/2*d*x+1/2*c))*B+2/d*a/(a^2-b^2)*\tan(1/2*d*x+1/2*c)/( \tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)*A-2/d/b*a^2/(a^2-b^2)*\tan($

$$\frac{1/2*d*x+1/2*c}{(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)*B-2/d*b/}$$

$$\frac{(a-b)/(a+b)/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b)))^{1/2}}{A-2/d*a^3/b^2/(a-b)/(a+b)/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})}*\frac{B+4/d/(a-b)/(a+b)/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{1/2})}{B*a}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 1.29146, size = 1210, normalized size = 9.92

$$\frac{2(Ba^4b - 2Ba^2b^3 + Bb^5)dx \cos(dx + c) + 2(Ba^5 - 2Ba^3b^2 + Bab^4)dx - (Ba^4 - 2Ba^2b^2 + Aab^3 + (Ba^3b - 2Bab^3 + Ab^4)) \sqrt{a^2 - b^2} \log((2a*b*\cos(dx + c) + (2a^2 - b^2)*\cos(dx + c))^2 - 2*\sqrt{a^2 - b^2}*(a*\cos(dx + c) + b)*\sin(dx + c) - a^2 + 2*b^2)/(b^2*\cos(dx + c)^2 + 2*a*b*\cos(dx + c) + a^2)) - 2*(Ba^4*b - A*a^3*b^2 - B*a^2*b^3 + A*a*b^4)*\sin(dx + c)/((a^4*b^3 - 2*a^2*b^5 + b^7)*d*\cos(dx + c) + (a^5*b^2 - 2*a^3*b^4 + a*b^6)*d), ((Ba^4*b - 2Ba^2*b^3 + B*b^5)*d*x*\cos(dx + c) + (Ba^5 - 2Ba^3*b^2 + B*a*b^4)*d*x - (Ba^4 - 2Ba^2*b^2 + A*a*b^3 + (Ba^3*b - 2B*a*b^3 + A*b^4)*\cos(dx + c))*\sqrt{a^2 - b^2}*\arctan(-(a*\cos(dx + c) + b)/(\sqrt{a^2 - b^2}*\sin(dx + c))) - (Ba^4*b - A*a^3*b^2 - B*a^2*b^3 + A*a*b^4)*\sin(dx + c)/((a^4*b^3 - 2*a^2*b^5 + b^7)*d*\cos(dx + c) + (a^5*b^2 - 2*a^3*b^4 + a*b^6)*d)]}{2((a^4*b^3 - 2a^2b^5 + b^7)dx \cos(dx + c) + (a^5*b^2 - 2a^3b^4 + ab^6)dx - (Ba^4 - 2Ba^2b^2 + Aab^3 + (Ba^3b - 2Bab^3 + Ab^4)) \sqrt{a^2 - b^2} \log((2a*b*\cos(dx + c) + (2a^2 - b^2)*\cos(dx + c))^2 - 2*\sqrt{a^2 - b^2}*(a*\cos(dx + c) + b)*\sin(dx + c) - a^2 + 2*b^2)/(b^2*\cos(dx + c)^2 + 2*a*b*\cos(dx + c) + a^2)) - 2*(Ba^4*b - A*a^3*b^2 - B*a^2*b^3 + A*a*b^4)*\sin(dx + c)/((a^4*b^3 - 2*a^2*b^5 + b^7)*d*\cos(dx + c) + (a^5*b^2 - 2*a^3*b^4 + a*b^6)*d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] [1/2\*(2\*(B\*a^4\*b - 2\*B\*a^2\*b^3 + B\*b^5)\*d\*x\*cos(d\*x + c) + 2\*(B\*a^5 - 2\*B\*a^3\*b^2 + B\*a\*b^4)\*d\*x - (B\*a^4 - 2\*B\*a^2\*b^2 + A\*a\*b^3 + (B\*a^3\*b - 2\*B\*a\*b^3 + A\*b^4)\*cos(d\*x + c))\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c))^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - 2\*(B\*a^4\*b - A\*a^3\*b^2 - B\*a^2\*b^3 + A\*a\*b^4)\*sin(d\*x + c)/((a^4\*b^3 - 2\*a^2\*b^5 + b^7)\*d\*cos(d\*x + c) + (a^5\*b^2 - 2\*a^3\*b^4 + a\*b^6)\*d), ((B\*a^4\*b - 2\*B\*a^2\*b^3 + B\*b^5)\*d\*x\*cos(d\*x + c) + (B\*a^5 - 2\*B\*a^3\*b^2 + B\*a\*b^4)\*d\*x - (B\*a^4 - 2\*B\*a^2\*b^2 + A\*a\*b^3 + (B\*a^3\*b - 2\*B\*a\*b^3 + A\*b^4)\*cos(d\*x + c))\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c))) - (B\*a^4\*b - A\*a^3\*b^2 - B\*a^2\*b^3 + A\*a\*b^4)\*sin(d\*x + c)/((a^4\*b^3 - 2\*a^2\*b^5 + b^7)\*d\*cos(d\*x + c) + (a^5\*b^2 - 2\*a^3\*b^4 + a\*b^6)\*d)]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 1.60041, size = 269, normalized size = 2.2

$$\frac{2(Ba^3 - 2Bab^2 + Ab^3) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^2 b^2 - b^4) \sqrt{a^2 - b^2}} + \frac{(dx+c)B}{b^2} - \frac{2(Ba^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - Ab \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right))}{(a^2 b - b^3) \left( a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 \right)}$$

$d$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] (2\*(B\*a^3 - 2\*B\*a\*b^2 + A\*b^3)\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))/((a^2\*b^2 - b^4)\*sqrt(a^2 - b^2)) + (d\*x + c)\*B/b^2 - 2\*(B\*a^2\*tan(1/2\*d\*x + 1/2\*c) - A\*a\*b\*tan(1/2\*d\*x + 1/2\*c))/((a^2\*b - b^3)\*(a\*tan(1/2\*d\*x + 1/2\*c)^2 - b\*tan(1/2\*d\*x + 1/2\*c)^2 + a + b))/d

$$3.261 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=100

$$\frac{2(aA - bB) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{3/2}(a+b)^{3/2}} - \frac{(Ab - aB) \sin(c+dx)}{d(a^2 - b^2)(a+b \cos(c+dx))}$$

[Out] (2\*(a\*A - b\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]]/((a - b)^(3/2)\*(a + b)^(3/2)\*d) - ((A\*b - a\*B)\*Sin[c + d\*x])/((a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x]))

**Rubi [A]** time = 0.0885387, antiderivative size = 100, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2754, 12, 2659, 205}

$$\frac{2(aA - bB) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d(a-b)^{3/2}(a+b)^{3/2}} - \frac{(Ab - aB) \sin(c+dx)}{d(a^2 - b^2)(a+b \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x])^2,x]

[Out] (2\*(a\*A - b\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]]/((a - b)^(3/2)\*(a + b)^(3/2)\*d) - ((A\*b - a\*B)\*Sin[c + d\*x])/((a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x]))

#### Rule 2754

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2659

Int[((a\_) + (b\_)\*sin[Pi/2 + (c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^2} dx &= -\frac{(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d(a + b \cos(c + dx))} + \frac{\int \frac{-aA + bB}{a + b \cos(c + dx)} dx}{-a^2 + b^2} \\
&= -\frac{(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d(a + b \cos(c + dx))} + \frac{(aA - bB) \int \frac{1}{a + b \cos(c + dx)} dx}{a^2 - b^2} \\
&= -\frac{(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d(a + b \cos(c + dx))} + \frac{(2(aA - bB)) \operatorname{Subst}\left(\int \frac{1}{a + b + (a-b)x^2} dx, x, \tan\left(\frac{1}{2}(c + dx)\right)\right)}{(a^2 - b^2) d} \\
&= \frac{2(aA - bB) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{(a - b)^{3/2}(a + b)^{3/2} d} - \frac{(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d(a + b \cos(c + dx))}
\end{aligned}$$

**Mathematica [A]** time = 0.317253, size = 97, normalized size = 0.97

$$\frac{2(aA - bB) \operatorname{tanh}^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{3/2}} + \frac{(aB - Ab) \sin(c + dx)}{(a - b)(a + b)(a + b \cos(c + dx))}$$


---

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x])^2, x]

[Out] ((2\*(a\*A - b\*B)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(3/2) + (((-A\*b) + a\*B)\*Sin[c + d\*x])/((a - b)\*(a + b)\*(a + b\*Cos[c + d\*x]))/d

**Maple [B]** time = 0.103, size = 234, normalized size = 2.3

$$-2 \frac{A \tan(1/2 dx + c/2) b}{d(a^2 - b^2) \left( (\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b + a + b \right)} + 2 \frac{a \tan(1/2 dx + c/2)}{d(a^2 - b^2) \left( (\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 b + a + b \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2, x)

[Out] -2/d/(a^2-b^2)\*tan(1/2\*d\*x+1/2\*c)/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)\*A\*b+2/d/(a^2-b^2)\*tan(1/2\*d\*x+1/2\*c)/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)\*a\*B+2/d\*a/(a-b)/(a+b)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*A-2/d/(a-b)/(a+b)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*B\*b

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.28773, size = 846, normalized size = 8.46

$$\left[ \frac{(Aa^2 - Bab + (Aab - Bb^2) \cos(dx + c))\sqrt{-a^2 + b^2} \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2\sqrt{-a^2 + b^2}(a \cos(dx+c) + b) \sin(dx+c) - a^2 + b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right)}{2((a^4b - 2a^2b^3 + b^5)d \cos(dx + c) + (a^5 - 2a^3b^2 + ab^4)d)} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] [-1/2\*((A\*a^2 - B\*a\*b + (A\*a\*b - B\*b^2)\*cos(d\*x + c))\*sqrt(-a^2 + b^2)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 + 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - 2\*(B\*a^3 - A\*a^2\*b - B\*a\*b^2 + A\*b^3)\*sin(d\*x + c))/((a^4\*b - 2\*a^2\*b^3 + b^5)\*d\*cos(d\*x + c) + (a^5 - 2\*a^3\*b^2 + a\*b^4)\*d), ((A\*a^2 - B\*a\*b + (A\*a\*b - B\*b^2)\*cos(d\*x + c))\*sqrt(a^2 - b^2)\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c)))) + (B\*a^3 - A\*a^2\*b - B\*a\*b^2 + A\*b^3)\*sin(d\*x + c))/((a^4\*b - 2\*a^2\*b^3 + b^5)\*d\*cos(d\*x + c) + (a^5 - 2\*a^3\*b^2 + a\*b^4)\*d)]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 1.29264, size = 215, normalized size = 2.15

$$\frac{2 \left( \left( \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan\left(-\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}}\right) \right) (Aa - Bb) - \frac{Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - Ab \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2 - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + a + b} (a^2 - b^2) \right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] -2\*((pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(-2\*a + 2\*b) + arctan(-(a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))\*(A\*a - B\*b)/(a^2 - b^2)^(3/2) - (B\*a\*tan(1/2\*d\*x + 1/2\*c) - A\*b\*tan(1/2\*d\*x + 1/2\*c))/((a\*tan(1/2\*d\*x + 1/2\*c)^2 - b\*tan(1/2\*d\*x + 1/2\*c)^2 + a + b)\*(a^2 - b^2)))/d

$$3.262 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=133

$$\frac{2(2a^2Ab + a^3(-B) - Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{b(Ab - aB) \sin(c+dx)}{ad(a^2 - b^2)(a+b \cos(c+dx))} + \frac{A \tanh^{-1}(\sin(c+dx))}{a^2d}$$

[Out]  $(-2*(2*a^2*A*b - A*b^3 - a^3*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*(a - b)^{(3/2)}*(a + b)^{(3/2)*d} + (A*ArcTanh[Sin[c + d*x]])/(a^2*d) + (b*(A*b - a*B)*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Cos[c + d*x]))$

**Rubi [A]** time = 0.281664, antiderivative size = 133, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.172$ , Rules used = {3000, 3001, 3770, 2659, 205}

$$\frac{2(2a^2Ab + a^3(-B) - Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2d(a-b)^{3/2}(a+b)^{3/2}} + \frac{b(Ab - aB) \sin(c+dx)}{ad(a^2 - b^2)(a+b \cos(c+dx))} + \frac{A \tanh^{-1}(\sin(c+dx))}{a^2d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*\text{Cos}[c + d*x])*Sec[c + d*x]/(a + b*\text{Cos}[c + d*x])^2, x]$

[Out]  $(-2*(2*a^2*A*b - A*b^3 - a^3*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^2*(a - b)^{(3/2)}*(a + b)^{(3/2)*d} + (A*ArcTanh[Sin[c + d*x]])/(a^2*d) + (b*(A*b - a*B)*Sin[c + d*x])/(a*(a^2 - b^2)*d*(a + b*Cos[c + d*x]))$

### Rule 3000

$\text{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e + f*x])^{(1+n)}]/(f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m+1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[(a*A - b*B)*(b*c - a*d)*(m+1) + b*d*(A*b - a*B)*(m+n+2) + (A*b - a*B)*(a*d*(m+1) - b*c*(m+2))*\text{Sin}[e + f*x] - b*d*(A*b - a*B)*(m+n+3)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{RationalQ}[m] \&\& m < -1 \&\& ((\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m] \&\& !\text{IntegerQ}[n]) || !(\text{IntegerQ}[2*n] \&\& \text{LtQ}[n, -1] \&\& ((\text{IntegerQ}[n] \&\& !\text{IntegerQ}[m]) || \text{EqQ}[a, 0])))$

### Rule 3001

$\text{Int}[(A_. + (B_.)*\sin[(e_.) + (f_.)*(x_.)])/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(c_.)} + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Dist}[(A*b - a*B)/(b*c - a*d), \text{Int}[1/(a + b*\text{Sin}[e + f*x]), x], x] + \text{Dist}[(B*c - A*d)/(b*c - a*d), \text{Int}[1/(c + d*\text{Sin}[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_.)], x\_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

**Rule 2659**

```
Int[((a_) + (b_)*sin[Pi/2 + (c_) + (d_)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

**Rule 205**

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^2} dx = \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{(A(a^2 - b^2) - a(Ab - aB) \cos(c + dx)) \sec(c + dx)}{a + b \cos(c + dx)} dx}{a(a^2 - b^2)}$$

$$= \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{A \int \sec(c + dx) dx}{a^2} - \frac{(2a^2 Ab - Ab^3 - a^3 B) \int \sec(c + dx) dx}{a^2(a^2 - b^2)}$$

$$= \frac{A \tanh^{-1}(\sin(c + dx))}{a^2 d} + \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} - \frac{(2(2a^2 Ab - Ab^3 - a^3 B) \int \sec(c + dx) dx)}{a^2(a^2 - b^2)}$$

$$= -\frac{2(2a^2 Ab - Ab^3 - a^3 B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^2(a-b)^{3/2}(a+b)^{3/2}d} + \frac{A \tanh^{-1}(\sin(c + dx))}{a^2 d} + \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))}$$

**Mathematica [A]** time = 0.590359, size = 191, normalized size = 1.44

$$\cos(c + dx)(A \sec(c + dx) + B) \left( \frac{2(-2a^2 Ab + a^3 B + Ab^3) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{3/2}} + \frac{ab(Ab - aB) \sin(c + dx)}{(a-b)(a+b)(a+b \cos(c + dx))} - A \log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) \right) \frac{1}{a^2 d (A + B \cos(c + dx))}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^2, x]
```

```
[Out] (Cos[c + d*x]*(B + A*Sec[c + d*x])*((2*(-2*a^2*A*b + A*b^3 + a^3*B)*ArcTanh
[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(3/2) - A*Log[C
os[(c + d*x)/2] - Sin[(c + d*x)/2]] + A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x
)/2]] + (a*b*(A*b - a*B)*Sin[c + d*x])/((a - b)*(a + b)*(a + b*Cos[c + d*x]
))))/(a^2*d*(A + B*Cos[c + d*x]))
```

**Maple [B]** time = 0.158, size = 342, normalized size = 2.6

$$-\frac{A}{a^2 d} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) + \frac{A}{a^2 d} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) + 2 \frac{b^2 \tan(1/2 dx + c/2) A}{da(a^2 - b^2) \left( (\tan(1/2 dx + c/2))^2 a - (\tan(1/2 dx + c/2))^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^2, x)
```



```
[Out] -1/d*A/a^2*ln(tan(1/2*d*x+1/2*c)-1)+1/d*A/a^2*ln(tan(1/2*d*x+1/2*c)+1)+2/d/
a*b^2/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*
c)^2*b+a+b)*A-2/d*b/(a^2-b^2)*tan(1/2*d*x+1/2*c)/(tan(1/2*d*x+1/2*c)^2*a-ta
n(1/2*d*x+1/2*c)^2*b+a+b)*B-4/d*b/(a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(ta
n(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A+2/d/a^2/(a-b)/(a+b)/((a-b)*(a
+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A*b^3+2/d/(
a-b)/(a+b)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b)
)^(1/2))*B*a
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^2,x, algorithm="maxi
ma")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 24.139, size = 1534, normalized size = 11.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^2,x, algorithm="fric
as")
```

```
[Out] [1/2*((B*a^4 - 2*A*a^3*b + A*a*b^3 + (B*a^3*b - 2*A*a^2*b^2 + A*b^4)*cos(d*
x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x +
c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/
(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) + (A*a^5 - 2*A*a^3*b^2 + A
*a*b^4 + (A*a^4*b - 2*A*a^2*b^3 + A*b^5)*cos(d*x + c))*log(sin(d*x + c) + 1
) - (A*a^5 - 2*A*a^3*b^2 + A*a*b^4 + (A*a^4*b - 2*A*a^2*b^3 + A*b^5)*cos(d*
x + c))*log(-sin(d*x + c) + 1) - 2*(B*a^4*b - A*a^3*b^2 - B*a^2*b^3 + A*a*b
^4)*sin(d*x + c))/((a^6*b - 2*a^4*b^3 + a^2*b^5)*d*cos(d*x + c) + (a^7 - 2*
a^5*b^2 + a^3*b^4)*d), 1/2*(2*(B*a^4 - 2*A*a^3*b + A*a*b^3 + (B*a^3*b - 2*A
*a^2*b^2 + A*b^4)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b
)/(sqrt(a^2 - b^2)*sin(d*x + c))) + (A*a^5 - 2*A*a^3*b^2 + A*a*b^4 + (A*a^4
*b - 2*A*a^2*b^3 + A*b^5)*cos(d*x + c))*log(sin(d*x + c) + 1) - (A*a^5 - 2*
A*a^3*b^2 + A*a*b^4 + (A*a^4*b - 2*A*a^2*b^3 + A*b^5)*cos(d*x + c))*log(-si
n(d*x + c) + 1) - 2*(B*a^4*b - A*a^3*b^2 - B*a^2*b^3 + A*a*b^4)*sin(d*x + c
))/((a^6*b - 2*a^4*b^3 + a^2*b^5)*d*cos(d*x + c) + (a^7 - 2*a^5*b^2 + a^3*b
^4)*d)]
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Integral((A + B\*cos(c + d\*x))\*sec(c + d\*x)/(a + b\*cos(c + d\*x))\*\*2, x)

**Giac [A]** time = 1.26783, size = 301, normalized size = 2.26

$$\frac{2(Ba^3 - 2Aa^2b + Ab^3) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left( \frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^4 - a^2b^2)\sqrt{a^2 - b^2}} + \frac{A \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^2} - \frac{A \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^2} - \frac{\dots}{(a^3)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] (2\*(B\*a^3 - 2\*A\*a^2\*b + A\*b^3)\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(2\*a - 2\*b) + arctan((a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))/((a^4 - a^2\*b^2)\*sqrt(a^2 - b^2)) + A\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a^2 - A\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a^2 - 2\*(B\*a\*b\*tan(1/2\*d\*x + 1/2\*c) - A\*b^2\*tan(1/2\*d\*x + 1/2\*c))/((a^3 - a\*b^2)\*(a\*tan(1/2\*d\*x + 1/2\*c)^2 - b\*tan(1/2\*d\*x + 1/2\*c)^2 + a + b))/d

$$3.263 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=189

$$\frac{2b(3a^2Ab - 2a^3B + ab^2B - 2Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{3/2}(a+b)^{3/2}} + \frac{(a^2A + abB - 2Ab^2) \tan(c+dx)}{a^2d(a^2 - b^2)} + \frac{b(Ab - aB) \tan(c+dx)}{ad(a^2 - b^2)(a+b)}$$

[Out] (2\*b\*(3\*a^2\*A\*b - 2\*A\*b^3 - 2\*a^3\*B + a\*b^2\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(a^3\*(a - b)^(3/2)\*(a + b)^(3/2)\*d) - ((2\*A\*b - a\*B)\*ArcTanh[Sin[c + d\*x]])/(a^3\*d) + ((a^2\*A - 2\*A\*b^2 + a\*b\*B)\*Tan[c + d\*x])/(a^2\*(a^2 - b^2)\*d) + (b\*(A\*b - a\*B)\*Tan[c + d\*x])/(a\*(a^2 - b^2)\*d\*(a + b)\*Cos[c + d\*x]))

**Rubi [A]** time = 0.673164, antiderivative size = 189, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{2b(3a^2Ab - 2a^3B + ab^2B - 2Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{3/2}(a+b)^{3/2}} + \frac{(a^2A + abB - 2Ab^2) \tan(c+dx)}{a^2d(a^2 - b^2)} + \frac{b(Ab - aB) \tan(c+dx)}{ad(a^2 - b^2)(a+b)}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(a + b\*Cos[c + d\*x]^2,x]

[Out] (2\*b\*(3\*a^2\*A\*b - 2\*A\*b^3 - 2\*a^3\*B + a\*b^2\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(a^3\*(a - b)^(3/2)\*(a + b)^(3/2)\*d) - ((2\*A\*b - a\*B)\*ArcTanh[Sin[c + d\*x]])/(a^3\*d) + ((a^2\*A - 2\*A\*b^2 + a\*b\*B)\*Tan[c + d\*x])/(a^2\*(a^2 - b^2)\*d) + (b\*(A\*b - a\*B)\*Tan[c + d\*x])/(a\*(a^2 - b^2)\*d\*(a + b)\*Cos[c + d\*x]))

#### Rule 3000

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(1 + n))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(a\*A - b\*B)\*(b\*c - a\*d)\*(m + 1) + b\*d\*(A\*b - a\*B)\*(m + n + 2) + (A\*b - a\*B)\*(a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(A\*b - a\*B)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*

```
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3001

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(A*b - a*B)/(b*c - a*d), Int[1/(a + b*SIN[e + f*x]), x], x] + Dist[(B*c - A*d)/(b*c - a*d), Int[1/(c + d*SIN[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 205

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^2} dx = \frac{b(Ab - aB) \tan(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{(a^2 A - 2Ab^2 + abB - a(Ab - aB) \cos(c + dx) + b(Ab - aB) \cos^2(c + dx)) \tan(c + dx)}{a + b \cos(c + dx)} dx}{a(a^2 - b^2)}$$

$$= \frac{(a^2 A - 2Ab^2 + abB) \tan(c + dx)}{a^2(a^2 - b^2)d} + \frac{b(Ab - aB) \tan(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{-(a^2 - b^2) \cos^2(c + dx) \tan(c + dx)}{a + b \cos(c + dx)} dx}{a(a^2 - b^2)}$$

$$= \frac{(a^2 A - 2Ab^2 + abB) \tan(c + dx)}{a^2(a^2 - b^2)d} + \frac{b(Ab - aB) \tan(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} - \frac{(2Ab - a^2) \tan(c + dx)}{a(a^2 - b^2)}$$

$$= -\frac{(2Ab - aB) \tanh^{-1}(\sin(c + dx))}{a^3 d} + \frac{(a^2 A - 2Ab^2 + abB) \tan(c + dx)}{a^2(a^2 - b^2)d} + \frac{b(Ab - aB) \tan(c + dx)}{a(a^2 - b^2)}$$

$$= \frac{2b(3a^2 Ab - 2Ab^3 - 2a^3 B + ab^2 B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^3(a-b)^{3/2}(a+b)^{3/2}d} - \frac{(2Ab - aB) \tanh^{-1}(\sin(c + dx))}{a^3 d}$$

**Mathematica [A]** time = 1.7186, size = 240, normalized size = 1.27

$$\frac{2b(-3a^2Ab+2a^3B-ab^2B+2Ab^3)\tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{3/2}} + \frac{ab^2(aB-Ab)\sin(c+dx)}{(a-b)(a+b)(a+b\cos(c+dx))} + aA\tan(c+dx) - aB\log\left(\cos\left(\frac{1}{2}(c+dx)\right)\right) -$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(a + b\*Cos[c + d\*x])^2,x]

[Out] ((-2\*b\*(-3\*a^2\*A\*b + 2\*A\*b^3 + 2\*a^3\*B - a\*b^2\*B)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(3/2) + 2\*A\*b\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - a\*B\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - 2\*A\*b\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + a\*B\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + (a\*b^2\*(-(A\*b) + a\*B)\*Sin[c + d\*x])/((a - b)\*(a + b)\*(a + b\*Cos[c + d\*x])) + a\*A\*Tan[c + d\*x]/(a^3\*d)

**Maple [B]** time = 0.174, size = 502, normalized size = 2.7

$$-\frac{A}{a^2d}\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right)^{-1} + 2\frac{\ln(\tan(1/2 dx + c/2) - 1)Ab}{da^3} - \frac{B}{a^2d}\ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) - \frac{A}{a^2d}\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^2,x)

[Out] -1/d\*A/a^2/(tan(1/2\*d\*x+1/2\*c)-1)+2/d/a^3\*ln(tan(1/2\*d\*x+1/2\*c)-1)\*A\*b-1/d/a^2\*ln(tan(1/2\*d\*x+1/2\*c)-1)\*B-1/d\*A/a^2/(tan(1/2\*d\*x+1/2\*c)+1)-2/d/a^3\*ln(tan(1/2\*d\*x+1/2\*c)+1)\*A\*b+1/d/a^2\*ln(tan(1/2\*d\*x+1/2\*c)+1)\*B-2/d\*b^3/a^2/(a^2-b^2)\*tan(1/2\*d\*x+1/2\*c)/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)\*A+2/d\*b^2/a/(a^2-b^2)\*tan(1/2\*d\*x+1/2\*c)/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)\*B+6/d\*b^2/a/(a-b)/(a+b)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*A-4/d\*b^4/a^3/(a-b)/(a+b)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*A-4/d/(a-b)/(a+b)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*B\*b+2/d\*b^3/a^2/(a-b)/(a+b)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*B

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 69.4434, size = 2419, normalized size = 12.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/2*((2*B*a^3*b^2 - 3*A*a^2*b^3 - B*a*b^4 + 2*A*b^5)*\cos(d*x + c)^2 + (2*B*a^4*b - 3*A*a^3*b^2 - B*a^2*b^3 + 2*A*a*b^4)*\cos(d*x + c))*\sqrt{-a^2 + b^2} \\ & * \log((2*a*b*\cos(d*x + c) + (2*a^2 - b^2)*\cos(d*x + c)^2 - 2*\sqrt{-a^2 + b^2}*(a*\cos(d*x + c) + b)*\sin(d*x + c) - a^2 + 2*b^2)/(b^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + a^2)) - ((B*a^5*b - 2*A*a^4*b^2 - 2*B*a^3*b^3 + 4*A*a^2*b^4 + B*a*b^5 - 2*A*b^6)*\cos(d*x + c)^2 \\ & + (B*a^6 - 2*A*a^5*b - 2*B*a^4*b^2 + 4*A*a^3*b^3 + B*a^2*b^4 - 2*A*a*b^5)*\cos(d*x + c))*\log(\sin(d*x + c) + 1) + ((B*a^5*b - 2*A*a^4*b^2 - 2*B*a^3*b^3 + 4*A*a^2*b^4 + B*a*b^5 - 2*A*b^6)*\cos(d*x + c)^2 \\ & + (B*a^6 - 2*A*a^5*b - 2*B*a^4*b^2 + 4*A*a^3*b^3 + B*a^2*b^4 - 2*A*a*b^5)*\cos(d*x + c))*\log(-\sin(d*x + c) + 1) - 2*(A*a^6 - 2*A*a^4*b^2 + A*a^2*b^4 + (A*a^5*b + B*a^4*b^2 - 3*A*a^3*b^3 - B*a^2*b^4 + 2*A*a*b^5)*\cos(d*x + c))*\sin(d*x + c) \\ & )/(a^7*b - 2*a^5*b^3 + a^3*b^5)*d*\cos(d*x + c)^2 + (a^8 - 2*a^6*b^2 + a^4*b^4)*d*\cos(d*x + c), -1/2*(2*((2*B*a^3*b^2 - 3*A*a^2*b^3 - B*a*b^4 + 2*A*b^5)*\cos(d*x + c)^2 + (2*B*a^4*b - 3*A*a^3*b^2 - B*a^2*b^3 + 2*A*a*b^4)*\cos(d*x + c))*\sqrt{a^2 - b^2} \\ & * \arctan(-(a*\cos(d*x + c) + b)/(\sqrt{a^2 - b^2}*\sin(d*x + c))) - ((B*a^5*b - 2*A*a^4*b^2 - 2*B*a^3*b^3 + 4*A*a^2*b^4 + B*a*b^5 - 2*A*b^6)*\cos(d*x + c)^2 + (B*a^6 - 2*A*a^5*b - 2*B*a^4*b^2 + 4*A*a^3*b^3 + B*a^2*b^4 - 2*A*a*b^5)*\cos(d*x + c))*\log(\sin(d*x + c) + 1) \\ & + ((B*a^5*b - 2*A*a^4*b^2 - 2*B*a^3*b^3 + 4*A*a^2*b^4 + B*a*b^5 - 2*A*b^6)*\cos(d*x + c)^2 + (B*a^6 - 2*A*a^5*b - 2*B*a^4*b^2 + 4*A*a^3*b^3 + B*a^2*b^4 - 2*A*a*b^5)*\cos(d*x + c))*\log(-\sin(d*x + c) + 1) - 2*(A*a^6 - 2*A*a^4*b^2 + A*a^2*b^4 + (A*a^5*b + B*a^4*b^2 - 3*A*a^3*b^3 - B*a^2*b^4 + 2*A*a*b^5)*\cos(d*x + c))*\sin(d*x + c) \\ & )/(a^7*b - 2*a^5*b^3 + a^3*b^5)*d*\cos(d*x + c)^2 + (a^8 - 2*a^6*b^2 + a^4*b^4)*d*\cos(d*x + c)] \end{aligned}$$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Integral((A + B\*cos(c + d\*x))\*sec(c + d\*x)\*\*2/(a + b\*cos(c + d\*x))\*\*2, x)

**Giac [B]** time = 1.40503, size = 545, normalized size = 2.88

$$\frac{2(2Ba^3b-3Aa^2b^2-Bab^3+2Ab^4)\left(\pi\left[\frac{dx+c}{2\pi}+\frac{1}{2}\right]\operatorname{sgn}(-2a+2b)+\arctan\left(-\frac{a\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)-b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)}{\sqrt{a^2-b^2}}\right)\right)}{(a^5-a^3b^2)\sqrt{a^2-b^2}} - \frac{2\left(Aa^3\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-Aa^2b\tan\left(\frac{1}{2}dx+\frac{1}{2}c\right)^3-Aa\right)}{\sqrt{a^2-b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

```
[Out] (2*(2*B*a^3*b - 3*A*a^2*b^2 - B*a*b^3 + 2*A*b^4)*(pi*floor(1/2*(d*x + c)/pi
+ 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x +
1/2*c))/sqrt(a^2 - b^2)))/(a^5 - a^3*b^2)*sqrt(a^2 - b^2)) - 2*(A*a^3*tan
(1/2*d*x + 1/2*c)^3 - A*a^2*b*tan(1/2*d*x + 1/2*c)^3 - A*a*b^2*tan(1/2*d*x
+ 1/2*c)^3 - B*a*b^2*tan(1/2*d*x + 1/2*c)^3 + 2*A*b^3*tan(1/2*d*x + 1/2*c)^
3 + A*a^3*tan(1/2*d*x + 1/2*c) + A*a^2*b*tan(1/2*d*x + 1/2*c) - A*a*b^2*tan
(1/2*d*x + 1/2*c) + B*a*b^2*tan(1/2*d*x + 1/2*c) - 2*A*b^3*tan(1/2*d*x + 1/
2*c))/((a*tan(1/2*d*x + 1/2*c)^4 - b*tan(1/2*d*x + 1/2*c)^4 + 2*b*tan(1/2*d
*x + 1/2*c)^2 - a - b)*(a^4 - a^2*b^2)) + (B*a - 2*A*b)*log(abs(tan(1/2*d*x
+ 1/2*c) + 1))/a^3 - (B*a - 2*A*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^3)
/d
```

$$3.264 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=270

$$\frac{2b^2 (4a^2 Ab - 3a^3 B + 2ab^2 B - 3Ab^3) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{a^4 d (a-b)^{3/2} (a+b)^{3/2}} - \frac{(2a^2 Ab + a^3(-B) + 2ab^2 B - 3Ab^3) \tan(c+dx)}{a^3 d (a^2 - b^2)} + \frac{(a^2 A + 6A^2 b - 4a^2 b^2 B) \operatorname{ArcTan}[\operatorname{Sin}[c+dx]]}{(2a^4 d) - ((2a^2 A b - 3A^2 b^3 - a^3 B + 2a^2 b^2 B) \tan[c+dx]) / (a^3 (a^2 - b^2) d) + ((a^2 A - 3A^2 b^2 + 2a^2 b B) \sec[c+dx] \tan[c+dx]) / (2a^2 (a^2 - b^2) d) + (b(A^2 b - a^2 B) \sec[c+dx] \tan[c+dx]) / (a(a^2 - b^2) d (a + b \cos[c+dx]))}$$

[Out]  $(-2*b^2*(4*a^2*A*b - 3*A*b^3 - 3*a^3*B + 2*a*b^2*B)*\operatorname{ArcTan}[(\operatorname{Sqrt}[a - b]*\operatorname{Tan}[(c + d*x)/2])/\operatorname{Sqrt}[a + b]])/(a^4*(a - b)^{(3/2)}*(a + b)^{(3/2)}*d) + ((a^2*A + 6*A*b^2 - 4*a*b*B)*\operatorname{ArcTan}[\operatorname{Sin}[c + d*x]])/(2*a^4*d) - ((2*a^2*A*b - 3*A*b^3 - a^3*B + 2*a*b^2*B)*\operatorname{Tan}[c + d*x])/(a^3*(a^2 - b^2)*d) + ((a^2*A - 3*A*b^2 + 2*a*b*B)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(2*a^2*(a^2 - b^2)*d) + (b*(A*b - a*B)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(a*(a^2 - b^2)*d*(a + b*\operatorname{Cos}[c + d*x]))$

**Rubi [A]** time = 0.975468, antiderivative size = 270, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{2b^2 (4a^2 Ab - 3a^3 B + 2ab^2 B - 3Ab^3) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{a^4 d (a-b)^{3/2} (a+b)^{3/2}} - \frac{(2a^2 Ab + a^3(-B) + 2ab^2 B - 3Ab^3) \tan(c+dx)}{a^3 d (a^2 - b^2)} + \frac{(a^2 A + 6A^2 b - 4a^2 b^2 B) \operatorname{ArcTan}[\operatorname{Sin}[c+dx]]}{(2a^4 d) - ((2a^2 A b - 3A^2 b^3 - a^3 B + 2a^2 b^2 B) \tan[c+dx]) / (a^3 (a^2 - b^2) d) + ((a^2 A - 3A^2 b^2 + 2a^2 b B) \sec[c+dx] \tan[c+dx]) / (2a^2 (a^2 - b^2) d) + (b(A^2 b - a^2 B) \sec[c+dx] \tan[c+dx]) / (a(a^2 - b^2) d (a + b \cos[c+dx]))}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(A + B*\operatorname{Cos}[c + d*x])* \operatorname{Sec}[c + d*x]^3 / (a + b*\operatorname{Cos}[c + d*x])^2, x]$

[Out]  $(-2*b^2*(4*a^2*A*b - 3*A*b^3 - 3*a^3*B + 2*a*b^2*B)*\operatorname{ArcTan}[(\operatorname{Sqrt}[a - b]*\operatorname{Tan}[(c + d*x)/2])/\operatorname{Sqrt}[a + b]])/(a^4*(a - b)^{(3/2)}*(a + b)^{(3/2)}*d) + ((a^2*A + 6*A*b^2 - 4*a*b*B)*\operatorname{ArcTan}[\operatorname{Sin}[c + d*x]])/(2*a^4*d) - ((2*a^2*A*b - 3*A*b^3 - a^3*B + 2*a*b^2*B)*\operatorname{Tan}[c + d*x])/(a^3*(a^2 - b^2)*d) + ((a^2*A - 3*A*b^2 + 2*a*b*B)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(2*a^2*(a^2 - b^2)*d) + (b*(A*b - a*B)*\operatorname{Sec}[c + d*x]*\operatorname{Tan}[c + d*x])/(a*(a^2 - b^2)*d*(a + b*\operatorname{Cos}[c + d*x]))$

### Rule 3000

$\operatorname{Int}[(a_. + (b_.)*\operatorname{sin}[e_. + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\operatorname{sin}[e_. + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] :> -\operatorname{Simp}[(A*b^2 - a*b*B)*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^{(m+1)}*(c + d*\operatorname{Sin}[e + f*x])^{(1+n)} / (f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \operatorname{Dist}[1 / ((m+1)*(b*c - a*d)*(a^2 - b^2)), \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^{(m+1)}*(c + d*\operatorname{Sin}[e + f*x])^n * \operatorname{Simp}[(a*A - b*B)*(b*c - a*d)*(m+1) + b*d*(A*b - a*B)*(m+n+2) + (A*b - a*B)*(a*d*(m+1) - b*c*(m+2))*\operatorname{Sin}[e + f*x] - b*d*(A*b - a*B)*(m+n+3)*\operatorname{Sin}[e + f*x]^2, x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3055

$\operatorname{Int}[(a_. + (b_.)*\operatorname{sin}[e_. + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\operatorname{sin}[e_. + (f_.)*(x_.)])^{(n_.)}*((A_.) + (B_.)*\operatorname{sin}[e_. + (f_.)*(x_.)] + (C_.)*\operatorname{sin}[e_. + (f_.)*(x_.)]^2), x\_Symbol] :> -\operatorname{Simp}[(A*b^2 - a*b*B + a^2*C)*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^{(m+1)}*(c + d*\operatorname{Sin}[e + f*x])^{(n+1)} / (f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \operatorname{Dist}[(A*b^2 - a*b*B + a^2*C)*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^{(m+1)}*(c + d*\operatorname{Sin}[e + f*x])^{(n+1)} / (f*(m+1)*(b*c - a*d)*(a^2 - b^2)), \operatorname{Int}[(a + b*\operatorname{Sin}[e + f*x])^{(m+1)}*(c + d*\operatorname{Sin}[e + f*x])^n * \operatorname{Simp}[(A*b^2 - a*b*B + a^2*C)*\operatorname{Cos}[e + f*x]*(a + b*\operatorname{Sin}[e + f*x])^{(m+1)}*(c + d*\operatorname{Sin}[e + f*x])^{(n+1)} / (f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x], x], x] /;$



- a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3001

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] := Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/(a + b\*Sin[e + f\*x]), x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_.)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rule 2659

Int[((a\_.) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_.)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

### Rule 205

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned}
 \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + b \cos(c + dx))^2} dx &= \frac{b(Ab - aB) \sec(c + dx) \tan(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} + \int \frac{(a^2A - 3Ab^2 + 2abB - a(Ab - aB) \cos(c + dx) + 2b(Ab - aB) \cos(c + dx))}{a(a^2 - b^2)(a + b \cos(c + dx))} dx \\
 &= \frac{(a^2A - 3Ab^2 + 2abB) \sec(c + dx) \tan(c + dx)}{2a^2(a^2 - b^2)d} + \frac{b(Ab - aB) \sec(c + dx) \tan(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} \\
 &= -\frac{(2a^2Ab - 3Ab^3 - a^3B + 2ab^2B) \tan(c + dx)}{a^3(a^2 - b^2)d} + \frac{(a^2A - 3Ab^2 + 2abB) \sec(c + dx) \tan(c + dx)}{2a^2(a^2 - b^2)d} \\
 &= -\frac{(2a^2Ab - 3Ab^3 - a^3B + 2ab^2B) \tan(c + dx)}{a^3(a^2 - b^2)d} + \frac{(a^2A - 3Ab^2 + 2abB) \sec(c + dx) \tan(c + dx)}{2a^2(a^2 - b^2)d} \\
 &= \frac{(a^2A + 6Ab^2 - 4abB) \tanh^{-1}(\sin(c + dx))}{2a^4d} - \frac{(2a^2Ab - 3Ab^3 - a^3B + 2ab^2B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3(a^2 - b^2)d} \\
 &= -\frac{2b^2(4a^2Ab - 3Ab^3 - 3a^3B + 2ab^2B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4(a-b)^{3/2}(a+b)^{3/2}d} + \frac{(a^2A + 6Ab^2 - 4abB) \tanh^{-1}(\sin(c + dx))}{2a^4d}
 \end{aligned}$$

**Mathematica [A]** time = 6.24621, size = 438, normalized size = 1.62

$$\frac{Ab^4 \sin(c + dx) - ab^3 B \sin(c + dx)}{a^3 d(a - b)(a + b)(a + b \cos(c + dx))} - \frac{2b^2 (-4a^2 Ab + 3a^3 B - 2ab^2 B + 3Ab^3) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2 - a^2}}\right)}{a^4 d(a^2 - b^2) \sqrt{b^2 - a^2}} + \frac{(a^2(-A) + 4ab^2)}{a^3 d(a - b)(a + b)(a + b \cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3)/(a + b\*Cos[c + d\*x])^2,x]

[Out] (-2\*b^2\*(-4\*a^2\*A\*b + 3\*A\*b^3 + 3\*a^3\*B - 2\*a\*b^2\*B)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(a^4\*(a^2 - b^2)\*Sqrt[-a^2 + b^2]\*d) + ((- (a^2\*A) - 6\*A\*b^2 + 4\*a\*b\*B)\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]]/(2\*a^4\*d) + ((a^2\*A + 6\*A\*b^2 - 4\*a\*b\*B)\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]]/(2\*a^4\*d) + A/(4\*a^2\*d\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])^2) - A/(4\*a^2\*d\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])^2) + (-2\*A\*b\*Sin[(c + d\*x)/2] + a\*B\*Sin[(c + d\*x)/2])/(a^3\*d\*(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])) + (-2\*A\*b\*Sin[(c + d\*x)/2] + a\*B\*Sin[(c + d\*x)/2])/(a^3\*d\*(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])) + (A\*b^4\*Sin[c + d\*x] - a\*b^3\*B\*Sin[c + d\*x])/(a^3\*(a - b)\*(a + b)\*d\*(a + b\*Cos[c + d\*x]))

**Maple [B]** time = 0.198, size = 690, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^2,x)

[Out] 1/2/d\*A/a^2/(tan(1/2\*d\*x+1/2\*c)-1)^2+1/2/d\*A/a^2/(tan(1/2\*d\*x+1/2\*c)-1)+2/d/a^3/(tan(1/2\*d\*x+1/2\*c)-1)\*A\*b-1/d/a^2/(tan(1/2\*d\*x+1/2\*c)-1)\*B-1/2/d\*A/a^2\*ln(tan(1/2\*d\*x+1/2\*c)-1)-3/d/a^4\*ln(tan(1/2\*d\*x+1/2\*c)-1)\*A\*b^2+2/d/a^3\*ln(tan(1/2\*d\*x+1/2\*c)-1)\*B\*b-1/2/d\*A/a^2/(tan(1/2\*d\*x+1/2\*c)+1)^2+1/2/d\*A/a^2/(tan(1/2\*d\*x+1/2\*c)+1)+2/d/a^3/(tan(1/2\*d\*x+1/2\*c)+1)\*A\*b-1/d/a^2/(tan(1/2\*d\*x+1/2\*c)+1)\*B+1/2/d\*A/a^2\*ln(tan(1/2\*d\*x+1/2\*c)+1)+3/d/a^4\*ln(tan(1/2\*d\*x+1/2\*c)+1)\*A\*b^2-2/d/a^3\*ln(tan(1/2\*d\*x+1/2\*c)+1)\*B\*b+2/d\*b^4/a^3/(a^2-b^2)\*tan(1/2\*d\*x+1/2\*c)/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)\*A-2/d\*b^3/a^2/(a^2-b^2)\*tan(1/2\*d\*x+1/2\*c)/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)\*B-8/d/a^2/(a-b)/(a+b)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*A\*b^3+6/d\*b^5/a^4/(a-b)/(a+b)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*A+6/d\*b^2/a/(a-b)/(a+b)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*B-4/d\*b^4/a^3/(a-b)/(a+b)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*B

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 109.609, size = 2952, normalized size = 10.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/4*(2*((3*B*a^3*b^3 - 4*A*a^2*b^4 - 2*B*a*b^5 + 3*A*b^6)*\cos(dx + c))^3 \\ & + (3*B*a^4*b^2 - 4*A*a^3*b^3 - 2*B*a^2*b^4 + 3*A*a*b^5)*\cos(dx + c)^2)*\sqrt{(-a^2 + b^2)*\log((2*a*b*\cos(dx + c) + (2*a^2 - b^2)*\cos(dx + c)^2 + 2*\sqrt{(-a^2 + b^2)*(a*\cos(dx + c) + b)*\sin(dx + c) - a^2 + 2*b^2)/(b^2*\cos(dx + c)^2 + 2*a*b*\cos(dx + c) + a^2)) - ((A*a^6*b - 4*B*a^5*b^2 + 4*A*a^4*b^3 + 8*B*a^3*b^4 - 11*A*a^2*b^5 - 4*B*a*b^6 + 6*A*b^7)*\cos(dx + c)^3 + (A*a^7 - 4*B*a^6*b + 4*A*a^5*b^2 + 8*B*a^4*b^3 - 11*A*a^3*b^4 - 4*B*a^2*b^5 + 6*A*a*b^6)*\cos(dx + c)^2)*\log(\sin(dx + c) + 1) + ((A*a^6*b - 4*B*a^5*b^2 + 4*A*a^4*b^3 + 8*B*a^3*b^4 - 11*A*a^2*b^5 - 4*B*a*b^6 + 6*A*b^7)*\cos(dx + c)^3 + (A*a^7 - 4*B*a^6*b + 4*A*a^5*b^2 + 8*B*a^4*b^3 - 11*A*a^3*b^4 - 4*B*a^2*b^5 + 6*A*a*b^6)*\cos(dx + c)^2)*\log(-\sin(dx + c) + 1) - 2*(A*a^7 - 2*A*a^5*b^2 + A*a^3*b^4 + 2*(B*a^6*b - 2*A*a^5*b^2 - 3*B*a^4*b^3 + 5*A*a^3*b^4 + 2*B*a^2*b^5 - 3*A*a*b^6)*\cos(dx + c)^2 + (2*B*a^7 - 3*A*a^6*b - 4*B*a^5*b^2 + 6*A*a^4*b^3 + 2*B*a^3*b^4 - 3*A*a^2*b^5)*\cos(dx + c))*\sin(dx + c)))/(a^8*b - 2*a^6*b^3 + a^4*b^5)*d*\cos(dx + c)^3 + (a^9 - 2*a^7*b^2 + a^5*b^4)*d*\cos(dx + c)^2), 1/4*(4*((3*B*a^3*b^3 - 4*A*a^2*b^4 - 2*B*a*b^5 + 3*A*b^6)*\cos(dx + c)^3 + (3*B*a^4*b^2 - 4*A*a^3*b^3 - 2*B*a^2*b^4 + 3*A*a*b^5)*\cos(dx + c)^2)*\sqrt{a^2 - b^2}*\arctan(-(a*\cos(dx + c) + b)/(\sqrt{a^2 - b^2}*\sin(dx + c))) + ((A*a^6*b - 4*B*a^5*b^2 + 4*A*a^4*b^3 + 8*B*a^3*b^4 - 11*A*a^2*b^5 - 4*B*a*b^6 + 6*A*b^7)*\cos(dx + c)^3 + (A*a^7 - 4*B*a^6*b + 4*A*a^5*b^2 + 8*B*a^4*b^3 - 11*A*a^3*b^4 - 4*B*a^2*b^5 + 6*A*a*b^6)*\cos(dx + c)^2)*\log(\sin(dx + c) + 1) - ((A*a^6*b - 4*B*a^5*b^2 + 4*A*a^4*b^3 + 8*B*a^3*b^4 - 11*A*a^2*b^5 - 4*B*a*b^6 + 6*A*b^7)*\cos(dx + c)^3 + (A*a^7 - 4*B*a^6*b + 4*A*a^5*b^2 + 8*B*a^4*b^3 - 11*A*a^3*b^4 - 4*B*a^2*b^5 + 6*A*a*b^6)*\cos(dx + c)^2)*\log(-\sin(dx + c) + 1) + 2*(A*a^7 - 2*A*a^5*b^2 + A*a^3*b^4 + 2*(B*a^6*b - 2*A*a^5*b^2 - 3*B*a^4*b^3 + 5*A*a^3*b^4 + 2*B*a^2*b^5 - 3*A*a*b^6)*\cos(dx + c)^2 + (2*B*a^7 - 3*A*a^6*b - 4*B*a^5*b^2 + 6*A*a^4*b^3 + 2*B*a^3*b^4 - 3*A*a^2*b^5)*\cos(dx + c))*\sin(dx + c)))/(a^8*b - 2*a^6*b^3 + a^4*b^5)*d*\cos(dx + c)^3 + (a^9 - 2*a^7*b^2 + a^5*b^4)*d*\cos(dx + c)^2)] \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 1.5163, size = 510, normalized size = 1.89

$$\frac{4(3Ba^3b^2 - 4Aa^2b^3 - 2Bab^4 + 3Ab^5) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(-2a+2b) + \arctan \left( -\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^6 - a^4b^2)\sqrt{a^2 - b^2}} + \frac{4(Bab^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - Ab^4 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right))}{(a^5 - a^3b^2) \left( a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] 
$$-1/2*(4*(3*B*a^3*b^2 - 4*A*a^2*b^3 - 2*B*a*b^4 + 3*A*b^5)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2}))/((a^6 - a^4*b^2)*\sqrt{a^2 - b^2}) + 4*(B*a*b^3*\tan(1/2*d*x + 1/2*c) - A*b^4*\tan(1/2*d*x + 1/2*c))/((a^5 - a^3*b^2)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 + a + b)) - (A*a^2 - 4*B*a*b + 6*A*b^2)*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^4 + (A*a^2 - 4*B*a*b + 6*A*b^2)*\log(\operatorname{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^4 - 2*(A*a*\tan(1/2*d*x + 1/2*c)^3 - 2*B*a*\tan(1/2*d*x + 1/2*c)^3 + 4*A*b*\tan(1/2*d*x + 1/2*c)^3 + A*a*\tan(1/2*d*x + 1/2*c) + 2*B*a*\tan(1/2*d*x + 1/2*c) - 4*A*b*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^3))/d$$

$$3.265 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=398

$$\frac{(-11a^2Ab^3 + 6a^4Ab + 21a^3b^2B - 12a^5B - 6ab^4B + 2Ab^5) \sin(c+dx)}{2b^4d(a^2 - b^2)^2} + \frac{a^2(-15a^2Ab^3 + 6a^4Ab + 29a^3b^2B - 12a^5B - 6ab^4B + 2Ab^5) \sin(c+dx)}{b^5d(a-b)^{5/2}}$$

```
[Out] -((6*a*A*b - 12*a^2*B - b^2*B)*x)/(2*b^5) + (a^2*(6*a^4*A*b - 15*a^2*A*b^3 + 12*A*b^5 - 12*a^5*B + 29*a^3*b^2*B - 20*a*b^4*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^5*(a + b)^(5/2)*d) + ((6*a^4*A*b - 11*a^2*A*b^3 + 2*A*b^5 - 12*a^5*B + 21*a^3*b^2*B - 6*a*b^4*B)*Sin[c + d*x])/(2*b^4*(a^2 - b^2)^2*d) - ((3*a^3*A*b - 6*a*A*b^3 - 6*a^4*B + 10*a^2*b^2*B - b^4*B)*Cos[c + d*x]*Sin[c + d*x])/(2*b^3*(a^2 - b^2)^2*d) + (a*(A*b - a*B)*Cos[c + d*x]^3*Ssin[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^2) + (a*(2*a^2*A*b - 5*A*b^3 - 4*a^3*B + 7*a*b^2*B)*Cos[c + d*x]^2*Ssin[c + d*x])/(2*b^2*(a^2 - b^2)^2*d*(a + b*Cos[c + d*x]))
```

**Rubi [A]** time = 1.72365, antiderivative size = 398, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2989, 3047, 3049, 3023, 2735, 2659, 205}

$$\frac{(-11a^2Ab^3 + 6a^4Ab + 21a^3b^2B - 12a^5B - 6ab^4B + 2Ab^5) \sin(c+dx)}{2b^4d(a^2 - b^2)^2} + \frac{a^2(-15a^2Ab^3 + 6a^4Ab + 29a^3b^2B - 12a^5B - 6ab^4B + 2Ab^5) \sin(c+dx)}{b^5d(a-b)^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^3,x]
```

```
[Out] -((6*a*A*b - 12*a^2*B - b^2*B)*x)/(2*b^5) + (a^2*(6*a^4*A*b - 15*a^2*A*b^3 + 12*A*b^5 - 12*a^5*B + 29*a^3*b^2*B - 20*a*b^4*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)*b^5*(a + b)^(5/2)*d) + ((6*a^4*A*b - 11*a^2*A*b^3 + 2*A*b^5 - 12*a^5*B + 21*a^3*b^2*B - 6*a*b^4*B)*Sin[c + d*x])/(2*b^4*(a^2 - b^2)^2*d) - ((3*a^3*A*b - 6*a*A*b^3 - 6*a^4*B + 10*a^2*b^2*B - b^4*B)*Cos[c + d*x]*Sin[c + d*x])/(2*b^3*(a^2 - b^2)^2*d) + (a*(A*b - a*B)*Cos[c + d*x]^3*Ssin[c + d*x])/(2*b*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^2) + (a*(2*a^2*A*b - 5*A*b^3 - 4*a^3*B + 7*a*b^2*B)*Cos[c + d*x]^2*Ssin[c + d*x])/(2*b^2*(a^2 - b^2)^2*d*(a + b*Cos[c + d*x]))
```

#### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Ssin[e + f*x])^(m - 2)*(c + d*Ssin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2)) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0
] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_
.) + (f_.)*(x_)^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x]
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x
] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_
.)*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 205

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^4(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^3} dx &= \frac{a(Ab-aB)\cos^3(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} - \int \frac{\cos^2(c+dx)(-3a(Ab-aB)+2b(Ab-aB)\cos(c+dx))}{(a+b\cos(c+dx))^2} dx \\
&= \frac{a(Ab-aB)\cos^3(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{a(2a^2Ab-5Ab^3-4a^3B+7ab^2B)\cos(c+dx)\sin(c+dx)}{2b^2(a^2-b^2)^2d(a+b\cos(c+dx))} \\
&= -\frac{(3a^3Ab-6aAb^3-6a^4B+10a^2b^2B-b^4B)\cos(c+dx)\sin(c+dx)}{2b^3(a^2-b^2)^2d} + \frac{a(Ab-aB)\cos^3(c+dx)\sin(c+dx)}{2b(a^2-b^2)d} \\
&= \frac{(6a^4Ab-11a^2Ab^3+2Ab^5-12a^5B+21a^3b^2B-6ab^4B)\sin(c+dx)}{2b^4(a^2-b^2)^2d} - \frac{(3a^3Ab-6aAb^3-6a^4B+10a^2b^2B-b^4B)\cos(c+dx)\sin(c+dx)}{2b^3(a^2-b^2)^2d} \\
&= -\frac{(6aAb-12a^2B-b^2B)x}{2b^5} + \frac{(6a^4Ab-11a^2Ab^3+2Ab^5-12a^5B+21a^3b^2B-6ab^4B)\sin(c+dx)}{2b^4(a^2-b^2)^2d} \\
&= -\frac{(6aAb-12a^2B-b^2B)x}{2b^5} + \frac{(6a^4Ab-11a^2Ab^3+2Ab^5-12a^5B+21a^3b^2B-6ab^4B)\sin(c+dx)}{2b^4(a^2-b^2)^2d} \\
&= -\frac{(6aAb-12a^2B-b^2B)x}{2b^5} + \frac{a^2(6a^4Ab-15a^2Ab^3+12Ab^5-12a^5B+29a^3b^2B-6ab^4B)\sin(c+dx)}{(a-b)^{5/2}b^5(a+b\cos(c+dx))}
\end{aligned}$$

**Mathematica [A]** time = 3.29314, size = 734, normalized size = 1.84

$$\frac{16ab(a^2-b^2)^2(c+dx)(12a^2B-6aAb+b^2B)\cos(c+dx)+4(b^3-a^2b)^2(c+dx)(12a^2B-6aAb+b^2B)\cos(2(c+dx))+48a^6Ab^2\sin(c+dx)+36a^5Ab^3\sin(2(c+dx))-84a^4Ab^4\sin(3(c+dx))}{(a+b\cos(c+dx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^4\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^3, x]

[Out] ((16\*a^2\*(-6\*a^4\*A\*b + 15\*a^2\*A\*b^3 - 12\*A\*b^5 + 12\*a^5\*B - 29\*a^3\*b^2\*B + 20\*a\*b^4\*B)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5/2) + (-48\*a^7\*A\*b\*c + 72\*a^5\*A\*b^3\*c - 24\*a\*A\*b^7\*c + 96\*a^8\*B\*c - 136\*a^6\*b^2\*B\*c - 12\*a^4\*b^4\*B\*c + 48\*a^2\*b^6\*B\*c + 4\*b^8\*B\*c - 48\*a^7\*A\*b\*d\*x + 72\*a^5\*A\*b^3\*d\*x - 24\*a\*A\*b^7\*d\*x + 96\*a^8\*B\*d\*x - 136\*a^6\*b^2\*B\*d\*x - 12\*a^4\*b^4\*B\*d\*x + 48\*a^2\*b^6\*B\*d\*x + 4\*b^8\*B\*d\*x + 16\*a\*b\*(a^2 - b^2)^2\*(-6\*a\*A\*b + 12\*a^2\*B + b^2\*B)\*(c + d\*x)\*Cos[c + d\*x] + 4\*(-(a^2\*b) + b^3)^2\*(-6\*a\*A\*b + 12\*a^2\*B + b^2\*B)\*(c + d\*x)\*Cos[2\*(c + d\*x)] + 48\*a^6\*A\*b^2\*Sin[c + d\*x] - 84\*a^4\*A\*b^4\*Sin[c + d\*x] + 8\*a^2\*A\*b^6\*Sin[c + d\*x] + 4\*A\*b^8\*Sin[c + d\*x] - 96\*a^7\*b\*B\*Sin[c + d\*x] + 160\*a^5\*b^3\*B\*Sin[c + d\*x] - 32\*a^3\*b^5\*B\*Sin[c + d\*x] - 8\*a\*b^7\*B\*Sin[c + d\*x] + 36\*a^5\*A\*b^3\*Sin[2\*(c + d\*x)] - 64\*a^3\*A\*b^5\*Sin[2\*(c + d\*x)] + 16\*a\*A\*b^7\*Sin[2\*(c + d\*x)] - 72\*a^6\*b^2\*B\*Sin[2\*(c + d\*x)] + 130\*a^4\*b^4\*B\*Sin[2\*(c + d\*x)] - 48\*a^2\*b^6\*B\*Sin[2\*(c + d\*x)] + 2\*b^8\*B\*Sin[2\*(c + d\*x)] + 4\*a^4\*A\*b^4\*Sin[3\*(c + d\*x)] - 8\*a^2\*A\*b^6\*Sin[3\*(c + d\*x)] + 4\*A\*b^8\*Sin[3\*(c + d\*x)] - 8\*a^5\*b^3\*B\*Sin[3\*(c + d\*x)] + 16\*a^3\*b^5\*B\*Sin[3\*(c + d\*x)] - 8\*a\*b^7\*B\*Sin[3\*(c + d\*x)] + a^4\*b^4\*B\*Sin[4\*(c + d\*x)] - 2\*a^2\*b^6\*B\*Sin[4\*(c + d\*x)] + b^8\*B\*Sin[4\*(c + d\*x)]))/((a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])^2)/(16\*b^5\*d)

---

**Maple [B]** time = 0.132, size = 1504, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(dx+c)^4(A+B\cos(dx+c))/(a+b\cos(dx+c))^3, x)$

[Out]  $\frac{1}{d/b^3} \frac{(1+\tan(1/2 dx+1/2 c))^2 \tan(1/2 dx+1/2 c) B - 6/d/b^4 \arctan(\tan(1/2 dx+1/2 c)) A a + 29/d a^5/b^3 (a^4 - 2 a^2 b^2 + b^4) / ((a-b)(a+b))^{1/2} \arctan(\tan(1/2 dx+1/2 c) (a-b) / ((a-b)(a+b))^{1/2}) B - 20/d a^3/b (a^4 - 2 a^2 b^2 + b^4) / ((a-b)(a+b))^{1/2} \arctan(\tan(1/2 dx+1/2 c) (a-b) / ((a-b)(a+b))^{1/2}) B - 12/d a^7/b^5 (a^4 - 2 a^2 b^2 + b^4) / ((a-b)(a+b))^{1/2} \arctan(\tan(1/2 dx+1/2 c) (a-b) / ((a-b)(a+b))^{1/2}) B + 6/d a^6/b^4 (a^4 - 2 a^2 b^2 + b^4) / ((a-b)(a+b))^{1/2} \arctan(\tan(1/2 dx+1/2 c) (a-b) / ((a-b)(a+b))^{1/2}) A - 15/d a^4/b^2 (a^4 - 2 a^2 b^2 + b^4) / ((a-b)(a+b))^{1/2} \arctan(\tan(1/2 dx+1/2 c) (a-b) / ((a-b)(a+b))^{1/2}) A - 6/d/b^4 (1+\tan(1/2 dx+1/2 c))^2 \tan(1/2 dx+1/2 c) B a + 12/d a^2 (a^4 - 2 a^2 b^2 + b^4) / ((a-b)(a+b))^{1/2} \arctan(\tan(1/2 dx+1/2 c) (a-b) / ((a-b)(a+b))^{1/2}) A - 6/d/b^4 (1+\tan(1/2 dx+1/2 c))^2 \tan(1/2 dx+1/2 c)^3 B a + 10/d a^4/b^2 (\tan(1/2 dx+1/2 c))^2 a - \tan(1/2 dx+1/2 c)^2 b + a + b)^2 / (a+b) / (a-b)^2 \tan(1/2 dx+1/2 c) B - 8/d a^3/b (\tan(1/2 dx+1/2 c))^2 a - \tan(1/2 dx+1/2 c)^2 b + a + b)^2 / (a+b) / (a-b)^2 \tan(1/2 dx+1/2 c) A - 1/d a^5/b^3 (\tan(1/2 dx+1/2 c))^2 a - \tan(1/2 dx+1/2 c)^2 b + a + b)^2 / (a+b) / (a-b)^2 \tan(1/2 dx+1/2 c) B + 10/d a^4/b^2 (\tan(1/2 dx+1/2 c))^2 a - \tan(1/2 dx+1/2 c)^2 b + a + b)^2 / (a+b) / (a^2 + 2 a b + b^2) \tan(1/2 dx+1/2 c)^3 B - 8/d a^3/b (\tan(1/2 dx+1/2 c))^2 a - \tan(1/2 dx+1/2 c)^2 b + a + b)^2 / (a-b) / (a^2 + 2 a b + b^2) \tan(1/2 dx+1/2 c)^3 A - 6/d a^6/b^4 (\tan(1/2 dx+1/2 c))^2 a - \tan(1/2 dx+1/2 c)^2 b + a + b)^2 / (a+b) / (a-b)^2 \tan(1/2 dx+1/2 c) B - 1/d a^4/b^2 (\tan(1/2 dx+1/2 c))^2 a - \tan(1/2 dx+1/2 c)^2 b + a + b)^2 / (a+b) / (a^2 + 2 a b + b^2) \tan(1/2 dx+1/2 c)^3 A + 4/d a^5/b^3 (\tan(1/2 dx+1/2 c))^2 a - \tan(1/2 dx+1/2 c)^2 b + a + b)^2 / (a+b) / (a-b)^2 \tan(1/2 dx+1/2 c) A + 1/d a^4/b^2 (\tan(1/2 dx+1/2 c))^2 a - \tan(1/2 dx+1/2 c)^2 b + a + b)^2 / (a+b) / (a-b)^2 \tan(1/2 dx+1/2 c) A - 6/d a^6/b^4 (\tan(1/2 dx+1/2 c))^2 a - \tan(1/2 dx+1/2 c)^2 b + a + b)^2 / (a-b) / (a^2 + 2 a b + b^2) \tan(1/2 dx+1/2 c)^3 B + 1/d a^5/b^3 (\tan(1/2 dx+1/2 c))^2 a - \tan(1/2 dx+1/2 c)^2 b + a + b)^2 / (a+b) / (a^2 + 2 a b + b^2) \tan(1/2 dx+1/2 c)^3 B + 4/d a^5/b^3 (\tan(1/2 dx+1/2 c))^2 a - \tan(1/2 dx+1/2 c)^2 b + a + b)^2 / (a-b) / (a^2 + 2 a b + b^2) \tan(1/2 dx+1/2 c)^3 A + 1/d/b^3 \arctan(\tan(1/2 dx+1/2 c)) B + 2/d/b^3 (1+\tan(1/2 dx+1/2 c))^2 \tan(1/2 dx+1/2 c)^3 A + 12/d/b^5 \arctan(\tan(1/2 dx+1/2 c)) B a^2 - 1/d/b^3 (1+\tan(1/2 dx+1/2 c))^2 \tan(1/2 dx+1/2 c)^3 B + 2/d/b^3 (1+\tan(1/2 dx+1/2 c))^2 \tan(1/2 dx+1/2 c) A$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)^4(A+B\cos(dx+c))/(a+b\cos(dx+c))^3, x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

---



**Fricas [B]** time = 2.166, size = 4001, normalized size = 10.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/4*(2*(12*B*a^8*b^2 - 6*A*a^7*b^3 - 35*B*a^6*b^4 + 18*A*a^5*b^5 + 33*B*a^4*b^6 - 18*A*a^3*b^7 - 9*B*a^2*b^8 + 6*A*a*b^9 - B*b^{10})*d*x*\cos(d*x + c)^2 \\ & + 4*(12*B*a^9*b - 6*A*a^8*b^2 - 35*B*a^7*b^3 + 18*A*a^6*b^4 + 33*B*a^5*b^5 - 18*A*a^4*b^6 - 9*B*a^3*b^7 + 6*A*a^2*b^8 - B*a*b^9)*d*x*\cos(d*x + c) + 2 \\ & *(12*B*a^{10} - 6*A*a^9*b - 35*B*a^8*b^2 + 18*A*a^7*b^3 + 33*B*a^6*b^4 - 18*A*a^5*b^5 - 9*B*a^4*b^6 + 6*A*a^3*b^7 - B*a^2*b^8)*d*x + (12*B*a^9 - 6*A*a^8*b \\ & *b - 29*B*a^7*b^2 + 15*A*a^6*b^3 + 20*B*a^5*b^4 - 12*A*a^4*b^5 + (12*B*a^7*b^2 - 6*A*a^6*b^3 - 29*B*a^5*b^4 + 15*A*a^4*b^5 + 20*B*a^3*b^6 - 12*A*a^2*b^7) \\ & *\cos(d*x + c)^2 + 2*(12*B*a^8*b - 6*A*a^7*b^2 - 29*B*a^6*b^3 + 15*A*a^5*b^4 + 20*B*a^4*b^5 - 12*A*a^3*b^6)*\cos(d*x + c))*\sqrt{-a^2 + b^2}*\log((2*a*b*\cos(d*x + c) + (2*a^2 - b^2)*\cos(d*x + c)^2 + 2*\sqrt{-a^2 + b^2}*(a*\cos(d*x + c) + b)*\sin(d*x + c) - a^2 + 2*b^2)/(b^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + a^2)) - 2*(12*B*a^9*b - 6*A*a^8*b^2 - 33*B*a^7*b^3 + 17*A*a^6*b^4 + 27*B*a^5*b^5 - 13*A*a^4*b^6 - 6*B*a^3*b^7 + 2*A*a^2*b^8 - (B*a^6*b^4 - 3*B*a^4*b^6 + 3*B*a^2*b^8 - B*b^{10})*\cos(d*x + c)^3 + 2*(2*B*a^7*b^3 - A*a^6*b^4 - 6*B*a^5*b^5 + 3*A*a^4*b^6 + 6*B*a^3*b^7 - 3*A*a^2*b^8 - 2*B*a*b^9 + A*b^{10})*\cos(d*x + c)^2 + (18*B*a^8*b^2 - 9*A*a^7*b^3 - 50*B*a^6*b^4 + 25*A*a^5*b^5 + 43*B*a^4*b^6 - 20*A*a^3*b^7 - 11*B*a^2*b^8 + 4*A*a*b^9)*\cos(d*x + c))*\sin(d*x + c))/((a^6*b^7 - 3*a^4*b^9 + 3*a^2*b^{11} - b^{13})*d*\cos(d*x + c)^2 + 2*(a^7*b^6 - 3*a^5*b^8 + 3*a^3*b^{10} - a*b^{12})*d*\cos(d*x + c) + (a^8*b^5 - 3*a^6*b^7 + 3*a^4*b^9 - a^2*b^{11})*d), 1/2*((12*B*a^8*b^2 - 6*A*a^7*b^3 - 35*B*a^6*b^4 + 18*A*a^5*b^5 + 33*B*a^4*b^6 - 18*A*a^3*b^7 - 9*B*a^2*b^8 + 6*A*a*b^9 - B*b^{10})*d*x*\cos(d*x + c)^2 + 2*(12*B*a^9*b - 6*A*a^8*b^2 - 35*B*a^7*b^3 + 18*A*a^6*b^4 + 33*B*a^5*b^5 - 18*A*a^4*b^6 - 9*B*a^3*b^7 + 6*A*a^2*b^8 - B*a*b^9)*d*x*\cos(d*x + c) + (12*B*a^{10} - 6*A*a^9*b - 35*B*a^8*b^2 + 18*A*a^7*b^3 + 33*B*a^6*b^4 - 18*A*a^5*b^5 - 9*B*a^4*b^6 + 6*A*a^3*b^7 - B*a^2*b^8)*d*x - (12*B*a^9 - 6*A*a^8*b - 29*B*a^7*b^2 + 15*A*a^6*b^3 + 20*B*a^5*b^4 - 12*A*a^4*b^5 + (12*B*a^7*b^2 - 6*A*a^6*b^3 - 29*B*a^5*b^4 + 15*A*a^4*b^5 + 20*B*a^3*b^6 - 12*A*a^2*b^7)*\cos(d*x + c)^2 + 2*(12*B*a^8*b - 6*A*a^7*b^2 - 29*B*a^6*b^3 + 15*A*a^5*b^4 + 20*B*a^4*b^5 - 12*A*a^3*b^6)*\cos(d*x + c))*\sqrt{a^2 - b^2}*\arctan(-(a*\cos(d*x + c) + b)/(\sqrt{a^2 - b^2}*\sin(d*x + c))) - (12*B*a^9*b - 6*A*a^8*b^2 - 33*B*a^7*b^3 + 17*A*a^6*b^4 + 27*B*a^5*b^5 - 13*A*a^4*b^6 - 6*B*a^3*b^7 + 2*A*a^2*b^8 - (B*a^6*b^4 - 3*B*a^4*b^6 + 3*B*a^2*b^8 - B*b^{10})*\cos(d*x + c)^3 + 2*(2*B*a^7*b^3 - A*a^6*b^4 - 6*B*a^5*b^5 + 3*A*a^4*b^6 + 6*B*a^3*b^7 - 3*A*a^2*b^8 - 2*B*a*b^9 + A*b^{10})*\cos(d*x + c)^2 + (18*B*a^8*b^2 - 9*A*a^7*b^3 - 50*B*a^6*b^4 + 25*A*a^5*b^5 + 43*B*a^4*b^6 - 20*A*a^3*b^7 - 11*B*a^2*b^8 + 4*A*a*b^9)*\cos(d*x + c))*\sin(d*x + c))/((a^6*b^7 - 3*a^4*b^9 + 3*a^2*b^{11} - b^{13})*d*\cos(d*x + c)^2 + 2*(a^7*b^6 - 3*a^5*b^8 + 3*a^3*b^{10} - a*b^{12})*d*\cos(d*x + c) + (a^8*b^5 - 3*a^6*b^7 + 3*a^4*b^9 - a^2*b^{11})*d)] \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*4\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.65749, size = 1821, normalized size = 4.58

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] 
$$\frac{1}{2} * (2 * (12 * B * a^7 - 6 * A * a^6 * b - 29 * B * a^5 * b^2 + 15 * A * a^4 * b^3 + 20 * B * a^3 * b^4 - 12 * A * a^2 * b^5) * (\pi * \text{floor}(1/2 * (d * x + c) / \pi + 1/2) * \text{sgn}(-2 * a + 2 * b) + \arctan((a * \tan(1/2 * d * x + 1/2 * c) - b * \tan(1/2 * d * x + 1/2 * c)) / \sqrt{a^2 - b^2}))) / ((a^4 * b^5 - 2 * a^2 * b^7 + b^9) * \sqrt{a^2 - b^2}) - 2 * (12 * B * a^7 * \tan(1/2 * d * x + 1/2 * c)^7 - 6 * A * a^6 * b * \tan(1/2 * d * x + 1/2 * c)^7 - 18 * B * a^6 * b^2 * \tan(1/2 * d * x + 1/2 * c)^7 + 9 * A * a^5 * b^2 * \tan(1/2 * d * x + 1/2 * c)^7 - 17 * B * a^5 * b^3 * \tan(1/2 * d * x + 1/2 * c)^7 + 9 * A * a^4 * b^3 * \tan(1/2 * d * x + 1/2 * c)^7 + 33 * B * a^4 * b^4 * \tan(1/2 * d * x + 1/2 * c)^7 - 16 * A * a^3 * b^4 * \tan(1/2 * d * x + 1/2 * c)^7 - 2 * B * a^3 * b^5 * \tan(1/2 * d * x + 1/2 * c)^7 + 2 * A * a^2 * b^5 * \tan(1/2 * d * x + 1/2 * c)^7 - 13 * B * a^2 * b^6 * \tan(1/2 * d * x + 1/2 * c)^7 + 4 * A * a * b^6 * \tan(1/2 * d * x + 1/2 * c)^7 + 4 * B * a * b^7 * \tan(1/2 * d * x + 1/2 * c)^7 - 2 * A * b^7 * \tan(1/2 * d * x + 1/2 * c)^7 + B * b^7 * \tan(1/2 * d * x + 1/2 * c)^7 + 36 * B * a^7 * \tan(1/2 * d * x + 1/2 * c)^5 - 18 * A * a^6 * b * \tan(1/2 * d * x + 1/2 * c)^5 - 18 * B * a^6 * b^2 * \tan(1/2 * d * x + 1/2 * c)^5 + 9 * A * a^5 * b^2 * \tan(1/2 * d * x + 1/2 * c)^5 - 67 * B * a^5 * b^3 * \tan(1/2 * d * x + 1/2 * c)^5 + 35 * A * a^4 * b^3 * \tan(1/2 * d * x + 1/2 * c)^5 + 29 * B * a^4 * b^4 * \tan(1/2 * d * x + 1/2 * c)^5 - 16 * A * a^3 * b^4 * \tan(1/2 * d * x + 1/2 * c)^5 + 26 * B * a^3 * b^5 * \tan(1/2 * d * x + 1/2 * c)^5 - 10 * A * a^2 * b^5 * \tan(1/2 * d * x + 1/2 * c)^5 - 5 * B * a^2 * b^6 * \tan(1/2 * d * x + 1/2 * c)^5 + 4 * A * a * b^6 * \tan(1/2 * d * x + 1/2 * c)^5 - 4 * B * a * b^7 * \tan(1/2 * d * x + 1/2 * c)^5 + 2 * A * b^7 * \tan(1/2 * d * x + 1/2 * c)^5 - 3 * B * b^7 * \tan(1/2 * d * x + 1/2 * c)^5 + 36 * B * a^7 * \tan(1/2 * d * x + 1/2 * c)^3 - 18 * A * a^6 * b * \tan(1/2 * d * x + 1/2 * c)^3 + 18 * B * a^6 * b^2 * \tan(1/2 * d * x + 1/2 * c)^3 - 9 * A * a^5 * b^2 * \tan(1/2 * d * x + 1/2 * c)^3 - 67 * B * a^5 * b^3 * \tan(1/2 * d * x + 1/2 * c)^3 + 35 * A * a^4 * b^3 * \tan(1/2 * d * x + 1/2 * c)^3 - 29 * B * a^4 * b^4 * \tan(1/2 * d * x + 1/2 * c)^3 + 16 * A * a^3 * b^4 * \tan(1/2 * d * x + 1/2 * c)^3 + 26 * B * a^3 * b^5 * \tan(1/2 * d * x + 1/2 * c)^3 - 10 * A * a^2 * b^5 * \tan(1/2 * d * x + 1/2 * c)^3 + 5 * B * a^2 * b^6 * \tan(1/2 * d * x + 1/2 * c)^3 - 4 * A * a * b^6 * \tan(1/2 * d * x + 1/2 * c)^3 - 4 * B * a * b^7 * \tan(1/2 * d * x + 1/2 * c)^3 + 2 * A * b^7 * \tan(1/2 * d * x + 1/2 * c)^3 + 3 * B * b^7 * \tan(1/2 * d * x + 1/2 * c)^3 + 12 * B * a^7 * \tan(1/2 * d * x + 1/2 * c) - 6 * A * a^6 * b * \tan(1/2 * d * x + 1/2 * c) + 18 * B * a^6 * b^2 * \tan(1/2 * d * x + 1/2 * c) - 9 * A * a^5 * b^2 * \tan(1/2 * d * x + 1/2 * c) - 17 * B * a^5 * b^3 * \tan(1/2 * d * x + 1/2 * c) + 9 * A * a^4 * b^3 * \tan(1/2 * d * x + 1/2 * c) - 33 * B * a^4 * b^4 * \tan(1/2 * d * x + 1/2 * c) + 16 * A * a^3 * b^4 * \tan(1/2 * d * x + 1/2 * c) - 2 * B * a^3 * b^5 * \tan(1/2 * d * x + 1/2 * c) + 2 * A * a^2 * b^5 * \tan(1/2 * d * x + 1/2 * c) + 13 * B * a^2 * b^6 * \tan(1/2 * d * x + 1/2 * c) - 4 * A * a * b^6 * \tan(1/2 * d * x + 1/2 * c) + 4 * B * a * b^7 * \tan(1/2 * d * x + 1/2 * c) - 2 * A * b^7 * \tan(1/2 * d * x + 1/2 * c) - B * b^7 * \tan(1/2 * d * x + 1/2 * c)) / ((a^4 * b^4 - 2 * a^2 * b^6 + b^8) * (a * \tan(1/2 * d * x + 1/2 * c)^4 - b * \tan(1/2 * d * x + 1/2 * c)^4 + 2 * a * \tan(1/2 * d * x + 1/2 * c)^2 + a + b)^2) + (12 * B * a^2 - 6 * A * a * b + B * b^2) * (d * x + c) / b^5 / d$$

$$3.266 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=280

$$\frac{(-3a^2B + aAb + 2b^2B) \sin(c + dx)}{2b^3d(a^2 - b^2)} - \frac{a(-5a^2Ab^3 + 2a^4Ab + 15a^3b^2B - 6a^5B - 12ab^4B + 6Ab^5) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{b^4d(a-b)^{5/2}(a+b)^{5/2}}$$

[Out] ((A\*b - 3\*a\*B)\*x)/b^4 - (a\*(2\*a^4\*A\*b - 5\*a^2\*A\*b^3 + 6\*A\*b^5 - 6\*a^5\*B + 15\*a^3\*b^2\*B - 12\*a\*b^4\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)\*b^4\*(a + b)^(5/2)\*d) - ((a\*A\*b - 3\*a^2\*B + 2\*b^2\*B)\*Sin[c + d\*x])/(2\*b^3\*(a^2 - b^2)\*d) + (a\*(A\*b - a\*B)\*Cos[c + d\*x]^2\*Ssin[c + d\*x])/(2\*b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^2) - (a^2\*(a^2\*A\*b - 4\*A\*b^3 - 3\*a^3\*B + 6\*a\*b^2\*B)\*Sin[c + d\*x])/(2\*b^3\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x]))

**Rubi [A]** time = 1.22187, antiderivative size = 280, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2989, 3031, 3023, 2735, 2659, 205}

$$\frac{(-3a^2B + aAb + 2b^2B) \sin(c + dx)}{2b^3d(a^2 - b^2)} - \frac{a(-5a^2Ab^3 + 2a^4Ab + 15a^3b^2B - 6a^5B - 12ab^4B + 6Ab^5) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{b^4d(a-b)^{5/2}(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^3\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^3,x]

[Out] ((A\*b - 3\*a\*B)\*x)/b^4 - (a\*(2\*a^4\*A\*b - 5\*a^2\*A\*b^3 + 6\*A\*b^5 - 6\*a^5\*B + 15\*a^3\*b^2\*B - 12\*a\*b^4\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)\*b^4\*(a + b)^(5/2)\*d) - ((a\*A\*b - 3\*a^2\*B + 2\*b^2\*B)\*Sin[c + d\*x])/(2\*b^3\*(a^2 - b^2)\*d) + (a\*(A\*b - a\*B)\*Cos[c + d\*x]^2\*Ssin[c + d\*x])/(2\*b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^2) - (a^2\*(a^2\*A\*b - 4\*A\*b^3 - 3\*a^3\*B + 6\*a\*b^2\*B)\*Sin[c + d\*x])/(2\*b^3\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x]))

#### Rule 2989

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :- Simp[((b\*c - a\*d)\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Ssin[e + f\*x])^(m - 2)\*(c + d\*Ssin[e + f\*x])^(n + 1)\*Simp[b\*(b\*c - a\*d)\*(B\*c - A\*d)\*(m - 1) + a\*d\*(a\*A\*c + b\*B\*c - (A\*b + a\*B)\*d)\*(n + 1) + (b\*(b\*d\*(B\*c - A\*d) + a\*(A\*c\*d + B\*(c^2 - 2\*d^2)))\*(n + 1) - a\*(b\*c - a\*d)\*(B\*c - A\*d)\*(n + 2))\*Sin[e + f\*x] + b\*(d\*(A\*b\*c + a\*B\*c - a\*A\*d)\*(m + n + 1) - b\*B\*(c^2\*m + d^2\*(n + 1)))\*Sin[e + f\*x]^2, x], x] /;

FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

#### Rule 3031

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])

```

_.)*(x_)^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]

```

### Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

### Rule 2735

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

```

### Rule 2659

```

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]

```

### Rule 205

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

### Rubi steps



$$c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b + a + b)^2 / (a - b) / (a^2 + 2 * a * b + b^2) * \tan(1/2 * d * x + 1/2 * c)^3 * A + 4 / d * a^5 / b^3 / (\tan(1/2 * d * x + 1/2 * c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b + a + b)^2 / (a - b) / (a^2 + 2 * a * b + b^2) * \tan(1/2 * d * x + 1/2 * c)^3 * B - 1 / d * a^4 / b^2 / (\tan(1/2 * d * x + 1/2 * c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b + a + b)^2 / (a - b) / (a^2 + 2 * a * b + b^2) * \tan(1/2 * d * x + 1/2 * c)^3 * B - 2 / d * a^4 / b^2 / (\tan(1/2 * d * x + 1/2 * c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b + a + b)^2 / (a + b) / (a - b)^2 * \tan(1/2 * d * x + 1/2 * c) * A - 1 / d * a^3 / b / (\tan(1/2 * d * x + 1/2 * c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b + a + b)^2 / (a + b) / (a - b)^2 * \tan(1/2 * d * x + 1/2 * c) * A + 6 / d * a^2 / (\tan(1/2 * d * x + 1/2 * c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b + a + b)^2 / (a + b) / (a - b)^2 * \tan(1/2 * d * x + 1/2 * c) * A + 4 / d * a^5 / b^3 / (\tan(1/2 * d * x + 1/2 * c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b + a + b)^2 / (a + b) / (a - b)^2 * \tan(1/2 * d * x + 1/2 * c) * B + 1 / d * a^4 / b^2 / (\tan(1/2 * d * x + 1/2 * c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b + a + b)^2 / (a + b) / (a - b)^2 * \tan(1/2 * d * x + 1/2 * c) * B - 8 / d * a^3 / b / (\tan(1/2 * d * x + 1/2 * c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b + a + b)^2 / (a + b) / (a - b)^2 * \tan(1/2 * d * x + 1/2 * c) * B - 2 / d * a^5 / b^3 / (a^4 - 2 * a^2 * b^2 + b^4) / ((a - b) * (a + b))^(1/2) * \arctan(\tan(1/2 * d * x + 1/2 * c) * (a - b) / ((a - b) * (a + b))^(1/2)) * A + 5 / d * a^3 / b / (a^4 - 2 * a^2 * b^2 + b^4) / ((a - b) * (a + b))^(1/2) * \arctan(\tan(1/2 * d * x + 1/2 * c) * (a - b) / ((a - b) * (a + b))^(1/2)) * A - 6 / d * a * b / (a^4 - 2 * a^2 * b^2 + b^4) / ((a - b) * (a + b))^(1/2) * \arctan(\tan(1/2 * d * x + 1/2 * c) * (a - b) / ((a - b) * (a + b))^(1/2)) * A + 6 / d * a^6 / b^4 / (a^4 - 2 * a^2 * b^2 + b^4) / ((a - b) * (a + b))^(1/2) * \arctan(\tan(1/2 * d * x + 1/2 * c) * (a - b) / ((a - b) * (a + b))^(1/2)) * B - 15 / d * a^4 / b^2 / (a^4 - 2 * a^2 * b^2 + b^4) / ((a - b) * (a + b))^(1/2) * \arctan(\tan(1/2 * d * x + 1/2 * c) * (a - b) / ((a - b) * (a + b))^(1/2)) * B + 12 / d * a^2 / (a^4 - 2 * a^2 * b^2 + b^4) / ((a - b) * (a + b))^(1/2) * \arctan(\tan(1/2 * d * x + 1/2 * c) * (a - b) / ((a - b) * (a + b))^(1/2)) * B$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 1.96437, size = 3380, normalized size = 12.07

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/4 * (4 * (3 * B * a^7 * b^2 - A * a^6 * b^3 - 9 * B * a^5 * b^4 + 3 * A * a^4 * b^5 + 9 * B * a^3 * b^6 \\ & - 3 * A * a^2 * b^7 - 3 * B * a * b^8 + A * b^9) * d * x * \cos(d * x + c)^2 + 8 * (3 * B * a^8 * b - A * a^7 * b^2 \\ & - 9 * B * a^6 * b^3 + 3 * A * a^5 * b^4 + 9 * B * a^4 * b^5 - 3 * A * a^3 * b^6 - 3 * B * a^2 * b^7 \\ & + A * a * b^8) * d * x * \cos(d * x + c) + 4 * (3 * B * a^9 - A * a^8 * b - 9 * B * a^7 * b^2 + 3 * A * a^6 * b^3 \\ & + 9 * B * a^5 * b^4 - 3 * A * a^4 * b^5 - 3 * B * a^3 * b^6 + A * a^2 * b^7) * d * x - (6 * B * a^8 \\ & - 2 * A * a^7 * b - 15 * B * a^6 * b^2 + 5 * A * a^5 * b^3 + 12 * B * a^4 * b^4 - 6 * A * a^3 * b^5 + (6 \\ & * B * a^6 * b^2 - 2 * A * a^5 * b^3 - 15 * B * a^4 * b^4 + 5 * A * a^3 * b^5 + 12 * B * a^2 * b^6 - 6 * A * \\ & a * b^7) * \cos(d * x + c)^2 + 2 * (6 * B * a^7 * b - 2 * A * a^6 * b^2 - 15 * B * a^5 * b^3 + 5 * A * a^4 \\ & * b^4 + 12 * B * a^3 * b^5 - 6 * A * a^2 * b^6) * \cos(d * x + c) * \sqrt{-a^2 + b^2} * \log((2 * a * \\ & b * \cos(d * x + c) + (2 * a^2 - b^2) * \cos(d * x + c)^2 - 2 * \sqrt{-a^2 + b^2} * (a * \cos(d * x + c) + b) * \sin(d * x + c) - a^2 + 2 * b^2) / (b^2 * \cos(d * x + c)^2 + 2 * a * b * \cos(d * x + c) + a^2)) - 2 * (6 * B * a^8 * b - 2 * A * a^7 * b^2 - 17 * B * a^6 * b^3 + 7 * A * a^5 * b^4 + \end{aligned}$$

$$13Ba^4b^5 - 5Aa^3b^6 - 2Ba^2b^7 + 2(Ba^6b^3 - 3Ba^4b^5 + 3Ba^2b^7 - Bb^9)\cos(dx + c)^2 + (9Ba^7b^2 - 3Aa^6b^3 - 25Ba^5b^4 + 9Aa^4b^5 + 20Ba^3b^6 - 6Aa^2b^7 - 4Bab^8)\cos(dx + c)\sin(dx + c)/((a^6b^6 - 3a^4b^8 + 3a^2b^{10} - b^{12})d\cos(dx + c)^2 + 2(a^7b^5 - 3a^5b^7 + 3a^3b^9 - ab^{11})d\cos(dx + c) + (a^8b^4 - 3a^6b^6 + 3a^4b^8 - a^2b^{10})d), -1/2(2(3Ba^7b^2 - Aa^6b^3 - 9Ba^5b^4 + 3Aa^4b^5 + 9Ba^3b^6 - 3Aa^2b^7 - 3Bab^8 + Ab^9)d\cos(dx + c)^2 + 4(3Ba^8b - Aa^7b^2 - 9Ba^6b^3 + 3Aa^5b^4 + 9Ba^4b^5 - 3Aa^3b^6 - 3Ba^2b^7 + Aab^8)d\cos(dx + c) + 2(3Ba^9 - Aa^8b - 9Ba^7b^2 + 3Aa^6b^3 + 9Ba^5b^4 - 3Aa^4b^5 - 3Ba^3b^6 + Aa^2b^7)d\cos(dx + c) - (6Ba^8 - 2Aa^7b - 15Ba^6b^2 + 5Aa^5b^3 + 12Ba^4b^4 - 6Aa^3b^5 + (6Ba^6b^2 - 2Aa^5b^3 - 15Ba^4b^4 + 5Aa^3b^5 + 12Ba^2b^6 - 6Aab^7)\cos(dx + c)^2 + 2(6Ba^7b - 2Aa^6b^2 - 15Ba^5b^3 + 5Aa^4b^4 + 12Ba^3b^5 - 6Aa^2b^6)\cos(dx + c))\sqrt{a^2 - b^2}\arctan(-(a\cos(dx + c) + b)/(\sqrt{a^2 - b^2})\sin(dx + c))) - (6Ba^8b - 2Aa^7b^2 - 17Ba^6b^3 + 7Aa^5b^4 + 13Ba^4b^5 - 5Aa^3b^6 - 2Ba^2b^7 + 2(Ba^6b^3 - 3Ba^4b^5 + 3Ba^2b^7 - Bb^9)\cos(dx + c)^2 + (9Ba^7b^2 - 3Aa^6b^3 - 25Ba^5b^4 + 9Aa^4b^5 + 20Ba^3b^6 - 6Aa^2b^7 - 4Bab^8)\cos(dx + c)\sin(dx + c))/((a^6b^6 - 3a^4b^8 + 3a^2b^{10} - b^{12})d\cos(dx + c)^2 + 2(a^7b^5 - 3a^5b^7 + 3a^3b^9 - ab^{11})d\cos(dx + c) + (a^8b^4 - 3a^6b^6 + 3a^4b^8 - a^2b^{10})d)]$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)\*\*3\*(A+B\*cos(dx+c))/(a+b\*cos(dx+c))\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.70252, size = 733, normalized size = 2.62

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^3\*(A+B\*cos(dx+c))/(a+b\*cos(dx+c))^3,x, algorithm="giac")

[Out]  $-\left((6Ba^6 - 2Aa^5b - 15Ba^4b^2 + 5Aa^3b^3 + 12Ba^2b^4 - 6Aa^2b^5)(\pi\text{floor}(1/2(dx + c)/\pi + 1/2)\text{sgn}(-2a + 2b) + \arctan(-(a\tan(1/2dx + 1/2c) - b\tan(1/2dx + 1/2c))/\sqrt{a^2 - b^2}))/((a^4b^4 - 2a^2b^6 + b^8)\sqrt{a^2 - b^2}) - (4Ba^6\tan(1/2dx + 1/2c)^3 - 2Aa^5b\tan(1/2dx + 1/2c)^3 - 5Ba^5b\tan(1/2dx + 1/2c)^3 + 3Aa^4b^2\tan(1/2dx + 1/2c)^3 - 7Ba^4b^2\tan(1/2dx + 1/2c)^3 + 5Aa^3b^3\tan(1/2dx + 1/2c)^3 + 8Ba^3b^3\tan(1/2dx + 1/2c)^3 - 6Aa^2b^4\tan(1/2dx + 1/2c)^3 + 4Ba^6\tan(1/2dx + 1/2c) - 2Aa^5b\tan(1/2dx + 1/2c) + 5Ba^5b\tan(1/2dx + 1/2c) - 3Aa^4b^2\tan(1/2dx + 1/2c) - 7Ba^4b^2\tan(1/2dx + 1/2c) + 5Aa^3b^3\tan(1/2dx + 1/2c) - 8Ba^3b^3\tan(1/2dx + 1/2c) + 6Aa^2b^4\tan(1/2dx + 1/2c))/((a^4b^3 - 2a^2b^5 + b^7)(a\tan(1/2dx + 1/2c)^2 - b\tan(1/2dx + 1/2c)^2 +$

$$\frac{(a + b)^2 + (3B*a - A*b)*(d*x + c)/b^4 - 2*B*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 + 1)*b^3)}{d}$$



$$3.267 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=211

$$\frac{(a^2Ab^3 + 5a^3b^2B - 2a^5B - 6ab^4B + 2Ab^5) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{5/2}(a+b)^{5/2}} - \frac{a^2(Ab - aB) \sin(c+dx)}{2b^2d(a^2 - b^2)(a+b \cos(c+dx))^2} + \frac{a(a^2Ab - a^3b^2)}{2b^2d}$$

[Out] (B\*x)/b^3 + ((a^2\*A\*b^3 + 2\*A\*b^5 - 2\*a^5\*B + 5\*a^3\*b^2\*B - 6\*a\*b^4\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)\*b^3\*(a + b)^(5/2)\*d) - (a^2\*(A\*b - a\*B)\*Sin[c + d\*x])/(2\*b^2\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^2) + (a\*(a^2\*A\*b - 4\*A\*b^3 - 3\*a^3\*B + 6\*a\*b^2\*B)\*Sin[c + d\*x])/(2\*b^2\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x]))

**Rubi [A]** time = 0.564418, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2988, 3021, 2735, 2659, 205}

$$\frac{(a^2Ab^3 + 5a^3b^2B - 2a^5B - 6ab^4B + 2Ab^5) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d(a-b)^{5/2}(a+b)^{5/2}} - \frac{a^2(Ab - aB) \sin(c+dx)}{2b^2d(a^2 - b^2)(a+b \cos(c+dx))^2} + \frac{a(a^2Ab - a^3b^2)}{2b^2d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^3,x]

[Out] (B\*x)/b^3 + ((a^2\*A\*b^3 + 2\*A\*b^5 - 2\*a^5\*B + 5\*a^3\*b^2\*B - 6\*a\*b^4\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)\*b^3\*(a + b)^(5/2)\*d) - (a^2\*(A\*b - a\*B)\*Sin[c + d\*x])/(2\*b^2\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^2) + (a\*(a^2\*A\*b - 4\*A\*b^3 - 3\*a^3\*B + 6\*a\*b^2\*B)\*Sin[c + d\*x])/(2\*b^2\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x]))

#### Rule 2988

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((B\*c - A\*d)\*(b\*c - a\*d)^2\*Cos[e + f\*x]\*(c + d\*Ssin[e + f\*x])^(n + 1))/(f\*d^2\*(n + 1)\*(c^2 - d^2)), x] - Dist[1/(d^2\*(n + 1)\*(c^2 - d^2)), Int[(c + d\*Ssin[e + f\*x])^(n + 1)\*Simp[d\*(n + 1)\*(B\*(b\*c - a\*d)^2 - A\*d\*(a^2\*c + b^2\*c - 2\*a\*b\*d) - ((B\*c - A\*d)\*(a^2\*d^2\*(n + 2) + b^2\*(c^2 + d^2\*(n + 1))) + 2\*a\*b\*d\*(A\*c\*d\*(n + 2) - B\*(c^2 + d^2\*(n + 1))))\*Sin[e + f\*x] - b^2\*B\*d\*(n + 1)\*(c^2 - d^2)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,

C}], x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

### Rule 2735

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Simp[(b\*x)/d, x] - Dist[(b\*c - a\*d)/d, Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0]

### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^3} dx &= -\frac{a^2(Ab - aB) \sin(c + dx)}{2b^2(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{\int \frac{2ab(Ab - aB) + (a^2 - 2b^2)(Ab - aB) \cos(c + dx) + 2b(a^2 - b^2)}{(a + b \cos(c + dx))^2} dx}{2b^2(a^2 - b^2)} \\ &= -\frac{a^2(Ab - aB) \sin(c + dx)}{2b^2(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{a(a^2Ab - 4Ab^3 - 3a^3B + 6ab^2B) \sin(c + dx)}{2b^2(a^2 - b^2)^2d(a + b \cos(c + dx))} \\ &= \frac{Bx}{b^3} - \frac{a^2(Ab - aB) \sin(c + dx)}{2b^2(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{a(a^2Ab - 4Ab^3 - 3a^3B + 6ab^2B) \sin(c + dx)}{2b^2(a^2 - b^2)^2d(a + b \cos(c + dx))} \\ &= \frac{Bx}{b^3} - \frac{a^2(Ab - aB) \sin(c + dx)}{2b^2(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{a(a^2Ab - 4Ab^3 - 3a^3B + 6ab^2B) \sin(c + dx)}{2b^2(a^2 - b^2)^2d(a + b \cos(c + dx))} \\ &= \frac{Bx}{b^3} + \frac{(a^2Ab^3 + 2Ab^5 - 2a^5B + 5a^3b^2B - 6ab^4B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{5/2}b^3(a+b)^{5/2}d} - \frac{2B(c + dx)}{2b^3d} \end{aligned}$$

**Mathematica [A]** time = 1.30794, size = 204, normalized size = 0.97

$$\frac{ab(a^2Ab - 3a^3B + 6ab^2B - 4Ab^3) \sin(c + dx)}{(a-b)^2(a+b)^2(a+b \cos(c + dx))} + \frac{2(-a^2Ab^3 - 5a^3b^2B + 2a^5B + 6ab^4B - 2Ab^5) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{5/2}} + \frac{a^2b(aB - Ab) \sin(c + dx)}{(a-b)(a+b)(a+b \cos(c + dx))^2} + 2B(c + dx)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^3, x]

[Out] (2\*B\*(c + d\*x) + (2\*(-(a^2\*A\*b^3) - 2\*A\*b^5 + 2\*a^5\*B - 5\*a^3\*b^2\*B + 6\*a\*b^4\*B)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5/2) + (a^2\*b\*(-(A\*b) + a\*B)\*Sin[c + d\*x])/((a - b)\*(a + b)\*(a + b\*Cos[c + d\*x])^2) + (a\*b\*(a^2\*A\*b - 4\*A\*b^3 - 3\*a^3\*B + 6\*a\*b^2\*B)\*Sin[c + d\*x])/((a

$- b)^2(a + b)^2(a + b\cos[c + dx]))/(2b^3d)$

**Maple [B]** time = 0.125, size = 1023, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x)`

[Out] 
$$\begin{aligned} & 2/d/b^3\arctan(\tan(1/2*d*x+1/2*c))*B-1/d*a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/ \\ & 2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-4/d*b/ \\ & (\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2*a/(a-b)/(a^2+2*a*b+b^2) \\ & *\tan(1/2*d*x+1/2*c)^3*A-2/d*a^4/b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/ \\ & 2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B+1/d*a^3/b/(\tan \\ & (1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan \\ & (1/2*d*x+1/2*c)^3*B+6/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b) \\ & )^2*a^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B+1/d*a^2/(\tan(1/2*d*x+1/ \\ & 2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*A- \\ & 4/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2*a/(a+b)/(a-b)^2 \\ & *\tan(1/2*d*x+1/2*c)*A-2/d*a^4/b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c) \\ & )^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B-1/d*a^3/b/(\tan(1/2*d*x+1/2* \\ & c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2*d*x+1/2*c)*B+6/d \\ & /(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2*a^2/(a+b)/(a-b)^2*\tan \\ & (1/2*d*x+1/2*c)*B+1/d*a^2/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan \\ & (1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*A+2/d*b^2/(a^4-2*a^2*b^2+b^4)/ \\ & ((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*A- \\ & 2/d*a^5/b^3/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2* \\ & c)*(a-b)/((a-b)*(a+b))^{(1/2)})*B+5/d*a^3/b/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b)) \\ & ^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*B-6/d*b/(a^4-2* \\ & a^2*b^2+b^4)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+ \\ & b))^{(1/2)})*B*a \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [B]** time = 1.73315, size = 2462, normalized size = 11.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="fricas")`

```
[Out] [1/4*(4*(B*a^6*b^2 - 3*B*a^4*b^4 + 3*B*a^2*b^6 - B*b^8)*d*x*cos(d*x + c)^2
+ 8*(B*a^7*b - 3*B*a^5*b^3 + 3*B*a^3*b^5 - B*a*b^7)*d*x*cos(d*x + c) + 4*(B
*a^8 - 3*B*a^6*b^2 + 3*B*a^4*b^4 - B*a^2*b^6)*d*x + (2*B*a^7 - 5*B*a^5*b^2
- A*a^4*b^3 + 6*B*a^3*b^4 - 2*A*a^2*b^5 + (2*B*a^5*b^2 - 5*B*a^3*b^4 - A*a^
2*b^5 + 6*B*a*b^6 - 2*A*b^7)*cos(d*x + c)^2 + 2*(2*B*a^6*b - 5*B*a^4*b^3 -
A*a^3*b^4 + 6*B*a^2*b^5 - 2*A*a*b^6)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*
a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos
(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(
d*x + c) + a^2)) - 2*(2*B*a^7*b - 7*B*a^5*b^3 + 3*A*a^4*b^4 + 5*B*a^3*b^5 -
3*A*a^2*b^6 + (3*B*a^6*b^2 - A*a^5*b^3 - 9*B*a^4*b^4 + 5*A*a^3*b^5 + 6*B*a
^2*b^6 - 4*A*a*b^7)*cos(d*x + c))*sin(d*x + c))/((a^6*b^5 - 3*a^4*b^7 + 3*a
^2*b^9 - b^11)*d*cos(d*x + c)^2 + 2*(a^7*b^4 - 3*a^5*b^6 + 3*a^3*b^8 - a*b^
10)*d*cos(d*x + c) + (a^8*b^3 - 3*a^6*b^5 + 3*a^4*b^7 - a^2*b^9)*d), 1/2*(2
*(B*a^6*b^2 - 3*B*a^4*b^4 + 3*B*a^2*b^6 - B*b^8)*d*x*cos(d*x + c)^2 + 4*(B*
a^7*b - 3*B*a^5*b^3 + 3*B*a^3*b^5 - B*a*b^7)*d*x*cos(d*x + c) + 2*(B*a^8 -
3*B*a^6*b^2 + 3*B*a^4*b^4 - B*a^2*b^6)*d*x - (2*B*a^7 - 5*B*a^5*b^2 - A*a^4
*b^3 + 6*B*a^3*b^4 - 2*A*a^2*b^5 + (2*B*a^5*b^2 - 5*B*a^3*b^4 - A*a^2*b^5 +
6*B*a*b^6 - 2*A*b^7)*cos(d*x + c)^2 + 2*(2*B*a^6*b - 5*B*a^4*b^3 - A*a^3*b
^4 + 6*B*a^2*b^5 - 2*A*a*b^6)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(
d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) - (2*B*a^7*b - 7*B*a^5*b^3 +
3*A*a^4*b^4 + 5*B*a^3*b^5 - 3*A*a^2*b^6 + (3*B*a^6*b^2 - A*a^5*b^3 - 9*B*a^
4*b^4 + 5*A*a^3*b^5 + 6*B*a^2*b^6 - 4*A*a*b^7)*cos(d*x + c))*sin(d*x + c))/
((a^6*b^5 - 3*a^4*b^7 + 3*a^2*b^9 - b^11)*d*cos(d*x + c)^2 + 2*(a^7*b^4 - 3
*a^5*b^6 + 3*a^3*b^8 - a*b^10)*d*cos(d*x + c) + (a^8*b^3 - 3*a^6*b^5 + 3*a^
4*b^7 - a^2*b^9)*d)]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**3,x)
```

```
[Out] Timed out
```

**Giac [B]** time = 1.6466, size = 614, normalized size = 2.91

$$\frac{(2Ba^5 - 5Ba^3b^2 - Aa^2b^3 + 6Bab^4 - 2Ab^5) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left( \frac{a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - b \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^4b^3 - 2a^2b^5 + b^7) \sqrt{a^2 - b^2}} - \frac{(dx+c)B}{b^3} + \frac{2Ba^5 \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)^3 - 3Ba^4b \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)}{b^3}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm="gi
ac")
```

```
[Out] -((2*B*a^5 - 5*B*a^3*b^2 - A*a^2*b^3 + 6*B*a*b^4 - 2*A*b^5)*(pi*floor(1/2*(
d*x + c)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(1/2*d*x + 1/2*c) - b*tan(
1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/((a^4*b^3 - 2*a^2*b^5 + b^7)*sqrt(a^2 -
b^2)) - (d*x + c)*B/b^3 + (2*B*a^5*tan(1/2*d*x + 1/2*c)^3 - 3*B*a^4*b*tan(
1/2*d*x + 1/2*c)^3 + A*a^3*b^2*tan(1/2*d*x + 1/2*c)^3 - 5*B*a^3*b^2*tan(1/2
*d*x + 1/2*c)^3 + 3*A*a^2*b^3*tan(1/2*d*x + 1/2*c)^3 + 6*B*a^2*b^3*tan(1/2*
```

$$\begin{aligned} & d*x + 1/2*c)^3 - 4*A*a*b^4*\tan(1/2*d*x + 1/2*c)^3 + 2*B*a^5*\tan(1/2*d*x + 1/2*c) \\ & + 3*B*a^4*b*\tan(1/2*d*x + 1/2*c) - A*a^3*b^2*\tan(1/2*d*x + 1/2*c) - 5*B*a^3*b^2*\tan(1/2*d*x + 1/2*c) \\ & + 3*A*a^2*b^3*\tan(1/2*d*x + 1/2*c) - 6*B*a^2*b^3*\tan(1/2*d*x + 1/2*c) + 4*A*a*b^4*\tan(1/2*d*x + 1/2*c)) / ((a^4*b^2 - 2*a^2*b^4 + b^6)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 + a + b)^2)) / d \end{aligned}$$

$$3.268 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=180

$$\frac{(a^2(-B) + 3aAb - 2b^2B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} + \frac{(a^2Ab + a^3B - 4ab^2B + 2Ab^3) \sin(c+dx)}{2bd(a^2-b^2)^2(a+b \cos(c+dx))} + \frac{a(Ab - aB) \sin(c+dx)}{2bd(a^2-b^2)(a+b \cos(c+dx))}$$

[Out] -(((3\*a\*A\*b - a^2\*B - 2\*b^2\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)\*(a + b)^(5/2)\*d)) + (a\*(A\*b - a\*B)\*Sin[c + d\*x])/(2\*b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^2) + ((a^2\*A\*b + 2\*A\*b^3 + a^3\*B - 4\*a\*b^2\*B)\*Sin[c + d\*x])/(2\*b\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x]))

**Rubi [A]** time = 0.290082, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {2968, 3021, 2754, 12, 2659, 205}

$$\frac{(a^2(-B) + 3aAb - 2b^2B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} + \frac{(a^2Ab + a^3B - 4ab^2B + 2Ab^3) \sin(c+dx)}{2bd(a^2-b^2)^2(a+b \cos(c+dx))} + \frac{a(Ab - aB) \sin(c+dx)}{2bd(a^2-b^2)(a+b \cos(c+dx))}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^3,x]

[Out] -(((3\*a\*A\*b - a^2\*B - 2\*b^2\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)\*(a + b)^(5/2)\*d)) + (a\*(A\*b - a\*B)\*Sin[c + d\*x])/(2\*b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^2) + ((a^2\*A\*b + 2\*A\*b^3 + a^3\*B - 4\*a\*b^2\*B)\*Sin[c + d\*x])/(2\*b\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x]))

### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

### Rule 2754

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a

\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 2659

Int[((a\_) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^3} dx &= \int \frac{A\cos(c+dx)+B\cos^2(c+dx)}{(a+b\cos(c+dx))^3} dx \\ &= \frac{a(Ab-aB)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} - \frac{\int \frac{2b(Ab-aB)-(aAb+a^2B-2b^2B)\cos(c+dx)}{(a+b\cos(c+dx))^2} dx}{2b(a^2-b^2)} \\ &= \frac{a(Ab-aB)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{(a^2Ab+2Ab^3+a^3B-4ab^2B)\sin(c+dx)}{2b(a^2-b^2)^2d(a+b\cos(c+dx))} \\ &= \frac{a(Ab-aB)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{(a^2Ab+2Ab^3+a^3B-4ab^2B)\sin(c+dx)}{2b(a^2-b^2)^2d(a+b\cos(c+dx))} \\ &= \frac{a(Ab-aB)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{(a^2Ab+2Ab^3+a^3B-4ab^2B)\sin(c+dx)}{2b(a^2-b^2)^2d(a+b\cos(c+dx))} \\ &= -\frac{(3aAb-a^2B-2b^2B)\tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{5/2}(a+b)^{5/2}d} + \frac{a(Ab-aB)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))} \end{aligned}$$

**Mathematica [A]** time = 0.784091, size = 172, normalized size = 0.96

$$\frac{\frac{(a^2Ab+a^3B-4ab^2B+2Ab^3)\sin(c+dx)}{b(a-b)^2(a+b)^2(a+b\cos(c+dx))} - \frac{2(a^2B-3aAb+2b^2B)\tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{5/2}} + \frac{a(Ab-aB)\sin(c+dx)}{b(a-b)(a+b)(a+b\cos(c+dx))^2}}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^3, x]

[Out] ((-2\*(-3\*a\*A\*b + a^2\*B + 2\*b^2\*B)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5/2) + (a\*(A\*b - a\*B)\*Sin[c + d\*x])/((a - b)\*b\*(a + b)\*(a + b\*Cos[c + d\*x])^2) + ((a^2\*A\*b + 2\*A\*b^3 + a^3\*B - 4\*a\*b^2\*B)\*S

$\text{in}[c + d*x]]/((a - b)^2*b*(a + b)^2*(a + b*\text{Cos}[c + d*x]))/(2*d)$

**Maple [B]** time = 0.108, size = 886, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(d*x+c)*(A+B*\cos(d*x+c))/(a+b*\cos(d*x+c))^3,x)$

[Out]  $2/d*a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A+1/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2*a/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A+2/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A*b^2-1/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2*a^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B-4/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B*a*b+2/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)*a^2*A-1/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)*A*a*b+2/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)*A*b^2+1/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)*B*a^2-4/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)*B*a*b-3/d*a*b/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A+1/d*a^2/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B+2/d/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*b^2*B$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(d*x+c)*(A+B*\cos(d*x+c))/(a+b*\cos(d*x+c))^3,x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

**Fricas [B]** time = 1.39819, size = 1616, normalized size = 8.98

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(d*x+c)*(A+B*\cos(d*x+c))/(a+b*\cos(d*x+c))^3,x, \text{algorithm}="fricas")$

[Out]  $[-1/4*((B*a^4 - 3*A*a^3*b + 2*B*a^2*b^2 + (B*a^2*b^2 - 3*A*a*b^3 + 2*B*b^4)*\cos(d*x + c)^2 + 2*(B*a^3*b - 3*A*a^2*b^2 + 2*B*a*b^3)*\cos(d*x + c))*\text{sqrt}(\dots)$



$$-a^2 + b^2) \log((2ab \cos(dx + c) + (2a^2 - b^2) \cos(dx + c)^2 + 2\sqrt{-a^2 + b^2}(a \cos(dx + c) + b) \sin(dx + c) - a^2 + 2b^2) / (b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2)) - 2((2Aa^5 - 3Ba^4b - Aa^3b^2 + 3Ba^2b^3 - Aab^4 + (Ba^5 + Aa^4b - 5Ba^3b^2 + Aa^2b^3 + 4Bab^4 - 2Ab^5) \cos(dx + c)) \sin(dx + c)) / ((a^6b^2 - 3a^4b^4 + 3a^2b^6 - b^8) d \cos(dx + c)^2 + 2(a^7b - 3a^5b^3 + 3a^3b^5 - ab^7) d \cos(dx + c) + (a^8 - 3a^6b^2 + 3a^4b^4 - a^2b^6) d), 1/2((Ba^4 - 3Aa^3b + 2Ba^2b^2 + (Ba^2b^2 - 3Aab^3 + 2Bb^4) \cos(dx + c)^2 + 2(Ba^3b - 3Aa^2b^2 + 2Bab^3) \cos(dx + c)) \sqrt{a^2 - b^2} \arctan(-(a \cos(dx + c) + b) / (\sqrt{a^2 - b^2} \sin(dx + c))) + (2Aa^5 - 3Ba^4b - Aa^3b^2 + 3Ba^2b^3 - Aab^4 + (Ba^5 + Aa^4b - 5Ba^3b^2 + Aa^2b^3 + 4Bab^4 - 2Ab^5) \cos(dx + c)) \sin(dx + c)) / ((a^6b^2 - 3a^4b^4 + 3a^2b^6 - b^8) d \cos(dx + c)^2 + 2(a^7b - 3a^5b^3 + 3a^3b^5 - ab^7) d \cos(dx + c) + (a^8 - 3a^6b^2 + 3a^4b^4 - a^2b^6) d)]$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)\*(A+B\*cos(dx+c))/(a+b\*cos(dx+c))\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.58545, size = 528, normalized size = 2.93

$$\frac{(Ba^2 - 3Aab + 2Bb^2) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left( \frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^4 - 2a^2b^2 + b^4) \sqrt{a^2 - b^2}} + \frac{2Aa^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Ba^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Aa^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 3Aab^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 2Bb^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3}{(a^4 - 2a^2b^2 + b^4) \sqrt{a^2 - b^2}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)\*(A+B\*cos(dx+c))/(a+b\*cos(dx+c))^3,x, algorithm="giac")

[Out] ((Ba^2 - 3Aa\*b + 2Bb^2) \* (pi \* floor(1/2 \* (dx + c) / pi + 1/2) \* sgn(2\*a - 2\*b) + arctan((a \* tan(1/2 \* dx + 1/2 \* c) - b \* tan(1/2 \* dx + 1/2 \* c)) / sqrt(a^2 - b^2)))) / ((a^4 - 2\*a^2\*b^2 + b^4) \* sqrt(a^2 - b^2)) + (2\*A\*a^3\*tan(1/2\*dx + 1/2\*c)^3 - B\*a^3\*tan(1/2\*dx + 1/2\*c)^3 - A\*a^2\*b\*tan(1/2\*dx + 1/2\*c)^3 - 3\*B\*a^2\*b\*tan(1/2\*dx + 1/2\*c)^3 + A\*a\*b^2\*tan(1/2\*dx + 1/2\*c)^3 + 4\*B\*a\*b^2\*tan(1/2\*dx + 1/2\*c)^3 - 2\*A\*b^3\*tan(1/2\*dx + 1/2\*c)^3 + 2\*A\*a^3\*tan(1/2\*dx + 1/2\*c) + B\*a^3\*tan(1/2\*dx + 1/2\*c) + A\*a^2\*b\*tan(1/2\*dx + 1/2\*c) - 3\*B\*a^2\*b\*tan(1/2\*dx + 1/2\*c) + A\*a\*b^2\*tan(1/2\*dx + 1/2\*c) - 4\*B\*a\*b^2\*tan(1/2\*dx + 1/2\*c) + 2\*A\*b^3\*tan(1/2\*dx + 1/2\*c)) / ((a^4 - 2\*a^2\*b^2 + b^4) \* (a \* tan(1/2 \* dx + 1/2 \* c)^2 - b \* tan(1/2 \* dx + 1/2 \* c)^2 + a + b)^2) / d

$$3.269 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=164

$$\frac{(2a^2A - 3abB + Ab^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} - \frac{(a^2(-B) + 3aAb - 2b^2B) \sin(c+dx)}{2d(a^2 - b^2)^2(a+b \cos(c+dx))} - \frac{(Ab - aB) \sin(c+dx)}{2d(a^2 - b^2)(a+b \cos(c+dx))^2}$$

[Out] ((2\*a^2\*A + A\*b^2 - 3\*a\*b\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)\*(a + b)^(5/2)\*d) - ((A\*b - a\*B)\*Sin[c + d\*x])/(2\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^2) - ((3\*a\*A\*b - a^2\*B - 2\*b^2\*B)\*Sin[c + d\*x])/(2\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x]))

**Rubi [A]** time = 0.188168, antiderivative size = 164, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2754, 12, 2659, 205}

$$\frac{(2a^2A - 3abB + Ab^2) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{5/2}(a+b)^{5/2}} - \frac{(a^2(-B) + 3aAb - 2b^2B) \sin(c+dx)}{2d(a^2 - b^2)^2(a+b \cos(c+dx))} - \frac{(Ab - aB) \sin(c+dx)}{2d(a^2 - b^2)(a+b \cos(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x])^3, x]

[Out] ((2\*a^2\*A + A\*b^2 - 3\*a\*b\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(5/2)\*(a + b)^(5/2)\*d) - ((A\*b - a\*B)\*Sin[c + d\*x])/(2\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^2) - ((3\*a\*A\*b - a^2\*B - 2\*b^2\*B)\*Sin[c + d\*x])/(2\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x]))

#### Rule 2754

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2659

Int[((a\_) + (b\_)\*sin[Pi/2 + (c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

#### Rule 205



$$c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b + a + b)^2 / (a - b) / (a^2 + 2 * a * b + b^2) * \tan(1/2 * d * x + 1/2 * c)^3 * b^2 * B - 4 / d / (\tan(1/2 * d * x + 1/2 * c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b + a + b)^2 / (a + b) / (a^2 - 2 * a * b + b^2) * \tan(1/2 * d * x + 1/2 * c) * A * a * b + 1 / d / (\tan(1/2 * d * x + 1/2 * c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b + a + b)^2 / (a + b) / (a^2 - 2 * a * b + b^2) * \tan(1/2 * d * x + 1/2 * c) * A * b^2 + 2 / d / (\tan(1/2 * d * x + 1/2 * c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b + a + b)^2 / (a + b) / (a^2 - 2 * a * b + b^2) * \tan(1/2 * d * x + 1/2 * c) * B * a^2 - 1 / d / (\tan(1/2 * d * x + 1/2 * c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b + a + b)^2 / (a + b) / (a^2 - 2 * a * b + b^2) * \tan(1/2 * d * x + 1/2 * c) * B * a * b + 2 / d / (\tan(1/2 * d * x + 1/2 * c)^2 * a - \tan(1/2 * d * x + 1/2 * c)^2 * b + a + b)^2 / (a + b) / (a^2 - 2 * a * b + b^2) * \tan(1/2 * d * x + 1/2 * c) * b^2 * B + 2 / d * a^2 / (a^4 - 2 * a^2 * b^2 + b^4) / ((a - b) * (a + b))^{1/2} * \arctan(\tan(1/2 * d * x + 1/2 * c) * (a - b) / ((a - b) * (a + b))^{1/2}) * A + 1 / d * b^2 / (a^4 - 2 * a^2 * b^2 + b^4) / ((a - b) * (a + b))^{1/2} * \arctan(\tan(1/2 * d * x + 1/2 * c) * (a - b) / ((a - b) * (a + b))^{1/2}) * A - 3 / d * b / (a^4 - 2 * a^2 * b^2 + b^4) / ((a - b) * (a + b))^{1/2} * \arctan(\tan(1/2 * d * x + 1/2 * c) * (a - b) / ((a - b) * (a + b))^{1/2}) * B * a$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 1.44302, size = 1616, normalized size = 9.85

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/4 * ((2 * A * a^4 - 3 * B * a^3 * b + A * a^2 * b^2 + (2 * A * a^2 * b^2 - 3 * B * a * b^3 + A * b^4) \\ & * \cos(d * x + c)^2 + 2 * (2 * A * a^3 * b - 3 * B * a^2 * b^2 + A * a * b^3) * \cos(d * x + c)) * \sqrt{ \\ & - a^2 + b^2} * \log((2 * a * b * \cos(d * x + c) + (2 * a^2 - b^2) * \cos(d * x + c)^2 + 2 * \sqrt{ \\ & (-a^2 + b^2) * (a * \cos(d * x + c) + b) * \sin(d * x + c) - a^2 + 2 * b^2} / (b^2 * \cos(d * x \\ & + c)^2 + 2 * a * b * \cos(d * x + c) + a^2)) - 2 * (2 * B * a^5 - 4 * A * a^4 * b - B * a^3 * b^2 + \\ & 5 * A * a^2 * b^3 - B * a * b^4 - A * b^5 + (B * a^4 * b - 3 * A * a^3 * b^2 + B * a^2 * b^3 + 3 * A * a * \\ & b^4 - 2 * B * b^5) * \cos(d * x + c)) * \sin(d * x + c)) / ((a^6 * b^2 - 3 * a^4 * b^4 + 3 * a^2 * b^6 \\ & - b^8) * d * \cos(d * x + c)^2 + 2 * (a^7 * b - 3 * a^5 * b^3 + 3 * a^3 * b^5 - a * b^7) * d * \cos \\ & (d * x + c) + (a^8 - 3 * a^6 * b^2 + 3 * a^4 * b^4 - a^2 * b^6) * d), 1/2 * ((2 * A * a^4 - 3 * B \\ & * a^3 * b + A * a^2 * b^2 + (2 * A * a^2 * b^2 - 3 * B * a * b^3 + A * b^4) * \cos(d * x + c)^2 + 2 * ( \\ & 2 * A * a^3 * b - 3 * B * a^2 * b^2 + A * a * b^3) * \cos(d * x + c)) * \sqrt{a^2 - b^2} * \arctan(-(a \\ & * \cos(d * x + c) + b) / (\sqrt{a^2 - b^2} * \sin(d * x + c))) + (2 * B * a^5 - 4 * A * a^4 * b - \\ & B * a^3 * b^2 + 5 * A * a^2 * b^3 - B * a * b^4 - A * b^5 + (B * a^4 * b - 3 * A * a^3 * b^2 + B * a^2 \\ & * b^3 + 3 * A * a * b^4 - 2 * B * b^5) * \cos(d * x + c)) * \sin(d * x + c)) / ((a^6 * b^2 - 3 * a^4 * b^4 \\ & + 3 * a^2 * b^6 - b^8) * d * \cos(d * x + c)^2 + 2 * (a^7 * b - 3 * a^5 * b^3 + 3 * a^3 * b^5 - \\ & a * b^7) * d * \cos(d * x + c) + (a^8 - 3 * a^6 * b^2 + 3 * a^4 * b^4 - a^2 * b^6) * d)] \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

---

**Giac [B]** time = 1.60985, size = 527, normalized size = 3.21

$$\frac{(2Aa^2 - 3Bab + Ab^2) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left( \frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^4 - 2a^2b^2 + b^4) \sqrt{a^2 - b^2}} + \frac{2Ba^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 4Aa^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - Ba^2b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 - 3Aab^2 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + Bb^3 \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3}{(a^4 - 2a^2b^2 + b^4) \sqrt{a^2 - b^2}}$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] 
$$\frac{((2Aa^2 - 3Bab + Ab^2) * (\pi * \text{floor}(1/2 * (dx + c) / \pi + 1/2) * \operatorname{sgn}(2a - 2b) + \arctan((a * \tan(1/2 * dx + 1/2 * c) - b * \tan(1/2 * dx + 1/2 * c)) / \sqrt{a^2 - b^2}))) / ((a^4 - 2a^2b^2 + b^4) * \sqrt{a^2 - b^2}) + (2Ba^3 \tan(1/2 * dx + 1/2 * c)^3 - 4Aa^2b \tan(1/2 * dx + 1/2 * c)^3 - Ba^2b \tan(1/2 * dx + 1/2 * c)^3 - 3Aab^2 \tan(1/2 * dx + 1/2 * c)^3 + Bb^3 \tan(1/2 * dx + 1/2 * c)^3)}{(a^4 - 2a^2b^2 + b^4) \sqrt{a^2 - b^2}} + \frac{2Ba^3 \tan(1/2 * dx + 1/2 * c)^3 - 4Aa^2b \tan(1/2 * dx + 1/2 * c)^3 - Ba^2b \tan(1/2 * dx + 1/2 * c)^3 - 3Aab^2 \tan(1/2 * dx + 1/2 * c)^3 + Bb^3 \tan(1/2 * dx + 1/2 * c)^3}{(a^4 - 2a^2b^2 + b^4) \sqrt{a^2 - b^2}}$$

$$3.270 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=214

$$\frac{(-5a^2Ab^3 + 6a^4Ab - a^3b^2B - 2a^5B + 2Ab^5) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{5/2}(a+b)^{5/2}} + \frac{b(5a^2Ab - 3a^3B - 2Ab^3) \sin(c+dx)}{2a^2d(a^2-b^2)^2(a+b \cos(c+dx))} + \frac{b}{2ad(a-b)}$$

[Out] -(((6\*a^4\*A\*b - 5\*a^2\*A\*b^3 + 2\*A\*b^5 - 2\*a^5\*B - a^3\*b^2\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(a^3\*(a - b)^(5/2)\*(a + b)^(5/2)\*d)) + (A\*ArcTanh[Sin[c + d\*x]])/(a^3\*d) + (b\*(A\*b - a\*B)\*Sin[c + d\*x])/(2\*a\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^2) + (b\*(5\*a^2\*A\*b - 2\*A\*b^3 - 3\*a^3\*B)\*Sin[c + d\*x])/(2\*a^2\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x]))

**Rubi [A]** time = 0.705715, antiderivative size = 214, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{(-5a^2Ab^3 + 6a^4Ab - a^3b^2B - 2a^5B + 2Ab^5) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3d(a-b)^{5/2}(a+b)^{5/2}} + \frac{b(5a^2Ab - 3a^3B - 2Ab^3) \sin(c+dx)}{2a^2d(a^2-b^2)^2(a+b \cos(c+dx))} + \frac{b}{2ad(a-b)}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b\*Cos[c + d\*x])^3,x]

[Out] -(((6\*a^4\*A\*b - 5\*a^2\*A\*b^3 + 2\*A\*b^5 - 2\*a^5\*B - a^3\*b^2\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(a^3\*(a - b)^(5/2)\*(a + b)^(5/2)\*d)) + (A\*ArcTanh[Sin[c + d\*x]])/(a^3\*d) + (b\*(A\*b - a\*B)\*Sin[c + d\*x])/(2\*a\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^2) + (b\*(5\*a^2\*A\*b - 2\*A\*b^3 - 3\*a^3\*B)\*Sin[c + d\*x])/(2\*a^2\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x]))

### Rule 3000

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(1 + n))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(a\*A - b\*B)\*(b\*c - a\*d)\*(m + 1) + b\*d\*(A\*b - a\*B)\*(m + n + 2) + (A\*b - a\*B)\*(a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(A\*b - a\*B)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*

$(aA - bB + aC) + d(Ab^2 - abB + a^2C)(m + n + 2) - (c(Ab^2 - abB + a^2C) + (m + 1)(bc - ad)(Ab - aB + bC))\sin[e + fx] - d(Ab^2 - abB + a^2C)(m + n + 3)\sin[e + fx]^2, x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[bc - ad, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3001

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] := Dist[(A\*b - a\*B)/(b\*c - a\*d), Int[1/(a + b\*Sin[e + f\*x]), x], x] + Dist[(B\*c - A\*d)/(b\*c - a\*d), Int[1/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] := -Simp[ArcTanh[Cos[c + d\*x]]/d, x] /; FreeQ[{c, d}, x]

### Rule 2659

Int[((a\_.) + (b\_.)\*sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

### Rule 205

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^3} dx &= \frac{b(Ab - aB) \sin(c + dx)}{2a(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{\int \frac{(2A(a^2 - b^2) - 2a(Ab - aB) \cos(c + dx) + b(Ab - aB) \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^2} dx}{2a(a^2 - b^2)} \\ &= \frac{b(Ab - aB) \sin(c + dx)}{2a(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{b(5a^2Ab - 2Ab^3 - 3a^3B) \sin(c + dx)}{2a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))} + \\ &= \frac{b(Ab - aB) \sin(c + dx)}{2a(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{b(5a^2Ab - 2Ab^3 - 3a^3B) \sin(c + dx)}{2a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))} + \\ &= \frac{A \tanh^{-1}(\sin(c + dx))}{a^3d} + \frac{b(Ab - aB) \sin(c + dx)}{2a(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{b(5a^2Ab - 2Ab^3 - 3a^3B) \sin(c + dx)}{2a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))} \\ &= -\frac{(6a^4Ab - 5a^2Ab^3 + 2Ab^5 - 2a^5B - a^3b^2B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^3(a-b)^{5/2}(a+b)^{5/2}d} + \frac{A \tanh^{-1}(\sin(c + dx))}{a^3d} \end{aligned}$$

**Mathematica [A]** time = 1.24046, size = 269, normalized size = 1.26

$$\cos(c + dx)(A \sec(c + dx) + B) \left( \frac{ab(5a^2Ab - 3a^3B - 2Ab^3) \sin(c + dx)}{(a-b)^2(a+b)^2(a+b \cos(c + dx))} - \frac{2(5a^2Ab^3 - 6a^4Ab + a^3b^2B + 2a^5B - 2Ab^5) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{5/2}} + \frac{a^2b}{(a-b)(a+b)} \right)$$


---


$$2a^3d(A + B \cos(c + dx))$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b\*Cos[c + d\*x])^3,x]

[Out] (Cos[c + d\*x]\*(B + A\*Sec[c + d\*x])\*((-2\*(-6\*a^4\*A\*b + 5\*a^2\*A\*b^3 - 2\*A\*b^5 + 2\*a^5\*B + a^3\*b^2\*B)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5/2) - 2\*A\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 2\*A\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + (a^2\*b\*(A\*b - a\*B)\*Sin[c + d\*x])/((a - b)\*(a + b)\*(a + b\*Cos[c + d\*x])^2) + (a\*b\*(5\*a^2\*A\*b - 2\*A\*b^3 - 3\*a^3\*B)\*Sin[c + d\*x])/((a - b)^2\*(a + b)^2\*(a + b\*Cos[c + d\*x]))) / (2\*a^3\*d\*(A + B\*Cos[c + d\*x]))

**Maple [B]** time = 0.173, size = 1045, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))^3,x)

[Out] -1/d\*A/a^3\*ln(tan(1/2\*d\*x+1/2\*c)-1)+1/d\*A/a^3\*ln(tan(1/2\*d\*x+1/2\*c)+1)+6/d/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^2/(a-b)/(a^2+2\*a\*b+b^2)\*tan(1/2\*d\*x+1/2\*c)^3\*A\*b^2+1/d/a/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^2\*b^3/(a-b)/(a^2+2\*a\*b+b^2)\*tan(1/2\*d\*x+1/2\*c)^3\*A-2/d/a^2/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^2\*b^4/(a-b)/(a^2+2\*a\*b+b^2)\*tan(1/2\*d\*x+1/2\*c)^3\*A-4/d/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^2/(a-b)/(a^2+2\*a\*b+b^2)\*tan(1/2\*d\*x+1/2\*c)^3\*B\*a\*b-1/d/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^2/(a-b)/(a^2+2\*a\*b+b^2)\*tan(1/2\*d\*x+1/2\*c)^3\*b^2\*B+6/d/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^2\*b^2/(a+b)/(a-b)^2\*tan(1/2\*d\*x+1/2\*c)\*A-1/d/a/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^2\*b^3/(a+b)/(a-b)^2\*tan(1/2\*d\*x+1/2\*c)\*A-2/d/a^2/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^2\*b^4/(a+b)/(a-b)^2\*tan(1/2\*d\*x+1/2\*c)\*A-4/d/a/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^2\*b/(a+b)/(a-b)^2\*tan(1/2\*d\*x+1/2\*c)\*B+1/d/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^2\*b^2/(a+b)/(a-b)^2\*tan(1/2\*d\*x+1/2\*c)\*B-6/d\*a\*b/(a^4-2\*a^2\*b^2+b^4)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*A+5/d/a/(a^4-2\*a^2\*b^2+b^4)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*A\*b^3-2/d/a^3/(a^4-2\*a^2\*b^2+b^4)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*A\*b^5+2/d\*a^2/(a^4-2\*a^2\*b^2+b^4)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*B+1/d/(a^4-2\*a^2\*b^2+b^4)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*b^2\*B

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^3,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 128.467, size = 3032, normalized size = 14.17

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] [1/4*((2*B*a^7 - 6*A*a^6*b + B*a^5*b^2 + 5*A*a^4*b^3 - 2*A*a^2*b^5 + (2*B*a^5*b^2 - 6*A*a^4*b^3 + B*a^3*b^4 + 5*A*a^2*b^5 - 2*A*b^7)*cos(d*x + c)^2 + 2*(2*B*a^6*b - 6*A*a^5*b^2 + B*a^4*b^3 + 5*A*a^3*b^4 - 2*A*a*b^6)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) + 2*(A*a^8 - 3*A*a^6*b^2 + 3*A*a^4*b^4 - A*a^2*b^6 + (A*a^6*b^2 - 3*A*a^4*b^4 + 3*A*a^2*b^6 - A*b^8)*cos(d*x + c)^2 + 2*(A*a^7*b - 3*A*a^5*b^3 + 3*A*a^3*b^5 - A*a*b^7)*cos(d*x + c))*log(sin(d*x + c) + 1) - 2*(A*a^8 - 3*A*a^6*b^2 + 3*A*a^4*b^4 - A*a^2*b^6 + (A*a^6*b^2 - 3*A*a^4*b^4 + 3*A*a^2*b^6 - A*b^8)*cos(d*x + c)^2 + 2*(A*a^7*b - 3*A*a^5*b^3 + 3*A*a^3*b^5 - A*a*b^7)*cos(d*x + c))*log(-sin(d*x + c) + 1) - 2*(4*B*a^7*b - 6*A*a^6*b^2 - 5*B*a^5*b^3 + 9*A*a^4*b^4 + B*a^3*b^5 - 3*A*a^2*b^6 + (3*B*a^6*b^2 - 5*A*a^5*b^3 - 3*B*a^4*b^4 + 7*A*a^3*b^5 - 2*A*a*b^7)*cos(d*x + c))*sin(d*x + c))/((a^9*b^2 - 3*a^7*b^4 + 3*a^5*b^6 - a^3*b^8)*d*cos(d*x + c)^2 + 2*(a^10*b - 3*a^8*b^3 + 3*a^6*b^5 - a^4*b^7)*d*cos(d*x + c) + (a^11 - 3*a^9*b^2 + 3*a^7*b^4 - a^5*b^6)*d), 1/2*((2*B*a^7 - 6*A*a^6*b + B*a^5*b^2 + 5*A*a^4*b^3 - 2*A*a^2*b^5 + (2*B*a^5*b^2 - 6*A*a^4*b^3 + B*a^3*b^4 + 5*A*a^2*b^5 - 2*A*b^7)*cos(d*x + c)^2 + 2*(2*B*a^6*b - 6*A*a^5*b^2 + B*a^4*b^3 + 5*A*a^3*b^4 - 2*A*a*b^6)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) + (A*a^8 - 3*A*a^6*b^2 + 3*A*a^4*b^4 - A*a^2*b^6 + (A*a^6*b^2 - 3*A*a^4*b^4 + 3*A*a^2*b^6 - A*b^8)*cos(d*x + c)^2 + 2*(A*a^7*b - 3*A*a^5*b^3 + 3*A*a^3*b^5 - A*a*b^7)*cos(d*x + c))*log(sin(d*x + c) + 1) - (A*a^8 - 3*A*a^6*b^2 + 3*A*a^4*b^4 - A*a^2*b^6 + (A*a^6*b^2 - 3*A*a^4*b^4 + 3*A*a^2*b^6 - A*b^8)*cos(d*x + c)^2 + 2*(A*a^7*b - 3*A*a^5*b^3 + 3*A*a^3*b^5 - A*a*b^7)*cos(d*x + c))*log(-sin(d*x + c) + 1) - (4*B*a^7*b - 6*A*a^6*b^2 - 5*B*a^5*b^3 + 9*A*a^4*b^4 + B*a^3*b^5 - 3*A*a^2*b^6 + (3*B*a^6*b^2 - 5*A*a^5*b^3 - 3*B*a^4*b^4 + 7*A*a^3*b^5 - 2*A*a*b^7)*cos(d*x + c))*sin(d*x + c))/((a^9*b^2 - 3*a^7*b^4 + 3*a^5*b^6 - a^3*b^8)*d*cos(d*x + c)^2 + 2*(a^10*b - 3*a^8*b^3 + 3*a^6*b^5 - a^4*b^7)*d*cos(d*x + c) + (a^11 - 3*a^9*b^2 + 3*a^7*b^4 - a^5*b^6)*d)]
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Integral((A + B\*cos(c + d\*x))\*sec(c + d\*x)/(a + b\*cos(c + d\*x))\*\*3, x)

**Giac [B]** time = 1.5023, size = 649, normalized size = 3.03

$$\frac{(2Ba^5 - 6Aa^4b + Ba^3b^2 + 5Aa^2b^3 - 2Ab^5) \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left( \frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right)}{(a^7 - 2a^5b^2 + a^3b^4) \sqrt{a^2 - b^2}} + \frac{A \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^3} - \frac{A \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] ((2\*B\*a^5 - 6\*A\*a^4\*b + B\*a^3\*b^2 + 5\*A\*a^2\*b^3 - 2\*A\*b^5)\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(2\*a - 2\*b) + arctan((a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))/((a^7 - 2\*a^5\*b^2 + a^3\*b^4)\*sqrt(a^2 - b^2)) + A\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a^3 - A\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a^3 - (4\*B\*a^4\*b\*tan(1/2\*d\*x + 1/2\*c)^3 - 6\*A\*a^3\*b^2\*tan(1/2\*d\*x + 1/2\*c)^3 - 3\*B\*a^3\*b^2\*tan(1/2\*d\*x + 1/2\*c)^3 + 5\*A\*a^2\*b^3\*tan(1/2\*d\*x + 1/2\*c)^3 - B\*a^2\*b^3\*tan(1/2\*d\*x + 1/2\*c)^3 + 3\*A\*a\*b^4\*tan(1/2\*d\*x + 1/2\*c)^3 - 2\*A\*b^5\*tan(1/2\*d\*x + 1/2\*c)^3 + 4\*B\*a^4\*b\*tan(1/2\*d\*x + 1/2\*c) - 6\*A\*a^3\*b^2\*tan(1/2\*d\*x + 1/2\*c) + 3\*B\*a^3\*b^2\*tan(1/2\*d\*x + 1/2\*c) - 5\*A\*a^2\*b^3\*tan(1/2\*d\*x + 1/2\*c) - B\*a^2\*b^3\*tan(1/2\*d\*x + 1/2\*c) + 3\*A\*a\*b^4\*tan(1/2\*d\*x + 1/2\*c) + 2\*A\*b^5\*tan(1/2\*d\*x + 1/2\*c))/(a^6 - 2\*a^4\*b^2 + a^2\*b^4)\*(a\*tan(1/2\*d\*x + 1/2\*c)^2 - b\*tan(1/2\*d\*x + 1/2\*c)^2 + a + b)^2)/d

$$3.271 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=299

$$\frac{b(-15a^2Ab^3 + 12a^4Ab + 5a^3b^2B - 6a^5B - 2ab^4B + 6Ab^5) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4d(a-b)^{5/2}(a+b)^{5/2}} + \frac{(-11a^2Ab^2 + 2a^4A + 5a^3bB - 2a^5B - 2ab^4B + 6Ab^5)}{2a^3d(a^2 - b^2)}$$

[Out] (b\*(12\*a^4\*A\*b - 15\*a^2\*A\*b^3 + 6\*A\*b^5 - 6\*a^5\*B + 5\*a^3\*b^2\*B - 2\*a\*b^4\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]]/(a^4\*(a - b)^(5/2)\*(a + b)^(5/2)\*d) - ((3\*A\*b - a\*B)\*ArcTanh[Sin[c + d\*x]]/(a^4\*d) + ((2\*a^4\*A - 11\*a^2\*A\*b^2 + 6\*A\*b^4 + 5\*a^3\*b\*B - 2\*a\*b^3\*B)\*Tan[c + d\*x])/(2\*a^3\*(a^2 - b^2)^2\*d) + (b\*(A\*b - a\*B)\*Tan[c + d\*x])/(2\*a\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^2) + (b\*(6\*a^2\*A\*b - 3\*A\*b^3 - 4\*a^3\*B + a\*b^2\*B)\*Tan[c + d\*x])/(2\*a^2\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x]))

**Rubi [A]** time = 1.76445, antiderivative size = 299, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{b(-15a^2Ab^3 + 12a^4Ab + 5a^3b^2B - 6a^5B - 2ab^4B + 6Ab^5) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4d(a-b)^{5/2}(a+b)^{5/2}} + \frac{(-11a^2Ab^2 + 2a^4A + 5a^3bB - 2a^5B - 2ab^4B + 6Ab^5)}{2a^3d(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(a + b\*Cos[c + d\*x])^3,x]

[Out] (b\*(12\*a^4\*A\*b - 15\*a^2\*A\*b^3 + 6\*A\*b^5 - 6\*a^5\*B + 5\*a^3\*b^2\*B - 2\*a\*b^4\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]]/(a^4\*(a - b)^(5/2)\*(a + b)^(5/2)\*d) - ((3\*A\*b - a\*B)\*ArcTanh[Sin[c + d\*x]]/(a^4\*d) + ((2\*a^4\*A - 11\*a^2\*A\*b^2 + 6\*A\*b^4 + 5\*a^3\*b\*B - 2\*a\*b^3\*B)\*Tan[c + d\*x])/(2\*a^3\*(a^2 - b^2)^2\*d) + (b\*(A\*b - a\*B)\*Tan[c + d\*x])/(2\*a\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^2) + (b\*(6\*a^2\*A\*b - 3\*A\*b^3 - 4\*a^3\*B + a\*b^2\*B)\*Tan[c + d\*x])/(2\*a^2\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x]))

### Rule 3000

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(1 + n))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(a\*A - b\*B)\*(b\*c - a\*d)\*(m + 1) + b\*d\*(A\*b - a\*B)\*(m + n + 2) + (A\*b - a\*B)\*(a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(A\*b - a\*B)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.)

```

+ (f_.)*(x_)^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

### Rule 3001

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[(A*b
- a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(
b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f,
A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

### Rule 2659

```

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]

```

### Rule 205

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^3} dx &= \frac{b(Ab - aB) \tan(c + dx)}{2a(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{\int \frac{(2a^2A - 3Ab^2 + abB - 2a(Ab - aB) \cos(c + dx) + 2b(AB - a^2)) \sec^2(c + dx)}{(a + b \cos(c + dx))^2} dx}{2a(a^2 - b^2)} \\
&= \frac{b(Ab - aB) \tan(c + dx)}{2a(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{b(6a^2Ab - 3Ab^3 - 4a^3B + ab^2B) \tan(c + dx)}{2a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))} \\
&= \frac{(2a^4A - 11a^2Ab^2 + 6Ab^4 + 5a^3bB - 2ab^3B) \tan(c + dx)}{2a^3(a^2 - b^2)^2 d} + \frac{b(Ab - aB)}{2a(a^2 - b^2)d(a + b \cos(c + dx))} \\
&= \frac{(2a^4A - 11a^2Ab^2 + 6Ab^4 + 5a^3bB - 2ab^3B) \tan(c + dx)}{2a^3(a^2 - b^2)^2 d} + \frac{b(Ab - aB)}{2a(a^2 - b^2)d(a + b \cos(c + dx))} \\
&= -\frac{(3Ab - aB) \tanh^{-1}(\sin(c + dx))}{a^4d} + \frac{(2a^4A - 11a^2Ab^2 + 6Ab^4 + 5a^3bB - 2ab^3B) \tan(c + dx)}{2a^3(a^2 - b^2)^2 d} \\
&= \frac{b(12a^4Ab - 15a^2Ab^3 + 6Ab^5 - 6a^5B + 5a^3b^2B - 2ab^4B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^4(a-b)^{5/2}(a+b)^{5/2}d}
\end{aligned}$$

**Mathematica [A]** time = 5.5268, size = 352, normalized size = 1.18

$$\frac{ab^2(-7a^2Ab + 5a^3B - 2ab^2B + 4Ab^3) \sin(c + dx)}{(a-b)^2(a+b)^2(a+b \cos(c + dx))} + \frac{a^2b^2(aB - Ab) \sin(c + dx)}{(a-b)(a+b)(a+b \cos(c + dx))^2} - \frac{2b(-15a^2Ab^3 + 12a^4Ab + 5a^3b^2B - 6a^5B - 2ab^4B + 6Ab^5) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(a + b\*Cos[c + d\*x])^3, x]

[Out] ((-2\*b\*(12\*a^4\*A\*b - 15\*a^2\*A\*b^3 + 6\*A\*b^5 - 6\*a^5\*B + 5\*a^3\*b^2\*B - 2\*a\*b^4\*B)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]]/(-a^2 + b^2)^(5/2) + 2\*(3\*A\*b - a\*B)\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 2\*(-3\*A\*b + a\*B)\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + (2\*a\*A\*Sin[(c + d\*x)/2])/(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]) + (2\*a\*A\*Sin[(c + d\*x)/2])/(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]) + (a^2\*b^2\*(-(A\*b) + a\*B)\*Sin[c + d\*x])/((a - b)\*(a + b)\*(a + b\*Cos[c + d\*x])^2) + (a\*b^2\*(-7\*a^2\*A\*b + 4\*A\*b^3 + 5\*a^3\*B - 2\*a\*b^2\*B)\*Sin[c + d\*x])/((a - b)^2\*(a + b)^2\*(a + b\*Cos[c + d\*x]))/(2\*a^4\*d)

**Maple [B]** time = 0.187, size = 1358, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^3, x)

[Out] -1/d\*A/a^3/(tan(1/2\*d\*x+1/2\*c)-1)+3/d/a^4\*ln(tan(1/2\*d\*x+1/2\*c)-1)\*A\*b-1/d/a^3\*ln(tan(1/2\*d\*x+1/2\*c)-1)\*B-1/d\*A/a^3/(tan(1/2\*d\*x+1/2\*c)+1)-3/d/a^4\*ln(tan(1/2\*d\*x+1/2\*c)+1)\*B

```

tan(1/2*d*x+1/2*c)+1)*A*b+1/d/a^3*ln(tan(1/2*d*x+1/2*c)+1)*B-8/d/a/(tan(1/2
*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^2*b^3/(a-b)/(a^2+2*a*b+b^2)*tan
(1/2*d*x+1/2*c)^3*A-1/d/a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+
a+b)^2*b^4/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A+4/d*b^5/a^3/(tan(1/
2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/
2*d*x+1/2*c)^3*A+6/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^2/
(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*b^2*B+1/d*b^3/a/(tan(1/2*d*x+1/2
*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2
*c)^3*B-2/d*b^4/a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(
a-b)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B-8/d/a/(tan(1/2*d*x+1/2*c)^2*a-t
an(1/2*d*x+1/2*c)^2*b+a+b)^2*b^3/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*A+1/d/a^2
/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^2*b^4/(a+b)/(a-b)^2*ta
n(1/2*d*x+1/2*c)*A+4/d*b^5/a^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2
*b+a+b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*A+6/d/(tan(1/2*d*x+1/2*c)^2*a-ta
n(1/2*d*x+1/2*c)^2*b+a+b)^2*b^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*B-1/d*b^3/
a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^2/(a+b)/(a-b)^2*tan(1
/2*d*x+1/2*c)*B-2/d*b^4/a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+
a+b)^2/(a+b)/(a-b)^2*tan(1/2*d*x+1/2*c)*B+12/d*b^2/(a^4-2*a^2*b^2+b^4)/((a-
b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A-15/d
*b^4/a^2/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*
(a-b)/((a-b)*(a+b))^(1/2))*A+6/d*b^6/a^4/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(
1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A-6/d*b/(a^4-2*a
^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b
)))^(1/2))*B*a+5/d*b^3/a/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^(1/2)*arctan(tan(
1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B-2/d*b^5/a^3/(a^4-2*a^2*b^2+b^4)
/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B

```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^3,x, algorithm="ma
xima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^3,x, algorithm="fr
icas")
```

```
[Out] Timed out
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**2/(a+b*cos(d*x+c))**3,x)
```

```
[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)**2/(a + b*cos(c + d*x))**3, x)
```

**Giac [B]** time = 1.5991, size = 775, normalized size = 2.59

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^3,x, algorithm="giac")
```

```
[Out] ((6*B*a^5*b - 12*A*a^4*b^2 - 5*B*a^3*b^3 + 15*A*a^2*b^4 + 2*B*a*b^5 - 6*A*b^6)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/((a^8 - 2*a^6*b^2 + a^4*b^4)*sqrt(a^2 - b^2)) + (6*B*a^4*b^2*tan(1/2*d*x + 1/2*c)^3 - 8*A*a^3*b^3*tan(1/2*d*x + 1/2*c)^3 - 5*B*a^3*b^3*tan(1/2*d*x + 1/2*c)^3 + 7*A*a^2*b^4*tan(1/2*d*x + 1/2*c)^3 - 3*B*a^2*b^4*tan(1/2*d*x + 1/2*c)^3 + 5*A*a*b^5*tan(1/2*d*x + 1/2*c)^3 + 2*B*a*b^5*tan(1/2*d*x + 1/2*c)^3 - 4*A*b^6*tan(1/2*d*x + 1/2*c)^3 + 6*B*a^4*b^2*tan(1/2*d*x + 1/2*c) - 8*A*a^3*b^3*tan(1/2*d*x + 1/2*c) + 5*B*a^3*b^3*tan(1/2*d*x + 1/2*c) - 7*A*a^2*b^4*tan(1/2*d*x + 1/2*c) - 3*B*a^2*b^4*tan(1/2*d*x + 1/2*c) + 5*A*a*b^5*tan(1/2*d*x + 1/2*c) - 2*B*a*b^5*tan(1/2*d*x + 1/2*c) + 4*A*b^6*tan(1/2*d*x + 1/2*c))/((a^7 - 2*a^5*b^2 + a^3*b^4)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 + a + b)^2) + (B*a - 3*A*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^4 - (B*a - 3*A*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^4 - 2*A*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*a^3))/d
```

$$3.272 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=402

$$\frac{b^2(-29a^2Ab^3 + 20a^4Ab + 15a^3b^2B - 12a^5B - 6ab^4B + 12Ab^5) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right) - (-21a^2Ab^3 + 6a^4Ab + 11a^3b^2B)}{a^5d(a-b)^{5/2}(a+b)^{5/2}}$$

[Out]  $-\left(\frac{b^2(20a^4Ab - 29a^2Ab^3 + 12Ab^5 - 12a^5B + 15a^3b^2B - 6ab^4B) \operatorname{ArcTan}\left[\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right]}{a^5d(a-b)^{5/2}(a+b)^{5/2}} + \frac{(-21a^2Ab^3 + 6a^4Ab + 11a^3b^2B)}{a^5d(a-b)^{5/2}(a+b)^{5/2}}\right) + \frac{((a^2A + 12Ab^2 - 6abB) \operatorname{ArcTanh}[\sin(c+dx)])}{(2a^5d)} - \frac{((6a^4Ab - 21a^2Ab^3 + 12Ab^5 - 2a^5B + 11a^3b^2B - 6ab^4B) \tan(c+dx))}{(2a^4(a^2 - b^2)^2d)} + \frac{((a^4A - 10a^2Ab^2 + 6Ab^4 + 6a^3bB - 3ab^3B) \sec(c+dx) \tan(c+dx))}{(2a^3(a^2 - b^2)^2d)} + \frac{(b(Ab - aB) \sec(c+dx) \tan(c+dx))}{(2a(a^2 - b^2)d(a + b \cos(c+dx))^2)} + \frac{(b(7a^2Ab - 4Ab^3 - 5a^3B + 2ab^2B) \sec(c+dx) \tan(c+dx))}{(2a^2(a^2 - b^2)^2d(a + b \cos(c+dx)))}$

**Rubi [A]** time = 2.23645, antiderivative size = 402, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{b^2(-29a^2Ab^3 + 20a^4Ab + 15a^3b^2B - 12a^5B - 6ab^4B + 12Ab^5) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right) - (-21a^2Ab^3 + 6a^4Ab + 11a^3b^2B)}{a^5d(a-b)^{5/2}(a+b)^{5/2}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[\frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + b \cos(c + dx))^3}, x]$

[Out]  $-\left(\frac{b^2(20a^4Ab - 29a^2Ab^3 + 12Ab^5 - 12a^5B + 15a^3b^2B - 6ab^4B) \operatorname{ArcTan}\left[\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right]}{a^5d(a-b)^{5/2}(a+b)^{5/2}} + \frac{(-21a^2Ab^3 + 6a^4Ab + 11a^3b^2B)}{a^5d(a-b)^{5/2}(a+b)^{5/2}}\right) + \frac{((a^2A + 12Ab^2 - 6abB) \operatorname{ArcTanh}[\sin(c+dx)])}{(2a^5d)} - \frac{((6a^4Ab - 21a^2Ab^3 + 12Ab^5 - 2a^5B + 11a^3b^2B - 6ab^4B) \tan(c+dx))}{(2a^4(a^2 - b^2)^2d)} + \frac{((a^4A - 10a^2Ab^2 + 6Ab^4 + 6a^3bB - 3ab^3B) \sec(c+dx) \tan(c+dx))}{(2a^3(a^2 - b^2)^2d)} + \frac{(b(Ab - aB) \sec(c+dx) \tan(c+dx))}{(2a(a^2 - b^2)d(a + b \cos(c+dx))^2)} + \frac{(b(7a^2Ab - 4Ab^3 - 5a^3B + 2ab^2B) \sec(c+dx) \tan(c+dx))}{(2a^2(a^2 - b^2)^2d(a + b \cos(c+dx)))}$

### Rule 3000

$\operatorname{Int}[\frac{(a + b \sin(e + f x)) \sec^3(e + f x)}{(a + b \cos(e + f x))^3}, x] := -\operatorname{Simp}[\frac{(Ab^2 - aB) \cos(e + f x) (a + b \sin(e + f x))^{m+1} (c + d \sin(e + f x))^{1+n}}{(f(m+1)(bc - ad)(a^2 - b^2))}, x] + \operatorname{Dist}[\frac{1}{(m+1)(bc - ad)(a^2 - b^2)}, \operatorname{Int}[\frac{(a + b \sin(e + f x))^{m+1} (c + d \sin(e + f x))^{n+m}}{(aA - bB)(bc - ad)(m+1) + b d (Ab - aB)(m+n+2) + (Ab - aB)(ad(m+1) - bc(m+2)) \sin(e + f x) - b d (Ab - aB)(m+n+3) \sin^2(e + f x)}, x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[bc - ad, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))



Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 3001

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(A*b
- a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(
b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f,
A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + b \cos(c + dx))^3} dx = \frac{b(Ab - aB) \sec(c + dx) \tan(c + dx)}{2a(a^2 - b^2) d(a + b \cos(c + dx))^2} + \frac{\int \frac{(2(a^2A - 2Ab^2 + abB) - 2a(Ab - aB) \cos(c + dx) + 3b(Ab - aB) \cos^2(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^2} dx}{2a(a^2 - b^2)}$$

$$= \frac{b(Ab - aB) \sec(c + dx) \tan(c + dx)}{2a(a^2 - b^2) d(a + b \cos(c + dx))^2} + \frac{b(7a^2Ab - 4Ab^3 - 5a^3B + 2ab^2B) \sec(c + dx) \tan(c + dx)}{2a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))}$$

$$= \frac{(a^4A - 10a^2Ab^2 + 6Ab^4 + 6a^3bB - 3ab^3B) \sec(c + dx) \tan(c + dx)}{2a^3(a^2 - b^2)^2 d} + \frac{b(Ab - aB) \sec(c + dx) \tan(c + dx)}{2a(a^2 - b^2)}$$

$$= -\frac{(6a^4Ab - 21a^2Ab^3 + 12Ab^5 - 2a^5B + 11a^3b^2B - 6ab^4B) \tan(c + dx)}{2a^4(a^2 - b^2)^2 d} + \frac{(a^4A - 10a^2Ab^2 + 6Ab^4 + 6a^3bB - 3ab^3B) \sec(c + dx) \tan(c + dx)}{2a^3(a^2 - b^2)^2 d}$$

$$= -\frac{(6a^4Ab - 21a^2Ab^3 + 12Ab^5 - 2a^5B + 11a^3b^2B - 6ab^4B) \tan(c + dx)}{2a^4(a^2 - b^2)^2 d} + \frac{(a^4A - 10a^2Ab^2 + 6Ab^4 + 6a^3bB - 3ab^3B) \sec(c + dx) \tan(c + dx)}{2a^3(a^2 - b^2)^2 d}$$

$$= \frac{(a^2A + 12Ab^2 - 6abB) \tanh^{-1}(\sin(c + dx))}{2a^5d} - \frac{(6a^4Ab - 21a^2Ab^3 + 12Ab^5 - 2a^5B + 11a^3b^2B - 6ab^4B) \tan(c + dx)}{2a^4(a^2 - b^2)^2 d}$$

$$= -\frac{b^2(20a^4Ab - 29a^2Ab^3 + 12Ab^5 - 12a^5B + 15a^3b^2B - 6ab^4B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^5(a-b)^{5/2}(a+b)^{5/2}d}$$

**Mathematica [A]** time = 2.70888, size = 507, normalized size = 1.26

$$\frac{16b^2(-29a^2Ab^3 + 20a^4Ab + 15a^3b^2B - 12a^5B - 6ab^4B + 12Ab^5) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{5/2}} - 8(a^2A - 6abB + 12Ab^2) \log\left(\cos\left(\frac{1}{2}(c + dx)\right)\right) - \sin\left(\frac{1}{2}(c + dx)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x]^3, x]
```

```
[Out] ((16*b^2*(20*a^4*A*b - 29*a^2*A*b^3 + 12*A*b^5 - 12*a^5*B + 15*a^3*b^2*B - 6*a*b^4*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(5/2) - 8*(a^2*A + 12*A*b^2 - 6*a*b*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 8*(a^2*A + 12*A*b^2 - 6*a*b*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (2*a*(4*a^7*A - 30*a^5*A*b^2 + 68*a^3*A*b^4 - 36*a*A*b^6 + 8*a^6*b*B - 32*a^4*b^3*B + 18*a^2*b^5*B + (-16*a^6*A*b + 14*a^4*A*b^3 + 47*a^2*A*b^5 - 36*A*b^7 + 8*a^7*B - 10*a^5*b^2*B - 25*a^3*b^4*B + 18*a*b^6*B)*Cos[c + d*x] + 2*a*b*(-11*a^4*A*b + 32*a^2*A*b^3 - 18*A*b^5 + 4*a^5*B - 16*a^3*b^2*B + 9*a*b^4*B)*Cos[2*(c + d*x)] - 6*a^4*A*b^3*Cos[3*(c + d*x)] + 21*a^2*A*b^5*Cos[3*(c + d*x)] - 12*A*b^7*Cos[3*(c + d*x)] + 2*a^5*b^2*B*Cos[3*(c + d*x)] - 11*a^3*b^4*B*Cos[3*(c + d*x)] + 6*a*b^6*B*Cos[3*(c + d*x)])*Sec[c + d*x]*Tan[c + d*x])/((a^2 - b^2)^2*(a + b*Cos[c + d*x]^2))/(16*a^5*d)
```

**Maple [B]** time = 0.206, size = 1551, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((A+B*\cos(d*x+c))*\sec(d*x+c)^3/(a+b*\cos(d*x+c))^3,x)$

[Out]  $\frac{1}{2}dA/a^3/(\tan(1/2dx+1/2c)-1)^2-1/d/a^3/(\tan(1/2dx+1/2c)-1)*B-1/2/d$   
 $*A/a^3/(\tan(1/2dx+1/2c)+1)^2-1/d/a^3/(\tan(1/2dx+1/2c)+1)*B-1/2/dA/a^3$   
 $*\ln(\tan(1/2dx+1/2c)-1)+1/2/dA/a^3*\ln(\tan(1/2dx+1/2c)+1)+12/d/(a^4-2$   
 $*a^2*b^2+b^4)/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2dx+1/2c)*(a-b)/((a-b)*(a$   
 $+b))^{1/2})*b^2*B-20/d/a/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^{1/2}*\arctan(\tan$   
 $(1/2dx+1/2c)*(a-b)/((a-b)*(a+b))^{1/2})*A*b^3+29/d/a^3/(a^4-2*a^2*b^2+b^4)$   
 $/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2dx+1/2c)*(a-b)/((a-b)*(a+b))^{1/2})*$   
 $A*b^5+4/d*b^5/a^3/(\tan(1/2dx+1/2c)^2*a-\tan(1/2dx+1/2c)^2*b+a+b)^2/(a$   
 $-b)/(a^2+2*a*b+b^2)*\tan(1/2dx+1/2c)^3*B-6/d*b^6/a^4/(\tan(1/2dx+1/2c)^2$   
 $*a-\tan(1/2dx+1/2c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2dx+1/2c)^3$   
 $A+4/d*b^5/a^3/(\tan(1/2dx+1/2c)^2*a-\tan(1/2dx+1/2c)^2*b+a+b)^2/(a+b)$   
 $/(a-b)^2*\tan(1/2dx+1/2c)*B-6/d*b^6/a^4/(\tan(1/2dx+1/2c)^2*a-\tan(1/2d$   
 $x+1/2c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2dx+1/2c)*A-8/d*b^3/a/(\tan(1/2$   
 $dx+1/2c)^2*a-\tan(1/2dx+1/2c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2dx+1/2$   
 $c)*B+1/d*b^4/a^2/(\tan(1/2dx+1/2c)^2*a-\tan(1/2dx+1/2c)^2*b+a+b)^2/(a+b$   
 $)/(a-b)^2*\tan(1/2dx+1/2c)*B-8/d*b^3/a/(\tan(1/2dx+1/2c)^2*a-\tan(1/2d$   
 $x+1/2c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2dx+1/2c)^3*B-1/d*b^4/a^2$   
 $/(\tan(1/2dx+1/2c)^2*a-\tan(1/2dx+1/2c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)$   
 $*\tan(1/2dx+1/2c)^3*B-1/d*b^5/a^3/(\tan(1/2dx+1/2c)^2*a-\tan(1/2dx+1$   
 $/2c)^2*b+a+b)^2/(a+b)/(a-b)^2*\tan(1/2dx+1/2c)*A+1/d*b^5/a^3/(\tan(1/2d$   
 $x+1/2c)^2*a-\tan(1/2dx+1/2c)^2*b+a+b)^2/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2d$   
 $x+1/2c)^3*A+10/d/a^2/(\tan(1/2dx+1/2c)^2*a-\tan(1/2dx+1/2c)^2*b+a+b)^2$   
 $*b^4/(a+b)/(a-b)^2*\tan(1/2dx+1/2c)*A+10/d/a^2/(\tan(1/2dx+1/2c)^2*a-ta$   
 $n(1/2dx+1/2c)^2*b+a+b)^2*b^4/(a-b)/(a^2+2*a*b+b^2)*\tan(1/2dx+1/2c)^3*$   
 $A-12/d*b^7/a^5/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2dx+1$   
 $/2c)*(a-b)/((a-b)*(a+b))^{1/2})*A-15/d*b^4/a^2/(a^4-2*a^2*b^2+b^4)/((a-b)*$   
 $(a+b))^{1/2}*\arctan(\tan(1/2dx+1/2c)*(a-b)/((a-b)*(a+b))^{1/2})*B+6/d*b^6$   
 $/a^4/(a^4-2*a^2*b^2+b^4)/((a-b)*(a+b))^{1/2}*\arctan(\tan(1/2dx+1/2c)*(a-b$   
 $)/((a-b)*(a+b))^{1/2})*B+1/2/dA/a^3/(\tan(1/2dx+1/2c)-1)+1/2/dA/a^3/(ta$   
 $n(1/2dx+1/2c)+1)-3/d/a^4*\ln(\tan(1/2dx+1/2c)+1)*B*b+3/d/a^4/(\tan(1/2d$   
 $*x+1/2c)-1)*A*b-6/d/a^5*\ln(\tan(1/2dx+1/2c)-1)*A*b^2+3/d/a^4*\ln(\tan(1/2$   
 $dx+1/2c)-1)*B*b+3/d/a^4/(\tan(1/2dx+1/2c)+1)*A*b+6/d/a^5*\ln(\tan(1/2dx$   
 $+1/2c)+1)*A*b^2$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((A+B*\cos(d*x+c))*\sec(d*x+c)^3/(a+b*\cos(d*x+c))^3,x, \text{algorithm}="maxima")$

[Out] Exception raised: ValueError

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((A+B*\cos(d*x+c))*\sec(d*x+c)^3/(a+b*\cos(d*x+c))^3,x, \text{algorithm}="fricas")$

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

**Giac [B]** time = 1.60215, size = 1883, normalized size = 4.68

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] 
$$-1/2*(2*(12*B*a^5*b^2 - 20*A*a^4*b^3 - 15*B*a^3*b^4 + 29*A*a^2*b^5 + 6*B*a*b^6 - 12*A*b^7)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2}))/((a^9 - 2*a^7*b^2 + a^5*b^4)*\sqrt{a^2 - b^2}) - 2*(A*a^7*\tan(1/2*d*x + 1/2*c)^7 - 2*B*a^7*\tan(1/2*d*x + 1/2*c)^7 + 4*A*a^6*b*\tan(1/2*d*x + 1/2*c)^7 + 4*B*a^6*b*\tan(1/2*d*x + 1/2*c)^7 - 13*A*a^5*b^2*\tan(1/2*d*x + 1/2*c)^7 + 2*B*a^5*b^2*\tan(1/2*d*x + 1/2*c)^7 - 2*A*a^4*b^3*\tan(1/2*d*x + 1/2*c)^7 - 16*B*a^4*b^3*\tan(1/2*d*x + 1/2*c)^7 + 33*A*a^3*b^4*\tan(1/2*d*x + 1/2*c)^7 + 9*B*a^3*b^4*\tan(1/2*d*x + 1/2*c)^7 - 17*A*a^2*b^5*\tan(1/2*d*x + 1/2*c)^7 + 9*B*a^2*b^5*\tan(1/2*d*x + 1/2*c)^7 - 18*A*a*b^6*\tan(1/2*d*x + 1/2*c)^7 - 6*B*a*b^6*\tan(1/2*d*x + 1/2*c)^7 + 12*A*b^7*\tan(1/2*d*x + 1/2*c)^7 + 3*A*a^7*\tan(1/2*d*x + 1/2*c)^5 - 2*B*a^7*\tan(1/2*d*x + 1/2*c)^5 + 4*A*a^6*b*\tan(1/2*d*x + 1/2*c)^5 - 4*B*a^6*b*\tan(1/2*d*x + 1/2*c)^5 + 5*A*a^5*b^2*\tan(1/2*d*x + 1/2*c)^5 + 10*B*a^5*b^2*\tan(1/2*d*x + 1/2*c)^5 - 26*A*a^4*b^3*\tan(1/2*d*x + 1/2*c)^5 + 16*B*a^4*b^3*\tan(1/2*d*x + 1/2*c)^5 - 29*A*a^3*b^4*\tan(1/2*d*x + 1/2*c)^5 - 35*B*a^3*b^4*\tan(1/2*d*x + 1/2*c)^5 + 67*A*a^2*b^5*\tan(1/2*d*x + 1/2*c)^5 - 9*B*a^2*b^5*\tan(1/2*d*x + 1/2*c)^5 + 18*A*a*b^6*\tan(1/2*d*x + 1/2*c)^5 + 18*B*a*b^6*\tan(1/2*d*x + 1/2*c)^5 - 36*A*b^7*\tan(1/2*d*x + 1/2*c)^5 + 3*A*a^7*\tan(1/2*d*x + 1/2*c)^3 + 2*B*a^7*\tan(1/2*d*x + 1/2*c)^3 - 4*A*a^6*b*\tan(1/2*d*x + 1/2*c)^3 - 4*B*a^6*b*\tan(1/2*d*x + 1/2*c)^3 + 5*A*a^5*b^2*\tan(1/2*d*x + 1/2*c)^3 - 10*B*a^5*b^2*\tan(1/2*d*x + 1/2*c)^3 + 26*A*a^4*b^3*\tan(1/2*d*x + 1/2*c)^3 + 16*B*a^4*b^3*\tan(1/2*d*x + 1/2*c)^3 - 29*A*a^3*b^4*\tan(1/2*d*x + 1/2*c)^3 + 35*B*a^3*b^4*\tan(1/2*d*x + 1/2*c)^3 - 67*A*a^2*b^5*\tan(1/2*d*x + 1/2*c)^3 - 9*B*a^2*b^5*\tan(1/2*d*x + 1/2*c)^3 + 18*A*a*b^6*\tan(1/2*d*x + 1/2*c)^3 - 18*B*a*b^6*\tan(1/2*d*x + 1/2*c)^3 + 36*A*b^7*\tan(1/2*d*x + 1/2*c)^3 + A*a^7*\tan(1/2*d*x + 1/2*c) + 2*B*a^7*\tan(1/2*d*x + 1/2*c) - 4*A*a^6*b*\tan(1/2*d*x + 1/2*c) + 4*B*a^6*b*\tan(1/2*d*x + 1/2*c) - 13*A*a^5*b^2*\tan(1/2*d*x + 1/2*c) - 2*B*a^5*b^2*\tan(1/2*d*x + 1/2*c) + 2*A*a^4*b^3*\tan(1/2*d*x + 1/2*c) - 16*B*a^4*b^3*\tan(1/2*d*x + 1/2*c) + 33*A*a^3*b^4*\tan(1/2*d*x + 1/2*c) - 9*B*a^3*b^4*\tan(1/2*d*x + 1/2*c) + 17*A*a^2*b^5*\tan(1/2*d*x + 1/2*c) + 9*B*a^2*b^5*\tan(1/2*d*x + 1/2*c) - 18*A*a*b^6*\tan(1/2*d*x + 1/2*c) + 6*B*a*b^6*\tan(1/2*d*x + 1/2*c) - 12*A*b^7*\tan(1/2*d*x + 1/2*c))/((a^8 - 2*a^6*b^2 + a^4*b^4)*(a*\tan(1/2*d*x + 1/2*c)^4 - b*\tan(1/2*d*x$$

$$+ 1/2*c)^4 + 2*b*\tan(1/2*d*x + 1/2*c)^2 - a - b)^2) - (A*a^2 - 6*B*a*b + 12*A*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^5 + (A*a^2 - 6*B*a*b + 12*A*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^5)/d$$

$$3.273 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=409

$$\frac{(3a^3Ab + 23a^2b^2B - 12a^4B - 8aAb^3 - 6b^4B) \sin(c + dx)}{6b^4d(a^2 - b^2)^2} - \frac{a(-7a^4Ab^3 + 8a^2Ab^5 + 2a^6Ab + 28a^5b^2B - 35a^3b^4B - 8a^7b^6B)}{b^5d(a - b)^{7/2}(a + b)^{7/2}}$$

```
[Out] ((A*b - 4*a*B)*x)/b^5 - (a*(2*a^6*A*b - 7*a^4*A*b^3 + 8*a^2*A*b^5 - 8*A*b^7 - 8*a^7*B + 28*a^5*b^2*B - 35*a^3*b^4*B + 20*a*b^6*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*b^5*(a + b)^(7/2)*d) - ((3*a^3*A*b - 8*a*A*b^3 - 12*a^4*B + 23*a^2*b^2*B - 6*b^4*B)*Sin[c + d*x])/(6*b^4*(a^2 - b^2)^2*d) + (a*(A*b - a*B)*Cos[c + d*x]^3*Sin[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^3) + (a*(a^2*A*b - 6*A*b^3 - 4*a^3*B + 9*a*b^2*B)*Cos[c + d*x]^2*Sin[c + d*x])/(6*b^2*(a^2 - b^2)^2*d*(a + b*Cos[c + d*x])^2) - (a^2*(a^4*A*b - 2*a^2*A*b^3 + 6*A*b^5 - 4*a^5*B + 11*a^3*b^2*B - 12*a*b^4*B)*Sin[c + d*x])/(2*b^4*(a^2 - b^2)^3*d*(a + b*Cos[c + d*x]))
```

**Rubi [A]** time = 5.1748, antiderivative size = 409, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2989, 3047, 3031, 3023, 2735, 2659, 205}

$$\frac{(3a^3Ab + 23a^2b^2B - 12a^4B - 8aAb^3 - 6b^4B) \sin(c + dx)}{6b^4d(a^2 - b^2)^2} - \frac{a(-7a^4Ab^3 + 8a^2Ab^5 + 2a^6Ab + 28a^5b^2B - 35a^3b^4B - 8a^7b^6B)}{b^5d(a - b)^{7/2}(a + b)^{7/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^4,x]
```

```
[Out] ((A*b - 4*a*B)*x)/b^5 - (a*(2*a^6*A*b - 7*a^4*A*b^3 + 8*a^2*A*b^5 - 8*A*b^7 - 8*a^7*B + 28*a^5*b^2*B - 35*a^3*b^4*B + 20*a*b^6*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)*b^5*(a + b)^(7/2)*d) - ((3*a^3*A*b - 8*a*A*b^3 - 12*a^4*B + 23*a^2*b^2*B - 6*b^4*B)*Sin[c + d*x])/(6*b^4*(a^2 - b^2)^2*d) + (a*(A*b - a*B)*Cos[c + d*x]^3*Sin[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^3) + (a*(a^2*A*b - 6*A*b^3 - 4*a^3*B + 9*a*b^2*B)*Cos[c + d*x]^2*Sin[c + d*x])/(6*b^2*(a^2 - b^2)^2*d*(a + b*Cos[c + d*x])^2) - (a^2*(a^4*A*b - 2*a^2*A*b^3 + 6*A*b^5 - 4*a^5*B + 11*a^3*b^2*B - 12*a*b^4*B)*Sin[c + d*x])/(2*b^4*(a^2 - b^2)^3*d*(a + b*Cos[c + d*x]))
```

### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Ssin[e + f*x])^(m - 2)*(c + d*Ssin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2)))] - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))]*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*(A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f
_.)*(x_)]^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.
)*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^4(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^4} dx &= \frac{a(Ab-aB)\cos^3(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} - \frac{\int \frac{\cos^2(c+dx)(-3a(Ab-aB)+3b(Ab-aB)\cos(c+dx)+(a+b\cos(c+dx))^3)}{3b(a^2-b^2)} dx}{3b(a^2-b^2)} \\
&= \frac{a(Ab-aB)\cos^3(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{a(a^2Ab-6Ab^3-4a^3B+9ab^2B)\cos^2(c+dx)}{6b^2(a^2-b^2)^2d(a+b\cos(c+dx))^2} \\
&= \frac{a(Ab-aB)\cos^3(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{a(a^2Ab-6Ab^3-4a^3B+9ab^2B)\cos^2(c+dx)}{6b^2(a^2-b^2)^2d(a+b\cos(c+dx))^2} \\
&= -\frac{(3a^3Ab-8aAb^3-12a^4B+23a^2b^2B-6b^4B)\sin(c+dx)}{6b^4(a^2-b^2)^2d} + \frac{a(Ab-aB)\cos^3(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))} \\
&= \frac{(Ab-4aB)x}{b^5} - \frac{(3a^3Ab-8aAb^3-12a^4B+23a^2b^2B-6b^4B)\sin(c+dx)}{6b^4(a^2-b^2)^2d} + \frac{a(Ab-aB)\cos^3(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))} \\
&= \frac{(Ab-4aB)x}{b^5} - \frac{(3a^3Ab-8aAb^3-12a^4B+23a^2b^2B-6b^4B)\sin(c+dx)}{6b^4(a^2-b^2)^2d} + \frac{a(Ab-aB)\cos^3(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))} \\
&= \frac{(Ab-4aB)x}{b^5} - \frac{a(2a^6Ab-7a^4Ab^3+8a^2Ab^5-8Ab^7-8a^7B+28a^5b^2B-35a^3b^4B)}{(a-b)^{7/2}b^5(a+b)^{7/2}d}
\end{aligned}$$

**Mathematica [B]** time = 6.61236, size = 1278, normalized size = 3.12

$$\frac{96B(c+dx)a^{10} - 24Ab(c+dx)a^9 + 288bB(c+dx)\cos(c+dx)a^9 - 96bB\sin(c+dx)a^9 - 144b^2B(c+dx)a^8 - 72Ab^2(c+dx)a^8 + 72b^2B(c+dx)a^8 - 24Ab^2(c+dx)a^8 - 72b^2B(c+dx)a^8 - 144b^2B(c+dx)a^8 - 72Ab^2(c+dx)a^8}{(a-b)^{7/2}b^5(a+b)^{7/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^4\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x]^4, x]

[Out] -((a\*(-2\*a^6\*A\*b + 7\*a^4\*A\*b^3 - 8\*a^2\*A\*b^5 + 8\*A\*b^7 + 8\*a^7\*B - 28\*a^5\*b^2\*B + 35\*a^3\*b^4\*B - 20\*a\*b^6\*B)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(b^5\*(a^2 - b^2)^3\*Sqrt[-a^2 + b^2]\*d) + (-24\*a^9\*A\*b\*(c + d\*x) + 36\*a^7\*A\*b^3\*(c + d\*x) + 36\*a^5\*A\*b^5\*(c + d\*x) - 84\*a^3\*A\*b^7\*(c + d\*x) + 36\*a\*A\*b^9\*(c + d\*x) + 96\*a^10\*B\*(c + d\*x) - 144\*a^8\*b^2\*B\*(c + d\*x) - 144\*a^6\*b^4\*B\*(c + d\*x) + 336\*a^4\*b^6\*B\*(c + d\*x) - 144\*a^2\*b^8\*B\*(c + d\*x) - 72\*a^8\*A\*b^2\*(c + d\*x)\*Cos[c + d\*x] + 198\*a^6\*A\*b^4\*(c + d\*x)\*Cos[c + d\*x] - 162\*a^4\*A\*b^6\*(c + d\*x)\*Cos[c + d\*x] + 18\*a^2\*A\*b^8\*(c + d\*x)\*Cos[c + d\*x] + 18\*A\*b^10\*(c + d\*x)\*Cos[c + d\*x] + 288\*a^9\*b\*B\*(c + d\*x)\*Cos[c + d\*x] - 792\*a^7\*b^3\*B\*(c + d\*x)\*Cos[c + d\*x] + 648\*a^5\*b^5\*B\*(c + d\*x)\*Cos[c + d\*x] - 72\*a^3\*b^7\*B\*(c + d\*x)\*Cos[c + d\*x] - 72\*a\*b^9\*B\*(c + d\*x)\*Cos[c + d\*x] - 36\*a^7\*A\*b^3\*(c + d\*x)\*Cos[2\*(c + d\*x)] + 108\*a^5\*A\*b^5\*(c + d\*x)\*Cos[2\*(c + d\*x)] - 108\*a^3\*A\*b^7\*(c + d\*x)\*Cos[2\*(c + d\*x)] + 36\*a\*A\*b^9\*(c + d\*x)\*Cos[2\*(c + d\*x)] + 144\*a^8\*b^2\*B\*(c + d\*x)\*Cos[2\*(c + d\*x)] - 432\*a^6\*b^4\*B\*(c + d\*x)\*Cos[2\*(c + d\*x)] + 432\*a^4\*b^6\*B\*(c + d\*x)\*Cos[2\*(c + d\*x)] - 144\*a^2\*b^8\*B\*(c + d\*x)\*Cos[2\*(c + d\*x)] - 6\*a^6\*A\*b^4\*(c + d\*x)\*Cos[3\*(c + d\*x)] + 18\*a^4\*A\*b^6\*(c + d\*x)\*Cos[3\*(c + d\*x)] - 18\*a^2\*A\*b^8\*(c + d\*x)\*Cos[3\*(c + d\*x)] + 6\*A\*b^10\*(c + d\*x)\*Cos[3\*(c + d\*x)] + 24\*a^7\*b^3\*B\*(c + d\*x)\*Cos[3\*(c + d\*x)] - 72\*a^5\*b^5\*B\*(c + d\*x)\*Cos[3\*(c + d\*x)] + 72\*a^3\*b^7\*B\*(c + d\*x)\*Cos[3\*(c + d\*x)] - 24\*a\*b^9\*B\*(c + d\*x)\*Cos[3\*(c + d\*x)] +





$$2*c)^{2*b+a+b}^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-12/d*a^2*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^{2*b+a+b}^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A+6/d*a^7/b^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^{2*b+a+b}^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B+2/d*a^6/b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^{2*b+a+b}^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-116/3/d*a^5/b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^{2*b+a+b}^3/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B-2/d*a^6/b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^{2*b+a+b}^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A+6/d*a^7/b^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^{2*b+a+b}^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B+7/d*a^5/b^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*A-20/d*a^2*b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*B+20/d*a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^{2*b+a+b}^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B+20/d*a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^{2*b+a+b}^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-8/d/b^5*B*\arctan(\tan(1/2*d*x+1/2*c))*a+2/d/b^4*B*\tan(1/2*d*x+1/2*c)/(1+\tan(1/2*d*x+1/2*c)^2)-8/d*a^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*A$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 4.16999, size = 5723, normalized size = 13.99

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 
$$[-1/12*(12*(4*B*a^9*b^3 - A*a^8*b^4 - 16*B*a^7*b^5 + 4*A*a^6*b^6 + 24*B*a^5*b^7 - 6*A*a^4*b^8 - 16*B*a^3*b^9 + 4*A*a^2*b^{10} + 4*B*a*b^{11} - A*b^{12})*d*x*\cos(d*x + c)^3 + 36*(4*B*a^{10}*b^2 - A*a^9*b^3 - 16*B*a^8*b^4 + 4*A*a^7*b^5 + 24*B*a^6*b^6 - 6*A*a^5*b^7 - 16*B*a^4*b^8 + 4*A*a^3*b^9 + 4*B*a^2*b^{10} - A*a*b^{11})*d*x*\cos(d*x + c)^2 + 36*(4*B*a^{11}*b - A*a^{10}*b^2 - 16*B*a^9*b^3 + 4*A*a^8*b^4 + 24*B*a^7*b^5 - 6*A*a^6*b^6 - 16*B*a^5*b^7 + 4*A*a^4*b^8 + 4*B*a^3*b^9 - A*a^2*b^{10})*d*x*\cos(d*x + c) + 12*(4*B*a^{12} - A*a^{11}*b - 16*B*a^{10}*b^2 + 4*A*a^9*b^3 + 24*B*a^8*b^4 - 6*A*a^7*b^5 - 16*B*a^6*b^6 + 4*A*a^5*b^7 + 4*B*a^4*b^8 - A*a^3*b^9)*d*x - 3*(8*B*a^{11} - 2*A*a^{10}*b - 28*B*a^9*b^2 + 7*A*a^8*b^3 + 35*B*a^7*b^4 - 8*A*a^6*b^5 - 20*B*a^5*b^6 + 8*A*a^4*b^7 + (8*B*a^8*b^3 - 2*A*a^7*b^4 - 28*B*a^6*b^5 + 7*A*a^5*b^6 + 35*B*a^4*b^7 - 8*A*a^3*b^8 - 20*B*a^2*b^9 + 8*A*a*b^{10})*\cos(d*x + c)^3 + 3*(8*B*a^9*b^2 - 2*A*a^8*b^3 - 28*B*a^7*b^4 + 7*A*a^6*b^5 + 35*B*a^5*b^6 - 8*A*a^4*b^7 - 20*B*a^3*b^8 + 8*A*a^2*b^9)*\cos(d*x + c)^2 + 3*(8*B*a^{10}*b - 2*A*a^9*b^2 - 28$$

$$\begin{aligned}
& *B*a^8*b^3 + 7*A*a^7*b^4 + 35*B*a^6*b^5 - 8*A*a^5*b^6 - 20*B*a^4*b^7 + 8*A* \\
& a^3*b^8)*\cos(d*x + c))*\sqrt{-a^2 + b^2}*\log((2*a*b*\cos(d*x + c) + (2*a^2 - \\
& b^2)*\cos(d*x + c)^2 - 2*\sqrt{-a^2 + b^2}*(a*\cos(d*x + c) + b)*\sin(d*x + c) \\
& - a^2 + 2*b^2)/(b^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + a^2)) - 2*(24*B*a \\
& ^11*b - 6*A*a^10*b^2 - 92*B*a^9*b^3 + 23*A*a^8*b^4 + 133*B*a^7*b^5 - 43*A*a \\
& ^6*b^6 - 71*B*a^5*b^7 + 26*A*a^4*b^8 + 6*B*a^3*b^9 + 6*(B*a^8*b^4 - 4*B*a^6 \\
& *b^6 + 6*B*a^4*b^8 - 4*B*a^2*b^10 + B*b^12)*\cos(d*x + c)^3 + (44*B*a^9*b^3 \\
& - 11*A*a^8*b^4 - 169*B*a^7*b^5 + 43*A*a^6*b^6 + 239*B*a^5*b^7 - 68*A*a^4*b^8 \\
& - 132*B*a^3*b^9 + 36*A*a^2*b^10 + 18*B*a*b^11)*\cos(d*x + c)^2 + 3*(20*B*a \\
& ^10*b^2 - 5*A*a^9*b^3 - 77*B*a^8*b^4 + 20*A*a^7*b^5 + 110*B*a^6*b^6 - 35*A* \\
& a^5*b^7 - 59*B*a^4*b^8 + 20*A*a^3*b^9 + 6*B*a^2*b^10)*\cos(d*x + c))*\sin(d*x \\
& + c))/((a^8*b^8 - 4*a^6*b^10 + 6*a^4*b^12 - 4*a^2*b^14 + b^16)*d*\cos(d*x + \\
& c)^3 + 3*(a^9*b^7 - 4*a^7*b^9 + 6*a^5*b^11 - 4*a^3*b^13 + a*b^15)*d*\cos(d* \\
& x + c)^2 + 3*(a^10*b^6 - 4*a^8*b^8 + 6*a^6*b^10 - 4*a^4*b^12 + a^2*b^14)*d* \\
& \cos(d*x + c) + (a^11*b^5 - 4*a^9*b^7 + 6*a^7*b^9 - 4*a^5*b^11 + a^3*b^13)*d \\
& ), -1/6*(6*(4*B*a^9*b^3 - A*a^8*b^4 - 16*B*a^7*b^5 + 4*A*a^6*b^6 + 24*B*a^5 \\
& *b^7 - 6*A*a^4*b^8 - 16*B*a^3*b^9 + 4*A*a^2*b^10 + 4*B*a*b^11 - A*b^12)*d*x \\
& *\cos(d*x + c)^3 + 18*(4*B*a^10*b^2 - A*a^9*b^3 - 16*B*a^8*b^4 + 4*A*a^7*b^5 \\
& + 24*B*a^6*b^6 - 6*A*a^5*b^7 - 16*B*a^4*b^8 + 4*A*a^3*b^9 + 4*B*a^2*b^10 - \\
& A*a*b^11)*d*x*\cos(d*x + c)^2 + 18*(4*B*a^11*b - A*a^10*b^2 - 16*B*a^9*b^3 \\
& + 4*A*a^8*b^4 + 24*B*a^7*b^5 - 6*A*a^6*b^6 - 16*B*a^5*b^7 + 4*A*a^4*b^8 + 4 \\
& *B*a^3*b^9 - A*a^2*b^10)*d*x*\cos(d*x + c) + 6*(4*B*a^12 - A*a^11*b - 16*B*a \\
& ^10*b^2 + 4*A*a^9*b^3 + 24*B*a^8*b^4 - 6*A*a^7*b^5 - 16*B*a^6*b^6 + 4*A*a^5 \\
& *b^7 + 4*B*a^4*b^8 - A*a^3*b^9)*d*x - 3*(8*B*a^11 - 2*A*a^10*b - 28*B*a^9*b \\
& ^2 + 7*A*a^8*b^3 + 35*B*a^7*b^4 - 8*A*a^6*b^5 - 20*B*a^5*b^6 + 8*A*a^4*b^7 \\
& + (8*B*a^8*b^3 - 2*A*a^7*b^4 - 28*B*a^6*b^5 + 7*A*a^5*b^6 + 35*B*a^4*b^7 - \\
& 8*A*a^3*b^8 - 20*B*a^2*b^9 + 8*A*a*b^10)*\cos(d*x + c)^3 + 3*(8*B*a^9*b^2 - \\
& 2*A*a^8*b^3 - 28*B*a^7*b^4 + 7*A*a^6*b^5 + 35*B*a^5*b^6 - 8*A*a^4*b^7 - 20* \\
& B*a^3*b^8 + 8*A*a^2*b^9)*\cos(d*x + c)^2 + 3*(8*B*a^10*b - 2*A*a^9*b^2 - 28* \\
& B*a^8*b^3 + 7*A*a^7*b^4 + 35*B*a^6*b^5 - 8*A*a^5*b^6 - 20*B*a^4*b^7 + 8*A*a \\
& ^3*b^8)*\cos(d*x + c))*\sqrt{a^2 - b^2}*\arctan(-(a*\cos(d*x + c) + b)/(\sqrt{a^2 \\
& - b^2}*\sin(d*x + c))) - (24*B*a^11*b - 6*A*a^10*b^2 - 92*B*a^9*b^3 + 23*A \\
& *a^8*b^4 + 133*B*a^7*b^5 - 43*A*a^6*b^6 - 71*B*a^5*b^7 + 26*A*a^4*b^8 + 6*B \\
& *a^3*b^9 + 6*(B*a^8*b^4 - 4*B*a^6*b^6 + 6*B*a^4*b^8 - 4*B*a^2*b^10 + B*b^12 \\
& )*\cos(d*x + c)^3 + (44*B*a^9*b^3 - 11*A*a^8*b^4 - 169*B*a^7*b^5 + 43*A*a^6* \\
& b^6 + 239*B*a^5*b^7 - 68*A*a^4*b^8 - 132*B*a^3*b^9 + 36*A*a^2*b^10 + 18*B*a \\
& *b^11)*\cos(d*x + c)^2 + 3*(20*B*a^10*b^2 - 5*A*a^9*b^3 - 77*B*a^8*b^4 + 20* \\
& A*a^7*b^5 + 110*B*a^6*b^6 - 35*A*a^5*b^7 - 59*B*a^4*b^8 + 20*A*a^3*b^9 + 6* \\
& B*a^2*b^10)*\cos(d*x + c))*\sin(d*x + c))/((a^8*b^8 - 4*a^6*b^10 + 6*a^4*b^12 \\
& - 4*a^2*b^14 + b^16)*d*\cos(d*x + c)^3 + 3*(a^9*b^7 - 4*a^7*b^9 + 6*a^5*b^1 \\
& 1 - 4*a^3*b^13 + a*b^15)*d*\cos(d*x + c)^2 + 3*(a^10*b^6 - 4*a^8*b^8 + 6*a^6 \\
& *b^10 - 4*a^4*b^12 + a^2*b^14)*d*\cos(d*x + c) + (a^11*b^5 - 4*a^9*b^7 + 6*a \\
& ^7*b^9 - 4*a^5*b^11 + a^3*b^13)*d)]
\end{aligned}$$


---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*4\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*4,x)

[Out] Timed out

---

**Giac [B]** time = 1.49078, size = 1304, normalized size = 3.19

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^4\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] 
$$-1/3*(3*(8*B*a^8 - 2*A*a^7*b - 28*B*a^6*b^2 + 7*A*a^5*b^3 + 35*B*a^4*b^4 - 8*A*a^3*b^5 - 20*B*a^2*b^6 + 8*A*a*b^7)*(pi*\text{floor}(1/2*(d*x + c)/pi + 1/2)*\text{sgn}(-2*a + 2*b) + \arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2}))/((a^6*b^5 - 3*a^4*b^7 + 3*a^2*b^9 - b^{11})*\sqrt{a^2 - b^2}) - (18*B*a^9*\tan(1/2*d*x + 1/2*c)^5 - 6*A*a^8*b*\tan(1/2*d*x + 1/2*c)^5 - 4*2*B*a^8*b*\tan(1/2*d*x + 1/2*c)^5 + 15*A*a^7*b^2*\tan(1/2*d*x + 1/2*c)^5 - 24*B*a^7*b^2*\tan(1/2*d*x + 1/2*c)^5 + 6*A*a^6*b^3*\tan(1/2*d*x + 1/2*c)^5 + 11*7*B*a^6*b^3*\tan(1/2*d*x + 1/2*c)^5 - 45*A*a^5*b^4*\tan(1/2*d*x + 1/2*c)^5 - 24*B*a^5*b^4*\tan(1/2*d*x + 1/2*c)^5 + 6*A*a^4*b^5*\tan(1/2*d*x + 1/2*c)^5 - 105*B*a^4*b^5*\tan(1/2*d*x + 1/2*c)^5 + 60*A*a^3*b^6*\tan(1/2*d*x + 1/2*c)^5 + 60*B*a^3*b^6*\tan(1/2*d*x + 1/2*c)^5 - 36*A*a^2*b^7*\tan(1/2*d*x + 1/2*c)^5 + 36*B*a^9*\tan(1/2*d*x + 1/2*c)^3 - 12*A*a^8*b*\tan(1/2*d*x + 1/2*c)^3 - 15*2*B*a^7*b^2*\tan(1/2*d*x + 1/2*c)^3 + 56*A*a^6*b^3*\tan(1/2*d*x + 1/2*c)^3 + 236*B*a^5*b^4*\tan(1/2*d*x + 1/2*c)^3 - 116*A*a^4*b^5*\tan(1/2*d*x + 1/2*c)^3 - 120*B*a^3*b^6*\tan(1/2*d*x + 1/2*c)^3 + 72*A*a^2*b^7*\tan(1/2*d*x + 1/2*c)^3 + 18*B*a^9*\tan(1/2*d*x + 1/2*c) - 6*A*a^8*b*\tan(1/2*d*x + 1/2*c) + 42*B*a^8*b*\tan(1/2*d*x + 1/2*c) - 15*A*a^7*b^2*\tan(1/2*d*x + 1/2*c) - 24*B*a^7*b^2*\tan(1/2*d*x + 1/2*c) + 6*A*a^6*b^3*\tan(1/2*d*x + 1/2*c) - 117*B*a^6*b^3*\tan(1/2*d*x + 1/2*c) + 45*A*a^5*b^4*\tan(1/2*d*x + 1/2*c) - 24*B*a^5*b^4*\tan(1/2*d*x + 1/2*c) + 6*A*a^4*b^5*\tan(1/2*d*x + 1/2*c) + 105*B*a^4*b^5*\tan(1/2*d*x + 1/2*c) - 60*A*a^3*b^6*\tan(1/2*d*x + 1/2*c) + 60*B*a^3*b^6*\tan(1/2*d*x + 1/2*c) - 36*A*a^2*b^7*\tan(1/2*d*x + 1/2*c))/((a^6*b^4 - 3*a^4*b^6 + 3*a^2*b^8 - b^{10})*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 + a + b)^3) + 3*(4*B*a - A*b)*(d*x + c)/b^5 - 6*B*\tan(1/2*d*x + 1/2*c)/((\tan(1/2*d*x + 1/2*c)^2 + 1)*b^4))/d$$

$$3.274 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=301

$$\frac{(3a^2Ab^5 - 7a^5b^2B + 8a^3b^4B + 2a^7B - 8ab^6B + 2Ab^7) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{7/2}(a+b)^{7/2}} + \frac{a(Ab - aB) \sin(c+dx) \cos^2(c+dx)}{3bd(a^2 - b^2)(a+b \cos(c+dx))^3}$$

[Out] (B\*x)/b^4 - ((3\*a^2\*A\*b^5 + 2\*A\*b^7 + 2\*a^7\*B - 7\*a^5\*b^2\*B + 8\*a^3\*b^4\*B - 8\*a\*b^6\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)\*b^4\*(a + b)^(7/2)\*d) + (a\*(A\*b - a\*B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(3\*b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^3) + (a^2\*(5\*A\*b^3 + 3\*a^3\*B - 8\*a\*b^2\*B)\*Sin[c + d\*x])/(6\*b^3\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x])^2) - (a\*(a^2\*A\*b^3 - 16\*A\*b^5 + 9\*a^5\*B - 28\*a^3\*b^2\*B + 34\*a\*b^4\*B)\*Sin[c + d\*x])/(6\*b^3\*(a^2 - b^2)^3\*d\*(a + b\*Cos[c + d\*x]))

**Rubi [A]** time = 1.20668, antiderivative size = 301, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2989, 3031, 3021, 2735, 2659, 205}

$$\frac{(3a^2Ab^5 - 7a^5b^2B + 8a^3b^4B + 2a^7B - 8ab^6B + 2Ab^7) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^4d(a-b)^{7/2}(a+b)^{7/2}} + \frac{a(Ab - aB) \sin(c+dx) \cos^2(c+dx)}{3bd(a^2 - b^2)(a+b \cos(c+dx))^3}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^3\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^4,x]

[Out] (B\*x)/b^4 - ((3\*a^2\*A\*b^5 + 2\*A\*b^7 + 2\*a^7\*B - 7\*a^5\*b^2\*B + 8\*a^3\*b^4\*B - 8\*a\*b^6\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)\*b^4\*(a + b)^(7/2)\*d) + (a\*(A\*b - a\*B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(3\*b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^3) + (a^2\*(5\*A\*b^3 + 3\*a^3\*B - 8\*a\*b^2\*B)\*Sin[c + d\*x])/(6\*b^3\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x])^2) - (a\*(a^2\*A\*b^3 - 16\*A\*b^5 + 9\*a^5\*B - 28\*a^3\*b^2\*B + 34\*a\*b^4\*B)\*Sin[c + d\*x])/(6\*b^3\*(a^2 - b^2)^3\*d\*(a + b\*Cos[c + d\*x]))

#### Rule 2989

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b\*c - a\*d)\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(b\*c - a\*d)\*(B\*c - A\*d)\*(m - 1) + a\*d\*(a\*A\*c + b\*B\*c - (A\*b + a\*B)\*d)\*(n + 1) + (b\*(b\*d\*(B\*c - A\*d) + a\*(A\*c\*d + B\*(c^2 - 2\*d^2)))\*(n + 1) - a\*(b\*c - a\*d)\*(B\*c - A\*d)\*(n + 2))\*Sin[e + f\*x] + b\*(d\*(A\*b\*c + a\*B\*c - a\*A\*d)\*(m + n + 1) - b\*B\*(c^2\*m + d^2\*(n + 1)))\*Sin[e + f\*x]^2, x], x] /;

FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

#### Rule 3031

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f

```

_.)*(x_)^2), x_Symbol] := -Simp[((b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[b*(m +
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m +
1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]

```

### Rule 3021

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

```

### Rule 2735

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.
)*(x_)]), x_Symbol] := Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]

```

### Rule 2659

```

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]

```

### Rule 205

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

### Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^4} dx &= \frac{a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} - \int \frac{\cos(c+dx)(-2a(Ab-aB)+3b(Ab-aB)\cos(c+dx))}{(a+b\cos(c+dx))^3} dx \\
&= \frac{a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{a^2(5Ab^3+3a^3B-8ab^2B)\sin(c+dx)}{6b^3(a^2-b^2)^2d(a+b\cos(c+dx))^2} \\
&= \frac{a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{a^2(5Ab^3+3a^3B-8ab^2B)\sin(c+dx)}{6b^3(a^2-b^2)^2d(a+b\cos(c+dx))^2} \\
&= \frac{Bx}{b^4} + \frac{a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{a^2(5Ab^3+3a^3B-8ab^2B)\sin(c+dx)}{6b^3(a^2-b^2)^2d(a+b\cos(c+dx))^2} \\
&= \frac{Bx}{b^4} + \frac{a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^3} + \frac{a^2(5Ab^3+3a^3B-8ab^2B)\sin(c+dx)}{6b^3(a^2-b^2)^2d(a+b\cos(c+dx))^2} \\
&= \frac{Bx}{b^4} - \frac{(3a^2Ab^5+2Ab^7+2a^7B-7a^5b^2B+8a^3b^4B-8ab^6B)\tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{c+dx}{2}\right)}{\sqrt{a+b}}\right)}{(a-b)^{7/2}b^4(a+b)^{7/2}d}
\end{aligned}$$

**Mathematica [B]** time = 3.13096, size = 717, normalized size = 2.38

$$18a^5Ab^4\sin(c+dx)+2a^5Ab^4\sin(3(c+dx))+6a^4Ab^5\sin(2(c+dx))+39a^3Ab^6\sin(c+dx)-5a^3Ab^6\sin(3(c+dx))+54a^2Ab^7\sin(2(c+dx))-30a^7b^2B\sin(2(c+dx))+5a^7b^2B\sin(3(c+dx))$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^3\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^4, x]

[Out] ((-24\*(3\*a^2\*A\*b^5 + 2\*A\*b^7 + 2\*a^7\*B - 7\*a^5\*b^2\*B + 8\*a^3\*b^4\*B - 8\*a\*b^6\*B)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/((-a^2 + b^2)^(7/2) + (24\*a^9\*B\*c - 36\*a^7\*b^2\*B\*c - 36\*a^5\*b^4\*B\*c + 84\*a^3\*b^6\*B\*c - 36\*a\*b^8\*B\*c + 24\*a^9\*B\*d\*x - 36\*a^7\*b^2\*B\*d\*x - 36\*a^5\*b^4\*B\*d\*x + 84\*a^3\*b^6\*B\*d\*x - 36\*a\*b^8\*B\*d\*x + 18\*b\*(a^2 - b^2)^3\*(4\*a^2 + b^2)\*B\*(c + d\*x)\*Cos[c + d\*x] + 36\*a\*b^2\*(a^2 - b^2)^3\*B\*(c + d\*x)\*Cos[2\*(c + d\*x)] + 6\*a^6\*b^3\*B\*c\*Cos[3\*(c + d\*x)] - 18\*a^4\*b^5\*B\*c\*Cos[3\*(c + d\*x)] + 18\*a^2\*b^7\*B\*c\*Cos[3\*(c + d\*x)] - 6\*b^9\*B\*c\*Cos[3\*(c + d\*x)] + 6\*a^6\*b^3\*B\*d\*x\*Cos[3\*(c + d\*x)] - 18\*a^4\*b^5\*B\*d\*x\*Cos[3\*(c + d\*x)] + 18\*a^2\*b^7\*B\*d\*x\*Cos[3\*(c + d\*x)] - 6\*b^9\*B\*d\*x\*Cos[3\*(c + d\*x)] + 18\*a^5\*A\*b^4\*Sin[c + d\*x] + 39\*a^3\*A\*b^6\*Sin[c + d\*x] + 18\*a\*A\*b^8\*Sin[c + d\*x] - 24\*a^8\*b\*B\*Sin[c + d\*x] + 57\*a^6\*b^3\*B\*Sin[c + d\*x] - 72\*a^4\*b^5\*B\*Sin[c + d\*x] - 36\*a^2\*b^7\*B\*Sin[c + d\*x] + 6\*a^4\*A\*b^5\*Sin[2\*(c + d\*x)] + 54\*a^2\*A\*b^7\*Sin[2\*(c + d\*x)] - 30\*a^7\*b^2\*B\*Sin[2\*(c + d\*x)] + 90\*a^5\*b^4\*B\*Sin[2\*(c + d\*x)] - 120\*a^3\*b^6\*B\*Sin[2\*(c + d\*x)] + 2\*a^5\*A\*b^4\*Sin[3\*(c + d\*x)] - 5\*a^3\*A\*b^6\*Sin[3\*(c + d\*x)] + 18\*a\*A\*b^8\*Sin[3\*(c + d\*x)] - 11\*a^6\*b^3\*B\*Sin[3\*(c + d\*x)] + 32\*a^4\*b^5\*B\*Sin[3\*(c + d\*x)] - 36\*a^2\*b^7\*B\*Sin[3\*(c + d\*x)])/((a^2 - b^2)^3\*(a + b\*Cos[c + d\*x])^3)/(24\*b^4\*d)

**Maple [B]** time = 0.13, size = 2158, normalized size = 7.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(dx+c)^3*(A+B*\cos(dx+c))/(a+b*\cos(dx+c))^4,x)$

[Out] 
$$\begin{aligned} & 2/d*a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3* \\ & a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A+2/d*a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan \\ & (1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2* \\ & c)^5*A+12/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a^ \\ & 2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-12/d*b/(\tan(1/2*d*x+1/2 \\ & *c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*t \\ & \tan(1/2*d*x+1/2*c)*B-24/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a \\ & +b)^3*a^2/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B-12/d*b/(ta \\ & n(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a-b)/(a^3+3*a^2*b+3 \\ & *a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B+6/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2* \\ & d*x+1/2*c)^2*b+a+b)^3*a/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^ \\ & 5*A-4/d/b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^6/(a^2+ \\ & 2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B+44/3/d/b/(\tan(1/2*d*x+1/2 \\ & *c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^4/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*t \\ & \tan(1/2*d*x+1/2*c)^3*B+6/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2* \\ & b+a+b)^3*a/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A+1/d*a^5/b^2 \\ & /(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3 \\ & *a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B+3/d*a^2*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/ \\ & 2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^ \\ & 5*A+6/d*a^4/b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/( \\ & a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B-2/d*a^6/b^3/(\tan(1/2*d*x+1/ \\ & 2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan( \\ & 1/2*d*x+1/2*c)^5*B+6/d*a^4/b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b \\ & +a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-1/d*a^5/b^2/(t \\ & \tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a* \\ & b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-3/d*a^2*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x \\ & +1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A-2/d \\ & *a^6/b^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3 \\ & *a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-4/d*a^3/(\tan(1/2*d*x+1/2*c)^2*a-ta \\ & n(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2 \\ & *c)^5*B+4/d*a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b) \\ & /(\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x \\ & +1/2*c)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B+2/d*B/b^4*\arctan(\tan(1/2*d* \\ & x+1/2*c))+4/3/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^3/( \\ & a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A+7/d/b^2/(a^6-3*a^4*b^ \\ & 2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b) \\ & *(a+b))^(1/2))*B*a^5+8/d*b^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1 \\ & /2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B*a-2/d/b^4/(a^6-3 \\ & *a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b) \\ & /((a-b)*(a+b))^(1/2))*B*a^7-3/d*b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b) \\ & ))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A*a^2-2/d*b^3 \\ & /(\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c \\ & )*(a-b)/((a-b)*(a+b))^(1/2))*A-8/d/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a \\ & b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B*a^3 \end{aligned}$$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)^3*(A+B*\cos(dx+c))/(a+b*\cos(dx+c))^4,x, \text{algorithm}="maxima")$



[Out] Exception raised: ValueError

**Fricas [B]** time = 2.56686, size = 4095, normalized size = 13.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [1/12*(12*(B*a^8*b^3 - 4*B*a^6*b^5 + 6*B*a^4*b^7 - 4*B*a^2*b^9 + B*b^{11})*d*x*cos(d*x + c)^3 + 36*(B*a^9*b^2 - 4*B*a^7*b^4 + 6*B*a^5*b^6 - 4*B*a^3*b^8 + B*a*b^{10})*d*x*cos(d*x + c)^2 + 36*(B*a^{10}*b - 4*B*a^8*b^3 + 6*B*a^6*b^5 - 4*B*a^4*b^7 + B*a^2*b^9)*d*x*cos(d*x + c) + 12*(B*a^{11} - 4*B*a^9*b^2 + 6*B*a^7*b^4 - 4*B*a^5*b^6 + B*a^3*b^8)*d*x + 3*(2*B*a^{10} - 7*B*a^8*b^2 + 8*B*a^6*b^4 + 3*A*a^5*b^5 - 8*B*a^4*b^6 + 2*A*a^3*b^7 + (2*B*a^7*b^3 - 7*B*a^5*b^5 + 8*B*a^3*b^7 + 3*A*a^2*b^8 - 8*B*a*b^9 + 2*A*b^{10})*cos(d*x + c)^3 + 3*(2*B*a^8*b^2 - 7*B*a^6*b^4 + 8*B*a^4*b^6 + 3*A*a^3*b^7 - 8*B*a^2*b^8 + 2*A*a*b^9)*cos(d*x + c)^2 + 3*(2*B*a^9*b - 7*B*a^7*b^3 + 8*B*a^5*b^5 + 3*A*a^4*b^6 - 8*B*a^3*b^7 + 2*A*a^2*b^8)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - 2*(6*B*a^{10}*b - 23*B*a^8*b^3 - 4*A*a^7*b^4 + 43*B*a^6*b^5 - 7*A*a^5*b^6 - 26*B*a^4*b^7 + 11*A*a^3*b^8 + (11*B*a^8*b^3 - 2*A*a^7*b^4 - 43*B*a^6*b^5 + 7*A*a^5*b^6 + 68*B*a^4*b^7 - 23*A*a^3*b^8 - 36*B*a^2*b^9 + 18*A*a*b^{10})*cos(d*x + c)^2 + 3*(5*B*a^9*b^2 - 20*B*a^7*b^4 - A*a^6*b^5 + 35*B*a^5*b^6 - 8*A*a^4*b^7 - 20*B*a^3*b^8 + 9*A*a^2*b^9)*cos(d*x + c))*sin(d*x + c))/((a^8*b^7 - 4*a^6*b^9 + 6*a^4*b^{11} - 4*a^2*b^{13} + b^{15})*d*cos(d*x + c)^3 + 3*(a^9*b^6 - 4*a^7*b^8 + 6*a^5*b^{10} - 4*a^3*b^{12} + a*b^{14})*d*cos(d*x + c)^2 + 3*(a^{10}*b^5 - 4*a^8*b^7 + 6*a^6*b^9 - 4*a^4*b^{11} + a^2*b^{13})*d*cos(d*x + c) + (a^{11}*b^4 - 4*a^9*b^6 + 6*a^7*b^8 - 4*a^5*b^{10} + a^3*b^{12})*d), 1/6*(6*(B*a^8*b^3 - 4*B*a^6*b^5 + 6*B*a^4*b^7 - 4*B*a^2*b^9 + B*b^{11})*d*x*cos(d*x + c)^3 + 18*(B*a^9*b^2 - 4*B*a^7*b^4 + 6*B*a^5*b^6 - 4*B*a^3*b^8 + B*a*b^{10})*d*x*cos(d*x + c)^2 + 18*(B*a^{10}*b - 4*B*a^8*b^3 + 6*B*a^6*b^5 - 4*B*a^4*b^7 + B*a^2*b^9)*d*x*cos(d*x + c) + 6*(B*a^{11} - 4*B*a^9*b^2 + 6*B*a^7*b^4 - 4*B*a^5*b^6 + B*a^3*b^8)*d*x - 3*(2*B*a^{10} - 7*B*a^8*b^2 + 8*B*a^6*b^4 + 3*A*a^5*b^5 - 8*B*a^4*b^6 + 2*A*a^3*b^7 + (2*B*a^7*b^3 - 7*B*a^5*b^5 + 8*B*a^3*b^7 + 3*A*a^2*b^8 - 8*B*a*b^9 + 2*A*b^{10})*cos(d*x + c)^3 + 3*(2*B*a^8*b^2 - 7*B*a^6*b^4 + 8*B*a^4*b^6 + 3*A*a^3*b^7 - 8*B*a^2*b^8 + 2*A*a*b^9)*cos(d*x + c)^2 + 3*(2*B*a^9*b - 7*B*a^7*b^3 + 8*B*a^5*b^5 + 3*A*a^4*b^6 - 8*B*a^3*b^7 + 2*A*a^2*b^8)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) - (6*B*a^{10}*b - 23*B*a^8*b^3 - 4*A*a^7*b^4 + 43*B*a^6*b^5 - 7*A*a^5*b^6 - 26*B*a^4*b^7 + 11*A*a^3*b^8 + (11*B*a^8*b^3 - 2*A*a^7*b^4 - 43*B*a^6*b^5 + 7*A*a^5*b^6 + 68*B*a^4*b^7 - 23*A*a^3*b^8 - 36*B*a^2*b^9 + 18*A*a*b^{10})*cos(d*x + c)^2 + 3*(5*B*a^9*b^2 - 20*B*a^7*b^4 - A*a^6*b^5 + 35*B*a^5*b^6 - 8*A*a^4*b^7 - 20*B*a^3*b^8 + 9*A*a^2*b^9)*cos(d*x + c))*sin(d*x + c))/((a^8*b^7 - 4*a^6*b^9 + 6*a^4*b^{11} - 4*a^2*b^{13} + b^{15})*d*cos(d*x + c)^3 + 3*(a^9*b^6 - 4*a^7*b^8 + 6*a^5*b^{10} - 4*a^3*b^{12} + a*b^{14})*d*cos(d*x + c)^2 + 3*(a^{10}*b^5 - 4*a^8*b^7 + 6*a^6*b^9 - 4*a^4*b^{11} + a^2*b^{13})*d*cos(d*x + c) + (a^{11}*b^4 - 4*a^9*b^6 + 6*a^7*b^8 - 4*a^5*b^{10} + a^3*b^{12})*d)] \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**4,x)
```

```
[Out] Timed out
```

---

**Giac [B]** time = 1.72082, size = 1098, normalized size = 3.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x, algorithm="giac")
```

```
[Out] 1/3*(3*(2*B*a^7 - 7*B*a^5*b^2 + 8*B*a^3*b^4 + 3*A*a^2*b^5 - 8*B*a*b^6 + 2*A*b^7)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/((a^6*b^4 - 3*a^4*b^6 + 3*a^2*b^8 - b^10)*sqrt(a^2 - b^2)) + 3*(d*x + c)*B/b^4 - (6*B*a^8*tan(1/2*d*x + 1/2*c)^5 - 15*B*a^7*b*tan(1/2*d*x + 1/2*c)^5 - 6*B*a^6*b^2*tan(1/2*d*x + 1/2*c)^5 - 6*A*a^5*b^3*tan(1/2*d*x + 1/2*c)^5 + 45*B*a^5*b^3*tan(1/2*d*x + 1/2*c)^5 + 3*A*a^4*b^4*tan(1/2*d*x + 1/2*c)^5 - 6*B*a^4*b^4*tan(1/2*d*x + 1/2*c)^5 - 6*A*a^3*b^5*tan(1/2*d*x + 1/2*c)^5 - 60*B*a^3*b^5*tan(1/2*d*x + 1/2*c)^5 + 27*A*a^2*b^6*tan(1/2*d*x + 1/2*c)^5 + 36*B*a^2*b^6*tan(1/2*d*x + 1/2*c)^5 - 18*A*a*b^7*tan(1/2*d*x + 1/2*c)^5 + 12*B*a^8*tan(1/2*d*x + 1/2*c)^3 - 56*B*a^6*b^2*tan(1/2*d*x + 1/2*c)^3 - 4*A*a^5*b^3*tan(1/2*d*x + 1/2*c)^3 + 116*B*a^4*b^4*tan(1/2*d*x + 1/2*c)^3 - 32*A*a^3*b^5*tan(1/2*d*x + 1/2*c)^3 - 72*B*a^2*b^6*tan(1/2*d*x + 1/2*c)^3 + 36*A*a*b^7*tan(1/2*d*x + 1/2*c)^3 + 6*B*a^8*tan(1/2*d*x + 1/2*c) + 15*B*a^7*b*tan(1/2*d*x + 1/2*c) - 6*B*a^6*b^2*tan(1/2*d*x + 1/2*c) - 6*A*a^5*b^3*tan(1/2*d*x + 1/2*c) - 45*B*a^5*b^3*tan(1/2*d*x + 1/2*c) - 3*A*a^4*b^4*tan(1/2*d*x + 1/2*c) - 6*B*a^4*b^4*tan(1/2*d*x + 1/2*c) - 6*A*a^3*b^5*tan(1/2*d*x + 1/2*c) + 60*B*a^3*b^5*tan(1/2*d*x + 1/2*c) - 27*A*a^2*b^6*tan(1/2*d*x + 1/2*c) + 36*B*a^2*b^6*tan(1/2*d*x + 1/2*c) - 18*A*a*b^7*tan(1/2*d*x + 1/2*c))/(a^6*b^3 - 3*a^4*b^5 + 3*a^2*b^7 - b^9)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 + a + b)^3)/d
```

$$3.275 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=274

$$\frac{(a^3A - 3a^2bB + 4aAb^2 - 2b^3B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} - \frac{a^2(Ab - aB) \sin(c+dx)}{3b^2d(a^2 - b^2)(a+b \cos(c+dx))^3} + \frac{a(a^2Ab - 4a^3B + 9a^2b^2B - 6a^2b^3B + 4a^2b^4B - 2a^2b^5B + 2a^2b^6B - 2a^2b^7B)}{6b^2d(a^2 - b^2)^2}$$

[Out] ((a^3\*A + 4\*a\*A\*b^2 - 3\*a^2\*b\*B - 2\*b^3\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)\*(a + b)^(7/2)\*d) - (a^2\*(A\*b - a\*B)\*Sin[c + d\*x])/(3\*b^2\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^3) + (a\*(a^2\*A\*b - 6\*A\*b^3 - 4\*a^3\*B + 9\*a\*b^2\*B)\*Sin[c + d\*x])/(6\*b^2\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x])^2) + ((a^4\*A\*b - 10\*a^2\*A\*b^3 - 6\*A\*b^5 + 2\*a^5\*B - 5\*a^3\*b^2\*B + 18\*a\*b^4\*B)\*Sin[c + d\*x])/(6\*b^2\*(a^2 - b^2)^3\*d\*(a + b\*Cos[c + d\*x]))

**Rubi [A]** time = 0.636047, antiderivative size = 274, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2988, 3021, 2754, 12, 2659, 205}

$$\frac{(a^3A - 3a^2bB + 4aAb^2 - 2b^3B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} - \frac{a^2(Ab - aB) \sin(c+dx)}{3b^2d(a^2 - b^2)(a+b \cos(c+dx))^3} + \frac{a(a^2Ab - 4a^3B + 9a^2b^2B - 6a^2b^3B + 4a^2b^4B - 2a^2b^5B + 2a^2b^6B - 2a^2b^7B)}{6b^2d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^4, x]

[Out] ((a^3\*A + 4\*a\*A\*b^2 - 3\*a^2\*b\*B - 2\*b^3\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)\*(a + b)^(7/2)\*d) - (a^2\*(A\*b - a\*B)\*Sin[c + d\*x])/(3\*b^2\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^3) + (a\*(a^2\*A\*b - 6\*A\*b^3 - 4\*a^3\*B + 9\*a\*b^2\*B)\*Sin[c + d\*x])/(6\*b^2\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x])^2) + ((a^4\*A\*b - 10\*a^2\*A\*b^3 - 6\*A\*b^5 + 2\*a^5\*B - 5\*a^3\*b^2\*B + 18\*a\*b^4\*B)\*Sin[c + d\*x])/(6\*b^2\*(a^2 - b^2)^3\*d\*(a + b\*Cos[c + d\*x]))

#### Rule 2988

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((B\*c - A\*d)\*(b\*c - a\*d)^2\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*d^2\*(n + 1)\*(c^2 - d^2)), x] - Dist[1/(d^2\*(n + 1)\*(c^2 - d^2)), Int[(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[d\*(n + 1)\*(B\*(b\*c - a\*d)^2 - A\*d\*(a^2\*c + b^2\*c - 2\*a\*b\*d)) - ((B\*c - A\*d)\*(a^2\*d^2\*(n + 2) + b^2\*(c^2 + d^2\*(n + 1))) + 2\*a\*b\*d\*(A\*c\*d\*(n + 2) - B\*(c^2 + d^2\*(n + 1)))]\*Sin[e + f\*x] - b^2\*B\*d\*(n + 1)\*(c^2 - d^2)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b

- a\*B + b\*C)\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 2754

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

Rule 2659

Int[((a\_) + (b\_)\*sin[Pi/2 + (c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] := With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^4} dx = -\frac{a^2(Ab - aB) \sin(c + dx)}{3b^2(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{\int \frac{3ab(Ab - aB) + (a^2 - 3b^2)(Ab - aB) \cos(c + dx) + 3b(a^2 - b^2)}{(a + b \cos(c + dx))^3} dx}{3b^2(a^2 - b^2)}$$

$$= -\frac{a^2(Ab - aB) \sin(c + dx)}{3b^2(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{a(a^2Ab - 6Ab^3 - 4a^3B + 9ab^2B) \sin(c + dx)}{6b^2(a^2 - b^2)^2d(a + b \cos(c + dx))^2}$$

$$= -\frac{a^2(Ab - aB) \sin(c + dx)}{3b^2(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{a(a^2Ab - 6Ab^3 - 4a^3B + 9ab^2B) \sin(c + dx)}{6b^2(a^2 - b^2)^2d(a + b \cos(c + dx))^2}$$

$$= -\frac{a^2(Ab - aB) \sin(c + dx)}{3b^2(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{a(a^2Ab - 6Ab^3 - 4a^3B + 9ab^2B) \sin(c + dx)}{6b^2(a^2 - b^2)^2d(a + b \cos(c + dx))^2}$$

$$= -\frac{a^2(Ab - aB) \sin(c + dx)}{3b^2(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{a(a^2Ab - 6Ab^3 - 4a^3B + 9ab^2B) \sin(c + dx)}{6b^2(a^2 - b^2)^2d(a + b \cos(c + dx))^2}$$

$$= \frac{(a^3A + 4aAb^2 - 3a^2bB - 2b^3B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{(a - b)^{7/2}(a + b)^{7/2}d} - \frac{a^2(Ab - aB) \sin(c + dx)}{3b^2(a^2 - b^2)d(a + b \cos(c + dx))}$$

**Mathematica [A]** time = 1.19524, size = 251, normalized size = 0.92

$$\frac{2 \sin(c+dx) \left( 6a(-9a^2 Ab^2 + a^4 A + a^3 b B + 9ab^3 B - 2Ab^4) \cos(c+dx) + (-10a^2 Ab^3 + a^4 Ab - 5a^3 b^2 B + 2a^5 B + 18ab^4 B - 6Ab^5) \cos(2(c+dx)) - 14a^2 Ab^3 - 25a^4 Ab + 17a^3 b^2 \right)}{(a+b \cos(c+dx))^3}$$

$$24d (a^2 - b^2)^3$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^4, x]

[Out]  $((-24*(a^3*A + 4*a*A*b^2 - 3*a^2*b*B - 2*b^3*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] + (2*(-25*a^4*A*b - 14*a^2*A*b^3 - 6*A*b^5 + 10*a^5*B + 17*a^3*b^2*B + 18*a*b^4*B + 6*a*(a^4*A - 9*a^2*A*b^2 - 2*A*b^4 + a^3*b*B + 9*a*b^3*B)*Cos[c + d*x] + (a^4*A*b - 10*a^2*A*b^3 - 6*A*b^5 + 2*a^5*B - 5*a^3*b^2*B + 18*a*b^4*B)*Cos[2*(c + d*x)])*Sin[c + d*x])/(a + b*Cos[c + d*x])^3)/(24*(a^2 - b^2)^3*d)$

**Maple [B]** time = 0.142, size = 1726, normalized size = 6.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^4, x)

[Out]  $-1/d*a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A-6/d*a^2*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A-2/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A-2/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A*b^3+2/d*a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B+3/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B+6/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B*a*b^2-28/3/d*a^2*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-4/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B+12/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B*a*b^2+1/d*a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)^3*A+2/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)^3*A-2/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)^3*A*b^3+2/d*a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)^3*B-3/d*b/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)^3*B+6/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)^3*B*a*b^2+1/d*a^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A+4/d*a*b^2/(a^6-3*a$

$$\frac{4b^2+3a^2b^4-b^6}{((a-b)(a+b))^{1/2}} \arctan\left(\frac{\tan(1/2dx+1/2c)(a-b)}{(a-b)(a+b)}\right) - \frac{A-3/d a^2 b/(a^6-3a^4b^2+3a^2b^4-b^6)}{((a-b)(a+b))^{1/2}} \arctan\left(\frac{\tan(1/2dx+1/2c)(a-b)}{(a-b)(a+b)}\right) + \frac{B-2/d}{(a^6-3a^4b^2+3a^2b^4-b^6)} \frac{1}{((a-b)(a+b))^{1/2}} \arctan\left(\frac{\tan(1/2dx+1/2c)(a-b)}{(a-b)(a+b)}\right) + B b^3$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 2.21513, size = 2692, normalized size = 9.82

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/12*(3*(A*a^6 - 3*B*a^5*b + 4*A*a^4*b^2 - 2*B*a^3*b^3 + (A*a^3*b^3 - 3*B*a^2*b^4 + 4*A*a*b^5 - 2*B*b^6)*\cos(d*x + c)^3 + 3*(A*a^4*b^2 - 3*B*a^3*b^3 + 4*A*a^2*b^4 - 2*B*a*b^5)*\cos(d*x + c)^2 + 3*(A*a^5*b - 3*B*a^4*b^2 + 4*A*a^3*b^3 - 2*B*a^2*b^4)*\cos(d*x + c))*\sqrt{-a^2 + b^2}*\log((2*a*b*\cos(d*x + c) + (2*a^2 - b^2)*\cos(d*x + c)^2 + 2*\sqrt{-a^2 + b^2}*(a*\cos(d*x + c) + b)*\sin(d*x + c) - a^2 + 2*b^2)/(b^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + a^2)) - 2*(4*B*a^7 - 13*A*a^6*b + 7*B*a^5*b^2 + 11*A*a^4*b^3 - 11*B*a^3*b^4 + 2*A*a^2*b^5 + (2*B*a^7 + A*a^6*b - 7*B*a^5*b^2 - 11*A*a^4*b^3 + 23*B*a^3*b^4 + 4*A*a^2*b^5 - 18*B*a*b^6 + 6*A*b^7)*\cos(d*x + c)^2 + 3*(A*a^7 + B*a^6*b - 10*A*a^5*b^2 + 8*B*a^4*b^3 + 7*A*a^3*b^4 - 9*B*a^2*b^5 + 2*A*a*b^6)*\cos(d*x + c))*\sin(d*x + c))/((a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d*\cos(d*x + c)^3 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*\cos(d*x + c)^2 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*\cos(d*x + c) + (a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d), 1/6*(3*(A*a^6 - 3*B*a^5*b + 4*A*a^4*b^2 - 2*B*a^3*b^3 + (A*a^3*b^3 - 3*B*a^2*b^4 + 4*A*a*b^5 - 2*B*b^6)*\cos(d*x + c)^3 + 3*(A*a^4*b^2 - 3*B*a^3*b^3 + 4*A*a^2*b^4 - 2*B*a*b^5)*\cos(d*x + c)^2 + 3*(A*a^5*b - 3*B*a^4*b^2 + 4*A*a^3*b^3 - 2*B*a^2*b^4)*\cos(d*x + c))*\sqrt{a^2 - b^2}*\arctan(-(a*\cos(d*x + c) + b)/(\sqrt{a^2 - b^2}*\sin(d*x + c))) + (4*B*a^7 - 13*A*a^6*b + 7*B*a^5*b^2 + 11*A*a^4*b^3 - 11*B*a^3*b^4 + 2*A*a^2*b^5 + (2*B*a^7 + A*a^6*b - 7*B*a^5*b^2 - 11*A*a^4*b^3 + 23*B*a^3*b^4 + 4*A*a^2*b^5 - 18*B*a*b^6 + 6*A*b^7)*\cos(d*x + c)^2 + 3*(A*a^7 + B*a^6*b - 10*A*a^5*b^2 + 8*B*a^4*b^3 + 7*A*a^3*b^4 - 9*B*a^2*b^5 + 2*A*a*b^6)*\cos(d*x + c))*\sin(d*x + c))/((a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d*\cos(d*x + c)^3 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*\cos(d*x + c)^2 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*\cos(d*x + c) + (a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d)] \end{aligned}$$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*4,x)

[Out] Timed out

---

**Giac [B]** time = 1.61159, size = 930, normalized size = 3.39

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] 
$$-1/3*(3*(A*a^3 - 3*B*a^2*b + 4*A*a*b^2 - 2*B*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2}))/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*\sqrt{a^2 - b^2}) + (3*A*a^5*\tan(1/2*d*x + 1/2*c)^5 - 6*B*a^5*\tan(1/2*d*x + 1/2*c)^5 + 12*A*a^4*b*\tan(1/2*d*x + 1/2*c)^5 + 3*B*a^4*b*\tan(1/2*d*x + 1/2*c)^5 - 27*A*a^3*b^2*\tan(1/2*d*x + 1/2*c)^5 - 6*B*a^3*b^2*\tan(1/2*d*x + 1/2*c)^5 + 12*A*a^2*b^3*\tan(1/2*d*x + 1/2*c)^5 + 27*B*a^2*b^3*\tan(1/2*d*x + 1/2*c)^5 - 6*A*a*b^4*\tan(1/2*d*x + 1/2*c)^5 - 18*B*a*b^4*\tan(1/2*d*x + 1/2*c)^5 + 6*A*b^5*\tan(1/2*d*x + 1/2*c)^5 - 4*B*a^5*\tan(1/2*d*x + 1/2*c)^3 + 28*A*a^4*b*\tan(1/2*d*x + 1/2*c)^3 - 32*B*a^3*b^2*\tan(1/2*d*x + 1/2*c)^3 - 16*A*a^2*b^3*\tan(1/2*d*x + 1/2*c)^3 + 36*B*a*b^4*\tan(1/2*d*x + 1/2*c)^3 - 12*A*b^5*\tan(1/2*d*x + 1/2*c)^3 - 3*A*a^5*\tan(1/2*d*x + 1/2*c) - 6*B*a^5*\tan(1/2*d*x + 1/2*c) + 12*A*a^4*b*\tan(1/2*d*x + 1/2*c) - 3*B*a^4*b*\tan(1/2*d*x + 1/2*c) + 27*A*a^3*b^2*\tan(1/2*d*x + 1/2*c) - 6*B*a^3*b^2*\tan(1/2*d*x + 1/2*c) + 12*A*a^2*b^3*\tan(1/2*d*x + 1/2*c) - 27*B*a^2*b^3*\tan(1/2*d*x + 1/2*c) + 6*A*a*b^4*\tan(1/2*d*x + 1/2*c) - 18*B*a*b^4*\tan(1/2*d*x + 1/2*c) + 6*A*b^5*\tan(1/2*d*x + 1/2*c))/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 + a + b)^3))/d$$

$$3.276 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=263

$$\frac{(4a^2Ab + a^3(-B) - 4ab^2B + Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} + \frac{(2a^3Ab - 10a^2b^2B + a^4B + 13aAb^3 - 6b^4B) \sin(c+dx)}{6bd(a^2 - b^2)^3(a+b \cos(c+dx))} +$$

[Out] -(((4\*a^2\*A\*b + A\*b^3 - a^3\*B - 4\*a\*b^2\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)\*(a + b)^(7/2)\*d)) + (a\*(A\*b - a\*B)\*Sin[c + d\*x])/(3\*b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^3) + ((2\*a^2\*A\*b + 3\*A\*b^3 + a^3\*B - 6\*a\*b^2\*B)\*Sin[c + d\*x])/(6\*b\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x])^2) + ((2\*a^3\*A\*b + 13\*a\*A\*b^3 + a^4\*B - 10\*a^2\*b^2\*B - 6\*b^4\*B)\*Sin[c + d\*x])/(6\*b\*(a^2 - b^2)^3\*d\*(a + b\*Cos[c + d\*x]))

**Rubi [A]** time = 0.530179, antiderivative size = 263, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {2968, 3021, 2754, 12, 2659, 205}

$$\frac{(4a^2Ab + a^3(-B) - 4ab^2B + Ab^3) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} + \frac{(2a^3Ab - 10a^2b^2B + a^4B + 13aAb^3 - 6b^4B) \sin(c+dx)}{6bd(a^2 - b^2)^3(a+b \cos(c+dx))} +$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^4,x]

[Out] -(((4\*a^2\*A\*b + A\*b^3 - a^3\*B - 4\*a\*b^2\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)\*(a + b)^(7/2)\*d)) + (a\*(A\*b - a\*B)\*Sin[c + d\*x])/(3\*b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^3) + ((2\*a^2\*A\*b + 3\*A\*b^3 + a^3\*B - 6\*a\*b^2\*B)\*Sin[c + d\*x])/(6\*b\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x])^2) + ((2\*a^3\*A\*b + 13\*a\*A\*b^3 + a^4\*B - 10\*a^2\*b^2\*B - 6\*b^4\*B)\*Sin[c + d\*x])/(6\*b\*(a^2 - b^2)^3\*d\*(a + b\*Cos[c + d\*x]))

### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Int[(a + b\*SIN[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*SIN[e + f\*x] + B\*d\*SIN[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*SIN[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*SIN[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

### Rule 2754

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*SIN[e + f



```
*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 2659

```
Int[((a_) + (b_)*sin[Pi/2 + (c_.) + (d_)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{\cos(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^4} dx = \int \frac{A \cos(c + dx) + B \cos^2(c + dx)}{(a + b \cos(c + dx))^4} dx$$

$$= \frac{a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^3} - \frac{\int \frac{3b(Ab - aB) - (2aAb + a^2B - 3b^2B) \cos(c + dx)}{(a + b \cos(c + dx))^3} dx}{3b(a^2 - b^2)}$$

$$= \frac{a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{(2a^2Ab + 3Ab^3 + a^3B - 6ab^2B) \sin(c + dx)}{6b(a^2 - b^2)^2 d(a + b \cos(c + dx))^2}$$

$$= \frac{a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{(2a^2Ab + 3Ab^3 + a^3B - 6ab^2B) \sin(c + dx)}{6b(a^2 - b^2)^2 d(a + b \cos(c + dx))^2}$$

$$= \frac{a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{(2a^2Ab + 3Ab^3 + a^3B - 6ab^2B) \sin(c + dx)}{6b(a^2 - b^2)^2 d(a + b \cos(c + dx))^2}$$

$$= \frac{a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{(2a^2Ab + 3Ab^3 + a^3B - 6ab^2B) \sin(c + dx)}{6b(a^2 - b^2)^2 d(a + b \cos(c + dx))^2}$$

$$= -\frac{(4a^2Ab + Ab^3 - a^3B - 4ab^2B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{7/2}(a+b)^{7/2}d} + \frac{a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^3}$$

**Mathematica [A]** time = 1.05164, size = 252, normalized size = 0.96

$$\frac{2 \sin(c+dx) \left( 6(9a^2Ab^3 + 2a^4Ab - 9a^3b^2B + a^5B - 2ab^4B - Ab^5) \cos(c+dx) + b(2a^3Ab - 10a^2b^2B + a^4B + 13aAb^3 - 6b^4B) \cos(2(c+dx)) + 22a^3Ab^2 + 12a^5A - 14a^2b^3B - 25a^4Ab \right)}{(a+b \cos(c+dx))^3} \frac{1}{24d(a^2 - b^2)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^4,x]

[Out] 
$$\frac{(-24*(-4*a^2*A*b - A*b^3 + a^3*B + 4*a*b^2*B)*\text{ArcTanh}[\frac{(a-b)\text{Tan}[(c+d*x)/2]}{\sqrt{-a^2+b^2}}])/\sqrt{-a^2+b^2} + (2*(12*a^5*A + 22*a^3*A*b^2 + 11*a*A*b^4 - 25*a^4*b*B - 14*a^2*b^3*B - 6*b^5*B + 6*(2*a^4*A*b + 9*a^2*A*b^3 - A*b^5 + a^5*B - 9*a^3*b^2*B - 2*a*b^4*B)*\text{Cos}[c + d*x] + b*(2*a^3*A*b + 13*a*A*b^3 + a^4*B - 10*a^2*b^2*B - 6*b^4*B)*\text{Cos}[2*(c + d*x)])*\text{Sin}[c + d*x])}{(a + b*\text{Cos}[c + d*x])^3*(24*(a^2 - b^2)^3*d)}$$

**Maple [B]** time = 0.138, size = 1883, normalized size = 7.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^4,x)

[Out] 
$$\frac{2/d*a^3/(\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b + a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A+2/d*a^2*b/(\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b + a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A+6/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b + a+b)^3*a/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A+1/d/(\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b + a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A*b^3-1/d*a^3/(\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b + a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B-6/d*b/(\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b + a+b)^3*a^2/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B-2/d/(\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b + a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B*b^3+4/d/(\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b + a+b)^3*a^3/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A+28/3/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b + a+b)^3*a/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A-28/3/d*b/(\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b + a+b)^3*a^2/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B-4/d/(\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b + a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B*b^3+2/d*a^3/(\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b + a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A-2/d*a^2*b/(\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b + a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A+6/d*b^2/(\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b + a+b)^3*a/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A-1/d/(\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b + a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A*b^3+1/d*a^3/(\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b + a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B-6/d*b/(\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b + a+b)^3*a^2/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B+2/d/(\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b + a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B*a*b^2-2/d/(\tan(1/2*d*x+1/2*c)^2*a - \tan(1/2*d*x+1/2*c)^2*b + a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B*b^3-4/d*b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A*a^2-1/d*b^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A+1/d/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B*a^3+4/d*b^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B*a$$

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [B]** time = 2.15369, size = 2700, normalized size = 10.27

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] 
$$\begin{aligned} & [-1/12*(3*(B*a^6 - 4*A*a^5*b + 4*B*a^4*b^2 - A*a^3*b^3 + (B*a^3*b^3 - 4*A*a^2*b^4 + 4*B*a*b^5 - A*b^6)*\cos(d*x + c)^3 + 3*(B*a^4*b^2 - 4*A*a^3*b^3 + 4*B*a^2*b^4 - A*a*b^5)*\cos(d*x + c)^2 + 3*(B*a^5*b - 4*A*a^4*b^2 + 4*B*a^3*b^3 - A*a^2*b^4)*\cos(d*x + c))*\sqrt{-a^2 + b^2}*\log((2*a*b*\cos(d*x + c) + (2*a^2 - b^2)*\cos(d*x + c)^2 + 2*\sqrt{-a^2 + b^2}*(a*\cos(d*x + c) + b)*\sin(d*x + c) - a^2 + 2*b^2)/(b^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + a^2)) - 2*(6*A*a^7 - 13*B*a^6*b + 4*A*a^5*b^2 + 11*B*a^4*b^3 - 11*A*a^3*b^4 + 2*B*a^2*b^5 + A*a*b^6 + (B*a^6*b + 2*A*a^5*b^2 - 11*B*a^4*b^3 + 11*A*a^3*b^4 + 4*B*a^2*b^5 - 13*A*a*b^6 + 6*B*b^7)*\cos(d*x + c)^2 + 3*(B*a^7 + 2*A*a^6*b - 10*B*a^5*b^2 + 7*A*a^4*b^3 + 7*B*a^3*b^4 - 10*A*a^2*b^5 + 2*B*a*b^6 + A*b^7)*\cos(d*x + c))*\sin(d*x + c))/((a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d*\cos(d*x + c)^3 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*\cos(d*x + c)^2 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*\cos(d*x + c) + (a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d), 1/6*(3*(B*a^6 - 4*A*a^5*b + 4*B*a^4*b^2 - A*a^3*b^3 + (B*a^3*b^3 - 4*A*a^2*b^4 + 4*B*a*b^5 - A*b^6)*\cos(d*x + c)^3 + 3*(B*a^4*b^2 - 4*A*a^3*b^3 + 4*B*a^2*b^4 - A*a*b^5)*\cos(d*x + c)^2 + 3*(B*a^5*b - 4*A*a^4*b^2 + 4*B*a^3*b^3 - A*a^2*b^4)*\cos(d*x + c))*\sqrt{a^2 - b^2}*\arctan(-(a*\cos(d*x + c) + b)/(\sqrt{a^2 - b^2}*\sin(d*x + c))) + (6*A*a^7 - 13*B*a^6*b + 4*A*a^5*b^2 + 11*B*a^4*b^3 - 11*A*a^3*b^4 + 2*B*a^2*b^5 + A*a*b^6 + (B*a^6*b + 2*A*a^5*b^2 - 11*B*a^4*b^3 + 11*A*a^3*b^4 + 4*B*a^2*b^5 - 13*A*a*b^6 + 6*B*b^7)*\cos(d*x + c)^2 + 3*(B*a^7 + 2*A*a^6*b - 10*B*a^5*b^2 + 7*A*a^4*b^3 + 7*B*a^3*b^4 - 10*A*a^2*b^5 + 2*B*a*b^6 + A*b^7)*\cos(d*x + c))*\sin(d*x + c))/((a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d*\cos(d*x + c)^3 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*\cos(d*x + c)^2 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*\cos(d*x + c) + (a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d)] \end{aligned}$$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**4,x)
```

```
[Out] Timed out
```

**Giac [B]** time = 1.64286, size = 975, normalized size = 3.71

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x, algorithm="giac")
```

```
[Out] -1/3*(3*(B*a^3 - 4*A*a^2*b + 4*B*a*b^2 - A*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/(a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*sqrt(a^2 - b^2) - (6*A*a^5*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^5*tan(1/2*d*x + 1/2*c)^5 - 6*A*a^4*b*tan(1/2*d*x + 1/2*c)^5 - 12*B*a^4*b*tan(1/2*d*x + 1/2*c)^5 + 12*A*a^3*b^2*tan(1/2*d*x + 1/2*c)^5 + 27*B*a^3*b^2*tan(1/2*d*x + 1/2*c)^5 - 27*A*a^2*b^3*tan(1/2*d*x + 1/2*c)^5 - 12*B*a^2*b^3*tan(1/2*d*x + 1/2*c)^5 + 12*A*a*b^4*tan(1/2*d*x + 1/2*c)^5 + 6*B*a*b^4*tan(1/2*d*x + 1/2*c)^5 + 3*A*b^5*tan(1/2*d*x + 1/2*c)^5 - 6*B*b^5*tan(1/2*d*x + 1/2*c)^5 + 12*A*a^5*tan(1/2*d*x + 1/2*c)^3 - 28*B*a^4*b*tan(1/2*d*x + 1/2*c)^3 + 16*A*a^3*b^2*tan(1/2*d*x + 1/2*c)^3 + 16*B*a^2*b^3*tan(1/2*d*x + 1/2*c)^3 - 28*A*a*b^4*tan(1/2*d*x + 1/2*c)^3 + 12*B*b^5*tan(1/2*d*x + 1/2*c)^3 + 6*A*a^5*tan(1/2*d*x + 1/2*c) + 3*B*a^5*tan(1/2*d*x + 1/2*c) + 6*A*a^4*b*tan(1/2*d*x + 1/2*c) - 12*B*a^4*b*tan(1/2*d*x + 1/2*c) + 12*A*a^3*b^2*tan(1/2*d*x + 1/2*c) - 27*B*a^3*b^2*tan(1/2*d*x + 1/2*c) + 27*A*a^2*b^3*tan(1/2*d*x + 1/2*c) - 12*B*a^2*b^3*tan(1/2*d*x + 1/2*c) + 12*A*a*b^4*tan(1/2*d*x + 1/2*c) - 6*B*a*b^4*tan(1/2*d*x + 1/2*c) - 3*A*b^5*tan(1/2*d*x + 1/2*c) - 6*B*b^5*tan(1/2*d*x + 1/2*c))/(a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 + a + b)^3)/d
```

$$3.277 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=237

$$\frac{(2a^3A - 4a^2bB + 3aAb^2 - b^3B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} - \frac{(11a^2Ab - 2a^3B - 13ab^2B + 4Ab^3) \sin(c+dx)}{6d(a^2-b^2)^3(a+b \cos(c+dx))} - \frac{(-2a^2B)}{6d(a^2-b^2)}$$

[Out] ((2\*a^3\*A + 3\*a\*A\*b^2 - 4\*a^2\*b\*B - b^3\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)\*(a + b)^(7/2)\*d) - ((A\*b - a\*B)\*Sin[c + d\*x])/(3\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^3) - ((5\*a\*A\*b - 2\*a^2\*B - 3\*b^2\*B)\*Sin[c + d\*x])/(6\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x])^2) - ((11\*a^2\*A\*b + 4\*A\*b^3 - 2\*a^3\*B - 13\*a\*b^2\*B)\*Sin[c + d\*x])/(6\*(a^2 - b^2)^3\*d\*(a + b\*Cos[c + d\*x]))

**Rubi [A]** time = 0.477634, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 23,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.174$ , Rules used = {2754, 12, 2659, 205}

$$\frac{(2a^3A - 4a^2bB + 3aAb^2 - b^3B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{d(a-b)^{7/2}(a+b)^{7/2}} - \frac{(11a^2Ab - 2a^3B - 13ab^2B + 4Ab^3) \sin(c+dx)}{6d(a^2-b^2)^3(a+b \cos(c+dx))} - \frac{(-2a^2B)}{6d(a^2-b^2)}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x])^4, x]

[Out] ((2\*a^3\*A + 3\*a\*A\*b^2 - 4\*a^2\*b\*B - b^3\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/((a - b)^(7/2)\*(a + b)^(7/2)\*d) - ((A\*b - a\*B)\*Sin[c + d\*x])/(3\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^3) - ((5\*a\*A\*b - 2\*a^2\*B - 3\*b^2\*B)\*Sin[c + d\*x])/(6\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x])^2) - ((11\*a^2\*A\*b + 4\*A\*b^3 - 2\*a^3\*B - 13\*a\*b^2\*B)\*Sin[c + d\*x])/(6\*(a^2 - b^2)^3\*d\*(a + b\*Cos[c + d\*x]))

#### Rule 2754

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2659

Int[((a\_) + (b\_)\*sin[Pi/2 + (c\_) + (d\_)\*(x\_)])^(-1), x\_Symbol] :> With[{e = FreeFactors[Tan[(c + d\*x)/2], x]}, Dist[(2\*e)/d, Subst[Int[1/(a + b + (a - b)\*e^2\*x^2), x], x, Tan[(c + d\*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]

**Rule 205**

`Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]`

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^4} dx &= -\frac{(Ab - aB) \sin(c + dx)}{3(a^2 - b^2)d(a + b \cos(c + dx))^3} - \frac{\int \frac{-3(aA - bB) + 2(Ab - aB) \cos(c + dx)}{(a + b \cos(c + dx))^3} dx}{3(a^2 - b^2)} \\ &= -\frac{(Ab - aB) \sin(c + dx)}{3(a^2 - b^2)d(a + b \cos(c + dx))^3} - \frac{(5aAb - 2a^2B - 3b^2B) \sin(c + dx)}{6(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} + \frac{\int \frac{2(3a^2A + 2Ab^2 - 5abB)}{(a + b \cos(c + dx))^3} dx}{6(a^2 - b^2)} \\ &= -\frac{(Ab - aB) \sin(c + dx)}{3(a^2 - b^2)d(a + b \cos(c + dx))^3} - \frac{(5aAb - 2a^2B - 3b^2B) \sin(c + dx)}{6(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} - \frac{(11a^2Ab + 4Ab^3 - 5ab^2B)}{6(a^2 - b^2)} \\ &= -\frac{(Ab - aB) \sin(c + dx)}{3(a^2 - b^2)d(a + b \cos(c + dx))^3} - \frac{(5aAb - 2a^2B - 3b^2B) \sin(c + dx)}{6(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} - \frac{(11a^2Ab + 4Ab^3 - 5ab^2B)}{6(a^2 - b^2)} \\ &= -\frac{(Ab - aB) \sin(c + dx)}{3(a^2 - b^2)d(a + b \cos(c + dx))^3} - \frac{(5aAb - 2a^2B - 3b^2B) \sin(c + dx)}{6(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} - \frac{(11a^2Ab + 4Ab^3 - 5ab^2B)}{6(a^2 - b^2)} \\ &= \frac{(2a^3A + 3aAb^2 - 4a^2bB - b^3B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{(a-b)^{7/2}(a+b)^{7/2}d} - \frac{(Ab - aB) \sin(c + dx)}{3(a^2 - b^2)d(a + b \cos(c + dx))^3} \end{aligned}$$

**Mathematica [A]** time = 2.15806, size = 227, normalized size = 0.96

$$\frac{\frac{(-11a^2Ab + 2a^3B + 13ab^2B - 4Ab^3) \sin(c + dx)}{(a-b)^3(a+b)^3(a+b \cos(c + dx))} + \frac{(2a^2B - 5aAb + 3b^2B) \sin(c + dx)}{(a-b)^2(a+b)^2(a+b \cos(c + dx))^2} + \frac{6(2a^3A - 4a^2bB + 3aAb^2 - b^3B) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{b^2 - a^2}}\right)}{(b^2 - a^2)^{7/2}} + \frac{2(aB - Ab) \sin(c + dx)}{(a-b)(a+b)(a+b \cos(c + dx))}}{6d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x])^4, x]

[Out] ((6\*(2\*a^3\*A + 3\*a\*A\*b^2 - 4\*a^2\*b\*B - b^3\*B)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]]/(-a^2 + b^2)^(7/2) + (2\*(-(A\*b) + a\*B)\*Sin[c + d\*x])/((a - b)\*(a + b)\*(a + b\*Cos[c + d\*x])^3) + ((-5\*a\*A\*b + 2\*a^2\*B + 3\*b^2\*B)\*Sin[c + d\*x])/((a - b)^2\*(a + b)^2\*(a + b\*Cos[c + d\*x])^2) + ((-11\*a^2\*A\*b - 4\*A\*b^3 + 2\*a^3\*B + 13\*a\*b^2\*B)\*Sin[c + d\*x])/((a - b)^3\*(a + b)^3\*(a + b\*Cos[c + d\*x]))) / (6\*d)

**Maple [B]** time = 0.118, size = 1727, normalized size = 7.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^4, x)

```
[Out] -6/d*a^2*b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*A-3/d*b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*A-2/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*A*b^3+2/d*a^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*B+2/d*b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*B+6/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*B*a*b^2+1/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*B*b^3-12/d*a^2*b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A-4/3/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B+28/3/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B*a*b^2-6/d*a^2*b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*A+3/d*b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*A-2/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*A*b^3+2/d*a^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*B-2/d*b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*B+6/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*B*a*b^2-1/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*B*b^3+2/d*a^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A+3/d*a*b^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A-4/d*a^2*b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B-1/d/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B*b^3
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [B]** time = 2.19025, size = 2692, normalized size = 11.36

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x, algorithm="fricas")
```

```
[Out] [-1/12*(3*(2*A*a^6 - 4*B*a^5*b + 3*A*a^4*b^2 - B*a^3*b^3 + (2*A*a^3*b^3 - 4*B*a^2*b^4 + 3*A*a*b^5 - B*b^6)*cos(d*x + c)^3 + 3*(2*A*a^4*b^2 - 4*B*a^3*b^3 + 3*A*a^2*b^4 - B*a*b^5)*cos(d*x + c)^2 + 3*(2*A*a^5*b - 4*B*a^4*b^2 + 3*A*a^3*b^3 - B*a^2*b^4)*cos(d*x + c))*sqrt(-a^2 + b^2)*log((2*a*b*cos(d*x + c) + (2*a^2 - b^2)*cos(d*x + c)^2 + 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x + c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - 2*(6*B*a^7 - 18*A*a^6*b + 4*B*a^5*b^2 + 23*A*a^4*b^3 - 11*B*a^3*b^4 - 7*A*a^2*b^5 + B*a*b^6 + 2*A*b^7 + (2*B*a^5*b^2 - 11*A*a^4*b^3 + 11*B*a^3*b^4 + 7*A*a^2*b^5 - 13*B*a*b^6 + 4*A*b^7)*cos(d*x + c)^2 + 3*(2*B*a^6*b - 9*A*a^5*b^2 + 7*B*a^4*b^3 + 8*A*a^3*b^4 - 10*B*a^2*b^5 + A*a*b^6 + B*b^7)*cos(d*x + c))*sin(d*x + c))/((a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d*cos(d*x + c)^3 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*cos(d*x + c)^2 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*cos(d*x + c) + (a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d), 1/6*(3*(2*A*a^6 - 4*B*a^5*b + 3*A*a^4*b^2 - B*a^3*b^3 + (2*A*a^3*b^3 - 4*B*a^2*b^4 + 3*A*a*b^5 - B*b^6)*cos(d*x + c)^3 + 3*(2*A*a^4*b^2 - 4*B*a^3*b^3 + 3*A*a^2*b^4 - B*a*b^5)*cos(d*x + c)^2 + 3*(2*A*a^5*b - 4*B*a^4*b^2 + 3*A*a^3*b^3 - B*a^2*b^4)*cos(d*x + c))*sqrt(a^2 - b^2)*arctan(-(a*cos(d*x + c) + b)/(sqrt(a^2 - b^2)*sin(d*x + c))) + (6*B*a^7 - 18*A*a^6*b + 4*B*a^5*b^2 + 23*A*a^4*b^3 - 11*B*a^3*b^4 - 7*A*a^2*b^5 + B*a*b^6 + 2*A*b^7 + (2*B*a^5*b^2 - 11*A*a^4*b^3 + 11*B*a^3*b^4 + 7*A*a^2*b^5 - 13*B*a*b^6 + 4*A*b^7)*cos(d*x + c)^2 + 3*(2*B*a^6*b - 9*A*a^5*b^2 + 7*B*a^4*b^3 + 8*A*a^3*b^4 - 10*B*a^2*b^5 + A*a*b^6 + B*b^7)*cos(d*x + c))*sin(d*x + c))/((a^8*b^3 - 4*a^6*b^5 + 6*a^4*b^7 - 4*a^2*b^9 + b^11)*d*cos(d*x + c)^3 + 3*(a^9*b^2 - 4*a^7*b^4 + 6*a^5*b^6 - 4*a^3*b^8 + a*b^10)*d*cos(d*x + c)^2 + 3*(a^10*b - 4*a^8*b^3 + 6*a^6*b^5 - 4*a^4*b^7 + a^2*b^9)*d*cos(d*x + c) + (a^11 - 4*a^9*b^2 + 6*a^7*b^4 - 4*a^5*b^6 + a^3*b^8)*d)]
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**4,x)
```

```
[Out] Timed out
```

**Giac [B]** time = 1.56153, size = 933, normalized size = 3.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^4,x, algorithm="giac")
```

```
[Out] -1/3*(3*(2*A*a^3 - 4*B*a^2*b + 3*A*a*b^2 - B*b^3)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*sqrt(a^2 - b^2)) - (6*B*a^5*tan(1/2*d*x + 1/2*c)^5 - 18*A*a^4*b*tan(1/2*d*x + 1/2*c)^5 - 6*B*a^4*b*tan(1/2*d*x + 1/2*c)^5 + 27*A*a^3*b^2*tan(1/2*d*x + 1/2*c)^5 + 12*B*a^3*b^2*tan(1/2*d*x + 1/2*c)^5 - 6*A*a^2*b^3*tan(1/2*d*x + 1/2*c)^5 - 27*B*a^2*b^3*tan(1/2*d*x + 1/2*c)^5 + 3*A*a*b^4*tan(1/2*d*x + 1/2*c)^5 + 12*B*a*b^4*tan(1/2*d*x + 1/2*c)^5 - 6*A*b^5*tan(1/2*d*x + 1/2*c)^5 + 3*B*b^5
```



$$\begin{aligned}
& 5*\tan(1/2*d*x + 1/2*c)^5 + 12*B*a^5*\tan(1/2*d*x + 1/2*c)^3 - 36*A*a^4*b*\tan \\
& (1/2*d*x + 1/2*c)^3 + 16*B*a^3*b^2*\tan(1/2*d*x + 1/2*c)^3 + 32*A*a^2*b^3*\tan \\
& n(1/2*d*x + 1/2*c)^3 - 28*B*a*b^4*\tan(1/2*d*x + 1/2*c)^3 + 4*A*b^5*\tan(1/2* \\
& d*x + 1/2*c)^3 + 6*B*a^5*\tan(1/2*d*x + 1/2*c) - 18*A*a^4*b*\tan(1/2*d*x + 1/ \\
& 2*c) + 6*B*a^4*b*\tan(1/2*d*x + 1/2*c) - 27*A*a^3*b^2*\tan(1/2*d*x + 1/2*c) + \\
& 12*B*a^3*b^2*\tan(1/2*d*x + 1/2*c) - 6*A*a^2*b^3*\tan(1/2*d*x + 1/2*c) + 27* \\
& B*a^2*b^3*\tan(1/2*d*x + 1/2*c) - 3*A*a*b^4*\tan(1/2*d*x + 1/2*c) + 12*B*a*b^ \\
& 4*\tan(1/2*d*x + 1/2*c) - 6*A*b^5*\tan(1/2*d*x + 1/2*c) - 3*B*b^5*\tan(1/2*d*x \\
& + 1/2*c))/((a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6)*(a*\tan(1/2*d*x + 1/2*c)^2 - \\
& b*\tan(1/2*d*x + 1/2*c)^2 + a + b)^3))/d
\end{aligned}$$

$$3.278 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=301

$$\frac{(-8a^4Ab^3 + 7a^2Ab^5 + 8a^6Ab - 3a^5b^2B - 2a^7B - 2Ab^7) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4d(a-b)^{7/2}(a+b)^{7/2}} + \frac{b(-17a^2Ab^3 + 26a^4Ab - 4a^3b^2B - 6a^3d(a^2 - b^2)^3(a+b))}{6a^3d(a^2 - b^2)^3(a+b)}$$

[Out] -(((8\*a^6\*A\*b - 8\*a^4\*A\*b^3 + 7\*a^2\*A\*b^5 - 2\*A\*b^7 - 2\*a^7\*B - 3\*a^5\*b^2\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]]/(a^4\*(a - b)^(7/2)\*(a + b)^(7/2)\*d)) + (A\*ArcTanh[Sin[c + d\*x]]/(a^4\*d) + (b\*(A\*b - a\*B)\*Sin[c + d\*x])/(3\*a\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^3) + (b\*(8\*a^2\*A\*b - 3\*A\*b^3 - 5\*a^3\*B)\*Sin[c + d\*x])/(6\*a^2\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x])^2) + (b\*(26\*a^4\*A\*b - 17\*a^2\*A\*b^3 + 6\*A\*b^5 - 11\*a^5\*B - 4\*a^3\*b^2\*B)\*Sin[c + d\*x])/(6\*a^3\*(a^2 - b^2)^3\*d\*(a + b\*Cos[c + d\*x])))

**Rubi [A]** time = 1.50886, antiderivative size = 301, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 29,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.207$ , Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{(-8a^4Ab^3 + 7a^2Ab^5 + 8a^6Ab - 3a^5b^2B - 2a^7B - 2Ab^7) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4d(a-b)^{7/2}(a+b)^{7/2}} + \frac{b(-17a^2Ab^3 + 26a^4Ab - 4a^3b^2B - 6a^3d(a^2 - b^2)^3(a+b))}{6a^3d(a^2 - b^2)^3(a+b)}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b\*Cos[c + d\*x])^4, x]

[Out] -(((8\*a^6\*A\*b - 8\*a^4\*A\*b^3 + 7\*a^2\*A\*b^5 - 2\*A\*b^7 - 2\*a^7\*B - 3\*a^5\*b^2\*B)\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]]/(a^4\*(a - b)^(7/2)\*(a + b)^(7/2)\*d)) + (A\*ArcTanh[Sin[c + d\*x]]/(a^4\*d) + (b\*(A\*b - a\*B)\*Sin[c + d\*x])/(3\*a\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^3) + (b\*(8\*a^2\*A\*b - 3\*A\*b^3 - 5\*a^3\*B)\*Sin[c + d\*x])/(6\*a^2\*(a^2 - b^2)^2\*d\*(a + b\*Cos[c + d\*x])^2) + (b\*(26\*a^4\*A\*b - 17\*a^2\*A\*b^3 + 6\*A\*b^5 - 11\*a^5\*B - 4\*a^3\*b^2\*B)\*Sin[c + d\*x])/(6\*a^3\*(a^2 - b^2)^3\*d\*(a + b\*Cos[c + d\*x])))

### Rule 3000

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(1 + n))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(a\*A - b\*B)\*(b\*c - a\*d)\*(m + 1) + b\*d\*(A\*b - a\*B)\*(m + n + 2) + (A\*b - a\*B)\*(a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(A\*b - a\*B)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.)

```

+ (f_.)*(x_)^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

### Rule 3001

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[(A*b
- a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(
b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f,
A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

### Rule 2659

```

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]

```

### Rule 205

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

### Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^4} dx = \frac{b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{\int \frac{(3A(a^2 - b^2) - 3a(Ab - aB) \cos(c + dx) + 2b(Ab - aB) \cos^2(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^3} dx}{3a(a^2 - b^2)}$$

$$= \frac{b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b(8a^2Ab - 3Ab^3 - 5a^3B) \sin(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} + \frac{\int \frac{b(8a^2Ab - 3Ab^3 - 5a^3B) \sec(c + dx)}{(a + b \cos(c + dx))^2} dx}{6a^2(a^2 - b^2)^2}$$

$$= \frac{b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b(8a^2Ab - 3Ab^3 - 5a^3B) \sin(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} + \frac{b(8a^2Ab - 3Ab^3 - 5a^3B) \sec(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))^2}$$

$$= \frac{b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b(8a^2Ab - 3Ab^3 - 5a^3B) \sin(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))^2} + \frac{b(8a^2Ab - 3Ab^3 - 5a^3B) \sec(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))^2}$$

$$= \frac{A \tanh^{-1}(\sin(c + dx))}{a^4 d} + \frac{b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b(8a^2Ab - 3Ab^3 - 5a^3B) \sec(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))^2}$$

$$= \frac{(8a^6Ab - 8a^4Ab^3 + 7a^2Ab^5 - 2Ab^7 - 2a^7B - 3a^5b^2B) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^4(a-b)^{7/2}(a+b)^{7/2}d}$$

**Mathematica [A]** time = 1.60375, size = 368, normalized size = 1.22

$$\cos(c + dx)(A \sec(c + dx) + B) \left( -\frac{2ab \sin(c+dx)(6ab(15a^2Ab^3 - 20a^4Ab + a^3b^2B + 9a^5B - 5Ab^5) \cos(c+dx) + b^2(17a^2Ab^3 - 26a^4Ab + 4a^3b^2B + 11a^5B - 6Ab^5))}{(a^2 - b^2)^3 (a + b \cos(c+dx))^3} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^4, x]
```

```
[Out] (Cos[c + d*x]*(B + A*Sec[c + d*x])*((24*(-8*a^6*A*b + 8*a^4*A*b^3 - 7*a^2*A*b^5 + 2*A*b^7 + 2*a^7*B + 3*a^5*b^2*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(7/2) - 24*A*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 24*A*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] - (2*a*b*(-72*a^6*A*b + 38*a^4*A*b^3 - 5*a^2*A*b^5 - 6*A*b^7 + 36*a^7*B + a^5*b^2*B + 8*a^3*b^4*B + 6*a*b*(-20*a^4*A*b + 15*a^2*A*b^3 - 5*A*b^5 + 9*a^5*B + a^3*b^2*B)*Cos[c + d*x] + b^2*(-26*a^4*A*b + 17*a^2*A*b^3 - 6*A*b^5 + 11*a^5*B + 4*a^3*b^2*B)*Cos[2*(c + d*x)]*Sin[c + d*x])/(a^2 - b^2)^3*(a + b*Cos[c + d*x])^3)))/(24*a^4*d*(A + B*Cos[c + d*x]))
```

**Maple [B]** time = 0.187, size = 2180, normalized size = 7.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^4, x)
```

```
[Out] 3/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*
b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*B*a*b^2-3/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1
/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)
^5*B*a*b^2+4/d/a^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*b^
6/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A-6/d/a/(tan(1/2*d*x
+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*b^4/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^
3)*tan(1/2*d*x+1/2*c)^5*A-1/d/a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c
)^2*b+a+b)^3*b^5/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*A+2/d
/a^3/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*b^6/(a+b)/(a^3-3
*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*A+2/d/a^3/(tan(1/2*d*x+1/2*c)^2*a-ta
n(1/2*d*x+1/2*c)^2*b+a+b)^3*b^6/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x
+1/2*c)^5*A+1/d/a^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*b
^5/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*A-44/3/d/a/(tan(1/2*d
*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*b^4/(a^2+2*a*b+b^2)/(a^2-2*a*b+
b^2)*tan(1/2*d*x+1/2*c)^3*A-6/d/a/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c
)^2*b+a+b)^3*b^4/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*A+24/d*
b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a^2+2*a*b+b^2)
/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*A-6/d*b/(tan(1/2*d*x+1/2*c)^2*a-tan(1
/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/
2*c)*B-12/d*b/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a^
2+2*a*b+b^2)/(a^2-2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3*B-6/d*b/(tan(1/2*d*x+1/2*
c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a^2/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*ta
n(1/2*d*x+1/2*c)^5*B+12/d*b^2/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*
b+a+b)^3*a/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*A+12/d*b^2/
(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3*a/(a+b)/(a^3-3*a^2*b+
3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*A-7/d/a^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a
-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A*b^5
+2/d/a^4/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d
*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A*b^7+1/d/a^4*A*ln(tan(1/2*d*x+1/2*c)+
1)-1/d/a^4*A*ln(tan(1/2*d*x+1/2*c)-1)-4/3/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2
*d*x+1/2*c)^2*b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*tan(1/2*d*x+1/2*c)^3
*B*b^3-2/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3
-3*a^2*b+3*a*b^2-b^3)*tan(1/2*d*x+1/2*c)*B*b^3+3/d*b^2/(a^6-3*a^4*b^2+3*a^2
*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))
^(1/2))*B*a-8/d*b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(
tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A*a^2+4/d/(tan(1/2*d*x+1/2*c)
^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*
d*x+1/2*c)^5*A*b^3-2/d/(tan(1/2*d*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^
3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*tan(1/2*d*x+1/2*c)^5*B*b^3-4/d/(tan(1/2*d
*x+1/2*c)^2*a-tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)
*tan(1/2*d*x+1/2*c)*A*b^3+8/d*b^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b
))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A+2/d/(a^6-3*
a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*arctan(tan(1/2*d*x+1/2*c)*(a-b)/
((a-b)*(a+b))^(1/2))*B*a^3
```

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^4,x, algorithm="maxi
ma")
```

```
[Out] Exception raised: ValueError
```

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^4,x, algorithm="fricas")
```

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))**4,x)
```

[Out] Timed out

**Giac [B]** time = 1.89333, size = 1130, normalized size = 3.75

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^4,x, algorithm="giac")
```

```
[Out] 1/3*(3*(2*B*a^7 - 8*A*a^6*b + 3*B*a^5*b^2 + 8*A*a^4*b^3 - 7*A*a^2*b^5 + 2*A*b^7)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))/(a^10 - 3*a^8*b^2 + 3*a^6*b^4 - a^4*b^6)*sqrt(a^2 - b^2) + 3*A*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^4 - 3*A*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^4 - (18*B*a^7*b*tan(1/2*d*x + 1/2*c)^5 - 36*A*a^6*b^2*tan(1/2*d*x + 1/2*c)^5 - 27*B*a^6*b^2*tan(1/2*d*x + 1/2*c)^5 + 60*A*a^5*b^3*tan(1/2*d*x + 1/2*c)^5 + 6*B*a^5*b^3*tan(1/2*d*x + 1/2*c)^5 + 6*A*a^4*b^4*tan(1/2*d*x + 1/2*c)^5 - 3*B*a^4*b^4*tan(1/2*d*x + 1/2*c)^5 - 45*A*a^3*b^5*tan(1/2*d*x + 1/2*c)^5 + 6*B*a^3*b^5*tan(1/2*d*x + 1/2*c)^5 + 6*A*a^2*b^6*tan(1/2*d*x + 1/2*c)^5 + 15*A*a*b^7*tan(1/2*d*x + 1/2*c)^5 - 6*A*b^8*tan(1/2*d*x + 1/2*c)^5 + 36*B*a^7*b*tan(1/2*d*x + 1/2*c)^3 - 72*A*a^6*b^2*tan(1/2*d*x + 1/2*c)^3 - 32*B*a^5*b^3*tan(1/2*d*x + 1/2*c)^3 + 116*A*a^4*b^4*tan(1/2*d*x + 1/2*c)^3 - 4*B*a^3*b^5*tan(1/2*d*x + 1/2*c)^3 - 56*A*a^2*b^6*tan(1/2*d*x + 1/2*c)^3 + 12*A*b^8*tan(1/2*d*x + 1/2*c)^3 + 18*B*a^7*b*tan(1/2*d*x + 1/2*c) - 36*A*a^6*b^2*tan(1/2*d*x + 1/2*c) + 27*B*a^6*b^2*tan(1/2*d*x + 1/2*c) - 60*A*a^5*b^3*tan(1/2*d*x + 1/2*c) + 6*B*a^5*b^3*tan(1/2*d*x + 1/2*c) + 6*A*a^4*b^4*tan(1/2*d*x + 1/2*c) + 3*B*a^4*b^4*tan(1/2*d*x + 1/2*c) + 45*A*a^3*b^5*tan(1/2*d*x + 1/2*c) + 6*B*a^3*b^5*tan(1/2*d*x + 1/2*c) + 6*A*a^2*b^6*tan(1/2*d*x + 1/2*c) - 15*A*a*b^7*tan(1/2*d*x + 1/2*c) - 6*A*b^8*tan(1/2*d*x + 1/2*c))/((a^9 - 3*a^7*b^2 + 3*a^5*b^4 - a^3*b^6)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 + a + b)^3)/d
```

$$3.279 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=420

$$\frac{b(-35a^4Ab^3 + 28a^2Ab^5 + 20a^6Ab + 8a^5b^2B - 7a^3b^4B - 8a^7B + 2ab^6B - 8Ab^7) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^5d(a-b)^{7/2}(a+b)^{7/2}} + \frac{(-65a^4Ab^3 + 28a^2Ab^5 + 20a^6Ab + 8a^5b^2B - 7a^3b^4B - 8a^7B + 2ab^6B - 8Ab^7)}{a^5d(a-b)^{7/2}(a+b)^{7/2}}$$

```
[Out] (b*(20*a^6*A*b - 35*a^4*A*b^3 + 28*a^2*A*b^5 - 8*A*b^7 - 8*a^7*B + 8*a^5*b^2*B - 7*a^3*b^4*B + 2*a*b^6*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]]/(a^5*(a - b)^(7/2)*(a + b)^(7/2)*d) - ((4*A*b - a*B)*ArcTanh[Sin[c + d*x]]/(a^5*d) + ((6*a^6*A - 65*a^4*A*b^2 + 68*a^2*A*b^4 - 24*A*b^6 + 26*a^5*b*B - 17*a^3*b^3*B + 6*a*b^5*B)*Tan[c + d*x])/(6*a^4*(a^2 - b^2)^3*d) + (b*(A*b - a*B)*Tan[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^3) + (b*(9*a^2*A*b - 4*A*b^3 - 6*a^3*B + a*b^2*B)*Tan[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Cos[c + d*x])^2) + (b*(12*a^4*A*b - 11*a^2*A*b^3 + 4*A*b^5 - 6*a^5*B + 2*a^3*b^2*B - a*b^4*B)*Tan[c + d*x])/(2*a^3*(a^2 - b^2)^3*d*(a + b*Cos[c + d*x])))
```

**Rubi [A]** time = 6.22096, antiderivative size = 420, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{b(-35a^4Ab^3 + 28a^2Ab^5 + 20a^6Ab + 8a^5b^2B - 7a^3b^4B - 8a^7B + 2ab^6B - 8Ab^7) \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^5d(a-b)^{7/2}(a+b)^{7/2}} + \frac{(-65a^4Ab^3 + 28a^2Ab^5 + 20a^6Ab + 8a^5b^2B - 7a^3b^4B - 8a^7B + 2ab^6B - 8Ab^7)}{a^5d(a-b)^{7/2}(a+b)^{7/2}}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + b*Cos[c + d*x])^4, x]
```

```
[Out] (b*(20*a^6*A*b - 35*a^4*A*b^3 + 28*a^2*A*b^5 - 8*A*b^7 - 8*a^7*B + 8*a^5*b^2*B - 7*a^3*b^4*B + 2*a*b^6*B)*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]]/(a^5*(a - b)^(7/2)*(a + b)^(7/2)*d) - ((4*A*b - a*B)*ArcTanh[Sin[c + d*x]]/(a^5*d) + ((6*a^6*A - 65*a^4*A*b^2 + 68*a^2*A*b^4 - 24*A*b^6 + 26*a^5*b*B - 17*a^3*b^3*B + 6*a*b^5*B)*Tan[c + d*x])/(6*a^4*(a^2 - b^2)^3*d) + (b*(A*b - a*B)*Tan[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^3) + (b*(9*a^2*A*b - 4*A*b^3 - 6*a^3*B + a*b^2*B)*Tan[c + d*x])/(6*a^2*(a^2 - b^2)^2*d*(a + b*Cos[c + d*x])^2) + (b*(12*a^4*A*b - 11*a^2*A*b^3 + 4*A*b^5 - 6*a^5*B + 2*a^3*b^2*B - a*b^4*B)*Tan[c + d*x])/(2*a^3*(a^2 - b^2)^3*d*(a + b*Cos[c + d*x])))
```

### Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[m] && IntegerQ[n]))
```

gerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0]))

### Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

### Rule 3001

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_
.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(A*b
- a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(
b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f,
A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]
```

### Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

### Rule 205

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps



$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^4} dx &= \frac{b(Ab - aB) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{\int \frac{(3a^2A - 4Ab^2 + abB - 3a(Ab - aB) \cos(c + dx) + 3b(Ab - aB) \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^3} dx}{3a(a^2 - b^2)} \\
&= \frac{b(Ab - aB) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b(9a^2Ab - 4Ab^3 - 6a^3B + ab^2B) \tan(c + dx)}{6a^2(a^2 - b^2)^2d(a + b \cos(c + dx))} \\
&= \frac{b(Ab - aB) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b(9a^2Ab - 4Ab^3 - 6a^3B + ab^2B) \tan(c + dx)}{6a^2(a^2 - b^2)^2d(a + b \cos(c + dx))} \\
&= \frac{(6a^6A - 65a^4Ab^2 + 68a^2Ab^4 - 24Ab^6 + 26a^5bB - 17a^3b^3B + 6ab^5B) \tan(c + dx)}{6a^4(a^2 - b^2)^3d} \\
&= \frac{(6a^6A - 65a^4Ab^2 + 68a^2Ab^4 - 24Ab^6 + 26a^5bB - 17a^3b^3B + 6ab^5B) \tan(c + dx)}{6a^4(a^2 - b^2)^3d} \\
&= -\frac{(4Ab - aB) \tanh^{-1}(\sin(c + dx))}{a^5d} + \frac{(6a^6A - 65a^4Ab^2 + 68a^2Ab^4 - 24Ab^6 + 26a^5bB - 17a^3b^3B + 6ab^5B) \tan(c + dx)}{6a^4(a^2 - b^2)^3d} \\
&= \frac{b(20a^6Ab - 35a^4Ab^3 + 28a^2Ab^5 - 8Ab^7 - 8a^7B + 8a^5b^2B - 7a^3b^4B + 2ab^6)}{a^5(a - b)^{7/2}(a + b)^{7/2}d}
\end{aligned}$$

**Mathematica [A]** time = 3.02178, size = 549, normalized size = 1.31

$$\frac{2a \tan(c+dx) (6ab^2(-53a^4Ab^2+57a^2Ab^4+6a^6A-15a^3b^3B+20a^5bB+5ab^5B-20Ab^6) \cos(2(c+dx))+b(-438a^6Ab^2+305a^4Ab^4+28a^2Ab^6+72a^8A-50a^5b^3B-7a^3b^5B+2ab^7))}{a^5(a-b)^{7/2}(a+b)^{7/2}d}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(a + b\*Cos[c + d\*x])^4,x]

[Out] ((-48\*b\*(-20\*a^6\*A\*b + 35\*a^4\*A\*b^3 - 28\*a^2\*A\*b^5 + 8\*A\*b^7 + 8\*a^7\*B - 8\*a^5\*b^2\*B + 7\*a^3\*b^4\*B - 2\*a\*b^6\*B)\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]))/(-a^2 + b^2)^(7/2) + 48\*(4\*A\*b - a\*B)\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 48\*(-4\*A\*b + a\*B)\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + (2\*a\*(24\*a^9\*A - 36\*a^7\*A\*b^2 - 246\*a^5\*A\*b^4 + 318\*a^3\*A\*b^6 - 120\*a\*A\*b^8 + 120\*a^6\*b^3\*B - 90\*a^4\*b^5\*B + 30\*a^2\*b^7\*B + b\*(72\*a^8\*A - 438\*a^6\*A\*b^2 + 305\*a^4\*A\*b^4 + 28\*a^2\*A\*b^6 - 72\*A\*b^8 + 144\*a^7\*b\*B - 50\*a^5\*b^3\*B - 7\*a^3\*b^5\*B + 18\*a\*b^7\*B)\*Cos[c + d\*x] + 6\*a\*b^2\*(6\*a^6\*A - 53\*a^4\*A\*b^2 + 57\*a^2\*A\*b^4 - 20\*A\*b^6 + 20\*a^5\*b\*B - 15\*a^3\*b^3\*B + 5\*a\*b^5\*B)\*Cos[2\*(c + d\*x)] + 6\*a^6\*A\*b^3\*Cos[3\*(c + d\*x)] - 65\*a^4\*A\*b^5\*Cos[3\*(c + d\*x)] + 68\*a^2\*A\*b^7\*Cos[3\*(c + d\*x)] - 24\*A\*b^9\*Cos[3\*(c + d\*x)] + 26\*a^5\*b^4\*B\*Cos[3\*(c + d\*x)] - 17\*a^3\*b^6\*B\*Cos[3\*(c + d\*x)] + 6\*a\*b^8\*B\*Cos[3\*(c + d\*x)]))\*Tan[c + d\*x])/((a^2 - b^2)^3\*(a + b\*Cos[c + d\*x])^3)/(48\*a^5\*d)

**Maple [B]** time = 0.194, size = 2844, normalized size = 6.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((A+B*\cos(dx+c))*\sec(dx+c)^2/(a+b*\cos(dx+c))^4, x)$

[Out] 
$$\begin{aligned} & -1/d*A/a^4/(\tan(1/2*d*x+1/2*c)-1)-1/d*A/a^4/(\tan(1/2*d*x+1/2*c)+1)+1/d/a^4* \\ & \ln(\tan(1/2*d*x+1/2*c)+1)*B+20/d*a*b^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)* \\ & (a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*A+12/d/(t \\ & \tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a* \\ & b^2-b^3)*\tan(1/2*d*x+1/2*c)*B*a*b^2+24/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d* \\ & x+1/2*c)^2*b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B* \\ & a*b^2+12/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3 \\ & +3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B*a*b^2-5/d/a/(\tan(1/2*d*x+1/2*c \\ & )^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*b^4/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan \\ & (1/2*d*x+1/2*c)^5*A+18/d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b \\ & +a+b)^3*b^5/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A-2/d/a^3/ \\ & (\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*b^6/(a+b)/(a^3-3*a^2* \\ & b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A+2/d/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2 \\ & *d*x+1/2*c)^2*b+a+b)^3*b^6/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2* \\ & c)^5*A+18/d/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*b^5/( \\ & a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A+5/d/a/(\tan(1/2*d*x+1/2* \\ & c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3*b^4/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan \\ & (1/2*d*x+1/2*c)*A-8/d*a^2*b/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^{(1 \\ & /2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*B-35/d*b^4/a/(a^6- \\ & 3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b) \\ & )/((a-b)*(a+b))^{(1/2)}*A+28/d*b^6/a^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)* \\ & (a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*A-7/d*b^5 \\ & /a^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1 \\ & /2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*B+2/d*b^7/a^4/(a^6-3*a^4*b^2+3*a^2*b^4-b^6 \\ & )/((a-b)*(a+b))^{(1/2)}*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})* \\ & B-8/d*b^8/a^5/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^{(1/2)}*\arctan(\tan( \\ & 1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^{(1/2)})*A-6/d*b^4/a/(\tan(1/2*d*x+1/2*c)^2 \\ & *a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d* \\ & x+1/2*c)^5*B-1/d*b^5/a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b \\ & )^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B+2/d*b^6/a^3/(\tan \\ & (1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^ \\ & 2-b^3)*\tan(1/2*d*x+1/2*c)*B-44/3/d*b^4/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d* \\ & x+1/2*c)^2*b+a+b)^3/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B- \\ & 6/d*b^7/a^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^ \\ & 3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*A+116/3/d*b^5/a^2/(\tan(1/2*d*x+ \\ & 1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan \\ & (1/2*d*x+1/2*c)^3*A-12/d*b^7/a^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c \\ & )^2*b+a+b)^3/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A+1/d*b^5 \\ & /a^2/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2 \\ & *b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B+4/d*b^6/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan \\ & (1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2+2*a*b+b^2)/(a^2-2*a*b+b^2)*\tan(1/2*d*x+1/2 \\ & *c)^3*B-6/d*b^7/a^4/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/( \\ & a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*A-6/d*b^4/a/(\tan(1/2*d*x+ \\ & 1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan \\ & (1/2*d*x+1/2*c)*B+2/d*b^6/a^3/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2 \\ & *b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B-4/d/(\tan(1 \\ & /2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2- \\ & b^3)*\tan(1/2*d*x+1/2*c)*B*b^3-1/d/a^4*\ln(\tan(1/2*d*x+1/2*c)-1)*B-20/d/(\tan( \\ & 1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2 \\ & +b^3)*\tan(1/2*d*x+1/2*c)^5*A*b^3-40/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1 \\ & /2*c)^2*b+a+b)^3/(a^2-2*a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*A*b^3 \\ & +4/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2 \\ & *b+3*a*b^2+b^3)*\tan(1/2*d*x+1/2*c)^5*B*b^3-20/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan \\ & (1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2* \\ & c)*A*b^3-4/d/a^5*\ln(\tan(1/2*d*x+1/2*c)+1)*A*b+4/d/a^5*\ln(\tan(1/2*d*x+1/2*c)) \end{aligned}$$

$-1) * A * b + 8/d / (a^6 - 3*a^4*b^2 + 3*a^2*b^4 - b^6) / ((a-b) * (a+b))^{1/2} * \arctan(\tan(1/2*d*x + 1/2*c) * (a-b) / ((a-b) * (a+b))^{1/2}) * B * b^3$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2/(a+b\*cos(d\*x+c))\*\*4,x)

[Out] Timed out

**Giac [B]** time = 1.71497, size = 1345, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^4,x, algorithm="giac")

[Out]  $\frac{1}{3} * (3 * (8 * B * a^7 * b - 20 * A * a^6 * b^2 - 8 * B * a^5 * b^3 + 35 * A * a^4 * b^4 + 7 * B * a^3 * b^5 - 28 * A * a^2 * b^6 - 2 * B * a * b^7 + 8 * A * b^8) * (\pi * \text{floor}(1/2 * (d * x + c) / \pi + 1/2) * \text{sgn}(-2 * a + 2 * b) + \arctan(-(a * \tan(1/2 * d * x + 1/2 * c) - b * \tan(1/2 * d * x + 1/2 * c)) / \sqrt{a^2 - b^2}))) / ((a^{11} - 3 * a^9 * b^2 + 3 * a^7 * b^4 - a^5 * b^6) * \sqrt{a^2 - b^2}) + (36 * B * a^7 * b^2 * \tan(1/2 * d * x + 1/2 * c)^5 - 60 * A * a^6 * b^3 * \tan(1/2 * d * x + 1/2 * c)$

$$\begin{aligned}
&^5 - 60*B*a^6*b^3*\tan(1/2*d*x + 1/2*c)^5 + 105*A*a^5*b^4*\tan(1/2*d*x + 1/2*c)^5 - 6*B*a^5*b^4*\tan(1/2*d*x + 1/2*c)^5 + 24*A*a^4*b^5*\tan(1/2*d*x + 1/2*c)^5 + 45*B*a^4*b^5*\tan(1/2*d*x + 1/2*c)^5 - 117*A*a^3*b^6*\tan(1/2*d*x + 1/2*c)^5 - 6*B*a^3*b^6*\tan(1/2*d*x + 1/2*c)^5 + 24*A*a^2*b^7*\tan(1/2*d*x + 1/2*c)^5 - 15*B*a^2*b^7*\tan(1/2*d*x + 1/2*c)^5 + 42*A*a*b^8*\tan(1/2*d*x + 1/2*c)^5 + 6*B*a*b^8*\tan(1/2*d*x + 1/2*c)^5 - 18*A*b^9*\tan(1/2*d*x + 1/2*c)^5 + 72*B*a^7*b^2*\tan(1/2*d*x + 1/2*c)^3 - 120*A*a^6*b^3*\tan(1/2*d*x + 1/2*c)^3 - 116*B*a^5*b^4*\tan(1/2*d*x + 1/2*c)^3 + 236*A*a^4*b^5*\tan(1/2*d*x + 1/2*c)^3 + 56*B*a^3*b^6*\tan(1/2*d*x + 1/2*c)^3 - 152*A*a^2*b^7*\tan(1/2*d*x + 1/2*c)^3 - 12*B*a*b^8*\tan(1/2*d*x + 1/2*c)^3 + 36*A*b^9*\tan(1/2*d*x + 1/2*c)^3 + 36*B*a^7*b^2*\tan(1/2*d*x + 1/2*c) - 60*A*a^6*b^3*\tan(1/2*d*x + 1/2*c) + 60*B*a^6*b^3*\tan(1/2*d*x + 1/2*c) - 105*A*a^5*b^4*\tan(1/2*d*x + 1/2*c) - 6*B*a^5*b^4*\tan(1/2*d*x + 1/2*c) + 24*A*a^4*b^5*\tan(1/2*d*x + 1/2*c) - 45*B*a^4*b^5*\tan(1/2*d*x + 1/2*c) + 117*A*a^3*b^6*\tan(1/2*d*x + 1/2*c) - 6*B*a^3*b^6*\tan(1/2*d*x + 1/2*c) + 24*A*a^2*b^7*\tan(1/2*d*x + 1/2*c) + 15*B*a^2*b^7*\tan(1/2*d*x + 1/2*c) - 42*A*a*b^8*\tan(1/2*d*x + 1/2*c) + 6*B*a*b^8*\tan(1/2*d*x + 1/2*c) - 18*A*b^9*\tan(1/2*d*x + 1/2*c))/((a^10 - 3*a^8*b^2 + 3*a^6*b^4 - a^4*b^6)*(a*tan(1/2*d*x + 1/2*c)^2 - b*tan(1/2*d*x + 1/2*c)^2 + a + b)^3) + 3*(B*a - 4*A*b)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^5 - 3*(B*a - 4*A*b)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^5 - 6*A*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*a^4))/d
\end{aligned}$$

$$3.280 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^4} dx$$

**Optimal.** Leaf size=547

$$\frac{b^2 \left( -84a^4Ab^3 + 69a^2Ab^5 + 40a^6Ab + 35a^5b^2B - 28a^3b^4B - 20a^7B + 8ab^6B - 20Ab^7 \right) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{a^6d(a-b)^{7/2}(a+b)^{7/2}}$$

[Out]  $-\left((b^2(40a^6Ab - 84a^4Ab^3 + 69a^2Ab^5 - 20Ab^7 - 20a^7B + 35a^5b^2B - 28a^3b^4B + 8ab^6B) \operatorname{ArcTan}[\operatorname{Sqrt}[a-b] \operatorname{Tan}[(c+dx)/2]] / \operatorname{Sqrt}[a+b]) / (a^6(a-b)^{7/2}(a+b)^{7/2}d) + ((a^2A + 20Ab^2 - 8abB) \operatorname{ArcTanh}[\operatorname{Sin}[c+dx]]) / (2a^6d) - ((24a^6Ab - 146a^4Ab^3 + 167a^2Ab^5 - 60Ab^7 - 6a^7B + 65a^5b^2B - 68a^3b^4B + 24ab^6B) \operatorname{Tan}[c+dx]) / (6a^5(a^2 - b^2)^3d) + ((a^6A - 23a^4Ab^2 + 27a^2Ab^4 - 10Ab^6 + 12a^5bB - 11a^3b^3B + 4ab^5B) \operatorname{Sec}[c+dx] \operatorname{Tan}[c+dx]) / (2a^4(a^2 - b^2)^3d) + (b(Ab - aB) \operatorname{Sec}[c+dx] \operatorname{Tan}[c+dx]) / (3a(a^2 - b^2)d(a + b \operatorname{Cos}[c+dx])^3) + (b(10a^2Ab - 5Ab^3 - 7a^3B + 2ab^2B) \operatorname{Sec}[c+dx] \operatorname{Tan}[c+dx]) / (6a^2(a^2 - b^2)^2d(a + b \operatorname{Cos}[c+dx])^2) + (b(48a^4Ab - 53a^2Ab^3 + 20Ab^5 - 27a^5B + 20a^3b^2B - 8ab^4B) \operatorname{Sec}[c+dx] \operatorname{Tan}[c+dx]) / (6a^3(a^2 - b^2)^3d(a + b \operatorname{Cos}[c+dx]))\right)$

**Rubi [A]** time = 7.30446, antiderivative size = 547, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {3000, 3055, 3001, 3770, 2659, 205}

$$\frac{b^2 \left( -84a^4Ab^3 + 69a^2Ab^5 + 40a^6Ab + 35a^5b^2B - 28a^3b^4B - 20a^7B + 8ab^6B - 20Ab^7 \right) \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{a^6d(a-b)^{7/2}(a+b)^{7/2}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(A + B \operatorname{Cos}[c + dx]) \operatorname{Sec}[c + dx]^3 / (a + b \operatorname{Cos}[c + dx])^4, x]$

[Out]  $-\left((b^2(40a^6Ab - 84a^4Ab^3 + 69a^2Ab^5 - 20Ab^7 - 20a^7B + 35a^5b^2B - 28a^3b^4B + 8ab^6B) \operatorname{ArcTan}[\operatorname{Sqrt}[a-b] \operatorname{Tan}[(c+dx)/2]] / \operatorname{Sqrt}[a+b]) / (a^6(a-b)^{7/2}(a+b)^{7/2}d) + ((a^2A + 20Ab^2 - 8abB) \operatorname{ArcTanh}[\operatorname{Sin}[c+dx]]) / (2a^6d) - ((24a^6Ab - 146a^4Ab^3 + 167a^2Ab^5 - 60Ab^7 - 6a^7B + 65a^5b^2B - 68a^3b^4B + 24ab^6B) \operatorname{Tan}[c+dx]) / (6a^5(a^2 - b^2)^3d) + ((a^6A - 23a^4Ab^2 + 27a^2Ab^4 - 10Ab^6 + 12a^5bB - 11a^3b^3B + 4ab^5B) \operatorname{Sec}[c+dx] \operatorname{Tan}[c+dx]) / (2a^4(a^2 - b^2)^3d) + (b(Ab - aB) \operatorname{Sec}[c+dx] \operatorname{Tan}[c+dx]) / (3a(a^2 - b^2)d(a + b \operatorname{Cos}[c+dx])^3) + (b(10a^2Ab - 5Ab^3 - 7a^3B + 2ab^2B) \operatorname{Sec}[c+dx] \operatorname{Tan}[c+dx]) / (6a^2(a^2 - b^2)^2d(a + b \operatorname{Cos}[c+dx])^2) + (b(48a^4Ab - 53a^2Ab^3 + 20Ab^5 - 27a^5B + 20a^3b^2B - 8ab^4B) \operatorname{Sec}[c+dx] \operatorname{Tan}[c+dx]) / (6a^3(a^2 - b^2)^3d(a + b \operatorname{Cos}[c+dx]))\right)$

**Rule 3000**

$\operatorname{Int}[(a_. + (b_.) \operatorname{sin}[(e_.) + (f_.)(x_.)])^{(m_.)} ((A_.) + (B_.) \operatorname{sin}[(e_.) + (f_.)(x_.)])^{(c_.)} + (d_.) \operatorname{sin}[(e_.) + (f_.)(x_.)]^{(n_.)}, x\_Symbol] \rightarrow -\operatorname{Simp}[(A*b^2 - a*b*B) \operatorname{Cos}[e + f*x] (a + b \operatorname{Sin}[e + f*x])^{(m+1)} (c + d \operatorname{Sin}[e + f*x])^{(1+n)}] / (f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \operatorname{Dist}[1/(m+1)$

```

*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

```

### Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

### Rule 3001

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(A*b
- a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(
b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f,
A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

### Rule 2659

```

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]

```

### Rule 205

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

### Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + b \cos(c + dx))^4} dx = \frac{b(Ab - aB) \sec(c + dx) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{\int \frac{(3a^2A - 5Ab^2 + 2abB - 3a(Ab - aB) \cos(c + dx) + 4b^2 \cos^2(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^3} dx}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3}$$

$$= \frac{b(Ab - aB) \sec(c + dx) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b(10a^2Ab - 5Ab^3 - 7a^3B + 2ab^2B) \sec(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))^3}$$

$$= \frac{b(Ab - aB) \sec(c + dx) \tan(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^3} + \frac{b(10a^2Ab - 5Ab^3 - 7a^3B + 2ab^2B) \sec(c + dx)}{6a^2(a^2 - b^2)^2 d(a + b \cos(c + dx))^3}$$

$$= \frac{(a^6A - 23a^4Ab^2 + 27a^2Ab^4 - 10Ab^6 + 12a^5bB - 11a^3b^3B + 4ab^5B) \sec(c + dx)}{2a^4(a^2 - b^2)^3 d}$$

$$= -\frac{(24a^6Ab - 146a^4Ab^3 + 167a^2Ab^5 - 60Ab^7 - 6a^7B + 65a^5b^2B - 68a^3b^4B + 20a^2b^6B) \sec(c + dx)}{6a^5(a^2 - b^2)^3 d}$$

$$= -\frac{(24a^6Ab - 146a^4Ab^3 + 167a^2Ab^5 - 60Ab^7 - 6a^7B + 65a^5b^2B - 68a^3b^4B + 20a^2b^6B) \sec(c + dx)}{6a^5(a^2 - b^2)^3 d}$$

$$= \frac{(a^2A + 20Ab^2 - 8abB) \tanh^{-1}(\sin(c + dx))}{2a^6d} - \frac{(24a^6Ab - 146a^4Ab^3 + 167a^2Ab^5 - 60Ab^7 - 6a^7B + 65a^5b^2B - 68a^3b^4B + 20a^2b^6B) \sec(c + dx)}{a^6(a - b)^{7/2}(a + b)^{7/2}d}$$

**Mathematica [A]** time = 4.93706, size = 781, normalized size = 1.43

$$\frac{96b^2(84a^4Ab^3 - 69a^2Ab^5 - 40a^6Ab - 35a^5b^2B + 28a^3b^4B + 20a^7B - 8ab^6B + 20Ab^7) \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{(b^2-a^2)^{7/2}} - 48(a^2A - 8abB + 20Ab^2) \log\left(\cos\left(\frac{c+dx}{2}\right)\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x])^4, x]
```

```
[Out] ((96*b^2*(-40*a^6*A*b + 84*a^4*A*b^3 - 69*a^2*A*b^5 + 20*A*b^7 + 20*a^7*B - 35*a^5*b^2*B + 28*a^3*b^4*B - 8*a*b^6*B)*ArcTanh[((a - b)*Tan[(c + d*x)/2])/Sqrt[-a^2 + b^2]])/(-a^2 + b^2)^(7/2) - 48*(a^2*A + 20*A*b^2 - 8*a*b*B)*Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] + 48*(a^2*A + 20*A*b^2 - 8*a*b*B)*Log[Cos[(c + d*x)/2] + Sin[(c + d*x)/2]] + (2*a*(24*a^10*A - 324*a^8*A*b^2 + 1116*a^6*A*b^4 - 830*a^4*A*b^6 - 61*a^2*A*b^8 + 180*A*b^10 + 72*a^9*b*B - 438*a^7*b^3*B + 305*a^5*b^5*B + 28*a^3*b^7*B - 72*a*b^9*B + 6*a*(-20*a^8*A*b - 9*a^6*A*b^3 + 309*a^4*A*b^5 - 400*a^2*A*b^7 + 150*A*b^9 + 8*a^9*B - 6*a^7*b^2*B - 135*a^5*b^4*B + 163*a^3*b^6*B - 60*a*b^8*B)*Cos[c + d*x] + 12*b*(-21*a^8*A*b + 85*a^6*A*b^3 - 55*a^4*A*b^5 - 19*a^2*A*b^7 + 20*A*b^9 + 6*a^9*B - 36*a^7*b^2*B + 20*a^5*b^4*B + 8*a^3*b^6*B - 8*a*b^8*B)*Cos[2*(c + d*x)]) - 138*a^7*A*b^3*Cos[3*(c + d*x)] + 738*a^5*A*b^5*Cos[3*(c + d*x)] - 840*a^3*A*b^7*Cos[3*(c + d*x)] + 300*a*A*b^9*Cos[3*(c + d*x)] + 36*a^8*b^2*B*Cos[3*(c + d*x)] - 318*a^6*b^4*B*Cos[3*(c + d*x)] + 342*a^4*b^6*B*Cos[3*(c + d*x)] - 120*a^2*b^8*B*Cos[3*(c + d*x)] - 24*a^6*A*b^4*Cos[4*(c + d*x)] + 146*a^4*A*b^6*Cos[4*(c + d*x)] - 167*a^2*A*b^8*Cos[4*(c + d*x)] + 60*A*b^10*Cos[4*(c + d*x)]
```

os[4\*(c + d\*x)] + 6\*a^7\*b^3\*B\*Cos[4\*(c + d\*x)] - 65\*a^5\*b^5\*B\*Cos[4\*(c + d\*x)] + 68\*a^3\*b^7\*B\*Cos[4\*(c + d\*x)] - 24\*a\*b^9\*B\*Cos[4\*(c + d\*x)]\*Sec[c + d\*x]\*Tan[c + d\*x])/((a^2 - b^2)^3\*(a + b\*Cos[c + d\*x])^3)/(96\*a^6\*d)

**Maple [B]** time = 0.219, size = 3042, normalized size = 5.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^4,x)

[Out] 12/d\*b^8/a^5/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3/(a+b)/(a^3-3\*a^2\*b+3\*a\*b^2-b^3)\*tan(1/2\*d\*x+1/2\*c)\*A-6/d\*b^7/a^4/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3/(a+b)/(a^3-3\*a^2\*b+3\*a\*b^2-b^3)\*tan(1/2\*d\*x+1/2\*c)\*B-6/d\*b^7/a^4/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3/(a-b)/(a^3+3\*a^2\*b+3\*a\*b^2+b^3)\*tan(1/2\*d\*x+1/2\*c)^5\*B+24/d\*b^8/a^5/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3/(a^2+2\*a\*b+b^2)/(a^2-2\*a\*b+b^2)\*tan(1/2\*d\*x+1/2\*c)^3\*A+1/2/d\*A/a^4/(tan(1/2\*d\*x+1/2\*c)-1)+1/2/d\*A/a^4/(tan(1/2\*d\*x+1/2\*c)+1)-4/d/a^5\*ln(tan(1/2\*d\*x+1/2\*c)+1)\*B\*b+116/3/d\*b^5/a^2/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3/(a^2+2\*a\*b+b^2)/(a^2-2\*a\*b+b^2)\*tan(1/2\*d\*x+1/2\*c)^3\*B-12/d\*b^7/a^4/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3/(a-b)/(a^3+3\*a^2\*b+3\*a\*b^2+b^3)\*tan(1/2\*d\*x+1/2\*c)^5\*A+28/d\*b^6/a^3/(a^6-3\*a^4\*b^2+3\*a^2\*b^4-b^6)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*B+20/d\*b^9/a^6/(a^6-3\*a^4\*b^2+3\*a^2\*b^4-b^6)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*A-8/d\*b^8/a^5/(a^6-3\*a^4\*b^2+3\*a^2\*b^4-b^6)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*B-212/3/d/a^3/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3\*b^6/(a^2+2\*a\*b+b^2)/(a^2-2\*a\*b+b^2)\*tan(1/2\*d\*x+1/2\*c)^3\*A+30/d/a/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3\*b^4/(a-b)/(a^3+3\*a^2\*b+3\*a\*b^2+b^3)\*tan(1/2\*d\*x+1/2\*c)^5\*A+6/d/a^2/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3\*b^5/(a-b)/(a^3+3\*a^2\*b+3\*a\*b^2+b^3)\*tan(1/2\*d\*x+1/2\*c)^5\*A-34/d/a^3/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3\*b^6/(a+b)/(a^3-3\*a^2\*b+3\*a\*b^2-b^3)\*tan(1/2\*d\*x+1/2\*c)\*A-34/d/a^3/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3\*b^6/(a-b)/(a^3+3\*a^2\*b+3\*a\*b^2+b^3)\*tan(1/2\*d\*x+1/2\*c)^5\*A-6/d/a^2/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3\*b^5/(a+b)/(a^3-3\*a^2\*b+3\*a\*b^2-b^3)\*tan(1/2\*d\*x+1/2\*c)\*A+60/d/a/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3\*b^4/(a^2+2\*a\*b+b^2)/(a^2-2\*a\*b+b^2)\*tan(1/2\*d\*x+1/2\*c)^3\*A+30/d/a/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3\*b^4/(a+b)/(a^3-3\*a^2\*b+3\*a\*b^2-b^3)\*tan(1/2\*d\*x+1/2\*c)\*A+84/d/a^2/(a^6-3\*a^4\*b^2+3\*a^2\*b^4-b^6)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*A\*b^5-69/d/a^4/(a^6-3\*a^4\*b^2+3\*a^2\*b^4-b^6)/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*A\*b^7-1/d/a^4/(tan(1/2\*d\*x+1/2\*c)+1)\*B+1/2/d\*A/a^4/(tan(1/2\*d\*x+1/2\*c)-1)^2-1/d/a^4/(tan(1/2\*d\*x+1/2\*c)-1)\*B-1/2/d\*A/a^4/(tan(1/2\*d\*x+1/2\*c)+1)^2-5/d\*b^4/a/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3/(a-b)/(a^3+3\*a^2\*b+3\*a\*b^2+b^3)\*tan(1/2\*d\*x+1/2\*c)^5\*B+18/d\*b^5/a^2/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3/(a-b)/(a^3+3\*a^2\*b+3\*a\*b^2+b^3)\*tan(1/2\*d\*x+1/2\*c)^5\*B-2/d\*b^6/a^3/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3/(a+b)/(a^3-3\*a^2\*b+3\*a\*b^2-b^3)\*tan(1/2\*d\*x+1/2\*c)\*B-3/d\*b^7/a^4/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3/(a-b)/(a^3+3\*a^2\*b+3\*a\*b^2+b^3)\*tan(1/2\*d\*x+1/2\*c)^5\*A+18/d\*b^5/a^2/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3/(a+b)/(a^3-3\*a^2\*b+3\*a\*b^2-b^3)\*tan(1/2\*d\*x+1/2\*c)\*B+3/d\*b^7/a^4/(tan(1/2\*d\*x+1/2\*c)^2\*a-tan(1/2\*d\*x+1/2\*c)^2\*b+a+b)^3/(a+b)/(a^3-3\*a^2\*b+3\*a\*b^2-b^3)\*tan(1/2\*d\*x+1/2\*c)\*A+5/d



$$\begin{aligned}
& *b^4/a/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a \\
& ^2*b+3*a*b^2-b^3)*\tan(1/2*d*x+1/2*c)*B+2/d*b^6/a^3/(\tan(1/2*d*x+1/2*c)^2*a- \\
& \tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)*\tan(1/2*d*x+1 \\
& /2*c)^5*B+1/2/d/a^4*A*\ln(\tan(1/2*d*x+1/2*c)+1)-1/2/d/a^4*A*\ln(\tan(1/2*d*x+1 \\
& /2*c)-1)-40/d/(\tan(1/2*d*x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a^2-2* \\
& a*b+b^2)/(a^2+2*a*b+b^2)*\tan(1/2*d*x+1/2*c)^3*B*b^3-20/d/(\tan(1/2*d*x+1/2*c) \\
& )^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a+b)/(a^3-3*a^2*b+3*a*b^2-b^3)*\tan(1/2 \\
& *d*x+1/2*c)*B*b^3+20/d*b^2/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2) \\
& )*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*B*a-20/d/(\tan(1/2*d* \\
& x+1/2*c)^2*a-\tan(1/2*d*x+1/2*c)^2*b+a+b)^3/(a-b)/(a^3+3*a^2*b+3*a*b^2+b^3)* \\
& \tan(1/2*d*x+1/2*c)^5*B*b^3+4/d/a^5/(\tan(1/2*d*x+1/2*c)-1)*A*b-10/d/a^6*\ln(t \\
& \tan(1/2*d*x+1/2*c)-1)*A*b^2+4/d/a^5*\ln(\tan(1/2*d*x+1/2*c)-1)*B*b+4/d/a^5/(t \\
& \tan(1/2*d*x+1/2*c)+1)*A*b+10/d/a^6*\ln(\tan(1/2*d*x+1/2*c)+1)*A*b^2-35/d*b^4/a/ \\
& (a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b)*(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c) \\
& *(a-b)/((a-b)*(a+b))^(1/2))*B-40/d*b^3/(a^6-3*a^4*b^2+3*a^2*b^4-b^6)/((a-b) \\
& *(a+b))^(1/2)*\arctan(\tan(1/2*d*x+1/2*c)*(a-b)/((a-b)*(a+b))^(1/2))*A
\end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^4,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^4,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3/(a+b\*cos(d\*x+c))\*\*4,x)

[Out] Timed out

**Giac [B]** time = 1.78131, size = 1472, normalized size = 2.69

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^4,x, algorithm="giac")

[Out] 
$$-1/6*(6*(20*B*a^7*b^2 - 40*A*a^6*b^3 - 35*B*a^5*b^4 + 84*A*a^4*b^5 + 28*B*a^3*b^6 - 69*A*a^2*b^7 - 8*B*a*b^8 + 20*A*b^9)*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(-2*a + 2*b) + arctan(-(a*\tan(1/2*d*x + 1/2*c) - b*\tan(1/2*d*x + 1/2*c))/\sqrt{a^2 - b^2}))/((a^{12} - 3*a^{10}*b^2 + 3*a^8*b^4 - a^6*b^6)*\sqrt{a^2 - b^2}) + 2*(60*B*a^7*b^3*\tan(1/2*d*x + 1/2*c)^5 - 90*A*a^6*b^4*\tan(1/2*d*x + 1/2*c)^5 - 105*B*a^6*b^4*\tan(1/2*d*x + 1/2*c)^5 + 162*A*a^5*b^5*\tan(1/2*d*x + 1/2*c)^5 - 24*B*a^5*b^5*\tan(1/2*d*x + 1/2*c)^5 + 48*A*a^4*b^6*\tan(1/2*d*x + 1/2*c)^5 + 117*B*a^4*b^6*\tan(1/2*d*x + 1/2*c)^5 - 213*A*a^3*b^7*\tan(1/2*d*x + 1/2*c)^5 - 24*B*a^3*b^7*\tan(1/2*d*x + 1/2*c)^5 + 48*A*a^2*b^8*\tan(1/2*d*x + 1/2*c)^5 - 42*B*a^2*b^8*\tan(1/2*d*x + 1/2*c)^5 + 81*A*a*b^9*\tan(1/2*d*x + 1/2*c)^5 + 18*B*a*b^9*\tan(1/2*d*x + 1/2*c)^5 - 36*A*b^10*\tan(1/2*d*x + 1/2*c)^5 + 120*B*a^7*b^3*\tan(1/2*d*x + 1/2*c)^3 - 180*A*a^6*b^4*\tan(1/2*d*x + 1/2*c)^3 - 236*B*a^5*b^5*\tan(1/2*d*x + 1/2*c)^3 + 392*A*a^4*b^6*\tan(1/2*d*x + 1/2*c)^3 + 152*B*a^3*b^7*\tan(1/2*d*x + 1/2*c)^3 - 284*A*a^2*b^8*\tan(1/2*d*x + 1/2*c)^3 - 36*B*a*b^9*\tan(1/2*d*x + 1/2*c)^3 + 72*A*b^10*\tan(1/2*d*x + 1/2*c)^3 + 60*B*a^7*b^3*\tan(1/2*d*x + 1/2*c) - 90*A*a^6*b^4*\tan(1/2*d*x + 1/2*c) + 105*B*a^6*b^4*\tan(1/2*d*x + 1/2*c) - 162*A*a^5*b^5*\tan(1/2*d*x + 1/2*c) - 24*B*a^5*b^5*\tan(1/2*d*x + 1/2*c) + 48*A*a^4*b^6*\tan(1/2*d*x + 1/2*c) - 117*B*a^4*b^6*\tan(1/2*d*x + 1/2*c) + 213*A*a^3*b^7*\tan(1/2*d*x + 1/2*c) - 24*B*a^3*b^7*\tan(1/2*d*x + 1/2*c) + 48*A*a^2*b^8*\tan(1/2*d*x + 1/2*c) + 42*B*a^2*b^8*\tan(1/2*d*x + 1/2*c) - 81*A*a*b^9*\tan(1/2*d*x + 1/2*c) + 18*B*a*b^9*\tan(1/2*d*x + 1/2*c) - 36*A*b^10*\tan(1/2*d*x + 1/2*c))/((a^{11} - 3*a^9*b^2 + 3*a^7*b^4 - a^5*b^6)*(a*\tan(1/2*d*x + 1/2*c)^2 - b*\tan(1/2*d*x + 1/2*c)^2 + a + b)^3) - 3*(A*a^2 - 8*B*a*b + 20*A*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) + 1))/a^6 + 3*(A*a^2 - 8*B*a*b + 20*A*b^2)*\log(\text{abs}(\tan(1/2*d*x + 1/2*c) - 1))/a^6 - 6*(A*a*\tan(1/2*d*x + 1/2*c)^3 - 2*B*a*\tan(1/2*d*x + 1/2*c)^3 + 8*A*b*\tan(1/2*d*x + 1/2*c)^3 + A*a*\tan(1/2*d*x + 1/2*c) + 2*B*a*\tan(1/2*d*x + 1/2*c) - 8*A*b*\tan(1/2*d*x + 1/2*c))/((\tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^5))/d$$

$$3.281 \quad \int \frac{\cos^3(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=28

$$\frac{B \sin(c+dx)}{d} - \frac{B \sin^3(c+dx)}{3d}$$

[Out] (B\*Sin[c + d\*x])/d - (B\*Sin[c + d\*x]^3)/(3\*d)

**Rubi [A]** time = 0.015511, antiderivative size = 28, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$ , Rules used = {21, 2633}

$$\frac{B \sin(c+dx)}{d} - \frac{B \sin^3(c+dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^3\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x]),x]

[Out] (B\*Sin[c + d\*x])/d - (B\*Sin[c + d\*x]^3)/(3\*d)

#### Rule 21

Int[(u\_.)\*((a\_) + (b\_.)\*(v\_))^(m\_.)\*((c\_) + (d\_.)\*(v\_))^(n\_.), x\_Symbol] :=  
Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]  
&& EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x,  
a + b\*x])

#### Rule 2633

Int[sin[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[Expand[(1 - x^2)^((n - 1)/2), x], x], x, Cos[c + d\*x]], x] /; FreeQ[{c, d}, x]  
&& IGtQ[(n - 1)/2, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx &= B \int \cos^3(c+dx) dx \\ &= -\frac{B \text{Subst}\left(\int (1-x^2) dx, x, -\sin(c+dx)\right)}{d} \\ &= \frac{B \sin(c+dx)}{d} - \frac{B \sin^3(c+dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.0076623, size = 28, normalized size = 1.

$$B \left( \frac{\sin(c+dx)}{d} - \frac{\sin^3(c+dx)}{3d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^3\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x]),x]

[Out]  $B(\sin[c + dx]/d - \sin[c + dx]^3/(3d))$

**Maple [A]** time = 0.051, size = 23, normalized size = 0.8

$$\frac{B(2 + (\cos(dx + c))^2) \sin(dx + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^3*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)`

[Out]  $1/3/d*B*(2+\cos(d*x+c)^2)*\sin(d*x+c)$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.79838, size = 61, normalized size = 2.18

$$\frac{(B \cos(dx + c)^2 + 2B) \sin(dx + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fricas")`

[Out]  $1/3*(B*\cos(d*x + c)^2 + 2*B)*\sin(d*x + c)/d$

**Sympy [A]** time = 1.6412, size = 56, normalized size = 2.

$$\begin{cases} \frac{2B \sin^3(c+dx)}{3d} + \frac{B \sin(c+dx) \cos^2(c+dx)}{d} & \text{for } d \neq 0 \\ \frac{x(Ba+Bb \cos(c)) \cos^3(c)}{a+b \cos(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**3*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)`

[Out] `Piecewise((2*B*sin(c + d*x)**3/(3*d) + B*sin(c + d*x)*cos(c + d*x)**2/d, Ne(d, 0)), (x*(B*a + B*b*cos(c))*cos(c)**3/(a + b*cos(c)), True))`

---

**Giac [A]** time = 1.47308, size = 34, normalized size = 1.21

$$-\frac{B \sin(dx + c)^3 - 3 B \sin(dx + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] -1/3\*(B\*sin(d\*x + c)^3 - 3\*B\*sin(d\*x + c))/d

$$3.282 \quad \int \frac{\cos^2(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=27

$$\frac{B \sin(c+dx) \cos(c+dx)}{2d} + \frac{Bx}{2}$$

[Out] (B\*x)/2 + (B\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d)

**Rubi [A]** time = 0.0145795, antiderivative size = 27, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$ , Rules used = {21, 2635, 8}

$$\frac{B \sin(c+dx) \cos(c+dx)}{2d} + \frac{Bx}{2}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^2\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x]),x]

[Out] (B\*x)/2 + (B\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*d)

#### Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :>
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

#### Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*Cos[c + d*x]
)*(b*SIN[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*SIN[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

#### Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx &= B \int \cos^2(c+dx) dx \\ &= \frac{B \cos(c+dx) \sin(c+dx)}{2d} + \frac{1}{2} B \int 1 dx \\ &= \frac{Bx}{2} + \frac{B \cos(c+dx) \sin(c+dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.0201968, size = 24, normalized size = 0.89

$$\frac{B(2(c+dx) + \sin(2(c+dx)))}{4d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]
```

```
[Out] (B*(2*(c + d*x) + Sin[2*(c + d*x)]))/(4*d)
```

**Maple [A]** time = 0.053, size = 28, normalized size = 1.

$$\frac{B}{d} \left( \frac{\cos(dx + c) \sin(dx + c)}{2} + \frac{dx}{2} + \frac{c}{2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)
```

```
[Out] 1/d*B*(1/2*cos(d*x+c)*sin(d*x+c)+1/2*d*x+1/2*c)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [A]** time = 1.50298, size = 61, normalized size = 2.26

$$\frac{Bdx + B \cos(dx + c) \sin(dx + c)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/2*(B*d*x + B*cos(d*x + c)*sin(d*x + c))/d
```

**Sympy [A]** time = 1.14062, size = 68, normalized size = 2.52

$$\begin{cases} \frac{Bx \sin^2(c+dx)}{2} + \frac{Bx \cos^2(c+dx)}{2} + \frac{B \sin(c+dx) \cos(c+dx)}{2d} & \text{for } d \neq 0 \\ \frac{x(Ba+Bb \cos(c)) \cos^2(c)}{a+b \cos(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)
```

```
[Out] Piecewise((B*x*sin(c + d*x)**2/2 + B*x*cos(c + d*x)**2/2 + B*sin(c + d*x)*c
os(c + d*x)/(2*d), Ne(d, 0)), (x*(B*a + B*b*cos(c))*cos(c)**2/(a + b*cos(c)
), True))
```

**Giac [A]** time = 1.5728, size = 45, normalized size = 1.67

$$\frac{(dx + c)B + \frac{B \tan(dx+c)}{\tan(dx+c)^2+1}}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="
giac")
```

```
[Out] 1/2*((d*x + c)*B + B*tan(d*x + c)/(tan(d*x + c)^2 + 1))/d
```



$$3.283 \quad \int \frac{\cos(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=11

$$\frac{B \sin(c + dx)}{d}$$

[Out] (B\*Sin[c + d\*x])/d

**Rubi [A]** time = 0.0087709, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$ , Rules used = {21, 2637}

$$\frac{B \sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x]),x]

[Out] (B\*Sin[c + d\*x])/d

Rule 21

Int[(u\_.)\*((a\_) + (b\_.)\*(v\_))^(m\_.)\*((c\_) + (d\_.)\*(v\_))^(n\_.), x\_Symbol] :> Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

Rule 2637

Int[sin[Pi/2 + (c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> Simp[Sin[c + d\*x]/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{\cos(c + dx)(aB + bB \cos(c + dx))}{a + b \cos(c + dx)} dx = B \int \cos(c + dx) dx = \frac{B \sin(c + dx)}{d}$$

**Mathematica [B]** time = 0.0073006, size = 23, normalized size = 2.09

$$B \left( \frac{\sin(c) \cos(dx)}{d} + \frac{\cos(c) \sin(dx)}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x]),x]

[Out] B\*((Cos[d\*x]\*Sin[c])/d + (Cos[c]\*Sin[d\*x])/d)

**Maple [A]** time = 0.046, size = 12, normalized size = 1.1

$$\frac{B \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)`

[Out] `B*sin(d*x+c)/d`

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.40392, size = 24, normalized size = 2.18

$$\frac{B \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fricas")`

[Out] `B*sin(d*x + c)/d`

**Sympy [A]** time = 0.746644, size = 31, normalized size = 2.82

$$\begin{cases} \frac{B \sin(c+dx)}{d} & \text{for } d \neq 0 \\ \frac{x(Ba+Bb \cos(c)) \cos(c)}{a+b \cos(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)`

[Out] `Piecewise((B*sin(c + d*x)/d, Ne(d, 0)), (x*(B*a + B*b*cos(c))*cos(c)/(a + b*cos(c)), True))`

**Giac [A]** time = 1.39754, size = 15, normalized size = 1.36

$$\frac{B \sin(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] B*sin(d*x + c)/d
```

$$3.284 \quad \int \frac{aB + bB \cos(c + dx)}{a + b \cos(c + dx)} dx$$

**Optimal.** Leaf size=3

$Bx$

[Out]  $Bx$

**Rubi [A]** time = 0.0011028, antiderivative size = 3, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.077$ , Rules used = {21, 8}

$Bx$

Antiderivative was successfully verified.

[In] Int[(a\*B + b\*B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x]),x]

[Out]  $Bx$

Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :>
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

Rule 8

```
Int[a_, x_Symbol] :> Simp[a*x, x] /; FreeQ[a, x]
```

Rubi steps

$$\int \frac{aB + bB \cos(c + dx)}{a + b \cos(c + dx)} dx = B \int 1 dx = Bx$$

**Mathematica [A]** time = 0.0002416, size = 3, normalized size = 1.

$Bx$

Antiderivative was successfully verified.

[In] Integrate[(a\*B + b\*B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x]),x]

[Out]  $Bx$

**Maple [A]** time = 0.025, size = 4, normalized size = 1.3

$Bx$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)
```

```
[Out] B*x
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [A]** time = 1.1665, size = 7, normalized size = 2.33

$Bx$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] B*x
```

**Sympy [A]** time = 0.158853, size = 2, normalized size = 0.67

$Bx$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)
```

```
[Out] B*x
```

**Giac [C]** time = 1.32111, size = 14, normalized size = 4.67

$$\frac{(dx + c)B}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] (d*x + c)*B/d
```

$$3.285 \quad \int \frac{(aB + bB \cos(c + dx)) \sec(c + dx)}{a + b \cos(c + dx)} dx$$

**Optimal.** Leaf size=12

$$\frac{B \tanh^{-1}(\sin(c + dx))}{d}$$

[Out] (B\*ArcTanh[Sin[c + d\*x]])/d

**Rubi [A]** time = 0.0068244, antiderivative size = 12, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.062$ , Rules used = {21, 3770}

$$\frac{B \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Int[((a\*B + b\*B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b\*Cos[c + d\*x]),x]

[Out] (B\*ArcTanh[Sin[c + d\*x]])/d

#### Rule 21

Int[(u\_.)\*((a\_) + (b\_.)\*(v\_))^(m\_.)\*((c\_) + (d\_.)\*(v\_))^(n\_.), x\_Symbol] :>  
 Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]  
 && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x,  
 a + b\*x])

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x]  
 /; FreeQ[{c, d}, x]

#### Rubi steps

$$\int \frac{(aB + bB \cos(c + dx)) \sec(c + dx)}{a + b \cos(c + dx)} dx = B \int \sec(c + dx) dx$$

$$= \frac{B \tanh^{-1}(\sin(c + dx))}{d}$$

**Mathematica [A]** time = 0.0030115, size = 12, normalized size = 1.

$$\frac{B \tanh^{-1}(\sin(c + dx))}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a\*B + b\*B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b\*Cos[c + d\*x]),x]

[Out] (B\*ArcTanh[Sin[c + d\*x]])/d

---

**Maple [A]** time = 0.056, size = 20, normalized size = 1.7

$$\frac{B \ln(\sec(dx + c) + \tan(dx + c))}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c)),x)

[Out] 1/d\*B\*ln(sec(d\*x+c)+tan(d\*x+c))

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

---

**Fricas [B]** time = 1.41919, size = 81, normalized size = 6.75

$$\frac{B \log(\sin(dx + c) + 1) - B \log(-\sin(dx + c) + 1)}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] 1/2\*(B\*log(sin(d\*x + c) + 1) - B\*log(-sin(d\*x + c) + 1))/d

---

**Sympy [A]** time = 4.50306, size = 39, normalized size = 3.25

$$\begin{cases} \frac{B \log(\tan(c+dx)+\sec(c+dx))}{d} & \text{for } d \neq 0 \\ \frac{x(Ba+Bb \cos(c)) \sec(c)}{a+b \cos(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c)),x)

[Out] Piecewise((B\*log(tan(c + d\*x) + sec(c + d\*x))/d, Ne(d, 0)), (x\*(B\*a + B\*b\*cos(c))\*sec(c)/(a + b\*cos(c)), True))

---

**Giac [B]** time = 1.47797, size = 63, normalized size = 5.25

$$\frac{B \log\left(\left|\frac{1}{\sin(dx+c)} + \sin(dx+c) + 2\right|\right) - B \log\left(\left|\frac{1}{\sin(dx+c)} + \sin(dx+c) - 2\right|\right)}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/4\*(B\*log(abs(1/sin(d\*x + c) + sin(d\*x + c) + 2)) - B\*log(abs(1/sin(d\*x + c) + sin(d\*x + c) - 2)))/d



$$3.286 \quad \int \frac{(aB + bB \cos(c + dx)) \sec^2(c + dx)}{a + b \cos(c + dx)} dx$$

Optimal. Leaf size=11

$$\frac{B \tan(c + dx)}{d}$$

[Out] (B\*Tan[c + d\*x])/d

**Rubi [A]** time = 0.011593, antiderivative size = 11, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$ , Rules used = {21, 3767, 8}

$$\frac{B \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a\*B + b\*B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(a + b\*Cos[c + d\*x]),x]

[Out] (B\*Tan[c + d\*x])/d

Rule 21

Int[(u\_.)\*((a\_) + (b\_.)\*(v\_))^(m\_.)\*((c\_) + (d\_.)\*(v\_))^(n\_.), x\_Symbol] :=  
Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]  
&& EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x,  
a + b\*x])

Rule 3767

Int[csc[(c\_.) + (d\_.)\*(x\_)]^(n\_), x\_Symbol] := -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c,  
d}, x] && IGtQ[n/2, 0]

Rule 8

Int[a\_, x\_Symbol] := Simp[a\*x, x] /; FreeQ[a, x]

Rubi steps

$$\begin{aligned} \int \frac{(aB + bB \cos(c + dx)) \sec^2(c + dx)}{a + b \cos(c + dx)} dx &= B \int \sec^2(c + dx) dx \\ &= \frac{B \text{Subst}(\int 1 dx, x, -\tan(c + dx))}{d} \\ &= \frac{B \tan(c + dx)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.0043691, size = 11, normalized size = 1.

$$\frac{B \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a\*B + b\*B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(a + b\*Cos[c + d\*x]),x]

[Out] (B\*Tan[c + d\*x])/d

**Maple [A]** time = 0.056, size = 12, normalized size = 1.1

$$\frac{B \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c)),x)

[Out] B\*tan(d\*x+c)/d

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.31363, size = 45, normalized size = 4.09

$$\frac{B \sin(dx + c)}{d \cos(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] B\*sin(d\*x + c)/(d\*cos(d\*x + c))

**Sympy [A]** time = 8.56322, size = 32, normalized size = 2.91

$$\begin{cases} \frac{B \tan(c+dx)}{d} & \text{for } d \neq 0 \\ \frac{x(Ba+Bb \cos(c)) \sec^2(c)}{a+b \cos(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2/(a+b\*cos(d\*x+c)),x)

```
[Out] Piecewise((B*tan(c + d*x)/d, Ne(d, 0)), (x*(B*a + B*b*cos(c))*sec(c)**2/(a + b*cos(c)), True))
```

---

**Giac [A]** time = 1.53468, size = 15, normalized size = 1.36

$$\frac{B \tan(dx + c)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] B*tan(d*x + c)/d
```

$$3.287 \quad \int \frac{(aB + bB \cos(c + dx)) \sec^3(c + dx)}{a + b \cos(c + dx)} dx$$

**Optimal.** Leaf size=36

$$\frac{B \tanh^{-1}(\sin(c + dx))}{2d} + \frac{B \tan(c + dx) \sec(c + dx)}{2d}$$

[Out] (B\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (B\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

**Rubi [A]** time = 0.0197869, antiderivative size = 36, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$ , Rules used = {21, 3768, 3770}

$$\frac{B \tanh^{-1}(\sin(c + dx))}{2d} + \frac{B \tan(c + dx) \sec(c + dx)}{2d}$$

Antiderivative was successfully verified.

[In] Int[((a\*B + b\*B\*Cos[c + d\*x])\*Sec[c + d\*x]^3)/(a + b\*Cos[c + d\*x]),x]

[Out] (B\*ArcTanh[Sin[c + d\*x]])/(2\*d) + (B\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*d)

#### Rule 21

Int[(u\_.)\*((a\_.) + (b\_.)\*(v\_))^(m\_.)\*((c\_.) + (d\_.)\*(v\_))^(n\_.), x\_Symbol] :>  
 Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]  
 && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x,  
 a + b\*x])

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]  
 ]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), I  
 nt[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&  
 IntegerQ[2\*n]

#### Rule 3770

Int[csc[(c\_.) + (d\_.)\*(x\_)], x\_Symbol] :> -Simp[ArcTanh[Cos[c + d\*x]]/d, x]  
 /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{(aB + bB \cos(c + dx)) \sec^3(c + dx)}{a + b \cos(c + dx)} dx &= B \int \sec^3(c + dx) dx \\ &= \frac{B \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} B \int \sec(c + dx) dx \\ &= \frac{B \tanh^{-1}(\sin(c + dx))}{2d} + \frac{B \sec(c + dx) \tan(c + dx)}{2d} \end{aligned}$$

**Mathematica [A]** time = 0.0083923, size = 36, normalized size = 1.

$$B \left( \frac{\tanh^{-1}(\sin(c + dx))}{2d} + \frac{\tan(c + dx) \sec(c + dx)}{2d} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x]),x]
```

```
[Out] B*(ArcTanh[Sin[c + d*x]]/(2*d) + (Sec[c + d*x]*Tan[c + d*x])/(2*d))
```

**Maple [A]** time = 0.066, size = 40, normalized size = 1.1

$$\frac{B \sec(dx + c) \tan(dx + c)}{2d} + \frac{B \ln(\sec(dx + c) + \tan(dx + c))}{2d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a*B+b*B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c)),x)
```

```
[Out] 1/2*B*sec(d*x+c)*tan(d*x+c)/d+1/2/d*B*ln(sec(d*x+c)+tan(d*x+c))
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c)),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [A]** time = 1.54512, size = 170, normalized size = 4.72

$$\frac{B \cos(dx + c)^2 \log(\sin(dx + c) + 1) - B \cos(dx + c)^2 \log(-\sin(dx + c) + 1) + 2 B \sin(dx + c)}{4 d \cos(dx + c)^2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] 1/4*(B*cos(d*x + c)^2*log(sin(d*x + c) + 1) - B*cos(d*x + c)^2*log(-sin(d*x + c) + 1) + 2*B*sin(d*x + c))/(d*cos(d*x + c)^2)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$B \int \sec^3(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)**3/(a+b*cos(d*x+c)),x)
```

[Out] B\*Integral(sec(c + d\*x)\*\*3, x)

---

**Giac [A]** time = 1.60417, size = 70, normalized size = 1.94

$$\frac{B \log(|\sin(dx + c) + 1|) - B \log(|\sin(dx + c) - 1|) - \frac{2B \sin(dx+c)}{\sin(dx+c)^2 - 1}}{4d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/4\*(B\*log(abs(sin(d\*x + c) + 1)) - B\*log(abs(sin(d\*x + c) - 1)) - 2\*B\*sin(d\*x + c)/(sin(d\*x + c)^2 - 1))/d

$$3.288 \quad \int \frac{(aB + bB \cos(c + dx)) \sec^4(c + dx)}{a + b \cos(c + dx)} dx$$

Optimal. Leaf size=28

$$\frac{B \tan^3(c + dx)}{3d} + \frac{B \tan(c + dx)}{d}$$

[Out] (B\*Tan[c + d\*x])/d + (B\*Tan[c + d\*x]^3)/(3\*d)

**Rubi [A]** time = 0.0155774, antiderivative size = 28, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 2, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.059$ , Rules used = {21, 3767}

$$\frac{B \tan^3(c + dx)}{3d} + \frac{B \tan(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a\*B + b\*B\*Cos[c + d\*x])\*Sec[c + d\*x]^4)/(a + b\*Cos[c + d\*x]),x]

[Out] (B\*Tan[c + d\*x])/d + (B\*Tan[c + d\*x]^3)/(3\*d)

#### Rule 21

Int[(u\_)\*((a\_) + (b\_)\*(v\_))^(m\_)\*((c\_) + (d\_)\*(v\_))^(n\_), x\_Symbol] :>  
 Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]  
 && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x,  
 a + b\*x])

#### Rule 3767

Int[csc[(c\_) + (d\_)\*(x\_)]^(n\_), x\_Symbol] :> -Dist[d^(-1), Subst[Int[ExpandIntegrand[(1 + x^2)^(n/2 - 1), x], x], x, Cot[c + d\*x]], x] /; FreeQ[{c, d}, x] && IGtQ[n/2, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{(aB + bB \cos(c + dx)) \sec^4(c + dx)}{a + b \cos(c + dx)} dx &= B \int \sec^4(c + dx) dx \\ &= -\frac{B \text{Subst}\left(\int (1 + x^2) dx, x, -\tan(c + dx)\right)}{d} \\ &= \frac{B \tan(c + dx)}{d} + \frac{B \tan^3(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.0371981, size = 24, normalized size = 0.86

$$\frac{B \left( \frac{1}{3} \tan^3(c + dx) + \tan(c + dx) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a\*B + b\*B\*Cos[c + d\*x])\*Sec[c + d\*x]^4)/(a + b\*Cos[c + d\*x]),x]

[Out]  $(B*(\tan[c + d*x] + \tan[c + d*x]^3/3))/d$

**Maple [A]** time = 0.063, size = 25, normalized size = 0.9

$$-\frac{B \tan(dx + c)}{d} \left( -\frac{2}{3} - \frac{(\sec(dx + c))^2}{3} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*B+b*B*cos(d*x+c))*sec(d*x+c)^4/(a+b*cos(d*x+c)),x)`

[Out]  $-1/d*B*(-2/3-1/3*\sec(d*x+c)^2)*\tan(d*x+c)$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^4/(a+b*cos(d*x+c)),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.36135, size = 84, normalized size = 3.

$$\frac{(2B \cos(dx + c)^2 + B) \sin(dx + c)}{3d \cos(dx + c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^4/(a+b*cos(d*x+c)),x, algorithm="fricas")`

[Out]  $1/3*(2*B*\cos(d*x + c)^2 + B)*\sin(d*x + c)/(d*\cos(d*x + c)^3)$

**Sympy [A]** time = 114.743, size = 42, normalized size = 1.5

$$\begin{cases} B \left( \frac{\tan^3(c+dx)}{3} + \tan(c+dx) \right) & \text{for } d \neq 0 \\ \frac{x(Ba+Bb \cos(c)) \sec^4(c)}{a+b \cos(c)} & \text{otherwise} \end{cases}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)**4/(a+b*cos(d*x+c)),x)`

[Out] `Piecewise((B*(tan(c + d*x)**3/3 + tan(c + d*x))/d, Ne(d, 0)), (x*(B*a + B*b*cos(c))*sec(c)**4/(a + b*cos(c)), True))`



---

**Giac [A]** time = 1.56388, size = 34, normalized size = 1.21

$$\frac{B \tan(dx + c)^3 + 3B \tan(dx + c)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^4/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] 1/3\*(B\*tan(d\*x + c)^3 + 3\*B\*tan(d\*x + c))/d

$$3.289 \quad \int \frac{\cos^3(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=114

$$-\frac{2a^3B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d\sqrt{a-b}\sqrt{a+b}} + \frac{Bx(2a^2+b^2)}{2b^3} - \frac{aB \sin(c+dx)}{b^2d} + \frac{B \sin(c+dx) \cos(c+dx)}{2bd}$$

[Out] ((2\*a^2 + b^2)\*B\*x)/(2\*b^3) - (2\*a^3\*B\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]\*b^3\*Sqrt[a + b]\*d) - (a\*B\*Sin[c + d\*x])/(b^2\*d) + (B\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*b\*d)

**Rubi [A]** time = 0.21655, antiderivative size = 114, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {21, 2793, 3023, 2735, 2659, 205}

$$-\frac{2a^3B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^3d\sqrt{a-b}\sqrt{a+b}} + \frac{Bx(2a^2+b^2)}{2b^3} - \frac{aB \sin(c+dx)}{b^2d} + \frac{B \sin(c+dx) \cos(c+dx)}{2bd}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^3\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^2,x]

[Out] ((2\*a^2 + b^2)\*B\*x)/(2\*b^3) - (2\*a^3\*B\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]\*b^3\*Sqrt[a + b]\*d) - (a\*B\*Sin[c + d\*x])/(b^2\*d) + (B\*Cos[c + d\*x]\*Sin[c + d\*x])/(2\*b\*d)

### Rule 21

Int[(u\_.)\*((a\_.) + (b\_.)\*(v\_.))^(m\_.)\*((c\_.) + (d\_.)\*(v\_.))^(n\_.), x\_Symbol] :> Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplifierQ[c + d\*x, a + b\*x])

### Rule 2793

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Sin[e + f\*x])^(m - 3)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^3\*d\*(m + n) + b^2\*(b\*c\*(m - 2) + a\*d\*(n + 1)) - b\*(a\*b\*c - b^2\*d\*(m + n - 1) - 3\*a^2\*d\*(m + n))\*Sin[e + f\*x] - b^2\*(b\*c\*(m - 1) - a\*d\*(3\*m + 2\*n - 2))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 2] && (IntegerQ[m] | IntegersQ[2\*m, 2\*n]) && !(IGtQ[n, 2] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&

!LtQ[m, -1]

Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)
)*(x_)], x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^3(c+dx)(aB+bB\cos(c+dx))}{(a+b\cos(c+dx))^2} dx &= B \int \frac{\cos^3(c+dx)}{a+b\cos(c+dx)} dx \\
&= \frac{B\cos(c+dx)\sin(c+dx)}{2bd} + \frac{B \int \frac{a+b\cos(c+dx)-2a\cos^2(c+dx)}{a+b\cos(c+dx)} dx}{2b} \\
&= -\frac{aB\sin(c+dx)}{b^2d} + \frac{B\cos(c+dx)\sin(c+dx)}{2bd} + \frac{B \int \frac{ab+(2a^2+b^2)\cos(c+dx)}{a+b\cos(c+dx)} dx}{2b^2} \\
&= \frac{(2a^2+b^2)Bx}{2b^3} - \frac{aB\sin(c+dx)}{b^2d} + \frac{B\cos(c+dx)\sin(c+dx)}{2bd} - \frac{(a^3B) \int \frac{1}{a+b\cos(c+dx)} dx}{b} \\
&= \frac{(2a^2+b^2)Bx}{2b^3} - \frac{aB\sin(c+dx)}{b^2d} + \frac{B\cos(c+dx)\sin(c+dx)}{2bd} - \frac{(2a^3B) \operatorname{Subst}\left[\int \frac{1}{a+b\cos(u)} du\right]}{b} \\
&= \frac{(2a^2+b^2)Bx}{2b^3} - \frac{2a^3B \tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b}b^3\sqrt{a+bd}} - \frac{aB\sin(c+dx)}{b^2d} + \frac{B\cos(c+dx)}{b}
\end{aligned}$$

**Mathematica [A]** time = 0.228605, size = 98, normalized size = 0.86

$$\frac{B \left( 2(2a^2+b^2)(c+dx) + \frac{8a^3 \tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} - 4ab\sin(c+dx) + b^2\sin(2(c+dx)) \right)}{4b^3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^3*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2,
x]
```

```
[Out] (B*(2*(2*a^2 + b^2)*(c + d*x) + (8*a^3*ArcTanh[((a - b)*Tan[(c + d*x)/2])/S
qrt[-a^2 + b^2]))/Sqrt[-a^2 + b^2] - 4*a*b*Sin[c + d*x] + b^2*Sin[2*(c + d*
x]))/(4*b^3*d)
```

**Maple [B]** time = 0.122, size = 229, normalized size = 2.

$$-2 \frac{(\tan(1/2 dx + c/2))^3 Ba}{b^2 d (1 + (\tan(1/2 dx + c/2))^2)^2} - \frac{B}{bd} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^3 \left( 1 + \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \right)^{-2} - 2 \frac{B \tan(1/2 dx + c/2) a}{b^2 d (1 + (\tan(1/2 dx + c/2))^2)^2} +$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x)

[Out] -2/d/b^2/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*tan(1/2\*d\*x+1/2\*c)^3\*B\*a-1/d/b/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*tan(1/2\*d\*x+1/2\*c)^3\*B-2/d/b^2/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*tan(1/2\*d\*x+1/2\*c)\*B\*a+1/d/b/(1+tan(1/2\*d\*x+1/2\*c)^2)^2\*tan(1/2\*d\*x+1/2\*c)\*B+2/d/b^3\*arctan(tan(1/2\*d\*x+1/2\*c))\*B\*a^2+1/d/b\*arctan(tan(1/2\*d\*x+1/2\*c))\*B-2/d\*a^3/b^3/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*B

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.60562, size = 759, normalized size = 6.66

$$\left[ \frac{\sqrt{-a^2 + b^2} B a^3 \log\left(\frac{2 a b \cos(dx+c) + (2 a^2 - b^2) \cos(dx+c)^2 - 2 \sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2 b^2}{b^2 \cos(dx+c)^2 + 2 a b \cos(dx+c) + a^2}\right) - (2 B a^4 - B a^2 b^2 - B b^4) dx + (2}{2 (a^2 b^3 - b^5) d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] [-1/2\*(sqrt(-a^2 + b^2))\*B\*a^3\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - (2\*B\*a^4 - B\*a^2\*b^2 - B\*b^4)\*d\*x + (2\*B\*a^3\*b - 2\*B\*a\*b^3 - (B\*a^2\*b^2 - B\*b^4)\*cos(d\*x + c))\*sin(d\*x + c)/((a^2\*b^3 - b^5)\*d), -1/2\*(2\*sqrt(a^2 - b^2))\*B\*a^3\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c)) - (2\*B\*a^4 - B\*a^2\*b^2 - B\*b^4)\*d\*x + (2\*B\*a^3\*b - 2\*B\*a\*b^3 - (B\*a^2\*b^2 - B\*b^4)\*cos(d\*x + c))\*sin(d\*x + c)/((a^2\*b^3 - b^5)\*d)]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))**2,x)
```

[Out] Timed out

---

**Giac [A]** time = 1.46652, size = 250, normalized size = 2.19

$$\frac{4 \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left( \frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right) B a^3}{\sqrt{a^2 - b^2} b^3} - \frac{(2Ba^2 + Bb^2)(dx+c)}{b^3} + \frac{2 \left( 2Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + Bb \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^3 + 2Ba \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) \right)}{\left( \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)^2 + 1 \right)}$$


---

$2d$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="giac")
```

```
[Out] -1/2*(4*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))*B*a^3/(sqrt(a^2 - b^2)*b^3) - (2*B*a^2 + B*b^2)*(d*x + c)/b^3 + 2*(2*B*a*tan(1/2*d*x + 1/2*c)^3 + B*b*tan(1/2*d*x + 1/2*c)^3 + 2*B*a*tan(1/2*d*x + 1/2*c) - B*b*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 + 1)^2*b^2)/d
```

$$3.290 \quad \int \frac{\cos^2(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=79

$$\frac{2a^2B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d\sqrt{a-b}\sqrt{a+b}} - \frac{aBx}{b^2} + \frac{B \sin(c+dx)}{bd}$$

[Out] -((a\*B\*x)/b^2) + (2\*a^2\*B\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]\*b^2\*Sqrt[a + b]\*d) + (B\*Sin[c + d\*x])/(b\*d)

**Rubi [A]** time = 0.131642, antiderivative size = 79, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.176$ , Rules used = {21, 2746, 12, 2735, 2659, 205}

$$\frac{2a^2B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{b^2d\sqrt{a-b}\sqrt{a+b}} - \frac{aBx}{b^2} + \frac{B \sin(c+dx)}{bd}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^2\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^2,x]

[Out] -((a\*B\*x)/b^2) + (2\*a^2\*B\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]\*b^2\*Sqrt[a + b]\*d) + (B\*Sin[c + d\*x])/(b\*d)

#### Rule 21

```
Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] :>
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
a + b*x])
```

#### Rule 2746

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^2/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> -Simp[(b^2*Cos[e + f*x])/(d*f), x] + Dist[1/d, Int
[Simp[a^2*d - b*(b*c - 2*a*d)*Sin[e + f*x], x]/(c + d*Sin[e + f*x]), x], x]
/; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 12

```
Int[(a.)*(u.), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b.)*(v.)] /; FreeQ[b, x]
```

#### Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_.)])^(-1), x_Symbol] :> With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
```

$a - b) * e^{2*x^2}, x], x, \text{Tan}[(c + d*x)/2]/e], x]] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

### Rule 205

$\text{Int}[(a_ + (b_ .)*(x_ )^2)^{-1}, x\_Symbol] :> \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$

### Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c+dx)(aB + bB \cos(c+dx))}{(a + b \cos(c+dx))^2} dx &= B \int \frac{\cos^2(c+dx)}{a + b \cos(c+dx)} dx \\ &= \frac{B \sin(c+dx)}{bd} - \frac{B \int \frac{a \cos(c+dx)}{a+b \cos(c+dx)} dx}{b} \\ &= \frac{B \sin(c+dx)}{bd} - \frac{(aB) \int \frac{\cos(c+dx)}{a+b \cos(c+dx)} dx}{b} \\ &= -\frac{aBx}{b^2} + \frac{B \sin(c+dx)}{bd} + \frac{(a^2B) \int \frac{1}{a+b \cos(c+dx)} dx}{b^2} \\ &= -\frac{aBx}{b^2} + \frac{B \sin(c+dx)}{bd} + \frac{(2a^2B) \text{Subst}\left(\int \frac{1}{a+b+(a-b)x^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right)\right)}{b^2d} \\ &= -\frac{aBx}{b^2} + \frac{2a^2B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b}b^2\sqrt{a+bd}} + \frac{B \sin(c+dx)}{bd} \end{aligned}$$

**Mathematica [A]** time = 0.133713, size = 73, normalized size = 0.92

$$\frac{B \left( -\frac{2a^2 \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} - a(c+dx) + b \sin(c+dx) \right)}{b^2d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^2\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^2, x]

[Out] (B\*(-(a\*(c + d\*x)) - (2\*a^2\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]))/Sqrt[-a^2 + b^2] + b\*Sin[c + d\*x]))/(b^2\*d)

**Maple [A]** time = 0.135, size = 105, normalized size = 1.3

$$2 \frac{B \tan(1/2 dx + c/2)}{bd(1 + (\tan(1/2 dx + c/2))^2)} - 2 \frac{\arctan(\tan(1/2 dx + c/2)) Ba}{b^2d} + 2 \frac{Ba^2}{b^2d\sqrt{(a-b)(a+b)}} \arctan\left(\frac{\tan(1/2 dx + c/2)}{\sqrt{(a-b)(a+b)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2, x)

[Out] 2/d/b\*B\*tan(1/2\*d\*x+1/2\*c)/(1+tan(1/2\*d\*x+1/2\*c)^2)-2/d/b^2\*arctan(tan(1/2\*d\*x+1/2\*c))\*B\*a+2/d\*a^2/b^2/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c))\*

$a-b)/((a-b)*(a+b))^{(1/2)}*B$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.57561, size = 612, normalized size = 7.75

$$\left[ \frac{\sqrt{-a^2 + b^2} B a^2 \log\left(\frac{2 a b \cos(dx+c) + (2 a^2 - b^2) \cos(dx+c)^2 + 2 \sqrt{-a^2 + b^2} (a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2 b^2}{b^2 \cos(dx+c)^2 + 2 a b \cos(dx+c) + a^2}\right) + 2 (B a^3 - B a b^2) dx - 2 (B a^2 b - B b^3) \sin(dx+c)}{2 (a^2 b^2 - b^4) d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out]  $[-1/2*(\sqrt{-a^2 + b^2})*B*a^2*\log((2*a*b*\cos(d*x + c) + (2*a^2 - b^2)*\cos(d*x + c)^2 + 2*\sqrt{-a^2 + b^2}*(a*\cos(d*x + c) + b)*\sin(d*x + c) - a^2 + 2*b^2)/(b^2*\cos(d*x + c)^2 + 2*a*b*\cos(d*x + c) + a^2)) + 2*(B*a^3 - B*a*b^2)*d*x - 2*(B*a^2*b - B*b^3)*\sin(d*x + c))/((a^2*b^2 - b^4)*d), (\sqrt{a^2 - b^2})*B*a^2*\arctan(-(a*\cos(d*x + c) + b)/(\sqrt{a^2 - b^2}*\sin(d*x + c)))] - (B*a^3 - B*a*b^2)*d*x + (B*a^2*b - B*b^3)*\sin(d*x + c))/((a^2*b^2 - b^4)*d]$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [A]** time = 1.48652, size = 173, normalized size = 2.19

$$\frac{2 \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}}\right) \right) B a^2}{\sqrt{a^2 - b^2} b^2} - \frac{(dx+c) B a}{b^2} + \frac{2 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2 + 1} b$$

$d$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate(cos(d*x+c)^2*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="giac")
```

```
[Out] (2*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))*B*a^2/(sqrt(a^2 - b^2)*b^2) - (d*x + c)*B*a/b^2 + 2*B*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 + 1)*b))/d
```

$$3.291 \quad \int \frac{\cos(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=61

$$\frac{Bx}{b} - \frac{2aB \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{bd\sqrt{a-b}\sqrt{a+b}}$$

[Out] (B\*x)/b - (2\*a\*B\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]\*b\*Sqrt[a + b]\*d)

**Rubi [A]** time = 0.0666067, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.125$ , Rules used = {21, 2735, 2659, 205}

$$\frac{Bx}{b} - \frac{2aB \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{bd\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^2,x]

[Out] (B\*x)/b - (2\*a\*B\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]\*b\*Sqrt[a + b]\*d)

### Rule 21

```
Int[(u_.)*((a_.) + (b_.)*(v_))^(m_.)*((c_.) + (d_.)*(v_))^(n_.), x_Symbol] :>
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
a + b*x])
```

### Rule 2735

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])/((c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_)]), x_Symbol] :> Simp[(b*x)/d, x] - Dist[(b*c - a*d)/d, Int[1/(c + d*
Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

### Rule 2659

```
Int[((a_.) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] :> With[
{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b +
(a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]
```

### Rule 205

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\cos(c+dx)(aB+bB\cos(c+dx))}{(a+b\cos(c+dx))^2} dx &= B \int \frac{\cos(c+dx)}{a+b\cos(c+dx)} dx \\
&= \frac{Bx}{b} - \frac{(aB) \int \frac{1}{a+b\cos(c+dx)} dx}{b} \\
&= \frac{Bx}{b} - \frac{(2aB) \operatorname{Subst}\left(\int \frac{1}{a+b+(a-b)x^2} dx, x, \tan\left(\frac{1}{2}(c+dx)\right)\right)}{bd} \\
&= \frac{Bx}{b} - \frac{2aB \tan^{-1}\left(\frac{\sqrt{a-b}\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{\sqrt{a-b}b\sqrt{a+bd}}
\end{aligned}$$

**Mathematica [A]** time = 0.0733948, size = 59, normalized size = 0.97

$$\frac{B \left( \frac{2a \tanh^{-1}\left(\frac{(a-b)\tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} + c + dx \right)}{bd}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^2,x]

[Out] (B\*(c + d\*x + (2\*a\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2]))/(b\*d)

**Maple [A]** time = 0.119, size = 69, normalized size = 1.1

$$2 \frac{\arctan(\tan(1/2 dx + c/2)) B}{bd} - 2 \frac{aB}{bd\sqrt{(a-b)(a+b)}} \arctan\left(\frac{\tan(1/2 dx + c/2)(a-b)}{\sqrt{(a-b)(a+b)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x)

[Out] 2/d/b\*arctan(tan(1/2\*d\*x+1/2\*c))\*B-2/d/b/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*a\*B

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.56616, size = 505, normalized size = 8.28

$$\left[ \frac{\sqrt{-a^2 + b^2} B a \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 - 2\sqrt{-a^2 + b^2}(a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right) - 2(Ba^2 - Bb^2)dx}{2(a^2b - b^3)d}, -\sqrt{a^2 - b^2} B a \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] [-1/2\*(sqrt(-a^2 + b^2)\*B\*a\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - 2\*(B\*a^2 - B\*b^2)\*d\*x)/(a^2\*b - b^3)\*d, -(sqrt(a^2 - b^2)\*B\*a\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c))) - (B\*a^2 - B\*b^2)\*d\*x)/(a^2\*b - b^3)\*d]

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x)

[Out] Timed out

**Giac [A]** time = 1.28204, size = 130, normalized size = 2.13

$$\frac{2 \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan\left( \frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}} \right) \right) B a}{\sqrt{a^2 - b^2} b} - \frac{(dx+c)B}{b} d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] -(2\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(2\*a - 2\*b) + arctan((a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))\*B\*a/(sqrt(a^2 - b^2)\*b) - (d\*x + c)\*B/b)/d

$$3.292 \quad \int \frac{aB+bB \cos(c+dx)}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=50

$$\frac{2B \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d\sqrt{a-b}\sqrt{a+b}}$$

[Out] (2\*B\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]\*Sqrt[a + b]\*d)

**Rubi [A]** time = 0.0353222, antiderivative size = 50, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 26,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.115$ , Rules used = {21, 2659, 205}

$$\frac{2B \tan^{-1} \left( \frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}} \right)}{d\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(a\*B + b\*B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x])^2,x]

[Out] (2\*B\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(Sqrt[a - b]\*Sqrt[a + b]\*d)

#### Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :=
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

#### Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
  e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (
  a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x] /; FreeQ[{a, b, c, d}, x]
  && NeQ[a^2 - b^2, 0]
```

#### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

#### Rubi steps

$$\begin{aligned} \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))^2} dx &= B \int \frac{1}{a + b \cos(c + dx)} dx \\ &= \frac{(2B) \operatorname{Subst} \left( \int \frac{1}{a+b+(a-b)x^2} dx, x, \tan \left( \frac{1}{2}(c + dx) \right) \right)}{d} \\ &= \frac{2B \tan^{-1} \left( \frac{\sqrt{a-b} \tan \left( \frac{1}{2}(c+dx) \right)}{\sqrt{a+b}} \right)}{\sqrt{a-b} \sqrt{a+bd}} \end{aligned}$$

**Mathematica [A]** time = 0.0362841, size = 49, normalized size = 0.98

$$\frac{2B \operatorname{tanh}^{-1} \left( \frac{(a-b) \tan \left( \frac{1}{2}(c+dx) \right)}{\sqrt{b^2-a^2}} \right)}{d \sqrt{b^2-a^2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*B + b\*B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x])^2,x]

[Out] (-2\*B\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/(Sqrt[-a^2 + b^2]\*d)

**Maple [A]** time = 0.102, size = 45, normalized size = 0.9

$$2 \frac{B}{d \sqrt{(a-b)(a+b)}} \arctan \left( \frac{\tan(1/2 dx + c/2)(a-b)}{\sqrt{(a-b)(a+b)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x)

[Out] 2/d/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*B

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.51127, size = 409, normalized size = 8.18

$$\left[ \frac{\sqrt{-a^2 + b^2} B \log \left( \frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2\sqrt{-a^2 + b^2}(a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2} \right)}{2(a^2 - b^2)d}, \frac{B \arctan \left( -\frac{a \cos(dx+c) + b}{\sqrt{a^2 - b^2} \sin(dx+c)} \right)}{\sqrt{a^2 - b^2} d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] 
$$\left[ -\frac{1}{2}\sqrt{-a^2 + b^2}B \log\left(\frac{(2ab\cos(dx + c) + (2a^2 - b^2)\cos(dx + c)^2 + 2\sqrt{-a^2 + b^2}(a\cos(dx + c) + b)\sin(dx + c) - a^2 + 2b^2)}{(b^2\cos(dx + c)^2 + 2ab\cos(dx + c) + a^2)}\right) / ((a^2 - b^2)d), B \arctan\left(\frac{-(a\cos(dx + c) + b)}{\sqrt{a^2 - b^2}\sin(dx + c)}\right) / (\sqrt{a^2 - b^2}d) \right]$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x)

[Out] Timed out

**Giac [A]** time = 1.39676, size = 105, normalized size = 2.1

$$\frac{2 \left( \pi \left\lfloor \frac{dx+c}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(2a - 2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right) - b \tan\left(\frac{1}{2}dx + \frac{1}{2}c\right)}{\sqrt{a^2 - b^2}}\right) \right) B}{\sqrt{a^2 - b^2}d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] 
$$2 * (\pi * \text{floor}(1/2 * (d * x + c) / \pi + 1/2) * \text{sgn}(2 * a - 2 * b) + \arctan((a * \tan(1/2 * d * x + 1/2 * c) - b * \tan(1/2 * d * x + 1/2 * c)) / \sqrt{a^2 - b^2})) * B / (\sqrt{a^2 - b^2} * d)$$

$$3.293 \quad \int \frac{(aB + bB \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^2} dx$$

**Optimal.** Leaf size=70

$$\frac{B \tanh^{-1}(\sin(c + dx))}{ad} - \frac{2bB \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{ad\sqrt{a-b}\sqrt{a+b}}$$

[Out]  $(-2*b*B*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*Sqrt[a + b]*d) + (B*ArcTanh[Sin[c + d*x]])/(a*d)$

**Rubi [A]** time = 0.0805626, antiderivative size = 70, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 32,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.156$ , Rules used = {21, 2747, 3770, 2659, 205}

$$\frac{B \tanh^{-1}(\sin(c + dx))}{ad} - \frac{2bB \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{ad\sqrt{a-b}\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a*B + b*B*\text{Cos}[c + d*x])*Sec[c + d*x]/(a + b*\text{Cos}[c + d*x])^2, x]$

[Out]  $(-2*b*B*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a*Sqrt[a - b]*Sqrt[a + b]*d) + (B*ArcTanh[Sin[c + d*x]])/(a*d)$

#### Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_))^{(m_.)}*((c_.) + (d_.)*(v_))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] \parallel \text{SimplerQ}[c + d*x, a + b*x])$

#### Rule 2747

$\text{Int}[1/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]))*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)])), x\_Symbol] \rightarrow \text{Dist}[b/(b*c - a*d), \text{Int}[1/(a + b*\sin[e + f*x]), x], x] - \text{Dist}[d/(b*c - a*d), \text{Int}[1/(c + d*\sin[e + f*x]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

#### Rule 3770

$\text{Int}[\text{csc}[(c_.) + (d_.)*(x_)], x\_Symbol] \rightarrow -\text{Simp}[\text{ArcTanh}[\text{Cos}[c + d*x]]/d, x] /; \text{FreeQ}\{c, d\}, x]$

#### Rule 2659

$\text{Int}[(a_.) + (b_.)*\sin[\text{Pi}/2 + (c_.) + (d_.)*(x_)]^{(-1)}, x\_Symbol] \rightarrow \text{With}\{e = \text{FreeFactors}[\text{Tan}[(c + d*x)/2], x]\}, \text{Dist}[(2*e)/d, \text{Subst}[\text{Int}[1/(a + b + (a - b)*e^2*x^2), x], x, \text{Tan}[(c + d*x)/2]/e], x] /; \text{FreeQ}\{a, b, c, d\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

#### Rule 205



Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{(aB + bB \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^2} dx &= B \int \frac{\sec(c + dx)}{a + b \cos(c + dx)} dx \\ &= \frac{B \int \sec(c + dx) dx}{a} - \frac{(bB) \int \frac{1}{a + b \cos(c + dx)} dx}{a} \\ &= \frac{B \tanh^{-1}(\sin(c + dx))}{ad} - \frac{(2bB) \operatorname{Subst}\left(\int \frac{1}{a + b + (a - b)x^2} dx, x, \tan\left(\frac{1}{2}(c + dx)\right)\right)}{ad} \\ &= -\frac{2bB \tan^{-1}\left(\frac{\sqrt{a - b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a + b}}\right)}{a\sqrt{a - b}\sqrt{a + b}} + \frac{B \tanh^{-1}(\sin(c + dx))}{ad} \end{aligned}$$

**Mathematica [A]** time = 0.0765383, size = 103, normalized size = 1.47

$$\frac{B \left( \frac{2b \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} - \log\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right) + \log\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right) \right)}{ad}$$

Antiderivative was successfully verified.

[In] Integrate[((a\*B + b\*B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b\*Cos[c + d\*x])^2, x]

[Out] (B\*((2\*b\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] - Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]])/(a\*d)

**Maple [A]** time = 0.119, size = 91, normalized size = 1.3

$$-\frac{B}{da} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) + \frac{B}{da} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) - 2 \frac{Bb}{da\sqrt{(a-b)(a+b)}} \arctan\left(\frac{\tan(1/2 dx + c/2)(a-b)}{\sqrt{(a-b)(a+b)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))^2, x)

[Out] -1/d/a\*ln(tan(1/2\*d\*x+1/2\*c)-1)\*B+1/d/a\*ln(tan(1/2\*d\*x+1/2\*c)+1)\*B-2/d\*b/a/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*B

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.94822, size = 670, normalized size = 9.57

$$\left[ \frac{\sqrt{-a^2 + b^2} B b \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 - 2\sqrt{-a^2 + b^2}(a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right) - (Ba^2 - Bb^2) \log(\sin(dx+c) + 1)}{2(a^3 - ab^2)d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] [-1/2\*(sqrt(-a^2 + b^2)\*B\*b\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 - 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) - (B\*a^2 - B\*b^2)\*log(sin(d\*x + c) + 1) + (B\*a^2 - B\*b^2)\*log(-sin(d\*x + c) + 1))/((a^3 - a\*b^2)\*d), -1/2\*(2\*sqrt(a^2 - b^2)\*B\*b\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c))) - (B\*a^2 - B\*b^2)\*log(sin(d\*x + c) + 1) + (B\*a^2 - B\*b^2)\*log(-sin(d\*x + c) + 1))/((a^3 - a\*b^2)\*d)]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$B \int \frac{\sec(c + dx)}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] B\*Integral(sec(c + d\*x)/(a + b\*cos(c + d\*x)), x)

**Giac [B]** time = 1.41802, size = 165, normalized size = 2.36

$$\frac{2 \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}}\right) \right) B b}{\sqrt{a^2 - b^2} a} - \frac{B \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a} + \frac{B \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] -(2\*(pi\*floor(1/2\*(d\*x + c)/pi + 1/2)\*sgn(2\*a - 2\*b) + arctan((a\*tan(1/2\*d\*x + 1/2\*c) - b\*tan(1/2\*d\*x + 1/2\*c))/sqrt(a^2 - b^2)))\*B\*b/(sqrt(a^2 - b^2)\*a) - B\*log(abs(tan(1/2\*d\*x + 1/2\*c) + 1))/a + B\*log(abs(tan(1/2\*d\*x + 1/2\*c) - 1))/a)/d

$$3.294 \quad \int \frac{(aB + bB \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^2} dx$$

**Optimal.** Leaf size=88

$$\frac{2b^2B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2d\sqrt{a-b}\sqrt{a+b}} - \frac{bB \tanh^{-1}(\sin(c+dx))}{a^2d} + \frac{B \tan(c+dx)}{ad}$$

[Out] (2\*b^2\*B\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(a^2\*Sqrt[a - b]\*Sqrt[a + b]\*d) - (b\*B\*ArcTanh[Sin[c + d\*x]])/(a^2\*d) + (B\*Tan[c + d\*x])/(a\*d)

**Rubi [A]** time = 0.144806, antiderivative size = 88, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.206$ , Rules used = {21, 2802, 12, 2747, 3770, 2659, 205}

$$\frac{2b^2B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^2d\sqrt{a-b}\sqrt{a+b}} - \frac{bB \tanh^{-1}(\sin(c+dx))}{a^2d} + \frac{B \tan(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[((a\*B + b\*B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/(a + b\*Cos[c + d\*x])^2,x]

[Out] (2\*b^2\*B\*ArcTan[(Sqrt[a - b]\*Tan[(c + d\*x)/2])/Sqrt[a + b]])/(a^2\*Sqrt[a - b]\*Sqrt[a + b]\*d) - (b\*B\*ArcTanh[Sin[c + d\*x]])/(a^2\*d) + (B\*Tan[c + d\*x])/(a\*d)

### Rule 21

Int[(u\_)\*((a\_) + (b\_)\*(v\_))^(m\_)\*((c\_) + (d\_)\*(v\_))^(n\_), x\_Symbol] :=  
Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]  
&& EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x,  
a + b\*x])

### Rule 2802

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x)])^(n\_), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*m] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 2747

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[b/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] - Dist[d/(b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0]
```

### Rule 3770

```
Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x] /; FreeQ[{c, d}, x]
```

### Rule 2659

```
Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b + (a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0]
```

### Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{(aB + bB \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^2} dx &= B \int \frac{\sec^2(c + dx)}{a + b \cos(c + dx)} dx \\ &= \frac{B \tan(c + dx)}{ad} - \frac{B \int \frac{b \sec(c + dx)}{a + b \cos(c + dx)} dx}{a} \\ &= \frac{B \tan(c + dx)}{ad} - \frac{(bB) \int \frac{\sec(c + dx)}{a + b \cos(c + dx)} dx}{a} \\ &= \frac{B \tan(c + dx)}{ad} - \frac{(bB) \int \sec(c + dx) dx}{a^2} + \frac{(b^2B) \int \frac{1}{a + b \cos(c + dx)} dx}{a^2} \\ &= -\frac{bB \tanh^{-1}(\sin(c + dx))}{a^2 d} + \frac{B \tan(c + dx)}{ad} + \frac{(2b^2B) \operatorname{Subst}\left(\int \frac{1}{a + b + (a - b)x^2} dx, \frac{\sqrt{a - b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a + b}}\right)}{a^2 d} \\ &= \frac{2b^2B \tan^{-1}\left(\frac{\sqrt{a - b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a + b}}\right)}{a^2 \sqrt{a - b} \sqrt{a + b}} - \frac{bB \tanh^{-1}(\sin(c + dx))}{a^2 d} + \frac{B \tan(c + dx)}{ad} \end{aligned}$$

**Mathematica [A]** time = 0.351039, size = 116, normalized size = 1.32

$$B \left[ \frac{2b^2 \tanh^{-1}\left(\frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}}\right)}{\sqrt{b^2-a^2}} + a \tan(c + dx) + b \left( \log\left(\cos\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right)\right) - \log\left(\sin\left(\frac{1}{2}(c + dx)\right) + \cos\left(\frac{1}{2}(c + dx)\right)\right) \right) \right] / a^2 d$$

Antiderivative was successfully verified.

```
[In] Integrate[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + b*Cos[c + d*x])^2, x]
```

```
[Out] (B*((-2*b^2*ArcTanh[((a - b)*Tan[(c + d*x)/2]]/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] + b*(Log[Cos[(c + d*x)/2] - Sin[(c + d*x)/2]] - Log[Cos[(c + d*x)/2]
```

] + Sin[(c + d\*x)/2]]) + a\*Tan[c + d\*x]))/(a^2\*d)

**Maple [A]** time = 0.138, size = 139, normalized size = 1.6

$$-\frac{B}{da} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)^{-1} + \frac{Bb}{a^2d} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1\right) - \frac{B}{da} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1 \right)^{-1} - \frac{Bb}{a^2d} \ln\left(\tan\left(\frac{dx}{2} + \frac{c}{2}\right) + 1\right) + \dots$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^2,x)

[Out] -1/d/a/(tan(1/2\*d\*x+1/2\*c)-1)\*B+1/d\*B/a^2\*b\*ln(tan(1/2\*d\*x+1/2\*c)-1)-1/d/a/(tan(1/2\*d\*x+1/2\*c)+1)\*B-1/d\*B/a^2\*b\*ln(tan(1/2\*d\*x+1/2\*c)+1)+2/d\*B/a^2\*b^2/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [B]** time = 1.99455, size = 925, normalized size = 10.51

$$\left[ \frac{\sqrt{-a^2 + b^2} B b^2 \cos(dx + c) \log\left(\frac{2ab \cos(dx+c) + (2a^2 - b^2) \cos(dx+c)^2 + 2\sqrt{-a^2 + b^2}(a \cos(dx+c) + b) \sin(dx+c) - a^2 + 2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right) + (Ba^2b - Bb^3) \cos(dx+c)}{2(a^4 - a^2b^2)d} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] [-1/2\*(sqrt(-a^2 + b^2)\*B\*b^2\*cos(d\*x + c)\*log((2\*a\*b\*cos(d\*x + c) + (2\*a^2 - b^2)\*cos(d\*x + c)^2 + 2\*sqrt(-a^2 + b^2)\*(a\*cos(d\*x + c) + b)\*sin(d\*x + c) - a^2 + 2\*b^2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)) + (B\*a^2\*b - B\*b^3)\*cos(d\*x + c)\*log(sin(d\*x + c) + 1) - (B\*a^2\*b - B\*b^3)\*cos(d\*x + c)\*log(-sin(d\*x + c) + 1) - 2\*(B\*a^3 - B\*a\*b^2)\*sin(d\*x + c)/((a^4 - a^2\*b^2)\*d\*cos(d\*x + c)), 1/2\*(2\*sqrt(a^2 - b^2)\*B\*b^2\*arctan(-(a\*cos(d\*x + c) + b)/(sqrt(a^2 - b^2)\*sin(d\*x + c)))\*cos(d\*x + c) - (B\*a^2\*b - B\*b^3)\*cos(d\*x + c)\*log(sin(d\*x + c) + 1) + (B\*a^2\*b - B\*b^3)\*cos(d\*x + c)\*log(-sin(d\*x + c) + 1) + 2\*(B\*a^3 - B\*a\*b^2)\*sin(d\*x + c)/((a^4 - a^2\*b^2)\*d\*cos(d\*x + c))]

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$B \int \frac{\sec^2(c + dx)}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)**2/(a+b*cos(d*x+c))**2,x)
```

```
[Out] B*Integral(sec(c + d*x)**2/(a + b*cos(c + d*x)), x)
```

**Giac [A]** time = 1.5398, size = 209, normalized size = 2.38

$$\frac{2 \left( \pi \left\lfloor \frac{dx+c}{2\pi} + \frac{1}{2} \right\rfloor \operatorname{sgn}(2a-2b) + \arctan\left(\frac{a \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - b \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\sqrt{a^2 - b^2}}\right) \right) B b^2}{\sqrt{a^2 - b^2} a^2} - \frac{B b \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) + 1\right|\right)}{a^2} + \frac{B b \log\left(\left|\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right) - 1\right|\right)}{a^2} - \frac{2 B \tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)}{\left(\tan\left(\frac{1}{2} dx + \frac{1}{2} c\right)\right)^2 - 1}$$

$d$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^2,x, algorithm="giac")
```

```
[Out] (2*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(1/2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))*B*b^2/(sqrt(a^2 - b^2)*a^2) - B*b*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^2 + B*b*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^2 - 2*B*tan(1/2*d*x + 1/2*c)/((tan(1/2*d*x + 1/2*c)^2 - 1)*a))/d
```

$$3.295 \quad \int \frac{(aB + bB \cos(c + dx)) \sec^3(c + dx)}{(a + b \cos(c + dx))^2} dx$$

**Optimal.** Leaf size=123

$$\frac{2b^3 B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3 d \sqrt{a-b} \sqrt{a+b}} + \frac{B(a^2 + 2b^2) \tanh^{-1}(\sin(c + dx))}{2a^3 d} - \frac{bB \tan(c + dx)}{a^2 d} + \frac{B \tan(c + dx) \sec(c + dx)}{2ad}$$

[Out]  $(-2*b^3*B*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*Sqrt[a - b]*Sqrt[a + b]*d) + ((a^2 + 2*b^2)*B*ArcTanh[Sin[c + d*x]])/(2*a^3*d) - (b*B*Tan[c + d*x])/(a^2*d) + (B*Sec[c + d*x]*Tan[c + d*x])/(2*a*d)$

**Rubi [A]** time = 0.346015, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.206$ , Rules used = {21, 2802, 3055, 3001, 3770, 2659, 205}

$$\frac{2b^3 B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b}}\right)}{a^3 d \sqrt{a-b} \sqrt{a+b}} + \frac{B(a^2 + 2b^2) \tanh^{-1}(\sin(c + dx))}{2a^3 d} - \frac{bB \tan(c + dx)}{a^2 d} + \frac{B \tan(c + dx) \sec(c + dx)}{2ad}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a*B + b*B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^3 / (a + b*\text{Cos}[c + d*x])^2, x]$

[Out]  $(-2*b^3*B*ArcTan[(Sqrt[a - b]*Tan[(c + d*x)/2])/Sqrt[a + b]])/(a^3*Sqrt[a - b]*Sqrt[a + b]*d) + ((a^2 + 2*b^2)*B*ArcTanh[Sin[c + d*x]])/(2*a^3*d) - (b*B*Tan[c + d*x])/(a^2*d) + (B*Sec[c + d*x]*Tan[c + d*x])/(2*a*d)$

### Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_.))^{(m_.)*((c_.) + (d_.)*(v_.))^{(n_.)}, x\_Symbol] :>$   
 $\text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m + n)}, x], x] /;$   $\text{FreeQ}\{a, b, c, d, n\}, x]$   
 $\&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] \mid\mid \text{SimplerQ}[c + d*x,$   
 $a + b*x])$

### Rule 2802

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]^{(n_.)}, x\_Symbol] :>$   $-\text{Simp}[(b^2*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)*(c + d*\text{Sin}[e + f*x])^{(n + 1)}})/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)*(c + d*\text{Sin}[e + f*x])^n} \text{Simp}[a*(b*c - a*d)*(m + 1) + b^2*d*(m + n + 2) - (b^2*c + b*(b*c - a*d)*(m + 1))*\text{Sin}[e + f*x] - b^2*d*(m + n + 3)*\text{Sin}[e + f*x]^2, x], x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegersQ}[2*m, 2*n] \&\& ((\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m] \&\& !\text{IntegerQ}[n]) \mid\mid !(\text{IntegerQ}[2*n] \&\& \text{LtQ}[n, -1] \&\& ((\text{IntegerQ}[n] \&\& !\text{IntegerQ}[m]) \mid\mid \text{EqQ}[a, 0])))$

### Rule 3055

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]^{(n_.)*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] :>$   $-\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)*(c + d*\text{Sin}[e + f*x])^{(n + 1)}})/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a$

```

+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

### Rule 3001

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[(A*b
- a*B)/(b*c - a*d), Int[1/(a + b*Sin[e + f*x]), x], x] + Dist[(B*c - A*d)/(
b*c - a*d), Int[1/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f,
A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rule 3770

```

Int[csc[(c_.) + (d_.)*(x_)], x_Symbol] := -Simp[ArcTanh[Cos[c + d*x]]/d, x]
/; FreeQ[{c, d}, x]

```

### Rule 2659

```

Int[((a_) + (b_.)*sin[Pi/2 + (c_.) + (d_.)*(x_)])^(-1), x_Symbol] := With[{
e = FreeFactors[Tan[(c + d*x)/2], x]}, Dist[(2*e)/d, Subst[Int[1/(a + b +
(a - b)*e^2*x^2), x], x, Tan[(c + d*x)/2]/e], x]] /; FreeQ[{a, b, c, d}, x]
&& NeQ[a^2 - b^2, 0]

```

### Rule 205

```

Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(aB + bB \cos(c + dx)) \sec^3(c + dx)}{(a + b \cos(c + dx))^2} dx &= B \int \frac{\sec^3(c + dx)}{a + b \cos(c + dx)} dx \\
&= \frac{B \sec(c + dx) \tan(c + dx)}{2ad} + \frac{B \int \frac{(-2b + a \cos(c + dx) + b \cos^2(c + dx)) \sec^2(c + dx)}{a + b \cos(c + dx)} dx}{2a} \\
&= -\frac{bB \tan(c + dx)}{a^2 d} + \frac{B \sec(c + dx) \tan(c + dx)}{2ad} + \frac{B \int \frac{(a^2 + 2b^2 + ab \cos(c + dx)) \sec(c + dx)}{a + b \cos(c + dx)} dx}{2a^2} \\
&= -\frac{bB \tan(c + dx)}{a^2 d} + \frac{B \sec(c + dx) \tan(c + dx)}{2ad} - \frac{(b^3 B) \int \frac{1}{a + b \cos(c + dx)} dx}{a^3} + \left( \frac{(a^2 + 2b^2) B \tanh^{-1}(\sin(c + dx))}{2a^3 d} - \frac{bB \tan(c + dx)}{a^2 d} + \frac{B \sec(c + dx) \tan(c + dx)}{2ad} \right) \\
&= -\frac{2b^3 B \tan^{-1}\left(\frac{\sqrt{a-b} \tan\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a+b}}\right)}{a^3 \sqrt{a-b} \sqrt{a+b}} + \frac{(a^2 + 2b^2) B \tanh^{-1}(\sin(c + dx))}{2a^3 d} - \frac{bB \tan(c + dx)}{a^2 d}
\end{aligned}$$



**Mathematica [A]** time = 0.962602, size = 239, normalized size = 1.94

$$B \left[ \frac{8b^3 \tanh^{-1} \left( \frac{(a-b) \tan\left(\frac{1}{2}(c+dx)\right)}{\sqrt{b^2-a^2}} \right)}{\sqrt{b^2-a^2}} + \frac{a^2}{\left(\cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right)\right)^2} - \frac{a^2}{\left(\sin\left(\frac{1}{2}(c+dx)\right) + \cos\left(\frac{1}{2}(c+dx)\right)\right)^2} - 2a^2 \log \left( \cos\left(\frac{1}{2}(c+dx)\right) - \sin\left(\frac{1}{2}(c+dx)\right) \right) \right]$$

Antiderivative was successfully verified.

[In] Integrate[((a\*B + b\*B\*Cos[c + d\*x])\*Sec[c + d\*x]^3)/(a + b\*Cos[c + d\*x])^2, x]

[Out] (B\*((8\*b^3\*ArcTanh[((a - b)\*Tan[(c + d\*x)/2])/Sqrt[-a^2 + b^2]])/Sqrt[-a^2 + b^2] - 2\*a^2\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] - 4\*b^2\*Log[Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2]] + 2\*a^2\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + 4\*b^2\*Log[Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2]] + a^2/(Cos[(c + d\*x)/2] - Sin[(c + d\*x)/2])^2 - a^2/(Cos[(c + d\*x)/2] + Sin[(c + d\*x)/2])^2 - 4\*a\*b\*Tan[c + d\*x]))/(4\*a^3\*d)

**Maple [B]** time = 0.154, size = 273, normalized size = 2.2

$$\frac{B}{2da} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)^{-2} + \frac{B}{2da} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)^{-1} + \frac{Bb}{a^2d} \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)^{-1} - \frac{B}{2da} \ln \left( \tan\left(\frac{dx}{2} + \frac{c}{2}\right) - 1 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^2,x)

[Out] 1/2/d/a/(tan(1/2\*d\*x+1/2\*c)-1)^2\*B+1/2/d/a/(tan(1/2\*d\*x+1/2\*c)-1)\*B+1/d/a^2/(tan(1/2\*d\*x+1/2\*c)-1)\*B\*b-1/2/d/a\*ln(tan(1/2\*d\*x+1/2\*c)-1)\*B-1/d/a^3\*ln(tan(1/2\*d\*x+1/2\*c)-1)\*B\*b^2-1/2/d/a/(tan(1/2\*d\*x+1/2\*c)+1)^2\*B+1/2/d/a/(tan(1/2\*d\*x+1/2\*c)+1)\*B+1/d/a^2/(tan(1/2\*d\*x+1/2\*c)+1)\*B\*b+1/2/d/a\*ln(tan(1/2\*d\*x+1/2\*c)+1)\*B+1/d/a^3\*ln(tan(1/2\*d\*x+1/2\*c)+1)\*B\*b^2-2/d\*b^3/a^3/((a-b)\*(a+b))^(1/2)\*arctan(tan(1/2\*d\*x+1/2\*c)\*(a-b)/((a-b)\*(a+b))^(1/2))\*B

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 2.77612, size = 1121, normalized size = 9.11

$$\left[ \frac{2\sqrt{-a^2+b^2}Bb^3 \cos(dx+c)^2 \log\left(\frac{2ab \cos(dx+c) + (2a^2-b^2) \cos(dx+c)^2 - 2\sqrt{-a^2+b^2}(a \cos(dx+c)+b) \sin(dx+c) - a^2+2b^2}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}\right) - (Ba^4 + Ba^2b^2)}{\dots} \right]$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^2,x, algorithm
="fricas")
```

```
[Out] [-1/4*(2*sqrt(-a^2 + b^2)*B*b^3*cos(d*x + c)^2*log((2*a*b*cos(d*x + c) + (2
*a^2 - b^2)*cos(d*x + c)^2 - 2*sqrt(-a^2 + b^2)*(a*cos(d*x + c) + b)*sin(d*x
+ c) - a^2 + 2*b^2)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2)) - (B
*a^4 + B*a^2*b^2 - 2*B*b^4)*cos(d*x + c)^2*log(sin(d*x + c) + 1) + (B*a^4 +
B*a^2*b^2 - 2*B*b^4)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) - 2*(B*a^4 - B
a^2*b^2 - 2*(B*a^3*b - B*a*b^3)*cos(d*x + c))*sin(d*x + c))/((a^5 - a^3*b^2
)*d*cos(d*x + c)^2), -1/4*(4*sqrt(a^2 - b^2)*B*b^3*arctan(-(a*cos(d*x + c)
+ b)/(sqrt(a^2 - b^2)*sin(d*x + c)))*cos(d*x + c)^2 - (B*a^4 + B*a^2*b^2 -
2*B*b^4)*cos(d*x + c)^2*log(sin(d*x + c) + 1) + (B*a^4 + B*a^2*b^2 - 2*B*b
^4)*cos(d*x + c)^2*log(-sin(d*x + c) + 1) - 2*(B*a^4 - B*a^2*b^2 - 2*(B*a^3*
b - B*a*b^3)*cos(d*x + c))*sin(d*x + c))/((a^5 - a^3*b^2)*d*cos(d*x + c)^2)
]
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$B \int \frac{\sec^3(c + dx)}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)**3/(a+b*cos(d*x+c))**2,x)
```

```
[Out] B*Integral(sec(c + d*x)**3/(a + b*cos(c + d*x)), x)
```

**Giac [A]** time = 1.5661, size = 298, normalized size = 2.42

$$\frac{4 \left( \pi \left[ \frac{dx+c}{2\pi} + \frac{1}{2} \right] \operatorname{sgn}(2a-2b) + \arctan \left( \frac{a \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - b \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right)}{\sqrt{a^2 - b^2}} \right) \right) B b^3}{\sqrt{a^2 - b^2} a^3} - \frac{(B a^2 + 2 B b^2) \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) + 1 \right| \right)}{a^3} + \frac{(B a^2 + 2 B b^2) \log \left( \left| \tan \left( \frac{1}{2} dx + \frac{1}{2} c \right) - 1 \right| \right)}{a^3}$$

$2d$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^2,x, algorithm
="giac")
```

```
[Out] -1/2*(4*(pi*floor(1/2*(d*x + c)/pi + 1/2)*sgn(2*a - 2*b) + arctan((a*tan(1/
2*d*x + 1/2*c) - b*tan(1/2*d*x + 1/2*c))/sqrt(a^2 - b^2)))*B*b^3/(sqrt(a^2
- b^2)*a^3) - (B*a^2 + 2*B*b^2)*log(abs(tan(1/2*d*x + 1/2*c) + 1))/a^3 + (B
*a^2 + 2*B*b^2)*log(abs(tan(1/2*d*x + 1/2*c) - 1))/a^3 - 2*(B*a*tan(1/2*d*x
+ 1/2*c)^3 + 2*B*b*tan(1/2*d*x + 1/2*c)^3 + B*a*tan(1/2*d*x + 1/2*c) - 2*B
*b*tan(1/2*d*x + 1/2*c))/((tan(1/2*d*x + 1/2*c)^2 - 1)^2*a^2))/d
```

$$3.296 \quad \int \cos^3(c + dx) \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=386

$$\frac{2(-24a^2B + 36aAb - 49b^2B) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{315b^3d} + \frac{2(24a^2Ab - 16a^3B - 36ab^2B + 75Ab^3) \sin(c + dx)}{315b^3d}$$

```
[Out] (2*(24*a^3*A*b + 57*a*A*b^3 - 16*a^4*B - 24*a^2*b^2*B + 147*b^4*B)*Sqrt[a +
b*Cos[c + d*x])*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(315*b^4*d*Sqrt[(a
+ b*Cos[c + d*x])/(a + b)]) - (2*(a^2 - b^2)*(24*a^2*A*b + 75*A*b^3 - 16*a^
3*B - 36*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2,
(2*b)/(a + b)]/(315*b^4*d*Sqrt[a + b*Cos[c + d*x]]) + (2*(24*a^2*A*b + 75
*A*b^3 - 16*a^3*B - 36*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(315
*b^3*d) - (2*(36*a*A*b - 24*a^2*B - 49*b^2*B)*(a + b*Cos[c + d*x])^(3/2)*Si
n[c + d*x])/(315*b^3*d) + (2*(3*A*b - 2*a*B)*Cos[c + d*x]*(a + b*Cos[c + d
x])^(3/2)*Sin[c + d*x])/(21*b^2*d) + (2*B*Cos[c + d*x]^2*(a + b*Cos[c + d*x
])^(3/2)*Sin[c + d*x])/(9*b*d)
```

**Rubi [A]** time = 0.785479, antiderivative size = 386, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {2990, 3049, 3023, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(-24a^2B + 36aAb - 49b^2B) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{315b^3d} + \frac{2(24a^2Ab - 16a^3B - 36ab^2B + 75Ab^3) \sin(c + dx)}{315b^3d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^3*Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]
```

```
[Out] (2*(24*a^3*A*b + 57*a*A*b^3 - 16*a^4*B - 24*a^2*b^2*B + 147*b^4*B)*Sqrt[a +
b*Cos[c + d*x])*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(315*b^4*d*Sqrt[(a
+ b*Cos[c + d*x])/(a + b)]) - (2*(a^2 - b^2)*(24*a^2*A*b + 75*A*b^3 - 16*a^
3*B - 36*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2,
(2*b)/(a + b)]/(315*b^4*d*Sqrt[a + b*Cos[c + d*x]]) + (2*(24*a^2*A*b + 75
*A*b^3 - 16*a^3*B - 36*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(315
*b^3*d) - (2*(36*a*A*b - 24*a^2*B - 49*b^2*B)*(a + b*Cos[c + d*x])^(3/2)*Si
n[c + d*x])/(315*b^3*d) + (2*(3*A*b - 2*a*B)*Cos[c + d*x]*(a + b*Cos[c + d
x])^(3/2)*Sin[c + d*x])/(21*b^2*d) + (2*B*Cos[c + d*x]^2*(a + b*Cos[c + d*x
])^(3/2)*Sin[c + d*x])/(9*b*d)
```

**Rule 2990**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[(b*B*Cos[e + f*x]*(a + b*Sine[e + f*x])^(m - 1)*(c + d*Sine[e + f*x])^(n
+ 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sine[e + f
x])^(m - 2)*(c + d*Sine[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m -
1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n
)))*Sine[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sine[e
+ f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n
, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x]
&& NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2753

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f
*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m
+ a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a
, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
&& IntegerQ[2*m]
```

Rule 2752

```
Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/Sqrt[(a_) + (b_.)*sin[(e_.) + (
f_.)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Ellip
ticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rubi steps

$$\begin{aligned} \int \cos^3(c + dx) \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) dx &= \frac{2B \cos^2(c + dx)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{9bd} + \frac{2 \int \cos^2(c + dx) \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) dx}{9bd} \\ &= \frac{2(3Ab - 2aB) \cos(c + dx)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{21b^2d} \\ &= -\frac{2(36aAb - 24a^2B - 49b^2B)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{315b^3d} \\ &= \frac{2(24a^2Ab + 75Ab^3 - 16a^3B - 36ab^2B) \sqrt{a + b \cos(c + dx)}}{315b^3d} \\ &= \frac{2(24a^2Ab + 75Ab^3 - 16a^3B - 36ab^2B) \sqrt{a + b \cos(c + dx)}}{315b^3d} \\ &= \frac{2(24a^2Ab + 75Ab^3 - 16a^3B - 36ab^2B) \sqrt{a + b \cos(c + dx)}}{315b^3d} \\ &= \frac{2(24a^3Ab + 57aAb^3 - 16a^4B - 24a^2b^2B + 147b^4B) \sqrt{a + b \cos(c + dx)}}{315b^4d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \end{aligned}$$

**Mathematica [A]** time = 1.47992, size = 292, normalized size = 0.76

$$8 \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \left( b^2 (6a^2Ab - 4a^3B + 111ab^2B + 75Ab^3) F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + (24a^3Ab - 24a^2b^2B - 16a^4B + 57aAb^3 + \dots) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^3*Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]
```

```
[Out] (8*Sqrt[(a + b*Cos[c + d*x])]/(a + b))*(b^2*(6*a^2*A*b + 75*A*b^3 - 4*a^3*B
+ 111*a*b^2*B)*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + (24*a^3*A*b + 57*a*A
*b^3 - 16*a^4*B - 24*a^2*b^2*B + 147*b^4*B)*((a + b)*EllipticE[(c + d*x)/2,
(2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)])) - b*(a + b*Cos[
c + d*x])*(-2*(-48*a^2*A*b + 345*A*b^3 + 32*a^3*B + 57*a*b^2*B)*Sin[c + d*x
] - b*((36*a*A*b - 24*a^2*B + 266*b^2*B)*Sin[2*(c + d*x)] + 5*b*(2*(9*A*b +
a*B)*Sin[3*(c + d*x)] + 7*b*B*Ssin[4*(c + d*x)])))/(1260*b^4*d*Sqrt[a + b*
Cos[c + d*x]])
```

**Maple [B]** time = 4.869, size = 1635, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^3*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] -2/315*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-1120*B
*b^5*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+(720*A*b^5+640*B*a*b^4+2240*B
*b^5)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-432*A*a*b^4-1080*A*b^5+8*B*
a^2*b^3-960*B*a*b^4-2072*B*b^5)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(-1
2*A*a^2*b^3+432*A*a*b^4+840*A*b^5+8*B*a^3*b^2-8*B*a^2*b^3+728*B*a*b^4+952*B
*b^5)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(24*A*a^3*b^2+6*A*a^2*b^3-258
*A*a*b^4-240*A*b^5-16*B*a^4*b-4*B*a^3*b^2-24*B*a^2*b^3-204*B*a*b^4-168*B*b^
5)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-24*A*(sin(1/2*d*x+1/2*c)^2)^(1/2
)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x
+1/2*c),(-2*b/(a-b))^(1/2))*a^4*b-51*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(
a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),
(-2*b/(a-b))^(1/2))*a^2*b^3+75*A*b^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b
)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*
b/(a-b))^(1/2))+24*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1
/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))
*a^4*b-24*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(
a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^3*b^2+
57*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a
-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b^3-57*A*(s
in(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1
/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b^4+16*B*(sin(1/2*d*
x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*Ellip
ticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^5+20*B*(sin(1/2*d*x+1/2*c)^2)
^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/
2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^3*b^2-36*a*B*(sin(1/2*d*x+1/2*c)^2)^(1/2
)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x
+1/2*c),(-2*b/(a-b))^(1/2))*b^4-16*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-
b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2
*b/(a-b))^(1/2))*a^5+16*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*
d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(
1/2))*a^4*b-24*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c
)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^3
*b^2+24*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+
b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b^3+14
7*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-
b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b^4-147*B*(sin
(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2
)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b^5/b^4/(-2*b*sin(1/2*d
*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(-2*sin(1/
2*d*x+1/2*c)^2*b+a+b)^(1/2)/d
```

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a \cos(dx + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm
="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*cos(d*x + c)^3, x)
```

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \cos(dx + c)^4 + A \cos(dx + c)^3\right) \sqrt{b \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm
="fricas")
```

```
[Out] integral((B*cos(d*x + c)^4 + A*cos(d*x + c)^3)*sqrt(b*cos(d*x + c) + a), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**3*(a+b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \cos(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^3*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*cos(d*x + c)^3, x)
```

### 3.297 $\int \cos^2(c + dx) \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=303

$$-\frac{2(-8a^2B + 14aAb - 25b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105b^2d} + \frac{2(a^2 - b^2)(-8a^2B + 14aAb - 25b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}\right)}{105b^3d \sqrt{a + b \cos(c + dx)}}$$

```
[Out] (-2*(14*a^2*A*b - 63*A*b^3 - 8*a^3*B - 19*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]
*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(105*b^3*d*Sqrt[(a + b*Cos[c + d*x]
)/(a + b])) + (2*(a^2 - b^2)*(14*a*A*b - 8*a^2*B - 25*b^2*B)*Sqrt[(a + b*Co
s[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(105*b^3*d*Sqrt
[a + b*Cos[c + d*x]]) - (2*(14*a*A*b - 8*a^2*B - 25*b^2*B)*Sqrt[a + b*Cos[c
+ d*x]]*Sin[c + d*x])/(105*b^2*d) + (2*(7*A*b - 4*a*B)*(a + b*Cos[c + d*x]
)^(3/2)*Sin[c + d*x])/(35*b^2*d) + (2*B*Cos[c + d*x]*(a + b*Cos[c + d*x])^(
3/2)*Sin[c + d*x])/(7*b*d)
```

**Rubi [A]** time = 0.541572, antiderivative size = 303, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2990, 3023, 2753, 2752, 2663, 2661, 2655, 2653}

$$-\frac{2(-8a^2B + 14aAb - 25b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105b^2d} + \frac{2(a^2 - b^2)(-8a^2B + 14aAb - 25b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}\right)}{105b^3d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]
```

```
[Out] (-2*(14*a^2*A*b - 63*A*b^3 - 8*a^3*B - 19*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]
*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(105*b^3*d*Sqrt[(a + b*Cos[c + d*x]
)/(a + b])) + (2*(a^2 - b^2)*(14*a*A*b - 8*a^2*B - 25*b^2*B)*Sqrt[(a + b*Co
s[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(105*b^3*d*Sqrt
[a + b*Cos[c + d*x]]) - (2*(14*a*A*b - 8*a^2*B - 25*b^2*B)*Sqrt[a + b*Cos[c
+ d*x]]*Sin[c + d*x])/(105*b^2*d) + (2*(7*A*b - 4*a*B)*(a + b*Cos[c + d*x]
)^(3/2)*Sin[c + d*x])/(35*b^2*d) + (2*B*Cos[c + d*x]*(a + b*Cos[c + d*x])^(
3/2)*Sin[c + d*x])/(7*b*d)
```

#### Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -S
imp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n
+ 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*
x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m -
1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n
)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e
+ f*x]^2, x], x, x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n
, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

#### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] :> -Simp[(C*Cos
```



$[e + f*x]*(a + b*\sin[e + f*x])^{(m + 1)}/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[(a + b*\sin[e + f*x])^m*\text{Simp}[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\sin[e + f*x], x], x], x] /;$  FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

### Rule 2753

$\text{Int}[(a + b*\sin[e + f*x])^m*((c + d*\sin[e + f*x]) + (f*(x)))]$ , x\_Symbol]  $\rightarrow -\text{Simp}[(d*\cos[e + f*x]*(a + b*\sin[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[1/(m + 1), \text{Int}[(a + b*\sin[e + f*x])^{(m - 1)}*\text{Simp}[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*\sin[e + f*x], x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

### Rule 2752

$\text{Int}[(c + d*\sin[e + f*x])/ \sqrt{a + b*\sin[e + f*x]}]$ , x\_Symbol]  $\rightarrow \text{Dist}[(b*c - a*d)/b, \text{Int}[1/\sqrt{a + b*\sin[e + f*x]}, x], x] + \text{Dist}[d/b, \text{Int}[\sqrt{a + b*\sin[e + f*x]}, x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

### Rule 2663

$\text{Int}[1/\sqrt{a + b*\sin[c + d*x]}]$ , x\_Symbol]  $\rightarrow \text{Dist}[\sqrt{(a + b*\sin[c + d*x])/(a + b)}/\sqrt{a + b*\sin[c + d*x]}, \text{Int}[1/\sqrt{a/(a + b) + (b*\sin[c + d*x])/(a + b)}, x], x] /;$  FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

### Rule 2661

$\text{Int}[1/\sqrt{a + b*\sin[c + d*x]}]$ , x\_Symbol]  $\rightarrow \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/(d*\sqrt{a + b}), x] /;$  FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

### Rule 2655

$\text{Int}[\sqrt{a + b*\sin[c + d*x]}/\sqrt{a + b*\sin[c + d*x]}/(a + b)]$ , x\_Symbol]  $\rightarrow \text{Dist}[\sqrt{a + b*\sin[c + d*x]}/\sqrt{a + b}, \text{Int}[\sqrt{a/(a + b) + (b*\sin[c + d*x])/(a + b)}, x], x] /;$  FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

### Rule 2653

$\text{Int}[\sqrt{a + b*\sin[c + d*x]}/\sqrt{a + b}]$ , x\_Symbol]  $\rightarrow \text{Simp}[(2*\sqrt{a + b}*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/d, x] /;$  FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

### Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx) \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) dx &= \frac{2B \cos(c + dx) (a + b \cos(c + dx))^{3/2} \sin(c + dx)}{7bd} + \frac{2 \int \sqrt{a + b \cos(c + dx)} dx}{7bd} \\
&= \frac{2(7Ab - 4aB) (a + b \cos(c + dx))^{3/2} \sin(c + dx)}{35b^2d} + \frac{2B \cos(c + dx) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{35b^2d} \\
&= -\frac{2(14aAb - 8a^2B - 25b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105b^2d} + \frac{2B \cos(c + dx) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105b^2d} \\
&= -\frac{2(14aAb - 8a^2B - 25b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105b^2d} + \frac{2B \cos(c + dx) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105b^2d} \\
&= -\frac{2(14aAb - 8a^2B - 25b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105b^2d} + \frac{2B \cos(c + dx) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105b^2d} \\
&= -\frac{2(14a^2Ab - 63Ab^3 - 8a^3B - 19ab^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{a+b \cos(c+dx)}{a+b}\right)}{105b^3d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}
\end{aligned}$$

**Mathematica [A]** time = 0.946124, size = 232, normalized size = 0.77

$$b(a + b \cos(c + dx)) \left( (-16a^2B + 28aAb + 115b^2B) \sin(c + dx) + 3b(2(aB + 7Ab) \sin(2(c + dx)) + 5bB \sin(3(c + dx))) \right) +$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*Sqrt[a + b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]),x]

[Out] (4\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*(b^2\*(49\*a\*A\*b + 2\*a^2\*B + 25\*b^2\*B)\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)] + (-14\*a^2\*A\*b + 63\*A\*b^3 + 8\*a^3\*B + 19\*a\*b^2\*B)\*((a + b)\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] - a\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)])) + b\*(a + b\*Cos[c + d\*x])\*((28\*a\*A\*b - 16\*a^2\*B + 115\*b^2\*B)\*Sin[c + d\*x] + 3\*b\*(2\*(7\*A\*b + a\*B)\*Sin[2\*(c + d\*x)] + 5\*b\*B\*Ssin[3\*(c + d\*x)])))/(210\*b^3\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**Maple [B]** time = 4.021, size = 1305, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x)

[Out] -2/105\*((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(240\*B\*b^4\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8+(-168\*A\*b^4-144\*B\*a\*b^3-360\*B\*b^4)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+(112\*A\*a\*b^3+168\*A\*b^4-4\*B\*a^2\*b^2+144\*B\*a\*b^3+280\*B\*b^4)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-14\*A\*a^2\*b^2-56\*A\*a\*b^3-42\*A\*b^4+8\*B\*a^3\*b+2\*B\*a^2\*b^2-86\*B\*a\*b^3-80\*B\*b^4)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+14\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),(-2\*b/(a-b))^(1/2))\*a^3\*b-14\*a\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),(-2\*b/(a

$$\begin{aligned}
& -b)^{(1/2)} * b^3 - 14 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c)^2 + (a + b) / (a - b))^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) \\
& * a^3 * b + 14 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c)^2 + (a + b) / (a - b))^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) * a^2 * b^2 + \\
& 63 * A * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c)^2 + (a + b) / (a - b))^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) * a * b^3 - 63 * A * (\sin \\
& (1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c)^2 + (a + b) / (a - b))^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) * b^4 - 8 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c)^2 + (a + b) / (a - b))^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) * a^4 - 17 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c)^2 + (a + b) / (a - b))^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) * a^2 * b^2 + 25 * B * b^4 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c)^2 + (a + b) / (a - b))^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) + 8 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c)^2 + (a + b) / (a - b))^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) * a^4 - 8 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c)^2 + (a + b) / (a - b))^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) * a^3 * b + 19 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c)^2 + (a + b) / (a - b))^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) * a^2 * b^2 - 19 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c)^2 + (a + b) / (a - b))^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) * a * b^3 / b^3 / (-2 * b * \sin(1/2 * d * x + 1/2 * c)^4 + (a + b) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / \sin(1/2 * d * x + 1/2 * c) / (-2 * \sin(1/2 * d * x + 1/2 * c)^2 * b + a + b)^{(1/2)} / d
\end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^2, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( (B \cos(dx + c)^3 + A \cos(dx + c)^2) \sqrt{b \cos(dx + c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^3 + A\*cos(d\*x + c)^2)\*sqrt(b\*cos(d\*x + c) + a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.298 \quad \int \cos(c + dx) \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=231

$$\frac{2(a^2 - b^2)(5Ab - 2aB) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{15b^2 d \sqrt{a + b \cos(c + dx)}} + \frac{2(-2a^2B + 5aAb + 9b^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{15b^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out] (2\*(5\*a\*A\*b - 2\*a^2\*B + 9\*b^2\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(15\*b^2\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) - (2\*(a^2 - b^2)\*(5\*A\*b - 2\*a\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(15\*b^2\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*(5\*A\*b - 2\*a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*b\*d) + (2\*B\*(a + b\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(5\*b\*d)

**Rubi [A]** time = 0.407589, antiderivative size = 231, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$ , Rules used = {2968, 3023, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(a^2 - b^2)(5Ab - 2aB) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{15b^2 d \sqrt{a + b \cos(c + dx)}} + \frac{2(-2a^2B + 5aAb + 9b^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{15b^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]\*Sqrt[a + b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]),x]

[Out] (2\*(5\*a\*A\*b - 2\*a^2\*B + 9\*b^2\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(15\*b^2\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) - (2\*(a^2 - b^2)\*(5\*A\*b - 2\*a\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(15\*b^2\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*(5\*A\*b - 2\*a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*b\*d) + (2\*B\*(a + b\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(5\*b\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2753

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f

```

*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m
+ a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a
, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
&& IntegerQ[2*m]

```

### Rule 2752

```

Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/Sqrt[(a_) + (b_.)*sin[(e_.) + (
f_.)*(x_)]], x_Symbol] :=> Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

```

### Rule 2663

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]

```

### Rule 2661

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

### Rule 2655

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

### Rule 2653

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :=> Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

### Rubi steps

$$\int \cos(c + dx)\sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) dx = \int \sqrt{a + b \cos(c + dx)} (A \cos(c + dx) + B \cos^2(c + dx)) dx$$

$$= \frac{2B(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5bd} + \frac{2 \int \sqrt{a + b \cos(c + dx)} dx}{5bd}$$

$$= \frac{2(5Ab - 2aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15bd} + \frac{2B(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5bd}$$

$$= \frac{2(5Ab - 2aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15bd} + \frac{2B(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5bd}$$

$$= \frac{2(5Ab - 2aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15bd} + \frac{2B(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5bd}$$

$$= \frac{2(5aAb - 2a^2B + 9b^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{15b^2d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

**Mathematica [A]** time = 0.823999, size = 179, normalized size = 0.77

$$\frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \left( (-2a^2B + 5aAb + 9b^2B) \left( (a+b)E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) - aF\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) \right) + b^2(7aB + 5Ab)F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) \right)}{15b^2d\sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]*Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]
```

```
[Out] (2*Sqrt[(a + b*Cos[c + d*x])]/(a + b))*(b^2*(5*A*b + 7*a*B)*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + (5*a*A*b - 2*a^2*B + 9*b^2*B)*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)])) + 2*b*(a + b*Cos[c + d*x])*(5*A*b + a*B + 3*b*B*Cos[c + d*x])*Sin[c + d*x]/(15*b^2*d*Sqrt[a + b*Cos[c + d*x]])
```

**Maple [B]** time = 4.45, size = 993, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] -2/15*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-24*B*b^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+(20*A*b^3+16*B*a*b^2+24*B*b^3)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-10*A*a*b^2-10*A*b^3-2*B*a^2*b-8*B*a*b^2-6*B*b^3)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-5*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b+5*A*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+5*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b))*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b-5*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))
```

$$\begin{aligned} & 1/2)) * a * b^2 + 2 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) \\ & ^2 + (a + b) / (a - b))^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) * a^3 - \\ & 2 * a * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) \\ & ^2 + (a + b) / (a - b))^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) * b^2 - 2 * B * (\sin(1 \\ & / 2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) \\ & ^2 + (a + b) / (a - b))^{(1/2)} * \\ & \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) * a^3 + 2 * B * (\sin(1/2 * d * x + 1/2 * c) \\ & ^2)^{(1/2)} * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) \\ & ^2 + (a + b) / (a - b))^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) * a^2 * b + 9 * B * (\sin(1/2 * d * x + 1/2 * c) \\ & ^2)^{(1/2)} * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) \\ & ^2 + (a + b) / (a - b))^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) * a * b^2 - 9 * B * (\sin(1/2 * d * x + 1/2 * c) \\ & ^2)^{(1/2)} * (-2 * b / (a - b) * \sin(1/2 * d * x + 1/2 * c) \\ & ^2 + (a + b) / (a - b))^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) * b^3 / b^2 / (-2 * b * \sin(1/2 * d * x + 1/2 * c) \\ & ^4 + (a + b) * \sin(1/2 * d * x + 1/2 * c) \\ & ^2)^{(1/2)} / \sin(1/2 * d * x + 1/2 * c) / (-2 * \sin(1/2 * d * x + 1/2 * c)^2 * b + a + b)^{(1/2)} / d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}((B \cos(dx + c)^2 + A \cos(dx + c)) \sqrt{b \cos(dx + c) + a}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^2 + A\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

### 3.299 $\int \sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=171

$$-\frac{2B(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3bd \sqrt{a + b \cos(c + dx)}} + \frac{2(aB + 3Ab) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3bd \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2B \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{3d}$$

[Out] (2\*(3\*A\*b + a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(3\*b\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) - (2\*(a^2 - b^2)\*B\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(3\*b\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*B\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.219655, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$ , Rules used = {2753, 2752, 2663, 2661, 2655, 2653}

$$-\frac{2B(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3bd \sqrt{a + b \cos(c + dx)}} + \frac{2(aB + 3Ab) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3bd \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2B \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]),x]

[Out] (2\*(3\*A\*b + a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(3\*b\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) - (2\*(a^2 - b^2)\*B\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(3\*b\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*B\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d)

#### Rule 2753

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[(d\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*Simp[b\*d\*m + a\*c\*(m + 1) + (a\*d\*m + b\*c\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

#### Rule 2752

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] :> Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

**Rule 2655**

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

**Rule 2653**

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

**Rubi steps**

$$\begin{aligned} \int \sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) dx &= \frac{2B\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{1}{2}(3aA + bB) + \frac{1}{2}(3Ab + aB)}{\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{2B\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} - \frac{\left((a^2 - b^2)B\right) \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx}{3b} + \\ &= \frac{2B\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{\left((3Ab + aB)\sqrt{a + b \cos(c + dx)}\right)}{3b\sqrt{\frac{a + b \cos(c + dx)}{a + b}}} \\ &= \frac{2(3Ab + aB)\sqrt{a + b \cos(c + dx)}E\left(\frac{1}{2}(c + dx)\middle|\frac{2b}{a + b}\right)}{3bd\sqrt{\frac{a + b \cos(c + dx)}{a + b}}} - \frac{2(a^2 - b^2)B\sqrt{\frac{a + b \cos(c + dx)}{a + b}}}{3bd\sqrt{a + b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.575338, size = 146, normalized size = 0.85

$$\frac{-2B(a^2 - b^2)\sqrt{\frac{a + b \cos(c + dx)}{a + b}}F\left(\frac{1}{2}(c + dx)\middle|\frac{2b}{a + b}\right) + 2(a + b)(aB + 3Ab)\sqrt{\frac{a + b \cos(c + dx)}{a + b}}E\left(\frac{1}{2}(c + dx)\middle|\frac{2b}{a + b}\right) + 2bB \sin(c + dx)}{3bd\sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]
```

```
[Out] (2*(a + b)*(3*A*b + a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - 2*(a^2 - b^2)*B*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + 2*b*B*(a + b*Cos[c + d*x])*Sin[c + d*x])/(3*b*d*Sqrt[a + b*Cos[c + d*x]])
```

**Maple [B]** time = 4.319, size = 600, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x)`

[Out] 
$$-2/3*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(4*B*cos(1/2*d*x+1/2*c)^5*b^2+3*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b-3*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b^2+2*B*cos(1/2*d*x+1/2*c)^3*a*b-6*B*cos(1/2*d*x+1/2*c)^3*b^2-B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2+B*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2-B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b-2*B*cos(1/2*d*x+1/2*c)*a*b+2*B*cos(1/2*d*x+1/2*c)*b^2)/b/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}((B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)),x)`

[Out] `Integral((A + B*cos(c + d*x))*sqrt(a + b*cos(c + d*x)), x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a), x)
```

### 3.300 $\int \sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) \sec(c + dx) dx$

**Optimal.** Leaf size=178

$$\frac{2Ab\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}} + \frac{2aA\sqrt{\frac{a+b\cos(c+dx)}{a+b}}\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}} + \frac{2B\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}$$

[Out] (2\*B\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) + (2\*A\*b\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b\*Cos[c + d\*x]]))

**Rubi [A]** time = 0.360206, antiderivative size = 178, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$ , Rules used = {3002, 2655, 2653, 2803, 2663, 2661, 2807, 2805}

$$\frac{2Ab\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}} + \frac{2aA\sqrt{\frac{a+b\cos(c+dx)}{a+b}}\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}} + \frac{2B\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x],x]

[Out] (2\*B\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) + (2\*A\*b\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b\*Cos[c + d\*x]]))

#### Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]))/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2653

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2803

```
Int[Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]/((a_.) + (b_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[d/b, Int[1/Sqrt[c + d*Sin[e + f*x]], x], x]
+ Dist[(b*c - a*d)/b, Int[1/((a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x])],
x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

### Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

### Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

### Rubi steps

$$\int \sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) \sec(c + dx) dx = A \int \sqrt{a + b \cos(c + dx)} \sec(c + dx) dx + B \int \sqrt{a + b \cos(c + dx)} \cos(c + dx) \sec(c + dx) dx$$

$$= (aA) \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx + (Ab) \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{2B\sqrt{a + b \cos(c + dx)}E\left(\frac{1}{2}(c + dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{\left(aA\sqrt{\frac{a+b \cos(c+dx)}{a+b}}\right)}{\sqrt{a + b \cos(c + dx)}}$$

$$= \frac{2B\sqrt{a + b \cos(c + dx)}E\left(\frac{1}{2}(c + dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2Ab\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{d\sqrt{a + b \cos(c + dx)}}$$

**Mathematica [A]** time = 2.37566, size = 107, normalized size = 0.6

$$\frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \left( A \left( bF\left(\frac{1}{2}(c + dx)\middle|\frac{2b}{a+b}\right) + a\Pi\left(2;\frac{1}{2}(c + dx)\middle|\frac{2b}{a+b}\right) \right) + B(a + b)E\left(\frac{1}{2}(c + dx)\middle|\frac{2b}{a+b}\right) \right)}{d\sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x],x]

[Out] (2\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*((a + b)\*B\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] + A\*(b\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)] + a\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)])))/(d\*Sqrt[a + b\*Cos[c + d\*x]])

**Maple [A]** time = 4.004, size = 247, normalized size = 1.4

$$-2 \frac{\sqrt{(2b(\cos(1/2 dx + c/2))^2 + a - b)(\sin(1/2 dx + c/2))^2} \sqrt{(\sin(1/2 dx + c/2))^2}}{\sqrt{-2b(\sin(1/2 dx + c/2))^4 + (a + b)(\sin(1/2 dx + c/2))^2 \sin(1/2 dx + c/2)} \sqrt{-2(\sin(1/2 dx + c/2))^2 b + a + bd}} \sqrt{2b(\cos(1/2 dx + c/2))^2 + a - b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x)

[Out] -2\*((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)/(a-b))^(1/2)\*(A\*b\*EllipticF(cos(1/2\*d\*x+1/2\*c),(-2\*b/(a-b))^(1/2))-a\*A\*EllipticPi(cos(1/2\*d\*x+1/2\*c),2,(-2\*b/(a-b))^(1/2))+B\*EllipticE(cos(1/2\*d\*x+1/2\*c),(-2\*b/(a-b))^(1/2))\*a-B\*EllipticE(cos(1/2\*d\*x+1/2\*c),(-2\*b/(a-b))^(1/2))\*b)/(-2\*b\*sin(1/2\*d\*x+1/2\*c)^4+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^2\*b+a+b)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="fricas")

[Out] Timed out



**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)} \sec(c + dx) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x)

[Out] Integral((A + B\*cos(c + d\*x))\*sqrt(a + b\*cos(c + d\*x))\*sec(c + d\*x), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c), x)

### 3.301 $\int \sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) \sec^2(c + dx) dx$

**Optimal.** Leaf size=213

$$\frac{(aA + 2bB)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}} + \frac{(2aB + Ab)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}} + \frac{A \tan(c+dx)\sqrt{a+b\cos(c+dx)}}{d}$$

[Out]  $-\left(\frac{A\sqrt{a+b\cos(c+dx)}\operatorname{EllipticE}\left[\frac{c+dx}{2}, \frac{2b}{a+b}\right]}{d\sqrt{a+b\cos(c+dx)}}\right) + \left(\frac{(aA+2bB)\sqrt{a+b\cos(c+dx)}\operatorname{EllipticF}\left[\frac{c+dx}{2}, \frac{2b}{a+b}\right]}{d\sqrt{a+b\cos(c+dx)}}\right) + \left(\frac{(Aa+2bB)\sqrt{a+b\cos(c+dx)}\operatorname{EllipticPi}\left[2, \frac{c+dx}{2}, \frac{2b}{a+b}\right]}{d\sqrt{a+b\cos(c+dx)}}\right) + \frac{A \tan(c+dx)\sqrt{a+b\cos(c+dx)}}{d}$

**Rubi [A]** time = 0.606732, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {2999, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(aA + 2bB)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}} + \frac{(2aB + Ab)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}\Pi\left(2;\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{d\sqrt{a+b\cos(c+dx)}} + \frac{A \tan(c+dx)\sqrt{a+b\cos(c+dx)}}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\text{Sqrt}[a + b\text{Cos}[c + dx]]*(A + B\text{Cos}[c + dx])*Sec[c + dx]^2, x]$

[Out]  $-\left(\frac{A\sqrt{a+b\cos(c+dx)}\operatorname{EllipticE}\left[\frac{c+dx}{2}, \frac{2b}{a+b}\right]}{d\sqrt{a+b\cos(c+dx)}}\right) + \left(\frac{(aA+2bB)\sqrt{a+b\cos(c+dx)}\operatorname{EllipticF}\left[\frac{c+dx}{2}, \frac{2b}{a+b}\right]}{d\sqrt{a+b\cos(c+dx)}}\right) + \left(\frac{(Aa+2bB)\sqrt{a+b\cos(c+dx)}\operatorname{EllipticPi}\left[2, \frac{c+dx}{2}, \frac{2b}{a+b}\right]}{d\sqrt{a+b\cos(c+dx)}}\right) + \frac{A \tan(c+dx)\sqrt{a+b\cos(c+dx)}}{d}$

#### Rule 2999

$\text{Int}[\left((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]\right)^{(m_.)}*\left((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]\right)^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[\left((B*a - A*b)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e + f*x])^n\right)/(f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/((m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e + f*x])^{(n-1)}*\text{Simp}[c*(a*A - b*B)*(m+1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m+1) - c*(A*b - a*B)*(m+2))*\text{Sin}[e + f*x] - d*(A*b - a*B)*(m+n+2)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 0]$

#### Rule 3059

$\text{Int}[\left((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2\right)/\left(\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]\right)*\left((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]\right), x\_Symbol] \rightarrow \text{Dist}[C/(b*d), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]], x], x] - \text{Dist}[1/(b*d), \text{Int}[\text{Simp}[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*\text{Sin}[e + f*x], x]/\left(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])\right), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

&& NeQ[c^2 - d^2, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 3002

Int[(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^m)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)], x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2807

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[Sqrt[(c + d\*Sin[e + f\*x])/(c + d)]/Sqrt[c + d\*Sin[e + f\*x]], Int[1/((a + b\*Sin[e + f\*x])\*Sqrt[c/(c + d) + (d\*Sin[e + f\*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

#### Rule 2805

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

#### Rubi steps

$$\int \sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) \sec^2(c + dx) dx = \frac{A\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} + \int \frac{\left(\frac{1}{2}(Ab + 2aB) + bB \cos(c + dx)\right)}{\sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{A\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} - \frac{1}{2}A \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{A\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} - \frac{1}{2}(-Ab - 2aB) \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx$$

$$= -\frac{A\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{A\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d}$$

$$= -\frac{A\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{(aA + 2bB)\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{d\sqrt{a + b \cos(c + dx)}}$$

**Mathematica [C]** time = 10.2451, size = 372, normalized size = 1.75

$$\frac{2(4aB+Ab)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + 4A \tan(c + dx) \sqrt{a + b \cos(c + dx)} - \frac{2iA \csc(c+dx) \sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}} \sqrt{\frac{b(\cos(c+dx)+1)}{b-a}} \left(b \Pi\left(\frac{a+b}{a}; i\right)\right)}{\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]
```

```
[Out] ((8*b*B*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(A*b + 4*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*A*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(b*(1 + Cos[c + d*x]))/(-a + b)]*Csc[c + d*x]*(-2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b))))/(a*b*Sqrt[-(a + b)^(-1)]) + 4*A*Sqrt[a + b*Cos[c + d*x]]*Tan[c + d*x])/(4*d)
```

**Maple [B]** time = 6.549, size = 746, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x)
```

```
[Out] -((-(-2*b*cos(1/2*d*x+1/2*c))^2-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*B*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-2*(A*b+B*a)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*si
```

$$\begin{aligned} & n(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)}) \\ & + 2*a*A*(-\cos(1/2*d*x+1/2*c)/a*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}) \\ & / (2*\cos(1/2*d*x+1/2*c)^2-1)+1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)} \\ & / (-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) \\ & - 1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)} / (-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) \\ & + 1/2/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)} / (-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * b * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) \\ & + 1/2/a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)} / (-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})) / \sin(1/2*d*x+1/2*c) / (-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)} / d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^2, x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^2, x)
```

### 3.302 $\int \sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) \sec^3(c + dx) dx$

**Optimal.** Leaf size=292

$$\frac{(4a^2A + 4abB - Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4ad\sqrt{a+b \cos(c+dx)}} + \frac{(4aB + Ab) \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{4ad} + \frac{(4aB + 3Ab)}{4}$$

```
[Out] -((A*b + 4*a*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(4*a*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + ((3*A*b + 4*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(4*d*Sqrt[a + b*Cos[c + d*x]]) + ((4*a^2*A - A*b^2 + 4*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(4*a*d*Sqrt[a + b*Cos[c + d*x]]) + ((A*b + 4*a*B)*Sqrt[a + b*Cos[c + d*x]]*Tan[c + d*x])/(4*a*d) + (A*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]*Tan[c + d*x])/(2*d)
```

**Rubi [A]** time = 0.954792, antiderivative size = 292, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$ , Rules used = {2999, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(4a^2A + 4abB - Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4ad\sqrt{a+b \cos(c+dx)}} + \frac{(4aB + Ab) \tan(c+dx) \sqrt{a+b \cos(c+dx)}}{4ad} + \frac{(4aB + 3Ab)}{4}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]
```

```
[Out] -((A*b + 4*a*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(4*a*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + ((3*A*b + 4*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(4*d*Sqrt[a + b*Cos[c + d*x]]) + ((4*a^2*A - A*b^2 + 4*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(4*a*d*Sqrt[a + b*Cos[c + d*x]]) + ((A*b + 4*a*B)*Sqrt[a + b*Cos[c + d*x]]*Tan[c + d*x])/(4*a*d) + (A*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]*Tan[c + d*x])/(2*d)
```

#### Rule 2999

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((B*a - A*b)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m + 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*Sin[e + f*x] - d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

#### Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
```

```

- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

### Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

### Rule 2655

```

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

### Rule 2653

```

Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

### Rule 3002

```

Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_))*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rule 2663

```

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]

```

### Rule 2661

```

Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

### Rule 2807

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e

```



+ f\*x]/(c + d)], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] :> Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\int \sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) \sec^3(c + dx) dx = \frac{A\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int \frac{\left(\frac{1}{2}(A + B \cos(c + dx))\right) \sqrt{a + b \cos(c + dx)} \sec^2(c + dx)}{d} dx$$

$$= \frac{(Ab + 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4ad} + \frac{A\sqrt{a + b \cos(c + dx)} \sec(c + dx)}{2d}$$

$$= \frac{(Ab + 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4ad} + \frac{A\sqrt{a + b \cos(c + dx)} \sec(c + dx)}{2d}$$

$$= \frac{(Ab + 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4ad} + \frac{A\sqrt{a + b \cos(c + dx)} \sec(c + dx)}{2d}$$

$$= -\frac{(Ab + 4aB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4ad \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{(Ab + 4aB)\sqrt{a + b \cos(c + dx)} \sec(c + dx)}{2d}$$

$$= -\frac{(Ab + 4aB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4ad \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{(Ab + 4aB)\sqrt{a + b \cos(c + dx)} \sec(c + dx)}{2d}$$

**Mathematica [C]** time = 4.12581, size = 420, normalized size = 1.44

$$\frac{2(8a^2A + 4abB - 3Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) - 2i(4aB + Ab) \csc(c+dx) \sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}} \sqrt{\frac{b(\cos(c+dx)+1)}{b-a}} \left(b \Pi\left(\frac{a+b}{a}; i \sinh^{-1}\left(\sqrt{-\frac{1}{a+b}} \sqrt{a+b \cos(c+dx)}\right)\right)\right)}{a \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3,x]

[Out] ((8\*A\*b\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] + (2\*(8\*a^2\*A - 3\*A\*b^2 + 4\*a\*b\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/(a\*Sqrt[a + b\*Cos[c + d\*x]])) - ((2\*I)\*(A\*b + 4\*a\*B)\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))]\*Sqrt[(b\*(1 + Cos[c + d\*x]))/(-a + b)]\*Csc[c + d\*x]\*(-2\*a\*(a - b)\*EllipticE[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*(-2\*a\*EllipticF[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*EllipticPi[(a + b)/a, I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)])))/(a^2\*b\*Sqrt[-(a + b)^(-1)]) + (4\*Sqrt[a + b\*Cos[c + d\*x]]\*(2\*a\*A + (A\*b + 4\*a\*B)\*Cos[c + d\*x]))

x])\*Sec[c + d\*x]\*Tan[c + d\*x])/a)/(16\*d)

**Maple [B]** time = 7.812, size = 1290, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x)

[Out] 
$$-(-(-2*b*\cos(1/2*d*x+1/2*c)^2-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*B*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})+2*(A*b+B*a)*(-\cos(1/2*d*x+1/2*c)/a*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)+1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+1/2/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+1/2/a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})+2*a*A*(-1/2*\cos(1/2*d*x+1/2*c)/a*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^2+3/4/a^2*b*\cos(1/2*d*x+1/2*c)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)-1/8*b/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+3/8/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-3/8/a^2*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})-3/8/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})*b^2))/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^3, x)

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^3, x)



```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n + 1)/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

### Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Ssin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Ssin[e + f*x]]*(c + d*Ssin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

### Rule 2655

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Ssin[c + d*x]]/Sqrt[(a + b*Ssin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Ssin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

### Rule 2653

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

### Rule 3002

```

Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])^n)/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Ssin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Ssin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rule 2663

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Ssin[c + d*x])/(a + b)]/Sqrt[a + b*Ssin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Ssin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]

```

### Rule 2661

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

### Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])]/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rubi steps

$$\int \sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) \sec^4(c + dx) dx = \frac{A\sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \left(\frac{1}{2}(Ab + 6aB)\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx) + \frac{A\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{12ad}\right) dx$$

$$= \frac{(16a^2A - 3Ab^2 + 6abB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24a^2d} + \frac{(16a^2A - 3Ab^2 + 6abB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24a^2d} + \frac{(16a^2A - 3Ab^2 + 6abB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24a^2d} + \frac{(16a^2A - 3Ab^2 + 6abB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24a^2d} + \frac{(16a^2A - 3Ab^2 + 6abB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{24a^2d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

$$= -\frac{(16a^2A - 3Ab^2 + 6abB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{24a^2d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

**Mathematica [C]** time = 6.50926, size = 635, normalized size = 1.68

$$\frac{\sqrt{a + b \cos(c + dx)} \left( \frac{\sec(c+dx)(16a^2A \sin(c+dx) + 6abB \sin(c+dx) - 3Ab^2 \sin(c+dx))}{24a^2} + \frac{\sec^2(c+dx)(6aB \sin(c+dx) + Ab \sin(c+dx))}{12a} + \frac{1}{3}A \tan(c + dx) \right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]
```

```
[Out] ((2*(4*a*A*b^2 + 24*a^2*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(8*a^2*A*b + 9*A*b^3 + 48*a^3*B - 18*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*(-16*a^2*
```

$$\frac{A*b + 3*A*b^3 - 6*a*b^2*B)*\text{Sqrt}[(b - b*\text{Cos}[c + d*x])/(a + b)]*\text{Sqrt}[-((b + b*\text{Cos}[c + d*x])/(a - b))]*\text{Cos}[2*(c + d*x)]*(2*a*(a - b)*\text{EllipticE}[I*\text{ArcSinh}[\text{Sqrt}[-(a + b)^{-1}]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]], (a + b)/(a - b)] + b*(2*a*\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[-(a + b)^{-1}]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]], (a + b)/(a - b)] - b*\text{EllipticPi}[(a + b)/a, I*\text{ArcSinh}[\text{Sqrt}[-(a + b)^{-1}]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]], (a + b)/(a - b)))*\text{Sin}[c + d*x]/(a*\text{Sqrt}[-(a + b)^{-1}]]*\text{Sqrt}[1 - \text{Cos}[c + d*x]^2]*\text{Sqrt}[-((a^2 - b^2 - 2*a*(a + b*\text{Cos}[c + d*x]) + (a + b*\text{Cos}[c + d*x])^2)/b^2)]*(2*a^2 - b^2 - 4*a*(a + b*\text{Cos}[c + d*x]) + 2*(a + b*\text{Cos}[c + d*x])^2))/(96*a^2*d) + (\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*((\text{Sec}[c + d*x]^2*(A*b*\text{Sin}[c + d*x] + 6*a*B*\text{Sin}[c + d*x]))/(12*a) + (\text{Sec}[c + d*x]*(16*a^2*A*\text{Sin}[c + d*x] - 3*A*b^2*\text{Sin}[c + d*x] + 6*a*b*B*\text{Sin}[c + d*x]))/(24*a^2) + (A*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/3))/3)/d$$

**Maple [B]** time = 11.474, size = 2213, normalized size = 5.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\text{cos}(d*x+c))^{1/2}*(A+B*\text{cos}(d*x+c))*\text{sec}(d*x+c)^4, x)$

[Out] 
$$\begin{aligned} & -(-(-2*b*\text{cos}(1/2*d*x+1/2*c)^2-a+b)*\text{sin}(1/2*d*x+1/2*c)^2)^{1/2}*(2*a*A*(-1/3 \\ & * \text{cos}(1/2*d*x+1/2*c)/a*(-2*b*\text{sin}(1/2*d*x+1/2*c)^4+(a+b)*\text{sin}(1/2*d*x+1/2*c)^2 \\ & )^{1/2}/(2*\text{cos}(1/2*d*x+1/2*c)^2-1)^3+5/12/a^2*b*\text{cos}(1/2*d*x+1/2*c)*(-2*b*\text{si} \\ & \text{in}(1/2*d*x+1/2*c)^4+(a+b)*\text{sin}(1/2*d*x+1/2*c)^2)^{1/2}/(2*\text{cos}(1/2*d*x+1/2*c)^ \\ & 2-1)^2-1/24*(16*a^2+15*b^2)/a^3*\text{cos}(1/2*d*x+1/2*c)*(-2*b*\text{sin}(1/2*d*x+1/2*c) \\ & ^4+(a+b)*\text{sin}(1/2*d*x+1/2*c)^2)^{1/2}/(2*\text{cos}(1/2*d*x+1/2*c)^2-1)+5/48*b^2/a^ \\ & 2*(\text{sin}(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\text{cos}(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2} \\ & /(-2*b*\text{sin}(1/2*d*x+1/2*c)^4+(a+b)*\text{sin}(1/2*d*x+1/2*c)^2)^{1/2}*\text{EllipticF}(\text{cos} \\ & (1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})+1/3*(\text{sin}(1/2*d*x+1/2*c)^2)^{1/2}*((2*b* \\ & \text{cos}(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\text{sin}(1/2*d*x+1/2*c)^4+(a+b)*\text{sin} \\ & (1/2*d*x+1/2*c)^2)^{1/2}*\text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})-1 \\ & /3*(\text{sin}(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\text{cos}(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2} \\ & )/(-2*b*\text{sin}(1/2*d*x+1/2*c)^4+(a+b)*\text{sin}(1/2*d*x+1/2*c)^2)^{1/2}*\text{EllipticE}(\text{co} \\ & \text{s}(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})+1/3/a*(\text{sin}(1/2*d*x+1/2*c)^2)^{1/2}*((2 \\ & *b*\text{cos}(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\text{sin}(1/2*d*x+1/2*c)^4+(a+b)* \\ & \text{sin}(1/2*d*x+1/2*c)^2)^{1/2}*b*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}) \\ & )-5/16/a^2*b^2*(\text{sin}(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\text{cos}(1/2*d*x+1/2*c)^2+a- \\ & b)/(a-b))^{1/2}/(-2*b*\text{sin}(1/2*d*x+1/2*c)^4+(a+b)*\text{sin}(1/2*d*x+1/2*c)^2)^{1/2} \\ & )*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})+5/16/a^3*(\text{sin}(1/2*d*x+1/ \\ & 2*c)^2)^{1/2}*((2*b*\text{cos}(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\text{sin}(1/2*d* \\ & x+1/2*c)^4+(a+b)*\text{sin}(1/2*d*x+1/2*c)^2)^{1/2}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), ( \\ & -2*b/(a-b))^{1/2})*b^3+1/4/a*b*(\text{sin}(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\text{cos}(1/2*d \\ & *x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\text{sin}(1/2*d*x+1/2*c)^4+(a+b)*\text{sin}(1/2*d*x+ \\ & 1/2*c)^2)^{1/2}*\text{EllipticPi}(\text{cos}(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{1/2})+5/16*b^ \\ & 3/a^3*(\text{sin}(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\text{cos}(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2} \\ & )/(-2*b*\text{sin}(1/2*d*x+1/2*c)^4+(a+b)*\text{sin}(1/2*d*x+1/2*c)^2)^{1/2}*\text{EllipticP} \\ & \text{i}(\text{cos}(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{1/2}))+2*B*b*(-\text{cos}(1/2*d*x+1/2*c)/a*(- \\ & 2*b*\text{sin}(1/2*d*x+1/2*c)^4+(a+b)*\text{sin}(1/2*d*x+1/2*c)^2)^{1/2}/(2*\text{cos}(1/2*d*x+1 \\ & /2*c)^2-1)+1/2*(\text{sin}(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\text{cos}(1/2*d*x+1/2*c)^2+a-b) \\ & / (a-b))^{1/2}/(-2*b*\text{sin}(1/2*d*x+1/2*c)^4+(a+b)*\text{sin}(1/2*d*x+1/2*c)^2)^{1/2})* \\ & \text{EllipticF}(\text{cos}(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})-1/2*(\text{sin}(1/2*d*x+1/2*c)^2) \\ & ^{1/2}*((2*b*\text{cos}(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\text{sin}(1/2*d*x+1/2*c) \\ & )^4+(a+b)*\text{sin}(1/2*d*x+1/2*c)^2)^{1/2}*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), (-2*b/(a \\ & -b))^{1/2})+1/2/a*(\text{sin}(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\text{cos}(1/2*d*x+1/2*c)^2+a \\ & -b)/(a-b))^{1/2}/(-2*b*\text{sin}(1/2*d*x+1/2*c)^4+(a+b)*\text{sin}(1/2*d*x+1/2*c)^2)^{1/2} \\ & )*b*\text{EllipticE}(\text{cos}(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})+1/2/a*b*(\text{sin}(1/2*d*x+ \end{aligned}$$

$$\begin{aligned} & \frac{1}{2}c)^2)^{1/2} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2} / (-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{1/2})) + 2*(A*b+B*a)*(-1/2*\cos(1/2*d*x+1/2*c)/a*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2} / (2*\cos(1/2*d*x+1/2*c)^2-1)^{1/2} + 3/4/a^2*b*\cos(1/2*d*x+1/2*c)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2} / (2*\cos(1/2*d*x+1/2*c)^2-1) - 1/8*b/a*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2} / (-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})) + 3/8/a*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2} / (-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2} * b*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}) - 3/8/a^2*b^2*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2} / (-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}) - 1/2*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2} / (-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{1/2}) - 3/8/a^2*(\sin(1/2*d*x+1/2*c)^2)^{1/2} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2} / (-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{1/2}) * b^2) / \sin(1/2*d*x+1/2*c) / (-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{1/2} / d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^4, x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*4,x)



[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^4, x)

### 3.304 $\int \cos^2(c + dx)(a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=378

$$\frac{2(-8a^2B + 18aAb - 49b^2B) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{315b^2d} - \frac{2(18a^2Ab - 8a^3B - 39ab^2B - 75Ab^3) \sin(c + dx)\sqrt{a + b \cos(c + dx)}}{315b^2d}$$

```
[Out] (-2*(18*a^3*A*b - 246*a*A*b^3 - 8*a^4*B - 33*a^2*b^2*B - 147*b^4*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(315*b^3*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + (2*(a^2 - b^2)*(18*a^2*A*b - 75*A*b^3 - 8*a^3*B - 39*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(315*b^3*d*Sqrt[a + b*Cos[c + d*x]]) - (2*(18*a^2*A*b - 75*A*b^3 - 8*a^3*B - 39*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(315*b^2*d) - (2*(18*a*A*b - 8*a^2*B - 49*b^2*B)*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(315*b^2*d) + (2*(9*A*b - 4*a*B)*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(63*b^2*d) + (2*B*Cos[c + d*x]*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(9*b*d)
```

**Rubi [A]** time = 0.733061, antiderivative size = 378, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2990, 3023, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(-8a^2B + 18aAb - 49b^2B) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{315b^2d} - \frac{2(18a^2Ab - 8a^3B - 39ab^2B - 75Ab^3) \sin(c + dx)\sqrt{a + b \cos(c + dx)}}{315b^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]),x]
```

```
[Out] (-2*(18*a^3*A*b - 246*a*A*b^3 - 8*a^4*B - 33*a^2*b^2*B - 147*b^4*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(315*b^3*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + (2*(a^2 - b^2)*(18*a^2*A*b - 75*A*b^3 - 8*a^3*B - 39*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(315*b^3*d*Sqrt[a + b*Cos[c + d*x]]) - (2*(18*a^2*A*b - 75*A*b^3 - 8*a^3*B - 39*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(315*b^2*d) - (2*(18*a*A*b - 8*a^2*B - 49*b^2*B)*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(315*b^2*d) + (2*(9*A*b - 4*a*B)*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(63*b^2*d) + (2*B*Cos[c + d*x]*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(9*b*d)
```

**Rule 2990**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :- Simp[(b*B*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Ssin[e + f*x])^(m - 2)*(c + d*Ssin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2753

```
Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] := -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f
*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m
+ a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a
, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
&& IntegerQ[2*m]
```

Rule 2752

```
Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/Sqrt[(a_) + (b_.)*sin[(e_.) + (
f_.)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \cos^2(c+dx)(a+b\cos(c+dx))^{3/2}(A+B\cos(c+dx))dx &= \frac{2B\cos(c+dx)(a+b\cos(c+dx))^{5/2}\sin(c+dx)}{9bd} + \frac{2\int(a+b\cos(c+dx))^{3/2}dx}{9bd} \\
&= \frac{2(9Ab-4aB)(a+b\cos(c+dx))^{5/2}\sin(c+dx)}{63b^2d} + \frac{2B\cos(c+dx)\int(a+b\cos(c+dx))^{3/2}dx}{63b^2d} \\
&= -\frac{2(18aAb-8a^2B-49b^2B)(a+b\cos(c+dx))^{3/2}\sin(c+dx)}{315b^2d} \\
&= -\frac{2(18a^2Ab-75Ab^3-8a^3B-39ab^2B)\sqrt{a+b\cos(c+dx)}}{315b^2d} \\
&= -\frac{2(18a^2Ab-75Ab^3-8a^3B-39ab^2B)\sqrt{a+b\cos(c+dx)}}{315b^2d} \\
&= -\frac{2(18a^2Ab-75Ab^3-8a^3B-39ab^2B)\sqrt{a+b\cos(c+dx)}}{315b^2d} \\
&= -\frac{2(18a^3Ab-246aAb^3-8a^4B-33a^2b^2B-147b^4B)\sqrt{a+b\cos(c+dx)}}{315b^3d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}
\end{aligned}$$

**Mathematica [A]** time = 1.44465, size = 291, normalized size = 0.77

$$b(a+b\cos(c+dx))\left((72a^2Ab-32a^3B+804ab^2B+690Ab^3)\sin(c+dx)+b\left(2(6a^2B+144aAb+133b^2B)\sin(2(c+dx))\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]),x]

[Out] (8\*sqrt[(a + b\*cos(c + d\*x))/(a + b)]\*(b^2\*(153\*a^2\*A\*b + 75\*A\*b^3 + 2\*a^3\*B + 186\*a\*b^2\*B)\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)] + (-18\*a^3\*A\*b + 246\*a\*A\*b^3 + 8\*a^4\*B + 33\*a^2\*b^2\*B + 147\*b^4\*B)\*((a + b)\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] - a\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)])) + b\*(a + b\*cos[c + d\*x])\*((72\*a^2\*A\*b + 690\*A\*b^3 - 32\*a^3\*B + 804\*a\*b^2\*B)\*Sin[c + d\*x] + b\*(2\*(144\*a\*A\*b + 6\*a^2\*B + 133\*b^2\*B)\*Sin[2\*(c + d\*x)] + 5\*b\*(2\*(9\*A\*b + 10\*a\*B)\*Sin[3\*(c + d\*x)] + 7\*b\*B\*Ssin[4\*(c + d\*x)])))/(1260\*b^3\*d\*sqrt[a + b\*cos[c + d\*x]])

**Maple [B]** time = 4.509, size = 1635, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x)

[Out] -2/315\*((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-1120\*B\*b^5\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^10+(720\*A\*b^5+1360\*B\*a\*b^4+2240\*B\*b^5)\*sin(1/2\*d\*x+1/2\*c)^8\*cos(1/2\*d\*x+1/2\*c)+(-936\*A\*a\*b^4-1080\*A\*b^5-424\*B\*a^2\*b^3-2040\*B\*a\*b^4-2072\*B\*b^5)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)

$$\begin{aligned}
&+(324*A*a^2*b^3+936*A*a*b^4+840*A*b^5-4*B*a^3*b^2+424*B*a^2*b^3+1568*B*a*b^4+952*B*b^5)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-18*A*a^3*b^2-162*A*a^2*b^3-384*A*a*b^4-240*A*b^5+8*B*a^4*b+2*B*a^3*b^2-282*B*a^2*b^3-444*B*a*b^4-168*B*b^5)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+18*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^4*b-93*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b^3+75*A*b^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-18*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^4*b+18*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3*b^2+246*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b^3-246*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^4-8*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^5-31*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3*b^2+39*a*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^4+8*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^5-8*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^4*b+33*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3*b^2-33*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b^3+147*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^4-147*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^5/b^3/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d
\end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)\*cos(d\*x + c)^2, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(dx + c)^4 + Aa \cos(dx + c)^2 + (Ba + Ab) \cos(dx + c)^3\right)\sqrt{b \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] integral((B*b*cos(d*x + c)^4 + A*a*cos(d*x + c)^2 + (B*a + A*b)*cos(d*x + c)^3)*sqrt(b*cos(d*x + c) + a), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*cos(d*x + c)^2, x)
```

### 3.305 $\int \cos(c + dx)(a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=297

$$\frac{2(-6a^2B + 21aAb + 25b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105bd} - \frac{2(a^2 - b^2)(-6a^2B + 21aAb + 25b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{c+dx}{2}, \frac{2b}{a+b}\right)}{105b^2d \sqrt{a + b \cos(c + dx)}}$$

```
[Out] (2*(21*a^2*A*b + 63*A*b^3 - 6*a^3*B + 82*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*
EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(105*b^2*d*Sqrt[(a + b*Cos[c + d*x])
/(a + b)]) - (2*(a^2 - b^2)*(21*a*A*b - 6*a^2*B + 25*b^2*B)*Sqrt[(a + b*Cos
[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(105*b^2*d*Sqrt[
a + b*Cos[c + d*x]]) + (2*(21*a*A*b - 6*a^2*B + 25*b^2*B)*Sqrt[a + b*Cos[c
+ d*x]]*Sin[c + d*x])/(105*b*d) + (2*(7*A*b - 2*a*B)*(a + b*Cos[c + d*x])^(
3/2)*Sin[c + d*x])/(35*b*d) + (2*B*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])
/(7*b*d)
```

**Rubi [A]** time = 0.527524, antiderivative size = 297, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$ , Rules used = {2968, 3023, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(-6a^2B + 21aAb + 25b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105bd} - \frac{2(a^2 - b^2)(-6a^2B + 21aAb + 25b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{c+dx}{2}, \frac{2b}{a+b}\right)}{105b^2d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]*(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]),x]
```

```
[Out] (2*(21*a^2*A*b + 63*A*b^3 - 6*a^3*B + 82*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*
EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(105*b^2*d*Sqrt[(a + b*Cos[c + d*x])
/(a + b)]) - (2*(a^2 - b^2)*(21*a*A*b - 6*a^2*B + 25*b^2*B)*Sqrt[(a + b*Cos
[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(105*b^2*d*Sqrt[
a + b*Cos[c + d*x]]) + (2*(21*a*A*b - 6*a^2*B + 25*b^2*B)*Sqrt[a + b*Cos[c
+ d*x]]*Sin[c + d*x])/(105*b*d) + (2*(7*A*b - 2*a*B)*(a + b*Cos[c + d*x])^(
3/2)*Sin[c + d*x])/(35*b*d) + (2*B*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])
/(7*b*d)
```

#### Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2753

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)]), x_Symbol] :> -Simp[(d*cos[e + f*x]*(a + b*sin[e + f*x])^m)/(f
*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*sin[e + f*x])^(m - 1)*Simp[b*d*m
+ a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a
, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
&& IntegerQ[2*m]
```

Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (
f_)*(x_)]], x_Symbol] :> Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[(a
+ b*sin[c + d*x])/(a + b)]/Sqrt[a + b*sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Dist[Sqrt[a +
b*sin[c + d*x]]/Sqrt[(a + b*sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps



$$\begin{aligned}
\int \cos(c+dx)(a+b\cos(c+dx))^{3/2}(A+B\cos(c+dx))dx &= \int (a+b\cos(c+dx))^{3/2}(A\cos(c+dx)+B\cos^2(c+dx))dx \\
&= \frac{2B(a+b\cos(c+dx))^{5/2}\sin(c+dx)}{7bd} + \frac{2\int(a+b\cos(c+dx))^{3/2}\sin(c+dx)dx}{35bd} \\
&= \frac{2(7Ab-2aB)(a+b\cos(c+dx))^{3/2}\sin(c+dx)}{35bd} + \frac{2B(a+b\cos(c+dx))^{5/2}\sin(c+dx)}{105bd} \\
&= \frac{2(21aAb-6a^2B+25b^2B)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{105bd} \\
&= \frac{2(21aAb-6a^2B+25b^2B)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{105bd} \\
&= \frac{2(21aAb-6a^2B+25b^2B)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{105bd} \\
&= \frac{2(21a^2Ab+63Ab^3-6a^3B+82ab^2B)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{105b^2d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}
\end{aligned}$$

**Mathematica [A]** time = 1.00906, size = 233, normalized size = 0.78

$$b(a+b\cos(c+dx))\left((12a^2B+168aAb+115b^2B)\sin(c+dx)+3b(2(8aB+7Ab)\sin(2(c+dx))+5bB\sin(3(c+dx)))\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]), x]

[Out] (4\*sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*(b^2\*(84\*a\*A\*b + 51\*a^2\*B + 25\*b^2\*B)\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)] + (21\*a^2\*A\*b + 63\*A\*b^3 - 6\*a^3\*B + 82\*a\*b^2\*B)\*((a + b)\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] - a\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)])) + b\*(a + b\*Cos[c + d\*x])\*((168\*a\*A\*b + 12\*a^2\*B + 115\*b^2\*B)\*Sin[c + d\*x] + 3\*b\*(2\*(7\*A\*b + 8\*a\*B)\*Sin[2\*(c + d\*x)] + 5\*b\*B\*Sin[3\*(c + d\*x)])))/(210\*b^2\*d\*sqrt[a + b\*Cos[c + d\*x]])

**Maple [B]** time = 4.073, size = 1305, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)), x)

[Out] -2/105\*((2\*b\*cos(1/2\*d\*x+1/2\*c))^2+a-b)\*sin(1/2\*d\*x+1/2\*c)^2^(1/2)\*(240\*B\*b^4\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8+(-168\*A\*b^4-312\*B\*a\*b^3-360\*B\*b^4)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+(252\*A\*a\*b^3+168\*A\*b^4+108\*B\*a^2\*b^2+312\*B\*a\*b^3+280\*B\*b^4)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-84\*A\*a^2\*b^2-126\*A\*a\*b^3-42\*A\*b^4-6\*B\*a^3\*b-54\*B\*a^2\*b^2-128\*B\*a\*b^3-80\*B\*b^4)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)-21\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c))

$c), (-2*b/(a-b))^{(1/2)} * a^3*b + 21*a*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * b^3 + 21*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a^3*b - 21*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a^2*b^2 + 63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a*b^3 - 63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * b^4 + 6*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a^4 - 31*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a^2*b^2 + 25*B*b^4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) - 6*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a^4 + 6*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a^3*b + 82*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a^2*b^2 - 82*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a*b^3 / b^2 / (-2*b*\sin(1/2*d*x+1/2*c)^4 + (a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)} / d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)\*cos(d\*x + c), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( (Bb \cos(dx + c)^3 + Aa \cos(dx + c) + (Ba + Ab) \cos(dx + c)^2) \sqrt{b \cos(dx + c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^3 + A\*a\*cos(d\*x + c) + (B\*a + A\*b)\*cos(d\*x + c)^2)\*sqrt(b\*cos(d\*x + c) + a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

### 3.306 $\int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=225

$$\frac{2(a^2 - b^2)(3aB + 5Ab)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{15bd\sqrt{a+b\cos(c+dx)}} + \frac{2(3a^2B + 20aAb + 9b^2B)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{15bd\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}$$

[Out]  $(2*(20*a*A*b + 3*a^2*B + 9*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(15*b*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - (2*(a^2 - b^2)*(5*A*b + 3*a*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(15*b*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*(5*A*b + 3*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*d) + (2*B*(a + b*\text{Cos}[c + d*x])^(3/2)*\text{Sin}[c + d*x])/(5*d)$

**Rubi [A]** time = 0.352248, antiderivative size = 225, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$ , Rules used = {2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(a^2 - b^2)(3aB + 5Ab)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{15bd\sqrt{a+b\cos(c+dx)}} + \frac{2(3a^2B + 20aAb + 9b^2B)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{15bd\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])^(3/2)*(A + B*\text{Cos}[c + d*x]), x]$

[Out]  $(2*(20*a*A*b + 3*a^2*B + 9*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(15*b*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) - (2*(a^2 - b^2)*(5*A*b + 3*a*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(15*b*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*(5*A*b + 3*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*d) + (2*B*(a + b*\text{Cos}[c + d*x])^(3/2)*\text{Sin}[c + d*x])/(5*d)$

#### Rule 2753

$\text{Int}[(a + b*\sin[e + f*x])^m*((c + d*\sin[e + f*x]) + (f*(x_1)))]$ , x\_Symbol]  $\rightarrow$   $-\text{Simp}[(d*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[1/(m + 1), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m-1}*\text{Simp}[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*\text{Sin}[e + f*x], x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

#### Rule 2752

$\text{Int}[(c + d*\sin[e + f*x])/Sqrt[(a + b*\sin[e + f*x]) + (f*(x_1))]]$ , x\_Symbol]  $\rightarrow$   $\text{Dist}[(b*c - a*d)/b, \text{Int}[1/Sqrt[a + b*\text{Sin}[e + f*x]], x], x] + \text{Dist}[d/b, \text{Int}[Sqrt[a + b*\text{Sin}[e + f*x]], x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

#### Rule 2663

$\text{Int}[1/Sqrt[(a + b*\sin[c + d*x])/(a + b)]]$ , x\_Symbol]  $\rightarrow$   $\text{Dist}[Sqrt[(a + b*\text{Sin}[c + d*x])/(a + b)]/Sqrt[a + b*\text{Sin}[c + d*x]], \text{Int}[1/Sqrt[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /;$  FreeQ[{a, b, c, d}, x] && NeQ[a^2 -

b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx &= \frac{2B(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{2}{5} \int \sqrt{a + b \cos(c + dx)} \left( \frac{1}{2}(5A + 3B) \right) dx \\ &= \frac{2(5Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2B(a + b \cos(c + dx))^{3/2}}{5d} \\ &= \frac{2(5Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2B(a + b \cos(c + dx))^{3/2}}{5d} \\ &= \frac{2(5Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2B(a + b \cos(c + dx))^{3/2}}{5d} \\ &= \frac{2(20aAb + 3a^2B + 9b^2B)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{15bd\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{2B(a + b \cos(c + dx))^{3/2}}{5d} \end{aligned}$$

**Mathematica [A]** time = 0.733757, size = 203, normalized size = 0.9

$$\frac{2 \left( b \left( 15a^2A + 12abB + 5Ab^2 \right) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + \left( 3a^2B + 20aAb + 9b^2B \right) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \left( (a + b) E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) \right) \right)}{15bd\sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]),x]

[Out] (2\*(b\*(15\*a^2\*A + 5\*A\*b^2 + 12\*a\*b\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)] + (20\*a\*A\*b + 3\*a^2\*B + 9\*b^2\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*((a + b)\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] - a\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]) + b\*(a + b\*Cos[c + d\*x])\*(5\*A\*b + 6\*a\*B + 3\*b\*B\*Cos[c + d\*x])\*Sin[c + d\*x))/(15\*b\*d\*Sqrt[a + b\*Cos[c + d\*x]])

---

**Maple [B]** time = 4.003, size = 993, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x)`

[Out] 
$$-2/15*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-24*B*b^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(20*A*b^3+36*B*a*b^2+24*B*b^3)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-10*A*a*b^2-10*A*b^3-12*B*a^2*b-18*B*a*b^2-6*B*b^3)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-5*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b+5*A*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+20*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b-20*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^2-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3+3*a*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^2+3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3-3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b+9*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^2-9*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^3)/b/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2), x)`

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right)\sqrt{b \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")`

[Out]  $\text{integral}((B*b*\cos(d*x + c))^2 + A*a + (B*a + A*b)*\cos(d*x + c))*\text{sqrt}(b*\cos(d*x + c) + a), x)$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b*\cos(d*x+c))^{3/2}*(A+B*\cos(d*x+c)), x)$

[Out] Timed out

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b*\cos(d*x+c))^{3/2}*(A+B*\cos(d*x+c)), x, \text{algorithm}="giac")$

[Out] Timed out

### 3.307 $\int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec(c + dx) dx$

**Optimal.** Leaf size=236

$$\frac{2(a^2(-B) + 3aAb + b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3d\sqrt{a+b \cos(c+dx)}} + \frac{2a^2 A \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}} + \frac{2(4aB + 3Ab)\sqrt{a-b}}{3d}$$

```
[Out] (2*(3*A*b + 4*a*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(3*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + (2*(3*a*A*b - a^2*B + b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(3*d*Sqrt[a + b*Cos[c + d*x]]) + (2*a^2*A*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(d*Sqrt[a + b*Cos[c + d*x]]) + (2*b*B*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3*d)
```

**Rubi [A]** time = 0.707682, antiderivative size = 236, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.29$ , Rules used = {2990, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{2(a^2(-B) + 3aAb + b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3d\sqrt{a+b \cos(c+dx)}} + \frac{2a^2 A \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}} + \frac{2(4aB + 3Ab)\sqrt{a-b}}{3d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x], x]
```

```
[Out] (2*(3*A*b + 4*a*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(3*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + (2*(3*a*A*b - a^2*B + b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(3*d*Sqrt[a + b*Cos[c + d*x]]) + (2*a^2*A*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(d*Sqrt[a + b*Cos[c + d*x]]) + (2*b*B*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3*d)
```

#### Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

#### Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
```



[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]  
&& NeQ[c^2 - d^2, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 3002

Int[(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]))/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2807

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[Sqrt[(c + d\*Sin[e + f\*x])/(c + d)]/Sqrt[c + d\*Sin[e + f\*x]], Int[1/((a + b\*Sin[e + f\*x])\*Sqrt[c/(c + d) + (d\*Sin[e + f\*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

#### Rule 2805

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{2bB\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{2}{3} \int \left( \frac{3a^2A}{2} + \frac{1}{2} (6aAb \right. \\
&= \frac{2bB\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} - \frac{2 \int \left( -\frac{3}{2}a^2Ab - \frac{1}{2}b(3aAb - a^2) \right.}{\sqrt{a + b \cos(c + dx)}} \\
&= \frac{2bB\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + (a^2A) \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} \\
&= \frac{2(3Ab + 4aB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2bB\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} \\
&= \frac{2(3Ab + 4aB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2(3a^2A + 4aAb)}{3d}
\end{aligned}$$

**Mathematica [C]** time = 2.44486, size = 406, normalized size = 1.72

$$\frac{4(3a^2B + 6aAb + b^2B)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{2(6a^2A + 4abB + 3Ab^2)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{2i(4aB + 3Ab) \csc(c+dx) \sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}} \sqrt{\frac{b}{a+b}}}{\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^(3/2)\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x], x]

[Out] ((4\*(6\*a\*A\*b + 3\*a^2\*B + b^2\*B)\*Sqrt[(a + b\*cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*cos[c + d\*x]] + (2\*(6\*a^2\*A + 3\*A\*b^2 + 4\*a\*b\*B)\*Sqrt[(a + b\*cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*cos[c + d\*x]] + ((2\*I)\*(3\*A\*b + 4\*a\*B)\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))]\*Sqrt[(b\*(1 + Cos[c + d\*x]))/(-a + b)]\*Cs c[c + d\*x]\*(-2\*a\*(a - b)\*EllipticE[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*cos[c + d\*x]]], (a + b)/(a - b)] + b\*(-2\*a\*EllipticF[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*cos[c + d\*x]]], (a + b)/(a - b)] + b\*EllipticPi[(a + b)/a, I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*cos[c + d\*x]]], (a + b)/(a - b)])))/(a\*b\*Sqrt[-(a + b)^(-1)]) + 4\*b\*B\*Sqrt[a + b\*cos[c + d\*x]]\*Sin[c + d\*x])/(6\*d)

**Maple [B]** time = 4.046, size = 738, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c), x)

[Out] -2/3\*((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(4\*B\*cos(1/2\*d\*x+1/2\*c)^5\*b^2+3\*A\*a\*b\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)/(a-b))^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))+3\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)/(a-b))^(1/2))

$$\begin{aligned} & /2) * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a*b - 3*A * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * b^2 - 3*a^2 * A * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)}) + 2*B*\cos(1/2*d*x+1/2*c)^3 * a*b - 6*B*\cos(1/2*d*x+1/2*c)^3 * b^2 - B * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a^2 + B*b^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) + 4*B * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a^2 - 4*B * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a*b - 2*B*\cos(1/2*d*x+1/2*c) * a*b + 2*B*\cos(1/2*d*x+1/2*c) * b^2) / (-2*b*\sin(1/2*d*x+1/2*c)^4 + (a+b) * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (-2*\sin(1/2*d*x+1/2*c)^2 * b + a + b)^{(1/2)} / d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sec(d*x + c), x)
```

$$3.308 \quad \int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=232

$$\frac{(a^2 A + 2abB + 2Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a+b \cos(c+dx)}} - \frac{(aA - 2bB) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{a(2aB + 3b^2)}{d}$$

```
[Out] -(((a*A - 2*b*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)])/(d*Sqrt[(a + b*Cos[c + d*x])/(a + b)])) + ((a^2*A + 2*A*b^2 + 2*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)])/(d*Sqrt[a + b*Cos[c + d*x]]) + (a*(3*A*b + 2*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(d*Sqrt[a + b*Cos[c + d*x]])) + (a*A*Sqrt[a + b*Cos[c + d*x]]*Tan[c + d*x])/d
```

**Rubi [A]** time = 0.685552, antiderivative size = 232, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {2989, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(a^2 A + 2abB + 2Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a+b \cos(c+dx)}} - \frac{(aA - 2bB) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{a(2aB + 3b^2)}{d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]
```

```
[Out] -(((a*A - 2*b*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)])/(d*Sqrt[(a + b*Cos[c + d*x])/(a + b)])) + ((a^2*A + 2*A*b^2 + 2*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)])/(d*Sqrt[a + b*Cos[c + d*x]]) + (a*(3*A*b + 2*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(d*Sqrt[a + b*Cos[c + d*x]])) + (a*A*Sqrt[a + b*Cos[c + d*x]]*Tan[c + d*x])/d
```

#### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

#### Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
```

```
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

#### Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :=> Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

#### Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :=> Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rule 3002

```
Int[(((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_)
+ (f_)*(x_)]))/((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :=> Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :=> Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

#### Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] :=> Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rule 2807

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] :=> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

#### Rule 2805

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] :=> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \frac{aA\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} + \int \frac{\left(\frac{1}{2}a(3Ab + 2aB) - \frac{1}{2}ab(3Ab + 2aB) - \frac{1}{2}a^2\right)}{d} dx \\
&= \frac{aA\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} - \int \frac{\left(-\frac{1}{2}ab(3Ab + 2aB) - \frac{1}{2}a^2\right)}{d} dx \\
&= \frac{aA\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{d} + \frac{1}{2}(a(3Ab + 2aB)) \\
&= -\frac{(aA - 2bB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{aA}{d} \\
&= -\frac{(aA - 2bB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{a^2}{d}
\end{aligned}$$

**Mathematica [C]** time = 2.44529, size = 398, normalized size = 1.72

$$\frac{2(4a^2B + 5aAb + 2b^2B)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{8b(2aB + Ab)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{2i(2bB - aA) \csc(c+dx) \sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}} \sqrt{\frac{b(\cos(c+dx)-1)}{a+b}}}{\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^(3/2)\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^2,x]

[Out] ((8\*b\*(A\*b + 2\*a\*B)\*Sqrt[(a + b\*cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*cos[c + d\*x]] + (2\*(5\*a\*A\*b + 4\*a^2\*B + 2\*b^2\*B)\*Sqrt[(a + b\*cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*cos[c + d\*x]] + ((2\*I)\*(-(a\*A) + 2\*b\*B)\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))]\*Sqrt[(b\*(1 + Cos[c + d\*x]))/(-a + b)]\*Csc[c + d\*x]\*(-2\*a\*(a - b)\*EllipticE[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*cos[c + d\*x]]], (a + b)/(a - b)] + b\*(-2\*a\*EllipticF[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*cos[c + d\*x]]], (a + b)/(a - b)] + b\*EllipticPi[(a + b)/a, I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*cos[c + d\*x]]], (a + b)/(a - b)])))/(a\*b\*Sqrt[-(a + b)^(-1)]) + 4\*a\*A\*Sqrt[a + b\*cos[c + d\*x]]\*Tan[c + d\*x]/(4\*d)

**Maple [B]** time = 4.417, size = 1167, normalized size = 5.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x)

[Out] -((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(4\*A\*a\*b\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4+(-2\*A\*a^2-2\*A\*a\*b)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)-2\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(A\*EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))^2)\*a^2+2\*A\*EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*b^2-A\*Elliptic

$$\begin{aligned}
& E(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a^2 + A * \text{EllipticE}(\cos(1/2*d*x+1/2*c), \\
& (-2*b/(a-b))^{(1/2)}) * a * b - 3 * A * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)}) \\
& * a * b + 2 * B * \text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a * b + 2 * B * \text{EllipticE}(\cos(1/2*d*x+ \\
& 1/2*c), (-2*b/(a-b))^{(1/2)}) * a * b - 2 * B * \text{EllipticE}(\cos(1/2*d*x+ \\
& 1/2*c), (-2*b/(a-b))^{(1/2)}) * b^2 - 2 * B * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a \\
& -b))^{(1/2)}) * a^2 * \sin(1/2*d*x+1/2*c)^2 + A * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/ \\
& (a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), \\
& (-2*b/(a-b))^{(1/2)}) * a^2 + 2 * A * b^2 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b) * \sin \\
& (1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a \\
& -b))^{(1/2)}) - A * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b) * \sin(1/2*d*x+1/2*c)^2 \\
& + (a+b)/(a-b))^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * a^2 + A * \\
& (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), \\
& (-2*b/(a-b))^{(1/2)}) * a * b - 3 * A * (\sin(1/2*d*x \\
& +1/2*c)^2)^{(1/2)} * (-2*b/(a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{Elliptic} \\
& \text{Pi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)}) * a * b + 2 * B * a * b * (\sin(1/2*d*x+1/2* \\
& c)^2)^{(1/2)} * (-2*b/(a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticF}(c \\
& \cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) + 2 * B * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2* \\
& b/(a-b) * \sin(1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c \\
& ), (-2*b/(a-b))^{(1/2)}) * a * b - 2 * B * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b) * \sin( \\
& 1/2*d*x+1/2*c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b \\
& ))^{(1/2)}) * b^2 - 2 * B * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*b/(a-b) * \sin(1/2*d*x+1/2* \\
& c)^2 + (a+b)/(a-b))^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)}) \\
& * a^2) / (2 * \cos(1/2*d*x+1/2*c)^2 - 1) / (-2 * b * \sin(1/2*d*x+1/2*c)^4 + (a+b) * \sin(1/2*d \\
& *x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (-2 * \sin(1/2*d*x+1/2*c)^2 * b + a + b)^{(1/2)} \\
& / d
\end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^2, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^2, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^2,x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*a + (B\*a + A\*b)\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^2, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^2, x)
```

### 3.309 $\int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx$

**Optimal.** Leaf size=295

$$\frac{(4a^2B + 7aAb + 8b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a+b \cos(c+dx)}} + \frac{(4a^2A + 12abB + 3Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a+b \cos(c+dx)}} + \dots$$

[Out]  $-\left(\left(5A^2b + 4a^2B\right)\sqrt{a + b\cos[c + dx]}\operatorname{EllipticE}\left[\frac{c + dx}{2}, \frac{2b}{a + b}\right]\right)/\left(4d\sqrt{a + b\cos[c + dx]}\right) + \left(\left(7a^2Ab + 4a^2B^2 + 8b^2B\right)\sqrt{a + b\cos[c + dx]}\operatorname{EllipticF}\left[\frac{c + dx}{2}, \frac{2b}{a + b}\right]\right)/\left(4d\sqrt{a + b\cos[c + dx]}\right) + \left(\left(4a^2A + 3A^2b^2 + 12a^2bB\right)\sqrt{a + b\cos[c + dx]}\operatorname{EllipticPi}\left[2, \frac{c + dx}{2}, \frac{2b}{a + b}\right]\right)/\left(4d\sqrt{a + b\cos[c + dx]}\right) + \left(\left(5A^2b + 4a^2B\right)\sqrt{a + b\cos[c + dx]}\operatorname{Tan}\left[\frac{c + dx}{2}\right]\right)/\left(4d\right) + \left(aA\sqrt{a + b\cos[c + dx]}\operatorname{Sec}\left[\frac{c + dx}{2}\right]\operatorname{Tan}\left[\frac{c + dx}{2}\right]\right)/\left(2d\right)$

**Rubi [A]** time = 1.05807, antiderivative size = 295, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$ , Rules used = {2989, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(4a^2B + 7aAb + 8b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a+b \cos(c+dx)}} + \frac{(4a^2A + 12abB + 3Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a+b \cos(c+dx)}} + \dots$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(a + b\cos[c + dx])^{3/2}(A + B\cos[c + dx])\sec^3[c + dx], x]$

[Out]  $-\left(\left(5A^2b + 4a^2B\right)\sqrt{a + b\cos[c + dx]}\operatorname{EllipticE}\left[\frac{c + dx}{2}, \frac{2b}{a + b}\right]\right)/\left(4d\sqrt{a + b\cos[c + dx]}\right) + \left(\left(7a^2Ab + 4a^2B^2 + 8b^2B\right)\sqrt{a + b\cos[c + dx]}\operatorname{EllipticF}\left[\frac{c + dx}{2}, \frac{2b}{a + b}\right]\right)/\left(4d\sqrt{a + b\cos[c + dx]}\right) + \left(\left(4a^2A + 3A^2b^2 + 12a^2bB\right)\sqrt{a + b\cos[c + dx]}\operatorname{EllipticPi}\left[2, \frac{c + dx}{2}, \frac{2b}{a + b}\right]\right)/\left(4d\sqrt{a + b\cos[c + dx]}\right) + \left(\left(5A^2b + 4a^2B\right)\sqrt{a + b\cos[c + dx]}\operatorname{Tan}\left[\frac{c + dx}{2}\right]\right)/\left(4d\right) + \left(aA\sqrt{a + b\cos[c + dx]}\operatorname{Sec}\left[\frac{c + dx}{2}\right]\operatorname{Tan}\left[\frac{c + dx}{2}\right]\right)/\left(2d\right)$

#### Rule 2989

$\operatorname{Int}[(a + b\sin[e + f*x])^m((A + B\sin[e + f*x]) + (f + g*x))^{n-1}, x] := -\operatorname{Simp}[(b*c - a*d)(B*c - A*d)\cos[e + f*x](a + b\sin[e + f*x])^{m-1}(c + d\sin[e + f*x])^{n-1}]/(d*f*(n+1)*(c^2 - d^2)), x] + \operatorname{Dist}[1/(d*(n+1)*(c^2 - d^2)), \operatorname{Int}[(a + b\sin[e + f*x])^{m-2}(c + d\sin[e + f*x])^{n-1}]\operatorname{Simp}[b*(b*c - a*d)(B*c - A*d)(m-1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n+1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n+1) - a*(b*c - a*d)(B*c - A*d)*(n+2)]\sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m+n+1) - b*B*(c^2*m + d^2*(n+1)))]\sin[e + f*x]^2, x], x] /;$   
 $\operatorname{FreeQ}\{a, b, c, d, e, f, A, B\}, x \&\& \operatorname{NeQ}[b*c - a*d, 0] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{GtQ}[m, 1] \&\& \operatorname{LtQ}[n, -1]$

#### Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n + 1)/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

### Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Ssin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Ssin[e + f*x]]*(c + d*Ssin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

### Rule 2655

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Ssin[c + d*x]]/Sqrt[(a + b*Ssin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Ssin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

### Rule 2653

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

### Rule 3002

```

Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Ssin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Ssin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rule 2663

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Ssin[c + d*x])/(a + b)]/Sqrt[a + b*Ssin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Ssin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]

```

### Rule 2661

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

### Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])]/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

### Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx &= \frac{aA\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int \frac{\left(\frac{1}{2}a\right)}{\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{(5Ab + 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} + \frac{aA\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} \\ &= \frac{(5Ab + 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} + \frac{aA\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} \\ &= \frac{(5Ab + 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} + \frac{aA\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2d} \\ &= -\frac{(5Ab + 4aB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{(5Ab + 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} \\ &= -\frac{(5Ab + 4aB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{(7aA + 4bB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} \end{aligned}$$

**Mathematica [C]** time = 4.79466, size = 422, normalized size = 1.43

$$\frac{2(8a^2A + 20abB + Ab^2)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{8b(aA + 4bB)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + 4 \tan(c + dx) \sec(c + dx) \sqrt{a + b \cos(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]
```

```
[Out] ((8*b*(a*A + 4*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/
2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(8*a^2*A + A*b^2 + 20*a*b*B)
*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a +
b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*(5*A*b + 4*a*B)*Sqrt[-((b*(-1 + Cos
[c + d*x]))/(a + b))]*Sqrt[(b*(1 + Cos[c + d*x]))/(-a + b)]*Csc[c + d*x]*(-
2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]
]], (a + b)/(a - b) + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt
[a + b*Cos[c + d*x]]], (a + b)/(a - b) + b*EllipticPi[(a + b)/a, I*ArcSinh
```

$$\frac{(\sqrt{-(a+b)^{-1}} \sqrt{a+b \cos[c+dx]}) \left( \frac{a+b}{a-b} \right)}{(a+b \sqrt{-(a+b)^{-1}}) + 4 \sqrt{a+b \cos[c+dx]} (2aA + (5Ab + 4aB) \cos[c+dx]) \sec[c+dx] \tan[c+dx]} / (16d)$$

**Maple [B]** time = 9.067, size = 1403, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (a+b \cos(dx+c))^{3/2} (A+B \cos(dx+c)) \sec(dx+c)^3 dx$

[Out] 
$$\begin{aligned} & -(-(-2b \cos(1/2 dx + 1/2 c))^{2-a+b} \sin(1/2 dx + 1/2 c)^2)^{1/2} (2b^2 B (\sin(1/2 dx + 1/2 c)^2)^{1/2} ((2b \cos(1/2 dx + 1/2 c))^{2+a-b} / (a-b))^{1/2} / (-2b \sin(1/2 dx + 1/2 c)^4 + (a+b) \sin(1/2 dx + 1/2 c)^2)^{1/2} \text{EllipticF}(\cos(1/2 dx + 1/2 c), (-2b/(a-b))^{1/2}) - 2b(Ab + 2Ba) (\sin(1/2 dx + 1/2 c)^2)^{1/2} \\ & * ((2b \cos(1/2 dx + 1/2 c))^{2+a-b} / (a-b))^{1/2} / (-2b \sin(1/2 dx + 1/2 c)^4 + (a+b) \sin(1/2 dx + 1/2 c)^2)^{1/2} \text{EllipticPi}(\cos(1/2 dx + 1/2 c), 2, (-2b/(a-b))^{1/2}) + 2a(2Ab + Ba) (-\cos(1/2 dx + 1/2 c) / a (-2b \sin(1/2 dx + 1/2 c)^4 + (a+b) \sin(1/2 dx + 1/2 c)^2)^{1/2} / (2 \cos(1/2 dx + 1/2 c)^2 - 1) + 1/2 (\sin(1/2 dx + 1/2 c)^2)^{1/2} \\ & * ((2b \cos(1/2 dx + 1/2 c))^{2+a-b} / (a-b))^{1/2} / (-2b \sin(1/2 dx + 1/2 c)^4 + (a+b) \sin(1/2 dx + 1/2 c)^2)^{1/2} \text{EllipticF}(\cos(1/2 dx + 1/2 c), (-2b/(a-b))^{1/2}) - 1/2 (\sin(1/2 dx + 1/2 c)^2)^{1/2} * ((2b \cos(1/2 dx + 1/2 c))^{2+a-b} / (a-b))^{1/2} / (-2b \sin(1/2 dx + 1/2 c)^4 + (a+b) \sin(1/2 dx + 1/2 c)^2)^{1/2} \\ & * \text{EllipticE}(\cos(1/2 dx + 1/2 c), (-2b/(a-b))^{1/2}) + 1/2 a (\sin(1/2 dx + 1/2 c)^2)^{1/2} * ((2b \cos(1/2 dx + 1/2 c))^{2+a-b} / (a-b))^{1/2} / (-2b \sin(1/2 dx + 1/2 c)^4 + (a+b) \sin(1/2 dx + 1/2 c)^2)^{1/2} \\ & * \text{EllipticPi}(\cos(1/2 dx + 1/2 c), 2, (-2b/(a-b))^{1/2}) + 2a^2 A (-1/2 \cos(1/2 dx + 1/2 c) / a (-2b \sin(1/2 dx + 1/2 c)^4 + (a+b) \sin(1/2 dx + 1/2 c)^2)^{1/2} / (2 \cos(1/2 dx + 1/2 c)^2 - 1)^2 + 3/4 a^2 b \cos(1/2 dx + 1/2 c) \\ & * (-2b \sin(1/2 dx + 1/2 c)^4 + (a+b) \sin(1/2 dx + 1/2 c)^2)^{1/2} / (2 \cos(1/2 dx + 1/2 c)^2 - 1) - 1/8 b / a (\sin(1/2 dx + 1/2 c)^2)^{1/2} * ((2b \cos(1/2 dx + 1/2 c))^{2+a-b} / (a-b))^{1/2} / (-2b \sin(1/2 dx + 1/2 c)^4 + (a+b) \sin(1/2 dx + 1/2 c)^2)^{1/2} \\ & * \text{EllipticF}(\cos(1/2 dx + 1/2 c), (-2b/(a-b))^{1/2}) + 3/8 a (\sin(1/2 dx + 1/2 c)^2)^{1/2} * ((2b \cos(1/2 dx + 1/2 c))^{2+a-b} / (a-b))^{1/2} / (-2b \sin(1/2 dx + 1/2 c)^4 + (a+b) \sin(1/2 dx + 1/2 c)^2)^{1/2} \\ & * b \text{EllipticE}(\cos(1/2 dx + 1/2 c), (-2b/(a-b))^{1/2}) - 3/8 a^2 b^2 (\sin(1/2 dx + 1/2 c)^2)^{1/2} * ((2b \cos(1/2 dx + 1/2 c))^{2+a-b} / (a-b))^{1/2} / (-2b \sin(1/2 dx + 1/2 c)^4 + (a+b) \sin(1/2 dx + 1/2 c)^2)^{1/2} \\ & * \text{EllipticE}(\cos(1/2 dx + 1/2 c), (-2b/(a-b))^{1/2}) - 1/2 (\sin(1/2 dx + 1/2 c)^2)^{1/2} * ((2b \cos(1/2 dx + 1/2 c))^{2+a-b} / (a-b))^{1/2} / (-2b \sin(1/2 dx + 1/2 c)^4 + (a+b) \sin(1/2 dx + 1/2 c)^2)^{1/2} \\ & * \text{EllipticPi}(\cos(1/2 dx + 1/2 c), 2, (-2b/(a-b))^{1/2}) - 3/8 a^2 (\sin(1/2 dx + 1/2 c)^2)^{1/2} * ((2b \cos(1/2 dx + 1/2 c))^{2+a-b} / (a-b))^{1/2} / (-2b \sin(1/2 dx + 1/2 c)^4 + (a+b) \sin(1/2 dx + 1/2 c)^2)^{1/2} \\ & * \text{EllipticPi}(\cos(1/2 dx + 1/2 c), 2, (-2b/(a-b))^{1/2}) * b^2) / \sin(1/2 dx + 1/2 c) / (-2 \sin(1/2 dx + 1/2 c)^2 b + a b)^{1/2} / d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx+c) + A)(b \cos(dx+c) + a)^{\frac{3}{2}} \sec(dx+c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm
="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^3, x
)
```

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm
="fricas")
```

```
[Out] Timed out
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**3,x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^3,x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^3, x
)
```

$$3.310 \quad \int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^4(c + dx) dx$$

**Optimal.** Leaf size=375

$$\frac{(16a^2A + 30abB + 3Ab^2) \tan(c + dx) \sqrt{a + b \cos(c + dx)}}{24ad} + \frac{(16a^2A + 42abB + 17Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx)\right) \frac{2b}{a+b}}{24d \sqrt{a + b \cos(c + dx)}}$$

```
[Out] -((16*a^2*A + 3*A*b^2 + 30*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d
*x)/2, (2*b)/(a + b)]/(24*a*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + ((16*a
^2*A + 17*A*b^2 + 42*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c
+ d*x)/2, (2*b)/(a + b)]/(24*d*Sqrt[a + b*Cos[c + d*x]]) + ((12*a^2*A*b -
A*b^3 + 8*a^3*B + 6*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi
[2, (c + d*x)/2, (2*b)/(a + b)]/(8*a*d*Sqrt[a + b*Cos[c + d*x]]) + ((16*a^
2*A + 3*A*b^2 + 30*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Tan[c + d*x])/(24*a*d) +
((7*A*b + 6*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]*Tan[c + d*x])/(12*d
) + (a*A*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)
```

**Rubi [A]** time = 1.44994, antiderivative size = 375, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$ , Rules used = {2989, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(16a^2A + 30abB + 3Ab^2) \tan(c + dx) \sqrt{a + b \cos(c + dx)}}{24ad} + \frac{(16a^2A + 42abB + 17Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx)\right) \frac{2b}{a+b}}{24d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]
```

```
[Out] -((16*a^2*A + 3*A*b^2 + 30*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d
*x)/2, (2*b)/(a + b)]/(24*a*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + ((16*a
^2*A + 17*A*b^2 + 42*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c
+ d*x)/2, (2*b)/(a + b)]/(24*d*Sqrt[a + b*Cos[c + d*x]]) + ((12*a^2*A*b -
A*b^3 + 8*a^3*B + 6*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi
[2, (c + d*x)/2, (2*b)/(a + b)]/(8*a*d*Sqrt[a + b*Cos[c + d*x]]) + ((16*a^
2*A + 3*A*b^2 + 30*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Tan[c + d*x])/(24*a*d) +
((7*A*b + 6*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]*Tan[c + d*x])/(12*d
) + (a*A*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)
```

**Rule 2989**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x])*(c + d*Sin[e + f*x])], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```



Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^4(c + dx) dx &= \frac{aA\sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \dots \\ &= \frac{(7Ab + 6aB)\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{12d} \\ &= \frac{(16a^2A + 3Ab^2 + 30abB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24ad} \\ &= \frac{(16a^2A + 3Ab^2 + 30abB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24ad} \\ &= \frac{(16a^2A + 3Ab^2 + 30abB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24ad} \\ &= -\frac{(16a^2A + 3Ab^2 + 30abB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{a+b \cos(c+dx)}{a+b}\right)}{24ad\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \\ &= -\frac{(16a^2A + 3Ab^2 + 30abB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{a+b \cos(c+dx)}{a+b}\right)}{24ad\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \end{aligned}$$

**Mathematica [C]** time = 6.59094, size = 634, normalized size = 1.69

$$\frac{\sqrt{a + b \cos(c + dx)} \left( \frac{\sec(c+dx)(16a^2A \sin(c+dx) + 30abB \sin(c+dx) + 3Ab^2 \sin(c+dx))}{24a} + \frac{1}{12} \sec^2(c + dx)(6aB \sin(c + dx) + 7Ab \sin(c + dx)) \right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]
```

```
[Out] ((2*(28*a*A*b^2 + 24*a^2*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[
(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(56*a^2*A*b - 9*
A*b^3 + 48*a^3*B + 6*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi
```

$$\begin{aligned} & [2, (c + d*x)/2, (2*b)/(a + b)]/\text{Sqrt}[a + b*\text{Cos}[c + d*x]] - ((2*I)*(-16*a^2 \\ & *A*b - 3*A*b^3 - 30*a*b^2*B)*\text{Sqrt}[(b - b*\text{Cos}[c + d*x])/(a + b)]*\text{Sqrt}[-((b + \\ & b*\text{Cos}[c + d*x])/(a - b))]*\text{Cos}[2*(c + d*x)]*(2*a*(a - b)*\text{EllipticE}[I*\text{ArcSin} \\ & \text{h}[\text{Sqrt}[-(a + b)^{-1}]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]], (a + b)/(a - b)] + b*(2*a* \\ & \text{EllipticF}[I*\text{ArcSin}[\text{Sqrt}[-(a + b)^{-1}]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]], (a + b)/ \\ & (a - b)] - b*\text{EllipticPi}[(a + b)/a, I*\text{ArcSin}[\text{Sqrt}[-(a + b)^{-1}]*\text{Sqrt}[a + b \\ & *\text{Cos}[c + d*x]]], (a + b)/(a - b)))*\text{Sin}[c + d*x])/(a*\text{Sqrt}[-(a + b)^{-1}]*\text{S} \\ & \text{qrt}[1 - \text{Cos}[c + d*x]^2]*\text{Sqrt}[-((a^2 - b^2 - 2*a*(a + b*\text{Cos}[c + d*x]) + (a + \\ & b*\text{Cos}[c + d*x])^2)/b^2)]*(2*a^2 - b^2 - 4*a*(a + b*\text{Cos}[c + d*x]) + 2*(a + b \\ & *\text{Cos}[c + d*x])^2))/((96*a*d) + (\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*((\text{Sec}[c + d*x]^2*( \\ & 7*A*b*\text{Sin}[c + d*x] + 6*a*B*\text{Sin}[c + d*x]))/12 + (\text{Sec}[c + d*x]*(16*a^2*A*\text{Sin}[ \\ & c + d*x] + 3*A*b^2*\text{Sin}[c + d*x] + 30*a*b*B*\text{Sin}[c + d*x]))/(24*a) + (a*A*\text{Sec} \\ & [c + d*x]^2*\text{Tan}[c + d*x])/3))/d \end{aligned}$$

**Maple [B]** time = 12.028, size = 2327, normalized size = 6.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\cos(d*x+c))^{3/2}*(A+B*\cos(d*x+c))*\sec(d*x+c)^4,x)$

[Out] 
$$\begin{aligned} & -(-(-2*b*\cos(1/2*d*x+1/2*c)^2-a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b^2*B*(\text{sin}(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2 \\ & *b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*\text{EllipticPi}(\cos(1/ \\ & 2*d*x+1/2*c), 2, (-2*b/(a-b))^{1/2})+2*b*(A*b+2*B*a)*(-\cos(1/2*d*x+1/2*c)/a*( \\ & -2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}/(2*\cos(1/2*d*x+ \\ & 1/2*c)^2-1)+1/2*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b \\ & )/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & *\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})-1/2*(\sin(1/2*d*x+1/2*c)^2 \\ & )^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2* \\ & c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/( \\ & a-b))^{1/2})+1/2/a*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+ \\ & a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1 \\ & /2}*b*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})+1/2/a*b*(\sin(1/2*d*x \\ & +1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2 \\ & *d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*\text{EllipticPi}(\cos(1/2*d*x+1/2* \\ & c), 2, (-2*b/(a-b))^{1/2})))+2*a^2*A*(-1/3*\cos(1/2*d*x+1/2*c)/a*(-2*b*\sin(1/2* \\ & d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}/(2*\cos(1/2*d*x+1/2*c)^2-1)^3 \\ & +5/12/a^2*b*\cos(1/2*d*x+1/2*c)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x \\ & +1/2*c)^2)^{1/2}/(2*\cos(1/2*d*x+1/2*c)^2-1)^2-1/24*(16*a^2+15*b^2)/a^3*\cos( \\ & 1/2*d*x+1/2*c)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2} \\ & /(2*\cos(1/2*d*x+1/2*c)^2-1)+5/48*b^2/a^2*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b \\ & *\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\text{sin} \\ & (1/2*d*x+1/2*c)^2)^{1/2}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})+ \\ & 1/3*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2} \\ & /(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*\text{EllipticF}(\text{c} \\ & \text{os}(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})-1/3*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2* \\ & b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\text{sin} \\ & (1/2*d*x+1/2*c)^2)^{1/2}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}) \\ & +1/3/a*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1 \\ & /2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*b*\text{Ellipt} \\ & \text{icE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})-5/16/a^2*b^2*(\sin(1/2*d*x+1/2*c) \\ & ^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2* \\ & 2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b \\ & /(a-b))^{1/2})+5/16/a^3*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2* \\ & c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^ \end{aligned}$$

$$2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) * b^{3+1/4}/a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)} / (-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)}) + 5/16*b^3/a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)} / (-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)}) + 2*a*(2*A*b+B*a)*(-1/2*\cos(1/2*d*x+1/2*c)/a*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*\cos(1/2*d*x+1/2*c)^2-1)^2+3/4/a^2*b*\cos(1/2*d*x+1/2*c)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*\cos(1/2*d*x+1/2*c)^2-1)-1/8*b/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)} / (-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) + 3/8/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)} / (-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * b * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) - 3/8/a^2*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)} / (-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) - 1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)} / (-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)}) - 3/8/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * ((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)} / (-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)}) * b^2) / \sin(1/2*d*x+1/2*c) / (-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)} / d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^4, x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*4,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^4,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^4, x )

$$3.311 \quad \int \cos^2(c + dx)(a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=462

$$\frac{2(-8a^2B + 22aAb - 81b^2B) \sin(c + dx)(a + b \cos(c + dx))^{5/2}}{693b^2d} - \frac{2(110a^2Ab - 40a^3B - 335ab^2B - 539Ab^3) \sin(c + dx)}{3465b^2d}$$

```
[Out] (-2*(110*a^4*A*b - 3069*a^2*A*b^3 - 1617*A*b^5 - 40*a^5*B - 255*a^3*b^2*B - 3705*a*b^4*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(3465*b^3*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + (2*(a^2 - b^2)*(110*a^3*A*b - 1254*a*A*b^3 - 40*a^4*B - 285*a^2*b^2*B - 675*b^4*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(3465*b^3*d*Sqrt[a + b*Cos[c + d*x]]) - (2*(110*a^3*A*b - 1254*a*A*b^3 - 40*a^4*B - 285*a^2*b^2*B - 675*b^4*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3465*b^2*d) - (2*(110*a^2*A*b - 539*A*b^3 - 40*a^3*B - 335*a*b^2*B)*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(3465*b^2*d) - (2*(22*a*A*b - 8*a^2*B - 81*b^2*B)*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(693*b^2*d) + (2*(11*A*b - 4*a*B)*(a + b*Cos[c + d*x])^(7/2)*Sin[c + d*x])/(99*b^2*d) + (2*B*Cos[c + d*x]*(a + b*Cos[c + d*x])^(7/2)*Sin[c + d*x])/(11*b*d)
```

**Rubi [A]** time = 0.931401, antiderivative size = 462, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2990, 3023, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(-8a^2B + 22aAb - 81b^2B) \sin(c + dx)(a + b \cos(c + dx))^{5/2}}{693b^2d} - \frac{2(110a^2Ab - 40a^3B - 335ab^2B - 539Ab^3) \sin(c + dx)}{3465b^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^2*(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]), x]
```

```
[Out] (-2*(110*a^4*A*b - 3069*a^2*A*b^3 - 1617*A*b^5 - 40*a^5*B - 255*a^3*b^2*B - 3705*a*b^4*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(3465*b^3*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + (2*(a^2 - b^2)*(110*a^3*A*b - 1254*a*A*b^3 - 40*a^4*B - 285*a^2*b^2*B - 675*b^4*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(3465*b^3*d*Sqrt[a + b*Cos[c + d*x]]) - (2*(110*a^3*A*b - 1254*a*A*b^3 - 40*a^4*B - 285*a^2*b^2*B - 675*b^4*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3465*b^2*d) - (2*(110*a^2*A*b - 539*A*b^3 - 40*a^3*B - 335*a*b^2*B)*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(3465*b^2*d) - (2*(22*a*A*b - 8*a^2*B - 81*b^2*B)*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(693*b^2*d) + (2*(11*A*b - 4*a*B)*(a + b*Cos[c + d*x])^(7/2)*Sin[c + d*x])/(99*b^2*d) + (2*B*Cos[c + d*x]*(a + b*Cos[c + d*x])^(7/2)*Sin[c + d*x])/(11*b*d)
```

**Rule 2990**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Ssin[e + f*x])^(m - 2)*(c + d*Ssin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n
```

```

)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e
+ f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n
, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

```

### Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sine[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sine[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sine[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

### Rule 2753

```

Int[((a_) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])], x_Symbol] :> -Simp[(d*Cos[e + f*x]*(a + b*Sine[e + f*x])^m)/(f
*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sine[e + f*x])^(m - 1)*Simp[b*d*m
+ a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sine[e + f*x], x], x] /; FreeQ[{a
, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0]
&& IntegerQ[2*m]

```

### Rule 2752

```

Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/Sqrt[(a_) + (b_.)*sin[(e_.) +
(f_.)*(x_)]], x_Symbol] :> Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sine[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sine[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

```

### Rule 2663

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[(a
+ b*Sine[c + d*x])/(a + b)]/Sqrt[a + b*Sine[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sine[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]

```

### Rule 2661

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

### Rule 2655

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Dist[Sqrt[a +
b*Sine[c + d*x]]/Sqrt[(a + b*Sine[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sine[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

### Rule 2653

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

### Rubi steps

$$\begin{aligned}
\int \cos^2(c + dx)(a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx &= \frac{2B \cos(c + dx)(a + b \cos(c + dx))^{7/2} \sin(c + dx)}{11bd} + \frac{2 \int (a + b \cos(c + dx))^{5/2} \sin(c + dx) dx}{11bd} \\
&= \frac{2(11Ab - 4aB)(a + b \cos(c + dx))^{7/2} \sin(c + dx)}{99b^2d} + \frac{2B \cos(c + dx)(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{99b^2d} \\
&= -\frac{2(22aAb - 8a^2B - 81b^2B)(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{693b^2d} \\
&= -\frac{2(110a^2Ab - 539Ab^3 - 40a^3B - 335ab^2B)(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{3465b^2d} \\
&= -\frac{2(110a^3Ab - 1254aAb^3 - 40a^4B - 285a^2b^2B - 675b^4B)(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{3465b^2d} \\
&= -\frac{2(110a^3Ab - 1254aAb^3 - 40a^4B - 285a^2b^2B - 675b^4B)(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{3465b^2d} \\
&= -\frac{2(110a^3Ab - 1254aAb^3 - 40a^4B - 285a^2b^2B - 675b^4B)(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{3465b^2d} \\
&= -\frac{2(110a^4Ab - 3069a^2Ab^3 - 1617Ab^5 - 40a^5B - 255a^3b^2B)(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{3465b^3d\sqrt{a + b \cos(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 1.98594, size = 357, normalized size = 0.77

$$b(a + b \cos(c + dx)) \left( (880a^3Ab + 18660a^2b^2B - 320a^4B + 32868aAb^3 + 13050b^4B) \sin(c + dx) + b \left( 4(1650a^2Ab + 3095ab^2B) \sin(2(c + dx)) + 5b((836aAb + 452a^2B + 513b^2B) \sin(3(c + dx)) + 7b((22Ab + 46aB) \sin(4(c + dx)) + 9bB \sin(5(c + dx)))) \right) \right) / (27720b^3d\sqrt{a + b \cos(c + dx)})$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^2\*(a + b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]), x]

[Out] (16\*sqrt[(a + b\*cos(c + d\*x))/(a + b)]\*(b^2\*(1705\*a^3\*A\*b + 2871\*a\*A\*b^3 + 10\*a^4\*B + 3315\*a^2\*b^2\*B + 675\*b^4\*B)\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)] + (-110\*a^4\*A\*b + 3069\*a^2\*A\*b^3 + 1617\*A\*b^5 + 40\*a^5\*B + 255\*a^3\*b^2\*B + 3705\*a\*b^4\*B)\*((a + b)\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] - a\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)])) + b\*(a + b\*cos[c + d\*x])\*((880\*a^3\*A\*b + 32868\*a\*A\*b^3 - 320\*a^4\*B + 18660\*a^2\*b^2\*B + 13050\*b^4\*B)\*Sin[c + d\*x] + b\*(4\*(1650\*a^2\*A\*b + 1463\*A\*b^3 + 30\*a^3\*B + 3095\*a\*b^2\*B)\*Sin[2\*(c + d\*x)] + 5\*b\*((836\*a\*A\*b + 452\*a^2\*B + 513\*b^2\*B)\*Sin[3\*(c + d\*x)] + 7\*b\*((22\*A\*b + 46\*a\*B)\*Sin[4\*(c + d\*x)] + 9\*b\*B\*Ssin[5\*(c + d\*x)]))))/(27720\*b^3\*d\*sqrt[a + b\*cos[c + d\*x]])

**Maple [B]** time = 4.483, size = 1983, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c)), x)

```
[Out] -2/3465*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-245*B
*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))
^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^4*b^2+20160*B*b^6
*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^12+40*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)
*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+
1/2*c),(-2*b/(a-b))^(1/2))*a^6-40*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)
)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*
b/(a-b))^(1/2))*a^6-1617*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2
*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(
1/2))*b^6+675*B*b^6*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1
/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))
+(-12320*A*b^6-35840*B*a*b^5-50400*B*b^6)*sin(1/2*d*x+1/2*c)^10*cos(1/2*d*x
+1/2*c)+(22880*A*a*b^5+24640*A*b^6+21920*B*a^2*b^4+71680*B*a*b^5+56880*B*b^6)
*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-14960*A*a^2*b^4-34320*A*a*b^5-
22792*A*b^6-4640*B*a^3*b^3-32880*B*a^2*b^4-66160*B*a*b^5-34920*B*b^6)*sin(1
/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(3520*A*a^3*b^3+14960*A*a^2*b^4+26488*A*
a*b^5+10472*A*b^6-20*B*a^4*b^2+4640*B*a^3*b^3+25120*B*a^2*b^4+30320*B*a*b^5
+13860*B*b^6)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-110*A*a^4*b^2-1760*
A*a^3*b^3-7326*A*a^2*b^4-7524*A*a*b^5-1848*A*b^6+40*B*a^5*b+10*B*a^4*b^2-32
10*B*a^3*b^3-7080*B*a^2*b^4-6690*B*a*b^5-2790*B*b^6)*sin(1/2*d*x+1/2*c)^2*c
os(1/2*d*x+1/2*c)+1254*A*a*b^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin
(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-
b))^(1/2))+110*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c
)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^4
*b^2-3069*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(
a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b^4+
1617*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/
(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b^5-390*a^2
*b^4*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/
(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+255*B*(sin(1/
2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*E
llipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^4*b^2+3069*A*(sin(1/2*d*x
+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*Ellipt
icE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^3*b^3-110*A*(sin(1/2*d*x+1/2*c
)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(co
s(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^5*b-1364*A*a^3*(sin(1/2*d*x+1/2*c)^2
)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1
/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b^3-255*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-
2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2
*c),(-2*b/(a-b))^(1/2))*a^3*b^3+110*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a
-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-
2*b/(a-b))^(1/2))*a^5*b+3705*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin
(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-
b))^(1/2))*a^2*b^4-40*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*
x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/
2))*a^5*b-3705*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c
)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b
^5)/b^3/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/
2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c)),x, algorithm



="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)\*cos(d\*x + c)^2, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral(((Bb<sup>2</sup> cos(dx + c)<sup>5</sup> + Aa<sup>2</sup> cos(dx + c)<sup>2</sup> + (2Bab + Ab<sup>2</sup>) cos(dx + c)<sup>4</sup> + (Ba<sup>2</sup> + 2Aab) cos(dx + c)<sup>3</sup>)sqrt(b cos

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*b<sup>2</sup>\*cos(d\*x + c)<sup>5</sup> + A\*a<sup>2</sup>\*cos(d\*x + c)<sup>2</sup> + (2\*B\*a\*b + A\*b<sup>2</sup>)\*cos(d\*x + c)<sup>4</sup> + (B\*a<sup>2</sup> + 2\*A\*a\*b)\*cos(d\*x + c)<sup>3</sup>)\*sqrt(b\*cos(d\*x + c) + a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(a+b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)\*cos(d\*x + c)^2, x)

### 3.312 $\int \cos(c + dx)(a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=372

$$\frac{2(-10a^2B + 45aAb + 49b^2B) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{315bd} + \frac{2(45a^2Ab - 10a^3B + 114ab^2B + 75Ab^3) \sin(c + dx)\sqrt{a}}{315bd}$$

```
[Out] (2*(45*a^3*A*b + 435*a*A*b^3 - 10*a^4*B + 279*a^2*b^2*B + 147*b^4*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(315*b^2*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) - (2*(a^2 - b^2)*(45*a^2*A*b + 75*A*b^3 - 10*a^3*B + 114*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(315*b^2*d*Sqrt[a + b*Cos[c + d*x]]) + (2*(45*a^2*A*b + 75*A*b^3 - 10*a^3*B + 114*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(315*b*d) + (2*(45*a*A*b - 10*a^2*B + 49*b^2*B)*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(315*b*d) + (2*(9*A*b - 2*a*B)*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(63*b*d) + (2*B*(a + b*Cos[c + d*x])^(7/2)*Sin[c + d*x])/(9*b*d)
```

**Rubi [A]** time = 0.796367, antiderivative size = 372, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$ , Rules used = {2968, 3023, 2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(-10a^2B + 45aAb + 49b^2B) \sin(c + dx)(a + b \cos(c + dx))^{3/2}}{315bd} + \frac{2(45a^2Ab - 10a^3B + 114ab^2B + 75Ab^3) \sin(c + dx)\sqrt{a}}{315bd}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]*(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]
```

```
[Out] (2*(45*a^3*A*b + 435*a*A*b^3 - 10*a^4*B + 279*a^2*b^2*B + 147*b^4*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(315*b^2*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) - (2*(a^2 - b^2)*(45*a^2*A*b + 75*A*b^3 - 10*a^3*B + 114*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(315*b^2*d*Sqrt[a + b*Cos[c + d*x]]) + (2*(45*a^2*A*b + 75*A*b^3 - 10*a^3*B + 114*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(315*b*d) + (2*(45*a*A*b - 10*a^2*B + 49*b^2*B)*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(315*b*d) + (2*(9*A*b - 2*a*B)*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(63*b*d) + (2*B*(a + b*Cos[c + d*x])^(7/2)*Sin[c + d*x])/(9*b*d)
```

#### Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] :> Int[(a + b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
```

!LtQ[m, -1]

### Rule 2753

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := -Simp[(d\*cos[e + f\*x]\*(a + b\*sin[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b\*sin[e + f\*x])^(m - 1)\*Simp[b\*d\*m + a\*c\*(m + 1) + (a\*d\*m + b\*c\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2\*m]

### Rule 2752

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

### Rule 2663

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*sin[c + d\*x])/(a + b)]/Sqrt[a + b\*sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*sin[c + d\*x]]/Sqrt[(a + b\*sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

### Rubi steps

$$\begin{aligned}
\int \cos(c+dx)(a+b\cos(c+dx))^{5/2}(A+B\cos(c+dx))dx &= \int (a+b\cos(c+dx))^{5/2}(A\cos(c+dx)+B\cos^2(c+dx))dx \\
&= \frac{2B(a+b\cos(c+dx))^{7/2}\sin(c+dx)}{9bd} + \frac{2\int(a+b\cos(c+dx))^{5/2}A\cos(c+dx)dx}{9bd} \\
&= \frac{2(9Ab-2aB)(a+b\cos(c+dx))^{5/2}\sin(c+dx)}{63bd} + \frac{2B(a+b\cos(c+dx))^{5/2}\sin(c+dx)}{9bd} \\
&= \frac{2(45aAb-10a^2B+49b^2B)(a+b\cos(c+dx))^{3/2}\sin(c+dx)}{315bd} \\
&= \frac{2(45a^2Ab+75Ab^3-10a^3B+114ab^2B)\sqrt{a+b\cos(c+dx)}}{315bd} \\
&= \frac{2(45a^2Ab+75Ab^3-10a^3B+114ab^2B)\sqrt{a+b\cos(c+dx)}}{315bd} \\
&= \frac{2(45a^2Ab+75Ab^3-10a^3B+114ab^2B)\sqrt{a+b\cos(c+dx)}}{315bd} \\
&= \frac{2(45a^3Ab+435aAb^3-10a^4B+279a^2b^2B+147b^4B)\sqrt{a+b\cos(c+dx)}}{315b^2d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}
\end{aligned}$$

**Mathematica [A]** time = 1.48195, size = 291, normalized size = 0.78

$$b(a+b\cos(c+dx))\left(2(540a^2Ab+20a^3B+747ab^2B+345Ab^3)\sin(c+dx)+b((300a^2B+540aAb+266b^2B)\sin(2(c+dx))\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]),x]

[Out] (8\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*(b^2\*(405\*a^2\*A\*b + 75\*A\*b^3 + 155\*a^3\*B + 261\*a\*b^2\*B)\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)] + (45\*a^3\*A\*b + 435\*a\*A\*b^3 - 10\*a^4\*B + 279\*a^2\*b^2\*B + 147\*b^4\*B)\*((a + b)\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] - a\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)])) + b\*(a + b\*Cos[c + d\*x])\*(2\*(540\*a^2\*A\*b + 345\*A\*b^3 + 20\*a^3\*B + 747\*a\*b^2\*B)\*Sin[c + d\*x] + b\*((540\*a\*A\*b + 300\*a^2\*B + 266\*b^2\*B)\*Sin[2\*(c + d\*x)] + 5\*b\*(2\*(9\*A\*b + 19\*a\*B)\*Sin[3\*(c + d\*x)] + 7\*b\*B\*Ssin[4\*(c + d\*x)])))/(1260\*b^2\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**Maple [B]** time = 4.468, size = 1635, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c)),x)

[Out] -2/315\*((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-1120\*B\*b^5\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^10+(720\*A\*b^5+2080\*B\*a\*b^4+2240\*

$B*b^5*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-1440*A*a*b^4-1080*A*b^5-1360*B*a^2*b^3-3120*B*a*b^4-2072*B*b^5)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(1080*A*a^2*b^3+1440*A*a*b^4+840*A*b^5+320*B*a^3*b^2+1360*B*a^2*b^3+2408*B*a*b^4+952*B*b^5)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-270*A*a^3*b^2-540*A*a^2*b^3-510*A*a*b^4-240*A*b^5-10*B*a^4*b-160*B*a^3*b^2-666*B*a^2*b^3-684*B*a*b^4-168*B*b^5)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-45*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^4*b-30*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b^3+75*A*b^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+45*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^4*b-45*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3*b^2+435*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b^3-435*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^4+10*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^5-124*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3*b^2+114*a*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^4-10*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^5+10*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^4*b+279*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3*b^2-279*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b^3+147*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^4-147*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^5)/b^2/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{5/2} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)\*cos(d\*x + c), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral(((Bb^2 cos(dx + c)^4 + Aa^2 cos(dx + c) + (2Bab + Ab^2) cos(dx + c)^3 + (Ba^2 + 2Aab) cos(dx + c)^2) sqrt(b cos(dx + c))))

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="
fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)^4 + A*a^2*cos(d*x + c) + (2*B*a*b + A*b^2)*cos
(d*x + c)^3 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^2)*sqrt(b*cos(d*x + c) + a), x
)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="
giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*cos(d*x + c), x)
```

### 3.313 $\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=288

$$\frac{2(15a^2B + 56aAb + 25b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105d} - \frac{2(a^2 - b^2)(15a^2B + 56aAb + 25b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}\right)}{105bd \sqrt{a + b \cos(c + dx)}}$$

```
[Out] (2*(161*a^2*A*b + 63*A*b^3 + 15*a^3*B + 145*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(105*b*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) - (2*(a^2 - b^2)*(56*a*A*b + 15*a^2*B + 25*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(105*b*d*Sqrt[a + b*Cos[c + d*x]]) + (2*(56*a*A*b + 15*a^2*B + 25*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(105*d) + (2*(7*A*b + 5*a*B)*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(35*d) + (2*B*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(7*d)
```

**Rubi [A]** time = 0.5163, antiderivative size = 288, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$ , Rules used = {2753, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(15a^2B + 56aAb + 25b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105d} - \frac{2(a^2 - b^2)(15a^2B + 56aAb + 25b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}\right)}{105bd \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]), x]
```

```
[Out] (2*(161*a^2*A*b + 63*A*b^3 + 15*a^3*B + 145*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(105*b*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) - (2*(a^2 - b^2)*(56*a*A*b + 15*a^2*B + 25*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(105*b*d*Sqrt[a + b*Cos[c + d*x]]) + (2*(56*a*A*b + 15*a^2*B + 25*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(105*d) + (2*(7*A*b + 5*a*B)*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(35*d) + (2*B*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(7*d)
```

#### Rule 2753

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> -Simp[(d*Cos[e + f*x]*(a + b*Sin[e + f*x])^m)/(f*(m + 1)), x] + Dist[1/(m + 1), Int[(a + b*Sin[e + f*x])^(m - 1)*Simp[b*d*m + a*c*(m + 1) + (a*d*m + b*c*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && IntegerQ[2*m]
```

#### Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]), x_Symbol] :> Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

#### Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

### Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

### Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) dx &= \frac{2B(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{7d} + \frac{2}{7} \int (a + b \cos(c + dx))^{3/2} \left( \frac{1}{2}(7a + 7b \cos(c + dx)) \right) dx \\
&= \frac{2(7Ab + 5aB)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{35d} + \frac{2B(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{7d} \\
&= \frac{2(56aAb + 15a^2B + 25b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105d} + \frac{2(7Ab + 5aB)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{35d} \\
&= \frac{2(56aAb + 15a^2B + 25b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105d} + \frac{2(7Ab + 5aB)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{35d} \\
&= \frac{2(56aAb + 15a^2B + 25b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{105d} + \frac{2(7Ab + 5aB)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{35d} \\
&= \frac{2(161a^2Ab + 63Ab^3 + 15a^3B + 145ab^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{105bd \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}
\end{aligned}$$

**Mathematica [A]** time = 1.01701, size = 254, normalized size = 0.88

$$\frac{b \sin(c + dx)(a + b \cos(c + dx))(90a^2B + 6b(15aB + 7Ab) \cos(c + dx) + 154aAb + 15b^2B \cos(2(c + dx)) + 65b^2B) + 2b(105a^2B + 63Ab^2 + 15a^3B + 145ab^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{105bd \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]
```

```
[Out] (2*b*(105*a^3*A + 119*a*A*b^2 + 135*a^2*b*B + 25*b^3*B)*Sqrt[(a + b*Cos[c +
d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + 2*(161*a^2*A*b + 63
```



```
*A*b^3 + 15*a^3*B + 145*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*((a + b)
)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a
+ b)]) + b*(a + b*Cos[c + d*x])*(154*a*A*b + 90*a^2*B + 65*b^2*B + 6*b*(7*
A*b + 15*a*B)*Cos[c + d*x] + 15*b^2*B*Cos[2*(c + d*x)])*Sin[c + d*x])/(105*
b*d*Sqrt[a + b*Cos[c + d*x]])
```

**Maple [B]** time = 4.409, size = 1305, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] -2/105*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(240*B*b
^4*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-168*A*b^4-480*B*a*b^3-360*B*b^
4)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(392*A*a*b^3+168*A*b^4+360*B*a^2
*b^2+480*B*a*b^3+280*B*b^4)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-154*A
*a^2*b^2-196*A*a*b^3-42*A*b^4-90*B*a^3*b-180*B*a^2*b^2-170*B*a*b^3-80*B*b^4
)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+161*A*(sin(1/2*d*x+1/2*c)^2)^(1/2
)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x
+1/2*c),(-2*b/(a-b))^(1/2))*a^3*b-161*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/
(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),
(-2*b/(a-b))^(1/2))*a^2*b^2+63*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*s
in(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(
a-b))^(1/2))*a*b^3-63*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*
x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/
2))*b^4-56*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+
(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^3*b+5
6*a*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(
a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b^3+15*B*(sin(
1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)
*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^4-15*B*(sin(1/2*d*x+1/2
*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(
cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^3*b+145*B*(sin(1/2*d*x+1/2*c)^2)^(
1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*
d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b^2-145*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-
2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/
2*c),(-2*b/(a-b))^(1/2))*a*b^3-15*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b
)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*
b/(a-b))^(1/2))*a^4-10*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d
*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1
/2))*a^2*b^2+25*B*b^4*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+
1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2)
))/b/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d
*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")
```

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral((Bb<sup>2</sup> cos(dx + c)<sup>3</sup> + Aa<sup>2</sup> + (2 Bab + Ab<sup>2</sup>) cos(dx + c)<sup>2</sup> + (Ba<sup>2</sup> + 2 Aab) cos(dx + c))sqrt(b cos(dx + c) + a), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*b<sup>2</sup>\*cos(d\*x + c)<sup>3</sup> + A\*a<sup>2</sup> + (2\*B\*a\*b + A\*b<sup>2</sup>)\*cos(d\*x + c)<sup>2</sup> + (B\*a<sup>2</sup> + 2\*A\*a\*b)\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.314 \quad \int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec(c + dx) dx$$

**Optimal.** Leaf size=292

$$\frac{2(10a^2Ab - 8a^3B + 8ab^2B + 5Ab^3) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15d\sqrt{a+b \cos(c+dx)}} + \frac{2(23a^2B + 35aAb + 9b^2B) \sqrt{a+b \cos(c+dx)}}{15d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out] (2\*(35\*a\*A\*b + 23\*a^2\*B + 9\*b^2\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(15\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) + (2\*(10\*a^2\*A\*b + 5\*A\*b^3 - 8\*a^3\*B + 8\*a\*b^2\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(15\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*a^3\*A\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*b\*(5\*A\*b + 8\*a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*d) + (2\*b\*B\*(a + b\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(5\*d)

**Rubi [A]** time = 1.01367, antiderivative size = 292, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.323$ , Rules used = {2990, 3049, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{2(10a^2Ab - 8a^3B + 8ab^2B + 5Ab^3) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15d\sqrt{a+b \cos(c+dx)}} + \frac{2(23a^2B + 35aAb + 9b^2B) \sqrt{a+b \cos(c+dx)}}{15d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x], x]

[Out] (2\*(35\*a\*A\*b + 23\*a^2\*B + 9\*b^2\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(15\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) + (2\*(10\*a^2\*A\*b + 5\*A\*b^3 - 8\*a^3\*B + 8\*a\*b^2\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(15\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*a^3\*A\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*b\*(5\*A\*b + 8\*a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*d) + (2\*b\*B\*(a + b\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(5\*d)

#### Rule 2990

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^2\*A\*d\*(m + n + 1) + b\*B\*(b\*c\*(m - 1) + a\*d\*(n + 1)) + (a\*d\*(2\*A\*b + a\*B)\*(m + n + 1) - b\*B\*(a\*c - b\*d\*(m + n)))\*Sin[e + f\*x] + b\*(A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x]^2, x], x, x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 3049

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_

```
.) + (f_.)*(x_)^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

### Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

### Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rule 3002

```
Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

### Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
```

, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec(c + dx) dx &= \frac{2bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} + \frac{2}{5} \int \sqrt{a + b \cos(c + dx)} dx \\ &= \frac{2b(5Ab + 8aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} \\ &= \frac{2b(5Ab + 8aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} \\ &= \frac{2b(5Ab + 8aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d} + \frac{2bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5d} \\ &= \frac{2(35aAb + 23a^2B + 9b^2B)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{a+b \cos(c+dx)}{a+b}\right)}{15d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \\ &= \frac{2(35aAb + 23a^2B + 9b^2B)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{a+b \cos(c+dx)}{a+b}\right)}{15d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \end{aligned}$$

**Mathematica [C]** time = 2.80067, size = 453, normalized size = 1.55

$$\frac{4(45a^2Ab + 15a^3B + 17ab^2B + 5Ab^3)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{2(30a^3A + 23a^2bB + 35aAb^2 + 9b^3B)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{2i(23a^2B + 35Ab^2)}{\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x], x]

[Out] ((4\*(45\*a^2\*A\*b + 5\*A\*b^3 + 15\*a^3\*B + 17\*a\*b^2\*B)\*Sqrt[(a + b\*Cos[c + d\*x])]/(a + b)\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] + (2\*(30\*a^3\*A + 35\*a\*A\*b^2 + 23\*a^2\*b\*B + 9\*b^3\*B)\*Sqrt[(a + b\*Cos[c + d\*x])]/(a + b)\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] + ((2\*I)\*(35\*a\*A\*b + 23\*a^2\*B + 9\*b^2\*B)\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))]\*Sqrt[-((b\*(1 + Cos[c + d\*x]))/(a - b))]\*Csc[c + d\*x]\*(-2\*a\*(a - b)\*EllipticE[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*(-2\*a\*EllipticF[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*EllipticPi[(a + b)/a, I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)])))/(a\*b\*Sqrt[-(a + b)^(-1)] + 4\*b\*Sqrt[a + b\*Cos[c + d\*x]]\*(5\*A\*b + 11\*a\*B + 3\*b\*B\*Cos[c + d\*x])\*Sin[c + d\*x])/(30\*d)

---

**Maple [B]** time = 4.432, size = 1067, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c),x)`

[Out] 
$$-2/15*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-24*B*b^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(20*A*b^3+56*B*a*b^2+24*B*b^3)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-10*A*a*b^2-10*A*b^3-22*B*a^2*b-28*B*a*b^2-6*B*b^3)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+10*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b+5*A*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+35*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b-35*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^2-15*A*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})-8*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3+8*a*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^2+23*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^3-23*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2*b+9*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b^2-9*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^3)/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c), x)`

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

`integral((Bb^2*cos(dx+c)^3 + Aa^2 + (2Bab + Ab^2)*cos(dx+c)^2 + (Ba^2 + 2Aab)*cos(dx+c))*sqrt(b*cos(dx+c) + a)*sec(dx+c), x)`

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="fricas")

[Out] integral((B\*b^2\*cos(d\*x + c)^3 + A\*a^2 + (2\*B\*a\*b + A\*b^2)\*cos(d\*x + c)^2 + (B\*a^2 + 2\*A\*a\*b)\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c), x)

### 3.315 $\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$

**Optimal.** Leaf size=296

$$\frac{(3a^3A + 4a^2bB + 12aAb^2 + 2b^3B) \sqrt{\frac{a+b\cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3d\sqrt{a+b\cos(c+dx)}} - \frac{(3a^2A - 14abB - 6Ab^2) \sqrt{a+b\cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}$$

[Out]  $-\left(\left(3a^2A - 6Ab^2 - 14a^2bB\right)\sqrt{a + b\cos[c + dx]}\text{EllipticE}\left[\frac{c + dx}{2}, \frac{2b}{a + b}\right]\right) / \left(3d\sqrt{a + b\cos[c + dx]}\right) + \left(\left(3a^3A + 12a^2bB + 4a^2b^2 + 2b^3B\right)\sqrt{\frac{a + b\cos[c + dx]}{a + b}}\text{EllipticF}\left[\frac{c + dx}{2}, \frac{2b}{a + b}\right]\right) / \left(3d\sqrt{a + b\cos[c + dx]}\right) + \left(a^2\left(5Ab + 2a^2B\right)\sqrt{\frac{a + b\cos[c + dx]}{a + b}}\text{EllipticPi}\left[2, \frac{c + dx}{2}, \frac{2b}{a + b}\right]\right) / \left(d\sqrt{a + b\cos[c + dx]}\right) - \left(b\left(3a^2A - 2abB\right)\sqrt{a + b\cos[c + dx]}\sin[c + dx]\right) / \left(3d\right) + \left(a^2A\left(a + b\cos[c + dx]\right)^{3/2}\tan[c + dx]\right) / d$

**Rubi [A]** time = 1.10906, antiderivative size = 296, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$ , Rules used = {2989, 3049, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(3a^3A + 4a^2bB + 12aAb^2 + 2b^3B) \sqrt{\frac{a+b\cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3d\sqrt{a+b\cos(c+dx)}} - \frac{(3a^2A - 14abB - 6Ab^2) \sqrt{a+b\cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b\cos[c + dx])^{5/2} (A + B\cos[c + dx]) \sec^2[c + dx], x]$

[Out]  $-\left(\left(3a^2A - 6Ab^2 - 14a^2bB\right)\sqrt{a + b\cos[c + dx]}\text{EllipticE}\left[\frac{c + dx}{2}, \frac{2b}{a + b}\right]\right) / \left(3d\sqrt{a + b\cos[c + dx]}\right) + \left(\left(3a^3A + 12a^2bB + 4a^2b^2 + 2b^3B\right)\sqrt{\frac{a + b\cos[c + dx]}{a + b}}\text{EllipticF}\left[\frac{c + dx}{2}, \frac{2b}{a + b}\right]\right) / \left(3d\sqrt{a + b\cos[c + dx]}\right) + \left(a^2\left(5Ab + 2a^2B\right)\sqrt{\frac{a + b\cos[c + dx]}{a + b}}\text{EllipticPi}\left[2, \frac{c + dx}{2}, \frac{2b}{a + b}\right]\right) / \left(d\sqrt{a + b\cos[c + dx]}\right) - \left(b\left(3a^2A - 2abB\right)\sqrt{a + b\cos[c + dx]}\sin[c + dx]\right) / \left(3d\right) + \left(a^2A\left(a + b\cos[c + dx]\right)^{3/2}\tan[c + dx]\right) / d$

#### Rule 2989

$\text{Int}[(a + b\sin[e + fx])^m (A + B\sin[e + fx])^n, x] := -\text{Simp}[(b^2c - a^2d)(B^2c - A^2d)\cos[e + fx](a + b\sin[e + fx])^{m-1}(c + d\sin[e + fx])^{n+1}] / (d^2f(n+1)(c^2 - d^2)) + \text{Dist}[1/(d^2(n+1)(c^2 - d^2)), \text{Int}[(a + b\sin[e + fx])^{m-2}(c + d\sin[e + fx])^{n+1}] * \text{Simp}[b(b^2c - a^2d)(B^2c - A^2d)(m-1) + a^2d(a^2c + b^2B^2c - (A^2b + a^2B^2)d)(n+1) + (b^2bd(B^2c - A^2d) + a^2(A^2cd + B^2(c^2 - 2d^2)))(n+1) - a^2(b^2c - a^2d)(B^2c - A^2d)(n+2)] * \sin[e + fx] + b^2(d(A^2bc + a^2B^2c - a^2Ad^2)(m+n+1) - b^2B^2(c^2m + d^2(n+1))) * \sin[e + fx]^2, x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \&\& \text{NeQ}[b^2c - a^2d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

#### Rule 3049



```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x]
&& NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

```

#### Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])], x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x])*(c + d*Sin[e + f*x])], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

#### Rule 2655

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

#### Rule 2653

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

#### Rule 3002

```

Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

#### Rule 2663

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]

```

#### Rule 2661

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

#### Rule 2807

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt

```

`[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]`

### Rule 2805

`Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]`

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^{3/2} \tan(c + dx)}{d} + \int \sqrt{a + b \cos(c + dx)} dx \\ &= -\frac{b(3aA - 2bB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{aA(a + b \cos(c + dx))^{3/2} \tan(c + dx)}{d} \\ &= -\frac{b(3aA - 2bB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{aA(a + b \cos(c + dx))^{3/2} \tan(c + dx)}{d} \\ &= -\frac{b(3aA - 2bB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d} + \frac{aA(a + b \cos(c + dx))^{3/2} \tan(c + dx)}{d} \\ &= -\frac{(3a^2A - 6Ab^2 - 14abB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{a+b}{a}\right)}{3d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \\ &= -\frac{(3a^2A - 6Ab^2 - 14abB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{a+b}{a}\right)}{3d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \end{aligned}$$

**Mathematica [C]** time = 3.79629, size = 442, normalized size = 1.49

$$4 \tan(c + dx) \sqrt{a + b \cos(c + dx)} (3a^2A + 2b^2B \cos(c + dx)) + \frac{8b(9a^2B + 9aAb + b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{2(27a^2Ab + 12a^3B + 12a^2B^2)}{\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

`[In] Integrate[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^2,x]`

`[Out] ((8*b*(9*a*A*b + 9*a^2*B + b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(27*a^2*A*b + 6*A*b^3 + 12*a^3*B + 14*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + ((2*I)*(-3*a^2*A + 6*A*b^2 + 14*a*b*B)*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(b*(1 + Cos[c + d*x]))/(-a + b)]*Csc[c + d*x]*(-2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)])))/(a*b*Sqrt[-(a + b)^(-1)]) + 4*Sqrt`

$[a + b\cos[c + d*x]]*(3*a^2*A + 2*b^2*B*\cos[c + d*x])*Tan[c + d*x]/(12*d)$

**Maple [B]** time = 4.425, size = 1563, normalized size = 5.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\cos(d*x+c))^{5/2}*(A+B*\cos(d*x+c))*\sec(d*x+c)^2,x)$

[Out] 
$$-1/3*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-16*B*b^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(12*A*a^2*b+8*B*a*b^2+16*B*b^3)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-6*A*a^3-6*A*a^2*b-4*B*a*b^2-4*B*b^3)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-2*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(3*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*a^3+12*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*a*b^2-3*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*a^3+3*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*a^2*b+6*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*a*b^2-6*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*b^3-15*A*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{1/2})*a^2*b+4*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*a^2*b+2*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*b^3+14*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*a^2*b-14*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*a*b^2-6*B*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{1/2})*a^3)*\sin(1/2*d*x+1/2*c)^2+3*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b))*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*a^3+12*A*a*b^2*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b))*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})-3*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b))*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*a^3+3*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b))*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*a^2*b+6*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b))*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*a*b^2-6*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b))*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*b^3-15*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b))*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{1/2})*a^2*b+4*a^2*b*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b))*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})+2*B*b^3*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b))*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})+14*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b))*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*a^2*b-14*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b))*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*a*b^2-6*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b))*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{1/2})*a^3)/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}/(2*\cos(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{1/2}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm
="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^2, x
)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)\right) \sqrt{b \cos(dx + c) + a} \sec(dx + c), dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm
="fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 +
(B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^2, x
)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**2,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^2,x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^2, x
)
```

$$3.316 \quad \int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx$$

**Optimal.** Leaf size=315

$$\frac{(11a^2Ab + 4a^3B + 16ab^2B + 8Ab^3) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a+b \cos(c+dx)}} - \frac{(4a^2B + 9aAb - 8b^2B) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

```
[Out] -((9*a*A*b + 4*a^2*B - 8*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(4*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + ((11*a^2*A*b + 8*A*b^3 + 4*a^3*B + 16*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(4*d*Sqrt[a + b*Cos[c + d*x]]) + (a*(4*a^2*A + 15*A*b^2 + 20*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(4*d*Sqrt[a + b*Cos[c + d*x]]) + (a*(7*A*b + 4*a*B)*Sqrt[a + b*Cos[c + d*x]]*Tan[c + d*x])/(4*d) + (a*A*(a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]*Tan[c + d*x])/(2*d)
```

**Rubi [A]** time = 1.05529, antiderivative size = 315, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$ , Rules used = {2989, 3047, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(11a^2Ab + 4a^3B + 16ab^2B + 8Ab^3) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{a+b \cos(c+dx)}} - \frac{(4a^2B + 9aAb - 8b^2B) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{4d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]
```

```
[Out] -((9*a*A*b + 4*a^2*B - 8*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(4*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + ((11*a^2*A*b + 8*A*b^3 + 4*a^3*B + 16*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(4*d*Sqrt[a + b*Cos[c + d*x]]) + (a*(4*a^2*A + 15*A*b^2 + 20*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(4*d*Sqrt[a + b*Cos[c + d*x]]) + (a*(7*A*b + 4*a*B)*Sqrt[a + b*Cos[c + d*x]]*Tan[c + d*x])/(4*d) + (a*A*(a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]*Tan[c + d*x])/(2*d)
```

#### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
```

```
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

#### Rule 3047

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Ssin[e + f*x])^(m - 1)
*(c + d*Ssin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

### Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])], x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Ssin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Ssin[e + f*x]]*(c + d*Ssin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

### Rule 2655

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Ssin[c + d*x]]/Sqrt[(a + b*Ssin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Ssin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

### Rule 2653

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

### Rule 3002

```

Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Ssin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Ssin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rule 2663

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Ssin[c + d*x])/(a + b)]/Sqrt[a + b*Ssin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Ssin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]

```

### Rule 2661

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

### Rule 2807

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)

```

```
+ (f_.)*(x_)]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx = \frac{aA(a + b \cos(c + dx))^{3/2} \sec(c + dx) \tan(c + dx)}{2d} + \frac{1}{2} \int \dots$$

$$= \frac{a(7Ab + 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} + \frac{aA(a + b \cos(c + dx))^{3/2} \sec(c + dx) \tan(c + dx)}{2d}$$

$$= \frac{a(7Ab + 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} + \frac{aA(a + b \cos(c + dx))^{3/2} \sec(c + dx) \tan(c + dx)}{2d}$$

$$= \frac{a(7Ab + 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4d} + \frac{aA(a + b \cos(c + dx))^{3/2} \sec(c + dx) \tan(c + dx)}{2d}$$

$$= -\frac{(9aAb + 4a^2B - 8b^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{4d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

$$= -\frac{(9aAb + 4a^2B - 8b^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{4d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

**Mathematica [C]** time = 5.63626, size = 451, normalized size = 1.43

$$\frac{8b(a^2A + 12abB + 4Ab^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{2(8a^3A + 36a^2bB + 21aAb^2 + 8b^3B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{2i(-4a^2B - 9aAb + 8b^2B) \operatorname{cs}\left(\frac{1}{2}(c+dx)\right)}{\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^3,x]
```

```
[Out] ((8*b*(a^2*A + 4*A*b^2 + 12*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*Ellip
ticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(8*a^3*A +
21*a*A*b^2 + 36*a^2*b*B + 8*b^3*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*Ellip
ticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + ((2*I)*(-9
*a*A*b - 4*a^2*B + 8*b^2*B)*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(
b*(1 + Cos[c + d*x]))/(-a + b)]*Csc[c + d*x]*(-2*a*(a - b)*EllipticE[I*ArcS
inh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(-2
*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a +
b)/(a - b)] + b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a
+ b*Cos[c + d*x]]], (a + b)/(a - b))))/(a*b*Sqrt[-(a + b)^(-1)]) + 4*a*Sqr
```

$t[a + b\cos[c + dx]](2aA + (9Ab + 4aB)\cos[c + dx])\sec[c + dx]T$   
 $\text{an}[c + dx]/(16d)$

**Maple [B]** time = 9.44, size = 1742, normalized size = 5.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b\cos(dx+c))^{5/2}(A+B\cos(dx+c))\sec(dx+c)^3,x)$

[Out] 
$$\begin{aligned} & -(-(-2b\cos(1/2dx+1/2c)^2-a+b)\sin(1/2dx+1/2c)^2)^{1/2}(-2Bb^2(a-b) \\ & (\sin(1/2dx+1/2c)^2)^{1/2}((2b\cos(1/2dx+1/2c)^2+a-b)/(a-b))^{1/2} \\ & /(-2b\sin(1/2dx+1/2c)^4+(a+b)\sin(1/2dx+1/2c)^2)^{1/2}(\text{EllipticF}(\cos(1/2dx+1/2c), \\ & (-2b/(a-b))^{1/2})-\text{EllipticE}(\cos(1/2dx+1/2c), (-2b/(a-b))^{1/2})) \\ & +2Aab^3(\sin(1/2dx+1/2c)^2)^{1/2}((2b\cos(1/2dx+1/2c)^2+a-b)/(a-b))^{1/2} \\ & /(-2b\sin(1/2dx+1/2c)^4+(a+b)\sin(1/2dx+1/2c)^2)^{1/2} \\ & \text{EllipticF}(\cos(1/2dx+1/2c), (-2b/(a-b))^{1/2})+6Bab^2(\sin(1/2dx+1/2c)^2)^{1/2} \\ & ((2b\cos(1/2dx+1/2c)^2+a-b)/(a-b))^{1/2} /(-2b\sin(1/2dx+1/2c)^4+(a+b) \\ & \sin(1/2dx+1/2c)^2)^{1/2} \\ & \text{EllipticF}(\cos(1/2dx+1/2c), (-2b/(a-b))^{1/2})-2Bb^3(\sin(1/2dx+1/2c)^2)^{1/2} \\ & ((2b\cos(1/2dx+1/2c)^2+a-b)/(a-b))^{1/2} /(-2b\sin(1/2dx+1/2c)^4+(a+b) \\ & \sin(1/2dx+1/2c)^2)^{1/2} \\ & \text{EllipticF}(\cos(1/2dx+1/2c), (-2b/(a-b))^{1/2})-6ab(A+Ba)(\sin(1/2dx+1/2c)^2)^{1/2} \\ & ((2b\cos(1/2dx+1/2c)^2+a-b)/(a-b))^{1/2} /(-2b\sin(1/2dx+1/2c)^4+(a+b) \\ & \sin(1/2dx+1/2c)^2)^{1/2} \\ & \text{EllipticPi}(\cos(1/2dx+1/2c), 2, (-2b/(a-b))^{1/2})+2a^2(3Ab+Ba)(-\cos(1/2dx+1/2c) \\ & /a(-2b\sin(1/2dx+1/2c)^4+(a+b)\sin(1/2dx+1/2c)^2)^{1/2} / (2\cos(1/2dx+1/2c)^2-1) \\ & +1/2(\sin(1/2dx+1/2c)^2)^{1/2}((2b\cos(1/2dx+1/2c)^2+a-b)/(a-b))^{1/2} /(-2b\sin(1/2dx+1/2c)^4+(a+b) \\ & \sin(1/2dx+1/2c)^2)^{1/2} \\ & \text{EllipticF}(\cos(1/2dx+1/2c), (-2b/(a-b))^{1/2})-1/2(\sin(1/2dx+1/2c)^2)^{1/2} \\ & ((2b\cos(1/2dx+1/2c)^2+a-b)/(a-b))^{1/2} /(-2b\sin(1/2dx+1/2c)^4+(a+b) \\ & \sin(1/2dx+1/2c)^2)^{1/2} \\ & \text{EllipticE}(\cos(1/2dx+1/2c), (-2b/(a-b))^{1/2})+1/2a(\sin(1/2dx+1/2c)^2)^{1/2} \\ & ((2b\cos(1/2dx+1/2c)^2+a-b)/(a-b))^{1/2} /(-2b\sin(1/2dx+1/2c)^4+(a+b) \\ & \sin(1/2dx+1/2c)^2)^{1/2} \\ & b\text{EllipticE}(\cos(1/2dx+1/2c), (-2b/(a-b))^{1/2})+1/2ab(\sin(1/2dx+1/2c)^2)^{1/2} \\ & ((2b\cos(1/2dx+1/2c)^2+a-b)/(a-b))^{1/2} /(-2b\sin(1/2dx+1/2c)^4+(a+b) \\ & \sin(1/2dx+1/2c)^2)^{1/2} \\ & \text{EllipticPi}(\cos(1/2dx+1/2c), 2, (-2b/(a-b))^{1/2})+2Aa^3(-1/2\cos(1/2dx+1/2c) \\ & /a(-2b\sin(1/2dx+1/2c)^4+(a+b)\sin(1/2dx+1/2c)^2)^{1/2} / (2\cos(1/2dx+1/2c)^2-1) \\ & ^2+3/4a^2b\cos(1/2dx+1/2c)(-2b\sin(1/2dx+1/2c)^4+(a+b)\sin(1/2dx+1/2c)^2)^{1/2} \\ & / (2\cos(1/2dx+1/2c)^2-1)-1/8b/a(\sin(1/2dx+1/2c)^2)^{1/2} \\ & ((2b\cos(1/2dx+1/2c)^2+a-b)/(a-b))^{1/2} /(-2b\sin(1/2dx+1/2c)^4+(a+b) \\ & \sin(1/2dx+1/2c)^2)^{1/2} \\ & \text{EllipticF}(\cos(1/2dx+1/2c), (-2b/(a-b))^{1/2})+3/8a(\sin(1/2dx+1/2c)^2)^{1/2} \\ & ((2b\cos(1/2dx+1/2c)^2+a-b)/(a-b))^{1/2} /(-2b\sin(1/2dx+1/2c)^4+(a+b) \\ & \sin(1/2dx+1/2c)^2)^{1/2} \\ & b\text{EllipticE}(\cos(1/2dx+1/2c), (-2b/(a-b))^{1/2})-3/8a^2b^2(\sin(1/2dx+1/2c)^2)^{1/2} \\ & ((2b\cos(1/2dx+1/2c)^2+a-b)/(a-b))^{1/2} /(-2b\sin(1/2dx+1/2c)^4+(a+b) \\ & \sin(1/2dx+1/2c)^2)^{1/2} \\ & \text{EllipticE}(\cos(1/2dx+1/2c), (-2b/(a-b))^{1/2})-1/2(\sin(1/2dx+1/2c)^2)^{1/2} \\ & ((2b\cos(1/2dx+1/2c)^2+a-b)/(a-b))^{1/2} /(-2b\sin(1/2dx+1/2c)^4+(a+b) \\ & \sin(1/2dx+1/2c)^2)^{1/2} \\ & \text{EllipticPi}(\cos(1/2dx+1/2c), 2, (-2b/(a-b))^{1/2}) \\ & -3/8a^2(\sin(1/2dx+1/2c)^2)^{1/2}((2b\cos(1/2dx+1/2c)^2+a-b)/(a-b))^{1/2} /(-2b\sin(1/2dx+1/2c)^4+(a+b) \\ & \sin(1/2dx+1/2c)^2)^{1/2} \\ & \text{EllipticPi}(\cos(1/2dx+1/2c), 2, (-2b/(a-b))^{1/2})b^2)/\sin(1/2dx+1/2c)/(-2\sin(1/2dx+1/2c)^2b+a+b)^{1/2}/d \end{aligned}$$



**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^3, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)\right) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^3, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="fricas")

[Out] integral((B\*b^2\*cos(d\*x + c)^3 + A\*a^2 + (2\*B\*a\*b + A\*b^2)\*cos(d\*x + c)^2 + (B\*a^2 + 2\*A\*a\*b)\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^3, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^3, x)

### 3.317 $\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^4(c + dx) dx$

**Optimal.** Leaf size=376

$$\frac{(16a^2A + 54abB + 33Ab^2) \tan(c + dx) \sqrt{a + b \cos(c + dx)}}{24d} + \frac{(16a^3A + 66a^2bB + 59aAb^2 + 48b^3B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx)\right)}{24d \sqrt{a + b \cos(c + dx)}}$$

```
[Out] -((16*a^2*A + 33*A*b^2 + 54*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(24*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + ((16*a^3*A + 59*a*A*b^2 + 66*a^2*b*B + 48*b^3*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(24*d*Sqrt[a + b*Cos[c + d*x]]) + ((20*a^2*A*b + 5*A*b^3 + 8*a^3*B + 30*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(8*d*Sqrt[a + b*Cos[c + d*x]])) + ((16*a^2*A + 33*A*b^2 + 54*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Tan[c + d*x])/(24*d) + (a*(3*A*b + 2*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]*Tan[c + d*x])/(4*d) + (a*A*(a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)
```

**Rubi [A]** time = 1.43311, antiderivative size = 376, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2989, 3047, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(16a^2A + 54abB + 33Ab^2) \tan(c + dx) \sqrt{a + b \cos(c + dx)}}{24d} + \frac{(16a^3A + 66a^2bB + 59aAb^2 + 48b^3B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx)\right)}{24d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^4,x]
```

```
[Out] -((16*a^2*A + 33*A*b^2 + 54*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(24*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + ((16*a^3*A + 59*a*A*b^2 + 66*a^2*b*B + 48*b^3*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(24*d*Sqrt[a + b*Cos[c + d*x]]) + ((20*a^2*A*b + 5*A*b^3 + 8*a^3*B + 30*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(8*d*Sqrt[a + b*Cos[c + d*x]])) + ((16*a^2*A + 33*A*b^2 + 54*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Tan[c + d*x])/(24*d) + (a*(3*A*b + 2*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]*Tan[c + d*x])/(4*d) + (a*A*(a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^2*Tan[c + d*x])/(3*d)
```

#### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
```

FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

### Rule 3047

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[((c^2\*C - B\*c\*d + A\*d^2)\*Cos[e + f\*x] \*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 1) \*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*d\*(b\*d\*m + a\*c\*(n + 1)) + (c\*C - B\*d)\* (b\*c\*m + a\*d\*(n + 1)) - (d\*(A\*(a\*d\*(n + 2) - b\*c\*(n + 1)) + B\*(b\*d\*(n + 1) - a\*c\*(n + 2)))] - C\*(b\*c\*d\*(n + 1) - a\*(c^2 + d^2\*(n + 1)))]\*Sin[e + f\*x] + b\*(d\*(B\*c - A\*d)\*(m + n + 2) - C\*(c^2\*(m + 1) + d^2\*(n + 1)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

### Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x] \*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\* (a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))]\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2655

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

### Rule 2653

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

### Rule 3002

Int((((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]))/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[

$B/d, \text{Int}[(a + b\sin[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/d, \text{Int}[(a + b\sin[e + f*x])^m/(c + d\sin[e + f*x]), x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2663

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]], x\_Symbol] := \text{Dist}[\text{Sqrt}[(a + b*\sin[c + d*x])/(a + b)]/\text{Sqrt}[a + b*\sin[c + d*x]], \text{Int}[1/\text{Sqrt}[a/(a + b) + (b*\sin[c + d*x])/(a + b)], x], x] /;$  FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

### Rule 2661

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*\sin[(c_) + (d_)*(x_)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)]/(d*\text{Sqrt}[a + b]), x] /;$  FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

### Rule 2807

$\text{Int}[1/(((a_) + (b_)*\sin[(e_) + (f_)*(x_)])*\text{Sqrt}[(c_) + (d_)*\sin[(e_) + (f_)*(x_)]]), x\_Symbol] := \text{Dist}[\text{Sqrt}[(c + d*\sin[e + f*x])/(c + d)]/\text{Sqrt}[c + d*\sin[e + f*x]], \text{Int}[1/((a + b*\sin[e + f*x])*\text{Sqrt}[c/(c + d) + (d*\sin[e + f*x])/(c + d)]), x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

### Rule 2805

$\text{Int}[1/(((a_) + (b_)*\sin[(e_) + (f_)*(x_)])*\text{Sqrt}[(c_) + (d_)*\sin[(e_) + (f_)*(x_)]]), x\_Symbol] := \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*\text{Sqrt}[c + d]), x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^4(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^{3/2} \sec^2(c + dx) \tan(c + dx)}{3d} + \frac{1}{3} \int \dots \\
&= \frac{a(3Ab + 2aB)\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{4d} \\
&= \frac{(16a^2A + 33Ab^2 + 54abB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24d} \\
&= \frac{(16a^2A + 33Ab^2 + 54abB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24d} \\
&= \frac{(16a^2A + 33Ab^2 + 54abB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{24d} \\
&= -\frac{(16a^2A + 33Ab^2 + 54abB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{24d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \\
&= -\frac{(16a^2A + 33Ab^2 + 54abB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{24d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}
\end{aligned}$$

**Mathematica [C]** time = 5.80832, size = 486, normalized size = 1.29

$$\frac{8b(6a^2B+13aAb+24b^2B)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + \frac{2(104a^2Ab+48a^3B+126ab^2B-3Ab^3)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + 4 \sec^2(c + dx) \sqrt{a + b \cos(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^4, x]

[Out] ((8\*b\*(13\*a\*A\*b + 6\*a^2\*B + 24\*b^2\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] + (2\*(104\*a^2\*A\*b - 3\*A\*b^3 + 48\*a^3\*B + 126\*a\*b^2\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] - ((2\*I)\*(16\*a^2\*A + 33\*A\*b^2 + 54\*a\*b\*B)\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))]\*Sqrt[(b\*(1 + Cos[c + d\*x]))/(-a + b)]\*Csc[c + d\*x]\*(-2\*a\*(a - b)\*EllipticE[I\*ArcSinh[Sqrt[-(a + b)^(-1)]]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*(-2\*a\*EllipticF[I\*ArcSinh[Sqrt[-(a + b)^(-1)]]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*EllipticPi[(a + b)/a, I\*ArcSinh[Sqrt[-(a + b)^(-1)]]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b))))/(a\*b\*Sqrt[-(a + b)^(-1)]) + 4\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^2\*(2\*a\*(13\*A\*b + 6\*a\*B)\*Sin[c + d\*x] + (8\*a^2\*A + (33\*A\*b^2)/2 + 27\*a\*b\*B)\*Sin[2\*(c + d\*x)] + 8\*a^2\*A\*Tan[c + d\*x]))/(96\*d)

**Maple [B]** time = 12.175, size = 2438, normalized size = 6.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b\cos(dx+c))^{5/2}*(A+B\cos(dx+c))*\sec(dx+c)^4,x)$

[Out] 
$$\begin{aligned} & -(-(-2*b*\cos(1/2*d*x+1/2*c)^2-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*B*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)})/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-2*b^2*(A*b+3*B*a)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)})/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})+6*a*b*(A*b+B*a)*(-\cos(1/2*d*x+1/2*c)/a*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)})/(2*\cos(1/2*d*x+1/2*c)^2-1)+1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)})/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)})/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+1/2/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)})/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+1/2/a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)})/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})+2*A*a^3*(-1/3*\cos(1/2*d*x+1/2*c)/a*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)})/(2*\cos(1/2*d*x+1/2*c)^2-1)^3+5/12/a^2*b*\cos(1/2*d*x+1/2*c)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)})/(2*\cos(1/2*d*x+1/2*c)^2-1)^2-1/24*(16*a^2+15*b^2)/a^3*\cos(1/2*d*x+1/2*c)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)})/(2*\cos(1/2*d*x+1/2*c)^2-1)+5/48*b^2/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)})/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)})/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)})/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+1/3/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)})/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-5/16/a^2*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)})/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+5/16/a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)})/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^3+1/4/a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)})/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})+5/16*b^3/a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)})/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})+2*a^2*(3*A*b+B*a)*(-1/2*\cos(1/2*d*x+1/2*c)/a*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)})/(2*\cos(1/2*d*x+1/2*c)^2-1)^2+3/4/a^2*b*\cos(1/2*d*x+1/2*c)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)})/(2*\cos(1/2*d*x+1/2*c)^2-1)-1/8*b/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)})/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+3/8/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)})/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-3/8/a^2*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)})/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)})/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d$$

```
*x+1/2*c),2,(-2*b/(a-b))^(1/2))-3/8/a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*
cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin
(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2)
)*b^2))/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm
="maxima")
```

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm
="fricas")
```

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**4,x)
```

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^4 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^4,x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^4, x
)
```

$$3.318 \quad \int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx$$

**Optimal.** Leaf size=465

$$\frac{(284a^2Ab + 128a^3B + 264ab^2B + 15Ab^3) \tan(c + dx) \sqrt{a + b \cos(c + dx)}}{192ad} + \frac{(356a^2Ab + 128a^3B + 472ab^2B + 133Ab^3) \sqrt{a + b \cos(c + dx)}}{192d \sqrt{a + b \cos(c + dx)}}$$

```
[Out] -((284*a^2*A*b + 15*A*b^3 + 128*a^3*B + 264*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(192*a*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + ((356*a^2*A*b + 133*A*b^3 + 128*a^3*B + 472*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(192*d*Sqrt[a + b*Cos[c + d*x]]) + ((48*a^4*A + 120*a^2*A*b^2 - 5*A*b^4 + 160*a^3*b*B + 40*a*b^3*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(64*a*d*Sqrt[a + b*Cos[c + d*x]]) + ((284*a^2*A*b + 15*A*b^3 + 128*a^3*B + 264*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Tan[c + d*x])/(192*a*d) + ((36*a^2*A + 59*A*b^2 + 104*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]*Tan[c + d*x])/(96*d) + (a*(11*A*b + 8*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^2*Tan[c + d*x])/(24*d) + (a*A*(a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^3*Tan[c + d*x])/(4*d)
```

**Rubi [A]** time = 1.84537, antiderivative size = 465, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 11, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2989, 3047, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(284a^2Ab + 128a^3B + 264ab^2B + 15Ab^3) \tan(c + dx) \sqrt{a + b \cos(c + dx)}}{192ad} + \frac{(356a^2Ab + 128a^3B + 472ab^2B + 133Ab^3) \sqrt{a + b \cos(c + dx)}}{192d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^5,x]
```

```
[Out] -((284*a^2*A*b + 15*A*b^3 + 128*a^3*B + 264*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(192*a*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + ((356*a^2*A*b + 133*A*b^3 + 128*a^3*B + 472*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(192*d*Sqrt[a + b*Cos[c + d*x]]) + ((48*a^4*A + 120*a^2*A*b^2 - 5*A*b^4 + 160*a^3*b*B + 40*a*b^3*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(64*a*d*Sqrt[a + b*Cos[c + d*x]]) + ((284*a^2*A*b + 15*A*b^3 + 128*a^3*B + 264*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Tan[c + d*x])/(192*a*d) + ((36*a^2*A + 59*A*b^2 + 104*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]*Tan[c + d*x])/(96*d) + (a*(11*A*b + 8*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^2*Tan[c + d*x])/(24*d) + (a*A*(a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^3*Tan[c + d*x])/(4*d)
```

#### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
```



```
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

#### Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)^2], x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Ssin[e + f*x])^(m - 1)
*(c + d*Ssin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

#### Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)^2], x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

#### Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])], x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Ssin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Ssin[e + f*x])*(c + d*Ssin[e + f*x])], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

#### Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Ssin[c + d*x]]/Sqrt[(a + b*Ssin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Ssin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

#### Rule 2653

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned}
 \int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \frac{aA(a + b \cos(c + dx))^{3/2} \sec^3(c + dx) \tan(c + dx)}{4d} + \frac{1}{4} \int \dots \\
 &= \frac{a(11Ab + 8aB)\sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \tan(c + dx)}{24d} \\
 &= \frac{(36a^2A + 59Ab^2 + 104abB)\sqrt{a + b \cos(c + dx)} \sec(c + dx)}{96d} \\
 &= \frac{(284a^2Ab + 15Ab^3 + 128a^3B + 264ab^2B)\sqrt{a + b \cos(c + dx)}}{192ad} \\
 &= \frac{(284a^2Ab + 15Ab^3 + 128a^3B + 264ab^2B)\sqrt{a + b \cos(c + dx)}}{192ad} \\
 &= \frac{(284a^2Ab + 15Ab^3 + 128a^3B + 264ab^2B)\sqrt{a + b \cos(c + dx)}}{192ad} \\
 &= -\frac{(284a^2Ab + 15Ab^3 + 128a^3B + 264ab^2B)\sqrt{a + b \cos(c + dx)}}{192ad\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \\
 &= -\frac{(284a^2Ab + 15Ab^3 + 128a^3B + 264ab^2B)\sqrt{a + b \cos(c + dx)}}{192ad\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}
 \end{aligned}$$

**Mathematica [C]** time = 6.72104, size = 729, normalized size = 1.57

$$\frac{\sqrt{a + b \cos(c + dx)} \left( \frac{1}{96} \sec^2(c + dx) (36a^2A \sin(c + dx) + 104abB \sin(c + dx) + 59Ab^2 \sin(c + dx)) + \frac{\sec(c+dx)(284a^2Ab + 15Ab^3 + 128a^3B + 264ab^2B)}{192ad} \right)}{192ad}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^5,x]
```

```
[Out] ((2*(144*a^3*A*b + 236*a*A*b^3 + 416*a^2*b^2*B)*Sqrt[(a + b*Cos[c + d*x])]/(a + b))*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(288*a^4*A + 436*a^2*A*b^2 - 45*A*b^4 + 832*a^3*b*B - 24*a*b^3*B)*Sqrt[(a + b*Cos[c + d*x])]/(a + b))*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*(-284*a^2*A*b^2 - 15*A*b^4 - 128*a^3*b*B - 264*a*b^3*B)*Sqrt[(b - b*Cos[c + d*x])]/(a + b))*Sqrt[-((b + b*Cos[c + d*x])/(a - b))]*Cos[2*(c + d*x)]*(2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] - b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)]))*Sin[c + d*x])/(a*Sqrt[-(a + b)^(-1)]*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[-((a^2 - b^2 - 2*a*(a + b*Cos[c + d*x]) + (a + b*Cos[c + d*x])^2)/b^2)]*(2*a^2 - b^2 - 4*a*(a + b*Cos[c + d*x]) + 2*(a + b*Cos[c + d*x])^2))/(768*a*d) + (Sqrt[a + b*Cos[c + d*x]]*((Sec[c + d*x]^3*(17*a*A*b*Sin[c + d*x] + 8*a^2*B*Sin[c + d*x]))/24 + (Sec[c + d*x]^2*(36*a^2*A*Sin[c + d*x] + 59*A*b^2*Sin[c + d*x] + 104*a*b*B*Sin[c + d*x]))/96 + (Sec[c + d*x]*(284*a^2*A*b*Sin[c + d*x] + 15*A*b^3*Sin[c + d*x] + 128*a^3*B*Sin[c + d*x] + 264*a*b^2*B*Sin[c + d*x]))/(192*a) + (a^2*A*Sec[c + d*x]^3*Tan[c + d*x])/4))/d
```

**Maple [B]** time = 16.885, size = 3548, normalized size = 7.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\cos(d*x+c))^{5/2}*(A+B*\cos(d*x+c))*\sec(d*x+c)^5,x)$

[Out] 
$$\begin{aligned} & -(-(-2*b*\cos(1/2*d*x+1/2*c)^2-a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*B*b^3*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticPi(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{1/2})+2*A*a^3*(-1/4*\cos(1/2*d*x+1/2*c)/a*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}/(2*\cos(1/2*d*x+1/2*c)^2-1)^4+7/24/a^2*b*\cos(1/2*d*x+1/2*c)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}/(2*\cos(1/2*d*x+1/2*c)^2-1)^3-1/96*(36*a^2+35*b^2)/a^3*\cos(1/2*d*x+1/2*c)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}/(2*\cos(1/2*d*x+1/2*c)^2-1)^2+5/192*b*(20*a^2+21*b^2)/a^4*\cos(1/2*d*x+1/2*c)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}/(2*\cos(1/2*d*x+1/2*c)^2-1)-7/96*b/a*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})-35/384*b^3/a^3*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})+25/96/a*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*b*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})-25/96/a^2*b^2*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})+35/128/a^3*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})*b^3-35/128*b^4/a^4*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})-3/8*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticPi(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{1/2})-3/16/a^2*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticPi(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{1/2})*b^2-35/128/a^4*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticPi(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{1/2})*b^4)+2*a^2*(3*A*b+B*a)*(-1/3*\cos(1/2*d*x+1/2*c)/a*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}/(2*\cos(1/2*d*x+1/2*c)^2-1)^3+5/12/a^2*b*\cos(1/2*d*x+1/2*c)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}/(2*\cos(1/2*d*x+1/2*c)^2-1)^2-1/24*(16*a^2+15*b^2)/a^3*\cos(1/2*d*x+1/2*c)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}/(2*\cos(1/2*d*x+1/2*c)^2-1)+5/48*b^2/a^2*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})+1/3*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})-1/3*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})+1/3/a*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*b*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})-5/16/a^2*b^2*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*$$

$$\begin{aligned} & \cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+5 \\ & /16/a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b)) \\ & ^{(1/2)/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)*\text{Ellipti} \\ & cE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*b^3+1/4/a*b*(\sin(1/2*d*x+1/2*c)^2 \\ & )^{(1/2)*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)/(-2*b*\sin(1/2*d*x+1/2* \\ & c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2* \\ & b/(a-b))^{(1/2)})+5/16*b^3/a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)*((2*b*\cos(1/2*d*x \\ & +1/2*c)^2+a-b)/(a-b))^{(1/2)/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/ \\ & 2*c)^2)^{(1/2)*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})+2*b^2*(A \\ & *b+3*B*a)*(-\cos(1/2*d*x+1/2*c)/a*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d \\ & *x+1/2*c)^2)^{(1/2)/(2*\cos(1/2*d*x+1/2*c)^2-1)+1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1 \\ & /2)*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)/(-2*b*\sin(1/2*d*x+1/2*c)^4 \\ & +(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b) \\ & )^{(1/2)})-1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/( \\ & a-b))^{(1/2)/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)*\text{El} \\ & lipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+1/2/a*(\sin(1/2*d*x+1/2*c)^2) \\ & ^{(1/2)*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)/(-2*b*\sin(1/2*d*x+1/2*c) \\ & )^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)*b*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/ \\ & (a-b))^{(1/2)})+1/2/a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)*((2*b*\cos(1/2*d*x+1/2*c) \\ & ^2+a-b)/(a-b))^{(1/2)/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2) \\ & ^{(1/2)*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})+6*a*b*(A*b+B*a) \\ & *(-1/2*\cos(1/2*d*x+1/2*c)/a*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/ \\ & 2*c)^2)^{(1/2)/(2*\cos(1/2*d*x+1/2*c)^2-1)^2+3/4/a^2*b*\cos(1/2*d*x+1/2*c)*(-2 \\ & *b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)/(2*\cos(1/2*d*x+1/ \\ & 2*c)^2-1)-1/8*b/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)*((2*b*\cos(1/2*d*x+1/2*c)^2+a \\ & -b)/(a-b))^{(1/2)/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/ \\ & 2)*\text{EllipticF}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+3/8/a*(\sin(1/2*d*x+1/2* \\ & c)^2)^{(1/2)*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)/(-2*b*\sin(1/2*d*x+ \\ & 1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)*b*\text{EllipticE}(\cos(1/2*d*x+1/2*c), ( \\ & -2*b/(a-b))^{(1/2)})-3/8/a^2*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)*((2*b*\cos(1/2*d \\ & *x+1/2*c)^2+a-b)/(a-b))^{(1/2)/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+ \\ & 1/2*c)^2)^{(1/2)*\text{EllipticE}(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-1/2*(\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)/(-2*b*s \\ & in(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)*\text{EllipticPi}(\cos(1/2*d* \\ & x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})-3/8/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)*((2*b*c \\ & os(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin( \\ & 1/2*d*x+1/2*c)^2)^{(1/2)*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)})} \\ & *b^2))/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)/d} \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^5,x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="fricas")
```

```
[Out] Timed out
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**5,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^5 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^5,x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^5, x)
```

$$3.319 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=320

$$\frac{2(-24a^2B + 28aAb - 25b^2B) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{105b^3d} - \frac{2(56a^3Ab - 32a^2b^2B - 48a^4B + 49aAb^3 - 25b^4B) \sqrt{a+b \cos(c+dx)}}{105b^4d}$$

```
[Out] (2*(56*a^2*A*b + 63*A*b^3 - 48*a^3*B - 44*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]
*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(105*b^4*d*Sqrt[(a + b*Cos[c + d*x])
]/(a + b)) - (2*(56*a^3*A*b + 49*a*A*b^3 - 48*a^4*B - 32*a^2*b^2*B - 25*b^
4*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a +
b)]/(105*b^4*d*Sqrt[a + b*Cos[c + d*x]]) - (2*(28*a*A*b - 24*a^2*B - 25*b^2
*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(105*b^3*d) + (2*(7*A*b - 6*a*B)
*Cos[c + d*x]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(35*b^2*d) + (2*B*Cos[
c + d*x]^2*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(7*b*d)
```

**Rubi [A]** time = 0.619089, antiderivative size = 320, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2990, 3049, 3023, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(-24a^2B + 28aAb - 25b^2B) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{105b^3d} - \frac{2(56a^3Ab - 32a^2b^2B - 48a^4B + 49aAb^3 - 25b^4B) \sqrt{a+b \cos(c+dx)}}{105b^4d}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/Sqrt[a + b*Cos[c + d*x]],x]
```

```
[Out] (2*(56*a^2*A*b + 63*A*b^3 - 48*a^3*B - 44*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]
*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(105*b^4*d*Sqrt[(a + b*Cos[c + d*x])
]/(a + b)) - (2*(56*a^3*A*b + 49*a*A*b^3 - 48*a^4*B - 32*a^2*b^2*B - 25*b^
4*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b
)]/(105*b^4*d*Sqrt[a + b*Cos[c + d*x]]) - (2*(28*a*A*b - 24*a^2*B - 25*b^2
*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(105*b^3*d) + (2*(7*A*b - 6*a*B)
*Cos[c + d*x]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(35*b^2*d) + (2*B*Cos[
c + d*x]^2*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(7*b*d)
```

#### Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -S
imp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n
+ 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*
x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m -
1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n
)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e
+ f*x]^2, x], x, x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n
, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

#### Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_
```

```
.) + (f_.)*(x_)^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

### Rule 2752

```
Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

### Rule 2663

```
Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

### Rule 2661

```
Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rule 2655

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

### Rule 2653

```
Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rubi steps



$$\begin{aligned}
\int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{\sqrt{a+b\cos(c+dx)}} dx &= \frac{2B\cos^2(c+dx)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{7bd} + \frac{2\int \frac{\cos(c+dx)\left(2aB+\frac{5}{2}bB\cos(c+dx)\right)}{\sqrt{a+b\cos(c+dx)}} dx}{7b^2d} \\
&= \frac{2(7Ab-6aB)\cos(c+dx)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{35b^2d} + \frac{2B\cos^2(c+dx)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{7b^2d} \\
&= -\frac{2(28aAb-24a^2B-25b^2B)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{105b^3d} + \frac{2(7Ab-6aB)\cos(c+dx)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{7b^2d} \\
&= -\frac{2(28aAb-24a^2B-25b^2B)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{105b^3d} + \frac{2(7Ab-6aB)\cos(c+dx)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{7b^2d} \\
&= -\frac{2(28aAb-24a^2B-25b^2B)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{105b^3d} + \frac{2(7Ab-6aB)\cos(c+dx)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{7b^2d} \\
&= \frac{2(56a^2Ab+63Ab^3-48a^3B-44ab^2B)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{105b^4d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}
\end{aligned}$$

**Mathematica [A]** time = 1.0154, size = 230, normalized size = 0.72

$$2b\sin(c+dx)(a+b\cos(c+dx))(48a^2B+6b(7Ab-6aB)\cos(c+dx)-56aAb+15b^2B\cos(2(c+dx))+65b^2B)+4a^2B\cos(2(c+dx))$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^3\*(A + B\*Cos[c + d\*x]))/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] (4\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*(b^2\*(14\*a\*A\*b - 12\*a^2\*B + 25\*b^2\*B)\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)] - (-56\*a^2\*A\*b - 63\*A\*b^3 + 48\*a^3\*B + 44\*a\*b^2\*B)\*((a + b)\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] - a\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)])) + 2\*b\*(a + b\*Cos[c + d\*x])\*(-56\*a\*A\*b + 48\*a^2\*B + 65\*b^2\*B + 6\*b\*(7\*A\*b - 6\*a\*B)\*Cos[c + d\*x] + 15\*b^2\*B\*Cos[2\*(c + d\*x)])\*Sin[c + d\*x]/(210\*b^4\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**Maple [B]** time = 4.258, size = 1305, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2), x)

[Out] -2/105\*((2\*b\*cos(1/2\*d\*x+1/2\*c))^2+a-b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(240\*B\*b^4\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8+(-168\*A\*b^4+24\*B\*a\*b^3-360\*B\*b^4)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+(-28\*A\*a\*b^3+168\*A\*b^4+24\*B\*a^2\*b^2-24\*B\*a\*b^3+280\*B\*b^4)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(56\*A\*a^2\*b^2+14\*A\*a\*b^3-42\*A\*b^4-48\*B\*a^3\*b-12\*B\*a^2\*b^2-44\*B\*a\*b^3-80\*B\*b^4)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)-56\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a^3\*b-49\*a\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*si

$$\begin{aligned} & n(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*b^3+56*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)}) \\ & *a^3*b-56*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2*b^2+ \\ & 63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a*b^3-63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*b^4+48*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^4+32*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2*b^2+25*B*b^4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})-48*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^4+48*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^3*b-44*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a^2*b^2+44*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})*a*b^3/b^4/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^3}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^3/sqrt(b\*cos(d\*x + c) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \cos(dx + c)^4 + A \cos(dx + c)^3}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^4 + A\*cos(d\*x + c)^3)/sqrt(b\*cos(d\*x + c) + a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^3}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^3/sqrt(b\*cos(d\*x + c) + a), x)

$$3.320 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=246

$$\frac{2(10a^2Ab - 8a^3B - 7ab^2B + 5Ab^3) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15b^3d \sqrt{a+b \cos(c+dx)}} - \frac{2(-8a^2B + 10aAb - 9b^2B) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15b^3d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out]  $(-2*(10*a*A*b - 8*a^2*B - 9*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(15*b^3*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (2*(10*a^2*A*b + 5*A*b^3 - 8*a^3*B - 7*a*b^2*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(15*b^3*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*(5*A*b - 4*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*b^2*d) + (2*B*\text{Cos}[c + d*x]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(5*b*d)$

**Rubi [A]** time = 0.429668, antiderivative size = 246, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2990, 3023, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(10a^2Ab - 8a^3B - 7ab^2B + 5Ab^3) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15b^3d \sqrt{a+b \cos(c+dx)}} - \frac{2(-8a^2B + 10aAb - 9b^2B) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{15b^3d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]^2*(A + B*\text{Cos}[c + d*x]))/\text{Sqrt}[a + b*\text{Cos}[c + d*x]], x]$

[Out]  $(-2*(10*a*A*b - 8*a^2*B - 9*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(15*b^3*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (2*(10*a^2*A*b + 5*A*b^3 - 8*a^3*B - 7*a*b^2*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(15*b^3*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*(5*A*b - 4*a*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(15*b^2*d) + (2*B*\text{Cos}[c + d*x]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(5*b*d)$

### Rule 2990

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] :> -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-1)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(m+n+1)), x] + \text{Dist}[1/(d*(m+n+1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a^2*A*d*(m+n+1) + b*B*(b*c*(m-1) + a*d*(n+1)) + (a*d*(2*A*b + a*B)*(m+n+1) - b*B*(a*c - b*d*(m+n)))*\text{Sin}[e + f*x] + b*(A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n)))*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& !( \text{IGtQ}[n, 1] \&\& ( !\text{IntegerQ}[m] || (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0]) ) )$

### Rule 3023

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] :> -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m+1)})/(b*f*(m+2)), x] + \text{Dist}[1/(b*(m+2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*\text{Simp}[A*b*(m+2) + b*C*(m+1) + (b*B*(m+2) - a*C)*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& !\text{LtQ}[m, -1]$

Rule 2752

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned} \int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{\sqrt{a + b \cos(c + dx)}} dx &= \frac{2B \cos(c + dx) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5bd} + \frac{2 \int \frac{aB + \frac{3}{2}bB \cos(c + dx) + \frac{1}{2}(5Ab - 4a^2)}{\sqrt{a + b \cos(c + dx)}} dx}{5b} \\ &= \frac{2(5Ab - 4aB) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15b^2d} + \frac{2B \cos(c + dx) \sqrt{a + b \cos(c + dx)}}{5bd} \\ &= \frac{2(5Ab - 4aB) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15b^2d} + \frac{2B \cos(c + dx) \sqrt{a + b \cos(c + dx)}}{5bd} \\ &= \frac{2(5Ab - 4aB) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15b^2d} + \frac{2B \cos(c + dx) \sqrt{a + b \cos(c + dx)}}{5bd} \\ &= \frac{2(10aAb - 8a^2B - 9b^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{15b^3d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2(10a^2A - 10aAb + 9b^2B) \sqrt{a + b \cos(c + dx)}}{15b^3d \sqrt{a + b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.89092, size = 180, normalized size = 0.73

$$\frac{2 \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \left( (8a^2B - 10aAb + 9b^2B) \left( (a+b) E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) - a F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) \right) + b^2(2aB + 5Ab) F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) \right)}{15b^3d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/Sqrt[a + b*Cos[c + d*x]],x]
```

```
[Out] (2*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*(b^2*(5*A*b + 2*a*B)*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + (-10*a*A*b + 8*a^2*B + 9*b^2*B)*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)])) + 2*b*(a + b*Cos[c + d*x])*(5*A*b - 4*a*B + 3*b*B*Cos[c + d*x])*Sin[c + d*x])/(15*b^3*d*Sqrt[a + b*Cos[c + d*x]])
```

**Maple [B]** time = 3.907, size = 993, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x)
```

```
[Out] -2/15*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-24*B*b^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+(20*A*b^3-4*B*a*b^2+24*B*b^3)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-10*A*a*b^2-10*A*b^3+8*B*a^2*b+2*B*a*b^2-6*B*b^3)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+10*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b+5*A*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-10*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b+10*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b^2-8*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^3-7*a*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b^2+8*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^3-8*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a^2*b+9*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a*b^2-9*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*b^3)/b^3/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^2}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")
```

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^2/sqrt(b\*cos(d\*x + c) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \cos(dx + c)^3 + A \cos(dx + c)^2}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^3 + A\*cos(d\*x + c)^2)/sqrt(b\*cos(d\*x + c) + a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*2\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^2}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^2/sqrt(b\*cos(d\*x + c) + a), x)

$$3.321 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=183

$$\frac{2(-2a^2B + 3aAb - b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3b^2d \sqrt{a+b \cos(c+dx)}} + \frac{2(3Ab - 2aB) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3b^2d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2B \sin(c+dx)}{3b^2d}$$

[Out] (2\*(3\*A\*b - 2\*a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(3\*b^2\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) - (2\*(3\*a\*A\*b - 2\*a^2\*B - b^2\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(3\*b^2\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*B\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*b\*d)

**Rubi [A]** time = 0.291797, antiderivative size = 183, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2968, 3023, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(-2a^2B + 3aAb - b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3b^2d \sqrt{a+b \cos(c+dx)}} + \frac{2(3Ab - 2aB) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{3b^2d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2B \sin(c+dx)}{3b^2d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]\*(A + B\*Cos[c + d\*x]))/Sqrt[a + b\*Cos[c + d\*x]],x]

[Out] (2\*(3\*A\*b - 2\*a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(3\*b^2\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) - (2\*(3\*a\*A\*b - 2\*a^2\*B - b^2\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(3\*b^2\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*B\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*b\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2752

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]



Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)(A+B\cos(c+dx))}{\sqrt{a+b\cos(c+dx)}} dx &= \int \frac{A\cos(c+dx)+B\cos^2(c+dx)}{\sqrt{a+b\cos(c+dx)}} dx \\ &= \frac{2B\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{3bd} + \frac{2\int \frac{\frac{bB}{2} + \frac{1}{2}(3Ab-2aB)\cos(c+dx)}{\sqrt{a+b\cos(c+dx)}} dx}{3b} \\ &= \frac{2B\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{3bd} + \frac{(3Ab-2aB)\int \sqrt{a+b\cos(c+dx)} dx}{3b^2} \\ &= \frac{2B\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{3bd} + \frac{((3Ab-2aB)\sqrt{a+b\cos(c+dx)})\int \sqrt{\frac{a}{a+b\cos(c+dx)}} dx}{3b^2\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} \\ &= \frac{2(3Ab-2aB)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{3b^2d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} - \frac{2(3aAb-2a^2B-b^2B)}{3b^2d\sqrt{a+b\cos(c+dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.656256, size = 154, normalized size = 0.84

$$\frac{2(2a^2B - 3aAb + b^2B)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right) - 2(a+b)(2aB - 3Ab)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right) + 2bB\operatorname{si}\left(\sqrt{\frac{a+b\cos(c+dx)}{a+b}}\right)}{3b^2d\sqrt{a+b\cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/Sqrt[a + b*Cos[c + d*x]],x]
```

```
[Out] (-2*(a + b)*(-3*A*b + 2*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticE[(c + d*x)/2, (2*b)/(a + b)] + 2*(-3*a*A*b + 2*a^2*B + b^2*B)*Sqrt[(a + b*Cos
```

$[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + 2*b*B*(a + b*Cos[c + d*x])*Sin[c + d*x]/(3*b^2*d*Sqrt[a + b*Cos[c + d*x]])]$

**Maple [B]** time = 4.369, size = 671, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(dx+c)*(A+B*\cos(dx+c))/(a+b*\cos(dx+c))^{1/2}, x)$

[Out]  $2/3*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-4*B*\cos(1/2*d*x+1/2*c)^5*b^2+3*A*a*b*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})-3*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})*a*b+3*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})*b^2-2*B*\cos(1/2*d*x+1/2*c)^3*a*b+6*B*\cos(1/2*d*x+1/2*c)^3*b^2-2*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})*a^2-B*b^2*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2}))+2*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})*a^2-2*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{1/2})*a*b+2*B*\cos(1/2*d*x+1/2*c)*a*b-2*B*\cos(1/2*d*x+1/2*c)*b^2)/b^2/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{1/2}/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)*(A+B*\cos(dx+c))/(a+b*\cos(dx+c))^{1/2}, x, \text{algorithm}="maxima")$

[Out]  $\text{integrate}((B*\cos(dx + c) + A)*\cos(dx + c)/\text{sqrt}(b*\cos(dx + c) + a), x)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \cos(dx + c)^2 + A \cos(dx + c)}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)*(A+B*\cos(dx+c))/(a+b*\cos(dx+c))^{1/2}, x, \text{algorithm}="fricas")$

[Out] `integral((B*cos(d*x + c)^2 + A*cos(d*x + c))/sqrt(b*cos(d*x + c) + a), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(1/2),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")`

[Out] `integrate((B*cos(d*x + c) + A)*cos(d*x + c)/sqrt(b*cos(d*x + c) + a), x)`

### 3.322 $\int \frac{A+B \cos(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$

**Optimal.** Leaf size=130

$$\frac{2(Ab - aB)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{bd\sqrt{a+b \cos(c+dx)}} + \frac{2B\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{bd\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

[Out] (2\*B\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(b\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) + (2\*(A\*b - a\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(b\*d\*Sqrt[a + b\*Cos[c + d\*x]]))

**Rubi [A]** time = 0.126202, antiderivative size = 130, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2752, 2663, 2661, 2655, 2653}

$$\frac{2(Ab - aB)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{bd\sqrt{a+b \cos(c+dx)}} + \frac{2B\sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{bd\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] (2\*B\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(b\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) + (2\*(A\*b - a\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(b\*d\*Sqrt[a + b\*Cos[c + d\*x]]))

#### Rule 2752

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2655

Int[Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,

0] && !GtQ[a + b, 0]

### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]] , x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx &= \frac{B \int \sqrt{a + b \cos(c + dx)} dx}{b} + \frac{(Ab - aB) \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx}{b} \\ &= \frac{(B\sqrt{a + b \cos(c + dx)}) \int \sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}} dx}{b\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{\left((Ab - aB)\sqrt{\frac{a+b \cos(c+dx)}{a+b}}\right) \int \frac{1}{\sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}}} dx}{b\sqrt{a + b \cos(c + dx)}} \\ &= \frac{2B\sqrt{a + b \cos(c + dx)}E\left(\frac{1}{2}(c + dx)\middle|\frac{2b}{a+b}\right)}{bd\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2(Ab - aB)\sqrt{\frac{a+b \cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c + dx)\middle|\frac{2b}{a+b}\right)}{bd\sqrt{a + b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 3.12133, size = 93, normalized size = 0.72

$$\frac{2\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \left( (Ab - aB)F\left(\frac{1}{2}(c + dx)\middle|\frac{2b}{a+b}\right) + B(a + b)E\left(\frac{1}{2}(c + dx)\middle|\frac{2b}{a+b}\right) \right)}{bd\sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/Sqrt[a + b\*Cos[c + d\*x]],x]

[Out] (2\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*((a + b)\*B\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] + (A\*b - a\*B)\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]))/(b\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**Maple [A]** time = 3.184, size = 249, normalized size = 1.9

$$-2 \frac{\sqrt{(2b(\cos(1/2 dx + c/2))^2 + a - b)(\sin(1/2 dx + c/2))^2} \sqrt{(\sin(1/2 dx + c/2))^2}}{\sqrt{-2b(\sin(1/2 dx + c/2))^4 + (a + b)(\sin(1/2 dx + c/2))^2} b \sin(1/2 dx + c/2) \sqrt{-2(\sin(1/2 dx + c/2))^2} b + a + bd} \sqrt{\phantom{x}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] -2\*((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)/(a-b))^(1/2)\*(A\*b\*EllipticF(cos(1/2\*d\*x+1/2\*c),(-2\*b/(a-b))^(1/2))-B\*EllipticF(cos(1/2\*d\*x+1/2\*c),(-2\*b/(a-b))^(1/2))\*a+B\*EllipticE(cos(1/2\*d\*x+1/2\*c),(-2\*b/(a-b))^(1/2))\*a-B\*EllipticE(cos(1/2\*d\*x+1/2\*c),(-2\*b/(a-b))^(1/2))\*b)/(-2\*b\*sin(1/2\*d\*x+1/2\*c)^4+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/b/sin(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^2\*b+a+b)^(1/2)/d

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/sqrt(b\*cos(d\*x + c) + a), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/sqrt(b\*cos(d\*x + c) + a), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \cos(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))/sqrt(a + b\*cos(c + d\*x)), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/sqrt(b\*cos(d\*x + c) + a), x)

$$3.323 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=118

$$\frac{2A\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}} + \frac{2B\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}}$$

[Out] (2\*B\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*A\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b\*Cos[c + d\*x]]))

**Rubi [A]** time = 0.312866, antiderivative size = 118, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {3002, 2663, 2661, 2807, 2805}

$$\frac{2A\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}} + \frac{2B\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/Sqrt[a + b\*Cos[c + d\*x]],x]

[Out] (2\*B\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*A\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b\*Cos[c + d\*x]]))

#### Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_))\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

#### Rule 2661

Int[1/Sqrt[(a\_) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

#### Rule 2807

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[Sqrt[(c + d\*Sin[e + f\*x])/(c + d)]/Sqrt[c + d\*Sin[e + f\*x]], Int[1/((a + b\*Sin[e + f\*x])\*Sqrt[c/(c + d) + (d\*Sin[e + f\*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx &= A \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx + B \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{\left(A \sqrt{\frac{a+b \cos(c+dx)}{a+b}}\right) \int \frac{\sec(c+dx)}{\sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}}} dx}{\sqrt{a + b \cos(c + dx)}} + \frac{\left(B \sqrt{\frac{a+b \cos(c+dx)}{a+b}}\right) \int \frac{1}{\sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}}} dx}{\sqrt{a + b \cos(c + dx)}} \\ &= \frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a + b \cos(c + dx)}} + \frac{2A \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a + b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.182617, size = 81, normalized size = 0.69

$$\frac{2 \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \left( A \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + B F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) \right)}{d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/Sqrt[a + b\*Cos[c + d\*x]],x]

[Out] (2\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*(B\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)] + A\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]))/(d\*Sqrt[a + b\*Cos[c + d\*x]])

**Maple [A]** time = 3.668, size = 194, normalized size = 1.6

$$2 \frac{\sqrt{(2b(\cos(1/2 dx + c/2))^2 + a - b)(\sin(1/2 dx + c/2))^2} \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{2b(\cos(1/2 dx + c/2))^2 + a - b}}{\sqrt{-2b(\sin(1/2 dx + c/2))^4 + (a + b)(\sin(1/2 dx + c/2))^2} \sin(1/2 dx + c/2) \sqrt{-2(\sin(1/2 dx + c/2))^2 b + a + bd} \sqrt{2b(\cos(1/2 dx + c/2))^2 + a - b}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] 2\*((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)/(a-b))^(1/2)\*(A\*EllipticPi(cos(1/2\*d\*x+1/2\*c),2,(-2\*b/(a-b))^(1/2))-B\*EllipticF(cos(1/2\*d\*x+1/2\*c),(-2\*b/(a-b))^(1/2)))/(-2\*b\*sin(1/2\*d\*x+1/2\*c)^4+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^2\*b+a+b)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{\sqrt{b \cos(dx + c) + a}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)/sqrt(b\*cos(d\*x + c) + a), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*sec(c + d\*x)/sqrt(a + b\*cos(c + d\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)/sqrt(b\*cos(d\*x + c) + a), x)

$$3.324 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=216

$$\frac{(Ab - 2aB)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{ad\sqrt{a+b \cos(c+dx)}} + \frac{A \tan(c+dx)\sqrt{a+b \cos(c+dx)}}{ad} + \frac{A\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}}$$

[Out] -((A\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)])/(a\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)])) + (A\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b\*Cos[c + d\*x]])) - ((A\*b - 2\*a\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/(a\*d\*Sqrt[a + b\*Cos[c + d\*x]])) + (A\*Sqrt[a + b\*Cos[c + d\*x]]\*Tan[c + d\*x])/(a\*d)

**Rubi [A]** time = 0.655118, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {3000, 3060, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{(Ab - 2aB)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{ad\sqrt{a+b \cos(c+dx)}} + \frac{A \tan(c+dx)\sqrt{a+b \cos(c+dx)}}{ad} + \frac{A\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/Sqrt[a + b\*Cos[c + d\*x]],x]

[Out] -((A\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)])/(a\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)])) + (A\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b\*Cos[c + d\*x]])) - ((A\*b - 2\*a\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/(a\*d\*Sqrt[a + b\*Cos[c + d\*x]])) + (A\*Sqrt[a + b\*Cos[c + d\*x]]\*Tan[c + d\*x])/(a\*d)

### Rule 3000

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(1 + n))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(a\*A - b\*B)\*(b\*c - a\*d)\*(m + 1) + b\*d\*(A\*b - a\*B)\*(m + n + 2) + (A\*b - a\*B)\*(a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(A\*b - a\*B)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3060

Int[((A\_.) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2])/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] :> Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, C}, x] && NeQ[b\*c

- a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

### Rule 3002

Int[(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]))/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2663

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

### Rule 2807

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[Sqrt[(c + d\*Sin[e + f\*x])/(c + d)]/Sqrt[c + d\*Sin[e + f\*x]], Int[1/((a + b\*Sin[e + f\*x])\*Sqrt[c/(c + d) + (d\*Sin[e + f\*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

### Rule 2805

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

### Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx &= \frac{A\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{ad} + \frac{\int \frac{\left(\frac{1}{2}(-Ab+2aB) - \frac{1}{2}Ab \cos^2(c+dx)\right) \sec(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx}{a} \\
&= \frac{A\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{ad} - \frac{A \int \sqrt{a + b \cos(c + dx)} dx}{2a} - \frac{\int \frac{\left(\frac{1}{2}b(Ab-2aB) - \dots\right)}{\dots}}{\dots} \\
&= \frac{A\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{ad} + \frac{1}{2}A \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx - \frac{(Ab - 2aB)}{\dots} \\
&= -\frac{A\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{A\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{ad} + \dots \\
&= -\frac{A\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{A\sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d\sqrt{a + b \cos(c + dx)}} - \dots
\end{aligned}$$

**Mathematica [C]** time = 6.36639, size = 320, normalized size = 1.48

$$\frac{2(4aB-3Ab)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + 4A \tan(c + dx) \sqrt{a + b \cos(c + dx)} - \frac{2iA \csc(c+dx) \sqrt{-\frac{b(\cos(c+dx)-1)}{a+b}} \sqrt{\frac{b(\cos(c+dx)+1)}{b-a}} \left(b \left(b \Pi\left(\frac{a+b}{a}; i\right)\right)\right)}{4ad}$$

4ad

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^2)/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] ((2\*(-3\*A\*b + 4\*a\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] - ((2\*I)\*A\*Sqrt[-((b\*(-1 + Cos[c + d\*x]))/(a + b))]\*Sqrt[(b\*(1 + Cos[c + d\*x]))/(-a + b)]\*Csc[c + d\*x]\*(-2\*a\*(a - b)\*EllipticE[I\*ArcSinh[Sqrt[-(a + b)^(-1)]]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*(-2\*a\*EllipticF[I\*ArcSinh[Sqrt[-(a + b)^(-1)]]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*EllipticPi[(a + b)/a, I\*ArcSinh[Sqrt[-(a + b)^(-1)]]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)))/(a\*b\*Sqrt[-(a + b)^(-1)]) + 4\*A\*Sqrt[a + b\*Cos[c + d\*x]]\*Tan[c + d\*x]/(4\*a\*d)

**Maple [B]** time = 5.221, size = 639, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^(1/2), x)

[Out] -((-(-2\*b\*cos(1/2\*d\*x+1/2\*c)^2-a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)/(a-b))^(1/2)/(-2\*b\*sin(1/2\*d\*x+1/2\*c)^4+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c), 2, (-2\*b/(a-b))^(1/2))+2\*A\*(-cos(1/2\*d\*x+1/2\*c)/a\*(-2\*b\*sin(1/2\*d\*x+1/2\*c)^4+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)+1/2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)/(a-b))^(1/2)/(-2\*b\*sin(1/2\*d\*x+1/2\*c)^4+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1

$$\frac{1}{2}d*x+1/2*c), (-2*b/(a-b))^{(1/2)}-1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+1/2/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*EllipticE(\cos(1/2*d*x+1/2*c), (-2*b/(a-b))^{(1/2)})+1/2/a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^{(1/2)}))/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^2}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^2/sqrt(b\*cos(d\*x + c) + a), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*sec(c + d\*x)\*\*2/sqrt(a + b\*cos(c + d\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^2}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^2/sqrt(b*cos(d*x + c) + a), x)
```



```

+ (f_.)*(x_)^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

### Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

### Rule 2655

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

### Rule 2653

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

### Rule 3002

```

Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_))*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rule 2663

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]

```

### Rule 2661

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

### Rule 2807

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)

```



```
+ (f_.)*(x_)]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx = \frac{A\sqrt{a + b \cos(c + dx)} \sec(c + dx) \tan(c + dx)}{2ad} + \frac{\int \frac{(\frac{1}{2}(-3Ab + 4aB) + aA \cos(c + dx) + \frac{1}{2} \dots)}{\sqrt{a + b \cos(c + dx)}} dx}{2a}$$

$$= -\frac{(3Ab - 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4a^2d} + \frac{A\sqrt{a + b \cos(c + dx)} \sec(c + dx)}{2ad}$$

$$= -\frac{(3Ab - 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4a^2d} + \frac{A\sqrt{a + b \cos(c + dx)} \sec(c + dx)}{2ad}$$

$$= -\frac{(3Ab - 4aB)\sqrt{a + b \cos(c + dx)} \tan(c + dx)}{4a^2d} + \frac{A\sqrt{a + b \cos(c + dx)} \sec(c + dx)}{2ad}$$

$$= \frac{(3Ab - 4aB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4a^2d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{(3Ab - 4aB)\sqrt{a + b \cos(c + dx)}}{4a^2d}$$

$$= \frac{(3Ab - 4aB)\sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4a^2d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{(Ab - 4aB)\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{4ad\sqrt{a + b \cos(c + dx)}}$$

**Mathematica [C]** time = 5.75284, size = 420, normalized size = 1.4

$$\frac{2(8a^2A - 12abB + 9Ab^2)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} + 4 \tan(c + dx) \sec(c + dx) \sqrt{a + b \cos(c + dx)} ((4aB - 3Ab) \cos(c + dx) + \dots)$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/Sqrt[a + b*Cos[c + d*x]], x]
```

```
[Out] ((8*a*A*b*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(8*a^2*A + 9*A*b^2 - 12*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + ((2*I)*(3*A*b - 4*a*B)*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(b*(1 + Cos[c + d*x]))/(-a + b)]*Csc[c + d*x]*(-2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b))
```

$(a + b)^{-1}] * \text{Sqrt}[a + b * \text{Cos}[c + d * x]]], (a + b) / (a - b)])) / (a * b * \text{Sqrt}[-(a + b)^{-1}]) + 4 * \text{Sqrt}[a + b * \text{Cos}[c + d * x]] * (2 * a * A + (-3 * A * b + 4 * a * B) * \text{Cos}[c + d * x]) * \text{Sec}[c + d * x] * \text{Tan}[c + d * x]) / (16 * a^2 * d)$

**Maple [B]** time = 7.652, size = 1182, normalized size = 4.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^(1/2),x)`

[Out] 
$$-(-(-2 * b * \cos(1/2 * d * x + 1/2 * c)^2 - a + b) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * A * (-1/2 * \cos(1/2 * d * x + 1/2 * c) / a * (-2 * b * \sin(1/2 * d * x + 1/2 * c)^4 + (a + b) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^2 + 3/4 / a^2 * b * \cos(1/2 * d * x + 1/2 * c) * (-2 * b * \sin(1/2 * d * x + 1/2 * c)^4 + (a + b) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1) - 1/8 * b / a * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * ((2 * b * \cos(1/2 * d * x + 1/2 * c)^2 + a - b) / (a - b))^{(1/2)} / (-2 * b * \sin(1/2 * d * x + 1/2 * c)^4 + (a + b) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) + 3/8 / a * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * ((2 * b * \cos(1/2 * d * x + 1/2 * c)^2 + a - b) / (a - b))^{(1/2)} / (-2 * b * \sin(1/2 * d * x + 1/2 * c)^4 + (a + b) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * b * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) - 3/8 / a^2 * b^2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * ((2 * b * \cos(1/2 * d * x + 1/2 * c)^2 + a - b) / (a - b))^{(1/2)} / (-2 * b * \sin(1/2 * d * x + 1/2 * c)^4 + (a + b) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) - 1/2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * ((2 * b * \cos(1/2 * d * x + 1/2 * c)^2 + a - b) / (a - b))^{(1/2)} / (-2 * b * \sin(1/2 * d * x + 1/2 * c)^4 + (a + b) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2, (-2 * b / (a - b))^{(1/2)}) - 3/8 / a^2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * ((2 * b * \cos(1/2 * d * x + 1/2 * c)^2 + a - b) / (a - b))^{(1/2)} / (-2 * b * \sin(1/2 * d * x + 1/2 * c)^4 + (a + b) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2, (-2 * b / (a - b))^{(1/2)}) * b^2 + 2 * B * (-\cos(1/2 * d * x + 1/2 * c) / a * (-2 * b * \sin(1/2 * d * x + 1/2 * c)^4 + (a + b) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1) + 1/2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * ((2 * b * \cos(1/2 * d * x + 1/2 * c)^2 + a - b) / (a - b))^{(1/2)} / (-2 * b * \sin(1/2 * d * x + 1/2 * c)^4 + (a + b) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) - 1/2 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * ((2 * b * \cos(1/2 * d * x + 1/2 * c)^2 + a - b) / (a - b))^{(1/2)} / (-2 * b * \sin(1/2 * d * x + 1/2 * c)^4 + (a + b) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) + 1/2 / a * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * ((2 * b * \cos(1/2 * d * x + 1/2 * c)^2 + a - b) / (a - b))^{(1/2)} / (-2 * b * \sin(1/2 * d * x + 1/2 * c)^4 + (a + b) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * b * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), (-2 * b / (a - b))^{(1/2)}) + 1/2 / a * b * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * ((2 * b * \cos(1/2 * d * x + 1/2 * c)^2 + a - b) / (a - b))^{(1/2)} / (-2 * b * \sin(1/2 * d * x + 1/2 * c)^4 + (a + b) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), 2, (-2 * b / (a - b))^{(1/2)})) / \sin(1/2 * d * x + 1/2 * c) / (-2 * \sin(1/2 * d * x + 1/2 * c)^2 * b + a + b)^{(1/2)} / d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^3}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*sec(d*x + c)^3/sqrt(b*cos(d*x + c) + a), x)`

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^3}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^3/sqrt(b\*cos(d\*x + c) + a), x)

$$3.326 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=387

$$\frac{2a(Ab - aB) \sin(c + dx) \cos^2(c + dx)}{bd(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(-6a^2B + 5aAb + b^2B) \sin(c + dx) \cos(c + dx) \sqrt{a + b \cos(c + dx)}}{5b^2d(a^2 - b^2)} + \frac{2(20a^2Ab - 12a^3B - 5a^2b^2B - 48a^4B + 24a^2b^2B + 9b^4B) \sqrt{a + b \cos(c + dx)} \operatorname{EllipticE}[(c + dx)/2, (2b)/(a + b)]}{(15b^4(a^2 - b^2) \operatorname{d} \operatorname{Sqrt}[(a + b \cos(c + dx))/(a + b)] + (2(40a^2Ab + 5A^2b^3 - 48a^3B - 12a^2b^2B) \operatorname{Sqrt}[(a + b \cos(c + dx))/(a + b)] \operatorname{EllipticF}[(c + dx)/2, (2b)/(a + b)])/(15b^4 \operatorname{d} \operatorname{Sqrt}[a + b \cos(c + dx)]) + (2a(Ab - aB) \cos(c + dx) \operatorname{Sin}[c + dx])/(b(a^2 - b^2) \operatorname{d} \operatorname{Sqrt}[a + b \cos(c + dx)]) + (2(20a^2Ab - 5A^2b^3 - 24a^3B + 9a^2b^2B) \operatorname{Sqrt}[a + b \cos(c + dx)] \operatorname{Sin}[c + dx])/(15b^3(a^2 - b^2) \operatorname{d}) - (2(5a^2Ab - 6a^2B + b^2B) \cos(c + dx) \operatorname{Sqrt}[a + b \cos(c + dx)] \operatorname{Sin}[c + dx])/(5b^2(a^2 - b^2) \operatorname{d})$$

[Out] (-2\*(40\*a^3\*A\*b - 25\*a\*A\*b^3 - 48\*a^4\*B + 24\*a^2\*b^2\*B + 9\*b^4\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(15\*b^4\*(a^2 - b^2)\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) + (2\*(40\*a^2\*A\*b + 5\*A\*b^3 - 48\*a^3\*B - 12\*a^2\*b^2\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(15\*b^4\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*a\*(A\*b - a\*B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(b\*(a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*(20\*a^2\*A\*b - 5\*A\*b^3 - 24\*a^3\*B + 9\*a^2\*b^2\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*b^3\*(a^2 - b^2)\*d) - (2\*(5\*a^2\*A\*b - 6\*a^2\*B + b^2\*B)\*Cos[c + d\*x]\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(5\*b^2\*(a^2 - b^2)\*d)

**Rubi [A]** time = 0.727122, antiderivative size = 387, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2989, 3049, 3023, 2752, 2663, 2661, 2655, 2653}

$$\frac{2a(Ab - aB) \sin(c + dx) \cos^2(c + dx)}{bd(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(-6a^2B + 5aAb + b^2B) \sin(c + dx) \cos(c + dx) \sqrt{a + b \cos(c + dx)}}{5b^2d(a^2 - b^2)} + \frac{2(20a^2Ab - 12a^3B - 5a^2b^2B - 48a^4B + 24a^2b^2B + 9b^4B) \sqrt{a + b \cos(c + dx)} \operatorname{EllipticE}[(c + dx)/2, (2b)/(a + b)]}{(15b^4(a^2 - b^2) \operatorname{d} \operatorname{Sqrt}[(a + b \cos(c + dx))/(a + b)] + (2(40a^2Ab + 5A^2b^3 - 48a^3B - 12a^2b^2B) \operatorname{Sqrt}[(a + b \cos(c + dx))/(a + b)] \operatorname{EllipticF}[(c + dx)/2, (2b)/(a + b)])/(15b^4 \operatorname{d} \operatorname{Sqrt}[a + b \cos(c + dx)]) + (2a(Ab - aB) \cos(c + dx) \operatorname{Sin}[c + dx])/(b(a^2 - b^2) \operatorname{d} \operatorname{Sqrt}[a + b \cos(c + dx)]) + (2(20a^2Ab - 5A^2b^3 - 24a^3B + 9a^2b^2B) \operatorname{Sqrt}[a + b \cos(c + dx)] \operatorname{Sin}[c + dx])/(15b^3(a^2 - b^2) \operatorname{d}) - (2(5a^2Ab - 6a^2B + b^2B) \cos(c + dx) \operatorname{Sqrt}[a + b \cos(c + dx)] \operatorname{Sin}[c + dx])/(5b^2(a^2 - b^2) \operatorname{d})$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^3\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (-2\*(40\*a^3\*A\*b - 25\*a\*A\*b^3 - 48\*a^4\*B + 24\*a^2\*b^2\*B + 9\*b^4\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(15\*b^4\*(a^2 - b^2)\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) + (2\*(40\*a^2\*A\*b + 5\*A\*b^3 - 48\*a^3\*B - 12\*a^2\*b^2\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(15\*b^4\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*a\*(A\*b - a\*B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(b\*(a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*(20\*a^2\*A\*b - 5\*A\*b^3 - 24\*a^3\*B + 9\*a^2\*b^2\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*b^3\*(a^2 - b^2)\*d) - (2\*(5\*a^2\*A\*b - 6\*a^2\*B + b^2\*B)\*Cos[c + d\*x]\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(5\*b^2\*(a^2 - b^2)\*d)

#### Rule 2989

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :- Simp[((b\*c - a\*d)\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(b\*c - a\*d)\*(B\*c - A\*d)\*(m - 1) + a\*d\*(a\*A\*c + b\*B\*c - (A\*b + a\*B)\*d)\*(n + 1) + (b\*(b\*d\*(B\*c - A\*d) + a\*(A\*c\*d + B\*(c^2 - 2\*d^2)))\*(n + 1) - a\*(b\*c - a\*d)\*(B\*c - A\*d)\*(n + 2))\*Sin[e + f\*x] + b\*(d\*(A\*b\*c + a\*B\*c - a\*A\*d)\*(m + n + 1) - b\*B\*(c^2\*m + d^2\*(n + 1)))\*Sin[e + f\*x]^2, x], x] /;

FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

#### Rule 3049

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x]
&& NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

```

### Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

### Rule 2752

```

Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/Sqrt[(a_.) + (b_.)*sin[(e_.) + (
f_.)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

```

### Rule 2663

```

Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]

```

### Rule 2661

```

Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

### Rule 2655

```

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

### Rule 2653

```

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

### Rubi steps

$$\int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^{3/2}} dx = \frac{2a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} - \frac{2\int \frac{\cos(c+dx)\left(-2a(Ab-aB)+\frac{1}{2}b(Ab-aB)\cos(c+dx)\right)}{\sqrt{a+b\cos(c+dx)}}}{b(a^2-b^2)}$$

$$= \frac{2a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} - \frac{2(5aAb-6a^2B+b^2B)\cos(c+dx)\sqrt{a+b\cos(c+dx)}}{5b^2(a^2-b^2)}$$

$$= \frac{2a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{2(20a^2Ab-5Ab^3-24a^3B+9ab^2B)\sqrt{a+b\cos(c+dx)}}{15b^3(a^2-b^2)}$$

$$= \frac{2a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{2(20a^2Ab-5Ab^3-24a^3B+9ab^2B)\sqrt{a+b\cos(c+dx)}}{15b^3(a^2-b^2)}$$

$$= \frac{2a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{2(20a^2Ab-5Ab^3-24a^3B+9ab^2B)\sqrt{a+b\cos(c+dx)}}{15b^3(a^2-b^2)}$$

$$= -\frac{2(40a^3Ab-25aAb^3-48a^4B+24a^2b^2B+9b^4B)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\right)}{15b^4(a^2-b^2)d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}$$

**Mathematica [A]** time = 1.71575, size = 304, normalized size = 0.79

$$\frac{30a^3b(aB-Ab)\sin(c+dx)}{b^2-a^2} + \frac{2b^2(-10a^2Ab+12a^3B+3ab^2B-5Ab^3)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{(a-b)(a+b)} + \frac{2(-40a^3Ab-24a^2b^2B+48a^4B+25aAb^3-9b^4B)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}{(a-b)(a+b)}$$


---


$$15b^4d\sqrt{a+b}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] ((2*b^2*(-10*a^2*A*b - 5*A*b^3 + 12*a^3*B + 3*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)])/((a - b)*(a + b)) + (2*(-40*a^3*A*b + 25*a*A*b^3 + 48*a^4*B - 24*a^2*b^2*B - 9*b^4*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)]))/((a - b)*(a + b)) + (30*a^3*b*(-(A*b) + a*B)*Sin[c + d*x])/(-a^2 + b^2) + 2*b*(5*A*b - 9*a*B)*(a + b*Cos[c + d*x])*Sin[c + d*x] + 3*b^2*B*(a + b*Cos[c + d*x])*Sin[2*(c + d*x)]/(15*b^4*d*Sqrt[a + b*Cos[c + d*x]])
```

**Maple [B]** time = 12.509, size = 1308, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x)
```

```
[Out] -(-(-2*b*cos(1/2*d*x+1/2*c)^2-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(16*B/b*(-1/10/b*cos(1/2*d*x+1/2*c)^3*(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)-1/60/b^2*(-4*a+12*b)*cos(1/2*d*x+1/2*c)*(-2*b*sin(1/2*d*x+1/2*c
```

$$\begin{aligned} &)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+1/60/b^2*(-4*a+12*b)*(a-b)*(\sin(1/2*d \\ &*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1 \\ &/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2 \\ &*c),(-2*b/(a-b))^{(1/2)})-1/60*(4*a^2-15*a*b+27*b^2)/b^3*(a-b)*(\sin(1/2*d*x+1 \\ &/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d \\ &*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c) \\ &,(-2*b/(a-b))^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})))+8/b \\ &^2*(A*b-B*a-3*B*b)*(-1/6/b*\cos(1/2*d*x+1/2*c)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a \\ &+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+1/6*(a-b)/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(( \\ &2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b) \\ &*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2) \\ &))-1/12/b^2*(-2*a+6*b)*(a-b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x \\ &+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/ \\ &2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-EllipticE(c \\ &os(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})))+2/b^4*(A*a*b+2*A*b^2-B*a^2-2*B*a*b- \\ &3*B*b^2)*(a-b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b) \\ &/ (a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\ &(EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2 \\ &*c),(-2*b/(a-b))^{(1/2)})))+2*(A*a^2*b+A*a*b^2+A*b^3-B*a^3-B*a^2*b-B*a*b^2-B*b \\ &^3)/b^4*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b)) \\ &^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Ellipti \\ &cF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-2*a^3*(A*b-B*a)/b^4/\sin(1/2*d*x+1 \\ &/2*c)^2/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*b*\sin(1/2*d*x+1/2*c)^ \\ &4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a- \\ &b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2 \\ &*b/(a-b))^{(1/2)})*a-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2 \\ &*c)^2+(a+b)/(a-b))^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b \\ &+2*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)/(-2*\sin(1 \\ &/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^3}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^3/(b\*cos(d\*x + c) + a)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(B \cos(dx + c)^4 + A \cos(dx + c)^3) \sqrt{b \cos(dx + c) + a}}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] `integral((B*cos(d*x + c)^4 + A*cos(d*x + c)^3)*sqrt(b*cos(d*x + c) + a)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(3/2), x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^3}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x, algorithm="giac")`

[Out] `integrate((B*cos(d*x + c) + A)*cos(d*x + c)^3/(b*cos(d*x + c) + a)^(3/2), x)`



$$3.327 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=262

$$\frac{2a^2(Ab - aB) \sin(c + dx)}{b^2 d (a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(-8a^2B + 6aAb - b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3b^3 d \sqrt{a + b \cos(c + dx)}} + \frac{2(6a^2Ab - 8a^3B + 5a^2b^2)}{3b^3 d \sqrt{a + b \cos(c + dx)}}$$

[Out] (2\*(6\*a^2\*A\*b - 3\*A\*b^3 - 8\*a^3\*B + 5\*a\*b^2\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(3\*b^3\*(a^2 - b^2)\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) - (2\*(6\*a\*A\*b - 8\*a^2\*B - b^2\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(3\*b^3\*d\*Sqrt[a + b\*Cos[c + d\*x]]) - (2\*a^2\*(A\*b - a\*B)\*Sin[c + d\*x])/(b^2\*(a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*B\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*b^2\*d)

**Rubi [A]** time = 0.486215, antiderivative size = 262, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2988, 3023, 2752, 2663, 2661, 2655, 2653}

$$\frac{2a^2(Ab - aB) \sin(c + dx)}{b^2 d (a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(-8a^2B + 6aAb - b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3b^3 d \sqrt{a + b \cos(c + dx)}} + \frac{2(6a^2Ab - 8a^3B + 5a^2b^2)}{3b^3 d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (2\*(6\*a^2\*A\*b - 3\*A\*b^3 - 8\*a^3\*B + 5\*a\*b^2\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(3\*b^3\*(a^2 - b^2)\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) - (2\*(6\*a\*A\*b - 8\*a^2\*B - b^2\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(3\*b^3\*d\*Sqrt[a + b\*Cos[c + d\*x]]) - (2\*a^2\*(A\*b - a\*B)\*Sin[c + d\*x])/(b^2\*(a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*B\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*b^2\*d)

#### Rule 2988

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((B\*c - A\*d)\*(b\*c - a\*d)^2\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*d^2\*(n + 1)\*(c^2 - d^2)), x] - Dist[1/(d^2\*(n + 1)\*(c^2 - d^2)), Int[(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[d\*(n + 1)\*(B\*(b\*c - a\*d)^2 - A\*d\*(a^2\*c + b^2\*c - 2\*a\*b\*d) - ((B\*c - A\*d)\*(a^2\*d^2\*(n + 2) + b^2\*(c^2 + d^2\*(n + 1))) + 2\*a\*b\*d\*(A\*c\*d\*(n + 2) - B\*(c^2 + d^2\*(n + 1)))\*Sin[e + f\*x] - b^2\*B\*d\*(n + 1)\*(c^2 - d^2)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2752

```
Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/Sqrt[(a_) + (b_.)*sin[(e_.) + (
f_.)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned}
\int \frac{\cos^2(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^{3/2}} dx &= -\frac{2a^2(Ab-aB)\sin(c+dx)}{b^2(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{2\int \frac{\frac{1}{2}ab(Ab-aB)+\frac{1}{2}(2a^2-b^2)(Ab-aB)\cos(c+dx)+\frac{1}{2}b^2a^2}{\sqrt{a+b\cos(c+dx)}}}{b^2(a^2-b^2)} \\
&= -\frac{2a^2(Ab-aB)\sin(c+dx)}{b^2(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{2B\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{3b^2d} + \frac{4\int \frac{1}{4}}{3b^2d} \\
&= -\frac{2a^2(Ab-aB)\sin(c+dx)}{b^2(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{2B\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{3b^2d} - \frac{(6aAb)}{3b^2d} \\
&= -\frac{2a^2(Ab-aB)\sin(c+dx)}{b^2(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{2B\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{3b^2d} + \frac{((6a^2))}{3b^2d} \\
&= \frac{2(6a^2Ab-3Ab^3-8a^3B+5ab^2B)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{3b^3(a^2-b^2)d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} - \frac{2(6a^2)}{3b^2d}
\end{aligned}$$

**Mathematica [A]** time = 1.38617, size = 189, normalized size = 0.72

$$2 \left( b \sin(c + dx) \left( \frac{a(-4a^2B + 3aAb + b^2B)}{b^2 - a^2} + bB \cos(c + dx) \right) + \frac{\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \left( (a-b)(8a^2B - 6aAb + b^2B) F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) + (6a^2Ab - 8a^3B + 5ab^2B - 3b^3) \sqrt{a+b \cos(c+dx)} \right)}{a-b} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^2\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (2\*((Sqrt[(a + b\*Cos[c + d\*x])]/(a + b))\*((6\*a^2\*A\*b - 3\*A\*b^3 - 8\*a^3\*B + 5\*a\*b^2\*B)\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] + (a - b)\*(-6\*a\*A\*b + 8\*a^2\*B + b^2\*B)\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]))/(a - b) + b\*((a\*(3\*a\*A\*b - 4\*a^2\*B + b^2\*B))/(-a^2 + b^2) + b\*B\*Cos[c + d\*x]\*Sin[c + d\*x]))/(3\*b^3\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**Maple [B]** time = 10.478, size = 954, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2), x)

[Out] -((-2\*b\*cos(1/2\*d\*x+1/2\*c)^2-a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2/3/b^3\*(4\*b^2\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4+(-2\*B\*a\*b-2\*B\*b^2)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)-6\*A\*a\*b\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))+3\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a\*b-3\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*b^2+8\*B\*a^2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))+b^2\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))-5\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a^2+5\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a\*b)/(-2\*b\*sin(1/2\*d\*x+1/2\*c)^4+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+2\*a^2\*(A\*b-B\*a)/b^3/sin(1/2\*d\*x+1/2\*c)^2/(-2\*sin(1/2\*d\*x+1/2\*c)^2\*b+a+b)/(a^2-b^2)\*(-2\*b\*sin(1/2\*d\*x+1/2\*c)^4+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a-(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*b+2\*b\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2)/sin(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^2\*b+a+b)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^2}{(b \cos(dx + c) + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x, algorithm
="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^2/(b*cos(d*x + c) + a)^(3/2), x
)
```

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^3 + A \cos(dx + c)^2)\sqrt{b \cos(dx + c) + a}}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x, algorithm
="fricas")
```

```
[Out] integral((B*cos(d*x + c)^3 + A*cos(d*x + c)^2)*sqrt(b*cos(d*x + c) + a)/(b^
2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2), x)
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^2}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^2/(b*cos(d*x + c) + a)^(3/2), x
)
```

$$3.328 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=204

$$\frac{2a(Ab - aB) \sin(c + dx)}{bd(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(-2a^2B + aAb + b^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{b^2d(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2(Ab - 2aB) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{b^2d \sqrt{a + b \cos(c + dx)}}$$

```
[Out] (-2*(a*A*b - 2*a^2*B + b^2*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/
2, (2*b)/(a + b)])/(b^2*(a^2 - b^2)*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) +
(2*(A*b - 2*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2,
(2*b)/(a + b)])/(b^2*d*Sqrt[a + b*Cos[c + d*x]]) + (2*a*(A*b - a*B)*Sin[c
+ d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]])
```

**Rubi [A]** time = 0.331767, antiderivative size = 204, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2968, 3021, 2752, 2663, 2661, 2655, 2653}

$$\frac{2a(Ab - aB) \sin(c + dx)}{bd(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(-2a^2B + aAb + b^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{b^2d(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2(Ab - 2aB) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{b^2d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (-2*(a*A*b - 2*a^2*B + b^2*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/
2, (2*b)/(a + b)])/(b^2*(a^2 - b^2)*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) +
(2*(A*b - 2*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2,
(2*b)/(a + b)])/(b^2*d*Sqrt[a + b*Cos[c + d*x]]) + (2*a*(A*b - a*B)*Sin[c
+ d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]])
```

#### Rule 2968

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Int[(a
+ b*Sin[e + f*x])^m*(A*c + (B*c + A*d)*Sin[e + f*x] + B*d*Sin[e + f*x]^2),
x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0]
```

#### Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(
m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

#### Rule 2752

```
Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/Sqrt[(a_.) + (b_.)*sin[(e_.) +
(f_.)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{\cos(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^{3/2}} dx &= \int \frac{A\cos(c+dx)+B\cos^2(c+dx)}{(a+b\cos(c+dx))^{3/2}} dx \\ &= \frac{2a(Ab-aB)\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} - \frac{2\int \frac{\frac{1}{2}b(Ab-aB)+\frac{1}{2}(aAb-2a^2B+b^2B)\cos(c+dx)}{\sqrt{a+b\cos(c+dx)}} dx}{b(a^2-b^2)} \\ &= \frac{2a(Ab-aB)\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} + \frac{(Ab-2aB)\int \frac{1}{\sqrt{a+b\cos(c+dx)}} dx}{b^2} - \frac{(aAb-2a^2B)}{b^2} \\ &= \frac{2a(Ab-aB)\sin(c+dx)}{b(a^2-b^2)d\sqrt{a+b\cos(c+dx)}} - \frac{\left((aAb-2a^2B+b^2B)\sqrt{a+b\cos(c+dx)}\right)\int \sqrt{a+b\cos(c+dx)}}{b^2(a^2-b^2)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} \\ &= -\frac{2(aAb-2a^2B+b^2B)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{b^2(a^2-b^2)d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} + \frac{2(Ab-2aB)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}{b^2d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} \end{aligned}$$

**Mathematica [A]** time = 0.787943, size = 170, normalized size = 0.83

$$\frac{2\left((a^2-b^2)(2aB-Ab)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)-(a+b)(2a^2B-aAb-b^2B)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)+c\right)}{b^2d(a-b)(a+b)\sqrt{a+b\cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (-2*(-((a + b)*(-(a*A*b) + 2*a^2*B - b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a +
b)]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]) + (a^2 - b^2)*(-(A*b) + 2*a*B)*S
```

```

qrt[(a + b*cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + a
*b*(-(A*b) + a*B)*Sin[c + d*x])/((a - b)*b^2*(a + b)*d*Sqrt[a + b*cos[c +
d*x]])

```

**Maple [B]** time = 7.861, size = 515, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x)
```

```
[Out] -(-(-2*b*cos(1/2*d*x+1/2*c)^2-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2/b^2/(-2*b
*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)
^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*(A*b*Elliptic
F(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-2*B*EllipticF(cos(1/2*d*x+1/2*c), (
-2*b/(a-b))^(1/2))*a+B*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*a-B
*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*b)-2*a*(A*b-B*a)/b^2/sin(
1/2*d*x+1/2*c)^2/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*b*sin(1/2*d*
x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((sin(1/2*d*x+1/2*c)^2)^(1/2)*
(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1
/2*c), (-2*b/(a-b))^(1/2))*a-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/
2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))
^(1/2))*b+2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2))/sin(1/2*d*x+1/2*c)/
(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x, algorithm="
maxima")
```

```
[Out] integrate((B*cos(d*x+ c) + A)*cos(d*x + c)/(b*cos(d*x + c) + a)^(3/2), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^2 + A \cos(dx + c))\sqrt{b \cos(dx + c) + a}}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2), x, algorithm="
fricas")
```

```
[Out] integral((B*cos(d*x + c)^2 + A*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)/(b^2*
cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2), x)
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*(3/2), x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)/(b\*cos(d\*x + c) + a)^(3/2), x)



$$3.329 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=185

$$\frac{2(Ab - aB) \sin(c + dx)}{d(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{bd(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{bd \sqrt{a + b \cos(c + dx)}}$$

[Out] (2\*(A\*b - a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(b\*(a^2 - b^2)\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) + (2\*B\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(b\*d\*Sqrt[a + b\*Cos[c + d\*x]]) - (2\*(A\*b - a\*B)\*Sin[c + d\*x])/((a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**Rubi [A]** time = 0.230544, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$ , Rules used = {2754, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(Ab - aB) \sin(c + dx)}{d(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{bd(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{bd \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (2\*(A\*b - a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(b\*(a^2 - b^2)\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) + (2\*B\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(b\*d\*Sqrt[a + b\*Cos[c + d\*x]]) - (2\*(A\*b - a\*B)\*Sin[c + d\*x])/((a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]])

#### Rule 2754

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] :> -Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[(a\*c - b\*d)\*(m + 1) - (b\*c - a\*d)\*(m + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2\*m]

#### Rule 2752

Int[((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])/Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] :> Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

#### Rule 2663

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx &= -\frac{2(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{2 \int \frac{\frac{1}{2}(-aA + bB) - \frac{1}{2}(Ab - aB) \cos(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{a^2 - b^2} \\ &= -\frac{2(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{B \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx}{b} + \frac{(Ab - aB) \int \sqrt{a + b \cos(c + dx)} dx}{b(a^2 - b^2)} \\ &= -\frac{2(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{((Ab - aB) \sqrt{a + b \cos(c + dx)}) \int \sqrt{\frac{a}{a + b} + \frac{b \cos(c + dx)}{a + b}} dx}{b(a^2 - b^2) \sqrt{\frac{a + b \cos(c + dx)}{a + b}}} \\ &= \frac{2(Ab - aB) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a + b}\right)}{b(a^2 - b^2) d \sqrt{\frac{a + b \cos(c + dx)}{a + b}}} + \frac{2B \sqrt{\frac{a + b \cos(c + dx)}{a + b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a + b}\right)}{bd \sqrt{a + b \cos(c + dx)}} - \frac{1}{(a^2 - b^2)} \end{aligned}$$

**Mathematica [A]** time = 0.541017, size = 151, normalized size = 0.82

$$\frac{2 \left( B (a^2 - b^2) \sqrt{\frac{a + b \cos(c + dx)}{a + b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a + b}\right) + b(aB - Ab) \sin(c + dx) - (a + b)(aB - Ab) \sqrt{\frac{a + b \cos(c + dx)}{a + b}} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a + b}\right) \right)}{bd(a - b)(a + b) \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (2*(-((a + b)*(-A*b) + a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticE[(c + d*x)/2, (2*b)/(a + b)] + (a^2 - b^2)*B*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + b*(-(A*b) + a*B)*Sin[c + d*x]) /((a - b)*b*(a + b)*d*Sqrt[a + b*Cos[c + d*x]])
```

**Maple [A]** time = 7.684, size = 428, normalized size = 2.3

$$-\frac{1}{d} \sqrt{-(-2b(\cos(1/2 dx + c/2))^2 - a + b) \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} \left( 2 \frac{B \sqrt{(\sin(1/2 dx + c/2))^2}}{b \sqrt{-2b(\sin(1/2 dx + c/2))^4 + (a + b)(\sin(1/2 dx + c/2))^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x)`

[Out] 
$$-(-(-2*b*\cos(1/2*d*x+1/2*c)^2-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*B/b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+2*(A*b-B*a)/b/\sin(1/2*d*x+1/2*c)^2/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b+2*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2))/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)/(b*cos(d*x + c) + a)^(3/2), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{b^2 \cos^2(dx + c) + 2ab \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x, algorithm="fricas")`

[Out] `integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(3/2),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/(b*cos(d*x + c) + a)^(3/2), x)
```

$$3.330 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=190

$$\frac{2b(Ab - aB) \sin(c + dx)}{ad(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(Ab - aB) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2A \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx)\right)}{ad \sqrt{a + b \cos(c + dx)}}$$

[Out] (-2\*(A\*b - a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(a\*(a^2 - b^2)\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) + (2\*A\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/(a\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*b\*(A\*b - a\*B)\*Sin[c + d\*x])/(a\*(a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**Rubi [A]** time = 0.50845, antiderivative size = 190, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {3000, 3059, 2655, 2653, 12, 2807, 2805}

$$\frac{2b(Ab - aB) \sin(c + dx)}{ad(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(Ab - aB) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2A \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx)\right)}{ad \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (-2\*(A\*b - a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(a\*(a^2 - b^2)\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) + (2\*A\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/(a\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*b\*(A\*b - a\*B)\*Sin[c + d\*x])/(a\*(a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]])

#### Rule 3000

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(1 + n))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(a\*A - b\*B)\*(b\*c - a\*d)\*(m + 1) + b\*d\*(A\*b - a\*B)\*(m + n + 2) + (A\*b - a\*B)\*(a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(A\*b - a\*B)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 2807

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx &= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{2 \int \frac{(\frac{1}{2}A(a^2 - b^2) - \frac{1}{2}a(Ab - aB) \cos(c + dx) - \frac{1}{2}b(Ab - aB) \cos^2(c + dx)) \sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{a(a^2 - b^2)} \\ &= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{2 \int -\frac{Ab(a^2 - b^2) \sec(c + dx)}{2\sqrt{a + b \cos(c + dx)}} dx}{ab(a^2 - b^2)} - \frac{(Ab - aB) \int \sqrt{a + b \cos(c + dx)} dx}{a(a^2 - b^2)} \\ &= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{A \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{a} - \frac{((Ab - aB) \sqrt{a + b \cos(c + dx)})}{a(a^2 - b^2)} \\ &= -\frac{2(Ab - aB) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{a(a^2 - b^2) d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} \\ &= -\frac{2(Ab - aB) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{a(a^2 - b^2) d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2A \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad \sqrt{a + b \cos(c + dx)}} \end{aligned}$$

**Mathematica [C]** time = 3.78656, size = 460, normalized size = 2.42

$$\cos(c + dx)(A \sec(c + dx) + B) \left( \frac{4b(Ab - aB) \sin(c + dx)}{(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2(2a^2 A + abB - 3Ab^2) \sqrt{\frac{a + b \cos(c + dx)}{a + b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a + b}\right) + \frac{4a(aB - Ab) \sqrt{\frac{a + b \cos(c + dx)}{a + b}} F\left(\frac{1}{2}(c + dx)\right)}{\sqrt{a + b \cos(c + dx)}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (Cos[c + d*x]*(B + A*Sec[c + d*x])*(-(((4*a*(-(A*b) + a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(2*a^2*A - 3*A*b^2 + a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*(A*b - a*B)*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(b*(1 + Cos[c + d*x]))/(-a + b)]*Csc[c + d*x]*(-2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)]))) / (a*b*Sqrt[-(a + b)^(-1)])) / ((-a + b)*(a + b))) + (4*b*(A*b - a*B)*Sin[c + d*x]) / ((a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]])) / (2*a*d*(A + B*Cos[c + d*x]))
```

**Maple [A]** time = 7.651, size = 429, normalized size = 2.3

$$-\frac{1}{d} \sqrt{-(-2b(\cos(1/2 dx + c/2))^2 - a + b) \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} \left( 2 \frac{(-Ab + aB) \sqrt{-2b(\sin(1/2 dx + c/2))^4 + (a + b)(\sin(1/2 dx + c/2))^2} + a(\sin(1/2 dx + c/2))^2 (-2(\sin(1/2 dx + c/2))^2 b + a + b)}{a(\sin(1/2 dx + c/2))^2 (-2(\sin(1/2 dx + c/2))^2 b + a + b)} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(3/2), x)
```

```
[Out] -(-(-2*b*cos(1/2*d*x+1/2*c)^2-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*(-A*b+B*a)/a/sin(1/2*d*x+1/2*c)^2/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*a-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*b+2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2-2*A/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^(1/2)))/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)/(b\*cos(d\*x + c) + a)^(3/2), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] Timed out

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))\*\*(3/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*sec(c + d\*x)/(a + b\*cos(c + d\*x))\*\*(3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)/(b\*cos(d\*x + c) + a)^(3/2), x)



$$3.331 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=303

$$\frac{b(a^2A + 2abB - 3Ab^2) \sin(c+dx)}{a^2d(a^2 - b^2) \sqrt{a+b \cos(c+dx)}} - \frac{(a^2A + 2abB - 3Ab^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{a^2d(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{(3Ab - 2aB) \sqrt{a+b \cos(c+dx)}}{a^2d \sqrt{a+b \cos(c+dx)}}$$

```
[Out] -(((a^2*A - 3*A*b^2 + 2*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(a^2*(a^2 - b^2)*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)])) + (A*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(a*d*Sqrt[a + b*Cos[c + d*x]]) - ((3*A*b - 2*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(a^2*d*Sqrt[a + b*Cos[c + d*x]]) + (b*(a^2*A - 3*A*b^2 + 2*a*b*B)*Sin[c + d*x])/(a^2*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) + (A*Tan[c + d*x])/(a*d*Sqrt[a + b*Cos[c + d*x]])
```

**Rubi [A]** time = 0.990968, antiderivative size = 303, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$ , Rules used = {3000, 3056, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{b(a^2A + 2abB - 3Ab^2) \sin(c+dx)}{a^2d(a^2 - b^2) \sqrt{a+b \cos(c+dx)}} - \frac{(a^2A + 2abB - 3Ab^2) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{a^2d(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{(3Ab - 2aB) \sqrt{a+b \cos(c+dx)}}{a^2d \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] -(((a^2*A - 3*A*b^2 + 2*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(a^2*(a^2 - b^2)*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)])) + (A*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(a*d*Sqrt[a + b*Cos[c + d*x]]) - ((3*A*b - 2*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(a^2*d*Sqrt[a + b*Cos[c + d*x]]) + (b*(a^2*A - 3*A*b^2 + 2*a*b*B)*Sin[c + d*x])/(a^2*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) + (A*Tan[c + d*x])/(a*d*Sqrt[a + b*Cos[c + d*x]])
```

### Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

### Rule 3056

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] :=
```

```
-Simp[((A*b^2 + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[a*(m + 1)*(b*c - a*d)*(A + C) + d*(A*b^2 + a^2*C)*(m + n + 2) - (c*(A*b^2 + a^2*C) + b*(m + 1)*(b*c - a*d)*(A + C))*Sin[e + f*x] - d*(A*b^2 + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

### Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

### Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])]/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a + b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

### Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

### Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
```

`[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]`

### Rule 2805

`Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]`

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx &= \frac{A \tan(c + dx)}{ad\sqrt{a + b \cos(c + dx)}} + \int \frac{\left(\frac{1}{2}(-3Ab + 2aB) + \frac{1}{2}Ab \cos^2(c + dx)\right) \sec(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx \\ &= \frac{b(a^2 A - 3Ab^2 + 2abB) \sin(c + dx)}{a^2(a^2 - b^2) d\sqrt{a + b \cos(c + dx)}} + \frac{A \tan(c + dx)}{ad\sqrt{a + b \cos(c + dx)}} + \frac{2 \int \frac{\left(-\frac{1}{4}(a^2 - b^2)\right)}{\sqrt{a + b \cos(c + dx)}} dx}{a} \\ &= \frac{b(a^2 A - 3Ab^2 + 2abB) \sin(c + dx)}{a^2(a^2 - b^2) d\sqrt{a + b \cos(c + dx)}} + \frac{A \tan(c + dx)}{ad\sqrt{a + b \cos(c + dx)}} - \frac{2 \int \frac{\left(\frac{1}{4}b(a^2 - b^2)\right)}{\sqrt{a + b \cos(c + dx)}} dx}{a} \\ &= \frac{b(a^2 A - 3Ab^2 + 2abB) \sin(c + dx)}{a^2(a^2 - b^2) d\sqrt{a + b \cos(c + dx)}} + \frac{A \tan(c + dx)}{ad\sqrt{a + b \cos(c + dx)}} + \frac{A \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx}{2a} \\ &= -\frac{(a^2 A - 3Ab^2 + 2abB) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{a^2(a^2 - b^2) d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{b(a^2 A - 3Ab^2 + 2abB) \sin(c + dx)}{a^2(a^2 - b^2) d\sqrt{a + b \cos(c + dx)}} \\ &= -\frac{(a^2 A - 3Ab^2 + 2abB) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{a^2(a^2 - b^2) d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{A \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{ad\sqrt{a + b \cos(c + dx)}} \end{aligned}$$

**Mathematica [C]** time = 5.4687, size = 482, normalized size = 1.59

$$\frac{4 \tan(c + dx) (b(a^2 A + 2abB - 3Ab^2) \cos(c + dx) + aA(a^2 - b^2))}{(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} + \frac{2(-7a^2 Ab + 4a^3 B - 6ab^2 B + 9Ab^3) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2, \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) + 2i(a^2 A + 2abB - 3Ab^2) \csc(c + dx) \sqrt{-\frac{b(c+dx)}{a+b}}}{\sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

`[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + b*Cos[c + d*x])^(3/2), x]`

`[Out] (((-8*a*b*(-(A*b) + a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(-7*a^2*A*b + 9*A*b^3 + 4*a^3*B - 6*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + ((2*I)*(a^2*A - 3*A*b^2 + 2*a*b*B)*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[-((b*(1 + Cos[c + d*x]))/(a - b))]*Csc[c + d*x]*(2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b) + b*(2*a*EllipticF[I`

```
*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] -
b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*
x]]], (a + b)/(a - b)])))/(a*b*Sqrt[-(a + b)^(-1)])/((a - b)*(a + b)) + (4
*(a*A*(a^2 - b^2) + b*(a^2*A - 3*A*b^2 + 2*a*b*B)*Cos[c + d*x])*Tan[c + d*x
])/((a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]])/(4*a^2*d)
```

**Maple [B]** time = 10.223, size = 908, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^(3/2),x)
```

```
[Out] -(-(-2*b*cos(1/2*d*x+1/2*c)^2-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*(A*b-B*a)
*b/a^2/sin(1/2*d*x+1/2*c)^2/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*b
*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((sin(1/2*d*x+1/2*c
)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(co
s(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))*a-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(
a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),
(-2*b/(a-b))^(1/2))*b+2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)-2*(-A*b+B
*a)/a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))
^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*Ellipti
cPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2))+2*A/a*(-cos(1/2*d*x+1/2*c)/a*(
-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+
1/2*c)^2-1)+1/2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b
)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)
*EllipticF(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))-1/2*(sin(1/2*d*x+1/2*c)^2
)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*
c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(
a-b))^(1/2))+1/2/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+
a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1
/2)*b*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+1/2/a*b*(sin(1/2*d*x
+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2
*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*
c),2,(-2*b/(a-b))^(1/2)))/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+
b)^(1/2)/d
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^(3/2),x, algorithm
="maxima")
```

```
[Out] Timed out
```

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**2/(a+b*cos(d*x+c))**(3/2),x)
```

```
[Out] Integral((A + B*cos(c + d*x))*sec(c + d*x)**2/(a + b*cos(c + d*x))**(3/2), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^2}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^2/(b*cos(d*x + c) + a)^(3/2), x)
```

$$3.332 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=398

$$\frac{b(7a^2Ab - 4a^3B + 12ab^2B - 15Ab^3) \sin(c+dx)}{4a^3d(a^2 - b^2) \sqrt{a+b \cos(c+dx)}} + \frac{(7a^2Ab - 4a^3B + 12ab^2B - 15Ab^3) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx)\right)}{4a^3d(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

```
[Out] ((7*a^2*A*b - 15*A*b^3 - 4*a^3*B + 12*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(4*a^3*(a^2 - b^2)*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) - ((5*A*b - 4*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(4*a^2*d*Sqrt[a + b*Cos[c + d*x]]) + ((4*a^2*A + 15*A*b^2 - 12*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(4*a^3*d*Sqrt[a + b*Cos[c + d*x]]) - (b*(7*a^2*A*b - 15*A*b^3 - 4*a^3*B + 12*a*b^2*B)*Sin[c + d*x])/(4*a^3*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) - ((5*A*b - 4*a*B)*Tan[c + d*x])/(4*a^2*d*Sqrt[a + b*Cos[c + d*x]]) + (A*Sec[c + d*x]*Tan[c + d*x])/(2*a*d*Sqrt[a + b*Cos[c + d*x]])
```

**Rubi [A]** time = 1.43139, antiderivative size = 398, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$ , Rules used = {3000, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{b(7a^2Ab - 4a^3B + 12ab^2B - 15Ab^3) \sin(c+dx)}{4a^3d(a^2 - b^2) \sqrt{a+b \cos(c+dx)}} + \frac{(7a^2Ab - 4a^3B + 12ab^2B - 15Ab^3) \sqrt{a+b \cos(c+dx)} E\left(\frac{1}{2}(c+dx)\right)}{4a^3d(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] ((7*a^2*A*b - 15*A*b^3 - 4*a^3*B + 12*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(4*a^3*(a^2 - b^2)*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) - ((5*A*b - 4*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(4*a^2*d*Sqrt[a + b*Cos[c + d*x]]) + ((4*a^2*A + 15*A*b^2 - 12*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(4*a^3*d*Sqrt[a + b*Cos[c + d*x]]) - (b*(7*a^2*A*b - 15*A*b^3 - 4*a^3*B + 12*a*b^2*B)*Sin[c + d*x])/(4*a^3*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) - ((5*A*b - 4*a*B)*Tan[c + d*x])/(4*a^2*d*Sqrt[a + b*Cos[c + d*x]]) + (A*Sec[c + d*x]*Tan[c + d*x])/(2*a*d*Sqrt[a + b*Cos[c + d*x]])
```

### Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :- Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x])*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 3002

```
Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2807

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e + f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx = \frac{A \sec(c + dx) \tan(c + dx)}{2ad\sqrt{a + b \cos(c + dx)}} + \frac{\int \frac{\left(\frac{1}{2}(-5Ab + 4aB) + aA \cos(c + dx) + \frac{3}{2}Ab \cos^2(c + dx)\right) \sec^2(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx}{2a}$$

$$= -\frac{(5Ab - 4aB) \tan(c + dx)}{4a^2 d \sqrt{a + b \cos(c + dx)}} + \frac{A \sec(c + dx) \tan(c + dx)}{2ad\sqrt{a + b \cos(c + dx)}} + \frac{\int \frac{\left(\frac{1}{4}(4a^2A + 15Ab^2 - 12abd) \sec^2(c + dx)\right)}{(a + b \cos(c + dx))^{3/2}} dx}{2a}$$

$$= -\frac{b(7a^2Ab - 15Ab^3 - 4a^3B + 12ab^2B) \sin(c + dx)}{4a^3(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{(5Ab - 4aB) \tan(c + dx)}{4a^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= -\frac{b(7a^2Ab - 15Ab^3 - 4a^3B + 12ab^2B) \sin(c + dx)}{4a^3(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{(5Ab - 4aB) \tan(c + dx)}{4a^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= -\frac{b(7a^2Ab - 15Ab^3 - 4a^3B + 12ab^2B) \sin(c + dx)}{4a^3(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{(5Ab - 4aB) \tan(c + dx)}{4a^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= \frac{(7a^2Ab - 15Ab^3 - 4a^3B + 12ab^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4a^3(a^2 - b^2) d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{b(7a^2Ab - 15Ab^3 - 4a^3B + 12ab^2B) \tan(c + dx)}{4a^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= \frac{(7a^2Ab - 15Ab^3 - 4a^3B + 12ab^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{4a^3(a^2 - b^2) d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{b(7a^2Ab - 15Ab^3 - 4a^3B + 12ab^2B) \tan(c + dx)}{4a^2 d \sqrt{a + b \cos(c + dx)}}$$

**Mathematica [C]** time = 6.84121, size = 678, normalized size = 1.7

$$\frac{\sqrt{a + b \cos(c + dx)} \left( -\frac{2(ab^3B \sin(c+dx) - Ab^4 \sin(c+dx))}{a^3(a^2 - b^2)(a + b \cos(c+dx))} + \frac{\sec(c+dx)(4aB \sin(c+dx) - 7Ab \sin(c+dx))}{4a^3} + \frac{A \tan(c+dx) \sec(c+dx)}{2a^2} \right)}{d} - \frac{2(4a^3Ab + 16a^2b^2)}{d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x])^(3/2)), x]
```



```
[Out] -((2*(4*a^3*A*b - 20*a*A*b^3 + 16*a^2*b^2*B)*Sqrt[(a + b*Cos[c + d*x])]/(a +
b))*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(
8*a^4*A + 29*a^2*A*b^2 - 45*A*b^4 - 28*a^3*b*B + 36*a*b^3*B)*Sqrt[(a + b*Co
s[c + d*x])]/(a + b))*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*
Cos[c + d*x]] - ((2*I)*(7*a^2*A*b^2 - 15*A*b^4 - 4*a^3*b*B + 12*a*b^3*B)*Sq
rt[(b - b*Cos[c + d*x])]/(a + b))*Sqrt[-((b + b*Cos[c + d*x])/(a - b))]*Cos[
2*(c + d*x)]*(2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a +
b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(2*a*EllipticF[I*ArcSinh[Sqrt[-(a +
b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] - b*EllipticPi[(a + b)
/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b
)])))*Sin[c + d*x]/(a*Sqrt[-(a + b)^(-1)]*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[-((
a^2 - b^2 - 2*a*(a + b*Cos[c + d*x]) + (a + b*Cos[c + d*x])^2)/b^2)]*(2*a^2
- b^2 - 4*a*(a + b*Cos[c + d*x]) + 2*(a + b*Cos[c + d*x])^2))/(16*a^3*(-a
+ b)*(a + b)*d) + (Sqrt[a + b*Cos[c + d*x]]*((Sec[c + d*x]*(-7*A*b*Sin[c +
d*x] + 4*a*B*Sin[c + d*x]))/(4*a^3) - (2*(-(A*b^4*Sin[c + d*x]) + a*b^3*B*
Sin[c + d*x]))/(a^3*(a^2 - b^2)*(a + b*Cos[c + d*x])) + (A*Sec[c + d*x]*Tan
[c + d*x])/(2*a^2)))/d
```

---

**Maple [B]** time = 12.836, size = 1564, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^(3/2), x)
```

```
[Out] -(-(-2*b*cos(1/2*d*x+1/2*c)^2-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*(A*b-B*a
)*b^2/a^3/sin(1/2*d*x+1/2*c)^2/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-
2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((sin(1/2*d*x+1/
2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE
(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*a-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*
b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c
), (-2*b/(a-b))^(1/2))*b+2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)-2*(A*b
-B*a)/a^3*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a
-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*Ell
ipticPi(cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^(1/2))+2*A/a*(-1/2*cos(1/2*d*x+1/
2*c)/a*(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(
1/2*d*x+1/2*c)^2-1)^2+3/4/a^2*b*cos(1/2*d*x+1/2*c)*(-2*b*sin(1/2*d*x+1/2*c)
^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)-1/8*b/a*(si
n(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*
b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*
d*x+1/2*c), (-2*b/(a-b))^(1/2))+3/8/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos
(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/
2*d*x+1/2*c)^2)^(1/2)*b*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-3/
8/a^2*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b
))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*Ellip
ticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-1/2*(sin(1/2*d*x+1/2*c)^2)^(1/2
)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(
a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b
))^(1/2))-3/8/a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a
-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/
2)*EllipticPi(cos(1/2*d*x+1/2*c), 2, (-2*b/(a-b))^(1/2))*b^2)+2*(-A*b+B*a)/a^
2*(-cos(1/2*d*x+1/2*c)/a*(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c
)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)+1/2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*
b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*s
in(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))
-1/2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1
```

```

/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(
cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2))+1/2/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*
(2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)
)*sin(1/2*d*x+1/2*c)^2)^(1/2)*b*EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(
1/2))+1/2/a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/
(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*E
llipticPi(cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^(1/2)))/sin(1/2*d*x+1/2*c)/(-2
*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d

```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^(3/2),x, algorithm
="maxima")

```

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^(3/2),x, algorithm
="fricas")

```

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**3/(a+b*cos(d*x+c))**(3/2),x)

```

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^3}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^3/(a+b*cos(d*x+c))^(3/2),x, algorithm
="giac")

```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^3/(b*cos(d*x + c) + a)^(3/2), x  
)
```

$$3.333 \quad \int \frac{\cos^4(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=550

$$\frac{2a(Ab - aB) \sin(c + dx) \cos^3(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} + \frac{2a(5a^2Ab - 8a^3B + 12ab^2B - 9Ab^3) \sin(c + dx) \cos^2(c + dx)}{3b^2d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{2(30a^3Ab + 71a^2b^2B - 48a^4B + 71a^2b^2B - 3b^4B) \cos[c + dx] \sqrt{a + b \cos(c + dx)}}{(15b^3(a^2 - b^2)^2d)}$$

[Out] (-2\*(80\*a^5\*A\*b - 140\*a^3\*A\*b^3 + 40\*a\*A\*b^5 - 128\*a^6\*B + 212\*a^4\*b^2\*B - 55\*a^2\*b^4\*B - 9\*b^6\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(15\*b^5\*(a^2 - b^2)^2\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) + (2\*(80\*a^4\*A\*b - 80\*a^2\*A\*b^3 - 5\*A\*b^5 - 128\*a^5\*B + 116\*a^3\*b^2\*B + 17\*a\*b^4\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(15\*b^5\*(a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*a\*(A\*b - a\*B)\*Cos[c + d\*x]^3\*Sin[c + d\*x]/(3\*b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^(3/2)) + (2\*a\*(5\*a^2\*A\*b - 9\*A\*b^3 - 8\*a^3\*B + 12\*a\*b^2\*B)\*Cos[c + d\*x]^2\*Sin[c + d\*x]/(3\*b^2\*(a^2 - b^2)^2\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*(40\*a^4\*A\*b - 65\*a^2\*A\*b^3 + 5\*A\*b^5 - 64\*a^5\*B + 98\*a^3\*b^2\*B - 14\*a\*b^4\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x]/(15\*b^4\*(a^2 - b^2)^2\*d) - (2\*(30\*a^3\*A\*b - 50\*a\*A\*b^3 - 48\*a^4\*B + 71\*a^2\*b^2\*B - 3\*b^4\*B)\*Cos[c + d\*x]\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x]/(15\*b^3\*(a^2 - b^2)^2\*d)

**Rubi [A]** time = 1.18714, antiderivative size = 550, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {2989, 3047, 3049, 3023, 2752, 2663, 2661, 2655, 2653}

$$\frac{2a(Ab - aB) \sin(c + dx) \cos^3(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} + \frac{2a(5a^2Ab - 8a^3B + 12ab^2B - 9Ab^3) \sin(c + dx) \cos^2(c + dx)}{3b^2d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{2(30a^3Ab + 71a^2b^2B - 48a^4B + 71a^2b^2B - 3b^4B) \cos[c + dx] \sqrt{a + b \cos(c + dx)}}{(15b^3(a^2 - b^2)^2d)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^4\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (-2\*(80\*a^5\*A\*b - 140\*a^3\*A\*b^3 + 40\*a\*A\*b^5 - 128\*a^6\*B + 212\*a^4\*b^2\*B - 55\*a^2\*b^4\*B - 9\*b^6\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(15\*b^5\*(a^2 - b^2)^2\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) + (2\*(80\*a^4\*A\*b - 80\*a^2\*A\*b^3 - 5\*A\*b^5 - 128\*a^5\*B + 116\*a^3\*b^2\*B + 17\*a\*b^4\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(15\*b^5\*(a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*a\*(A\*b - a\*B)\*Cos[c + d\*x]^3\*Sin[c + d\*x]/(3\*b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^(3/2)) + (2\*a\*(5\*a^2\*A\*b - 9\*A\*b^3 - 8\*a^3\*B + 12\*a\*b^2\*B)\*Cos[c + d\*x]^2\*Sin[c + d\*x]/(3\*b^2\*(a^2 - b^2)^2\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*(40\*a^4\*A\*b - 65\*a^2\*A\*b^3 + 5\*A\*b^5 - 64\*a^5\*B + 98\*a^3\*b^2\*B - 14\*a\*b^4\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x]/(15\*b^4\*(a^2 - b^2)^2\*d) - (2\*(30\*a^3\*A\*b - 50\*a\*A\*b^3 - 48\*a^4\*B + 71\*a^2\*b^2\*B - 3\*b^4\*B)\*Cos[c + d\*x]\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x]/(15\*b^3\*(a^2 - b^2)^2\*d)

**Rule 2989**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[((b\*c - a\*d)\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)

```
) *Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

### Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Ssin[e + f*x])^(m - 1)
*(c + d*Ssin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2)))] - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

### Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_
.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Ssin[e + f*x]
)^m*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x]
] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0]))
```

### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Ssin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

### Rule 2752

```
Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/Sqrt[(a_.) + (b_.)*sin[(e_.) + (
f_.)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Ssin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Ssin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

### Rule 2663

```
Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Ssin[c + d*x])/(a + b)]/Sqrt[a + b*Ssin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Ssin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

### Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a + b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]
```

Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a + b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

Rubi steps

$$\int \frac{\cos^4(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^{5/2}} dx = \frac{2a(Ab - aB) \cos^3(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{2 \int \frac{\cos^2(c+dx) \left( -3a(Ab-aB) + \frac{3}{2}b(Ab-aB) \cos(c+dx) \right)}{(a+b \cos(c+dx))^{3/2}} dx}{3b(a^2 - b^2)}$$

$$= \frac{2a(Ab - aB) \cos^3(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{2a(5a^2Ab - 9Ab^3 - 8a^3B + 12ab^2B) \cos(c + dx)}{3b^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= \frac{2a(Ab - aB) \cos^3(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{2a(5a^2Ab - 9Ab^3 - 8a^3B + 12ab^2B) \cos(c + dx)}{3b^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= \frac{2a(Ab - aB) \cos^3(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{2a(5a^2Ab - 9Ab^3 - 8a^3B + 12ab^2B) \cos(c + dx)}{3b^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= \frac{2a(Ab - aB) \cos^3(c + dx) \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{2a(5a^2Ab - 9Ab^3 - 8a^3B + 12ab^2B) \cos(c + dx)}{3b^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= \frac{2(80a^5Ab - 140a^3Ab^3 + 40aAb^5 - 128a^6B + 212a^4b^2B - 55a^2b^4B - 9b^6B) \sqrt{a + b \cos(c + dx)}}{15b^5(a^2 - b^2)^2 d \sqrt{\frac{a + b \cos(c + dx)}{a + b}}}$$

**Mathematica [A]** time = 3.89872, size = 372, normalized size = 0.68

$$b \left( \frac{10a^4(aB - Ab) \sin(c + dx)}{a^2 - b^2} - \frac{10a^3(-8a^2Ab + 11a^3B - 15ab^2B + 12Ab^3) \sin(c + dx)(a + b \cos(c + dx))}{(a^2 - b^2)^2} + 2(5Ab - 14aB) \sin(c + dx)(a + b \cos(c + dx)) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^4*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] ((-2*((a + b*cos[c + d*x])/(a + b))^(3/2)*(b^2*(20*a^4*A*b - 35*a^2*A*b^3 - 5*A*b^5 - 32*a^5*B + 44*a^3*b^2*B + 8*a*b^4*B)*EllipticF[(c + d*x)/2, (2*b)/(a + b)] - (-80*a^5*A*b + 140*a^3*A*b^3 - 40*a*A*b^5 + 128*a^6*B - 212*a^4*b^2*B + 55*a^2*b^4*B + 9*b^6*B)*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)])))/((a - b)^2*(a + b)) + b*((10*a^4*(-(A*b) + a*B)*Sin[c + d*x])/(a^2 - b^2) - (10*a^3*(-8*a^2*A*b + 12*A*b^3 + 11*a^3*B - 15*a*b^2*B)*(a + b*cos[c + d*x])*Sin[c + d*x])/(a^2 - b^2)^2 + 2*(5*A*b - 14*a*B)*(a + b*cos[c + d*x])^2*Ssin[c + d*x] + 3*b*B*(a + b*cos[c + d*x])^2*Ssin[2*(c + d*x)]))/(15*b^5*d*(a + b*cos[c + d*x])^(3/2))
```

---

**Maple [B]** time = 21.393, size = 1746, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x)
```

```
[Out] -(-(-2*b*cos(1/2*d*x+1/2*c)^2-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(16*B/b^2*(-1/10/b*cos(1/2*d*x+1/2*c)^3*(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)-1/60/b^2*(-4*a+12*b)*cos(1/2*d*x+1/2*c)*(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)+1/60/b^2*(-4*a+12*b)*(a-b)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-1/60*(4*a^2-15*a*b+27*b^2)/b^3*(a-b)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))))+8/b^3*(A*b-2*B*a-3*B*b)*(-1/6/b*cos(1/2*d*x+1/2*c)*(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)+1/6*(a-b)/b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-1/12/b^2*(-2*a+6*b)*(a-b)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))))+2/b^5*(2*A*a*b+2*A*b^2-3*B*a^2-4*B*a*b-3*B*b^2)*(a-b)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))))+2*(3*A*a^2*b+2*A*a*b^2+A*b^3-4*B*a^3-3*B*a^2*b-2*B*a*b^2-B*b^3)/b^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-2*a^3/b^5*(4*A*b-5*B*a)/sin(1/2*d*x+1/2*c)^2/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*a-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*b+2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+2*a^4*(A*b-B*a)/b^5*(1/6/b/(a-b)/(a+b)*cos(1/2*d*x+1/2*c)*(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2+1/2*(a-b)/b)^2+8/3*b*sin(1/2*d*x+1/2*c)^2/(a-b)^2/(a+b)^2*cos(1/2*d*x+1/2*c)*a/(-(-2*b*cos(1/2*d*x+1/2*c)^2-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)+(3*a-b)/(3*a^3+3*a^2*b-3*a*b^2-3*b^3)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-4/3*a/(a-b)/(a+b)^2*(sin(1/2
```

```
*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin
(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+
1/2*c),(-2*b/(a-b))^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),(-2*b/(a-b))^(1/2)
)))/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^4}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm
="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^4/(b*cos(d*x + c) + a)^(5/2), x
)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^5 + A \cos(dx + c)^4) \sqrt{b \cos(dx + c) + a}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm
="fricas")
```

```
[Out] integral((B*cos(d*x + c)^5 + A*cos(d*x + c)^4)*sqrt(b*cos(d*x + c) + a)/(b^
3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**4*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^4}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate(cos(d*x+c)^4*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^4/(b*cos(d*x + c) + a)^(5/2), x)
```

$$3.334 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=413

$$\frac{2a(Ab - aB) \sin(c + dx) \cos^2(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} - \frac{2a^2(3a^2Ab - 6a^3B + 10ab^2B - 7Ab^3) \sin(c + dx)}{3b^3d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{2(-2a^2B + aAb + b^2B) \sin(c + dx)}{3b^3d(a^2 - b^2)}$$

[Out] (2\*(8\*a^4\*A\*b - 15\*a^2\*A\*b^3 + 3\*A\*b^5 - 16\*a^5\*B + 28\*a^3\*b^2\*B - 8\*a\*b^4\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(3\*b^4\*(a^2 - b^2)^2\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) - (2\*(8\*a^3\*A\*b - 9\*a\*A\*b^3 - 16\*a^4\*B + 16\*a^2\*b^2\*B + b^4\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(3\*b^4\*(a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*a\*(A\*b - a\*B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(3\*b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^(3/2)) - (2\*a^2\*(3\*a^2\*A\*b - 7\*A\*b^3 - 6\*a^3\*B + 10\*a\*b^2\*B)\*Sin[c + d\*x])/(3\*b^3\*(a^2 - b^2)^2\*d\*Sqrt[a + b\*Cos[c + d\*x]]) - (2\*(a\*A\*b - 2\*a^2\*B + b^2\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*b^3\*(a^2 - b^2)\*d)

**Rubi [A]** time = 0.804646, antiderivative size = 413, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2989, 3031, 3023, 2752, 2663, 2661, 2655, 2653}

$$\frac{2a(Ab - aB) \sin(c + dx) \cos^2(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} - \frac{2a^2(3a^2Ab - 6a^3B + 10ab^2B - 7Ab^3) \sin(c + dx)}{3b^3d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{2(-2a^2B + aAb + b^2B) \sin(c + dx)}{3b^3d(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^3\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (2\*(8\*a^4\*A\*b - 15\*a^2\*A\*b^3 + 3\*A\*b^5 - 16\*a^5\*B + 28\*a^3\*b^2\*B - 8\*a\*b^4\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)]/(3\*b^4\*(a^2 - b^2)^2\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) - (2\*(8\*a^3\*A\*b - 9\*a\*A\*b^3 - 16\*a^4\*B + 16\*a^2\*b^2\*B + b^4\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/(3\*b^4\*(a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*a\*(A\*b - a\*B)\*Cos[c + d\*x]^2\*Sin[c + d\*x])/(3\*b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^(3/2)) - (2\*a^2\*(3\*a^2\*A\*b - 7\*A\*b^3 - 6\*a^3\*B + 10\*a\*b^2\*B)\*Sin[c + d\*x])/(3\*b^3\*(a^2 - b^2)^2\*d\*Sqrt[a + b\*Cos[c + d\*x]]) - (2\*(a\*A\*b - 2\*a^2\*B + b^2\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*b^3\*(a^2 - b^2)\*d)

### Rule 2989

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b\*c - a\*d)\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(b\*c - a\*d)\*(B\*c - A\*d)\*(m - 1) + a\*d\*(a\*A\*c + b\*B\*c - (A\*b + a\*B)\*d)\*(n + 1) + (b\*(b\*d\*(B\*c - A\*d) + a\*(A\*c\*d + B\*(c^2 - 2\*d^2)))\*(n + 1) - a\*(b\*c - a\*d)\*(B\*c - A\*d)\*(n + 2))\*Sin[e + f\*x] + b\*(d\*(A\*b\*c + a\*B\*c - a\*A\*d)\*(m + n + 1) - b\*B\*(c^2\*m + d^2\*(n + 1)))\*Sin[e + f\*x]^2, x], x] /;

FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

Rule 3031

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[((b\*c - a\*d)\*(A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b^2\*f\*(m + 1)\*(a^2 - b^2)), x] - Dist[1/(b^2\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(m + 1)\*((b\*B - a\*C)\*(b\*c - a\*d) - A\*b\*(a\*c - b\*d)) + (b\*B\*(a^2\*d + b^2\*d\*(m + 1) - a\*b\*c\*(m + 2)) + (b\*c - a\*d)\*(A\*b^2\*(m + 2) + C\*(a^2 + b^2\*(m + 1)))]\*Sin[e + f\*x] - b\*C\*d\*(m + 1)\*(a^2 - b^2)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1]

Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2752

Int[((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[(b\*c - a\*d)/b, Int[1/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[d/b, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0]

Rule 2663

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^{5/2}} dx = \frac{2a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} - \frac{2\int \frac{\cos(c+dx)\left(-2a(Ab-aB)+\frac{3}{2}b(Ab-aB)\cos(c+dx)\right)}{(a+b\cos(c+dx))}{3b(a^2-b^2)} dx}{3b(a^2-b^2)}$$

$$= \frac{2a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} - \frac{2a^2(3a^2Ab-7Ab^3-6a^3B+10ab^2B)}{3b^3(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}}$$

$$= \frac{2a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} - \frac{2a^2(3a^2Ab-7Ab^3-6a^3B+10ab^2B)}{3b^3(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}}$$

$$= \frac{2a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} - \frac{2a^2(3a^2Ab-7Ab^3-6a^3B+10ab^2B)}{3b^3(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}}$$

$$= \frac{2a(Ab-aB)\cos^2(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} - \frac{2a^2(3a^2Ab-7Ab^3-6a^3B+10ab^2B)}{3b^3(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}}$$

$$= \frac{2(8a^4Ab-15a^2Ab^3+3Ab^5-16a^5B+28a^3b^2B-8ab^4B)\sqrt{a+b\cos(c+dx)}E}{3b^4(a^2-b^2)^2 d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}}$$

**Mathematica [A]** time = 2.73851, size = 334, normalized size = 0.81

$$2 \left( \frac{b \sin(c+dx) \left( 2ab(-5a^3Ab-16a^2b^2B+10a^4B+9aAb^3+2b^4B) \cos(c+dx) + 16a^3Ab^3 - 8a^5Ab + B(b^3-a^2b)^2 \cos(2(c+dx)) - 25a^4b^2B + 16a^6B + b^6B \right)}{2(a^2-b^2)^2} + \frac{\left( \frac{a+b\cos(c+dx)}{a+b} \right)}{a+b} \right) \sqrt{a+b\cos(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^3*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (2*(((a + b*Cos[c + d*x])/(a + b))^(3/2)*(b^2*(2*a^3*A*b - 6*a*A*b^3 - 4*a^4*B + 7*a^2*b^2*B + b^4*B)*EllipticF[(c + d*x)/2, (2*b)/(a + b)] - (-8*a^4*A*b + 15*a^2*A*b^3 - 3*A*b^5 + 16*a^5*B - 28*a^3*b^2*B + 8*a*b^4*B)*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)])))/((a - b)^2*(a + b)) + (b*(-8*a^5*A*b + 16*a^3*A*b^3 + 16*a^6*B - 25*a^4*b^2*B + b^6*B + 2*a*b*(-5*a^3*A*b + 9*a*A*b^3 + 10*a^4*B - 16*a^2*b^2*B + 2*b^4*B)*Cos[c + d*x] + (-a^2*b + b^3)^2*B*Cos[2*(c + d*x)])*Sin[c + d*x])/(2*(a^2 - b^2)^2))/(3*b^4*d*(a + b*Cos[c + d*x])^(3/2))
```

**Maple [B]** time = 19.001, size = 1389, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x)
```

```
[Out] -(-(-2*b*cos(1/2*d*x+1/2*c)^2-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2/3/b^4*(4*b^2*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+(-2*B*a*b-2*B*b^2)*sin(1/2*d*
```

$$\begin{aligned}
& x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-9*A*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b-3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b^2+17*B*a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+b^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-8*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a^2+8*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a*b)/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a^2/b^4*(3*A*b-4*B*a)/\sin(1/2*d*x+1/2*c)^2/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b+2*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)-2*a^3*(A*b-B*a)/b^4*(1/6/b/(a-b)/(a+b)*\cos(1/2*d*x+1/2*c)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2+1/2*(a-b)/b)^2+8/3*b*\sin(1/2*d*x+1/2*c)^2/(a-b)^2/(a+b)^2*\cos(1/2*d*x+1/2*c)*a/(-(-2*b*\cos(1/2*d*x+1/2*c)^2-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(3*a-b)/(3*a^3+3*a^2*b-3*a*b^2-3*b^3)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-4/3*a/(a-b)/(a+b)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d
\end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^3}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^3/(b\*cos(d\*x + c) + a)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(B \cos(dx + c)^4 + A \cos(dx + c)^3) \sqrt{b \cos(dx + c) + a}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^3\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] `integral((B*cos(d*x + c)^4 + A*cos(d*x + c)^3)*sqrt(b*cos(d*x + c) + a)/(b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(5/2), x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^3}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^3*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x, algorithm="giac")`

[Out] `integrate((B*cos(d*x + c) + A)*cos(d*x + c)^3/(b*cos(d*x + c) + a)^(5/2), x)`

$$3.335 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=331

$$\frac{2a^2(Ab - aB) \sin(c + dx)}{3b^2d(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} + \frac{2a(2a^2Ab - 5a^3B + 9ab^2B - 6Ab^3) \sin(c + dx)}{3b^2d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} + \frac{2(2a^2Ab - 8a^3B + 9ab^2B)}{3b^3d(a^2 - b^2)}$$

```
[Out] (-2*(2*a^3*A*b - 6*a*A*b^3 - 8*a^4*B + 15*a^2*b^2*B - 3*b^4*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(3*b^3*(a^2 - b^2)^2*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + (2*(2*a^2*A*b - 3*A*b^3 - 8*a^3*B + 9*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(3*b^3*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) - (2*a^2*(A*b - a*B)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)) + (2*a*(2*a^2*A*b - 6*A*b^3 - 5*a^3*B + 9*a*b^2*B)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]])
```

**Rubi [A]** time = 0.552717, antiderivative size = 331, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2988, 3021, 2752, 2663, 2661, 2655, 2653}

$$\frac{2a^2(Ab - aB) \sin(c + dx)}{3b^2d(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} + \frac{2a(2a^2Ab - 5a^3B + 9ab^2B - 6Ab^3) \sin(c + dx)}{3b^2d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} + \frac{2(2a^2Ab - 8a^3B + 9ab^2B)}{3b^3d(a^2 - b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (-2*(2*a^3*A*b - 6*a*A*b^3 - 8*a^4*B + 15*a^2*b^2*B - 3*b^4*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(3*b^3*(a^2 - b^2)^2*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + (2*(2*a^2*A*b - 3*A*b^3 - 8*a^3*B + 9*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(3*b^3*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) - (2*a^2*(A*b - a*B)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)) + (2*a*(2*a^2*A*b - 6*A*b^3 - 5*a^3*B + 9*a*b^2*B)*Sin[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]])
```

#### Rule 2988

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^2*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[((B*c - A*d)*(b*c - a*d)^2*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*d^2*(n + 1)*(c^2 - d^2)), x] - Dist[1/(d^2*(n + 1)*(c^2 - d^2)), Int[(c + d*Sin[e + f*x])^(n + 1)*Simp[d*(n + 1)*(B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c - 2*a*b*d)) - ((B*c - A*d)*(a^2*d^2*(n + 2) + b^2*(c^2 + d^2*(n + 1))) + 2*a*b*d*(A*c*d*(n + 2) - B*(c^2 + d^2*(n + 1)))*Sin[e + f*x] - b^2*B*d*(n + 1)*(c^2 - d^2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

#### Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] :> -Simp[((A*b^2
```

```

- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

```

#### Rule 2752

```

Int[((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])/Sqrt[(a_.) + (b_.)*sin[(e_.) + (
f_.)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]

```

#### Rule 2663

```

Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]

```

#### Rule 2661

```

Int[1/Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

#### Rule 2655

```

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

#### Rule 2653

```

Int[Sqrt[(a_.) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

#### Rubi steps



$$\int \frac{\cos^2(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^{5/2}} dx = -\frac{2a^2(Ab - aB) \sin(c + dx)}{3b^2(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{2 \int \frac{\frac{3}{2}ab(Ab - aB) + \frac{1}{2}(2a^2 - 3b^2)(Ab - aB) \cos(c + dx)}{(a + b \cos(c + dx))} dx}{3b^2(a^2 - b^2)}$$

$$= -\frac{2a^2(Ab - aB) \sin(c + dx)}{3b^2(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{2a(2a^2Ab - 6Ab^3 - 5a^3B + 9ab^2B)}{3b^2(a^2 - b^2)^2 d\sqrt{a + b \cos(c + dx)}}$$

$$= -\frac{2a^2(Ab - aB) \sin(c + dx)}{3b^2(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{2a(2a^2Ab - 6Ab^3 - 5a^3B + 9ab^2B)}{3b^2(a^2 - b^2)^2 d\sqrt{a + b \cos(c + dx)}}$$

$$= -\frac{2a^2(Ab - aB) \sin(c + dx)}{3b^2(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{2a(2a^2Ab - 6Ab^3 - 5a^3B + 9ab^2B)}{3b^2(a^2 - b^2)^2 d\sqrt{a + b \cos(c + dx)}}$$

$$= -\frac{2(2a^3Ab - 6aAb^3 - 8a^4B + 15a^2b^2B - 3b^4B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \mid \frac{2b}{a+b}\right)}{3b^3(a^2 - b^2)^2 d\sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

**Mathematica [A]** time = 2.16107, size = 274, normalized size = 0.83

$$2 \frac{\left(\frac{a+b \cos(c+dx)}{a+b}\right)^{3/2} \left(b^2(a^2Ab+2a^3B-6ab^2B+3Ab^3)F\left(\frac{1}{2}(c+dx) \mid \frac{2b}{a+b}\right) + (-2a^3Ab-15a^2b^2B+8a^4B+6aAb^3+3b^4B)\left((a+b)E\left(\frac{1}{2}(c+dx) \mid \frac{2b}{a+b}\right) - aF\left(\frac{1}{2}(c+dx) \mid \frac{2b}{a+b}\right)\right)\right)}{(a-b)^2(a+b)}$$


---


$$3b^3d(a + b \cos(c + dx))^{3/2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^2*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (2*(((a + b*Cos[c + d*x])/(a + b))^(3/2)*(b^2*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*EllipticF[(c + d*x)/2, (2*b)/(a + b)] + (-2*a^3*A*b + 6*a*A*b^3 + 8*a^4*B - 15*a^2*b^2*B + 3*b^4*B)*((a + b)*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(a + b) - a*EllipticF[(c + d*x)/2, (2*b)/(a + b)])))/((a - b)^2*(a + b)) - (a*b*(a*(-(a^2*A*b) + 5*A*b^3 + 4*a^3*B - 8*a*b^2*B) + b*(-2*a^2*A*b + 6*A*b^3 + 5*a^3*B - 9*a*b^2*B)*Cos[c + d*x])*Sin[c + d*x])/(a^2 - b^2)^2)/(3*b^3*d*(a + b*Cos[c + d*x])^(3/2))
```

**Maple [B]** time = 15.549, size = 950, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x)
```

```
[Out] -(-(-2*b*cos(1/2*d*x+1/2*c)^2-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2/b^3/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(A*b*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-3*B*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*a+B*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*a-B*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))*b)-2*a/b^3*(2*A*b-3*B*a)/
```

```

sin(1/2*d*x+1/2*c)^2/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*b*sin(1/
2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((sin(1/2*d*x+1/2*c)^2)^(1
/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d
*x+1/2*c), (-2*b/(a-b))^(1/2))*a-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*si
n(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a
-b))^(1/2))*b+2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)+2*a^2*(A*b-B*a)/
b^3*(1/6/b/(a-b)/(a+b)*cos(1/2*d*x+1/2*c)*(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*
sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2+1/2*(a-b)/b)^2+8/3*b*sin(
1/2*d*x+1/2*c)^2/(a-b)^2/(a+b)^2*cos(1/2*d*x+1/2*c)*a/(-(-2*b*cos(1/2*d*x+1
/2*c)^2-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)+(3*a-b)/(3*a^3+3*a^2*b-3*a*b^2-3*b
^3)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/
2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(c
os(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-4/3*a/(a-b)/(a+b)^2*(sin(1/2*d*x+1/2*
c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+
1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c), (-
2*b/(a-b))^(1/2))-EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))))/sin(1
/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)^(1/2)/d

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^2}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm
="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^2/(b*cos(d*x + c) + a)^(5/2), x
)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^3 + A \cos(dx + c)^2) \sqrt{b \cos(dx + c) + a}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm
="fricas")
```

```
[Out] integral((B*cos(d*x + c)^3 + A*cos(d*x + c)^2)*sqrt(b*cos(d*x + c) + a)/(b^
3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**2*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(5/2),x)
```

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^2}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^2\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^2/(b\*cos(d\*x + c) + a)^(5/2), x )

$$3.336 \quad \int \frac{\cos(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=307

$$\frac{2(a^2Ab + 2a^3B - 6ab^2B + 3Ab^3) \sin(c+dx)}{3bd(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2a(Ab - aB) \sin(c+dx)}{3bd(a^2 - b^2)(a+b \cos(c+dx))^{3/2}} + \frac{2(2a^2B + aAb - 3b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{3b^2d(a^2 - b^2) \sqrt{a+b \cos(c+dx)}}$$

[Out]  $(-2*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(3*b^2*(a^2 - b^2)^2*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (2*(a*A*b + 2*a^2*B - 3*b^2*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(3*b^2*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*a*(A*b - a*B)*\text{Sin}[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^{3/2}) + (2*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*\text{Sin}[c + d*x])/(3*b*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

**Rubi [A]** time = 0.471744, antiderivative size = 307, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.258$ , Rules used = {2968, 3021, 2754, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(a^2Ab + 2a^3B - 6ab^2B + 3Ab^3) \sin(c+dx)}{3bd(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2a(Ab - aB) \sin(c+dx)}{3bd(a^2 - b^2)(a+b \cos(c+dx))^{3/2}} + \frac{2(2a^2B + aAb - 3b^2B) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}{3b^2d(a^2 - b^2) \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]*(A + B*\text{Cos}[c + d*x]))/(a + b*\text{Cos}[c + d*x])^{5/2}, x]$

[Out]  $(-2*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)]/(3*b^2*(a^2 - b^2)^2*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]) + (2*(a*A*b + 2*a^2*B - 3*b^2*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticF}[(c + d*x)/2, (2*b)/(a + b)]/(3*b^2*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*a*(A*b - a*B)*\text{Sin}[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*\text{Cos}[c + d*x])^{3/2}) + (2*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*\text{Sin}[c + d*x])/(3*b*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

### Rule 2968

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(A*c + (B*c + A*d)*\text{Sin}[e + f*x] + B*d*\text{Sin}[e + f*x]^2), x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x\} \&\& \text{NeQ}[b*c - a*d, 0]$

### Rule 3021

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] \rightarrow -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m+1)} / (b*f*(m+1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)}*\text{Simp}[b*(a*A - b*B + a*C)*(m+1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m+1)*\text{Sin}[e + f*x], x], x], x] /;$   $\text{FreeQ}\{a, b, e, f, A, B, C\}, x\} \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

### Rule 2754

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f
*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), I
nt[(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m +
2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a
*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]
```

#### Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (a
f_)*(x_)]), x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

#### Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

#### Rule 2661

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

#### Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)]/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rubi steps

$$\int \frac{\cos(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^{5/2}} dx = \int \frac{A\cos(c+dx)+B\cos^2(c+dx)}{(a+b\cos(c+dx))^{5/2}} dx$$

$$= \frac{2a(Ab-aB)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} - \frac{2\int \frac{\frac{3}{2}b(Ab-aB)-\frac{1}{2}(aAb+2a^2B-3b^2B)\cos(c+dx)}{(a+b\cos(c+dx))^{3/2}} dx}{3b(a^2-b^2)}$$

$$= \frac{2a(Ab-aB)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2(a^2Ab+3Ab^3+2a^3B-6ab^2B)\sin(c+dx)}{3b(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}}$$

$$= \frac{2a(Ab-aB)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2(a^2Ab+3Ab^3+2a^3B-6ab^2B)\sin(c+dx)}{3b(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}}$$

$$= \frac{2a(Ab-aB)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2(a^2Ab+3Ab^3+2a^3B-6ab^2B)\sin(c+dx)}{3b(a^2-b^2)^2 d\sqrt{a+b\cos(c+dx)}}$$

$$= -\frac{2(a^2Ab+3Ab^3+2a^3B-6ab^2B)\sqrt{a+b\cos(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{3b^2(a^2-b^2)^2 d\sqrt{\frac{a+b\cos(c+dx)}{a+b}}} + \frac{2(aAb-a^2B)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}}$$

**Mathematica [A]** time = 1.85905, size = 224, normalized size = 0.73

$$2\left(\frac{b\sin(c+dx)(b(a^2Ab+2a^3B-6ab^2B+3Ab^3)\cos(c+dx)+a(2a^2Ab+a^3B-5ab^2B+2Ab^3))}{(a^2-b^2)^2} - \frac{\left(\frac{a+b\cos(c+dx)}{a+b}\right)^{3/2}\left((a^2Ab+2a^3B-6ab^2B+3Ab^3)E\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)-(a-b)\right)}{(a-b)^2}\right)}{3b^2d(a+b\cos(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (2*(-((((a + b*Cos[c + d*x])/(a + b))^(3/2)*((a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*EllipticE[(c + d*x)/2, (2*b)/(a + b)] - (a - b)*(a*A*b + 2*a^2*B - 3*b^2*B)*EllipticF[(c + d*x)/2, (2*b)/(a + b)])))/(a - b)^2 + (b*(a*(2*a^2*A*b + 2*A*b^3 + a^3*B - 5*a*b^2*B) + b*(a^2*A*b + 3*A*b^3 + 2*a^3*B - 6*a*b^2*B)*Cos[c + d*x])*Sin[c + d*x])/(a^2 - b^2)^2))/(3*b^2*d*(a + b*Cos[c + d*x])^(3/2))
```

**Maple [B]** time = 14.194, size = 860, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x)
```

```
[Out] -(-(-2*b*cos(1/2*d*x+1/2*c)^2-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*B/b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))+2/b^2*(A*b-2*B*a)/sin(1/2*d*x+1/2*c)^2/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2)^(1/2))
```

$$x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*a-(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*b+2*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)-2*a*(A*b-B*a)/b^2*(1/6/b/(a-b)/(a+b)*\cos(1/2*d*x+1/2*c)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}/(\cos(1/2*d*x+1/2*c)^2+1/2*(a-b)/b)^2+8/3*b*\sin(1/2*d*x+1/2*c)^2/(a-b)^2/(a+b)^2*\cos(1/2*d*x+1/2*c)*a/(-(-2*b*\cos(1/2*d*x+1/2*c)^2-a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}+(3*a-b)/(3*a^3+3*a^2*b-3*a*b^2-3*b^3)*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})-4/3*a/(a-b)/(a+b)^2*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{1/2}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*(EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})-EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})))/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{1/2}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)/(b\*cos(d\*x + c) + a)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^2 + A \cos(dx + c))\sqrt{b \cos(dx + c) + a}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^2 + A\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a)/(b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)/(b*cos(d*x + c) + a)^(5/2), x)
```



$$3.337 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=275

$$\frac{2(a^2(-B) + 4aAb - 3b^2B) \sin(c + dx)}{3d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{2(Ab - aB) \sin(c + dx)}{3d(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} - \frac{2(Ab - aB) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx)\right)}{3bd(a^2 - b^2) \sqrt{a + b \cos(c + dx)}}$$

```
[Out] (2*(4*a*A*b - a^2*B - 3*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)
/2, (2*b)/(a + b)]/(3*b*(a^2 - b^2)^2*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]
) - (2*(A*b - a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2
, (2*b)/(a + b)]/(3*b*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) - (2*(A*b -
a*B)*Sin[c + d*x])/(3*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)) - (2*(4*a*A
*b - a^2*B - 3*b^2*B)*Sin[c + d*x])/(3*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d
*x]])
```

**Rubi [A]** time = 0.373145, antiderivative size = 275, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 25,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.24$ , Rules used = {2754, 2752, 2663, 2661, 2655, 2653}

$$\frac{2(a^2(-B) + 4aAb - 3b^2B) \sin(c + dx)}{3d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{2(Ab - aB) \sin(c + dx)}{3d(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} - \frac{2(Ab - aB) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx)\right)}{3bd(a^2 - b^2) \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (2*(4*a*A*b - a^2*B - 3*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)
/2, (2*b)/(a + b)]/(3*b*(a^2 - b^2)^2*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]
) - (2*(A*b - a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2
, (2*b)/(a + b)]/(3*b*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) - (2*(A*b -
a*B)*Sin[c + d*x])/(3*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)) - (2*(4*a*A
*b - a^2*B - 3*b^2*B)*Sin[c + d*x])/(3*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d
*x]])
```

#### Rule 2754

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((c_) + (d_)*sin[(e_) +
(f_)*(x_)]), x_Symbol] := -Simp[((b*c - a*d)*Cos[e + f*x]*(a + b*Sin[e + f
*x])^(m + 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), I
nt[(a + b*Sin[e + f*x])^(m + 1)*Simp[(a*c - b*d)*(m + 1) - (b*c - a*d)*(m +
2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a
*d, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && IntegerQ[2*m]
```

#### Rule 2752

```
Int[((c_) + (d_)*sin[(e_) + (f_)*(x_)])/Sqrt[(a_) + (b_)*sin[(e_) + (
f_)*(x_)]], x_Symbol] := Dist[(b*c - a*d)/b, Int[1/Sqrt[a + b*Sin[e + f*x]
], x], x] + Dist[d/b, Int[Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b,
c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
```

#### Rule 2663

```
Int[1/Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
```

+ (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx = -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} - \frac{2 \int \frac{-\frac{3}{2}(aA - bB) + \frac{1}{2}(Ab - aB) \cos(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx}{3(a^2 - b^2)}$$

$$= -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} - \frac{2(4aAb - a^2B - 3b^2B) \sin(c + dx)}{3(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}} + \frac{4 \int \frac{\frac{1}{4}(3a^2A + Ab^2)}{(a + b \cos(c + dx))^{3/2}} dx}{3b(a^2 - b^2)}$$

$$= -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} - \frac{2(4aAb - a^2B - 3b^2B) \sin(c + dx)}{3(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}} - \frac{(Ab - aB) \int \sqrt{a + b \cos(c + dx)}}{3b(a^2 - b^2)}$$

$$= -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d(a + b \cos(c + dx))^{3/2}} - \frac{2(4aAb - a^2B - 3b^2B) \sin(c + dx)}{3(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}} + \frac{((4aAb - a^2B) \int \sqrt{a + b \cos(c + dx)}}{3b(a^2 - b^2)}$$

$$= \frac{2(4aAb - a^2B - 3b^2B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3b(a^2 - b^2)^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{2(Ab - aB) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}}$$

**Mathematica [A]** time = 1.52271, size = 193, normalized size = 0.7

$$2 \left( \frac{\sin(c+dx)(b(a^2B-4aAb+3b^2B) \cos(c+dx)-5a^2Ab+2a^3B+2ab^2B+Ab^3)}{(a^2-b^2)^2} - \frac{\left(\frac{a+b \cos(c+dx)}{a+b}\right)^{3/2} \left((a^2B-4aAb+3b^2B) E\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right) - (a-b)(aB-Ab) F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)\right)}{b(a-b)^2} \right) / (3d(a + b \cos(c + dx))^{3/2})$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (2\*(-((((a + b\*Cos[c + d\*x])/(a + b))^(3/2)\*((-4\*a\*A\*b + a^2\*B + 3\*b^2\*B)\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] - (a - b)\*(-(A\*b) + a\*B)\*EllipticF[(c

$$+ dx)/2, (2*b)/(a + b)]))/((a - b)^{2*b}) + ((-5*a^2*A*b + A*b^3 + 2*a^3*B + 2*a*b^2*B + b*(-4*a*A*b + a^2*B + 3*b^2*B)*\cos[c + dx])*\sin[c + dx])/((a^2 - b^2)^2))/((3*d*(a + b*\cos[c + dx]))^{3/2})$$

**Maple [B]** time = 13.244, size = 750, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2),x)

[Out] 
$$\begin{aligned} & -(-(-2*b*\cos(1/2*d*x+1/2*c)^2-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*B/b/\sin(1/2*d*x+1/2*c)^2/(-2*\sin(1/2*d*x+1/2*c)^{2*b+a+b}/(a^2-b^2)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b+2*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)+2*(A*b-B*a)/b*(1/6/b/(a-b)/(a+b)*\cos(1/2*d*x+1/2*c)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2+1/2*(a-b)/b)^2+8/3*b*\sin(1/2*d*x+1/2*c)^2/(a-b)^2/(a+b)^2*\cos(1/2*d*x+1/2*c)*a/(-(-2*b*\cos(1/2*d*x+1/2*c)^2-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(3*a-b)/(3*a^3+3*a^2*b-3*a*b^2-3*b^3)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-4/3*a/(a-b)/(a+b)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})))\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^{2*b+a+b})^{(1/2)}/d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/(b\*cos(d\*x + c) + a)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{b^3 \cos^3(dx + c) + 3ab^2 \cos^2(dx + c) + 3a^2b \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] `integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/(b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(5/2), x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x, algorithm="giac")`

[Out] `integrate((B*cos(d*x + c) + A)/(b*cos(d*x + c) + a)^(5/2), x)`

$$3.338 \quad \int \frac{(A+B \cos(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=349

$$\frac{2b(7a^2Ab - 4a^3B - 3Ab^3) \sin(c+dx)}{3a^2d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2b(Ab - aB) \sin(c+dx)}{3ad(a^2 - b^2)(a+b \cos(c+dx))^{3/2}} + \frac{2(Ab - aB) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\right)}{3ad(a^2 - b^2) \sqrt{a+b \cos(c+dx)}}$$

```
[Out] (-2*(7*a^2*A*b - 3*A*b^3 - 4*a^3*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c +
d*x)/2, (2*b)/(a + b)]/(3*a^2*(a^2 - b^2)^2*d*Sqrt[(a + b*Cos[c + d*x])/(
a + b)]) + (2*(A*b - a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c +
d*x)/2, (2*b)/(a + b)]/(3*a*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) + (2*
A*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a +
b)]/(a^2*d*Sqrt[a + b*Cos[c + d*x]]) + (2*b*(A*b - a*B)*Sin[c + d*x])/(3*a
*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)) + (2*b*(7*a^2*A*b - 3*A*b^3 - 4*
a^3*B)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]])
```

**Rubi [A]** time = 1.09905, antiderivative size = 349, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.323$ , Rules used = {3000, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{2b(7a^2Ab - 4a^3B - 3Ab^3) \sin(c+dx)}{3a^2d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2b(Ab - aB) \sin(c+dx)}{3ad(a^2 - b^2)(a+b \cos(c+dx))^{3/2}} + \frac{2(Ab - aB) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx)\right)}{3ad(a^2 - b^2) \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (-2*(7*a^2*A*b - 3*A*b^3 - 4*a^3*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c +
d*x)/2, (2*b)/(a + b)]/(3*a^2*(a^2 - b^2)^2*d*Sqrt[(a + b*Cos[c + d*x])/(
a + b)]) + (2*(A*b - a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c +
d*x)/2, (2*b)/(a + b)]/(3*a*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) + (2*
A*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a +
b)]/(a^2*d*Sqrt[a + b*Cos[c + d*x]]) + (2*b*(A*b - a*B)*Sin[c + d*x])/(3*a
*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)) + (2*b*(7*a^2*A*b - 3*A*b^3 - 4*
a^3*B)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]])
```

### Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :-> -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

### Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
```

```

+ (f_.)*(x_)^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

### Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])], x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

### Rule 2655

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]

```

### Rule 2653

```

Int[Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

### Rule 3002

```

Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_))*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rule 2663

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]

```

### Rule 2661

```

Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

```

### Rule 2807

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)

```

```
+ (f_.)*(x_)]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx = \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{2 \int \frac{(\frac{3}{2}A(a^2 - b^2) - \frac{3}{2}a(Ab - aB) \cos(c + dx) + \frac{1}{2}b(Ab - aB)) \sqrt{a + b \cos(c + dx)}}{(a + b \cos(c + dx))^{3/2}} dx}{3a(a^2 - b^2)}$$

$$= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{2b(7a^2Ab - 3Ab^3 - 4a^3B) \sin(c + dx)}{3a^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{2b(7a^2Ab - 3Ab^3 - 4a^3B) \sin(c + dx)}{3a^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{2b(7a^2Ab - 3Ab^3 - 4a^3B) \sin(c + dx)}{3a^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= -\frac{2(7a^2Ab - 3Ab^3 - 4a^3B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3a^2(a^2 - b^2)^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}}$$

$$= -\frac{2(7a^2Ab - 3Ab^3 - 4a^3B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{3a^2(a^2 - b^2)^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}}$$

**Mathematica [C]** time = 6.72774, size = 743, normalized size = 2.13

$$\frac{\cos(c + dx) \sqrt{a + b \cos(c + dx)} (A \sec(c + dx) + B) \left( -\frac{2(abB \sin(c + dx) - Ab^2 \sin(c + dx))}{3a(a^2 - b^2)(a + b \cos(c + dx))^2} - \frac{2(-7a^2Ab^2 \sin(c + dx) + 4a^3bB \sin(c + dx) + 3Ab^4 \sin(c + dx))}{3a^2(a^2 - b^2)^2(a + b \cos(c + dx))} \right)}{d(A + B \cos(c + dx))}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (Cos[c + d*x]*(B + A*Sec[c + d*x])*((2*(-12*a^3*A*b + 4*a*A*b^3 + 6*a^4*B +
2*a^2*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*
b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(6*a^4*A - 19*a^2*A*b^2 + 9*A*b^
4 + 4*a^3*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2
, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*(-7*a^2*A*b^2 + 3*A*b^4
+ 4*a^3*b*B)*Sqrt[(b - b*Cos[c + d*x])/(a + b)]*Sqrt[-((b + b*Cos[c + d*x]
```

```
)/(a - b))*Cos[2*(c + d*x)]*(2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)
^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(2*a*EllipticF[I*Arc
Sinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] - b*El
lipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]]
, (a + b)/(a - b)))*Sin[c + d*x])/(a*Sqrt[-(a + b)^(-1)]*Sqrt[1 - Cos[c +
d*x]^2]*Sqrt[-((a^2 - b^2 - 2*a*(a + b*Cos[c + d*x]) + (a + b*Cos[c + d*x])
^2)/b^2)]*(2*a^2 - b^2 - 4*a*(a + b*Cos[c + d*x]) + 2*(a + b*Cos[c + d*x])^
2)))/(6*a^2*(a - b)^2*(a + b)^2*d*(A + B*Cos[c + d*x])) + (Cos[c + d*x]*Sq
rt[a + b*Cos[c + d*x]]*(B + A*Sec[c + d*x]))*((-2*(-(A*b^2*Sin[c + d*x]) +
a*b*B*Sin[c + d*x]))/(3*a*(a^2 - b^2)*(a + b*Cos[c + d*x])^2) - (2*(-7*a^2*A
*b^2*Sin[c + d*x] + 3*A*b^4*Sin[c + d*x] + 4*a^3*b*B*Sin[c + d*x]))/(3*a^2*
(a^2 - b^2)^2*(a + b*Cos[c + d*x])))/(d*(A + B*Cos[c + d*x]))
```

**Maple [B]** time = 14.143, size = 854, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(5/2),x)
```

```
[Out] -((-2*b*cos(1/2*d*x+1/2*c)^2-a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*A*b/a^2/
sin(1/2*d*x+1/2*c)^2/(-2*sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*b*sin(1/
2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*((sin(1/2*d*x+1/2*c)^2)^(1
/2)*(-2*b/(a-b)*sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d
*x+1/2*c), (-2*b/(a-b))^(1/2))*a-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*b/(a-b)*si
n(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), (-2*b/(a
-b))^(1/2))*b+2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)-2*A/a^2*(sin(1/2
*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin
(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+
1/2*c), 2, (-2*b/(a-b))^(1/2))+2*(-A*b+B*a)/a*(1/6/b/(a-b)/(a+b)*cos(1/2*d*x+
1/2*c)*(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/
2*d*x+1/2*c)^2+1/2*(a-b)/b)^2+8/3*b*sin(1/2*d*x+1/2*c)^2/(a-b)^2/(a+b)^2*co
s(1/2*d*x+1/2*c)*a/(-(-2*b*cos(1/2*d*x+1/2*c)^2-a+b)*sin(1/2*d*x+1/2*c)^2)^(
1/2)+(3*a-b)/(3*a^3+3*a^2*b-3*a*b^2-3*b^3)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((
2*b*cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)
*sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2
))-4/3*a/(a-b)/(a+b)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*((2*b*cos(1/2*d*x+1/2*c
)^2+a-b)/(a-b))^(1/2)/(-2*b*sin(1/2*d*x+1/2*c)^4+(a+b)*sin(1/2*d*x+1/2*c)^2
)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c), (-2*b/(a-b))^(1/2))-EllipticE(cos(1/2
*d*x+1/2*c), (-2*b/(a-b))^(1/2))))/sin(1/2*d*x+1/2*c)/(-2*sin(1/2*d*x+1/2*c
)^2*b+a+b)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(5/2),x, algorithm="
maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)/(b*cos(d*x + c) + a)^(5/2), x)
```



---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)/(b\*cos(d\*x + c) + a)^(5/2), x)

$$3.339 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=437

$$\frac{b(-26a^2Ab^2 + 3a^4A + 14a^3bB - 6ab^3B + 15Ab^4) \sin(c+dx)}{3a^3d(a^2-b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{b(3a^2A + 2abB - 5Ab^2) \sin(c+dx)}{3a^2d(a^2-b^2)(a+b \cos(c+dx))^{3/2}} + \frac{(3a^2A + 2abB - 5Ab^2) \sin(c+dx)}{3a^2d}$$

```
[Out] -((3*a^4*A - 26*a^2*A*b^2 + 15*A*b^4 + 14*a^3*b*B - 6*a*b^3*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(3*a^3*(a^2 - b^2)^2*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + ((3*a^2*A - 5*A*b^2 + 2*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(3*a^2*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) - ((5*A*b - 2*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(a^3*d*Sqrt[a + b*Cos[c + d*x]]) + (b*(3*a^2*A - 5*A*b^2 + 2*a*b*B)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)) + (b*(3*a^4*A - 26*a^2*A*b^2 + 15*A*b^4 + 14*a^3*b*B - 6*a*b^3*B)*Sin[c + d*x])/(3*a^3*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]]) + (A*Tan[c + d*x])/(a*d*(a + b*Cos[c + d*x])^(3/2))
```

**Rubi [A]** time = 1.48093, antiderivative size = 437, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 11, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {3000, 3056, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{b(-26a^2Ab^2 + 3a^4A + 14a^3bB - 6ab^3B + 15Ab^4) \sin(c+dx)}{3a^3d(a^2-b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{b(3a^2A + 2abB - 5Ab^2) \sin(c+dx)}{3a^2d(a^2-b^2)(a+b \cos(c+dx))^{3/2}} + \frac{(3a^2A + 2abB - 5Ab^2) \sin(c+dx)}{3a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] -((3*a^4*A - 26*a^2*A*b^2 + 15*A*b^4 + 14*a^3*b*B - 6*a*b^3*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(3*a^3*(a^2 - b^2)^2*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) + ((3*a^2*A - 5*A*b^2 + 2*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(3*a^2*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) - ((5*A*b - 2*a*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(a^3*d*Sqrt[a + b*Cos[c + d*x]]) + (b*(3*a^2*A - 5*A*b^2 + 2*a*b*B)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)) + (b*(3*a^4*A - 26*a^2*A*b^2 + 15*A*b^4 + 14*a^3*b*B - 6*a*b^3*B)*Sin[c + d*x])/(3*a^3*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]]) + (A*Tan[c + d*x])/(a*d*(a + b*Cos[c + d*x])^(3/2))
```

### Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3056

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[((A\*b^2 + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(m + 1)\*(b\*c - a\*d)\*(A + C) + d\*(A\*b^2 + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 + a^2\*C) + b\*(m + 1)\*(b\*c - a\*d)\*(A + C))\*Sin[e + f\*x] - d\*(A\*b^2 + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x])\*(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2655

Int[Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

Rule 2653

Int[Sqrt[(a\_.) + (b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 3002

Int((((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2)/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}

, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2663

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Dist[Sqrt[(a + b\*Sin[c + d\*x])/(a + b)]/Sqrt[a + b\*Sin[c + d\*x]], Int[1/Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

### Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b]), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

### Rule 2807

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[Sqrt[(c + d\*Sin[e + f\*x])/(c + d)]/Sqrt[c + d\*Sin[e + f\*x]], Int[1/((a + b\*Sin[e + f\*x])\*Sqrt[c/(c + d) + (d\*Sin[e + f\*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

### Rule 2805

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

### Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx = \frac{A \tan(c + dx)}{ad(a + b \cos(c + dx))^{3/2}} + \frac{\int \frac{(\frac{1}{2}(-5Ab+2aB)+\frac{3}{2}Ab \cos^2(c+dx)) \sec(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx}{a}$$

$$= \frac{b(3a^2A - 5Ab^2 + 2abB) \sin(c + dx)}{3a^2(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{A \tan(c + dx)}{ad(a + b \cos(c + dx))^{3/2}} + \frac{2 \int \frac{(-\frac{3}{4}(a^2 - b^2) \sin^2(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx}{a}$$

$$= \frac{b(3a^2A - 5Ab^2 + 2abB) \sin(c + dx)}{3a^2(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{b(3a^4A - 26a^2Ab^2 + 15Ab^4 + 14a^3bB - 6ab^3B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{3a^3(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= \frac{b(3a^2A - 5Ab^2 + 2abB) \sin(c + dx)}{3a^2(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{b(3a^4A - 26a^2Ab^2 + 15Ab^4 + 14a^3bB - 6ab^3B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{3a^3(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= \frac{b(3a^2A - 5Ab^2 + 2abB) \sin(c + dx)}{3a^2(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{b(3a^4A - 26a^2Ab^2 + 15Ab^4 + 14a^3bB - 6ab^3B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{3a^3(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}}$$

$$= -\frac{(3a^4A - 26a^2Ab^2 + 15Ab^4 + 14a^3bB - 6ab^3B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{3a^3(a^2 - b^2)^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

$$= -\frac{(3a^4A - 26a^2Ab^2 + 15Ab^4 + 14a^3bB - 6ab^3B) \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{3a^3(a^2 - b^2)^2 d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}}$$

**Mathematica [C]** time = 7.09293, size = 750, normalized size = 1.72

$$\frac{\sqrt{a + b \cos(c + dx)} \left( \frac{2(ab^2B \sin(c+dx) - Ab^3 \sin(c+dx))}{3a^2(a^2 - b^2)(a + b \cos(c+dx))^2} + \frac{2(-10a^2Ab^3 \sin(c+dx) + 7a^3b^2B \sin(c+dx) - 3ab^4B \sin(c+dx) + 6Ab^5 \sin(c+dx))}{3a^3(a^2 - b^2)^2(a + b \cos(c+dx))} + \frac{A \tan(c + dx)}{a^3} \right)}{d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^2)/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] ((2*(36*a^3*A*b^2 - 20*a*A*b^4 - 24*a^4*b*B + 8*a^2*b^3*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(-33*a^4*A*b + 86*a^2*A*b^3 - 45*A*b^5 + 12*a^5*B - 38*a^3*b^2*B + 18*a*b^4*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*(-3*a^4*A*b + 26*a^2*A*b^3 - 15*A*b^5 - 14*a^3*b^2*B + 6*a*b^4*B)*Sqrt[(b - b*Cos[c + d*x])/(a + b)]*Sqrt[-((b + b*Cos[c + d*x])/(a - b))]*Cos[2*(c + d*x)]*(2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] - b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)])))*Sin[c + d*x])/(a*Sqrt[-(a + b)^(-1)]*Sqrt[1 - Cos[c + d*x]^2]*Sqrt[-((a^2 - b^2 - 2*a*(a + b*Cos[c + d*x]) + (a + b*Cos[c + d*x])^2)/b^2)]*(2*a^2 - b^2 - 4*a*(a + b*Cos[c + d*x]) + 2*(a + b*Cos[c + d*x])^2)))/(12*a^3*(-a + b)^2*(a + b)^2*d) + (Sqrt[a + b*Cos[c + d*x]]*((2*(-(A*b^3*Sin[c + d*x]) + a*b^2*B*Sin[c + d*x]))/(3*a^2*(a^2 - b^2)*(a + b*Cos[c + d*x])^2) + (2*(-10*a^2*A*b^3*Sin[c + d*x] + 6*A*b^5*Sin[c + d*x] + 7*a^3*b^2*B*Sin[c + d*x] - 3*a*b^4*B*Sin[c + d*x]))
```

$$/(3*a^3*(a^2 - b^2)^2*(a + b*\text{Cos}[c + d*x])) + (A*\text{Tan}[c + d*x])/a^3)/d$$

**Maple [B]** time = 18.753, size = 1341, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^(5/2),x)`

[Out] 
$$-(-(-2*b*\cos(1/2*d*x+1/2*c)^2-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*b*(2*A*b-B*a)/a^3/\sin(1/2*d*x+1/2*c)^2/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)/(a^2-b^2)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*a-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})*b+2*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-2*(-2*A*b+B*a)/a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})+2*(A*b-B*a)*b/a^2*(1/6/b/(a-b)/(a+b)*\cos(1/2*d*x+1/2*c)*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2+1/2*(a-b)/b)^2+8/3*b*\sin(1/2*d*x+1/2*c)^2/(a-b)^2/(a+b)^2*\cos(1/2*d*x+1/2*c)*a/(-(-2*b*\cos(1/2*d*x+1/2*c)^2-a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+(3*a-b)/(3*a^3+3*a^2*b-3*a*b^2-3*b^3)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-4/3*a/(a-b)/(a+b)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})))+2/a^2*A*(-\cos(1/2*d*x+1/2*c)/a*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)+1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+1/2/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+1/2/a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})/)\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^2/(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] Timed out

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*2/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^2}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^2/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^2/(b\*cos(d\*x + c) + a)^(5/2), x)

$$3.340 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=532

$$\frac{b(-170a^2Ab^3 + 33a^4Ab + 104a^3b^2B - 12a^5B - 60ab^4B + 105Ab^5) \sin(c+dx)}{12a^4d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} - \frac{b(27a^2Ab - 12a^3B + 20ab^2B - 35Ab^3)}{12a^3d(a^2 - b^2)(a+b \cos(c+dx))}$$

```
[Out] ((33*a^4*A*b - 170*a^2*A*b^3 + 105*A*b^5 - 12*a^5*B + 104*a^3*b^2*B - 60*a*b^4*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(12*a^4*(a^2 - b^2)^2*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) - ((27*a^2*A*b - 35*A*b^3 - 12*a^3*B + 20*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(12*a^3*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) + ((4*a^2*A + 35*A*b^2 - 20*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(4*a^4*d*Sqrt[a + b*Cos[c + d*x]]) - (b*(27*a^2*A*b - 35*A*b^3 - 12*a^3*B + 20*a*b^2*B)*Sin[c + d*x])/(12*a^3*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)) - (b*(33*a^4*A*b - 170*a^2*A*b^3 + 105*A*b^5 - 12*a^5*B + 104*a^3*b^2*B - 60*a*b^4*B)*Sin[c + d*x])/(12*a^4*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]]) - ((7*A*b - 4*a*B)*Tan[c + d*x])/(4*a^2*d*(a + b*Cos[c + d*x])^(3/2)) + (A*Sec[c + d*x]*Tan[c + d*x])/(2*a*d*(a + b*Cos[c + d*x])^(3/2))
```

**Rubi [A]** time = 1.93422, antiderivative size = 532, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 10, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$ , Rules used = {3000, 3055, 3059, 2655, 2653, 3002, 2663, 2661, 2807, 2805}

$$\frac{b(-170a^2Ab^3 + 33a^4Ab + 104a^3b^2B - 12a^5B - 60ab^4B + 105Ab^5) \sin(c+dx)}{12a^4d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} - \frac{b(27a^2Ab - 12a^3B + 20ab^2B - 35Ab^3)}{12a^3d(a^2 - b^2)(a+b \cos(c+dx))}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^3)/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] ((33*a^4*A*b - 170*a^2*A*b^3 + 105*A*b^5 - 12*a^5*B + 104*a^3*b^2*B - 60*a*b^4*B)*Sqrt[a + b*Cos[c + d*x]]*EllipticE[(c + d*x)/2, (2*b)/(a + b)]/(12*a^4*(a^2 - b^2)^2*d*Sqrt[(a + b*Cos[c + d*x])/(a + b)]) - ((27*a^2*A*b - 35*A*b^3 - 12*a^3*B + 20*a*b^2*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/(12*a^3*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) + ((4*a^2*A + 35*A*b^2 - 20*a*b*B)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/(4*a^4*d*Sqrt[a + b*Cos[c + d*x]]) - (b*(27*a^2*A*b - 35*A*b^3 - 12*a^3*B + 20*a*b^2*B)*Sin[c + d*x])/(12*a^3*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)) - (b*(33*a^4*A*b - 170*a^2*A*b^3 + 105*A*b^5 - 12*a^5*B + 104*a^3*b^2*B - 60*a*b^4*B)*Sin[c + d*x])/(12*a^4*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]]) - ((7*A*b - 4*a*B)*Tan[c + d*x])/(4*a^2*d*(a + b*Cos[c + d*x])^(3/2)) + (A*Sec[c + d*x]*Tan[c + d*x])/(2*a*d*(a + b*Cos[c + d*x])^(3/2))
```

### Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/(m + 1)*(b*c - a*d)*(a^2 - b^2), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
```



$f*x]^n \text{Simp}[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*\text{Sin}[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*\text{Sin}[e + f*x]^2, x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3055

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] := -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x] * (a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^n \text{Simp}[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*\text{Sin}[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*\text{Sin}[e + f*x]^2, x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3059

$\text{Int}[(A_. + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2)/(\text{Sqrt}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])), x\_Symbol] := \text{Dist}[C/(b*d), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]], x], x] - \text{Dist}[1/(b*d), \text{Int}[\text{Simp}[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*\text{Sin}[e + f*x], x]/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])), x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2655

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\text{sin}[(c_.) + (d_.)*(x_.)]], x\_Symbol] := \text{Dist}[\text{Sqrt}[a + b*\text{Sin}[c + d*x]]/\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)], \text{Int}[\text{Sqrt}[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /;$  FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

### Rule 2653

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\text{sin}[(c_.) + (d_.)*(x_.)]], x\_Symbol] := \text{Simp}[(2*\text{Sqrt}[a + b]*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, (2*b)/(a + b)])/d, x] /;$  FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

### Rule 3002

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)]), x\_Symbol] := \text{Dist}[B/d, \text{Int}[(a + b*\text{Sin}[e + f*x])^m, x], x] - \text{Dist}[(B*c - A*d)/d, \text{Int}[(a + b*\text{Sin}[e + f*x])^m/(c + d*\text{Sin}[e + f*x]), x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2663

$\text{Int}[1/\text{Sqrt}[(a_.) + (b_.)*\text{sin}[(c_.) + (d_.)*(x_.)]], x\_Symbol] := \text{Dist}[\text{Sqrt}[(a + b*\text{Sin}[c + d*x])/(a + b)]/\text{Sqrt}[a + b*\text{Sin}[c + d*x]], \text{Int}[1/\text{Sqrt}[a/(a + b) + (b*\text{Sin}[c + d*x])/(a + b)], x], x] /;$  FreeQ[{a, b, c, d}, x] && NeQ[a^2 -

b^2, 0] && !GtQ[a + b, 0]

Rule 2661

Int[1/Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)]/(d\*Sqrt[a + b])), x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rule 2807

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[Sqrt[(c + d\*Sin[e + f\*x])/(c + d)]/Sqrt[c + d\*Sin[e + f\*x]], Int[1/((a + b\*Sin[e + f\*x])\*Sqrt[c/(c + d) + (d\*Sin[e + f\*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

Rule 2805

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d])), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx = \frac{A \sec(c + dx) \tan(c + dx)}{2ad(a + b \cos(c + dx))^{3/2}} + \frac{\int \frac{\left(\frac{1}{2}(-7Ab + 4aB) + aA \cos(c + dx) + \frac{5}{2}Ab \cos^2(c + dx)\right) \sec^2(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx}{2a}$$

$$= -\frac{(7Ab - 4aB) \tan(c + dx)}{4a^2d(a + b \cos(c + dx))^{3/2}} + \frac{A \sec(c + dx) \tan(c + dx)}{2ad(a + b \cos(c + dx))^{3/2}} + \frac{\int \frac{\left(\frac{1}{4}(4a^2A + 35Ab^2 - 20a^2B)\right) \sec^2(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx}{12a^2}$$

$$= -\frac{b(27a^2Ab - 35Ab^3 - 12a^3B + 20ab^2B) \sin(c + dx)}{12a^3(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{(7Ab - 4aB) \tan(c + dx)}{4a^2d(a + b \cos(c + dx))^{3/2}}$$

$$= -\frac{b(27a^2Ab - 35Ab^3 - 12a^3B + 20ab^2B) \sin(c + dx)}{12a^3(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{b(33a^4Ab - 170a^2Ab^3)}{12a^2d(a + b \cos(c + dx))^{3/2}}$$

$$= -\frac{b(27a^2Ab - 35Ab^3 - 12a^3B + 20ab^2B) \sin(c + dx)}{12a^3(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{b(33a^4Ab - 170a^2Ab^3)}{12a^2d(a + b \cos(c + dx))^{3/2}}$$

$$= -\frac{b(27a^2Ab - 35Ab^3 - 12a^3B + 20ab^2B) \sin(c + dx)}{12a^3(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{b(33a^4Ab - 170a^2Ab^3)}{12a^2d(a + b \cos(c + dx))^{3/2}}$$

$$= \frac{(33a^4Ab - 170a^2Ab^3 + 105Ab^5 - 12a^5B + 104a^3b^2B - 60ab^4B) \sqrt{a + b \cos(c + dx)}}{12a^4(a^2 - b^2)^2 d \sqrt{\frac{a + b \cos(c + dx)}{a + b}}}$$

$$= \frac{(33a^4Ab - 170a^2Ab^3 + 105Ab^5 - 12a^5B + 104a^3b^2B - 60ab^4B) \sqrt{a + b \cos(c + dx)}}{12a^4(a^2 - b^2)^2 d \sqrt{\frac{a + b \cos(c + dx)}{a + b}}}$$

**Mathematica [C]** time = 7.74322, size = 820, normalized size = 1.54

$$\frac{2(12Aba^5+144b^2Ba^4-216Ab^3a^3-80b^4Ba^2+140Ab^5a)\sqrt{\frac{a+b\cos(c+dx)}{a+b}}F\left(\frac{1}{2}(c+dx)\middle|\frac{2b}{a+b}\right)}{\sqrt{a+b\cos(c+dx)}} + \frac{2(24Aa^6-132bBa^5+195Ab^2a^4+344b^3Ba^3-566Ab^4a^2-180b^5Ba+31b^6)}{\sqrt{a+b\cos(c+dx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^3)/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] ((2\*(12\*a^5\*A\*b - 216\*a^3\*A\*b^3 + 140\*a\*A\*b^5 + 144\*a^4\*b^2\*B - 80\*a^2\*b^4\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] + (2\*(24\*a^6\*A + 195\*a^4\*A\*b^2 - 566\*a^2\*A\*b^4 + 315\*A\*b^6 - 132\*a^5\*b\*B + 344\*a^3\*b^3\*B - 180\*a\*b^5\*B)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)]/Sqrt[a + b\*Cos[c + d\*x]] - ((2\*I)\*(33\*a^4\*A\*b^2 - 170\*a^2\*A\*b^4 + 105\*A\*b^6 - 12\*a^5\*b\*B + 104\*a^3\*b^3\*B - 60\*a\*b^5\*B)\*Sqrt[(b - b\*Cos[c + d\*x])/(a + b)]\*Sqrt[-((b + b\*Cos[c + d\*x])/(a - b))]\*Cos[2\*(c + d\*x)]\*(2\*a\*(a - b)\*EllipticE[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] + b\*(2\*a\*EllipticF[I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)] - b\*EllipticPi[(a + b)/a, I\*ArcSinh[Sqrt[-(a + b)^(-1)]\*Sqrt[a + b\*Cos[c + d\*x]]], (a + b)/(a - b)])))\*Sin[c + d\*x])/(a\*Sqrt[-(a + b)^(-1)]\*Sqrt[1 - Cos[c + d\*x]^2]\*Sqrt[-((a^2 - b^2 - 2\*a\*(a + b\*Cos[c + d\*x]) + (a + b\*Cos[c + d\*x])^2)/b^2)]\*(2\*a^2 - b^2 - 4\*a\*(a + b\*Cos[c + d\*x]) + 2\*(a + b\*Cos[c + d\*x])^2)))/(48\*a^4\*(a - b)^2\*(a + b)^2\*d + (Sqrt[a + b\*Cos[c + d\*x]])\*((Sec[c + d\*x]\*(-11\*A\*b\*Sin[c + d\*x] + 4\*a\*B\*Sin[c + d\*x]))/(4\*a^4) - (2\*(-A\*b^4\*Sin[c + d\*x]) + a\*b^3\*B\*Sin[c + d\*x]))/(3\*a^3\*(a^2 - b^2)\*(a + b\*Cos[c + d\*x])^2) - (2\*(-13\*a^2\*A\*b^4\*Sin[c + d\*x] + 9\*A\*b^6\*Sin[c + d\*x] + 10\*a^3\*b^3\*B\*Sin[c + d\*x] - 6\*a\*b^5\*B\*Sin[c + d\*x]))/(3\*a^4\*(a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])) + (A\*Sec[c + d\*x]\*Tan[c + d\*x])/(2\*a^3))/d

**Maple [B]** time = 23.7, size = 2000, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^(5/2), x)

[Out] -((-(-2\*b\*cos(1/2\*d\*x+1/2\*c))^2-a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b^2\*(3\*A\*b-2\*B\*a)/a^4/sin(1/2\*d\*x+1/2\*c)^2/(-2\*sin(1/2\*d\*x+1/2\*c)^2\*b+a+b)/(a^2-b^2)\*(-2\*b\*sin(1/2\*d\*x+1/2\*c)^4+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a-(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*b+2\*b\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2)-2\*b\*(3\*A\*b-2\*B\*a)/a^4\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)/(a-b))^(1/2)/(-2\*b\*sin(1/2\*d\*x+1/2\*c)^4+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c), 2, (-2\*b/(a-b))^(1/2))-2\*(A\*b-B\*a)\*b^2/a^3\*(1/6/b/(a-b)/(a+b)\*cos(1/2\*d\*x+1/2\*c)\*(-2\*b\*sin(1/2\*d\*x+1/2\*c)^4+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(cos(1/2\*d\*x+1/2\*c)^2+1/2\*(a-b)/b)^2+8/3\*b\*sin(1/2\*d\*x+1/2\*c)^2/(a-b)^2/(a+b)^2\*cos(1/2\*d\*x+1/2\*c)\*a/(-(-2\*b\*cos(1/2\*d\*x+1/2\*c)^2-a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+(3\*a-b)/(3\*a^3+3\*a^2\*b-3\*a\*b^2-3\*b^3)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)/(a-b))^(1/2)

$$\begin{aligned} & /(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos \\ & (1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-4/3*a/(a-b)/(a+b)^2*(\sin(1/2*d*x+1/2*c) \\ & ^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/ \\ & 2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(EllipticF(\cos(1/2*d*x+1/2*c),(-2* \\ & b/(a-b))^{(1/2)})-EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})))+2*(-2*A* \\ & b+B*a)/a^3*(-\cos(1/2*d*x+1/2*c)/a*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2* \\ & d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)+1/2*(\sin(1/2*d*x+1/2*c)^2)^{( \\ & 1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^ \\ & 4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b) \\ & ))^{(1/2)})-1/2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/ \\ & (a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*E \\ & llipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+1/2/a*(\sin(1/2*d*x+1/2*c)^2 \\ & )^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2* \\ & c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b \\ & /a-b))^{(1/2)})+1/2/a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c) \\ & )^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2 \\ & )^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)}))+2*A/a^2*(-1/2* \\ & \cos(1/2*d*x+1/2*c)/a*(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2) \\ & ^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^2+3/4/a^2*b*\cos(1/2*d*x+1/2*c)*(-2*b*\sin( \\ & 1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2- \\ & 1)-1/8*b/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a- \\ & b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Elli \\ & pticF(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})+3/8/a*(\sin(1/2*d*x+1/2*c)^2)^{( \\ & 1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^ \\ & 4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a \\ & -b))^{(1/2)})-3/8/a^2*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2* \\ & c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^ \\ & 2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{(1/2)})-1/2*(\sin(1/2*d*x+ \\ & 1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2*d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2* \\ & d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c) \\ & ),2,(-2*b/(a-b))^{(1/2)})-3/8/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*((2*b*\cos(1/2* \\ & d*x+1/2*c)^2+a-b)/(a-b))^{(1/2)}/(-2*b*\sin(1/2*d*x+1/2*c)^4+(a+b)*\sin(1/2*d*x \\ & +1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{(1/2)})*b^2))/ \\ & \sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{(1/2)}/d \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*3/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^3}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^3/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^3/(b\*cos(d\*x + c) + a)^(5/2), x )

$$3.341 \quad \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx$$

**Optimal.** Leaf size=58

$$\frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a+b \cos(c+dx)}}$$

[Out] (2\*B\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b\*Cos[c + d\*x]])

**Rubi [A]** time = 0.0447992, antiderivative size = 58, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.107$ , Rules used = {21, 2663, 2661}

$$\frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a\*B + b\*B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (2\*B\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b\*Cos[c + d\*x]])

#### Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :=
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

#### Rule 2663

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Dist[Sqrt[(a
+ b*Sin[c + d*x])/(a + b)]/Sqrt[a + b*Sin[c + d*x]], Int[1/Sqrt[a/(a + b)
+ (b*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 -
b^2, 0] && !GtQ[a + b, 0]
```

#### Rule 2661

```
Int[1/Sqrt[(a_) + (b_.)*sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*Elli
pticF[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/(d*Sqrt[a + b]), x] /; FreeQ[
{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rubi steps

$$\begin{aligned} \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx &= B \int \frac{1}{\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{\left( B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \right) \int \frac{1}{\sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}}} dx}{\sqrt{a + b \cos(c + dx)}} \\ &= \frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a + b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.0478468, size = 58, normalized size = 1.

$$\frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*B + b\*B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x])^(3/2),x]

[Out] (2\*B\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticF[(c + d\*x)/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b\*Cos[c + d\*x]])

**Maple [C]** time = 0.404, size = 76, normalized size = 1.3

$$2 \frac{B}{d \sqrt{2b (\cos(1/2 dx + c/2))^2 + a - b}} \sqrt{\frac{2b (\cos(1/2 dx + c/2))^2 + a - b}{a + b}} \text{InverseJacobiAM}\left(1/2 dx + c/2, \frac{\sqrt{2}\sqrt{b}}{\sqrt{a + b}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2),x)

[Out] 2\*B/d/(2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)^(1/2)\*((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)/(a+b))^(1/2)\*InverseJacobiAM(1/2\*d\*x+1/2\*c,2^(1/2)/(a+b)^(1/2)\*b^(1/2))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)/(b\*cos(d\*x + c) + a)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] integral(B/sqrt(b\*cos(d\*x + c) + a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)/(b\*cos(d\*x + c) + a)^(3/2), x)



$$3.342 \quad \int \frac{(aB + bB \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx$$

**Optimal.** Leaf size=59

$$\frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a+b \cos(c+dx)}}$$

[Out] (2\*B\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b\*Cos[c + d\*x]])

**Rubi [A]** time = 0.146201, antiderivative size = 59, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.088$ , Rules used = {21, 2807, 2805}

$$\frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a+b \cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a\*B + b\*B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (2\*B\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b\*Cos[c + d\*x]])

#### Rule 21

Int[(u\_)\*((a\_) + (b\_)\*(v\_))^(m\_)\*((c\_) + (d\_)\*(v\_))^(n\_), x\_Symbol] :=  
Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]  
&& EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x,  
a + b\*x])

#### Rule 2807

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] :=  
Dist[Sqrt[(c + d\*Sin[e + f\*x])/(c + d)]/Sqrt[c + d\*Sin[e + f\*x]], Int[1/((a + b\*Sin[e + f\*x])\*Sqrt[c/(c + d) + (d\*Sin[e + f\*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]

#### Rule 2805

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] :=  
Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{(aB + bB \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx &= B \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{\left( B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \right) \int \frac{\sec(c+dx)}{\sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}}} dx}{\sqrt{a + b \cos(c + dx)}} \\ &= \frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a + b \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.0709969, size = 59, normalized size = 1.

$$\frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a\*B + b\*B\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b\*Cos[c + d\*x])^(3/2),x]

[Out] (2\*B\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticPi[2, (c + d\*x)/2, (2\*b)/(a + b)])/(d\*Sqrt[a + b\*Cos[c + d\*x]])

**Maple [A]** time = 3.125, size = 167, normalized size = 2.8

$$2 \frac{\sqrt{2b(\cos(1/2 dx + c/2))^2 + a - b} (\sin(1/2 dx + c/2))^2 B \sqrt{(\sin(1/2 dx + c/2))^2}}{\sqrt{-2b(\sin(1/2 dx + c/2))^4 + (a + b)(\sin(1/2 dx + c/2))^2 \sin(1/2 dx + c/2)} \sqrt{-2(\sin(1/2 dx + c/2))^2 b + a + bd}} \sqrt{2b(\cos(1/2 dx + c/2))^2 + a - b}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))^(3/2),x)

[Out] 2\*((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((2\*b\*cos(1/2\*d\*x+1/2\*c)^2+a-b)/(a-b))^(1/2)/(-2\*b\*sin(1/2\*d\*x+1/2\*c)^4+(a+b)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c),2,(-2\*b/(a-b))^(1/2))/sin(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^2\*b+a+b)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)}{(b \cos(dx + c) + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

```
[Out] integrate((B*b*cos(d*x + c) + B*a)*sec(d*x + c)/(b*cos(d*x + c) + a)^(3/2),
x)
```

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(3/2),x, algorit
hm="fricas")
```

```
[Out] Timed out
```

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$B \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))**(3/2),x)
```

```
[Out] B*Integral(sec(c + d*x)/sqrt(a + b*cos(c + d*x)), x)
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(3/2),x, algorit
hm="giac")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)*sec(d*x + c)/(b*cos(d*x + c) + a)^(3/2),
x)
```

$$3.343 \quad \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx$$

**Optimal.** Leaf size=108

$$\frac{2B\sqrt{a + b \cos(c + dx)}E\left(\frac{1}{2}(c + dx)\middle|\frac{2b}{a+b}\right)}{d(a^2 - b^2)\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{2bB \sin(c + dx)}{d(a^2 - b^2)\sqrt{a + b \cos(c + dx)}}$$

[Out] (2\*B\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)])/((a^2 - b^2)\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) - (2\*b\*B\*Sin[c + d\*x])/((a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**Rubi [A]** time = 0.0819928, antiderivative size = 108, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 28,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {21, 2664, 2655, 2653}

$$\frac{2B\sqrt{a + b \cos(c + dx)}E\left(\frac{1}{2}(c + dx)\middle|\frac{2b}{a+b}\right)}{d(a^2 - b^2)\sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{2bB \sin(c + dx)}{d(a^2 - b^2)\sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a\*B + b\*B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (2\*B\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)])/((a^2 - b^2)\*d\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]) - (2\*b\*B\*Sin[c + d\*x])/((a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]])

### Rule 21

Int[(u\_)\*((a\_) + (b\_)\*(v\_))^(m\_)\*((c\_) + (d\_)\*(v\_))^(n\_), x\_Symbol] :> Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

### Rule 2664

Int[((a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(a + b\*Sin[c + d\*x])^(n + 1))/(d\*(n + 1)\*(a^2 - b^2)), x] + Dist[1/((n + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[c + d\*x])^(n + 1)\*Simp[a\*(n + 1) - b\*(n + 2)\*Sin[c + d\*x], x], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && LtQ[n, -1] && IntegerQ[2\*n]

### Rule 2655

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Dist[Sqrt[a + b\*Sin[c + d\*x]]/Sqrt[(a + b\*Sin[c + d\*x])/(a + b)], Int[Sqrt[a/(a + b) + (b\*Sin[c + d\*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && !GtQ[a + b, 0]

### Rule 2653

Int[Sqrt[(a\_) + (b\_)\*sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*Sqrt[a + b]\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, (2\*b)/(a + b)])/d, x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]

Rubi steps

$$\begin{aligned}
\int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx &= B \int \frac{1}{(a + b \cos(c + dx))^{3/2}} dx \\
&= -\frac{2bB \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{(2B) \int \frac{-\frac{a}{2} - \frac{1}{2}b \cos(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx}{a^2 - b^2} \\
&= -\frac{2bB \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{B \int \sqrt{a + b \cos(c + dx)} dx}{a^2 - b^2} \\
&= -\frac{2bB \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{(B \sqrt{a + b \cos(c + dx)}) \int \sqrt{\frac{a}{a+b} + \frac{b \cos(c+dx)}{a+b}} dx}{(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} \\
&= \frac{2B \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{(a^2 - b^2) d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} - \frac{2bB \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.208368, size = 84, normalized size = 0.78

$$\frac{B \left( 2(a + b) \sqrt{\frac{a+b \cos(c+dx)}{a+b}} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right) - 2b \sin(c + dx) \right)}{d(a - b)(a + b) \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*B + b\*B\*Cos[c + d\*x])/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (B\*(2\*(a + b)\*Sqrt[(a + b\*Cos[c + d\*x])/(a + b)]\*EllipticE[(c + d\*x)/2, (2\*b)/(a + b)] - 2\*b\*Sin[c + d\*x])/((a - b)\*(a + b)\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**Maple [A]** time = 3.993, size = 218, normalized size = 2.

$$-2 \frac{B}{(a - b)(a + b) \sin(1/2 dx + c/2) \sqrt{-2 (\sin(1/2 dx + c/2))^2 b + a + bd}} \left( \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2 \frac{(\sin(1/2 dx + c/2))^2}{a - b}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2), x)

[Out] -2\*B\*((sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*a-(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*b/(a-b)\*sin(1/2\*d\*x+1/2\*c)^2+(a+b)/(a-b))^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), (-2\*b/(a-b))^(1/2))\*b+2\*b\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2)/(a-b)/(a+b)/sin(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^2\*b+a+b)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)/(b*cos(d*x + c) + a)^(5/2), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{b \cos(dx + c) + a} B}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] integral(sqrt(b*cos(d*x + c) + a)*B/(b^2*cos(d*x + c)^2 + 2*a*b*cos(d*x + c) + a^2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)/(b*cos(d*x + c) + a)^(5/2), x)
```

$$3.344 \quad \int \frac{(aB + bB \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx$$

**Optimal.** Leaf size=179

$$\frac{2b^2 B \sin(c + dx)}{ad(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2bB \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad \sqrt{a + b \cos(c + dx)}}$$

[Out]  $(-2*b*B*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(a*(a^2 - b^2)*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)] + (2*B*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)])/(a*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*b^2*B*\text{Sin}[c + d*x])/(a*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

**Rubi [A]** time = 0.423576, antiderivative size = 179, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 34,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.235$ , Rules used = {21, 2802, 3059, 2655, 2653, 12, 2807, 2805}

$$\frac{2b^2 B \sin(c + dx)}{ad(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} - \frac{2bB \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad(a^2 - b^2) \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a*B + b*B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]/(a + b*\text{Cos}[c + d*x])^{5/2}, x]$

[Out]  $(-2*b*B*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, (2*b)/(a + b)])/(a*(a^2 - b^2)*d*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)] + (2*B*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(a + b)]*\text{EllipticPi}[2, (c + d*x)/2, (2*b)/(a + b)])/(a*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*b^2*B*\text{Sin}[c + d*x])/(a*(a^2 - b^2)*d*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])$

### Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_))^{(m_.)}*((c_.) + (d_.)*(v_))^{(n_.)}, x\_Symbol] := \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] \mid\mid \text{SimplerQ}[c + d*x, a + b*x])$

### Rule 2802

$\text{Int}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_)]^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_)]^{(n_.)}, x\_Symbol] := -\text{Simp}[(b^2*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m+1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a*(b*c - a*d)*(m+1) + b^2*d*(m+n+2) - (b^2*c + b*(b*c - a*d)*(m+1))*\text{Sin}[e + f*x] - b^2*d*(m+n+3)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegersQ}[2*m, 2*n] \&\& ((\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m] \&\& !\text{IntegerQ}[n]) \mid\mid !(\text{IntegerQ}[2*n] \&\& \text{LtQ}[n, -1] \&\& ((\text{IntegerQ}[n] \&\& !\text{IntegerQ}[m]) \mid\mid \text{EqQ}[a, 0])))$

### Rule 3059

$\text{Int}[(A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_)]^2/( \text{Sqrt}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*\text{sin}[(e_.) +$

```
(f_)*(x_)]), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

#### Rule 2655

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Dist[Sqrt[a +
b*Sin[c + d*x]]/Sqrt[(a + b*Sin[c + d*x])/(a + b)], Int[Sqrt[a/(a + b) + (b
*Sin[c + d*x])/(a + b)], x], x] /; FreeQ[{a, b, c, d}, x] && NeQ[a^2 - b^2,
0] && !GtQ[a + b, 0]
```

#### Rule 2653

```
Int[Sqrt[(a_) + (b_)*sin[(c_) + (d_)*(x_)]], x_Symbol] := Simp[(2*Sqrt[a
+ b]*EllipticE[(1*(c - Pi/2 + d*x))/2, (2*b)/(a + b)])/d, x] /; FreeQ[{a,
b, c, d}, x] && NeQ[a^2 - b^2, 0] && GtQ[a + b, 0]
```

#### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

#### Rule 2807

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Dist[Sqrt[(c + d*Sin[e + f*x])/(c + d)]/Sqrt
[c + d*Sin[e + f*x]], Int[1/((a + b*Sin[e + f*x])*Sqrt[c/(c + d) + (d*Sin[e
+ f*x])/(c + d)]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d
, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !GtQ[c + d, 0]
```

#### Rule 2805

```
Int[1/(((a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_)
+ (f_)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

#### Rubi steps



$$\int \frac{(aB + bB \cos(c + dx)) \sec(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx = B \int \frac{\sec(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx$$

$$= \frac{2b^2 B \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{(2B) \int \frac{\left(\frac{1}{2}(a^2 - b^2) - \frac{1}{2}ab \cos(c + dx) - \frac{1}{2}b^2 \cos^2(c + dx)\right)}{\sqrt{a + b \cos(c + dx)}} dx}{a(a^2 - b^2)}$$

$$= \frac{2b^2 B \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{(2B) \int -\frac{b(a^2 - b^2) \sec(c + dx)}{2\sqrt{a + b \cos(c + dx)}} dx}{ab(a^2 - b^2)} - \frac{(bB) \int \sqrt{a + b \cos(c + dx)}}{a}$$

$$= \frac{2b^2 B \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{B \int \frac{\sec(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx}{a} - \frac{(bB \sqrt{a + b \cos(c + dx)})}{a(a^2 - b^2)}$$

$$= -\frac{2bB \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{a(a^2 - b^2) d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2b^2 B \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}}$$

$$= -\frac{2bB \sqrt{a + b \cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{a(a^2 - b^2) d \sqrt{\frac{a+b \cos(c+dx)}{a+b}}} + \frac{2B \sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c + dx) \middle| \frac{2b}{a+b}\right)}{ad \sqrt{a + b \cos(c + dx)}}$$

**Mathematica [C]** time = 4.80388, size = 403, normalized size = 2.25

$$B \left( \frac{4b^2 \sin(c+dx)}{(a^2-b^2)\sqrt{a+b \cos(c+dx)}} - \frac{2(2a^2-3b^2)\sqrt{\frac{a+b \cos(c+dx)}{a+b}} \Pi\left(2; \frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} - \frac{4ab \sqrt{\frac{a+b \cos(c+dx)}{a+b}} F\left(\frac{1}{2}(c+dx) \middle| \frac{2b}{a+b}\right)}{\sqrt{a+b \cos(c+dx)}} - \frac{2i \csc(c+dx) \sqrt{-\frac{b \cos(c+dx)-1}{a+b}} \sqrt{\frac{b \cos(c+dx)+1}{b-a}}}{\sqrt{a+b \cos(c+dx)}} \right)$$


---

2ad

Antiderivative was successfully verified.

```
[In] Integrate[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x])/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (B*(-(((4*a*b*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticF[(c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] + (2*(2*a^2 - 3*b^2)*Sqrt[(a + b*Cos[c + d*x])/(a + b)]*EllipticPi[2, (c + d*x)/2, (2*b)/(a + b)]/Sqrt[a + b*Cos[c + d*x]] - ((2*I)*Sqrt[-((b*(-1 + Cos[c + d*x]))/(a + b))]*Sqrt[(b*(1 + Cos[c + d*x]))/(-a + b)]*Csc[c + d*x]*(-2*a*(a - b)*EllipticE[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*(-2*a*EllipticF[I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)] + b*EllipticPi[(a + b)/a, I*ArcSinh[Sqrt[-(a + b)^(-1)]*Sqrt[a + b*Cos[c + d*x]]], (a + b)/(a - b)])))/(a*Sqrt[-(a + b)^(-1)]))/((-a + b)*(a + b))) + (4*b^2*Sin[c + d*x])/((a^2 - b^2)*Sqrt[a + b*Cos[c + d*x]]))/(2*a*d)
```

**Maple [A]** time = 4.299, size = 377, normalized size = 2.1

$$2 \frac{B}{(a + b)(a - b) a \sin(1/2 dx + c/2) \sqrt{-2 (\sin(1/2 dx + c/2))^2 b + a + bd}} \left( \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2 \frac{(\sin(1/2 dx + c/2))^2}{a - b}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(5/2),x)`

[Out]  $2*B*((\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*b*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})*a-b^2*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),(-2*b/(a-b))^{1/2})+(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{1/2})*a^2-(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*b/(a-b)*\sin(1/2*d*x+1/2*c)^2+(a+b)/(a-b))^{1/2}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),2,(-2*b/(a-b))^{1/2})*b^2+2*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/a/(a-b)/(a+b)/\sin(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^2*b+a+b)^{1/2}/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] `integrate((B*b*cos(d*x + c) + B*a)*sec(d*x + c)/(b*cos(d*x + c) + a)^(5/2),x)`

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))**(5/2),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)/(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)*sec(d*x + c)/(b*cos(d*x + c) + a)^(5/2), x)
```

$$3.345 \quad \int \cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=170

$$\frac{10(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(9aA + 7bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2(aB + Ab) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d} + \frac{2(9aA + 7bB) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d}$$

[Out] (2\*(9\*a\*A + 7\*b\*B)\*EllipticE[(c + d\*x)/2, 2])/(15\*d) + (10\*(A\*b + a\*B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (10\*(A\*b + a\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(21\*d) + (2\*(9\*a\*A + 7\*b\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(45\*d) + (2\*(A\*b + a\*B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(7\*d) + (2\*b\*B\*Cos[c + d\*x]^(7/2)\*Sin[c + d\*x])/(9\*d)

**Rubi [A]** time = 0.207367, antiderivative size = 170, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2968, 3023, 2748, 2635, 2639, 2641}

$$\frac{10(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(9aA + 7bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2(aB + Ab) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d} + \frac{2(9aA + 7bB) \sin(c + dx) \cos^{\frac{5}{2}}(c + dx)}{7d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]), x]

[Out] (2\*(9\*a\*A + 7\*b\*B)\*EllipticE[(c + d\*x)/2, 2])/(15\*d) + (10\*(A\*b + a\*B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (10\*(A\*b + a\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(21\*d) + (2\*(9\*a\*A + 7\*b\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(45\*d) + (2\*(A\*b + a\*B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(7\*d) + (2\*b\*B\*Cos[c + d\*x]^(7/2)\*Sin[c + d\*x])/(9\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2, x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

**Rule 2639**

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

**Rule 2641**

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

**Rubi steps**

$$\begin{aligned} \int \cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))(A + B \cos(c + dx)) dx &= \int \cos^{\frac{5}{2}}(c + dx) (aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) dx \\ &= \frac{2bB \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{9d} + \frac{2}{9} \int \cos^{\frac{5}{2}}(c + dx) \left( \frac{1}{2}(9aA + 7bB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx) + (Ab + aB) \cos^{\frac{7}{2}}(c + dx) \right) dx \\ &= \frac{2bB \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{9d} + (Ab + aB) \int \cos^{\frac{7}{2}}(c + dx) dx \\ &= \frac{2(9aA + 7bB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{45d} + \frac{2(Ab + aB) \cos^{\frac{7}{2}}(c + dx)}{21d} \\ &= \frac{2(9aA + 7bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{10(Ab + aB)\sqrt{\cos(c + dx)}}{21d} \\ &= \frac{2(9aA + 7bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{10(Ab + aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} \end{aligned}$$

**Mathematica [A]** time = 1.26723, size = 125, normalized size = 0.74

$$\frac{300(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 84(9aA + 7bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \sin(c + dx)\sqrt{\cos(c + dx)}(7(36aA + 43bB) \cos(c + dx) + 5(78A^2b + 78a^2B + 18(A^2b + a^2B))\cos[2(c + dx)] + 7b^2B\cos[3(c + dx)])}{630d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]
```

```
[Out] (84*(9*a*A + 7*b*B)*EllipticE[(c + d*x)/2, 2] + 300*(A*b + a*B)*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(7*(36*a*A + 43*b*B)*Cos[c + d*x] + 5*(78*A*b + 78*a*B + 18*(A*b + a*B))*Cos[2*(c + d*x)] + 7*b*B*Cos[3*(c + d*x)])*Sin[c + d*x])/(630*d)
```

**Maple [B]** time = 3.349, size = 451, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(5/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x)`

[Out] 
$$-2/315*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-1120*B*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(720*A*b+720*B*a+2240*B*b)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-504*A*a-1080*A*b-1080*B*a-2072*B*b)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(504*A*a+840*A*b+840*B*a+952*B*b)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-126*A*a-240*A*b-240*B*a-168*B*b)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-189*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*a+75*A*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-147*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*b+75*a*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)*cos(d*x + c)^(5/2), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}((Bb \cos(dx + c)^4 + Aa \cos(dx + c)^2 + (Ba + Ab) \cos(dx + c)^3)\sqrt{\cos(dx + c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(5/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*b*cos(d*x + c)^4 + A*a*cos(d*x + c)^2 + (B*a + A*b)*cos(d*x + c)^3)*sqrt(cos(d*x + c)), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(5/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)*cos(d*x + c)^(5/2), x)
```

$$3.346 \quad \int \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=140

$$\frac{2(7aA + 5bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{6(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(aB + Ab) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{2(7aA + 5bB) \sin(c + dx)}{7d}$$

[Out] (6\*(A\*b + a\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*(7\*a\*A + 5\*b\*B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (2\*(7\*a\*A + 5\*b\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(21\*d) + (2\*(A\*b + a\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(5\*d) + (2\*b\*B\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(7\*d)

**Rubi [A]** time = 0.183915, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2968, 3023, 2748, 2635, 2641, 2639}

$$\frac{2(7aA + 5bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{6(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(aB + Ab) \sin(c + dx) \cos^{\frac{3}{2}}(c + dx)}{5d} + \frac{2(7aA + 5bB) \sin(c + dx)}{7d}$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]),x]

[Out] (6\*(A\*b + a\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*(7\*a\*A + 5\*b\*B)\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (2\*(7\*a\*A + 5\*b\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(21\*d) + (2\*(A\*b + a\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(5\*d) + (2\*b\*B\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x])/(7\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Int[(a + b\*SIN[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*SIN[e + f\*x] + B\*d\*SIN[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2, x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*SIN[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*SIN[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*SIN[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*SIN[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_.), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(b\*SIN[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*SIN[c



$+ d*x])^{(n - 2), x], x] /; \text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{GtQ}[n, 1] \ \&\& \ \text{IntegerQ}[2*n]$

### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \ :> \ \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_.)]], x\_Symbol] \ :> \ \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

### Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))(A + B \cos(c + dx)) dx &= \int \cos^{\frac{3}{2}}(c + dx) (aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) dx \\ &= \frac{2bB \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d} + \frac{2}{7} \int \cos^{\frac{3}{2}}(c + dx) \left( \frac{1}{2}(7aA + 5bB) \right) dx \\ &= \frac{2bB \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{7d} + (Ab + aB) \int \cos^{\frac{5}{2}}(c + dx) dx \\ &= \frac{2(7aA + 5bB) \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} + \frac{2(Ab + aB) \cos^{\frac{5}{2}}(c + dx)}{21d} \\ &= \frac{6(Ab + aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(7aA + 5bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} \end{aligned}$$

**Mathematica [A]** time = 0.822617, size = 103, normalized size = 0.74

$$\frac{10(7aA + 5bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 126(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \sin(c + dx)\sqrt{\cos(c + dx)}(42(aB + Ab) \cos(c + dx) - 105d)}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]),x]

[Out] (126\*(A\*b + a\*B)\*EllipticE[(c + d\*x)/2, 2] + 10\*(7\*a\*A + 5\*b\*B)\*EllipticF[(c + d\*x)/2, 2] + Sqrt[Cos[c + d\*x]]\*(70\*a\*A + 65\*b\*B + 42\*(A\*b + a\*B)\*Cos[c + d\*x] + 15\*b\*B\*Cos[2\*(c + d\*x)])\*Sin[c + d\*x])/(105\*d)

**Maple [B]** time = 3.103, size = 413, normalized size = 3.

$$-\frac{2}{105d} \sqrt{\left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(240Bb \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^8 + (-168Ab - 168Ba - 360Bb) \sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x)

[Out] -2/105\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(240\*B\*b\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8+(-168\*A\*b-168\*B\*a-360\*B\*b)\*sin(1/2\*d\*x+1/2\*c))

$$+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(140*A*a+168*A*b+168*B*a+280*B*b)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-70*A*a-42*A*b-42*B*a-80*B*b)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b+35*a*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-63*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a+25*B*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}((Bb \cos(dx + c)^3 + Aa \cos(dx + c) + (Ba + Ab) \cos(dx + c)^2) \sqrt{\cos(dx + c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^3 + A\*a\*cos(d\*x + c) + (B\*a + A\*b)\*cos(d\*x + c)^2)\*sqrt(cos(d\*x + c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

### 3.347 $\int \sqrt{\cos(c + dx)}(a + b \cos(c + dx))(A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=108

$$\frac{2(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(5aA + 3bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(aB + Ab) \sin(c + dx)\sqrt{\cos(c + dx)}}{3d} + \frac{2bB \sin(c + dx)c}{5d}$$

[Out] (2\*(5\*a\*A + 3\*b\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*(A\*b + a\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*(A\*b + a\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d) + (2\*b\*B\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(5\*d)

**Rubi [A]** time = 0.168331, antiderivative size = 108, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2968, 3023, 2748, 2639, 2635, 2641}

$$\frac{2(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(5aA + 3bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(aB + Ab) \sin(c + dx)\sqrt{\cos(c + dx)}}{3d} + \frac{2bB \sin(c + dx)c}{5d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*(a + b\*cos[c + d\*x])\*(A + B\*cos[c + d\*x]),x]

[Out] (2\*(5\*a\*A + 3\*b\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*(A\*b + a\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*(A\*b + a\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d) + (2\*b\*B\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(5\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Int[(a + b\*sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2, x\_Symbol] :> -Simp[(C\*cos[e + f\*x]\*(a + b\*sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2635

```
Int[(b_.)*sin[(c_.) + (d_.)*(x_.)]^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c + dx)}(a + b \cos(c + dx))(A + B \cos(c + dx)) dx &= \int \sqrt{\cos(c + dx)}(aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) dx \\ &= \frac{2bB \cos^2(c + dx) \sin(c + dx)}{5d} + \frac{2}{5} \int \sqrt{\cos(c + dx)} \left( \frac{1}{2}(5aA + 3bB) \cos(c + dx) + (Ab + aB) \cos^2(c + dx) \right) dx \\ &= \frac{2bB \cos^2(c + dx) \sin(c + dx)}{5d} + (Ab + aB) \int \cos^2(c + dx) dx \\ &= \frac{2(5aA + 3bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(Ab + aB)\sqrt{\cos(c + dx)}}{3d} \\ &= \frac{2(5aA + 3bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(Ab + aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.384445, size = 86, normalized size = 0.8

$$\frac{2 \left( 5(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 3(5aA + 3bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \sin(c + dx)\sqrt{\cos(c + dx)}(5aB + 5Ab + 3bB \cos(c + dx)) \right)}{15d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]),x]
```

```
[Out] (2*(3*(5*a*A + 3*b*B)*EllipticE[(c + d*x)/2, 2] + 5*(A*b + a*B)*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(5*A*b + 5*a*B + 3*b*B*Cos[c + d*x])*Sin[c + d*x]))/(15*d)
```

**Maple [B]** time = 3.474, size = 371, normalized size = 3.4

$$-\frac{2}{15d} \sqrt{\left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-24Bb \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 + (20Ab + 20aB) \sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))*(A+B*cos(d*x+c)),x)
```

```
[Out] -2/15*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-24*B*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+(20*A*b+20*B*a+24*B*b)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-10*A*b-10*B*a-6*B*b)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+5*A*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2))
```

$$\frac{1}{2}) * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 15*A * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * a + 5*a*B * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 9*B * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * b) / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( (Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)) \sqrt{\cos(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*a + (B\*a + A\*b)\*cos(d\*x + c))\*sqrt(cos(d\*x + c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] Timed out

$$3.348 \quad \int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=75

$$\frac{2(3aA + bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2bB \sin(c + dx)\sqrt{\cos(c + dx)}}{3d}$$

[Out] (2\*(A\*b + a\*B)\*EllipticE[(c + d\*x)/2, 2])/d + (2\*(3\*a\*A + b\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*b\*B\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.146305, antiderivative size = 75, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2968, 3023, 2748, 2641, 2639}

$$\frac{2(3aA + bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2bB \sin(c + dx)\sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]],x]

[Out] (2\*(A\*b + a\*B)\*EllipticE[(c + d\*x)/2, 2])/d + (2\*(3\*a\*A + b\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*b\*B\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d)

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2748

Int(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))(A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \int \frac{aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2bB\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{\frac{1}{2}(3aA + bB) + \frac{3}{2}(Ab + aB) \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2bB\sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + (Ab + aB) \int \sqrt{\cos(c + dx)} dx + \frac{1}{3}(3aA + bB) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2(Ab + aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(3aA + bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2bB\sqrt{\cos(c + dx)} \sin(c + dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.213341, size = 67, normalized size = 0.89

$$\frac{2 \left( (3aA + bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 3(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + bB \sin(c + dx)\sqrt{\cos(c + dx)} \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]],x]

[Out] (2\*(3\*(A\*b + a\*B)\*EllipticE[(c + d\*x)/2, 2] + (3\*a\*A + b\*B)\*EllipticF[(c + d\*x)/2, 2] + b\*B\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x]))/(3\*d)

**Maple [B]** time = 3.522, size = 326, normalized size = 4.4

$$-\frac{2}{3d} \sqrt{\left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(4Bb \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4 + 3aA \sqrt{\left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x)

[Out] -2/3\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(4\*B\*b\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4+3\*a\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-3\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*b+B\*b\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-3\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))\*a-2\*B\*b\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\sqrt{\cos(dx + c)}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)/sqrt(cos(d\*x + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*a + (B\*a + A\*b)\*cos(d\*x + c))/sqrt(cos(d\*x + c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)/sqrt(cos(d\*x + c)), x)

$$3.349 \quad \int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=71

$$\frac{2(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} - \frac{2(aA - bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2aA \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

[Out] (-2\*(a\*A - b\*B)\*EllipticE[(c + d\*x)/2, 2])/d + (2\*(A\*b + a\*B)\*EllipticF[(c + d\*x)/2, 2])/d + (2\*a\*A\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]])

**Rubi [A]** time = 0.153949, antiderivative size = 71, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2968, 3021, 2748, 2641, 2639}

$$\frac{2(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} - \frac{2(aA - bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2aA \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]

[Out] (-2\*(a\*A - b\*B)\*EllipticE[(c + d\*x)/2, 2])/d + (2\*(A\*b + a\*B)\*EllipticF[(c + d\*x)/2, 2])/d + (2\*a\*A\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]])

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C)\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - P  
i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))(A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \int \frac{aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{\frac{1}{2}(Ab + aB) - \frac{1}{2}(aA - bB) \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2aA \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + (Ab + aB) \int \frac{1}{\sqrt{\cos(c + dx)}} dx + (-aA + bB) \int \sqrt{\cos(c + dx)} dx \\ &= -\frac{2(aA - bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(Ab + aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2aA \sin(c + dx)}{d\sqrt{\cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.32913, size = 64, normalized size = 0.9

$$\frac{2\left((aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right) + (bB - aA)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{aA \sin(c + dx)}{\sqrt{\cos(c + dx)}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]

[Out] (2\*((-(a\*A) + b\*B)\*EllipticE[(c + d\*x)/2, 2] + (A\*b + a\*B)\*EllipticF[(c + d\*x)/2, 2] + (a\*A\*Sin[c + d\*x])/Sqrt[Cos[c + d\*x]]))/d

**Maple [B]** time = 3.262, size = 244, normalized size = 3.4

$$-2 \frac{Ab \sqrt{(\sin(1/2 dx + c/2))^2 - 1} \sqrt{2} (\sin(1/2 dx + c/2))^2 - 1 \text{EllipticF}(\cos(1/2 dx + c/2), \sqrt{2}) + A \text{EllipticE}(\cos(1/2 dx + c/2), \sqrt{2})}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x)

[Out] -2\*(A\*b\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+A\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*a-2\*A\*a\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2+a\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-B\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*b)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)}{\cos(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*a + (B\*a + A\*b)\*cos(d\*x + c))/cos(d\*x + c)^(3/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(3/2), x)

$$3.350 \quad \int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=103

$$\frac{2(aA + 3bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(aB + Ab)\sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2aA \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

[Out] (-2\*(A\*b + a\*B)\*EllipticE[(c + d\*x)/2, 2])/d + (2\*(a\*A + 3\*b\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*a\*A\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2)) + (2\*(A\*b + a\*B)\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]])

**Rubi [A]** time = 0.169901, antiderivative size = 103, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2968, 3021, 2748, 2636, 2639, 2641}

$$\frac{2(aA + 3bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(aB + Ab)\sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2aA \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(5/2), x]

[Out] (-2\*(A\*b + a\*B)\*EllipticE[(c + d\*x)/2, 2])/d + (2\*(a\*A + 3\*b\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*a\*A\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2)) + (2\*(A\*b + a\*B)\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]])

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2636

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_.), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), In

`t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]`

### Rule 2639

`Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

### Rule 2641

`Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]`

### Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))(A + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx &= \int \frac{aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{\frac{3}{2}(Ab + aB) + \frac{1}{2}(aA + 3bB) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2aA \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + (Ab + aB) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx + \frac{1}{3}(aA + 3bB) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2(aA + 3bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2aA \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{d \sqrt{\cos(c + dx)}} \\ &= -\frac{2(Ab + aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(aA + 3bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2aA \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} \end{aligned}$$

**Mathematica [A]** time = 0.445769, size = 107, normalized size = 1.04

$$\frac{2\left((aA + 3bB)\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 3(aB + Ab)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right) + aA \tan(c + dx) + 3aB \sin(c + dx)\right)}{3d\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] `Integrate[((a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]`

[Out] `(2*(-3*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + (a*A + 3*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 3*A*b*Sin[c + d*x] + 3*a*B*Sin[c + d*x] + a*A*Tan[c + d*x]))/(3*d*Sqrt[Cos[c + d*x]])`

**Maple [B]** time = 7.556, size = 428, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2), x)`

[Out] `-((-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*B*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c`

$$\begin{aligned} &)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 2*(A * \\ &b+B*a)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2* \\ &\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ &+ 2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \cos(1/2* \\ &d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2) / \sin(1/2*d*x+1/2*c)^2 / (2*\sin(1/2*d*x+1/2*c) \\ &^2-1) + 2*a*A*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c) \\ &^2)^{(1/2)} / (\cos(1/2*d*x+1/2*c)^2-1)^2 + 1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c) \\ &^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})) \\ &/ \sin(1/2*d*x+1/2*c) / (2 * \cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)}{\cos(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*a + (B\*a + A\*b)\*cos(d\*x + c))/cos(d\*x + c)^(5/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)/cos(d*x + c)^(5/2), x)
```



$$3.351 \quad \int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\cos^{\frac{7}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=140

$$\frac{2(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(3aA + 5bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(aB + Ab) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(3aA + 5bB) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}}$$

[Out] (-2\*(3\*a\*A + 5\*b\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*(A\*b + a\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*a\*A\*Sin[c + d\*x])/(5\*d\*Cos[c + d\*x]^(5/2)) + (2\*(A\*b + a\*B)\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2)) + (2\*(3\*a\*A + 5\*b\*B)\*Sin[c + d\*x])/(5\*d\*Sqrt[Cos[c + d\*x]])

**Rubi [A]** time = 0.188476, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2968, 3021, 2748, 2636, 2641, 2639}

$$\frac{2(aB + Ab)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(3aA + 5bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(aB + Ab) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2(3aA + 5bB) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(7/2), x]

[Out] (-2\*(3\*a\*A + 5\*b\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*(A\*b + a\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*a\*A\*Sin[c + d\*x])/(5\*d\*Cos[c + d\*x]^(5/2)) + (2\*(A\*b + a\*B)\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2)) + (2\*(3\*a\*A + 5\*b\*B)\*Sin[c + d\*x])/(5\*d\*Sqrt[Cos[c + d\*x]])

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Int[(a + b\*Sin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Sin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

#### Rule 2636

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), In
t[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&
IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \frac{(a + b \cos(c + dx))(A + B \cos(c + dx))}{\cos^{7/2}(c + dx)} dx = \int \frac{aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)}{\cos^{7/2}(c + dx)} dx$$

$$= \frac{2aA \sin(c + dx)}{5d \cos^{5/2}(c + dx)} + \frac{2}{5} \int \frac{\frac{5}{2}(Ab + aB) + \frac{1}{2}(3aA + 5bB) \cos(c + dx)}{\cos^{5/2}(c + dx)} dx$$

$$= \frac{2aA \sin(c + dx)}{5d \cos^{5/2}(c + dx)} + (Ab + aB) \int \frac{1}{\cos^{5/2}(c + dx)} dx + \frac{1}{5}(3aA + 5bB) \int \frac{1}{\cos^{3/2}(c + dx)} dx$$

$$= \frac{2aA \sin(c + dx)}{5d \cos^{5/2}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{3d \cos^{3/2}(c + dx)} + \frac{2(3aA + 5bB) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}} + \frac{2(3aA + 5bB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(Ab + aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2aA \tan\left(\frac{1}{2}(c + dx)\right)}{5d \cos^{5/2}(c + dx)}$$

**Mathematica [A]** time = 0.771732, size = 134, normalized size = 0.96

$$\frac{10(aB + Ab) \cos^{3/2}(c + dx)F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 6(3aA + 5bB) \cos^{3/2}(c + dx)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 9aA \sin(2(c + dx)) + 6aA \tan\left(\frac{1}{2}(c + dx)\right)}{15d \cos^{3/2}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2), x]
```

```
[Out] (-6*(3*a*A + 5*b*B)*Cos[c + d*x]^(3/2)*EllipticE[(c + d*x)/2, 2] + 10*(A*b
+ a*B)*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] + 10*A*b*Sin[c + d*x] +
10*a*B*Sin[c + d*x] + 9*a*A*Sin[2*(c + d*x)] + 15*b*B*Sin[2*(c + d*x)] + 6
*a*A*Tan[c + d*x])/(15*d*Cos[c + d*x]^(3/2))
```

**Maple [B]** time = 9.989, size = 663, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*B*b*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)-2/5*a*A/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*(A*b+B*a)*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)/cos(d*x + c)^(7/2), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)}{\cos(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="fricas")
```

```
[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))/cos(d*x + c)^(7/2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))/cos(d*x+c)**(7/2),x)
```

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(7/2), x)

$$3.352 \quad \int \cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^2(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=264

$$\frac{2(9a^2A + 14abB + 7Ab^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2(9a^2A + 14abB + 7Ab^2)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{45d} + \frac{10(11a(aB + 2Ab^2))}{15d}$$

```
[Out] (2*(9*a^2*A + 7*A*b^2 + 14*a*b*B)*EllipticE[(c + d*x)/2, 2])/(15*d) + (10*(9*b^2*B + 11*a*(2*A*b + a*B))*EllipticF[(c + d*x)/2, 2])/(231*d) + (10*(9*b^2*B + 11*a*(2*A*b + a*B))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(231*d) + (2*(9*a^2*A + 7*A*b^2 + 14*a*b*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(45*d) + (2*(9*b^2*B + 11*a*(2*A*b + a*B))*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(77*d) + (2*b*(11*A*b + 13*a*B)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(99*d) + (2*b*B*Cos[c + d*x]^(7/2)*(a + b*Cos[c + d*x])*Sin[c + d*x])/(11*d)
```

**Rubi [A]** time = 0.381274, antiderivative size = 264, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2990, 3023, 2748, 2635, 2639, 2641}

$$\frac{2(9a^2A + 14abB + 7Ab^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2(9a^2A + 14abB + 7Ab^2)\sin(c + dx)\cos^{\frac{3}{2}}(c + dx)}{45d} + \frac{10(11a(aB + 2Ab^2))}{15d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]), x]
```

```
[Out] (2*(9*a^2*A + 7*A*b^2 + 14*a*b*B)*EllipticE[(c + d*x)/2, 2])/(15*d) + (10*(9*b^2*B + 11*a*(2*A*b + a*B))*EllipticF[(c + d*x)/2, 2])/(231*d) + (10*(9*b^2*B + 11*a*(2*A*b + a*B))*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(231*d) + (2*(9*a^2*A + 7*A*b^2 + 14*a*b*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(45*d) + (2*(9*b^2*B + 11*a*(2*A*b + a*B))*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(77*d) + (2*b*(11*A*b + 13*a*B)*Cos[c + d*x]^(7/2)*Sin[c + d*x])/(99*d) + (2*b*B*Cos[c + d*x]^(7/2)*(a + b*Cos[c + d*x])*Sin[c + d*x])/(11*d)
```

#### Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Ssin[e + f*x])^(m - 2)*(c + d*Ssin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

#### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Ssin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
```

2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&  
!LtQ[m, -1]

### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_))\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

### Rule 2635

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)]^(n\_)), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^2(A + B \cos(c + dx)) dx &= \frac{2bB \cos^{\frac{7}{2}}(c + dx)(a + b \cos(c + dx)) \sin(c + dx)}{11d} + \frac{2}{11} \int \cos^{\frac{7}{2}}(c + dx)(a + b \cos(c + dx))^2(A + B \cos(c + dx)) dx \\ &= \frac{2b(11Ab + 13aB) \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{99d} + \frac{2bB \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{99d} \\ &= \frac{2b(11Ab + 13aB) \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{99d} + \frac{2bB \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{99d} \\ &= \frac{2(9a^2A + 7Ab^2 + 14abB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{45d} + \frac{2(9b^2B + 11a^2B)}{45d} \\ &= \frac{2(9a^2A + 7Ab^2 + 14abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{10(9b^2B + 11a^2B)}{15d} \\ &= \frac{2(9a^2A + 7Ab^2 + 14abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{10(9b^2B + 11a^2B)}{15d} \end{aligned}$$

**Mathematica [A]** time = 1.71103, size = 196, normalized size = 0.74

$$\frac{1200(11a^2B + 22aAb + 9b^2B) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 3696(9a^2A + 14abB + 7Ab^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 2 \sin(c + dx) \sqrt{\cos(c + dx)}}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x]),x]

[Out] (3696\*(9\*a^2\*A + 7\*A\*b^2 + 14\*a\*b\*B)\*EllipticE[(c + d\*x)/2, 2] + 1200\*(22\*a\*A\*b + 11\*a^2\*B + 9\*b^2\*B)\*EllipticF[(c + d\*x)/2, 2] + 2\*Sqrt[Cos[c + d\*x]])/15d

$$\frac{(154(36a^2A + 43Ab^2 + 86abB)\cos[c + dx] + 180(22aAb + 11a^2B + 16b^2B)\cos[2(c + dx)] + 770b(Ab + 2aB)\cos[3(c + dx)] + 15(1144aAb + 572a^2B + 531b^2B + 21b^2B\cos[4(c + dx)])\sin[c + dx])}{(27720d)}$$

**Maple [B]** time = 3.161, size = 666, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(dx+c)^(5/2)*(a+b*cos(dx+c))^2*(A+B*cos(dx+c)),x)`

[Out] 
$$\begin{aligned} & -2/3465*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(20160*b^2* \\ & B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{12}+(-12320*A*b^2-24640*B*a*b-50400* \\ & B*b^2)*\sin(1/2*d*x+1/2*c)^{10}*\cos(1/2*d*x+1/2*c)+(15840*A*a*b+24640*A*b^2+79 \\ & 20*B*a^2+49280*B*a*b+56880*B*b^2)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+ \\ & (-5544*A*a^2-23760*A*a*b-22792*A*b^2-11880*B*a^2-45584*B*a*b-34920*B*b^2)*\sin \\ & (1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(5544*A*a^2+18480*A*a*b+10472*A*b^2+9 \\ & 240*B*a^2+20944*B*a*b+13860*B*b^2)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+ \\ & (-1386*A*a^2-5280*A*a*b-1848*A*b^2-2640*B*a^2-3696*B*a*b-2790*B*b^2)*\sin(1/ \\ & 2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-2079*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin \\ & (1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2-1617* \\ & A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos \\ & (1/2*d*x+1/2*c),2^{(1/2)})*b^2+1650*A*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin \\ & (1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3234*B*( \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos \\ & (1/2*d*x+1/2*c),2^{(1/2)})*a*b+825*B*a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1 \\ & /2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+675*b^2*B*(\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1 \\ & /2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & )/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(dx+c)^(5/2)*(a+b*cos(dx+c))^2*(A+B*cos(dx+c)),x, algorithm="maxima")`

[Out] `integrate((B*cos(dx + c) + A)*(b*cos(dx + c) + a)^2*cos(dx + c)^(5/2), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

`integral((Bb^2 cos(dx + c)^5 + Aa^2 cos(dx + c)^2 + (2Bab + Ab^2) cos(dx + c)^4 + (Ba^2 + 2Aab) cos(dx + c)^3) sqrt(cos(dx + c)), x)`

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm
="fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)^5 + A*a^2*cos(d*x + c)^2 + (2*B*a*b + A*b^2)*c
os(d*x + c)^4 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^3)*sqrt(cos(d*x + c)), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(a+b*cos(d*x+c))**2*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm
="giac")
```

```
[Out] Timed out
```



$$3.353 \quad \int \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^2(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=223

$$\frac{2(7a^2A + 10abB + 5Ab^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(7a^2A + 10abB + 5Ab^2)\sin(c + dx)\sqrt{\cos(c + dx)}}{21d} + \frac{2(9a(aB + 2Ab))}{21d}$$

```
[Out] (2*(7*b^2*B + 9*a*(2*A*b + a*B))*EllipticE[(c + d*x)/2, 2])/(15*d) + (2*(7*a^2*A + 5*A*b^2 + 10*a*b*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*(7*a^2*A + 5*A*b^2 + 10*a*b*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*(7*b^2*B + 9*a*(2*A*b + a*B))*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(45*d) + (2*b*(9*A*b + 11*a*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(63*d) + (2*b*B*Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])*Sin[c + d*x])/(9*d)
```

**Rubi [A]** time = 0.330271, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2990, 3023, 2748, 2635, 2641, 2639}

$$\frac{2(7a^2A + 10abB + 5Ab^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(7a^2A + 10abB + 5Ab^2)\sin(c + dx)\sqrt{\cos(c + dx)}}{21d} + \frac{2(9a(aB + 2Ab))}{21d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]),x]
```

```
[Out] (2*(7*b^2*B + 9*a*(2*A*b + a*B))*EllipticE[(c + d*x)/2, 2])/(15*d) + (2*(7*a^2*A + 5*A*b^2 + 10*a*b*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*(7*a^2*A + 5*A*b^2 + 10*a*b*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*(7*b^2*B + 9*a*(2*A*b + a*B))*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(45*d) + (2*b*(9*A*b + 11*a*B)*Cos[c + d*x]^(5/2)*Sin[c + d*x])/(63*d) + (2*b*B*Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])*Sin[c + d*x])/(9*d)
```

#### Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Ssin[e + f*x])^(m - 2)*(c + d*Ssin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

#### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2], x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Ssin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x] *(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^2(A + B \cos(c + dx)) dx &= \frac{2bB \cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx)) \sin(c + dx)}{9d} + \frac{2}{9} \int \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^2(A + B \cos(c + dx)) dx \\ &= \frac{2b(9Ab + 11aB) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{63d} + \frac{2bB \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{63d} \\ &= \frac{2b(9Ab + 11aB) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{63d} + \frac{2bB \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{63d} \\ &= \frac{2(7a^2A + 5Ab^2 + 10abB) \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} + \frac{2(7b^2B + 9a(2Ab + aB)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} \end{aligned}$$

**Mathematica [A]** time = 1.37078, size = 167, normalized size = 0.75

$$\frac{60(7a^2A + 10abB + 5Ab^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 84(9a^2B + 18aAb + 7b^2B)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \sin(c + dx)\sqrt{\cos(c + dx)}(7a^2A + 5Ab^2 + 10abB)}{630d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]),x]
```

```
[Out] (84*(18*a*A*b + 9*a^2*B + 7*b^2*B)*EllipticE[(c + d*x)/2, 2] + 60*(7*a^2*A + 5*A*b^2 + 10*a*b*B)*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(7*(72*a*A*b + 36*a^2*B + 43*b^2*B)*Cos[c + d*x] + 5*(84*a^2*A + 78*A*b^2 + 156*a*b*B + 18*b*(A*b + 2*a*B))*Cos[2*(c + d*x)] + 7*b^2*B*Cos[3*(c + d*x)]))*Sin[c + d*x])/(630*d)
```

**Maple [B]** time = 3.724, size = 610, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x)`

[Out] 
$$-2/315*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-1120*b^2*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{10}+(720*A*b^2+1440*B*a*b+2240*B*b^2)*\sin(1/2*d*x+1/2*c)^8*\cos(1/2*d*x+1/2*c)+(-1008*A*a*b-1080*A*b^2-504*B*a^2-2160*B*a*b-2072*B*b^2)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(420*A*a^2+1008*A*a*b+840*A*b^2+504*B*a^2+1680*B*a*b+952*B*b^2)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-210*A*a^2-252*A*a*b-240*A*b^2-126*B*a^2-480*B*a*b-168*B*b^2)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+105*a^2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+75*A*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-378*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b+150*B*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-189*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2-147*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2*cos(d*x + c)^(3/2), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^2 \cos(dx + c)^4 + Aa^2 \cos(dx + c) + (2Bab + Ab^2) \cos(dx + c)^3 + (Ba^2 + 2Aab) \cos(dx + c)^2\right) \sqrt{\cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*b^2*cos(d*x + c)^4 + A*a^2*cos(d*x + c) + (2*B*a*b + A*b^2)*cos(d*x + c)^3 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^2)*sqrt(cos(d*x + c)), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(a+b\*cos(d\*x+c))\*\*2\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(3/2), x)

$$3.354 \quad \int \sqrt{\cos(c + dx)}(a + b \cos(c + dx))^2(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=182

$$\frac{2(5a^2A + 6abB + 3Ab^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(7a(aB + 2Ab) + 5b^2B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(7a(aB + 2Ab) + 5b^2B)\operatorname{Si}\left(\frac{1}{2}(c + dx)\right)}{21d}$$

[Out] (2\*(5\*a^2\*A + 3\*A\*b^2 + 6\*a\*b\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*(5\*b^2\*B + 7\*a\*(2\*A\*b + a\*B))\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (2\*(5\*b^2\*B + 7\*a\*(2\*A\*b + a\*B))\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(21\*d) + (2\*b\*(7\*A\*b + 9\*a\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(35\*d) + (2\*b\*B\*Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])\*Sin[c + d\*x])/(7\*d)

**Rubi [A]** time = 0.31587, antiderivative size = 182, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2990, 3023, 2748, 2639, 2635, 2641}

$$\frac{2(5a^2A + 6abB + 3Ab^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(7a(aB + 2Ab) + 5b^2B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(7a(aB + 2Ab) + 5b^2B)\operatorname{Si}\left(\frac{1}{2}(c + dx)\right)}{21d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x]),x]

[Out] (2\*(5\*a^2\*A + 3\*A\*b^2 + 6\*a\*b\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*(5\*b^2\*B + 7\*a\*(2\*A\*b + a\*B))\*EllipticF[(c + d\*x)/2, 2])/(21\*d) + (2\*(5\*b^2\*B + 7\*a\*(2\*A\*b + a\*B))\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(21\*d) + (2\*b\*(7\*A\*b + 9\*a\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(35\*d) + (2\*b\*B\*Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])\*Sin[c + d\*x])/(7\*d)

#### Rule 2990

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Ssin[e + f\*x])^(m - 2)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a^2\*A\*d\*(m + n + 1) + b\*B\*(b\*c\*(m - 1) + a\*d\*(n + 1)) + (a\*d\*(2\*A\*b + a\*B)\*(m + n + 1) - b\*B\*(a\*c - b\*d\*(m + n)))\*Sin[e + f\*x] + b\*(A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Ssin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)]^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

**Rule 2639**

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

**Rule 2635**

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)]^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

**Rule 2641**

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \sqrt{\cos(c + dx)}(a + b \cos(c + dx))^2(A + B \cos(c + dx)) dx = \frac{2bB \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx)) \sin(c + dx)}{7d} + \frac{2}{7} \int \sqrt{\cos(c + dx)}(a + b \cos(c + dx))^2(A + B \cos(c + dx)) dx$$

$$= \frac{2b(7Ab + 9aB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d} + \frac{2bB \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d}$$

$$= \frac{2b(7Ab + 9aB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d} + \frac{2bB \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d}$$

$$= \frac{2(5a^2A + 3Ab^2 + 6abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(5b^2B + 7a(2A + B)) \sqrt{\cos(c + dx)}}{5d}$$

$$= \frac{2(5a^2A + 3Ab^2 + 6abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(5b^2B + 7a(2A + B)) \sqrt{\cos(c + dx)}}{5d}$$

**Mathematica [A]** time = 1.06837, size = 139, normalized size = 0.76

$$\frac{10(7a^2B + 14aAb + 5b^2B) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 42(5a^2A + 6abB + 3Ab^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \sin(c + dx)\sqrt{\cos(c + dx)}(5(10A + 7B))}{105d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]),x]
```

```
[Out] (42*(5*a^2*A + 3*A*b^2 + 6*a*b*B)*EllipticE[(c + d*x)/2, 2] + 10*(14*a*A*b + 7*a^2*B + 5*b^2*B)*EllipticF[(c + d*x)/2, 2] + Sqrt[Cos[c + d*x]]*(42*b*(A*b + 2*a*B)*Cos[c + d*x] + 5*(28*a*A*b + 14*a^2*B + 13*b^2*B + 3*b^2*B*Cos[2*(c + d*x)]))*Sin[c + d*x])/(105*d)
```

**Maple [B]** time = 3.138, size = 548, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x)`

[Out] 
$$-2/105*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(240*b^2*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-168*A*b^2-336*B*a*b-360*B*b^2)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(280*A*a*b+168*A*b^2+140*B*a^2+336*B*a*b+280*B*b^2)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-140*A*a*b-42*A*b^2-70*B*a^2-84*B*a*b-80*B*b^2)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+70*A*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-105*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2-63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2+35*B*a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+25*b^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-126*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2*sqrt(cos(d*x + c)), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

`integral(((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(cos(d*x + c)), x)`

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(cos(d*x + c)), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(a+b*cos(d*x+c))**2*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^2*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```



$$3.355 \quad \int \frac{(a+b \cos(c+dx))^2(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=140

$$\frac{2(3a^2A + 2abB + Ab^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2(5a(aB + 2Ab) + 3b^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2b(7aB + 5Ab)\sin(c+dx)\sqrt{\cos(c+dx)}}{15d}$$

[Out] (2\*(3\*b^2\*B + 5\*a\*(2\*A\*b + a\*B))\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*(3\*a^2\*A + A\*b^2 + 2\*a\*b\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*b\*(5\*A\*b + 7\*a\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*d) + (2\*b\*B\*Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])\*Sin[c + d\*x])/(5\*d)

**Rubi [A]** time = 0.26649, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2990, 3023, 2748, 2641, 2639}

$$\frac{2(3a^2A + 2abB + Ab^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2(5a(aB + 2Ab) + 3b^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2b(7aB + 5Ab)\sin(c+dx)\sqrt{\cos(c+dx)}}{15d}$$

Antiderivative was successfully verified.

[In] Int[((a + b\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]], x]

[Out] (2\*(3\*b^2\*B + 5\*a\*(2\*A\*b + a\*B))\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*(3\*a^2\*A + A\*b^2 + 2\*a\*b\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*b\*(5\*A\*b + 7\*a\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(15\*d) + (2\*b\*B\*Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])\*Sin[c + d\*x])/(5\*d)

#### Rule 2990

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Ssin[e + f\*x])^(m - 2)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a^2\*A\*d\*(m + n + 1) + b\*B\*(b\*c\*(m - 1) + a\*d\*(n + 1)) + (a\*d\*(2\*A\*b + a\*B)\*(m + n + 1) - b\*B\*(a\*c - b\*d\*(m + n)))\*Sin[e + f\*x] + b\*(A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Ssin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Ssin[e + f\*x])^m, x], x] + Dist[d/b, Int[(

$b \cdot \sin[e + f \cdot x]^{(m + 1)}, x, x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c \cdot) + (d \cdot)(x \cdot)]], x\_Symbol] := \text{Simp}[(2 \cdot \text{EllipticF}[(1 \cdot (c - \text{Pi}/2 + d \cdot x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c \cdot) + (d \cdot)(x \cdot)]], x\_Symbol] := \text{Simp}[(2 \cdot \text{EllipticE}[(1 \cdot (c - \text{Pi}/2 + d \cdot x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

### Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^2 (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx &= \frac{2bB \sqrt{\cos(c + dx)} (a + b \cos(c + dx)) \sin(c + dx)}{5d} + \frac{2}{5} \int \frac{\frac{1}{2} a (5aA + bB) + \dots}{\dots} \\ &= \frac{2b(5Ab + 7aB) \sqrt{\cos(c + dx)} \sin(c + dx)}{15d} + \frac{2bB \sqrt{\cos(c + dx)} (a + b \cos(c + dx))}{5d} \\ &= \frac{2b(5Ab + 7aB) \sqrt{\cos(c + dx)} \sin(c + dx)}{15d} + \frac{2bB \sqrt{\cos(c + dx)} (a + b \cos(c + dx))}{5d} \\ &= \frac{2(3b^2B + 5a(2Ab + aB)) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(3a^2A + Ab^2 + 2abB) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.575285, size = 106, normalized size = 0.76

$$\frac{2 \left( 5 (3a^2A + 2abB + Ab^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 3 (5a^2B + 10aAb + 3b^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + b \sin(c + dx) \sqrt{\cos(c + dx)} (10a + \dots) \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + bCos[c + d\*x])^2\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]], x]

[Out] (2\*(3\*(10\*a\*A\*b + 5\*a^2\*B + 3\*b^2\*B)\*EllipticE[(c + d\*x)/2, 2] + 5\*(3\*a^2\*A + A\*b^2 + 2\*a\*b\*B)\*EllipticF[(c + d\*x)/2, 2] + b\*Sqrt[Cos[c + d\*x]]\*(5\*A\*b + 10\*a\*B + 3\*b\*B\*Cos[c + d\*x])\*Sin[c + d\*x]))/(15\*d)

**Maple [B]** time = 3.194, size = 487, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2), x)

[Out] -2/15\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-24\*b^2\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+(20\*A\*b^2+40\*B\*a\*b+24\*B\*b^2)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-10\*A\*b^2-20\*B\*a\*b-6\*B\*b^2)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+15\*a^2\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+5\*A\*b^2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))

$$x+1/2*c), 2^{(1/2)}) - 30*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a*b + 10*B*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 15*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2 - 9*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^2)/(-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^2}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^2/sqrt(cos(d\*x + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*b^2\*cos(d\*x + c)^3 + A\*a^2 + (2\*B\*a\*b + A\*b^2)\*cos(d\*x + c)^2 + (B\*a^2 + 2\*A\*a\*b)\*cos(d\*x + c))/sqrt(cos(d\*x + c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^2}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2/sqrt(cos(d*x + c)), x)
```

$$3.356 \quad \int \frac{(a+b \cos(c+dx))^2(A+B \cos(c+dx))}{3 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=121

$$\frac{2(3a^2B + 6aAb + b^2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2(a^2A - 2abB - Ab^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a^2A \sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2b^2B \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

[Out]  $(-2*(a^2*A - A*b^2 - 2*a*b*B)*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*(6*a*A*b + 3*a^2*B + b^2*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^2*A*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*b^2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d)$

**Rubi [A]** time = 0.245916, antiderivative size = 121, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2988, 3023, 2748, 2641, 2639}

$$\frac{2(3a^2B + 6aAb + b^2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2(a^2A - 2abB - Ab^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a^2A \sin(c+dx)}{d\sqrt{\cos(c+dx)}} + \frac{2b^2B \sin(c+dx)}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{(3/2)}, x]$

[Out]  $(-2*(a^2*A - A*b^2 - 2*a*b*B)*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*(6*a*A*b + 3*a^2*B + b^2*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^2*A*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]]) + (2*b^2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d)$

#### Rule 2988

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^2*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[(B*c - A*d)*(b*c - a*d)^2*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(f*d^2*(n + 1)*(c^2 - d^2)), x] - \text{Dist}[1/(d^2*(n + 1)*(c^2 - d^2)), \text{Int}[(c + d*\text{Sin}[e + f*x])^{(n + 1)}*\text{Simp}[d*(n + 1)*(B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c - 2*a*b*d) - ((B*c - A*d)*(a^2*d^2*(n + 2) + b^2*(c^2 + d^2*(n + 1))) + 2*a*b*d*(A*c*d*(n + 2) - B*(c^2 + d^2*(n + 1))))*\text{Sin}[e + f*x] - b^2*B*d*(n + 1)*(c^2 - d^2)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -1]$

#### Rule 3023

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)]) + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2, x\_Symbol] \rightarrow -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*\text{Simp}[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& !\text{LtQ}[m, -1]$

#### Rule 2748

$\text{Int}[(b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]), x\_Symbol] \rightarrow \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rubi steps**

$$\int \frac{(a + b \cos(c + dx))^2 (A + B \cos(c + dx))}{\cos^3(c + dx)} dx = \frac{2a^2 A \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - 2 \int \frac{-\frac{1}{2}a(2Ab + aB) + \frac{1}{2}(a^2 A - Ab^2 - 2abB) \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{2a^2 A \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + \frac{2b^2 B \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} - \frac{4}{3} \int \frac{\frac{1}{4}(-b^2 B - 3aB)}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{2a^2 A \sin(c + dx)}{d \sqrt{\cos(c + dx)}} + \frac{2b^2 B \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} - (a^2 A - Ab^2 - 2abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{2(6aAb + 3a^2 B + b^2 B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d}$$

**Mathematica [A]** time = 0.605016, size = 102, normalized size = 0.84

$$\frac{2 \left( (3a^2 B + 6aAb + b^2 B) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + (-3a^2 A + 6abB + 3Ab^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{\sin(c+dx)(3a^2 A + b^2 B \cos(c+dx))}{\sqrt{\cos(c+dx)}} \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]

[Out] (2\*((-3\*a^2\*A + 3\*A\*b^2 + 6\*a\*b\*B)\*EllipticE[(c + d\*x)/2, 2] + (6\*a\*A\*b + 3\*a^2\*B + b^2\*B)\*EllipticF[(c + d\*x)/2, 2] + ((3\*a^2\*A + b^2\*B\*Cos[c + d\*x])\*Sin[c + d\*x])/Sqrt[Cos[c + d\*x]]))/(3\*d)

**Maple [B]** time = 3.398, size = 404, normalized size = 3.3

$$-\frac{2}{3d} \left( 4b^2 B \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4 + 6Aab \sqrt{\left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2} \sqrt{2 \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1} \text{EllipticF}\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right), 2\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2), x)

[Out] -2/3\*(4\*b^2\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4+6\*A\*a\*b\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+3\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*a^2-3\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*b

$$\begin{aligned} &^2-6Aa^2\cos(1/2dx+1/2c)\sin(1/2dx+1/2c)^2+3Ba^2(\sin(1/2dx+1/2c)^2)^{(1/2)}(2\sin(1/2dx+1/2c)^2-1)^{(1/2)}\text{EllipticF}(\cos(1/2dx+1/2c), \\ &2^{(1/2)})+b^2B(\sin(1/2dx+1/2c)^2)^{(1/2)}(2\sin(1/2dx+1/2c)^2-1)^{(1/2)}\text{EllipticF}(\cos(1/2dx+1/2c),2^{(1/2)})-6B(\sin(1/2dx+1/2c)^2)^{(1/2)}(2 \\ &*\sin(1/2dx+1/2c)^2-1)^{(1/2)}\text{EllipticE}(\cos(1/2dx+1/2c),2^{(1/2)})*a*b-2 \\ &B*b^2\cos(1/2dx+1/2c)\sin(1/2dx+1/2c)^2/\sin(1/2dx+1/2c)/(2\cos(1/ \\ &2dx+1/2c)^2-1)^{(1/2)}/d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^2/cos(d\*x + c)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)}{\cos(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B\*b^2\*cos(d\*x + c)^3 + A\*a^2 + (2\*B\*a\*b + A\*b^2)\*cos(d\*x + c)^2 + (B\*a^2 + 2\*A\*a\*b)\*cos(d\*x + c))/cos(d\*x + c)^(3/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2/cos(d*x + c)^(3/2), x)
```



$$3.357 \quad \int \frac{(a+b \cos(c+dx))^2(A+B \cos(c+dx))}{5 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=126

$$\frac{2(a^2A + 6abB + 3Ab^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2(a^2B + 2aAb - b^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a^2A \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a(aB + 2Ab)}{d\sqrt{\cos(c+dx)}}$$

[Out]  $(-2*(2*a*A*b + a^2*B - b^2*B)*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*(a^2*A + 3*A*b^2 + 6*a*b*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^2*A*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*a*(2*A*b + a*B)*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

**Rubi [A]** time = 0.305041, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2988, 3021, 2748, 2641, 2639}

$$\frac{2(a^2A + 6abB + 3Ab^2)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2(a^2B + 2aAb - b^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2a^2A \sin(c+dx)}{3d \cos^{\frac{3}{2}}(c+dx)} + \frac{2a(aB + 2Ab)}{d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x])/(\text{Cos}[c + d*x]^{(5/2)}, x]$

[Out]  $(-2*(2*a*A*b + a^2*B - b^2*B)*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*(a^2*A + 3*A*b^2 + 6*a*b*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^2*A*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^{(3/2)}) + (2*a*(2*A*b + a*B)*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

#### Rule 2988

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^2*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] :> \text{Simp}[(B*c - A*d)*(b*c - a*d)^2*\text{Cos}[e + f*x]*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(f*d^{2*(n + 1)*(c^2 - d^2)}), x] - \text{Dist}[1/(d^{2*(n + 1)*(c^2 - d^2)}), \text{Int}[(c + d*\text{Sin}[e + f*x])^{(n + 1)}*\text{Simp}[d*(n + 1)*(B*(b*c - a*d)^2 - A*d*(a^2*c + b^2*c - 2*a*b*d) - ((B*c - A*d)*(a^2*d^{2*(n + 2)} + b^2*(c^2 + d^{2*(n + 1)})) + 2*a*b*d*(A*c*d*(n + 2) - B*(c^2 + d^{2*(n + 1)})))*\text{Sin}[e + f*x] - b^2*B*d*(n + 1)*(c^2 - d^2)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -1]$

#### Rule 3021

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)]) + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2, x\_Symbol] :> -\text{Simp}[(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)})/(b*f*(m + 1)*(a^2 - b^2)), x] + \text{Dist}[1/(b*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*\text{Simp}[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b - a*B + b*C))*(m + 1))*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C\}, x] \&\& \text{LtQ}[m, -1] \&\& \text{NeQ}[a^2 - b^2, 0]$

#### Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

**Rule 2641**

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

**Rule 2639**

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^2 (A + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx = \frac{2a^2 A \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} - \frac{2}{3} \int \frac{-\frac{3}{2}a(2Ab + aB) - \frac{1}{2}(a^2 A + 3Ab^2 + 6abB) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2a^2 A \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a(2Ab + aB) \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - \frac{4}{3} \int \frac{\frac{1}{4}(-a^2 A - 3Ab^2 - 6abB)}{\cos^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2a^2 A \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a(2Ab + aB) \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - \frac{1}{3} (-a^2 A - 3Ab^2 - 6abB) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx$$

$$= -\frac{2(2aAb + a^2 B - b^2 B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(a^2 A + 3Ab^2 + 6abB) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d}$$

**Mathematica [A]** time = 1.11881, size = 105, normalized size = 0.83

$$\frac{2 \left( (a^2 A + 6abB + 3Ab^2) F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 3(a^2 B + 2aAb - b^2 B) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{a \sin(c + dx)(3(aB + 2Ab) \cos(c + dx) + aA)}{\cos^{\frac{3}{2}}(c + dx)} \right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]
```

```
[Out] (2*(-3*(2*a*A*b + a^2*B - b^2*B)*EllipticE[(c + d*x)/2, 2] + (a^2*A + 3*A*b^2 + 6*a*b*B)*EllipticF[(c + d*x)/2, 2] + (a*(a*A + 3*(2*A*b + a*B)*Cos[c + d*x])*Sin[c + d*x])/Cos[c + d*x]^(3/2)))/(3*d)
```

**Maple [B]** time = 7.309, size = 677, normalized size = 5.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2), x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*b^2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^2)^(1/2))
```

```
*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))+2*A*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+4*B*a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-2*b^2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+2*a*(2*A*b+B*a)*(-sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)+2*a^2*A*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2/cos(d*x + c)^(5/2), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)}{\cos(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))/cos(d*x + c)^(5/2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**2*(A+B*cos(d*x+c))/cos(d*x+c)**(5/2),x)
```

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^2/cos(d\*x + c)^(5/2), x  
)

$$3.358 \quad \int \frac{(a+b \cos(c+dx))^2(A+B \cos(c+dx))}{7 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=172

$$\frac{2(a^2B + 2aAb + 3b^2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2(3a^2A + 10abB + 5Ab^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(3a^2A + 10abB + 5Ab^2)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}}$$

[Out] (-2\*(3\*a^2\*A + 5\*A\*b^2 + 10\*a\*b\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*(2\*a\*A\*b + a^2\*B + 3\*b^2\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*a^2\*A\*Sin[c + d\*x])/(5\*d\*Cos[c + d\*x]^(5/2)) + (2\*a\*(2\*A\*b + a\*B)\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2)) + (2\*(3\*a^2\*A + 5\*A\*b^2 + 10\*a\*b\*B)\*Sin[c + d\*x])/(5\*d\*Sqrt[Cos[c + d\*x]])

**Rubi [A]** time = 0.350534, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2988, 3021, 2748, 2636, 2639, 2641}

$$\frac{2(a^2B + 2aAb + 3b^2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2(3a^2A + 10abB + 5Ab^2)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2(3a^2A + 10abB + 5Ab^2)\sin(c+dx)}{5d\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + b\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(7/2),x]

[Out] (-2\*(3\*a^2\*A + 5\*A\*b^2 + 10\*a\*b\*B)\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*(2\*a\*A\*b + a^2\*B + 3\*b^2\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*a^2\*A\*Sin[c + d\*x])/(5\*d\*Cos[c + d\*x]^(5/2)) + (2\*a\*(2\*A\*b + a\*B)\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2)) + (2\*(3\*a^2\*A + 5\*A\*b^2 + 10\*a\*b\*B)\*Sin[c + d\*x])/(5\*d\*Sqrt[Cos[c + d\*x]])

#### Rule 2988

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((B\*c - A\*d)\*(b\*c - a\*d)^2\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*d^2\*(n + 1)\*(c^2 - d^2)), x] - Dist[1/(d^2\*(n + 1)\*(c^2 - d^2)), Int[(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[d\*(n + 1)\*(B\*(b\*c - a\*d)^2 - A\*d\*(a^2\*c + b^2\*c - 2\*a\*b\*d)) - ((B\*c - A\*d)\*(a^2\*d^2\*(n + 2) + b^2\*(c^2 + d^2\*(n + 1))) + 2\*a\*b\*d\*(A\*c\*d\*(n + 2) - B\*(c^2 + d^2\*(n + 1)))\*Sin[e + f\*x] - b^2\*B\*d\*(n + 1)\*(c^2 - d^2)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 3021

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*Simp[b\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C + b\*(A\*b - a\*B + b\*C))\*(m + 1))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2636

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1))/(b*d*(n + 1)), x] + Dist[(n + 2)/(b^2*(n + 1)), Int[(b*Sin[c + d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^2 (A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx &= \frac{2a^2 A \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}a(2Ab + aB) - \frac{1}{2}(3a^2 A + 5Ab^2 + 10abB) \cos^{\frac{5}{2}}(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2a^2 A \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a(2Ab + aB) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} - \frac{4}{15} \int \frac{-\frac{3}{4}(3a^2 A + 5Ab^2 + 10abB) \cos^{\frac{3}{2}}(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2a^2 A \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a(2Ab + aB) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} - \frac{1}{5} (-3a^2 A - 5Ab^2 - 10abB) \cos^{\frac{1}{2}}(c + dx) \\ &= \frac{2(2aAb + a^2 B + 3b^2 B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a^2 A \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2a(2Ab + aB) \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} \\ &= -\frac{2(3a^2 A + 5Ab^2 + 10abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(2aAb + a^2 B + 3b^2 B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \end{aligned}$$

**Mathematica [A]** time = 1.05638, size = 175, normalized size = 1.02

$$\frac{10(a^2 B + 2aAb + 3b^2 B) \cos^{\frac{3}{2}}(c + dx) F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 6(3a^2 A + 10abB + 5Ab^2) \cos^{\frac{3}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 9a^2 A \sin(c + dx)}{15d \cos^{\frac{5}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2), x]
```

```
[Out] (-6*(3*a^2*A + 5*A*b^2 + 10*a*b*B)*Cos[c + d*x]^(3/2)*EllipticE[(c + d*x)/2, 2] + 10*(2*a*A*b + a^2*B + 3*b^2*B)*Cos[c + d*x]^(3/2)*EllipticF[(c + d*x)/2, 2] + 20*a*A*b*Sin[c + d*x] + 10*a^2*B*Sin[c + d*x] + 9*a^2*A*Sin[2*(c + d*x)] + 15*A*b^2*Sin[2*(c + d*x)] + 30*a*b*B*Sin[2*(c + d*x)] + 6*a^2*A*T
```

$\text{an}[c + d*x]/(15*d*\text{Cos}[c + d*x]^{(3/2)})$

**Maple [B]** time = 10.05, size = 750, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\cos(d*x+c))^2*(A+B*\cos(d*x+c))/\cos(d*x+c)^{(7/2)}, x)$

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*b^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*b \\ & *(A*b+2*B*a)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)-2/5*a^2*A/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*a*(2*A*b+B*a)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b*\cos(d*x+c))^2*(A+B*\cos(d*x+c))/\cos(d*x+c)^{(7/2)}, x, \text{algorithm} = "maxima")$

[Out]  $\text{integrate}((B*\cos(d*x + c) + A)*(b*\cos(d*x + c) + a)^2/\cos(d*x + c)^{(7/2)}, x)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb^2 \cos(dx + c)^3 + Aa^2 + (2 Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2 Aab) \cos(dx + c)}{\cos(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))/cos(d*x + c)^(7/2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^2}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2/cos(d*x + c)^(7/2), x)
```



$$3.359 \quad \int \cos^2(c + dx)(a + b \cos(c + dx))^3(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=305

$$\frac{2(77a^3A + 165a^2bB + 165aAb^2 + 45b^3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{231d} + \frac{2(27a^2Ab + 9a^3B + 21ab^2B + 7Ab^3)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} +$$

[Out] (2\*(27\*a^2\*A\*b + 7\*A\*b^3 + 9\*a^3\*B + 21\*a\*b^2\*B)\*EllipticE[(c + d\*x)/2, 2]) / (15\*d) + (2\*(77\*a^3\*A + 165\*a\*A\*b^2 + 165\*a^2\*b\*B + 45\*b^3\*B)\*EllipticF[(c + d\*x)/2, 2]) / (231\*d) + (2\*(77\*a^3\*A + 165\*a\*A\*b^2 + 165\*a^2\*b\*B + 45\*b^3\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x]) / (231\*d) + (2\*(27\*a^2\*A\*b + 7\*A\*b^3 + 9\*a^3\*B + 21\*a\*b^2\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x]) / (45\*d) + (2\*b\*(33\*a\*A\*b + 26\*a^2\*B + 9\*b^2\*B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x]) / (77\*d) + (2\*b^2\*(11\*A\*b + 15\*a\*B)\*Cos[c + d\*x]^(7/2)\*Sin[c + d\*x]) / (99\*d) + (2\*b\*B\*Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])^2\*Sin[c + d\*x]) / (11\*d)

**Rubi [A]** time = 0.5446, antiderivative size = 305, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2990, 3033, 3023, 2748, 2635, 2641, 2639}

$$\frac{2(77a^3A + 165a^2bB + 165aAb^2 + 45b^3B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{231d} + \frac{2(27a^2Ab + 9a^3B + 21ab^2B + 7Ab^3)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} +$$

Antiderivative was successfully verified.

[In] Int[Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x]),x]

[Out] (2\*(27\*a^2\*A\*b + 7\*A\*b^3 + 9\*a^3\*B + 21\*a\*b^2\*B)\*EllipticE[(c + d\*x)/2, 2]) / (15\*d) + (2\*(77\*a^3\*A + 165\*a\*A\*b^2 + 165\*a^2\*b\*B + 45\*b^3\*B)\*EllipticF[(c + d\*x)/2, 2]) / (231\*d) + (2\*(77\*a^3\*A + 165\*a\*A\*b^2 + 165\*a^2\*b\*B + 45\*b^3\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x]) / (231\*d) + (2\*(27\*a^2\*A\*b + 7\*A\*b^3 + 9\*a^3\*B + 21\*a\*b^2\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x]) / (45\*d) + (2\*b\*(33\*a\*A\*b + 26\*a^2\*B + 9\*b^2\*B)\*Cos[c + d\*x]^(5/2)\*Sin[c + d\*x]) / (77\*d) + (2\*b^2\*(11\*A\*b + 15\*a\*B)\*Cos[c + d\*x]^(7/2)\*Sin[c + d\*x]) / (99\*d) + (2\*b\*B\*Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])^2\*Sin[c + d\*x]) / (11\*d)

#### Rule 2990

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Ssin[e + f\*x])^(m - 2)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a^2\*A\*d\*(m + n + 1) + b\*B\*(b\*c\*(m - 1) + a\*d\*(n + 1)) + (a\*d\*(2\*A\*b + a\*B)\*(m + n + 1) - b\*B\*(a\*c - b\*d\*(m + n)))\*Sin[e + f\*x] + b\*(A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 3033

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])

```

_.)*(x_)^2), x_Symbol] := -Simp[(C*d*cos[e + f*x]*sin[e + f*x]*(a + b*sin[
e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*sin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

```

### Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)^2), x_Symbol] := -Simp[(C*cos
[e + f*x]*(a + b*sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

### Rule 2748

```

Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)])], x_Symbol] := Dist[c, Int[(b*sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

### Rule 2635

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_.), x_Symbol] := -Simp[(b*cos[c + d*x
]*(b*sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]

```

### Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

### Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

### Rubi steps

$$\begin{aligned}
\int \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^3(A + B \cos(c + dx)) dx &= \frac{2bB \cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^2 \sin(c + dx)}{11d} + \frac{2}{11} \int \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^3(A + B \cos(c + dx)) dx \\
&= \frac{2b^2(11Ab + 15aB) \cos^{\frac{7}{2}}(c + dx) \sin(c + dx)}{99d} + \frac{2bB \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{11d} \\
&= \frac{2b(33aAb + 26a^2B + 9b^2B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{77d} + \frac{2b^2 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{11d} \\
&= \frac{2b(33aAb + 26a^2B + 9b^2B) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{77d} + \frac{2b^2 \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{11d} \\
&= \frac{2(77a^3A + 165aAb^2 + 165a^2bB + 45b^3B) \sqrt{\cos(c + dx)} \sin(c + dx)}{231d} \\
&= \frac{2(27a^2Ab + 7Ab^3 + 9a^3B + 21ab^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2(77a^3A + 165aAb^2 + 165a^2bB + 45b^3B) \sqrt{\cos(c + dx)} \sin(c + dx)}{231d}
\end{aligned}$$

**Mathematica [A]** time = 1.90529, size = 235, normalized size = 0.77

$$240(77a^3A + 165a^2bB + 165aAb^2 + 45b^3B)F\left(\frac{1}{2}(c + dx)\middle|2\right) + 3696(27a^2Ab + 9a^3B + 21ab^2B + 7Ab^3)E\left(\frac{1}{2}(c + dx)\right)$$

Antiderivative was successfully verified.

[In] Integrate[Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x]),x]

[Out] (3696\*(27\*a^2\*A\*b + 7\*A\*b^3 + 9\*a^3\*B + 21\*a\*b^2\*B)\*EllipticE[(c + d\*x)/2, 2] + 240\*(77\*a^3\*A + 165\*a\*A\*b^2 + 165\*a^2\*b\*B + 45\*b^3\*B)\*EllipticF[(c + d\*x)/2, 2] + 2\*Sqrt[Cos[c + d\*x]]\*(154\*(108\*a^2\*A\*b + 43\*A\*b^3 + 36\*a^3\*B + 129\*a\*b^2\*B)\*Cos[c + d\*x] + 180\*b\*(33\*a\*A\*b + 33\*a^2\*B + 16\*b^2\*B)\*Cos[2\*(c + d\*x)] + 770\*b^2\*(A\*b + 3\*a\*B)\*Cos[3\*(c + d\*x)] + 15\*(616\*a^3\*A + 1716\*a\*A\*b^2 + 1716\*a^2\*b\*B + 531\*b^3\*B + 21\*b^3\*B\*Cos[4\*(c + d\*x)]))\*Sin[c + d\*x])/(27720\*d)

**Maple [B]** time = 3.362, size = 825, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x)

[Out] -2/3465\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(20160\*B\*b^3\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^12+(-12320\*A\*b^3-36960\*B\*a\*b^2-50400\*B\*b^3)\*sin(1/2\*d\*x+1/2\*c)^10\*cos(1/2\*d\*x+1/2\*c)+(23760\*A\*a\*b^2+24640\*A\*b^3+23760\*B\*a^2\*b+73920\*B\*a\*b^2+56880\*B\*b^3)\*sin(1/2\*d\*x+1/2\*c)^8\*cos(1/2\*d\*x+1/2\*c)+(-16632\*A\*a^2\*b-35640\*A\*a\*b^2-22792\*A\*b^3-5544\*B\*a^3-35640\*B\*a^2\*b-68376\*B\*a\*b^2-34920\*B\*b^3)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+(4620\*A\*a^3+16632\*A\*a^2\*b+27720\*A\*a\*b^2+10472\*A\*b^3+5544\*B\*a^3+27720\*B\*a^2\*b+31416\*B\*a\*b^2+13860\*B\*b^3)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-2310\*A\*a^3-4158\*A\*a^2\*b-7920\*A\*a\*b^2-1848\*A\*b^3-1386\*B\*a^3-7920\*B\*a^2\*b-5544\*B\*a\*b^2-2790\*B\*b^3)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+1155\*A\*a^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+2475\*A\*a\*b^2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-6237\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*a^2\*b-1617\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*b^3+2475\*a^2\*b\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+675\*B\*b^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-2079\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*a^3-4851\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*a\*b^2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm
="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3*cos(d*x + c)^(3/2), x
)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^3 \cos(dx + c)^5 + Aa^3 \cos(dx + c) + (3 Bab^2 + Ab^3) \cos(dx + c)^4 + 3(Ba^2b + Aab^2) \cos(dx + c)^3 + (Ba^3 +\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm
="fricas")
```

```
[Out] integral((B*b^3*cos(d*x + c)^5 + A*a^3*cos(d*x + c) + (3*B*a*b^2 + A*b^3)*c
os(d*x + c)^4 + 3*(B*a^2*b + A*a*b^2)*cos(d*x + c)^3 + (B*a^3 + 3*A*a^2*b)*
cos(d*x + c)^2)*sqrt(cos(d*x + c)), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+b*cos(d*x+c))**3*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^3*(A+B*cos(d*x+c)),x, algorithm
="giac")
```

```
[Out] Timed out
```

$$3.360 \quad \int \sqrt{\cos(c + dx)}(a + b \cos(c + dx))^3(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=255

$$\frac{2(21a^2Ab + 7a^3B + 15ab^2B + 5Ab^3)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(15a^3A + 27a^2bB + 27aAb^2 + 7b^3B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \dots$$

```
[Out] (2*(15*a^3*A + 27*a*A*b^2 + 27*a^2*b*B + 7*b^3*B)*EllipticE[(c + d*x)/2, 2])
/(15*d) + (2*(21*a^2*A*b + 5*A*b^3 + 7*a^3*B + 15*a*b^2*B)*EllipticF[(c +
d*x)/2, 2])/(21*d) + (2*(21*a^2*A*b + 5*A*b^3 + 7*a^3*B + 15*a*b^2*B)*Sqrt[
Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*b*(27*a*A*b + 22*a^2*B + 7*b^2*B)*C
os[c + d*x]^(3/2)*Sin[c + d*x])/(45*d) + (2*b^2*(9*A*b + 13*a*B)*Cos[c + d*
x]^(5/2)*Sin[c + d*x])/(63*d) + (2*b*B*Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*
x])^2*Sin[c + d*x])/(9*d)
```

**Rubi [A]** time = 0.496418, antiderivative size = 255, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2990, 3033, 3023, 2748, 2639, 2635, 2641}

$$\frac{2(21a^2Ab + 7a^3B + 15ab^2B + 5Ab^3)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(15a^3A + 27a^2bB + 27aAb^2 + 7b^3B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]),x]
```

```
[Out] (2*(15*a^3*A + 27*a*A*b^2 + 27*a^2*b*B + 7*b^3*B)*EllipticE[(c + d*x)/2, 2])
/(15*d) + (2*(21*a^2*A*b + 5*A*b^3 + 7*a^3*B + 15*a*b^2*B)*EllipticF[(c +
d*x)/2, 2])/(21*d) + (2*(21*a^2*A*b + 5*A*b^3 + 7*a^3*B + 15*a*b^2*B)*Sqrt[
Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*b*(27*a*A*b + 22*a^2*B + 7*b^2*B)*C
os[c + d*x]^(3/2)*Sin[c + d*x])/(45*d) + (2*b^2*(9*A*b + 13*a*B)*Cos[c + d*
x]^(5/2)*Sin[c + d*x])/(63*d) + (2*b*B*Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*
x])^2*Sin[c + d*x])/(9*d)
```

#### Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[(b*B*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c + d*Ssin[e + f*x])^(n
+ 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Ssin[e + f*
x])^(m - 2)*(c + d*Ssin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m -
1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n
)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n
, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

#### Rule 3033

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f
_.)*(x_)])^2, x_Symbol] := -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Ssin[
e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Ssin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
```

```
m + 3))) * Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3)) * Sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]
```

Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] :> -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_.)]), x_Symbol] :> Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2635

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_.), x_Symbol] :> -Simp[(b*Cos[c + d*x
]*(b*Sin[c + d*x])^(n - 1))/(d*n), x] + Dist[(b^2*(n - 1))/n, Int[(b*Sin[c
+ d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n
]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int \sqrt{\cos(c + dx)}(a + b \cos(c + dx))^3(A + B \cos(c + dx)) dx &= \frac{2bB \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^2 \sin(c + dx)}{9d} + \frac{2}{9} \int \sqrt{\cos(c + dx)}(a + b \cos(c + dx))^3(A + B \cos(c + dx)) dx \\
 &= \frac{2b^2(9Ab + 13aB) \cos^{\frac{5}{2}}(c + dx) \sin(c + dx)}{63d} + \frac{2bB \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{9d} \\
 &= \frac{2b(27aAb + 22a^2B + 7b^2B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{45d} + \frac{2bB \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{9d} \\
 &= \frac{2b(27aAb + 22a^2B + 7b^2B) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{45d} + \frac{2bB \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{9d} \\
 &= \frac{2(15a^3A + 27aAb^2 + 27a^2bB + 7b^3B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2bB \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{9d} \\
 &= \frac{2(15a^3A + 27aAb^2 + 27a^2bB + 7b^3B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d} + \frac{2bB \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{9d}
 \end{aligned}$$

**Mathematica [A]** time = 1.15175, size = 197, normalized size = 0.77

$$60(21a^2Ab + 7a^3B + 15ab^2B + 5Ab^3)F\left(\frac{1}{2}(c + dx)\middle|2\right) + 84(15a^3A + 27a^2bB + 27aAb^2 + 7b^3B)E\left(\frac{1}{2}(c + dx)\middle|2\right) + s$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x]),x]

[Out] (84\*(15\*a^3\*A + 27\*a\*A\*b^2 + 27\*a^2\*b\*B + 7\*b^3\*B)\*EllipticE[(c + d\*x)/2, 2] + 60\*(21\*a^2\*A\*b + 5\*A\*b^3 + 7\*a^3\*B + 15\*a\*b^2\*B)\*EllipticF[(c + d\*x)/2, 2] + Sqrt[Cos[c + d\*x]]\*(7\*b\*(108\*a\*A\*b + 108\*a^2\*B + 43\*b^2\*B)\*Cos[c + d\*x] + 5\*(252\*a^2\*A\*b + 78\*A\*b^3 + 84\*a^3\*B + 234\*a\*b^2\*B + 18\*b^2\*(A\*b + 3\*a\*B)\*Cos[2\*(c + d\*x)] + 7\*b^3\*B\*Cos[3\*(c + d\*x)]))\*Sin[c + d\*x])/(630\*d)

**Maple [B]** time = 3.348, size = 745, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x)

[Out] -2/315\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-1120\*B\*b^3\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^10+(720\*A\*b^3+2160\*B\*a\*b^2+2240\*B\*b^3)\*sin(1/2\*d\*x+1/2\*c)^8\*cos(1/2\*d\*x+1/2\*c)+(-1512\*A\*a\*b^2-1080\*A\*b^3-1512\*B\*a^2\*b-3240\*B\*a\*b^2-2072\*B\*b^3)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+(1260\*A\*a^2\*b+1512\*A\*a\*b^2+840\*A\*b^3+420\*B\*a^3+1512\*B\*a^2\*b+2520\*B\*a\*b^2+952\*B\*b^3)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-630\*A\*a^2\*b-378\*A\*a\*b^2-240\*A\*b^3-210\*B\*a^3-378\*B\*a^2\*b-720\*B\*a\*b^2-168\*B\*b^3)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+315\*A\*a^2\*b\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+75\*A\*b^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-315\*A\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*a^3-567\*A\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*a^2\*b-147\*B\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*b^3)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^3\*sqrt(cos(d\*x + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral((Bb<sup>3</sup> cos(dx + c)<sup>4</sup> + Aa<sup>3</sup> + (3Bab<sup>2</sup> + Ab<sup>3</sup>) cos(dx + c)<sup>3</sup> + 3(Ba<sup>2</sup>b + Aab<sup>2</sup>) cos(dx + c)<sup>2</sup> + (Ba<sup>3</sup> + 3Aa<sup>2</sup>b) cos(dx + c)), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*b<sup>3</sup>\*cos(d\*x + c)<sup>4</sup> + A\*a<sup>3</sup> + (3\*B\*a\*b<sup>2</sup> + A\*b<sup>3</sup>)\*cos(d\*x + c)<sup>3</sup> + 3\*(B\*a<sup>2</sup>\*b + A\*a\*b<sup>2</sup>)\*cos(d\*x + c)<sup>2</sup> + (B\*a<sup>3</sup> + 3\*A\*a<sup>2</sup>\*b)\*cos(d\*x + c))\*sqrt(cos(d\*x + c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(a+b\*cos(d\*x+c))\*\*3\*(A+B\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^3\*sqrt(cos(d\*x + c)), x)



$$3.361 \quad \int \frac{(a+b \cos(c+dx))^3 (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=205

$$\frac{2(21a^3A + 21a^2bB + 21aAb^2 + 5b^3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{2(15a^2Ab + 5a^3B + 9ab^2B + 3Ab^3)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2b}{d}$$

```
[Out] (2*(15*a^2*A*b + 3*A*b^3 + 5*a^3*B + 9*a*b^2*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(21*a^3*A + 21*a*A*b^2 + 21*a^2*b*B + 5*b^3*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*b*(21*a*A*b + 18*a^2*B + 5*b^2*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*b^2*(7*A*b + 11*a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d) + (2*b*B*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^2*Sin[c + d*x])/(7*d)
```

**Rubi [A]** time = 0.477762, antiderivative size = 205, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2990, 3033, 3023, 2748, 2641, 2639}

$$\frac{2(21a^3A + 21a^2bB + 21aAb^2 + 5b^3B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d} + \frac{2(15a^2Ab + 5a^3B + 9ab^2B + 3Ab^3)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2b}{d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]],x]
```

```
[Out] (2*(15*a^2*A*b + 3*A*b^3 + 5*a^3*B + 9*a*b^2*B)*EllipticE[(c + d*x)/2, 2])/(5*d) + (2*(21*a^3*A + 21*a*A*b^2 + 21*a^2*b*B + 5*b^3*B)*EllipticF[(c + d*x)/2, 2])/(21*d) + (2*b*(21*a*A*b + 18*a^2*B + 5*b^2*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(21*d) + (2*b^2*(7*A*b + 11*a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(35*d) + (2*b*B*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^2*Sin[c + d*x])/(7*d)
```

### Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

### Rule 3033

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e + f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
```

&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^3 (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx = \frac{2bB\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^2 \sin(c + dx)}{7d} + \frac{2}{7} \int \frac{(a + b \cos(c + dx))^3 (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{2b^2(7Ab + 11aB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d} + \frac{2bB\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^2 \sin(c + dx)}{7d}$$

$$= \frac{2b(21aAb + 18a^2B + 5b^2B) \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} + \frac{2b^2(7Ab + 11aB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d}$$

$$= \frac{2b(21aAb + 18a^2B + 5b^2B) \sqrt{\cos(c + dx)} \sin(c + dx)}{21d} + \frac{2b^2(7Ab + 11aB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{35d}$$

$$= \frac{2(15a^2Ab + 3Ab^3 + 5a^3B + 9ab^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(21a^3A + 21a^2bB + 21aAb^2 + 5b^3B) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 42(15a^2Ab + 5a^3B + 9ab^2B + 3Ab^3) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + b \sin(c + dx)}{105d}$$

**Mathematica [A]** time = 1.26794, size = 158, normalized size = 0.77

$$\frac{10(21a^3A + 21a^2bB + 21aAb^2 + 5b^3B) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 42(15a^2Ab + 5a^3B + 9ab^2B + 3Ab^3) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + b \sin(c + dx)}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]], x]

[Out] (42\*(15\*a^2\*A\*b + 3\*A\*b^3 + 5\*a^3\*B + 9\*a\*b^2\*B)\*EllipticE[(c + d\*x)/2, 2] + 10\*(21\*a^3\*A + 21\*a\*A\*b^2 + 21\*a^2\*b\*B + 5\*b^3\*B)\*EllipticF[(c + d\*x)/2,

$2] + b\sqrt{\cos[c + dx]}(42b(Ab + 3aB)\cos[c + dx] + 5(42aAb + 42a^2B + 13b^2B + 3b^2B\cos[2(c + dx)])\sin[c + dx])/(105d)$

**Maple [B]** time = 3.418, size = 664, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(dx+c))^3*(A+B*cos(dx+c))/cos(dx+c)^(1/2),x)`

[Out] 
$$-2/105*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(240*B*b^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^8+(-168*A*b^3-504*B*a*b^2-360*B*b^3)*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)+(420*A*a*b^2+168*A*b^3+420*B*a^2*b+504*B*a*b^2+280*B*b^3)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-210*A*a*b^2-42*A*b^3-210*B*a^2*b-126*B*a*b^2-80*B*b^3)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-315*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2*b-63*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^3+105*A*a^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+105*A*a*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-105*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^3-189*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b^2+105*a^2*b*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+25*B*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^3}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(dx+c))^3*(A+B*cos(dx+c))/cos(dx+c)^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(dx + c) + A)*(b*cos(dx + c) + a)^3/sqrt(cos(dx + c)), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb^3 \cos(dx + c)^4 + Aa^3 + (3Bab^2 + Ab^3) \cos(dx + c)^3 + 3(Ba^2b + Aab^2) \cos(dx + c)^2 + (Ba^3 + 3Aa^2b) \cos(dx + c) + Aa^2b}{\sqrt{\cos(dx + c)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((B*b^3*cos(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*cos(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*cos(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*cos(d*x + c))/sqrt(cos(d*x + c)), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^3}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3/sqrt(cos(d*x + c)), x)
```

$$3.362 \quad \int \frac{(a+b \cos(c+dx))^3 (A+B \cos(c+dx))}{3 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=202

$$\frac{2(9a^2Ab + 3a^3B + 3ab^2B + Ab^3)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2(5a^3A - 15a^2bB - 15aAb^2 - 3b^3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} - \frac{2b(6a^2A - 2a^2B - 2ab^2 - b^3)}{3d}$$

[Out]  $(-2*(5*a^3*A - 15*a*A*b^2 - 15*a^2*b*B - 3*b^3*B)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(9*a^2*A*b + A*b^3 + 3*a^3*B + 3*a*b^2*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) - (2*b*(6*a^2*A - A*b^2 - 3*a*b*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) - (2*b^2*(5*a*A - b*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*d) + (2*a*A*(a + b*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

**Rubi [A]** time = 0.463768, antiderivative size = 202, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2989, 3033, 3023, 2748, 2641, 2639}

$$\frac{2(9a^2Ab + 3a^3B + 3ab^2B + Ab^3)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2(5a^3A - 15a^2bB - 15aAb^2 - 3b^3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} - \frac{2b(6a^2A - 2a^2B - 2ab^2 - b^3)}{3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])^3*(A + B*\text{Cos}[c + d*x])]/\text{Cos}[c + d*x]^{(3/2)}, x]$

[Out]  $(-2*(5*a^3*A - 15*a*A*b^2 - 15*a^2*b*B - 3*b^3*B)*\text{EllipticE}[(c + d*x)/2, 2])/(5*d) + (2*(9*a^2*A*b + A*b^3 + 3*a^3*B + 3*a*b^2*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) - (2*b*(6*a^2*A - A*b^2 - 3*a*b*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) - (2*b^2*(5*a*A - b*B)*\text{Cos}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(5*d) + (2*a*A*(a + b*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(d*\text{Sqrt}[\text{Cos}[c + d*x]])$

#### Rule 2989

$\text{Int}[(a_. + (b_.)*\text{sin}[e_. + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sin}[e_. + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b*c - a*d)*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m - 1)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)}]/(d*f*(n + 1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n + 1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m - 2)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)}]*\text{Simp}[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*\text{Sin}[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*\text{Sin}[e + f*x]^2, x], x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{LtQ}[n, -1]$

#### Rule 3033

$\text{Int}[(a_. + (b_.)*\text{sin}[e_. + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{sin}[e_. + (f_.)*(x_.)])^{(n_.)} + (C_.)*\text{sin}[e_. + (f_.)*(x_.)]^2), x\_Symbol] \rightarrow -\text{Simp}[(C*d*\text{Cos}[e + f*x]*\text{Sin}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)})/(b*f*(m + 3)), x] + \text{Dist}[1/(b*(m + 3)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*\text{Simp}[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(m + 3)))*\text{Sin}[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*\text{Sin}[e + f*x]^2, x], x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0]$

&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2, x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Sin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

### Rule 2748

Int[((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Sin[e + f\*x])^m, x], x] + Dist[d/b, Int[(b\*Sin[e + f\*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^3 (A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx &= \frac{2aA(a + b \cos(c + dx))^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{(a + b \cos(c + dx)) \left(\frac{1}{2}a(5Ab\right.}{\cos^{\frac{3}{2}}(c + dx)} \\ &= -\frac{2b^2(5aA - bB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{2aA(a + b \cos(c + dx))^2 \sin(c + dx)}{d\sqrt{\cos(c + dx)}} \\ &= -\frac{2b(6a^2A - Ab^2 - 3abB) \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} - \frac{2b^2(5aA - bB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} \\ &= -\frac{2b(6a^2A - Ab^2 - 3abB) \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} - \frac{2b^2(5aA - bB) \cos^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} \\ &= -\frac{2(5a^3A - 15aAb^2 - 15a^2bB - 3b^3B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(9a^2Ab + Ab^3) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} \end{aligned}$$

**Mathematica [A]** time = 1.08531, size = 150, normalized size = 0.74

$$\frac{10(9a^2Ab + 3a^3B + 3ab^2B + Ab^3) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + (-30a^3A + 90a^2bB + 90aAb^2 + 18b^3B) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{\sin(c + dx)}{\cos^{\frac{3}{2}}(c + dx)}}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]

[Out] ((-30\*a^3\*A + 90\*a\*A\*b^2 + 90\*a^2\*b\*B + 18\*b^3\*B)\*EllipticE[(c + d\*x)/2, 2] + 10\*(9\*a^2\*A\*b + A\*b^3 + 3\*a^3\*B + 3\*a\*b^2\*B)\*EllipticF[(c + d\*x)/2, 2] +

$$\left( (10*b^2*(A*b + 3*a*B)*\text{Cos}[c + d*x] + 3*(10*a^3*A + b^3*B + b^3*B*\text{Cos}[2*(c + d*x)])) * \text{Sin}[c + d*x] \right) / \sqrt{\text{Cos}[c + d*x]} / (15*d)$$

**Maple [B]** time = 3.497, size = 867, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\text{cos}(d*x+c))^3*(A+B*\text{cos}(d*x+c))/\text{cos}(d*x+c)^{(3/2)}, x)$

[Out] 
$$\begin{aligned} & -2/15*(-24*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^3*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+4*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^2*(5*A*b+15*B*a+6*B*b)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(15*A*a^3+5*A*b^3+15*B*a*b^2+3*B*b^3)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+45*A*a^2*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+5*A*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+15*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^3-45*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a*b^2+15*a^3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+15*B*a*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-45*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2*b-9*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^3)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b*\text{cos}(d*x+c))^3*(A+B*\text{cos}(d*x+c))/\text{cos}(d*x+c)^{(3/2)}, x, \text{algorithm} = "maxima")$

[Out]  $\text{integrate}((B*\text{cos}(d*x + c) + A)*(b*\text{cos}(d*x + c) + a)^3/\text{cos}(d*x + c)^{(3/2)}, x)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{Bb^3 \cos(dx + c)^4 + Aa^3 + (3Bab^2 + Ab^3) \cos(dx + c)^3 + 3(Ba^2b + Aab^2) \cos(dx + c)^2 + (Ba^3 + 3Aa^2b) \cos(dx + c)}{\cos(dx + c)^{\frac{3}{2}}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] integral((B*b^3*cos(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*cos(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*cos(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*cos(d*x + c))/cos(d*x + c)^(3/2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3/cos(d*x + c)^(3/2), x)
```



$$3.363 \quad \int \frac{(a+b \cos(c+dx))^3 (A+B \cos(c+dx))}{5 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=192

$$\frac{2(a^3 A + 9a^2 b B + 9a A b^2 + b^3 B) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} - \frac{2(3a^2 A b + a^3 B - 3a b^2 B - A b^3) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{2a^2(3aB + 7A)}{3d\sqrt{\cos}}$$

[Out]  $(-2*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*(a^3*A + 9*a*A*b^2 + 9*a^2*b*B + b^3*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^2*(7*A*b + 3*a*B)*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Cos}[c + d*x]]) - (2*b^2*(a*A - b*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*a*A*(a + b*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^(3/2))$

**Rubi [A]** time = 0.465498, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2989, 3031, 3023, 2748, 2641, 2639}

$$\frac{2(a^3 A + 9a^2 b B + 9a A b^2 + b^3 B) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} - \frac{2(3a^2 A b + a^3 B - 3a b^2 B - A b^3) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{d} + \frac{2a^2(3aB + 7A)}{3d\sqrt{\cos}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])^3*(A + B*\text{Cos}[c + d*x])/(\text{Cos}[c + d*x]^(5/2)), x]$

[Out]  $(-2*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*\text{EllipticE}[(c + d*x)/2, 2])/d + (2*(a^3*A + 9*a*A*b^2 + 9*a^2*b*B + b^3*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*d) + (2*a^2*(7*A*b + 3*a*B)*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Cos}[c + d*x]]) - (2*b^2*(a*A - b*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*a*A*(a + b*\text{Cos}[c + d*x])^2*\text{Sin}[c + d*x])/(3*d*\text{Cos}[c + d*x]^(3/2))$

#### Rule 2989

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^(n_.), x\_Symbol] := -\text{Simp}[(b*c - a*d)*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^(m - 1)*(c + d*\text{Sin}[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n + 1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^(m - 2)*(c + d*\text{Sin}[e + f*x])^(n + 1)*\text{Simp}[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*\text{Sin}[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*\text{Sin}[e + f*x]^2, x], x], x] /;$   
 $\text{FreeQ}\{a, b, c, d, e, f, A, B\}, x \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[m, 1] \ \&\& \ \text{LtQ}[n, -1]$

#### Rule 3031

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)]) + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] := -\text{Simp}[(b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - \text{Dist}[1/(b^2*(m + 1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^(m + 1)*\text{Simp}[b*(m + 1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m + 1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1)))]), x]$

```
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]
```

### Rule 3023

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Ssin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]
```

### Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_.)]), x_Symbol] := Dist[c, Int[(b*Ssin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Ssin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^3 (A + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx &= \frac{2aA(a + b \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{(a + b \cos(c + dx)) \left(\frac{1}{2}a(7Ab + 3a^2) + B \cos(c + dx)\right)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2a^2(7Ab + 3aB) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} + \frac{2aA(a + b \cos(c + dx))^2 \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} - \frac{4}{3} \int \frac{B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2a^2(7Ab + 3aB) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} - \frac{2b^2(aA - bB) \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2B \sqrt{\cos(c + dx)}}{3d} \\ &= \frac{2a^2(7Ab + 3aB) \sin(c + dx)}{3d \sqrt{\cos(c + dx)}} - \frac{2b^2(aA - bB) \sqrt{\cos(c + dx)} \sin(c + dx)}{3d} + \frac{2B \sqrt{\cos(c + dx)}}{3d} \\ &= -\frac{2(3a^2Ab - Ab^3 + a^3B - 3ab^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2(a^3A + 9aAb^2 + 9a^2bB + b^3B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d \sqrt{\cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 1.03276, size = 165, normalized size = 0.86

$$\frac{2(a^3A + 9a^2bB + 9aAb^2 + b^3B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 6(3a^2Ab + a^3B - 3ab^2B - Ab^3) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2),
x]
```

```
[Out] (-6*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 2*(a^3*A + 9*a*A*b^2 + 9*a^2*b*B + b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 18*a^2*A*b*Sin[c + d*x] + 6*a^3*B*Sin[c + d*x] + b^3*B*Sin[2*(c + d*x)] + 2*a^3*A*Tan[c + d*x])/(3*d*Sqrt[Cos[c + d*x]])
```

**Maple [B]** time = 9.1, size = 1212, normalized size = 6.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2), x)
```

```
[Out] 2/3*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)/(4*sin(1/2*d*x+1/2*c)^4-4*sin(1/2*d*x+1/2*c)^2+1)/sin(1/2*d*x+1/2*c)^3*(8*B*b^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+2*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a^3*sin(1/2*d*x+1/2*c)^2+18*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a*b^2*sin(1/2*d*x+1/2*c)^2+18*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a^2*b*sin(1/2*d*x+1/2*c)^2-6*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*b^3*sin(1/2*d*x+1/2*c)^2-36*A*a^2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+18*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a^2*b*sin(1/2*d*x+1/2*c)^2+2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*b^3*sin(1/2*d*x+1/2*c)^2+6*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a^3*sin(1/2*d*x+1/2*c)^2-18*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*a*b^2*sin(1/2*d*x+1/2*c)^2-12*B*a^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-8*B*b^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-A*a^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-9*A*a*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-9*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*a^2*b+3*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*b^3+2*A*a^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+18*A*a^2*b*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2-9*a^2*b*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-B*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*a^3+9*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*a*b^2+6*B*a^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+2*B*b^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{Bb^3 \cos(dx + c)^4 + Aa^3 + (3 Bab^2 + Ab^3) \cos(dx + c)^3 + 3 (Ba^2b + Aab^2) \cos(dx + c)^2 + (Ba^3 + 3 Aa^2b) \cos(dx + c) + A^2a}{\cos(dx + c)^{\frac{5}{2}}} \right) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B\*b^3\*cos(d\*x + c)^4 + A\*a^3 + (3\*B\*a\*b^2 + A\*b^3)\*cos(d\*x + c)^3 + 3\*(B\*a^2\*b + A\*a\*b^2)\*cos(d\*x + c)^2 + (B\*a^3 + 3\*A\*a^2\*b)\*cos(d\*x + c))/cos(d\*x + c)^(5/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(5/2), x)

$$3.364 \quad \int \frac{(a+b \cos(c+dx))^3 (A+B \cos(c+dx))}{7 \cos^2(c+dx)} dx$$

**Optimal.** Leaf size=204

$$\frac{2(3a^2Ab + a^3B + 9ab^2B + 3Ab^3)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2(3a^3A + 15a^2bB + 15aAb^2 - 5b^3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(3a^2}{$$

```
[Out] (-2*(3*a^3*A + 15*a*A*b^2 + 15*a^2*b*B - 5*b^3*B)*EllipticE[(c + d*x)/2, 2]
)/(5*d) + (2*(3*a^2*A*b + 3*A*b^3 + a^3*B + 9*a*b^2*B)*EllipticF[(c + d*x)/
2, 2])/(3*d) + (2*a^2*(9*A*b + 5*a*B)*Sin[c + d*x])/(15*d*Cos[c + d*x]^(3/2
)) + (2*a*(3*a^2*A + 14*A*b^2 + 15*a*b*B)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d
*x]]) + (2*a*A*(a + b*Cos[c + d*x])^2*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2
))
```

**Rubi [A]** time = 0.48152, antiderivative size = 204, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2989, 3031, 3021, 2748, 2641, 2639}

$$\frac{2(3a^2Ab + a^3B + 9ab^2B + 3Ab^3)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2(3a^3A + 15a^2bB + 15aAb^2 - 5b^3B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2a(3a^2}{$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2),x]
```

```
[Out] (-2*(3*a^3*A + 15*a*A*b^2 + 15*a^2*b*B - 5*b^3*B)*EllipticE[(c + d*x)/2, 2]
)/(5*d) + (2*(3*a^2*A*b + 3*A*b^3 + a^3*B + 9*a*b^2*B)*EllipticF[(c + d*x)/
2, 2])/(3*d) + (2*a^2*(9*A*b + 5*a*B)*Sin[c + d*x])/(15*d*Cos[c + d*x]^(3/2
)) + (2*a*(3*a^2*A + 14*A*b^2 + 15*a*b*B)*Sin[c + d*x])/(5*d*Sqrt[Cos[c + d
*x]]) + (2*a*A*(a + b*Cos[c + d*x])^2*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2
))
```

#### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -S
imp[(b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c +
d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Ssin[e + f*x])^(m - 2)*(c + d*Ssin[e + f*x])^(n + 1
)]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

#### Rule 3031

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f
_.)*(x_)])^2), x_Symbol] := -Simp[(b*c - a*d)*(A*b^2 - a*b*B + a^2*C)*Cos[e
+ f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b^2*f*(m + 1)*(a^2 - b^2)), x] - Dis
t[1/(b^2*(m + 1)*(a^2 - b^2)), Int[(a + b*Ssin[e + f*x])^(m + 1)*Simp[b*(m +
```

```
1)*((b*B - a*C)*(b*c - a*d) - A*b*(a*c - b*d)) + (b*B*(a^2*d + b^2*d*(m + 1) - a*b*c*(m + 2)) + (b*c - a*d)*(A*b^2*(m + 2) + C*(a^2 + b^2*(m + 1))))*
Sin[e + f*x] - b*C*d*(m + 1)*(a^2 - b^2)*Sin[e + f*x]^2, x], x] /; Free
Q[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& LtQ[m, -1]
```

Rule 3021

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2), x_Symbol] := -Simp[((A*b^2
- a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1))/(b*f*(m + 1)*(
a^2 - b^2)), x] + Dist[1/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Ssin[e + f*x])^
(m + 1)*Simp[b*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C + b*(A*b
- a*B + b*C)*(m + 1))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B,
C}, x] && LtQ[m, -1] && NeQ[a^2 - b^2, 0]
```

Rule 2748

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_.)]), x_Symbol] := Dist[c, Int[(b*Ssin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Ssin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^3 (A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx = \frac{2aA(a + b \cos(c + dx))^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + b \cos(c + dx)) \left(\frac{1}{2}a(9Ab + 5aB) \sin(c + dx) + \frac{2}{5}a(9Ab + 5aB) \sin(c + dx) + \frac{2aA(a + b \cos(c + dx))^2 \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} - \frac{4}{15} \frac{2a^2(9Ab + 5aB) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a(3a^2A + 14Ab^2 + 15abB) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}}\right)}{\cos^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2a^2(9Ab + 5aB) \sin(c + dx)}{15d \cos^{\frac{3}{2}}(c + dx)} + \frac{2a(3a^2A + 14Ab^2 + 15abB) \sin(c + dx)}{5d \sqrt{\cos(c + dx)}} + \frac{2(3a^3A + 15aAb^2 + 15a^2bB - 5b^3B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d} + \frac{2(3a^2Ab + 3a^2bB + 3Ab^3) \cos^{\frac{3}{2}}(c + dx) F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 6(3a^3A + 15a^2bB - 5b^3B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d \cos^{\frac{3}{2}}(c + dx)}$$

**Mathematica [A]** time = 2.08235, size = 176, normalized size = 0.86

$$\frac{9a(a^2A + 5abB + 5Ab^2) \sin(2(c + dx)) + 10(3a^2Ab + a^3B + 9ab^2B + 3Ab^3) \cos^{\frac{3}{2}}(c + dx) F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 6(3a^3A + 15a^2bB - 5b^3B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{15d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x]))/cos[c + d\*x]^(7/2), x]

[Out] (-6\*(3\*a^3\*A + 15\*a\*A\*b^2 + 15\*a^2\*b\*B - 5\*b^3\*B)\*cos[c + d\*x]^(3/2)\*EllipticE[(c + d\*x)/2, 2] + 10\*(3\*a^2\*A\*b + 3\*A\*b^3 + a^3\*B + 9\*a\*b^2\*B)\*cos[c + d\*x]^(3/2)\*EllipticF[(c + d\*x)/2, 2] + 10\*a^2\*(3\*A\*b + a\*B)\*sin[c + d\*x] + 9\*a\*(a^2\*A + 5\*A\*b^2 + 5\*a\*b\*B)\*sin[2\*(c + d\*x)] + 6\*a^3\*A\*Tan[c + d\*x])/(15\*d\*cos[c + d\*x]^(3/2))

**Maple [B]** time = 10.698, size = 997, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2), x)

[Out] -(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*B\*b^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2)))+2\*A\*b^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+6\*B\*a\*b^2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-2\*B\*b^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+6\*a\*b\*(A\*b+B\*a)\*(-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+2\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2/sin(1/2\*d\*x+1/2\*c)^2/(2\*sin(1/2\*d\*x+1/2\*c)^2-1)+2\*a^2\*(3\*A\*b+B\*a)\*(-1/6\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(cos(1/2\*d\*x+1/2\*c)^2-1/2)^2+1/3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2)))-2/5\*A\*a^3/(8\*sin(1/2\*d\*x+1/2\*c)^6-12\*sin(1/2\*d\*x+1/2\*c)^4+6\*sin(1/2\*d\*x+1/2\*c)^2-1)/sin(1/2\*d\*x+1/2\*c)^2\*(12\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^4-24\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)-12\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2+24\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-8\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2))/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(7/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{Bb^3 \cos(dx + c)^4 + Aa^3 + (3Bab^2 + Ab^3) \cos(dx + c)^3 + 3(Ba^2b + Aab^2) \cos(dx + c)^2 + (Ba^3 + 3Aa^2b) \cos(dx + c) + A^2}{\cos(dx + c)^{\frac{7}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((B\*b^3\*cos(d\*x + c)^4 + A\*a^3 + (3\*B\*a\*b^2 + A\*b^3)\*cos(d\*x + c)^3 + 3\*(B\*a^2\*b + A\*a\*b^2)\*cos(d\*x + c)^2 + (B\*a^3 + 3\*A\*a^2\*b)\*cos(d\*x + c))/cos(d\*x + c)^(7/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^3}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^3/cos(d\*x + c)^(7/2), x)



$$3.365 \quad \int \frac{\cos^5(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=182

$$\frac{2(3a^2 + b^2)(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^4d} - \frac{2(-5a^2B + 5aAb - 3b^2B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5b^3d} - \frac{2a^3(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx)\right)}{b^4d(a + b)}$$

[Out]  $(-2*(5*a*A*b - 5*a^2*B - 3*b^2*B)*\text{EllipticE}[(c + d*x)/2, 2])/(5*b^3*d) + (2*(3*a^2 + b^2)*(A*b - a*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*b^4*d) - (2*a^3*(A*b - a*B)*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(b^4*(a + b)*d) + (2*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*b^2*d) + (2*B*\text{Cos}[c + d*x]^(3/2)*\text{Sin}[c + d*x])/(5*b*d)$

**Rubi [A]** time = 0.819539, antiderivative size = 182, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2990, 3049, 3059, 2639, 3002, 2641, 2805}

$$\frac{2(3a^2 + b^2)(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^4d} - \frac{2(-5a^2B + 5aAb - 3b^2B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5b^3d} - \frac{2a^3(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx)\right)}{b^4d(a + b)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]^(5/2)*(A + B*\text{Cos}[c + d*x]))/(a + b*\text{Cos}[c + d*x]), x]$

[Out]  $(-2*(5*a*A*b - 5*a^2*B - 3*b^2*B)*\text{EllipticE}[(c + d*x)/2, 2])/(5*b^3*d) + (2*(3*a^2 + b^2)*(A*b - a*B)*\text{EllipticF}[(c + d*x)/2, 2])/(3*b^4*d) - (2*a^3*(A*b - a*B)*\text{EllipticPi}[(2*b)/(a + b), (c + d*x)/2, 2])/(b^4*(a + b)*d) + (2*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*b^2*d) + (2*B*\text{Cos}[c + d*x]^(3/2)*\text{Sin}[c + d*x])/(5*b*d)$

#### Rule 2990

$\text{Int}[(a + b*\sin[(e + f*x)*(x)])^(m)*((A + B*\sin[(e + f*x)*(x)])*((c + d*\sin[(e + f*x)*(x)])^(n)), x\_Symbol] := -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^(m - 1)*(c + d*\text{Sin}[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + \text{Dist}[1/(d*(m + n + 1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^(m - 2)*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*\text{Sin}[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& !( \text{IGtQ}[n, 1] \&\& ( !\text{IntegerQ}[m] || (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0]) ) )$

#### Rule 3049

$\text{Int}[(a + b*\sin[(e + f*x)*(x)])^(m)*((c + d*\sin[(e + f*x)*(x)]) + (A + B*\sin[(e + f*x)*(x)] + C*\sin[(e + f*x)*(x)]^2), x\_Symbol] := -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + \text{Dist}[1/(d*(m + n + 2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^(m - 1)*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*\text{Sin}[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m,$

0] && !(IGtQ[n, 0] && ( !IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^m)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

### Rubi steps

$$\begin{aligned} \int \frac{\cos^5(c+dx)(A+B\cos(c+dx))}{a+b\cos(c+dx)} dx &= \frac{2B\cos^3(c+dx)\sin(c+dx)}{5bd} + \frac{2\int \frac{\sqrt{\cos(c+dx)}\left(\frac{3aB}{2} + \frac{3}{2}bB\cos(c+dx) + \frac{5}{2}(Ab-aB)\cos^2(c+dx)\right)}{a+b\cos(c+dx)} dx}{5b} \\ &= \frac{2(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{3b^2d} + \frac{2B\cos^3(c+dx)\sin(c+dx)}{5bd} + \frac{4\int \frac{\frac{5}{4}a(A+B\cos(c+dx))\sqrt{\cos(c+dx)}}{a+b\cos(c+dx)} dx}{5b} \\ &= \frac{2(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{3b^2d} + \frac{2B\cos^3(c+dx)\sin(c+dx)}{5bd} - \frac{4\int \frac{\frac{5}{4}ab\cos^2(c+dx)}{a+b\cos(c+dx)} dx}{5b} \\ &= -\frac{2(5aAb-5a^2B-3b^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5b^3d} + \frac{2(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{3b^2d} \\ &= -\frac{2(5aAb-5a^2B-3b^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{5b^3d} + \frac{2(3a^2+b^2)(Ab-aB)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3b^4d} \end{aligned}$$

**Mathematica [A]** time = 2.37185, size = 264, normalized size = 1.45

$$\frac{2b^2(5a^2B-5aAb+9b^2B)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\right)}{a+b} + \frac{6(5a^2B-5aAb+3b^2B)\sin(c+dx)\left((2a^2-b^2)\Pi\left(-\frac{b}{a}; -\sin^{-1}(\sqrt{\cos(c+dx)})\right)-1\right)+2a(a+b)F(\sin^{-1}(\sqrt{\cos(c+dx)})\right)}{a\sqrt{\sin^2(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(5/2)\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x]), x]

[Out] ((2\*b^2\*(-5\*a\*A\*b + 5\*a^2\*B + 9\*b^2\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b) + 2\*b^2\*(5\*A\*b + 4\*a\*B)\*(2\*EllipticF[(c + d\*x)/2, 2] - (2\*a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b)) + 4\*b^2\*Sqrt[Cos[c + d\*x]]\*(5\*A\*b - 5\*a\*B + 3\*b\*B\*Cos[c + d\*x])\*Sin[c + d\*x] + (6\*(-5\*a\*A\*b + 5\*a^2\*B + 3\*b^2\*B)\*(-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (2\*a^2 - b^2)\*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/(a\*Sqrt[Sin[c + d\*x]^2]))/(30\*b^4\*d)

**Maple [B]** time = 4.116, size = 1074, normalized size = 5.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)), x)

[Out] -2/15\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*((-24\*B\*a\*b^3+24\*B\*b^4)\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+(20\*A\*a\*b^3-20\*A\*b^4-20\*B\*a^2\*b^2+44\*B\*a\*b^3-24\*B\*b^4)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-10\*A\*a\*b^3+10\*A\*b^4+10\*B\*a^2\*b^2-16\*B\*a\*b^3+6\*B\*b^4)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+15\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*a^3\*b-15\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*a^2\*b^2+5\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*a\*b^3-5\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*b^4+15\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*a^2\*b^2-15\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*a\*b^3-15\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c), -2\*b/(a-b), 2^(1/2))\*a^3\*b-15\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*a^4+15\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*a^3\*b-5\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*a^2\*b^2+5\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*a\*b^3-15\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*a^3\*b+15\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*a^2\*b^2-9\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*a\*b^3+9\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*b^4+15\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c), -2\*b/(a-b), 2^(1/2))\*a^4)/b^4/(a-b)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/s

$\ln(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a), x)

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a), x)

$$3.366 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=137

$$\frac{2(-3a^2B + 3aAb - b^2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3b^3d} + \frac{2a^2(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{b^3d(a+b)} + \frac{2(Ab - aB)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d} + \frac{2B}{b^2d}$$

[Out] (2\*(A\*b - a\*B)\*EllipticE[(c + d\*x)/2, 2])/(b^2\*d) - (2\*(3\*a\*A\*b - 3\*a^2\*B - b^2\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*b^3\*d) + (2\*a^2\*(A\*b - a\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(b^3\*(a + b)\*d) + (2\*B\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*b\*d)

**Rubi [A]** time = 0.513183, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2990, 3059, 2639, 3002, 2641, 2805}

$$\frac{2(-3a^2B + 3aAb - b^2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3b^3d} + \frac{2a^2(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{b^3d(a+b)} + \frac{2(Ab - aB)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d} + \frac{2B}{b^2d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x]),x]

[Out] (2\*(A\*b - a\*B)\*EllipticE[(c + d\*x)/2, 2])/(b^2\*d) - (2\*(3\*a\*A\*b - 3\*a^2\*B - b^2\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*b^3\*d) + (2\*a^2\*(A\*b - a\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(b^3\*(a + b)\*d) + (2\*B\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*b\*d)

#### Rule 2990

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^2\*A\*d\*(m + n + 1) + b\*B\*(b\*c\*(m - 1) + a\*d\*(n + 1)) + (a\*d\*(2\*A\*b + a\*B)\*(m + n + 1) - b\*B\*(a\*c - b\*d\*(m + n)))\*Sin[e + f\*x] + b\*(A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x]^2, x], x, x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])], x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{a + b \cos(c + dx)} dx = \frac{2B\sqrt{\cos(c + dx)} \sin(c + dx)}{3bd} + \frac{2 \int \frac{\frac{aB}{2} + \frac{1}{2}bB \cos(c+dx) + \frac{3}{2}(Ab-aB) \cos^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx}{3b}$$

$$= \frac{2B\sqrt{\cos(c + dx)} \sin(c + dx)}{3bd} - \frac{2 \int \frac{-\frac{1}{2}abB + \frac{1}{2}(3aAb - 3a^2B - b^2B) \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx}{3b^2} + \frac{(Ab - aB)}{a+b}$$

$$= \frac{2(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d} + \frac{2B\sqrt{\cos(c + dx)} \sin(c + dx)}{3bd} + \frac{(a^2(Ab - aB)) \int}{3bd}$$

$$= \frac{2(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d} - \frac{2(3aAb - 3a^2B - b^2B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^3d} + \frac{2a^2(Ab - aB)}{a+b}$$

**Mathematica [A]** time = 1.41444, size = 209, normalized size = 1.53

$$\frac{3(Ab - aB) \sin(c + dx) \left( (b^2 - 2a^2) \Pi\left(-\frac{b}{a}; -\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) - 2a(a + b) F\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) + 2abE\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) \right)}{ab^2 \sqrt{\sin^2(c + dx)}} + \frac{(3Ab - aB) \Pi\left(\frac{2b}{a + b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a + b}$$

3bd

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]
```

```
[Out] (((3*A*b - a*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + B*(2*E
llipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/
(a + b)) + 2*B*Sqrt[Cos[c + d*x]]*Sin[c + d*x] - (3*(A*b - a*B)*(2*a*b*Elli
pticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*a*(a + b)*EllipticF[ArcSin[Sqrt[C
os[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c +
d*x]]], -1])*Sin[c + d*x])/(a*b^2*Sqrt[Sin[c + d*x]^2]))/(3*b*d)
```

---

**Maple [B]** time = 3.556, size = 786, normalized size = 5.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x)`

[Out] 
$$\frac{2}{3} \left( (2 \cos(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1) \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 \right)^{1/2} \left( (-4 B a^2 b^2 + 4 B^2 b^3) \cos(\frac{1}{2} d x + \frac{1}{2} c) \sin(\frac{1}{2} d x + \frac{1}{2} c)^4 + (2 B a^2 b^2 - 2 B^2 b^3) \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 \cos(\frac{1}{2} d x + \frac{1}{2} c) + 3 A a^2 b \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 \right)^{1/2} \left( 2 \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1 \right)^{1/2} \text{EllipticF}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{1/2}) - 3 A a^2 b^2 \left( \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 \right)^{1/2} \left( 2 \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1 \right)^{1/2} \text{EllipticF}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{1/2}) + 3 A \text{EllipticE}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{1/2}) \left( \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 \right)^{1/2} \left( 2 \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1 \right)^{1/2} a^2 b^2 - 3 A \left( \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 \right)^{1/2} \left( 2 \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1 \right)^{1/2} \text{EllipticE}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{1/2}) b^3 - 3 A \left( \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 \right)^{1/2} \left( 2 \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1 \right)^{1/2} \text{EllipticPi}(\cos(\frac{1}{2} d x + \frac{1}{2} c), -2 b / (a - b), 2^{1/2}) a^2 b - 3 a^3 B \left( \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 \right)^{1/2} \left( 2 \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1 \right)^{1/2} \text{EllipticF}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{1/2}) + 3 a^2 b B \left( \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 \right)^{1/2} \left( 2 \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1 \right)^{1/2} \text{EllipticF}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{1/2}) - B a^2 b^2 \left( \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 \right)^{1/2} \left( 2 \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1 \right)^{1/2} \text{EllipticF}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{1/2}) + B b^3 \left( \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 \right)^{1/2} \left( 2 \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1 \right)^{1/2} \text{EllipticF}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{1/2}) - 3 B \text{EllipticE}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{1/2}) \left( \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 \right)^{1/2} \left( 2 \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1 \right)^{1/2} a^2 b + 3 B \left( \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 \right)^{1/2} \left( 2 \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1 \right)^{1/2} \text{EllipticE}(\cos(\frac{1}{2} d x + \frac{1}{2} c), 2^{1/2}) a^2 b^2 + 3 B \left( \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 \right)^{1/2} \left( 2 \sin(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1 \right)^{1/2} \text{EllipticPi}(\cos(\frac{1}{2} d x + \frac{1}{2} c), -2 b / (a - b), 2^{1/2}) a^3 / b^3 / (a - b) / (-2 \sin(\frac{1}{2} d x + \frac{1}{2} c)^4 + \sin(\frac{1}{2} d x + \frac{1}{2} c)^2)^{1/2} / \sin(\frac{1}{2} d x + \frac{1}{2} c) / (2 \cos(\frac{1}{2} d x + \frac{1}{2} c)^2 - 1)^{1/2} / d$$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^3}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a), x)`

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fricas")`

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a), x)



$$3.367 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=89

$$\frac{2(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d} - \frac{2a(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{b^2d(a + b)} + \frac{2BE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd}$$

[Out] (2\*B\*EllipticE[(c + d\*x)/2, 2])/(b\*d) + (2\*(A\*b - a\*B)\*EllipticF[(c + d\*x)/2, 2])/(b^2\*d) - (2\*a\*(A\*b - a\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(b^2\*(a + b)\*d)

**Rubi [A]** time = 0.209688, antiderivative size = 89, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {3002, 2639, 2803, 2641, 2805}

$$\frac{2(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d} - \frac{2a(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{b^2d(a + b)} + \frac{2BE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x]),x]

[Out] (2\*B\*EllipticE[(c + d\*x)/2, 2])/(b\*d) + (2\*(A\*b - a\*B)\*EllipticF[(c + d\*x)/2, 2])/(b^2\*d) - (2\*a\*(A\*b - a\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(b^2\*(a + b)\*d)

#### Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]))/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2803

Int[Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[d/b, Int[1/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[(b\*c - a\*d)/b, Int[1/((a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] :> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rubi steps

$$\int \frac{\sqrt{\cos(c + dx)}(A + B \cos(c + dx))}{a + b \cos(c + dx)} dx = \frac{B \int \sqrt{\cos(c + dx)} dx}{b} - \frac{(-Ab + aB) \int \frac{\sqrt{\cos(c+dx)}}{a+b \cos(c+dx)} dx}{b}$$

$$= \frac{2BE \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{bd} + \frac{(Ab - aB) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{b^2} - \frac{(a(Ab - aB)) \int \frac{1}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx}{b^2}$$

$$= \frac{2BE \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{bd} + \frac{2(Ab - aB)F \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{b^2d} - \frac{2a(Ab - aB)\Pi \left( \frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2 \right)}{b^2(a + b)d}$$

**Mathematica [A]** time = 0.862844, size = 131, normalized size = 1.47

$$\frac{Ab \left( 2F \left( \frac{1}{2}(c + dx) \middle| 2 \right) - \frac{2a\Pi \left( \frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2 \right)}{a+b} \right) - \frac{2B \sin(c+dx) \left( -(a+b)F(\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1) - a\Pi \left( -\frac{b}{a}; -\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1 \right) + bE(\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1) \right)}{\sqrt{\sin^2(c+dx)}}}{b^2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x]),x]
```

```
[Out] (A*b*(2*EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b)) - (2*B*(b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - (a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] - a*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/Sqrt[Sin[c + d*x]^2])/(b^2*d)
```

**Maple [A]** time = 3.138, size = 295, normalized size = 3.3

$$-2 \frac{\sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)(\sin(1/2 dx + c/2))^2} \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 + 1}}{(a - b)b^2 \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \sin(1/2 dx + c/2)} \sqrt{2(\cos(1/2 dx + c/2))^2 - 1}d} \left( A \text{EllipticF} \left( \frac{1}{2}(c + dx) \middle| 2 \right) - \frac{2a\Pi \left( \frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2 \right)}{a+b} \right) - \frac{2B \sin(c+dx) \left( -(a+b)F(\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1) - a\Pi \left( -\frac{b}{a}; -\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1 \right) + bE(\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1) \right)}{\sqrt{\sin^2(c+dx)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c)),x)
```

```
[Out] -2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*(A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a*b-A*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*b^2-A*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))*a*b-B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a^2+B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a*b-B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b+B*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^2+B*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))*a^2)/b^2/(a-b)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a), x)

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a), x)

$$3.368 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)(a+b \cos(c+dx))}} dx$$

**Optimal.** Leaf size=61

$$\frac{2(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{bd(a + b)} + \frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd}$$

[Out] (2\*B\*EllipticF[(c + d\*x)/2, 2])/(b\*d) + (2\*(A\*b - a\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(b\*(a + b)\*d)

**Rubi [A]** time = 0.143713, antiderivative size = 61, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.091$ , Rules used = {3002, 2641, 2805}

$$\frac{2(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{bd(a + b)} + \frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])),x]

[Out] (2\*B\*EllipticF[(c + d\*x)/2, 2])/(b\*d) + (2\*(A\*b - a\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(b\*(a + b)\*d)

#### Rule 3002

Int[(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]))/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2641

Int[1/Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2805

Int[1/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)(a + b \cos(c + dx))}} dx &= \frac{B \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{b} - \frac{(-Ab + aB) \int \frac{1}{\sqrt{\cos(c + dx)(a + b \cos(c + dx))}} dx}{b} \\ &= \frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd} + \frac{2(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{b(a + b)d} \end{aligned}$$

**Mathematica [A]** time = 0.210523, size = 58, normalized size = 0.95

$$\frac{2 \left( (Ab - aB) \Pi \left( \frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2 \right) + B(a + b) F \left( \frac{1}{2}(c + dx) \middle| 2 \right) \right)}{bd(a + b)}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])),x]

[Out] (2\*((a + b)\*B\*EllipticF[(c + d\*x)/2, 2] + (A\*b - a\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]))/(b\*(a + b)\*d)

**Maple [A]** time = 3.542, size = 217, normalized size = 3.6

$$-2 \frac{\sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)(\sin(1/2 dx + c/2))^2} \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 + 1}}{b(a - b) \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \sin(1/2 dx + c/2)} \sqrt{2(\cos(1/2 dx + c/2))^2 - 1} d} \left( \text{AElliptic} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x)

[Out] -2\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*(A\*EllipticPi(cos(1/2\*d\*x+1/2\*c),-2\*b/(a-b),2^(1/2))\*b+B\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*a-B\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*b-B\*EllipticPi(cos(1/2\*d\*x+1/2\*c),-2\*b/(a-b),2^(1/2))\*a)/b/(a-b)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))), x)

$$3.369 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))} dx$$

**Optimal.** Leaf size=86

$$-\frac{2(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{ad(a + b)} - \frac{2AE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{2A \sin(c + dx)}{ad\sqrt{\cos(c + dx)}}$$

[Out] (-2\*A\*EllipticE[(c + d\*x)/2, 2])/(a\*d) - (2\*(A\*b - a\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a\*(a + b)\*d) + (2\*A\*Sin[c + d\*x])/(a\*d\*Sqrt[Cos[c + d\*x]])

**Rubi [A]** time = 0.309194, antiderivative size = 86, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {3000, 3059, 2639, 12, 2805}

$$-\frac{2(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{ad(a + b)} - \frac{2AE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{2A \sin(c + dx)}{ad\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])),x]

[Out] (-2\*A\*EllipticE[(c + d\*x)/2, 2])/(a\*d) - (2\*(A\*b - a\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a\*(a + b)\*d) + (2\*A\*Sin[c + d\*x])/(a\*d\*Sqrt[Cos[c + d\*x]])

#### Rule 3000

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(1 + n))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(a\*A - b\*B)\*(b\*c - a\*d)\*(m + 1) + b\*d\*(A\*b - a\*B)\*(m + n + 2) + (A\*b - a\*B)\*(a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(A\*b - a\*B)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])), x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))} dx = \frac{2A \sin(c + dx)}{ad\sqrt{\cos(c + dx)}} + \frac{2 \int \frac{\frac{1}{2}(-Ab+aB) - \frac{1}{2}aA \cos(c+dx) - \frac{1}{2}Ab \cos^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx}{a}$$

$$= \frac{2A \sin(c + dx)}{ad\sqrt{\cos(c + dx)}} - \frac{A \int \sqrt{\cos(c + dx)} dx}{a} - \frac{2 \int \frac{b(Ab-aB)}{2\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx}{ab}$$

$$= -\frac{2AE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{2A \sin(c + dx)}{ad\sqrt{\cos(c + dx)}} - \frac{(Ab - aB) \int \frac{1}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx}{a}$$

$$= -\frac{2AE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} - \frac{2(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a(a + b)d} + \frac{2A \sin(c + dx)}{ad\sqrt{\cos(c + dx)}}$$

**Mathematica [B]** time = 2.40571, size = 210, normalized size = 2.44

$$\frac{2A \sin(c+dx) \left( (2a^2-b^2)\Pi\left(-\frac{b}{a}; -\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1\right) + 2a(a+b)F\left(\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1\right) - 2abE\left(\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1\right) \right)}{ab\sqrt{\sin^2(c+dx)}} + \frac{2(2aB-3Ab)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\right)}{a+b}$$


---

2ad

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])),x]
```

```
[Out] ((2*(-3*A*b + 2*a*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) - (2*a*A*(2*EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b)))/b + (4*A*Sin[c + d*x])/Sqrt[Cos[c + d*x]] - (2*A*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (2*a^2 - b^2)*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b*Sqrt[Sin[c + d*x]^2]))/(2*a*d)
```

**Maple [B]** time = 6.233, size = 327, normalized size = 3.8

$$-\frac{1}{d} \sqrt{-(-2(\cos(1/2 dx + c/2))^2 + 1) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left( -4 \frac{(-Ab + aB) b \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2}}{a(-2ab + 2b^2) \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.



[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x)

[Out] 
$$-\left(-\left(-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}\left(-4\left(-A*b+B*a\right)/a\right. \\ \left./\left(-2*a*b+2*b^2\right)*b*\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}*\left(-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)^{\frac{1}{2}}\right. \\ \left./\left(-2*\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}*\text{EllipticPi}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),\right. \\ \left.-2*b/(a-b),2^{\frac{1}{2}}\right)+2*A/a*\left(-\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}*\left(2*\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^{\frac{1}{2}}\right. \\ \left.*\left(-2*\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}*\text{EllipticE}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),2^{\frac{1}{2}}\right)+2*\left(-2*\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{\frac{1}{2}}*\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)*\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2/\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2/\left(2*\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)/\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)/\left(2*\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^{\frac{1}{2}}\right)/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(3/2)), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)*cos(d*x + c)^(3/2)), x)
```

$$3.370 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))} dx$$

**Optimal.** Leaf size=150

$$\frac{2(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d} + \frac{2b(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a^2d(a + b)} - \frac{2(Ab - aB)\sin(c + dx)}{a^2d\sqrt{\cos(c + dx)}} + \frac{2AF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3ad} + \frac{2(Ab - aB)\sin(c + dx)}{3ad}$$

[Out] (2\*(A\*b - a\*B)\*EllipticE[(c + d\*x)/2, 2])/(a^2\*d) + (2\*A\*EllipticF[(c + d\*x)/2, 2])/(3\*a\*d) + (2\*b\*(A\*b - a\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a^2\*(a + b)\*d) + (2\*A\*Sin[c + d\*x])/(3\*a\*d\*Cos[c + d\*x]^(3/2)) - (2\*(A\*b - a\*B)\*Sin[c + d\*x])/(a^2\*d\*Sqrt[Cos[c + d\*x]])

**Rubi [A]** time = 0.770002, antiderivative size = 150, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {3000, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{2(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d} + \frac{2b(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a^2d(a + b)} - \frac{2(Ab - aB)\sin(c + dx)}{a^2d\sqrt{\cos(c + dx)}} + \frac{2AF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3ad} + \frac{2(Ab - aB)\sin(c + dx)}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])),x]

[Out] (2\*(A\*b - a\*B)\*EllipticE[(c + d\*x)/2, 2])/(a^2\*d) + (2\*A\*EllipticF[(c + d\*x)/2, 2])/(3\*a\*d) + (2\*b\*(A\*b - a\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a^2\*(a + b)\*d) + (2\*A\*Sin[c + d\*x])/(3\*a\*d\*Cos[c + d\*x]^(3/2)) - (2\*(A\*b - a\*B)\*Sin[c + d\*x])/(a^2\*d\*Sqrt[Cos[c + d\*x]])

### Rule 3000

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(1 + n))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(a\*A - b\*B)\*(b\*c - a\*d)\*(m + 1) + b\*d\*(A\*b - a\*B)\*(m + n + 2) + (A\*b - a\*B)\*(a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(A\*b - a\*B)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c

```
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

### Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^m)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

### Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))} dx = \frac{2A \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} + \frac{2 \int \frac{-\frac{3}{2}(Ab - aB) + \frac{1}{2}aA \cos(c + dx) + \frac{1}{2}Ab \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))} dx}{3a}$$

$$= \frac{2A \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} - \frac{2(Ab - aB) \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} + \frac{4 \int \frac{\frac{1}{4}(a^2 A + 3Ab^2 - 3abB) + \frac{1}{4}a(4Ab - 3aB)}{\sqrt{\cos(c + dx)}} dx}{3}$$

$$= \frac{2A \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} - \frac{2(Ab - aB) \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} - \frac{4 \int \frac{-\frac{1}{4}b(a^2 A + 3Ab^2 - 3abB) - \frac{1}{4}aAb^2 \cos(c + dx)}{\sqrt{\cos(c + dx)(a + b \cos(c + dx))}} dx}{3a^2 b}$$

$$= \frac{2(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} + \frac{2A \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} - \frac{2(Ab - aB) \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} + \frac{2(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} + \frac{2AF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3ad} + \frac{2b(Ab - aB)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx)\right)}{a^2(a + b)d}$$

**Mathematica [A]** time = 2.20994, size = 262, normalized size = 1.75

$$\frac{2a(2a^2 A - 9abB + 9Ab^2)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a+b} - \frac{6(Ab - aB) \sin(c + dx) \left( (b^2 - 2a^2)\Pi\left(-\frac{b}{a}; -\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1 \right) - 2a(a + b)F\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1 \right) + 2abE\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| 2\right) \right)}{b\sqrt{\sin^2(c + dx)}}$$


---

$6a^3 d$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])), x]
```

```
[Out] ((2*a*(2*a^2*A + 9*A*b^2 - 9*a*b*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + (a*(8*a*A*b - 6*a^2*B)*(2*EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b)))/b + (4*a^2*A*Sin[c + d*x])/Cos[c + d*x]^(3/2) + (12*a*(-(A*b) + a*B)*Sin[c + d*x])/Sqrt[Cos[c + d*x]] - (6*(A*b - a*B)*(2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(b*Sqrt[Sin[c + d*x]^2])/(6*a^3*d)
```

**Maple [B]** time = 9.544, size = 468, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c)), x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-4*(A*b-B*a)*b^2/a^2/(-2*a*b+2*b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^(1/2))+2*(-A*b+B*a)/a^2*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c
```

)^2)/sin(1/2\*d\*x+1/2\*c)^2/(2\*sin(1/2\*d\*x+1/2\*c)^2-1)+2\*A/a\*(-1/6\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(cos(1/2\*d\*x+1/2\*c)^2-1/2)^2+1/3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2)))/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2)), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

```
[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)*cos(d*x + c)^(5/2)), x  
)
```

$$3.371 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=303

$$\frac{(9a^3Ab + 16a^2b^2B - 15a^4B - 12aAb^3 + 2b^4B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3b^4d(a^2-b^2)} + \frac{(3a^2Ab - 5a^3B + 4ab^2B - 2Ab^3)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^3d(a^2-b^2)} + \dots$$

[Out] ((3\*a^2\*A\*b - 2\*A\*b^3 - 5\*a^3\*B + 4\*a\*b^2\*B)\*EllipticE[(c + d\*x)/2, 2])/(b^3\*(a^2 - b^2)\*d) - ((9\*a^3\*A\*b - 12\*a\*A\*b^3 - 15\*a^4\*B + 16\*a^2\*b^2\*B + 2\*b^4\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*b^4\*(a^2 - b^2)\*d) + (a^2\*(3\*a^2\*A\*b - 5\*A\*b^3 - 5\*a^3\*B + 7\*a\*b^2\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a - b)\*b^4\*(a + b)^2\*d) - ((3\*a\*A\*b - 5\*a^2\*B + 2\*b^2\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*b^2\*(a^2 - b^2)\*d) + (a\*(A\*b - a\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x]))

**Rubi [A]** time = 0.933082, antiderivative size = 303, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2989, 3049, 3059, 2639, 3002, 2641, 2805}

$$\frac{(9a^3Ab + 16a^2b^2B - 15a^4B - 12aAb^3 + 2b^4B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3b^4d(a^2-b^2)} + \frac{(3a^2Ab - 5a^3B + 4ab^2B - 2Ab^3)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^3d(a^2-b^2)} + \dots$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(5/2)\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^2,x]

[Out] ((3\*a^2\*A\*b - 2\*A\*b^3 - 5\*a^3\*B + 4\*a\*b^2\*B)\*EllipticE[(c + d\*x)/2, 2])/(b^3\*(a^2 - b^2)\*d) - ((9\*a^3\*A\*b - 12\*a\*A\*b^3 - 15\*a^4\*B + 16\*a^2\*b^2\*B + 2\*b^4\*B)\*EllipticF[(c + d\*x)/2, 2])/(3\*b^4\*(a^2 - b^2)\*d) + (a^2\*(3\*a^2\*A\*b - 5\*A\*b^3 - 5\*a^3\*B + 7\*a\*b^2\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a - b)\*b^4\*(a + b)^2\*d) - ((3\*a\*A\*b - 5\*a^2\*B + 2\*b^2\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*b^2\*(a^2 - b^2)\*d) + (a\*(A\*b - a\*B)\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x]))

#### Rule 2989

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[((b\*c - a\*d)\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Ssin[e + f\*x])^(m - 2)\*(c + d\*Ssin[e + f\*x])^(n + 1)\*Simp[b\*(b\*c - a\*d)\*(B\*c - A\*d)\*(m - 1) + a\*d\*(a\*A\*c + b\*B\*c - (A\*b + a\*B)\*d)\*(n + 1) + (b\*(b\*d\*(B\*c - A\*d) + a\*(A\*c\*d + B\*(c^2 - 2\*d^2)))\*(n + 1) - a\*(b\*c - a\*d)\*(B\*c - A\*d)\*(n + 2))\*Sin[e + f\*x] + b\*(d\*(A\*b\*c + a\*B\*c - a\*A\*d)\*(m + n + 1) - b\*B\*(c^2\*m + d^2\*(n + 1)))\*Sin[e + f\*x]^2, x], x] /;

FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

#### Rule 3049

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])



```
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

#### Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^m)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Sin[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

#### Rubi steps

$$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^2} dx = \frac{a(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))} - \int \frac{\sqrt{\cos(c+dx)}\left(-\frac{3}{2}a(Ab-aB)+b(Ab-aB)\cos(c+dx)+\frac{3}{2}a(Ab-aB)\cos^3(c+dx)\right)}{a+b\cos(c+dx)} \frac{1}{b(a^2-b^2)} dx$$

$$= -\frac{(3aAb-5a^2B+2b^2B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3b^2(a^2-b^2)d} + \frac{a(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))}$$

$$= -\frac{(3aAb-5a^2B+2b^2B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3b^2(a^2-b^2)d} + \frac{a(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{b(a^2-b^2)d(a+b\cos(c+dx))}$$

$$= \frac{(3a^2Ab-2Ab^3-5a^3B+4ab^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^3(a^2-b^2)d} - \frac{(3aAb-5a^2B+2b^2B)\sqrt{\cos(c+dx)}\sin(c+dx)}{3b^2(a^2-b^2)d}$$

$$= \frac{(3a^2Ab-2Ab^3-5a^3B+4ab^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^3(a^2-b^2)d} - \frac{(9a^3Ab-12aAb^3-15a^4B)}{3b^3(a^2-b^2)d}$$

**Mathematica [A]** time = 3.0681, size = 322, normalized size = 1.06

$$4\sin(c+dx)\sqrt{\cos(c+dx)}\left(\frac{3a^2(aB-Ab)}{(a^2-b^2)(a+b\cos(c+dx))}+2B\right)-\frac{2(-3a^2Ab+5a^3B-8ab^2B+6Ab^3)\Pi\left(\frac{2b}{a+b};\frac{1}{2}(c+dx)\middle|2\right)+8(2a^2B-3aAb+b^2B)\left((a+b)F\left(\frac{1}{2}(c+dx)\middle|2\right)-a\Pi\left(\frac{2b}{a+b};\frac{1}{2}(c+dx)\middle|2\right)\right)}{a+b}$$


---

12b<sup>2</sup>d

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2, x]
```

```
[Out] (4*Sqrt[Cos[c + d*x]]*(2*B + (3*a^2*(-(A*b) + a*B))/((a^2 - b^2)*(a + b*Cos[c + d*x])))*Sin[c + d*x] - ((2*(-3*a^2*A*b + 6*A*b^3 + 5*a^3*B - 8*a*b^2*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + (8*(-3*a*A*b + 2*a^2*B + b^2*B)*((a + b)*EllipticF[(c + d*x)/2, 2] - a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/(a + b) + (6*(-3*a^2*A*b + 2*A*b^3 + 5*a^3*B - 4*a*b^2*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (2*a^2 - b^2)*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b^2*Sqrt[Sin[c + d*x]^2]))/((a - b)*(a + b)))/(12*b^2*d)
```

**Maple [B]** time = 11.879, size = 1066, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2/3/b^4/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(-4*b^2*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+6*A*a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+3*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2)))*b^2-9*B*a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1
```

$$\begin{aligned} &)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - b^2 * B * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ & - 6 * B * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2 * \sin(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ & * a * b + 2 * B * b^2 * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 - 4 * a^2 / b^3 * (3 * A * b - 4 * B * a) / (-2 * a * b + 2 * b^2) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & * (-2 * \cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2 * b / (a - b), 2^{(1/2)}) - 2 * a^3 * (A * b - B * a) / b^4 * (-1 / a * b^2 / (a^2 - b^2) * \cos(1/2*d*x+1/2*c) * (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2 * b * \cos(1/2*d*x+1/2*c)^2 + a - b) - 1/2 * a / (a + b) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2 * \cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 1/2 * b / (a^2 - b^2) / a * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2 * \cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 1/2 * b / (a^2 - b^2) / a * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2 * \cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3 * a / (a^2 - b^2) / (-2 * a * b + 2 * b^2) * b * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2 * \cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2 * b / (a - b), 2^{(1/2)}) + 1 / a / (a^2 - b^2) / (-2 * a * b + 2 * b^2) * b^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2 * \cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2 * b / (a - b), 2^{(1/2)})) / \sin(1/2*d*x+1/2*c) / (2 * \cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^2, x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**2,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(5/2)/(b*cos(d*x + c) + a)^2, x)
```

$$3.372 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=224

$$\frac{(a^2Ab - 3a^3B + 4ab^2B - 2Ab^3)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^3d(a^2 - b^2)} - \frac{(-3a^2B + aAb + 2b^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d(a^2 - b^2)} - \frac{a(a^2Ab - 3a^3B + 5ab^2B - 2Ab^3)}{b^3d(a^2 - b^2)}$$

[Out] -(((a\*A\*b - 3\*a^2\*B + 2\*b^2\*B)\*EllipticE[(c + d\*x)/2, 2])/(b^2\*(a^2 - b^2)\*d) + ((a^2\*A\*b - 2\*A\*b^3 - 3\*a^3\*B + 4\*a\*b^2\*B)\*EllipticF[(c + d\*x)/2, 2])/(b^3\*(a^2 - b^2)\*d) - (a\*(a^2\*A\*b - 3\*A\*b^3 - 3\*a^3\*B + 5\*a\*b^2\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/((a - b)\*b^3\*(a + b)^2\*d) + (a\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x]))

**Rubi [A]** time = 0.627027, antiderivative size = 224, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2989, 3059, 2639, 3002, 2641, 2805}

$$\frac{(a^2Ab - 3a^3B + 4ab^2B - 2Ab^3)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^3d(a^2 - b^2)} - \frac{(-3a^2B + aAb + 2b^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d(a^2 - b^2)} - \frac{a(a^2Ab - 3a^3B + 5ab^2B - 2Ab^3)}{b^3d(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^2,x]

[Out] -(((a\*A\*b - 3\*a^2\*B + 2\*b^2\*B)\*EllipticE[(c + d\*x)/2, 2])/(b^2\*(a^2 - b^2)\*d) + ((a^2\*A\*b - 2\*A\*b^3 - 3\*a^3\*B + 4\*a\*b^2\*B)\*EllipticF[(c + d\*x)/2, 2])/(b^3\*(a^2 - b^2)\*d) - (a\*(a^2\*A\*b - 3\*A\*b^3 - 3\*a^3\*B + 5\*a\*b^2\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/((a - b)\*b^3\*(a + b)^2\*d) + (a\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x]))

#### Rule 2989

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[((b\*c - a\*d)\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(b\*c - a\*d)\*(B\*c - A\*d)\*(m - 1) + a\*d\*(a\*A\*c + b\*B\*c - (A\*b + a\*B)\*d)\*(n + 1) + (b\*(b\*d\*(B\*c - A\*d) + a\*(A\*c\*d + B\*(c^2 - 2\*d^2)))\*(n + 1) - a\*(b\*c - a\*d)\*(B\*c - A\*d)\*(n + 2))\*Sin[e + f\*x] + b\*(d\*(A\*b\*c + a\*B\*c - a\*A\*d)\*(m + n + 1) - b\*B\*(c^2\*m + d^2\*(n + 1)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

#### Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_))\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^2} dx = \frac{a(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))} - \int \frac{-\frac{1}{2}a(Ab - aB) + b(Ab - aB) \cos(c + dx) + \frac{1}{2}(aAb - 3a^2B)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx$$

$$= \frac{a(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))} + \int \frac{\frac{1}{2}ab(Ab - aB) + \frac{1}{2}(a^2Ab - 2Ab^3 - 3a^3B + 4ab^2B) \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx$$

$$= -\frac{(aAb - 3a^2B + 2b^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2(a^2 - b^2)d} + \frac{a(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))}$$

$$= -\frac{(aAb - 3a^2B + 2b^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2(a^2 - b^2)d} + \frac{(a^2Ab - 2Ab^3 - 3a^3B + 4ab^2B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^3(a^2 - b^2)d}$$

**Mathematica [A]** time = 2.58955, size = 284, normalized size = 1.27

$$\frac{2(a^2B + aAb - 2b^2B) \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) + 2(3a^2B - aAb - 2b^2B) \sin(c + dx) \left( (2a^2 - b^2) \Pi\left(-\frac{b}{a}; -\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1 \right) + 2a(a + b) F\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1 \right) - 2ab E\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1 \right) \right)}{ab^2 \sqrt{\sin^2(c + dx)}} + \frac{2(aAb - 3a^2B + 2b^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2(a^2 - b^2)d} + \frac{a(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{b(a^2 - b^2)d(a + b \cos(c + dx))}$$

4bd

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^2, x]

[Out] ((-4\*a\*(-(A\*b) + a\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/((a^2 - b^2)\*(a + b\*Cos[c + d\*x])) + ((2\*(a\*A\*b + a^2\*B - 2\*b^2\*B)\*EllipticPi[(2\*b)/(a + b), (c

$$\begin{aligned} &+ dx)/2, 2]/(a + b) + (8*(-(A*b) + a*B)*((a + b)*\text{EllipticF}[(c + dx)/2, \\ &2] - a*\text{EllipticPi}[(2*b)/(a + b), (c + dx)/2, 2]))/(a + b) + (2*(-(a*A*b) + \\ &3*a^2*B - 2*b^2*B)*(-2*a*b*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[\text{Cos}[c + dx]]], -1] + 2*a \\ &*(a + b)*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{Cos}[c + dx]]], -1] + (2*a^2 - b^2)*\text{Elliptic} \\ &\text{Pi}[-(b/a), -\text{ArcSin}[\text{Sqrt}[\text{Cos}[c + dx]]], -1])* \text{Sin}[c + dx])/(a*b^2*\text{Sqrt}[\text{Sin}[ \\ &c + dx]^2]))/((a - b)*(a + b))/(4*b*d) \end{aligned}$$

**Maple [B]** time = 9.332, size = 849, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}(\cos(dx+c)^{(3/2)}*(A+B*\cos(dx+c))/(a+b*\cos(dx+c))^2, x)$

[Out] 
$$\begin{aligned} &-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2/b^3/(-2*\sin(1 \\ &/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ &*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b-2 \\ &*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a-B*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2 \\ &^{(1/2)})*b)+4*a/b^2*(2*A*b-3*B*a)/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/ \\ &2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+2*a^2*(A*b- \\ &B*a)/b^3*(-1/a*b^2/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin \\ &(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2*d*x+1/2*c)^2+a-b)-1/2/a/(a+b)*(\sin(1 \\ &/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/ \\ &2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/ \\ &2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1 \\ &/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2* \\ &d*x+1/2*c), 2^{(1/2)})+1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos( \\ &1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1 \\ &/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^3}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}(\cos(dx+c)^{(3/2)}*(A+B*\cos(dx+c))/(a+b*\cos(dx+c))^2, x, \text{algorithm} = "maxima")$

[Out]  $\text{integrate}((B*\cos(dx + c) + A)*\cos(dx + c)^{(3/2)}/(b*\cos(dx + c) + a)^2, x)$

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^2, x)



$$3.373 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=198

$$\frac{(a^2B + aAb - 2b^2B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d(a^2 - b^2)} + \frac{(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd(a^2 - b^2)} - \frac{(a^2Ab + a^3B - 3ab^2B + Ab^3)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx)\right)}{b^2d(a-b)(a+b)^2}$$

[Out] ((A\*b - a\*B)\*EllipticE[(c + d\*x)/2, 2])/(b\*(a^2 - b^2)\*d) + ((a\*A\*b + a^2\*B - 2\*b^2\*B)\*EllipticF[(c + d\*x)/2, 2])/(b^2\*(a^2 - b^2)\*d) - ((a^2\*A\*b + A\*b^3 + a^3\*B - 3\*a\*b^2\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/((a - b)\*b^2\*(a + b)^2\*d) - ((A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/((a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x]))

**Rubi [A]** time = 0.540471, antiderivative size = 198, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2999, 3059, 2639, 3002, 2641, 2805}

$$\frac{(a^2B + aAb - 2b^2B)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d(a^2 - b^2)} + \frac{(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd(a^2 - b^2)} - \frac{(a^2Ab + a^3B - 3ab^2B + Ab^3)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx)\right)}{b^2d(a-b)(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^2,x]

[Out] ((A\*b - a\*B)\*EllipticE[(c + d\*x)/2, 2])/(b\*(a^2 - b^2)\*d) + ((a\*A\*b + a^2\*B - 2\*b^2\*B)\*EllipticF[(c + d\*x)/2, 2])/(b^2\*(a^2 - b^2)\*d) - ((a^2\*A\*b + A\*b^3 + a^3\*B - 3\*a\*b^2\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/((a - b)\*b^2\*(a + b)^2\*d) - ((A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/((a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x]))

#### Rule 2999

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := Simp[((B\*a - A\*b)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[c\*(a\*A - b\*B)\*(m + 1) + d\*n\*(A\*b - a\*B) + (d\*(a\*A - b\*B)\*(m + 1) - c\*(A\*b - a\*B)\*(m + 2))\*Sin[e + f\*x] - d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]

#### Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)])))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps

$$\int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{(a+b\cos(c+dx))^2} dx = -\frac{(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{(a^2-b^2)d(a+b\cos(c+dx))} + \frac{\int \frac{\frac{1}{2}(Ab-aB)-(aA-bB)\cos(c+dx)-\frac{1}{2}(Ab-aB)\cos^2}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} dx}{-a^2+b^2}$$

$$= -\frac{(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{(a^2-b^2)d(a+b\cos(c+dx))} + \frac{\int \frac{-\frac{1}{2}b(Ab-aB)+\frac{1}{2}(aAb+a^2B-2b^2B)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))} dx}{b(a^2-b^2)}$$

$$= \frac{(Ab-aB)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{b(a^2-b^2)d} - \frac{(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{(a^2-b^2)d(a+b\cos(c+dx))} + \frac{(aAb+a^2B)}{b(a^2-b^2)}$$

$$= \frac{(Ab-aB)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{b(a^2-b^2)d} + \frac{(aAb+a^2B-2b^2B)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2(a^2-b^2)d} - \frac{(a^2Ab+a^2B)}{b(a^2-b^2)}$$

**Mathematica [A]** time = 2.29557, size = 262, normalized size = 1.32

$$\frac{4(aB-Ab)\sin(c+dx)\sqrt{\cos(c+dx)}}{(a^2-b^2)(a+b\cos(c+dx))} - \frac{2(Ab-aB)\sin(c+dx)\left((b^2-2a^2)\Pi\left(-\frac{b}{a}; -\sin^{-1}(\sqrt{\cos(c+dx)})\middle|-1\right)-2a(a+b)F\left(\sin^{-1}(\sqrt{\cos(c+dx)})\middle|-1\right)+2abE\left(\sin^{-1}(\sqrt{\cos(c+dx)})\middle|-1\right)\right)}{ab^2\sqrt{\sin^2(c+dx)}} + \frac{2(aB-A)}{(b-a)(a+b)}$$

4d

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^2,
x]
```

```
[Out] ((4*(-(A*b) + a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/((a^2 - b^2)*(a + b*Cos
[c + d*x])) - ((2*(-(A*b) + a*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])
/(a + b) + ((4*a*A - 4*b*B)*(2*EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[
```

$$\frac{(2*b)/(a + b), (c + d*x)/2, 2]}{(a + b)))/b - (2*(A*b - a*B)*(2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b^2*Sqrt[Sin[c + d*x]^2]))/((-a + b)*(a + b)))/(4*d)$$

**Maple [B]** time = 8.609, size = 808, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*B/b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-4/b*(A*b-2*B*a)/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})-2*a*(A*b-B*a)/b^2*(-1/a*b^2/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2*d*x+1/2*c)^2+a-b)-1/2/a/(a+b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a)^2, x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="fricas")
```

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))**2,x)
```

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a)^2, x)
```

$$3.374 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)(a+b \cos(c+dx))^2}} dx$$

**Optimal.** Leaf size=200

$$\frac{(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd(a^2 - b^2)} - \frac{(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad(a^2 - b^2)} + \frac{(3a^2Ab + a^3(-B) - ab^2B - Ab^3)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{abd(a-b)(a+b)^2} + \dots$$

[Out] -(((A\*b - a\*B)\*EllipticE[(c + d\*x)/2, 2])/(a\*(a^2 - b^2)\*d)) - ((A\*b - a\*B)\*EllipticF[(c + d\*x)/2, 2])/(b\*(a^2 - b^2)\*d) + ((3\*a^2\*A\*b - A\*b^3 - a^3\*B - a\*b^2\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a\*(a - b)\*b\*(a + b)^2\*d) + (b\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(a\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x]))

**Rubi [A]** time = 0.618138, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {3000, 3059, 2639, 3002, 2641, 2805}

$$\frac{(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd(a^2 - b^2)} - \frac{(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad(a^2 - b^2)} + \frac{(3a^2Ab + a^3(-B) - ab^2B - Ab^3)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{abd(a-b)(a+b)^2} + \dots$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^2), x]

[Out] -(((A\*b - a\*B)\*EllipticE[(c + d\*x)/2, 2])/(a\*(a^2 - b^2)\*d)) - ((A\*b - a\*B)\*EllipticF[(c + d\*x)/2, 2])/(b\*(a^2 - b^2)\*d) + ((3\*a^2\*A\*b - A\*b^3 - a^3\*B - a\*b^2\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a\*(a - b)\*b\*(a + b)^2\*d) + (b\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(a\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x]))

#### Rule 3000

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(1 + n))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(a\*A - b\*B)\*(b\*c - a\*d)\*(m + 1) + b\*d\*(A\*b - a\*B)\*(m + n + 2) + (A\*b - a\*B)\*(a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(A\*b - a\*B)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 3059

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[1/(b\*d), Int[Simp[a\*c\*C - A\*b\*d + (b\*c\*C - b\*B\*d + a\*C\*d)\*Sin[e + f\*x], x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]))/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)(a + b \cos(c + dx))^2}} dx = \frac{b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} + \frac{\int \frac{\frac{1}{2}(2a^2A - Ab^2 - abB) - a(Ab - aB) \cos(c + dx) - \frac{1}{2}b(Ab - aB) \cos(c + dx)}{\sqrt{\cos(c + dx)(a + b \cos(c + dx))}} dx}{a(a^2 - b^2)}$$

$$= \frac{b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} - \frac{\int \frac{-\frac{1}{2}b(2a^2A - Ab^2 - abB) + \frac{1}{2}ab(Ab - aB) \cos(c + dx)}{\sqrt{\cos(c + dx)(a + b \cos(c + dx))}} dx}{ab(a^2 - b^2)}$$

$$= -\frac{(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a(a^2 - b^2)d} + \frac{b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d(a + b \cos(c + dx))} - \frac{(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ab(a^2 - b^2)}$$

$$= -\frac{(Ab - aB)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a(a^2 - b^2)d} - \frac{(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b(a^2 - b^2)d} + \frac{(3a^2Ab - Ab^3 - a^2B)}{a(a^2 - b^2)d}$$

**Mathematica [A]** time = 2.55624, size = 276, normalized size = 1.38

$$\frac{4b(Ab - aB) \sin(c + dx) \sqrt{\cos(c + dx)}}{(a^2 - b^2)(a + b \cos(c + dx))} + \frac{\frac{2(4a^2A - abB - 3Ab^2)\Pi\left(\frac{2b}{a+b}, \frac{1}{2}(c + dx) \middle| 2\right)}{a+b} + \frac{2(Ab - aB) \sin(c + dx) \left( (b^2 - 2a^2)\Pi\left(-\frac{b}{a}; -\sin^{-1}\left(\sqrt{\cos(c + dx)}\right) \middle| -1\right) - 2a(a + b)F\left(\sin^{-1}\left(\sqrt{\cos(c + dx)}\right) \middle| -1\right) \right)}{ab\sqrt{\sin^2(c + dx)}}}{(a - b)(a + b)}$$

4ad

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^2), x]

[Out] ((4\*b\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/((a^2 - b^2)\*(a + b\*Cos[c + d\*x])) + ((2\*(4\*a^2\*A - 3\*A\*b^2 - a\*b\*B)\*EllipticPi[(2\*b)/(a + b), (c +

$$\frac{d*x}{2}, 2] / (a + b) + (4*a*(-(A*b) + a*B)*(2*EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]) / (a + b))) / b + (2*(A*b - a*B) * (2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c + d*x]]], -1]) * Sin[c + d*x]) / (a*b*Sqrt[Sin[c + d*x]^2]) / ((a - b) * (a + b)) / (4*a*d)$$

**Maple [B]** time = 7.84, size = 721, normalized size = 3.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-4*B/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+2*(A*b-B*a)/b*(-1/a*b^2/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2*d*x+1/2*c)^2+a-b)-1/2/a/(a+b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)}))) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^2\*sqrt(cos(d\*x + c))), x)



$$3.375 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=256

$$\frac{(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad(a^2 - b^2)} - \frac{(2a^2A + abB - 3Ab^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d(a^2 - b^2)} - \frac{(5a^2Ab - 3a^3B + ab^2B - 3Ab^3)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx)\right)}{a^2d(a-b)(a+b)^2}$$

[Out] -(((2\*a^2\*A - 3\*A\*b^2 + a\*b\*B)\*EllipticE[(c + d\*x)/2, 2])/(a^2\*(a^2 - b^2)\*d) + ((A\*b - a\*B)\*EllipticF[(c + d\*x)/2, 2])/(a\*(a^2 - b^2)\*d) - ((5\*a^2\*A\*b - 3\*A\*b^3 - 3\*a^3\*B + a\*b^2\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a^2\*(a - b)\*(a + b)^2\*d) + ((2\*a^2\*A - 3\*A\*b^2 + a\*b\*B)\*Sin[c + d\*x])/(a^2\*(a^2 - b^2)\*d\*Sqrt[Cos[c + d\*x]]) + (b\*(A\*b - a\*B)\*Sin[c + d\*x])/(a\*(a^2 - b^2)\*d\*Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x]))

**Rubi [A]** time = 0.922918, antiderivative size = 256, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {3000, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(Ab - aB)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad(a^2 - b^2)} - \frac{(2a^2A + abB - 3Ab^2)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2d(a^2 - b^2)} - \frac{(5a^2Ab - 3a^3B + ab^2B - 3Ab^3)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx)\right)}{a^2d(a-b)(a+b)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])^2), x]

[Out] -(((2\*a^2\*A - 3\*A\*b^2 + a\*b\*B)\*EllipticE[(c + d\*x)/2, 2])/(a^2\*(a^2 - b^2)\*d) + ((A\*b - a\*B)\*EllipticF[(c + d\*x)/2, 2])/(a\*(a^2 - b^2)\*d) - ((5\*a^2\*A\*b - 3\*A\*b^3 - 3\*a^3\*B + a\*b^2\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a^2\*(a - b)\*(a + b)^2\*d) + ((2\*a^2\*A - 3\*A\*b^2 + a\*b\*B)\*Sin[c + d\*x])/(a^2\*(a^2 - b^2)\*d\*Sqrt[Cos[c + d\*x]]) + (b\*(A\*b - a\*B)\*Sin[c + d\*x])/(a\*(a^2 - b^2)\*d\*Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x]))

### Rule 3000

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(1 + n))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(a\*A - b\*B)\*(b\*c - a\*d)\*(m + 1) + b\*d\*(A\*b - a\*B)\*(m + n + 2) + (A\*b - a\*B)\*(a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(A\*b - a\*B)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*

```
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

### Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Ssin[e + f*x]], x], x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e + f*x], x]/(Sqrt[a + b*Ssin[e + f*x]]*(c + d*Ssin[e + f*x])), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^m)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[B/d, Int[(a + b*Ssin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Ssin[e + f*x])^m/(c + d*Ssin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

### Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^2} dx = \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\cos(c + dx)}(a + b \cos(c + dx))} + \frac{\int \frac{\frac{1}{2}(2a^2A - 3Ab^2 + abB) - a(Ab - aB) \cos^{\frac{3}{2}}(c + dx)}{a(a^2 - b^2) d \sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{a(a^2 - b^2) d \sqrt{\cos(c + dx)}(a + b \cos(c + dx))}$$

$$= \frac{(2a^2A - 3Ab^2 + abB) \sin(c + dx)}{a^2(a^2 - b^2) d \sqrt{\cos(c + dx)}} + \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\cos(c + dx)}(a + b \cos(c + dx))}$$

$$= \frac{(2a^2A - 3Ab^2 + abB) \sin(c + dx)}{a^2(a^2 - b^2) d \sqrt{\cos(c + dx)}} + \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\cos(c + dx)}(a + b \cos(c + dx))}$$

$$= -\frac{(2a^2A - 3Ab^2 + abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2(a^2 - b^2) d} + \frac{(2a^2A - 3Ab^2 + abB) \sin(c + dx)}{a^2(a^2 - b^2) d \sqrt{\cos(c + dx)}}$$

$$= -\frac{(2a^2A - 3Ab^2 + abB) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2(a^2 - b^2) d} + \frac{(Ab - aB) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a(a^2 - b^2) d} - \frac{(5a^2 - 2a^2A + 3Ab^2 - abB) \sin(c + dx)}{4a^2 d \sqrt{\cos(c + dx)}(a + b \cos(c + dx))}$$

**Mathematica [A]** time = 3.96245, size = 320, normalized size = 1.25

$$4\sqrt{\cos(c + dx)} \left( \frac{b^2(Ab - aB) \sin(c + dx)}{(b^2 - a^2)(a + b \cos(c + dx))} + 2A \tan(c + dx) \right) - \frac{2(-10a^2Ab + 4a^3B - 3ab^2B + 9Ab^3) \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) - 8a(a^2A + abB - 2Ab^2) \left(\frac{a+b}{b}\right) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a+b}$$


---

$4a^2d$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^2), x]
```

```
[Out] (-(((2*(-10*a^2*A*b + 9*A*b^3 + 4*a^3*B - 3*a*b^2*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) - (8*a*(a^2*A - 2*A*b^2 + a*b*B)*((a + b)*EllipticF[(c + d*x)/2, 2] - a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/(b*(a + b)) - (2*(2*a^2*A - 3*A*b^2 + a*b*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (2*a^2 - b^2)*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b*Sqrt[Sin[c + d*x]^2]))/((-a + b)*(a + b))) + 4*Sqrt[Cos[c + d*x]]*((b^2*(A*b - a*B)*Sin[c + d*x])/((-a^2 + b^2)*(a + b*Cos[c + d*x])) + 2*A*Tan[c + d*x]))/(4*a^2*d)
```

**Maple [B]** time = 10.801, size = 883, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^2,x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(4*A*b^2/a^2/(-2*a*b+2*b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^(1/2))+2/a^2*A*(-(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)
```

$$2) * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 2 * (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 / \sin(1/2*d*x+1/2*c)^2 / (2 * \sin(1/2*d*x+1/2*c)^2 - 1) + 2 * (-A*b+B*a) / a * (-1/a*b^2 / (a^2-b^2) * \cos(1/2*d*x+1/2*c) * (-2 * \sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*b*\cos(1/2*d*x+1/2*c)^2 + a - b) - 1/2/a/(a+b) * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 1/2*b/(a^2-b^2)/a * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 1/2*b/(a^2-b^2)/a * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 3*a/(a^2-b^2) / (-2*a*b+2*b^2) * b * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)}) + 1/a/(a^2-b^2) / (-2*a*b+2*b^2) * b^3 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})) / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(3/2)), x)



```

+ (f_.)*(x_)^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

### Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*(c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

### Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

### Rule 3002

```

Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_))*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

### Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

### Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^2} dx = \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))} + \frac{\int \frac{\frac{1}{2}(2a^2A - 5Ab^2 + 3abB) - a(Ab - aB) \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^2} dx}{a(a^2 - b^2)}$$

$$= \frac{(2a^2A - 5Ab^2 + 3abB) \sin(c + dx)}{3a^2(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)} + \frac{b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))}$$

$$= \frac{(2a^2A - 5Ab^2 + 3abB) \sin(c + dx)}{3a^2(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)} - \frac{(4a^2Ab - 5Ab^3 - 2a^3B + 3ab^2B) \sin(c + dx)}{a^3(a^2 - b^2) d \sqrt{\cos(c + dx)}}$$

$$= \frac{(2a^2A - 5Ab^2 + 3abB) \sin(c + dx)}{3a^2(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)} - \frac{(4a^2Ab - 5Ab^3 - 2a^3B + 3ab^2B) \sin(c + dx)}{a^3(a^2 - b^2) d \sqrt{\cos(c + dx)}}$$

$$= \frac{(4a^2Ab - 5Ab^3 - 2a^3B + 3ab^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^3(a^2 - b^2) d} + \frac{(2a^2A - 5Ab^2 + 3abB) \sin(c + dx)}{3a^2(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)}$$

$$= \frac{(4a^2Ab - 5Ab^3 - 2a^3B + 3ab^2B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^3(a^2 - b^2) d} + \frac{(2a^2A - 5Ab^2 + 3abB) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2(a^2 - b^2) d}$$

**Mathematica [A]** time = 6.31555, size = 367, normalized size = 1.06

$$4\sqrt{\cos(c + dx)} \left( \frac{3b^3(Ab - aB) \sin(c + dx)}{(a^2 - b^2)(a + b \cos(c + dx))} + 2 \tan(c + dx)(aA \sec(c + dx) + 3aB - 6Ab) \right) + \frac{2(44a^2Ab^2 + 4a^4A - 30a^3bB + 27ab^3B - 45Ab^4) \Pi\left(\frac{2b}{a+b}; \frac{1}{2}, \frac{c + dx}{2}\right)}{a+b}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])^2), x]

[Out] (((2\*(4\*a^4\*A + 44\*a^2\*A\*b^2 - 45\*A\*b^4 - 30\*a^3\*b\*B + 27\*a\*b^3\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b) - (8\*a\*(-7\*a^2\*A\*b + 10\*A\*b^3 + 3\*a^3\*B - 6\*a\*b^2\*B)\*((a + b)\*EllipticF[(c + d\*x)/2, 2] - a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]))/(b\*(a + b)) - (6\*(-4\*a^2\*A\*b + 5\*A\*b^3 + 2\*a^3\*B - 3\*a\*b^2\*B)\*(-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (2\*a^2 - b^2)\*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/(a\*b\*Sqrt[Sin[c + d\*x]^2])))/((a - b)\*(a + b)) + 4\*Sqrt[Cos[c + d\*x]]\*((3\*b^3\*(A\*b - a\*B)\*Sin[c + d\*x])/((a^2 - b^2)\*(a + b\*Cos[c + d\*x])) + 2\*(-6\*A\*b + 3\*a\*B + a\*A\*Sec[c + d\*x])\*Tan[c + d\*x]))/(12\*a^3\*d)

**Maple [B]** time = 16.085, size = 1031, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x)



```
[Out] -((-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-4*b^2*(2*A*b-B
*a)/a^3/(-2*a*b+2*b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^
2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(
cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))+2*(-2*A*b+B*a)/a^3*(-(sin(1/2*d*x+1/
2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin
(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/
2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1
/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)+2*(A*b-B*a)*b/a^2*
(-1/a*b^2/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x
+1/2*c)^2)^(1/2)/(2*b*cos(1/2*d*x+1/2*c)^2+a-b)-1/2/a/(a+b)*(sin(1/2*d*x+1/
2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+si
n(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-1/2*b/(a^2-
b^2)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*si
n(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c
),2^(1/2))+1/2*b/(a^2-b^2)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1
/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Ellip
ticE(cos(1/2*d*x+1/2*c),2^(1/2))-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(sin(1/2*d*
x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^
4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1
/2))+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(
1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1
/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2)))+2*A/a^2*(-1/6*cos(1/
2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*
d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)
^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(
cos(1/2*d*x+1/2*c),2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)
^(1/2)/d
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^2,x, algorithm
="maxima")
```

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^2,x, algorithm
="fricas")
```

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(5/2)), x)

$$3.377 \quad \int \frac{\cos^2(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=367

$$\frac{(-5a^2Ab^3 + 3a^4Ab + 33a^3b^2B - 15a^5B - 24ab^4B + 8Ab^5)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^4d(a^2-b^2)^2} - \frac{(3a^3Ab + 29a^2b^2B - 15a^4B - 9aAb^3 - 8a^2b^2B)}{4b^3d(a^2-b^2)^2}$$

[Out]  $-\left(\left(3a^3Ab - 9a^2Ab^2 - 15a^4B + 29a^2b^2B - 8b^4B\right) \text{EllipticE}\left[\left(c + dx\right)/2, 2\right]\right) / \left(4b^3d\left(a^2 - b^2\right)^2\right) + \left(\left(3a^4Ab - 5a^2Ab^3 + 8a^2b^5 - 15a^5B + 33a^3b^2B - 24ab^4B\right) \text{EllipticF}\left[\left(c + dx\right)/2, 2\right]\right) / \left(4b^4d\left(a^2 - b^2\right)^2\right) - \left(a\left(3a^4Ab - 6a^2Ab^3 + 15Ab^5 - 15a^5B + 38a^3b^2B - 35ab^4B\right) \text{EllipticPi}\left[\left(2b\right)/\left(a + b\right), \left(c + dx\right)/2, 2\right]\right) / \left(4\left(a - b\right)^2b^4\left(a + b\right)^3d\right) + \left(a\left(Ab - aB\right) \text{Cos}\left[c + dx\right]^{\left(3/2\right)} \text{Sin}\left[c + dx\right]\right) / \left(2b\left(a^2 - b^2\right)d\left(a + b \text{Cos}\left[c + dx\right]\right)^2\right) + \left(a\left(a^2Ab - 7Ab^3 - 5a^3B + 11ab^2B\right) \text{Sqrt}\left[\text{Cos}\left[c + dx\right]\right] \text{Sin}\left[c + dx\right]\right) / \left(4b^2\left(a^2 - b^2\right)^2d\left(a + b \text{Cos}\left[c + dx\right]\right)\right)$

**Rubi [A]** time = 1.01286, antiderivative size = 367, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2989, 3047, 3059, 2639, 3002, 2641, 2805}

$$\frac{(-5a^2Ab^3 + 3a^4Ab + 33a^3b^2B - 15a^5B - 24ab^4B + 8Ab^5)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^4d(a^2-b^2)^2} - \frac{(3a^3Ab + 29a^2b^2B - 15a^4B - 9aAb^3 - 8a^2b^2B)}{4b^3d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}\left[\left(\text{Cos}\left[c + dx\right]^{\left(5/2\right)}\left(A + B \text{Cos}\left[c + dx\right]\right)\right) / \left(a + b \text{Cos}\left[c + dx\right]\right)^3, x\right]$

[Out]  $-\left(\left(3a^3Ab - 9a^2Ab^2 - 15a^4B + 29a^2b^2B - 8b^4B\right) \text{EllipticE}\left[\left(c + dx\right)/2, 2\right]\right) / \left(4b^3d\left(a^2 - b^2\right)^2\right) + \left(\left(3a^4Ab - 5a^2Ab^3 + 8a^2b^5 - 15a^5B + 33a^3b^2B - 24ab^4B\right) \text{EllipticF}\left[\left(c + dx\right)/2, 2\right]\right) / \left(4b^4d\left(a^2 - b^2\right)^2\right) - \left(a\left(3a^4Ab - 6a^2Ab^3 + 15Ab^5 - 15a^5B + 38a^3b^2B - 35ab^4B\right) \text{EllipticPi}\left[\left(2b\right)/\left(a + b\right), \left(c + dx\right)/2, 2\right]\right) / \left(4\left(a - b\right)^2b^4\left(a + b\right)^3d\right) + \left(a\left(Ab - aB\right) \text{Cos}\left[c + dx\right]^{\left(3/2\right)} \text{Sin}\left[c + dx\right]\right) / \left(2b\left(a^2 - b^2\right)d\left(a + b \text{Cos}\left[c + dx\right]\right)^2\right) + \left(a\left(a^2Ab - 7Ab^3 - 5a^3B + 11ab^2B\right) \text{Sqrt}\left[\text{Cos}\left[c + dx\right]\right] \text{Sin}\left[c + dx\right]\right) / \left(4b^2\left(a^2 - b^2\right)^2d\left(a + b \text{Cos}\left[c + dx\right]\right)\right)$

#### Rule 2989

$\text{Int}\left[\left(\left(a_{.}\right) + \left(b_{.}\right) \text{sin}\left[\left(e_{.}\right) + \left(f_{.}\right)\left(x_{.}\right)\right]\right)^{\left(m_{.}\right)} \left(\left(A_{.}\right) + \left(B_{.}\right) \text{sin}\left[\left(e_{.}\right) + \left(f_{.}\right)\left(x_{.}\right)\right]\right)^{\left(n_{.}\right)}, x_{\text{Symbol}}\right] \rightarrow -\text{Simp}\left[\left(\left(b_{.}c - a_{.}d\right) \left(B_{.}c - A_{.}d\right) \text{Cos}\left[e + f_{.}x\right] \left(a + b \text{Sin}\left[e + f_{.}x\right]\right)^{\left(m - 1\right)} \left(c + d \text{Sin}\left[e + f_{.}x\right]\right)^{\left(n + 1\right)}\right) / \left(d_{.}f_{.}\left(n + 1\right) \left(c^2 - d^2\right)\right), x\right] + \text{Dist}\left[1 / \left(d_{.}\left(n + 1\right) \left(c^2 - d^2\right)\right), \text{Int}\left[\left(a + b \text{Sin}\left[e + f_{.}x\right]\right)^{\left(m - 2\right)} \left(c + d \text{Sin}\left[e + f_{.}x\right]\right)^{\left(n + 1\right)}\right] \text{Simp}\left[b_{.}\left(b_{.}c - a_{.}d\right) \left(B_{.}c - A_{.}d\right) \left(m - 1\right) + a_{.}d_{.}\left(a_{.}A_{.}c + b_{.}B_{.}c - \left(A_{.}b + a_{.}B_{.}\right) d_{.}\right) \left(n + 1\right) + \left(b_{.}\left(b_{.}d_{.}\left(B_{.}c - A_{.}d\right) + a_{.}\left(A_{.}c d_{.} + B_{.}\left(c^2 - 2d^2\right)\right)\right) \left(n + 1\right) - a_{.}\left(b_{.}c - a_{.}d\right) \left(B_{.}c - A_{.}d\right) \left(n + 2\right) \text{Sin}\left[e + f_{.}x\right] + b_{.}\left(d_{.}\left(A_{.}b_{.}c + a_{.}B_{.}c - a_{.}A_{.}d_{.}\right) \left(m + n + 1\right) - b_{.}B_{.}\left(c^2 m + d^2 \left(n + 1\right)\right) \text{Sin}\left[e + f_{.}x\right]^2, x\right], x\right] /;$   
 $\text{FreeQ}\left[\{a, b, c, d, e, f, A, B\}, x\right] \ \&\& \ \text{NeQ}\left[b_{.}c - a_{.}d, 0\right] \ \&\& \ \text{NeQ}\left[a^2 - b^2, 0\right] \ \&\& \ \text{NeQ}\left[c^2 - d^2, 0\right] \ \&\& \ \text{GtQ}\left[m, 1\right] \ \&\& \ \text{LtQ}\left[n, -1\right]$

#### Rule 3047

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

### Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

### Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

### Rule 3002

```

Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

### Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

### Rubi steps

$$\int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^3} dx = \frac{a(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} - \frac{\int \frac{\sqrt{\cos(c+dx)}\left(-\frac{3}{2}a(Ab-aB)+2b(Ab-aB)\cos(c+dx)\right)}{(a+b\cos(c+dx))^2} dx}{2b(a^2-b^2)d(a+b\cos(c+dx))^2}$$

$$= \frac{a(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{a(a^2Ab-7Ab^3-5a^3B+11ab^2B)\sqrt{\cos(c+dx)}}{4b^2(a^2-b^2)^2d(a+b\cos(c+dx))^2}$$

$$= \frac{a(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{a(a^2Ab-7Ab^3-5a^3B+11ab^2B)\sqrt{\cos(c+dx)}}{4b^2(a^2-b^2)^2d(a+b\cos(c+dx))^2}$$

$$= -\frac{(3a^3Ab-9aAb^3-15a^4B+29a^2b^2B-8b^4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^3(a^2-b^2)^2d} + \frac{a(Ab-aB)\sqrt{\cos(c+dx)}}{2b(a^2-b^2)d(a+b\cos(c+dx))^2}$$

$$= -\frac{(3a^3Ab-9aAb^3-15a^4B+29a^2b^2B-8b^4B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^3(a^2-b^2)^2d} + \frac{(3a^4Ab-9a^3Ab^2-15a^4B+29a^2b^2B-8b^4B)\sin(c+dx)}{(a-b)^2(a+b)^2}$$

**Mathematica [A]** time = 4.6716, size = 394, normalized size = 1.07

$$\frac{(-a^3Ab-7a^2b^2B+5a^4B-5aAb^3+8b^4B)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{a+b} + \frac{8(a^2Ab+a^3B-4ab^2B+2Ab^3)\left((a+b)F\left(\frac{1}{2}(c+dx)\middle|2\right)-a\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)\right)}{a+b} + \frac{(-3a^3Ab-29a^2b^2B+15a^4B+9aAb^3+8b^4B)\sin(c+dx)}{(a-b)^2(a+b)^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^3, x]
```

```
[Out] ((-2*a*Sqrt[Cos[c + d*x]]*(a*(-(a^2*A*b) + 7*A*b^3 + 5*a^3*B - 11*a*b^2*B) + b*(-3*a^2*A*b + 9*A*b^3 + 7*a^3*B - 13*a*b^2*B)*Cos[c + d*x])*Sin[c + d*x])/((a^2 - b^2)^2*(a + b*Cos[c + d*x])^2) + (((-(a^3*A*b) - 5*a*A*b^3 + 5*a^4*B - 7*a^2*b^2*B + 8*b^4*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + (8*(a^2*A*b + 2*A*b^3 + a^3*B - 4*a*b^2*B)*((a + b)*EllipticF[(c + d*x)/2, 2] - a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/(a + b) + ((-3*a^3*A*b + 9*a*A*b^3 + 15*a^4*B - 29*a^2*b^2*B + 8*b^4*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (2*a^2 - b^2)*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b^2*Sqrt[Sin[c + d*x]^2]))/((a - b)^2*(a + b)^2))/(8*b^2*d)
```

**Maple [B]** time = 14.966, size = 1977, normalized size = 5.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3, x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2/b^4/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*b-3
```

```

*B*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a-B*EllipticE(cos(1/2*d*x+1/2*c),2
^(1/2))*b)+12*a/b^3*(A*b-2*B*a)/(-2*a*b+2*b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)
*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2
*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))+2*a^2/b^4*(3
*A*b-4*B*a)*(-1/a*b^2/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4
+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*b*cos(1/2*d*x+1/2*c)^2+a-b)-1/2/a/(a+b)*(si
n(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x
+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))
-1/2*b/(a^2-b^2)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)
^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1
/2*d*x+1/2*c),2^(1/2))+1/2*b/(a^2-b^2)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*c
os(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)
^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b
*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2
*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*
b/(a-b),2^(1/2))+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)^(1
/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+
1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))-2*a^3*(A
*b-B*a)/b^4*(-1/2/a*b^2/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)
^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*b*cos(1/2*d*x+1/2*c)^2+a-b)^2-3/4*b^2*(3*
a^2-b^2)/a^2/(a^2-b^2)^2*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/
2*d*x+1/2*c)^2)^(1/2)/(2*b*cos(1/2*d*x+1/2*c)^2+a-b)-7/8/(a+b)/(a^2-b^2)*(s
in(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*
x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)
)+1/4/(a+b)/(a^2-b^2)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)
^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(
cos(1/2*d*x+1/2*c),2^(1/2))*b+3/8/(a+b)/(a^2-b^2)/a^2*(sin(1/2*d*x+1/2*c)^2)
^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*
d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*b^2-9/8*b/(a^2-b^
2)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*si
n(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c)
,2^(1/2))+3/8*b^3/a^2/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d
*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*E
llipticF(cos(1/2*d*x+1/2*c),2^(1/2))+9/8*b/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^
2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2
*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-3/8*b^3/a^2/(a^2
-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*
sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*
c),2^(1/2))-15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^(1
/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+
1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))+3/2/(a^2-
b^2)^2/(-2*a*b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*
c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Elliptic
Pi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))-3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2
)*b^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*si
n(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c)
,-2*b/(a-b),2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)
/d

```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x, algorithm
="maxima")
```

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^3, x)

**3.378**  $\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$

**Optimal.** Leaf size=344

$$\frac{(a^3 Ab - 5a^2 b^2 B + 3a^4 B - 7a Ab^3 + 8b^4 B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^3 d (a^2 - b^2)^2} - \frac{(a^2 Ab + 3a^3 B - 9ab^2 B + 5Ab^3) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^2 d (a^2 - b^2)^2} - \frac{(-10a^2 A + 10a^2 B) \operatorname{EllipticPi}\left[\frac{2b}{a+b}, \frac{c + dx}{2} \middle| 2\right]}{4b^2 d (a^2 - b^2)^2}$$

[Out]  $-\left(\left(a^2 A b + 5 A b^3 + 3 a^3 B - 9 a b^2 B\right) \operatorname{EllipticE}\left[\frac{c + d x}{2}, 2\right]\right) / \left(4 b^2 \left(a^2 - b^2\right)^2 d\right) + \left(\left(a^3 A b - 7 a A b^3 + 3 a^4 B - 5 a^2 b^2 B + 8 b^4 B\right) \operatorname{EllipticF}\left[\frac{c + d x}{2}, 2\right]\right) / \left(4 b^3 \left(a^2 - b^2\right)^2 d\right) - \left(\left(a^4 A b - 10 a^2 A b^3 - 3 A b^5 + 3 a^5 B - 6 a^3 b^2 B + 15 a b^4 B\right) \operatorname{EllipticPi}\left[\frac{2 b}{a + b}, \frac{c + d x}{2}, 2\right]\right) / \left(4 (a - b)^2 b^3 (a + b)^3 d\right) + \left(a (A b - a B) \operatorname{Sqrt}\left[\operatorname{Cos}[c + d x]\right] \operatorname{Sin}[c + d x]\right) / \left(2 b \left(a^2 - b^2\right) d (a + b \operatorname{Cos}[c + d x])^2\right) + \left(\left(a^2 A b + 5 A b^3 + 3 a^3 B - 9 a b^2 B\right) \operatorname{Sqrt}\left[\operatorname{Cos}[c + d x]\right] \operatorname{Sin}[c + d x]\right) / \left(4 b \left(a^2 - b^2\right)^2 d (a + b \operatorname{Cos}[c + d x])\right)$

**Rubi [A]** time = 0.989675, antiderivative size = 344, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2989, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(a^3 Ab - 5a^2 b^2 B + 3a^4 B - 7a Ab^3 + 8b^4 B) F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^3 d (a^2 - b^2)^2} - \frac{(a^2 Ab + 3a^3 B - 9ab^2 B + 5Ab^3) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4b^2 d (a^2 - b^2)^2} - \frac{(-10a^2 A + 10a^2 B) \operatorname{EllipticPi}\left[\frac{2b}{a+b}, \frac{c + dx}{2} \middle| 2\right]}{4b^2 d (a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}\left[\left(\operatorname{Cos}[c + d x]\right)^{3/2} (A + B \operatorname{Cos}[c + d x]) / (a + b \operatorname{Cos}[c + d x])^3, x\right]$

[Out]  $-\left(\left(a^2 A b + 5 A b^3 + 3 a^3 B - 9 a b^2 B\right) \operatorname{EllipticE}\left[\frac{c + d x}{2}, 2\right]\right) / \left(4 b^2 \left(a^2 - b^2\right)^2 d\right) + \left(\left(a^3 A b - 7 a A b^3 + 3 a^4 B - 5 a^2 b^2 B + 8 b^4 B\right) \operatorname{EllipticF}\left[\frac{c + d x}{2}, 2\right]\right) / \left(4 b^3 \left(a^2 - b^2\right)^2 d\right) - \left(\left(a^4 A b - 10 a^2 A b^3 - 3 A b^5 + 3 a^5 B - 6 a^3 b^2 B + 15 a b^4 B\right) \operatorname{EllipticPi}\left[\frac{2 b}{a + b}, \frac{c + d x}{2}, 2\right]\right) / \left(4 (a - b)^2 b^3 (a + b)^3 d\right) + \left(a (A b - a B) \operatorname{Sqrt}\left[\operatorname{Cos}[c + d x]\right] \operatorname{Sin}[c + d x]\right) / \left(2 b \left(a^2 - b^2\right) d (a + b \operatorname{Cos}[c + d x])^2\right) + \left(\left(a^2 A b + 5 A b^3 + 3 a^3 B - 9 a b^2 B\right) \operatorname{Sqrt}\left[\operatorname{Cos}[c + d x]\right] \operatorname{Sin}[c + d x]\right) / \left(4 b \left(a^2 - b^2\right)^2 d (a + b \operatorname{Cos}[c + d x])\right)$

**Rule 2989**

$\operatorname{Int}\left[\left((a_{.}) + (b_{.}) \sin\left[(e_{.}) + (f_{.}) (x_{.})\right]\right)^{m_{.}} \left((A_{.}) + (B_{.}) \sin\left[(e_{.}) + (f_{.}) (x_{.})\right]\right)^{n_{.}}, x_{\text{Symbol}}\right] \rightarrow -\operatorname{Simp}\left[\left((b c - a d) (B c - A d) \operatorname{Cos}[e + f x] (a + b \operatorname{Sin}[e + f x])^{m-1} (c + d \operatorname{Sin}[e + f x])^{n+1}\right) / (d f (n+1) (c^2 - d^2)), x\right] + \operatorname{Dist}\left[1 / (d (n+1) (c^2 - d^2)), \operatorname{Int}\left[(a + b \operatorname{Sin}[e + f x])^{m-2} (c + d \operatorname{Sin}[e + f x])^{n+1}\right] \operatorname{Simp}\left[b (b c - a d) (B c - A d) (m-1) + a d (a A c + b B c - (A b + a B) d) (n+1) + (b (b d (B c - A d) + a (A c d + B (c^2 - 2 d^2))) (n+1) - a (b c - a d) (B c - A d) (n+2)) \operatorname{Sin}[e + f x] + b (d (A b c + a B c - a A d) (m+n+1) - b B (c^2 m + d^2 (n+1))) \operatorname{Sin}[e + f x]^2, x\right], x\right] /;$   
 $\operatorname{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \operatorname{NeQ}[b c - a d, 0] \&\& \operatorname{NeQ}[a^2 - b^2, 0] \&\& \operatorname{NeQ}[c^2 - d^2, 0] \&\& \operatorname{GtQ}[m, 1] \&\& \operatorname{LtQ}[n, -1]$

**Rule 3055**

$\operatorname{Int}\left[\left((a_{.}) + (b_{.}) \sin\left[(e_{.}) + (f_{.}) (x_{.})\right]\right)^{m_{.}} \left((c_{.}) + (d_{.}) \sin\left[(e_{.}) + (f_{.}) (x_{.})\right]\right)^{n_{.}} \left((A_{.}) + (B_{.}) \sin\left[(e_{.}) + (f_{.}) (x_{.})\right] + (C_{.}) \sin\left[(e_{.}) + (f_{.}) (x_{.})\right]\right)^{p_{.}}, x_{\text{Symbol}}\right]$



```

+ (f_.)*(x_)^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

### Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])], x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x])*(c + d*Sin[e + f*x])], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

### Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

### Rule 3002

```

Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

### Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

### Rubi steps

$$\int \frac{\cos^3(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^3} dx = \frac{a(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} - \int \frac{-\frac{1}{2}a(Ab-aB)+2b(Ab-aB)\cos(c+dx)-\frac{1}{2}(aAb+3a^2)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^2} dx$$

$$= \frac{a(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{(a^2Ab+5Ab^3+3a^3B-9ab^2B)\sqrt{\cos(c+dx)}}{4b(a^2-b^2)^2d(a+b\cos(c+dx))}$$

$$= \frac{a(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))^2} + \frac{(a^2Ab+5Ab^3+3a^3B-9ab^2B)\sqrt{\cos(c+dx)}}{4b(a^2-b^2)^2d(a+b\cos(c+dx))}$$

$$= -\frac{(a^2Ab+5Ab^3+3a^3B-9ab^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^2(a^2-b^2)^2d} + \frac{a(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{2b(a^2-b^2)d(a+b\cos(c+dx))}$$

$$= -\frac{(a^2Ab+5Ab^3+3a^3B-9ab^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4b^2(a^2-b^2)^2d} + \frac{(a^3Ab-7aAb^3+3a^4B-4ab^3)}{4b^3}$$

**Mathematica [A]** time = 3.38592, size = 364, normalized size = 1.06

$$\frac{2\sin(c+dx)\sqrt{\cos(c+dx)}(b(a^2Ab+3a^3B-9ab^2B+5Ab^3)\cos(c+dx)+a(3a^2Ab+a^3B-7ab^2B+3Ab^3))}{(a^2-b^2)^2(a+b\cos(c+dx))^2} - \frac{(-5a^2Ab+a^3B+5ab^2B-Ab^3)\Pi\left(\frac{2b}{a+b}, \frac{1}{2}(c+dx)\middle|2\right)}{a+b} - \frac{8(a^2B-3aAb+2b^2B)}{4b^3}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^3, x]
```

```
[Out] ((2*Sqrt[Cos[c + d*x]]*(a*(3*a^2*A*b + 3*A*b^3 + a^3*B - 7*a*b^2*B) + b*(a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B))*Cos[c + d*x])*Sin[c + d*x])/((a^2 - b^2)^2*(a + b*Cos[c + d*x])^2) - (((-5*a^2*A*b - A*b^3 + a^3*B + 5*a*b^2*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) - (8*(-3*a*A*b + a^2*B + 2*b^2*B)*((a + b)*EllipticF[(c + d*x)/2, 2] - a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/(a + b) + ((a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (2*a^2 - b^2)*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b^2*Sqrt[Sin[c + d*x]^2]))/((a - b)^2*(a + b)^2)/(8*b*d)
```

**Maple [B]** time = 14.346, size = 1937, normalized size = 5.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*B/b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-4/b^2*(A*b-3*B*a)/(-2*a*b+2*b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c))^(1/2)
```

$$\begin{aligned} & \frac{1}{2}c)^{2+1})^{(1/2)} / (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2dx+1/2c), -2b/(a-b), 2^{(1/2)}) - 2a/b^3 * (2Ab-3Ba) * (-1/a * b \\ & ^2 / (a^2-b^2) * \cos(1/2dx+1/2c) * (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} / (2b * \cos(1/2dx+1/2c)^2 + a-b) - 1/2/a/(a+b) * (\sin(1/2dx+1/2c)^2) \\ & ^{(1/2)} * (-2\cos(1/2dx+1/2c)^{2+1})^{(1/2)} / (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) - 1/2b/(a^2-b^2)/a * \\ & (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^{2+1})^{(1/2)} / (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) \\ & + 1/2b/(a^2-b^2)/a * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^{2+1})^{(1/2)} / (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2dx+1/2c), 2^{(1/2)}) \\ & - 3a/(a^2-b^2) / (-2ab+2b^2) * b * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^{2+1})^{(1/2)} / (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2dx+1/2c), -2b/(a-b), 2^{(1/2)}) + 1/ \\ & a/(a^2-b^2) / (-2ab+2b^2) * b^3 * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^{2+1})^{(1/2)} / (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2dx+1/2c), -2b/(a-b), 2^{(1/2)}) \\ & + 2a^2 * (Ab-Ba) / b^3 * (-1/2/a * b^2 / (a^2-b^2) * \cos(1/2dx+1/2c) * (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} / (2b * \cos(1/2dx+1/2c)^2 + a-b)^2 - 3/4 * b^2 * (3a^2-b^2) / a^2 / (a^2-b^2)^2 * \cos(1/2dx+1/2c) * (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} / (2b * \cos(1/2dx+1/2c)^2 + a-b) - 7/8 / (a+b) / (a^2-b^2) * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^{2+1})^{(1/2)} / (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) + 1/4 / (a+b) / (a^2-b^2) / a * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^{2+1})^{(1/2)} / (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) * b + 3/8 / (a+b) / (a^2-b^2) / a^2 * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^{2+1})^{(1/2)} / (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) * b^2 - 9/8 * b / (a^2-b^2)^2 * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^{2+1})^{(1/2)} / (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) + 3/8 * b^3 / a^2 / (a^2-b^2)^2 * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^{2+1})^{(1/2)} / (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2dx+1/2c), 2^{(1/2)}) + 9/8 * b / (a^2-b^2)^2 * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^{2+1})^{(1/2)} / (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2dx+1/2c), 2^{(1/2)}) - 3/8 * b^3 / a^2 / (a^2-b^2)^2 * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^{2+1})^{(1/2)} / (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2dx+1/2c), 2^{(1/2)}) - 15/4 * a^2 / (a^2-b^2)^2 / (-2ab+2b^2) * b * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^{2+1})^{(1/2)} / (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2dx+1/2c), -2b/(a-b), 2^{(1/2)}) + 3/2 / (a^2-b^2)^2 / (-2ab+2b^2) * b^3 * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^{2+1})^{(1/2)} / (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2dx+1/2c), -2b/(a-b), 2^{(1/2)}) - 3/4 / a^2 / (a^2-b^2)^2 / (-2ab+2b^2) * b^5 * (\sin(1/2dx+1/2c)^2)^{(1/2)} * (-2\cos(1/2dx+1/2c)^{2+1})^{(1/2)} / (-2\sin(1/2dx+1/2c)^4 + \sin(1/2dx+1/2c)^2)^{(1/2)} * \text{EllipticPi}(\cos(1/2dx+1/2c), -2b/(a-b), 2^{(1/2)})) / \sin(1/2dx+1/2c) / (2\cos(1/2dx+1/2c)^2 - 1)^{(1/2)} / d \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(3/2)\*(A+B\*cos(dx+c))/(a+b\*cos(dx+c))^3,x, algorithm="maxima")

[Out] Timed out

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^3, x)

$$3.379 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=337

$$\frac{(3a^2Ab + a^3B - 7ab^2B + 3Ab^3) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{4b^2d(a^2 - b^2)^2} + \frac{(5a^2Ab + a^3(-B) - 5ab^2B + Ab^3) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{4abd(a^2 - b^2)^2} - \frac{(10a^2Ab^3 + \dots)}{\dots}$$

```
[Out] ((5*a^2*A*b + A*b^3 - a^3*B - 5*a*b^2*B)*EllipticE[(c + d*x)/2, 2])/(4*a*b*(a^2 - b^2)^2*d) + ((3*a^2*A*b + 3*A*b^3 + a^3*B - 7*a*b^2*B)*EllipticF[(c + d*x)/2, 2])/(4*b^2*(a^2 - b^2)^2*d) - ((3*a^4*A*b + 10*a^2*A*b^3 - A*b^5 + a^5*B - 10*a^3*b^2*B - 3*a*b^4*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(4*a*(a - b)^2*b^2*(a + b)^3*d) - ((A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^2) - ((5*a^2*A*b + A*b^3 - a^3*B - 5*a*b^2*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*a*(a^2 - b^2)^2*d*(a + b*Cos[c + d*x]))
```

**Rubi [A]** time = 0.919423, antiderivative size = 337, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2999, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(3a^2Ab + a^3B - 7ab^2B + 3Ab^3) F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{4b^2d(a^2 - b^2)^2} + \frac{(5a^2Ab + a^3(-B) - 5ab^2B + Ab^3) E\left(\frac{1}{2}(c+dx) \middle| 2\right)}{4abd(a^2 - b^2)^2} - \frac{(10a^2Ab^3 + \dots)}{\dots}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^3,x]
```

```
[Out] ((5*a^2*A*b + A*b^3 - a^3*B - 5*a*b^2*B)*EllipticE[(c + d*x)/2, 2])/(4*a*b*(a^2 - b^2)^2*d) + ((3*a^2*A*b + 3*A*b^3 + a^3*B - 7*a*b^2*B)*EllipticF[(c + d*x)/2, 2])/(4*b^2*(a^2 - b^2)^2*d) - ((3*a^4*A*b + 10*a^2*A*b^3 - A*b^5 + a^5*B - 10*a^3*b^2*B - 3*a*b^4*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(4*a*(a - b)^2*b^2*(a + b)^3*d) - ((A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(2*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^2) - ((5*a^2*A*b + A*b^3 - a^3*B - 5*a*b^2*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(4*a*(a^2 - b^2)^2*d*(a + b*Cos[c + d*x]))
```

### Rule 2999

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[((B*a - A*b)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m + 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*Sin[e + f*x] - d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

### Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
```

```

- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

### Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

### Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

### Rule 3002

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])/(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)], x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

### Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

### Rubi steps

$$\int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{(a+b\cos(c+dx))^3} dx = -\frac{(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2} - \frac{\int \frac{\frac{1}{2}(Ab-aB)-2(aA-bB)\cos(c+dx)+\frac{1}{2}(Ab-aB)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^2} dx}{2(a^2-b^2)}$$

$$= -\frac{(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2} - \frac{(5a^2Ab+Ab^3-a^3B-5ab^2B)\sqrt{\cos(c+dx)}\sin(c+dx)}{4a(a^2-b^2)^2d(a+b\cos(c+dx))^2}$$

$$= -\frac{(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2} - \frac{(5a^2Ab+Ab^3-a^3B-5ab^2B)\sqrt{\cos(c+dx)}\sin(c+dx)}{4a(a^2-b^2)^2d(a+b\cos(c+dx))^2}$$

$$= \frac{(5a^2Ab+Ab^3-a^3B-5ab^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4ab(a^2-b^2)^2d} - \frac{(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{2(a^2-b^2)d(a+b\cos(c+dx))^2}$$

$$= \frac{(5a^2Ab+Ab^3-a^3B-5ab^2B)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4ab(a^2-b^2)^2d} + \frac{(3a^2Ab+3Ab^3+a^3B-3a^2B-3Ab^2)}{4b^2(a^2-b^2)}$$

**Mathematica [A]** time = 4.19748, size = 369, normalized size = 1.09

$$\frac{4\sin(c+dx)\sqrt{\cos(c+dx)}(b(-5a^2Ab+a^3B+5ab^2B-Ab^3)\cos(c+dx)+a(-7a^2Ab+3a^3B+3ab^2B+Ab^3))}{(a^2-b^2)^2(a+b\cos(c+dx))^2} + \frac{2(-9a^2Ab+5a^3B+ab^2B+3Ab^3)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{a+b} + \frac{16a(2a^2Ab-2a^2B-2Ab^2)}{4b^2(a^2-b^2)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^3, x]
```

```
[Out] ((4*Sqrt[Cos[c + d*x]]*(a*(-7*a^2*A*b + A*b^3 + 3*a^3*B + 3*a*b^2*B) + b*(-5*a^2*A*b - A*b^3 + a^3*B + 5*a*b^2*B))*Cos[c + d*x])*Sin[c + d*x])/((a^2 - b^2)^2*(a + b*Cos[c + d*x])^2) + ((2*(-9*a^2*A*b + 3*A*b^3 + 5*a^3*B + a*b^2*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + (16*a*(2*a^2*A + A*b^2 - 3*a*b*B)*((a + b)*EllipticF[(c + d*x)/2, 2] - a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/(b*(a + b)) - (2*(-5*a^2*A*b - A*b^3 + a^3*B + 5*a*b^2*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (2*a^2 - b^2)*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b^2*Sqrt[Sin[c + d*x]^2]))/((a - b)^2*(a + b)^2)/(16*a*d)
```

**Maple [B]** time = 14.49, size = 1850, normalized size = 5.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3,x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(-4*B/b/(-2*a*b+2*b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^(1/2))+2*(A*b-2*B*a)/b^2*(-1/a*b^2/(a^2-b^2)*cos(1/2*d*x+1/2*c)^2+1)^(1/2)
```

```

2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*b*cos(1/2*d*x+
1/2*c)^2+a-b)-1/2/a/(a+b)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*
c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Elliptic
F(cos(1/2*d*x+1/2*c),2^(1/2))-1/2*b/(a^2-b^2)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2
)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/
2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+1/2*b/(a^2-b^2)/a*(sin(
1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1
/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-3
*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+
1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Elli
pticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*
b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(
1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),
-2*b/(a-b),2^(1/2))-2*a*(A*b-B*a)/b^2*(-1/2/a*b^2/(a^2-b^2)*cos(1/2*d*x+1/
2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*b*cos(1/2*d*x+
1/2*c)^2+a-b)^2-3/4*b^2*(3*a^2-b^2)/a^2/(a^2-b^2)^2*cos(1/2*d*x+1/2*c)*(-2*
sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*b*cos(1/2*d*x+1/2*c)^2+
a-b)-7/8/(a+b)/(a^2-b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c
)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF
(cos(1/2*d*x+1/2*c),2^(1/2))+1/4/(a+b)/(a^2-b^2)/a*(sin(1/2*d*x+1/2*c)^2)^(
1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x
+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*b+3/8/(a+b)/(a^2-b^2
)/a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*si
n(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c)
,2^(1/2))*b^2-9/8*b/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*
x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*El
lipticF(cos(1/2*d*x+1/2*c),2^(1/2))+3/8*b^3/a^2/(a^2-b^2)^2*(sin(1/2*d*x+1/
2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+si
n(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+9/8*b/(a^2-
b^2)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*si
n(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c
),2^(1/2))-3/8*b^3/a^2/(a^2-b^2)^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2
*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)
*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*
b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/
2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2
*b/(a-b),2^(1/2))+3/2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)
^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d
*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))-3/4/a^
2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d
*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*E
llipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*co
s(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(b \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3,x, algorithm  
="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a)^3, x  
)



---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{(b \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a)^3, x)

$$3.380 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)(a+b \cos(c+dx))^3}} dx$$

**Optimal.** Leaf size=345

$$\frac{(7a^2Ab - 3a^3B - 3ab^2B - Ab^3)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{4abd(a^2-b^2)^2} - \frac{(9a^2Ab - 5a^3B - ab^2B - 3Ab^3)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a^2d(a^2-b^2)^2} + \frac{(-6a^2Ab^3 + 15a^4B^2)}{4a^2d(a^2-b^2)^2}$$

[Out]  $-\left(\left(9a^2Ab - 3a^3B - 5a^4B - ab^2B\right) \text{EllipticE}\left[\frac{c+dx}{2}, 2\right]\right) / \left(4a^2(a^2-b^2)^2d\right) - \left(\left(7a^2Ab - Ab^3 - 3a^3B - 3a^4B - 3ab^2B\right) \text{EllipticF}\left[\frac{c+dx}{2}, 2\right]\right) / \left(4ab(a^2-b^2)^2d\right) + \left(\left(15a^4Ab - 6a^2Ab^3 + 3a^4B - 3a^5B - 10a^3b^2B + ab^4B\right) \text{EllipticPi}\left[\frac{2b}{a+b}, \frac{c+dx}{2}, 2\right]\right) / \left(4a^2(a-b)^2b(a+b)^3d\right) + \left(b(Ab - aB) \sqrt{\cos[c+dx]} \sin[c+dx]\right) / \left(2a(a^2-b^2)d(a+b\cos[c+dx])^2\right) + \left(b(9a^2Ab - 3a^3B - 5a^4B - ab^2B) \sqrt{\cos[c+dx]} \sin[c+dx]\right) / \left(4a^2(a^2-b^2)^2d(a+b\cos[c+dx])\right)$

**Rubi [A]** time = 1.06, antiderivative size = 345, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {3000, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(7a^2Ab - 3a^3B - 3ab^2B - Ab^3)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{4abd(a^2-b^2)^2} - \frac{(9a^2Ab - 5a^3B - ab^2B - 3Ab^3)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a^2d(a^2-b^2)^2} + \frac{(-6a^2Ab^3 + 15a^4B^2)}{4a^2d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B \cos[c + dx]) / (\sqrt{\cos[c + dx]} (a + b \cos[c + dx])^3), x]$

[Out]  $-\left(\left(9a^2Ab - 3a^3B - 5a^4B - ab^2B\right) \text{EllipticE}\left[\frac{c+dx}{2}, 2\right]\right) / \left(4a^2(a^2-b^2)^2d\right) - \left(\left(7a^2Ab - Ab^3 - 3a^3B - 3a^4B - 3ab^2B\right) \text{EllipticF}\left[\frac{c+dx}{2}, 2\right]\right) / \left(4ab(a^2-b^2)^2d\right) + \left(\left(15a^4Ab - 6a^2Ab^3 + 3a^4B - 3a^5B - 10a^3b^2B + ab^4B\right) \text{EllipticPi}\left[\frac{2b}{a+b}, \frac{c+dx}{2}, 2\right]\right) / \left(4a^2(a-b)^2b(a+b)^3d\right) + \left(b(Ab - aB) \sqrt{\cos[c+dx]} \sin[c+dx]\right) / \left(2a(a^2-b^2)d(a+b\cos[c+dx])^2\right) + \left(b(9a^2Ab - 3a^3B - 5a^4B - ab^2B) \sqrt{\cos[c+dx]} \sin[c+dx]\right) / \left(4a^2(a^2-b^2)^2d(a+b\cos[c+dx])\right)$

### Rule 3000

$\text{Int}[(a_. + (b_.) \sin[e_. + (f_.)(x_.)])^{(m_.)} ((A_.) + (B_.) \sin[e_. + (f_.)(x_.)])^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(A^2b^2 - ab^2B) \cos[e + fx] (a + b \sin[e + fx])^{m+1} (c + d \sin[e + fx])^{1+n}] / (f(m+1)(bc - ad)(a^2 - b^2)), x] + \text{Dist}[1 / ((m+1)(bc - ad)(a^2 - b^2)), \text{Int}[(a + b \sin[e + fx])^{m+1} (c + d \sin[e + fx])^n \text{Simp}[(aA - bB)(bc - ad)(m+1) + b^2d(Ab - aB)(m+n+2) + (Ab - aB)(ad(m+1) - bc(m+2)) \sin[e + fx] - b^2d(Ab - aB)(m+n+3) \sin[e + fx]^2, x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[bc - ad, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3055

$\text{Int}[(a_. + (b_.) \sin[e_. + (f_.)(x_.)])^{(m_.)} ((c_.) + (d_.) \sin[e_. + (f_.)(x_.)])^{(n_.)} ((A_.) + (B_.) \sin[e_. + (f_.)(x_.)] + (C_.) \sin[e_. + (f_.)(x_.)])^{(p_.)}, x]$

```

+ (f_.)*(x_)^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

### Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*(c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

### Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

### Rule 3002

```

Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^m*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

### Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

### Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^3} dx = \frac{b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{\int \frac{\frac{1}{2}(4a^2A - 3Ab^2 - abB) - 2a(Ab - aB) \cos(c + dx) + \frac{1}{2}b}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{2a(a^2 - b^2)}$$

$$= \frac{b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{b(9a^2Ab - 3Ab^3 - 5a^3B - ab^2B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4a^2(a^2 - b^2)^2d(a + b \cos(c + dx))}$$

$$= \frac{b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(a + b \cos(c + dx))^2} + \frac{b(9a^2Ab - 3Ab^3 - 5a^3B - ab^2B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4a^2(a^2 - b^2)^2d(a + b \cos(c + dx))}$$

$$= -\frac{(9a^2Ab - 3Ab^3 - 5a^3B - ab^2B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^2(a^2 - b^2)^2d} + \frac{b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(a + b \cos(c + dx))}$$

$$= -\frac{(9a^2Ab - 3Ab^3 - 5a^3B - ab^2B)E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^2(a^2 - b^2)^2d} - \frac{(7a^2Ab - Ab^3 - 3a^3B - 3ab^2B)\sqrt{\cos(c + dx)} \sin(c + dx)}{4ab(a^2 - b^2)d(a + b \cos(c + dx))}$$

**Mathematica [A]** time = 4.67539, size = 387, normalized size = 1.12

$$\frac{(-19a^2Ab^2 + 16a^4A - 9a^3bB + 3ab^3B + 9Ab^4)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{a+b} + \frac{8a(-4a^2Ab + 2a^3B + ab^2B + Ab^3)\left((a+b)F\left(\frac{1}{2}(c+dx) \middle| 2\right) - a\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)\right)}{b(a+b)} + \frac{(-9a^2Ab + 5a^3B + ab^2B + 3Ab^3)\sin(c+dx)(2a^2 - b^2)}{(a-b)^2(a+b)^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^3), x]
```

```
[Out] ((-2*b*Sqrt[Cos[c + d*x]]*(a*(-11*a^2*A*b + 5*A*b^3 + 7*a^3*B - a*b^2*B) + b*(-9*a^2*A*b + 3*A*b^3 + 5*a^3*B + a*b^2*B))*Cos[c + d*x])*Sin[c + d*x])/((a^2 - b^2)^2*(a + b*Cos[c + d*x])^2) + (((16*a^4*A - 19*a^2*A*b^2 + 9*A*b^4 - 9*a^3*b*B + 3*a*b^3*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + (8*a*(-4*a^2*A*b + A*b^3 + 2*a^3*B + a*b^2*B))*((a + b)*EllipticF[(c + d*x)/2, 2] - a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]))/(b*(a + b)) + ((-9*a^2*A*b + 3*A*b^3 + 5*a^3*B + a*b^2*B)*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (2*a^2 - b^2)*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*b*Sqrt[Sin[c + d*x]^2])/((a - b)^2*(a + b)^2)/(8*a^2*d)
```

**Maple [B]** time = 13.454, size = 1744, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^3,x)
```

```
[Out] -((-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*B/b*(-1/a*b^2/(a^2-b^2)*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(2*b*cos(1/2*d*x+1/2*c)^2+a-b)-1/2/a/(a+b)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x
```

$$\begin{aligned}
& +1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\
& )+1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*a/(a^2-b^2) / (-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+1/a / (a^2-b^2) / (-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+2*(A*b-B*a)/b*(-1/2/a*b^2/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*b*\cos(1/2*d*x+1/2*c)^2+a-b)^2-3/4*b^2*(3*a^2-b^2)/a^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*b*\cos(1/2*d*x+1/2*c)^2+a-b)-7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/4/(a+b)/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}) \\
& )*b+3/8/(a+b)/(a^2-b^2)/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2-9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-15/4*a^2/(a^2-b^2)^2 / (-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+3/2/(a^2-b^2)^2 / (-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})-3/4/a^2/(a^2-b^2)^2 / (-2*a*b+2*b^2)*b^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d
\end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^3,x, algorithm="fricas")
```

```
[Out] Timed out
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(1/2)/(a+b*cos(d*x+c))**3,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^3 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^3,x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^3*sqrt(cos(d*x + c))), x)
```

$$3.381 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=420

$$\frac{(11a^2Ab - 7a^3B + ab^2B - 5Ab^3)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a^2d(a^2-b^2)^2} - \frac{(-29a^2Ab^2 + 8a^4A + 9a^3bB - 3ab^3B + 15Ab^4)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a^3d(a^2-b^2)^2}$$

```
[Out] -((8*a^4*A - 29*a^2*A*b^2 + 15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B)*EllipticE[(c + d*x)/2, 2])/(4*a^3*(a^2 - b^2)^2*d) + ((11*a^2*A*b - 5*A*b^3 - 7*a^3*B + a*b^2*B)*EllipticF[(c + d*x)/2, 2])/(4*a^2*(a^2 - b^2)^2*d) - ((35*a^4*A*b - 38*a^2*A*b^3 + 15*A*b^5 - 15*a^5*B + 6*a^3*b^2*B - 3*a*b^4*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(4*a^3*(a - b)^2*(a + b)^3*d) + ((8*a^4*A - 29*a^2*A*b^2 + 15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B)*Sin[c + d*x])/(4*a^3*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]]) + (b*(A*b - a*B)*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^2) + (b*(11*a^2*A*b - 5*A*b^3 - 7*a^3*B + a*b^2*B)*Sin[c + d*x])/(4*a^2*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x]))
```

**Rubi [A]** time = 1.47385, antiderivative size = 420, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {3000, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(11a^2Ab - 7a^3B + ab^2B - 5Ab^3)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a^2d(a^2-b^2)^2} - \frac{(-29a^2Ab^2 + 8a^4A + 9a^3bB - 3ab^3B + 15Ab^4)E\left(\frac{1}{2}(c+dx)\middle|2\right)}{4a^3d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^3), x]
```

```
[Out] -((8*a^4*A - 29*a^2*A*b^2 + 15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B)*EllipticE[(c + d*x)/2, 2])/(4*a^3*(a^2 - b^2)^2*d) + ((11*a^2*A*b - 5*A*b^3 - 7*a^3*B + a*b^2*B)*EllipticF[(c + d*x)/2, 2])/(4*a^2*(a^2 - b^2)^2*d) - ((35*a^4*A*b - 38*a^2*A*b^3 + 15*A*b^5 - 15*a^5*B + 6*a^3*b^2*B - 3*a*b^4*B)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(4*a^3*(a - b)^2*(a + b)^3*d) + ((8*a^4*A - 29*a^2*A*b^2 + 15*A*b^4 + 9*a^3*b*B - 3*a*b^3*B)*Sin[c + d*x])/(4*a^3*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]]) + (b*(A*b - a*B)*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^2) + (b*(11*a^2*A*b - 5*A*b^3 - 7*a^3*B + a*b^2*B)*Sin[c + d*x])/(4*a^2*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x]))
```

### Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x])*(c + d*Sin[e + f*x])], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3002

```
Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

Rubi steps



$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^3} dx &= \frac{b(Ab - aB) \sin(c + dx)}{2a(a^2 - b^2) d \sqrt{\cos(c + dx)}(a + b \cos(c + dx))^2} + \frac{\int \frac{\frac{1}{2}(4a^2A - 5Ab^2 + abB) - 2a(Ab - aB)}{\cos^{\frac{3}{2}}(c + dx)} dx}{2a} \\
&= \frac{b(Ab - aB) \sin(c + dx)}{2a(a^2 - b^2) d \sqrt{\cos(c + dx)}(a + b \cos(c + dx))^2} + \frac{b(11a^2Ab - 5Ab^3 - 7a^3B)}{4a^2(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} \\
&= \frac{(8a^4A - 29a^2Ab^2 + 15Ab^4 + 9a^3bB - 3ab^3B) \sin(c + dx)}{4a^3(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} + \frac{b(Ab - aB)}{2a(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= \frac{(8a^4A - 29a^2Ab^2 + 15Ab^4 + 9a^3bB - 3ab^3B) \sin(c + dx)}{4a^3(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}} + \frac{b(Ab - aB)}{2a(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= -\frac{(8a^4A - 29a^2Ab^2 + 15Ab^4 + 9a^3bB - 3ab^3B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^3(a^2 - b^2)^2 d} + \frac{(8a^4A - 29a^2Ab^2 + 15Ab^4 + 9a^3bB - 3ab^3B) \sin(c + dx)}{2a(a^2 - b^2) d \sqrt{\cos(c + dx)}} \\
&= -\frac{(8a^4A - 29a^2Ab^2 + 15Ab^4 + 9a^3bB - 3ab^3B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^3(a^2 - b^2)^2 d} + \frac{(11a^2Ab - 5Ab^3 - 7a^3B) \sin(c + dx)}{2a(a^2 - b^2) d \sqrt{\cos(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 4.98334, size = 462, normalized size = 1.1

$$\frac{\sqrt{\cos(c+dx)} \left( b^2 (-29a^2Ab^2 + 8a^4A + 9a^3bB - 3ab^3B + 15Ab^4) \sin(2(c+dx)) + 2ab(-47a^2Ab^2 + 16a^4A + 11a^3bB - 5ab^3B + 25Ab^4) \sin(c+dx) + 16A(a^3 - ab^2)^2 \tan(c+dx) \right)}{(a^2 - b^2)^2 (a + b \cos(c+dx))^2}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/((Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])^3), x]

[Out] (-(((56\*a^4\*A\*b - 95\*a^2\*A\*b^3 + 45\*A\*b^5 - 16\*a^5\*B + 19\*a^3\*b^2\*B - 9\*a\*b^4\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b) + (8\*a\*(2\*a^4\*A - 10\*a^2\*A\*b^2 + 5\*A\*b^4 + 4\*a^3\*b\*B - a\*b^3\*B)\*((a + b)\*EllipticF[(c + d\*x)/2, 2] - a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]))/(b\*(a + b)) + ((8\*a^4\*A - 29\*a^2\*A\*b^2 + 15\*A\*b^4 + 9\*a^3\*b\*B - 3\*a\*b^3\*B)\*(-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (2\*a^2 - b^2)\*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/(a\*b\*Sqrt[Sin[c + d\*x]^2]))/((a - b)^2\*(a + b)^2) + (Sqrt[Cos[c + d\*x]]\*(2\*a\*b\*(16\*a^4\*A - 47\*a^2\*A\*b^2 + 25\*A\*b^4 + 11\*a^3\*b\*B - 5\*a\*b^3\*B)\*Sin[c + d\*x] + b^2\*(8\*a^4\*A - 29\*a^2\*A\*b^2 + 15\*A\*b^4 + 9\*a^3\*b\*B - 3\*a\*b^3\*B)\*Sin[2\*(c + d\*x)] + 16\*A\*(a^3 - a\*b^2)^2\*Tan[c + d\*x]))/(a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])^2))/(8\*a^3\*d)

**Maple [B]** time = 17.036, size = 2002, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((A+B*\cos(d*x+c))/\cos(d*x+c)^{(3/2)}/(a+b*\cos(d*x+c))^3,x)$

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4*A*b^2/a^3/(-2 \\ & *a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/ \\ & (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x \\ & +1/2*c),-2*b/(a-b),2^{(1/2)})+2/a^3*A*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1 \\ & /2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2 \\ & *d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1 \\ & /2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)-2*A*b/a^2*(-1/a*b^2/(a^2-b^2)*\cos(1/2*d* \\ & x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2* \\ & d*x+1/2*c)^2+a-b)-1/2/a/(a+b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+ \\ & 1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{Elli \\ & pticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2*b/(a^2-b^2)/a*( \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d \\ & *x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)} \\ & ))-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2* \\ & d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\ & \text{EllipticPi}(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b \\ & ^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2* \\ & \sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2 \\ & *c),-2*b/(a-b),2^{(1/2)})))+2*(-A*b+B*a)/a*(-1/2/a*b^2/(a^2-b^2)*\cos(1/2*d*x+1 \\ & /2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2*d*x \\ & +1/2*c)^2+a-b)^2-3/4*b^2*(3*a^2-b^2)/a^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2 \\ & *\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2*d*x+1/2*c)^2 \\ & +a-b)-7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2* \\ & c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{Elli \\ & pticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/4/(a+b)/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b+3/8/(a+b)/(a^2-b^ \\ & 2)/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*s \\ & \sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c \\ & ),2^{(1/2)})*b^2-9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d \\ & *x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*E \\ & llipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1 \\ & /2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+s \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+9/8*b/(a^2 \\ & -b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2* \\ & \sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2* \\ & c),2^{(1/2)})-3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/ \\ & 2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2) \\ & *b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1 \\ & /2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),- \\ & 2*b/(a-b),2^{(1/2)})+3/2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2 \\ & )^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2* \\ & d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})-3/4/a \\ & ^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2* \\ & d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\ & \text{EllipticPi}(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*c \\ & \cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: RuntimeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^3,x, algorithm
="maxima")
```

```
[Out] Exception raised: RuntimeError
```

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^3,x, algorithm
="fricas")
```

```
[Out] Timed out
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+b*cos(d*x+c))**3,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^3 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^3,x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^3*cos(d*x + c)^(3/2)),
x)
```

$$3.382 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=523

$$\frac{(-61a^2Ab^2 + 8a^4A + 33a^3bB - 15ab^3B + 35Ab^4)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{12a^3d(a^2-b^2)^2} + \frac{(-65a^2Ab^3 + 24a^4Ab + 29a^3b^2B - 8a^5B - 15ab^4B)}{4a^4d(a^2-b^2)^2}$$

[Out] ((24\*a^4\*A\*b - 65\*a^2\*A\*b^3 + 35\*A\*b^5 - 8\*a^5\*B + 29\*a^3\*b^2\*B - 15\*a\*b^4\*B)\*EllipticE[(c + d\*x)/2, 2])/(4\*a^4\*(a^2 - b^2)^2\*d) + ((8\*a^4\*A - 61\*a^2\*A\*b^2 + 35\*A\*b^4 + 33\*a^3\*b\*B - 15\*a\*b^3\*B)\*EllipticF[(c + d\*x)/2, 2])/(12\*a^3\*(a^2 - b^2)^2\*d) + (b\*(63\*a^4\*A\*b - 86\*a^2\*A\*b^3 + 35\*A\*b^5 - 35\*a^5\*B + 38\*a^3\*b^2\*B - 15\*a\*b^4\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(4\*a^4\*(a - b)^2\*(a + b)^3\*d) + ((8\*a^4\*A - 61\*a^2\*A\*b^2 + 35\*A\*b^4 + 33\*a^3\*b\*B - 15\*a\*b^3\*B)\*Sin[c + d\*x])/(12\*a^3\*(a^2 - b^2)^2\*d\*Cos[c + d\*x]^(3/2)) - ((24\*a^4\*A\*b - 65\*a^2\*A\*b^3 + 35\*A\*b^5 - 8\*a^5\*B + 29\*a^3\*b^2\*B - 15\*a\*b^4\*B)\*Sin[c + d\*x])/(4\*a^4\*(a^2 - b^2)^2\*d\*Sqrt[Cos[c + d\*x]]) + (b\*(A\*b - a\*B)\*Sin[c + d\*x])/(2\*a\*(a^2 - b^2)\*d\*Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])^2) + (b\*(13\*a^2\*A\*b - 7\*A\*b^3 - 9\*a^3\*B + 3\*a\*b^2\*B)\*Sin[c + d\*x])/(4\*a^2\*(a^2 - b^2)^2\*d\*Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x]))

**Rubi [A]** time = 1.95256, antiderivative size = 523, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {3000, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{(-61a^2Ab^2 + 8a^4A + 33a^3bB - 15ab^3B + 35Ab^4)F\left(\frac{1}{2}(c+dx)\middle|2\right)}{12a^3d(a^2-b^2)^2} + \frac{(-65a^2Ab^3 + 24a^4Ab + 29a^3b^2B - 8a^5B - 15ab^4B)}{4a^4d(a^2-b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])^3), x]

[Out] ((24\*a^4\*A\*b - 65\*a^2\*A\*b^3 + 35\*A\*b^5 - 8\*a^5\*B + 29\*a^3\*b^2\*B - 15\*a\*b^4\*B)\*EllipticE[(c + d\*x)/2, 2])/(4\*a^4\*(a^2 - b^2)^2\*d) + ((8\*a^4\*A - 61\*a^2\*A\*b^2 + 35\*A\*b^4 + 33\*a^3\*b\*B - 15\*a\*b^3\*B)\*EllipticF[(c + d\*x)/2, 2])/(12\*a^3\*(a^2 - b^2)^2\*d) + (b\*(63\*a^4\*A\*b - 86\*a^2\*A\*b^3 + 35\*A\*b^5 - 35\*a^5\*B + 38\*a^3\*b^2\*B - 15\*a\*b^4\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(4\*a^4\*(a - b)^2\*(a + b)^3\*d) + ((8\*a^4\*A - 61\*a^2\*A\*b^2 + 35\*A\*b^4 + 33\*a^3\*b\*B - 15\*a\*b^3\*B)\*Sin[c + d\*x])/(12\*a^3\*(a^2 - b^2)^2\*d\*Cos[c + d\*x]^(3/2)) - ((24\*a^4\*A\*b - 65\*a^2\*A\*b^3 + 35\*A\*b^5 - 8\*a^5\*B + 29\*a^3\*b^2\*B - 15\*a\*b^4\*B)\*Sin[c + d\*x])/(4\*a^4\*(a^2 - b^2)^2\*d\*Sqrt[Cos[c + d\*x]]) + (b\*(A\*b - a\*B)\*Sin[c + d\*x])/(2\*a\*(a^2 - b^2)\*d\*Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])^2) + (b\*(13\*a^2\*A\*b - 7\*A\*b^3 - 9\*a^3\*B + 3\*a\*b^2\*B)\*Sin[c + d\*x])/(4\*a^2\*(a^2 - b^2)^2\*d\*Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x]))

**Rule 3000**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(1 + n))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(a\*A - b\*B)\*(b\*c - a\*d)\*(m + 1) + b\*d\*(A\*b - a\*B)\*(m + n + 2) + (A\*b - a\*B)\*(a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(A\*b - a\*B)\*(m

```
+ n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

### Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)^2], x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n + 1)/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

### Rule 3059

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*(c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)]), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Ssin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Ssin[e + f*x]]*(c + d*Ssin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]
```

### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 3002

```
Int((((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)])^n)/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[
B/d, Int[(a + b*Ssin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Ssin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

### Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^3} dx &= \frac{b(Ab - aB) \sin(c + dx)}{2a(a^2 - b^2)d \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^2} + \frac{\int \frac{\frac{1}{2}(4a^2A - 7Ab^2 + 3abB) - 2a(Ab - aB)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^3} dx}{2a(a^2 - b^2)d} \\
 &= \frac{b(Ab - aB) \sin(c + dx)}{2a(a^2 - b^2)d \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^2} + \frac{b(13a^2Ab - 7Ab^3 - 9a^3B + 3ab^2B)}{4a^2(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} \\
 &= \frac{(8a^4A - 61a^2Ab^2 + 35Ab^4 + 33a^3bB - 15ab^3B) \sin(c + dx)}{12a^3(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} + \frac{b(Ab - aB)}{2a(a^2 - b^2)d \cos^{\frac{3}{2}}(c + dx)} \\
 &= \frac{(8a^4A - 61a^2Ab^2 + 35Ab^4 + 33a^3bB - 15ab^3B) \sin(c + dx)}{12a^3(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} - \frac{(24a^4Ab - 65a^2Ab^3 + 35Ab^5 - 8a^5B + 29a^3b^2B - 15ab^4B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^4(a^2 - b^2)^2 d} + \\
 &= \frac{(8a^4A - 61a^2Ab^2 + 35Ab^4 + 33a^3bB - 15ab^3B) \sin(c + dx)}{12a^3(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} - \frac{(24a^4Ab - 65a^2Ab^3 + 35Ab^5 - 8a^5B + 29a^3b^2B - 15ab^4B) E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{4a^4(a^2 - b^2)^2 d} +
 \end{aligned}$$

**Mathematica [A]** time = 7.16701, size = 574, normalized size = 1.1

$$\frac{\sqrt{\cos(c + dx)} \left( \frac{Ab^4 \sin(c + dx) - ab^3B \sin(c + dx)}{2a^3(a^2 - b^2)(a + b \cos(c + dx))^2} + \frac{17a^2Ab^4 \sin(c + dx) - 13a^3b^3B \sin(c + dx) + 7ab^5B \sin(c + dx) - 11Ab^6 \sin(c + dx)}{4a^4(a^2 - b^2)^2(a + b \cos(c + dx))} + \frac{2 \sec(c + dx)(aB \sin(c + dx))}{a^4} \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])^3), x]

[Out] ((2\*(16\*a^6\*A + 328\*a^4\*A\*b^2 - 641\*a^2\*A\*b^4 + 315\*A\*b^6 - 168\*a^5\*b\*B + 285\*a^3\*b^3\*B - 135\*a\*b^5\*B)\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b) + ((160\*a^5\*A\*b - 512\*a^3\*A\*b^3 + 280\*a\*A\*b^5 - 48\*a^6\*B + 240\*a^4\*b^2\*B - 120\*a^2\*b^4\*B)\*(2\*EllipticF[(c + d\*x)/2, 2] - (2\*a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a + b)))/b + (2\*(72\*a^4\*A\*b^2 - 195\*a^2\*A\*b^4 + 105\*A\*b^6 - 24\*a^5\*b\*B + 87\*a^3\*b^3\*B - 45\*a\*b^5\*B)\*Cos[2\*(c + d\*x)]\*(-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (2\*a^2 - b^2)\*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/(a\*b^2\*Sqrt[1 - Cos[c + d\*x]^2]\*(-1 + 2\*Cos[c + d\*x]^2)))/(48\*a^4\*(a - b)^2\*(a + b)^2\*d) + (Sqrt[Cos[c + d\*x]]\*((2\*Sec[c + d\*x]\*(-3\*A\*b\*Sin[c + d\*x] + a\*B\*Sin[c + d\*x]))/a^4 + (A\*b^4\*Sin[c + d\*x] - a\*b^3\*B\*Sin[c + d\*x])/(2\*a^3\*(a^2 - b^2)\*(a + b\*Cos[c + d\*x])^2) + (17\*a^2\*A\*b^4\*Sin[c + d\*x] - 11\*A\*b^6\*Sin[c + d\*x] - 13\*a^3\*b^3\*B\*Sin[c + d\*x] + 7\*a\*b^5\*B\*Sin[c + d\*x])/(4\*a^4\*(a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])) + (2\*A\*Sec[c + d\*x]\*Tan[c + d\*x])/(3\*a^3)))/d

**Maple [B]** time = 27.283, size = 2158, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int ((A+B*\cos(dx+c))/\cos(dx+c)^{(5/2)}/(a+b*\cos(dx+c))^3, x)$

[Out] 
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-4*b^2*(3*A*b-B*a)/a^4/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+2*(-3*A*b+B*a)/a^4*(-\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+2*b*(2*A*b-B*a)/a^3*(-1/a*b^2/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2*d*x+1/2*c)^2+a-b)-1/2/a/(a+b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})))+2*A/a^3*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})))+2*(A*b-B*a)*b/a^2*(-1/2/a*b^2/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2*d*x+1/2*c)^2+a-b)^2-3/4*b^2*(3*a^2-b^2)/a^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2*d*x+1/2*c)^2+a-b)-7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/4/(a+b)/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+3/2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4$$

$$+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})-3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^3 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^3\*cos(d\*x + c)^(5/2)), x)



$$3.383 \quad \int \frac{\cos^{\frac{5}{2}}(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=44

$$\frac{6BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2B \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{5d}$$

[Out] (6\*B\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*B\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(5\*d)

**Rubi [A]** time = 0.0248216, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {21, 2635, 2639}

$$\frac{6BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2B \sin(c+dx) \cos^{\frac{3}{2}}(c+dx)}{5d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(5/2)\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x]),x]

[Out] (6\*B\*EllipticE[(c + d\*x)/2, 2])/(5\*d) + (2\*B\*Cos[c + d\*x]^(3/2)\*Sin[c + d\*x])/(5\*d)

#### Rule 21

Int[(u\_)\*((a\_) + (b\_)\*(v\_))^(m\_)\*((c\_) + (d\_)\*(v\_))^(n\_), x\_Symbol] :=  
Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]  
&& EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x,  
a + b\*x])

#### Rule 2635

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*Cos[c + d\*x]  
]\*(b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c  
+ d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n  
]

#### Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - P  
i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx &= B \int \cos^{\frac{5}{2}}(c+dx) dx \\ &= \frac{2B \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{5d} + \frac{1}{5}(3B) \int \sqrt{\cos(c+dx)} dx \\ &= \frac{6BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{5d} + \frac{2B \cos^{\frac{3}{2}}(c+dx) \sin(c+dx)}{5d} \end{aligned}$$

**Mathematica [A]** time = 0.0465736, size = 41, normalized size = 0.93

$$\frac{B \left( 6E \left( \frac{1}{2}(c + dx) \middle| 2 \right) + \sin(2(c + dx)) \sqrt{\cos(c + dx)} \right)}{5d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(5/2)\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x]),x]

[Out] (B\*(6\*EllipticE[(c + d\*x)/2, 2] + Sqrt[Cos[c + d\*x]]\*Sin[2\*(c + d\*x)]))/(5\*d)

**Maple [B]** time = 3.126, size = 203, normalized size = 4.6

$$-\frac{2B}{5d} \sqrt{\left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-8 \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) + 8 \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x)

[Out] -2/5\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*B\*(-8\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+8\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c))-3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-2\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{5}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)\*cos(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a),x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(B \cos(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] integral(B*cos(d*x + c)^(5/2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(5/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{5}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)*cos(d*x + c)^(5/2)/(b*cos(d*x + c) + a), x)
```

$$3.384 \quad \int \frac{\cos^3(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=44

$$\frac{2BF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2B \sin(c+dx)\sqrt{\cos(c+dx)}}{3d}$$

[Out] (2\*B\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*B\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/ (3\*d)

**Rubi [A]** time = 0.0236041, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {21, 2635, 2641}

$$\frac{2BF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2B \sin(c+dx)\sqrt{\cos(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(3/2)\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x]),x]

[Out] (2\*B\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*B\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/ (3\*d)

#### Rule 21

Int[(u\_)\*((a\_) + (b\_)\*(v\_))^(m\_)\*((c\_) + (d\_)\*(v\_))^(n\_), x\_Symbol] :> Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 2635

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x] \* (b\*Sin[c + d\*x])^(n - 1))/(d\*n), x] + Dist[(b^2\*(n - 1))/n, Int[(b\*Sin[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 2641

Int[1/Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx &= B \int \cos^3(c+dx) dx \\ &= \frac{2B\sqrt{\cos(c+dx)} \sin(c+dx)}{3d} + \frac{1}{3}B \int \frac{1}{\sqrt{\cos(c+dx)}} dx \\ &= \frac{2BF\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2B\sqrt{\cos(c+dx)} \sin(c+dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.0428446, size = 37, normalized size = 0.84

$$\frac{2B \left( F \left( \frac{1}{2}(c + dx) \middle| 2 \right) + \sin(c + dx) \sqrt{\cos(c + dx)} \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(3/2)\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x]),x]

[Out] (2\*B\*(EllipticF[(c + d\*x)/2, 2] + Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x]))/(3\*d)

**Maple [B]** time = 2.984, size = 180, normalized size = 4.1

$$-\frac{2B}{3d} \sqrt{\left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(4 \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) + \sqrt{2} \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x)

[Out] -2/3\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*B\*(4\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-2\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{3}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)\*cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a),x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(B \cos(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] `integral(B*cos(d*x + c)^(3/2), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(3/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{3}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(3/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*b*cos(d*x + c) + B*a)*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a), x)`

$$3.385 \quad \int \frac{\sqrt{\cos(c+dx)}(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=17

$$\frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

[Out] (2\*B\*EllipticE[(c + d\*x)/2, 2])/d

**Rubi [A]** time = 0.0109797, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$ , Rules used = {21, 2639}

$$\frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d\*x]]\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x]),x]

[Out] (2\*B\*EllipticE[(c + d\*x)/2, 2])/d

**Rule 21**

Int[(u\_.)\*((a\_) + (b\_.)\*(v\_))^(m\_.)\*((c\_) + (d\_.)\*(v\_))^(n\_.), x\_Symbol] :>  
Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]  
&& EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x,  
a + b\*x])

**Rule 2639**

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - P  
i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rubi steps**

$$\int \frac{\sqrt{\cos(c+dx)}(aB+bB \cos(c+dx))}{a+b \cos(c+dx)} dx = B \int \sqrt{\cos(c+dx)} dx$$

$$= \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

**Mathematica [A]** time = 0.0230858, size = 17, normalized size = 1.

$$\frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d\*x]]\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x]),x]

[Out]  $(2*B*EllipticE[(c + d*x)/2, 2])/d$

**Maple [B]** time = 2.138, size = 134, normalized size = 7.9

$$2 \frac{\sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)(\sin(1/2 dx + c/2))^2} B \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 + 1} \text{EllipticE}(\cos(\dots))}{\sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \sin(1/2 dx + c/2)} \sqrt{2(\cos(1/2 dx + c/2))^2 - 1} d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int(cos(d*x+c)^(1/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)`

[Out]  $2*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^(1/2)*B*(\sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*\cos(1/2*d*x+1/2*c)^2+1)^(1/2)*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^(1/2))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^(1/2)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \sqrt{\cos(dx + c)}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*b*cos(d*x + c) + B*a)*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}(B\sqrt{\cos(dx + c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)^(1/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x, algorithm="fricas")`

[Out] `integral(B*sqrt(cos(d*x + c)), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate(cos(d*x+c)**(1/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c)),x)`



[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba)\sqrt{\cos(dx + c)}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)\*sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a), x)

$$3.386 \quad \int \frac{aB + bB \cos(c + dx)}{\sqrt{\cos(c + dx)(a + b \cos(c + dx))}} dx$$

**Optimal.** Leaf size=17

$$\frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

[Out] (2\*B\*EllipticF[(c + d\*x)/2, 2])/d

**Rubi [A]** time = 0.0112141, antiderivative size = 17, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$ , Rules used = {21, 2641}

$$\frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a\*B + b\*B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])),x]

[Out] (2\*B\*EllipticF[(c + d\*x)/2, 2])/d

#### Rule 21

```
Int[(u_.)*((a_) + (b_.)*(v_))^(m_.)*((c_) + (d_.)*(v_))^(n_.), x_Symbol] :>
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

#### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
  Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned} \int \frac{aB + bB \cos(c + dx)}{\sqrt{\cos(c + dx)(a + b \cos(c + dx))}} dx &= B \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} \end{aligned}$$

**Mathematica [A]** time = 0.0266889, size = 17, normalized size = 1.

$$\frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*B + b\*B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])),x]

[Out]  $(2*B*EllipticF[(c + d*x)/2, 2])/d$

---

**Maple [C]** time = 0.037, size = 19, normalized size = 1.1

$$2 \frac{B \operatorname{InverseJacobiAM}\left(\frac{1}{2} dx + \frac{c}{2}, \sqrt{2}\right)}{d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c)),x)`

[Out] `2*B/d*InverseJacobiAM(1/2*d*x+1/2*c,2^(1/2))`

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)*sqrt(cos(d*x + c))), x)`

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{B}{\sqrt{\cos(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c)),x, algorithm="fricas")`

[Out] `integral(B/sqrt(cos(d*x + c)), x)`

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)**(1/2)/(a+b*cos(d*x+c)),x)`

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)*sqrt(cos(d*x + c))), x)
```

$$3.387 \quad \int \frac{aB + bB \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))} dx$$

**Optimal.** Leaf size=40

$$\frac{2B \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - \frac{2BE \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{d}$$

[Out] (-2\*B\*EllipticE[(c + d\*x)/2, 2])/d + (2\*B\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]])

**Rubi [A]** time = 0.0216924, antiderivative size = 40, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {21, 2636, 2639}

$$\frac{2B \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - \frac{2BE \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a\*B + b\*B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])),x]

[Out] (-2\*B\*EllipticE[(c + d\*x)/2, 2])/d + (2\*B\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]])

#### Rule 21

Int[(u\_.)\*((a\_.) + (b\_.)\*(v\_.))^(m\_.)\*((c\_.) + (d\_.)\*(v\_.))^(n\_.), x\_Symbol] := Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 2636

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), Int[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{aB + bB \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))} dx &= B \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2B \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - B \int \sqrt{\cos(c + dx)} dx \\ &= -\frac{2BE \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{d} + \frac{2B \sin(c + dx)}{d \sqrt{\cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.0589035, size = 40, normalized size = 1.

$$B \left( \frac{2 \sin(c + dx)}{d \sqrt{\cos(c + dx)}} - \frac{2E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a\*B + b\*B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])),x]

[Out] B\*((-2\*EllipticE[(c + d\*x)/2, 2])/d + (2\*Sin[c + d\*x])/(d\*sqrt[Cos[c + d\*x]]))

**Maple [A]** time = 3.253, size = 102, normalized size = 2.6

$$-2 \frac{B \left( \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{2 (\sin(1/2 dx + c/2))^2 - 1} \text{EllipticE}(\cos(1/2 dx + c/2), \sqrt{2}) - 2 (\sin(1/2 dx + c/2))^2 \cos(1/2 dx + c/2) \right)}{\sin(1/2 dx + c/2) \sqrt{2 (\cos(1/2 dx + c/2))^2 - 1} d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x)

[Out] -2\*B\*((sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-2\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a) \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)/((b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(3/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B}{\cos(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] `integral(B/cos(d*x + c)^(3/2), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)**(3/2)/(a+b*cos(d*x+c)),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a) \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c)),x, algorithm="giac")`

[Out] `integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)*cos(d*x + c)^(3/2)), x)`

$$3.388 \quad \int \frac{aB + bB \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))} dx$$

**Optimal.** Leaf size=44

$$\frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2B \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

[Out] (2\*B\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*B\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2))

**Rubi [A]** time = 0.0229834, antiderivative size = 44, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {21, 2636, 2641}

$$\frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2B \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[(a\*B + b\*B\*Cos[c + d\*x])/(Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])),x]

[Out] (2\*B\*EllipticF[(c + d\*x)/2, 2])/(3\*d) + (2\*B\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2))

#### Rule 21

Int[(u\_)\*((a\_) + (b\_)\*(v\_))^(m\_)\*((c\_) + (d\_)\*(v\_))^(n\_), x\_Symbol] :>  
 Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]  
 && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x,  
 a + b\*x])

#### Rule 2636

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(  
 b\*Sin[c + d\*x])^(n + 1))/(b\*d\*(n + 1)), x] + Dist[(n + 2)/(b^2\*(n + 1)), In  
 t[(b\*Sin[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] &&  
 IntegerQ[2\*n]

#### Rule 2641

Int[1/Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c -  
 Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps



$$\begin{aligned}
\int \frac{aB + bB \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))} dx &= B \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2B \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{1}{3} B \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2B \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

**Mathematica [A]** time = 0.0596195, size = 37, normalized size = 0.84

$$\frac{2B \left( F\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{\sin(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*B + b\*B\*Cos[c + d\*x])/((Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])),x]

[Out] (2\*B\*(EllipticF[(c + d\*x)/2, 2] + Sin[c + d\*x]/Cos[c + d\*x]^(3/2)))/(3\*d)

**Maple [B]** time = 2.872, size = 214, normalized size = 4.9

$$-\frac{2B}{3d} \left( -2 \sqrt{2 (\sin(1/2 dx + c/2))^2 - 1} \text{EllipticF}\left(\cos(1/2 dx + c/2), \sqrt{2}\right) \sqrt{(\sin(1/2 dx + c/2))^2 (\sin(1/2 dx + c/2))^2 + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)),x)

[Out] -2/3\*(-2\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2+(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-2\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))\*B\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(3/2)/sin(1/2\*d\*x+1/2\*c)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a) \cos^{\frac{5}{2}}(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)/((b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B}{\cos(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral(B/cos(d\*x + c)^(5/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a) \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)/((b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2)), x)

$$3.389 \quad \int \frac{\cos^2(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=116

$$\frac{2B(3a^2 + b^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^3d} - \frac{2a^3B\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{b^3d(a + b)} - \frac{2aBE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d} + \frac{2B \sin(c + dx)\sqrt{\cos(c + dx)}}{3bd}$$

[Out]  $(-2*a*B*EllipticE[(c + d*x)/2, 2])/(b^2*d) + (2*(3*a^2 + b^2)*B*EllipticF[(c + d*x)/2, 2])/(3*b^3*d) - (2*a^3*B*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(b^3*(a + b)*d) + (2*B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*b*d)$

**Rubi [A]** time = 0.402893, antiderivative size = 116, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {21, 2793, 3059, 2639, 3002, 2641, 2805}

$$\frac{2B(3a^2 + b^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^3d} - \frac{2a^3B\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{b^3d(a + b)} - \frac{2aBE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d} + \frac{2B \sin(c + dx)\sqrt{\cos(c + dx)}}{3bd}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(\text{Cos}[c + d*x]^{5/2}*(a*B + b*B*\text{Cos}[c + d*x]))/(a + b*\text{Cos}[c + d*x])^2, x]$

[Out]  $(-2*a*B*EllipticE[(c + d*x)/2, 2])/(b^2*d) + (2*(3*a^2 + b^2)*B*EllipticF[(c + d*x)/2, 2])/(3*b^3*d) - (2*a^3*B*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(b^3*(a + b)*d) + (2*B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*b*d)$

### Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_))^{(m_.)}*((c_.) + (d_.)*(v_))^{(n_.)}, x\_Symbol] := \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m + n)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] || \text{SimplerQ}[c + d*x, a + b*x])$

### Rule 2793

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]^{(n_.)}, x\_Symbol] := -\text{Simp}[(b^2*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m - 2)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)})/(d*f*(m + n)), x] + \text{Dist}[1/(d*(m + n)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m - 3)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a^3*d*(m + n) + b^2*(b*c*(m - 2) + a*d*(n + 1)) - b*(a*b*c - b^2*d*(m + n - 1) - 3*a^2*d*(m + n))*\text{Sin}[e + f*x] - b^2*(b*c*(m - 1) - a*d*(3*m + 2*n - 2))*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 2] \&\& (\text{IntegerQ}[m] || \text{IntegersQ}[2*m, 2*n]) \&\& !( \text{IGtQ}[n, 2] \&\& (!\text{IntegerQ}[m] || (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0])) )$

### Rule 3059

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_)] + (C_.)*\sin[(e_.) + (f_.)*(x_)]^2/( \text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)])), x\_Symbol] := \text{Dist}[C/(b*d), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]], x], x] - \text{Dist}[1/(b*d), \text{Int}[\text{Simp}[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*\text{Sin}[e + f*x], x]/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0]$

&& NeQ[c^2 - d^2, 0]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_))\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\int \frac{\cos^5(c + dx)(aB + bB \cos(c + dx))}{(a + b \cos(c + dx))^2} dx = B \int \frac{\cos^5(c + dx)}{a + b \cos(c + dx)} dx$$

$$= \frac{2B\sqrt{\cos(c + dx)} \sin(c + dx)}{3bd} + \frac{(2B) \int \frac{\frac{a}{2} + \frac{1}{2}b \cos(c + dx) - \frac{3}{2}a \cos^2(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{3b}$$

$$= \frac{2B\sqrt{\cos(c + dx)} \sin(c + dx)}{3bd} - \frac{(2B) \int \frac{-\frac{ab}{2} - \frac{1}{2}(3a^2 + b^2) \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{3b^2} - \frac{(aB) \int \sqrt{\cos(c + dx)}}{b^3}$$

$$= -\frac{2aBE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d} + \frac{2B\sqrt{\cos(c + dx)} \sin(c + dx)}{3bd} - \frac{(a^3B) \int \frac{1}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))} dx}{b^3}$$

$$= -\frac{2aBE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d} + \frac{2(3a^2 + b^2)BF\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3b^3d} - \frac{2a^3B\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{b^3(a + b)d}$$

**Mathematica [A]** time = 1.57009, size = 161, normalized size = 1.39

$$B \left( \frac{6 \sin(c + dx) \left( (b^2 - 2a^2) \Pi\left(-\frac{b}{a}; -\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) - 2a(a + b)F\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) + 2abE\left(\sin^{-1}(\sqrt{\cos(c + dx)}) \middle| -1\right) \right)}{b^2 \sqrt{\sin^2(c + dx)}} - \frac{6a\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a+b} + 4F\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)$$


---

6bd

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(5/2)\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^2, x]

```
[Out] (B*(4*EllipticF[(c + d*x)/2, 2] - (6*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + 4*sqrt[Cos[c + d*x]]*Sin[c + d*x] + (6*(2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] - 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (-2*a^2 + b^2)*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(b^2*sqrt[Sin[c + d*x]^2]))/(6*b*d)
```

**Maple [B]** time = 3.52, size = 517, normalized size = 4.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(5/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x)
```

```
[Out] -2/3*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*B*((4*a*b^2-4*b^3)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4+(-2*a*b^2+2*b^3)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)-3*a^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))+3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a^3-3*a^2*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*a*b^2-b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2*b-3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b^2)/b^3/(a-b)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="maxima")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)*cos(d*x + c)^(5/2)/(b*cos(d*x + c) + a)^2, x)
```

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(5/2)*(a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^2,x, algorithm="fricas")
```

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)\*cos(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^2, x)

$$3.390 \quad \int \frac{\cos^3(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=78

$$\frac{2a^2B\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{b^2d(a+b)} - \frac{2aBF\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d} + \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd}$$

[Out] (2\*B\*EllipticE[(c + d\*x)/2, 2])/(b\*d) - (2\*a\*B\*EllipticF[(c + d\*x)/2, 2])/(b^2\*d) + (2\*a^2\*B\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(b^2\*(a + b)\*d)

**Rubi [A]** time = 0.166554, antiderivative size = 78, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {21, 2804, 2639, 2803, 2641, 2805}

$$\frac{2a^2B\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{b^2d(a+b)} - \frac{2aBF\left(\frac{1}{2}(c+dx)\middle|2\right)}{b^2d} + \frac{2BE\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(3/2)\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^2,x]

[Out] (2\*B\*EllipticE[(c + d\*x)/2, 2])/(b\*d) - (2\*a\*B\*EllipticF[(c + d\*x)/2, 2])/(b^2\*d) + (2\*a^2\*B\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(b^2\*(a + b)\*d)

#### Rule 21

Int[(u\_)\*((a\_) + (b\_)\*(v\_))^(m\_)\*((c\_) + (d\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 2804

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[b/d, Int[Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[(b\*c - a\*d)/d, Int[Sqrt[a + b\*Sin[e + f\*x]]/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2639

Int[Sqrt[sin[(c\_) + (d\_)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2803

Int[Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[d/b, Int[1/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[(b\*c - a\*d)/b, Int[1/((a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x])], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c + dx)(aB + bB \cos(c + dx))}{(a + b \cos(c + dx))^2} dx &= B \int \frac{\cos^3(c + dx)}{a + b \cos(c + dx)} dx \\ &= \frac{B \int \sqrt{\cos(c + dx)} dx}{b} - \frac{(aB) \int \frac{\sqrt{\cos(c+dx)}}{a+b \cos(c+dx)} dx}{b} \\ &= \frac{2BE \left(\frac{1}{2}(c + dx) \Big|_2\right)}{bd} - \frac{(aB) \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{b^2} + \frac{(a^2B) \int \frac{1}{\sqrt{\cos(c+dx)(a+b \cos(c+dx))}} dx}{b^2} \\ &= \frac{2BE \left(\frac{1}{2}(c + dx) \Big|_2\right)}{bd} - \frac{2aBF \left(\frac{1}{2}(c + dx) \Big|_2\right)}{b^2d} + \frac{2a^2B\Pi \left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \Big|_2\right)}{b^2(a + b)d} \end{aligned}$$

**Mathematica [A]** time = 0.102399, size = 85, normalized size = 1.09

$$\frac{2B \sin(c + dx) \left( -(a + b)F \left( \sin^{-1} \left( \sqrt{\cos(c + dx)} \right) \Big| -1 \right) - a\Pi \left( -\frac{b}{a}; -\sin^{-1} \left( \sqrt{\cos(c + dx)} \right) \Big| -1 \right) + bE \left( \sin^{-1} \left( \sqrt{\cos(c + dx)} \right) \right) \right)}{b^2d \sqrt{\sin^2(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(3/2)\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^2,x]

[Out] (-2\*B\*(b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] - (a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] - a\*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/(b^2\*d\*Sqrt[Sin[c + d\*x]^2])

**Maple [A]** time = 3.178, size = 228, normalized size = 2.9

$$2 \frac{\sqrt{(2 (\cos(1/2 dx + c/2))^2 - 1) (\sin(1/2 dx + c/2))^2} B \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2 (\cos(1/2 dx + c/2))^2 + 1}}{(a - b) b^2 \sqrt{-2 (\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \sin(1/2 dx + c/2)} \sqrt{2 (\cos(1/2 dx + c/2))^2 - 1} d \left( \text{EllipticF} \left( \cos(1/2 dx + c/2) \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x)

[Out] 2\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^(1/2)\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c



$c), 2^{(1/2)}) * a^2 - \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a * b + \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * a * b - \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) * b^2 - a^2 * \text{EllipticPi}(\cos(1/2 * d * x + 1/2 * c), -2 * b / (a - b), 2^{(1/2)}) / b^2 / (a - b) / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)\*cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^2, x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

```
[Out] integrate((B*b*cos(d*x + c) + B*a)*cos(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^2, x)
```

$$3.391 \quad \int \frac{\sqrt{\cos(c+dx)}(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=55

$$\frac{2BF\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd} - \frac{2aB\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{bd(a+b)}$$

[Out] (2\*B\*EllipticF[(c + d\*x)/2, 2])/(b\*d) - (2\*a\*B\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(b\*(a + b)\*d)

**Rubi [A]** time = 0.102977, antiderivative size = 55, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {21, 2803, 2641, 2805}

$$\frac{2BF\left(\frac{1}{2}(c+dx)\middle|2\right)}{bd} - \frac{2aB\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{bd(a+b)}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d\*x]]\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^2,x]

[Out] (2\*B\*EllipticF[(c + d\*x)/2, 2])/(b\*d) - (2\*a\*B\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(b\*(a + b)\*d)

#### Rule 21

Int[(u\_.)\*((a\_.) + (b\_.)\*(v\_.))^(m\_.)\*((c\_.) + (d\_.)\*(v\_.))^(n\_.), x\_Symbol] :=  
Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]  
&& EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x,  
a + b\*x])

#### Rule 2803

Int[Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((a\_.) + (b\_.)\*sin[(e\_.) +  
(f\_.)\*(x\_)]), x\_Symbol] := Dist[d/b, Int[1/Sqrt[c + d\*Sin[e + f\*x]], x], x]  
+ Dist[(b\*c - a\*d)/b, Int[1/((a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x])  
, x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 -  
b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c -  
Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.)  
+ (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi  
/2 + f\*x))/2, (2\*d)/(c + d)])/((f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c  
, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,  
0] && GtQ[c + d, 0]

#### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)}(aB + bB \cos(c+dx))}{(a + b \cos(c+dx))^2} dx &= B \int \frac{\sqrt{\cos(c+dx)}}{a + b \cos(c+dx)} dx \\ &= \frac{B \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{b} - \frac{(aB) \int \frac{1}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx}{b} \\ &= \frac{2BF \left( \frac{1}{2}(c+dx) \middle| 2 \right)}{bd} - \frac{2aB \Pi \left( \frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2 \right)}{b(a+b)d} \end{aligned}$$

**Mathematica [A]** time = 0.0514915, size = 49, normalized size = 0.89

$$\frac{B \left( 2F \left( \frac{1}{2}(c+dx) \middle| 2 \right) - \frac{2a \Pi \left( \frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2 \right)}{a+b} \right)}{bd}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d\*x]]\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^2,x]

[Out] (B\*(2\*EllipticF[(c + d\*x)/2, 2] - (2\*a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]))/(a + b))/(b\*d)

**Maple [A]** time = 3.593, size = 189, normalized size = 3.4

$$-2 \frac{\sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)(\sin(1/2 dx + c/2))^2} B \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 + 1}}{b(a-b) \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \sin(1/2 dx + c/2)} \sqrt{2(\cos(1/2 dx + c/2))^2 - 1} d \left( \text{EllipticF} \left( \frac{c + d x}{2}, 2 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x)

[Out] -2\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*a-EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*b-a\*EllipticPi(cos(1/2\*d\*x+1/2\*c),-2\*b/(a-b),2^(1/2)))/b/(a-b)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \sqrt{\cos(dx + c)}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)\*sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a)^2, x)

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba)\sqrt{\cos(dx + c)}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)\*sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a)^2, x)

$$3.392 \quad \int \frac{aB + bB \cos(c + dx)}{\sqrt{\cos(c + dx)(a + b \cos(c + dx))^2}} dx$$

**Optimal.** Leaf size=30

$$\frac{2B\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{d(a + b)}$$

[Out] (2\*B\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/((a + b)\*d)

**Rubi [A]** time = 0.0487697, antiderivative size = 30, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.056$ , Rules used = {21, 2805}

$$\frac{2B\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{d(a + b)}$$

Antiderivative was successfully verified.

[In] Int[(a\*B + b\*B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^2), x]

[Out] (2\*B\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/((a + b)\*d)

#### Rule 21

Int[(u\_.)\*((a\_.) + (b\_.)\*(v\_.))^(m\_.)\*((c\_.) + (d\_.)\*(v\_.))^(n\_.), x\_Symbol] :>  
 Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]  
 && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplifierQ[c + d\*x,  
 a + b\*x])

#### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.)  
 + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi  
 /2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c  
 , d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,  
 0] && GtQ[c + d, 0]

#### Rubi steps

$$\int \frac{aB + bB \cos(c + dx)}{\sqrt{\cos(c + dx)(a + b \cos(c + dx))^2}} dx = B \int \frac{1}{\sqrt{\cos(c + dx)(a + b \cos(c + dx))}} dx$$

$$= \frac{2B\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{(a + b)d}$$

**Mathematica [A]** time = 0.0647051, size = 30, normalized size = 1.

$$\frac{2B\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{d(a + b)}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*B + b\*B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])<sup>2</sup>),x]

[Out] (2\*B\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/((a + b)\*d)

**Maple [B]** time = 2.624, size = 151, normalized size = 5.

$$-2 \frac{\sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)(\sin(1/2 dx + c/2))^2} B \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 + 1}}{(a - b) \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2} \sin(1/2 dx + c/2) \sqrt{2(\cos(1/2 dx + c/2))^2 - 1}} \text{EllipticPi}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)<sup>(1/2)</sup>/(a+b\*cos(d\*x+c))<sup>2</sup>,x)

[Out] -2\*((2\*cos(1/2\*d\*x+1/2\*c)<sup>2</sup>-1)\*sin(1/2\*d\*x+1/2\*c)<sup>2</sup>)<sup>(1/2)</sup>\*B\*(sin(1/2\*d\*x+1/2\*c)<sup>2</sup>)<sup>(1/2)</sup>\*(-2\*cos(1/2\*d\*x+1/2\*c)<sup>2</sup>+1)<sup>(1/2)</sup>\*EllipticPi(cos(1/2\*d\*x+1/2\*c), -2\*b/(a-b), 2<sup>(1/2)</sup>)/(a-b)/(-2\*sin(1/2\*d\*x+1/2\*c)<sup>4</sup>+sin(1/2\*d\*x+1/2\*c)<sup>2</sup>)<sup>(1/2)</sup>/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)<sup>2</sup>-1)<sup>(1/2)</sup>/d

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)<sup>(1/2)</sup>/(a+b\*cos(d\*x+c))<sup>2</sup>,x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)<sup>(1/2)</sup>/(a+b\*cos(d\*x+c))<sup>2</sup>,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)/((b\*cos(d\*x + c) + a)^2\*sqrt(cos(d\*x + c))), x)



$$3.393 \quad \int \frac{aB + bB \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^2} dx$$

**Optimal.** Leaf size=80

$$-\frac{2bB\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{ad(a+b)} - \frac{2BE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{2B \sin(c + dx)}{ad\sqrt{\cos(c + dx)}}$$

[Out]  $(-2*B*EllipticE[(c + d*x)/2, 2])/(a*d) - (2*b*B*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a*(a + b)*d) + (2*B*Sin[c + d*x])/(a*d*Sqrt[Cos[c + d*x]])$

**Rubi [A]** time = 0.246779, antiderivative size = 80, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.167$ , Rules used = {21, 2802, 3059, 2639, 12, 2805}

$$-\frac{2bB\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{ad(a+b)} - \frac{2BE\left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{2B \sin(c + dx)}{ad\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a*B + b*B*\text{Cos}[c + d*x]) / (\text{Cos}[c + d*x]^{(3/2)} * (a + b*\text{Cos}[c + d*x])^2), x]$

[Out]  $(-2*B*EllipticE[(c + d*x)/2, 2])/(a*d) - (2*b*B*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a*(a + b)*d) + (2*B*Sin[c + d*x])/(a*d*Sqrt[Cos[c + d*x]])$

### Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_.))^{(m_.)*((c_.) + (d_.)*(v_.))^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m+n)}, x], x] /; \text{FreeQ}\{a, b, c, d, n\}, x] \&\& \text{EqQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[m] \&\& (!\text{IntegerQ}[n] \mid\mid \text{SimplerQ}[c + d*x, a + b*x])$

### Rule 2802

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b^2*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e + f*x])^{(n+1)}) / (f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1 / ((m+1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m+1)}*(c + d*\text{Sin}[e + f*x])^n * \text{Simp}[a*(b*c - a*d)*(m+1) + b^2*d*(m+n+2) - (b^2*c + b*(b*c - a*d)*(m+1))*\text{Sin}[e + f*x] - b^2*d*(m+n+3)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{IntegersQ}[2*m, 2*n] \&\& ((\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m] \&\& !\text{IntegerQ}[n]) \mid\mid !(\text{IntegerQ}[2*n] \&\& \text{LtQ}[n, -1] \&\& ((\text{IntegerQ}[n] \&\& !\text{IntegerQ}[m]) \mid\mid \text{EqQ}[a, 0])))$

### Rule 3059

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2 / (\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)] * ((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])), x\_Symbol] \rightarrow \text{Dist}[C/(b*d), \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]], x], x] - \text{Dist}[1/(b*d), \text{Int}[\text{Simp}[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*\text{Sin}[e + f*x], x] / (\text{Sqrt}[a + b*\text{Sin}[e + f*x]] * (c + d*\text{Sin}[e + f*x])), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rubi steps

$$\int \frac{aB + bB \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^2} dx = B \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))} dx$$

$$= \frac{2B \sin(c + dx)}{ad\sqrt{\cos(c + dx)}} + \frac{(2B) \int \frac{-\frac{b}{2} - \frac{1}{2}a \cos(c+dx) - \frac{1}{2}b \cos^2(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx}{a}$$

$$= \frac{2B \sin(c + dx)}{ad\sqrt{\cos(c + dx)}} - \frac{B \int \sqrt{\cos(c + dx)} dx}{a} - \frac{(2B) \int \frac{b^2}{2\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx}{ab}$$

$$= -\frac{2BE \left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} + \frac{2B \sin(c + dx)}{ad\sqrt{\cos(c + dx)}} - \frac{(bB) \int \frac{1}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))} dx}{a}$$

$$= -\frac{2BE \left(\frac{1}{2}(c + dx) \middle| 2\right)}{ad} - \frac{2bB\Pi \left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a(a + b)d} + \frac{2B \sin(c + dx)}{ad\sqrt{\cos(c + dx)}}$$

**Mathematica [B]** time = 2.60504, size = 200, normalized size = 2.5

$$B \left( \frac{2 \sin(c+dx) \left( (2a^2 - b^2) \Pi \left( -\frac{b}{a}; -\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1 \right) + 2a(a+b)F \left( \sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1 \right) - 2abE \left( \sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1 \right) \right)}{ab\sqrt{\sin^2(c+dx)}} + \frac{6b\Pi \left( \frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2 \right)}{a+b} + \dots \right)$$


---

2ad

Antiderivative was successfully verified.

[In] Integrate[(a\*B + b\*B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])^2), x]

[Out] -(B\*((6\*b\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2)]/(a + b) + (2\*a\*(2\*EllipticF[(c + d\*x)/2, 2] - (2\*a\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2)]/(a + b))))/b - (4\*Sin[c + d\*x])/Sqrt[Cos[c + d\*x]] + (2\*(-2\*a\*b\*EllipticE[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + 2\*a\*(a + b)\*EllipticF[ArcSin[Sqrt[Cos[c + d\*x]]], -1] + (2\*a^2 - b^2)\*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c + d\*x]]], -1])\*Sin[c + d\*x])/(a\*b\*Sqrt[Sin[c + d\*x]^2]))/(2\*a\*d)

**Maple [B]** time = 4.01, size = 355, normalized size = 4.4

$$-2 \frac{B}{(a-b)a\sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \sin(1/2 dx + c/2)} \sqrt{2(\cos(1/2 dx + c/2))^2 - 1} d \left( -2\sqrt{-2} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^2,x)

[Out]  $-2*B*(-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(a-b)*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b-b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)})/a/(a-b)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)/((b\*cos(d\*x + c) + a)^2\*cos(d\*x + c)^(3/2)), x)

$$3.394 \quad \int \frac{aB + bB \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^2} dx$$

**Optimal.** Leaf size=133

$$\frac{2b^2 B \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d (a + b)} + \frac{2b B E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} - \frac{2b B \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} + \frac{2 B F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3 a d} + \frac{2 B \sin(c + dx)}{3 a d \cos^{\frac{3}{2}}(c + dx)}$$

[Out] (2\*b\*B\*EllipticE[(c + d\*x)/2, 2])/(a^2\*d) + (2\*B\*EllipticF[(c + d\*x)/2, 2])/(3\*a\*d) + (2\*b^2\*B\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a^2\*(a + b)\*d) + (2\*B\*Sin[c + d\*x])/(3\*a\*d\*Cos[c + d\*x]^(3/2)) - (2\*b\*B\*Sin[c + d\*x])/(a^2\*d\*Sqrt[Cos[c + d\*x]])

**Rubi [A]** time = 0.559779, antiderivative size = 133, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.222$ , Rules used = {21, 2802, 3055, 3059, 2639, 3002, 2641, 2805}

$$\frac{2b^2 B \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d (a + b)} + \frac{2b B E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} - \frac{2b B \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} + \frac{2 B F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3 a d} + \frac{2 B \sin(c + dx)}{3 a d \cos^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

[In] Int[(a\*B + b\*B\*Cos[c + d\*x])/(Cos[c + d\*x]^(5/2)\*(a + b\*Cos[c + d\*x])^2), x]

[Out] (2\*b\*B\*EllipticE[(c + d\*x)/2, 2])/(a^2\*d) + (2\*B\*EllipticF[(c + d\*x)/2, 2])/(3\*a\*d) + (2\*b^2\*B\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2])/(a^2\*(a + b)\*d) + (2\*B\*Sin[c + d\*x])/(3\*a\*d\*Cos[c + d\*x]^(3/2)) - (2\*b\*B\*Sin[c + d\*x])/(a^2\*d\*Sqrt[Cos[c + d\*x]])

### Rule 21

Int[(u\_.)\*((a\_.) + (b\_.)\*(v\_.))^(m\_.)\*((c\_.) + (d\_.)\*(v\_.))^(n\_.), x\_Symbol] := Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

### Rule 2802

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := -Simp[(b^2\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*(b\*c - a\*d)\*(m + 1) + b^2\*d\*(m + n + 2) - (b^2\*c + b\*(b\*c - a\*d)\*(m + 1))\*Sin[e + f\*x] - b^2\*d\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && IntegerQ[2\*m, 2\*n] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]

```

*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1)/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

### Rule 3059

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)])), x_Symbol] := Dist[C/(b*d), Int[Sqrt[a + b*Sin[e + f*x]], x],
x] - Dist[1/(b*d), Int[Simp[a*c*C - A*b*d + (b*c*C - b*B*d + a*C*d)*Sin[e
+ f*x], x]/(Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])), x], x] /; FreeQ
[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0]

```

### Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

### Rule 3002

```

Int[(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_))*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_.)]))/((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[
B/d, Int[(a + b*Sin[e + f*x])^m, x], x] - Dist[(B*c - A*d)/d, Int[(a + b*Si
n[e + f*x])^m/(c + d*Sin[e + f*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B
, m}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

### Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - P
i/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

### Rubi steps

$$\begin{aligned}
 \int \frac{aB + bB \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^2} dx &= B \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))} dx \\
 &= \frac{2B \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} + \frac{(2B) \int \frac{-\frac{3b}{2} + \frac{1}{2}a \cos(c+dx) + \frac{1}{2}b \cos^2(c+dx)}{\cos^{\frac{3}{2}}(c+dx)(a+b \cos(c+dx))} dx}{3a} \\
 &= \frac{2B \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} - \frac{2bB \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} + \frac{(4B) \int \frac{\frac{1}{4}(a^2+3b^2) + ab \cos(c+dx) + \frac{3}{4}b^2 \cos^2(c+dx)}{\sqrt{\cos(c+dx)(a+b \cos(c+dx))}} dx}{3a^2} \\
 &= \frac{2B \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} - \frac{2bB \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} - \frac{(4B) \int \frac{-\frac{1}{4}b(a^2+3b^2) - \frac{1}{4}ab^2 \cos(c+dx)}{\sqrt{\cos(c+dx)(a+b \cos(c+dx))}} dx}{3a^2 b} + \dots \\
 &= \frac{2bBE \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{a^2 d} + \frac{2B \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} - \frac{2bB \sin(c + dx)}{a^2 d \sqrt{\cos(c + dx)}} + \frac{B \int \frac{1}{\sqrt{\cos(c+dx)}} dx}{3a} \\
 &= \frac{2bBE \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{a^2 d} + \frac{2BF \left( \frac{1}{2}(c + dx) \middle| 2 \right)}{3ad} + \frac{2b^2 B \Pi \left( \frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2 \right)}{a^2(a + b)d} + \dots
 \end{aligned}$$

**Mathematica [A]** time = 4.06872, size = 215, normalized size = 1.62

$$B \left( \frac{2(2a^2+9b^2)\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx) \middle| 2\right)}{a+b} + \frac{6 \sin(c+dx) \left( (2a^2-b^2)\Pi\left(-\frac{b}{a}; -\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1 \right) + 2a(a+b)F\left(\sin^{-1}(\sqrt{\cos(c+dx)}) \middle| -1 \right) - 2abE\left(\sin^{-1}(\sqrt{\cos(c+dx)}) \right) \right)}{a\sqrt{\sin^2(c+dx)}} \right)$$


---

$6a^2d$

Antiderivative was successfully verified.

```
[In] Integrate[(a*B + b*B*Cos[c + d*x])/((Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])^2), x]
```

```
[Out] (B*((2*(2*a^2 + 9*b^2)*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b) + 8*a*(2*EllipticF[(c + d*x)/2, 2] - (2*a*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2])/(a + b)) + (4*(a - 3*b*Cos[c + d*x])*Sin[c + d*x])/Cos[c + d*x]^(3/2) + (6*(-2*a*b*EllipticE[ArcSin[Sqrt[Cos[c + d*x]]], -1] + 2*a*(a + b)*EllipticF[ArcSin[Sqrt[Cos[c + d*x]]], -1] + (2*a^2 - b^2)*EllipticPi[-(b/a), -ArcSin[Sqrt[Cos[c + d*x]]], -1])*Sin[c + d*x])/(a*Sqrt[Sin[c + d*x]^2]))/(6*a^2*d)
```

**Maple [B]** time = 8.419, size = 452, normalized size = 3.4

$$-2 \frac{\sqrt{-2 (\cos(1/2 dx + c/2))^2 + 1} (\sin(1/2 dx + c/2))^2 B}{\sin(1/2 dx + c/2) \sqrt{2 (\cos(1/2 dx + c/2))^2 - 1} d} \left( -2 \frac{b^3 \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2 (\cos(1/2 dx + c/2))^2}}{a^2 (-2 ab + 2 b^2) \sqrt{-2 (\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^2,x)
```

```
[Out] -2*(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*B*(-2/a^2*b^3/(-2*a*b+2*b^2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)
```

$$\frac{2}{(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}}\text{EllipticPi}(\cos(1/2dx+1/2c), -2b/(a-b), 2^{1/2}) - \frac{1}{a^2b}(-\sin(1/2dx+1/2c)^2)^{1/2}(2\sin(1/2dx+1/2c)^2-1)^{1/2}(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}\text{EllipticE}(\cos(1/2dx+1/2c), 2^{1/2}) + 2(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}\cos(1/2dx+1/2c)\sin(1/2dx+1/2c)^2/\sin(1/2dx+1/2c)^2/(2\sin(1/2dx+1/2c)^2-1) + \frac{1}{a}(-1/6\cos(1/2dx+1/2c)(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}/(\cos(1/2dx+1/2c)^2-1/2)^2 + 1/3(\sin(1/2dx+1/2c)^2)^{1/2}(-2\cos(1/2dx+1/2c)^2+1)^{1/2}/(-2\sin(1/2dx+1/2c)^4+\sin(1/2dx+1/2c)^2)^{1/2}\text{EllipticF}(\cos(1/2dx+1/2c), 2^{1/2})))/\sin(1/2dx+1/2c)/(2\cos(1/2dx+1/2c)^2-1)^{1/2}/d$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^2 \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^2,x, algorithm="giac")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)^2*cos(d*x + c)^(5/2)), x)
```

### 3.395 $\int \cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) dx$

**Optimal.** Leaf size=560

$$\frac{(-3a^2B + 6aAb + 16b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{24b^2d \sqrt{\cos(c + dx)}} - \frac{(a - b) \sqrt{a + b} (-3a^2B + 6aAb + 16b^2B) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}}}{24ab^2d}$$

```
[Out] -((a - b)*Sqrt[a + b]*(6*a*A*b - 3*a^2*B + 16*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(24*a*b^2*d) + (Sqrt[a + b]*(a + 2*b)*(6*A*b - 3*a*B + 8*b*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(24*b^2*d) + (Sqrt[a + b]*(2*a^2*A*b - 8*A*b^3 - a^3*B - 4*a*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(8*b^3*d) + ((6*a*A*b - 3*a^2*B + 16*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(24*b^2*d*Sqrt[Cos[c + d*x]]) + ((2*A*b - a*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(4*b*d) + (B*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(3*b*d)
```

**Rubi [A]** time = 1.50734, antiderivative size = 560, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(-3a^2B + 6aAb + 16b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{24b^2d \sqrt{\cos(c + dx)}} - \frac{(a - b) \sqrt{a + b} (-3a^2B + 6aAb + 16b^2B) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}}}{24ab^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(3/2)*Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(6*a*A*b - 3*a^2*B + 16*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(24*a*b^2*d) + (Sqrt[a + b]*(a + 2*b)*(6*A*b - 3*a*B + 8*b*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(24*b^2*d) + (Sqrt[a + b]*(2*a^2*A*b - 8*A*b^3 - a^3*B - 4*a*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(8*b^3*d) + ((6*a*A*b - 3*a^2*B + 16*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(24*b^2*d*Sqrt[Cos[c + d*x]]) + ((2*A*b - a*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(4*b*d) + (B*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(3*b*d)
```

**Rule 2990**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n
```

+ 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^2\*A\*d\*(m + n + 1) + b\*B\*(b\*c\*(m - 1) + a\*d\*(n + 1)) + (a\*d\*(2\*A\*b + a\*B)\*(m + n + 1) - b\*B\*(a\*c - b\*d\*(m + n)))\*Sin[e + f\*x] + b\*(A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 3049

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 2)), x] + Dist[1/(d\*(m + n + 2)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 2) + C\*(b\*c\*m + a\*d\*(n + 1)) + (d\*(A\*b + a\*B)\*(m + n + 2) - C\*(a\*c - b\*d\*(m + n + 1)))\*Sin[e + f\*x] + (C\*(a\*d\*m - b\*c\*(m + 1)) + b\*B\*d\*(m + n + 2))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 3061

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*Sqrt[c + d\*Sin[e + f\*x]])/(d\*f\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[1/(2\*d), Int[(1\*Simp[2\*a\*A\*d - C\*(b\*c - a\*d) - 2\*(a\*c\*C - d\*(A\*b + a\*B))\*Sin[e + f\*x] + (2\*b\*B\*d - C\*(b\*c + a\*d))\*Sin[e + f\*x]^2, x])/(a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 3053

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[C/b^2, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[1/b^2, Int[(A\*b^2 - a^2\*C + b\*(b\*B - 2\*a\*C))\*Sin[e + f\*x]/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d))/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

#### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

&& NeQ[A, B]

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_) + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])], x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rubi steps

$$\int \cos^{\frac{3}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) dx = \frac{B\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{\frac{3}{2}} \sin(c + dx)}{3bd} + \frac{\int \frac{\sqrt{a+b \cos(c+dx)}}{\cos(c+dx)} dx}{\dots}$$

$$= \frac{(2Ab - aB)\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4bd} + \frac{B \int \frac{\sqrt{a+b \cos(c+dx)}}{\cos(c+dx)} dx}{\dots}$$

$$= \frac{(6aAb - 3a^2B + 16b^2B)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{24b^2d\sqrt{\cos(c + dx)}} + \frac{2B \int \frac{\sqrt{a+b \cos(c+dx)}}{\cos(c+dx)} dx}{\dots}$$

$$= \frac{(6aAb - 3a^2B + 16b^2B)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{24b^2d\sqrt{\cos(c + dx)}} + \frac{2B \int \frac{\sqrt{a+b \cos(c+dx)}}{\cos(c+dx)} dx}{\dots}$$

$$= \frac{\sqrt{a + b} (2a^2Ab - 8Ab^3 - a^3B - 4ab^2B) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sin(c + dx)}{\sqrt{a+b}}\right)\right)}{8b^3d} + \frac{B \int \frac{\sqrt{a+b \cos(c+dx)}}{\cos(c+dx)} dx}{\dots}$$

$$= -\frac{(a - b)\sqrt{a + b} (6aAb - 3a^2B + 16b^2B) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sin(c + dx)}{\sqrt{a+b}}\right)\right)}{24ab^2d} + \frac{B \int \frac{\sqrt{a+b \cos(c+dx)}}{\cos(c+dx)} dx}{\dots}$$

**Mathematica [C]** time = 6.30503, size = 1224, normalized size = 2.19

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(3/2)*Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]), x]
```

```
[Out] -((-4*a*(-18*a*A*b + a^2*B - 16*b^2*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[(a + b)*Cos[c + d*x]]/Csc[(c + d*x)/2]], (c + d*x)/2], x]
```



$$\begin{aligned}
& (- (a-b)/(a+b))^{1/2} * a*b^2 + 18*A*\cos(d*x+c)^3*a*b^2 + 6*A*\cos(d*x+c)^2*a^2*b - \\
& 6*A*\cos(d*x+c)^2*a*b^2 - 6*A*\cos(d*x+c)*a^2*b - 12*A*\cos(d*x+c)*a*b^2 + 10*B*\cos( \\
& d*x+c)^4*a*b^2 - B*\cos(d*x+c)^3*a^2*b + 3*B*\cos(d*x+c)^2*a^2*b + 6*B*\cos(d*x+c)^2 \\
& *a*b^2 - 2*B*\cos(d*x+c)*a^2*b - 16*B*\cos(d*x+c)*a*b^2 + 12*A*\cos(d*x+c)^4*b^3 - 12* \\
& A*\cos(d*x+c)^2*b^3 + 8*B*\cos(d*x+c)^5*b^3 + 8*B*\cos(d*x+c)^3*b^3 - 3*B*\cos(d*x+c) \\
& ^2*a^3 - 16*B*\cos(d*x+c)^2*b^3 + 3*B*\cos(d*x+c)*a^3 - 3*B*\sin(d*x+c)*( \cos(d*x+c)/ \\
& (1+\cos(d*x+c)))^{1/2} * (1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{Ellip} \\
& \text{ticE}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * a^2*b + 16*B*\sin(d*x+c) \\
& *( \cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)) \\
& )^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * a*b^2 + 48 \\
& *A*\cos(d*x+c)*\sin(d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b)*(a+b*\cos \\
& s(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (- \\
& (a-b)/(a+b))^{1/2}) * b^3 - 24*A*\cos(d*x+c)*\sin(d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c) \\
& ))^{1/2} * (1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticF}((-1+\cos \\
& (d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * b^3 + 6*B*\cos(d*x+c)*\sin(d*x+c)*( \cos \\
& s(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \\
& \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (- (a-b)/(a+b))^{1/2}) * a^3 - 3*B* \\
& \cos(d*x+c)*\sin(d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b)*(a+b*\cos(d \\
& *x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/( \\
& a+b))^{1/2}) * a^3 + 16*B*\cos(d*x+c)*\sin(d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} \\
& * (1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c) \\
& )/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * b^3 - 12*A*\sin(d*x+c)*( \cos(d*x+c)/(1+\cos(d \\
& *x+c)))^{1/2} * (1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticPi}((- \\
& 1+\cos(d*x+c))/\sin(d*x+c), -1, (- (a-b)/(a+b))^{1/2}) * a^2*b + 12*A*\sin(d*x+c)*( \cos \\
& s(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \\
& \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * a*b^2 + 6*A*\sin \\
& (d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos \\
& (d*x+c)))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * \\
& a^2*b + 6*A*\sin(d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b)*(a+b*\cos(d* \\
& x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a \\
& +b))^{1/2}) * a*b^2 + 24*B*\sin(d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) \\
& )*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x \\
& +c), -1, (- (a-b)/(a+b))^{1/2}) * a*b^2 + 2*B*\sin(d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c) \\
& ))^{1/2} * (1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticF}((-1+\cos( \\
& d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * a^2*b - 28*B*\sin(d*x+c)*( \cos(d*x+c)/ \\
& (1+\cos(d*x+c)))^{1/2} * (1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{Ellip} \\
& \text{ticF}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * a*b^2 + 48*A*\sin(d*x+c) \\
& *( \cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)) \\
& )^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (- (a-b)/(a+b))^{1/2}) * b^3 - \\
& 24*A*\sin(d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b)*(a+b*\cos(d*x+c)) \\
& / (1+\cos(d*x+c)))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) \\
& * b^3 + 6*B*\sin(d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b)*(a+b*\cos \\
& os(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (- \\
& (a-b)/(a+b))^{1/2}) * a^3 - 3*B*\sin(d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * ( \\
& 1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin \\
& (d*x+c), (- (a-b)/(a+b))^{1/2}) * a^3 + 16*B*\sin(d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c) \\
& ))^{1/2} * (1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticE}((-1+\cos \\
& (d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2}) * b^3 / \sin(d*x+c) / b^2 / \cos(d*x+c)^{1/2}
\end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a \cos(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algor

```
ithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*cos(d*x + c)^(3/2),
x)
```

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algo
ithm="fricas")
```

```
[Out] Timed out
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c)),x, algo
ithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.396 \quad \int \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=473

$$\frac{\sqrt{a+b} (a^2(-B) + 4aAb + 4b^2B) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{4b^2d} + \frac{(aB + \dots)}{\dots}$$

```
[Out] -((a - b)*Sqrt[a + b]*(4*A*b + a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*a*b*d) + (Sqrt[a + b]*(4*A*b + (a + 2*b)*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b*d) - (Sqrt[a + b]*(4*a*A*b - a^2*B + 4*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b^2*d) + ((4*A*b + a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(4*b*d*Sqrt[Cos[c + d*x]]) + (B*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*d)
```

**Rubi [A]** time = 1.04152, antiderivative size = 473, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {3003, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b} (a^2(-B) + 4aAb + 4b^2B) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{4b^2d} + \frac{(aB + \dots)}{\dots}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]),x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(4*A*b + a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*a*b*d) + (Sqrt[a + b]*(4*A*b + (a + 2*b)*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b*d) - (Sqrt[a + b]*(4*a*A*b - a^2*B + 4*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b^2*d) + ((4*A*b + a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(4*b*d*Sqrt[Cos[c + d*x]]) + (B*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*d)
```

**Rule 3003**

```
Int[Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> Simp[(-2*B*Cos[e + f*x]*Sqrt[a + b*Ssin[e + f*x]]*(c + d*Ssin[e + f*x])^n)/(f*(2*n + 3)), x] + Dist[1/(2*n + 3), Int[((c + d*Ssin[e + f*x])^(n - 1)*Simp[a*A*c*(2*n + 3) + B*(b*c + 2*a*d*n) + (B*(a*c + b*d)*(2*n + 1) + A*(b*c + a*d)*(2*n + 3))*Sin[e + f*x] + (A*b*d*(2*n + 3) + B*(a*d + 2*b*c*n))*Sin[e + f*x]^2, x])/Sqrt[a + b*Ssin[e + f*x]], x] /; FreeQ[{a, b, c, d, e, f, A, B
```



$\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[n^2, 1/4]$

### Rule 3061

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2 / (\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]]*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]]), x\_Symbol] \rightarrow -\text{Simp}[(C*\text{Cos}[e + f*x]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]) / (d*f*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[1/(2*d), \text{Int}[(1*\text{Simp}[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*\text{Sin}[e + f*x] + (2*b*B*d - C*(b*c + a*d))*\text{Sin}[e + f*x]^2, x]) / ((a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 3053

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2 / (((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{3/2}*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]]), x\_Symbol] \rightarrow \text{Dist}[C/b^2, \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]] / \text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] + \text{Dist}[1/b^2, \text{Int}[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*\text{Sin}[e + f*x]) / ((a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 2809

$\text{Int}[\text{Sqrt}[(b_.)*\sin[(e_.) + (f_.)*(x_.)]] / \text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]]], x\_Symbol] \rightarrow \text{Simp}[(2*b*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x])) / (c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x])) / (c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]] / (\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d)))] / (d*f), x] /; \text{FreeQ}[\{b, c, d, e, f\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{PosQ}[(c + d)/b]$

### Rule 2998

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] / (((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{3/2}*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]]), x\_Symbol] \rightarrow \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x]) / ((a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

### Rule 2816

$\text{Int}[1/(\text{Sqrt}[(d_.)*\sin[(e_.) + (f_.)*(x_.)]]*\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]]), x\_Symbol] \rightarrow \text{Simp}[(-2*\text{Tan}[e + f*x]*\text{Rt}[(a + b)/d, 2]*\text{Sqrt}[(a*(1 - \text{Csc}[e + f*x])) / (a + b)]*\text{Sqrt}[(a*(1 + \text{Csc}[e + f*x])) / (a - b)]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]] / (\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b))] / (a*f), x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

### Rule 2994

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] / (((b_.)*\sin[(e_.) + (f_.)*(x_.)])^{3/2}*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]]), x\_Symbol] \rightarrow \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x])) / (c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x])) / (c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]] / (\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d)))] / (f*b*c^$

2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rubi steps

$$\begin{aligned} \int \sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) dx &= \frac{B\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d} + \frac{1}{4} \int \frac{aB + 2B \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{(4Ab + aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4bd\sqrt{\cos(c + dx)}} + \frac{B\sqrt{\cos(c + dx)}}{\sqrt{\cos(c + dx)}} \\ &= \frac{(4Ab + aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4bd\sqrt{\cos(c + dx)}} + \frac{B\sqrt{\cos(c + dx)}}{\sqrt{\cos(c + dx)}} \\ &= -\frac{\sqrt{a + b}(4aAb - a^2B + 4b^2B) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a}}{\sqrt{a+b \cos(c + dx)}}\right)\right)}{4b^2d} \\ &= -\frac{(a - b)\sqrt{a + b}(4Ab + aB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c + dx)}}{\sqrt{a+b \cos(c + dx)}}\right)\right)}{4abd} \end{aligned}$$

**Mathematica [C]** time = 21.0191, size = 1175, normalized size = 2.48

$$\frac{4a(4Ab+3aB)\sqrt{\frac{(a+b)\cot^2\left(\frac{1}{2}(c+dx)\right)}{b-a}}\sqrt{\frac{(a+b)\cos(c+dx)\csc^2\left(\frac{1}{2}(c+dx)\right)}{a}}\sqrt{\frac{(a+b\cos(c+dx))\csc^2\left(\frac{1}{2}(c+dx)\right)}{a}}}{(a+b)\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}}$$

$$\frac{B\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d} + \dots$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]), x]

[Out] (B\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d) + ((-4\*a\*(4\*A\*b + 3\*a\*B)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 4\*a\*(8\*a\*A + 4\*b\*B)\*((Sqrt[(a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[(a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)



$$\begin{aligned}
& +c)/(1+\cos(dx+c))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*E \\
& llipticF((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*a*b-B*\sin(dx+c)* \\
& (\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c))) \\
& ^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*a*b-4*A*( \\
& \cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} \\
& *sin(dx+c)*EllipticE((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})* \\
& b^2+4*B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx* \\
& x+c))/(1+\cos(dx+c)))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+ \\
& b))^{1/2})*b^2+2*B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a \\
& +b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c), \\
& -1,(-a-b)/(a+b))^{1/2})*a^2-8*B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \\
& *(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticPi((-1+\cos(dx+c) \\
& )/\sin(dx+c),-1,(-a-b)/(a+b))^{1/2})*b^2-B*\sin(dx+c)*(\cos(dx+c)/(1+\cos( \\
& dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticE((- \\
& 1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*a^2)/\sin(dx+c)/b/\cos(dx+c) \\
& ^{1/2}
\end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(1/2)\*(a+b\*cos(dx+c))^(1/2)\*(A+B\*cos(dx+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(dx + c) + A)\*sqrt(b\*cos(dx + c) + a)\*sqrt(cos(dx + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}((B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}, x)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(1/2)\*(a+b\*cos(dx+c))^(1/2)\*(A+B\*cos(dx+c)),x, algorithm="fricas")

[Out] integral((B\*cos(dx + c) + A)\*sqrt(b\*cos(dx + c) + a)\*sqrt(cos(dx + c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)\*\*(1/2)\*(a+b\*cos(dx+c))\*\*(1/2)\*(A+B\*cos(dx+c)),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c)), x)

$$3.397 \quad \int \frac{\sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=385

$$\frac{\sqrt{a+b}(2A+B) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + \sqrt{a+b}(aB+2Ab) \cot(c+dx)}{d}$$

[Out] -(((a - b)\*Sqrt[a + b]\*B\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b)))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d) + (Sqrt[a + b]\*(2\*A + B)\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b)))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/d - (Sqrt[a + b]\*(2\*A\*b + a\*B)\*Cot[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b)))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(b\*d) + (B\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]])

**Rubi [A]** time = 0.713293, antiderivative size = 385, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {3003, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b}(2A+B) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + \sqrt{a+b}(aB+2Ab) \cot(c+dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]],x]

[Out] -(((a - b)\*Sqrt[a + b]\*B\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b)))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d) + (Sqrt[a + b]\*(2\*A + B)\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b)))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/d - (Sqrt[a + b]\*(2\*A\*b + a\*B)\*Cot[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b)))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(b\*d) + (B\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]])

**Rule 3003**

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*B\*Cos[e + f\*x]\*Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n)/(f\*(2\*n + 3)), x] + Dist[1/(2\*n + 3), Int[((c + d\*Sin[e + f\*x])^(n - 1)\*Simp[a\*A\*c\*(2\*n + 3) + B\*(b\*c + 2\*a\*d\*n) + (B\*(a\*c + b\*d)\*(2\*n + 1) + A\*(b\*c + a\*d)\*(2\*n + 3))\*Sin[e + f\*x] + (A\*b\*d\*(2\*n + 3) + B\*(a\*d + 2\*b\*c\*n))\*Sin[e + f\*x]^2, x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && EqQ[n^2, 1/4]

**Rule 3053**

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]
```

#### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

#### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

#### Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

#### Rubi steps

$$\int \frac{\sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx = \frac{B\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{1}{2} \int \frac{-aB + 2aA \cos(c + dx) + (2Ab - a^2)}{\cos^2(c + dx)\sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{B\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{1}{2} \int \frac{-aB + 2aA \cos(c + dx)}{\cos^2(c + dx)\sqrt{a + b \cos(c + dx)}} dx$$

$$= -\frac{\sqrt{a + b}(2Ab + aB) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{bd}$$

$$= -\frac{(a - b)\sqrt{a + b}B \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{ad}$$

**Mathematica [B]** time = 17.8859, size = 3054, normalized size = 7.93

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]],x]
```

```
[Out] ((1 + Cos[c + d*x])^(3/2)*((A*Sqrt[a + b*Cos[c + d*x]])/Sqrt[Cos[c + d*x]] + B*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])*Sec[(c + d*x)/2]^2*(2*(a + b)*B*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - 4*(A*b + a*(-A + B))*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - 8*A*b*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - 4*a*B*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + b*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sin[(3*(c + d*x))/2] + 2*a*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Tan[(c + d*x)/2] - b*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Tan[(c + d*x)/2]))/(4*d*Sqrt[a + b*Cos[c + d*x]]*((b*(1 + Cos[c + d*x])^(3/2)*Sec[(c + d*x)/2]^2*Sin[c + d*x]*(2*(a + b)*B*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - 4*(A*b + a*(-A + B))*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - 8*A*b*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - 4*a*B*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + b*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sin[(3*(c + d*x))/2] + 2*a*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Tan[(c + d*x)/2] - b*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Tan[(c + d*x)/2]))/(8*(a + b*Cos[c + d*x])^(3/2)) - (3*Sqrt[1 + Cos[c + d*x]]*Sec[(c + d*x)/2]^2*Sin[c + d*x]*(2*(a + b)*B*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - 4*(A*b + a*(-A + B))*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - 8*A*b*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - 4*a*B*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + b*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sin[(3*(c + d*x))/2] + 2*a*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Tan[(c + d*x)/2] - b*B*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Tan[(c + d*x)/2]))/(8*Sqrt[a + b*Cos[c + d*x]]) + ((1 + Cos[c + d*x])^(3/2)*Sec[(c + d*x)/2]^2*Tan[(c + d*x)
```



$$\begin{aligned}
& /2] * (2 * (a + b) * B * \text{Sqrt}[(a + b * \text{Cos}[c + d * x]) / ((a + b) * (1 + \text{Cos}[c + d * x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (-a + b) / (a + b)] - 4 * (A * b + a * (-A + B)) * \\
& \text{Sqrt}[(a + b * \text{Cos}[c + d * x]) / ((a + b) * (1 + \text{Cos}[c + d * x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (-a + b) / (a + b)] - 8 * A * b * \text{Sqrt}[(a + b * \text{Cos}[c + d * x]) / ((a + \\
& b) * (1 + \text{Cos}[c + d * x]))] * \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (-a + b) / (a + b)] - 4 * a * B * \text{Sqrt}[(a + b * \text{Cos}[c + d * x]) / ((a + b) * (1 + \text{Cos}[c + d * x]))] * \text{El} \\
& \text{lipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (-a + b) / (a + b)] + b * B * \text{Sqrt}[\text{Cos}[c + d * x] / (1 + \text{Cos}[c + d * x])] * \text{Sec}[(c + d * x) / 2] * \text{Sin}[(3 * (c + d * x)) / 2] + 2 * a * B * \text{Sqrt} \\
& \text{rt}[\text{Cos}[c + d * x] / (1 + \text{Cos}[c + d * x])] * \text{Tan}[(c + d * x) / 2] - b * B * \text{Sqrt}[\text{Cos}[c + d * x] / (1 + \text{Cos}[c + d * x])] * \text{Tan}[(c + d * x) / 2]) / (4 * \text{Sqrt}[a + b * \text{Cos}[c + d * x]]) + ((1 \\
& + \text{Cos}[c + d * x])^{3/2} * \text{Sec}[(c + d * x) / 2]^2 * ((3 * b * B * \text{Sqrt}[\text{Cos}[c + d * x] / (1 + \text{Cos}[c + d * x])] * \text{Cos}[(3 * (c + d * x)) / 2] * \text{Sec}[(c + d * x) / 2]) / 2 + a * B * \text{Sqrt}[\text{Cos}[c + d * \\
& x] / (1 + \text{Cos}[c + d * x])] * \text{Sec}[(c + d * x) / 2]^2 - (b * B * \text{Sqrt}[\text{Cos}[c + d * x] / (1 + \text{Cos}[c + d * x])] * \text{Sec}[(c + d * x) / 2]^2) / 2 + ((a + b) * B * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d * \\
& x) / 2]], (-a + b) / (a + b)] * (-((b * \text{Sin}[c + d * x]) / ((a + b) * (1 + \text{Cos}[c + d * x])))) \\
& + ((a + b * \text{Cos}[c + d * x]) * \text{Sin}[c + d * x]) / ((a + b) * (1 + \text{Cos}[c + d * x])^2)) / \text{Sqrt} \\
& \text{t}[(a + b * \text{Cos}[c + d * x]) / ((a + b) * (1 + \text{Cos}[c + d * x]))] - (2 * (A * b + a * (-A + B)) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (-a + b) / (a + b)] * (-((b * \text{Sin}[c + d * x]) \\
& / ((a + b) * (1 + \text{Cos}[c + d * x])))) + ((a + b * \text{Cos}[c + d * x]) * \text{Sin}[c + d * x]) / ((a + \\
& b) * (1 + \text{Cos}[c + d * x])^2)) / \text{Sqrt}[(a + b * \text{Cos}[c + d * x]) / ((a + b) * (1 + \text{Cos}[c + \\
& d * x]))] - (4 * A * b * \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d * x) / 2]], (-a + b) / (a + b) \\
& ] * (-((b * \text{Sin}[c + d * x]) / ((a + b) * (1 + \text{Cos}[c + d * x])))) + ((a + b * \text{Cos}[c + d * x]) \\
& * \text{Sin}[c + d * x]) / ((a + b) * (1 + \text{Cos}[c + d * x])^2)) / \text{Sqrt}[(a + b * \text{Cos}[c + d * x]) / ( \\
& (a + b) * (1 + \text{Cos}[c + d * x]))] - (2 * a * B * \text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d * x) / \\
& 2]], (-a + b) / (a + b)] * (-((b * \text{Sin}[c + d * x]) / ((a + b) * (1 + \text{Cos}[c + d * x])))) + \\
& ((a + b * \text{Cos}[c + d * x]) * \text{Sin}[c + d * x]) / ((a + b) * (1 + \text{Cos}[c + d * x])^2)) / \text{Sqrt}[(a \\
& + b * \text{Cos}[c + d * x]) / ((a + b) * (1 + \text{Cos}[c + d * x]))] + (b * B * \text{Sec}[(c + d * x) / 2] * ( \\
& (\text{Cos}[c + d * x] * \text{Sin}[c + d * x]) / (1 + \text{Cos}[c + d * x])^2 - \text{Sin}[c + d * x] / (1 + \text{Cos}[c \\
& + d * x])) * \text{Sin}[(3 * (c + d * x)) / 2]) / (2 * \text{Sqrt}[\text{Cos}[c + d * x] / (1 + \text{Cos}[c + d * x]))] + \\
& (a * B * ((\text{Cos}[c + d * x] * \text{Sin}[c + d * x]) / (1 + \text{Cos}[c + d * x])^2 - \text{Sin}[c + d * x] / (1 + \\
& \text{Cos}[c + d * x])) * \text{Tan}[(c + d * x) / 2]) / \text{Sqrt}[\text{Cos}[c + d * x] / (1 + \text{Cos}[c + d * x])] - (b \\
& * B * ((\text{Cos}[c + d * x] * \text{Sin}[c + d * x]) / (1 + \text{Cos}[c + d * x])^2 - \text{Sin}[c + d * x] / (1 + \text{Cos}[c + d * x])) * \text{Tan}[(c + d * x) / 2]) / (2 * \text{Sqrt}[\text{Cos}[c + d * x] / (1 + \text{Cos}[c + d * x]))] + \\
& (b * B * \text{Sqrt}[\text{Cos}[c + d * x] / (1 + \text{Cos}[c + d * x])] * \text{Sec}[(c + d * x) / 2] * \text{Sin}[(3 * (c + d * x)) / 2] * \text{Tan}[(c + d * x) / 2]) / 2 - (2 * (A * b + a * (-A + B)) * \text{Sqrt}[(a + b * \text{Cos}[c + d * x]) \\
& / ((a + b) * (1 + \text{Cos}[c + d * x]))] * \text{Sec}[(c + d * x) / 2]^2) / (\text{Sqrt}[1 - \text{Tan}[(c + d * x) / \\
& 2]^2] * \text{Sqrt}[1 - ((-a + b) * \text{Tan}[(c + d * x) / 2]^2) / (a + b)]) + (4 * A * b * \text{Sqrt}[(a + b \\
& * \text{Cos}[c + d * x]) / ((a + b) * (1 + \text{Cos}[c + d * x]))] * \text{Sec}[(c + d * x) / 2]^2) / (\text{Sqrt}[1 - \\
& \text{Tan}[(c + d * x) / 2]^2] * (1 + \text{Tan}[(c + d * x) / 2]^2) * \text{Sqrt}[1 - ((-a + b) * \text{Tan}[(c + d * \\
& x) / 2]^2) / (a + b)]) + (2 * a * B * \text{Sqrt}[(a + b * \text{Cos}[c + d * x]) / ((a + b) * (1 + \text{Cos}[c + \\
& d * x]))] * \text{Sec}[(c + d * x) / 2]^2) / (\text{Sqrt}[1 - \text{Tan}[(c + d * x) / 2]^2] * (1 + \text{Tan}[(c + d * \\
& x) / 2]^2) * \text{Sqrt}[1 - ((-a + b) * \text{Tan}[(c + d * x) / 2]^2) / (a + b)]) + ((a + b) * B * \text{Sqrt} \\
& [(a + b * \text{Cos}[c + d * x]) / ((a + b) * (1 + \text{Cos}[c + d * x]))] * \text{Sec}[(c + d * x) / 2]^2 * \text{Sqrt} \\
& [1 - ((-a + b) * \text{Tan}[(c + d * x) / 2]^2) / (a + b)]) / \text{Sqrt}[1 - \text{Tan}[(c + d * x) / 2]^2]) \\
& / (4 * \text{Sqrt}[a + b * \text{Cos}[c + d * x]]))
\end{aligned}$$

**Maple [B]** time = 0.573, size = 1693, normalized size = 4.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (a+b*\cos(dx+c))^{1/2}*(A+B*\cos(dx+c))/\cos(dx+c)^{1/2}, x$

[Out]  $-1/d*(2*A*\cos(dx+c)^2*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*a-2*A*\cos(dx+c)^2*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{3/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}$

```

*x+c), (-a-b)/(a+b)^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*(1
/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*b+4*A*cos(d*x+c)^2*EllipticPi
((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b)^(1/2))*sin(d*x+c)*(cos(d*x+c)
/(1+cos(d*x+c)))^(3/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*b+4*
A*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*sin
(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(
d*x+c)))^(1/2)*a-4*A*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)
/(a+b)^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*(1/(a+b)*(a+b*
cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*b+8*A*cos(d*x+c)*EllipticPi((-1+cos(d*x+c)
)/sin(d*x+c), -1, (-a-b)/(a+b)^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)
))^(3/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*b+2*A*(cos(d*x+c)/
(1+cos(d*x+c)))^(3/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(
1/2))*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)*a-2*A*(cos
(d*x+c)/(1+cos(d*x+c)))^(3/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/
(a+b)^(1/2))*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)*b+
4*A*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b)^(1/2))*sin(d*x+
c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c
)))^(1/2)*b+B*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/
(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(
d*x+c), (-a-b)/(a+b)^(1/2))*a+B*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos
(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((
-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*b-2*B*cos(d*x+c)^2*sin(d*x+
c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (
-a-b)/(a+b)^(1/2))*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*a+2*B*
cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+co
s(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b)^(1/2))*(1/(a+b)*(a+b*cos(d*x+c))/(1+
cos(d*x+c)))^(1/2)*a+B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1
/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c)
)/sin(d*x+c), (-a-b)/(a+b)^(1/2))*a+B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(
1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*Ellipt
icE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*b-2*B*cos(d*x+c)*sin(d
*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c)
), (-a-b)/(a+b)^(1/2))*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*a+2
*B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+c
os(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b)^(1/2))*(1/(a+b)*(a+b*cos(d*x+c))/(1
+cos(d*x+c)))^(1/2)*a+B*cos(d*x+c)^4*b+B*cos(d*x+c)^3*a-B*cos(d*x+c)^3*b-B*
cos(d*x+c)^2*a)/(a+b*cos(d*x+c))^(1/2)/sin(d*x+c)/cos(d*x+c)^(3/2)

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2), x, algorith="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/sqrt(cos(d\*x + c)), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(1/2),x)
```

```
[Out] Integral((A + B*cos(c + d*x))*sqrt(a + b*cos(c + d*x))/sqrt(cos(c + d*x)), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(1/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/sqrt(cos(d*x + c)), x)
```

$$3.398 \quad \int \frac{\sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx))}{\cos^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=351

$$\frac{2\sqrt{a+b}(Ab - a(A - B)) \cot(c + dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad} + \frac{2A(a-b)\sqrt{a+b} \cot(c+dx)}{ad}$$

[Out] (2\*A\*(a - b)\*Sqrt[a + b]\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/(a\*d) + (2\*Sqrt[a + b]\*(A\*b - a\*(A - B))\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/(a\*d) - (2\*Sqrt[a + b]\*B\*Cot[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/d

**Rubi [A]** time = 0.504136, antiderivative size = 351, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2991, 2809, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b}(Ab - a(A - B)) \cot(c + dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad} + \frac{2A(a-b)\sqrt{a+b} \cot(c+dx)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]

[Out] (2\*A\*(a - b)\*Sqrt[a + b]\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/(a\*d) + (2\*Sqrt[a + b]\*(A\*b - a\*(A - B))\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/(a\*d) - (2\*Sqrt[a + b]\*B\*Cot[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/d

### Rule 2991

Int[(((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])]/((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2), x\_Symbol] :> Dist[(B\*d)/b^2, Int[Sqrt[b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Int[(A\*c + (B\*c + A\*d)\*Sin[e + f\*x])/((b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0]

### Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c

$\sqrt{c^2 - d^2}, 0] \ \&\& \ \text{PosQ}[(c + d)/b]$

**Rule 2998**

$\text{Int}[\frac{(A + B \sin(e + f x))}{((a + b \sin(e + f x))^{3/2} \sqrt{c + d \sin(e + f x)})}, x\_Symbol] \text{ :> Dist}[(A - B)/(a - b), \text{Int}[1/(\sqrt{a + b \sin(e + f x)} \sqrt{c + d \sin(e + f x)})], x], x] - \text{Dist}[(A * b - a * B)/(a - b), \text{Int}[(1 + \sin(e + f x))/((a + b \sin(e + f x))^{3/2} \sqrt{c + d \sin(e + f x)})], x], x] \text{ /; FreeQ}\{a, b, c, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[b * c - a * d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{NeQ}[A, B]$

**Rule 2816**

$\text{Int}[1/(\sqrt{(d \sin(e + f x) + (f x))} \sqrt{(a + b \sin(e + f x) + (f x))}), x\_Symbol] \text{ :> Simp}[(-2 * \text{Tan}[e + f x] * \text{Rt}[(a + b)/d, 2] * \sqrt{(a * (1 - \text{Csc}[e + f x]))/(a + b)} * \sqrt{(a * (1 + \text{Csc}[e + f x]))/(a - b)} * \text{EllipticF}[\text{ArcSin}[\sqrt{(a + b \sin(e + f x))}/(\sqrt{d \sin(e + f x)} * \text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b))]/(a * f), x] \text{ /; FreeQ}\{a, b, d, e, f\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{PosQ}[(a + b)/d]$

**Rule 2994**

$\text{Int}[\frac{(A + B \sin(e + f x))}{((b \sin(e + f x) + (f x))^{3/2} \sqrt{(c + d \sin(e + f x) + (f x))}), x\_Symbol] \text{ :> Simp}[(-2 * A * (c - d) * \text{Tan}[e + f x] * \text{Rt}[(c + d)/b, 2] * \sqrt{(c * (1 + \text{Csc}[e + f x]))/(c - d)} * \sqrt{(c * (1 - \text{Csc}[e + f x]))/(c + d)} * \text{EllipticE}[\text{ArcSin}[\sqrt{(c + d \sin(e + f x))}/(\sqrt{b \sin(e + f x)} * \text{Rt}[(c + d)/b, 2])], -(c + d)/(c - d))]/(f * b * c^2), x] \text{ /; FreeQ}\{b, c, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{EqQ}[A, B] \ \&\& \ \text{PosQ}[(c + d)/b]$

**Rubi steps**

$$\int \frac{\sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx))}{\cos^3(c + dx)} dx = (bB) \int \frac{\sqrt{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx + \int \frac{aA + (Ab + aB) \cos(c + dx)}{\cos^3(c + dx) \sqrt{a + b \cos(c + dx)}} dx$$

$$= -\frac{2\sqrt{a + b}B \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a-b}}}{d}$$

$$= \frac{2A(a - b)\sqrt{a + b} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a-b}}}{ad}$$

**Mathematica [A]** time = 12.9246, size = 275, normalized size = 0.78

$$\frac{2(a(A + B) + b(A - B))\sqrt{\cos(c + dx) + 1} \sqrt{\frac{a+b \cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right) \middle| \frac{b-a}{a+b}\right) + \frac{2A \tan\left(\frac{1}{2}(c+dx)\right) (a+b \cos(c+dx))}{\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b \* Cos[c + d \* x]] \* (A + B \* Cos[c + d \* x])) / Cos[c + d \* x]^(3/2), x]

[Out] (-2 \* A \* (a + b) \* Sqrt[1 + Cos[c + d \* x]] \* Sqrt[(a + b \* Cos[c + d \* x]) / ((a + b) \* (1 + Cos[c + d \* x]))] \* EllipticE[ArcSin[Tan[(c + d \* x) / 2]], (-a + b) / (a + b)] + 2

$$\begin{aligned} &*(b*(A - B) + a*(A + B))*\text{Sqrt}[1 + \text{Cos}[c + d*x]]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/ \\ &(a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/( \\ &a + b)] - 4*b*B*\text{Sqrt}[1 + \text{Cos}[c + d*x]]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)* \\ &1 + \text{Cos}[c + d*x]))]*\text{EllipticPi}[-1, -\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + \\ &b)] + (2*A*(a + b*\text{Cos}[c + d*x])* \text{Tan}[(c + d*x)/2])/ \text{Sqrt}[\text{Cos}[c + d*x]]/(d*\text{S} \\ &\text{qrt}[a + b*\text{Cos}[c + d*x]]) \end{aligned}$$

**Maple [B]** time = 0.446, size = 1687, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\cos(d*x+c))^{1/2}*(A+B*\cos(d*x+c))/\cos(d*x+c)^{3/2}, x)$

[Out] 
$$\begin{aligned} &-2/d/(a+b*\cos(d*x+c))^{1/2}*(B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*(1/(a+b)* \\ &a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\ &(-a-b)/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^{2*a-B*(\cos(d*x+c)/(1+\cos(d*x+c) \\ &))^{3/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos( \\ &d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^{2*b+2*B*(\cos \\ &(d*x+c)/(1+\cos(d*x+c)))^{3/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/ \\ &2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*\sin(d*x+c \\ &)*\cos(d*x+c)^{2*b+2*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*(1/(a+b)*(a+b*\cos(d* \\ &x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a \\ &+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)^{a-2*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*( \\ &1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\si \\ &n(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)^{b+4*B*(\cos(d*x+c)/(1+c \\ &os(d*x+c)))^{3/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticP} \\ &i((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c) \\ &*b+A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x \\ &+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin( \\ &d*x+c)*\cos(d*x+c)^{2*a+A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos \\ &(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b) \\ &/ (a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)^{2*b-A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} \\ &)*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c)) \\ &/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)^{2*a-A*(\cos(d*x+c)/( \\ &1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{Ellipt} \\ &icE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)^ \\ &2*b+B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d* \\ &x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin \\ &(d*x+c)*a-B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+ \\ &\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} \\ &))*\sin(d*x+c)*b+2*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*(1/(a+b)*(a+b*\cos(d*x \\ &+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b) \\ &/ (a+b))^{1/2})*\sin(d*x+c)*b+A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a \\ &+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), ( \\ &-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)^{a+A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{ \\ &1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x \\ &+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)^{b-A*(\cos(d*x+c) \\ &/ (1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{Elli} \\ &pticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c \\ &)*a-A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d* \\ &x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin \\ &(d*x+c)*\cos(d*x+c)^{b+A*\cos(d*x+c)^3*b+A*\cos(d*x+c)^{2*a-A*\cos(d*x+c)^{2*b-A*\cos \\ &os(d*x+c)*a)/\cos(d*x+c)^{3/2}/\sin(d*x+c)} \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(3/2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*sqrt(a + b\*cos(c + d\*x))/cos(c + d\*x)\*\*(3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(3/2), x)

$$3.399 \quad \int \frac{\sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx))}{\cos^{\frac{5}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=284

$$\frac{2(a-b)\sqrt{a+b}(3aB+Ab) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{3a^2d} + \frac{2(a-b)\sqrt{a+b}(A+B \cos(c+dx))}{3a^2d}$$

[Out] (2\*(a - b)\*Sqrt[a + b]\*(A\*b + 3\*a\*B)\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a^2\*d) + (2\*(a - b)\*Sqrt[a + b]\*(A - 3\*B)\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a\*d) + (2\*A\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2))

**Rubi [A]** time = 0.50524, antiderivative size = 284, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2999, 2998, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b}(3aB+Ab) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{3a^2d} + \frac{2(a-b)\sqrt{a+b}(A+B \cos(c+dx))}{3a^2d}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[a + b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(5/2), x]

[Out] (2\*(a - b)\*Sqrt[a + b]\*(A\*b + 3\*a\*B)\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a^2\*d) + (2\*(a - b)\*Sqrt[a + b]\*(A - 3\*B)\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a\*d) + (2\*A\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*Cos[c + d\*x]^(3/2))

#### Rule 2999

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((B\*a - A\*b)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[c\*(a\*A - b\*B)\*(m + 1) + d\*n\*(A\*b - a\*B) + (d\*(a\*A - b\*B)\*(m + 1) - c\*(A\*b - a\*B)\*(m + 2))\*Sin[e + f\*x] - d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]

#### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]



```
]]) , x] , x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]])], x] , x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((b_.)*sin[(e_.) + (f_.)*(x_.)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rubi steps

$$\int \frac{\sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx))}{\cos^{\frac{5}{2}}(c + dx)} dx = \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{2}{3} \int \frac{\frac{1}{2}(Ab + 3aB) + \frac{1}{2}(aA + 3bB) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \cos^{\frac{3}{2}}(c + dx)} + \frac{1}{3}((a - b)(A - 3B)) \int \frac{1}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{2(a - b)\sqrt{a + b}(Ab + 3aB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right) \middle| -\frac{a + b}{a - b}\right)}{3a^2 d}$$

**Mathematica [A]** time = 14.0066, size = 407, normalized size = 1.43

$$\frac{\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)} \left( \frac{2 \sec(c + dx)(3aB \sin(c + dx) + Ab \sin(c + dx))}{3a} + \frac{2}{3} A \tan(c + dx) \sec(c + dx) \right)}{d} + \frac{4 \left( \frac{\cos(c + dx)}{\cos(c + dx) + 1} \right)^{3/2}}{d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]
```

```
[Out] (4*(Cos[(c + d*x)/2]^2)^(5/2)*(Cos[c + d*x]/(1 + Cos[c + d*x]))^(3/2)*Sqrt[1 + Cos[c + d*x]]*Sqrt[Cos[c + d*x]*Sec[(c + d*x)/2]^2]*(-2*(a + b)*(A*b + 3*a*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] *Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]]], (-a + b)/(a + b)) + 2*a*(a + b)*(A + 3*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])] *Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]]], (-a + b)/(a + b)) - (A*b + 3*a*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2))/(3*a*d*Cos[c + d*x]^(5/2)*Sqrt[a + b*Cos[c + d*x]]) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((2*Sec[c + d*x]
```

$d*x]*(A*b*\sin[c + d*x] + 3*a*B*\sin[c + d*x]))/(3*a) + (2*A*\sec[c + d*x]*\tan[c + d*x])/3)/d$

**Maple [B]** time = 0.406, size = 1729, normalized size = 6.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (a+b*\cos(d*x+c))^{1/2}*(A+B*\cos(d*x+c))/\cos(d*x+c)^{5/2}, x$

[Out]  $\frac{2}{3}d*(-A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*a*b+A*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)^2*\sin(d*x+c)*b^2-A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*a^2+3*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)^2*a^2-3*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*a^2-3*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*a^2-3*B*\cos(d*x+c)^3*a*b+3*B*\cos(d*x+c)^2*a*b-A*\cos(d*x+c)^2*a*b+2*A*\cos(d*x+c)*a*b-A*\cos(d*x+c)^2*a^2+3*B*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)^2*\sin(d*x+c)*a*b-3*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*a*b+A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*a*b-A*\cos(d*x+c)^3*b^2+A*\cos(d*x+c)^2*b^2-3*B*\cos(d*x+c)^2*a^2+3*B*\cos(d*x+c)*a^2-A*\cos(d*x+c)^3*a*b+A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b-3*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b+3*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b-A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b+a^2*A+A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*b^2+3*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2)/(a+b*\cos(d*x+c))^{1/2}/a/\sin(d*x+c)/\cos(d*x+c)^{3/2}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(5/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(5/2), x)



```

+ (f_)*(x_)^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*SIN[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*SIN[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rule 2998

```

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((a_) + (b_)*sin[(e_) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*SIN[e + f*x]]*Sqrt[c + d*SIN[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + SIN[e + f*x])/((a + b*SIN[
e + f*x])^(3/2)*Sqrt[c + d*SIN[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]

```

Rule 2816

```

Int[1/(Sqrt[(d_)*sin[(e_) + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_) + (f
_)*(x_)]]), x_Symbol] := Simp[(-2*TAN[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- CSC[e + f*x]))/(a + b)]*Sqrt[(a*(1 + CSC[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*SIN[e + f*x]]/(Sqrt[d*SIN[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]

```

Rule 2994

```

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*TAN[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + CSC[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - CSC[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*SIN[e + f
*x]]/(Sqrt[b*SIN[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]

```

Rubi steps

$$\begin{aligned}
 \int \frac{\sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx))}{\cos^{\frac{7}{2}}(c + dx)} dx &= \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2}{5} \int \frac{\frac{1}{2}(Ab + 5aB) + \frac{1}{2}(3aA + 5bB) \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + 5aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15ad \cos^{\frac{3}{2}}(c + dx)} \\
 &= \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + 5aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15ad \cos^{\frac{3}{2}}(c + dx)} \\
 &= \frac{2(a - b)\sqrt{a + b} (9a^2A - 2Ab^2 + 5abB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right)\right)}{15a^3d}
 \end{aligned}$$

**Mathematica [C]** time = 6.34229, size = 1315, normalized size = 3.76

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(7/2), x]

[Out] 
$$\begin{aligned} & -((-4*a*(2*a^2*A*b - 2*A*b^3 - 5*a^3*B + 5*a*b^2*B)*\text{Sqrt}[\text{((a + b)*\text{Cot}[(c + d*x)/2]^2)/(-a + b)}] * \text{Sqrt}[-\text{((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a}] * \text{Sqrt}[\text{((a + b*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a)*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{((a + b*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a}]/\text{Sqrt}[2]], (-2*a)/(-a + b)]*\text{Sin}[(c + d*x)/2]^4)/\text{((a + b)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])}] - 4*a*(9*a^3*A - 2*a*A*b^2 + 5*a^2*b*B)*(\text{Sqrt}[\text{((a + b)*\text{Cot}[(c + d*x)/2]^2)/(-a + b)}] * \text{Sqrt}[-\text{((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a}] * \text{Sqrt}[\text{((a + b*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a)*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{((a + b*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a}]/\text{Sqrt}[2]], (-2*a)/(-a + b)]*\text{Sin}[(c + d*x)/2]^4)/\text{((a + b)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])}] - (\text{Sqrt}[\text{((a + b)*\text{Cot}[(c + d*x)/2]^2)/(-a + b)}] * \text{Sqrt}[-\text{((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a}] * \text{Sqrt}[\text{((a + b*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a)*\text{Csc}[c + d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\text{((a + b*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a}]/\text{Sqrt}[2]], (-2*a)/(-a + b)]*\text{Sin}[(c + d*x)/2]^4)/(b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])) + 2*(9*a^2*A*b - 2*A*b^3 + 5*a*b^2*B)*(\text{I*\text{Cos}[(c + d*x)/2]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[\text{I*\text{ArcSinh}[\text{Sin}[(c + d*x)/2]/\text{Sqrt}[\text{Cos}[c + d*x]]], (-2*a)/(-a - b)]*\text{Sec}[c + d*x]}/(b*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Sqrt}[\text{((a + b*\text{Cos}[c + d*x]*\text{Sec}[c + d*x])/(a + b))}] + (2*a*((a*\text{Sqrt}[\text{((a + b)*\text{Cot}[(c + d*x)/2]^2)/(-a + b)}] * \text{Sqrt}[-\text{((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a}] * \text{Sqrt}[\text{((a + b*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a)*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{((a + b*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a}]/\text{Sqrt}[2]], (-2*a)/(-a + b)]*\text{Sin}[(c + d*x)/2]^4)/\text{((a + b)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])}] - (a*\text{Sqrt}[\text{((a + b)*\text{Cot}[(c + d*x)/2]^2)/(-a + b)}] * \text{Sqrt}[-\text{((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a}] * \text{Sqrt}[\text{((a + b*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a)*\text{Csc}[c + d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\text{((a + b*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a}]/\text{Sqrt}[2]], (-2*a)/(-a + b)]*\text{Sin}[(c + d*x)/2]^4)/(b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])))/b + (\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(b*\text{Sqrt}[\text{Cos}[c + d*x]])))/(15*a^2*d) + (\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*((2*\text{Sec}[c + d*x]^2*(A*b*\text{Sin}[c + d*x] + 5*a*B*\text{Sin}[c + d*x]))/(15*a) + (2*\text{Sec}[c + d*x]*(9*a^2*A*\text{Sin}[c + d*x] - 2*A*b^2*\text{Sin}[c + d*x] + 5*a*b*B*\text{Sin}[c + d*x]))/(15*a^2) + (2*A*\text{Sec}[c + d*x]^2*\text{Tan}[c + d*x])/5))/d \end{aligned}$$

**Maple [B]** time = 0.474, size = 2479, normalized size = 7.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2), x)

[Out] 
$$\begin{aligned} & -2/15/d*(-3*A*a^3+5*B*\text{sin}(d*x+c)*\text{cos}(d*x+c)^2*\text{EllipticF}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), (-a-b)/(a+b))^{1/2})*(\text{cos}(d*x+c)/(1+\text{cos}(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\text{cos}(d*x+c))/(1+\text{cos}(d*x+c)))^{1/2}*a^2*b-5*B*\text{sin}(d*x+c)*\text{cos}(d*x+c)^2*\text{EllipticE}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), (-a-b)/(a+b))^{1/2})*(\text{cos}(d*x+c)/(1+\text{cos}(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\text{cos}(d*x+c))/(1+\text{cos}(d*x+c)))^{1/2}*a^2*b-5*B*\text{sin}(d*x+c)*\text{cos}(d*x+c)^2*\text{EllipticE}((-1+\text{cos}(d*x+c))/\text{sin}(d*x+c), (-a-b)/(a+b))^{1/2} \end{aligned}$$

$$\begin{aligned} & /2)) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * a*b^2+7*A*\sin(dx+c)*\cos(dx+c)^3 * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * a^2*b-2*A*\sin(dx+c)*\cos(dx+c)^3 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a*b^2-9*A*\sin(dx+c)*\cos(dx+c)^3 * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * a^2*b+2*A*\sin(dx+c)*\cos(dx+c)^3 * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * a*b^2+5*B*\sin(dx+c)*\cos(dx+c)^3 * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * a^2*b-5*B*\sin(dx+c)*\cos(dx+c)^3 * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * a^2*b-5*B*\sin(dx+c)*\cos(dx+c)^3 * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * a*b^2+7*A*\sin(dx+c)*\cos(dx+c)^2 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a*b^2-2*A*\sin(dx+c)*\cos(dx+c)^2 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a*b^2-9*A*\sin(dx+c)*\cos(dx+c)^2 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2*b+2*A*\sin(dx+c)*\cos(dx+c)^2 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a*b^2-5*A*\cos(dx+c)^3 * a^2*b+9*A*\cos(dx+c)^4 * a^2*b+A*\cos(dx+c)^4 * a*b^2+5*B*\cos(dx+c)^4 * a^2*b-5*B*\cos(dx+c)^3 * a*b^2-2*A*\cos(dx+c)^3 * a*b^2+A*\cos(dx+c)^2 * a*b^2-4*A*\cos(dx+c) * a^2*b+5*B*\cos(dx+c)^4 * a*b^2+5*B*\cos(dx+c)^3 * a^2*b-10*B*\cos(dx+c)^2 * a^2*b+5*B*\cos(dx+c)^3 * a^3+9*A*\cos(dx+c)^3 * a^3+2*A*\cos(dx+c)^3 * b^3-6*A*\cos(dx+c)^2 * a^3-2*A*\cos(dx+c)^4 * b^3-5*B*\cos(dx+c) * a^3+9*A*\sin(dx+c)*\cos(dx+c)^3 * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * a^3-9*A*\sin(dx+c)*\cos(dx+c)^3 * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * a^3+2*A*\sin(dx+c)*\cos(dx+c)^3 * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * b^3+5*B*\sin(dx+c)*\cos(dx+c)^3 * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * a^3+9*A*\sin(dx+c)*\cos(dx+c)^2 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^3-9*A*\sin(dx+c)*\cos(dx+c)^2 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^3+2*A*\sin(dx+c)*\cos(dx+c)^2 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * b^3+5*B*\sin(dx+c)*\cos(dx+c)^2 * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * a^3) / (a+b*\cos(dx+c))^{1/2} / a^2 / \sin(dx+c) / \cos(dx+c)^{5/2} \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx+c) + A)\sqrt{b \cos(dx+c) + a}}{\cos(dx+c)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(7/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(7/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(7/2), x)



$$3.401 \quad \int \frac{\sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=433

$$\frac{2(25a^2A + 7abB - 4Ab^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105a^2d \cos^3(c + dx)} + \frac{2(a - b) \sqrt{a + b} (a^2(25A - 63B) + 2ab(3A - 7B) + 8Ab^2)}{105a^2d \cos^3(c + dx)}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(105*a^4*d) + (2*(a - b)*Sqrt[a + b]*(8*A*b^2 + a^2*(25*A - 63*B) + 2*a*b*(3*A - 7*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(105*a^3*d) + (2*A*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(7*d*Cos[c + d*x]^(7/2)) + (2*(A*b + 7*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(35*a*d*Cos[c + d*x]^(5/2)) + (2*(25*a^2*A - 4*A*b^2 + 7*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(105*a^2*d*Cos[c + d*x]^(3/2))
```

**Rubi [A]** time = 1.17564, antiderivative size = 433, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2999, 3055, 2998, 2816, 2994}

$$\frac{2(25a^2A + 7abB - 4Ab^2) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{105a^2d \cos^3(c + dx)} + \frac{2(a - b) \sqrt{a + b} (a^2(25A - 63B) + 2ab(3A - 7B) + 8Ab^2)}{105a^2d \cos^3(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(9/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(105*a^4*d) + (2*(a - b)*Sqrt[a + b]*(8*A*b^2 + a^2*(25*A - 63*B) + 2*a*b*(3*A - 7*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(105*a^3*d) + (2*A*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(7*d*Cos[c + d*x]^(7/2)) + (2*(A*b + 7*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(35*a*d*Cos[c + d*x]^(5/2)) + (2*(25*a^2*A - 4*A*b^2 + 7*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(105*a^2*d*Cos[c + d*x]^(3/2))
```

**Rule 2999**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[((B*a - A*b)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m + 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*Sin[e + f*x] - d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] &&
```

NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]

### Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)])], x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

### Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx))}{\cos^{\frac{9}{2}}(c+dx)} dx &= \frac{2A\sqrt{a+b \cos(c+dx)} \sin(c+dx)}{7d \cos^{\frac{7}{2}}(c+dx)} + \frac{2}{7} \int \frac{\frac{1}{2}(Ab+7aB) + \frac{1}{2}(5aA+7b)}{\cos^{\frac{7}{2}}(c+dx)} dx \\
&= \frac{2A\sqrt{a+b \cos(c+dx)} \sin(c+dx)}{7d \cos^{\frac{7}{2}}(c+dx)} + \frac{2(Ab+7aB)\sqrt{a+b \cos(c+dx)} \sin(c+dx)}{35ad \cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2A\sqrt{a+b \cos(c+dx)} \sin(c+dx)}{7d \cos^{\frac{7}{2}}(c+dx)} + \frac{2(Ab+7aB)\sqrt{a+b \cos(c+dx)} \sin(c+dx)}{35ad \cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2A\sqrt{a+b \cos(c+dx)} \sin(c+dx)}{7d \cos^{\frac{7}{2}}(c+dx)} + \frac{2(Ab+7aB)\sqrt{a+b \cos(c+dx)} \sin(c+dx)}{35ad \cos^{\frac{5}{2}}(c+dx)} \\
&= \frac{2(a-b)\sqrt{a+b} (19a^2Ab + 8Ab^3 + 63a^3B - 14ab^2B) \cot(c+dx) E\left(\sin\left(\frac{c+dx}{2}\right)\right)}{105a^4d}
\end{aligned}$$

**Mathematica [C]** time = 6.43009, size = 1408, normalized size = 3.25

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Sqrt[a + b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(9/2), x]

[Out] ((-4\*a\*(25\*a^4\*A - 17\*a^2\*A\*b^2 - 8\*A\*b^4 - 14\*a^3\*b\*B + 14\*a\*b^3\*B)\*Sqrt[(a + b)\*Cot[(c + d\*x)/2]^2]/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 4\*a\*(-19\*a^3\*A\*b - 8\*a\*A\*b^3 - 63\*a^4\*B + 14\*a^2\*b^2\*B)\*(Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2]/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2]/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 2\*(-19\*a^2\*A\*b^2 - 8\*A\*b^4 - 63\*a^3\*b\*B + 14\*a\*b^3\*B)\*(I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b)]) + (2\*a\*((a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2]/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2]/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]))/b + (Sqrt[a + b\*Cos[c + d\*x]]\*E[...])



```

+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^
3-19*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*
(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),
(-a-b)/(a+b))^(1/2))*a^3*b-19*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos
(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((
-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b^2-8*A*sin(d*x+c)*cos(
d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos
(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*
a*b^3+49*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+
b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x
+c),(-a-b)/(a+b))^(1/2))*a^3*b-14*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(
a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d
*x+c),(-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^3*a^2*b^2-63*B*(cos(d*x+c
)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*Ell
ipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+
c)^3*a^3*b+14*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))
/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(
1/2))*sin(d*x+c)*cos(d*x+c)^3*a^2*b^2+14*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*
x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*
EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^3+2*A*(cos(d
*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)
*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(
d*x+c)^4*a^2*b^2+8*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*
x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a
+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^4*a*b^3-19*A*sin(d*x+c)*cos(d*x+c)^4*(cos
(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/
2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^3*b-19*A*si
n(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d
*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(
a+b))^(1/2))*a^2*b^2-8*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c))
)^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d
*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^3+49*B*(cos(d*x+c)/(1+cos(d*x+c
)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos
(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^4*a^3*b-14*
B*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*c
os(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-
b)/(a+b))^(1/2))*a^2*b^2/(a+b*cos(d*x+c))^(1/2)/a^3/sin(d*x+c)/cos(d*x+c)^(
7/2)

```

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2),x, algorith="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(9/2), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{9}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(9/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(9/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(1/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(9/2), x)

$$3.402 \quad \int \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=670

$$\frac{(-3a^2B + 8aAb + 12b^2B) \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}{32bd} + \frac{(24a^2Ab - 9a^3B + 156ab^2B + 128Ab^3) \sin(c + dx)}{192b^2d \sqrt{\cos(c + dx)}}$$

```
[Out] -((a - b)*Sqrt[a + b]*(24*a^2*A*b + 128*A*b^3 - 9*a^3*B + 156*a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(192*a*b^2*d) - (Sqrt[a + b]*(9*a^3*B - 6*a^2*b*(4*A + B) - 8*b^3*(16*A + 9*B) - 4*a*b^2*(28*A + 39*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(192*b^2*d) + (Sqrt[a + b]*(8*a^3*A*b - 96*a*A*b^3 - 3*a^4*B - 24*a^2*b^2*B - 48*b^4*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(64*b^3*d) + ((24*a^2*A*b + 128*A*b^3 - 9*a^3*B + 156*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/ (192*b^2*d*Sqrt[Cos[c + d*x]]) + ((8*a*A*b - 3*a^2*B + 12*b^2*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/ (32*b*d) + ((8*A*b - 3*a*B)*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/ (24*b*d) + (B*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])/ (4*b*d)
```

**Rubi [A]** time = 2.0961, antiderivative size = 670, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(-3a^2B + 8aAb + 12b^2B) \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}{32bd} + \frac{(24a^2Ab - 9a^3B + 156ab^2B + 128Ab^3) \sin(c + dx)}{192b^2d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]),x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(24*a^2*A*b + 128*A*b^3 - 9*a^3*B + 156*a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(192*a*b^2*d) - (Sqrt[a + b]*(9*a^3*B - 6*a^2*b*(4*A + B) - 8*b^3*(16*A + 9*B) - 4*a*b^2*(28*A + 39*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(192*b^2*d) + (Sqrt[a + b]*(8*a^3*A*b - 96*a*A*b^3 - 3*a^4*B - 24*a^2*b^2*B - 48*b^4*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(64*b^3*d) + ((24*a^2*A*b + 128*A*b^3 - 9*a^3*B + 156*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/ (192*b^2*d*Sqrt[Cos[c + d*x]]) + ((8*a*A*b - 3*a^2*B + 12*b^2*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/ (32*b*d) + ((8*A*b - 3*a*B)*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/ (24*b*d) + (B*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])/ (4*b*d)
```

2)\*Sin[c + d\*x]]/(4\*b\*d)

### Rule 2990

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^2\*A\*d\*(m + n + 1) + b\*B\*(b\*c\*(m - 1) + a\*d\*(n + 1)) + (a\*d\*(2\*A\*b + a\*B)\*(m + n + 1) - b\*B\*(a\*c - b\*d\*(m + n)))\*Sin[e + f\*x] + b\*(A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rule 3049

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 2)), x] + Dist[1/(d\*(m + n + 2)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 2) + C\*(b\*c\*m + a\*d\*(n + 1)) + (d\*(A\*b + a\*B)\*(m + n + 2) - C\*(a\*c - b\*d\*(m + n + 1)))\*Sin[e + f\*x] + (C\*(a\*d\*m - b\*c\*(m + 1)) + b\*B\*d\*(m + n + 2))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rule 3061

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*Sqrt[c + d\*Sin[e + f\*x]])/(d\*f\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[1/(2\*d), Int[(1\*Simp[2\*a\*A\*d - C\*(b\*c - a\*d) - 2\*(a\*c\*C - d\*(A\*b + a\*B))\*Sin[e + f\*x] + (2\*b\*B\*d - C\*(b\*c + a\*d))\*Sin[e + f\*x]^2, x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3053

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[C/b^2, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[1/b^2, Int[(A\*b^2 - a^2\*C + b\*(b\*B - 2\*a\*C))\*Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d))/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

### Rule 2998



```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

**Rule 2816**

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

**Rule 2994**

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

**Rubi steps**

$$\int \cos^3(c + dx)(a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx = \frac{B\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{4bd} + \frac{\int \dots}{\dots}$$

$$= \frac{(8Ab - 3aB)\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{24bd}$$

$$= \frac{(8aAb - 3a^2B + 12b^2B)\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}}{32bd}$$

$$= \frac{(24a^2Ab + 128Ab^3 - 9a^3B + 156ab^2B)\sqrt{a + b \cos(c + dx)}}{192b^2d\sqrt{\cos(c + dx)}}$$

$$= \frac{(24a^2Ab + 128Ab^3 - 9a^3B + 156ab^2B)\sqrt{a + b \cos(c + dx)}}{192b^2d\sqrt{\cos(c + dx)}}$$

$$= \frac{\sqrt{a + b}(8a^3Ab - 96aAb^3 - 3a^4B - 24a^2b^2B - 48b^4B)c}{192b^2d\sqrt{\cos(c + dx)}}$$

$$= \frac{(a - b)\sqrt{a + b}(24a^2Ab + 128Ab^3 - 9a^3B + 156ab^2B)}{192b^2d\sqrt{\cos(c + dx)}}$$

**Mathematica [C]** time = 6.39177, size = 1284, normalized size = 1.92

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]),x]
```

```
[Out] -((-4*a*(-136*a^2*A*b - 128*A*b^3 + 3*a^3*B - 228*a*b^2*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(-416*a*A*b^2 - 228*a^2*b*B - 144*b^3*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(-24*a^2*A*b - 128*A*b^3 + 9*a^3*B - 156*a*b^2*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])))/(384*b*d) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*(((56*a*A*b + 3*a^2*B + 42*b^2*B)*Sin[c + d*x])/(96*b) + ((8*A*b + 9*a*B)*Sin[2*(c + d*x)]/48 + (b*B*Ssin[3*(c + d*x)]/16))/d
```

---

**Maple [B]** time = 0.616, size = 4048, normalized size = 6.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] -1/192/d/(a+b*cos(d*x+c))^(1/2)*(72*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*a*b^3+24*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a^3*b+176*A*cos(d*x+c)^4*a*b^3-24*A*cos(d*x+c)^2*a^2*b^2-24*A*cos(d*x+c)*a^3*b+9*B*cos(d*x+c)^2*a^3*b+120*B*cos(d*x+c)^5*a*b^3+78*B*cos(d*x+c)^4*a^2*b^2+64*A*cos(d*x+c)^5*b^4+48*B*cos(d*x+c)^6*b^4+24*B*cos(d*x+c)^4*b^4-72*B*cos(d*x+c)^2*b^4+64*A*cos(d*x+c)^3*b^4-128*A*cos(d*x+c)^2*b^4-9*B*cos(d*x+c)^2*a^4+78*B*cos(d*x+c)^2*a^2*b^2-156*B*cos(d*x+c)^2*a*b^3-6*B*cos(d*x+c)*a^3*b-156*B*cos(d*x+c)*a^2*b^2-72*B*cos(d*x+c)*a*b^3+136*A*cos(d*x+c)^3*a^2*b^2+24*A*cos(d*x+c)^2*a^3*b-48*A*cos(d*x+c)^2*a*b^3-3*B*cos(d*x+c)^3*a^3*b+108*B*cos(d
```



```

cE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a
^2*b^2+156*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1
+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)
)*cos(d*x+c)*sin(d*x+c)*a*b^3+144*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/
(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin
(d*x+c), -1, (-a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a^2*b^2+6*B*(cos(d*x
+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*E
llipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*
x+c)*a^3*b-228*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c)
)/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)
)^(1/2))*cos(d*x+c)*sin(d*x+c)*a^2*b^2+72*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2
)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c)
)/sin(d*x+c), (-a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a*b^3+128*A*Ellipti
cE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*(cos(d*x+c)/
(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*b^4-9
*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c
)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*
x+c)*a^4+18*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c)/
(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b)
)^(1/2))*sin(d*x+c)*a^4+288*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a
+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c)
, -1, (-a-b)/(a+b))^(1/2))*sin(d*x+c)*b^4-144*B*(cos(d*x+c)/(1+cos(d*x+c)))^(
1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+
c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*b^4/sin(d*x+c)/b^2/cos(d*x
+c)^(1/2)

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algo
rithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*cos(d*x + c)^(3/2
), x)
```

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algo
rithm="fricas")
```

```
[Out] Timed out
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.403 \quad \int \sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=566

$$\frac{(3a^2B + 30aAb + 16b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{24bd \sqrt{\cos(c + dx)}} + \frac{\sqrt{a + b} (3a^2B + 30aAb + 14abB + 12Ab^2 + 16b^2B) \cot(c + dx)}{24bd}$$

[Out] -((a - b)\*Sqrt[a + b]\*(30\*a\*A\*b + 3\*a^2\*B + 16\*b^2\*B)\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(24\*a\*b\*d) + (Sqrt[a + b]\*(30\*a\*A\*b + 12\*A\*b^2 + 3\*a^2\*B + 14\*a\*b\*B + 16\*b^2\*B)\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(24\*b\*d) - (Sqrt[a + b]\*(6\*a^2\*A\*b + 8\*A\*b^3 - a^3\*B + 12\*a\*b^2\*B)\*Cot[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(8\*b^2\*d) + ((30\*a\*A\*b + 3\*a^2\*B + 16\*b^2\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(24\*b\*d\*Sqrt[Cos[c + d\*x]]) + ((6\*A\*b + 7\*a\*B)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(12\*d) + (b\*B\*Cos[c + d\*x]^(3/2)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d)

**Rubi [A]** time = 1.66311, antiderivative size = 566, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(3a^2B + 30aAb + 16b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{24bd \sqrt{\cos(c + dx)}} + \frac{\sqrt{a + b} (3a^2B + 30aAb + 14abB + 12Ab^2 + 16b^2B) \cot(c + dx)}{24bd}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]),x]

[Out] -((a - b)\*Sqrt[a + b]\*(30\*a\*A\*b + 3\*a^2\*B + 16\*b^2\*B)\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(24\*a\*b\*d) + (Sqrt[a + b]\*(30\*a\*A\*b + 12\*A\*b^2 + 3\*a^2\*B + 14\*a\*b\*B + 16\*b^2\*B)\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(24\*b\*d) - (Sqrt[a + b]\*(6\*a^2\*A\*b + 8\*A\*b^3 - a^3\*B + 12\*a\*b^2\*B)\*Cot[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(8\*b^2\*d) + ((30\*a\*A\*b + 3\*a^2\*B + 16\*b^2\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(24\*b\*d\*Sqrt[Cos[c + d\*x]]) + ((6\*A\*b + 7\*a\*B)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(12\*d) + (b\*B\*Cos[c + d\*x]^(3/2)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d)

**Rule 2990**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n

+ 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^2\*A\*d\*(m + n + 1) + b\*B\*(b\*c\*(m - 1) + a\*d\*(n + 1)) + (a\*d\*(2\*A\*b + a\*B)\*(m + n + 1) - b\*B\*(a\*c - b\*d\*(m + n)))\*Sin[e + f\*x] + b\*(A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 3049

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 2)), x] + Dist[1/(d\*(m + n + 2)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 2) + C\*(b\*c\*m + a\*d\*(n + 1)) + (d\*(A\*b + a\*B)\*(m + n + 2) - C\*(a\*c - b\*d\*(m + n + 1)))\*Sin[e + f\*x] + (C\*(a\*d\*m - b\*c\*(m + 1)) + b\*B\*d\*(m + n + 2))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 3061

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*Sqrt[c + d\*Sin[e + f\*x]])/(d\*f\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[1/(2\*d), Int[(1\*Simp[2\*a\*A\*d - C\*(b\*c - a\*d) - 2\*(a\*c\*C - d\*(A\*b + a\*B))\*Sin[e + f\*x] + (2\*b\*B\*d - C\*(b\*c + a\*d))\*Sin[e + f\*x]^2, x])/(a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 3053

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[C/b^2, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[1/b^2, Int[(A\*b^2 - a^2\*C + b\*(b\*B - 2\*a\*C))\*Sin[e + f\*x]/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d))/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

#### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

&& NeQ[A, B]

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_)+(f_)*(x_)])*Sqrt[(a_)+(b_)*sin[(e_)+(f_)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e+f*x]*Rt[(a+b)/d, 2]*Sqrt[(a*(1-Csc[e+f*x]))/(a+b)]*Sqrt[(a*(1+Csc[e+f*x]))/(a-b)]*EllipticF[ArcSin[Sqrt[a+b*Sin[e+f*x]]/(Sqrt[d*Sin[e+f*x]]*Rt[(a+b)/d, 2])], -(a+b)/(a-b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2-b^2, 0] && PosQ[(a+b)/d]
```

Rule 2994

```
Int[((A_)+(B_)*sin[(e_)+(f_)*(x_)])/(((b_)*sin[(e_)+(f_)*(x_)])^(3/2)*Sqrt[(c_)+(d_)*sin[(e_)+(f_)*(x_)]]), x_Symbol] :> Simp[(-2*A*(c-d)*Tan[e+f*x]*Rt[(c+d)/b, 2]*Sqrt[(c*(1+Csc[e+f*x]))/(c-d)]*Sqrt[(c*(1-Csc[e+f*x]))/(c+d)]*EllipticE[ArcSin[Sqrt[c+d*Sin[e+f*x]]/(Sqrt[b*Sin[e+f*x]]*Rt[(c+d)/b, 2])], -((c+d)/(c-d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2-d^2, 0] && EqQ[A, B] && PosQ[(c+d)/b]
```

Rubi steps

$$\int \sqrt{\cos(c+dx)}(a+b\cos(c+dx))^{3/2}(A+B\cos(c+dx)) dx = \frac{bB\cos^3(c+dx)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{3d} + \frac{1}{3} \int \frac{\sqrt{\cos(c+dx)}}{\cos(c+dx)} dx$$

$$= \frac{(6Ab+7aB)\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{12d}$$

$$= \frac{(30aAb+3a^2B+16b^2B)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{24bd\sqrt{\cos(c+dx)}}$$

$$= \frac{(30aAb+3a^2B+16b^2B)\sqrt{a+b\cos(c+dx)}\sin(c+dx)}{24bd\sqrt{\cos(c+dx)}}$$

$$= -\frac{\sqrt{a+b}(6a^2Ab+8Ab^3-a^3B+12ab^2B)\cot(c+dx)\Pi\left(\frac{c+dx}{2}, \frac{a+b}{a-b}\right)}{24bd}$$

$$= -\frac{(a-b)\sqrt{a+b}(30aAb+3a^2B+16b^2B)\cot(c+dx)E\left(\frac{c+dx}{2}, \frac{a+b}{a-b}\right)}{24bd}$$

**Mathematica [C]** time = 6.30445, size = 1227, normalized size = 2.17

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[Cos[c+d*x]]*(a+b*Cos[c+d*x])^(3/2)*(A+B*Cos[c+d*x]), x]
```

```
[Out] ((-4*a*(42*a*A*b+17*a^2*B+16*b^2*B)*Sqrt[((a+b)*Cot[(c+d*x)/2]^2)/(-a+b)]*Sqrt[-(((a+b)*Cos[c+d*x]*Csc[(c+d*x)/2]^2)/a])*Sqrt[((a+b)*Cos[c+d*x])*Csc[(c+d*x)/2]^2)/a]*Csc[c+d*x]*EllipticF[ArcSin[Sqrt[(a+b*Cos[c+d*x])*Csc[(c+d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a+b)]*Sin[(c+d*x)]
```



$$\begin{aligned}
& + d*x)/2]^4)/((a + b)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - 4*a*( \\
& 48*a^2*A + 24*A*b^2 + 52*a*b*B)*((\text{Sqrt}[\text{((a + b)*\text{Cot}[(c + d*x)/2]^2)/(-a + b)}] \\
& )*\text{Sqrt}[-\text{((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a] *\text{Sqrt}[\text{((a + b)*\text{Cos}[c \\
& + d*x])*\text{Csc}[(c + d*x)/2]^2)/a] *\text{Csc}[c + d*x] *\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{((a + b)*\text{Cos}[c \\
& + d*x])*\text{Csc}[(c + d*x)/2]^2)/a] / \text{Sqrt}[2]], (-2*a)/(-a + b)] *\text{Sin}[(c + d*x) \\
& )/2]^4)/((a + b)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (\text{Sqrt}[\text{((a + \\
& b)*\text{Cot}[(c + d*x)/2]^2)/(-a + b)}] *\text{Sqrt}[-\text{((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x) \\
& )/2]^2)/a] *\text{Sqrt}[\text{((a + b)*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2)/a] *\text{Csc}[c + d*x] * \\
& \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\text{((a + b)*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2)/a} \\
& ] / \text{Sqrt}[2]], (-2*a)/(-a + b)] *\text{Sin}[(c + d*x)/2]^4)/(b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[ \\
& a + b*\text{Cos}[c + d*x]]) + 2*(30*a*A*b + 3*a^2*B + 16*b^2*B)*((I*\text{Cos}[(c + d*x) \\
& ]/2) *\text{Sqrt}[a + b*\text{Cos}[c + d*x]] *\text{EllipticE}[I*\text{ArcSinh}[\text{Sin}[(c + d*x)/2] / \text{Sqrt}[\text{Cos}[ \\
& c + d*x]]], (-2*a)/(-a - b)] *\text{Sec}[c + d*x] / (b*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 *\text{Sec}[c \\
& + d*x]] *\text{Sqrt}[\text{((a + b)*\text{Cos}[c + d*x])*\text{Sec}[c + d*x] / (a + b)}]) + (2*a*((a*\text{Sqrt} \\
& [\text{((a + b)*\text{Cot}[(c + d*x)/2]^2)/(-a + b)}] *\text{Sqrt}[-\text{((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c \\
& + d*x)/2]^2)/a] *\text{Sqrt}[\text{((a + b)*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2)/a] *\text{Csc}[c + \\
& d*x] *\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[\text{((a + b)*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2)/a} / \text{Sq} \\
& \text{rt}[2]], (-2*a)/(-a + b)] *\text{Sin}[(c + d*x)/2]^4)/((a + b)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sq} \\
& \text{rt}[a + b*\text{Cos}[c + d*x]]) - (a*\text{Sqrt}[\text{((a + b)*\text{Cot}[(c + d*x)/2]^2)/(-a + b)}] *\text{Sq} \\
& \text{rt}[-\text{((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a] *\text{Sqrt}[\text{((a + b)*\text{Cos}[c + d*x] \\
& )*\text{Csc}[(c + d*x)/2]^2)/a] *\text{Csc}[c + d*x] *\text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[\text{((a + \\
& b)*\text{Cos}[c + d*x])*\text{Csc}[(c + d*x)/2]^2)/a] / \text{Sqrt}[2]], (-2*a)/(-a + b)] *\text{Sin}[(c + \\
& d*x)/2]^4)/(b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])))/b + (\text{Sqrt}[a + \\
& b*\text{Cos}[c + d*x]] *\text{Sin}[c + d*x]) / (b*\text{Sqrt}[\text{Cos}[c + d*x]])) / (48*d) + (\text{Sqrt}[\text{Cos}[ \\
& c + d*x]] *\text{Sqrt}[a + b*\text{Cos}[c + d*x]] * (((6*A*b + 7*a*B) *\text{Sin}[c + d*x]) / 12 + (b* \\
& B *\text{Sin}[2*(c + d*x)]) / 6)) / d
\end{aligned}$$

**Maple [B]** time = 0.505, size = 3139, normalized size = 5.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (\cos(dx+c)^{1/2} * (a+b*\cos(dx+c))^{3/2} * (A+B*\cos(dx+c)), x)$

[Out] 
$$\begin{aligned}
& -1/24/d/(a+b*\cos(dx+c))^{1/2} * (36*A*\cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(1+c \\
& \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticP} \\
& \text{i}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) * a^2*b - 48*A*\cos(dx+c) \\
& * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)) \\
& )^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c) \\
& * a^2*b + 12*A*\cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a \\
& +b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx \\
& +c), (-a-b)/(a+b))^{1/2}) * a*b^2 + 30*A*\cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(1+ \\
& \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{Elliptic} \\
& \text{E}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2*b + 30*A*\cos(dx+c) * \text{si} \\
& \text{n}(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos \\
& (dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \\
& a*b^2 + 72*B*\cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) \\
& * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c) \\
& ), -1, (-a-b)/(a+b))^{1/2}) * a*b^2 + 14*B*\cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(1 \\
& +\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{Ellipti} \\
& \text{cF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2*b - 52*B*\cos(dx+c) * \text{s} \\
& \text{in}(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+co \\
& s(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \\
& * a*b^2 + 3*B*\cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) \\
& * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c) \\
& ), (-a-b)/(a+b))^{1/2}) * a^2*b + 16*B*\cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(1+\cos
\end{aligned}$$

```

(dx+c))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticE((-1+cos(dx+c))/sin(dx+c),(-a-b)/(a+b))^(1/2))*a*b^2+42*A*cos(dx+c)^3*a*b^2+30*A*cos(dx+c)^2*a^2*b-30*A*cos(dx+c)^2*a*b^2-30*A*cos(dx+c)*a^2*b-12*A*cos(dx+c)*a*b^2+22*B*cos(dx+c)^4*a*b^2+17*B*cos(dx+c)^3*a^2*b-3*B*cos(dx+c)^2*a^2*b-6*B*cos(dx+c)^2*a*b^2-14*B*cos(dx+c)*a^2*b-16*B*cos(dx+c)*a*b^2+12*A*cos(dx+c)^4*b^3-12*A*cos(dx+c)^2*b^3+8*B*cos(dx+c)^5*b^3+8*B*cos(dx+c)^3*b^3+3*B*cos(dx+c)^2*a^3-16*B*cos(dx+c)^2*b^3-3*B*cos(dx+c)*a^3-48*A*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticF((-1+cos(dx+c))/sin(dx+c),(-a-b)/(a+b))^(1/2))*sin(dx+c)*a^2*b+3*B*sin(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticE((-1+cos(dx+c))/sin(dx+c),(-a-b)/(a+b))^(1/2))*a^2*b+16*B*sin(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticE((-1+cos(dx+c))/sin(dx+c),(-a-b)/(a+b))^(1/2))*a*b^2+48*A*cos(dx+c)*sin(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticPi((-1+cos(dx+c))/sin(dx+c),-1,(-a-b)/(a+b))^(1/2))*b^3-24*A*cos(dx+c)*sin(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticF((-1+cos(dx+c))/sin(dx+c),(-a-b)/(a+b))^(1/2))*b^3-6*B*cos(dx+c)*sin(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticPi((-1+cos(dx+c))/sin(dx+c),-1,(-a-b)/(a+b))^(1/2))*a^3+3*B*cos(dx+c)*sin(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticE((-1+cos(dx+c))/sin(dx+c),(-a-b)/(a+b))^(1/2))*a^3+16*B*cos(dx+c)*sin(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticE((-1+cos(dx+c))/sin(dx+c),(-a-b)/(a+b))^(1/2))*b^3+36*A*sin(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticPi((-1+cos(dx+c))/sin(dx+c),-1,(-a-b)/(a+b))^(1/2))*a^2*b+12*A*sin(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticF((-1+cos(dx+c))/sin(dx+c),(-a-b)/(a+b))^(1/2))*a*b^2+30*A*sin(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticE((-1+cos(dx+c))/sin(dx+c),(-a-b)/(a+b))^(1/2))*a^2*b+30*A*sin(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticE((-1+cos(dx+c))/sin(dx+c),(-a-b)/(a+b))^(1/2))*a*b^2+72*B*sin(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticPi((-1+cos(dx+c))/sin(dx+c),-1,(-a-b)/(a+b))^(1/2))*a*b^2+14*B*sin(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticF((-1+cos(dx+c))/sin(dx+c),(-a-b)/(a+b))^(1/2))*a^2*b-52*B*sin(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticF((-1+cos(dx+c))/sin(dx+c),(-a-b)/(a+b))^(1/2))*a*b^2+48*A*sin(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticPi((-1+cos(dx+c))/sin(dx+c),-1,(-a-b)/(a+b))^(1/2))*b^3-24*A*sin(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticF((-1+cos(dx+c))/sin(dx+c),(-a-b)/(a+b))^(1/2))*b^3-6*B*sin(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticPi((-1+cos(dx+c))/sin(dx+c),-1,(-a-b)/(a+b))^(1/2))*a^3+3*B*sin(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticE((-1+cos(dx+c))/sin(dx+c),(-a-b)/(a+b))^(1/2))*a^3+16*B*sin(dx+c)*(cos(dx+c)/(1+cos(dx+c)))^(1/2)*(1/(a+b)*(a+b*cos(dx+c))/(1+cos(dx+c)))^(1/2)*EllipticE((-1+cos(dx+c))/sin(dx+c),(-a-b)/(a+b))^(1/2))*b^3/sin(dx+c)/b/cos(dx+c)^(1/2)

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c)), x)
```

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] Timed out
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: TypeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] Exception raised: TypeError
```

$$3.404 \quad \int \frac{(a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=472

$$\frac{\sqrt{a+b} (3a^2B + 12aAb + 4b^2B) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{4bd} + \frac{(5aB}{$$

[Out] -((a - b)\*Sqrt[a + b]\*(4\*A\*b + 5\*a\*B)\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(4\*a\*d) + (Sqrt[a + b]\*(8\*a\*A + 4\*A\*b + 5\*a\*B + 2\*b\*B)\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(4\*d) - (Sqrt[a + b]\*(12\*a\*A\*b + 3\*a^2\*B + 4\*b^2\*B)\*Cot[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(4\*b\*d) + ((4\*A\*b + 5\*a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*Sqrt[Cos[c + d\*x]]) + (b\*B\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d)

**Rubi [A]** time = 1.14696, antiderivative size = 472, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2990, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b} (3a^2B + 12aAb + 4b^2B) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{4bd} + \frac{(5aB}{$$

Antiderivative was successfully verified.

[In] Int[((a + b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]],x]

[Out] -((a - b)\*Sqrt[a + b]\*(4\*A\*b + 5\*a\*B)\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(4\*a\*d) + (Sqrt[a + b]\*(8\*a\*A + 4\*A\*b + 5\*a\*B + 2\*b\*B)\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(4\*d) - (Sqrt[a + b]\*(12\*a\*A\*b + 3\*a^2\*B + 4\*b^2\*B)\*Cot[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(4\*b\*d) + ((4\*A\*b + 5\*a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(4\*d\*Sqrt[Cos[c + d\*x]]) + (b\*B\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d)

**Rule 2990**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^2\*A\*d\*(m + n + 1) + b\*B\*(b\*c\*(m - 1) + a\*d\*(n + 1)) + (a\*d\*(2\*A\*b + a\*B)\*(m + n + 1) - b\*B\*(a\*c - b\*d\*(m + n)))\*Sin[e + f\*x] + b\*(A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c -

$a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& !( \text{IGtQ}[n, 1] \&\& ( !\text{IntegerQ}[m] || (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0])) )$

### Rule 3061

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2 / (\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]]*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]])$ , x\_Symbol]  $\rightarrow -\text{Simp}[(C*\text{Cos}[e + f*x]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]) / (d*f*\text{Sqrt}[a + b*\text{Sin}[e + f*x]])$ , x] +  $\text{Dist}[1/(2*d)$ ,  $\text{Int}[(1*\text{Simp}[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*\text{Sin}[e + f*x] + (2*b*B*d - C*(b*c + a*d))*\text{Sin}[e + f*x]^2$ , x]) / ((a + b\*\text{Sin}[e + f\*x])^(3/2)\*\text{Sqrt}[c + d\*\text{Sin}[e + f\*x]]), x], x] /;  $\text{FreeQ}[\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 3053

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2 / (((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^(3/2)*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]])$ , x\_Symbol]  $\rightarrow \text{Dist}[C/b^2$ ,  $\text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]] / \text{Sqrt}[c + d*\text{Sin}[e + f*x]]$ , x], x] +  $\text{Dist}[1/b^2$ ,  $\text{Int}[(A*b^2 - a^2*C + b*(b*B - 2*a*C))*\text{Sin}[e + f*x] / ((a + b*\text{Sin}[e + f*x])^(3/2)*\text{Sqrt}[c + d*\text{Sin}[e + f*x]])$ , x], x] /;  $\text{FreeQ}[\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 2809

$\text{Int}[\text{Sqrt}[(b_.)*\sin[(e_.) + (f_.)*(x_.)]] / \text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]]$ , x\_Symbol]  $\rightarrow \text{Simp}[(2*b*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x])) / (c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x])) / (c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]] / (\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])]$ ,  $-\text{((c + d)/(c - d))}] / (d*f)$ , x] /;  $\text{FreeQ}[\{b, c, d, e, f\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{PosQ}[(c + d)/b]$

### Rule 2998

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] / (((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^(3/2)*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]])$ , x\_Symbol]  $\rightarrow \text{Dist}[(A - B)/(a - b)$ ,  $\text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]])$ , x], x] -  $\text{Dist}[(A*b - a*B)/(a - b)$ ,  $\text{Int}[(1 + \text{Sin}[e + f*x]) / ((a + b*\text{Sin}[e + f*x])^(3/2)*\text{Sqrt}[c + d*\text{Sin}[e + f*x]])$ , x], x] /;  $\text{FreeQ}[\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

### Rule 2816

$\text{Int}[1/(\text{Sqrt}[(d_.)*\sin[(e_.) + (f_.)*(x_.)]]*\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]])$ , x\_Symbol]  $\rightarrow \text{Simp}[(-2*\text{Tan}[e + f*x]*\text{Rt}[(a + b)/d, 2]*\text{Sqrt}[(a*(1 - \text{Csc}[e + f*x])) / (a + b)]*\text{Sqrt}[(a*(1 + \text{Csc}[e + f*x])) / (a - b)]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]] / (\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2])]$ ,  $-\text{((a + b)/(a - b))}] / (a*f)$ , x] /;  $\text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

### Rule 2994

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] / (((b_.)*\sin[(e_.) + (f_.)*(x_.)])^(3/2)*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]])$ , x\_Symbol]  $\rightarrow \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x])) / (c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x])) / (c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]] / (\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])]$ ,  $-\text{((c + d)/(c - d))}] / (f*b*c^$

2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx = \frac{bB \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d} + \frac{1}{2} \int \frac{\frac{1}{2} a(4aA + bB) + \dots}{\dots} dx$$

$$= \frac{(4Ab + 5aB) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d \sqrt{\cos(c + dx)}} + \frac{bB \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}{2a}$$

$$= \frac{(4Ab + 5aB) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d \sqrt{\cos(c + dx)}} + \frac{bB \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}{2a}$$

$$= -\frac{\sqrt{a + b} (12aAb + 3a^2B + 4b^2B) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{4bd}$$

$$= -\frac{(a - b) \sqrt{a + b} (4Ab + 5aB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) - \frac{a}{a-b}}{4ad}$$

**Mathematica [C]** time = 6.33076, size = 1198, normalized size = 2.54

result too large to display

Antiderivative was successfully verified.

[In] Integrate[((a + b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Sqrt[Cos[c + d\*x]], x]

[Out] (b\*B\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d) + ((-4\*a\*(8\*a^2\*A + 4\*A\*b^2 + 7\*a\*b\*B)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 4\*a\*(16\*a\*A\*b + 8\*a^2\*B + 4\*b^2\*B)\*((Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 2\*(4\*A\*b^2 + 5\*a\*b\*B)\*((I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b)]) + (2\*a\*((a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)



$$\begin{aligned} & \cdot \cos(dx+c))^{1/2} \cdot \frac{1}{a+b} \cdot \frac{a+b \cos(dx+c)}{1+\cos(dx+c)} \cdot \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b}\right)^{1/2} \cdot a^2 + 4A \cdot \frac{\cos(dx+c)}{1+\cos(dx+c)} \\ & \cdot \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b}\right)^{1/2} \cdot b^2 - 4B \cdot \sin(dx+c) \cdot \frac{\cos(dx+c)}{1+\cos(dx+c)} \\ & \cdot \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b}\right)^{1/2} \cdot b^2 + 6B \cdot \sin(dx+c) \cdot \frac{\cos(dx+c)}{1+\cos(dx+c)} \\ & \cdot \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{-(a-b)}{a+b}\right)^{1/2} \cdot a^2 + 8B \cdot \sin(dx+c) \cdot \frac{\cos(dx+c)}{1+\cos(dx+c)} \\ & \cdot \text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{-(a-b)}{a+b}\right)^{1/2} \cdot b^2 + 5B \cdot \sin(dx+c) \cdot \frac{\cos(dx+c)}{1+\cos(dx+c)} \\ & \cdot \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b}\right)^{1/2} \cdot a^2 \cdot \frac{1}{a+b \cos(dx+c)} \cdot \frac{1}{\cos(dx+c)} \cdot \frac{1}{\sin(dx+c)} \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx+c) + A)(b \cos(dx+c) + a)^{3/2}}{\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(3/2)\*(A+B\*cos(dx+c))/cos(dx+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(dx+c) + A)\*(b\*cos(dx+c) + a)^(3/2)/sqrt(cos(dx+c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(Bb \cos(dx+c)^2 + Aa + (Ba + Ab) \cos(dx+c)) \sqrt{b \cos(dx+c) + a}}{\sqrt{\cos(dx+c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(3/2)\*(A+B\*cos(dx+c))/cos(dx+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*b\*cos(dx+c)^2 + A\*a + (B\*a + A\*b)\*cos(dx+c))\*sqrt(b\*cos(dx+c) + a)/sqrt(cos(dx+c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))\*\*(3/2)\*(A+B\*cos(dx+c))/cos(dx+c)\*\*(1/2),x)

[Out] Timed out



---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)/sqrt(cos(d*x + c)), x)
```

$$3.405 \quad \int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=449

$$\frac{(2aA - bB) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{d \sqrt{\cos(c + dx)}} - \frac{\sqrt{a + b}(2a(A - B) - b(4A + B)) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}}}{d}$$

```
[Out] ((a - b)*Sqrt[a + b]*(2*a*A - b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b
*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[
(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d)
- (Sqrt[a + b]*(2*a*(A - B) - b*(4*A + B))*Cot[c + d*x]*EllipticF[ArcSin[S
qrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b
))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b
)])/d - (Sqrt[a + b]*(2*A*b + 3*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, Arc
Sin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(
a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(
a - b)])/d + (2*a*A*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c +
d*x]]) - ((2*a*A - b*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[
c + d*x]])]
```

**Rubi [A]** time = 1.17581, antiderivative size = 449, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2989, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(2aA - bB) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{d \sqrt{\cos(c + dx)}} - \frac{\sqrt{a + b}(2a(A - B) - b(4A + B)) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}}}{d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(2*a*A - b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b
*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[
(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d)
- (Sqrt[a + b]*(2*a*(A - B) - b*(4*A + B))*Cot[c + d*x]*EllipticF[ArcSin[S
qrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b
))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b
)])/d - (Sqrt[a + b]*(2*A*b + 3*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, Arc
Sin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(
a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(
a - b)])/d + (2*a*A*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c +
d*x]]) - ((2*a*A - b*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[
c + d*x]])]
```

**Rule 2989**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
```

$a*(b*c - a*d)*(B*c - A*d)*(n + 2)*\sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*\sin[e + f*x]^2, x], x], x] /;$   
 FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

#### Rule 3061

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2)/(\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]]*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]]), x\_Symbol] :> -\text{Simp}[(C*\text{Cos}[e + f*x]*\text{Sqrt}[c + d*\sin[e + f*x]])/(d*f*\text{Sqrt}[a + b*\sin[e + f*x]]), x] + \text{Dist}[1/(2*d), \text{Int}[(1*\text{Simp}[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*\sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*\sin[e + f*x]^2, x])]/((a + b*\sin[e + f*x])^(3/2)*\text{Sqrt}[c + d*\sin[e + f*x]]), x], x] /;$   
 FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 3053

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2)/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^(3/2)*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]]), x\_Symbol] :> \text{Dist}[C/b^2, \text{Int}[\text{Sqrt}[a + b*\sin[e + f*x]]/\text{Sqrt}[c + d*\sin[e + f*x]], x], x] + \text{Dist}[1/b^2, \text{Int}[(A*b^2 - a^2*C + b*(b*B - 2*a*C))*\sin[e + f*x])/((a + b*\sin[e + f*x])^(3/2)*\text{Sqrt}[c + d*\sin[e + f*x]]), x], x] /;$   
 FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2809

$\text{Int}[\text{Sqrt}[(b_.)*\sin[(e_.) + (f_.)*(x_.)]]/\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]*(x_.)], x\_Symbol] :> \text{Simp}[(2*b*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d*\sin[e + f*x]]/(\text{Sqrt}[b*\sin[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -(c + d)/(c - d))]/(d*f), x] /;$   
 FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

#### Rule 2998

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^(3/2)*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]]), x\_Symbol] :> \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\sin[e + f*x]]*\text{Sqrt}[c + d*\sin[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \sin[e + f*x])/((a + b*\sin[e + f*x])^(3/2)*\text{Sqrt}[c + d*\sin[e + f*x]]), x], x] /;$   
 FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

#### Rule 2816

$\text{Int}[1/(\text{Sqrt}[(d_.)*\sin[(e_.) + (f_.)*(x_.)]]*\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]]), x\_Symbol] :> \text{Simp}[(-2*\text{Tan}[e + f*x]*\text{Rt}[(a + b)/d, 2]*\text{Sqrt}[(a*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Csc}[e + f*x]))/(a - b)]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\sin[e + f*x]]/(\text{Sqrt}[d*\sin[e + f*x]]*\text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /;$   
 FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]/(((b_.)*\sin[(e_.) + (f_.)*(x_.)])^(3/2)*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]]), x\_Symbol] :> \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]$

\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx))}{\cos^3(c + dx)} dx = \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{\frac{1}{2}a(2Ab + aB) - \frac{1}{2}(a^2A - A^2)}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - \frac{(2aA - bB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

$$= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - \frac{(2aA - bB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

$$= -\frac{\sqrt{a + b}(2Ab + 3aB) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{d}$$

$$= \frac{(a - b)\sqrt{a + b}(2aA - bB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad}$$

**Mathematica [C]** time = 6.32715, size = 1196, normalized size = 2.66

result too large to display

Antiderivative was successfully verified.

[In] Integrate[((a + b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2), x]

[Out] (2\*a\*A\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[Cos[c + d\*x]]) + ((4\*a\*(-2\*a\*A\*b - 2\*a^2\*B - b^2\*B)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 4\*a\*(2\*a^2\*A - 2\*A\*b^2 - 4\*a\*b\*B)\*((Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 2\*(2\*a\*A\*b - b^2\*B)\*((I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]])\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b)]) + (2\*a\*((a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) -

$$\frac{(a\sqrt{((a+b)\cot((c+dx)/2)^2}/(-a+b))\sqrt{-((a+b)\cos[c+dx])\csc((c+dx)/2)^2/a}}{\csc[c+dx]\text{EllipticPi}[-(a/b), \text{ArcSin}[\sqrt{((a+b\cos[c+dx])\csc((c+dx)/2)^2/a}]/\sqrt{2}], (-2a)/(-a+b)]\sin[(c+dx)/2]^4/(b\sqrt{\cos[c+dx]}\sqrt{a+b\cos[c+dx]})}}{b + (\sqrt{a+b\cos[c+dx]}\sin[c+dx])/(b\sqrt{\cos[c+dx]})} \Big/ (2d)$$

**Maple [B]** time = 0.419, size = 2185, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (a+b\cos(dx+c))^{3/2}(A+B\cos(dx+c))/\cos(dx+c)^{3/2}, x$

[Out] 
$$\begin{aligned} & -1/d*(2*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \\ & * \cos(dx+c)*\sin(dx+c)*a^2+2*B*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), \\ & (-a-b)/(a+b))^{1/2})*\cos(dx+c)*\sin(dx+c)*a^2+B*\cos(dx+c)^3*b^2+2*A*\cos(dx+c)*a^2+B*\cos(dx+c)^2*a*b-B*\cos(dx+c)*a*b+2*A*\cos(dx+c)^2*a*b-2*A*\cos(dx+c)*a*b-B*\cos(dx+c)^2*b^2+6*B*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)*a*b-2*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\sin(dx+c)*\cos(dx+c)*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b-4*B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b+B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b+4*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\sin(dx+c)*\cos(dx+c)*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b+2*A*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^2+4*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)*b^2+B*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)*b^2+6*B*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2})*\sin(dx+c)*a*b-2*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b-2*A*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b-4*B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b+B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b+2*B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})* \\ & \end{aligned}$$

$$a^2 - 2A \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{1}{a+b} \right) \left( \frac{a+b \cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \text{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b} \right)^{1/2} \sin(dx+c) \cdot b^2 - 2A \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{1}{a+b} \right) \left( \frac{a+b \cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \text{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b} \right)^{1/2} \sin(dx+c) \cdot a^2 + 4A \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{1}{a+b} \right) \left( \frac{a+b \cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \text{EllipticPi} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{-(a-b)}{a+b} \right)^{1/2} \sin(dx+c) \cdot b^2 + B \text{EllipticE} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b} \right)^{1/2} \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \left( \frac{1}{a+b} \right) \left( \frac{a+b \cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \sin(dx+c) \cdot b^2 \left( \frac{1}{a+b \cos(dx+c)} \right)^{1/2} \frac{1}{\sin(dx+c) \cos(dx+c)^{1/2}}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx+c) + A)(b \cos(dx+c) + a)^{3/2}}{\cos(dx+c)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(3/2)\*(A+B\*cos(dx+c))/cos(dx+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(dx+c) + A)\*(b\*cos(dx+c) + a)^(3/2)/cos(dx+c)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(Bb \cos(dx+c)^2 + Aa + (Ba + Ab) \cos(dx+c)) \sqrt{b \cos(dx+c) + a}}{\cos(dx+c)^{3/2}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(3/2)\*(A+B\*cos(dx+c))/cos(dx+c)^(3/2),x, algorithm="fricas")

[Out] integral((B\*b\*cos(dx+c)^2 + A\*a + (B\*a + A\*b)\*cos(dx+c))\*sqrt(b\*cos(dx+c) + a)/cos(dx+c)^(3/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))\*\*(3/2)\*(A+B\*cos(dx+c))/cos(dx+c)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)/cos(d\*x + c)^(3/2), x)

$$3.406 \quad \int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=419

$$\frac{2\sqrt{a+b} \left( a^2(A-3B) - a(4Ab-6bB) + 3Ab^2 \right) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{3ad}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(4*A*b + 3*a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a*d) + (2*Sqrt[a + b]*(3*A*b^2 + a^2*(A - 3*B) - a*(4*A*b - 6*b*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a*d) - (2*b*Sqrt[a + b]*B*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/d + (2*a*A*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))
```

**Rubi [A]** time = 0.858342, antiderivative size = 419, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2989, 3053, 2809, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b} \left( a^2(A-3B) - a(4Ab-6bB) + 3Ab^2 \right) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{3ad}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(4*A*b + 3*a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a*d) + (2*Sqrt[a + b]*(3*A*b^2 + a^2*(A - 3*B) - a*(4*A*b - 6*b*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a*d) - (2*b*Sqrt[a + b]*B*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/d + (2*a*A*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))
```

### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
```



FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

### Rule 3053

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2)/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] := Dist[C/b^2, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[1/b^2, Int[(A\*b^2 - a^2\*C + b\*(b\*B - 2\*a\*C)\*Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

### Rule 2994

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

### Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx))}{\cos^2(c + dx)} dx &= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \cos^2(c + dx)} + \frac{2}{3} \int \frac{\frac{1}{2}a(4Ab + 3aB) + \frac{1}{2}(a^2A + b^2B)}{\cos^2(c + dx)} dx \\
 &= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3d \cos^2(c + dx)} + \frac{2}{3} \int \frac{\frac{1}{2}a(4Ab + 3aB) + \frac{1}{2}(a^2A + b^2B)}{\cos^2(c + dx)} dx \\
 &= -\frac{2b\sqrt{a + b}B \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a-b}}}{d} \\
 &= -\frac{2(a - b)\sqrt{a + b}(4Ab + 3aB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{3ad}
 \end{aligned}$$

**Mathematica [C]** time = 6.34377, size = 1236, normalized size = 2.95

result too large to display

Antiderivative was successfully verified.

[In] Integrate[((a + b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(5/2), x]

[Out] ((-4\*a\*(a^2\*A - A\*b^2 + 3\*a\*b\*B)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 4\*a\*(-4\*a\*A\*b - 3\*a^2\*B + 3\*b^2\*B)\*((Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 2\*(-4\*A\*b^2 - 3\*a\*b\*B)\*((I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b)]) + (2\*a\*((a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])))/b + (Sqrt[a + b\*Cos[c + d\*x]]\*Sin[(c + d\*x)/2]/(b\*Sqrt[Cos[c + d\*x]]))/((3\*d) + (Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*((2\*Sec[c + d\*x]\*(4\*A\*b\*Sin[c + d\*x] + 3\*a\*B\*Sin[c + d\*x]))/3 + (2\*a\*A\*Sec[c + d\*x]\*Tan[c + d\*x])/3))/d

**Maple [B]** time = 0.41, size = 2318, normalized size = 5.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int ((a+b\cos(dx+c))^{3/2}*(A+B\cos(dx+c))/\cos(dx+c)^{5/2}, x)$

[Out] 
$$-2/3/d*(4*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)^2*\sin(dx+c)*a*b+3*A*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*b^2-3*B*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*b^2+6*B*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2})*b^2-4*A*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\cos(dx+c)^2*\sin(dx+c)*b^2+A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)^2*\sin(dx+c)*a^2-3*B*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)^2*a^2+3*B*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)^2*a^2+A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)*\sin(dx+c)*a^2+3*B*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)*\sin(dx+c)*a^2+3*B*\cos(dx+c)^3*a*b-3*B*\cos(dx+c)^2*a*b+4*A*\cos(dx+c)^2*a*b-5*A*\cos(dx+c)*a*b+A*\cos(dx+c)^2*a^2-3*B*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\cos(dx+c)^2*\sin(dx+c)*a*b+6*B*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)^2*\sin(dx+c)*a*b-4*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)^2*\sin(dx+c)*a*b+4*A*\cos(dx+c)^3*b^2-4*A*\cos(dx+c)^2*b^2+3*B*\cos(dx+c)^2*a^2-3*B*\cos(dx+c)*a^2+A*\cos(dx+c)^3*a*b-4*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\sin(dx+c)*\cos(dx+c)*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b+6*B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b-3*B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b+4*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\sin(dx+c)*\cos(dx+c)*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b+3*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)*b^2-a^2*A-4*A*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*b^2-3*B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*b^2+6*B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}$$

2))\*b^2-3\*B\*sin(d\*x+c)\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b))\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*a^2)/(a+b\*cos(d\*x+c))^(1/2)/sin(d\*x+c)/cos(d\*x+c)^(3/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)/cos(d\*x + c)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*a + (B\*a + A\*b)\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(5/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)/cos(d*x + c)^(5/2), x)
```

$$3.407 \quad \int \frac{(a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=353

$$\frac{2(a-b)\sqrt{a+b}(9a^2A + 20abB + 3Ab^2) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{15a^2d} + \frac{2(5a^2A + 3a^2B + 2abA + 2abB + 3aB^2 + 3aB^2)}{15a^2d}$$

[Out] (2\*(a - b)\*Sqrt[a + b]\*(9\*a^2\*A + 3\*A\*b^2 + 20\*a\*b\*B)\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/(15\*a^2\*d) - (2\*(a - b)\*Sqrt[a + b]\*(9\*a\*A - 3\*A\*b - 5\*a\*B + 15\*b\*B)\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/(15\*a\*d) + (2\*a\*A\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x]/(5\*d\*Cos[c + d\*x]^(5/2)) + (2\*(6\*A\*b + 5\*a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x]/(15\*d\*Cos[c + d\*x]^(3/2)))

**Rubi [A]** time = 0.924391, antiderivative size = 353, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2989, 3055, 2998, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b}(9a^2A + 20abB + 3Ab^2) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{15a^2d} + \frac{2(5a^2A + 3a^2B + 2abA + 2abB + 3aB^2 + 3aB^2)}{15a^2d}$$

Antiderivative was successfully verified.

[In] Int[((a + b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(7/2), x]

[Out] (2\*(a - b)\*Sqrt[a + b]\*(9\*a^2\*A + 3\*A\*b^2 + 20\*a\*b\*B)\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/(15\*a^2\*d) - (2\*(a - b)\*Sqrt[a + b]\*(9\*a\*A - 3\*A\*b - 5\*a\*B + 15\*b\*B)\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/(15\*a\*d) + (2\*a\*A\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x]/(5\*d\*Cos[c + d\*x]^(5/2)) + (2\*(6\*A\*b + 5\*a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x]/(15\*d\*Cos[c + d\*x]^(3/2)))

#### Rule 2989

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[((b\*c - a\*d)\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(b\*c - a\*d)\*(B\*c - A\*d)\*(m - 1) + a\*d\*(a\*A\*c + b\*B\*c - (A\*b + a\*B)\*d)\*(n + 1) + (b\*(b\*d\*(B\*c - A\*d) + a\*(A\*c\*d + B\*(c^2 - 2\*d^2)))\*(n + 1) - a\*(b\*c - a\*d)\*(B\*c - A\*d)\*(n + 2))\*Sin[e + f\*x] + b\*(d\*(A\*b\*c + a\*B\*c - a\*A\*d)\*(m + n + 1) - b\*B\*(c^2\*m + d^2\*(n + 1)))\*Sin[e + f\*x]^2, x], x] /;

FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

#### Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

#### Rule 2998

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Ssin[
e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]

```

#### Rule 2816

```

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Ssin[e + f*x]]/(Sqrt[d*Ssin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]

```

#### Rule 2994

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Ssin[e + f
*x]]/(Sqrt[b*Ssin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]

```

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\cos^2(c + dx)} dx &= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^2(c + dx)} + \frac{2}{5} \int \frac{\frac{1}{2}a(6Ab + 5aB) + \frac{1}{2}(3a^2A + 3aB^2)}{\cos^2(c + dx)} dx \\
&= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^2(c + dx)} + \frac{2(6Ab + 5aB)\sqrt{a + b \cos(c + dx)}}{15d \cos^2(c + dx)} \\
&= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5d \cos^2(c + dx)} + \frac{2(6Ab + 5aB)\sqrt{a + b \cos(c + dx)}}{15d \cos^2(c + dx)} \\
&= \frac{2(a - b)\sqrt{a + b} (9a^2A + 3Ab^2 + 20abB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}}\right)\right)}{15a^2d}
\end{aligned}$$

**Mathematica [C]** time = 6.41754, size = 1314, normalized size = 3.72

result too large to display

Antiderivative was successfully verified.

[In] Integrate[((a + b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(7/2),x]

[Out] -((-4\*a\*(-3\*a^2\*A\*b + 3\*A\*b^3 - 5\*a^3\*B + 5\*a\*b^2\*B)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 4\*a\*(9\*a^3\*A + 3\*a\*A\*b^2 + 20\*a^2\*b\*B)\*((Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 2\*(9\*a^2\*A\*b + 3\*A\*b^3 + 20\*a\*b^2\*B)\*((I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b)]) + (2\*a\*((a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])))/b + (Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(b\*Sqrt[Cos[c + d\*x]]))/((15\*a\*d) + (Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*((2\*Sec[c + d\*x]^2\*(6\*A\*b\*Sin[c + d\*x] + 5\*a\*B\*Sin[c + d\*x]))/15 + (2\*Sec[c + d\*x]\*(9\*a^2\*A\*Sin[c + d\*x] + 3\*A\*b^2\*Sin[c + d\*x] + 20\*a\*b\*B\*Sin[c + d\*x]))/(15\*a) + (2\*a\*A\*Sec[c + d\*x]^2\*Tan[c + d\*x])/5))/d



**Maple [B]** time = 0.441, size = 2666, normalized size = 7.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int ((a+b*\cos(dx+c))^{3/2}*(A+B*\cos(dx+c))/\cos(dx+c)^{7/2}, x)$

[Out] 
$$-2/15/d*(-3*A*a^3+20*B*\sin(dx+c)*\cos(dx+c)^2*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*a^2*b-20*B*\sin(dx+c)*\cos(dx+c)^2*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*a^2*b-20*B*\sin(dx+c)*\cos(dx+c)^2*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*a*b^2+12*A*\sin(dx+c)*\cos(dx+c)^3*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*a^2*b+3*A*\sin(dx+c)*\cos(dx+c)^3*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b^2-9*A*\sin(dx+c)*\cos(dx+c)^3*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*a^2*b-3*A*\sin(dx+c)*\cos(dx+c)^3*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*a*b^2+20*B*\sin(dx+c)*\cos(dx+c)^3*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*a^2*b-20*B*\sin(dx+c)*\cos(dx+c)^3*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*a*b^2+12*A*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^2*b+3*A*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^2*b-9*A*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^2*b-3*A*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b^2+15*B*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c)*\cos(dx+c)^3*a*b^2+15*B*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\cos(dx+c)^2*\sin(dx+c)*a*b^2+9*A*\cos(dx+c)^4*a^2*b+6*A*\cos(dx+c)^4*a*b^2+5*B*\cos(dx+c)^4*a^2*b-20*B*\cos(dx+c)^3*a*b^2+3*A*\cos(dx+c)^3*a*b^2-9*A*\cos(dx+c)^2*a*b^2-9*A*\cos(dx+c)*a^2*b+20*B*\cos(dx+c)^4*a*b^2+20*B*\cos(dx+c)^3*a^2*b-25*B*\cos(dx+c)^2*a^2*b+5*B*\cos(dx+c)^3*a^3+9*A*\cos(dx+c)^3*a^3-3*A*\cos(dx+c)^3*b^3-6*A*\cos(dx+c)^2*a^3+3*A*\cos(dx+c)^4*b^3-5*B*\cos(dx+c)*a^3+9*A*\sin(dx+c)*\cos(dx+c)^3*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*a^3-9*A*\sin(dx+c)*\cos(dx+c)^3*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*a^3-3*A*\sin(dx+c)*\cos(dx+c)^3*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*b^3+5*B*\sin(dx+c)*\cos(dx+c)^3*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}$$

$*x+c)/\sin(d*x+c), (-a-b)/(a+b)^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*a^3+9*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b)^{(1/2)})*a^3-9*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b)^{(1/2)})*a^3-3*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b)^{(1/2)})*b^3+5*B*\sin(d*x+c)*\cos(d*x+c)^2*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b)^{(1/2)})*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*a^3/(a+b*\cos(d*x+c))^{(1/2)}/a/\sin(d*x+c)/\cos(d*x+c)^{(5/2)}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)/cos(d\*x + c)^(7/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c))\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{7}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*a + (B\*a + A\*b)\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(7/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(7/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)/cos(d\*x + c)^(7/2), x)

$$3.408 \quad \int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=433

$$\frac{2(25a^2A + 42abB + 3Ab^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{105ad \cos^3(c+dx)} - \frac{2(a-b) \sqrt{a+b} (a^2(-25A - 63B)) + 3ab(19A - 7B) + 6Ab^2}{105ad \cos^3(c+dx)}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(105*a^3*d) - (2*(a - b)*Sqrt[a + b]*(6*A*b^2 - a^2*(25*A - 63*B) + 3*a*b*(19*A - 7*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(105*a^2*d) + (2*a*A*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(7*d*Cos[c + d*x]^(7/2)) + (2*(8*A*b + 7*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(35*d*Cos[c + d*x]^(5/2)) + (2*(25*a^2*A + 3*A*b^2 + 42*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(105*a*d*Cos[c + d*x]^(3/2))
```

**Rubi [A]** time = 1.34616, antiderivative size = 433, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2989, 3055, 2998, 2816, 2994}

$$\frac{2(25a^2A + 42abB + 3Ab^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{105ad \cos^3(c+dx)} - \frac{2(a-b) \sqrt{a+b} (a^2(-25A - 63B)) + 3ab(19A - 7B) + 6Ab^2}{105ad \cos^3(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(9/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(105*a^3*d) - (2*(a - b)*Sqrt[a + b]*(6*A*b^2 - a^2*(25*A - 63*B) + 3*a*b*(19*A - 7*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(105*a^2*d) + (2*a*A*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(7*d*Cos[c + d*x]^(7/2)) + (2*(8*A*b + 7*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(35*d*Cos[c + d*x]^(5/2)) + (2*(25*a^2*A + 3*A*b^2 + 42*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(105*a*d*Cos[c + d*x]^(3/2))
```

### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
```

FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

### Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x] \* (a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

### Rule 2994

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\cos^2(c + dx)} dx &= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^2(c + dx)} + \frac{2}{7} \int \frac{\frac{1}{2}a(8Ab + 7aB) + \frac{1}{2}(5a^2A + 7a^2B)}{\cos^2(c + dx)} dx \\
&= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^2(c + dx)} + \frac{2(8Ab + 7aB)\sqrt{a + b \cos(c + dx)}}{35d \cos^2(c + dx)} \\
&= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^2(c + dx)} + \frac{2(8Ab + 7aB)\sqrt{a + b \cos(c + dx)}}{35d \cos^2(c + dx)} \\
&= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{7d \cos^2(c + dx)} + \frac{2(8Ab + 7aB)\sqrt{a + b \cos(c + dx)}}{35d \cos^2(c + dx)} \\
&= \frac{2(a - b)\sqrt{a + b} (82a^2Ab - 6Ab^3 + 63a^3B + 21ab^2B) \cot(c + dx) E(\sin(c + dx))}{105a^3d}
\end{aligned}$$

**Mathematica [C]** time = 6.50158, size = 1407, normalized size = 3.25

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(9/2), x]

[Out] ((-4\*a\*(25\*a^4\*A - 31\*a^2\*A\*b^2 + 6\*A\*b^4 + 21\*a^3\*b\*B - 21\*a\*b^3\*B)\*Sqrt[(a + b)\*Cot[(c + d\*x)/2]^2]/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 4\*a\*(-82\*a^3\*A\*b + 6\*a\*A\*b^3 - 63\*a^4\*B - 21\*a^2\*b^2\*B)\*((Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 2\*(-82\*a^2\*A\*b^2 + 6\*A\*b^4 - 63\*a^3\*b\*B - 21\*a\*b^3\*B)\*((I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b)]) + (2\*a\*((a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]))/b + (Sqrt[a + b\*Cos[c + d\*x]])



```

icF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^3-82*A*sin(d*x+c)*
cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1
+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)
)*a^3*b-82*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1
/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin
(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b^2+6*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+
c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*El
lipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^3+84*B*sin(d*x
+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c)
)/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)
)^(1/2))*a^3*b+21*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+
c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)
)^(1/2))*sin(d*x+c)*cos(d*x+c)^3*a^2*b^2-63*B*(cos(d*x+c)/(1+cos(d*x+c)))^(
1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x
+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^3*a^3*b-21*B*(c
os(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(
1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*
cos(d*x+c)^3*a^2*b^2-21*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)
))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(
d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^3+51*A*(cos(d*x+c)/(1+cos(d*x+
c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+co
s(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^4*a^2*b^2-
6*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+
c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d
*x+c)*cos(d*x+c)^4*a*b^3-82*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*
x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+
cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^3*b-82*A*sin(d*x+c)*cos(d*x+
c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x
+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*
b^2+6*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*
(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c)
, (-a-b)/(a+b))^(1/2))*a*b^3+84*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)
*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+
c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^4*a^3*b+21*B*sin(d*x+c)*cos(
d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos
(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*
a^2*b^2)/(a+b*cos(d*x+c))^(1/2)/a^2/sin(d*x+c)/cos(d*x+c)^(7/2)

```

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2), x, algorith="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)/cos(d\*x + c)^(9/2), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c))\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{9}{2}}}, x\right)$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="fricas")
```

```
[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)/cos(d*x + c)^(9/2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)**(9/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(9/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)/cos(d*x + c)^(9/2), x)
```

$$3.409 \quad \int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\cos^{\frac{11}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=522

$$\frac{2(88a^2Ab + 75a^3B + 9ab^2B - 4Ab^3) \sin(c+dx)\sqrt{a+b \cos(c+dx)}}{315a^2d \cos^{\frac{3}{2}}(c+dx)} + \frac{2(49a^2A + 72abB + 3Ab^2) \sin(c+dx)\sqrt{a+b \cos(c+dx)}}{315ad \cos^{\frac{5}{2}}(c+dx)}$$

[Out] (2\*(a - b)\*Sqrt[a + b]\*(147\*a^4\*A + 33\*a^2\*A\*b^2 + 8\*A\*b^4 + 246\*a^3\*b\*B - 18\*a\*b^3\*B)\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(315\*a^4\*d) + (2\*(a - b)\*Sqrt[a + b]\*(8\*A\*b^3 - a^3\*(147\*A - 75\*B) + 3\*a^2\*b\*(13\*A - 57\*B) + 6\*a\*b^2\*(A - 3\*B))\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(315\*a^3\*d) + (2\*a\*A\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(9\*d\*Cos[c + d\*x]^(9/2)) + (2\*(10\*A\*b + 9\*a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(63\*d\*Cos[c + d\*x]^(7/2)) + (2\*(49\*a^2\*A + 3\*A\*b^2 + 72\*a\*b\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(315\*a\*d\*Cos[c + d\*x]^(5/2)) + (2\*(88\*a^2\*A\*b - 4\*A\*b^3 + 75\*a^3\*B + 9\*a\*b^2\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(315\*a^2\*d\*Cos[c + d\*x]^(3/2))

**Rubi [A]** time = 1.88458, antiderivative size = 522, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2989, 3055, 2998, 2816, 2994}

$$\frac{2(88a^2Ab + 75a^3B + 9ab^2B - 4Ab^3) \sin(c+dx)\sqrt{a+b \cos(c+dx)}}{315a^2d \cos^{\frac{3}{2}}(c+dx)} + \frac{2(49a^2A + 72abB + 3Ab^2) \sin(c+dx)\sqrt{a+b \cos(c+dx)}}{315ad \cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In] Int[((a + b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(11/2), x]

[Out] (2\*(a - b)\*Sqrt[a + b]\*(147\*a^4\*A + 33\*a^2\*A\*b^2 + 8\*A\*b^4 + 246\*a^3\*b\*B - 18\*a\*b^3\*B)\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(315\*a^4\*d) + (2\*(a - b)\*Sqrt[a + b]\*(8\*A\*b^3 - a^3\*(147\*A - 75\*B) + 3\*a^2\*b\*(13\*A - 57\*B) + 6\*a\*b^2\*(A - 3\*B))\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(315\*a^3\*d) + (2\*a\*A\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(9\*d\*Cos[c + d\*x]^(9/2)) + (2\*(10\*A\*b + 9\*a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(63\*d\*Cos[c + d\*x]^(7/2)) + (2\*(49\*a^2\*A + 3\*A\*b^2 + 72\*a\*b\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(315\*a\*d\*Cos[c + d\*x]^(5/2)) + (2\*(88\*a^2\*A\*b - 4\*A\*b^3 + 75\*a^3\*B + 9\*a\*b^2\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(315\*a^2\*d\*Cos[c + d\*x]^(3/2))

**Rule 2989**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b\*c - a\*d)\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1))

```

*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

```

### Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

### Rule 2998

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]

```

### Rule 2816

```

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[Arc
Sin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]

```

### Rule 2994

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]

```

### Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \cos(c + dx))^{3/2}(A + B \cos(c + dx))}{\cos^{11/2}(c + dx)} dx &= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{2}{9} \int \frac{\frac{1}{2}a(10Ab + 9aB) + \frac{1}{2}(7a^2A + 9aB^2)}{\cos^{7/2}(c + dx)} dx \\
 &= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{2(10Ab + 9aB)\sqrt{a + b \cos(c + dx)}}{63d \cos^{7/2}(c + dx)} \\
 &= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{2(10Ab + 9aB)\sqrt{a + b \cos(c + dx)}}{63d \cos^{7/2}(c + dx)} \\
 &= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{2(10Ab + 9aB)\sqrt{a + b \cos(c + dx)}}{63d \cos^{7/2}(c + dx)} \\
 &= \frac{2aA\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{2(10Ab + 9aB)\sqrt{a + b \cos(c + dx)}}{63d \cos^{7/2}(c + dx)} \\
 &= \frac{2(a - b)\sqrt{a + b} (147a^4A + 33a^2Ab^2 + 8Ab^4 + 246a^3bB - 18ab^3B) \cot(c + dx)}{315d^2 \cos^{7/2}(c + dx)}
 \end{aligned}$$

**Mathematica [C]** time = 6.58595, size = 1515, normalized size = 2.9

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(1
1/2), x]
```

```
[Out] -((-4*a*(-39*a^4*A*b + 31*a^2*A*b^3 + 8*A*b^5 - 75*a^5*B + 93*a^3*b^2*B - 1
8*a*b^4*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[
c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d
*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d
*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[C
os[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(147*a^5*A + 33*a^3*A*b^2 + 8*
a*A*b^4 + 246*a^4*b*B - 18*a^2*b^3*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-
a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*
Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[(a
+ b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c
+ d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt
[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c
+ d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c +
d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]
^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]
*Sqrt[a + b*Cos[c + d*x]])) + 2*(147*a^4*A*b + 33*a^2*A*b^3 + 8*A*b^5 + 246
*a^3*b^2*B - 18*a*b^4*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*Elli
pticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[
c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x
])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a
+ b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Co
s[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[(a +
b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c +
d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt
```

$$\begin{aligned} & \left[ \frac{((a+b)\cot\left(\frac{c+dx}{2}\right)^2)/(-a+b)}{\sqrt{-\left(\frac{(a+b)\cos\left(\frac{c+dx}{2}\right)\csc\left(\frac{c+dx}{2}\right)}{a}\right)^2}} \sqrt{\frac{(a+b\cos\left(\frac{c+dx}{2}\right)\csc\left(\frac{c+dx}{2}\right)}{a}\right)^2}}{a} \csc\left(\frac{c+dx}{2}\right) \right. \\ & \left. * \operatorname{EllipticPi}\left[-\frac{a}{b}, \operatorname{ArcSin}\left[\frac{\sqrt{\left(\frac{(a+b\cos\left(\frac{c+dx}{2}\right)\csc\left(\frac{c+dx}{2}\right)}{a}\right)^2}}{\sqrt{2}}}\right], \frac{-2a}{-a+b}\right] \sin\left(\frac{c+dx}{2}\right)^4 \right. \right. \\ & \left. \left. / (b\sqrt{\cos\left(\frac{c+dx}{2}\right)}) \sqrt{a+b\cos\left(\frac{c+dx}{2}\right)}\right) \right] / b + \left( \frac{\sqrt{a+b\cos\left(\frac{c+dx}{2}\right)} \sin\left(\frac{c+dx}{2}\right)}{b\sqrt{\cos\left(\frac{c+dx}{2}\right)}} \right) \right. \\ & \left. / (315a^3d) + \left( \frac{\sqrt{\cos\left(\frac{c+dx}{2}\right)} \sqrt{a+b\cos\left(\frac{c+dx}{2}\right)} \left( (2\sec\left(\frac{c+dx}{2}\right)^4 (10Ab\sin\left(\frac{c+dx}{2}\right) + 9aB\sin\left(\frac{c+dx}{2}\right)) \right. \right. \right. \right. \\ & \left. \left. + (2\sec\left(\frac{c+dx}{2}\right)^3 (49a^2A\sin\left(\frac{c+dx}{2}\right) + 3A^2b^2\sin\left(\frac{c+dx}{2}\right) + 72a^2bB\sin\left(\frac{c+dx}{2}\right)) \right. \right. \right. \\ & \left. \left. / (315a) + (2\sec\left(\frac{c+dx}{2}\right)^2 (88a^2A^2b\sin\left(\frac{c+dx}{2}\right) - 4A^2b^3\sin\left(\frac{c+dx}{2}\right) + 75a^3B\sin\left(\frac{c+dx}{2}\right) + 9a^2b^2B\sin\left(\frac{c+dx}{2}\right)) \right. \right. \right. \\ & \left. \left. / (315a^2) + (2\sec\left(\frac{c+dx}{2}\right) (147a^4A^4\sin\left(\frac{c+dx}{2}\right) + 33a^2A^2b^2\sin\left(\frac{c+dx}{2}\right) + 8A^2b^4\sin\left(\frac{c+dx}{2}\right) \right. \right. \right. \\ & \left. \left. + 246a^3b^3B\sin\left(\frac{c+dx}{2}\right) - 18a^2b^3B\sin\left(\frac{c+dx}{2}\right)) \right) \right) / (315a^3) + (2aA\sec\left(\frac{c+dx}{2}\right)^4 \tan\left(\frac{c+dx}{2}\right) / 9) \right) / d \end{aligned}$$

**Maple [B]** time = 0.741, size = 4391, normalized size = 8.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (a+b\cos(dx+c))^{3/2} (A+B\cos(dx+c)) / \cos(dx+c)^{11/2}, x$

[Out] 
$$\begin{aligned} & -2/315/d * (186A\sin(dx+c)\cos(dx+c)^5(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * \\ & 1/(a+b)(a+b\cos(dx+c))/(1+\cos(dx+c))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), \\ & (-a-b)/(a+b))^{1/2}) * a^4b - 33A * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * \\ & (1/(a+b)(a+b\cos(dx+c))/(1+\cos(dx+c))^{1/2} * \sin(dx+c)\cos(dx+c)^5 * \operatorname{EllipticE} \\ & ((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2b^3 - 8A * (\cos(dx+c)/(1+\cos(dx+c)) \\ & )^{1/2} * (1/(a+b)(a+b\cos(dx+c))/(1+\cos(dx+c))^{1/2} * \sin(dx+c)\cos(dx+c)^5 * \operatorname{EllipticE} \\ & ((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2b^3 - 8A * (\cos(dx+c)/(1+\cos(dx+c)) \\ & )^{1/2} * (1/(a+b)(a+b\cos(dx+c))/(1+\cos(dx+c))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), \\ & (-a-b)/(a+b))^{1/2}) * a^4b + 153B * \sin(dx+c)\cos(dx+c)^5 * (\cos(dx+c)/(1+\cos(dx+c)) \\ & )^{1/2} * (1/(a+b)(a+b\cos(dx+c))/(1+\cos(dx+c))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), \\ & (-a-b)/(a+b))^{1/2}) * a^3b^2 - 18B * \sin(dx+c)\cos(dx+c)^5 * (\cos(dx+c)/(1+\cos(dx+c)) \\ & )^{1/2} * (1/(a+b)(a+b\cos(dx+c))/(1+\cos(dx+c))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), \\ & (-a-b)/(a+b))^{1/2}) * a^2b^3 - 246B * \sin(dx+c)\cos(dx+c)^5 * (\cos(dx+c)/(1+\cos(dx+c)) \\ & )^{1/2} * (1/(a+b)(a+b\cos(dx+c))/(1+\cos(dx+c))^{1/2} * \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), \\ & (-a-b)/(a+b))^{1/2}) * a^4b - 246B * (\cos(dx+c)/(1+\cos(dx+c))^{1/2} * (1/(a+b)(a+b\cos(dx+c)) \\ & )^{1/2} * \sin(dx+c)\cos(dx+c)^5 * \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^3 \\ & b^2 + 18B * (\cos(dx+c)/(1+\cos(dx+c))^{1/2} * (1/(a+b)(a+b\cos(dx+c))/(1+\cos(dx+c)) \\ & )^{1/2} * \sin(dx+c)\cos(dx+c)^5 * \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2b^3 + 18B * \\ & (\cos(dx+c)/(1+\cos(dx+c))^{1/2} * (1/(a+b)(a+b\cos(dx+c))/(1+\cos(dx+c))^{1/2} * \sin(dx+c)\cos(dx+c)^5 * \operatorname{EllipticE} \\ & ((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2b^3 + 18B * (\cos(dx+c)/(1+\cos(dx+c))^{1/2} * (1/(a+b)(a+b\cos(dx+c)) \\ & )^{1/2} * \sin(dx+c)\cos(dx+c)^5 * \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2b^3 + 18B * \\ & (\cos(dx+c)/(1+\cos(dx+c))^{1/2} * (1/(a+b)(a+b\cos(dx+c))/(1+\cos(dx+c))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), \\ & (-a-b)/(a+b))^{1/2}) * a^4b + 33A * \sin(dx+c)\cos(dx+c)^4 * (\cos(dx+c)/(1+\cos(dx+c))^{1/2} * (1/(a+b)(a+b\cos(dx+c)) \\ & )^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^3b^2 + 2A * (\cos(dx+c)/(1+\cos(dx+c))^{1/2} * \\ & (1/(a+b)(a+b\cos(dx+c))/(1+\cos(dx+c))^{1/2} * \sin(dx+c)\cos(dx+c)^4 * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), \\ & (-a-b)/(a+b))^{1/2}) * a^2b^3 + 8A * \sin(dx+c)\cos(dx+c)^4 * (\cos(dx+c)/(1+\cos(dx+c))^{1/2} * (1/(a+b)(a+b\cos(dx+c)) \\ & )^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2b^3 - 147A * \sin(dx+c)\cos(dx+c)^4 * (\cos(dx+c)/(1+\cos(dx+c))^{1/2} * \\ & (1/(a+b)(a+b\cos(dx+c))/(1+\cos(dx+c))^{1/2} * \operatorname{EllipticE}((-1+\cos(dx+c) \end{aligned}$$



$*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^5-8*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*b^5+75*B*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^5/(a+b*\cos(d*x+c))^{(1/2)}/a^{3/\sin(d*x+c)/\cos(d*x+c)^{(9/2)}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(11/2), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)/cos(d\*x + c)^(11/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c))\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{11}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(11/2), x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*a + (B\*a + A\*b)\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(11/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(11/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\cos(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(11/2),x, algo  
rithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)/cos(d*x + c)^(11/  
2), x)
```



$$3.410 \quad \int \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=779

$$\frac{(-15a^2B + 50aAb + 64b^2B) \sin(c + dx) \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}}{240bd} + \frac{(50a^2Ab - 15a^3B + 172ab^2B + 120Ab^3)}{3}$$

```
[Out] -((a - b)*Sqrt[a + b]*(150*a^3*A*b + 2840*a*A*b^3 - 45*a^4*B + 1692*a^2*b^2
*B + 1024*b^4*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(1920*a*b^2*d) - (Sqrt[a + b]*(45*a^4*B - 30*a^3*b*(5*A + B) - 16*b^4*(45*A + 64*B) - 8*a*b^3*(355*A + 193*B) - 4*a^2*b^2*(295*A + 423*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(1920*b^2*d) + (Sqrt[a + b]*(10*a^4*A*b - 240*a^2*A*b^3 - 96*A*b^5 - 3*a^5*B - 40*a^3*b^2*B - 240*a*b^4*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(128*b^3*d) + ((150*a^3*A*b + 2840*a*A*b^3 - 45*a^4*B + 1692*a^2*b^2*B + 1024*b^4*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(1920*b^2*d*Sqrt[Cos[c + d*x]]) + ((50*a^2*A*b + 120*A*b^3 - 15*a^3*B + 172*a*b^2*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(320*b*d) + ((50*a*A*b - 15*a^2*B + 64*b^2*B)*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(240*b*d) + ((10*A*b - 3*a*B)*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(40*b*d) + (B*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(7/2)*Sin[c + d*x])/(5*b*d)
```

**Rubi [A]** time = 3.08251, antiderivative size = 779, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(-15a^2B + 50aAb + 64b^2B) \sin(c + dx) \sqrt{\cos(c + dx)} (a + b \cos(c + dx))^{3/2}}{240bd} + \frac{(50a^2Ab - 15a^3B + 172ab^2B + 120Ab^3)}{3}$$

Antiderivative was successfully verified.

```
[In] Int[Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(150*a^3*A*b + 2840*a*A*b^3 - 45*a^4*B + 1692*a^2*b^2
*B + 1024*b^4*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(1920*a*b^2*d) - (Sqrt[a + b]*(45*a^4*B - 30*a^3*b*(5*A + B) - 16*b^4*(45*A + 64*B) - 8*a*b^3*(355*A + 193*B) - 4*a^2*b^2*(295*A + 423*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(1920*b^2*d) + (Sqrt[a + b]*(10*a^4*A*b - 240*a^2*A*b^3 - 96*A*b^5 - 3*a^5*B - 40*a^3*b^2*B - 240*a*b^4*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(128*b^3*d) + ((150*a^3*A*b + 2840*a*A*b^3 - 45*a^4*B + 1692*a^2*b^2*B + 1024*b^4*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(1920*b^2*d*Sqrt[Cos[c + d*x]])
```

$$c + d*x]] + ((50*a^2*A*b + 120*A*b^3 - 15*a^3*B + 172*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(320*b*d) + ((50*a*A*b - 15*a^2*B + 64*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*(a + b*\text{Cos}[c + d*x])^{3/2}*\text{Sin}[c + d*x])/(240*b*d) + ((10*A*b - 3*a*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*(a + b*\text{Cos}[c + d*x])^{5/2}*\text{Sin}[c + d*x])/(40*b*d) + (B*\text{Sqrt}[\text{Cos}[c + d*x]]*(a + b*\text{Cos}[c + d*x])^{7/2}*\text{Sin}[c + d*x])/(5*b*d)$$

### Rule 2990

$$\text{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m-1)}*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(m+n+1)), x] + \text{Dist}[1/(d*(m+n+1)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-2)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a^2*A*d*(m+n+1) + b*B*(b*c*(m-1) + a*d*(n+1)) + (a*d*(2*A*b + a*B)*(m+n+1) - b*B*(a*c - b*d*(m+n)))*\text{Sin}[e + f*x] + b*(A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n)))*\text{Sin}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}\{b*c - a*d, 0\} \&\& \text{NeQ}\{a^2 - b^2, 0\} \&\& \text{NeQ}\{c^2 - d^2, 0\} \&\& \text{GtQ}\{m, 1\} \&\& !( \text{IGtQ}\{n, 1\} \&\& ( !\text{IntegerQ}\{m\} || (\text{EqQ}\{a, 0\} \&\& \text{NeQ}\{c, 0\})))$$

### Rule 3049

$$\text{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] \rightarrow -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(d*f*(m+n+2)), x] + \text{Dist}[1/(d*(m+n+2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m-1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[a*A*d*(m+n+2) + C*(b*c*m + a*d*(n+1)) + (d*(A*b + a*B)*(m+n+2) - C*(a*c - b*d*(m+n+1)))*\text{Sin}[e + f*x] + (C*(a*d*m - b*c*(m+1)) + b*B*d*(m+n+2))*\text{Sin}[e + f*x]^2, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x\} \&\& \text{NeQ}\{b*c - a*d, 0\} \&\& \text{NeQ}\{a^2 - b^2, 0\} \&\& \text{NeQ}\{c^2 - d^2, 0\} \&\& \text{GtQ}\{m, 0\} \&\& !( \text{IGtQ}\{n, 0\} \&\& ( !\text{IntegerQ}\{m\} || (\text{EqQ}\{a, 0\} \&\& \text{NeQ}\{c, 0\})))$$

### Rule 3061

$$\text{Int}[(A_. + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2)/(\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]]*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]]), x\_Symbol] \rightarrow -\text{Simp}[(C*\text{Cos}[e + f*x]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]])/(d*f*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[1/(2*d), \text{Int}[(1*\text{Simp}[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*\text{Sin}[e + f*x] + (2*b*B*d - C*(b*c + a*d))*\text{Sin}[e + f*x]^2, x])/(a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}\{b*c - a*d, 0\} \&\& \text{NeQ}\{a^2 - b^2, 0\} \&\& \text{NeQ}\{c^2 - d^2, 0\}$$

### Rule 3053

$$\text{Int}[(A_. + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2)/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{3/2}*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]]), x\_Symbol] \rightarrow \text{Dist}[C/b^2, \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] + \text{Dist}[1/b^2, \text{Int}[(A*b^2 - a^2*C + b*(b*B - 2*a*C))*\text{Sin}[e + f*x]/((a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}\{b*c - a*d, 0\} \&\& \text{NeQ}\{a^2 - b^2, 0\} \&\& \text{NeQ}\{c^2 - d^2, 0\}$$

### Rule 2809

$$\text{Int}[\text{Sqrt}[(b_.)*\sin[(e_.) + (f_.)*(x_.)]]/\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*b*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticPi}[(c$$

+ d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

#### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rubi steps



```
t[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a)*Sqrt[((a + b*Cos[c + d*x])
)*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c +
d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4
)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*
Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]
^2)/a)]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*Elli
pticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqr
t[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a +
b*Cos[c + d*x]])))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[
c + d*x]])))/(3840*b*d) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((5
90*a^2*A*b + 420*A*b^3 + 15*a^3*B + 898*a*b^2*B)*Sin[c + d*x])/(960*b) + ((
170*a*A*b + 93*a^2*B + 88*b^2*B)*Sin[2*(c + d*x)]/480 + (b*(10*A*b + 21*a*
B)*Sin[3*(c + d*x)]/160 + (b^2*B*Ssin[4*(c + d*x)]/40))/d
```

**Maple [B]** time = 0.894, size = 5164, normalized size = 6.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] result too large to display
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algo
rithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*cos(d*x + c)^(3/2
), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

```
integral(((Bb^2*cos(dx + c)^4 + Aa^2*cos(dx + c) + (2Bab + Ab^2)*cos(dx + c)^3 + (Ba^2 + 2Aab)*cos(dx + c)^2)*sqrt(b*cos(dx + c) + a)), x)
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algo
rithm="fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)^4 + A*a^2*cos(d*x + c) + (2*B*a*b + A*b^2)*cos
(d*x + c)^3 + (B*a^2 + 2*A*a*b)*cos(d*x + c)^2)*sqrt(b*cos(d*x + c) + a)*sq
rt(cos(d*x + c)), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(3/2)*(a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.411 \quad \int \sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx$$

**Optimal.** Leaf size=664

$$\frac{(5a^2B + 24aAb + 12b^2B) \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}{32d} + \frac{(264a^2Ab + 15a^3B + 284ab^2B + 128Ab^3) \sin(c + dx)}{192bd \sqrt{\cos(c + dx)}}$$

```
[Out] -((a - b)*Sqrt[a + b]*(264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B)*Co
t[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[
c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[
(a*(1 + Sec[c + d*x]))/(a - b)]/(192*a*b*d) + (Sqrt[a + b]*(15*a^3*B + 8*b
^3*(16*A + 9*B) + 2*a^2*b*(132*A + 59*B) + 4*a*b^2*(52*A + 71*B))*Cot[c + d
*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x
]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 +
Sec[c + d*x]))/(a - b)]/(192*b*d) - (Sqrt[a + b]*(40*a^3*A*b + 160*a*A*b^
3 - 5*a^4*B + 120*a^2*b^2*B + 48*b^4*B)*Cot[c + d*x]*EllipticPi[(a + b)/b,
ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b
)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x])
)/(a - b)]/(64*b^2*d) + ((264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B
)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(192*b*d*Sqrt[Cos[c + d*x]]) + ((2
4*a*A*b + 5*a^2*B + 12*b^2*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*S
in[c + d*x])/(32*d) + ((8*A*b + 11*a*B)*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d
*x])^(3/2)*Sin[c + d*x])/(24*d) + (b*B*Cos[c + d*x]^(3/2)*(a + b*Cos[c + d
*x])^(3/2)*Sin[c + d*x])/(4*d)
```

**Rubi [A]** time = 2.20587, antiderivative size = 664, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(5a^2B + 24aAb + 12b^2B) \sin(c + dx) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}{32d} + \frac{(264a^2Ab + 15a^3B + 284ab^2B + 128Ab^3) \sin(c + dx)}{192bd \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B)*Co
t[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[
c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[
(a*(1 + Sec[c + d*x]))/(a - b)]/(192*a*b*d) + (Sqrt[a + b]*(15*a^3*B + 8*b
^3*(16*A + 9*B) + 2*a^2*b*(132*A + 59*B) + 4*a*b^2*(52*A + 71*B))*Cot[c + d
*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x
]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 +
Sec[c + d*x]))/(a - b)]/(192*b*d) - (Sqrt[a + b]*(40*a^3*A*b + 160*a*A*b^
3 - 5*a^4*B + 120*a^2*b^2*B + 48*b^4*B)*Cot[c + d*x]*EllipticPi[(a + b)/b,
ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b
)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x])
)/(a - b)]/(64*b^2*d) + ((264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B
)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(192*b*d*Sqrt[Cos[c + d*x]]) + ((2
4*a*A*b + 5*a^2*B + 12*b^2*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*S
in[c + d*x])/(32*d) + ((8*A*b + 11*a*B)*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d
*x])^(3/2)*Sin[c + d*x])/(24*d) + (b*B*Cos[c + d*x]^(3/2)*(a + b*Cos[c + d
*x])^(3/2)*Sin[c + d*x])/(4*d)
```

Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n
+ 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*
x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m -
1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n
)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e
+ f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n
, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_
.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x]
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x
] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x
]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*
c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_
.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C))*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -(c + d)/(c - d)]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
```



```
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]], x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_.) + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_.) + (f
_)*(x_)])], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_.) + (f_)*(x_)])/(((b_)*sin[(e_.) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_.) + (f_)*(x_)])], x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rubi steps

$$\int \sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx)) dx = \frac{bB \cos^3(c + dx)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{4d} + \frac{1}{4} \int \frac{(8Ab + 11aB)\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{24d} dx$$

$$= \frac{(24aAb + 5a^2B + 12b^2B) \sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}}{32d}$$

$$= \frac{(264a^2Ab + 128Ab^3 + 15a^3B + 284ab^2B) \sqrt{a + b \cos(c + dx)}}{192bd\sqrt{\cos(c + dx)}}$$

$$= \frac{(264a^2Ab + 128Ab^3 + 15a^3B + 284ab^2B) \sqrt{a + b \cos(c + dx)}}{192bd\sqrt{\cos(c + dx)}}$$

$$= \frac{\sqrt{a + b} (40a^3Ab + 160aAb^3 - 5a^4B + 120a^2b^2B + 48ab^3B)}{192bd}$$

$$= \frac{(a - b)\sqrt{a + b} (264a^2Ab + 128Ab^3 + 15a^3B + 284ab^2B)}{192bd}$$

**Mathematica [C]** time = 6.38703, size = 1287, normalized size = 1.94

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]),x]
```

```
[Out] ((-4*a*(472*a^2*A*b + 128*A*b^3 + 133*a^3*B + 356*a*b^2*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(384*a^3*A + 608*a*A*b^2 + 644*a^2*b*B + 144*b^3*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])))/(384*d) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*(((104*a*A*b + 59*a^2*B + 42*b^2*B)*Sin[c + d*x])/96 + (b*(8*A*b + 17*a*B)*Sin[2*(c + d*x)]/48 + (b^2*B*Ssin[3*(c + d*x)]/16))/d
```

---

**Maple [B]** time = 0.661, size = 4238, normalized size = 6.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] -1/192/d/(a+b*cos(d*x+c))^(1/2)*(72*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*sin(d*x+c)*a*b^3+264*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a^3*b+272*A*cos(d*x+c)^4*a*b^3-264*A*cos(d*x+c)^2*a^2*b^2-264*A*cos(d*x+c)*a^3*b-15*B*cos(d*x+c)^2*a^3*b+184*B*cos(d*x+c)^5*a*b^3+254*B*cos(d*x+c)^4*a^2*b^2+64*A*cos(d*x+c)^5*b^4+48*B*cos(d*x+c)^6*b^4+24*B*cos(d*x+c)^4*b^4-72*B*cos(d*x+c)^2*b^4+64*A*cos(d*x+c)^3*b^4-128*A*cos(d*x+c)^2*b^4+15*B*cos(d*x+c)^2*a^4+30*B*cos(d*x+c)^2*a^2*b^2-284*B*cos(d*x+c)^2*a*b^3-118*B*cos(d*x+c)*a^3*b-284*B*cos(d*x+c)*a^2*b^2-72*B*cos(d*x+c)*a*b^3+472*A*cos(d*x+c)^3*a^2*b^2+264*A*cos(d*x+c)^2*a^3*b-144*A*cos(d*x+c)^2*a*b^3+133*B*cos(d*x+c)^3*a^3*b+172*B*cos(d*x+c)^3*a*b^3-208*A*cos(d*x+c)*a^2*b^2-128*A*cos(d*x+c)*a*b^3-15*B*cos(d*x+c)*a^4-384*A*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))
```

$$\begin{aligned}
& ^{(1/2)} \cos(dx+c) \sin(dx+c) (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} (1/(a+b) (a \\
& +b \cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} a^3 b + 128 A (\cos(dx+c)/(1+\cos(dx+c)) \\
& )^{(1/2)} (1/(a+b) (a+b \cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} \text{EllipticE}((-1+\cos(d \\
& *x+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} \cos(dx+c) \sin(dx+c) b^4 + 15 B (\cos \\
& (dx+c)/(1+\cos(dx+c)))^{(1/2)} (1/(a+b) (a+b \cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} \\
& \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} \cos(dx+c) \sin \\
& (dx+c) a^4 - 30 B (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} (1/(a+b) (a+b \cos(dx+c) \\
& ))/(1+\cos(dx+c)))^{(1/2)} \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/( \\
& a+b))^{(1/2)} \cos(dx+c) \sin(dx+c) a^4 + 288 B (\cos(dx+c)/(1+\cos(dx+c)))^{(1 \\
& /2)} (1/(a+b) (a+b \cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} \text{EllipticPi}((-1+\cos(dx+ \\
& c))/\sin(dx+c), -1, (-a-b)/(a+b))^{(1/2)} \cos(dx+c) \sin(dx+c) b^4 - 144 B (\cos \\
& (dx+c)/(1+\cos(dx+c)))^{(1/2)} (1/(a+b) (a+b \cos(dx+c))/(1+\cos(dx+c)))^{(1 \\
& /2)} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} \cos(dx+c) \sin \\
& (dx+c) b^4 + 264 A (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} (1/(a+b) (a+b \cos(dx \\
& +c))/(1+\cos(dx+c)))^{(1/2)} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+ \\
& b))^{(1/2)} \sin(dx+c) a^3 b + 264 A (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} (1/(a+b) \\
& ) (a+b \cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+ \\
& c), (-a-b)/(a+b))^{(1/2)} \sin(dx+c) a^2 b^2 + 128 A (\cos(dx+c)/(1+\cos(dx+c) \\
& ))^{(1/2)} (1/(a+b) (a+b \cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} \text{EllipticE}((-1+\cos( \\
& dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} \sin(dx+c) a b^3 + 240 A (\cos(dx+c) \\
& / (1+\cos(dx+c)))^{(1/2)} (1/(a+b) (a+b \cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{(1/2)} \sin(dx+c) a^3 b \\
& + 960 A (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} (1/(a+b) (a+b \cos(dx+c))/(1+\cos(dx \\
& *x+c)))^{(1/2)} \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{(1/2)} \\
& ) \sin(dx+c) a b^3 + 208 A (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} (1/(a+b) (a+b \cos \\
& (dx+c))/(1+\cos(dx+c)))^{(1/2)} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b) \\
& )/(a+b))^{(1/2)} \sin(dx+c) a^2 b^2 - 608 A (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * \\
& (1/(a+b) (a+b \cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} \text{EllipticF}((-1+\cos(dx+c))/s \\
& in(dx+c), (-a-b)/(a+b))^{(1/2)} \sin(dx+c) a b^3 + 15 B (\cos(dx+c)/(1+\cos(dx \\
& *x+c)))^{(1/2)} (1/(a+b) (a+b \cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} \text{EllipticE}((-1+ \\
& \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} \sin(dx+c) a^3 b + 284 B (\cos(d \\
& *x+c)/(1+\cos(dx+c)))^{(1/2)} (1/(a+b) (a+b \cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} * \\
& \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} \sin(dx+c) a^2 b \\
& ^2 + 284 B (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} (1/(a+b) (a+b \cos(dx+c))/(1+\cos \\
& (dx+c)))^{(1/2)} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} * \\
& \sin(dx+c) a b^3 + 720 B (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} (1/(a+b) (a+b \cos( \\
& dx+c))/(1+\cos(dx+c)))^{(1/2)} \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a \\
& -b)/(a+b))^{(1/2)} \sin(dx+c) a^2 b^2 + 118 B (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} \\
& ) (1/(a+b) (a+b \cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} \text{EllipticF}((-1+\cos(dx+c)) \\
& / \sin(dx+c), (-a-b)/(a+b))^{(1/2)} \sin(dx+c) a^3 b - 644 B (\cos(dx+c)/(1+\cos \\
& (dx+c)))^{(1/2)} (1/(a+b) (a+b \cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} \text{EllipticF}(( \\
& -1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} \sin(dx+c) a^2 b^2 + 264 A (c \\
& os(dx+c)/(1+\cos(dx+c)))^{(1/2)} (1/(a+b) (a+b \cos(dx+c))/(1+\cos(dx+c)))^{( \\
& 1/2)} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} \cos(dx+c) * \\
& \sin(dx+c) a^2 b^2 + 128 A (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} (1/(a+b) (a+b \cos \\
& (dx+c))/(1+\cos(dx+c)))^{(1/2)} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b) \\
& )/(a+b))^{(1/2)} \cos(dx+c) \sin(dx+c) a b^3 + 240 A (\cos(dx+c)/(1+\cos(dx+c) \\
& ))^{(1/2)} (1/(a+b) (a+b \cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} \text{EllipticPi}((-1+\cos \\
& (dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{(1/2)} \cos(dx+c) \sin(dx+c) a^3 b + 96 \\
& 0 A (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} (1/(a+b) (a+b \cos(dx+c))/(1+\cos(dx+ \\
& c)))^{(1/2)} \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{(1/2)} * c \\
& os(dx+c) \sin(dx+c) a b^3 + 208 A (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} (1/(a+b) \\
& ) (a+b \cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c \\
& ), (-a-b)/(a+b))^{(1/2)} \cos(dx+c) \sin(dx+c) a^2 b^2 - 608 A (\cos(dx+c)/(1+ \\
& \cos(dx+c)))^{(1/2)} (1/(a+b) (a+b \cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} \text{Elliptic} \\
& F((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} \cos(dx+c) \sin(dx+c) a * \\
& b^3 + 15 B (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} (1/(a+b) (a+b \cos(dx+c))/(1+\cos \\
& (dx+c)))^{(1/2)} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)} * \\
& \cos(dx+c) \sin(dx+c) a^3 b + 284 B (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} (1/(a+b)
\end{aligned}$$

```

)*(a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),
(-a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a^2*b^2+284*B*(cos(d*x+c)/(1+cos(d*x+c))
)^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),
(-a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a*b^3+720*B*(cos(d*x+c)/(1+cos(d*x+c))
)^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),
-1,(-a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a^2*b^2+118*B*(cos(d*x+c)/(1+cos(d*x+c))
)^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),
(-a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a^3*b-644*B*(cos(d*x+c)/(1+cos(d*x+c))
)^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),
(-a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a^2*b^2+72*B*(cos(d*x+c)/(1+cos(d*x+c))
)^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),
(-a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a*b^3-384*A*(cos(d*x+c)/(1+cos(d*x+c))
)^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),
(-a-b)/(a+b))^(1/2))*sin(d*x+c)*a^3*b+128*A*EllipticE((-1+cos(d*x+c))/sin(d*x+c),
(-a-b)/(a+b))^(1/2))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c))
)^(1/2)*b^4+15*B*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c))
)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*sin(d*x+c)*a^4-30*B*(cos(d*x+c)/(1+cos(d*x+c))
)^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^(1/2))*s
in(d*x+c)*a^4+288*B*(cos(d*x+c)/(1+cos(d*x+c))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c))
)^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^(1/2))*sin(d*x+c)*b^4-144*B*(cos(d*x+c)/(1+cos(d*x+c))
)^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*sin(d*x+c)*b^4/sin(d*x+c)/b/cos(d*x+c)^(1/2)

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorith
m="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sqrt(cos(d*x + c)
), x)
```

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorith
m="fricas")
```

```
[Out] Timed out
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)**(1/2)*(a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c)),x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.412 \quad \int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\sqrt{\cos(c+dx)}} dx$$

**Optimal.** Leaf size=564

$$\frac{(33a^2B + 54aAb + 16b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{24d \sqrt{\cos(c + dx)}} + \frac{\sqrt{a + b} (a^2(48A + 33B) + a(54Ab + 26bB) + 4b^2(3A + 4B))}{24d \sqrt{\cos(c + dx)}}$$

```
[Out] -((a - b)*Sqrt[a + b]*(54*a*A*b + 33*a^2*B + 16*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(24*a*d) + (Sqrt[a + b]*(4*b^2*(3*A + 4*B) + a^2*(48*A + 33*B) + a*(54*A*b + 26*b*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(24*d) - (Sqrt[a + b]*(30*a^2*A*b + 8*A*b^3 + 5*a^3*B + 20*a*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(8*b*d) + ((54*a*A*b + 33*a^2*B + 16*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(24*d*Sqrt[Cos[c + d*x]]) + (b*(2*A*b + 3*a*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(4*d) + (b*B*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)
```

**Rubi [A]** time = 1.6984, antiderivative size = 564, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(33a^2B + 54aAb + 16b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{24d \sqrt{\cos(c + dx)}} + \frac{\sqrt{a + b} (a^2(48A + 33B) + a(54Ab + 26bB) + 4b^2(3A + 4B))}{24d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]], x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(54*a*A*b + 33*a^2*B + 16*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(24*a*d) + (Sqrt[a + b]*(4*b^2*(3*A + 4*B) + a^2*(48*A + 33*B) + a*(54*A*b + 26*b*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(24*d) - (Sqrt[a + b]*(30*a^2*A*b + 8*A*b^3 + 5*a^3*B + 20*a*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(8*b*d) + ((54*a*A*b + 33*a^2*B + 16*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(24*d*Sqrt[Cos[c + d*x]]) + (b*(2*A*b + 3*a*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(4*d) + (b*B*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(3*d)
```

**Rule 2990**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f
```

$x]^{\wedge}(m - 2) * (c + d * \sin[e + f * x])^{\wedge}n * \text{Simp}[a^{\wedge}2 * A * d * (m + n + 1) + b * B * (b * c * (m - 1) + a * d * (n + 1)) + (a * d * (2 * A * b + a * B) * (m + n + 1) - b * B * (a * c - b * d * (m + n))) * \sin[e + f * x] + b * (A * b * d * (m + n + 1) - B * (b * c * m - a * d * (2 * m + n))) * \sin[e + f * x]^{\wedge}2, x], x], x] /;$ 
 $\text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[b * c - a * d, 0] \&\& \text{NeQ}[a^{\wedge}2 - b^{\wedge}2, 0] \&\& \text{NeQ}[c^{\wedge}2 - d^{\wedge}2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!(IGtQ}[n, 1] \&\& (\text{!IntegerQ}[m] \mid\mid (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0])))$

### Rule 3049

$\text{Int}(((a_{.}) + (b_{.}) * \sin[(e_{.}) + (f_{.}) * (x_{.})])^{\wedge}(m_{.}) * ((c_{.}) + (d_{.}) * \sin[(e_{.}) + (f_{.}) * (x_{.})])^{\wedge}(n_{.}) * ((A_{.}) + (B_{.}) * \sin[(e_{.}) + (f_{.}) * (x_{.})] + (C_{.}) * \sin[(e_{.}) + (f_{.}) * (x_{.})]^{\wedge}2), x_{\text{Symbol}}] := -\text{Simp}[(C * \cos[e + f * x] * (a + b * \sin[e + f * x])^{\wedge}m * (c + d * \sin[e + f * x])^{\wedge}(n + 1)) / (d * f * (m + n + 2)), x] + \text{Dist}[1 / (d * (m + n + 2)), \text{Int}[(a + b * \sin[e + f * x])^{\wedge}(m - 1) * (c + d * \sin[e + f * x])^{\wedge}n * \text{Simp}[a * A * d * (m + n + 2) + C * (b * c * m + a * d * (n + 1)) + (d * (A * b + a * B) * (m + n + 2) - C * (a * c - b * d * (m + n + 1))) * \sin[e + f * x] + (C * (a * d * m - b * c * (m + 1)) + b * B * d * (m + n + 2)) * \sin[e + f * x]^{\wedge}2, x], x], x] /;$ 
 $\text{FreeQ}\{a, b, c, d, e, f, A, B, C, n\}, x\} \&\& \text{NeQ}[b * c - a * d, 0] \&\& \text{NeQ}[a^{\wedge}2 - b^{\wedge}2, 0] \&\& \text{NeQ}[c^{\wedge}2 - d^{\wedge}2, 0] \&\& \text{GtQ}[m, 0] \&\& \text{!(IGtQ}[n, 0] \&\& (\text{!IntegerQ}[m] \mid\mid (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0])))$

### Rule 3061

$\text{Int}(((A_{.}) + (B_{.}) * \sin[(e_{.}) + (f_{.}) * (x_{.})] + (C_{.}) * \sin[(e_{.}) + (f_{.}) * (x_{.})]^{\wedge}2) / (\text{Sqrt}[(a_{.}) + (b_{.}) * \sin[(e_{.}) + (f_{.}) * (x_{.})]] * \text{Sqrt}[(c_{.}) + (d_{.}) * \sin[(e_{.}) + (f_{.}) * (x_{.})]]), x_{\text{Symbol}}] := -\text{Simp}[(C * \cos[e + f * x] * \text{Sqrt}[c + d * \sin[e + f * x]] / (d * f * \text{Sqrt}[a + b * \sin[e + f * x]]), x] + \text{Dist}[1 / (2 * d), \text{Int}[(1 * \text{Simp}[2 * a * A * d - C * (b * c - a * d) - 2 * (a * c * C - d * (A * b + a * B)) * \sin[e + f * x] + (2 * b * B * d - C * (b * c + a * d)) * \sin[e + f * x]^{\wedge}2, x]] / ((a + b * \sin[e + f * x])^{\wedge}(3/2) * \text{Sqrt}[c + d * \sin[e + f * x]]), x], x] /;$ 
 $\text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[b * c - a * d, 0] \&\& \text{NeQ}[a^{\wedge}2 - b^{\wedge}2, 0] \&\& \text{NeQ}[c^{\wedge}2 - d^{\wedge}2, 0]$

### Rule 3053

$\text{Int}(((A_{.}) + (B_{.}) * \sin[(e_{.}) + (f_{.}) * (x_{.})] + (C_{.}) * \sin[(e_{.}) + (f_{.}) * (x_{.})]^{\wedge}2) / (((a_{.}) + (b_{.}) * \sin[(e_{.}) + (f_{.}) * (x_{.})])^{\wedge}(3/2) * \text{Sqrt}[(c_{.}) + (d_{.}) * \sin[(e_{.}) + (f_{.}) * (x_{.})]]), x_{\text{Symbol}}] := \text{Dist}[C / b^{\wedge}2, \text{Int}[\text{Sqrt}[a + b * \sin[e + f * x]] / \text{Sqrt}[c + d * \sin[e + f * x]], x], x] + \text{Dist}[1 / b^{\wedge}2, \text{Int}[(A * b^{\wedge}2 - a^{\wedge}2 * C + b * (b * B - 2 * a * C) * \sin[e + f * x]) / ((a + b * \sin[e + f * x])^{\wedge}(3/2) * \text{Sqrt}[c + d * \sin[e + f * x]]), x], x] /;$ 
 $\text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[b * c - a * d, 0] \&\& \text{NeQ}[a^{\wedge}2 - b^{\wedge}2, 0] \&\& \text{NeQ}[c^{\wedge}2 - d^{\wedge}2, 0]$

### Rule 2809

$\text{Int}[\text{Sqrt}[(b_{.}) * \sin[(e_{.}) + (f_{.}) * (x_{.})]] / \text{Sqrt}[(c_{.}) + (d_{.}) * \sin[(e_{.}) + (f_{.}) * (x_{.})]], x_{\text{Symbol}}] := \text{Simp}[(2 * b * \tan[e + f * x] * \text{Rt}[(c + d) / b, 2] * \text{Sqrt}[(c * (1 + \text{Csc}[e + f * x])) / (c - d)] * \text{Sqrt}[(c * (1 - \text{Csc}[e + f * x])) / (c + d)] * \text{EllipticPi}[(c + d) / d, \text{ArcSin}[\text{Sqrt}[c + d * \sin[e + f * x]] / (\text{Sqrt}[b * \sin[e + f * x]] * \text{Rt}[(c + d) / b, 2])], -(c + d) / (c - d))] / (d * f), x] /;$ 
 $\text{FreeQ}\{b, c, d, e, f\}, x\} \&\& \text{NeQ}[c^{\wedge}2 - d^{\wedge}2, 0] \&\& \text{PosQ}[(c + d) / b]$

### Rule 2998

$\text{Int}(((A_{.}) + (B_{.}) * \sin[(e_{.}) + (f_{.}) * (x_{.})]) / (((a_{.}) + (b_{.}) * \sin[(e_{.}) + (f_{.}) * (x_{.})])^{\wedge}(3/2) * \text{Sqrt}[(c_{.}) + (d_{.}) * \sin[(e_{.}) + (f_{.}) * (x_{.})]]), x_{\text{Symbol}}] := \text{Dist}[(A - B) / (a - b), \text{Int}[1 / (\text{Sqrt}[a + b * \sin[e + f * x]] * \text{Sqrt}[c + d * \sin[e + f * x]]), x], x] - \text{Dist}[(A * b - a * B) / (a - b), \text{Int}[(1 + \sin[e + f * x]) / ((a + b * \sin[e + f * x])^{\wedge}(3/2) * \text{Sqrt}[c + d * \sin[e + f * x]]), x], x] /;$ 
 $\text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b * c - a * d, 0] \&\& \text{NeQ}[a^{\wedge}2 - b^{\wedge}2, 0] \&\& \text{NeQ}[c^{\wedge}2 - d^{\wedge}2, 0] \&\& \text{NeQ}[A, B]$

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_) + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])], x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx = \frac{bB\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{3d} + \frac{1}{3} \int \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{b(2Ab + 3aB)\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d} + \frac{bB\sqrt{\cos(c + dx)}}{3d}$$

$$= \frac{(54aAb + 33a^2B + 16b^2B)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{24d\sqrt{\cos(c + dx)}} + \frac{b(2Ab + 3aB)}{3d}$$

$$= \frac{(54aAb + 33a^2B + 16b^2B)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{24d\sqrt{\cos(c + dx)}} + \frac{b(2Ab + 3aB)}{3d}$$

$$= -\frac{\sqrt{a + b}(30a^2Ab + 8Ab^3 + 5a^3B + 20ab^2B) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c + dx)}}{\sqrt{a+b}}\right)\right)}{8bd}$$

$$= -\frac{(a - b)\sqrt{a + b}(54aAb + 33a^2B + 16b^2B) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c + dx)}}{\sqrt{a+b}}\right)\right)}{24ad}$$

**Mathematica [C]** time = 6.47815, size = 1251, normalized size = 2.22

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Sqrt[Cos[c + d*x]], x]
```

```
[Out] ((-4*a*(48*a^3*A + 66*a*A*b^2 + 59*a^2*b*B + 16*b^3*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])
```







$$a^3/(a+b*\cos(d*x+c))^{(1/2)}/\cos(d*x+c)^{(1/2)}/\sin(d*x+c)$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)/sqrt(cos(d\*x + c)), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)/sqrt(cos(d\*x + c)), x)

$$3.413 \quad \int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=547

$$\frac{(8a^2A - 9abB - 4Ab^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{4d \sqrt{\cos(c+dx)}} - \frac{\sqrt{a+b} (8a^2(A-B) - 3ab(8A+3B) - 2b^2(2A+B)) \cot(c+dx)}{4}$$

```
[Out] ((a - b)*Sqrt[a + b]*(8*a^2*A - 4*A*b^2 - 9*a*b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) - (Sqrt[a + b]*(8*a^2*(A - B) - 2*b^2*(2*A + B) - 3*a*b*(8*A + 3*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*d) - (Sqrt[a + b]*(20*a*A*b + 15*a^2*B + 4*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*d) - ((8*a^2*A - 4*A*b^2 - 9*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]) - (b*(4*a*A - b*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*d) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])
```

**Rubi [A]** time = 1.66511, antiderivative size = 547, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2989, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(8a^2A - 9abB - 4Ab^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{4d \sqrt{\cos(c+dx)}} - \frac{\sqrt{a+b} (8a^2(A-B) - 3ab(8A+3B) - 2b^2(2A+B)) \cot(c+dx)}{4}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(3/2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(8*a^2*A - 4*A*b^2 - 9*a*b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d) - (Sqrt[a + b]*(8*a^2*(A - B) - 2*b^2*(2*A + B) - 3*a*b*(8*A + 3*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*d) - (Sqrt[a + b]*(20*a*A*b + 15*a^2*B + 4*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*d) - ((8*a^2*A - 4*A*b^2 - 9*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[Cos[c + d*x]]) - (b*(4*a*A - b*B)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*d) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]])
```

**Rule 2989**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :- Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
```

```

d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

```

### Rule 3049

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x]
&& NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

```

### Rule 3061

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]
])/d*f*Sqrt[a + b*Sin[e + f*x]], x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c
+ a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rule 3053

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

### Rule 2809

```

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -(c + d)/(c - d)]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]

```

### Rule 2998

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]
]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e
+ f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,

```

f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^3(c + dx)} dx = \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + 2 \int \frac{\sqrt{a + b \cos(c + dx)} \left(\frac{1}{2}a(4A - bB) + \frac{1}{2}b(4A + bB)\right)}{\sqrt{\cos(c + dx)}} dx$$

$$= -\frac{b(4aA - bB)\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d} + \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

$$= -\frac{(8a^2A - 4Ab^2 - 9abB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d\sqrt{\cos(c + dx)}} - \frac{b(4aA - bB)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

$$= -\frac{(8a^2A - 4Ab^2 - 9abB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d\sqrt{\cos(c + dx)}} - \frac{b(4aA - bB)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{d\sqrt{\cos(c + dx)}}$$

$$= -\frac{\sqrt{a + b} (20aAb + 15a^2B + 4b^2B) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{4d}$$

$$= \frac{(a - b)\sqrt{a + b} (8a^2A - 4Ab^2 - 9abB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{4ad}$$

**Mathematica [C]** time = 6.47292, size = 1241, normalized size = 2.27

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(3/2),x]

[Out] ((4\*a\*(-16\*a^2\*A\*b - 4\*A\*b^3 - 8\*a^3\*B - 11\*a\*b^2\*B)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*

$$\begin{aligned} & \text{Sqrt}[(a + b \cos[c + dx]) \text{Csc}[(c + dx)/2]^2/a] \text{Csc}[c + dx] \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(a + b \cos[c + dx]) \text{Csc}[(c + dx)/2]^2/a]/\text{Sqrt}[2]], (-2a)/(-a + b)] \sin[(c + dx)/2]^4 / ((a + b) \text{Sqrt}[\cos[c + dx]] \text{Sqrt}[a + b \cos[c + dx]]) \\ & + 4a(8a^3A - 24aAb^2 - 24a^2bB - 4b^3B) ((\text{Sqrt}[(a + b) \text{Cot}[(c + dx)/2]^2]/(-a + b)) \text{Sqrt}[-((a + b) \cos[c + dx]) \text{Csc}[(c + dx)/2]^2/a]) \text{Sqrt}[(a + b \cos[c + dx]) \text{Csc}[(c + dx)/2]^2/a] \text{Csc}[c + dx] \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(a + b \cos[c + dx]) \text{Csc}[(c + dx)/2]^2/a]/\text{Sqrt}[2]], (-2a)/(-a + b)] \sin[(c + dx)/2]^4 / ((a + b) \text{Sqrt}[\cos[c + dx]] \text{Sqrt}[a + b \cos[c + dx]]) \\ & - (\text{Sqrt}[(a + b) \text{Cot}[(c + dx)/2]^2]/(-a + b)) \text{Sqrt}[-((a + b) \cos[c + dx]) \text{Csc}[(c + dx)/2]^2/a]) \text{Sqrt}[(a + b \cos[c + dx]) \text{Csc}[(c + dx)/2]^2/a] \text{Csc}[c + dx] \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[(a + b \cos[c + dx]) \text{Csc}[(c + dx)/2]^2/a]/\text{Sqrt}[2]], (-2a)/(-a + b)] \sin[(c + dx)/2]^4 / (b \text{Sqrt}[\cos[c + dx]] \text{Sqrt}[a + b \cos[c + dx]]) \\ & - 2(8a^2Ab - 4Ab^3 - 9ab^2B) ((I \cos[(c + dx)/2] \text{Sqrt}[a + b \cos[c + dx]] \text{EllipticE}[I \text{ArcSinh}[\sin[(c + dx)/2]/\text{Sqrt}[\cos[c + dx]]], (-2a)/(-a - b)] \text{Sec}[c + dx]) / (b \text{Sqrt}[\cos[(c + dx)/2]^2 \text{Sec}[c + dx]] \text{Sqrt}[(a + b \cos[c + dx]) \text{Sec}[c + dx]] / (a + b)) \\ & + (2a((a \text{Sqrt}[(a + b) \text{Cot}[(c + dx)/2]^2]/(-a + b)) \text{Sqrt}[-((a + b) \cos[c + dx]) \text{Csc}[(c + dx)/2]^2/a]) \text{Sqrt}[(a + b \cos[c + dx]) \text{Csc}[(c + dx)/2]^2/a] \text{Csc}[c + dx] \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(a + b \cos[c + dx]) \text{Csc}[(c + dx)/2]^2/a]/\text{Sqrt}[2]], (-2a)/(-a + b)] \sin[(c + dx)/2]^4 / ((a + b) \text{Sqrt}[\cos[c + dx]] \text{Sqrt}[a + b \cos[c + dx]]) \\ & - (a \text{Sqrt}[(a + b) \text{Cot}[(c + dx)/2]^2]/(-a + b)) \text{Sqrt}[-((a + b) \cos[c + dx]) \text{Csc}[(c + dx)/2]^2/a]) \text{Sqrt}[(a + b \cos[c + dx]) \text{Csc}[(c + dx)/2]^2/a] \text{Csc}[c + dx] \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[(a + b \cos[c + dx]) \text{Csc}[(c + dx)/2]^2/a]/\text{Sqrt}[2]], (-2a)/(-a + b)] \sin[(c + dx)/2]^4 / (b \text{Sqrt}[\cos[c + dx]] \text{Sqrt}[a + b \cos[c + dx]]) \\ & + (\text{Sqrt}[a + b \cos[c + dx]] \text{Sin}[c + dx]) / (b \text{Sqrt}[\cos[c + dx]])) / (8d) + (\text{Sqrt}[\cos[c + dx]] \text{Sqrt}[a + b \cos[c + dx]] * ((b^2B \sin[c + dx]) / 2 + 2a^2A \tan[c + dx])) / d \end{aligned}$$

**Maple [B]** time = 0.454, size = 3270, normalized size = 6.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b \cos(dx+c))^{5/2} * (A+B \cos(dx+c)) / \cos(dx+c)^{3/2}, x)$

[Out] 
$$\begin{aligned} & -1/4/d * (-8Aa^3 + 2B \cos(dx+c)^4 b^3 + 24A \cos(dx+c) * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c) * a^2 b - 24A \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * a * b^2 - 8A \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2 b + 4A \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * a * b^2 - 24B \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2 b + 2B \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * a * b^2 + 9B \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2 b + 9B \cos(dx+c) * \sin(dx+c) * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * a * b^2 + 11B \cos(dx+c)^3 * a * b^2 - 8A \sin(dx+c) * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1 \end{aligned}$$





**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorith="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(Bb^2 \cos(dx + c)^3 + Aa^2 + (2 Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2 Aab) \cos(dx + c))\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorith="fricas")

[Out] integral((B\*b^2\*cos(d\*x + c)^3 + A\*a^2 + (2\*B\*a\*b + A\*b^2)\*cos(d\*x + c)^2 + (B\*a^2 + 2\*A\*a\*b)\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(3/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2),x, algorith="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(3/2), x)

$$3.414 \quad \int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=536

$$\frac{(6a^2B + 14aAb - 3b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{3d \sqrt{\cos(c + dx)}} - \frac{\sqrt{a + b} (-2a^2(A - 3B) + 2ab(7A - 9B) - 3b^2(6A + B)) \cot(c + dx)}{3d \sqrt{\cos(c + dx)}}$$

```
[Out] ((a - b)*Sqrt[a + b]*(14*a*A*b + 6*a^2*B - 3*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a*d) - (Sqrt[a + b]*(2*a*b*(7*A - 9*B) - 2*a^2*(A - 3*B) - 3*b^2*(6*A + B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*d) - (b*Sqrt[a + b]*(2*A*b + 5*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/d + (2*a*(2*A*b + a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) - ((14*a*A*b + 6*a^2*B - 3*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))
```

**Rubi [A]** time = 1.66887, antiderivative size = 536, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2989, 3047, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(6a^2B + 14aAb - 3b^2B) \sin(c + dx) \sqrt{a + b \cos(c + dx)}}{3d \sqrt{\cos(c + dx)}} - \frac{\sqrt{a + b} (-2a^2(A - 3B) + 2ab(7A - 9B) - 3b^2(6A + B)) \cot(c + dx)}{3d \sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(14*a*A*b + 6*a^2*B - 3*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a*d) - (Sqrt[a + b]*(2*a*b*(7*A - 9*B) - 2*a^2*(A - 3*B) - 3*b^2*(6*A + B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*d) - (b*Sqrt[a + b]*(2*A*b + 5*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/d + (2*a*(2*A*b + a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[Cos[c + d*x]]) - ((14*a*A*b + 6*a^2*B - 3*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[Cos[c + d*x]]) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Cos[c + d*x]^(3/2))
```

**Rule 2989**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c +
```

```

d*Sin[e + f*x]^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

```

#### Rule 3047

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

#### Rule 3061

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]
])/ (d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*
c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

#### Rule 3053

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C))*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

```

#### Rule 2809

```

Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -(c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]

```

#### Rule 2998

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]
]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[

```

$e + f*x]^{(3/2)*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]}, x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

### Rule 2816

Int[1/(Sqrt[(d\_)\*sin[(e\_.) + (f\_.)\*(x\_)]])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

### Rule 2994

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^{(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

### Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^2(c + dx)} dx &= \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{3d \cos^2(c + dx)} + \frac{2}{3} \int \frac{\sqrt{a + b \cos(c + dx)} \left(\frac{3}{2}a(2\right)}{\cos^2(c + dx)} dx \\ &= \frac{2a(2Ab + aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} + \frac{2aA(a + b \cos(c + dx))}{3d \cos^2(c + dx)} \\ &= \frac{2a(2Ab + aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - \frac{(14aAb + 6a^2B - 3b^2B)}{3d\sqrt{\cos(c + dx)}} \\ &= \frac{2a(2Ab + aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{d\sqrt{\cos(c + dx)}} - \frac{(14aAb + 6a^2B - 3b^2B)}{3d\sqrt{\cos(c + dx)}} \\ &= -\frac{b\sqrt{a + b}(2Ab + 5aB) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{d} - \frac{a+b}{a-b} \\ &= -\frac{(a - b)\sqrt{a + b} (14aAb + 6a^2B - 3b^2B) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{3ad} \end{aligned}$$

**Mathematica [C]** time = 6.47071, size = 1269, normalized size = 2.37

result too large to display

Antiderivative was successfully verified.

[In] Integrate[((a + b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(5/2), x]

```
[Out] ((-4*a*(2*a^3*A + 4*a*A*b^2 + 12*a^2*b*B + 3*b^3*B)*Sqrt[((a + b)*Cot[(c +
d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a)]*S
qrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[Arc
Sin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a
+ b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*
x]]) - 4*a*(-14*a^2*A*b + 6*A*b^3 - 6*a^3*B + 18*a*b^2*B)*((Sqrt[((a + b)*C
ot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^
2)/a)]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*Ellip
ticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2
*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Co
s[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)
*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d
*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*
x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(
b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(-14*a*A*b^2 - 6*a^2*b*B
+ 3*b^3*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcS
inh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b
*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d
*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[
-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*Cos[c + d*x])*
Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d
*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/
((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Co
t[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2
)/a)]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*Ellipt
icPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[
2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*
Cos[c + d*x]])))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c
+ d*x]])))/(6*d) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((2*Sec[c +
d*x]*(7*a*A*b*Ssin[c + d*x] + 3*a^2*B*Ssin[c + d*x]))/3 + (2*a^2*A*Sec[c + d
*x]*Tan[c + d*x])/3))/d
```

---

**Maple [B]** time = 0.475, size = 3204, normalized size = 6.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(5/2), x)
```

```
[Out] -1/3/d*(-2*A*a^3+18*B*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin
(d*x+c), (-a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a
+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*a^2*b-6*B*sin(d*x+c)*cos(d*x+c)^2*Ellip
ticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d
*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*a^2*b+3*B*sin
(d*x+c)*cos(d*x+c)^2*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1
/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x
+c)))^(1/2)*a*b^2+14*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(
1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x
+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b+18*A*sin(d*x+c)*cos(d*x+c)^2*(c
os(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(
1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^2-14*A*
sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos
(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)
/(a+b))^(1/2))*a^2*b+3*B*cos(d*x+c)^4*b^3-14*A*sin(d*x+c)*cos(d*x+c)^2*(cos
(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/
2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^2+14*A*co
```



---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorith="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(5/2), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c))\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorith="fricas")

[Out] integral((B\*b^2\*cos(d\*x + c)^3 + A\*a^2 + (2\*B\*a\*b + A\*b^2)\*cos(d\*x + c)^2 + (B\*a^2 + 2\*A\*a\*b)\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(5/2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2),x, algorith="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(5/2), x)

$$3.415 \quad \int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=493

$$\frac{2\sqrt{a+b}(a^2b(17A-35B)+a^3(-9A-5B))-ab^2(23A-45B)+15Ab^3}{15ad} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{a+b \cos(c+dx)}{a+b}\right)\right)$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(9*a^2*A + 23*A*b^2 + 35*a*b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(15*a*d) + (2*Sqrt[a + b]*(15*A*b^3 - a*b^2*(23*A - 45*B) + a^2*b*(17*A - 35*B) - a^3*(9*A - 5*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(15*a*d) - (2*b^2*Sqrt[a + b]*B*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/d + (2*a*(8*A*b + 5*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(15*d*Cos[c + d*x]^(3/2)) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2))
```

**Rubi [A]** time = 1.24664, antiderivative size = 493, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2989, 3047, 3053, 2809, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b}(a^2b(17A-35B)+a^3(-9A-5B))-ab^2(23A-45B)+15Ab^3}{15ad} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{a+b \cos(c+dx)}{a+b}\right)\right)$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(9*a^2*A + 23*A*b^2 + 35*a*b*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(15*a*d) + (2*Sqrt[a + b]*(15*A*b^3 - a*b^2*(23*A - 45*B) + a^2*b*(17*A - 35*B) - a^3*(9*A - 5*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(15*a*d) - (2*b^2*Sqrt[a + b]*B*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/d + (2*a*(8*A*b + 5*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(15*d*Cos[c + d*x]^(3/2)) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Cos[c + d*x]^(5/2))
```

### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
```



```
) *Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

#### Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Ssin[e + f*x])^(m - 1)
*(c + d*Ssin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2)))] - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))]*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

#### Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Ssin[e + f*x]]/
Sqrt[c + d*Ssin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Ssin[e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Ssin[e + f*x]]/(Sqrt[b*Ssin[e + f*x]]*Rt[(c + d)/b,
2])], -(c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

#### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Ssin[
e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

#### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[Arc
Sin[Sqrt[a + b*Ssin[e + f*x]]/(Sqrt[d*Ssin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x])]/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x])]/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^7(c + dx)} dx = \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{5d \cos^5(c + dx)} + \frac{2}{5} \int \frac{\sqrt{a + b \cos(c + dx)} \left(\frac{1}{2}a(8Ab + 5aB)\right)}{\cos^5(c + dx)} dx$$

$$= \frac{2a(8Ab + 5aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d \cos^3(c + dx)} + \frac{2aA(a + b \cos(c + dx))^{3/2}}{5d \cos^5(c + dx)}$$

$$= \frac{2a(8Ab + 5aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15d \cos^3(c + dx)} + \frac{2aA(a + b \cos(c + dx))^{3/2}}{5d \cos^5(c + dx)}$$

$$= -\frac{2b^2 \sqrt{a + b} B \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sin^2(c+dx))}{a+b \cos(c+dx)}}}{d}$$

$$= \frac{2(a - b)\sqrt{a + b} (9a^2 A + 23Ab^2 + 35abB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{15ad}$$

**Mathematica [C]** time = 6.51808, size = 1319, normalized size = 2.68

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(7/2),x]
```

```
[Out] ((4*a*(-8*a^2*A*b + 8*A*b^3 - 5*a^3*B - 10*a*b^2*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 4*a*(9*a^3*A + 23*a*A*b^2 + 35*a^2*b*B - 15*b^3*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a)]*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 2*(9*a^2*A*b + 23*A*b^3 + 35*a*b^2*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[
```

$$\begin{aligned}
& -(((a + b) \cos[c + dx] \operatorname{Csc}[(c + dx)/2]^2/a)) \sqrt{((a + b \cos[c + dx]) \operatorname{Csc}[(c + dx)/2]^2/a) \operatorname{Csc}[c + dx] \operatorname{EllipticF}[\operatorname{ArcSin}[\sqrt{((a + b \cos[c + dx]) \operatorname{Csc}[(c + dx)/2]^2/a) / \sqrt{2}}], (-2a)/(-a + b)] \sin[(c + dx)/2]^4 / ((a + b) \sqrt{\cos[c + dx]} \sqrt{a + b \cos[c + dx]}) - (a \sqrt{((a + b) \cot[(c + dx)/2]^2)/(-a + b)} \sqrt{-(((a + b) \cos[c + dx] \operatorname{Csc}[(c + dx)/2]^2/a)} \sqrt{((a + b \cos[c + dx]) \operatorname{Csc}[(c + dx)/2]^2/a) \operatorname{Csc}[c + dx] \operatorname{EllipticPi}[-(a/b), \operatorname{ArcSin}[\sqrt{((a + b \cos[c + dx]) \operatorname{Csc}[(c + dx)/2]^2/a) / \sqrt{2}}], (-2a)/(-a + b)] \sin[(c + dx)/2]^4 / (b \sqrt{\cos[c + dx]} \sqrt{a + b \cos[c + dx]})}))/b + (\sqrt{a + b \cos[c + dx]} \sin[c + dx]) / (b \sqrt{\cos[c + dx]}) / (15d) + (\sqrt{\cos[c + dx]} \sqrt{a + b \cos[c + dx]} ((2 \operatorname{Sec}[c + dx]^2 (11aAb \sin[c + dx] + 5a^2 B \sin[c + dx])) / 15 + (2 \operatorname{Sec}[c + dx] (9a^2 A \sin[c + dx] + 23Ab^2 \sin[c + dx] + 35abB \sin[c + dx])) / 15 + (2a^2 A \operatorname{Sec}[c + dx]^2 \tan[c + dx]) / 5)) / d
\end{aligned}$$

**Maple [B]** time = 0.491, size = 3274, normalized size = 6.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (a+b \cos(dx+c))^{5/2} (A+B \cos(dx+c)) / \cos(dx+c)^{7/2}, x$

[Out] 
$$\begin{aligned}
& -2/15/d * (-3Aa^3 + 35B \sin(dx+c) \cos(dx+c)^2 \operatorname{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * a^2 b - 35B \sin(dx+c) \cos(dx+c)^2 \operatorname{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * a^2 b - 35B \sin(dx+c) \cos(dx+c)^2 \operatorname{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * a^2 b + 17A \sin(dx+c) \cos(dx+c)^3 \operatorname{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * a^2 b + 23A \sin(dx+c) \cos(dx+c)^3 * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * \operatorname{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2 b - 9A \sin(dx+c) \cos(dx+c)^3 \operatorname{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * a^2 b - 23A \sin(dx+c) \cos(dx+c)^3 \operatorname{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * a^2 b + 35B \sin(dx+c) \cos(dx+c)^3 \operatorname{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * a^2 b - 35B \sin(dx+c) \cos(dx+c)^3 \operatorname{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * a^2 b + 17A \sin(dx+c) \cos(dx+c)^2 * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * \operatorname{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2 b + 23A \sin(dx+c) \cos(dx+c)^2 * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * \operatorname{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2 b - 9A \sin(dx+c) \cos(dx+c)^2 * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * \operatorname{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2 b - 23A \sin(dx+c) \cos(dx+c)^2 * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * \operatorname{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2 b + 45B * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * \operatorname{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2})
\end{aligned}$$

```

* sin(d*x+c)*cos(d*x+c)^3*a*b^2+45*B*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-
(a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x
+c))/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^2*sin(d*x+c)*a*b^2+5*A*cos(d*x+c)^3*a
^2*b+9*A*cos(d*x+c)^4*a^2*b+11*A*cos(d*x+c)^4*a*b^2+5*B*cos(d*x+c)^4*a^2*b-
35*B*cos(d*x+c)^3*a*b^2+23*A*cos(d*x+c)^3*a*b^2-34*A*cos(d*x+c)^2*a*b^2-14*
A*cos(d*x+c)*a^2*b+35*B*cos(d*x+c)^4*a*b^2+35*B*cos(d*x+c)^3*a^2*b-40*B*cos
(d*x+c)^2*a^2*b+15*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*
x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a
+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^3*b^3-15*B*EllipticF((-1+cos(d*x+c))/sin(
d*x+c), (-a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+
b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)*cos(d*x+c)^3*b^3+30*B*(cos(d
*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)
*sin(d*x+c)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*
cos(d*x+c)^3*b^3-15*B*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(
1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*
x+c)))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*b^3+30*B*EllipticPi((-1+cos(d*x+c))/si
n(d*x+c), -1, (-a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b
)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)*cos(d*x+c)^2*b^3+5*B*co
s(d*x+c)^3*a^3+9*A*cos(d*x+c)^3*a^3-23*A*cos(d*x+c)^3*b^3-6*A*cos(d*x+c)^2*
a^3+23*A*cos(d*x+c)^4*b^3-5*B*cos(d*x+c)*a^3+15*A*(cos(d*x+c)/(1+cos(d*x+c)
))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(
d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*b^3+9*A*si
n(d*x+c)*cos(d*x+c)^3*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(
1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*
x+c)))^(1/2)*a^3-9*A*sin(d*x+c)*cos(d*x+c)^3*EllipticE((-1+cos(d*x+c))/sin(
d*x+c), (-a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+
b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*a^3-23*A*sin(d*x+c)*cos(d*x+c)^3*Ellipt
icE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x
+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*b^3+5*B*sin(d*x
+c)*cos(d*x+c)^3*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)
*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)
))^(1/2)*a^3+9*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(
1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/si
n(d*x+c), (-a-b)/(a+b))^(1/2)*a^3-9*A*sin(d*x+c)*cos(d*x+c)^2*(cos(d*x+c)/
(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*Ellip
ticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^3-23*A*sin(d*x+c)*c
os(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+
cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)
)*b^3+5*B*sin(d*x+c)*cos(d*x+c)^2*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a
-b)/(a+b))^(1/2))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+
c))/(1+cos(d*x+c)))^(1/2)*a^3)/(a+b*cos(d*x+c))^(1/2)/sin(d*x+c)/cos(d*x+c)
^(5/2)

```

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/cos(d*x+c)^(7/2), x, algor
ithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)/cos(d*x + c)^(7/2
), x)
```

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] Timed out

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(7/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(7/2), x)

$$3.416 \quad \int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=434

$$\frac{2(25a^2A + 77abB + 45Ab^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{105d \cos^2(c+dx)} + \frac{2(a-b) \sqrt{a+b} (a^2(25A - 63B) - 8ab(15A - 7B) + 15b^2(A - 7B))}{105d \cos^2(c+dx)}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(145*a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b^2*B)*Co
t[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[
c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[
(a*(1 + Sec[c + d*x]))/(a - b)]/(105*a^2*d) + (2*(a - b)*Sqrt[a + b]*(a^2*
(25*A - 63*B) + 15*b^2*(A - 7*B) - 8*a*b*(15*A - 7*B))*Cot[c + d*x]*Ellipti
cF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a
+ b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d
x]))/(a - b)]/(105*a*d) + (2*a*(10*A*b + 7*a*B)*Sqrt[a + b*Cos[c + d*x]]*S
in[c + d*x])/(35*d*Cos[c + d*x]^(5/2)) + (2*(25*a^2*A + 45*A*b^2 + 77*a*b*B
)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(105*d*Cos[c + d*x]^(3/2)) + (2*a*
A*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(7*d*Cos[c + d*x]^(7/2))
```

**Rubi [A]** time = 1.37185, antiderivative size = 434, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2989, 3047, 3055, 2998, 2816, 2994}

$$\frac{2(25a^2A + 77abB + 45Ab^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{105d \cos^2(c+dx)} + \frac{2(a-b) \sqrt{a+b} (a^2(25A - 63B) - 8ab(15A - 7B) + 15b^2(A - 7B))}{105d \cos^2(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(9/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(145*a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b^2*B)*Co
t[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[
c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[
(a*(1 + Sec[c + d*x]))/(a - b)]/(105*a^2*d) + (2*(a - b)*Sqrt[a + b]*(a^2*
(25*A - 63*B) + 15*b^2*(A - 7*B) - 8*a*b*(15*A - 7*B))*Cot[c + d*x]*Ellipti
cF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a
+ b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d
x]))/(a - b)]/(105*a*d) + (2*a*(10*A*b + 7*a*B)*Sqrt[a + b*Cos[c + d*x]]*S
in[c + d*x])/(35*d*Cos[c + d*x]^(5/2)) + (2*(25*a^2*A + 45*A*b^2 + 77*a*b*B
)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(105*d*Cos[c + d*x]^(3/2)) + (2*a*
A*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(7*d*Cos[c + d*x]^(7/2))
```

### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
```

FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

### Rule 3047

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[((c^2\*C - B\*c\*d + A\*d^2)\*Cos[e + f\*x] \* (a + b\*Sin[e + f\*x])^m \* (c + d\*Sin[e + f\*x])^(n + 1)) / (d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 1) \* (c + d\*Sin[e + f\*x])^(n + 1) \* Simp[A\*d\*(b\*d\*m + a\*c\*(n + 1)) + (c\*C - B\*d)\*(b\*c\*m + a\*d\*(n + 1)) - (d\*(A\*(a\*d\*(n + 2) - b\*c\*(n + 1)) + B\*(b\*d\*(n + 1) - a\*c\*(n + 2))) - C\*(b\*c\*d\*(n + 1) - a\*(c^2 + d^2\*(n + 1)))] \* Sin[e + f\*x] + b\*(d\*(B\*c - A\*d)\*(m + n + 2) - C\*(c^2\*(m + 1) + d^2\*(n + 1))] \* Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

### Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x] \* (a + b\*Sin[e + f\*x])^(m + 1) \* (c + d\*Sin[e + f\*x])^(n + 1)) / (f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1) \* (c + d\*Sin[e + f\*x])^n \* Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))] \* Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3) \* Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) / (((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x]) / ((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))] / (a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

### Rule 2994

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) / (((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d))] / (f\*b\*c^

2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

### Rubi steps

$$\begin{aligned}
 \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^2(c + dx)} dx &= \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{7d \cos^2(c + dx)} + \frac{2}{7} \int \frac{\sqrt{a + b \cos(c + dx)} \left(\frac{1}{2}a(1\right. \\
 &= \frac{2a(10Ab + 7aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{35d \cos^2(c + dx)} + \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{7d \cos^2(c + dx)} \\
 &= \frac{2a(10Ab + 7aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{35d \cos^2(c + dx)} + \frac{2(25a^2A + 45Ab^2 + 15a^2B)}{7d \cos^2(c + dx)} \\
 &= \frac{2a(10Ab + 7aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{35d \cos^2(c + dx)} + \frac{2(25a^2A + 45Ab^2 + 15a^2B)}{7d \cos^2(c + dx)} \\
 &= \frac{2(a - b)\sqrt{a + b} (145a^2Ab + 15Ab^3 + 63a^3B + 161ab^2B) \cot(c + dx)E\left(\frac{1}{2}\right)}{105a^2d}
 \end{aligned}$$

**Mathematica [C]** time = 6.57998, size = 1409, normalized size = 3.25

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(9/2), x]

[Out] ((-4\*a\*(25\*a^4\*A - 10\*a^2\*A\*b^2 - 15\*A\*b^4 + 56\*a^3\*b\*B - 56\*a\*b^3\*B)\*Sqrt[(a + b)\*Cot[(c + d\*x)/2]^2]/(-a + b))\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]\*Sqrt[(a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[(a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)\*Sin[(c + d\*x)/2]^4/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 4\*a\*(-145\*a^3\*A\*b - 15\*a\*A\*b^3 - 63\*a^4\*B - 161\*a^2\*b^2\*B)\*((Sqrt[(a + b)\*Cot[(c + d\*x)/2]^2]/(-a + b))\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]\*Sqrt[(a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[(a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)\*Sin[(c + d\*x)/2]^4/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[(a + b)\*Cot[(c + d\*x)/2]^2]/(-a + b))\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]\*Sqrt[(a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[(a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)\*Sin[(c + d\*x)/2]^4/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 2\*(-145\*a^2\*A\*b^2 - 15\*A\*b^4 - 63\*a^3\*b\*B - 161\*a\*b^3\*B)\*((I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b))\*Sec[c + d\*x]/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[(a + b\*Cos[c + d\*x])\*Sec[c + d\*x]]/(a + b)) + (2\*a\*((a\*Sqrt[(a + b)\*Cot[(c + d\*x)/2]^2]/(-a + b))\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]\*Sqrt[(a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[(a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)\*Sin[(c + d\*x)/2]^4/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (a\*Sqrt[(a + b)\*Cot[(c + d\*x)/2]^2]/(-a + b))\*Sqrt[-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]\*Sqrt[(a + b\*Cos[c + d\*x])



$$\begin{aligned} & ] * \text{Csc}[(c + d*x)/2]^2 / a * \text{Csc}[c + d*x] * \text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[(a + b * \text{Cos}[c + d*x]) * \text{Csc}[(c + d*x)/2]^2 / a] / \text{Sqrt}[2]], (-2*a)/(-a + b)] * \text{Sin}[(c + d*x)/2]^4 / (b * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b * \text{Cos}[c + d*x]]) / b + (\text{Sqrt}[a + b * \text{Cos}[c + d*x]] * \text{Sin}[c + d*x]) / (b * \text{Sqrt}[\text{Cos}[c + d*x]])) / (105 * a * d) + (\text{Sqrt}[\text{Cos}[c + d*x]] * \text{Sqrt}[a + b * \text{Cos}[c + d*x]] * ((2 * \text{Sec}[c + d*x]^3 * (15 * a * A * b * \text{Sin}[c + d*x] + 7 * a^2 * B * \text{Sin}[c + d*x])) / 35 + (2 * \text{Sec}[c + d*x]^2 * (25 * a^2 * A * \text{Sin}[c + d*x] + 45 * A * b^2 * \text{Sin}[c + d*x] + 77 * a * b * B * \text{Sin}[c + d*x])) / 105 + (2 * \text{Sec}[c + d*x] * (145 * a^2 * A * b * \text{Sin}[c + d*x] + 15 * A * b^3 * \text{Sin}[c + d*x] + 63 * a^3 * B * \text{Sin}[c + d*x] + 161 * a * b^2 * B * \text{Sin}[c + d*x])) / (105 * a) + (2 * a^2 * A * \text{Sec}[c + d*x]^3 * \text{Tan}[c + d*x]) / 7)) / d \end{aligned}$$

**Maple [B]** time = 0.563, size = 3628, normalized size = 8.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\cos(d*x+c))^{5/2}*(A+B*\cos(d*x+c))/\cos(d*x+c)^{9/2},x)$

[Out] 
$$\begin{aligned} & -2/105/d*(145*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3*b-15*A*a^4+25*A*\cos(d*x+c)^5*a^3*b+145*A*\cos(d*x+c)^5*a^2*b^2+45*A*\cos(d*x+c)^5*a*b^3+145*A*\cos(d*x+c)^4*a^3*b-55*A*\cos(d*x+c)^4*a^2*b^2+15*A*\cos(d*x+c)^4*a*b^3-110*A*\cos(d*x+c)^3*a^3*b-60*A*\cos(d*x+c)^3*a*b^3-90*A*\cos(d*x+c)^2*a^2*b^2-60*A*\cos(d*x+c)*a^3*b-238*B*\cos(d*x+c)^3*a^2*b^2-98*B*\cos(d*x+c)^2*a^3*b+63*B*\cos(d*x+c)^5*a^3*b+77*B*\cos(d*x+c)^5*a^2*b^2+161*B*\cos(d*x+c)^5*a*b^3+35*B*\cos(d*x+c)^4*a^3*b+161*B*\cos(d*x+c)^4*a^2*b^2-161*B*\cos(d*x+c)^4*a*b^3+15*A*\cos(d*x+c)^5*b^4-15*A*\cos(d*x+c)^4*b^4+25*A*\cos(d*x+c)^4*a^4+25*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^4-15*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b^4+63*B*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^4-63*B*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^4-10*A*\cos(d*x+c)^2*a^4+63*B*\cos(d*x+c)^4*a^4-42*B*\cos(d*x+c)^3*a^4-21*B*\cos(d*x+c)*a^4+25*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)^3*a^4-15*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b^4+63*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)^3*a^4-63*B*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^4-63*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)^4*a^3*b-161*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)^4*a^2*b^2-161*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)^4*a*b^3+145*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos \end{aligned}$$

```

(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2)) * a^3*b + 135*A*sin(d*x+c)*cos(d*x+c)
^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)
))^^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2)) * a^2*b^
2+15*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(
a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),
(- (a-b)/(a+b))^(1/2)) * a*b^3-145*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+co
s(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE(
(-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2)) * a^3*b-145*A*sin(d*x+c)*cos
(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+co
s(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2))
*a^2*b^2-15*A*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/
(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(
d*x+c), (- (a-b)/(a+b))^(1/2)) * a*b^3+119*B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c
)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*Ell
ipticF((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2)) * a^3*b+161*B*(cos(d*
x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*
EllipticF((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2)) * sin(d*x+c)*cos(d
*x+c)^3*a^2*b^2-63*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*
x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a
+b))^(1/2)) * sin(d*x+c)*cos(d*x+c)^3*a^3*b-161*B*(cos(d*x+c)/(1+cos(d*x+c)))
^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*
x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2)) * sin(d*x+c)*cos(d*x+c)^3*a^2*b^2-161*
B*sin(d*x+c)*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*co
s(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (- (a-b
)/(a+b))^(1/2)) * a*b^3+135*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+
b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-
(a-b)/(a+b))^(1/2)) * sin(d*x+c)*cos(d*x+c)^4*a^2*b^2+15*A*(cos(d*x+c)/(1+cos
(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((
-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2)) * sin(d*x+c)*cos(d*x+c)^4*a*b
^3-145*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)
*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c
), (- (a-b)/(a+b))^(1/2)) * a^3*b-145*A*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x+c)/(1+
cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*Elliptic
E((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2)) * a^2*b^2-15*A*sin(d*x+c)*
cos(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1
+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/
2)) * a*b^3+119*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c)
)/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))
^(1/2)) * sin(d*x+c)*cos(d*x+c)^4*a^3*b+161*B*sin(d*x+c)*cos(d*x+c)^4*(cos(d*x
+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*E
llipticF((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a+b))^(1/2)) * a^2*b^2+105*B*cos
(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*
x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)/(a
+b))^(1/2)) * a*b^3+105*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos
(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (- (a-b)
/(a+b))^(1/2)) * sin(d*x+c)*cos(d*x+c)^4*a*b^3/(a+b*cos(d*x+c))^(1/2)/a/sin(
d*x+c)/cos(d*x+c)^(7/2)

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(9/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(Bb^2 \cos(dx + c)^3 + Aa^2 + (2 Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2 Aab) \cos(dx + c))\sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{9}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2), x, algorithm="fricas")

[Out] integral((B\*b^2\*cos(d\*x + c)^3 + A\*a^2 + (2\*B\*a\*b + A\*b^2)\*cos(d\*x + c)^2 + (B\*a^2 + 2\*A\*a\*b)\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(9/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(9/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{9}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(9/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(9/2), x)

$$3.417 \quad \int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^{\frac{11}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=522

$$\frac{2(163a^2Ab + 75a^3B + 135ab^2B + 5Ab^3) \sin(c+dx)\sqrt{a+b \cos(c+dx)}}{315ad \cos^{\frac{3}{2}}(c+dx)} + \frac{2(49a^2A + 135abB + 75Ab^2) \sin(c+dx)\sqrt{a+b \cos(c+dx)}}{315d \cos^{\frac{5}{2}}(c+dx)}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(147*a^4*A + 279*a^2*A*b^2 - 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(315*a^3*d) - (2*(a - b)*Sqrt[a + b]*(10*A*b^3 - 6*a^2*b*(19*A - 60*B) + 3*a^3*(49*A - 25*B) + 15*a*b^2*(11*A - 3*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(315*a^2*d) + (2*a*(4*A*b + 3*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(21*d*Cos[c + d*x]^(7/2)) + (2*(49*a^2*A + 75*A*b^2 + 135*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(315*d*Cos[c + d*x]^(5/2)) + (2*(163*a^2*A*b + 5*A*b^3 + 75*a^3*B + 135*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(315*a*d*Cos[c + d*x]^(3/2)) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(9*d*Cos[c + d*x]^(9/2))
```

**Rubi [A]** time = 1.93889, antiderivative size = 522, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2989, 3047, 3055, 2998, 2816, 2994}

$$\frac{2(163a^2Ab + 75a^3B + 135ab^2B + 5Ab^3) \sin(c+dx)\sqrt{a+b \cos(c+dx)}}{315ad \cos^{\frac{3}{2}}(c+dx)} + \frac{2(49a^2A + 135abB + 75Ab^2) \sin(c+dx)\sqrt{a+b \cos(c+dx)}}{315d \cos^{\frac{5}{2}}(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(11/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(147*a^4*A + 279*a^2*A*b^2 - 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(315*a^3*d) - (2*(a - b)*Sqrt[a + b]*(10*A*b^3 - 6*a^2*b*(19*A - 60*B) + 3*a^3*(49*A - 25*B) + 15*a*b^2*(11*A - 3*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(315*a^2*d) + (2*a*(4*A*b + 3*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(21*d*Cos[c + d*x]^(7/2)) + (2*(49*a^2*A + 75*A*b^2 + 135*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(315*d*Cos[c + d*x]^(5/2)) + (2*(163*a^2*A*b + 5*A*b^3 + 75*a^3*B + 135*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(315*a*d*Cos[c + d*x]^(3/2)) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(9*d*Cos[c + d*x]^(9/2))
```

**Rule 2989**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :- S
```

```
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

### Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.)
+ (f_.)*(x_.)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

### Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.)
+ (f_.)*(x_.)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_.)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_.)]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^{11/2}(c + dx)} dx = \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{9d \cos^{9/2}(c + dx)} + \frac{2}{9} \int \frac{\sqrt{a + b \cos(c + dx)} \left(\frac{3}{2}a(4Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)\right)}{9d \cos^{9/2}(c + dx)} dx$$

$$= \frac{2a(4Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{21d \cos^{7/2}(c + dx)} + \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{9d \cos^{9/2}(c + dx)}$$

$$= \frac{2a(4Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{21d \cos^{7/2}(c + dx)} + \frac{2(49a^2A + 75Ab^2 + 35a^2B)}{9d \cos^{9/2}(c + dx)}$$

$$= \frac{2a(4Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{21d \cos^{7/2}(c + dx)} + \frac{2(49a^2A + 75Ab^2 + 35a^2B)}{9d \cos^{9/2}(c + dx)}$$

$$= \frac{2a(4Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{21d \cos^{7/2}(c + dx)} + \frac{2(49a^2A + 75Ab^2 + 35a^2B)}{9d \cos^{9/2}(c + dx)}$$

$$= \frac{2(a - b)\sqrt{a + b} (147a^4A + 279a^2Ab^2 - 10Ab^4 + 435a^3bB + 45ab^3B)}{315d \cos^{7/2}(c + dx)}$$

**Mathematica [C]** time = 6.68505, size = 1517, normalized size = 2.91

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(1
1/2),x]
```

```
[Out] -((-4*a*(-114*a^4*A*b + 124*a^2*A*b^3 - 10*A*b^5 - 75*a^5*B + 30*a^3*b^2*B
+ 45*a*b^4*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*C
os[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x
)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c
+ d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqr
t[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(147*a^5*A + 279*a^3*A*b^2
- 10*a*A*b^4 + 435*a^4*b*B + 45*a^2*b^3*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]
^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a
+ b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqr
t[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*S
in[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) -
(Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*C
sc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Cs
c[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*
```

$$\begin{aligned} & x)/2]^2)/a/\sqrt{2}], (-2*a)/(-a + b)]*\sin[(c + d*x)/2]^4)/(b*\sqrt{\cos[c + d*x]}*\sqrt{a + b*\cos[c + d*x]}) + 2*(147*a^4*A*b + 279*a^2*A*b^3 - 10*A*b^5 + 435*a^3*b^2*B + 45*a*b^4*B)*((I*\cos[(c + d*x)/2]*\sqrt{a + b*\cos[c + d*x]})*\text{EllipticE}[I*\text{ArcSinh}[\sin[(c + d*x)/2]/\sqrt{\cos[c + d*x]}], (-2*a)/(-a - b)]*\sec[c + d*x])/(b*\sqrt{\cos[(c + d*x)/2]^2*\sec[c + d*x]}*\sqrt{((a + b*\cos[c + d*x])* \sec[c + d*x])/(a + b)}) + (2*a*((a*\sqrt{((a + b)*\cot[(c + d*x)/2]^2)/(-a + b)}*\sqrt{-((a + b)*\cos[c + d*x]*\csc[(c + d*x)/2]^2)/a})*\sqrt{((a + b*\cos[c + d*x])* \csc[(c + d*x)/2]^2)/a}*\csc[c + d*x]*\text{EllipticF}[\text{ArcSin}[\sqrt{((a + b*\cos[c + d*x])* \csc[(c + d*x)/2]^2)/a}/\sqrt{2}], (-2*a)/(-a + b)]*\sin[(c + d*x)/2]^4)/((a + b)*\sqrt{\cos[c + d*x]}*\sqrt{a + b*\cos[c + d*x]}) - (a*\sqrt{((a + b)*\cot[(c + d*x)/2]^2)/(-a + b)}*\sqrt{-((a + b)*\cos[c + d*x]* \csc[(c + d*x)/2]^2)/a})*\sqrt{((a + b*\cos[c + d*x])* \csc[(c + d*x)/2]^2)/a}*\csc[c + d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[\sqrt{((a + b*\cos[c + d*x])* \csc[(c + d*x)/2]^2)/a}/\sqrt{2}], (-2*a)/(-a + b)]*\sin[(c + d*x)/2]^4)/(b*\sqrt{\cos[c + d*x]}*\sqrt{a + b*\cos[c + d*x]})/b + (\sqrt{a + b*\cos[c + d*x]}*\sin[c + d*x])/(b*\sqrt{\cos[c + d*x]})/((315*a^2*d) + (\sqrt{\cos[c + d*x]}*\sqrt{a + b*\cos[c + d*x]}*((2*\sec[c + d*x]^4*(19*a*A*b*\sin[c + d*x] + 9*a^2*B*\sin[c + d*x] + 135*a*b*B*\sin[c + d*x]))/315 + (2*\sec[c + d*x]^3*(49*a^2*A*\sin[c + d*x] + 75*A*b^2*\sin[c + d*x] + 135*a*b*B*\sin[c + d*x]))/315 + (2*\sec[c + d*x]^2*(163*a^2*A*b*\sin[c + d*x] + 5*A*b^3*\sin[c + d*x] + 75*a^3*B*\sin[c + d*x] + 135*a*b^2*B*\sin[c + d*x]))/315*a) + (2*\sec[c + d*x]*(147*a^4*A*\sin[c + d*x] + 279*a^2*A*b^2*\sin[c + d*x] - 10*A*b^4*\sin[c + d*x] + 435*a^3*b*B*\sin[c + d*x] + 45*a*b^3*B*\sin[c + d*x]))/(315*a^2) + (2*a^2*A*\sec[c + d*x]^4*\tan[c + d*x])/9)/d \end{aligned}$$

**Maple [B]** time = 0.735, size = 4392, normalized size = 8.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (a+b*\cos(d*x+c))^{5/2}*(A+B*\cos(d*x+c))/\cos(d*x+c)^{11/2}, x$

[Out] 
$$\begin{aligned} & -2/315/d*(261*A*\sin(d*x+c)*\cos(d*x+c)^5*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^4*b-279*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^5*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b^3+10*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^5*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^4+435*B*\sin(d*x+c)*\cos(d*x+c)^5*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^4*b+405*B*\sin(d*x+c)*\cos(d*x+c)^5*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^3*b^2+45*B*\sin(d*x+c)*\cos(d*x+c)^5*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b^3-435*B*\sin(d*x+c)*\cos(d*x+c)^5*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^4*b-435*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^5*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^3*b^2-45*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^5*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b^3-45*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^5*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^4+261*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))) \end{aligned}$$

$$\begin{aligned}
& / (1 + \cos(dx+c))^{1/2} \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \\
& * a^4 b + 279 A \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} \\
& * (1/(a+b) * (a+b \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), \\
& (-a-b)/(a+b))^{1/2} * a^3 b^2 + 155 A (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} \\
& * (1/(a+b) * (a+b \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} \sin(dx+c) \cos(dx+c)^4 \\
& \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 b^3 - 10 A \\
& * \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/ \\
& (1 + \cos(dx+c)))^{1/2} \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a b^4 - 147 A \\
& * \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/ \\
& (1 + \cos(dx+c)))^{1/2} \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^4 b - 279 A \\
& * \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/ \\
& (1 + \cos(dx+c)))^{1/2} \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3 b^2 - 279 A \\
& * \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/ \\
& (1 + \cos(dx+c)))^{1/2} \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 b^3 + 10 A \\
& * \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/ \\
& (1 + \cos(dx+c)))^{1/2} \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a b^4 + 435 B \\
& * \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/ \\
& (1 + \cos(dx+c)))^{1/2} \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^4 b + 405 B \\
& * \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/ \\
& (1 + \cos(dx+c)))^{1/2} \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3 b^2 + 45 B \\
& * \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/ \\
& (1 + \cos(dx+c)))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 b^3 - 435 B \\
& * \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/ \\
& (1 + \cos(dx+c)))^{1/2} \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^4 b - 435 B \\
& * \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/ \\
& (1 + \cos(dx+c)))^{1/2} \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3 b^2 - 45 B \\
& * \sin(dx+c) \cos(dx+c)^4 (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/ \\
& (1 + \cos(dx+c)))^{1/2} \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 b^3 - 45 B \\
& * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/ (1 + \cos(dx+c)))^{1/2} \\
& * \sin(dx+c) \cos(dx+c)^4 \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a b^4 - 35 A \\
& * a^5 - 270 B \cos(dx+c)^3 a^3 b^2 - 180 B \cos(dx+c)^2 a^4 b + 75 B \cos(dx+c)^6 a^4 b + 435 B \cos(dx+c)^6 \\
& a^3 b^2 + 135 B \cos(dx+c)^6 a^2 b^3 + 45 B \cos(dx+c)^6 a b^4 + 435 B \cos(dx+c)^5 a^4 b - 165 B \cos(dx+c)^5 \\
& a^3 b^2 + 45 B \cos(dx+c)^5 a^2 b^3 - 45 B \cos(dx+c)^5 a b^4 - 330 B \cos(dx+c)^4 a^4 b - 180 B \cos(dx+c)^4 \\
& a^2 b^3 - 130 A \cos(dx+c) a^4 b + 5 A \cos(dx+c)^6 a b^4 + 65 A \cos(dx+c)^5 a^4 b + 279 A \cos(dx+c)^5 \\
& a^3 b^2 - 199 A \cos(dx+c)^5 a^2 b^3 - 10 A \cos(dx+c)^5 a b^4 - 272 A \cos(dx+c)^4 a^3 b^2 + 5 A \cos(dx+c)^4 \\
& a b^4 - 82 A \cos(dx+c)^3 a^4 b - 80 A \cos(dx+c)^3 a^2 b^3 - 170 A \cos(dx+c)^2 a^3 b^2 + 147 A \cos(dx+c)^6 \\
& a^4 b + 163 A \cos(dx+c)^6 a^3 b^2 + 279 A \cos(dx+c)^6 a^2 b^3 - 10 A \cos(dx+c)^6 b^5 + 147 A \cos(dx+c)^5 \\
& a^5 + 10 A \cos(dx+c)^5 b^5 - 98 A \cos(dx+c)^4 a^5 - 14 A \cos(dx+c)^2 a^5 + 75 B \cos(dx+c)^5 a^5 - 30 B \cos(dx+c)^3 \\
& a^5 - 45 B \cos(dx+c) a^5 + 147 A (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/ \\
& (1 + \cos(dx+c)))^{1/2} \sin(dx+c) \cos(dx+c)^5 \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^5 - 14 \\
& 7 A (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/ (1 + \cos(dx+c)))^{1/2} \sin(dx+c) \cos(dx+c)^5 \\
& \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^5 + 10 A (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * \\
& (1/(a+b) * (a+b \cos(dx+c))/ (1 + \cos(dx+c)))^{1/2} \sin(dx+c) \cos(dx+c)^5 \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), \\
& (-a-b)/(a+b))^{1/2} * b^5 + 279 A (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/ \\
& (1 + \cos(dx+c)))^{1/2} \sin(dx+c) \cos(dx+c)^5 \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3 b^2 \\
& + 155 A (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/ (1 + \cos(dx+c)))^{1/2} \sin(dx+c) \cos(dx+c)^5 \\
& \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 b^3 - 10 A (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * \\
& (1/(a+b) * (a+b \cos(dx+c))/ (1 + \cos(dx+c)))^{1/2} \sin(dx+c) \cos(dx+c)^5 \text{EllipticF}
\end{aligned}$$



$$\begin{aligned} &((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^4 b^4 - 147 A * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \sin(dx+c) * \cos(dx+c)^5 * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & * a^4 b^4 - 279 A * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \sin(dx+c) * \cos(dx+c)^5 * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & * a^3 b^2 + 75 B * \sin(dx+c) * \cos(dx+c)^5 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & * a^5 + 147 A * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & * a^5 - 147 A * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & * a^5 + 10 A * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & * b^5 + 75 B * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & * a^5 / (a+b*\cos(dx+c))^{1/2} / a^2 / \sin(dx+c) / \cos(dx+c)^{9/2} \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx+c) + A)(b \cos(dx+c) + a)^{5/2}}{\cos(dx+c)^{11/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(5/2)\*(A+B\*cos(dx+c))/cos(dx+c)^(11/2),x, algorith="maxima")

[Out] integrate((B\*cos(dx+c) + A)\*(b\*cos(dx+c) + a)^(5/2)/cos(dx+c)^(11/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(B^2 \cos(dx+c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx+c)^2 + (Ba^2 + 2Aab) \cos(dx+c)) \sqrt{b \cos(dx+c) + a}}{\cos(dx+c)^{11/2}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(5/2)\*(A+B\*cos(dx+c))/cos(dx+c)^(11/2),x, algorith="fricas")

[Out] integral((B\*b^2\*cos(dx+c)^3 + A\*a^2 + (2\*B\*a\*b + A\*b^2)\*cos(dx+c)^2 + (B\*a^2 + 2\*A\*a\*b)\*cos(dx+c))\*sqrt(b\*cos(dx+c) + a)/cos(dx+c)^(11/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(11/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{11}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(11/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(11/2), x)

$$3.418 \quad \int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=622

$$\frac{2(1025a^2Ab^2 + 675a^4A + 1793a^3bB + 55ab^3B - 20Ab^4) \sin(c+dx)\sqrt{a+b \cos(c+dx)}}{3465a^2d \cos^2(c+dx)} + \frac{2(1145a^2Ab + 539a^3B + 825a^2b^2B)}{3465a^2d \cos^2(c+dx)}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3465*a^4*d) + (2*(a - b)*Sqrt[a + b]*(40*A*b^4 + 3*a^4*(225*A - 539*B) - 6*a^3*b*(505*A - 209*B) + 15*a^2*b^2*(19*A - 121*B) + 10*a*b^3*(3*A - 11*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3465*a^3*d) + (2*a*(14*A*b + 11*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(99*d*Cos[c + d*x]^(9/2)) + (2*(81*a^2*A + 113*A*b^2 + 209*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(693*d*Cos[c + d*x]^(7/2)) + (2*(1145*a^2*A*b + 15*A*b^3 + 539*a^3*B + 825*a^2*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3465*a*d*Cos[c + d*x]^(5/2)) + (2*(675*a^4*A + 1025*a^2*A*b^2 - 20*A*b^4 + 1793*a^3*b*B + 55*a*b^3*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3465*a^2*d*Cos[c + d*x]^(3/2)) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(11*d*Cos[c + d*x]^(11/2))
```

**Rubi [A]** time = 2.6248, antiderivative size = 622, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2989, 3047, 3055, 2998, 2816, 2994}

$$\frac{2(1025a^2Ab^2 + 675a^4A + 1793a^3bB + 55ab^3B - 20Ab^4) \sin(c+dx)\sqrt{a+b \cos(c+dx)}}{3465a^2d \cos^2(c+dx)} + \frac{2(1145a^2Ab + 539a^3B + 825a^2b^2B)}{3465a^2d \cos^2(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Cos[c + d*x]^(13/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3465*a^4*d) + (2*(a - b)*Sqrt[a + b]*(40*A*b^4 + 3*a^4*(225*A - 539*B) - 6*a^3*b*(505*A - 209*B) + 15*a^2*b^2*(19*A - 121*B) + 10*a*b^3*(3*A - 11*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3465*a^3*d) + (2*a*(14*A*b + 11*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(99*d*Cos[c + d*x]^(9/2)) + (2*(81*a^2*A + 113*A*b^2 + 209*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(693*d*Cos[c + d*x]^(7/2)) + (2*(1145*a^2*A*b + 15*A*b^3 + 539*a^3*B + 825*a^2*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3465*a*d*Cos[c + d*x]^(5/2)) + (2*(675*a^4*A + 1025*a^2*A*b^2 - 20*A*b^4 + 1793*a^3*b*B + 55*a*b^3*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3465*a^2*d*Cos[c + d*x]^(3/2)) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(11*d*Cos[c + d*x]^(11/2))
```

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0
] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
```

$(a + b)/(a - b)]/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

Rule 2994

$\text{Int}[(A_ + (B_)*\sin[(e_.) + (f_.)*(x_)])]/(((b_)*\sin[(e_.) + (f_.)*(x_)])^{(3/2)*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]}), x\_Symbol] \text{:> Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rubi steps

$$\int \frac{(a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx))}{\cos^{13/2}(c + dx)} dx = \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{11d \cos^{11/2}(c + dx)} + \frac{2}{11} \int \frac{\sqrt{a + b \cos(c + dx)}}{\cos^{9/2}(c + dx)} dx$$

$$= \frac{2a(14Ab + 11aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{9/2}(c + dx)} + \frac{2aA(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{11d \cos^{11/2}(c + dx)}$$

$$= \frac{2a(14Ab + 11aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{9/2}(c + dx)} + \frac{2(81a^2A + 113aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{9/2}(c + dx)}$$

$$= \frac{2a(14Ab + 11aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{9/2}(c + dx)} + \frac{2(81a^2A + 113aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{9/2}(c + dx)}$$

$$= \frac{2a(14Ab + 11aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{9/2}(c + dx)} + \frac{2(81a^2A + 113aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{9/2}(c + dx)}$$

$$= \frac{2a(14Ab + 11aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{9/2}(c + dx)} + \frac{2(81a^2A + 113aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{99d \cos^{9/2}(c + dx)}$$

$$= \frac{2(a - b)\sqrt{a + b}(3705a^4Ab + 255a^2Ab^3 + 40Ab^5 + 1617a^5B + 3069a^4B)}{99d \cos^{9/2}(c + dx)}$$

**Mathematica [C]** time = 6.80217, size = 1640, normalized size = 2.64

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b\*cos[c + d\*x])^(5/2)\*(A + B\*cos[c + d\*x]))/Cos[c + d\*x]^(13/2), x]

[Out] ((-4\*a\*(675\*a^6\*A - 390\*a^4\*A\*b^2 - 245\*a^2\*A\*b^4 - 40\*A\*b^6 + 1254\*a^5\*b\*B - 1364\*a^3\*b^3\*B + 110\*a\*b^5\*B)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[(a + b\*cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*cos[c + d\*x]]) - 4\*a\*(-3705\*a

$$\begin{aligned}
& ^5A*b - 255*a^3A*b^3 - 40*a*A*b^5 - 1617*a^6*B - 3069*a^4*b^2*B + 110*a^2 \\
& *b^4*B)*((\text{Sqrt}[(a+b)*\text{Cot}[(c+dx)/2]^2]/(-a+b))*\text{Sqrt}[-((a+b)*\text{Cos}[c \\
& +dx]*\text{Csc}[(c+dx)/2]^2/a)]*\text{Sqrt}[(a+b*\text{Cos}[c+dx])*\text{Csc}[(c+dx)/2 \\
& ^2)/a]*\text{Csc}[c+dx]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(a+b*\text{Cos}[c+dx])*\text{Csc}[(c+dx) \\
& /2]^2)/a]/\text{Sqrt}[2]], (-2*a)/(-a+b))*\text{Sin}[(c+dx)/2]^4)/((a+b)*\text{Sqrt}[\text{Co} \\
& s[c+dx]]*\text{Sqrt}[a+b*\text{Cos}[c+dx]]) - (\text{Sqrt}[(a+b)*\text{Cot}[(c+dx)/2]^2]/ \\
& (-a+b))*\text{Sqrt}[-((a+b)*\text{Cos}[c+dx])*\text{Csc}[(c+dx)/2]^2/a)]*\text{Sqrt}[(a+b \\
& *Cos[c+dx])*Csc[(c+dx)/2]^2/a]*\text{Csc}[c+dx]*\text{EllipticPi}[-(a/b), \text{ArcSi} \\
& n[\text{Sqrt}[(a+b*\text{Cos}[c+dx])*Csc[(c+dx)/2]^2)/a]/\text{Sqrt}[2]], (-2*a)/(-a+ \\
& b))*\text{Sin}[(c+dx)/2]^4)/(b*\text{Sqrt}[\text{Cos}[c+dx]]*\text{Sqrt}[a+b*\text{Cos}[c+dx]]) + \\
& 2*(-3705*a^4A*b^2 - 255*a^2A*b^4 - 40A*b^6 - 1617*a^5*b*B - 3069*a^3*b^3 \\
& *B + 110*a*b^5*B)*((I*\text{Cos}[(c+dx)/2]*\text{Sqrt}[a+b*\text{Cos}[c+dx]]*\text{EllipticE}[I \\
& *ArcSinh[\text{Sin}[(c+dx)/2]/\text{Sqrt}[\text{Cos}[c+dx]]], (-2*a)/(-a-b))*\text{Sec}[c+dx \\
& ]/(b*\text{Sqrt}[\text{Cos}[(c+dx)/2]^2*\text{Sec}[c+dx]]*\text{Sqrt}[(a+b*\text{Cos}[c+dx])*Sec[ \\
& c+dx])/(a+b)) + (2*a*((a*\text{Sqrt}[(a+b)*\text{Cot}[(c+dx)/2]^2]/(-a+b))* \\
& \text{Sqrt}[-((a+b)*\text{Cos}[c+dx])*Csc[(c+dx)/2]^2/a)]*\text{Sqrt}[(a+b*\text{Cos}[c+d \\
& *x])*Csc[(c+dx)/2]^2/a]*\text{Csc}[c+dx]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(a+b*\text{Cos}[ \\
& c+dx])*Csc[(c+dx)/2]^2)/a]/\text{Sqrt}[2]], (-2*a)/(-a+b))*\text{Sin}[(c+dx)/2 \\
& ]^4)/((a+b)*\text{Sqrt}[\text{Cos}[c+dx]]*\text{Sqrt}[a+b*\text{Cos}[c+dx]]) - (a*\text{Sqrt}[(a+ \\
& b)*\text{Cot}[(c+dx)/2]^2]/(-a+b))*\text{Sqrt}[-((a+b)*\text{Cos}[c+dx])*Csc[(c+dx) \\
& /2]^2/a)]*\text{Sqrt}[(a+b*\text{Cos}[c+dx])*Csc[(c+dx)/2]^2/a]*\text{Csc}[c+dx]*E \\
& llipticPi[-(a/b), \text{ArcSin}[\text{Sqrt}[(a+b*\text{Cos}[c+dx])*Csc[(c+dx)/2]^2)/a]/ \\
& \text{Sqrt}[2]], (-2*a)/(-a+b))*\text{Sin}[(c+dx)/2]^4)/(b*\text{Sqrt}[\text{Cos}[c+dx]]*\text{Sqrt}[a \\
& +b*\text{Cos}[c+dx]])))/b + (\text{Sqrt}[a+b*\text{Cos}[c+dx]]*\text{Sin}[c+dx])/(b*\text{Sqrt}[\text{C} \\
& os[c+dx]])))/(3465*a^3*d) + (\text{Sqrt}[\text{Cos}[c+dx]]*\text{Sqrt}[a+b*\text{Cos}[c+dx]] \\
& *((2*\text{Sec}[c+dx]^5*(23*a*A*b*\text{Sin}[c+dx] + 11*a^2*B*\text{Sin}[c+dx]))/99 + ( \\
& 2*\text{Sec}[c+dx]^4*(81*a^2A*\text{Sin}[c+dx] + 113A*b^2*\text{Sin}[c+dx] + 209*a*b* \\
& B*\text{Sin}[c+dx]))/693 + (2*\text{Sec}[c+dx]^3*(1145*a^2A*b*\text{Sin}[c+dx] + 15*A* \\
& b^3*\text{Sin}[c+dx] + 539*a^3B*\text{Sin}[c+dx] + 825*a*b^2*B*\text{Sin}[c+dx]))/(346 \\
& 5*a) + (2*\text{Sec}[c+dx]^2*(675*a^4A*\text{Sin}[c+dx] + 1025*a^2A*b^2*\text{Sin}[c+d \\
& *x] - 20A*b^4*\text{Sin}[c+dx] + 1793*a^3*b*B*\text{Sin}[c+dx] + 55*a*b^3*B*\text{Sin}[c \\
& +dx]))/(3465*a^2) + (2*\text{Sec}[c+dx]*(3705*a^4A*b*\text{Sin}[c+dx] + 255*a^2* \\
& A*b^3*\text{Sin}[c+dx] + 40A*b^5*\text{Sin}[c+dx] + 1617*a^5*B*\text{Sin}[c+dx] + 3069 \\
& *a^3*b^2*B*\text{Sin}[c+dx] - 110*a*b^4*B*\text{Sin}[c+dx]))/(3465*a^3) + (2*a^2A* \\
& \text{Sec}[c+dx]^5*\text{Tan}[c+dx])/11))/d
\end{aligned}$$

**Maple [B]** time = 0.94, size = 5373, normalized size = 8.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\cos(dx+c))^{5/2}*(A+B*\cos(dx+c))/\cos(dx+c)^{(13/2)}, x)$

[Out] result too large to display

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx+c) + A)(b \cos(dx+c) + a)^{\frac{5}{2}}}{\cos(dx+c)^{\frac{13}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b*\cos(dx+c))^{5/2}*(A+B*\cos(dx+c))/\cos(dx+c)^{(13/2)}, x, \text{algorithm}="maxima")$

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(13/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)) \sqrt{b \cos(dx + c) + a}}{\cos(dx + c)^{\frac{13}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(13/2), x, algorithm="fricas")

[Out] integral((B\*b^2\*cos(d\*x + c)^3 + A\*a^2 + (2\*B\*a\*b + A\*b^2)\*cos(d\*x + c)^2 + (B\*a^2 + 2\*A\*a\*b)\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a)/cos(d\*x + c)^(13/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(13/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\cos(dx + c)^{\frac{13}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/cos(d\*x+c)^(13/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)/cos(d\*x + c)^(13/2), x)

$$3.419 \quad \int \frac{(a+b \cos(c+dx))^{5/2} \left( \frac{3bB}{2a} + B \cos(c+dx) \right)}{\cos^2(c+dx)} dx$$

**Optimal.** Leaf size=418

$$\frac{B(a-3b)\sqrt{a+b}(2a^2-ab+3b^2)\cot(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{ad} + \frac{2B(a-b)}{ad}$$

[Out] (2\*(a - b)\*Sqrt[a + b]\*(a^2 + 3\*b^2)\*B\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d) - ((a - 3\*b)\*Sqrt[a + b]\*(2\*a^2 - a\*b + 3\*b^2)\*B\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d) - (b\*Sqrt[a + b]\*(5\*a + (3\*b^2)/a)\*B\*Cot[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/d + (b\*B\*(a + b\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(d\*Cos[c + d\*x]^(3/2))

**Rubi [A]** time = 0.949508, antiderivative size = 418, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 43,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.14$ , Rules used = {2989, 2991, 2809, 2998, 2816, 2994}

$$\frac{B(a-3b)\sqrt{a+b}(2a^2-ab+3b^2)\cot(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{ad} + \frac{2B(a-b)}{ad}$$

Antiderivative was successfully verified.

[In] Int[((a + b\*Cos[c + d\*x])^(5/2)\*((3\*b\*B)/(2\*a) + B\*Cos[c + d\*x]))/Cos[c + d\*x]^(5/2), x]

[Out] (2\*(a - b)\*Sqrt[a + b]\*(a^2 + 3\*b^2)\*B\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d) - ((a - 3\*b)\*Sqrt[a + b]\*(2\*a^2 - a\*b + 3\*b^2)\*B\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d) - (b\*Sqrt[a + b]\*(5\*a + (3\*b^2)/a)\*B\*Cot[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/d + (b\*B\*(a + b\*Cos[c + d\*x])^(3/2)\*Sin[c + d\*x])/(d\*Cos[c + d\*x]^(3/2))

**Rule 2989**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b\*c - a\*d)\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)]\*Simp[b\*(b\*c - a\*d)\*(B\*c - A\*d)\*(m - 1) + a\*d\*(a\*A\*c + b\*B\*c - (A\*b + a\*B)\*d)\*(n + 1) + (b\*(b\*d\*(B\*c - A\*d) + a\*(A\*c\*d + B\*(c^2 - 2\*d^2)))\*(n + 1) -



```
a*(b*c - a*d)*(B*c - A*d)*(n + 2)*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

### Rule 2991

```
Int[(((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)]])/((b_.)*sin[(e_.) + (f_.)*(x_.)]^(3/2), x_Symbol] :> Dist[(B*d
)/b^2, Int[Sqrt[b*SIN[e + f*x]]/Sqrt[c + d*SIN[e + f*x]], x], x] + Int[(A*c
+ (B*c + A*d)*Sin[e + f*x])/((b*SIN[e + f*x])^(3/2)*Sqrt[c + d*SIN[e + f*x
]]), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0]
```

### Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_.)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*SIN[e + f*x]]/(Sqrt[b*SIN[e + f*x]]*Rt[(c + d)/b,
2])], -(c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

### Rule 2998

```
Int[(((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*SIN[e + f*x]]*Sqrt[c + d*SIN[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*SIN[
e + f*x])^(3/2)*Sqrt[c + d*SIN[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_.)]], x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*SIN[e + f*x]]/(Sqrt[d*SIN[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

### Rule 2994

```
Int[(((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((b_.)*sin[(e_.) + (f_.)*(x_.)]
)^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*SIN[e + f
*x]]/(Sqrt[b*SIN[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{5/2} \left( \frac{3bB}{2a} + B \cos(c + dx) \right)}{\cos^2(c + dx)} dx &= \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{d \cos^2(c + dx)} + \frac{2}{3} \int \frac{\sqrt{a + b \cos(c + dx)} \left( \frac{3}{2} (a + b \cos(c + dx)) \right)}{\cos^2(c + dx)} dx \\
&= \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{d \cos^2(c + dx)} + \frac{2}{3} \int \frac{\frac{3}{2} a (a^2 + 3b^2) B + \left( \frac{3}{2} b (a + b \cos(c + dx)) \right)}{\cos^2(c + dx)} dx \\
&= -\frac{b\sqrt{a+b} \left( 5a + \frac{3b^2}{a} \right) B \cot(c + dx) \Pi \left( \frac{a+b}{b}; \sin^{-1} \left( \frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}} \right) \right)}{d} \\
&= -\frac{2(a-b)\sqrt{a+b} (a^2 + 3b^2) B \cot(c + dx) E \left( \sin^{-1} \left( \frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}} \right) \right)}{ad}
\end{aligned}$$

**Mathematica [C]** time = 19.4089, size = 1236, normalized size = 2.96

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Cos[c + d*x])^(5/2)*((3*b*B)/(2*a) + B*Cos[c + d*x]))/Cos[c + d*x]^(5/2), x]
```

```
[Out] -(B*((-4*a*(-5*a^3*b - 3*a*b^3)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(2*a^4 + a^2*b^2 - 3*b^4)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])) + 2*(2*a^3*b + 6*a*b^3)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]])))/(2*a*d) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*(Sec[c + d*x]*(2*a^2*B*Sin[c + d*x] + 7*b^2*B*Sin[c + d*x]) + a*b*B*Sec[c + d*x]*Tan[c + d*x]))/d
```

**Maple [B]** time = 0.549, size = 2346, normalized size = 5.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b\cos(dx+c))^{5/2}*(3/2*b*B/a+B*\cos(dx+c))/\cos(dx+c)^{5/2},x)$

[Out]  $-B/a/d*(6*a^2*b^2*\cos(dx+c)^2+2*\cos(dx+c)^2*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*a^4-8*\cos(dx+c)*a^2*b^2+2*\cos(dx+c)^3*a^2*b^2+6*\cos(dx+c)^3*a*b^3-7*\cos(dx+c)^2*a*b^3+2*\cos(dx+c)^3*a^3*b-\cos(dx+c)^2*a^3*b+\cos(dx+c)^4*a*b^3-b*a^3-2*\cos(dx+c)^2*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*a^4+6*\cos(dx+c)^2*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c),-1,(-a-b)/(a+b))^{1/2})*b^4+2*\cos(dx+c)*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*a^4-3*\cos(dx+c)*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*b^4-2*\cos(dx+c)*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*a^4+6*\cos(dx+c)*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c),-1,(-a-b)/(a+b))^{1/2})*b^4-2*a^4*\cos(dx+c)+2*\cos(dx+c)^2*a^4+7*\cos(dx+c)^2*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*a^3*b+\cos(dx+c)^2*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*a^2*b^2+9*\cos(dx+c)^2*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*a*b^3-2*\cos(dx+c)^2*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*a^3*b-6*\cos(dx+c)^2*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*a^2*b^2-6*\cos(dx+c)^2*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*a*b^3+10*\cos(dx+c)^2*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c),-1,(-a-b)/(a+b))^{1/2})*a^2*b^2+7*\cos(dx+c)*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*a^3*b+\cos(dx+c)*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*a^2*b^2+9*\cos(dx+c)*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticF((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*a*b^3-2*\cos(dx+c)*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*a^3*b-6*\cos(dx+c)*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*a^2*b^2-6*\cos(dx+c)*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticE((-1+\cos(dx+c))/\sin(dx+c),(-a-b)/(a+b))^{1/2})*a*b^3+10*\cos(dx+c)*\sin(dx+c)*(cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*EllipticPi((-1+\cos(dx+c))/\sin(dx+c),-1,(-a-b)/(a+b))$

$$\begin{aligned} & \left( \frac{1}{2} \right) a^2 b^2 - 3 \cos(dx+c)^2 \sin(dx+c) \left( \frac{\cos(dx+c)}{1+\cos(dx+c)} \right)^{1/2} \\ & * \left( \frac{1}{(a+b)} * \frac{(a+b \cos(dx+c))}{(1+\cos(dx+c))} \right)^{1/2} * \text{EllipticF} \left( \frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left( \frac{-(a-b)}{(a+b)} \right)^{1/2} \right) * b^4 / (a+b \cos(dx+c))^{1/2} / \sin(dx+c) / \cos(dx+c)^{3/2} \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\frac{1}{2} \int \frac{\left( 2B \cos(dx+c) + \frac{3Bb}{a} \right) (b \cos(dx+c) + a)^{\frac{5}{2}}}{\cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(5/2)\*(3/2\*b\*B/a+B\*cos(dx+c))/cos(dx+c)^(5/2), x, algorithm="maxima")

[Out] 1/2\*integrate((2\*B\*cos(dx+c) + 3\*B\*b/a)\*(b\*cos(dx+c) + a)^(5/2)/cos(dx+c)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{\left( 2Bab^2 \cos(dx+c)^3 + 3Ba^2b + (4Ba^2b + 3Bb^3) \cos(dx+c)^2 + 2(Ba^3 + 3Bab^2) \cos(dx+c) \right) \sqrt{b \cos(dx+c)}}{2a \cos(dx+c)^{\frac{5}{2}}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(5/2)\*(3/2\*b\*B/a+B\*cos(dx+c))/cos(dx+c)^(5/2), x, algorithm="fricas")

[Out] integral(1/2\*(2\*B\*a\*b^2\*cos(dx+c)^3 + 3\*B\*a^2\*b + (4\*B\*a^2\*b + 3\*B\*b^3)\*cos(dx+c)^2 + 2\*(B\*a^3 + 3\*B\*a\*b^2)\*cos(dx+c))\*sqrt(b\*cos(dx+c) + a)/(a\*cos(dx+c)^(5/2)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))\*\*(5/2)\*(3/2\*b\*B/a+B\*cos(dx+c))/cos(dx+c)\*\*(5/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\left( 2B \cos(dx+c) + \frac{3Bb}{a} \right) (b \cos(dx+c) + a)^{\frac{5}{2}}}{2 \cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(3/2*b*B/a+B*cos(d*x+c))/cos(d*x+c)^(5/2),  
x, algorithm="giac")
```

```
[Out] integrate(1/2*(2*B*cos(d*x + c) + 3*B*b/a)*(b*cos(d*x + c) + a)^(5/2)/cos(d  
*x + c)^(5/2), x)
```

**3.420**  $\int \frac{\cos^{\frac{3}{2}}(c+dx)(A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx$

**Optimal.** Leaf size=479

$$\frac{\sqrt{a+b}(-3a^2B + 4aAb - 4b^2B) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{4b^3d} + \frac{(4Ab - \dots)}{\dots}$$

```
[Out] -((a - b)*Sqrt[a + b]*(4*A*b - 3*a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*a*b^2*d) + (Sqrt[a + b]*(4*A*b - 3*a*B + 2*b*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b^2*d) + (Sqrt[a + b]*(4*a*A*b - 3*a^2*B - 4*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b^3*d) + ((4*A*b - 3*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(4*b^2*d*Sqrt[Cos[c + d*x]]) + (B*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*b*d)
```

**Rubi [A]** time = 1.07636, antiderivative size = 479, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2990, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b}(-3a^2B + 4aAb - 4b^2B) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{4b^3d} + \frac{(4Ab - \dots)}{\dots}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/Sqrt[a + b*Cos[c + d*x]],x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(4*A*b - 3*a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*a*b^2*d) + (Sqrt[a + b]*(4*A*b - 3*a*B + 2*b*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b^2*d) + (Sqrt[a + b]*(4*a*A*b - 3*a^2*B - 4*b^2*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b^3*d) + ((4*A*b - 3*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(4*b^2*d*Sqrt[Cos[c + d*x]]) + (B*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*b*d)
```

**Rule 2990**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B))*(m + n + 1) - b*B*(a*c - b*d*(m + n))]*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n))]*Sin[e
```

+ f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rule 3061

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*Sqrt[c + d\*Sin[e + f\*x]])/(d\*f\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[1/(2\*d), Int[(1\*Simp[2\*a\*A\*d - C\*(b\*c - a\*d) - 2\*(a\*c\*C - d\*(A\*b + a\*B))\*Sin[e + f\*x] + (2\*b\*B\*d - C\*(b\*c + a\*d))\*Sin[e + f\*x]^2, x])/(a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3053

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[C/b^2, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[1/b^2, Int[(A\*b^2 - a^2\*C + b\*(b\*B - 2\*a\*C)\*Sin[e + f\*x])/(a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/(a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

### Rule 2994

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2]), -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rubi steps

$$\int \frac{\cos^{\frac{3}{2}}(c + dx)(A + B \cos(c + dx))}{\sqrt{a + b \cos(c + dx)}} dx = \frac{B\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2bd} + \frac{\int \frac{\frac{aB}{2} + bB \cos(c + dx) + \frac{1}{2}(4Ab - 3aB) \cos^2}{\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}} dx}{2b}$$

$$= \frac{(4Ab - 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4b^2 d \sqrt{\cos(c + dx)}} + \frac{B\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}}{2bd}$$

$$= \frac{(4Ab - 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4b^2 d \sqrt{\cos(c + dx)}} + \frac{B\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}}{2bd}$$

$$= \frac{\sqrt{a + b} (4aAb - 3a^2B - 4b^2B) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{4b^3 d}$$

$$= -\frac{(a - b)\sqrt{a + b}(4Ab - 3aB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\cos(c+dx))}{a+b}}}{4ab^2 d}$$

**Mathematica [C]** time = 12.3764, size = 1175, normalized size = 2.45

$$\frac{4a(4Ab - aB) \sqrt{\frac{(a+b) \cot^2\left(\frac{1}{2}(c+dx)\right)}{b-a}} \sqrt{-\frac{(a+b) \cos(c+dx) \csc^2\left(\frac{1}{2}(c+dx)\right)}{a}} \sqrt{\frac{(a+b) \cos(c+dx) \csc^2\left(\frac{1}{2}(c+dx)\right)}{a}}}{(a+b)\sqrt{\cos(c+dx)}\sqrt{a+b \cos(c+dx)}}$$

$$\frac{B\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2bd} +$$

Antiderivative was successfully verified.

[In] Integrate[(Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]))/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] (B\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*b\*d) + ((-4\*a\*(4\*A\*b - a\*B)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 16\*a\*b\*B\*((Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a)]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*C



```

os[c + d*x]*Csc[(c + d*x)/2]^2/a)]*Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*cos[c + d*x]]) + 2*(4*A*b - 3*a*B)*((I*cos[(c + d*x)/2]*Sqrt[a + b*cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x]/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*cos[c + d*x])*Sec[c + d*x]/(a + b))) + (2*a*((a*Sqrt[(a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*cos[c + d*x])*Csc[(c + d*x)/2]^2/a])*Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*cos[c + d*x]]) - (a*Sqrt[(a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*cos[c + d*x])*Csc[(c + d*x)/2]^2/a])*Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*cos[c + d*x]])/b + (Sqrt[a + b*cos[c + d*x]]*Sin[c + d*x]/(b*Sqrt[Cos[c + d*x]])))/(8*b*d)

```

---

**Maple [B]** time = 0.479, size = 1871, normalized size = 3.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2), x)
```

```

[Out] -1/4/d/(a+b*cos(d*x+c))^(1/2)*(-8*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)*cos(d*x+c)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*a*b-B*cos(d*x+c)^3*a*b+3*B*cos(d*x+c)^2*a*b-2*B*cos(d*x+c)*a*b+4*A*cos(d*x+c)^2*a*b-4*A*cos(d*x+c)*a*b+4*A*cos(d*x+c)^3*b^2-4*A*cos(d*x+c)^2*b^2+2*B*cos(d*x+c)^4*b^2-2*B*cos(d*x+c)^2*b^2-3*B*cos(d*x+c)^2*a^2+3*B*cos(d*x+c)*a^2+4*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)*cos(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b+2*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b-3*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b+4*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*b^2-4*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*b^2+6*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*a^2+8*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*a*b+4*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b+2*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b-3*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d

```

$$\begin{aligned} & \cdot \cos(d*x+c))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticE}((-1 \\ & +\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) * a*b+4*A*(\cos(d*x+c)/(1+\cos(d* \\ & x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \sin(d*x+c) * \text{Ell} \\ & \text{ipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) * b^2-4*B*\sin(d*x+c)* \\ & (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c))) \\ & ^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) * b^2+6*B*s \\ & \text{in}(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+co \\ & s(d*x+c)))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2}) * a^2+8*B*\sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos \\ & (d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (- \\ & a-b)/(a+b))^{1/2}) * b^2-3*B*\sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/ \\ & (a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin( \\ & d*x+c), (-a-b)/(a+b))^{1/2}) * a^2) / \sin(d*x+c) / b^2 / \cos(d*x+c)^{1/2} \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(3/2)/sqrt(b\*cos(d\*x + c) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^2 + A \cos(dx + c))\sqrt{\cos(dx + c)}}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^2 + A\*cos(d\*x + c))\*sqrt(cos(d\*x + c))/sqrt(b\*cos(d\*x + c) + a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(3/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*cos(d*x + c)^(3/2)/sqrt(b*cos(d*x + c) + a), x)
```

$$3.421 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=427

$$\frac{\sqrt{a+b}(2Ab - aB) \cot(c + dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{b^2 d} + \frac{B \sin(c + dx) \sqrt{\cos(c + dx)}}{d \sqrt{a + b \cos(c + dx)}}$$

```
[Out] -(((a - b)*Sqrt[a + b]*B*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*b*d) + (Sqrt[a + b]*B*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b*d) - (Sqrt[a + b]*(2*A*b - a*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^2*d) + (a*B*Sin[c + d*x])/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + (B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + b*Cos[c + d*x]])
```

**Rubi [A]** time = 1.08826, antiderivative size = 427, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {3003, 3051, 2809, 2993, 2998, 2816, 2994}

$$\frac{\sqrt{a+b}(2Ab - aB) \cot(c + dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{b^2 d} + \frac{B \sin(c + dx) \sqrt{\cos(c + dx)}}{d \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sqrt[a + b*Cos[c + d*x]], x]
```

```
[Out] -(((a - b)*Sqrt[a + b]*B*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*b*d) + (Sqrt[a + b]*B*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b*d) - (Sqrt[a + b]*(2*A*b - a*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^2*d) + (a*B*Sin[c + d*x])/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + (B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + b*Cos[c + d*x]])
```

### Rule 3003

```
Int[Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_), x_Symbol] :> Simp[(-2*B*Cos[e + f*x]*Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n)/(f*(2*n + 3)), x] + Dist[1/(2*n + 3), Int[((c + d*Sin[e + f*x])^(n - 1)*Simp[a*A*c*(2*n + 3) + B*(b*c + 2*a*d*n) + (B*(a*c + b*d)*(2*n + 1) + A*(b*c + a*d)*(2*n + 3))*Sin[e + f*x] + (A*b*d*(2*n + 3) + B*(a*d + 2*b*c*n))*Sin[e + f*x]^2, x])/Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && EqQ[n^2, 1/4]
```

Rule 3051

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]))^3/2), x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[d\*Ssin[e + f\*x]]/Sqrt[a + b\*Ssin[e + f\*x]], x], x] + Dist[1/b, Int[(A\*b + (b\*B - a\*C)\*Sin[e + f\*x])/((a + b\*Ssin[e + f\*x])^3/2)\*Sqrt[d\*Ssin[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Ssin[e + f\*x]]/(Sqrt[b\*Ssin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 2993

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]))^3/2), x\_Symbol] := Simp[(2\*(A\*b - a\*B)\*Cos[e + f\*x]/(f\*(a^2 - b^2)\*Sqrt[a + b\*Ssin[e + f\*x]]\*Sqrt[d\*Ssin[e + f\*x]]), x] + Dist[d/(a^2 - b^2), Int[(A\*b - a\*B + (a\*A - b\*B)\*Sin[e + f\*x]/(Sqrt[a + b\*Ssin[e + f\*x]]\*(d\*Ssin[e + f\*x])^3/2), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]

Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]))^3/2\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Ssin[e + f\*x]]\*Sqrt[c + d\*Ssin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Ssin[e + f\*x])^3/2)\*Sqrt[c + d\*Ssin[e + f\*x]]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Ssin[e + f\*x]]/(Sqrt[d\*Ssin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]))^3/2\*Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Ssin[e + f\*x]]/(Sqrt[b\*Ssin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rubi steps



$$\begin{aligned}
& \text{an}[(c + d*x)/2], -((a + b)/(a - b))] + (4*I)*(A*b - a*B)*\text{Sqrt}[(a + b*\text{Cos}[c \\
& + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[(a - b)/(a \\
& + b)]*\text{Tan}[(c + d*x)/2]], -((a + b)/(a - b))] - (8*I)*A*b*\text{Sqrt}[(a + b*\text{Cos}[c \\
& + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticPi}[(a + b)/(a - b), I*\text{ArcSinh} \\
& [\text{Sqrt}[(a - b)/(a + b)]*\text{Tan}[(c + d*x)/2]], -((a + b)/(a - b))] + (4*I)*a*B*\text{S} \\
& \text{qrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticPi}[(a + b)/( \\
& a - b), I*\text{ArcSinh}[\text{Sqrt}[(a - b)/(a + b)]*\text{Tan}[(c + d*x)/2]], -((a + b)/(a - b \\
& ))] + b*\text{Sqrt}[(a - b)/(a + b)]*B*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sec}[( \\
& c + d*x)/2]*\text{Sin}[(3*(c + d*x))/2] + 2*a*\text{Sqrt}[(a - b)/(a + b)]*B*\text{Sqrt}[\text{Cos}[c + \\
& d*x]/(1 + \text{Cos}[c + d*x])]*\text{Tan}[(c + d*x)/2] - b*\text{Sqrt}[(a - b)/(a + b)]*B*\text{Sqrt} \\
& [\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Tan}[(c + d*x)/2))/(8*b*\text{Sqrt}[(a - b)/(a + \\
& b)]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + ((1 + \text{Cos}[c + d*x])^(3/2)*\text{Sec}[(c + d*x)/2] \\
& ^2*\text{Tan}[(c + d*x)/2]*((2*I)*(a - b)*B*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 \\
& + \text{Cos}[c + d*x]))]*\text{EllipticE}[I*\text{ArcSinh}[\text{Sqrt}[(a - b)/(a + b)]*\text{Tan}[(c + d*x)/2 \\
& ]], -((a + b)/(a - b))] + (4*I)*(A*b - a*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + \\
& b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[(a - b)/(a + b)]*\text{Tan}[(c + \\
& d*x)/2]], -((a + b)/(a - b))] - (8*I)*A*b*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + \\
& b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticPi}[(a + b)/(a - b), I*\text{ArcSinh}[\text{Sqrt}[(a - b)/ \\
& (a + b)]*\text{Tan}[(c + d*x)/2]], -((a + b)/(a - b))] + (4*I)*a*B*\text{Sqrt}[(a + b*\text{Cos} \\
& [c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticPi}[(a + b)/(a - b), I*\text{ArcS} \\
& \text{inh}[\text{Sqrt}[(a - b)/(a + b)]*\text{Tan}[(c + d*x)/2]], -((a + b)/(a - b))] + b*\text{Sqrt}[( \\
& a - b)/(a + b)]*B*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sec}[(c + d*x)/2]*\text{Si} \\
& \text{n}[(3*(c + d*x))/2] + 2*a*\text{Sqrt}[(a - b)/(a + b)]*B*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos} \\
& [c + d*x])]*\text{Tan}[(c + d*x)/2] - b*\text{Sqrt}[(a - b)/(a + b)]*B*\text{Sqrt}[\text{Cos}[c + d*x]/ \\
& (1 + \text{Cos}[c + d*x])]*\text{Tan}[(c + d*x)/2))/(4*b*\text{Sqrt}[(a - b)/(a + b)]*\text{Sqrt}[a + \\
& b*\text{Cos}[c + d*x]]) + ((1 + \text{Cos}[c + d*x])^(3/2)*\text{Sec}[(c + d*x)/2]^2*((3*b*\text{Sqrt} \\
& (a - b)/(a + b)]*B*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Cos}[(3*(c + d*x))/ \\
& 2]*\text{Sec}[(c + d*x)/2])/2 + a*\text{Sqrt}[(a - b)/(a + b)]*B*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{C} \\
& \text{os}[c + d*x])]*\text{Sec}[(c + d*x)/2]^2 - (b*\text{Sqrt}[(a - b)/(a + b)]*B*\text{Sqrt}[\text{Cos}[c + \\
& d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sec}[(c + d*x)/2]^2)/2 + (I*(a - b)*B*\text{EllipticE}[I*A \\
& \text{rcSinh}[\text{Sqrt}[(a - b)/(a + b)]*\text{Tan}[(c + d*x)/2]], -((a + b)/(a - b)))*(-(b*\text{S} \\
& \text{in}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))) + ((a + b*\text{Cos}[c + d*x])*Sin[c + \\
& d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*( \\
& 1 + \text{Cos}[c + d*x]))] + ((2*I)*(A*b - a*B)*\text{EllipticF}[I*\text{ArcSinh}[\text{Sqrt}[(a - b)/( \\
& a + b)]*\text{Tan}[(c + d*x)/2]], -((a + b)/(a - b)))*(-(b*\text{Sin}[c + d*x])/((a + b) \\
& *(1 + \text{Cos}[c + d*x]))) + ((a + b*\text{Cos}[c + d*x])*Sin[c + d*x])/((a + b)*(1 + \text{C} \\
& \text{os}[c + d*x])^2))/\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] - \\
& ((4*I)*A*b*\text{EllipticPi}[(a + b)/(a - b), I*\text{ArcSinh}[\text{Sqrt}[(a - b)/(a + b)]*\text{Tan} \\
& [(c + d*x)/2]], -((a + b)/(a - b)))*(-(b*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c \\
& + d*x]))) + ((a + b*\text{Cos}[c + d*x])*Sin[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x] \\
& )^2))/\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + ((2*I)*a*B \\
& *\text{EllipticPi}[(a + b)/(a - b), I*\text{ArcSinh}[\text{Sqrt}[(a - b)/(a + b)]*\text{Tan}[(c + d*x)/ \\
& 2]], -((a + b)/(a - b)))*(-(b*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))) \\
& + ((a + b*\text{Cos}[c + d*x])*Sin[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt} \\
& [(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + (b*\text{Sqrt}[(a - b)/(a + \\
& b)]*B*\text{Sec}[(c + d*x)/2]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \\
& \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x]))*\text{Sin}[(3*(c + d*x))/2])/(2*\text{Sqrt}[\text{Cos}[c + d*x] \\
& / (1 + \text{Cos}[c + d*x])]) + (a*\text{Sqrt}[(a - b)/(a + b)]*B*((\text{Cos}[c + d*x]*\text{Sin}[c + d \\
& *x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x]))*\text{Tan}[(c + d*x)/ \\
& 2])/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] - (b*\text{Sqrt}[(a - b)/(a + b)]*B*((\text{C} \\
& \text{os}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d \\
& *x]))*\text{Tan}[(c + d*x)/2])/(2*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]) + (b*\text{Sqrt} \\
& [(a - b)/(a + b)]*B*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sec}[(c + d*x)/2]* \\
& \text{Sin}[(3*(c + d*x))/2]*\text{Tan}[(c + d*x)/2])/2 - (2*\text{Sqrt}[(a - b)/(a + b)]*(A*b - \\
& a*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/ \\
& 2]^2)/(\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[1 + ((a - b)*\text{Tan}[(c + d*x)/2]^2)/( \\
& a + b)]) - ((a - b)*\text{Sqrt}[(a - b)/(a + b)]*B*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + \\
& b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2])/ \text{S} \\
& \text{qrt}[1 + ((a - b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)] + (4*A*b*\text{Sqrt}[(a - b)/(a + b)
\end{aligned}$$

]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*Sec[(c + d\*x)/2]^2)/(Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[1 + ((a - b)\*Tan[(c + d\*x)/2]^2)/(a + b)]] - (2\*a\*Sqrt[(a - b)/(a + b)]\*B\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*Sec[(c + d\*x)/2]^2)/(Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[1 + ((a - b)\*Tan[(c + d\*x)/2]^2)/(a + b)])))/(4\*b\*Sqrt[(a - b)/(a + b)]\*Sqrt[a + b\*Cos[c + d\*x]]))

**Maple [B]** time = 0.53, size = 1005, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] 1/d/(a+b\*cos(d\*x+c))^(1/2)\*(2\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*sin(d\*x+c)\*cos(d\*x+c)\*b-4\*A\*cos(d\*x+c)\*sin(d\*x+c)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-a-b)/(a+b))^(1/2))\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*b+2\*B\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-a-b)/(a+b))^(1/2))\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*a-B\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*a-B\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*b+2\*A\*sin(d\*x+c)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*b-4\*A\*sin(d\*x+c)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-a-b)/(a+b))^(1/2))\*b+2\*B\*sin(d\*x+c)\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c),-1,(-a-b)/(a+b))^(1/2))\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*a-B\*sin(d\*x+c)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*a-B\*sin(d\*x+c)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-a-b)/(a+b))^(1/2))\*b-B\*cos(d\*x+c)^3\*b-B\*cos(d\*x+c)^2\*a+b\*B\*cos(d\*x+c)^2+B\*cos(d\*x+c)\*a)/sin(d\*x+c)/b/cos(d\*x+c)^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/sqrt(b\*cos(d\*x + c) + a), x)



**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/sqrt(b\*cos(d\*x + c) + a), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*sqrt(cos(c + d\*x))/sqrt(a + b\*cos(c + d\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\cos(dx + c)}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x+ c) + A)\*sqrt(cos(d\*x + c))/sqrt(b\*cos(d\*x + c) + a), x)

$$3.422 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=228

$$\frac{2A\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) - 2B\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{ad}$$

[Out] (2\*A\*Sqrt[a + b]\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b)))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d) - (2\*Sqrt[a + b]\*B\*Cot[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b)))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(b\*d)

**Rubi [A]** time = 0.273712, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$ , Rules used = {3006, 2809, 2816}

$$\frac{2A\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) - 2B\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{ad}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]), x]

[Out] (2\*A\*Sqrt[a + b]\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b)))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d) - (2\*Sqrt[a + b]\*B\*Cot[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b)))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(b\*d)

#### Rule 3006

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[B/d, Int[Sqrt[c + d\*Sin[e + f\*x]]/Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[(B\*c - A\*d)/d, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[A

rcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2]), -(a + b)/(a - b)]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} dx = A \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} dx + B \int \frac{\sqrt{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{2A\sqrt{a+b} \cot(c + dx) F\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a+b}}}{ad}$$

**Mathematica [A]** time = 1.48001, size = 146, normalized size = 0.64

$$\frac{2\sqrt{2}\sqrt{\cos(c + dx)} \sqrt{\frac{a+b \cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} \left( (A - B) F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right) \middle| \frac{b-a}{a+b}\right) - 2B\pi\left(-1; -\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right) \middle| \frac{b-a}{a+b}\right) \right)}{d \sqrt{\cos(c + dx) \sec^2\left(\frac{1}{2}(c + dx)\right)} \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]), x]

[Out] (2\*Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))])\*((A - B)\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - 2\*B\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]))/(d\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]\*Sec[(c + d\*x)/2]^2])

**Maple [A]** time = 0.464, size = 197, normalized size = 0.9

$$2 \frac{(\sin(dx + c))^2}{d \sqrt{a + b \cos(dx + c)} (-1 + \cos(dx + c)) \sqrt{\cos(dx + c)}} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \sqrt{\frac{a + b \cos(dx + c)}{(a + b)(1 + \cos(dx + c))}} \left( A \text{EllipticF} \left( \frac{\sin(dx + c)}{\sqrt{1 + \cos(dx + c)}}, \frac{-a + b}{a + b} \right) - 2B \text{EllipticPi} \left( \frac{\sin(dx + c)}{\sqrt{1 + \cos(dx + c)}}, -1, \frac{-a + b}{a + b} \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(1/2), x)

[Out] 2/d\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/(a+b\*cos(d\*x+c))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)^2\*(A\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b)^(1/2))-B\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b)^(1/2))+2\*B\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c), -1, (-a-b)/(a+b)^(1/2)))/(-1+cos(d\*x+c))/cos(d\*x+c)^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/(sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}\sqrt{\cos(dx + c)}}{b \cos(dx + c)^2 + a \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(b\*cos(d\*x + c)^2 + a\*cos(d\*x + c)), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \cos(c + dx)}{\sqrt{a + b \cos(c + dx)}\sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))/(sqrt(a + b\*cos(c + d\*x))\*sqrt(cos(c + d\*x))), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a}\sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))), x)

$$3.423 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=230

$$\frac{2A(a-b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 2\sqrt{a+b}(A-B) \cot(c+dx)}{a^2 d}$$

[Out] (2\*A\*(a - b)\*Sqrt[a + b]\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a^2\*d) - (2\*Sqrt[a + b]\*(A - B)\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d))

**Rubi [A]** time = 0.31596, antiderivative size = 230, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$ , Rules used = {2998, 2816, 2994}

$$\frac{2A(a-b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) + 2\sqrt{a+b}(A-B) \cot(c+dx)}{a^2 d}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

[Out] (2\*A\*(a - b)\*Sqrt[a + b]\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a^2\*d) - (2\*Sqrt[a + b]\*(A - B)\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d))

#### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/(a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A

```

*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
    
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} dx = A \int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} dx + (-A + B) \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{2A(a - b) \sqrt{a + b} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a+b}{a+b}}}{a^2 d}$$

**Mathematica [A]** time = 12.8641, size = 299, normalized size = 1.3

$$2 \left( A \sin(c + dx)(a + b \cos(c + dx)) - \frac{2\sqrt{2} \cos^2\left(\frac{1}{2}(c+dx)\right)^{3/2} \left(-2a(A+B)\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \cos^2\left(\frac{1}{2}(c+dx)\right) \sqrt{\frac{a+b \cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{b}{a}\right)\right)}{ad \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} \right)$$

Antiderivative was successfully verified.

```

[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*Sqrt[a + b*Cos[c + d*x]]
),x]
    
```

```

[Out] (2*(A*(a + b*Cos[c + d*x])*Sin[c + d*x] - (2*Sqrt[2]*(Cos[(c + d*x)/2]^2)^(
3/2)*(2*A*(a + b)*Cos[(c + d*x)/2]^2*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x]])*
Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Ta
n[(c + d*x)/2]], (-a + b)/(a + b)] - 2*a*(A + B)*Cos[(c + d*x)/2]^2*Sqrt[Co
s[c + d*x]/(1 + Cos[c + d*x]])*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[
c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + A*Cos[c
 + d*x]*(a + b*Cos[c + d*x])*Tan[(c + d*x)/2]))/(1 + Cos[c + d*x])^(3/2)))/
(a*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])
    
```

**Maple [B]** time = 0.388, size = 935, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```

[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(1/2),x)
    
```

```

[Out] 2/d/(a+b*cos(d*x+c))^(1/2)*(-B*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)*(1/(a+b)*
(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),
(-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*a-2*B*(cos(d*x+c)/(1+cos(d*x+
c)))^(3/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+co
s(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a+A*(cos(d
*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)
*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(
d*x+c)^2*a+A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1
+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/
2))*sin(d*x+c)*cos(d*x+c)^2*b-A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*
    
```

$$\begin{aligned} & (a+b\cos(dx+c))/(1+\cos(dx+c))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), \\ & , (-a-b)/(a+b)^{1/2}) \sin(dx+c) \cos(dx+c)^2 a - B (\cos(dx+c)/(1+\cos(dx+c)))^{3/2} \\ & * (1/(a+b) * (a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), \\ & , (-a-b)/(a+b)^{1/2}) \sin(dx+c) * a + A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \\ & * (1/(a+b) * (a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), \\ & , (-a-b)/(a+b)^{1/2}) \sin(dx+c) \cos(dx+c) * a + A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \\ & * (1/(a+b) * (a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), \\ & , (-a-b)/(a+b)^{1/2}) \sin(dx+c) \cos(dx+c) * b - A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \\ & * (1/(a+b) * (a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), \\ & , (-a-b)/(a+b)^{1/2}) \sin(dx+c) \cos(dx+c) * a - A \cos(dx+c)^3 b - A \cos(dx+c)^2 a + A \cos(dx+c)^2 \\ & * b + A \cos(dx+c) * a / a / \cos(dx+c)^{3/2} / \sin(dx+c) \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx+c) + A}{\sqrt{b \cos(dx+c) + a} \cos(dx+c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)^(3/2)/(a+b\*cos(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(dx+c) + A)/(sqrt(b\*cos(dx+c) + a)\*cos(dx+c)^(3/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx+c) + A) \sqrt{b \cos(dx+c) + a} \sqrt{\cos(dx+c)}}{b \cos(dx+c)^3 + a \cos(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)^(3/2)/(a+b\*cos(dx+c))^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(dx+c) + A)\*sqrt(b\*cos(dx+c) + a)\*sqrt(cos(dx+c))/(b\*cos(dx+c)^3 + a\*cos(dx+c)^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \cos(c + dx)}{\sqrt{a + b \cos(c + dx)} \cos^2(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)\*\*(3/2)/(a+b\*cos(dx+c))\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + dx))/(sqrt(a + b\*cos(c + dx))\*cos(c + dx)\*\*(3/2)), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/(sqrt(b*cos(d*x + c) + a)*cos(d*x + c)^(3/2)), x)
```



$$3.424 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=290

$$\frac{2\sqrt{a+b}(a(A-3B)+2Ab) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{3a^2d} - \frac{2(a-b)\sqrt{a+b}}{3a^2d}$$

```
[Out] (-2*(a - b)*Sqrt[a + b]*(2*A*b - 3*a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^3*d) + (2*Sqrt[a + b]*(2*A*b + a*(A - 3*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^2*d) + (2*A*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3*a*d*Cos[c + d*x]^(3/2))
```

**Rubi [A]** time = 0.5236, antiderivative size = 290, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {3000, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b}(a(A-3B)+2Ab) \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{3a^2d} - \frac{2(a-b)\sqrt{a+b}}{3a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*Sqrt[a + b*Cos[c + d*x]]), x]
```

```
[Out] (-2*(a - b)*Sqrt[a + b]*(2*A*b - 3*a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^3*d) + (2*Sqrt[a + b]*(2*A*b + a*(A - 3*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^2*d) + (2*A*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3*a*d*Cos[c + d*x]^(3/2))
```

### Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
```

```
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_) + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_) + (f
_)*(x_)])], x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} dx = \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} + \frac{2 \int \frac{\frac{1}{2}(-2Ab + 3aB) + \frac{1}{2}aA \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} dx}{3a}$$

$$= \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{3ad \cos^{\frac{3}{2}}(c + dx)} + \frac{(2Ab + a(A - 3B)) \int \frac{1}{\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}}}{3a}$$

$$= -\frac{2(a - b)\sqrt{a + b}(2Ab - 3aB) \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b}\sqrt{\cos(c + dx)}}\right) \middle| -\frac{a + b}{a - b}\right) \sqrt{\frac{a(1 - \cos(c + dx))}{a + b \cos(c + dx)}}}{3a^3d}$$

**Mathematica [A]** time = 16.2928, size = 416, normalized size = 1.43

$$\frac{\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)} \left( \frac{2 \sec(c + dx)(3aB \sin(c + dx) - 2Ab \sin(c + dx))}{3a^2} + \frac{2A \tan(c + dx) \sec(c + dx)}{3a} \right)}{d} + \frac{8 \sqrt{\frac{\cos(c + dx)}{\cos(c + dx) + 1}} \cos^2\left(\frac{1}{2}(c + dx)\right)}{d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*Sqrt[a + b*Cos[c + d*x]
]), x]
```

```
[Out] (8*(Cos[(c + d*x)/2]^2)^(7/2)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[Co
s[c + d*x]*Sec[(c + d*x)/2]^2]*(-2*(a + b)*(-2*A*b + 3*a*B)*Sqrt[Cos[c + d*
x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]
))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(-2*A*b + a
*(A + 3*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])
/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)
```

$$\frac{1}{(a+b)} + \frac{(2Ab - 3a^2B)\cos[c+dx](a+b\cos[c+dx])\sec[c+dx]}{2^2 \tan^2\left(\frac{c+dx}{2}\right)} + \frac{\sqrt{\cos[c+dx]}\sqrt{a+b\cos[c+dx]}}{(3a^2 d \cos[c+dx])^{3/2} (1+\cos[c+dx])^{3/2}} + \frac{\sqrt{a+b\cos[c+dx]}}{(2\sec[c+dx](-2Ab\sin[c+dx] + 3a^2B\sin[c+dx]))^{3/2} + (2A\sec[c+dx]\tan[c+dx])^{3/2}} \Big/ d$$

**Maple [B]** time = 0.397, size = 1536, normalized size = 5.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] 
$$\begin{aligned} & -2/3/d * (-2A * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} \\ & * \cos(d*x+c)^2 * \sin(d*x+c) * a*b + 2*A * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \cos(d*x+c)^2 * \sin(d*x+c) * b^2 + A * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \cos(d*x+c)^2 * \sin(d*x+c) * a^2 - 3*B * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \sin(d*x+c) * \cos(d*x+c)^2 * a^2 + 3*B * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \sin(d*x+c) * \cos(d*x+c)^2 * a^2 + A * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \sin(d*x+c) * \cos(d*x+c)^2 * a^2 + 3*B * \cos(d*x+c)^3 * a*b - 3*B * \cos(d*x+c)^2 * a*b - 2*A * \cos(d*x+c)^2 * a*b + A * \cos(d*x+c) * a*b + A * \cos(d*x+c)^2 * a^2 - 3*B * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \cos(d*x+c)^2 * \sin(d*x+c) * a*b + 2*A * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * \cos(d*x+c)^2 * \sin(d*x+c) * a*b - 2*A * \cos(d*x+c)^3 * b^2 + 2*A * \cos(d*x+c)^2 * b^2 + 3*B * \cos(d*x+c)^2 * a^2 - 3*B * \cos(d*x+c) * a^2 + A * \cos(d*x+c)^3 * a*b + 2*A * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \sin(d*x+c) * \cos(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * a*b - 3*B * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * a*b - 2*A * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \sin(d*x+c) * \cos(d*x+c) * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * a*b - a^2 * A + 2*A * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * b^2 - 3*B * \sin(d*x+c) * \cos(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} * a^2 / (a+b * \cos(d*x+c))^{1/2} / a^2 / \sin(d*x+c) / \cos(d*x+c)^{3/2} \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx+c) + A}{\sqrt{b \cos(dx+c) + a} \cos(dx+c)^{5/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}\sqrt{\cos(dx + c)}}{b \cos(dx + c)^4 + a \cos(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(b\*cos(d\*x + c)^4 + a\*cos(d\*x + c)^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(sqrt(b\*cos(d\*x + c) + a)\*cos(d\*x + c)^(5/2)), x)

$$3.425 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{7}{2}}(c+dx)\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=363

$$\frac{2\sqrt{a+b}(a^2(9A-5B)-2ab(A+5B)+8Ab^2)\cot(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{15a^3d}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(9*a^2*A + 8*A*b^2 - 10*a*b*B)*Cot[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a +
b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x
]))/(a - b))]/(15*a^4*d) - (2*Sqrt[a + b]*(8*A*b^2 + a^2*(9*A - 5*B) - 2*a*
b*(A + 5*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a
+ b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))
/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(15*a^3*d) + (2*A*Sqrt[a +
b*Cos[c + d*x]]*Sin[c + d*x])/(5*a*d*Cos[c + d*x]^(5/2)) - (2*(4*A*b - 5*a*
B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(15*a^2*d*Cos[c + d*x]^(3/2))
```

**Rubi [A]** time = 0.862124, antiderivative size = 363, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3000, 3055, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b}(a^2(9A-5B)-2ab(A+5B)+8Ab^2)\cot(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{15a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(7/2)*Sqrt[a + b*Cos[c + d*x]]),x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(9*a^2*A + 8*A*b^2 - 10*a*b*B)*Cot[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a +
b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x
]))/(a - b))]/(15*a^4*d) - (2*Sqrt[a + b]*(8*A*b^2 + a^2*(9*A - 5*B) - 2*a*
b*(A + 5*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a
+ b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))
/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(15*a^3*d) + (2*A*Sqrt[a +
b*Cos[c + d*x]]*Sin[c + d*x])/(5*a*d*Cos[c + d*x]^(5/2)) - (2*(4*A*b - 5*a*
B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(15*a^2*d*Cos[c + d*x]^(3/2))
```

### Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

### Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

### Rule 2998

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Ssin[
e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]

```

### Rule 2816

```

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[Arc
Sin[Sqrt[a + b*Ssin[e + f*x]]/(Sqrt[d*Ssin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]

```

### Rule 2994

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Ssin[e + f
*x]]/(Sqrt[b*Ssin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]

```

### Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{7}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} dx = \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5ad \cos^{\frac{5}{2}}(c + dx)} + \frac{2 \int \frac{\frac{1}{2}(-4Ab + 5aB) + \frac{3}{2}aA \cos(c + dx) + Ab \cos^2(c + dx)}{\cos^{\frac{5}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} dx}{5a}$$

$$= \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5ad \cos^{\frac{5}{2}}(c + dx)} - \frac{2(4Ab - 5aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15a^2d \cos^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2A\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{5ad \cos^{\frac{5}{2}}(c + dx)} - \frac{2(4Ab - 5aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{15a^2d \cos^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2(a - b)\sqrt{a + b} (9a^2A + 8Ab^2 - 10abB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right)\right)}{15a^4d}$$

**Mathematica [C]** time = 6.38858, size = 1319, normalized size = 3.63

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(7/2)\*Sqrt[a + b\*Cos[c + d\*x]]), x]

[Out] -((-4\*a\*(7\*a^2\*A\*b + 8\*A\*b^3 - 5\*a^3\*B - 10\*a\*b^2\*B)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 4\*a\*(9\*a^3\*A + 8\*a\*A\*b^2 - 10\*a^2\*b\*B)\*((Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 2\*(9\*a^2\*A\*b + 8\*A\*b^3 - 10\*a\*b^2\*B)\*((I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b)]) + (2\*a\*((a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])))/b + (Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(b\*Sqrt[Cos[c + d\*x]])))/(15\*a^3\*d) + (Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*((2\*Sec[c + d\*x]^2\*(-4\*A\*b\*Sin[c + d\*x] + 5\*a\*B\*Sin[c + d\*x]))/(15\*a^2) + (2\*Sec[c + d\*x]\*(9\*a^2\*A\*Sin[c + d\*x] + 8\*A\*b^2\*Sin[c + d\*x] - 10\*a\*b\*B\*Sin[c + d\*x]))/(15\*a^3

) + (2\*A\*Sec[c + d\*x]^2\*Tan[c + d\*x]/(5\*a))/d

**Maple [B]** time = 0.467, size = 2480, normalized size = 6.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(7/2)/(a+b\*cos(d\*x+c))^(1/2), x)

[Out] 
$$-2/15/d*(-3*A*a^3-10*B*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*a^2*b+10*B*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*a^2*b+10*B*\sin(d*x+c)*\cos(d*x+c)^2*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*a*b^2+2*A*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*a^2*b+8*A*\sin(d*x+c)*\cos(d*x+c)^3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2-9*A*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*a^2*b-8*A*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*a*b^2-10*B*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*a^2*b+10*B*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*a^2*b+10*B*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*a*b^2+2*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b+8*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2-9*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b-8*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2-10*A*\cos(d*x+c)^3*a^2*b+9*A*\cos(d*x+c)^4*a^2*b-4*A*\cos(d*x+c)^4*a*b^2+5*B*\cos(d*x+c)^4*a^2*b+10*B*\cos(d*x+c)^3*a*b^2+8*A*\cos(d*x+c)^3*a*b^2-4*A*\cos(d*x+c)^2*a*b^2+A*\cos(d*x+c)*a^2*b-10*B*\cos(d*x+c)^4*a*b^2-10*B*\cos(d*x+c)^3*a^2*b+5*B*\cos(d*x+c)^2*a^2*b+5*B*\cos(d*x+c)^3*a^3+9*A*\cos(d*x+c)^3*a^3-8*A*\cos(d*x+c)^3*b^3-6*A*\cos(d*x+c)^2*a^3+8*A*\cos(d*x+c)^4*b^3-5*B*\cos(d*x+c)*a^3+9*A*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*a^3-9*A*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*a^3-8*A*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*b^3+5*B*\sin(d*x+c)*\cos(d*x+c)^3*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d$$



$$\begin{aligned} & *x+c))^{1/2} * a^3 + 9 * A * \sin(dx+c) * \cos(dx+c)^2 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \\ & * (1/(a+b) * (a+b * \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), \\ & (-a-b)/(a+b))^{1/2}) * a^3 - 9 * A * \sin(dx+c) * \cos(dx+c)^2 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \\ & * (1/(a+b) * (a+b * \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), \\ & (-a-b)/(a+b))^{1/2}) * a^3 - 8 * A * \sin(dx+c) * \cos(dx+c)^2 * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \\ & * (1/(a+b) * (a+b * \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), \\ & (-a-b)/(a+b))^{1/2}) * b^3 + 5 * B * \sin(dx+c) * \cos(dx+c)^2 * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), \\ & (-a-b)/(a+b))^{1/2}) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1+\cos(dx+c)))^{1/2} \\ & * a^3 / (a+b * \cos(dx+c))^{1/2} / a^3 / \sin(dx+c) / \cos(dx+c)^{5/2} \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx+c) + A}{\sqrt{b \cos(dx+c) + a} \cos(dx+c)^{7/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)^(7/2)/(a+b\*cos(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(dx+c) + A)/(sqrt(b\*cos(dx+c) + a)\*cos(dx+c)^(7/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx+c) + A) \sqrt{b \cos(dx+c) + a} \sqrt{\cos(dx+c)}}{b \cos(dx+c)^5 + a \cos(dx+c)^4}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)^(7/2)/(a+b\*cos(dx+c))^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(dx+c) + A)\*sqrt(b\*cos(dx+c) + a)\*sqrt(cos(dx+c))/(b\*cos(dx+c)^5 + a\*cos(dx+c)^4), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)\*\*(7/2)/(a+b\*cos(dx+c))\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \cos(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(7/2)/(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/(sqrt(b*cos(d*x + c) + a)*cos(d*x + c)^(7/2)), x)
```

**3.426** 
$$\int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=500

$$\frac{(-3a^2B + 2aAb + b^2B) \sin(c + dx)\sqrt{a + b \cos(c + dx)}}{b^2d(a^2 - b^2)\sqrt{\cos(c + dx)}} + \frac{2a(Ab - aB) \sin(c + dx)\sqrt{\cos(c + dx)}}{bd(a^2 - b^2)\sqrt{a + b \cos(c + dx)}} + \frac{(-3a^2B + 2aAb + b^2B) \sin(c + dx)\sqrt{a + b \cos(c + dx)}}{b^2d(a^2 - b^2)\sqrt{\cos(c + dx)}}$$

```
[Out] ((2*a*A*b - 3*a^2*B + b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*b^2*Sqrt[a + b]*d) - ((2*A*b - (3*a + b)*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^2*Sqrt[a + b]*d) - (Sqrt[a + b]*(2*A*b - 3*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^3*d) + (2*a*(A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) - ((2*a*A*b - 3*a^2*B + b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b^2*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]])]
```

**Rubi [A]** time = 1.28697, antiderivative size = 500, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2989, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(-3a^2B + 2aAb + b^2B) \sin(c + dx)\sqrt{a + b \cos(c + dx)}}{b^2d(a^2 - b^2)\sqrt{\cos(c + dx)}} + \frac{2a(Ab - aB) \sin(c + dx)\sqrt{\cos(c + dx)}}{bd(a^2 - b^2)\sqrt{a + b \cos(c + dx)}} + \frac{(-3a^2B + 2aAb + b^2B) \sin(c + dx)\sqrt{a + b \cos(c + dx)}}{b^2d(a^2 - b^2)\sqrt{\cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] ((2*a*A*b - 3*a^2*B + b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*b^2*Sqrt[a + b]*d) - ((2*A*b - (3*a + b)*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^2*Sqrt[a + b]*d) - (Sqrt[a + b]*(2*A*b - 3*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^3*d) + (2*a*(A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) - ((2*a*A*b - 3*a^2*B + b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b^2*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]])]
```

**Rule 2989**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
```

```
) *Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

### Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Ssin[e + f*x
]])/(d*f*Sqrt[a + b*Ssin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*
c + a*d))*Sin[e + f*x]^2, x])/(a + b*Ssin[e + f*x])^(3/2)*Sqrt[c + d*Ssin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_.)])), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Ssin[e + f*x]]/
Sqrt[c + d*Ssin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C))*Sin[e + f*x]/((a + b*Ssin[e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_.)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Ssin[e + f*x]]/(Sqrt[b*Ssin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_.)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :=
Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Ssin[
e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_.)])), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[Arc
Sin[Sqrt[a + b*Ssin[e + f*x]]/(Sqrt[d*Ssin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

### Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((b_.)*sin[(e_.) + (f_.)*(x_.)]
```

```
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rubi steps

$$\int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^{3/2}} dx = \frac{2a(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{b(a^2 - b^2)d\sqrt{a + b \cos(c + dx)}} - \frac{2 \int \frac{-\frac{1}{2}a(Ab - aB) + \frac{1}{2}b(Ab - aB) \cos(c + dx) + \frac{1}{2}(A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}} dx}{b(a^2 - b^2)}$$

$$= \frac{2a(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{b(a^2 - b^2)d\sqrt{a + b \cos(c + dx)}} - \frac{(2aAb - 3a^2B + b^2B)\sqrt{a + b \cos(c + dx)}}{b^2(a^2 - b^2)d\sqrt{\cos(c + dx)}}$$

$$= \frac{2a(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{b(a^2 - b^2)d\sqrt{a + b \cos(c + dx)}} - \frac{(2aAb - 3a^2B + b^2B)\sqrt{a + b \cos(c + dx)}}{b^2(a^2 - b^2)d\sqrt{\cos(c + dx)}}$$

$$= -\frac{\sqrt{a + b}(2Ab - 3aB) \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a}{a+b}}}{b^3 d}$$

$$= \frac{(2aAb - 3a^2B + b^2B) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1 - \sec^2(c + dx))}{a+b}}}{ab^2 \sqrt{a + b} d}$$

**Mathematica [C]** time = 6.39673, size = 1234, normalized size = 2.47

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Cos[c + d*x]^(3/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (2*Sqrt[Cos[c + d*x]]*(-(a*A*b*Sin[c + d*x]) + a^2*B*Sin[c + d*x]))/(b*(-a^2 + b^2)*d*Sqrt[a + b*Cos[c + d*x]]) + (((-4*a*(a^2*B - b^2*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(-2*A*b^2 + 2*a*b*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(-2*a*A*b + 3*a^2*B - b^2*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*(
```

$$\begin{aligned} & (a*\sqrt{((a + b)*\cot[(c + d*x)/2]^2)/(-a + b)}*\sqrt{-(((a + b)*\cos[c + d*x] \\ & * \csc[(c + d*x)/2]^2)/a})*\sqrt{((a + b*\cos[c + d*x])* \csc[(c + d*x)/2]^2)/a} \\ & * \csc[c + d*x]*\text{EllipticF}[\text{ArcSin}[\sqrt{((a + b*\cos[c + d*x])* \csc[(c + d*x)/2]^2) \\ & )/a}/\sqrt{2}], (-2*a)/(-a + b)]*\sin[(c + d*x)/2]^4/((a + b)*\sqrt{\cos[c + d \\ & *x]}*\sqrt{a + b*\cos[c + d*x]}) - (a*\sqrt{((a + b)*\cot[(c + d*x)/2]^2)/(-a + \\ & b)}*\sqrt{-(((a + b)*\cos[c + d*x])* \csc[(c + d*x)/2]^2)/a})*\sqrt{((a + b*\cos[ \\ & c + d*x])* \csc[(c + d*x)/2]^2)/a}*\csc[c + d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[\sqrt{ \\ & ((a + b*\cos[c + d*x])* \csc[(c + d*x)/2]^2)/a}/\sqrt{2}], (-2*a)/(-a + b)]* \sin \\ & [(c + d*x)/2]^4/(b*\sqrt{\cos[c + d*x]}*\sqrt{a + b*\cos[c + d*x]})))/b + (\sqrt{a + b*\cos[c + d*x]}* \\ & \sin[c + d*x])/(b*\sqrt{\cos[c + d*x]})))/(2*(a - b)*b \\ & *(a + b)*d) \end{aligned}$$

**Maple [B]** time = 0.427, size = 2881, normalized size = 5.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (\cos(dx+c)^{3/2}*(A+B*\cos(dx+c))/(a+b*\cos(dx+c))^{3/2}, x)$

[Out]  $\frac{1}{d}(-4A*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)* \\ (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c) \\ ), -1, (-a-b)/(a+b))^{1/2})*a^2*b-2A*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(1+c \\ \cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF} \\ ((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b^2+2A*\cos(dx+c)*\sin( \\ dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(d \\ *x+c)))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^ \\ 2*b+2A*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a \\ +b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), ( \\ -a-b)/(a+b))^{1/2})*a*b^2-6B*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx \\ +c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticPi}((-1+ \\ \cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2})*a*b^2+2B*\cos(dx+c)*\sin(dx \\ x+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx \\ +c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^2* \\ b+2B*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b \\ *\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (- \\ a-b)/(a+b))^{1/2})*a*b^2-3B*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+x \\ c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticE}((-1+\cos \\ (dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^2*b+B*\cos(dx+c)*\sin(dx+c)*(co \\ s(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} \\ * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b^2+2A*\cos \\ (dx+c)^2*a^2*b-2A*\cos(dx+c)^2*a*b^2-2A*\cos(dx+c)*a^2*b+2A*\cos(dx+c) \\ *a*b^2-B*\cos(dx+c)^3*a^2*b+3B*\cos(dx+c)^2*a^2*b+B*\cos(dx+c)^2*a*b^2-2B \\ *\cos(dx+c)*a^2*b-B*\cos(dx+c)*a*b^2+B*\cos(dx+c)^3*b^3-3B*\cos(dx+c)^2*a^ \\ 3-B*\cos(dx+c)^2*b^3+3B*\cos(dx+c)*a^3-3B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(d \\ *x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticE}((-1 \\ +\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^2*b+B*\sin(dx+c)*(\cos(dx+c \\ )/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{Ell \\ ipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b^2+4A*\cos(dx+c) \\ *\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1 \\ +\cos(dx+c)))^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b)) \\ ^{1/2})*b^3-2A*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/ \\ (a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticF}((-1+\cos(dx+c))/\sin( \\ dx+c), (-a-b)/(a+b))^{1/2})*b^3+6B*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(1+c \\ \cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticP} \\ i((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2})*a^3-3B*\cos(dx+c)*\sin \\ (dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos$

$$\begin{aligned} & (d*x+c))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) * \\ & a^3 + B * \cos(d*x+c) * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b \\ & * \cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (- \\ & a-b)/(a+b))^{1/2}) * b^3 - 4 * A * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/ \\ & (a+b) * (a+b * \cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin \\ & (d*x+c), -1, (-a-b)/(a+b))^{1/2}) * a^2 * b - 2 * A * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d* \\ & x+c)))^{1/2} * (1/(a+b) * (a+b * \cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticF}((-1+ \\ & \cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) * a * b^2 + 2 * A * \sin(d*x+c) * (\cos(d*x+ \\ & c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b * \cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{El \\ & lipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) * a^2 * b + 2 * A * \sin(d*x+ \\ & c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b * \cos(d*x+c))/(1+\cos(d*x+c) \\ & ))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) * a * b^2 - \\ & 6 * B * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b * \cos(d*x+c))/ \\ & (1+\cos(d*x+c)))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b) \\ & ))^{1/2}) * a * b^2 + 2 * B * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * ( \\ & a+b * \cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\ & (-a-b)/(a+b))^{1/2}) * a^2 * b + 2 * B * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} \\ & ) * (1/(a+b) * (a+b * \cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c)) \\ & / \sin(d*x+c), (-a-b)/(a+b))^{1/2}) * a * b^2 + 4 * A * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d \\ & *x+c)))^{1/2} * (1/(a+b) * (a+b * \cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticPi}((- \\ & 1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2}) * b^3 - 2 * A * \sin(d*x+c) * (\cos(d \\ & *x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b * \cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} \\ & * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) * b^3 + 6 * B * \sin(d*x \\ & +c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b * \cos(d*x+c))/(1+\cos(d*x+ \\ & c)))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2}) * a \\ & ^3 - 3 * B * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b * \cos(d*x+c) \\ & )) / (1+\cos(d*x+c))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b) \\ & )^{1/2}) * a^3 + B * \sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b * c \\ & os(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a- \\ & b)/(a+b))^{1/2}) * b^3 / (a+b * \cos(d*x+c))^{1/2} / \sin(d*x+c) / b^2 / (a^2 - b^2) / \cos(d \\ & *x+c)^{1/2} \end{aligned}$$


---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2),x, algor  
ithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^(3/2), x)

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2),x, algor  
ithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*(3/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^(3/2), x)



$$3.427 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=416

$$\frac{2a(Ab - aB) \sin(c + dx)}{bd(a^2 - b^2) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{abd \sqrt{a + b}}$$

```
[Out] (-2*(A*b - a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*b*Sqrt[a + b]*d) + (2*(A*b - a*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*b*Sqrt[a + b]*d) - (2*Sqrt[a + b]*B*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^2*d) + (2*a*(A*b - a*B)*Sin[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])
```

**Rubi [A]** time = 0.61189, antiderivative size = 416, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2992, 2809, 2794, 2795, 2816, 2994}

$$\frac{2a(Ab - aB) \sin(c + dx)}{bd(a^2 - b^2) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{abd \sqrt{a + b}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (-2*(A*b - a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*b*Sqrt[a + b]*d) + (2*(A*b - a*B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*b*Sqrt[a + b]*d) - (2*Sqrt[a + b]*B*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^2*d) + (2*a*(A*b - a*B)*Sin[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])
```

#### Rule 2992

```
Int[(((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])]/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2), x_Symbol] := Dist[B/b, Int[Sqrt[c + d*Sin[e + f*x]]/Sqrt[a + b*Sin[e + f*x]], x], x] + Dist[(A*b - a*B)/b, Int[Sqrt[c + d*Sin[e + f*x]]/(a + b*Sin[e + f*x])^(3/2), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

#### Rule 2794

```
Int[Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]/((a_) + (b_.)*sin[(e_.) + (f_.)*(x_
)]^(3/2), x_Symbol] :> Simp[(-2*a*d*Cos[e + f*x])/(f*(a^2 - b^2)*Sqrt[a +
b*Sin[e + f*x]]*Sqrt[d*Sin[e + f*x]]), x] - Dist[d^2/(a^2 - b^2), Int[Sqrt[
a + b*Sin[e + f*x]]/(d*Sin[e + f*x])^(3/2), x], x] /; FreeQ[{a, b, d, e, f}
, x] && NeQ[a^2 - b^2, 0]
```

#### Rule 2795

```
Int[Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]/((a_.) + (b_.)*sin[(e_.) + (
f_.)*(x_)])^(3/2), x_Symbol] :> Dist[(c - d)/(a - b), Int[1/(Sqrt[a + b*Sin
[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(b*c - a*d)/(a - b), In
t[(1 + Sin[e + f*x])/(a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]],
x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b
^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

#### Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

#### Rubi steps

$$\int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{(a+b\cos(c+dx))^{3/2}} dx = \frac{B \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a+b\cos(c+dx)}} dx}{b} + \frac{(Ab-aB) \int \frac{\sqrt{\cos(c+dx)}}{(a+b\cos(c+dx))^{3/2}} dx}{b}$$

$$= -\frac{2\sqrt{a+b}B \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{b^2 d}$$

$$= -\frac{2\sqrt{a+b}B \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{b^2 d}$$

$$= -\frac{2(Ab-aB) \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a+b}{ab\sqrt{a+bd}}}}{ab\sqrt{a+bd}}$$

**Mathematica [C]** time = 17.9859, size = 1012, normalized size = 2.43

$$\frac{2\sqrt{\cos(c+dx)}(aB \sin(c+dx) - Ab \sin(c+dx))}{(a^2 - b^2) d \sqrt{a+b\cos(c+dx)}} - \frac{2(Ab - aB) \left( \frac{i \cos\left(\frac{1}{2}(c+dx)\right) \sqrt{a+b\cos(c+dx)} E\left(i \sinh^{-1}\left(\frac{\sin\left(\frac{1}{2}(c+dx)\right)}{\sqrt{\cos(c+dx)}}\right) \middle| -\frac{2a}{-a-b}\right) \sec(c+dx)}{b \sqrt{\cos^2\left(\frac{1}{2}(c+dx)\right) \sec(c+dx)} \sqrt{\frac{(a+b\cos(c+dx)) \sec(c+dx)}{a+b}}}\right)}{1}$$

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (2*Sqrt[Cos[c + d*x]]*(-(A*b*Sin[c + d*x]) + a*B*Sin[c + d*x]))/((a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) - (-4*a*(a*A - b*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(A*b - a*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[(a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[(a + b
```

$$\frac{\cos(c+dx) \operatorname{Csc}\left(\frac{c+dx}{2}\right)^2/a/\sqrt{2}}{(-2a)/(-a+b) \sin\left(\frac{c+dx}{2}\right)^4/(b\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)})} + \frac{\sqrt{a+b\cos(c+dx)} \sin(c+dx)/(b\sqrt{\cos(c+dx)})}{((-a+b)(a+b)d)}$$

**Maple [B]** time = 0.411, size = 2013, normalized size = 4.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (\cos(dx+c)^{1/2} (A+B\cos(dx+c)) / (a+b\cos(dx+c))^{3/2}, x)$

[Out] 
$$\begin{aligned} & -2/d/(a+b\cos(dx+c))^{1/2} (A\cos(dx+c)b^2+B\cos(dx+c)^2a^2b-B\cos(dx+c) \\ & a^2b+A\cos(dx+c)^2a^2b-A\cos(dx+c)a^2b-A\cos(dx+c)^2b^2-B\cos(dx+c) \\ & 2a^2+B\cos(dx+c)a^2+A(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b)(a+b\cos \\ & (dx+c)/(1+\cos(dx+c)))^{1/2} \sin(dx+c)\cos(dx+c)\operatorname{EllipticE}((-1+\cos(dx+c))/ \\ & \sin(dx+c), (-a-b)/(a+b))^{1/2})a^2b+B\sin(dx+c)\cos(dx+c)(\cos(dx+c) \\ & (1+\cos(dx+c)))^{1/2} (1/(a+b)(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2} \operatorname{El} \\ & \operatorname{lipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})a^2b-B\sin(dx+c)\cos \\ & (dx+c)(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b)(a+b\cos(dx+c))/(1+\cos \\ & (dx+c)))^{1/2} \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \\ & a^2b-A(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b)(a+b\cos(dx+c))/(1+\cos \\ & (dx+c)))^{1/2} \sin(dx+c)\cos(dx+c)\operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (- \\ & (a-b)/(a+b))^{1/2})a^2b-A(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b)(a+b\cos \\ & (dx+c))/(1+\cos(dx+c)))^{1/2} \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b) \\ & (a+b))^{1/2})\sin(dx+c)\cos(dx+c)b^2+A\sin(dx+c)\cos(dx+c)(\cos(dx+c) \\ & (1+\cos(dx+c)))^{1/2} (1/(a+b)(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2} \operatorname{E} \\ & \operatorname{llipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})b^2+B\sin(dx+c)\cos \\ & (dx+c)(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b)(a+b\cos(dx+c))/(1+\cos \\ & (dx+c)))^{1/2} \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \\ & b^2+2B\sin(dx+c)\cos(dx+c)(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b) \\ & (a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2} \operatorname{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c) \\ & ), -1, (-a-b)/(a+b))^{1/2})a^2-2B\sin(dx+c)\cos(dx+c)(\cos(dx+c)/(1+\cos \\ & (dx+c)))^{1/2} (1/(a+b)(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2} \operatorname{EllipticPi} \\ & ((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2})b^2-B\sin(dx+c)\cos(dx+c) \\ & (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b)(a+b\cos(dx+c))/(1+\cos(dx+c) \\ & (dx+c)))^{1/2} \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})a^2- \\ & A\sin(dx+c)(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b)(a+b\cos(dx+c))/(1 \\ & +\cos(dx+c)))^{1/2} \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \\ & a^2b+A\sin(dx+c)(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b)(a+b\cos(dx+c) \\ & (dx+c))/(1+\cos(dx+c)))^{1/2} \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a \\ & +b))^{1/2})a^2b+B\sin(dx+c)(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b)(a+b \\ & \cos(dx+c))/(1+\cos(dx+c)))^{1/2} \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (- \\ & (a-b)/(a+b))^{1/2})a^2b-B\sin(dx+c)(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/( \\ & a+b)(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2} \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c) \\ & ), (-a-b)/(a+b))^{1/2})a^2b+A(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b) \\ & (a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2} \sin(dx+c)\operatorname{EllipticE}((-1+\cos(dx+c) \\ & ))/\sin(dx+c), (-a-b)/(a+b))^{1/2})b^2+B\sin(dx+c)(\cos(dx+c)/(1+\cos(dx+c) \\ & (dx+c)))^{1/2} (1/(a+b)(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2} \operatorname{EllipticF}((-1+c \\ & \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})b^2+2B\sin(dx+c)(\cos(dx+c)/ \\ & (1+\cos(dx+c)))^{1/2} (1/(a+b)(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2} \operatorname{Ellip} \\ & \operatorname{ticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2})a^2-2B\sin(dx+c) \\ & (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b)(a+b\cos(dx+c))/(1+\cos(dx+c) \\ & (dx+c)))^{1/2} \operatorname{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2})b^2 \\ & -B\sin(dx+c)(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b)(a+b\cos(dx+c))/( \\ & 1+\cos(dx+c)))^{1/2} \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \\ & a^2-A(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b)(a+b\cos(dx+c))/(1+c \end{aligned}$$

$\cos(dx+c)^{1/2} \cdot \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-a-b}{a+b}\right)^{1/2}\right) \cdot \sin(dx+c) \cdot b^2 / \sin(dx+c) / b / (a^2 - b^2) / \cos(dx+c)^{1/2}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx+c) + A) \sqrt{\cos(dx+c)}}{(b \cos(dx+c) + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(1/2)\*(A+B\*cos(dx+c))/(a+b\*cos(dx+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(dx+c) + A)\*sqrt(cos(dx+c))/(b\*cos(dx+c) + a)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx+c) + A) \sqrt{b \cos(dx+c) + a} \sqrt{\cos(dx+c)}}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(1/2)\*(A+B\*cos(dx+c))/(a+b\*cos(dx+c))^(3/2),x, algorithm="fricas")

[Out] integral((B\*cos(dx+c) + A)\*sqrt(b\*cos(dx+c) + a)\*sqrt(cos(dx+c))/(b^2\*cos(dx+c)^2 + 2\*a\*b\*cos(dx+c) + a^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\cos(c + dx)}}{(a + b \cos(c + dx))^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)\*\*(1/2)\*(A+B\*cos(dx+c))/(a+b\*cos(dx+c))\*\*(3/2),x)

[Out] Integral((A + B\*cos(c + dx))\*sqrt(cos(c + dx))/(a + b\*cos(c + dx))\*\*(3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx+c) + A) \sqrt{\cos(dx+c)}}{(b \cos(dx+c) + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(cos(d*x + c))/(b*cos(d*x + c) + a)^(3/2), x)
```

$$3.428 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=284

$$\frac{2(Ab - aB) \sin(c + dx)}{d(a^2 - b^2) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}} E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}}\right)\right)}{a^2 d \sqrt{a + b}}$$

```
[Out] (2*(A*b - a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(a^2*Sqrt[a + b]*d) + (2*(A + B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(a*Sqrt[a + b]*d) - (2*(A*b - a*B)*Sin[c + d*x])/((a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])
```

**Rubi [A]** time = 0.511618, antiderivative size = 284, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2993, 2998, 2816, 2994}

$$\frac{2(Ab - aB) \sin(c + dx)}{d(a^2 - b^2) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}} E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}}\right)\right)}{a^2 d \sqrt{a + b}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2)), x]
```

```
[Out] (2*(A*b - a*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(a^2*Sqrt[a + b]*d) + (2*(A + B)*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(a*Sqrt[a + b]*d) - (2*(A*b - a*B)*Sin[c + d*x])/((a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])
```

#### Rule 2993

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)), x_Symbol] :> Simp[(2*(A*b - a*B)*Cos[e + f*x])/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin[e + f*x]]), x] + Dist[d/(a^2 - b^2), Int[(A*b - a*B + (a*A - b*B)*Sin[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*(d*Sin[e + f*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]
```

#### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/(a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

&& NeQ[A, B]

Rule 2816

Int[1/(Sqrt[(d\_)\*sin[(e\_)+(f\_)\*(x\_)])]\*Sqrt[(a\_)+(b\_)\*sin[(e\_)+(f\_)\*(x\_)])], x\_Symbol] :> Simp[(-2\*Tan[e+f\*x]\*Rt[(a+b)/d, 2]\*Sqrt[(a\*(1-Csc[e+f\*x]))/(a+b)]\*Sqrt[(a\*(1+Csc[e+f\*x]))/(a-b)]\*EllipticF[ArcSin[Sqrt[a+b\*Sin[e+f\*x]]/(Sqrt[d\*Sin[e+f\*x]]\*Rt[(a+b)/d, 2])], -(a+b)/(a-b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2-b^2, 0] && PosQ[(a+b)/d]

Rule 2994

Int[((A\_)+(B\_)\*sin[(e\_)+(f\_)\*(x\_)])/(((b\_)\*sin[(e\_)+(f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_)+(d\_)\*sin[(e\_)+(f\_)\*(x\_)])], x\_Symbol] :> Simp[(-2\*A\*(c-d)\*Tan[e+f\*x]\*Rt[(c+d)/b, 2]\*Sqrt[(c\*(1+Csc[e+f\*x]))/(c-d)]\*Sqrt[(c\*(1-Csc[e+f\*x]))/(c+d)]\*EllipticE[ArcSin[Sqrt[c+d\*Sin[e+f\*x]]/(Sqrt[b\*Sin[e+f\*x]]\*Rt[(c+d)/b, 2])], -(c+d)/(c-d)]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2-d^2, 0] && EqQ[A, B] && PosQ[(c+d)/b]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{3/2}} dx = -\frac{2(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{\int \frac{Ab - aB + (aA - bB) \cos(c + dx)}{\cos^3(c + dx) \sqrt{a + b \cos(c + dx)}} dx}{a^2 - b^2}$$

$$= -\frac{2(Ab - aB) \sin(c + dx)}{(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{(A + B) \int \frac{1}{\sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}}{a + b}$$

$$= \frac{2(Ab - aB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right) \middle| -\frac{a + b}{a - b}\right) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{a(1 + \sec(c + dx))}}{a^2 \sqrt{a + b} d}$$

**Mathematica [C]** time = 6.3602, size = 1223, normalized size = 4.31

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^(3/2)), x]

[Out] (-2\*Sqrt[Cos[c + d\*x]]\*(-(A\*b^2\*Sin[c + d\*x]) + a\*b\*B\*Sin[c + d\*x]))/(a\*(a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]]) + ((-4\*a\*(a^2\*A - A\*b^2)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (c + d\*x)/2], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 4\*a\*(-(a\*A\*b) + a^2\*B)\*((Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[(a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (c + d\*x)/2], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c



$$\begin{aligned}
& + d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[(a + b*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2)/a]/\text{Sqrt}[2]], (-2*a)/(-a + b)]*\text{Sin}[(c + d*x)/2]^4)/(b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + 2*(-(A*b^2) + a*b*B)*((I*\text{Cos}[(c + d*x)/2]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[I*\text{ArcSinh}[\text{Sin}[(c + d*x)/2]/\text{Sqrt}[\text{Cos}[c + d*x]]], (-2*a)/(-a - b)]*\text{Sec}[c + d*x])/(b*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])* \text{Sec}[c + d*x])/(a + b)]) + (2*a*((a*\text{Sqrt}[(a + b)*\text{Cot}[(c + d*x)/2]^2)/(-a + b)]*\text{Sqrt}[-((a + b)*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2)/a]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2)/a]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(a + b*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2)/a]/\text{Sqrt}[2]], (-2*a)/(-a + b)]*\text{Sin}[(c + d*x)/2]^4)/((a + b)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (a*\text{Sqrt}[(a + b)*\text{Cot}[(c + d*x)/2]^2)/(-a + b)]*\text{Sqrt}[-((a + b)*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2)/a]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2)/a]*\text{Csc}[c + d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[(a + b*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2)/a]/\text{Sqrt}[2]], (-2*a)/(-a + b)]*\text{Sin}[(c + d*x)/2]^4)/(b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])))/b + (\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(b*\text{Sqrt}[\text{Cos}[c + d*x]])))/(a*(a - b)*(a + b)*d)
\end{aligned}$$

**Maple [B]** time = 0.475, size = 1633, normalized size = 5.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (A+B*\cos(dx+c))/\cos(dx+c)^{(1/2)}/(a+b*\cos(dx+c))^{(3/2)}, x$

[Out]  $2/d/(a+b*\cos(dx+c))^{(1/2)}*(A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\sin(dx+c)*\cos(dx+c)*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a*b+A*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*b^2-A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*\cos(dx+c)*\sin(dx+c)*a^2-A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\sin(dx+c)*\cos(dx+c)*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a*b-B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^2-B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a*b+B*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*\cos(dx+c)*\sin(dx+c)*a^2+B*\sin(dx+c)*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a*b+A*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a*b+A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\sin(dx+c)*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*b^2-A*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^2-A*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a*b-B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^2-B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a*b+B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))$

$$\frac{1}{(1+\cos(dx+c))^{1/2}} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b}\right)^{1/2} a^2 + B \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} \frac{1}{a+b} (a+b \cos(dx+c))^{1/2} \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{a+b}\right)^{1/2} a^2 + A \cos(dx+c)^2 a^2 b - A \cos(dx+c)^2 b^2 - B \cos(dx+c)^2 a^2 + B \cos(dx+c)^2 a^2 b - A \cos(dx+c) a^2 b + A \cos(dx+c) b^2 + B \cos(dx+c) a^2 - B \cos(dx+c) a^2 b / (a^2 - b^2) / a / \sin(dx+c) / \cos(dx+c)^{1/2}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx+c) + A}{(b \cos(dx+c) + a)^{3/2} \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)^(1/2)/(a+b\*cos(dx+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(dx+c) + A)/((b\*cos(dx+c) + a)^(3/2)\*sqrt(cos(dx+c))), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx+c) + A) \sqrt{b \cos(dx+c) + a} \sqrt{\cos(dx+c)}}{b^2 \cos(dx+c)^3 + 2ab \cos(dx+c)^2 + a^2 \cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)^(1/2)/(a+b\*cos(dx+c))^(3/2),x, algorithm="fricas")

[Out] integral((B\*cos(dx+c) + A)\*sqrt(b\*cos(dx+c) + a)\*sqrt(cos(dx+c))/(b^2\*cos(dx+c)^3 + 2\*a\*b\*cos(dx+c)^2 + a^2\*cos(dx+c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)\*\*(1/2)/(a+b\*cos(dx+c))\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx+c) + A}{(b \cos(dx+c) + a)^{3/2} \sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c))), x)
```

$$3.429 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=305

$$\frac{2b(Ab - aB) \sin(c + dx)}{ad(a^2 - b^2) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{2(a^2A + abB - 2Ab^2) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E(\sin^{-1}(\dots))}{a^3d\sqrt{a+b}}$$

[Out] (2\*(a^2\*A - 2\*A\*b^2 + a\*b\*B)\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a^3\*Sqrt[a + b]\*d) - (2\*(2\*A\*b + a\*(A - B))\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a^2\*Sqrt[a + b]\*d) + (2\*b\*(A\*b - a\*B)\*Sin[c + d\*x])/(a\*(a^2 - b^2)\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])

**Rubi [A]** time = 0.61453, antiderivative size = 305, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {3000, 2998, 2816, 2994}

$$\frac{2b(Ab - aB) \sin(c + dx)}{ad(a^2 - b^2) \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{2(a^2A + abB - 2Ab^2) \cot(c + dx) \sqrt{\frac{a(1 - \sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E(\sin^{-1}(\dots))}{a^3d\sqrt{a+b}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])^(3/2)), x]

[Out] (2\*(a^2\*A - 2\*A\*b^2 + a\*b\*B)\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a^3\*Sqrt[a + b]\*d) - (2\*(2\*A\*b + a\*(A - B))\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a^2\*Sqrt[a + b]\*d) + (2\*b\*(A\*b - a\*B)\*Sin[c + d\*x])/(a\*(a^2 - b^2)\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])

### Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> D
```

```
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]], x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_) + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_) + (f
_)*(x_)])], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}} dx = \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} + \frac{2 \int \frac{\frac{1}{2}(a^2 A - 2Ab^2 + abB) - \frac{1}{2}a(Ab - a^2)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} dx}{a(a^2 - b^2)}$$

$$= \frac{2b(Ab - aB) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}} - \frac{((a - b)(2Ab + a(A - B)))}{a(a^2 - b^2)}$$

$$= \frac{2(a^2 A - 2Ab^2 + abB) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b \sqrt{\cos(c + dx)}}}\right) \middle| -\frac{a + b}{a - b}\right) \sqrt{\frac{a(1 - \sin^2(c + dx))}{a + b \cos(c + dx)}}}{a^3 \sqrt{a + bd}}$$

**Mathematica [C]** time = 6.47248, size = 1281, normalized size = 4.2

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^(3/2)),x]
```

```
[Out] ((-4*a*(2*a^2*A*b - 2*A*b^3 - a^3*B + a*b^2*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(a^3*A - 2*a*A*b^2 + a^2*b*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-(((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]]*Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[(a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c +
```

$$\begin{aligned} & d*x)/2]^4)/((a + b)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (\text{Sqrt}[(a + b)*\text{Cot}[(c + d*x)/2]^2)/(-a + b)]*\text{Sqrt}[ -(((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a)]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2)/a]*\text{Csc}[c + d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[(a + b*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2)/a]/\text{Sqrt}[2]], (-2*a)/(-a + b)]*\text{Sin}[(c + d*x)/2]^4)/(b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + 2*(a^2*A*b - 2*A*b^3 + a*b^2*B)*((I*\text{Cos}[(c + d*x)/2]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{EllipticE}[I*\text{ArcSinh}[\text{Sin}[(c + d*x)/2]/\text{Sqrt}[\text{Cos}[c + d*x]]], (-2*a)/(-a - b)]*\text{Sec}[c + d*x])/(b*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])* \text{Sec}[c + d*x])/(a + b)]) + (2*a*((a*\text{Sqrt}[(a + b)*\text{Cot}[(c + d*x)/2]^2)/(-a + b)]*\text{Sqrt}[ -(((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a)]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2)/a]*\text{Csc}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[(a + b*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2)/a]/\text{Sqrt}[2]], (-2*a)/(-a + b)]*\text{Sin}[(c + d*x)/2]^4)/((a + b)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (a*\text{Sqrt}[(a + b)*\text{Cot}[(c + d*x)/2]^2)/(-a + b)]*\text{Sqrt}[ -(((a + b)*\text{Cos}[c + d*x]*\text{Csc}[(c + d*x)/2]^2)/a)]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2)/a]*\text{Csc}[c + d*x]*\text{EllipticPi}[-(a/b), \text{ArcSin}[\text{Sqrt}[(a + b*\text{Cos}[c + d*x])* \text{Csc}[(c + d*x)/2]^2)/a]/\text{Sqrt}[2]], (-2*a)/(-a + b)]*\text{Sin}[(c + d*x)/2]^4)/(b*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]))/b + (\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(b*\text{Sqrt}[\text{Cos}[c + d*x]]))/ (a^2*(-a + b)*(a + b)*d) + (\text{Sqrt}[\text{Cos}[c + d*x]]*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*((2*(-A*b^3*\text{Sin}[c + d*x]) + a*b^2*B*\text{Sin}[c + d*x]))/(a^2*(a^2 - b^2)*(a + b*\text{Cos}[c + d*x])) + (2*A*\text{Tan}[c + d*x])/a^2))/d \end{aligned}$$


---

**Maple [B]** time = 0.472, size = 2280, normalized size = 7.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((A+B*\cos(d*x+c))/\cos(d*x+c)^{(3/2)}/(a+b*\cos(d*x+c))^{(3/2)}, x)$

[Out]  $\begin{aligned} & 2/d/(a+b*\cos(d*x+c))^{(1/2)}*(-2*A*\cos(d*x+c)*b^3+A*a^3+A*\cos(d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^2*b+2*A*\cos(d*x+c)*\sin(d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a*b^2+A*\cos(d*x+c)*\sin(d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^2*b-2*A*\cos(d*x+c)*\sin(d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a*b^2-B*\cos(d*x+c)*\sin(d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^2*b+B*\cos(d*x+c)*\sin(d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^2*b+B*\cos(d*x+c)*\sin(d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^3-A*\cos(d*x+c)^2*a^2*b-A*\cos(d*x+c)^2*a*b^2+A*\cos(d*x+c)*a^2*b+2*A*\cos(d*x+c)*a*b^2+B*\cos(d*x+c)^2*a^2*b-B*\cos(d*x+c)^2*a*b^2-B*\cos(d*x+c)*a^2*b+B*\cos(d*x+c)*a*b^2-A*a*b^2+2*A*\cos(d*x+c)^2*b^3-A*\cos(d*x+c)*a^3+A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*a^2*b+B*\sin(d*x+c)*( \cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^2*b+B*\sin(d*x+c) \end{aligned}$

$+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a*b^2 + 2*A*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a*b^2 + A*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2*b - 2*A*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2*b - 2*A*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2*b - 2*A*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * b^3 + A*\sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * a^3 - 2*A*\sin(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * b^3 - A*\cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3 - B*\cos(dx+c) * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3 - A*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3 - B*\sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3) / (a^2/(a^2-b^2)/\sin(dx+c)/\cos(dx+c)^{1/2})$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx+c) + A}{(b \cos(dx+c) + a)^{\frac{3}{2}} \cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)^(3/2)/(a+b\*cos(dx+c))^(3/2),x, algorith="maxima")

[Out] integrate((B\*cos(dx+c) + A)/((b\*cos(dx+c) + a)^(3/2)\*cos(dx+c)^(3/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(B \cos(dx+c) + A) \sqrt{b \cos(dx+c) + a} \sqrt{\cos(dx+c)}}{b^2 \cos(dx+c)^4 + 2ab \cos(dx+c)^3 + a^2 \cos(dx+c)^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)^(3/2)/(a+b\*cos(dx+c))^(3/2),x, algorith="fricas")

[Out] integral((B\*cos(dx+c) + A)\*sqrt(b\*cos(dx+c) + a)\*sqrt(cos(dx+c))/(b^2\*cos(dx+c)^4 + 2\*a\*b\*cos(dx+c)^3 + a^2\*cos(dx+c)^2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*(3/2), x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^(3/2)\*cos(d\*x + c)^(3/2)), x)



$$3.430 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=393

$$\frac{2(a^2A + 3abB - 4Ab^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{3a^2d(a^2 - b^2) \cos^{\frac{3}{2}}(c+dx)} + \frac{2b(Ab - aB) \sin(c+dx)}{ad(a^2 - b^2) \cos^{\frac{3}{2}}(c+dx) \sqrt{a+b \cos(c+dx)}} - \frac{2(5a^2Ab - 3a^2A^2 - 3b^2B^2)}{3ad(a^2 - b^2) \cos^{\frac{3}{2}}(c+dx)}$$

[Out]  $(-2*(5*a^2*A*b - 8*A*b^3 - 3*a^3*B + 6*a*b^2*B)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*a^4*\text{Sqrt}[a + b]*d) + (2*(a + 2*b)*(4*A*b + a*(A - 3*B))*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*a^3*\text{Sqrt}[a + b]*d) + (2*b*(A*b - a*B)*\text{Sin}[c + d*x]/(a*(a^2 - b^2)*d*\text{Cos}[c + d*x]^{(3/2)}*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*(a^2*A - 4*A*b^2 + 3*a*b*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*a^2*(a^2 - b^2)*d*\text{Cos}[c + d*x]^{(3/2)})$

**Rubi [A]** time = 0.980115, antiderivative size = 393, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3000, 3055, 2998, 2816, 2994}

$$\frac{2(a^2A + 3abB - 4Ab^2) \sin(c+dx) \sqrt{a+b \cos(c+dx)}}{3a^2d(a^2 - b^2) \cos^{\frac{3}{2}}(c+dx)} + \frac{2b(Ab - aB) \sin(c+dx)}{ad(a^2 - b^2) \cos^{\frac{3}{2}}(c+dx) \sqrt{a+b \cos(c+dx)}} - \frac{2(5a^2Ab - 3a^2A^2 - 3b^2B^2)}{3ad(a^2 - b^2) \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*\text{Cos}[c + d*x])]/(\text{Cos}[c + d*x]^{(5/2)}*(a + b*\text{Cos}[c + d*x])^{(3/2)}), x]$

[Out]  $(-2*(5*a^2*A*b - 8*A*b^3 - 3*a^3*B + 6*a*b^2*B)*\text{Cot}[c + d*x]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*a^4*\text{Sqrt}[a + b]*d) + (2*(a + 2*b)*(4*A*b + a*(A - 3*B))*\text{Cot}[c + d*x]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Cos}[c + d*x]]/(\text{Sqrt}[a + b]*\text{Sqrt}[\text{Cos}[c + d*x]])], -((a + b)/(a - b))*\text{Sqrt}[(a*(1 - \text{Sec}[c + d*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Sec}[c + d*x]))/(a - b))]/(3*a^3*\text{Sqrt}[a + b]*d) + (2*b*(A*b - a*B)*\text{Sin}[c + d*x]/(a*(a^2 - b^2)*d*\text{Cos}[c + d*x]^{(3/2)}*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (2*(a^2*A - 4*A*b^2 + 3*a*b*B)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sin}[c + d*x])/(3*a^2*(a^2 - b^2)*d*\text{Cos}[c + d*x]^{(3/2)})$

### Rule 3000

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] := -\text{Simp}[(A*b^2 - a*b*B)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^{(1 + n)}]/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m + 1)}*(c + d*\text{Sin}[e + f*x])^n*\text{Simp}[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*\text{Sin}[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}[{a, b, c, d, e, f, A, B, n}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{RationalQ}[m] \&\& m < -1 \&\& ((\text{EqQ}[a, 0] \&\& \text{IntegerQ}[m] \&\& !\text{IntegerQ}[n]) || !(\text{Inte$

gerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0]))

### Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2), x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

### Rule 2994

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

### Rubi steps



$x]))/(a^3(a^2 - b^2)(a + b\cos[c + dx])) + (2A\sec[c + dx]\tan[c + dx])/(3a^2))/d$

**Maple [B]** time = 0.498, size = 3334, normalized size = 8.5

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((A+B\cos(dx+c))/\cos(dx+c)^{(5/2)}/(a+b\cos(dx+c))^{(3/2)}, x)$

[Out] 
$$-2/3/d*(6*B*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)})*\sin(dx+c)*\cos(dx+c)^2*a^2*b^2+6*B*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)})*\sin(dx+c)*\cos(dx+c)^2*a*b^3-A*a^4+5*A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)})*\cos(dx+c)*\sin(dx+c)*a^3*b+A*\cos(dx+c)^3*a^3*b-4*A*\cos(dx+c)^3*a*b^3+4*A*\cos(dx+c)^2*a^2*b^2+4*A*\cos(dx+c)*a^3*b+3*B*\cos(dx+c)^3*a^2*b^2-3*B*\cos(dx+c)^2*a^3*b+A*a^2*b^2+8*A*\cos(dx+c)^3*b^4-8*A*\cos(dx+c)^2*b^4+3*B*\cos(dx+c)^2*a^4-6*B*\cos(dx+c)^2*a^2*b^2+6*B*\cos(dx+c)^2*a*b^3+3*B*\cos(dx+c)*a^2*b^2-5*A*\cos(dx+c)^3*a^2*b^2-5*A*\cos(dx+c)^2*a^3*b+8*A*\cos(dx+c)^2*a*b^3+3*B*\cos(dx+c)^3*a^3*b-6*B*\cos(dx+c)^3*a*b^3-4*A*\cos(dx+c)*a*b^3-3*B*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)})*\sin(dx+c)*\cos(dx+c)^2*a^3*b-6*B*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)})*\sin(dx+c)*\cos(dx+c)^2*a^2*b^2+5*A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)})*\sin(dx+c)*\cos(dx+c)^2*a^3*b+5*A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)})*\sin(dx+c)*\cos(dx+c)^2*a^2*b^2-8*A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)})*\sin(dx+c)*\cos(dx+c)^2*a*b^3-5*A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)})*\sin(dx+c)*\cos(dx+c)^2*a^3*b+2*A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)})*\sin(dx+c)*\cos(dx+c)^2*a^2*b^2+8*A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)})*\sin(dx+c)*\cos(dx+c)^2*a*b^3-3*B*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)})*\sin(dx+c)*\cos(dx+c)^2*a^3*b+A*\cos(dx+c)^2*a^4-3*B*\cos(dx+c)*a^4-5*A*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)})*\cos(dx+c)*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*a^3*b-8*A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)})*\cos(dx+c)*\sin(dx+c)*b^4-3*B*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)})*\cos(dx+c)*\sin(dx+c)*a^4+3*B*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)})*\sin(dx+c)*\cos(dx+c)*a^4-8*A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)})*\sin(dx+c)*\cos(dx+c)^2*b^4+A*(\cos(dx+c)$$

$$\begin{aligned} & / (1 + \cos(dx+c))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} * \sin(dx+c) * \cos(dx+c) \\ & ^2 * a^4 - 3 * B * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & ) * \sin(dx+c) * \cos(dx+c)^2 * a^4 + 3 * B * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & ) * \sin(dx+c) * \cos(dx+c)^2 * a^4 + A * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & ) * \sin(dx+c) * \cos(dx+c) * a^4 + 5 * A * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & ) * \cos(dx+c) * \sin(dx+c) * a^2 * b^2 - 8 * A * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & ) * \cos(dx+c) * \sin(dx+c) * a * b^3 + 2 * A * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & ) * \cos(dx+c) * \sin(dx+c) * a^2 * b^2 + 8 * A * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & ) * \cos(dx+c) * \sin(dx+c) * a * b^3 - 3 * B * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & ) * \cos(dx+c) * \sin(dx+c) * a^3 * b + 6 * B * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & ) * \cos(dx+c) * \sin(dx+c) * a^2 * b^2 + 6 * B * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & ) * \cos(dx+c) * \sin(dx+c) * a * b^3 - 3 * B * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & ) * \cos(dx+c) * \sin(dx+c) * a^3 * b - 6 * B * (\cos(dx+c) / (1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b*\cos(dx+c)) / (1 + \cos(dx+c)))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & ) * \cos(dx+c) * \sin(dx+c) * a^2 * b^2 / (a+b*\cos(dx+c))^{1/2} / a^3 / (a^2 - b^2) / \sin(dx+c) / \cos(dx+c)^{3/2} \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx+c) + A}{(b \cos(dx+c) + a)^{\frac{3}{2}} \cos(dx+c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)^(5/2)/(a+b\*cos(dx+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(dx+c) + A)/((b\*cos(dx+c) + a)^(3/2)\*cos(dx+c)^(5/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(B \cos(dx+c) + A) \sqrt{b \cos(dx+c) + a} \sqrt{\cos(dx+c)}}{b^2 \cos(dx+c)^5 + 2ab \cos(dx+c)^4 + a^2 \cos(dx+c)^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))/cos(dx+c)^(5/2)/(a+b\*cos(dx+c))^(3/2),x, algorithm="fricas")

[Out] `integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(b^2*cos(d*x + c)^5 + 2*a*b*cos(d*x + c)^4 + a^2*cos(d*x + c)^3), x)`

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/cos(d*x+c)**(5/2)/(a+b*cos(d*x+c))**(3/2), x)`

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(3/2), x, algorithm="giac")`

[Out] `integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^(3/2)*cos(d*x + c)^(5/2)), x)`

**3.431**  $\int \frac{\cos^5(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$

**Optimal.** Leaf size=674

$$\frac{2a(Ab - aB) \sin(c + dx) \cos^3(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} + \frac{2a(2a^2Ab - 5a^3B + 9ab^2B - 6Ab^3) \sin(c + dx) \sqrt{\cos(c + dx)}}{3b^2d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{(6a^3Ab + 26a^4B)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}}$$

```
[Out] ((6*a^3*A*b - 14*a*A*b^3 - 15*a^4*B + 26*a^2*b^2*B - 3*b^4*B)*Cot[c + d*x]*
EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])]
, -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec
[c + d*x]))/(a - b))]/(3*a*(a - b)*b^3*(a + b)^(3/2)*d) - ((6*a^2*A*b + 2*a
*A*b^2 - 12*A*b^3 - 15*a^3*B - 5*a^2*b*B + 21*a*b^2*B + 3*b^3*B)*Cot[c + d*
x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]
])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 +
Sec[c + d*x]))/(a - b))]/(3*(a - b)*b^3*(a + b)^(3/2)*d) - (Sqrt[a + b]*(2*
A*b - 5*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d
*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Se
c[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(b^4*d) + (2*a*
(A*b - a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Cos[
c + d*x])^(3/2)) + (2*a*(2*a^2*A*b - 6*A*b^3 - 5*a^3*B + 9*a*b^2*B)*Sqrt[Co
s[c + d*x]]*Sin[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]])
- ((6*a^3*A*b - 14*a*A*b^3 - 15*a^4*B + 26*a^2*b^2*B - 3*b^4*B)*Sqrt[a + b*
Cos[c + d*x]]*Sin[c + d*x])/(3*b^3*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]])
```

**Rubi [A]** time = 2.18903, antiderivative size = 674, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2989, 3047, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{2a(Ab - aB) \sin(c + dx) \cos^3(c + dx)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} + \frac{2a(2a^2Ab - 5a^3B + 9ab^2B - 6Ab^3) \sin(c + dx) \sqrt{\cos(c + dx)}}{3b^2d(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} - \frac{(6a^3Ab + 26a^4B)}{3bd(a^2 - b^2)(a + b \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(5/2)*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] ((6*a^3*A*b - 14*a*A*b^3 - 15*a^4*B + 26*a^2*b^2*B - 3*b^4*B)*Cot[c + d*x]*
EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])]
, -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec
[c + d*x]))/(a - b))]/(3*a*(a - b)*b^3*(a + b)^(3/2)*d) - ((6*a^2*A*b + 2*a
*A*b^2 - 12*A*b^3 - 15*a^3*B - 5*a^2*b*B + 21*a*b^2*B + 3*b^3*B)*Cot[c + d*
x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]
])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 +
Sec[c + d*x]))/(a - b))]/(3*(a - b)*b^3*(a + b)^(3/2)*d) - (Sqrt[a + b]*(2*
A*b - 5*a*B)*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d
*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Se
c[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(b^4*d) + (2*a*
(A*b - a*B)*Cos[c + d*x]^(3/2)*Sin[c + d*x])/(3*b*(a^2 - b^2)*d*(a + b*Cos[
c + d*x])^(3/2)) + (2*a*(2*a^2*A*b - 6*A*b^3 - 5*a^3*B + 9*a*b^2*B)*Sqrt[Co
s[c + d*x]]*Sin[c + d*x])/(3*b^2*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]])
- ((6*a^3*A*b - 14*a*A*b^3 - 15*a^4*B + 26*a^2*b^2*B - 3*b^4*B)*Sqrt[a + b*
Cos[c + d*x]]*Sin[c + d*x])/(3*b^3*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]])
```

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0
] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x
]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*
c + a*d))*Sin[e + f*x]^2, x]]/(a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e
+ f*x]]), x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C))*Sin[e + f*x]/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

Rule 2998



```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

### Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^{\frac{5}{2}}(c+dx)(A+B\cos(c+dx))}{(a+b\cos(c+dx))^{5/2}} dx &= \frac{2a(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} - \frac{2\int \frac{\sqrt{\cos(c+dx)}\left(-\frac{3}{2}a(Ab-aB)+\frac{3}{2}b(Ab-aB)\cos(c+dx)\right)}{(a+b\cos(c+dx))^{5/2}} dx}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} \\ &= \frac{2a(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2a(2a^2Ab-6Ab^3-5a^3B+9ab^2B)}{3b^2(a^2-b^2)^2d\sqrt{a+b\cos(c+dx)}} \\ &= \frac{2a(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2a(2a^2Ab-6Ab^3-5a^3B+9ab^2B)}{3b^2(a^2-b^2)^2d\sqrt{a+b\cos(c+dx)}} \\ &= \frac{2a(Ab-aB)\cos^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3b(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2a(2a^2Ab-6Ab^3-5a^3B+9ab^2B)}{3b^2(a^2-b^2)^2d\sqrt{a+b\cos(c+dx)}} \\ &= -\frac{\sqrt{a+b}(2Ab-5aB)\cot(c+dx)\Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)\sqrt{a+b}}{b^4d} \\ &= \frac{(6a^3Ab-14aAb^3-15a^4B+26a^2b^2B-3b^4B)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{3a(a-b)b^3(a+b)^{3/2}d} \end{aligned}$$

**Mathematica [C]** time = 6.6546, size = 1396, normalized size = 2.07

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d\*x]^(5/2)\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^(5/2),x]

[Out] (Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*((-2\*(-(a^2\*A\*b\*Sin[c + d\*x]) + a^3\*B\*Sin[c + d\*x]))/(3\*b^2\*(-a^2 + b^2)\*(a + b\*Cos[c + d\*x])^2) - (2\*(-3\*a^3\*A\*b\*Sin[c + d\*x] + 7\*a\*A\*b^3\*Sin[c + d\*x] + 6\*a^4\*B\*Sin[c + d\*x] - 10\*a^2\*b^2\*B\*Sin[c + d\*x]))/(3\*b^2\*(-a^2 + b^2)^2\*(a + b\*Cos[c + d\*x]))))/d + ((-4\*a\*(-2\*a^3\*A\*b + 2\*a\*A\*b^3 + 5\*a^4\*B - 8\*a^2\*b^2\*B + 3\*b^4\*B)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 4\*a\*(2\*a^2\*A\*b^2 + 6\*A\*b^4 + 4\*a^3\*b\*B - 12\*a\*b^3\*B)\*(Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 2\*(-6\*a^3\*A\*b + 14\*a\*A\*b^3 + 15\*a^4\*B - 26\*a^2\*b^2\*B + 3\*b^4\*B)\*(I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b)]) + (2\*a\*((a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]))/b + (Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(b\*Sqrt[Cos[c + d\*x]])))/(6\*(a - b)^2\*b^2\*(a + b)^2\*d)

**Maple [B]** time = 0.592, size = 8611, normalized size = 12.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2),x)

[Out] result too large to display

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^3 + A \cos(dx + c)^2)\sqrt{b \cos(dx + c) + a}\sqrt{\cos(dx + c)}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^3 + A\*cos(d\*x + c)^2)\*sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(5/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(5/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^(5/2), x)

$$3.432 \quad \int \frac{\cos^3(c+dx)(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=545

$$\frac{2a(3a^3B - 7ab^2B + 4Ab^3) \sin(c+dx)}{3b^2d(a^2 - b^2)^2 \sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} + \frac{2a(Ab - aB) \sin(c+dx) \sqrt{\cos(c+dx)}}{3bd(a^2 - b^2)(a+b \cos(c+dx))^{3/2}} + \frac{2(-a^2bB - 3a^3B + aAb^2 + b^3B)}{3bd(a^2 - b^2)(a+b \cos(c+dx))^{3/2}}$$

[Out] (2\*(4\*A\*b^3 + 3\*a^3\*B - 7\*a\*b^2\*B)\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a\*(a - b)\*b^2\*(a + b)^(3/2)\*d) + (2\*(a\*A\*b^2 - 3\*A\*b^3 - 3\*a^3\*B - a^2\*b\*B + 6\*a\*b^2\*B)\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a\*(a - b)\*b^2\*(a + b)^(3/2)\*d) - (2\*Sqrt[a + b]\*B\*Cot[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(b^3\*d) + (2\*a\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^(3/2)) - (2\*a\*(4\*A\*b^3 + 3\*a^3\*B - 7\*a\*b^2\*B)\*Sin[c + d\*x])/(3\*b^2\*(a^2 - b^2)^2\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])

**Rubi [A]** time = 1.40189, antiderivative size = 545, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2989, 3051, 2809, 2993, 2998, 2816, 2994}

$$\frac{2a(3a^3B - 7ab^2B + 4Ab^3) \sin(c+dx)}{3b^2d(a^2 - b^2)^2 \sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} + \frac{2a(Ab - aB) \sin(c+dx) \sqrt{\cos(c+dx)}}{3bd(a^2 - b^2)(a+b \cos(c+dx))^{3/2}} + \frac{2(-a^2bB - 3a^3B + aAb^2 + b^3B)}{3bd(a^2 - b^2)(a+b \cos(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (2\*(4\*A\*b^3 + 3\*a^3\*B - 7\*a\*b^2\*B)\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a\*(a - b)\*b^2\*(a + b)^(3/2)\*d) + (2\*(a\*A\*b^2 - 3\*A\*b^3 - 3\*a^3\*B - a^2\*b\*B + 6\*a\*b^2\*B)\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a\*(a - b)\*b^2\*(a + b)^(3/2)\*d) - (2\*Sqrt[a + b]\*B\*Cot[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(b^3\*d) + (2\*a\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^(3/2)) - (2\*a\*(4\*A\*b^3 + 3\*a^3\*B - 7\*a\*b^2\*B)\*Sin[c + d\*x])/(3\*b^2\*(a^2 - b^2)^2\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])

**Rule 2989**

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := -Simp[((b\*c - a\*d)\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)

) \*Simp[b\*(b\*c - a\*d)\*(B\*c - A\*d)\*(m - 1) + a\*d\*(a\*A\*c + b\*B\*c - (A\*b + a\*B)\*d)\*(n + 1) + (b\*(b\*d\*(B\*c - A\*d) + a\*(A\*c\*d + B\*(c^2 - 2\*d^2)))\*(n + 1) - a\*(b\*c - a\*d)\*(B\*c - A\*d)\*(n + 2))\*Sin[e + f\*x] + b\*(d\*(A\*b\*c + a\*B\*c - a\*A\*d)\*(m + n + 1) - b\*B\*(c^2\*m + d^2\*(n + 1)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

### Rule 3051

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)), x\_Symbol] := Dist[C/(b\*d), Int[Sqrt[d\*Ssin[e + f\*x]]/Sqrt[a + b\*Ssin[e + f\*x]], x], x] + Dist[1/b, Int[(A\*b + (b\*B - a\*C)\*Sin[e + f\*x])/((a + b\*Ssin[e + f\*x])^(3/2)\*Sqrt[d\*Ssin[e + f\*x]]), x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

### Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Ssin[e + f\*x]]/(Sqrt[b\*Ssin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

### Rule 2993

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/((Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)), x\_Symbol] := Simp[(2\*(A\*b - a\*B)\*Cos[e + f\*x]/(f\*(a^2 - b^2)\*Sqrt[a + b\*Ssin[e + f\*x]]\*Sqrt[d\*Ssin[e + f\*x]]), x] + Dist[d/(a^2 - b^2), Int[(A\*b - a\*B + (a\*A - b\*B)\*Sin[e + f\*x]/(Sqrt[a + b\*Ssin[e + f\*x]]\*(d\*Ssin[e + f\*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]

### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Ssin[e + f\*x]]\*Sqrt[c + d\*Ssin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Ssin[e + f\*x])^(3/2)\*Sqrt[c + d\*Ssin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Ssin[e + f\*x]]/(Sqrt[d\*Ssin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

### Rule 2994

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Ssin[e + f\*x]]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(c + d)/b]

\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2]), -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rubi steps

$$\int \frac{\cos^{\frac{3}{2}}(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^{5/2}} dx = \frac{2a(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{2 \int \frac{-\frac{1}{2}a(Ab - aB) + \frac{3}{2}b(Ab - aB) \cos(c + dx) - \frac{3}{2}(a^2 - b^2)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{3/2}} dx}{3b(a^2 - b^2)}$$

$$= \frac{2a(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3b(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{2 \int \frac{-\frac{1}{2}ab(Ab - aB) + (\frac{3}{2}a(a^2 - b^2)B + \frac{3}{2}b^2(Ab - aB)) \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{3/2}} dx}{3b^2(a^2 - b^2)}$$

$$= -\frac{2\sqrt{a + b}B \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a+b}}}{b^3 d}$$

$$= -\frac{2\sqrt{a + b}B \cot(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a+b}}}{b^3 d}$$

$$= \frac{2(4Ab^3 + 3a^3B - 7ab^2B) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(1+\sec(c+dx))}{a+b}}}{3a(a - b)b^2(a + b)^{3/2}d}$$

**Mathematica [C]** time = 6.49095, size = 1342, normalized size = 2.46

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(Cos[c + d\*x]^(3/2)\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*((2\*(-(a\*A\*b\*Sin[c + d\*x]) + a^2\*B\*Sin[c + d\*x]))/(3\*b\*(-a^2 + b^2)\*(a + b\*Cos[c + d\*x])^2) + (2\*(4\*A\*b^3\*Sin[c + d\*x] + 3\*a^3\*B\*Sin[c + d\*x] - 7\*a\*b^2\*B\*Sin[c + d\*x]))/(3\*b\*(-a^2 + b^2)^2\*(a + b\*Cos[c + d\*x])))/d - ((-4\*a\*(-(a^2\*A\*b) + A\*b^3 + a^3\*B - a\*b^2\*B)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 4\*a\*(4\*a\*A\*b^2 - a^2\*b\*B - 3\*b^3\*B)\*(Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 2\*(4\*A\*b^3 + 3\*a^3\*B - 7\*a\*b^2\*B)\*((I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b)]) + (2\*a\*((a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a

+ b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a)]\*Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a)]\*Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])))/b + (Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(b\*Sqrt[Cos[c + d\*x]])))/(3\*(a - b)^2\*b\*(a + b)^2\*d)

**Maple [B]** time = 0.521, size = 5751, normalized size = 10.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2),x)

[Out] result too large to display

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c)^2 + A \cos(dx + c))\sqrt{b \cos(dx + c) + a}\sqrt{\cos(dx + c)}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c)^2 + A\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*(5/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^(5/2), x)



$$3.433 \quad \int \frac{\sqrt{\cos(c+dx)}(A+B \cos(c+dx))}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=391

$$\frac{2(3a^2A - 4abB + Ab^2) \sin(c+dx)}{3d(a^2 - b^2)^2 \sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} - \frac{2(Ab - aB) \sin(c+dx) \sqrt{\cos(c+dx)}}{3d(a^2 - b^2)(a+b \cos(c+dx))^{3/2}} - \frac{2(3a^2A - 4abB + Ab^2) \cot(c+dx)}{3d(a^2 - b^2)(a+b \cos(c+dx))^{3/2}}$$

[Out] (-2\*(3\*a^2\*A + A\*b^2 - 4\*a\*b\*B)\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a^2\*(a - b)\*(a + b)^(3/2)\*d) + (2\*(3\*a\*A - A\*b + a\*B - 3\*b\*B)\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a\*(a - b)\*(a + b)^(3/2)\*d) - (2\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^(3/2)) + (2\*(3\*a^2\*A + A\*b^2 - 4\*a\*b\*B)\*Sin[c + d\*x])/(3\*(a^2 - b^2)^2\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])

**Rubi [A]** time = 0.868569, antiderivative size = 391, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2999, 2993, 2998, 2816, 2994}

$$\frac{2(3a^2A - 4abB + Ab^2) \sin(c+dx)}{3d(a^2 - b^2)^2 \sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} - \frac{2(Ab - aB) \sin(c+dx) \sqrt{\cos(c+dx)}}{3d(a^2 - b^2)(a+b \cos(c+dx))^{3/2}} - \frac{2(3a^2A - 4abB + Ab^2) \cot(c+dx)}{3d(a^2 - b^2)(a+b \cos(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^(5/2), x]

[Out] (-2\*(3\*a^2\*A + A\*b^2 - 4\*a\*b\*B)\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a^2\*(a - b)\*(a + b)^(3/2)\*d) + (2\*(3\*a\*A - A\*b + a\*B - 3\*b\*B)\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a\*(a - b)\*(a + b)^(3/2)\*d) - (2\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^(3/2)) + (2\*(3\*a^2\*A + A\*b^2 - 4\*a\*b\*B)\*Sin[c + d\*x])/(3\*(a^2 - b^2)^2\*d\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])

#### Rule 2999

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((B\*a - A\*b)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[c\*(a\*A - b\*B)\*(m + 1) + d\*n\*(A\*b - a\*B) + (d\*(a\*A - b\*B)\*(m + 1) - c\*(A\*b - a\*B)\*(m + 2))\*Sin[e + f\*x] - d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]

#### Rule 2993

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)), x_Symbol] :> Simp[(2*(A*b - a*B)*Cos[e + f*x])/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin[e + f*x]]), x] + Dist[d/(a^2 - b^2), Int[(A*b - a*B + (a*A - b*B)*Sin[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*(d*Sin[e + f*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]
```

### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]])], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

### Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{\sqrt{\cos(c+dx)}(A+B\cos(c+dx))}{(a+b\cos(c+dx))^{5/2}} dx &= -\frac{2(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{3(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} - \frac{2\int \frac{\frac{1}{2}(Ab-aB)-\frac{3}{2}(aA-bB)\cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b\cos(c+dx))^{3/2}} dx}{3(a^2-b^2)} \\ &= -\frac{2(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{3(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2(3a^2A+Ab^2-4abB)\sin(c+dx)}{3(a^2-b^2)^2d\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}} \\ &= -\frac{2(Ab-aB)\sqrt{\cos(c+dx)}\sin(c+dx)}{3(a^2-b^2)d(a+b\cos(c+dx))^{3/2}} + \frac{2(3a^2A+Ab^2-4abB)\sin(c+dx)}{3(a^2-b^2)^2d\sqrt{\cos(c+dx)}\sqrt{a+b\cos(c+dx)}} \\ &= -\frac{2(3a^2A+Ab^2-4abB)\cot(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b\cos(c+dx)}}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)\sqrt{\frac{a(1-\sec(c+dx))}{a-b}}}{3a^2(a-b)(a+b)^{3/2}d} \end{aligned}$$

**Mathematica [C]** time = 6.42196, size = 1335, normalized size = 3.41

result too large to display

Antiderivative was successfully verified.

```
[In] Integrate[(Sqrt[Cos[c + d*x]]*(A + B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((2*(-A*b*Sin[c + d*x]) + a*B*Sin[c + d*x]))/(3*(a^2 - b^2)*(a + b*Cos[c + d*x])^2) - (2*(3*a^2*A*b*Sin[c + d*x] + A*b^3*Sin[c + d*x] - 4*a*b^2*B*Sin[c + d*x]))/(3*a*(a^2 - b^2)^2*(a + b*Cos[c + d*x])))/d + ((-4*a*(-a^2*A*b) + A*b^3 + a^3*B - a*b^2*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(3*a^3*A + a*A*b^2 - 4*a^2*b*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(3*a^2*A*b + A*b^3 - 4*a*b^2*B)*((I*Cos[(c + d*x)/2]*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])))/b + (Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]]))/((3*a*(a - b)^2*(a + b)^2*d)
```

---

**Maple [B]** time = 0.473, size = 4237, normalized size = 10.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int(cos(d*x+c)^(1/2)*(A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2), x)
```

```
[Out] -2/3/d/(a+b*cos(d*x+c))^(3/2)*(-4*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*a^2*b^2-3*A*cos(d*x+c)*a^4-4*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)^2*a*b^3+6*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*cos(d*x+c)*sin(d*x+c)*a^3*b^2+A*cos(d*x+c)^3*a^3*b^2+A*cos(d*x+c)^3*a*b^3+4*A*cos(d*x+c)^2*a^2*b^2+4*A*cos(d*x+c)*a^3*b-5*B*cos(d*x+c)^3*a^2*b^2-4*B*cos(d*x+c)^2*a^3*b-3*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c)
```



$$2A * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c) * \sin(dx+c) * a^3 - 5A * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c) * \sin(dx+c) * a^2 * b^2 - A * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c) * \sin(dx+c) * a^3 - 4B * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c) * \sin(dx+c) * a^3 * b - 8B * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c) * \sin(dx+c) * a^2 * b^2 - 4B * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c) * \sin(dx+c) * a^3 + 5B * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c) * \sin(dx+c) * a^3 * b + 7B * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c) * \sin(dx+c) * a^2 * b^2 + 3B * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c) * \sin(dx+c) * a^3 + B * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^4 + 3A * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \sin(dx+c) * a^4 - 4A * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \sin(dx+c) * a^3 * b / \sin(dx+c) / a / (a-b)^2 / (a+b)^2 / \cos(dx+c)^{1/2}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx+c) + A) \sqrt{\cos(dx+c)}}{(b \cos(dx+c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(1/2)\*(A+B\*cos(dx+c))/(a+b\*cos(dx+c))^(5/2),x, algorith="maxima")

[Out] integrate((B\*cos(dx+c) + A)\*sqrt(cos(dx+c))/(b\*cos(dx+c) + a)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(B \cos(dx+c) + A) \sqrt{b \cos(dx+c) + a} \sqrt{\cos(dx+c)}}{b^3 \cos(dx+c)^3 + 3ab^2 \cos(dx+c)^2 + 3a^2b \cos(dx+c) + a^3}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(dx+c)^(1/2)\*(A+B\*cos(dx+c))/(a+b\*cos(dx+c))^(5/2),x, algorith="fricas")

[Out] integral((B\*cos(dx+c) + A)\*sqrt(b\*cos(dx+c) + a)\*sqrt(cos(dx+c))/(b^3\*cos(dx+c)^3 + 3\*a\*b^2\*cos(dx+c)^2 + 3\*a^2\*b\*cos(dx+c) + a^3),

x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*(5/2), x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\cos(dx + c)}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a)^(5/2), x)

**3.434**  $\int \frac{A+B \cos(c+dx)}{\sqrt{\cos(c+dx)}(a+b \cos(c+dx))^{5/2}} dx$

**Optimal.** Leaf size=429

$$\frac{2(6a^2Ab - 3a^3B - ab^2B - 2Ab^3) \sin(c + dx)}{3ad(a^2 - b^2)^2 \sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}} + \frac{2b(Ab - aB) \sin(c + dx)\sqrt{\cos(c + dx)}}{3ad(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} - \frac{2(-3a^2(A + B) + ab(3A + B)) \sin(c + dx)}{3ad(a^2 - b^2)(a + b \cos(c + dx))^{3/2}}$$

```
[Out] (2*(6*a^2*A*b - 2*A*b^3 - 3*a^3*B - a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[
Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a -
b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a -
b))]/(3*a^3*(a - b)*(a + b)^(3/2)*d) - (2*(2*A*b^2 - 3*a^2*(A + B) + a*b*(3
*A + B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b
]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a
+ b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(3*a^2*Sqrt[a + b]*(a^2 - b^2)*
d) + (2*b*(A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(
a + b*Cos[c + d*x])^(3/2)) - (2*(6*a^2*A*b - 2*A*b^3 - 3*a^3*B - a*b^2*B)*S
in[c + d*x])/(3*a*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x
]])
```

**Rubi [A]** time = 0.985463, antiderivative size = 429, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3000, 2993, 2998, 2816, 2994}

$$\frac{2(6a^2Ab - 3a^3B - ab^2B - 2Ab^3) \sin(c + dx)}{3ad(a^2 - b^2)^2 \sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}} + \frac{2b(Ab - aB) \sin(c + dx)\sqrt{\cos(c + dx)}}{3ad(a^2 - b^2)(a + b \cos(c + dx))^{3/2}} - \frac{2(-3a^2(A + B) + ab(3A + B)) \sin(c + dx)}{3ad(a^2 - b^2)(a + b \cos(c + dx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/(Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(5/2)),x]
```

```
[Out] (2*(6*a^2*A*b - 2*A*b^3 - 3*a^3*B - a*b^2*B)*Cot[c + d*x]*EllipticE[ArcSin[
Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a -
b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a -
b))]/(3*a^3*(a - b)*(a + b)^(3/2)*d) - (2*(2*A*b^2 - 3*a^2*(A + B) + a*b*(3
*A + B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b
]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a
+ b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(3*a^2*Sqrt[a + b]*(a^2 - b^2)*
d) + (2*b*(A*b - a*B)*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(
a + b*Cos[c + d*x])^(3/2)) - (2*(6*a^2*A*b - 2*A*b^3 - 3*a^3*B - a*b^2*B)*S
in[c + d*x])/(3*a*(a^2 - b^2)^2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x
]])
```

**Rule 3000**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
```

gerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0]))

Rule 2993

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)), x\_Symbol] :> Simp[(2\*(A\*b - a\*B)\*Cos[e + f\*x])/(f\*(a^2 - b^2)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[d\*Sin[e + f\*x]]), x] + Dist[d/(a^2 - b^2), Int[(A\*b - a\*B + (a\*A - b\*B)\*Sin[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*(d\*Sin[e + f\*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]

Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/(a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])], x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)(a + b \cos(c + dx))}^{5/2}} dx = \frac{2b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} + \frac{2 \int \frac{\frac{1}{2}(3a^2A - 2Ab^2 - abB) - \frac{3}{2}a(Ab - aB) \cos(c + dx)}{\sqrt{\cos(c + dx)(a + b \cos(c + dx))}^{3/2}}}{3a(a^2 - b^2)}$$

$$= \frac{2b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{2(6a^2Ab - 2Ab^3 - 3a^3B - ab^2B) \sin(c + dx)}{3a(a^2 - b^2)^2 d \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}$$

$$= \frac{2b(Ab - aB)\sqrt{\cos(c + dx)} \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{3/2}} - \frac{2(6a^2Ab - 2Ab^3 - 3a^3B - ab^2B) \sin(c + dx)}{3a(a^2 - b^2)^2 d \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}$$

$$= \frac{2(6a^2Ab - 2Ab^3 - 3a^3B - ab^2B) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}}\right)\right)}{3a^3(a - b)(a + b)^{3/2}d} - \frac{a + b}{a - b}$$



**Mathematica [C]** time = 6.52494, size = 1384, normalized size = 3.23

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^(5/2)), x]

[Out] (Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]\*((-2\*(-(A\*b^2\*Sin[c + d\*x]) + a\*b\*B\*Sin[c + d\*x]))/(3\*a\*(a^2 - b^2)\*(a + b\*Cos[c + d\*x])^2) - (2\*(-6\*a^2\*A\*b^2\*Sin[c + d\*x] + 2\*A\*b^4\*Sin[c + d\*x] + 3\*a^3\*b\*B\*Sin[c + d\*x] + a\*b^3\*B\*Sin[c + d\*x]))/(3\*a^2\*(a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])))/d + ((-4\*a\*(3\*a^4\*A - 5\*a^2\*A\*b^2 + 2\*A\*b^4 - a^3\*b\*B + a\*b^3\*B)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 4\*a\*(-6\*a^3\*A\*b + 2\*a\*A\*b^3 + 3\*a^4\*B + a^2\*b^2\*B)\*((Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 2\*(-6\*a^2\*A\*b^2 + 2\*A\*b^4 + 3\*a^3\*b\*B + a\*b^3\*B)\*((I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[(a + b\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b)) + (2\*a\*((a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-(((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])/b + (Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(b\*Sqrt[Cos[c + d\*x]])))/(3\*a^2\*(a - b)^2\*(a + b)^2\*d)

**Maple [B]** time = 0.856, size = 5203, normalized size = 12.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(5/2), x)

[Out] result too large to display

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^(5/2)\*sqrt(cos(d\*x + c))), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}\sqrt{\cos(dx + c)}}{b^3 \cos(dx + c)^4 + 3ab^2 \cos(dx + c)^3 + 3a^2b \cos(dx + c)^2 + a^3 \cos(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(b^3\*cos(d\*x + c)^4 + 3\*a\*b^2\*cos(d\*x + c)^3 + 3\*a^2\*b\*cos(d\*x + c)^2 + a^3\*cos(d\*x + c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^(5/2)\*sqrt(cos(d\*x + c))), x)

$$3.435 \quad \int \frac{A+B \cos(c+dx)}{\cos^2(c+dx)(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=456

$$\frac{2b(8a^2Ab - 5a^3B + ab^2B - 4Ab^3) \sin(c+dx)}{3a^2d(a^2 - b^2)^2 \sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} + \frac{2b(Ab - aB) \sin(c+dx)}{3ad(a^2 - b^2) \sqrt{\cos(c+dx)} (a+b \cos(c+dx))^{3/2}} + \frac{2(-3a^2b(3A +$$

```
[Out] (2*(3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B)*Cot[c + d*x]*
EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])]
, -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec
[c + d*x]))/(a - b))]/(3*a^4*(a - b)*(a + b)^(3/2)*d) + (2*(8*A*b^3 - 3*a^3
*(A - B) + 2*a*b^2*(3*A - B) - 3*a^2*b*(3*A + B))*Cot[c + d*x]*EllipticF[Arc
Sin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/
(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/
(a - b))]/(3*a^3*Sqrt[a + b]*(a^2 - b^2)*d) + (2*b*(A*b - a*B)*Sin[c + d*x]
)/(3*a*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2)) + (2*b*
(8*a^2*A*b - 4*A*b^3 - 5*a^3*B + a*b^2*B)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^
2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])
```

**Rubi [A]** time = 1.16091, antiderivative size = 456, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3000, 3055, 2998, 2816, 2994}

$$\frac{2b(8a^2Ab - 5a^3B + ab^2B - 4Ab^3) \sin(c+dx)}{3a^2d(a^2 - b^2)^2 \sqrt{\cos(c+dx)} \sqrt{a+b \cos(c+dx)}} + \frac{2b(Ab - aB) \sin(c+dx)}{3ad(a^2 - b^2) \sqrt{\cos(c+dx)} (a+b \cos(c+dx))^{3/2}} + \frac{2(-3a^2b(3A +$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^(5/2)), x]
```

```
[Out] (2*(3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B)*Cot[c + d*x]*
EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])]
, -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec
[c + d*x]))/(a - b))]/(3*a^4*(a - b)*(a + b)^(3/2)*d) + (2*(8*A*b^3 - 3*a^3
*(A - B) + 2*a*b^2*(3*A - B) - 3*a^2*b*(3*A + B))*Cot[c + d*x]*EllipticF[Arc
Sin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/
(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/
(a - b))]/(3*a^3*Sqrt[a + b]*(a^2 - b^2)*d) + (2*b*(A*b - a*B)*Sin[c + d*x]
)/(3*a*(a^2 - b^2)*d*Sqrt[Cos[c + d*x]]*(a + b*Cos[c + d*x])^(3/2)) + (2*b*
(8*a^2*A*b - 4*A*b^3 - 5*a^3*B + a*b^2*B)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^
2*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])
```

### Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/(m + 1)
*(b*c - a*d)*(a^2 - b^2), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
```

alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

### Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Ssin[e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Ssin[e + f*x]]/(Sqrt[d*Ssin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

### Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Ssin[e + f*x]]/(Sqrt[b*Ssin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

### Rubi steps

$$\int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{5/2}} dx = \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{3/2}} + \frac{2 \int \frac{\frac{1}{2}(3a^2 A - 4Ab^2 + abB) - \frac{3}{2}a^2 B}{\cos^2(c + dx)} dx}{\cos^2(c + dx)}$$

$$= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{3/2}} + \frac{2b(8a^2 Ab - 4Ab^3 - 5a^2 B)}{3a^2(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{3/2}}$$

$$= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{3/2}} + \frac{2b(8a^2 Ab - 4Ab^3 - 5a^2 B)}{3a^2(a^2 - b^2)^2 d \sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{3/2}}$$

$$= \frac{2(3a^4 A - 15a^2 Ab^2 + 8Ab^4 + 6a^3 bB - 2ab^3 B) \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b \cos(c)}}\right)\right)}{3a^4(a-b)(a+b)^{3/2}d}$$

**Mathematica [C]** time = 6.68392, size = 1431, normalized size = 3.14

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])^(5/2)), x]

[Out] -((-4\*a\*(9\*a^4\*A\*b - 17\*a^2\*A\*b^3 + 8\*A\*b^5 - 3\*a^5\*B + 5\*a^3\*b^2\*B - 2\*a\*b^4\*B)\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - 4\*a\*(3\*a^5\*A - 15\*a^3\*A\*b^2 + 8\*a\*A\*b^4 + 6\*a^4\*b\*B - 2\*a^2\*b^3\*B)\*((Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) + 2\*(3\*a^4\*A\*b - 15\*a^2\*A\*b^3 + 8\*A\*b^5 + 6\*a^3\*b^2\*B - 2\*a\*b^4\*B)\*((I\*Cos[(c + d\*x)/2]\*Sqrt[a + b\*Cos[c + d\*x]]\*EllipticE[I\*ArcSinh[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]], (-2\*a)/(-a - b)]\*Sec[c + d\*x])/(b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[c + d\*x])/(a + b)]) + (2\*a\*((a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/((a + b)\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]]) - (a\*Sqrt[((a + b)\*Cot[(c + d\*x)/2]^2)/(-a + b)]\*Sqrt[-((a + b)\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2/a])\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]/Sqrt[2]], (-2\*a)/(-a + b)]\*Sin[(c + d\*x)/2]^4)/(b\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])))/b + (Sqrt[a + b\*Cos[c + d\*x]]\*Sin[c + d\*x])/(b\*Sqrt[Cos[c + d\*x]])))/(3\*a^3\*(a - b)^2\*(a + b)^2\*d + (Sqrt[Cos[c + d\*x]]\*Sqrt[a + b\*Cos[c + d\*x]])\*((2\*(-(A\*b^3\*Sin[c + d\*x]) + a\*b^2\*B\*Sin[c + d\*x]))/(3\*a^2\*(a^2 -

$$b^2*(a + b*\cos[c + d*x])^2 + (2*(-9*a^2*A*b^3*\sin[c + d*x] + 5*A*b^5*\sin[c + d*x] + 6*a^3*b^2*B*\sin[c + d*x] - 2*a*b^4*B*\sin[c + d*x]))/(3*a^3*(a^2 - b^2)^2*(a + b*\cos[c + d*x])) + (2*A*\tan[c + d*x])/a^3)/d$$

**Maple [B]** time = 1.06, size = 6498, normalized size = 14.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2), x)

[Out] result too large to display

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^(5/2)\*cos(d\*x + c)^(3/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}\sqrt{\cos(dx + c)}}{b^3 \cos(dx + c)^5 + 3ab^2 \cos(dx + c)^4 + 3a^2b \cos(dx + c)^3 + a^3 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(b^3\*cos(d\*x + c)^5 + 3\*a\*b^2\*cos(d\*x + c)^4 + 3\*a^2\*b\*cos(d\*x + c)^3 + a^3\*cos(d\*x + c)^2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*(5/2), x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^(5/2)\*cos(d\*x + c)^(3/2)), x)

$$3.436 \quad \int \frac{A+B \cos(c+dx)}{\cos^{\frac{5}{2}}(c+dx)(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=567

$$\frac{2(-13a^2Ab^2 + a^4A + 8a^3bB - 4ab^3B + 8Ab^4) \sin(c+dx)\sqrt{a+b \cos(c+dx)}}{3a^3d(a^2-b^2)^2 \cos^{\frac{3}{2}}(c+dx)} + \frac{2b(10a^2Ab - 7a^3B + 3ab^2B - 6Ab^3) \sin(c+dx)\sqrt{a+b \cos(c+dx)}}{3a^2d(a^2-b^2)^2 \cos^{\frac{3}{2}}(c+dx)}$$

```
[Out] (-2*(8*a^4*A*b - 28*a^2*A*b^3 + 16*A*b^5 - 3*a^5*B + 15*a^3*b^2*B - 8*a*b^4*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^5*(a - b)*(a + b)^(3/2)*d) - (2*(16*A*b^4 - a^4*(A - 3*B) + 4*a*b^3*(3*A - 2*B) - 9*a^3*b*(A - B) - 2*a^2*b^2*(8*A + 3*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^4*Sqrt[a + b]*(a^2 - b^2)*d) + (2*b*(A*b - a*B)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^(3/2)) + (2*b*(10*a^2*A*b - 6*A*b^3 - 7*a^3*B + 3*a*b^2*B)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Cos[c + d*x]^(3/2)*Sqrt[a + b*Cos[c + d*x]]) + (2*(a^4*A - 13*a^2*A*b^2 + 8*A*b^4 + 8*a^3*b*B - 4*a*b^3*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3*a^3*(a^2 - b^2)^2*d*Cos[c + d*x]^(3/2))
```

**Rubi [A]** time = 1.87687, antiderivative size = 567, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {3000, 3055, 2998, 2816, 2994}

$$\frac{2(-13a^2Ab^2 + a^4A + 8a^3bB - 4ab^3B + 8Ab^4) \sin(c+dx)\sqrt{a+b \cos(c+dx)}}{3a^3d(a^2-b^2)^2 \cos^{\frac{3}{2}}(c+dx)} + \frac{2b(10a^2Ab - 7a^3B + 3ab^2B - 6Ab^3) \sin(c+dx)\sqrt{a+b \cos(c+dx)}}{3a^2d(a^2-b^2)^2 \cos^{\frac{3}{2}}(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])^(5/2)), x]
```

```
[Out] (-2*(8*a^4*A*b - 28*a^2*A*b^3 + 16*A*b^5 - 3*a^5*B + 15*a^3*b^2*B - 8*a*b^4*B)*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^5*(a - b)*(a + b)^(3/2)*d) - (2*(16*A*b^4 - a^4*(A - 3*B) + 4*a*b^3*(3*A - 2*B) - 9*a^3*b*(A - B) - 2*a^2*b^2*(8*A + 3*B))*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^4*Sqrt[a + b]*(a^2 - b^2)*d) + (2*b*(A*b - a*B)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])^(3/2)) + (2*b*(10*a^2*A*b - 6*A*b^3 - 7*a^3*B + 3*a*b^2*B)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Cos[c + d*x]^(3/2)*Sqrt[a + b*Cos[c + d*x]]) + (2*(a^4*A - 13*a^2*A*b^2 + 8*A*b^4 + 8*a^3*b*B - 4*a*b^3*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3*a^3*(a^2 - b^2)^2*d*Cos[c + d*x]^(3/2))
```

**Rule 3000**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
```



```

+ f*x]^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

```

### Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

### Rule 2998

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]])], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]

```

### Rule 2816

```

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]

```

### Rule 2994

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]

```

### Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx)(a + b \cos(c + dx))^{5/2}} dx &= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}} + \frac{2 \int \frac{\frac{3}{2}(a^2 A - 2Ab^2 + abB) - \frac{3}{2}a(Ab - aB)}{\cos^{\frac{5}{2}}(c + dx)} dx}{3a} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}} + \frac{2b(10a^2 Ab - 6Ab^3 - 7a^3 B)}{3a^2(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}} + \frac{2b(10a^2 Ab - 6Ab^3 - 7a^3 B)}{3a^2(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} \\
&= \frac{2b(Ab - aB) \sin(c + dx)}{3a(a^2 - b^2) d \cos^{\frac{3}{2}}(c + dx)(a + b \cos(c + dx))^{3/2}} + \frac{2b(10a^2 Ab - 6Ab^3 - 7a^3 B)}{3a^2(a^2 - b^2)^2 d \cos^{\frac{3}{2}}(c + dx)} \\
&= -\frac{2(8a^4 Ab - 28a^2 Ab^3 + 16Ab^5 - 3a^5 B + 15a^3 b^2 B - 8ab^4 B) \cot(c + dx) E\left(\sin\left(\frac{c + dx}{2}\right)\right)}{3a^5(a - b)(a + b)^{3/2} a}
\end{aligned}$$

**Mathematica [C]** time = 6.92098, size = 1499, normalized size = 2.64

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Cos[c + d*x])/(Cos[c + d*x]^(5/2)*(a + b*Cos[c + d*x])^(5/2)),x]
```

```
[Out] ((-4*a*(a^6*A + 15*a^4*A*b^2 - 32*a^2*A*b^4 + 16*A*b^6 - 9*a^5*b*B + 17*a^3*b^3*B - 8*a*b^5*B)*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - 4*a*(8*a^5*A*b - 28*a^3*A*b^3 + 16*a*A*b^5 - 3*a^6*B + 15*a^4*b^2*B - 8*a^2*b^4*B)*((Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + 2*(8*a^4*A*b^2 - 28*a^2*A*b^4 + 16*A*b^6 - 3*a^5*b*B + 15*a^3*b^3*B - 8*a*b^5*B)*((I*Cos[(c + d*x)/2])*Sqrt[a + b*Cos[c + d*x]]*EllipticE[I*ArcSinh[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]], (-2*a)/(-a - b)]*Sec[c + d*x])/(b*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*Sqrt[((a + b*Cos[c + d*x])*Sec[c + d*x])/(a + b)]) + (2*a*((a*Sqrt[(a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d*x)/2]^4)/((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) - (a*Sqrt[((a + b)*Cot[(c + d*x)/2]^2)/(-a + b)]*Sqrt[-((a + b)*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a])*Sqrt[((a + b*Cos[c + d*x])*Csc[(c + d*x)/2]^2)/a]*Csc[c + d*x]*EllipticPi[-(a/b), ArcSin[Sqrt[((a + b
```

```
*Cos[c + d*x]*Csc[(c + d*x)/2]^2)/a]/Sqrt[2]], (-2*a)/(-a + b)]*Sin[(c + d
*x)/2]^4)/(b*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]))/b + (Sqrt[a + b
*Cos[c + d*x]]*Sin[c + d*x])/(b*Sqrt[Cos[c + d*x]]))/((3*a^4*(a - b)^2*(a +
b)^2*d) + (Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]*((2*Sec[c + d*x]*(-
8*A*b*Sin[c + d*x] + 3*a*B*Sin[c + d*x]))/(3*a^4) - (2*(-(A*b^4*Sin[c + d*x
]) + a*b^3*B*Sin[c + d*x]))/(3*a^3*(a^2 - b^2)*(a + b*Cos[c + d*x])^2) - (2
*(-12*a^2*A*b^4*Sin[c + d*x] + 8*A*b^6*Sin[c + d*x] + 9*a^3*b^3*B*Sin[c + d
*x] - 5*a*b^5*B*Sin[c + d*x]))/(3*a^4*(a^2 - b^2)^2*(a + b*Cos[c + d*x])) +
(2*A*Sec[c + d*x]*Tan[c + d*x])/(3*a^3)))/d
```

**Maple [B]** time = 0.74, size = 8093, normalized size = 14.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(5/2),x)
```

```
[Out] result too large to display
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(5/2),x, algor
ithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^(5/2)*cos(d*x + c)^(5/
2)), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}\sqrt{\cos(dx + c)}}{b^3 \cos(dx + c)^6 + 3ab^2 \cos(dx + c)^5 + 3a^2b \cos(dx + c)^4 + a^3 \cos(dx + c)^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/cos(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(5/2),x, algor
ithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(cos(d*x + c))/
(b^3*cos(d*x + c)^6 + 3*a*b^2*cos(d*x + c)^5 + 3*a^2*b*cos(d*x + c)^4 + a^3*
cos(d*x + c)^3), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{5}{2}} \cos(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/cos(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^(5/2)\*cos(d\*x + c)^(5/2)), x)

$$3.437 \quad \int \frac{\cos^3(c+dx)(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=419

$$\frac{aB\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \cos(c+dx)}\right) \middle| -\frac{a+b}{a-b}\right)}{b^2 d} + \frac{B \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a+b} \cos(c+dx)}$$

```
[Out] -(((a - b)*Sqrt[a + b]*B*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*b*d)) + (Sqrt[a + b]*B*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b*d) + (a*Sqrt[a + b]*B*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^2*d) + (a*B*Sin[c + d*x])/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + (B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + b*Cos[c + d*x]])
```

**Rubi [A]** time = 0.788881, antiderivative size = 419, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.237$ , Rules used = {21, 2820, 2809, 3003, 2993, 12, 2801, 2816, 2994}

$$\frac{aB\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \cos(c+dx)}\right) \middle| -\frac{a+b}{a-b}\right)}{b^2 d} + \frac{B \sin(c+dx) \sqrt{\cos(c+dx)}}{d \sqrt{a+b} \cos(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[(Cos[c + d*x]^(3/2)*(a*B + b*B*Cos[c + d*x]))/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] -(((a - b)*Sqrt[a + b]*B*Cot[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*b*d)) + (Sqrt[a + b]*B*Cot[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b*d) + (a*Sqrt[a + b]*B*Cot[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^2*d) + (a*B*Sin[c + d*x])/(b*d*Sqrt[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]]) + (B*Sqrt[Cos[c + d*x]]*Sin[c + d*x])/(d*Sqrt[a + b*Cos[c + d*x]])
```

### Rule 21

```
Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])
```

### Rule 2820

```
Int[((d_.)*sin[e_.] + (f_.)*(x_.))^(3/2)/Sqrt[(a_.) + (b_.)*sin[e_.] + (f_.)*(x_.)], x_Symbol] := -Dist[(a*d)/(2*b), Int[Sqrt[d*Sin[e + f*x]]/Sqrt[a
```

+ b\*Sin[e + f\*x]], x], x] + Dist[d/(2\*b), Int[(Sqrt[d\*Sin[e + f\*x]]\*(a + 2\*b\*Sin[e + f\*x]))/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

#### Rule 3003

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^n, x\_Symbol] :> Simp[(-2\*B\*Cos[e + f\*x]\*Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n)/(f\*(2\*n + 3)), x] + Dist[1/(2\*n + 3), Int[((c + d\*Sin[e + f\*x])^(n - 1)\*Simp[a\*A\*c\*(2\*n + 3) + B\*(b\*c + 2\*a\*d\*n) + (B\*(a\*c + b\*d)\*(2\*n + 1) + A\*(b\*c + a\*d)\*(2\*n + 3))\*Sin[e + f\*x] + (A\*b\*d\*(2\*n + 3) + B\*(a\*d + 2\*b\*c\*n))\*Sin[e + f\*x]^2, x])/Sqrt[a + b\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && EqQ[n^2, 1/4]

#### Rule 2993

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)), x\_Symbol] :> Simp[(2\*(A\*b - a\*B)\*Cos[e + f\*x]/(f\*(a^2 - b^2)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[d\*Sin[e + f\*x]]), x] + Dist[d/(a^2 - b^2), Int[(A\*b - a\*B + (a\*A - b\*B)\*Sin[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*(d\*Sin[e + f\*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2801

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[1/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[b/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b)))/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{\cos^3(c+dx)(aB + bB \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx &= B \int \frac{\cos^3(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx \\ &= \frac{B \int \frac{\sqrt{\cos(c+dx)}(a+2b \cos(c+dx))}{\sqrt{a+b \cos(c+dx)}} dx}{2b} - \frac{(aB) \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx}{2b} \\ &= \frac{a\sqrt{a+b}B \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{b^2 d} \\ &= \frac{a\sqrt{a+b}B \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{b^2 d} \\ &= \frac{a\sqrt{a+b}B \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{b^2 d} \\ &= \frac{a\sqrt{a+b}B \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{b^2 d} \\ &= -\frac{(a-b)\sqrt{a+b}B \cot(c+dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{abd} \end{aligned}$$

**Mathematica [C]** time = 1.43994, size = 480, normalized size = 1.15

$$B\sqrt{\cos(c+dx)} \left( 2a\sqrt{\frac{a-b}{a+b}} \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \tan\left(\frac{1}{2}(c+dx)\right) - b\sqrt{\frac{a-b}{a+b}} \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \tan\left(\frac{1}{2}(c+dx)\right) + b\sqrt{\frac{a-b}{a+b}} \sin\left(\frac{3}{2}(c+dx)\right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(Cos[c + d*x])^(3/2)*(a*B + b*B*Cos[c + d*x])/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (B*Sqrt[Cos[c + d*x]]*((2*I)*(a - b)*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))] - (4*I)*a*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))] + (4*I)*a*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a - b))] + b*Sqrt[(a - b)/(a + b)]*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sin[(3*(c + d*x))/2] + 2*a*Sqrt[(a - b)/(a + b)]*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Tan[(c + d*x)/2] - b*Sqrt[(a - b)/(a + b)]*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Tan[(c + d*x)/2])/(2*b*Sqrt[(a - b)/(a + b)]*d*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt
```

[a + b\*cos[c + d\*x]]

**Maple [A]** time = 0.611, size = 623, normalized size = 1.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(3/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2), x)

[Out] 
$$-B/d/b*((\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*a+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*b-2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*a+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*\sin(d*x+c)+(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*b-2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*a*\sin(d*x+c)+b*\cos(d*x+c)^3+a*\cos(d*x+c)^2-b*\cos(d*x+c)^2-\cos(d*x+c)*a)/(a+b*\cos(d*x+c))^{1/2}/\cos(d*x+c)^{1/2}/\sin(d*x+c)$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)\*cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \cos(dx + c)^{\frac{3}{2}}}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] integral(B\*cos(d\*x + c)^(3/2)/sqrt(b\*cos(d\*x + c) + a), x)



---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(3/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*(3/2), x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \cos(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(3/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)\*cos(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^(3/2), x)

$$3.438 \quad \int \frac{\sqrt{\cos(c+dx)}(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=117

$$\frac{2B\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{bd}$$

[Out] (-2\*Sqrt[a + b]\*B\*Cot[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(b\*d)

**Rubi [A]** time = 0.0845342, antiderivative size = 117, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$ , Rules used = {21, 2809}

$$\frac{2B\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{bd}$$

Antiderivative was successfully verified.

[In] Int[(Sqrt[Cos[c + d\*x]]\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (-2\*Sqrt[a + b]\*B\*Cot[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(b\*d)

### Rule 21

Int[(u\_)\*((a\_) + (b\_)\*(v\_))^(m\_)\*((c\_) + (d\_)\*(v\_))^(n\_), x\_Symbol] :> Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

### Rule 2809

Int[Sqrt[(b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] :> Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

### Rubi steps

$$\int \frac{\sqrt{\cos(c+dx)}(aB+bB \cos(c+dx))}{(a+b \cos(c+dx))^{3/2}} dx = B \int \frac{\sqrt{\cos(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx$$

$$= -\frac{2\sqrt{a+b}B \cot(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{bd}$$

**Mathematica [A]** time = 0.138341, size = 133, normalized size = 1.14

$$\frac{2B\sqrt{\cos(c+dx)}\sqrt{\frac{a+b\cos(c+dx)}{(a+b)(\cos(c+dx)+1)}}\left(F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right)\middle|\frac{b-a}{a+b}\right)+2\Pi\left(-1;-\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right)\middle|\frac{b-a}{a+b}\right)\right)}{d\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}\sqrt{a+b\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[Cos[c + d\*x]]\*(a\*B + b\*B\*Cos[c + d\*x]))/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (-2\*B\*Sqrt[Cos[c + d\*x]]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*(EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]))/(d\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[a + b\*Cos[c + d\*x]])

**Maple [A]** time = 0.479, size = 160, normalized size = 1.4

$$-2\frac{B(\sin(dx+c))^2}{d\sqrt{a+b\cos(dx+c)}(-1+\cos(dx+c))\sqrt{\cos(dx+c)}}\left(\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)},\sqrt{\frac{a-b}{a+b}}\right)-2\text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)},-1,\sqrt{\frac{a-b}{a+b}}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int(cos(d\*x+c)^(1/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2), x)

[Out] -2\*B/d\*(EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))-2\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c), -1, (-a-b)/(a+b))^(1/2))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)/(a+b\*cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2/(-1+cos(d\*x+c))/cos(d\*x+c)^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx+c) + Ba)\sqrt{\cos(dx+c)}}{(b \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)\*sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B\sqrt{\cos(dx+c)}}{\sqrt{b\cos(dx+c)+a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] integral(B\*sqrt(cos(d\*x + c))/sqrt(b\*cos(d\*x + c) + a), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$B \int \frac{\sqrt{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)\*\*(1/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*(3/2),x)

[Out] B\*Integral(sqrt(cos(c + d\*x))/sqrt(a + b\*cos(c + d\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba)\sqrt{\cos(dx + c)}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate(cos(d\*x+c)^(1/2)\*(a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)\*sqrt(cos(d\*x + c))/(b\*cos(d\*x + c) + a)^(3/2), x)

$$3.439 \quad \int \frac{aB + bB \cos(c + dx)}{\sqrt{\cos(c + dx)(a + b \cos(c + dx))}^{3/2}} dx$$

**Optimal.** Leaf size=110

$$\frac{2B\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad}$$

[Out] (2\*Sqrt[a + b]\*B\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b)))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d)

**Rubi [A]** time = 0.0868031, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.053$ , Rules used = {21, 2816}

$$\frac{2B\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad}$$

Antiderivative was successfully verified.

[In] Int[(a\*B + b\*B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^(3/2)), x]

[Out] (2\*Sqrt[a + b]\*B\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b)))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d)

#### Rule 21

Int[(u\_)\*((a\_) + (b\_)\*(v\_))^(m\_)\*((c\_) + (d\_)\*(v\_))^(n\_), x\_Symbol] := Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 2816

Int[1/(Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]])\*Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -((a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rubi steps

$$\begin{aligned} \int \frac{aB + bB \cos(c + dx)}{\sqrt{\cos(c + dx)(a + b \cos(c + dx))}^{3/2}} dx &= B \int \frac{1}{\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{2\sqrt{a+b}B \cot(c+dx)F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{a(1+\sec(c+dx))}}{ad} \end{aligned}$$

**Mathematica [A]** time = 0.881904, size = 171, normalized size = 1.55

$$\frac{4B(a+b)\cos^3(c+dx)\csc(c+dx)\sqrt{\frac{(a+b)\cot^2\left(\frac{1}{2}(c+dx)\right)}{a-b}}\sqrt{\frac{\csc^2\left(\frac{1}{2}(c+dx)\right)(a+b\cos(c+dx))}{a}}F\left(\sin^{-1}\left(\sqrt{\frac{a+b\cos(c+dx)}{a(\cos(c+dx)-1)}}\right)\middle|\frac{2a}{a-b}\right)}{ad\sqrt{a+b\cos(c+dx)}\left(-\frac{(a+b)\cos(c+dx)\csc^2\left(\frac{1}{2}(c+dx)\right)}{a}\right)^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*B + b\*B\*Cos[c + d\*x])/(Sqrt[Cos[c + d\*x]]\*(a + b\*Cos[c + d\*x])^(3/2)), x]

[Out] (-4\*(a + b)\*B\*Cos[c + d\*x]^(3/2)\*Sqrt[-(((a + b)\*Cot[(c + d\*x)/2]^2)/(a - b))]\*Sqrt[((a + b\*Cos[c + d\*x])\*Csc[(c + d\*x)/2]^2)/a]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[-((a + b\*Cos[c + d\*x])/(a\*(-1 + Cos[c + d\*x])))]], (2\*a)/(a - b)])/(a\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*(-((a + b)\*Cos[c + d\*x]\*Csc[(c + d\*x)/2]^2)/a))^(3/2))

**Maple [A]** time = 0.565, size = 124, normalized size = 1.1

$$-2\frac{B(\sin(dx+c))^4}{d\sqrt{a+b\cos(dx+c)}(\cos(dx+c))^{3/2}(-1+\cos(dx+c))^2}\left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{3/2}\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)},\sqrt{\frac{a-b}{a+b}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(3/2), x)

[Out] -2\*B/d\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/(a+b\*cos(d\*x+c))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b)^(1/2))\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)^4/cos(d\*x+c)^(3/2)/(-1+cos(d\*x+c))^2

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb\cos(dx+c)+Ba}{(b\cos(dx+c)+a)^{3/2}\sqrt{\cos(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)/((b\*cos(d\*x + c) + a)^(3/2)\*sqrt(cos(d\*x + c))), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{b\cos(dx+c)+aB}\sqrt{\cos(dx+c)}}{b\cos(dx+c)^2+a\cos(dx+c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] integral(sqrt(b*cos(d*x + c) + a)*B*sqrt(cos(d*x + c))/(b*cos(d*x + c)^2 + a*cos(d*x + c)), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$B \int \frac{1}{\sqrt{a + b \cos(c + dx)} \sqrt{\cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)**(1/2)/(a+b*cos(d*x+c))**(3/2),x)
```

```
[Out] B*Integral(1/(sqrt(a + b*cos(c + d*x))*sqrt(cos(c + d*x))), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\cos(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)^(3/2)*sqrt(cos(d*x + c))), x)
```

$$3.440 \quad \int \frac{aB + bB \cos(c + dx)}{\cos^2(c + dx)(a + b \cos(c + dx))^{3/2}} dx$$

**Optimal.** Leaf size=226

$$\frac{2B(a-b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) - 2B\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{a^2 d}$$

[Out] (2\*(a - b)\*Sqrt[a + b]\*B\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a^2\*d) - (2\*Sqrt[a + b]\*B\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d)

**Rubi [A]** time = 0.268329, antiderivative size = 226, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.105$ , Rules used = {21, 2801, 2816, 2994}

$$\frac{2B(a-b)\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) - 2B\sqrt{a+b} \cot(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}}}{a^2 d}$$

Antiderivative was successfully verified.

[In] Int[(a\*B + b\*B\*Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*(a + b\*Cos[c + d\*x])^(3/2)), x]

[Out] (2\*(a - b)\*Sqrt[a + b]\*B\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a^2\*d) - (2\*Sqrt[a + b]\*B\*Cot[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d)

### Rule 21

Int[(u\_.)\*((a\_.) + (b\_.)\*(v\_.))^(m\_.)\*((c\_.) + (d\_.)\*(v\_.))^(n\_.), x\_Symbol] :> Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

### Rule 2801

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Dist[1/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[b/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[A



```
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2]), -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

### Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

### Rubi steps

$$\int \frac{aB + bB \cos(c + dx)}{\cos^3(c + dx)(a + b \cos(c + dx))^{3/2}} dx = B \int \frac{1}{\cos^3(c + dx)\sqrt{a + b \cos(c + dx)}} dx$$

$$= -\left(B \int \frac{1}{\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}} dx\right) + B \int \frac{1 + \cos(c + dx)}{\cos^3(c + dx)\sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{2(a - b)\sqrt{a + b}B \cot(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b}\sqrt{\cos(c + dx)}}\right) \middle| -\frac{a + b}{a - b}\right) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}}}{a^2 d}$$

**Mathematica [A]** time = 2.11003, size = 212, normalized size = 0.94

$$\frac{2B \left( \tan\left(\frac{1}{2}(c + dx)\right) (a + b \cos(c + dx)) + a \sqrt{\cos(c + dx)} \sqrt{\cos(c + dx) + 1} \sqrt{\frac{a + b \cos(c + dx)}{(a + b)(\cos(c + dx) + 1)}} F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right) \middle| -\frac{a + b}{a - b}\right) \right)}{ad \sqrt{\cos(c + dx)} \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*B + b*B*Cos[c + d*x])/(Cos[c + d*x]^(3/2)*(a + b*Cos[c + d*x])
^(3/2)), x]
```

```
[Out] (2*B*(-((a + b)*Sqrt[Cos[c + d*x]]*Sqrt[1 + Cos[c + d*x]]*Sqrt[(a + b*Cos[c
+ d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]],
(-a + b)/(a + b)]) + a*Sqrt[Cos[c + d*x]]*Sqrt[1 + Cos[c + d*x]]*Sqrt[(a +
b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)
]/2]], (-a + b)/(a + b)] + (a + b*Cos[c + d*x])*Tan[(c + d*x)/2]))/(a*d*Sqr
t[Cos[c + d*x]]*Sqrt[a + b*Cos[c + d*x]])
```

**Maple [B]** time = 0.46, size = 613, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a*B+b*B*cos(d*x+c))/cos(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(3/2), x)
```

```
[Out] -2*B/d/a*(cos(d*x+c)*sin(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)
)/(a+b))^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c)))
```

$$\frac{1}{(1+\cos(dx+c))^{1/2}} a - \frac{\cos(dx+c)}{(1+\cos(dx+c))^{1/2}} * \frac{1}{(a+b)} * \frac{(a+b*\cos(dx+c))}{(1+\cos(dx+c))^{1/2}} * \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-(a-b)}{(a+b)}\right)^{1/2}\right) * \sin(dx+c) * \cos(dx+c) * a - \frac{\cos(dx+c)}{(1+\cos(dx+c))^{1/2}} * \frac{1}{(a+b)} * \frac{(a+b*\cos(dx+c))}{(1+\cos(dx+c))^{1/2}} * \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-(a-b)}{(a+b)}\right)^{1/2}\right) * \sin(dx+c) * \cos(dx+c) * b + a * \frac{\cos(dx+c)}{(1+\cos(dx+c))^{1/2}} * \frac{1}{(a+b)} * \frac{(a+b*\cos(dx+c))}{(1+\cos(dx+c))^{1/2}} * \text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-(a-b)}{(a+b)}\right)^{1/2}\right) * \sin(dx+c) - \frac{\cos(dx+c)}{(1+\cos(dx+c))^{1/2}} * \frac{1}{(a+b)} * \frac{(a+b*\cos(dx+c))}{(1+\cos(dx+c))^{1/2}} * \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-(a-b)}{(a+b)}\right)^{1/2}\right) * a * \sin(dx+c) - \frac{\cos(dx+c)}{(1+\cos(dx+c))^{1/2}} * \frac{1}{(a+b)} * \frac{(a+b*\cos(dx+c))}{(1+\cos(dx+c))^{1/2}} * \text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \left(\frac{-(a-b)}{(a+b)}\right)^{1/2}\right) * \sin(dx+c) * b + b * \cos(dx+c)^2 + \cos(dx+c) * a - b * \cos(dx+c) - a}{(a+b*\cos(dx+c))^{1/2} / \sin(dx+c) / \cos(dx+c)^{1/2}}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx+c) + Ba}{(b \cos(dx+c) + a)^{3/2} \cos(dx+c)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(dx+c))/cos(dx+c)^(3/2)/(a+b\*cos(dx+c))^(3/2), x, algorithm="maxima")

[Out] integrate((B\*b\*cos(dx+c) + B\*a)/((b\*cos(dx+c) + a)^(3/2)\*cos(dx+c)^(3/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{b \cos(dx+c) + a} B \sqrt{\cos(dx+c)}}{b \cos(dx+c)^3 + a \cos(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(dx+c))/cos(dx+c)^(3/2)/(a+b\*cos(dx+c))^(3/2), x, algorithm="fricas")

[Out] integral(sqrt(b\*cos(dx+c) + a)\*B\*sqrt(cos(dx+c))/(b\*cos(dx+c)^3 + a\*cos(dx+c)^2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(dx+c))/cos(dx+c)\*\*(3/2)/(a+b\*cos(dx+c))\*\*(3/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^{\frac{3}{2}} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)/((b\*cos(d\*x + c) + a)^(3/2)\*cos(d\*x + c)^(3/2)), x)

$$3.441 \quad \int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{2 + 3 \cos(c + dx)}} dx$$

**Optimal.** Leaf size=72

$$\frac{\cot(c + dx) \sqrt{-\sec(c + dx) - 1} \sqrt{1 - \sec(c + dx)} E \left( \sin^{-1} \left( \frac{\sqrt{3 \cos(c + dx) + 2}}{\sqrt{5} \sqrt{\cos(c + dx)}} \right) \middle| 5 \right)}{d}$$

[Out] -((Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[2 + 3\*Cos[c + d\*x]]/(Sqrt[5]\*Sqrt[Cos[c + d\*x]])], 5]\*Sqrt[-1 - Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]])/d)

**Rubi [A]** time = 0.0876338, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.03$ , Rules used = {2994}

$$\frac{\cot(c + dx) \sqrt{-\sec(c + dx) - 1} \sqrt{1 - \sec(c + dx)} E \left( \sin^{-1} \left( \frac{\sqrt{3 \cos(c + dx) + 2}}{\sqrt{5} \sqrt{\cos(c + dx)}} \right) \middle| 5 \right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(1 + Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*Sqrt[2 + 3\*Cos[c + d\*x]]), x]

[Out] -((Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[2 + 3\*Cos[c + d\*x]]/(Sqrt[5]\*Sqrt[Cos[c + d\*x]])], 5]\*Sqrt[-1 - Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]])/d)

**Rule 2994**

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x])]/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x])]/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

**Rubi steps**

$$\int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{2 + 3 \cos(c + dx)}} dx = - \frac{\cot(c + dx) E \left( \sin^{-1} \left( \frac{\sqrt{2 + 3 \cos(c + dx)}}{\sqrt{5} \sqrt{\cos(c + dx)}} \right) \middle| 5 \right) \sqrt{-1 - \sec(c + dx)} \sqrt{1 - \sec(c + dx)}}{d}$$

**Mathematica [F]** time = 34.8373, size = 0, normalized size = 0.

$$\int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{2 + 3 \cos(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 + Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*Sqrt[2 + 3\*Cos[c + d\*x]]), x]

[Out] Integrate[(1 + Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*Sqrt[2 + 3\*Cos[c + d\*x]]), x]

**Maple [B]** time = 0.444, size = 658, normalized size = 9.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(2+3\*cos(d\*x+c))^(1/2), x)

[Out] 
$$-1/10/d/(2+3*\cos(d*x+c))^{1/2}*(2*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), 1/5*5^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*2^{1/2}*10^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*((2+3*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}+4*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), 1/5*5^{1/2})*\cos(d*x+c)*\sin(d*x+c)*2^{1/2}*10^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*((2+3*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}+2*\cos(d*x+c)^2*\sin(d*x+c)*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*10^{1/2}*((2+3*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), 1/5*5^{1/2})+2*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*\sin(d*x+c)*10^{1/2}*((2+3*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), 1/5*5^{1/2})-5*\cos(d*x+c)^2*\sin(d*x+c)*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*10^{1/2}*((2+3*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), 1/5*5^{1/2})+2*\cos(d*x+c)*\sin(d*x+c)*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*10^{1/2}*((2+3*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), 1/5*5^{1/2})-5*\cos(d*x+c)*\sin(d*x+c)*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*10^{1/2}*((2+3*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), 1/5*5^{1/2})+30*\cos(d*x+c)^3-10*\cos(d*x+c)^2-20*\cos(d*x+c))/\cos(d*x+c)^{3/2}/\sin(d*x+c)$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx + c) + 1}{\sqrt{3 \cos(dx + c) + 2 \cos(dx + c)^2}^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(2+3\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate((cos(d\*x + c) + 1)/(sqrt(3\*cos(d\*x + c) + 2)\*cos(d\*x + c)^(3/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{3 \cos(dx + c) + 2}(\cos(dx + c) + 1)\sqrt{\cos(dx + c)}}{3 \cos(dx + c)^3 + 2 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(2+3\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] `integral(sqrt(3*cos(d*x + c) + 2)*(cos(d*x + c) + 1)*sqrt(cos(d*x + c))/(3*cos(d*x + c)^3 + 2*cos(d*x + c)^2), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(c + dx) + 1}{\sqrt{3 \cos(c + dx) + 2 \cos^2(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(d*x+c))/cos(d*x+c)**(3/2)/(2+3*cos(d*x+c))**(1/2), x)`

[Out] `Integral((cos(c + d*x) + 1)/(sqrt(3*cos(c + d*x) + 2)*cos(c + d*x)**(3/2)), x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx + c) + 1}{\sqrt{3 \cos(dx + c) + 2 \cos^2(dx + c)} \cos^{\frac{3}{2}}(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(2+3*cos(d*x+c))^(1/2), x, algorithm="giac")`

[Out] `integrate((cos(d*x + c) + 1)/(sqrt(3*cos(d*x + c) + 2)*cos(d*x + c)^(3/2)), x)`

$$3.442 \quad \int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{-2 + 3 \cos(c + dx)}} dx$$

**Optimal.** Leaf size=70

$$\frac{\sqrt{5} \cot(c + dx) \sqrt{\sec(c + dx) - 1} \sqrt{\sec(c + dx) + 1} E\left(\sin^{-1}\left(\frac{\sqrt{3 \cos(c + dx) - 2}}{\sqrt{\cos(c + dx)}}\right) \middle| \frac{1}{5}\right)}{d}$$

[Out] -((Sqrt[5]\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[-2 + 3\*Cos[c + d\*x]]]/Sqrt[Cos[c + d\*x]]], 1/5]\*Sqrt[-1 + Sec[c + d\*x]]\*Sqrt[1 + Sec[c + d\*x]])/d)

**Rubi [A]** time = 0.103997, antiderivative size = 70, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.03$ , Rules used = {2994}

$$\frac{\sqrt{5} \cot(c + dx) \sqrt{\sec(c + dx) - 1} \sqrt{\sec(c + dx) + 1} E\left(\sin^{-1}\left(\frac{\sqrt{3 \cos(c + dx) - 2}}{\sqrt{\cos(c + dx)}}\right) \middle| \frac{1}{5}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(1 + Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*Sqrt[-2 + 3\*Cos[c + d\*x]]),x]

[Out] -((Sqrt[5]\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[-2 + 3\*Cos[c + d\*x]]]/Sqrt[Cos[c + d\*x]]], 1/5)\*Sqrt[-1 + Sec[c + d\*x]]\*Sqrt[1 + Sec[c + d\*x]])/d)

**Rule 2994**

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

**Rubi steps**

$$\int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{-2 + 3 \cos(c + dx)}} dx = -\frac{\sqrt{5} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{-2 + 3 \cos(c + dx)}}{\sqrt{\cos(c + dx)}}\right) \middle| \frac{1}{5}\right) \sqrt{-1 + \sec(c + dx)} \sqrt{1 + \sec(c + dx)}}{d}$$

**Mathematica [F]** time = 38.3501, size = 0, normalized size = 0.

$$\int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{-2 + 3 \cos(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 + Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*Sqrt[-2 + 3\*Cos[c + d\*x]]),x]

[Out] Integrate[(1 + Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*Sqrt[-2 + 3\*Cos[c + d\*x]]), x]

**Maple [B]** time = 0.461, size = 601, normalized size = 8.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(-2+3\*cos(d\*x+c))^(1/2), x)

[Out] 1/d/(-2+3\*cos(d\*x+c))^(1/2)\*(-2\*cos(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))-4\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))-2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))\*cos(d\*x+c)^2\*sin(d\*x+c)-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))\*cos(d\*x+c)^2\*sin(d\*x+c)-2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*sin(d\*x+c)\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))-2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)-(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)+3\*cos(d\*x+c)^3-5\*cos(d\*x+c)^2+2\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/sin(d\*x+c)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx + c) + 1}{\sqrt{3 \cos(dx + c) - 2 \cos(dx + c)^2}^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(-2+3\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate((cos(d\*x + c) + 1)/(sqrt(3\*cos(d\*x + c) - 2)\*cos(d\*x + c)^(3/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{3 \cos(dx + c) - 2}(\cos(dx + c) + 1)\sqrt{\cos(dx + c)}}{3 \cos(dx + c)^3 - 2 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(-2+3\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] integral(sqrt(3\*cos(d\*x + c) - 2)\*(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))/(3\*cos(d\*x + c)^3 - 2\*cos(d\*x + c)^2), x)



---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(c + dx) + 1}{\sqrt{3 \cos(c + dx) - 2} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)\*\*(3/2)/(-2+3\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral((cos(c + d\*x) + 1)/(sqrt(3\*cos(c + d\*x) - 2)\*cos(c + d\*x)\*\*(3/2)),  
x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx + c) + 1}{\sqrt{3 \cos(dx + c) - 2} \cos^{\frac{3}{2}}(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(-2+3\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((cos(d\*x + c) + 1)/(sqrt(3\*cos(d\*x + c) - 2)\*cos(d\*x + c)^(3/2)),  
x)

$$3.443 \quad \int \frac{1+\cos(c+dx)}{\sqrt{2-3\cos(c+dx)} \cos^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=93

$$\frac{\sqrt{5}\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\sec(c+dx)-1}\sqrt{\sec(c+dx)+1}E\left(\sin^{-1}\left(\frac{\sqrt{2-3\cos(c+dx)}}{\sqrt{-\cos(c+dx)}}\right)\middle|\frac{1}{5}\right)}{d}$$

[Out] (Sqrt[5]\*Sqrt[-Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[2 - 3\*Cos[c + d\*x]]/Sqrt[-Cos[c + d\*x]]], 1/5]\*Sqrt[-1 + Sec[c + d\*x]]\*Sqrt[1 + Sec[c + d\*x]])/d

**Rubi [A]** time = 0.206488, antiderivative size = 93, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$ , Rules used = {2995, 2994}

$$\frac{\sqrt{5}\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\sec(c+dx)-1}\sqrt{\sec(c+dx)+1}E\left(\sin^{-1}\left(\frac{\sqrt{2-3\cos(c+dx)}}{\sqrt{-\cos(c+dx)}}\right)\middle|\frac{1}{5}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(1 + Cos[c + d\*x])/(Sqrt[2 - 3\*Cos[c + d\*x]]\*Cos[c + d\*x]^(3/2)),x]

[Out] (Sqrt[5]\*Sqrt[-Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[2 - 3\*Cos[c + d\*x]]/Sqrt[-Cos[c + d\*x]]], 1/5]\*Sqrt[-1 + Sec[c + d\*x]]\*Sqrt[1 + Sec[c + d\*x]])/d

#### Rule 2995

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] :> -Dist[Sqrt[-(b\*Sin[e + f\*x])/Sqrt[b\*Sin[e + f\*x]]], Int[(A + B\*Sin[e + f\*x])/((-b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && NegQ[(c + d)/b]

#### Rule 2994

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x])]/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x])]/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rubi steps

$$\int \frac{1 + \cos(c + dx)}{\sqrt{2 - 3\cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx = -\frac{\sqrt{-\cos(c + dx)} \int \frac{1 + \cos(c + dx)}{\sqrt{2 - 3\cos(c + dx)} (-\cos(c + dx))^{3/2}} dx}{\sqrt{\cos(c + dx)}} = \frac{\sqrt{5}\sqrt{-\cos(c + dx)}\sqrt{\cos(c + dx)}\csc(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{2-3\cos(c+dx)}}{\sqrt{-\cos(c+dx)}}\right)\middle|\frac{1}{5}\right)\sqrt{-1 + \sec(c + dx)}}{d}$$

**Mathematica [F]** time = 32.6107, size = 0, normalized size = 0.

$$\int \frac{1 + \cos(c + dx)}{\sqrt{2 - 3 \cos(c + dx)} \cos^2(c + dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 + Cos[c + d\*x])/(Sqrt[2 - 3\*Cos[c + d\*x]]\*Cos[c + d\*x]^(3/2)), x]

[Out] Integrate[(1 + Cos[c + d\*x])/(Sqrt[2 - 3\*Cos[c + d\*x]]\*Cos[c + d\*x]^(3/2)), x]

**Maple [B]** time = 0.469, size = 611, normalized size = 6.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(2-3\*cos(d\*x+c))^(1/2), x)

[Out] 1/d\*(2-3\*cos(d\*x+c))^(1/2)\*(2\*cos(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))+4\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))+2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))\*cos(d\*x+c)^2\*sin(d\*x+c)+2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*sin(d\*x+c)\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))+cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))\*cos(d\*x+c)^2\*sin(d\*x+c)+2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)+cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*((-2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))\*cos(d\*x+c)\*sin(d\*x+c)-3\*cos(d\*x+c)^3+5\*cos(d\*x+c)^2-2\*cos(d\*x+c))/(-2+3\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/sin(d\*x+c)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx + c) + 1}{\sqrt{-3 \cos(dx + c) + 2 \cos(dx + c)^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(2-3\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate((cos(d\*x + c) + 1)/(sqrt(-3\*cos(d\*x + c) + 2)\*cos(d\*x + c)^(3/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(\cos(dx+c)+1)\sqrt{-3\cos(dx+c)+2}\sqrt{\cos(dx+c)}}{3\cos(dx+c)^3-2\cos(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(2-3\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-(cos(d\*x + c) + 1)\*sqrt(-3\*cos(d\*x + c) + 2)\*sqrt(cos(d\*x + c))/(3\*cos(d\*x + c)^3 - 2\*cos(d\*x + c)^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(c+dx)+1}{\sqrt{2-3\cos(c+dx)}\cos^{\frac{3}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)\*\*(3/2)/(2-3\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral((cos(c + d\*x) + 1)/(sqrt(2 - 3\*cos(c + d\*x))\*cos(c + d\*x)\*\*(3/2)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx+c)+1}{\sqrt{-3\cos(dx+c)+2}\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(2-3\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((cos(d\*x + c) + 1)/(sqrt(-3\*cos(d\*x + c) + 2)\*cos(d\*x + c)^(3/2)), x)

$$3.444 \quad \int \frac{1+\cos(c+dx)}{\sqrt{-2-3\cos(c+dx)}\cos^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=95

$$\frac{\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{-\sec(c+dx)-1}\sqrt{1-\sec(c+dx)}E\left(\sin^{-1}\left(\frac{\sqrt{-3\cos(c+dx)-2}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right)\middle|5\right)}{d}$$

[Out] (Sqrt[-Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[-2 - 3\*Cos[c + d\*x]]/(Sqrt[5]\*Sqrt[-Cos[c + d\*x]])], 5]\*Sqrt[-1 - Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]])/d

**Rubi [A]** time = 0.190973, antiderivative size = 95, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$ , Rules used = {2995, 2994}

$$\frac{\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{-\sec(c+dx)-1}\sqrt{1-\sec(c+dx)}E\left(\sin^{-1}\left(\frac{\sqrt{-3\cos(c+dx)-2}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right)\middle|5\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(1 + Cos[c + d\*x])/(Sqrt[-2 - 3\*Cos[c + d\*x]]\*Cos[c + d\*x]^(3/2)),x]

[Out] (Sqrt[-Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[-2 - 3\*Cos[c + d\*x]]/(Sqrt[5]\*Sqrt[-Cos[c + d\*x]])], 5]\*Sqrt[-1 - Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]])/d

#### Rule 2995

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := -Dist[Sqrt[-(b\*Sin[e + f\*x])/Sqrt[b\*Sin[e + f\*x]]], Int[(A + B\*Sin[e + f\*x])/((-b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && NegQ[(c + d)/b]

#### Rule 2994

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x])]/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x])]/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rubi steps

$$\int \frac{1+\cos(c+dx)}{\sqrt{-2-3\cos(c+dx)}\cos^{\frac{3}{2}}(c+dx)} dx = -\frac{\sqrt{-\cos(c+dx)}\int \frac{1+\cos(c+dx)}{\sqrt{-2-3\cos(c+dx)}(-\cos(c+dx))^{\frac{3}{2}}} dx}{\sqrt{\cos(c+dx)}} = \frac{\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{-2-3\cos(c+dx)}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right)\middle|5\right)\sqrt{-1}}{d}$$

**Mathematica [F]** time = 28.6932, size = 0, normalized size = 0.

$$\int \frac{1 + \cos(c + dx)}{\sqrt{-2 - 3 \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 + Cos[c + d\*x])/(Sqrt[-2 - 3\*Cos[c + d\*x]]\*Cos[c + d\*x]^(3/2)), x]

[Out] Integrate[(1 + Cos[c + d\*x])/(Sqrt[-2 - 3\*Cos[c + d\*x]]\*Cos[c + d\*x]^(3/2)), x]

**Maple [B]** time = 0.364, size = 705, normalized size = 7.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(-2-3\*cos(d\*x+c))^(1/2), x)

[Out] 1/10/d\*(-2-3\*cos(d\*x+c))^(1/2)\*(2\*sin(d\*x+c)\*10^(1/2)\*((2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*EllipticF(1/5\*5^(1/2)\*(-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))\*cos(d\*x+c)^2\*5^(1/2)+4\*sin(d\*x+c)\*10^(1/2)\*((2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*EllipticF(1/5\*5^(1/2)\*(-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))\*cos(d\*x+c)\*5^(1/2)+2\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*5^(1/2)\*10^(1/2)\*((2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF(1/5\*5^(1/2)\*(-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))\*sin(d\*x+c)-2\*sin(d\*x+c)\*cos(d\*x+c)^2\*10^(1/2)\*((2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*EllipticF(1/5\*5^(1/2)\*(-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))\*5^(1/2)-sin(d\*x+c)\*cos(d\*x+c)^2\*10^(1/2)\*((2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*EllipticE(1/5\*5^(1/2)\*(-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))\*5^(1/2)-2\*sin(d\*x+c)\*cos(d\*x+c)\*10^(1/2)\*((2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*EllipticF(1/5\*5^(1/2)\*(-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))\*5^(1/2)-sin(d\*x+c)\*cos(d\*x+c)\*10^(1/2)\*((2+3\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*EllipticE(1/5\*5^(1/2)\*(-1+cos(d\*x+c))/sin(d\*x+c), 5^(1/2))\*5^(1/2)+30\*cos(d\*x+c)^3-10\*cos(d\*x+c)^2-20\*cos(d\*x+c))/(2+3\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/sin(d\*x+c)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx + c) + 1}{\sqrt{-3 \cos(dx + c) - 2 \cos(dx + c)^2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(-2-3\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate((cos(d\*x + c) + 1)/(sqrt(-3\*cos(d\*x + c) - 2)\*cos(d\*x + c)^(3/2)), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(\cos(dx+c)+1)\sqrt{-3\cos(dx+c)-2}\sqrt{\cos(dx+c)}}{3\cos(dx+c)^3+2\cos(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(-2-3\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-(cos(d\*x + c) + 1)\*sqrt(-3\*cos(d\*x + c) - 2)\*sqrt(cos(d\*x + c))/(3\*cos(d\*x + c)^3 + 2\*cos(d\*x + c)^2), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(c+dx)+1}{\sqrt{-3\cos(c+dx)-2}\cos^{\frac{3}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)\*\*(3/2)/(-2-3\*cos(d\*x+c))^(1/2),x)

[Out] Integral((cos(c + d\*x) + 1)/(sqrt(-3\*cos(c + d\*x) - 2)\*cos(c + d\*x)\*\*(3/2)), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx+c)+1}{\sqrt{-3\cos(dx+c)-2}\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(-2-3\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((cos(d\*x + c) + 1)/(sqrt(-3\*cos(d\*x + c) - 2)\*cos(d\*x + c)^(3/2)), x)

$$3.445 \quad \int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{3 + 2 \cos(c + dx)}} dx$$

**Optimal.** Leaf size=72

$$\frac{2 \cot(c + dx) \sqrt{1 - \sec(c + dx)} \sqrt{\sec(c + dx) + 1} E \left( \sin^{-1} \left( \frac{\sqrt{2 \cos(c + dx) + 3}}{\sqrt{5} \sqrt{\cos(c + dx)}} \right) \right) - 5}{3d}$$

[Out] (2\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[3 + 2\*Cos[c + d\*x]]/(Sqrt[5]\*Sqrt[Cos[c + d\*x]])], -5]\*Sqrt[1 - Sec[c + d\*x]]\*Sqrt[1 + Sec[c + d\*x]])/(3\*d)

**Rubi [A]** time = 0.0825297, antiderivative size = 72, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.03$ , Rules used = {2994}

$$\frac{2 \cot(c + dx) \sqrt{1 - \sec(c + dx)} \sqrt{\sec(c + dx) + 1} E \left( \sin^{-1} \left( \frac{\sqrt{2 \cos(c + dx) + 3}}{\sqrt{5} \sqrt{\cos(c + dx)}} \right) \right) - 5}{3d}$$

Antiderivative was successfully verified.

[In] Int[(1 + Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*Sqrt[3 + 2\*Cos[c + d\*x]]), x]

[Out] (2\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[3 + 2\*Cos[c + d\*x]]/(Sqrt[5]\*Sqrt[Cos[c + d\*x]])], -5]\*Sqrt[1 - Sec[c + d\*x]]\*Sqrt[1 + Sec[c + d\*x]])/(3\*d)

**Rule 2994**

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x])]/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x])]/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

**Rubi steps**

$$\int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{3 + 2 \cos(c + dx)}} dx = \frac{2 \cot(c + dx) E \left( \sin^{-1} \left( \frac{\sqrt{3 + 2 \cos(c + dx)}}{\sqrt{5} \sqrt{\cos(c + dx)}} \right) \right) - 5}{3d} \sqrt{1 - \sec(c + dx)} \sqrt{1 + \sec(c + dx)}$$

**Mathematica [F]** time = 37.7417, size = 0, normalized size = 0.

$$\int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{3 + 2 \cos(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 + Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*Sqrt[3 + 2\*Cos[c + d\*x]]), x]



[Out] Integrate[(1 + Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*Sqrt[3 + 2\*Cos[c + d\*x]]), x]

**Maple [B]** time = 0.448, size = 665, normalized size = 9.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(3+2\*cos(d\*x+c))^(1/2), x)

[Out] 
$$-1/15/d/(3+2*\cos(d*x+c))^{1/2}*(3*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*10^{1/2})*((3+2*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)^2*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), 1/5*I*5^{1/2})*2^{1/2}+6*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*10^{1/2}*((3+2*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)*\sin(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), 1/5*I*5^{1/2})*2^{1/2}+3*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*10^{1/2}*((3+2*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), 1/5*I*5^{1/2})*\sin(d*x+c)+3*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*10^{1/2}*((3+2*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), 1/5*I*5^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)-5*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*10^{1/2}*((3+2*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), 1/5*I*5^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)+3*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*10^{1/2}*((3+2*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), 1/5*I*5^{1/2})*\cos(d*x+c)*\sin(d*x+c)-5*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*10^{1/2}*((3+2*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), 1/5*I*5^{1/2})*\cos(d*x+c)*\sin(d*x+c)+20*\cos(d*x+c)^3+10*\cos(d*x+c)^2-30*\cos(d*x+c))/\cos(d*x+c)^{3/2}/\sin(d*x+c)$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx + c) + 1}{\sqrt{2 \cos(dx + c) + 3} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(3+2\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate((cos(d\*x + c) + 1)/(sqrt(2\*cos(d\*x + c) + 3)\*cos(d\*x + c)^(3/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{2 \cos(dx + c) + 3}(\cos(dx + c) + 1)\sqrt{\cos(dx + c)}}{2 \cos(dx + c)^3 + 3 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(3+2\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] `integral(sqrt(2*cos(d*x + c) + 3)*(cos(d*x + c) + 1)*sqrt(cos(d*x + c))/(2*cos(d*x + c)^3 + 3*cos(d*x + c)^2), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(c + dx) + 1}{\sqrt{2 \cos(c + dx) + 3} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(d*x+c))/cos(d*x+c)**(3/2)/(3+2*cos(d*x+c))**(1/2), x)`

[Out] `Integral((cos(c + d*x) + 1)/(sqrt(2*cos(c + d*x) + 3)*cos(c + d*x)**(3/2)), x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx + c) + 1}{\sqrt{2 \cos(dx + c) + 3} \cos^{\frac{3}{2}}(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(3+2*cos(d*x+c))^(1/2), x, algorithm="giac")`

[Out] `integrate((cos(d*x + c) + 1)/(sqrt(2*cos(d*x + c) + 3)*cos(d*x + c)^(3/2)), x)`

$$3.446 \quad \int \frac{1 + \cos(c + dx)}{\sqrt{3 - 2 \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx$$

**Optimal.** Leaf size=74

$$\frac{2\sqrt{5} \cot(c + dx) \sqrt{1 - \sec(c + dx)} \sqrt{\sec(c + dx) + 1} E\left(\sin^{-1}\left(\frac{\sqrt{3 - 2 \cos(c + dx)}}{\sqrt{\cos(c + dx)}}\right) \middle| -\frac{1}{5}\right)}{3d}$$

[Out] (2\*Sqrt[5]\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[3 - 2\*Cos[c + d\*x]]/Sqrt[Cos[c + d\*x]]], -1/5]\*Sqrt[1 - Sec[c + d\*x]]\*Sqrt[1 + Sec[c + d\*x]])/(3\*d)

**Rubi [A]** time = 0.0993586, antiderivative size = 74, normalized size of antiderivative = 1., number of steps used = 1, number of rules used = 1, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.03$ , Rules used = {2994}

$$\frac{2\sqrt{5} \cot(c + dx) \sqrt{1 - \sec(c + dx)} \sqrt{\sec(c + dx) + 1} E\left(\sin^{-1}\left(\frac{\sqrt{3 - 2 \cos(c + dx)}}{\sqrt{\cos(c + dx)}}\right) \middle| -\frac{1}{5}\right)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(1 + Cos[c + d\*x])/(Sqrt[3 - 2\*Cos[c + d\*x]]\*Cos[c + d\*x]^(3/2)), x]

[Out] (2\*Sqrt[5]\*Cot[c + d\*x]\*EllipticE[ArcSin[Sqrt[3 - 2\*Cos[c + d\*x]]/Sqrt[Cos[c + d\*x]]], -1/5]\*Sqrt[1 - Sec[c + d\*x]]\*Sqrt[1 + Sec[c + d\*x]])/(3\*d)

**Rule 2994**

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

**Rubi steps**

$$\int \frac{1 + \cos(c + dx)}{\sqrt{3 - 2 \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx = \frac{2\sqrt{5} \cot(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{3 - 2 \cos(c + dx)}}{\sqrt{\cos(c + dx)}}\right) \middle| -\frac{1}{5}\right) \sqrt{1 - \sec(c + dx)} \sqrt{1 + \sec(c + dx)}}{3d}$$

**Mathematica [F]** time = 38.0136, size = 0, normalized size = 0.

$$\int \frac{1 + \cos(c + dx)}{\sqrt{3 - 2 \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 + Cos[c + d\*x])/(Sqrt[3 - 2\*Cos[c + d\*x]]\*Cos[c + d\*x]^(3/2)), x]

[Out] Integrate[(1 + Cos[c + d\*x])/(Sqrt[3 - 2\*Cos[c + d\*x]]\*Cos[c + d\*x]^(3/2)), x]

**Maple [B]** time = 0.458, size = 663, normalized size = 9.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(3-2\*cos(d\*x+c))^(1/2), x)

[Out]  $\frac{1}{3}d(3-2\cos(dx+c))^{1/2} \left( 3\operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, I\sqrt{5}\right) \sin(dx+c) 2^{1/2} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{3/2} (-2(-3+2\cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \cos(dx+c)^2 + 6\operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, I\sqrt{5}\right) \sin(dx+c) 2^{1/2} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{3/2} (-2(-3+2\cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \cos(dx+c) + 3 2^{1/2} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{3/2} (-2(-3+2\cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, I\sqrt{5}\right) \sin(dx+c) + 3 2^{1/2} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} (-2(-3+2\cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, I\sqrt{5}\right) \sin(dx+c) \cos(dx+c)^2 - 2^{1/2} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} (-2(-3+2\cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \operatorname{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, I\sqrt{5}\right) \sin(dx+c) \cos(dx+c)^2 + 3 2^{1/2} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} (-2(-3+2\cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, I\sqrt{5}\right) \sin(dx+c) \cos(dx+c)^2 - 2^{1/2} \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{1/2} (-2(-3+2\cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \operatorname{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, I\sqrt{5}\right) \sin(dx+c) \cos(dx+c) - 4 \cos(dx+c)^3 + 10 \cos(dx+c)^2 - 6 \cos(dx+c) \right) / (-3+2\cos(dx+c)) / \cos(dx+c)^{3/2} / \sin(dx+c)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx+c)+1}{\sqrt{-2\cos(dx+c)+3}\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(3-2\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate((cos(d\*x + c) + 1)/(sqrt(-2\*cos(d\*x + c) + 3)\*cos(d\*x + c)^(3/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(-\frac{(\cos(dx+c)+1)\sqrt{-2\cos(dx+c)+3}\sqrt{\cos(dx+c)}}{2\cos(dx+c)^3-3\cos(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(3-2\*cos(d\*x+c))^(1/2), x, algorithm="fricas")

[Out] `integral(-(cos(d*x + c) + 1)*sqrt(-2*cos(d*x + c) + 3)*sqrt(cos(d*x + c)))/(2*cos(d*x + c)^3 - 3*cos(d*x + c)^2), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(c + dx) + 1}{\sqrt{3 - 2 \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(d*x+c))/cos(d*x+c)**(3/2)/(3-2*cos(d*x+c))**(1/2),x)`

[Out] `Integral((cos(c + d*x) + 1)/(sqrt(3 - 2*cos(c + d*x))*cos(c + d*x)**(3/2)), x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx + c) + 1}{\sqrt{-2 \cos(dx + c) + 3} \cos^{\frac{3}{2}}(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((1+cos(d*x+c))/cos(d*x+c)^(3/2)/(3-2*cos(d*x+c))^(1/2),x, algorithm="giac")`

[Out] `integrate((cos(d*x + c) + 1)/(sqrt(-2*cos(d*x + c) + 3)*cos(d*x + c)^(3/2)), x)`

$$3.447 \quad \int \frac{1+\cos(c+dx)}{\cos^{\frac{3}{2}}(c+dx)\sqrt{-3+2\cos(c+dx)}} dx$$

**Optimal.** Leaf size=98

$$\frac{2\sqrt{5}\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{1-\sec(c+dx)}\sqrt{\sec(c+dx)+1}E\left(\sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)-3}}{\sqrt{-\cos(c+dx)}}\right)\middle|-\frac{1}{5}\right)}{3d}$$

[Out] (-2\*Sqrt[5]\*Sqrt[-Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[-3 + 2\*Cos[c + d\*x]]/Sqrt[-Cos[c + d\*x]]], -1/5]\*Sqrt[1 - Sec[c + d\*x]]\*Sqrt[1 + Sec[c + d\*x]])/(3\*d)

**Rubi [A]** time = 0.201563, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$ , Rules used = {2995, 2994}

$$\frac{2\sqrt{5}\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{1-\sec(c+dx)}\sqrt{\sec(c+dx)+1}E\left(\sin^{-1}\left(\frac{\sqrt{2\cos(c+dx)-3}}{\sqrt{-\cos(c+dx)}}\right)\middle|-\frac{1}{5}\right)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(1 + Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*Sqrt[-3 + 2\*Cos[c + d\*x]]), x]

[Out] (-2\*Sqrt[5]\*Sqrt[-Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[-3 + 2\*Cos[c + d\*x]]/Sqrt[-Cos[c + d\*x]]], -1/5]\*Sqrt[1 - Sec[c + d\*x]]\*Sqrt[1 + Sec[c + d\*x]])/(3\*d)

#### Rule 2995

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] :> -Dist[Sqrt[-(b\*Sin[e + f\*x])/Sqrt[b\*Sin[e + f\*x]]], Int[(A + B\*Sin[e + f\*x])/((-b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && NegQ[(c + d)/b]

#### Rule 2994

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x])]/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x])]/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rubi steps

$$\int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)\sqrt{-3 + 2\cos(c + dx)}} dx = -\frac{\sqrt{-\cos(c + dx)} \int \frac{1 + \cos(c + dx)}{(-\cos(c + dx))^{\frac{3}{2}}\sqrt{-3 + 2\cos(c + dx)}} dx}{\sqrt{\cos(c + dx)}} = -\frac{2\sqrt{5}\sqrt{-\cos(c + dx)}\sqrt{\cos(c + dx)}\csc(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{-3 + 2\cos(c + dx)}}{\sqrt{-\cos(c + dx)}}\right)\middle|-\frac{1}{5}\right)}{3d}$$

**Mathematica [F]** time = 40.906, size = 0, normalized size = 0.

$$\int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)\sqrt{-3 + 2\cos(c + dx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 + Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*Sqrt[-3 + 2\*Cos[c + d\*x]]), x]

[Out] Integrate[(1 + Cos[c + d\*x])/(Cos[c + d\*x]^(3/2)\*Sqrt[-3 + 2\*Cos[c + d\*x]]), x]

**Maple [B]** time = 0.352, size = 714, normalized size = 7.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(-3+2\*cos(d\*x+c))^(1/2), x)

[Out] 1/15/d/(-3+2\*cos(d\*x+c))^(1/2)\*(3\*I\*(-2\*(-3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*EllipticF(I\*(-1+cos(d\*x+c))\*5^(1/2)/sin(d\*x+c), 1/5\*I\*5^(1/2))\*5^(1/2)\*2^(1/2)\*sin(d\*x+c)\*cos(d\*x+c)^2+6\*I\*(-2\*(-3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*EllipticF(I\*(-1+cos(d\*x+c))\*5^(1/2)/sin(d\*x+c), 1/5\*I\*5^(1/2))\*5^(1/2)\*2^(1/2)\*sin(d\*x+c)\*cos(d\*x+c)+5\*I\*5^(1/2)\*sin(d\*x+c)\*cos(d\*x+c)^2\*(-2\*(-3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*EllipticE(I\*(-1+cos(d\*x+c))\*5^(1/2)/sin(d\*x+c), 1/5\*I\*5^(1/2))+3\*I\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)\*sin(d\*x+c)\*5^(1/2)\*(-2\*(-3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF(I\*(-1+cos(d\*x+c))\*5^(1/2)/sin(d\*x+c), 1/5\*I\*5^(1/2))-3\*I\*5^(1/2)\*sin(d\*x+c)\*cos(d\*x+c)^2\*(-2\*(-3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*EllipticF(I\*(-1+cos(d\*x+c))\*5^(1/2)/sin(d\*x+c), 1/5\*I\*5^(1/2))+5\*I\*5^(1/2)\*sin(d\*x+c)\*cos(d\*x+c)\*(-2\*(-3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*EllipticE(I\*(-1+cos(d\*x+c))\*5^(1/2)/sin(d\*x+c), 1/5\*I\*5^(1/2))-3\*I\*5^(1/2)\*sin(d\*x+c)\*cos(d\*x+c)\*(-2\*(-3+2\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*EllipticF(I\*(-1+cos(d\*x+c))\*5^(1/2)/sin(d\*x+c), 1/5\*I\*5^(1/2))+20\*cos(d\*x+c)^3-50\*cos(d\*x+c)^2+30\*cos(d\*x+c))/cos(d\*x+c)^(3/2)/sin(d\*x+c)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx + c) + 1}{\sqrt{2 \cos(dx + c) - 3 \cos(dx + c)^{\frac{3}{2}}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(-3+2\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate((cos(d\*x + c) + 1)/(sqrt(2\*cos(d\*x + c) - 3)\*cos(d\*x + c)^(3/2)), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{\sqrt{2 \cos(dx + c) - 3}(\cos(dx + c) + 1)\sqrt{\cos(dx + c)}}{2 \cos(dx + c)^3 - 3 \cos(dx + c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(-3+2\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(sqrt(2\*cos(d\*x + c) - 3)\*(cos(d\*x + c) + 1)\*sqrt(cos(d\*x + c))/(2\*cos(d\*x + c)^3 - 3\*cos(d\*x + c)^2), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(c + dx) + 1}{\sqrt{2 \cos(c + dx) - 3} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)\*\*(3/2)/(-3+2\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral((cos(c + d\*x) + 1)/(sqrt(2\*cos(c + d\*x) - 3)\*cos(c + d\*x)\*\*(3/2)), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx + c) + 1}{\sqrt{2 \cos(dx + c) - 3} \cos(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(-3+2\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((cos(d\*x + c) + 1)/(sqrt(2\*cos(d\*x + c) - 3)\*cos(d\*x + c)^(3/2)), x)



$$3.448 \quad \int \frac{1+\cos(c+dx)}{\sqrt{-3-2\cos(c+dx)}\cos^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=96

$$\frac{2\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{1-\sec(c+dx)}\sqrt{\sec(c+dx)+1}E\left(\sin^{-1}\left(\frac{\sqrt{-2\cos(c+dx)-3}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right)\right)-5}{3d}$$

[Out] (-2\*Sqrt[-Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[-3 - 2\*Cos[c + d\*x]]/(Sqrt[5]\*Sqrt[-Cos[c + d\*x]])], -5]\*Sqrt[1 - Sec[c + d\*x]]\*Sqrt[1 + Sec[c + d\*x]])/(3\*d)

**Rubi [A]** time = 0.188941, antiderivative size = 96, normalized size of antiderivative = 1., number of steps used = 2, number of rules used = 2, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.061$ , Rules used = {2995, 2994}

$$\frac{2\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{1-\sec(c+dx)}\sqrt{\sec(c+dx)+1}E\left(\sin^{-1}\left(\frac{\sqrt{-2\cos(c+dx)-3}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right)\right)-5}{3d}$$

Antiderivative was successfully verified.

[In] Int[(1 + Cos[c + d\*x])/(Sqrt[-3 - 2\*Cos[c + d\*x]]\*Cos[c + d\*x]^(3/2)),x]

[Out] (-2\*Sqrt[-Cos[c + d\*x]]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[-3 - 2\*Cos[c + d\*x]]/(Sqrt[5]\*Sqrt[-Cos[c + d\*x]])], -5]\*Sqrt[1 - Sec[c + d\*x]]\*Sqrt[1 + Sec[c + d\*x]])/(3\*d)

#### Rule 2995

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := -Dist[Sqrt[-(b\*Sin[e + f\*x])/Sqrt[b\*Sin[e + f\*x]], Int[(A + B\*Sin[e + f\*x])/((-b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && NegQ[(c + d)/b]

#### Rule 2994

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x])]/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x])]/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rubi steps

$$\int \frac{1+\cos(c+dx)}{\sqrt{-3-2\cos(c+dx)}\cos^{\frac{3}{2}}(c+dx)} dx = -\frac{\sqrt{-\cos(c+dx)}\int \frac{1+\cos(c+dx)}{\sqrt{-3-2\cos(c+dx)}(-\cos(c+dx))^{3/2}} dx}{\sqrt{\cos(c+dx)}} = -\frac{2\sqrt{-\cos(c+dx)}\sqrt{\cos(c+dx)}\csc(c+dx)E\left(\sin^{-1}\left(\frac{\sqrt{-3-2\cos(c+dx)}}{\sqrt{5}\sqrt{-\cos(c+dx)}}\right)\right)-5}{3d}$$

**Mathematica [F]** time = 30.1155, size = 0, normalized size = 0.

$$\int \frac{1 + \cos(c + dx)}{\sqrt{-3 - 2 \cos(c + dx)} \cos^{\frac{3}{2}}(c + dx)} dx$$

Verification is Not applicable to the result.

[In] Integrate[(1 + Cos[c + d\*x])/(Sqrt[-3 - 2\*Cos[c + d\*x]]\*Cos[c + d\*x]^(3/2)), x]

[Out] Integrate[(1 + Cos[c + d\*x])/(Sqrt[-3 - 2\*Cos[c + d\*x]]\*Cos[c + d\*x]^(3/2)), x]

**Maple [B]** time = 0.366, size = 740, normalized size = 7.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(-3-2\*cos(d\*x+c))^(1/2), x)

[Out] 
$$-1/15/d*(-3-2*\cos(d*x+c))^{1/2}*(3*I*5^{1/2}*\cos(d*x+c)^2*\sin(d*x+c)*10^{1/2}*((3+2*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*\text{EllipticF}(1/5*I*(-1+\cos(d*x+c))*5^{1/2}/\sin(d*x+c), I*5^{1/2})+6*I*5^{1/2}*\cos(d*x+c)*\sin(d*x+c)*10^{1/2}*((3+2*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*\text{EllipticF}(1/5*I*(-1+\cos(d*x+c))*5^{1/2}/\sin(d*x+c), I*5^{1/2})+I*5^{1/2}*\cos(d*x+c)^2*\sin(d*x+c)*\text{EllipticE}(1/5*I*(-1+\cos(d*x+c))*5^{1/2}/\sin(d*x+c), I*5^{1/2})*10^{1/2}*((3+2*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}-3*I*5^{1/2}*\cos(d*x+c)^2*\sin(d*x+c)*\text{EllipticF}(1/5*I*(-1+\cos(d*x+c))*5^{1/2}/\sin(d*x+c), I*5^{1/2})*10^{1/2}*((3+2*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}+3*I*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}*\sin(d*x+c)*5^{1/2}*10^{1/2}*((3+2*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}(1/5*I*(-1+\cos(d*x+c))*5^{1/2}/\sin(d*x+c), I*5^{1/2})+I*5^{1/2}*\cos(d*x+c)*\sin(d*x+c)*\text{EllipticE}(1/5*I*(-1+\cos(d*x+c))*5^{1/2}/\sin(d*x+c), I*5^{1/2})*10^{1/2}*((3+2*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}-3*I*5^{1/2}*\cos(d*x+c)*\sin(d*x+c)*\text{EllipticF}(1/5*I*(-1+\cos(d*x+c))*5^{1/2}/\sin(d*x+c), I*5^{1/2})*10^{1/2}*((3+2*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*2^{1/2}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}-20*\cos(d*x+c)^3-10*\cos(d*x+c)^2+30*\cos(d*x+c))/(3+2*\cos(d*x+c))/\cos(d*x+c)^{3/2}/\sin(d*x+c)$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx + c) + 1}{\sqrt{-2 \cos(dx + c) - 3} \cos^{\frac{3}{2}}(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(-3-2\*cos(d\*x+c))^(1/2), x, algorithm="maxima")

[Out] integrate((cos(d\*x + c) + 1)/(sqrt(-2\*cos(d\*x + c) - 3)\*cos(d\*x + c)^(3/2)), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(-\frac{(\cos(dx+c)+1)\sqrt{-2\cos(dx+c)-3}\sqrt{\cos(dx+c)}}{2\cos(dx+c)^3+3\cos(dx+c)^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(-3-2\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral(-(cos(d\*x + c) + 1)\*sqrt(-2\*cos(d\*x + c) - 3)\*sqrt(cos(d\*x + c))/(2\*cos(d\*x + c)^3 + 3\*cos(d\*x + c)^2), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(c+dx)+1}{\sqrt{-2\cos(c+dx)-3}\cos^{\frac{3}{2}}(c+dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)\*\*(3/2)/(-3-2\*cos(d\*x+c))^(1/2),x)

[Out] Integral((cos(c + d\*x) + 1)/(sqrt(-2\*cos(c + d\*x) - 3)\*cos(c + d\*x)\*\*(3/2)), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\cos(dx+c)+1}{\sqrt{-2\cos(dx+c)-3}\cos(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((1+cos(d\*x+c))/cos(d\*x+c)^(3/2)/(-3-2\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((cos(d\*x + c) + 1)/(sqrt(-2\*cos(d\*x + c) - 3)\*cos(d\*x + c)^(3/2)), x)

$$3.449 \quad \int (c \cos(e+fx))^m (a+b \cos(e+fx))^n (A+B \cos(e+fx)) dx$$

**Optimal.** Leaf size=35

$$\text{Unintegrable}((A+B \cos(e+fx))(c \cos(e+fx))^m (a+b \cos(e+fx))^n, x)$$

[Out] Unintegrable[(c\*cos[e + f\*x])^m\*(a + b\*cos[e + f\*x])^n\*(A + B\*cos[e + f\*x]), x]

**Rubi [A]** time = 0.0822421, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int (c \cos(e+fx))^m (a+b \cos(e+fx))^n (A+B \cos(e+fx)) dx$$

Verification is Not applicable to the result.

[In] Int[(c\*cos[e + f\*x])^m\*(a + b\*cos[e + f\*x])^n\*(A + B\*cos[e + f\*x]), x]

[Out] Defer[Int][(c\*cos[e + f\*x])^m\*(a + b\*cos[e + f\*x])^n\*(A + B\*cos[e + f\*x]), x]

Rubi steps

$$\int (c \cos(e+fx))^m (a+b \cos(e+fx))^n (A+B \cos(e+fx)) dx = \int (c \cos(e+fx))^m (a+b \cos(e+fx))^n (A+B \cos(e+fx)) dx$$

**Mathematica [A]** time = 7.55386, size = 0, normalized size = 0.

$$\int (c \cos(e+fx))^m (a+b \cos(e+fx))^n (A+B \cos(e+fx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(c\*cos[e + f\*x])^m\*(a + b\*cos[e + f\*x])^n\*(A + B\*cos[e + f\*x]), x]

[Out] Integrate[(c\*cos[e + f\*x])^m\*(a + b\*cos[e + f\*x])^n\*(A + B\*cos[e + f\*x]), x]

**Maple [A]** time = 2.795, size = 0, normalized size = 0.

$$\int (c \cos(fx+e))^m (a+b \cos(fx+e))^n (A+B \cos(fx+e)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^n\*(A+B\*cos(f\*x+e)), x)

[Out] int((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^n\*(A+B\*cos(f\*x+e)), x)

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^n (c \cos(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^n\*(A+B\*cos(f\*x+e)),x, algorithm="maxima")

[Out] integrate((B\*cos(f\*x + e) + A)\*(b\*cos(f\*x + e) + a)^n\*(c\*cos(f\*x + e))^m, x)

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \cos(fx + e) + A\right)\left(b \cos(fx + e) + a\right)^n \left(c \cos(fx + e)\right)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^n\*(A+B\*cos(f\*x+e)),x, algorithm="fricas")

[Out] integral((B\*cos(f\*x + e) + A)\*(b\*cos(f\*x + e) + a)^n\*(c\*cos(f\*x + e))^m, x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))\*\*m\*(a+b\*cos(f\*x+e))\*\*n\*(A+B\*cos(f\*x+e)),x)

[Out] Timed out

---

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^n\*(A+B\*cos(f\*x+e)),x, algorithm="giac")

[Out] Exception raised: AttributeError

$$3.450 \quad \int (c \cos(e+fx))^m (a+b \cos(e+fx))^4 (A+B \cos(e+fx)) dx$$

**Optimal.** Leaf size=595

$$\frac{\sin(e+fx) \left( 4a^3 Ab (m^2 + 8m + 15) + 6a^2 b^2 B (m^2 + 7m + 10) + a^4 B (m^2 + 8m + 15) + 4a Ab^3 (m^2 + 7m + 10) + b^4 B (m^2 + 8m + 15) \right)}{c^2 f (m+2)(m+3)(m+5) \sqrt{\sin^2(e+fx)}}$$

[Out] (b\*(A\*b^3\*(15 + 8\*m + m^2) + 4\*a\*b^2\*B\*(15 + 8\*m + m^2) + 2\*a^3\*B\*(28 + 10\*m + m^2) + a^2\*A\*b\*(110 + 47\*m + 5\*m^2))\*(c\*Cos[e + f\*x])^(1 + m)\*Sin[e + f\*x])/(c\*f\*(2 + m)\*(4 + m)\*(5 + m)) + (b^2\*(b^2\*B\*(4 + m)^2 + 2\*a\*A\*b\*(5 + m)^2 + a^2\*B\*(36 + 11\*m + m^2))\*Cos[e + f\*x]\*(c\*Cos[e + f\*x])^(1 + m)\*Sin[e + f\*x])/(c\*f\*(3 + m)\*(4 + m)\*(5 + m)) + (b\*(A\*b\*(5 + m) + a\*B\*(8 + m))\*(c\*Cos[e + f\*x])^(1 + m)\*(a + b\*Cos[e + f\*x])^2\*Sin[e + f\*x])/(c\*f\*(4 + m)\*(5 + m)) + (b\*B\*(c\*Cos[e + f\*x])^(1 + m)\*(a + b\*Cos[e + f\*x])^3\*Sin[e + f\*x])/(c\*f\*(5 + m)) - ((A\*b^4\*(3 + 4\*m + m^2) + 4\*a\*b^3\*B\*(3 + 4\*m + m^2) + 6\*a^2\*A\*b^2\*(4 + 5\*m + m^2) + 4\*a^3\*b\*B\*(4 + 5\*m + m^2) + a^4\*A\*(8 + 6\*m + m^2))\*(c\*Cos[e + f\*x])^(1 + m)\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(c\*f\*(1 + m)\*(2 + m)\*(4 + m)\*Sqrt[Sin[e + f\*x]^2]) - ((b^4\*B\*(8 + 6\*m + m^2) + 4\*a\*A\*b^3\*(10 + 7\*m + m^2) + 6\*a^2\*b^2\*B\*(10 + 7\*m + m^2) + 4\*a^3\*A\*b\*(15 + 8\*m + m^2) + a^4\*B\*(15 + 8\*m + m^2))\*(c\*Cos[e + f\*x])^(2 + m)\*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(c^2\*f\*(2 + m)\*(3 + m)\*(5 + m)\*Sqrt[Sin[e + f\*x]^2])

**Rubi [A]** time = 1.98357, antiderivative size = 595, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2990, 3049, 3033, 3023, 2748, 2643}

$$\frac{\sin(e+fx) \left( 4a^3 Ab (m^2 + 8m + 15) + 6a^2 b^2 B (m^2 + 7m + 10) + a^4 B (m^2 + 8m + 15) + 4a Ab^3 (m^2 + 7m + 10) + b^4 B (m^2 + 8m + 15) \right)}{c^2 f (m+2)(m+3)(m+5) \sqrt{\sin^2(e+fx)}}$$

Antiderivative was successfully verified.

[In] Int[(c\*Cos[e + f\*x])^m\*(a + b\*Cos[e + f\*x])^4\*(A + B\*Cos[e + f\*x]),x]

[Out] (b\*(A\*b^3\*(15 + 8\*m + m^2) + 4\*a\*b^2\*B\*(15 + 8\*m + m^2) + 2\*a^3\*B\*(28 + 10\*m + m^2) + a^2\*A\*b\*(110 + 47\*m + 5\*m^2))\*(c\*Cos[e + f\*x])^(1 + m)\*Sin[e + f\*x])/(c\*f\*(2 + m)\*(4 + m)\*(5 + m)) + (b^2\*(b^2\*B\*(4 + m)^2 + 2\*a\*A\*b\*(5 + m)^2 + a^2\*B\*(36 + 11\*m + m^2))\*Cos[e + f\*x]\*(c\*Cos[e + f\*x])^(1 + m)\*Sin[e + f\*x])/(c\*f\*(3 + m)\*(4 + m)\*(5 + m)) + (b\*(A\*b\*(5 + m) + a\*B\*(8 + m))\*(c\*Cos[e + f\*x])^(1 + m)\*(a + b\*Cos[e + f\*x])^2\*Sin[e + f\*x])/(c\*f\*(4 + m)\*(5 + m)) + (b\*B\*(c\*Cos[e + f\*x])^(1 + m)\*(a + b\*Cos[e + f\*x])^3\*Sin[e + f\*x])/(c\*f\*(5 + m)) - ((A\*b^4\*(3 + 4\*m + m^2) + 4\*a\*b^3\*B\*(3 + 4\*m + m^2) + 6\*a^2\*A\*b^2\*(4 + 5\*m + m^2) + 4\*a^3\*b\*B\*(4 + 5\*m + m^2) + a^4\*A\*(8 + 6\*m + m^2))\*(c\*Cos[e + f\*x])^(1 + m)\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(c\*f\*(1 + m)\*(2 + m)\*(4 + m)\*Sqrt[Sin[e + f\*x]^2]) - ((b^4\*B\*(8 + 6\*m + m^2) + 4\*a\*A\*b^3\*(10 + 7\*m + m^2) + 6\*a^2\*b^2\*B\*(10 + 7\*m + m^2) + 4\*a^3\*A\*b\*(15 + 8\*m + m^2) + a^4\*B\*(15 + 8\*m + m^2))\*(c\*Cos[e + f\*x])^(2 + m)\*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(c^2\*f\*(2 + m)\*(3 + m)\*(5 + m)\*Sqrt[Sin[e + f\*x]^2])

**Rule 2990**

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n
+ 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*
x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m -
1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n
)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n
, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

```

#### Rule 3049

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_
.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x]
)^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x
] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

```

#### Rule 3033

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f
_.)*(x_)]^2), x_Symbol] := -Simp[(C*d*Cos[e + f*x]*Sin[e + f*x]*(a + b*Sin[
e + f*x])^(m + 1))/(b*f*(m + 3)), x] + Dist[1/(b*(m + 3)), Int[(a + b*Sin[e
+ f*x])^m*Simp[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(
m + 3)))*Sin[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*Sin[e + f*x]^2, x
], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && !LtQ[m, -1]

```

#### Rule 3023

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.)
+ (f_.)*(x_)]) + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[(C*Cos
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1))/(b*f*(m + 2)), x] + Dist[1/(b*(m +
2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m +
2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] &&
!LtQ[m, -1]

```

#### Rule 2748

```

Int(((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x
_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(
b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]

```

#### Rule 2643

```

Int(((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]

```

#### Rubi steps

$$\begin{aligned}
\int (c \cos(e + fx))^m (a + b \cos(e + fx))^4 (A + B \cos(e + fx)) dx &= \frac{bB(c \cos(e + fx))^{1+m} (a + b \cos(e + fx))^3 \sin(e + fx)}{cf(5 + m)} + \dots \\
&= \frac{b(Ab(5 + m) + aB(8 + m))(c \cos(e + fx))^{1+m} (a + b \cos(e + fx))^2 \sin(e + fx)}{cf(4 + m)(5 + m)} \\
&= \frac{b^2 (b^2 B(4 + m)^2 + 2aAb(5 + m)^2 + a^2 B(36 + 11m + m^2)) (c \cos(e + fx))^{1+m} (a + b \cos(e + fx)) \sin(e + fx)}{cf(3 + m)(4 + m)(5 + m)} \\
&= \frac{b (Ab^3 (15 + 8m + m^2) + 4ab^2 B (15 + 8m + m^2) + 2a^3 B (36 + 11m + m^2)) (c \cos(e + fx))^{1+m} \sin(e + fx)}{cf(3 + m)(4 + m)(5 + m)} \\
&= \frac{b (Ab^3 (15 + 8m + m^2) + 4ab^2 B (15 + 8m + m^2) + 2a^3 B (36 + 11m + m^2)) (c \cos(e + fx))^{1+m} \sin(e + fx)}{cf(3 + m)(4 + m)(5 + m)} \\
&= \frac{b (Ab^3 (15 + 8m + m^2) + 4ab^2 B (15 + 8m + m^2) + 2a^3 B (36 + 11m + m^2)) (c \cos(e + fx))^{1+m} \sin(e + fx)}{cf(3 + m)(4 + m)(5 + m)}
\end{aligned}$$

**Mathematica [A]** time = 6.19836, size = 487, normalized size = 0.82

$$\frac{a^3(aB + 4Ab) \sin(e + fx) \cos^2(e + fx) (c \cos(e + fx))^m {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; \cos^2(e + fx)\right) - 2a^2b(2aB + 3Ab) \sin(e + fx)}{f(m + 2)\sqrt{\sin^2(e + fx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(c\*cos[e + f\*x])^m\*(a + b\*cos[e + f\*x])^4\*(A + B\*cos[e + f\*x]),x]

[Out] -((a^4\*A\*cos[e + f\*x]\*(c\*cos[e + f\*x])^m\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(f\*(1 + m)\*Sqrt[Sin[e + f\*x]^2])) - (a^3\*(4\*A\*b + a\*B)\*Cos[e + f\*x]^2\*(c\*cos[e + f\*x])^m\*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(f\*(2 + m)\*Sqrt[Sin[e + f\*x]^2]) - (2\*a^2\*b\*(3\*A\*b + 2\*a\*B)\*Cos[e + f\*x]^3\*(c\*cos[e + f\*x])^m\*Hypergeometric2F1[1/2, (3 + m)/2, (5 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(f\*(3 + m)\*Sqrt[Sin[e + f\*x]^2]) - (2\*a\*b^2\*(2\*A\*b + 3\*a\*B)\*Cos[e + f\*x]^4\*(c\*cos[e + f\*x])^m\*Hypergeometric2F1[1/2, (4 + m)/2, (6 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(f\*(4 + m)\*Sqrt[Sin[e + f\*x]^2]) - (b^3\*(A\*b + 4\*a\*B)\*Cos[e + f\*x]^5\*(c\*cos[e + f\*x])^m\*Hypergeometric2F1[1/2, (5 + m)/2, (7 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(f\*(5 + m)\*Sqrt[Sin[e + f\*x]^2]) - (b^4\*B\*cos[e + f\*x]^6\*(c\*cos[e + f\*x])^m\*Hypergeometric2F1[1/2, (6 + m)/2, (8 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(f\*(6 + m)\*Sqrt[Sin[e + f\*x]^2])

**Maple [F]** time = 2.33, size = 0, normalized size = 0.

$$\int (c \cos(fx + e))^m (a + b \cos(fx + e))^4 (A + B \cos(fx + e)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^4\*(A+B\*cos(f\*x+e)),x)

[Out] int((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^4\*(A+B\*cos(f\*x+e)),x)



**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos (fx + e) + A)(b \cos (fx + e) + a)^4 (c \cos (fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^4\*(A+B\*cos(f\*x+e)),x, algorithm="maxima")

[Out] integrate((B\*cos(f\*x + e) + A)\*(b\*cos(f\*x + e) + a)^4\*(c\*cos(f\*x + e))^m, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^4 \cos (fx + e)^5 + Aa^4 + (4Bab^3 + Ab^4) \cos (fx + e)^4 + 2(3Ba^2b^2 + 2Aab^3) \cos (fx + e)^3 + 2(2Ba^3b\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^4\*(A+B\*cos(f\*x+e)),x, algorithm="fricas")

[Out] integral((B\*b^4\*cos(f\*x + e)^5 + A\*a^4 + (4\*B\*a\*b^3 + A\*b^4)\*cos(f\*x + e)^4 + 2\*(3\*B\*a^2\*b^2 + 2\*A\*a\*b^3)\*cos(f\*x + e)^3 + 2\*(2\*B\*a^3\*b + 3\*A\*a^2\*b^2)\*cos(f\*x + e)^2 + (B\*a^4 + 4\*A\*a^3\*b)\*cos(f\*x + e))\*(c\*cos(f\*x + e))^m, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^4\*(A+B\*cos(f\*x+e)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos (fx + e) + A)(b \cos (fx + e) + a)^4 (c \cos (fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^4\*(A+B\*cos(f\*x+e)),x, algorithm="giac")

[Out] integrate((B\*cos(f\*x + e) + A)\*(b\*cos(f\*x + e) + a)^4\*(c\*cos(f\*x + e))^m, x)

$$3.451 \quad \int (c \cos(e+fx))^m (a+b \cos(e+fx))^3 (A+B \cos(e+fx)) dx$$

**Optimal.** Leaf size=406

$$\frac{\sin(e+fx) \left( 3a^2 Ab(m+3) + a^3 B(m+3) + 3ab^2 B(m+2) + Ab^3(m+2) \right) (c \cos(e+fx))^{m+2} {}_2F_1 \left( \frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; \cos^2(e+fx) \right)}{c^2 f(m+2)(m+3) \sqrt{\sin^2(e+fx)}}$$

```
[Out] (b*(b^2*B*(3+m) + 3*a*A*b*(4+m) + 2*a^2*B*(5+m))*(c*Cos[e+fx])^(1+m)*Sin[e+fx])/(c*f*(2+m)*(4+m)) + (b^2*(A*b*(4+m) + a*B*(6+m))*Cos[e+fx]*(c*Cos[e+fx])^(1+m)*Sin[e+fx])/(c*f*(3+m)*(4+m)) + (b*B*(c*Cos[e+fx])^(1+m)*(a+b*Cos[e+fx])^2*Sin[e+fx])/(c*f*(4+m)) - ((a^2*(2+m)*(b*B*(1+m) + a*A*(4+m)) + b*(1+m)*(b^2*B*(3+m) + 3*a*A*b*(4+m) + 2*a^2*B*(5+m)))*(c*Cos[e+fx])^(1+m)*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, Cos[e+fx]^2*Sin[e+fx])/(c*f*(1+m)*(2+m)*(4+m)*Sqrt[Sin[e+fx]^2]) - ((A*b^3*(2+m) + 3*a*b^2*B*(2+m) + 3*a^2*A*b*(3+m) + a^3*B*(3+m))*(c*Cos[e+fx])^(2+m)*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, Cos[e+fx]^2*Sin[e+fx])/(c^2*f*(2+m)*(3+m)*Sqrt[Sin[e+fx]^2])
```

**Rubi [A]** time = 1.0534, antiderivative size = 406, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {2990, 3033, 3023, 2748, 2643}

$$\frac{\sin(e+fx) \left( 3a^2 Ab(m+3) + a^3 B(m+3) + 3ab^2 B(m+2) + Ab^3(m+2) \right) (c \cos(e+fx))^{m+2} {}_2F_1 \left( \frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; \cos^2(e+fx) \right)}{c^2 f(m+2)(m+3) \sqrt{\sin^2(e+fx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(c*Cos[e+fx])^m*(a+b*Cos[e+fx])^3*(A+B*Cos[e+fx]),x]
```

```
[Out] (b*(b^2*B*(3+m) + 3*a*A*b*(4+m) + 2*a^2*B*(5+m))*(c*Cos[e+fx])^(1+m)*Sin[e+fx])/(c*f*(2+m)*(4+m)) + (b^2*(A*b*(4+m) + a*B*(6+m))*Cos[e+fx]*(c*Cos[e+fx])^(1+m)*Sin[e+fx])/(c*f*(3+m)*(4+m)) + (b*B*(c*Cos[e+fx])^(1+m)*(a+b*Cos[e+fx])^2*Sin[e+fx])/(c*f*(4+m)) - ((a^2*(2+m)*(b*B*(1+m) + a*A*(4+m)) + b*(1+m)*(b^2*B*(3+m) + 3*a*A*b*(4+m) + 2*a^2*B*(5+m)))*(c*Cos[e+fx])^(1+m)*Hypergeometric2F1[1/2, (1+m)/2, (3+m)/2, Cos[e+fx]^2*Sin[e+fx])/(c*f*(1+m)*(2+m)*(4+m)*Sqrt[Sin[e+fx]^2]) - ((A*b^3*(2+m) + 3*a*b^2*B*(2+m) + 3*a^2*A*b*(3+m) + a^3*B*(3+m))*(c*Cos[e+fx])^(2+m)*Hypergeometric2F1[1/2, (2+m)/2, (4+m)/2, Cos[e+fx]^2*Sin[e+fx])/(c^2*f*(2+m)*(3+m)*Sqrt[Sin[e+fx]^2])
```

**Rule 2990**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := -Simp[(b*B*Cos[e+fx]*(a+b*Sin[e+fx])^(m-1)*(c+d*Sin[e+fx])^(n+1))/(d*f*(m+n+1)), x] + Dist[1/(d*(m+n+1)), Int[(a+b*Sin[e+fx])^(m-2)*(c+d*Sin[e+fx])^n*Simp[a^2*A*d*(m+n+1) + b*B*(b*c*(m-1) + a*d*(n+1)) + (a*d*(2*A*b + a*B)*(m+n+1) - b*B*(a*c - b*d*(m+n)))*Sin[e+fx] + b*(A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n)))*Sin[e+fx]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -
```

$a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& \text{!(IGtQ}[n, 1] \&\& (\text{!IntegerQ}[m] \mid\mid (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0])))$

### Rule 3033

$\text{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] \text{ :> } -\text{Simp}[(C*d*\text{Cos}[e + f*x]*\text{Sin}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)})/(b*f*(m + 3)), x] + \text{Dist}[1/(b*(m + 3)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*\text{Simp}[a*C*d + A*b*c*(m + 3) + b*(B*c*(m + 3) + d*(C*(m + 2) + A*(m + 3)))*\text{Sin}[e + f*x] - (2*a*C*d - b*(c*C + B*d)*(m + 3))*\text{Sin}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{!LtQ}[m, -1]$

### Rule 3023

$\text{Int}[(a_. + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] \text{ :> } -\text{Simp}[(C*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m + 1)})/(b*f*(m + 2)), x] + \text{Dist}[1/(b*(m + 2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*\text{Simp}[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, e, f, A, B, C, m\}, x] \&\& \text{!LtQ}[m, -1]$

### Rule 2748

$\text{Int}[(b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]), x\_Symbol] \text{ :> } \text{Dist}[c, \text{Int}[(b*\text{Sin}[e + f*x])^m, x], x] + \text{Dist}[d/b, \text{Int}[(b*\text{Sin}[e + f*x])^{(m + 1)}, x], x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

### Rule 2643

$\text{Int}[(b_.)*\sin[(c_.) + (d_.)*(x_.)]^{(n_.)}, x\_Symbol] \text{ :> } \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Sin}[c + d*x])^{(n + 1)}*\text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d*x]^2])/(b*d*(n + 1)*\text{Sqrt}[\text{Cos}[c + d*x]^2]), x] /; \text{FreeQ}\{b, c, d, n\}, x] \&\& \text{!IntegerQ}[2*n]$

### Rubi steps

$$\begin{aligned} \int (c \cos(e + fx))^m (a + b \cos(e + fx))^3 (A + B \cos(e + fx)) dx &= \frac{bB(c \cos(e + fx))^{1+m} (a + b \cos(e + fx))^2 \sin(e + fx)}{cf(4 + m)} \\ &= \frac{b^2(Ab(4 + m) + aB(6 + m)) \cos(e + fx) (c \cos(e + fx))}{cf(3 + m)(4 + m)} \\ &= \frac{b(b^2B(3 + m) + 3aAb(4 + m) + 2a^2B(5 + m)) (c \cos(e + fx))}{cf(2 + m)(4 + m)} \\ &= \frac{b(b^2B(3 + m) + 3aAb(4 + m) + 2a^2B(5 + m)) (c \cos(e + fx))}{cf(2 + m)(4 + m)} \\ &= \frac{b(b^2B(3 + m) + 3aAb(4 + m) + 2a^2B(5 + m)) (c \cos(e + fx))}{cf(2 + m)(4 + m)} \end{aligned}$$

**Mathematica [A]** time = 2.90557, size = 269, normalized size = 0.66

$$\sin(e + fx) \cos(e + fx) (c \cos(e + fx))^m \left( \cos(e + fx) \left( b \cos(e + fx) \left( b \cos(e + fx) \left( -\frac{(3aB + Ab) {}_2F_1\left(\frac{1}{2}, \frac{m+4}{2}; \frac{m+6}{2}; \cos^2(e + fx)\right)}{m+4} - \frac{bB}{m+4} \right) \right) \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(c\*cos[e + f\*x])^m\*(a + b\*cos[e + f\*x])^3\*(A + B\*cos[e + f\*x]),x]

[Out] (Cos[e + f\*x]\*(c\*cos[e + f\*x])^m\*(-((a^3\*A\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f\*x]^2])/(1 + m)) + Cos[e + f\*x]\*(-((a^2\*(3\*A\*b + a\*B)\*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[e + f\*x]^2])/(2 + m)) + b\*cos[e + f\*x]\*((-3\*a\*(A\*b + a\*B)\*Hypergeometric2F1[1/2, (3 + m)/2, (5 + m)/2, Cos[e + f\*x]^2])/(3 + m) + b\*cos[e + f\*x]\*(-(((A\*b + 3\*a\*B)\*Hypergeometric2F1[1/2, (4 + m)/2, (6 + m)/2, Cos[e + f\*x]^2])/(4 + m)) - (b\*B\*cos[e + f\*x]\*Hypergeometric2F1[1/2, (5 + m)/2, (7 + m)/2, Cos[e + f\*x]^2])/(5 + m))) \* Sin[e + f\*x])/(f\*Sqrt[Sin[e + f\*x]^2])

**Maple [F]** time = 1.981, size = 0, normalized size = 0.

$$\int (c \cos(fx + e))^m (a + b \cos(fx + e))^3 (A + B \cos(fx + e)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^3\*(A+B\*cos(f\*x+e)),x)

[Out] int((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^3\*(A+B\*cos(f\*x+e)),x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^3 (c \cos(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^3\*(A+B\*cos(f\*x+e)),x, algorithm="maxima")

[Out] integrate((B\*cos(f\*x + e) + A)\*(b\*cos(f\*x + e) + a)^3\*(c\*cos(f\*x + e))^m, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^3 \cos(fx + e)^4 + Aa^3 + (3Bab^2 + Ab^3) \cos(fx + e)^3 + 3(Ba^2b + Aab^2) \cos(fx + e)^2 + (Ba^3 + 3Aa^2b) \cos(fx + e) + Aa\right) (c \cos(fx + e))^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^3\*(A+B\*cos(f\*x+e)),x, algorithm="fricas")

```
[Out] integral((B*b^3*cos(f*x + e)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*cos(f*x + e)^3
+ 3*(B*a^2*b + A*a*b^2)*cos(f*x + e)^2 + (B*a^3 + 3*A*a^2*b)*cos(f*x + e))
*(c*cos(f*x + e))^m, x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^3*(A+B*cos(f*x+e)),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^3 (c \cos(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^3*(A+B*cos(f*x+e)),x, algorithm
="giac")
```

```
[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^3*(c*cos(f*x + e))^m, x
)
```

### 3.452 $\int (c \cos(e+fx))^m (a+b \cos(e+fx))^2 (A+B \cos(e+fx)) dx$

**Optimal.** Leaf size=287

$$\frac{\sin(e+fx) \left( a^2 A(m+2) + 2abB(m+1) + Ab^2(m+1) \right) (c \cos(e+fx))^{m+1} {}_2F_1 \left( \frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(e+fx) \right) \sin(e+fx)}{cf(m+1)(m+2)\sqrt{\sin^2(e+fx)}}$$

[Out] (b\*(A\*b\*(3 + m) + a\*B\*(4 + m))\*(c\*Cos[e + f\*x])^(1 + m)\*Sin[e + f\*x])/(c\*f\*(2 + m)\*(3 + m)) + (b\*B\*(c\*Cos[e + f\*x])^(1 + m)\*(a + b\*Cos[e + f\*x])\*Sin[e + f\*x])/(c\*f\*(3 + m)) - ((A\*b^2\*(1 + m) + 2\*a\*b\*B\*(1 + m) + a^2\*A\*(2 + m))\*(c\*Cos[e + f\*x])^(1 + m)\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(c\*f\*(1 + m)\*(2 + m)\*Sqrt[Sin[e + f\*x]^2]) - ((b^2\*B\*(2 + m) + a\*(2\*A\*b + a\*B)\*(3 + m))\*(c\*Cos[e + f\*x])^(2 + m)\*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(c^2\*f\*(2 + m)\*(3 + m)\*Sqrt[Sin[e + f\*x]^2])

**Rubi [A]** time = 0.541114, antiderivative size = 287, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.121$ , Rules used = {2990, 3023, 2748, 2643}

$$\frac{\sin(e+fx) \left( a^2 A(m+2) + 2abB(m+1) + Ab^2(m+1) \right) (c \cos(e+fx))^{m+1} {}_2F_1 \left( \frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(e+fx) \right) \sin(e+fx)}{cf(m+1)(m+2)\sqrt{\sin^2(e+fx)}}$$

Antiderivative was successfully verified.

[In] Int[(c\*Cos[e + f\*x])^m\*(a + b\*Cos[e + f\*x])^2\*(A + B\*Cos[e + f\*x]),x]

[Out] (b\*(A\*b\*(3 + m) + a\*B\*(4 + m))\*(c\*Cos[e + f\*x])^(1 + m)\*Sin[e + f\*x])/(c\*f\*(2 + m)\*(3 + m)) + (b\*B\*(c\*Cos[e + f\*x])^(1 + m)\*(a + b\*Cos[e + f\*x])\*Sin[e + f\*x])/(c\*f\*(3 + m)) - ((A\*b^2\*(1 + m) + 2\*a\*b\*B\*(1 + m) + a^2\*A\*(2 + m))\*(c\*Cos[e + f\*x])^(1 + m)\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(c\*f\*(1 + m)\*(2 + m)\*Sqrt[Sin[e + f\*x]^2]) - ((b^2\*B\*(2 + m) + a\*(2\*A\*b + a\*B)\*(3 + m))\*(c\*Cos[e + f\*x])^(2 + m)\*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(c^2\*f\*(2 + m)\*(3 + m)\*Sqrt[Sin[e + f\*x]^2])

#### Rule 2990

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^2\*A\*d\*(m + n + 1) + b\*B\*(b\*c\*(m - 1) + a\*d\*(n + 1)) + (a\*d\*(2\*A\*b + a\*B)\*(m + n + 1) - b\*B\*(a\*c - b\*d\*(m + n)))\*Sin[e + f\*x] + b\*(A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x]^2, x], x, x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] :> -Simp[(C\*Cos

```
[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)/(b*f*(m + 2)), x] + Dist[1/(b*(m + 2)), Int[(a + b*Sin[e + f*x])^m*Simp[A*b*(m + 2) + b*C*(m + 1) + (b*B*(m + 2) - a*C)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]
```

**Rule 2748**

```
Int[((b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]), x_Symbol] := Dist[c, Int[(b*Sin[e + f*x])^m, x], x] + Dist[d/b, Int[(b*Sin[e + f*x])^(m + 1), x], x] /; FreeQ[{b, c, d, e, f, m}, x]
```

**Rule 2643**

```
Int[((b_.)*sin[(c_.) + (d_.)*(x_)])^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]
```

**Rubi steps**

$$\begin{aligned} \int (c \cos(e + fx))^m (a + b \cos(e + fx))^2 (A + B \cos(e + fx)) dx &= \frac{bB(c \cos(e + fx))^{1+m} (a + b \cos(e + fx)) \sin(e + fx)}{cf(3 + m)} \\ &= \frac{b(Ab(3 + m) + aB(4 + m))(c \cos(e + fx))^{1+m} \sin(e + fx)}{cf(2 + m)(3 + m)} \\ &= \frac{b(Ab(3 + m) + aB(4 + m))(c \cos(e + fx))^{1+m} \sin(e + fx)}{cf(2 + m)(3 + m)} \\ &= \frac{b(Ab(3 + m) + aB(4 + m))(c \cos(e + fx))^{1+m} \sin(e + fx)}{cf(2 + m)(3 + m)} \end{aligned}$$

**Mathematica [A]** time = 1.74602, size = 217, normalized size = 0.76

$$\frac{\sin(e + fx) \cos(e + fx) (c \cos(e + fx))^m \left( \cos(e + fx) \left( b \cos(e + fx) \left( -\frac{(2aB + Ab) {}_2F_1\left(\frac{1}{2}, \frac{m+3}{2}; \frac{m+5}{2}; \cos^2(e + fx)\right)}{m+3} - \frac{bB \cos(e + fx) {}_2F_1\left(\frac{1}{2}, \frac{m+3}{2}; \frac{m+5}{2}; \cos^2(e + fx)\right)}{m+3} \right) \right)}{f \sqrt{\sin^2(e + fx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(c*Cos[e + f*x])^m*(a + b*Cos[e + f*x])^2*(A + B*Cos[e + f*x]), x]
```

```
[Out] (Cos[e + f*x]*(c*Cos[e + f*x])^m*(-((a^2*A*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f*x]^2])/(1 + m)) + Cos[e + f*x]*(-((a*(2*A*b + a*B)*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[e + f*x]^2])/(2 + m)) + b*Cos[e + f*x]*(-((A*b + 2*a*B)*Hypergeometric2F1[1/2, (3 + m)/2, (5 + m)/2, Cos[e + f*x]^2])/(3 + m)) - (b*B*Cos[e + f*x]*Hypergeometric2F1[1/2, (4 + m)/2, (6 + m)/2, Cos[e + f*x]^2])/(4 + m))))*Sin[e + f*x])/(f*Sqrt[Sin[e + f*x]^2])
```

**Maple [F]** time = 1.823, size = 0, normalized size = 0.

$$\int (c \cos(fx + e))^m (a + b \cos(fx + e))^2 (A + B \cos(fx + e)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^2*(A+B*cos(f*x+e)),x)`

[Out] `int((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^2*(A+B*cos(f*x+e)),x)`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos (fx + e) + A)(b \cos (fx + e) + a)^2 (c \cos (fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^2*(A+B*cos(f*x+e)),x, algorithm="maxima")`

[Out] `integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^2*(c*cos(f*x + e))^m, x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^2 \cos (fx + e)^3 + Aa^2 + (2 Bab + Ab^2) \cos (fx + e)^2 + (Ba^2 + 2 Aab) \cos (fx + e)\right)(c \cos (fx + e))^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^2*(A+B*cos(f*x+e)),x, algorithm="fricas")`

[Out] `integral((B*b^2*cos(f*x + e)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(f*x + e)^2 + (B*a^2 + 2*A*a*b)*cos(f*x + e))*(c*cos(f*x + e))^m, x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*cos(f*x+e))**m*(a+b*cos(f*x+e))**2*(A+B*cos(f*x+e)),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos (fx + e) + A)(b \cos (fx + e) + a)^2 (c \cos (fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^2*(A+B*cos(f*x+e)),x, algorithm="giac")`



```
[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^2*(c*cos(f*x + e))^m, x  
)
```

### 3.453 $\int (c \cos(e + fx))^m (a + b \cos(e + fx))(A + B \cos(e + fx)) dx$

**Optimal.** Leaf size=196

$$\frac{(aB + Ab) \sin(e + fx) (c \cos(e + fx))^{m+2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; \cos^2(e + fx)\right) \sin(e + fx) (aA(m+2) + bB(m+1)) (c \cos(e + fx))}{c^2 f(m+2) \sqrt{\sin^2(e + fx)}} - \frac{\sin(e + fx) (aA(m+2) + bB(m+1)) (c \cos(e + fx))}{cf(m+1)(m+2)}$$

[Out] (b\*B\*(c\*Cos[e + f\*x])^(1 + m)\*Sin[e + f\*x])/(c\*f\*(2 + m)) - ((b\*B\*(1 + m) + a\*A\*(2 + m))\*(c\*Cos[e + f\*x])^(1 + m)\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(c\*f\*(1 + m)\*(2 + m)\*Sqrt[Sin[e + f\*x]^2]) - ((A\*b + a\*B)\*(c\*Cos[e + f\*x])^(2 + m)\*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(c^2\*f\*(2 + m)\*Sqrt[Sin[e + f\*x]^2])

**Rubi [A]** time = 0.246398, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.129$ , Rules used = {2968, 3023, 2748, 2643}

$$\frac{(aB + Ab) \sin(e + fx) (c \cos(e + fx))^{m+2} {}_2F_1\left(\frac{1}{2}, \frac{m+2}{2}; \frac{m+4}{2}; \cos^2(e + fx)\right) \sin(e + fx) (aA(m+2) + bB(m+1)) (c \cos(e + fx))}{c^2 f(m+2) \sqrt{\sin^2(e + fx)}} - \frac{\sin(e + fx) (aA(m+2) + bB(m+1)) (c \cos(e + fx))}{cf(m+1)(m+2)}$$

Antiderivative was successfully verified.

[In] Int[(c\*Cos[e + f\*x])^m\*(a + b\*Cos[e + f\*x])\*(A + B\*Cos[e + f\*x]),x]

[Out] (b\*B\*(c\*Cos[e + f\*x])^(1 + m)\*Sin[e + f\*x])/(c\*f\*(2 + m)) - ((b\*B\*(1 + m) + a\*A\*(2 + m))\*(c\*Cos[e + f\*x])^(1 + m)\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(c\*f\*(1 + m)\*(2 + m)\*Sqrt[Sin[e + f\*x]^2]) - ((A\*b + a\*B)\*(c\*Cos[e + f\*x])^(2 + m)\*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(c^2\*f\*(2 + m)\*Sqrt[Sin[e + f\*x]^2])

#### Rule 2968

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Int[(a + b\*Ssin[e + f\*x])^m\*(A\*c + (B\*c + A\*d)\*Sin[e + f\*x] + B\*d\*Ssin[e + f\*x]^2), x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0]

#### Rule 3023

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)^2], x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1))/(b\*f\*(m + 2)), x] + Dist[1/(b\*(m + 2)), Int[(a + b\*Ssin[e + f\*x])^m\*Simp[A\*b\*(m + 2) + b\*C\*(m + 1) + (b\*B\*(m + 2) - a\*C)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, e, f, A, B, C, m}, x] && !LtQ[m, -1]

#### Rule 2748

Int[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] :> Dist[c, Int[(b\*Ssin[e + f\*x])^m, x], x] + Dist[d/b, Int[(

$b \sin[e + f x]^{m+1}, x, x] /; \text{FreeQ}\{b, c, d, e, f, m\}, x]$

### Rule 2643

$\text{Int}[(b \sin[c + d x] + d x)^n, x\_Symbol] \rightarrow \text{Simp}[(\cos[c + d x] * (b \sin[c + d x])^{n+1} * \text{Hypergeometric2F1}[1/2, (n+1)/2, (n+3)/2, \sin[c + d x]^2]) / (b d (n+1) \sqrt{\cos[c + d x]^2}), x] /; \text{FreeQ}\{b, c, d, n\}, x] \&\& \text{IntegerQ}[2*n]$

### Rubi steps

$$\begin{aligned} \int (c \cos(e + fx))^m (a + b \cos(e + fx)) (A + B \cos(e + fx)) dx &= \int (c \cos(e + fx))^m (aA + (Ab + aB) \cos(e + fx) + bB \cos^2(e + fx)) dx \\ &= \frac{bB(c \cos(e + fx))^{1+m} \sin(e + fx)}{cf(2+m)} + \frac{\int (c \cos(e + fx))^m dx}{c} \\ &= \frac{bB(c \cos(e + fx))^{1+m} \sin(e + fx)}{cf(2+m)} + \frac{(Ab + aB) \int (c \cos(e + fx))^m dx}{c} \\ &= \frac{bB(c \cos(e + fx))^{1+m} \sin(e + fx)}{cf(2+m)} - \frac{\left(aA + \frac{bB(1+m)}{2+m}\right) \int (c \cos(e + fx))^m dx}{cf(2+m)} \end{aligned}$$

**Mathematica [A]** time = 0.32474, size = 151, normalized size = 0.77

$$\frac{\sin(e + fx) \cos(e + fx) (c \cos(e + fx))^m \left( (aA(m+2) + bB(m+1)) {}_2F_1\left(\frac{1}{2}, \frac{m+1}{2}; \frac{m+3}{2}; \cos^2(e + fx)\right) + (m+1) \left( aB + \frac{bB(1+m)}{2+m} \right) \int (c \cos(e + fx))^m dx \right)}{f(m+1)(m+2) \sqrt{\sin^2(e + fx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(c\*cos[e + f\*x])^m\*(a + b\*cos[e + f\*x])\*(A + B\*cos[e + f\*x]),x]

[Out] -((Cos[e + f\*x]\*(c\*cos[e + f\*x])^m\*sin[e + f\*x]\*((b\*B\*(1 + m) + a\*A\*(2 + m))\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f\*x]^2] + (1 + m)\*((A\*b + a\*B)\*Cos[e + f\*x]\*Hypergeometric2F1[1/2, (2 + m)/2, (4 + m)/2, Cos[e + f\*x]^2] - b\*B\*Sqrt[Sin[e + f\*x]^2])))/(f\*(1 + m)\*(2 + m)\*Sqrt[Sin[e + f\*x]^2]))

**Maple [F]** time = 1.793, size = 0, normalized size = 0.

$$\int (c \cos(fx + e))^m (a + b \cos(fx + e)) (A + B \cos(fx + e)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))\*(A+B\*cos(f\*x+e)),x)

[Out] int((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))\*(A+B\*cos(f\*x+e)),x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)(c \cos(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))\*(A+B\*cos(f\*x+e)),x, algorithm="maxima")

[Out] integrate((B\*cos(f\*x + e) + A)\*(b\*cos(f\*x + e) + a)\*(c\*cos(f\*x + e))^m, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(fx + e)^2 + Aa + (Ba + Ab) \cos(fx + e)\right) \left(c \cos(fx + e)\right)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))\*(A+B\*cos(f\*x+e)),x, algorithm="fricas")

[Out] integral((B\*b\*cos(f\*x + e)^2 + A\*a + (B\*a + A\*b)\*cos(f\*x + e))\*(c\*cos(f\*x + e))^m, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))\*(A+B\*cos(f\*x+e)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a) (c \cos(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))\*(A+B\*cos(f\*x+e)),x, algorithm="giac")

[Out] integrate((B\*cos(f\*x + e) + A)\*(b\*cos(f\*x + e) + a)\*(c\*cos(f\*x + e))^m, x)

$$3.454 \quad \int \frac{(c \cos(e+fx))^m (A+B \cos(e+fx))}{a+b \cos(e+fx)} dx$$

**Optimal.** Leaf size=286

$$\frac{ac(Ab - aB) \sin(e + fx) \cos^2(e + fx)^{\frac{1-m}{2}} (c \cos(e + fx))^{m-1} F_1\left(\frac{1}{2}; \frac{1-m}{2}, 1; \frac{3}{2}; \sin^2(e + fx), -\frac{b^2 \sin^2(e+fx)}{a^2-b^2}\right)}{bf(a^2 - b^2)} \quad (Ab - aB) \sin$$

[Out] (a\*(A\*b - a\*B)\*c\*AppellF1[1/2, (1 - m)/2, 1, 3/2, Sin[e + f\*x]^2, -((b^2\*Sin[e + f\*x]^2)/(a^2 - b^2))]\*(c\*Cos[e + f\*x])^(-1 + m)\*(Cos[e + f\*x]^2)^((1 - m)/2)\*Sin[e + f\*x])/(b\*(a^2 - b^2)\*f) - ((A\*b - a\*B)\*AppellF1[1/2, -m/2, 1, 3/2, Sin[e + f\*x]^2, -((b^2\*Sin[e + f\*x]^2)/(a^2 - b^2))]\*(c\*Cos[e + f\*x])^m\*Sin[e + f\*x])/((a^2 - b^2)\*f\*(Cos[e + f\*x]^2)^(m/2)) - (B\*(c\*Cos[e + f\*x])^(1 + m)\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(b\*c\*f\*(1 + m)\*Sqrt[Sin[e + f\*x]^2])

**Rubi [A]** time = 0.412338, antiderivative size = 286, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.152$ , Rules used = {3002, 2643, 2823, 3189, 429}

$$\frac{ac(Ab - aB) \sin(e + fx) \cos^2(e + fx)^{\frac{1-m}{2}} (c \cos(e + fx))^{m-1} F_1\left(\frac{1}{2}; \frac{1-m}{2}, 1; \frac{3}{2}; \sin^2(e + fx), -\frac{b^2 \sin^2(e+fx)}{a^2-b^2}\right)}{bf(a^2 - b^2)} \quad (Ab - aB) \sin$$

Antiderivative was successfully verified.

[In] Int[((c\*Cos[e + f\*x])^m\*(A + B\*Cos[e + f\*x]))/(a + b\*Cos[e + f\*x]),x]

[Out] (a\*(A\*b - a\*B)\*c\*AppellF1[1/2, (1 - m)/2, 1, 3/2, Sin[e + f\*x]^2, -((b^2\*Sin[e + f\*x]^2)/(a^2 - b^2))]\*(c\*Cos[e + f\*x])^(-1 + m)\*(Cos[e + f\*x]^2)^((1 - m)/2)\*Sin[e + f\*x])/(b\*(a^2 - b^2)\*f) - ((A\*b - a\*B)\*AppellF1[1/2, -m/2, 1, 3/2, Sin[e + f\*x]^2, -((b^2\*Sin[e + f\*x]^2)/(a^2 - b^2))]\*(c\*Cos[e + f\*x])^m\*Sin[e + f\*x])/((a^2 - b^2)\*f\*(Cos[e + f\*x]^2)^(m/2)) - (B\*(c\*Cos[e + f\*x])^(1 + m)\*Hypergeometric2F1[1/2, (1 + m)/2, (3 + m)/2, Cos[e + f\*x]^2]\*Sin[e + f\*x])/(b\*c\*f\*(1 + m)\*Sqrt[Sin[e + f\*x]^2])

#### Rule 3002

Int[(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]))/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[B/d, Int[(a + b\*Sin[e + f\*x])^m, x], x] - Dist[(B\*c - A\*d)/d, Int[(a + b\*Sin[e + f\*x])^m/(c + d\*Sin[e + f\*x]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2643

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1)\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]^2])/(b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

#### Rule 2823

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]), x\_Symbol] := Dist[a, Int[(d\*Sin[e + f\*x])^n/(a^2 - b^2\*Sin[e + f\*x]^

2), x], x] - Dist[b/d, Int[(d\*Sin[e + f\*x])^(n + 1)/(a^2 - b^2\*Sin[e + f\*x]^2), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && NeQ[a^2 - b^2, 0]

### Rule 3189

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_))\*((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^2)^(p\_), x\_Symbol] :=> With[{ff = FreeFactors[Cos[e + f\*x], x]}, -Dist[(ff\*d^(2\*IntPart[(m - 1)/2] + 1)\*(d\*Sin[e + f\*x])^(2\*FracPart[(m - 1)/2]))/(f\*(Sin[e + f\*x]^2)^FracPart[(m - 1)/2]), Subst[Int[(1 - ff^2\*x^2)^((m - 1)/2)\*(a + b - b\*ff^2\*x^2)^p, x], x, Cos[e + f\*x]/ff], x]] /; FreeQ[{a, b, d, e, f, m, p}, x] && !IntegerQ[m]

### Rule 429

Int[((a\_) + (b\_.)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_.)\*(x\_)^(n\_))^(q\_), x\_Symbol] :=> Simp[a^p\*c^q\*x\*AppellF1[1/n, -p, -q, 1 + 1/n, -(b\*x^n)/a, -(d\*x^n)/c], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

### Rubi steps

$$\begin{aligned} \int \frac{(c \cos(e + fx))^m (A + B \cos(e + fx))}{a + b \cos(e + fx)} dx &= \frac{B \int (c \cos(e + fx))^m dx}{b} - \frac{(-Ab + aB) \int \frac{(c \cos(e + fx))^m}{a + b \cos(e + fx)} dx}{b} \\ &= -\frac{B(c \cos(e + fx))^{1+m} {}_2F_1\left(\frac{1}{2}, \frac{1+m}{2}; \frac{3+m}{2}; \cos^2(e + fx)\right) \sin(e + fx)}{bcf(1+m)\sqrt{\sin^2(e + fx)}} + \frac{(aAb - a^2B)}{b^2} \\ &= -\frac{B(c \cos(e + fx))^{1+m} {}_2F_1\left(\frac{1}{2}, \frac{1+m}{2}; \frac{3+m}{2}; \cos^2(e + fx)\right) \sin(e + fx)}{bcf(1+m)\sqrt{\sin^2(e + fx)}} + \frac{(aAb - a^2B)}{b^2} \\ &= \frac{a(Ab - aB)cF_1\left(\frac{1}{2}; \frac{1-m}{2}, 1; \frac{3}{2}; \sin^2(e + fx), -\frac{b^2 \sin^2(e + fx)}{a^2 - b^2}\right) (c \cos(e + fx))^{-1+m}}{b(a^2 - b^2)f} \end{aligned}$$

**Mathematica [B]** time = 27.0578, size = 10482, normalized size = 36.65

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((c\*Cos[e + f\*x])^m\*(A + B\*Cos[e + f\*x]))/(a + b\*Cos[e + f\*x]),x]

[Out] Result too large to show

**Maple [F]** time = 1.145, size = 0, normalized size = 0.

$$\int \frac{(c \cos(fx + e))^m (A + B \cos(fx + e))}{a + b \cos(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e)),x)`

[Out] `int((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e)),x)`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(fx + e) + A)(c \cos(fx + e))^m}{b \cos(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e)),x, algorithm="maxima")`

[Out] `integrate((B*cos(f*x + e) + A)*(c*cos(f*x + e))^m/(b*cos(f*x + e) + a), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(fx + e) + A)(c \cos(fx + e))^m}{b \cos(fx + e) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e)),x, algorithm="fricas")`

[Out] `integral((B*cos(f*x + e) + A)*(c*cos(f*x + e))^m/(b*cos(f*x + e) + a), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e)),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(fx + e) + A)(c \cos(fx + e))^m}{b \cos(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e)),x, algorithm="giac")`

[Out] `integrate((B*cos(f*x + e) + A)*(c*cos(f*x + e))^m/(b*cos(f*x + e) + a), x)`

$$3.455 \quad \int (c \cos(e+fx))^m (a+b \cos(e+fx))^{3/2} (A+B \cos(e+fx)) dx$$

**Optimal.** Leaf size=180

$$2\text{Unintegrable} \left( \frac{(c \cos(e+fx))^m \left( \frac{1}{2} c \cos(e+fx) (a(2m+5)(aB+2Ab)+b^2B(2m+3)) + \frac{1}{2} bc \cos^2(e+fx) (2aB(m+3)+Ab(2m+5)) + \frac{1}{2} ac \left( 2aA \left( m + \frac{5}{2} \right) + 2bB(m+1) \right) \right)}{\sqrt{a+b \cos(e+fx)}} \right), x$$

[Out] (2\*b\*B\*(c\*Cos[e + f\*x])^(1 + m)\*Sqrt[a + b\*Cos[e + f\*x]]\*Sin[e + f\*x])/(c\*f\*(5 + 2\*m)) + (2\*Unintegrable[((c\*Cos[e + f\*x])^m\*((a\*c\*(2\*b\*B\*(1 + m) + 2\*a\*A\*(5/2 + m)))/2 + (c\*(b^2\*B\*(3 + 2\*m) + a\*(2\*A\*b + a\*B)\*(5 + 2\*m))\*Cos[e + f\*x])/2 + (b\*c\*(2\*a\*B\*(3 + m) + A\*b\*(5 + 2\*m))\*Cos[e + f\*x]^2)/2))/Sqrt[a + b\*Cos[e + f\*x]], x]/(c\*(5 + 2\*m))

**Rubi [A]** time = 0.526552, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}}$  = 0., Rules used = {}

$$\int (c \cos(e+fx))^m (a+b \cos(e+fx))^{3/2} (A+B \cos(e+fx)) dx$$

Verification is Not applicable to the result.

[In] Int[(c\*Cos[e + f\*x])^m\*(a + b\*Cos[e + f\*x])^(3/2)\*(A + B\*Cos[e + f\*x]),x]

[Out] (2\*b\*B\*(c\*Cos[e + f\*x])^(1 + m)\*Sqrt[a + b\*Cos[e + f\*x]]\*Sin[e + f\*x])/(c\*f\*(5 + 2\*m)) + (2\*Defer[Int](((c\*Cos[e + f\*x])^m\*((a\*c\*(2\*b\*B\*(1 + m) + 2\*a\*A\*(5/2 + m)))/2 + (c\*(b^2\*B\*(3 + 2\*m) + a\*(2\*A\*b + a\*B)\*(5 + 2\*m))\*Cos[e + f\*x])/2 + (b\*c\*(2\*a\*B\*(3 + m) + A\*b\*(5 + 2\*m))\*Cos[e + f\*x]^2)/2))/Sqrt[a + b\*Cos[e + f\*x]], x]/(c\*(5 + 2\*m))

Rubi steps

$$\int (c \cos(e+fx))^m (a+b \cos(e+fx))^{3/2} (A+B \cos(e+fx)) dx = \frac{2bB(c \cos(e+fx))^{1+m} \sqrt{a+b \cos(e+fx)} \sin(e+fx)}{cf(5+2m)} +$$

**Mathematica [A]** time = 66.2563, size = 0, normalized size = 0.

$$\int (c \cos(e+fx))^m (a+b \cos(e+fx))^{3/2} (A+B \cos(e+fx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(c\*Cos[e + f\*x])^m\*(a + b\*Cos[e + f\*x])^(3/2)\*(A + B\*Cos[e + f\*x]),x]

[Out] Integrate[(c\*Cos[e + f\*x])^m\*(a + b\*Cos[e + f\*x])^(3/2)\*(A + B\*Cos[e + f\*x]), x]



**Maple [A]** time = 0.497, size = 0, normalized size = 0.

$$\int (c \cos(fx + e))^m (a + b \cos(fx + e))^{\frac{3}{2}} (A + B \cos(fx + e)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^(3/2)\*(A+B\*cos(f\*x+e)),x)

[Out] int((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^(3/2)\*(A+B\*cos(f\*x+e)),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^{\frac{3}{2}} (c \cos(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^(3/2)\*(A+B\*cos(f\*x+e)),x, algorithm="maxima")

[Out] integrate((B\*cos(f\*x + e) + A)\*(b\*cos(f\*x + e) + a)^(3/2)\*(c\*cos(f\*x + e))^m, x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(fx + e)^2 + Aa + (Ba + Ab) \cos(fx + e)\right) \sqrt{b \cos(fx + e) + a} (c \cos(fx + e))^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^(3/2)\*(A+B\*cos(f\*x+e)),x, algorithm="fricas")

[Out] integral((B\*b\*cos(f\*x + e)^2 + A\*a + (B\*a + A\*b)\*cos(f\*x + e))\*sqrt(b\*cos(f\*x + e) + a)\*(c\*cos(f\*x + e))^m, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))^m\*(a+b\*cos(f\*x+e))^(3/2)\*(A+B\*cos(f\*x+e)),x)

[Out] Timed out

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*cos(f*x+e))^m*(a+b*cos(f*x+e))^(3/2)*(A+B*cos(f*x+e)),x, algorithm="giac")
```

```
[Out] Exception raised: AttributeError
```

$$3.456 \quad \int (c \cos(e+fx))^m \sqrt{a+b \cos(e+fx)} (A+B \cos(e+fx)) dx$$

**Optimal.** Leaf size=37

$$\text{Unintegrable}(\sqrt{a+b \cos(e+fx)}(A+B \cos(e+fx))(c \cos(e+fx))^m, x)$$

[Out] Unintegrable[(c\*Cos[e + f\*x])^m\*Sqrt[a + b\*Cos[e + f\*x]]\*(A + B\*Cos[e + f\*x]), x]

**Rubi [A]** time = 0.116255, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int (c \cos(e+fx))^m \sqrt{a+b \cos(e+fx)} (A+B \cos(e+fx)) dx$$

Verification is Not applicable to the result.

[In] Int[(c\*Cos[e + f\*x])^m\*Sqrt[a + b\*Cos[e + f\*x]]\*(A + B\*Cos[e + f\*x]), x]

[Out] Defer[Int] [(c\*Cos[e + f\*x])^m\*Sqrt[a + b\*Cos[e + f\*x]]\*(A + B\*Cos[e + f\*x]), x]

Rubi steps

$$\int (c \cos(e+fx))^m \sqrt{a+b \cos(e+fx)} (A+B \cos(e+fx)) dx = \int (c \cos(e+fx))^m \sqrt{a+b \cos(e+fx)} (A+B \cos(e+fx)) dx$$

**Mathematica [A]** time = 9.681, size = 0, normalized size = 0.

$$\int (c \cos(e+fx))^m \sqrt{a+b \cos(e+fx)} (A+B \cos(e+fx)) dx$$

Verification is Not applicable to the result.

[In] Integrate[(c\*Cos[e + f\*x])^m\*Sqrt[a + b\*Cos[e + f\*x]]\*(A + B\*Cos[e + f\*x]), x]

[Out] Integrate[(c\*Cos[e + f\*x])^m\*Sqrt[a + b\*Cos[e + f\*x]]\*(A + B\*Cos[e + f\*x]), x]

**Maple [A]** time = 0.457, size = 0, normalized size = 0.

$$\int (c \cos(fx+e))^m (A+B \cos(fx+e)) \sqrt{a+b \cos(fx+e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*cos(f\*x+e))^m\*(A+B\*cos(f\*x+e))\*(a+b\*cos(f\*x+e))^(1/2), x)

[Out] `int((c*cos(f*x+e))^m*(A+B*cos(f*x+e))*(a+b*cos(f*x+e))^(1/2),x)`

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(fx + e) + A) \sqrt{b \cos(fx + e) + a} (c \cos(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))*(a+b*cos(f*x+e))^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(f*x + e) + A)*sqrt(b*cos(f*x + e) + a)*(c*cos(f*x + e))^m, x)`

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \cos(fx + e) + A\right) \sqrt{b \cos(fx + e) + a} (c \cos(fx + e))^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))*(a+b*cos(f*x+e))^(1/2),x, algorithm="fricas")`

[Out] `integral((B*cos(f*x + e) + A)*sqrt(b*cos(f*x + e) + a)*(c*cos(f*x + e))^m, x)`

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int (c \cos(e + fx))^m (A + B \cos(e + fx)) \sqrt{a + b \cos(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))*(a+b*cos(f*x+e))^(1/2),x)`

[Out] `Integral((c*cos(e + f*x))^m*(A + B*cos(e + f*x))*sqrt(a + b*cos(e + f*x)), x)`

**Giac [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: AttributeError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))*(a+b*cos(f*x+e))^(1/2),x, algorithm="giac")`

[Out] Exception raised: AttributeError

$$3.457 \quad \int \frac{(c \cos(e+fx))^m (A+B \cos(e+fx))}{\sqrt{a+b \cos(e+fx)}} dx$$

**Optimal.** Leaf size=37

$$\text{Unintegrable}\left(\frac{(A+B \cos(e+fx))(c \cos(e+fx))^m}{\sqrt{a+b \cos(e+fx)}}, x\right)$$

[Out] Unintegrable[((c\*cos[e + f\*x])^m\*(A + B\*cos[e + f\*x]))/Sqrt[a + b\*cos[e + f\*x]]], x]

**Rubi [A]** time = 0.123047, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(c \cos(e+fx))^m (A+B \cos(e+fx))}{\sqrt{a+b \cos(e+fx)}} dx$$

Verification is Not applicable to the result.

[In] Int[((c\*cos[e + f\*x])^m\*(A + B\*cos[e + f\*x]))/Sqrt[a + b\*cos[e + f\*x]]], x]

[Out] Defer[Int][((c\*cos[e + f\*x])^m\*(A + B\*cos[e + f\*x]))/Sqrt[a + b\*cos[e + f\*x]]], x]

Rubi steps

$$\int \frac{(c \cos(e+fx))^m (A+B \cos(e+fx))}{\sqrt{a+b \cos(e+fx)}} dx = \int \frac{(c \cos(e+fx))^m (A+B \cos(e+fx))}{\sqrt{a+b \cos(e+fx)}} dx$$

**Mathematica [A]** time = 7.96176, size = 0, normalized size = 0.

$$\int \frac{(c \cos(e+fx))^m (A+B \cos(e+fx))}{\sqrt{a+b \cos(e+fx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[((c\*cos[e + f\*x])^m\*(A + B\*cos[e + f\*x]))/Sqrt[a + b\*cos[e + f\*x]]], x]

[Out] Integrate[((c\*cos[e + f\*x])^m\*(A + B\*cos[e + f\*x]))/Sqrt[a + b\*cos[e + f\*x]]], x]

**Maple [A]** time = 0.464, size = 0, normalized size = 0.

$$\int (c \cos(fx+e))^m (A+B \cos(fx+e)) \frac{1}{\sqrt{a+b \cos(fx+e)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))^(1/2),x)`

[Out] `int((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))^(1/2),x)`

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(fx + e) + A)(c \cos(fx + e))^m}{\sqrt{b \cos(fx + e) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(f*x + e) + A)*(c*cos(f*x + e))^m/sqrt(b*cos(f*x + e) + a), x)`

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(B \cos(fx + e) + A)(c \cos(fx + e))^m}{\sqrt{b \cos(fx + e) + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))^(1/2),x, algorithm="fricas")`

[Out] `integral((B*cos(f*x + e) + A)*(c*cos(f*x + e))^m/sqrt(b*cos(f*x + e) + a), x)`

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(c \cos(e + fx))^m (A + B \cos(e + fx))}{\sqrt{a + b \cos(e + fx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((c*cos(f*x+e))**m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))**(1/2),x)`

[Out] `Integral((c*cos(e + f*x))**m*(A + B*cos(e + f*x))/sqrt(a + b*cos(e + f*x)), x)`

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(fx + e) + A)(c \cos(fx + e))^m}{\sqrt{b \cos(fx + e) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(f*x + e) + A)*(c*cos(f*x + e))^m/sqrt(b*cos(f*x + e) + a), x)
```

**3.458**  $\int \frac{(c \cos(e+fx))^m (A+B \cos(e+fx))}{(a+b \cos(e+fx))^{3/2}} dx$

**Optimal.** Leaf size=190

$$\frac{2\text{Unintegrable}\left(\frac{(c \cos(e+fx))^m \left(-\frac{1}{2}bc(2m+3)(Ab-aB) \cos^2(e+fx) - \frac{1}{2}ac(Ab-aB) \cos(e+fx) + \frac{1}{2}c\left(2b\left(m+\frac{1}{2}\right)(Ab-aB)+a(aA-bB)\right)\right)}{\sqrt{a+b \cos(e+fx)}}, x\right)}{ac(a^2 - b^2)} + \frac{2b(Ab - aB)}{acf(a^2)}$$

[Out] (2\*b\*(A\*b - a\*B)\*(c\*Cos[e + f\*x])^(1 + m)\*Sin[e + f\*x])/(a\*(a^2 - b^2)\*c\*f\* Sqrt[a + b\*Cos[e + f\*x]]) + (2\*Unintegrable[(((c\*Cos[e + f\*x])^m\*((c\*(a\*(a\*A - b\*B) + 2\*b\*(A\*b - a\*B)\*(1/2 + m)))/2 - (a\*(A\*b - a\*B)\*c\*Cos[e + f\*x])/2 - (b\*(A\*b - a\*B)\*c\*(3 + 2\*m)\*Cos[e + f\*x]^2)/2))/Sqrt[a + b\*Cos[e + f\*x]], x])/(a\*(a^2 - b^2)\*c)

**Rubi [A]** time = 0.499744, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(c \cos(e + fx))^m (A + B \cos(e + fx))}{(a + b \cos(e + fx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[(((c\*Cos[e + f\*x])^m\*(A + B\*Cos[e + f\*x]))/(a + b\*Cos[e + f\*x])^(3/2)),x]

[Out] (2\*b\*(A\*b - a\*B)\*(c\*Cos[e + f\*x])^(1 + m)\*Sin[e + f\*x])/(a\*(a^2 - b^2)\*c\*f\* Sqrt[a + b\*Cos[e + f\*x]]) + (2\*Defer[Int][(((c\*Cos[e + f\*x])^m\*((c\*(a\*(a\*A - b\*B) + 2\*b\*(A\*b - a\*B)\*(1/2 + m)))/2 - (a\*(A\*b - a\*B)\*c\*Cos[e + f\*x])/2 - (b\*(A\*b - a\*B)\*c\*(3 + 2\*m)\*Cos[e + f\*x]^2)/2))/Sqrt[a + b\*Cos[e + f\*x]], x])/(a\*(a^2 - b^2)\*c)

Rubi steps

$$\int \frac{(c \cos(e + fx))^m (A + B \cos(e + fx))}{(a + b \cos(e + fx))^{3/2}} dx = \frac{2b(Ab - aB)(c \cos(e + fx))^{1+m} \sin(e + fx)}{a(a^2 - b^2)cf\sqrt{a + b \cos(e + fx)}} + \frac{2 \int \frac{(c \cos(e + fx))^m \left(\frac{1}{2}c(a(aA - bB) + 2b\right)}{\sqrt{a + b \cos(e + fx)}} dx}{a(a^2 - b^2)}$$

**Mathematica [A]** time = 10.5573, size = 0, normalized size = 0.

$$\int \frac{(c \cos(e + fx))^m (A + B \cos(e + fx))}{(a + b \cos(e + fx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[(((c\*Cos[e + f\*x])^m\*(A + B\*Cos[e + f\*x]))/(a + b\*Cos[e + f\*x])^(3/2)),x]

[Out] Integrate[(((c\*Cos[e + f\*x])^m\*(A + B\*Cos[e + f\*x]))/(a + b\*Cos[e + f\*x])^(3/2)), x]



**Maple [A]** time = 0.423, size = 0, normalized size = 0.

$$\int (c \cos(fx + e))^m (A + B \cos(fx + e)) (a + b \cos(fx + e))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((c\*cos(f\*x+e))^m\*(A+B\*cos(f\*x+e))/(a+b\*cos(f\*x+e))^(3/2),x)

[Out] int((c\*cos(f\*x+e))^m\*(A+B\*cos(f\*x+e))/(a+b\*cos(f\*x+e))^(3/2),x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(fx + e) + A) (c \cos(fx + e))^m}{(b \cos(fx + e) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))^m\*(A+B\*cos(f\*x+e))/(a+b\*cos(f\*x+e))^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(f\*x + e) + A)\*(c\*cos(f\*x + e))^m/(b\*cos(f\*x + e) + a)^(3/2), x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(fx + e) + A) \sqrt{b \cos(fx + e) + a} (c \cos(fx + e))^m}{b^2 \cos(fx + e)^2 + 2ab \cos(fx + e) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))^m\*(A+B\*cos(f\*x+e))/(a+b\*cos(f\*x+e))^(3/2),x, algorithm="fricas")

[Out] integral((B\*cos(f\*x + e) + A)\*sqrt(b\*cos(f\*x + e) + a)\*(c\*cos(f\*x + e))^m/(b^2\*cos(f\*x + e)^2 + 2\*a\*b\*cos(f\*x + e) + a^2), x)

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(c \cos(e + fx))^m (A + B \cos(e + fx))}{(a + b \cos(e + fx))^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((c\*cos(f\*x+e))\*\*m\*(A+B\*cos(f\*x+e))/(a+b\*cos(f\*x+e))\*\*(3/2),x)

[Out] Integral((c\*cos(e + f\*x))\*\*m\*(A + B\*cos(e + f\*x))/(a + b\*cos(e + f\*x))\*\*(3/2), x)

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(fx + e) + A)(c \cos(fx + e))^m}{(b \cos(fx + e) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((c*cos(f*x+e))^m*(A+B*cos(f*x+e))/(a+b*cos(f*x+e))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(f*x + e) + A)*(c*cos(f*x + e))^m/(b*cos(f*x + e) + a)^(3/2), x)
```

$$3.459 \quad \int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx$$

**Optimal.** Leaf size=172

$$\frac{2a(A+B)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{3d} + \frac{2a(3A+5B)\sin(c+dx)\sqrt{\sec(c+dx)}}{5d} + \frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F}{3d}$$

[Out] (-2\*a\*(3\*A + 5\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(5\*d) + (2\*a\*(A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*a\*(3\*A + 5\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(5\*d) + (2\*a\*(A + B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d) + (2\*a\*A\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(5\*d)

**Rubi [A]** time = 0.222072, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2960, 3997, 3787, 3768, 3771, 2639, 2641}

$$\frac{2a(A+B)\sin(c+dx)\sec^{\frac{3}{2}}(c+dx)}{3d} + \frac{2a(3A+5B)\sin(c+dx)\sqrt{\sec(c+dx)}}{5d} + \frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2), x]

[Out] (-2\*a\*(3\*A + 5\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(5\*d) + (2\*a\*(A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*a\*(3\*A + 5\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(5\*d) + (2\*a\*(A + B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d) + (2\*a\*A\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(5\*d)

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 3997

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :> -Simp[(b\*B\*Cot[e + f\*x]\*(d\*Csc[e + f\*x])^n)/(f\*(n + 1)), x] + Dist[1/(n + 1), Int[(d\*Csc[e + f\*x])^n\*Simp[A\*a\*(n + 1) + B\*b\*n + (A\*b + B\*a)\*(n + 1)\*Csc[e + f\*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && !LeQ[n, -1]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^(n)*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx &= \int \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))(B + A \sec(c + dx)) dx \\
&= \frac{2aA \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{2}{5} \int \sec^{\frac{3}{2}}(c + dx) \left( \frac{1}{2}a(3A + 5B) \right. \\
&= \frac{2aA \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} + (a(A + B)) \int \sec^{\frac{5}{2}}(c + dx) dx \\
&= \frac{2a(3A + 5B) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{2a(A + B) \sec^{\frac{3}{2}}(c + dx)}{3d} \\
&= \frac{2a(3A + 5B) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{2a(A + B) \sec^{\frac{3}{2}}(c + dx)}{3d} \\
&= \frac{2a(3A + 5B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \dots
\end{aligned}$$

**Mathematica [C]** time = 1.89684, size = 292, normalized size = 1.7

$$ae^{-ic} (-1 + e^{2ic}) \csc(c) (\cos(c + dx) + 1) \sec^2\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left( (3A + 5B) e^{i(c+dx)} (1 + e^{2i(c+dx)})^{5/2} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]
```

```
[Out] (a*(-1 + E^((2*I)*c))*(1 + Cos[c + d*x])*Csc[c]*(5*A + 5*B - 3*A*E^(I*(c +
d*x)) - 15*B*E^(I*(c + d*x)) - 24*A*E^((3*I)*(c + d*x)) - 30*B*E^((3*I)*(c
+ d*x)) - 5*A*E^((4*I)*(c + d*x)) - 5*B*E^((4*I)*(c + d*x)) - 9*A*E^((5*I)*
(c + d*x)) - 15*B*E^((5*I)*(c + d*x)) - (5*I)*(A + B)*(1 + E^((2*I)*(c + d*
x))))^2*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (3*A + 5*B)*E^(I*(c +
d*x))*(1 + E^((2*I)*(c + d*x)))^(5/2)*Hypergeometric2F1[1/2, 3/4, 7/4, -E^
```

$((2*I)*(c + d*x)))]*Sec[(c + d*x)/2]^2*sqrt[Sec[c + d*x]]/(30*d*E^(I*c)*(1 + E^((2*I)*(c + d*x)))^2)$

**Maple [B]** time = 10.024, size = 661, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2), x)

[Out]  $-4*(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(1/2*B*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+(1/2*A+1/2*B)*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-1/10*A/(8*\sin(1/2*d*x+1/2*c)^6-12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1)/\sin(1/2*d*x+1/2*c)^2*(12*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^4-24*\sin(1/2*d*x+1/2*c)^6*\cos(1/2*d*x+1/2*c)-12*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\sin(1/2*d*x+1/2*c)^2+24*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))-8*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c))*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a) \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(7/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa\right) \sec(dx + c)^{\frac{7}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2), x, algorithm="fricas")

[Out] integral((B\*a\*cos(d\*x + c)^2 + (A + B)\*a\*cos(d\*x + c) + A\*a)\*sec(d\*x + c)^(7/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(7/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a) \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(7/2), x)

$$3.460 \quad \int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx$$

**Optimal.** Leaf size=135

$$\frac{2a(A+B)\sin(c+dx)\sqrt{\sec(c+dx)}}{d} + \frac{2a(A+3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a(A+B)\sqrt{\cos(c+dx)}}{3d}$$

[Out] (-2\*a\*(A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*a\*(A + 3\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*a\*(A + B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d + (2\*a\*A\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.192117, antiderivative size = 135, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2960, 3997, 3787, 3771, 2641, 3768, 2639}

$$\frac{2a(A+B)\sin(c+dx)\sqrt{\sec(c+dx)}}{d} + \frac{2a(A+3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} - \frac{2a(A+B)\sqrt{\cos(c+dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2),x]

[Out] (-2\*a\*(A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*a\*(A + 3\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*a\*(A + B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d + (2\*a\*A\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d)

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 3997

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(B\_.) + (A\_.)), x\_Symbol] :> -Simp[(b\*B\*Cot[e + f\*x]\*(d\*Csc[e + f\*x])^n)/(f\*(n + 1)), x] + Dist[1/(n + 1), Int[(d\*Csc[e + f\*x])^n\*Simp[A\*a\*(n + 1) + B\*b\*n + (A\*b + B\*a)\*(n + 1)\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && !LeQ[n, -1]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx &= \int \sqrt{\sec(c + dx)}(a + a \sec(c + dx))(B + A \sec(c + dx)) dx \\
&= \frac{2aA \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2}{3} \int \sqrt{\sec(c + dx)} \left( \frac{1}{2}a(A + B) \right) dx \\
&= \frac{2aA \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + (a(A + B)) \int \sec^{\frac{3}{2}}(c + dx) dx \\
&= \frac{2a(A + B) \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2aA \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} \\
&= \frac{2a(A + 3B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{2aA \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} \\
&= -\frac{2a(A + B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2aA \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d}
\end{aligned}$$

**Mathematica [C]** time = 1.19416, size = 225, normalized size = 1.67

$$\frac{a(\cos(c + dx) + 1) \sec^2\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left( i \left( (A + B) e^{i(c+dx)} (1 + e^{2i(c+dx)})^{3/2} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}; -e^{2i(c+dx)}\right) - 3Ae^{i(c+dx)} - \dots \right) \right)}{3d(1 + e^{2i(c+dx)})}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2), x]
```

```
[Out] (a*(1 + Cos[c + d*x])*((A + 3*B)*(1 + E^((2*I)*(c + d*x))))*Sqrt[Cos[c + d*x]
])*EllipticF[(c + d*x)/2, 2] + I*(A - 3*A*E^(I*(c + d*x)) - 3*B*E^(I*(c + d
*x)) - A*E^((2*I)*(c + d*x)) - 3*A*E^((3*I)*(c + d*x)) - 3*B*E^((3*I)*(c +
d*x)) + (A + B)*E^(I*(c + d*x))*(1 + E^((2*I)*(c + d*x)))^(3/2))*Hypergeomet
ric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])*Sec[(c + d*x)/2]^2*Sqrt[Sec[c
+ d*x]]/(3*d*(1 + E^((2*I)*(c + d*x))))
```



---

**Maple [B]** time = 7.894, size = 426, normalized size = 3.2

$$-4 \frac{\sqrt{-2 (\cos(1/2 dx + c/2))^2 + 1} (\sin(1/2 dx + c/2))^2 a}{\sin(1/2 dx + c/2) \sqrt{2 (\cos(1/2 dx + c/2))^2 - 1} d} \left( \frac{1}{2} \frac{B \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2 (\cos(1/2 dx + c/2))^2 + 1}}{\sqrt{-2 (\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2), x)

[Out]  $-4 * (-(-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1) * \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * a * (1/2 * B * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + (1/2 * A + 1/2 * B) * (-\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) + 2 * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \cos(1/2 * d * x + 1/2 * c) * \sin(1/2 * d * x + 1/2 * c)^2 / \sin(1/2 * d * x + 1/2 * c)^2 / (2 * \sin(1/2 * d * x + 1/2 * c)^2 - 1) + 1/2 * A * (-1/6 * \cos(1/2 * d * x + 1/2 * c) * (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} / (\cos(1/2 * d * x + 1/2 * c)^2 - 1/2)^2 + 1/3 * (\sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * d * x + 1/2 * c)^2 + 1)^{(1/2)} / (-2 * \sin(1/2 * d * x + 1/2 * c)^4 + \sin(1/2 * d * x + 1/2 * c)^2)^{(1/2)} * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2^{(1/2)}) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c)^2 - 1)^{(1/2)} / d$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa\right) \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2), x, algorithm="fricas")

[Out] integral((B\*a\*cos(d\*x + c)^2 + (A + B)\*a\*cos(d\*x + c) + A\*a)\*sec(d\*x + c)^(5/2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2), x)

$$3.461 \quad \int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx$$

**Optimal.** Leaf size=106

$$\frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} - \frac{2a(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aAs}{d}$$

[Out] (-2\*a\*(A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*a\*(A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*a\*A\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d

**Rubi [A]** time = 0.178832, antiderivative size = 106, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2960, 3997, 3787, 3771, 2639, 2641}

$$\frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} - \frac{2a(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2aAs}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2), x]

[Out] (-2\*a\*(A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*a\*(A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*a\*A\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.))\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 3997

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :> -Simp[(b\*B\*Cot[e + f\*x]\*(d\*Csc[e + f\*x])^n)/(f\*(n + 1)), x] + Dist[1/(n + 1), Int[(d\*Csc[e + f\*x])^n\*Simp[A\*a\*(n + 1) + B\*b\*n + (A\*b + B\*a)\*(n + 1)\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && !LeQ[n, -1]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] :> Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx &= \int \frac{(a + a \sec(c + dx))(B + A \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + 2 \int \frac{-\frac{1}{2}a(A - B) + \frac{1}{2}a(A + B)}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{d} - (a(A - B)) \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{d} - (a(A - B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \\ &= \frac{2a(A - B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{d} + \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{d} \end{aligned}$$

**Mathematica [C]** time = 1.05615, size = 157, normalized size = 1.48

$$\frac{2ae^{-idx}\sqrt{\sec(c+dx)}(\cos(dx)+i\sin(dx))\left(i(A-B)e^{i(c+dx)}\sqrt{1+e^{2i(c+dx)}}{}_2F_1\left(\frac{1}{2},\frac{3}{4};\frac{7}{4};-e^{2i(c+dx)}\right)+3(A+B)\sqrt{\cos(c+dx)}F\left(\frac{1}{2},\frac{3}{4};\frac{7}{4};-e^{2i(c+dx)}\right)\right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]
```

```
[Out] (2*a*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*((-3*I)*A*Cos[c + d*x] + (3
*I)*B*Cos[c + d*x] + 3*(A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]
+ I*(A - B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F
1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + 3*A*Sin[c + d*x]))/(3*d*E^(I*d*x))
```

**Maple [A]** time = 3.536, size = 240, normalized size = 2.3

$$\frac{a \left( A \operatorname{EllipticF} \left( \cos \left( \frac{1}{2} dx + \frac{c}{2} \right), \sqrt{2} \right) \sqrt{\left( \sin \left( \frac{1}{2} dx + \frac{c}{2} \right) \right)^2} \sqrt{2 \left( \sin \left( \frac{1}{2} dx + \frac{c}{2} \right) \right)^2 - 1} + A \sqrt{\left( \sin \left( \frac{1}{2} dx + \frac{c}{2} \right) \right)^2} \sqrt{2 \left( \sin \left( \frac{1}{2} dx + \frac{c}{2} \right) \right)^2 - 1} \right)}{-2}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x)
```

```
[Out] -2*a*(A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(sin(1/2*d*x+1/2*c)^2)^(1/2)*
(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)+A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*
```

$$d*x+1/2*c)^{2-1})^{1/2}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{1/2})-2*A*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^{2+B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}}*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{1/2}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{1/2})-B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{1/2}))*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{1/2})/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^{2-1})^{1/2}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa\right) \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B\*a\*cos(d\*x + c)^2 + (A + B)\*a\*cos(d\*x + c) + A\*a)\*sec(d\*x + c)^(3/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2), x)

### 3.462 $\int (a + a \cos(c + dx))(A + B \cos(c + dx))\sqrt{\sec(c + dx)} dx$

**Optimal.** Leaf size=110

$$\frac{2a(3A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a(A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2aB \sin(c + dx)}{3d\sqrt{\sec(c + dx)}}$$

[Out] (2\*a\*(A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*a\*(3\*A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*a\*B\*Sin[c + d\*x])/(3\*d\*Sqrt[Sec[c + d\*x]])

**Rubi [A]** time = 0.183918, antiderivative size = 110, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2960, 3996, 3787, 3771, 2639, 2641}

$$\frac{2a(3A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2a(A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d} + \frac{2aB \sin(c + dx)}{3d\sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]],x]

[Out] (2\*a\*(A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*a\*(3\*A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*a\*B\*Sin[c + d\*x])/(3\*d\*Sqrt[Sec[c + d\*x]])

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.))\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 3996

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.), x\_Symbol] :> Simp[(A\*a\*Cot[e + f\*x]\*(d\*Csc[e + f\*x])^n)/(f\*n), x] + Dist[1/(d\*n), Int[(d\*Csc[e + f\*x])^(n + 1)\*Simp[n\*(B\*a + A\*b) + (B\*b\*n + A\*a\*(n + 1))\*Csc[e + f\*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && LeQ[n, -1]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] :> Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int (a + a \cos(c + dx))(A + B \cos(c + dx))\sqrt{\sec(c + dx)} dx = \int \frac{(a + a \sec(c + dx))(B + A \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2aB \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{3}{2}a(A + B) - \frac{1}{2}a(3A + B) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx$$

$$= \frac{2aB \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + (a(A + B)) \int \frac{1}{\sqrt{\sec(c + dx)}} dx + \frac{1}{3}(a(3A + B) \int \frac{1}{\sqrt{\sec(c + dx)}} dx)$$

$$= \frac{2aB \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + (a(A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) + \frac{2a(A + B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{d} + \dots$$

**Mathematica [C]** time = 1.23907, size = 148, normalized size = 1.35

$$\frac{2ae^{-idx}\sqrt{\sec(c + dx)}(\cos(dx) + i \sin(dx)) \left(-i(A + B)e^{i(c+dx)}\sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}, \frac{7}{4}; -e^{2i(c+dx)}\right) + \cos(c + dx)(B \sin(c + dx))\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]], x]

[Out] (2\*a\*Sqrt[Sec[c + d\*x]]\*(Cos[d\*x] + I\*Sin[d\*x])\*((3\*A + B)\*Sqrt[Cos[c + d\*x]])\*EllipticF[(c + d\*x)/2, 2] - I\*(A + B)\*E^(I\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))] + Cos[c + d\*x]\*((3\*I)\*(A + B) + B\*Sin[c + d\*x]))/(3\*d\*E^(I\*d\*x))

**Maple [B]** time = 2.699, size = 321, normalized size = 2.9

$$-\frac{2a}{3d} \sqrt{\left(2 \cos\left(\frac{1}{2} dx + \frac{c}{2}\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(4B \cos\left(\frac{1}{2} dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^4 + 3A \text{EllipticF}\left(\cos\left(\frac{1}{2} dx + \frac{c}{2}\right), 2\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2), x)

[Out] -2/3\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a\*(4\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4+3\*A\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)-3\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2))

$\frac{1}{2} * \text{EllipticF}(\cos(\frac{1}{2} * d * x + \frac{1}{2} * c), 2^{(1/2)}) - 3 * B * \text{EllipticE}(\cos(\frac{1}{2} * d * x + \frac{1}{2} * c), 2^{(1/2)}) * (\sin(\frac{1}{2} * d * x + \frac{1}{2} * c)^2)^{(1/2)} * (2 * \sin(\frac{1}{2} * d * x + \frac{1}{2} * c)^2 - 1)^{(1/2)} - 2 * B * \sin(\frac{1}{2} * d * x + \frac{1}{2} * c)^2 * \cos(\frac{1}{2} * d * x + \frac{1}{2} * c) / (-2 * \sin(\frac{1}{2} * d * x + \frac{1}{2} * c)^4 + \sin(\frac{1}{2} * d * x + \frac{1}{2} * c)^2)^{(1/2)} / \sin(\frac{1}{2} * d * x + \frac{1}{2} * c) / (2 * \cos(\frac{1}{2} * d * x + \frac{1}{2} * c)^2 - 1)^{(1/2)} / d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a) \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( (Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa) \sqrt{\sec(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*a\*cos(d\*x + c)^2 + (A + B)\*a\*cos(d\*x + c) + A\*a)\*sqrt(sec(d\*x + c)), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$a \left( \int A \sqrt{\sec(c + dx)} dx + \int A \cos(c + dx) \sqrt{\sec(c + dx)} dx + \int B \cos(c + dx) \sqrt{\sec(c + dx)} dx + \int B \cos^2(c + dx) \sqrt{\sec(c + dx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(1/2),x)

[Out] a\*(Integral(A\*sqrt(sec(c + d\*x)), x) + Integral(A\*cos(c + d\*x)\*sqrt(sec(c + d\*x)), x) + Integral(B\*cos(c + d\*x)\*sqrt(sec(c + d\*x)), x) + Integral(B\*cos(c + d\*x)\*\*2\*sqrt(sec(c + d\*x)), x))

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a) \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c)), x)



$$3.463 \quad \int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=141

$$\frac{2a(A+B) \sin(c+dx)}{3d\sqrt{\sec(c+dx)}} + \frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2a(5A+3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{5d}$$

[Out] (2\*a\*(5\*A + 3\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(5\*d) + (2\*a\*(A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(3\*d) + (2\*a\*B\*Sin[c + d\*x])/(5\*d\*Sec[c + d\*x]^(3/2)) + (2\*a\*(A + B)\*Sin[c + d\*x])/(3\*d\*Sqrt[Sec[c + d\*x]])

**Rubi [A]** time = 0.202655, antiderivative size = 141, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2960, 3996, 3787, 3769, 3771, 2641, 2639}

$$\frac{2a(A+B) \sin(c+dx)}{3d\sqrt{\sec(c+dx)}} + \frac{2a(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2a(5A+3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{5d}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]))/Sqrt[Sec[c + d\*x]], x]

[Out] (2\*a\*(5\*A + 3\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(5\*d) + (2\*a\*(A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(3\*d) + (2\*a\*B\*Sin[c + d\*x])/(5\*d\*Sec[c + d\*x]^(3/2)) + (2\*a\*(A + B)\*Sin[c + d\*x])/(3\*d\*Sqrt[Sec[c + d\*x]])

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 3996

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] := Simp[(A\*a\*Cot[e + f\*x]\*(d\*Csc[e + f\*x])^n)/(f\*n), x] + Dist[1/(d\*n), Int[(d\*Csc[e + f\*x])^(n + 1)\*Simp[n\*(B\*a + A\*b) + (B\*b\*n + A\*a\*(n + 1))\*Csc[e + f\*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && LeQ[n, -1]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 1), x], x]

d\*x]^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^n], x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{(a + a \cos(c + dx))(A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx = \int \frac{(a + a \sec(c + dx))(B + A \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx$$

$$= \frac{2aB \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}a(A + B) - \frac{1}{2}a(5A + 3B) \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2aB \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + (a(A + B)) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx + \frac{1}{5}(a(5A + 3B)) \int \frac{1}{\sqrt{\sec(c + dx)}} dx$$

$$= \frac{2aB \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{1}{3}(a(A + B)) \int \sqrt{\sec(c + dx)} dx$$

$$= \frac{2a(5A + 3B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2aB \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)}$$

$$= \frac{2a(5A + 3B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2a(A + B) \sqrt{\sec(c + dx)}}{3d}$$

**Mathematica [C]** time = 1.59331, size = 148, normalized size = 1.05

$$\frac{a \sqrt{\sec(c + dx)} \left( -2i(5A + 3B) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) + \cos(c + dx)(10(A + B) \sin(c + dx) + 6i(5A + 3B)) \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]))/Sqrt[Sec[c + d\*x]],x]

[Out] (a\*Sqrt[Sec[c + d\*x]]\*(10\*(A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] - (2\*I)\*(5\*A + 3\*B)\*E^(I\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))] + Cos[c + d\*x]\*((6\*I)\*(5\*A + 3\*B) + 10\*(A + B)\*Sin[c + d\*x] + 3\*B\*Sin[2\*(c + d\*x)])))/(15\*d)

**Maple [B]** time = 2.924, size = 355, normalized size = 2.5

$$-\frac{2a}{15d} \sqrt{\left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-24B \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 + (20A + 44B) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x)

[Out] 
$$-2/15*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*(-24*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(20*A+44*B)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-10*A-16*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+5*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}-15*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+5*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-9*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)})/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)/sqrt(sec(d\*x + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x, algorithm="fricas")

[Out] integral((B\*a\*cos(d\*x + c)^2 + (A + B)\*a\*cos(d\*x + c) + A\*a)/sqrt(sec(d\*x + c)), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$a \left( \int \frac{A}{\sqrt{\sec(c + dx)}} dx + \int \frac{A \cos(c + dx)}{\sqrt{\sec(c + dx)}} dx + \int \frac{B \cos(c + dx)}{\sqrt{\sec(c + dx)}} dx + \int \frac{B \cos^2(c + dx)}{\sqrt{\sec(c + dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/sec(d\*x+c)\*\*(1/2),x)

[Out] a\*(Integral(A/sqrt(sec(c + d\*x)), x) + Integral(A\*cos(c + d\*x)/sqrt(sec(c + d\*x)), x) + Integral(B\*cos(c + d\*x)/sqrt(sec(c + d\*x)), x) + Integral(B\*cos(c + d\*x)\*\*2/sqrt(sec(c + d\*x)), x))

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)/sqrt(sec(d\*x + c)), x)

$$3.464 \quad \int \frac{(a+a \cos(c+dx))(A+B \cos(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=172

$$\frac{2a(A+B) \sin(c+dx)}{5d \sec^{\frac{3}{2}}(c+dx)} + \frac{2a(7A+5B) \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} + \frac{2a(7A+5B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} + \frac{6a(A+B)}{21d}$$

[Out] (6\*a\*(A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(5\*d) + (2\*a\*(7\*A + 5\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(21\*d) + (2\*a\*B\*Sin[c + d\*x])/(7\*d\*Sec[c + d\*x]^(5/2)) + (2\*a\*(A + B)\*Sin[c + d\*x])/(5\*d\*Sec[c + d\*x]^(3/2)) + (2\*a\*(7\*A + 5\*B)\*Sin[c + d\*x])/(21\*d\*Sqrt[Sec[c + d\*x]])

**Rubi [A]** time = 0.224161, antiderivative size = 172, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2960, 3996, 3787, 3769, 3771, 2639, 2641}

$$\frac{2a(A+B) \sin(c+dx)}{5d \sec^{\frac{3}{2}}(c+dx)} + \frac{2a(7A+5B) \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} + \frac{2a(7A+5B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{21d} + \frac{6a(A+B)}{21d}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]))/Sec[c + d\*x]^(3/2), x]

[Out] (6\*a\*(A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(5\*d) + (2\*a\*(7\*A + 5\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(21\*d) + (2\*a\*B\*Sin[c + d\*x])/(7\*d\*Sec[c + d\*x]^(5/2)) + (2\*a\*(A + B)\*Sin[c + d\*x])/(5\*d\*Sec[c + d\*x]^(3/2)) + (2\*a\*(7\*A + 5\*B)\*Sin[c + d\*x])/(21\*d\*Sqrt[Sec[c + d\*x]])

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 3996

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :> Simp[(A\*a\*Cot[e + f\*x]\*(d\*Csc[e + f\*x])^n)/(f\*n), x] + Dist[1/(d\*n), Int[(d\*Csc[e + f\*x])^(n + 1)\*Simp[n\*(B\*a + A\*b) + (B\*b\*n + A\*a\*(n + 1))\*Csc[e + f\*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && LeQ[n, -1]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))(A + B \cos(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \int \frac{(a + a \sec(c + dx))(B + A \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2aB \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7}{2}a(A + B) - \frac{1}{2}a(7A + 5B) \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2aB \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + (a(A + B)) \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx + \frac{1}{7}(a(7A + 5B)) \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2aB \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(7A + 5B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{1}{5} \\ &= \frac{2aB \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2a(A + B) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2a(7A + 5B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{1}{5} \\ &= \frac{6a(A + B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2a(7A + 5B) \sqrt{\cos(c + dx)}}{21d} \end{aligned}$$

**Mathematica [C]** time = 2.19619, size = 182, normalized size = 1.06

$$ae^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left( -84i(A + B)e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) + \cos(c + dx)(42(A + B) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]
```

```
[Out] (a*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*(20*(7*A + 5*B)*Sqrt[Cos[c +
d*x]]*EllipticF[(c + d*x)/2, 2] - (84*I)*(A + B)*E^(I*(c + d*x))*Sqrt[1 + E
^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]
+ Cos[c + d*x]*((252*I)*(A + B) + 5*(28*A + 23*B)*Sin[c + d*x] + 42*(A + B)
*Sin[2*(c + d*x)] + 15*B*Sin[3*(c + d*x)])))/(210*d*E^(I*d*x))
```

---

**Maple [A]** time = 3.135, size = 383, normalized size = 2.2

$$-\frac{2a}{105d} \sqrt{\left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(240B \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^8 + (-168A - 528B) \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 + (112A - 122B) \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4 + (308A + 448B) \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 + (-63A - 63B) \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right) + (-63A - 63B) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x)

[Out] -2/105\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a\*(240\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8+(-168\*A-528\*B)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+(308\*A+448\*B)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-112\*A-122\*B)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+35\*A\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)-63\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+25\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-63\*B\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)/sec(d\*x + c)^(3/2), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba \cos(dx + c)^2 + (A + B)a \cos(dx + c) + Aa}{\sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B\*a\*cos(d\*x + c)^2 + (A + B)\*a\*cos(d\*x + c) + A\*a)/sec(d\*x + c)^(3/2), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$a \left( \int \frac{A}{\sec^{\frac{3}{2}}(c+dx)} dx + \int \frac{A \cos(c+dx)}{\sec^{\frac{3}{2}}(c+dx)} dx + \int \frac{B \cos(c+dx)}{\sec^{\frac{3}{2}}(c+dx)} dx + \int \frac{B \cos^2(c+dx)}{\sec^{\frac{3}{2}}(c+dx)} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/sec(d\*x+c)\*\*(3/2),x)

[Out] a\*(Integral(A/sec(c + d\*x)\*\*(3/2), x) + Integral(A\*cos(c + d\*x)/sec(c + d\*x)\*\*(3/2), x) + Integral(B\*cos(c + d\*x)/sec(c + d\*x)\*\*(3/2), x) + Integral(B\*cos(c + d\*x)\*\*2/sec(c + d\*x)\*\*(3/2), x))

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx+c) + A)(a \cos(dx+c) + a)}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)/sec(d\*x + c)^(3/2), x)



$$3.465 \quad \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx$$

**Optimal.** Leaf size=199

$$\frac{2a^2(7A + 5B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{15d} + \frac{4a^2(4A + 5B) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^2(A + 2B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{3d}$$

[Out] (-4\*a^2\*(4\*A + 5\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(5\*d) + (4\*a^2\*(A + 2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(3\*d) + (4\*a^2\*(4\*A + 5\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x]/(5\*d) + (2\*a^2\*(7\*A + 5\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x]/(15\*d) + (2\*A\*Sec[c + d\*x]^(3/2)\*(a^2 + a^2\*Sec[c + d\*x])\*Sin[c + d\*x]/(5\*d)

**Rubi [A]** time = 0.345233, antiderivative size = 199, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2960, 4018, 3997, 3787, 3771, 2641, 3768, 2639}

$$\frac{2a^2(7A + 5B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{15d} + \frac{4a^2(4A + 5B) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^2(A + 2B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2), x]

[Out] (-4\*a^2\*(4\*A + 5\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(5\*d) + (4\*a^2\*(A + 2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(3\*d) + (4\*a^2\*(4\*A + 5\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x]/(5\*d) + (2\*a^2\*(7\*A + 5\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x]/(15\*d) + (2\*A\*Sec[c + d\*x]^(3/2)\*(a^2 + a^2\*Sec[c + d\*x])\*Sin[c + d\*x]/(5\*d)

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4018

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :> -Simp[(b\*B\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m - 1)\*(d\*Csc[e + f\*x])^n)/(f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Csc[e + f\*x])^(m - 1)\*(d\*Csc[e + f\*x])^n \*Simp[a\*A\*d\*(m + n) + B\*(b\*d\*n) + (A\*b\*d\*(m + n) + a\*B\*d\*(2\*m + n - 1))\*Csc[e + f\*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

#### Rule 3997

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :> -Simp[(b\*B\*Cot[e + f\*x]\*(d\*Csc[e + f\*x])^n)/(f\*(n + 1)), x] + Dist[1/(n + 1), Int[(d\*Csc[e

+ f\*x])^n\*Simp[A\*a\*(n + 1) + B\*b\*n + (A\*b + B\*a)\*(n + 1)\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && !LeQ[n, -1]

### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^n, x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^n, x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^2 (B + A \sec(c + dx)) dx \\
 &= \frac{2A \sec^{\frac{3}{2}}(c + dx) (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d} + \frac{2}{5} \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^2 (B + A \sec(c + dx)) dx \\
 &= \frac{2a^2(7A + 5B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} + \frac{2A \sec^{\frac{3}{2}}(c + dx) (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d} \\
 &= \frac{2a^2(7A + 5B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} + \frac{2A \sec^{\frac{3}{2}}(c + dx) (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d} \\
 &= \frac{4a^2(4A + 5B) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{2a^2(7A + 5B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{5d} \\
 &= \frac{4a^2(A + 2B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{4a^2(4A + 5B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
 \end{aligned}$$

**Mathematica [C]** time = 2.97918, size = 299, normalized size = 1.5

$$a^2 e^{-ic} (-1 + e^{2ic}) \csc(c) (\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left(2(4A + 5B)e^{i(c+dx)} (1 + e^{2i(c+dx)})^{5/2} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2), x]

[Out] (a^2\*(-1 + E^((2\*I)\*c))\*(1 + Cos[c + d\*x])^2\*Csc[c]\*(10\*A + 5\*B - 18\*A\*E^(I\*(c + d\*x)) - 30\*B\*E^(I\*(c + d\*x)) - 54\*A\*E^((3\*I)\*(c + d\*x)) - 60\*B\*E^((3\*I)\*(c + d\*x)) - 10\*A\*E^((4\*I)\*(c + d\*x)) - 5\*B\*E^((4\*I)\*(c + d\*x)) - 24\*A\*E^((5\*I)\*(c + d\*x)) - 30\*B\*E^((5\*I)\*(c + d\*x)) - (10\*I)\*(A + 2\*B)\*(1 + E^((2\*I)\*(c + d\*x))))^2\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + 2\*(4\*A + 5\*B)\*E^(I\*(c + d\*x))\*(1 + E^((2\*I)\*(c + d\*x)))^(5/2)\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))])\*Sec[(c + d\*x)/2]^4\*Sqrt[Sec[c + d\*x]]/(60\*d\*E^(I\*c)\*(1 + E^((2\*I)\*(c + d\*x))))^2)

**Maple [B]** time = 10.25, size = 741, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2), x)

[Out] -8\*(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^2\*(1/4\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2)) + (1/4\*A+1/2\*B)\*(-sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2)) + 2\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2/sin(1/2\*d\*x+1/2\*c)^2/(2\*sin(1/2\*d\*x+1/2\*c)^2-1) - 1/20\*A/(8\*sin(1/2\*d\*x+1/2\*c)^6-12\*sin(1/2\*d\*x+1/2\*c)^4+6\*sin(1/2\*d\*x+1/2\*c)^2-1)/sin(1/2\*d\*x+1/2\*c)^2\*(12\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^4-24\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)-12\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2+24\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c) + 3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2)) - 8\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2) + (1/2\*A+1/4\*B)\*(-1/6\*cos(1/2\*d\*x+1/2\*c)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(cos(1/2\*d\*x+1/2\*c)^2-1/2)^2+1/3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2)))/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(7/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral((Ba<sup>2</sup> cos(dx + c)<sup>3</sup> + (A + 2B)a<sup>2</sup> cos(dx + c)<sup>2</sup> + (2A + B)a<sup>2</sup> cos(dx + c) + Aa<sup>2</sup>)sec(dx + c)<sup>7/2</sup>, x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((B\*a<sup>2</sup>\*cos(d\*x + c)<sup>3</sup> + (A + 2\*B)\*a<sup>2</sup>\*cos(d\*x + c)<sup>2</sup> + (2\*A + B)\*a<sup>2</sup>\*cos(d\*x + c) + A\*a<sup>2</sup>)\*sec(d\*x + c)^(7/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(7/2), x)

$$3.466 \quad \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx$$

**Optimal.** Leaf size=160

$$\frac{2a^2(5A + 3B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d} + \frac{4a^2(2A + 3B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2A \sin(c + dx) \sqrt{\sec(c + dx)}}{3d}$$

[Out]  $(-4*a^2*A*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (4*a^2*(2*A + 3*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*a^2*(5*A + 3*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*A*\text{Sqrt}[\text{Sec}[c + d*x]]*(a^2 + a^2*\text{Sec}[c + d*x])*\text{Sin}[c + d*x])/(3*d)$

**Rubi [A]** time = 0.318199, antiderivative size = 160, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4018, 3997, 3787, 3771, 2639, 2641}

$$\frac{2a^2(5A + 3B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d} + \frac{4a^2(2A + 3B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2A \sin(c + dx) \sqrt{\sec(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a*\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^{(5/2)}, x]$

[Out]  $(-4*a^2*A*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (4*a^2*(2*A + 3*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*a^2*(5*A + 3*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*A*\text{Sqrt}[\text{Sec}[c + d*x]]*(a^2 + a^2*\text{Sec}[c + d*x])* \text{Sin}[c + d*x])/(3*d)$

#### Rule 2960

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Csc}[e + f*x])^{(p-m-n)}*(b + a*\text{Csc}[e + f*x])^{(m)}*(d + c*\text{Csc}[e + f*x])^{(n)}, x], x] /;$  FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4018

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x\_Symbol] \rightarrow -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^{(n)})/(f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^{(n)}*\text{Simp}[a*A*d*(m+n) + B*(b*d*n) + (A*b*d*(m+n) + a*B*d*(2*m+n-1))*\text{Csc}[e + f*x], x], x] /;$  FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

#### Rule 3997

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x\_Symbol] \rightarrow -\text{Simp}[(b*B*\text{Cot}[e + f*x]*(d*\text{Csc}[e + f*x])^{(n)})/(f*(n+1)), x] + \text{Dist}[1/(n+1), \text{Int}[(d*\text{Csc}[e + f*x])^{(n)}*\text{Simp}[A*a*(n+1) + B*b*n + (A*b + B*a)*(n+1)*\text{Csc}[e + f*x], x], x] /;$  FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && !LeQ[n, 1]

-1]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] :=> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] :=> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx &= \int \frac{(a + a \sec(c + dx))^2 (B + A \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2A \sqrt{\sec(c + dx)} (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{(a + a \sec(c + dx))^2}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2a^2(5A + 3B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2A \sqrt{\sec(c + dx)} (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d} \\
&= \frac{2a^2(5A + 3B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2A \sqrt{\sec(c + dx)} (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d} \\
&= \frac{2a^2(5A + 3B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2A \sqrt{\sec(c + dx)} (a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d} \\
&= \frac{4a^2 A \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{4a^2(2A + B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d}
\end{aligned}$$

**Mathematica [C]** time = 2.24324, size = 279, normalized size = 1.74

$$a^2(\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \left( \sqrt{\sec(c + dx)} (3 \csc(c) \cos(dx) (4A - B \cos(2c) + B) + 2A \tan(c + dx) + 6B \cos(c) \sin(dx)) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2),x]
```

```
[Out] (a^2*(1 + Cos[c + d*x])^2*Sec[(c + d*x)/2]^4*((( -4*I)*Sqrt[2]*Sqrt[E^(I*(c
+ d*x))]/(1 + E^((2*I)*(c + d*x))))*Sqrt[1 + E^((2*I)*(c + d*x))]*(3*A*E^(I*
```

c)\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))] + E^(I\*d\*x)\*((2\*A + 3\*B)\*(-1 + E^((2\*I)\*c))\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))] + A\*E^(I\*(c + d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))]))/(E^(I\*d\*x)\*(-1 + E^((2\*I)\*c))) + Sqrt[Sec[c + d\*x]]\*(3\*(4\*A + B - B\*Cos[2\*c])\*Cos[d\*x]\*Csc[c] + 6\*B\*Cos[c]\*Sin[d\*x] + 2\*A\*Tan[c + d\*x]))/(12\*d)

**Maple [B]** time = 3.736, size = 513, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2),x)

[Out] 
$$-4/3*(6*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A+B)*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(7*A+3*B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)-2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))*\sin(1/2*d*x+1/2*c)^2+2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+3*A*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)})*a^2/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(3/2)}/\sin(1/2*d*x+1/2*c)/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba^2 \cos(dx + c)^3 + (A + 2B)a^2 \cos(dx + c)^2 + (2A + B)a^2 \cos(dx + c) + Aa^2\right) \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] `integral((B*a^2*cos(d*x + c)^3 + (A + 2*B)*a^2*cos(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c) + A*a^2)*sec(d*x + c)^(5/2), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**2*(A+B*cos(d*x+c))*sec(d*x+c)**(5/2), x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2), x, algorithm="giac")`

[Out] `integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2*sec(d*x + c)^(5/2), x)`



$$3.467 \quad \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx$$

**Optimal.** Leaf size=160

$$\frac{2a^2(3A - B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d} + \frac{4a^2(3A + 2B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2B \sin(c + dx) (a^2)}{3d \sqrt{\sec(c + dx)}}$$

[Out] (4\*a^2\*B\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (4\*a^2\*(3\*A + 2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*a^2\*(3\*A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3\*d) + (2\*B\*(a^2 + a^2\*Sec[c + d\*x])\*Sin[c + d\*x])/(3\*d\*Sqrt[Sec[c + d\*x]])

**Rubi [A]** time = 0.322774, antiderivative size = 160, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4017, 3997, 3787, 3771, 2639, 2641}

$$\frac{2a^2(3A - B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d} + \frac{4a^2(3A + 2B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2B \sin(c + dx) (a^2)}{3d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2),x]

[Out] (4\*a^2\*B\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (4\*a^2\*(3\*A + 2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*a^2\*(3\*A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3\*d) + (2\*B\*(a^2 + a^2\*Sec[c + d\*x])\*Sin[c + d\*x])/(3\*d\*Sqrt[Sec[c + d\*x]])

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.))\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4017

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :> Simp[(a\*A\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m - 1)\*(d\*Csc[e + f\*x])^n)/(f\*n), x] - Dist[b/(a\*d\*n), Int[(a + b\*Csc[e + f\*x])^(m - 1)\*(d\*Csc[e + f\*x])^(n + 1)\*Simp[a\*A\*(m - n - 1) - b\*B\*n - (a\*B\*n + A\*b\*(m + n))\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

#### Rule 3997

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :> -Simp[(b\*B\*Cot[e + f\*x]\*(d\*Csc[e + f\*x])^n)/(f\*(n + 1)), x] + Dist[1/(n + 1), Int[(d\*Csc[e + f\*x])^n\*Simp[A\*a\*(n + 1) + B\*b\*n + (A\*b + B\*a)\*(n + 1)\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && !LeQ[n,

-1]

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx &= \int \frac{(a + a \sec(c + dx))^2 (B + A \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{2}{3} \int \frac{(a + a \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a^2(3A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} \\
&= \frac{2a^2(3A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} \\
&= \frac{2a^2(3A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} \\
&= \frac{4a^2 B \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{4a^2(3A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d}
\end{aligned}$$

**Mathematica [C]** time = 1.83939, size = 302, normalized size = 1.89

$$\frac{a^2 (\cos(c + dx) + 1)^2 \sec^4\left(\frac{1}{2}(c + dx)\right) \left( \sqrt{\sec(c + dx)} (6(A + 2B) \cos(c) \sin(dx) - 3 \csc(c) \cos(dx) ((A + 2B) \cos(2c) - A + B)) \right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2),x]
```

```
[Out] (a^2*(1 + Cos[c + d*x])^2*Sec[(c + d*x)/2]^4*(((4*I)*Sqrt[2]*Sqrt[E^(I*(c +
d*x))]/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))])*(3*B*E^(I*c
```

)\*Hypergeometric2F1[-1/4, 1/2, 3/4, -E^((2\*I)\*(c + d\*x))] + E^(I\*d\*x)\*(-(3\*A + 2\*B)\*(-1 + E^((2\*I)\*c))\*Hypergeometric2F1[1/4, 1/2, 5/4, -E^((2\*I)\*(c + d\*x))] + B\*E^(I\*(c + d\*x))\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))]))/(E^(I\*d\*x)\*(-1 + E^((2\*I)\*c))) + Sqrt[Sec[c + d\*x]]\*(-3\*(-A + 2\*B + (A + 2\*B)\*Cos[2\*c])\*Cos[d\*x]\*Csc[c] + B\*Cos[2\*d\*x]\*Sin[2\*c] + 6\*(A + 2\*B)\*Cos[c]\*Sin[d\*x] + B\*Cos[2\*c]\*Sin[2\*d\*x]))/(12\*d)

**Maple [A]** time = 3.353, size = 388, normalized size = 2.4

$$-\frac{4a^2}{3d} \left( 2B\sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^4} - \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^4} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2), x)

[Out] 
$$-4/3*a^2*(2*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4-(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(3*A+B)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}+2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}-3*B*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})))/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba^2 \cos(dx + c)^3 + (A + 2B)a^2 \cos(dx + c)^2 + (2A + B)a^2 \cos(dx + c) + Aa^2\right) \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] `integral((B*a^2*cos(d*x + c)^3 + (A + 2*B)*a^2*cos(d*x + c)^2 + (2*A + B)*a^2*cos(d*x + c) + A*a^2)*sec(d*x + c)^(3/2), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**2*(A+B*cos(d*x+c))*sec(d*x+c)**(3/2), x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x, algorithm="giac")`

[Out] `integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^2*sec(d*x + c)^(3/2), x)`

### 3.468 $\int (a+a \cos(c+dx))^2(A+B \cos(c+dx))\sqrt{\sec(c+dx)} dx$

**Optimal.** Leaf size=166

$$\frac{2a^2(5A+7B)\sin(c+dx)}{15d\sqrt{\sec(c+dx)}} + \frac{4a^2(2A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{4a^2(5A+4B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{5d}$$

```
[Out] (4*a^2*(5*A + 4*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^2*(2*A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a^2*(5*A + 7*B)*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]) + (2*B*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))
```

**Rubi [A]** time = 0.340205, antiderivative size = 166, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4017, 3996, 3787, 3771, 2639, 2641}

$$\frac{2a^2(5A+7B)\sin(c+dx)}{15d\sqrt{\sec(c+dx)}} + \frac{4a^2(2A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{4a^2(5A+4B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{5d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + a*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]],x]
```

```
[Out] (4*a^2*(5*A + 4*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^2*(2*A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a^2*(5*A + 7*B)*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]) + (2*B*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))
```

#### Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

#### Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]
```

#### Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
```

; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && LeQ[n, -1]

### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n\_\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^n\_, x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^2 (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx &= \int \frac{(a + a \sec(c + dx))^2 (B + A \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx \\
 &= \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + a \sec(c + dx))^2 (A + B \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2a^2(5A + 7B) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{2a^2(5A + 7B) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{2a^2(5A + 7B) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{4a^2(5A + 4B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \dots
 \end{aligned}$$

**Mathematica [C]** time = 1.61995, size = 153, normalized size = 0.92

$$\frac{a^2 \sqrt{\sec(c + dx)} \left( -4i(5A + 4B) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) + \cos(c + dx)(10(A + 2B) \sin(c + dx) + 60iA + \dots \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]],x]

[Out] (a^2\*Sqrt[Sec[c + d\*x]]\*(20\*(2\*A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] - (4\*I)\*(5\*A + 4\*B)\*E^(I\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*H

ypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))] + Cos[c + d\*x]\*((60\*I)\*A + (48\*I)\*B + 10\*(A + 2\*B)\*Sin[c + d\*x] + 3\*B\*Sin[2\*(c + d\*x)])))/(15\*d)

**Maple [A]** time = 3.26, size = 357, normalized size = 2.2

$$-\frac{4a^2}{15d} \sqrt{\left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-12B \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 + (10A + 32B) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4 + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2), x)

[Out] -4/15\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^2\*(-12\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+(10\*A+32\*B)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-5\*A-13\*B)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+10\*A\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)-15\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+5\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-12\*B\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^2\*sqrt(sec(d\*x + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba^2 \cos(dx + c)^3 + (A + 2B)a^2 \cos(dx + c)^2 + (2A + B)a^2 \cos(dx + c) + Aa^2\right) \sqrt{\sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2), x, algorithm="fricas")

[Out] integral((B\*a^2\*cos(d\*x + c)^3 + (A + 2\*B)\*a^2\*cos(d\*x + c)^2 + (2\*A + B)\*a^2\*cos(d\*x + c) + A\*a^2)\*sqrt(sec(d\*x + c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^2\*sqrt(sec(d\*x + c)), x)



$$3.469 \quad \int \frac{(a+a \cos(c+dx))^2(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=201

$$\frac{2a^2(7A+9B)\sin(c+dx)}{35d \sec^{\frac{3}{2}}(c+dx)} + \frac{4a^2(7A+6B)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}} + \frac{4a^2(7A+6B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d}$$

```
[Out] (4*a^2*(4*A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^2*(7*A + 6*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*a^2*(7*A + 9*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (4*a^2*(7*A + 6*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*B*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))
```

**Rubi [A]** time = 0.369115, antiderivative size = 201, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2960, 4017, 3996, 3787, 3769, 3771, 2641, 2639}

$$\frac{2a^2(7A+9B)\sin(c+dx)}{35d \sec^{\frac{3}{2}}(c+dx)} + \frac{4a^2(7A+6B)\sin(c+dx)}{21d\sqrt{\sec(c+dx)}} + \frac{4a^2(7A+6B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{21d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*cos[c + d*x])^2*(A + B*cos[c + d*x]))/Sqrt[Sec[c + d*x]],x]
```

```
[Out] (4*a^2*(4*A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (4*a^2*(7*A + 6*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*a^2*(7*A + 9*B)*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2)) + (4*a^2*(7*A + 6*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]]) + (2*B*(a^2 + a^2*Sec[c + d*x])*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2))
```

#### Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

#### Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.), x_Symbol] :> Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]
```

#### Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /
```

; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && LeQ[n, -1]

### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

### Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned}
 \int \frac{(a + a \cos(c + dx))^2(A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \int \frac{(a + a \sec(c + dx))^2(B + A \sec(c + dx))}{\sec^2(c + dx)} dx \\
 &= \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{7d \sec^5(c + dx)} + \frac{2}{7} \int \frac{(a + a \sec(c + dx)) \left(\frac{1}{2}a(7A - \sec(c + dx))\right)}{\sec^5(c + dx)} dx \\
 &= \frac{2a^2(7A + 9B) \sin(c + dx)}{35d \sec^3(c + dx)} + \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{7d \sec^5(c + dx)} - \frac{4}{35} \int \frac{1}{\sec^5(c + dx)} dx \\
 &= \frac{2a^2(7A + 9B) \sin(c + dx)}{35d \sec^3(c + dx)} + \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{7d \sec^5(c + dx)} + \frac{1}{5} \left(2 - \frac{1}{\sec^3(c + dx)}\right) \\
 &= \frac{2a^2(7A + 9B) \sin(c + dx)}{35d \sec^3(c + dx)} + \frac{4a^2(7A + 6B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2B(a^2 + a^2 \sec(c + dx)) \sin(c + dx)}{7d \sec^5(c + dx)} \\
 &= \frac{4a^2(4A + 3B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2a^2(7A + 9B) \sin(c + dx)}{35d \sec^3(c + dx)} \\
 &= \frac{4a^2(4A + 3B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{4a^2(7A + 6B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}}
 \end{aligned}$$

**Mathematica [C]** time = 2.29297, size = 193, normalized size = 0.96

$$a^2 e^{-idx} \sqrt{\sec(c+dx)} (\cos(dx) + i \sin(dx)) \left( -56i(4A+3B) e^{i(c+dx)} \sqrt{1+e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) + \cos(c+dx) \right) (5(5$$

Antiderivative was successfully verified.

[In] Integrate[((a + a\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x]))/Sqrt[Sec[c + d\*x]], x]

[Out] (a^2\*Sqrt[Sec[c + d\*x]]\*(Cos[d\*x] + I\*Sin[d\*x])\*(40\*(7\*A + 6\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] - (56\*I)\*(4\*A + 3\*B)\*E^(I\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))]) + Cos[c + d\*x]\*((672\*I)\*A + (504\*I)\*B + 5\*(56\*A + 51\*B)\*Sin[c + d\*x] + 42\*(A + 2\*B)\*Sin[2\*(c + d\*x)] + 15\*B\*Sin[3\*(c + d\*x)])))/(210\*d\*E^(I\*d\*x))

**Maple [A]** time = 2.94, size = 385, normalized size = 1.9

$$-\frac{4a^2}{105d} \sqrt{\left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(120B \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^8 + (-84A - 348B) \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 + (224A + 378B) \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4 + (-91A - 117B) \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 + 35A \operatorname{EllipticF}\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right), 2^{1/2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 84A \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{-1/2} + 30B \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{-1/2} + 63B \operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right), 2^{1/2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 63B \operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right), 2^{1/2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^{-1/2}\right) / \left(-2 \sin\left(\frac{1}{2}dx + \frac{c}{2}\right)^4 + \sin\left(\frac{1}{2}dx + \frac{c}{2}\right)^2\right)^{1/2} / \sin\left(\frac{1}{2}dx + \frac{c}{2}\right) / \left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)^2 - 1\right)^{1/2} / d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^2}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^2/sqrt(sec(d\*x + c)), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Ba^2 \cos(dx+c)^3 + (A+2B)a^2 \cos(dx+c)^2 + (2A+B)a^2 \cos(dx+c) + Aa^2}{\sqrt{\sec(dx+c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*a^2\*cos(d\*x + c)^3 + (A + 2\*B)\*a^2\*cos(d\*x + c)^2 + (2\*A + B)\*a^2\*cos(d\*x + c) + A\*a^2)/sqrt(sec(d\*x + c)), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$a^2 \left( \int \frac{A}{\sqrt{\sec(c+dx)}} dx + \int \frac{2A \cos(c+dx)}{\sqrt{\sec(c+dx)}} dx + \int \frac{A \cos^2(c+dx)}{\sqrt{\sec(c+dx)}} dx + \int \frac{B \cos(c+dx)}{\sqrt{\sec(c+dx)}} dx + \int \frac{2B \cos^2(c+dx)}{\sqrt{\sec(c+dx)}} dx \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*2\*(A+B\*cos(d\*x+c))/sec(d\*x+c)\*\*(1/2),x)

[Out] a\*\*2\*(Integral(A/sqrt(sec(c + d\*x)), x) + Integral(2\*A\*cos(c + d\*x)/sqrt(sec(c + d\*x)), x) + Integral(A\*cos(c + d\*x)\*\*2/sqrt(sec(c + d\*x)), x) + Integral(B\*cos(c + d\*x)/sqrt(sec(c + d\*x)), x) + Integral(2\*B\*cos(c + d\*x)\*\*2/sqrt(sec(c + d\*x)), x) + Integral(B\*cos(c + d\*x)\*\*3/sqrt(sec(c + d\*x)), x))

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx+c) + A)(a \cos(dx+c) + a)^2}{\sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^2/sqrt(sec(d\*x + c)), x)

$$3.470 \quad \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx) dx$$

**Optimal.** Leaf size=244

$$\frac{4a^3(41A + 42B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{105d} + \frac{2(11A + 7B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) (a^3 \sec(c + dx) + a^3)}{35d} + \frac{4a^3(7A + 9B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{35d}$$

[Out]  $(-4a^3(7A + 9B)\sqrt{\cos[c + dx]}\text{EllipticE}[(c + dx)/2, 2]\sqrt{\sec[c + dx]})/(5d) + (4a^3(13A + 21B)\sqrt{\cos[c + dx]}\text{EllipticF}[(c + dx)/2, 2]\sqrt{\sec[c + dx]})/(21d) + (4a^3(7A + 9B)\sqrt{\sec[c + dx]}\sin[c + dx])/(5d) + (4a^3(41A + 42B)\sec[c + dx]^{3/2}\sin[c + dx])/(105d) + (2aA\sec[c + dx]^{3/2}(a + a\sec[c + dx])^2\sin[c + dx])/(7d) + (2(11A + 7B)\sec[c + dx]^{3/2}(a^3 + a^3\sec[c + dx])\sin[c + dx])/(35d)$

**Rubi [A]** time = 0.505158, antiderivative size = 244, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2960, 4018, 3997, 3787, 3771, 2641, 3768, 2639}

$$\frac{4a^3(41A + 42B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{105d} + \frac{2(11A + 7B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) (a^3 \sec(c + dx) + a^3)}{35d} + \frac{4a^3(7A + 9B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{35d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + a\cos[c + dx])^3(A + B\cos[c + dx])\sec[c + dx]^{9/2}, x]$

[Out]  $(-4a^3(7A + 9B)\sqrt{\cos[c + dx]}\text{EllipticE}[(c + dx)/2, 2]\sqrt{\sec[c + dx]})/(5d) + (4a^3(13A + 21B)\sqrt{\cos[c + dx]}\text{EllipticF}[(c + dx)/2, 2]\sqrt{\sec[c + dx]})/(21d) + (4a^3(7A + 9B)\sqrt{\sec[c + dx]}\sin[c + dx])/(5d) + (4a^3(41A + 42B)\sec[c + dx]^{3/2}\sin[c + dx])/(105d) + (2aA\sec[c + dx]^{3/2}(a + a\sec[c + dx])^2\sin[c + dx])/(7d) + (2(11A + 7B)\sec[c + dx]^{3/2}(a^3 + a^3\sec[c + dx])\sin[c + dx])/(35d)$

#### Rule 2960

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)](g_.))^{(p_.)}((a_.) + (b_.)\sin[(e_.) + (f_.)(x_.)])^{(m_.)}((c_.) + (d_.)\sin[(e_.) + (f_.)(x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g\text{Csc}[e + f*x])^{(p-m-n)}(b + a\text{Csc}[e + f*x])^m(d + c\text{Csc}[e + f*x])^n, x], x] /;$  FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4018

$\text{Int}[(\text{csc}[(e_.) + (f_.)(x_.)](d_.))^{(n_.)}(\text{csc}[(e_.) + (f_.)(x_.)](b_.) + (a_.))^{(m_.)}(\text{csc}[(e_.) + (f_.)(x_.)](B_.) + (A_.)), x\_Symbol] \rightarrow -\text{Simp}[(b*B\text{Cot}[e + f*x](a + b\text{Csc}[e + f*x])^{(m-1)}(d\text{Csc}[e + f*x])^n)/(f*(m+n)), x] + \text{Dist}[1/(d*(m+n)), \text{Int}[(a + b\text{Csc}[e + f*x])^{(m-1)}(d\text{Csc}[e + f*x])^n * \text{Simp}[a*A*d*(m+n) + B*(b*d*n) + (A*b*d*(m+n) + a*B*d*(2*m+n-1))*\text{Csc}[e + f*x], x], x] /;$  FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

#### Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

#### Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

#### Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

#### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

#### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx) dx &= \int \sqrt{\sec(c + dx)} (a + a \sec(c + dx))^3 (B + A \sec(c + dx)) dx \\
&= \frac{2aA \sec^{\frac{3}{2}}(c + dx) (a + a \sec(c + dx))^2 \sin(c + dx)}{7d} + \frac{2}{7} \int \dots \\
&= \frac{2aA \sec^{\frac{3}{2}}(c + dx) (a + a \sec(c + dx))^2 \sin(c + dx)}{7d} + \frac{2(11)}{7} \int \dots \\
&= \frac{4a^3(41A + 42B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d} + \frac{2aA \sec^{\frac{3}{2}}(c + dx)}{105d} \int \dots \\
&= \frac{4a^3(41A + 42B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d} + \frac{2aA \sec^{\frac{3}{2}}(c + dx)}{105d} \int \dots \\
&= \frac{4a^3(7A + 9B) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{4a^3(41A + 42B)}{5d} \int \dots \\
&= \frac{4a^3(13A + 21B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{21d} \\
&= -\frac{4a^3(7A + 9B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
\end{aligned}$$

**Mathematica [C]** time = 4.09606, size = 435, normalized size = 1.78

$$a^3 \csc(c) e^{-idx} (\cos(c + dx) + 1)^3 \sec^6\left(\frac{1}{2}(c + dx)\right) \left(7\sqrt{2}(-1 + e^{2ic})(7A + 9B)e^{2idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; \dots\right)\right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(9/2), x]

[Out] (a^3\*(1 + Cos[c + d\*x])^3\*Csc[c]\*Sec[(c + d\*x)/2]^6\*(7\*Sqrt[2]\*(7\*A + 9\*B)\*E^((2\*I)\*d\*x)\*(-1 + E^((2\*I)\*c))\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))]) - ((-1 + E^((2\*I)\*c))\*(21\*B\*(-5 + 16\*E^(I\*(c + d\*x))) - 5\*E^((2\*I)\*(c + d\*x)) + 54\*E^((3\*I)\*(c + d\*x)) + 5\*E^((4\*I)\*(c + d\*x)) + 56\*E^((5\*I)\*(c + d\*x)) + 5\*E^((6\*I)\*(c + d\*x)) + 18\*E^((7\*I)\*(c + d\*x))) + 2\*A\*(-65 + 84\*E^(I\*(c + d\*x)) - 95\*E^((2\*I)\*(c + d\*x)) + 441\*E^((3\*I)\*(c + d\*x)) + 95\*E^((4\*I)\*(c + d\*x)) + 504\*E^((5\*I)\*(c + d\*x)) + 65\*E^((6\*I)\*(c + d\*x)) + 147\*E^((7\*I)\*(c + d\*x))) + (10\*I)\*(13\*A + 21\*B)\*(1 + E^((2\*I)\*(c + d\*x)))^3\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(2\*E^(I\*(c - d\*x))\*(1 + E^((2\*I)\*(c + d\*x)))^3))/(420\*d\*E^(I\*d\*x))

**Maple [B]** time = 11.729, size = 929, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(9/2), x)

[Out] -16\*(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^3\*(1/8\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*

```

x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)
)+(1/8*A+3/8*B)*(-sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(
1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2
*d*x+1/2*c),2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)
*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d
*x+1/2*c)^2-1)-1/5*(3/8*A+1/8*B)/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2
*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*EllipticE(cos(1/2*
d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)
^(1/2)*sin(1/2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*E
llipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(
1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/
2*d*x+1/2*c)+3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)
)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+
1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+(3/8*A+3/8*B)*
(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/
2))/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/
2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)
)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+1/8*A*(-1/56*cos(1/2*d*x+1/2*c)*(-
2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2))/(cos(1/2*d*x+1/2*c)^2-1/
2)^4-5/42*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)
^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*c
os(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)
^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*cos(1/
2*d*x+1/2*c)^2-1)^(1/2)/d

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algorithm
="maxima")

```

```

[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*sec(d*x + c)^(9/2), x
)

```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba^3 \cos(dx + c)^4 + (A + 3B)a^3 \cos(dx + c)^3 + 3(A + B)a^3 \cos(dx + c)^2 + (3A + B)a^3 \cos(dx + c) + Aa^3\right) \sec(dx + c)^{\frac{9}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algorithm
="fricas")

```

```

[Out] integral((B*a^3*cos(d*x + c)^4 + (A + 3*B)*a^3*cos(d*x + c)^3 + 3*(A + B)*a
^3*cos(d*x + c)^2 + (3*A + B)*a^3*cos(d*x + c) + A*a^3)*sec(d*x + c)^(9/2),
x)

```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c)**(9/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*sec(d*x + c)^(9/2), x
)
```

$$3.471 \quad \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx$$

**Optimal.** Leaf size=211

$$\frac{4a^3(21A + 20B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d} + \frac{2(9A + 5B) \sin(c + dx) \sqrt{\sec(c + dx)} (a^3 \sec(c + dx) + a^3)}{15d} + \frac{4a^3(3A + 5B) \sqrt{\sec(c + dx)}}{15d}$$

[Out] (-4\*a^3\*(9\*A + 5\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(5\*d) + (4\*a^3\*(3\*A + 5\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(3\*d) + (4\*a^3\*(21\*A + 20\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(15\*d) + (2\*a\*A\*Sqrt[Sec[c + d\*x]]\*(a + a\*Sec[c + d\*x])^2\*Sin[c + d\*x])/(5\*d) + (2\*(9\*A + 5\*B)\*Sqrt[Sec[c + d\*x]]\*(a^3 + a^3\*Sec[c + d\*x])\*Sin[c + d\*x])/(15\*d)

**Rubi [A]** time = 0.494507, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4018, 3997, 3787, 3771, 2639, 2641}

$$\frac{4a^3(21A + 20B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d} + \frac{2(9A + 5B) \sin(c + dx) \sqrt{\sec(c + dx)} (a^3 \sec(c + dx) + a^3)}{15d} + \frac{4a^3(3A + 5B) \sqrt{\sec(c + dx)}}{15d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^(7/2), x]

[Out] (-4\*a^3\*(9\*A + 5\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(5\*d) + (4\*a^3\*(3\*A + 5\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(3\*d) + (4\*a^3\*(21\*A + 20\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(15\*d) + (2\*a\*A\*Sqrt[Sec[c + d\*x]]\*(a + a\*Sec[c + d\*x])^2\*Sin[c + d\*x])/(5\*d) + (2\*(9\*A + 5\*B)\*Sqrt[Sec[c + d\*x]]\*(a^3 + a^3\*Sec[c + d\*x])\*Sin[c + d\*x])/(15\*d)

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4018

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :> -Simp[(b\*B\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m - 1)\*(d\*Csc[e + f\*x])^n)/(f\*(m + n)), x] + Dist[1/(d\*(m + n)), Int[(a + b\*Csc[e + f\*x])^(m - 1)\*(d\*Csc[e + f\*x])^n\*Simp[a\*A\*d\*(m + n) + B\*(b\*d\*n) + (A\*b\*d\*(m + n) + a\*B\*d\*(2\*m + n - 1))\*Csc[e + f\*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

#### Rule 3997

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :> -Simp[(b\*B\*Cot[e

```
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
 \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx &= \int \frac{(a + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx \\
 &= \frac{2aA\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2 \sin(c + dx)}{5d} + \frac{2}{5} \int \dots \\
 &= \frac{2aA\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2 \sin(c + dx)}{5d} + \frac{2(9A}{5d} \\
 &= \frac{4a^3(21A + 20B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2aA\sqrt{\sec(c + dx)}}{15d} \\
 &= \frac{4a^3(21A + 20B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2aA\sqrt{\sec(c + dx)}}{15d} \\
 &= \frac{4a^3(21A + 20B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2aA\sqrt{\sec(c + dx)}}{15d} \\
 &= -\frac{4a^3(9A + 5B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
 \end{aligned}$$

**Mathematica [C]** time = 3.16145, size = 268, normalized size = 1.27

$$a^3 \csc(c) \sec(c) e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left( 2 \left( -1 + e^{4ic} \right) (9A + 5B) e^{-i(c-dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1 \left( \frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^(7/2), x]

[Out] (a^3\*Csc[c]\*Sec[c]\*Sqrt[Sec[c + d\*x]]\*(Cos[d\*x] + I\*Sin[d\*x])\*((2\*(9\*A + 5\*B)\*(-1 + E^((4\*I)\*c))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))])/E^(I\*(c - d\*x)) + (Sec[c + d\*x]^2\*Sin[2\*c] \*((-18\*I)\*(9\*A + 5\*B)\*Cos[c + d\*x] - (54\*I)\*A\*cos[3\*(c + d\*x)] - (30\*I)\*B\*cos[3\*(c + d\*x)] + 40\*(3\*A + 5\*B)\*Cos[c + d\*x]^(5/2)\*EllipticF[(c + d\*x)/2, 2] + 66\*A\*Sin[c + d\*x] + 45\*B\*Sin[c + d\*x] + 30\*A\*Sin[2\*(c + d\*x)] + 10\*B\*Sin[2\*(c + d\*x)] + 54\*A\*Sin[3\*(c + d\*x)] + 45\*B\*Sin[3\*(c + d\*x)]))/2)/(30\*d \*E^(I\*d\*x))

**Maple [B]** time = 10.273, size = 916, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2), x)

[Out] 4/15\*(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^3/(8\*sin(1/2\*d\*x+1/2\*c)^6-12\*sin(1/2\*d\*x+1/2\*c)^4+6\*sin(1/2\*d\*x+1/2\*c)^2-1)/sin(1/2\*d\*x+1/2\*c)^3\*(108\*A\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^4+60\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^4-216\*A\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+60\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^4+100\*B\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^4-180\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6-108\*A\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2-60\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2+246\*A\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4-60\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2-100\*B\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2+190\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4+27\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+15\*A\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)-72\*A\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2+15\*B\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)+25\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-50\*B\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(7/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral((Ba<sup>3</sup> cos(dx + c)<sup>4</sup> + (A + 3B)a<sup>3</sup> cos(dx + c)<sup>3</sup> + 3(A + B)a<sup>3</sup> cos(dx + c)<sup>2</sup> + (3A + B)a<sup>3</sup> cos(dx + c) + Aa<sup>3</sup>),

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((B\*a<sup>3</sup>\*cos(d\*x + c)<sup>4</sup> + (A + 3\*B)\*a<sup>3</sup>\*cos(d\*x + c)<sup>3</sup> + 3\*(A + B)\*a<sup>3</sup>\*cos(d\*x + c)<sup>2</sup> + (3\*A + B)\*a<sup>3</sup>\*cos(d\*x + c) + A\*a<sup>3</sup>)\*sec(d\*x + c)^(7/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(7/2), x)

$$3.472 \quad \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx$$

**Optimal.** Leaf size=199

$$\frac{4a^3(4A + B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d} + \frac{2(A - B) \sin(c + dx) \sqrt{\sec(c + dx)} (a^3 \sec(c + dx) + a^3)}{3d} + \frac{20a^3(A + B) \sqrt{\cos(c + dx)}}{3d}$$

[Out] (-4\*a^3\*(A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (20\*a^3\*(A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (4\*a^3\*(4\*A + B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3\*d) + (2\*a\*B\*(a + a\*Sec[c + d\*x])^2\*Ssin[c + d\*x])/(3\*d\*Sqrt[Sec[c + d\*x]]) + (2\*(A - B)\*Sqrt[Sec[c + d\*x]]\*(a^3 + a^3\*Sec[c + d\*x])\*Sin[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.491089, antiderivative size = 199, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2960, 4017, 4018, 3997, 3787, 3771, 2639, 2641}

$$\frac{4a^3(4A + B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d} + \frac{2(A - B) \sin(c + dx) \sqrt{\sec(c + dx)} (a^3 \sec(c + dx) + a^3)}{3d} + \frac{20a^3(A + B) \sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^(5/2), x]

[Out] (-4\*a^3\*(A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (20\*a^3\*(A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (4\*a^3\*(4\*A + B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3\*d) + (2\*a\*B\*(a + a\*Sec[c + d\*x])^2\*Ssin[c + d\*x])/(3\*d\*Sqrt[Sec[c + d\*x]]) + (2\*(A - B)\*Sqrt[Sec[c + d\*x]]\*(a^3 + a^3\*Sec[c + d\*x])\*Sin[c + d\*x])/(3\*d)

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4017

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(B\_.) + (A\_.)), x\_Symbol] :> Simp[(a\*A\*Co t[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m - 1)\*(d\*Csc[e + f\*x])^n)/(f\*n), x] - Dist[b/(a\*d\*n), Int[(a + b\*Csc[e + f\*x])^(m - 1)\*(d\*Csc[e + f\*x])^(n + 1)\*Simp[a\*A\*(m - n - 1) - b\*B\*n - (a\*B\*n + A\*b\*(m + n))\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

#### Rule 4018

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(B\_.) + (A\_.)), x\_Symbol] :> -Simp[(b\*B\*C

```

ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n/(f*(m + n)), x
] + Dist[1/(d*(m + n)), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n
*Simp[a*A*d*(m + n) + B*(b*d*n) + (A*b*d*(m + n) + a*B*d*(2*m + n - 1))*Csc
[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*
B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1]

```

#### Rule 3997

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]

```

#### Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

#### Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

#### Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

#### Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx &= \int \frac{(a + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2}{3} \int \frac{(a + a \sec(c + dx))^3}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2(A - B)\sqrt{\sec(c + dx)}}{3d} \\
&= \frac{4a^3(4A + B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2aB(a + a \sec(c + dx))}{3d\sqrt{\sec(c + dx)}} \\
&= \frac{4a^3(4A + B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2aB(a + a \sec(c + dx))}{3d\sqrt{\sec(c + dx)}} \\
&= \frac{4a^3(4A + B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2aB(a + a \sec(c + dx))}{3d\sqrt{\sec(c + dx)}} \\
&= \frac{4a^3(4A + B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2aB(a + a \sec(c + dx))}{3d\sqrt{\sec(c + dx)}} \\
&= -\frac{4a^3(A - B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \dots
\end{aligned}$$

**Mathematica [C]** time = 1.89163, size = 202, normalized size = 1.02

$$a^3 e^{-idx} \sec^{\frac{3}{2}}(c + dx) (\cos(dx) + i \sin(dx)) \left( 4i(A - B) (1 + e^{2i(c+dx)})^{3/2} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) + 40(A + B) \cos^{\frac{3}{2}}(c + dx) F\left(\dots\right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2), x]

[Out] (a^3\*Sec[c + d\*x]^(3/2)\*(Cos[d\*x] + I\*Sin[d\*x])\*((-12\*I)\*A + (12\*I)\*B - (12\*I)\*A\*Cos[2\*(c + d\*x)] + (12\*I)\*B\*Cos[2\*(c + d\*x)] + 40\*(A + B)\*Cos[c + d\*x])^(3/2)\*EllipticF[(c + d\*x)/2, 2] + (4\*I)\*(A - B)\*(1 + E^((2\*I)\*(c + d\*x)))^(3/2)\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))] + 4\*A\*Sin[c + d\*x] + B\*Sin[c + d\*x] + 18\*A\*Sin[2\*(c + d\*x)] + 6\*B\*Sin[2\*(c + d\*x)] + B\*Sin[3\*(c + d\*x)])/(6\*d\*E^(I\*d\*x))

**Maple [B]** time = 3.417, size = 654, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2), x)

[Out] -4/3\*(-4\*B\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+2\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(9\*A+5\*B)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)-2\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(5\*A+2\*B)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)-2\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(5\*A\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+3\*A\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+5\*B\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-3\*B\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2)))\*sin(1/2\*d\*x+1/2\*c)^2+5\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)



$$\begin{aligned} &)^{-2-1} \wedge (1/2) * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2 \wedge (1/2)) * (-2*\sin(1/2*d*x+1/2*c) \wedge 4 \\ & + \sin(1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) + 3*A * (-2*\sin(1/2*d*x+1/2*c) \wedge 4 + \sin(1/2*d*x+1/2*c) \\ & ) \wedge 2) \wedge (1/2) * (\sin(1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) * (2*\sin(1/2*d*x+1/2*c) \wedge 2-1) \wedge (1/2) * \text{El} \\ & \text{lipticE}(\cos(1/2*d*x+1/2*c), 2 \wedge (1/2)) + 5*B * (\sin(1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) * (2*\sin \\ & (1/2*d*x+1/2*c) \wedge 2-1) \wedge (1/2) * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2 \wedge (1/2)) * (-2*\sin(1/ \\ & 2*d*x+1/2*c) \wedge 4 + \sin(1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) - 3*B * (-2*\sin(1/2*d*x+1/2*c) \wedge 4 + \sin \\ & (1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) * (\sin(1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) * (2*\sin(1/2*d*x+1/2*c) \\ & ) \wedge 2-1) \wedge (1/2) * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2 \wedge (1/2)) * a^3 / (-2*\sin(1/2*d*x+1/2* \\ & c) \wedge 4 + \sin(1/2*d*x+1/2*c) \wedge 2) \wedge (1/2) / (2*\cos(1/2*d*x+1/2*c) \wedge 2-1) \wedge (3/2) / \sin(1/2*d \\ & *x+1/2*c) / d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Ba^3 \cos(dx + c)^4 + (A + 3B)a^3 \cos(dx + c)^3 + 3(A + B)a^3 \cos(dx + c)^2 + (3A + B)a^3 \cos(dx + c) + Aa^3\right), x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B\*a^3\*cos(d\*x + c)^4 + (A + 3\*B)\*a^3\*cos(d\*x + c)^3 + 3\*(A + B)\*a^3\*cos(d\*x + c)^2 + (3\*A + B)\*a^3\*cos(d\*x + c) + A\*a^3)\*sec(d\*x + c)^(5/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*sec(d*x + c)^(5/2), x)
```

$$3.473 \quad \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx$$

**Optimal.** Leaf size=211

$$\frac{4a^3(5A - 6B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d} + \frac{2(5A + 9B) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{15d \sqrt{\sec(c + dx)}} + \frac{4a^3(5A + 3B) \sqrt{\cos(c + dx)}}{3}$$

```
[Out] (4*a^3*(5*A + 9*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^3*(5*A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*d) + (4*a^3*(5*A - 6*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(15*d) + (2*a*B*(a + a*Sec[c + d*x])^2*Sin[c + d*x]/(5*d*Sec[c + d*x]^(3/2))) + (2*(5*A + 9*B)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x]/(15*d*Sqrt[Sec[c + d*x]]))
```

**Rubi [A]** time = 0.494971, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4017, 3997, 3787, 3771, 2639, 2641}

$$\frac{4a^3(5A - 6B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d} + \frac{2(5A + 9B) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{15d \sqrt{\sec(c + dx)}} + \frac{4a^3(5A + 3B) \sqrt{\cos(c + dx)}}{3}$$

Antiderivative was successfully verified.

```
[In] Int[(a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]
```

```
[Out] (4*a^3*(5*A + 9*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^3*(5*A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(3*d) + (4*a^3*(5*A - 6*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(15*d) + (2*a*B*(a + a*Sec[c + d*x])^2*Sin[c + d*x]/(5*d*Sec[c + d*x]^(3/2))) + (2*(5*A + 9*B)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x]/(15*d*Sqrt[Sec[c + d*x]]))
```

#### Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

#### Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.), x_Symbol] := Simp[(a*A*Co t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]
```

#### Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e
+ f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e
+ f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x],
x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n,
-1]
```

### Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

### Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] :> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] :> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx &= \int \frac{(a + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2}{5} \int \frac{(a + a \sec(c + dx))^3}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(5A + 9B)(a^3 + a^3 \sec^2(c + dx))}{15d \sqrt{\sec(c + dx)}} \\
&= \frac{4a^3(5A - 6B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{4a^3(5A - 6B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{4a^3(5A - 6B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d} + \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{4a^3(5A + 9B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \dots
\end{aligned}$$

**Mathematica [C]** time = 1.59662, size = 207, normalized size = 0.98

$$a^3 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left( -8i(5A + 9B) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) + 40(5A + 3B) \sqrt{\cos(c + dx)} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*cos[c + d*x])^3*(A + B*cos[c + d*x])*Sec[c + d*x]^(3/2), x]
```

```
[Out] (a^3*Sqrt[Sec[c + d*x]]*(Cos[d*x] + I*Sin[d*x])*((120*I)*A*cos[c + d*x] + (216*I)*B*cos[c + d*x] + 40*(5*A + 3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (8*I)*(5*A + 9*B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))])*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))]) + 60*A*Sin[c + d*x] + 3*B*Sin[c + d*x] + 10*A*Sin[2*(c + d*x)] + 30*B*Sin[2*(c + d*x)] + 3*B*Sin[3*(c + d*x)])/(30*d*E^(I*d*x))
```

**Maple [B]** time = 3.493, size = 519, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^3*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x)
```

```
[Out] -4/15*a^3*(-12*B*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^6+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(5*A+21*B)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)-2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(10*A+9*B)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+25*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)-15*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+15*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)-27*B*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2)))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*sec(d*x + c)^(3/2), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

```
integral((Ba^3*cos(dx+c)^4 + (A+3B)a^3*cos(dx+c)^3 + 3(A+B)a^3*cos(dx+c)^2 + (3A+B)a^3*cos(dx+c) + Aa^3
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm
="fricas")
```

```
[Out] integral((B*a^3*cos(d*x + c)^4 + (A + 3*B)*a^3*cos(d*x + c)^3 + 3*(A + B)*a
^3*cos(d*x + c)^2 + (3*A + B)*a^3*cos(d*x + c) + A*a^3)*sec(d*x + c)^(3/2),
x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*sec(d*x + c)^(3/2), x
)
```

### 3.474 $\int (a+a \cos(c+dx))^3 (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$

**Optimal.** Leaf size=211

$$\frac{2(7A+11B)\sin(c+dx)(a^3 \sec(c+dx)+a^3)}{35d \sec^{\frac{3}{2}}(c+dx)} + \frac{4a^3(42A+41B)\sin(c+dx)}{105d \sqrt{\sec(c+dx)}} + \frac{4a^3(21A+13B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{21d}$$

```
[Out] (4*a^3*(9*A + 7*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^3*(21*A + 13*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (4*a^3*(42*A + 41*B)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*a*B*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(7*A + 11*B)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2))
```

**Rubi [A]** time = 0.507522, antiderivative size = 211, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4017, 3996, 3787, 3771, 2639, 2641}

$$\frac{2(7A+11B)\sin(c+dx)(a^3 \sec(c+dx)+a^3)}{35d \sec^{\frac{3}{2}}(c+dx)} + \frac{4a^3(42A+41B)\sin(c+dx)}{105d \sqrt{\sec(c+dx)}} + \frac{4a^3(21A+13B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{21d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]],x]
```

```
[Out] (4*a^3*(9*A + 7*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (4*a^3*(21*A + 13*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(21*d) + (4*a^3*(42*A + 41*B)*Sin[c + d*x])/(105*d*Sqrt[Sec[c + d*x]]) + (2*a*B*(a + a*Sec[c + d*x])^2*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(7*A + 11*B)*(a^3 + a^3*Sec[c + d*x])*Sin[c + d*x])/(35*d*Sec[c + d*x]^(3/2))
```

#### Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

#### Rule 4017

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] - Dist[b/(a*d*n), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^(n + 1)*Simp[a*A*(m - n - 1) - b*B*n - (a*B*n + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]
```

#### Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
```

+ 1)\*Simp[n\*(B\*a + A\*b) + (B\*b\*n + A\*a\*(n + 1))\*Csc[e + f\*x], x], x] /  
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && LeQ[n, -1]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) +  
(a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[  
(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] :> Dist[(b\*Csc[c + d\*x]  
)^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&  
EqQ[n^2, 1/4]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - P  
i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c -  
Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^3 (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx &= \int \frac{(a + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2}{7} \int \frac{(a + a \sec(c + dx))^3}{\sec^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(7A + 11B)(a^3 + a^3 \sec^2(c + dx))}{35d \sec^{\frac{5}{2}}(c + dx)} \\ &= \frac{4a^3(42A + 41B) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} \\ &= \frac{4a^3(42A + 41B) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} \\ &= \frac{4a^3(42A + 41B) \sin(c + dx)}{105d \sqrt{\sec(c + dx)}} + \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} \\ &= \frac{4a^3(9A + 7B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \end{aligned}$$

**Mathematica [C]** time = 2.38709, size = 194, normalized size = 0.92

$$a^3 e^{-idx} \sqrt{\sec(c + dx)} (\cos(dx) + i \sin(dx)) \left( -56i(9A + 7B) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) + \cos(c + dx)(5(84A + 11B) \sqrt{\sec(c + dx)} + 2(a + a \sec(c + dx))^2 \sin(c + dx)) \right)$$

Antiderivative was successfully verified.



[In] Integrate[(a + a\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x])\*Sqrt[Sec[c + d\*x]], x]

[Out] (a^3\*Sqrt[Sec[c + d\*x]]\*(Cos[d\*x] + I\*Sin[d\*x])\*(40\*(21\*A + 13\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] - (56\*I)\*(9\*A + 7\*B)\*E^(I\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))]) + Cos[c + d\*x]\*((168\*I)\*(9\*A + 7\*B) + 5\*(84\*A + 107\*B)\*Sin[c + d\*x] + 42\*(A + 3\*B)\*Sin[2\*(c + d\*x)] + 15\*B\*Sin[3\*(c + d\*x)])))/(210\*d\*E^(I\*d\*x))

**Maple [A]** time = 3.111, size = 385, normalized size = 1.8

$$-\frac{4a^3}{105d} \sqrt{(2(\cos(1/2 dx + c/2))^2 - 1) \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} \left( 120B \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^8 + (-84A - 432B) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2), x)

[Out] -4/105\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^3\*(120\*B\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8+(-84\*A-432\*B)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+(294\*A+602\*B)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-126\*A-208\*B)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+105\*A\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)-189\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+65\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-147\*B\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^3\*sqrt(sec(d\*x + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( (Ba^3 \cos(dx + c)^4 + (A + 3B)a^3 \cos(dx + c)^3 + 3(A + B)a^3 \cos(dx + c)^2 + (3A + B)a^3 \cos(dx + c) + Aa^3) \sqrt{\sec(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2), x, algorithm="fricas")

```
[Out] integral((B*a^3*cos(d*x + c)^4 + (A + 3*B)*a^3*cos(d*x + c)^3 + 3*(A + B)*a^3*cos(d*x + c)^2 + (3*A + B)*a^3*cos(d*x + c) + A*a^3)*sqrt(sec(d*x + c)), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3*sqrt(sec(d*x + c)), x)
```

$$3.475 \quad \int \frac{(a+a \cos(c+dx))^3(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=244

$$\frac{4a^3(24A + 23B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(9A + 13B) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^3(13A + 11B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{4a^3(13A + 11B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}}$$

[Out] (4\*a^3\*(21\*A + 17\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(15\*d) + (4\*a^3\*(13\*A + 11\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(21\*d) + (4\*a^3\*(24\*A + 23\*B)\*Sin[c + d\*x])/(105\*d\*Sec[c + d\*x]^(3/2)) + (4\*a^3\*(13\*A + 11\*B)\*Sin[c + d\*x])/(21\*d\*Sqrt[Sec[c + d\*x]]) + (2\*a\*B\*(a + a\*Sec[c + d\*x])^2\*Sin[c + d\*x])/(9\*d\*Sec[c + d\*x]^(7/2)) + (2\*(9\*A + 13\*B)\*(a^3 + a^3\*Sec[c + d\*x])\*Sin[c + d\*x])/(63\*d\*Sec[c + d\*x]^(5/2))

**Rubi [A]** time = 0.535339, antiderivative size = 244, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2960, 4017, 3996, 3787, 3769, 3771, 2641, 2639}

$$\frac{4a^3(24A + 23B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(9A + 13B) \sin(c + dx) (a^3 \sec(c + dx) + a^3)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{4a^3(13A + 11B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{4a^3(13A + 11B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x]))/Sqrt[Sec[c + d\*x]],x]

[Out] (4\*a^3\*(21\*A + 17\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(15\*d) + (4\*a^3\*(13\*A + 11\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(21\*d) + (4\*a^3\*(24\*A + 23\*B)\*Sin[c + d\*x])/(105\*d\*Sec[c + d\*x]^(3/2)) + (4\*a^3\*(13\*A + 11\*B)\*Sin[c + d\*x])/(21\*d\*Sqrt[Sec[c + d\*x]]) + (2\*a\*B\*(a + a\*Sec[c + d\*x])^2\*Sin[c + d\*x])/(9\*d\*Sec[c + d\*x]^(7/2)) + (2\*(9\*A + 13\*B)\*(a^3 + a^3\*Sec[c + d\*x])\*Sin[c + d\*x])/(63\*d\*Sec[c + d\*x]^(5/2))

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4017

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :> Simp[(a\*A\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m - 1)\*(d\*Csc[e + f\*x])^n)/(f\*n), x] - Dist[b/(a\*d\*n), Int[(a + b\*Csc[e + f\*x])^(m - 1)\*(d\*Csc[e + f\*x])^(n + 1)\*Simp[a\*A\*(m - n - 1) - b\*B\*n - (a\*B\*n + A\*b\*(m + n))\*Csc[e + f\*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && GtQ[m, 1/2] && LtQ[n, -1]

#### Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_)), x_Symbol] := Simp[(A*a*Cot[e +
f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n
+ 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /
; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

#### Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

#### Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

#### Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

#### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\int \frac{(a + a \cos(c + dx))^3 (A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx = \int \frac{(a + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx$$

$$= \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2}{9} \int \frac{(a + a \sec(c + dx))^2 \left(\frac{1}{2}a(9A + 13B) + \frac{1}{2}a^3 \sec(c + dx)\right)}{\sec^{\frac{7}{2}}(c + dx)} dx$$

$$= \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(9A + 13B)(a^3 + a^3 \sec(c + dx))}{63d \sec^{\frac{5}{2}}(c + dx)}$$

$$= \frac{4a^3(24A + 23B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(9A + 13B)(a^3 + a^3 \sec(c + dx))}{63d \sec^{\frac{5}{2}}(c + dx)}$$

$$= \frac{4a^3(24A + 23B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{2(9A + 13B)(a^3 + a^3 \sec(c + dx))}{63d \sec^{\frac{5}{2}}(c + dx)}$$

$$= \frac{4a^3(24A + 23B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)} + \frac{4a^3(13A + 11B) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2aB(a + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)}$$

$$= \frac{4a^3(21A + 17B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} + \frac{4a^3(24A + 23B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)}$$

$$= \frac{4a^3(21A + 17B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d} + \frac{4a^3(24A + 23B) \sin(c + dx)}{105d \sec^{\frac{3}{2}}(c + dx)}$$

**Mathematica [C]** time = 2.76805, size = 196, normalized size = 0.8

$$a^3 \sqrt{\sec(c + dx)} \left( -112i(21A + 17B) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) + \cos(c + dx)(30(107A + 97B) \sin(c + dx) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + a*Cos[c + d*x])^3*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]], x]
```

```
[Out] (a^3*Sqrt[Sec[c + d*x]]*(240*(13*A + 11*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] - (112*I)*(21*A + 17*B)*E^(I*(c + d*x))*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))] + Cos[c + d*x]*((7056*I)*A + (5712*I)*B + 30*(107*A + 97*B)*Sin[c + d*x] + 14*(54*A + 73*B)*Sin[2*(c + d*x)] + 90*A*Ssin[3*(c + d*x)] + 270*B*Ssin[3*(c + d*x)] + 35*B*Ssin[4*(c + d*x)])))/(1260*d)
```

**Maple [A]** time = 3.016, size = 413, normalized size = 1.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^3*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2), x)
```

```
[Out] -4/315*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3*(-560*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^10+(360*A+2200*B)*sin(1/2*d*x+1/2*c)^8*cos(1/2*d*x+1/2*c)+(-1296*A-3412*B)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)
```

$c) + (1806A + 2702B) \sin(1/2 dx + 1/2 c)^4 \cos(1/2 dx + 1/2 c) + (-624A - 738B) \sin(1/2 dx + 1/2 c)^2 \cos(1/2 dx + 1/2 c) + 195A \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) * (\sin(1/2 dx + 1/2 c)^2)^{1/2} * (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} - 441A * (\sin(1/2 dx + 1/2 c)^2)^{1/2} * (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} * \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) + 165B * (\sin(1/2 dx + 1/2 c)^2)^{1/2} * (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} * \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) - 357B * \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) * (\sin(1/2 dx + 1/2 c)^2)^{1/2} * (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} / \sin(1/2 dx + 1/2 c) / (2 \cos(1/2 dx + 1/2 c)^2 - 1)^{1/2} / d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^3/sqrt(sec(d\*x + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{Ba^3 \cos(dx + c)^4 + (A + 3B)a^3 \cos(dx + c)^3 + 3(A + B)a^3 \cos(dx + c)^2 + (3A + B)a^3 \cos(dx + c) + Aa^3}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*a^3\*cos(d\*x + c)^4 + (A + 3\*B)\*a^3\*cos(d\*x + c)^3 + 3\*(A + B)\*a^3\*cos(d\*x + c)^2 + (3\*A + B)\*a^3\*cos(d\*x + c) + A\*a^3)/sqrt(sec(d\*x + c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*3\*(A+B\*cos(d\*x+c))/sec(d\*x+c)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^3}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^3*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^3/sqrt(sec(d*x + c)), x)
```

$$3.476 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=193

$$-\frac{(A-B) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{d(a \sec(c+dx) + a)} + \frac{(5A-3B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3ad} - \frac{3(A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{ad} + \frac{(5A-3B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3ad}$$

[Out] (3\*(A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*d) + ((5\*A - 3\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*a\*d) - (3\*(A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(a\*d) + ((5\*A - 3\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*a\*d) - ((A - B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(d\*(a + a\*Sec[c + d\*x]))

**Rubi [A]** time = 0.304157, antiderivative size = 193, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4019, 3787, 3768, 3771, 2639, 2641}

$$-\frac{(A-B) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{d(a \sec(c+dx) + a)} + \frac{(5A-3B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3ad} - \frac{3(A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{ad} + \frac{(5A-3B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3ad}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2))/(a + a\*Cos[c + d\*x]),x]

[Out] (3\*(A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*d) + ((5\*A - 3\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*a\*d) - (3\*(A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(a\*d) + ((5\*A - 3\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*a\*d) - ((A - B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(d\*(a + a\*Sec[c + d\*x]))

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4019

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(B\_.) + (A\_.)), x\_Symbol] :> Simp[(d\*(A\*b - a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*(n - 1)) - B\*(b\*d\*(n - 1)) - d\*(a\*B\*(m - n + 1) + A\*b\*(m + n))\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[



$(d * \text{Csc}[e + f * x])^{(n + 1)}, x, x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

Rule 3768

$\text{Int}[(\text{csc}[c + d * x] + (d * x) * (b * \text{Csc}[c + d * x]))^{(n)}, x\_Symbol] :> -\text{Simp}[(b * \text{Cos}[c + d * x] * (b * \text{Csc}[c + d * x])^{(n - 1)}) / (d * (n - 1)), x] + \text{Dist}[(b^{2 * (n - 2)}) / (n - 1), \text{Int}[(b * \text{Csc}[c + d * x])^{(n - 2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2 * n]$

Rule 3771

$\text{Int}[(\text{csc}[c + d * x] + (d * x) * (b * \text{Csc}[c + d * x]))^{(n)}, x\_Symbol] :> \text{Dist}[(b * \text{Csc}[c + d * x])^{(n)} * \text{Sin}[c + d * x]^n, \text{Int}[1 / \text{Sin}[c + d * x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[c + d * x]], x\_Symbol] :> \text{Simp}[(2 * \text{EllipticE}[(1 * (c - \text{Pi}/2 + d * x)) / 2, 2]) / d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rule 2641

$\text{Int}[1 / \text{Sqrt}[\text{sin}[c + d * x]], x\_Symbol] :> \text{Simp}[(2 * \text{EllipticF}[(1 * (c - \text{Pi}/2 + d * x)) / 2, 2]) / d, x] /; \text{FreeQ}[\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{a + a \cos(c + dx)} dx &= \int \frac{\sec^{\frac{5}{2}}(c + dx)(B + A \sec(c + dx))}{a + a \sec(c + dx)} dx \\ &= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \sec^{\frac{3}{2}}(c + dx) \left(-\frac{3}{2}a(A - B) + \frac{1}{2}a(5A - 3B)\right) dx}{a^2} \\ &= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{(5A - 3B) \int \sec^{\frac{5}{2}}(c + dx) dx}{2a} - \frac{(3(A - B) \sqrt{\sec(c + dx)} \sin(c + dx))}{3ad} \\ &= -\frac{3(A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{ad} + \frac{(5A - 3B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3ad} \\ &= -\frac{3(A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{ad} + \frac{(5A - 3B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3ad} \\ &= \frac{3(A - B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} + \frac{(5A - 3B) \sqrt{\cos(c + dx)}}{3d} \end{aligned}$$

**Mathematica [C]** time = 7.18193, size = 650, normalized size = 3.37

$$\frac{\cos^2\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{\sec(c + dx)} \left( \frac{2 \sec\left(\frac{c}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right) \left(A \sin\left(\frac{dx}{2}\right) - B \sin\left(\frac{dx}{2}\right)\right)}{d} - \frac{3(A - B) \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \cos(dx)}{d} + \frac{2 \tan\left(\frac{c}{2}\right) \sec(c) (5A \cos(c) + 2A - 3B)}{3d} \right)}{a \cos(c + dx) + a}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B \* Cos[c + d \* x]) \* Sec[c + d \* x]^(5/2)) / (a + a \* Cos[c + d \* x]), x]

[Out] -((A \* Sqrt[E^(I \* (c + d \* x))] / (1 + E^((2 \* I) \* (c + d \* x)))) \* Sqrt[1 + E^((2 \* I) \* (c + d \* x))] \* Cos[c/2 + (d \* x)/2]^2 \* Csc[c/2] \* (-3 \* Sqrt[1 + E^((2 \* I) \* (c + d \* x))] + E

$$\begin{aligned} & \left( (2I)dx \right) (-1 + E^{(2I)c}) \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -E^{(2I)(c+dx)}\right] \operatorname{Sec}\left[\frac{c}{2}\right] / \left( \sqrt{2} d E^{I dx} (a + a \cos[c+dx]) \right) + (B \sqrt{E^{I(c+dx)}} / (1 + E^{(2I)(c+dx)})) \sqrt{1 + E^{(2I)(c+dx)}} \cos\left[\frac{c}{2} + \frac{dx}{2}\right]^2 \operatorname{Csc}\left[\frac{c}{2}\right] (-3 \sqrt{1 + E^{(2I)(c+dx)}} + E^{(2I)(c+dx)}) \operatorname{Hypergeometric2F1}\left[\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -E^{(2I)(c+dx)}\right] \operatorname{Sec}\left[\frac{c}{2}\right] / \left( \sqrt{2} d E^{I dx} (a + a \cos[c+dx]) \right) + (5A \cos\left[\frac{c}{2} + \frac{dx}{2}\right]^2 \sqrt{\cos[c+dx]} \operatorname{Csc}\left[\frac{c}{2}\right] \operatorname{EllipticF}\left[\frac{c+dx}{2}, 2\right] \operatorname{Sec}\left[\frac{c}{2}\right] \operatorname{Sqrt}\left[\operatorname{Sec}[c+dx] \operatorname{Sin}[c]\right] / (3d(a + a \cos[c+dx])) - (B \cos\left[\frac{c}{2} + \frac{dx}{2}\right]^2 \sqrt{\cos[c+dx]} \operatorname{Csc}\left[\frac{c}{2}\right] \operatorname{EllipticF}\left[\frac{c+dx}{2}, 2\right] \operatorname{Sec}\left[\frac{c}{2}\right] \operatorname{Sqrt}\left[\operatorname{Sec}[c+dx] \operatorname{Sin}[c]\right] / (d(a + a \cos[c+dx])) + (\cos\left[\frac{c}{2} + \frac{dx}{2}\right]^2 \sqrt{\operatorname{Sec}[c+dx]} \operatorname{Sin}[c]) / (d(a + a \cos[c+dx])) + (2 \operatorname{Sec}\left[\frac{c}{2}\right] \operatorname{Sec}\left[\frac{c}{2} + \frac{dx}{2}\right] (A \operatorname{Sin}\left[\frac{dx}{2}\right] - B \operatorname{Sin}\left[\frac{dx}{2}\right])) / d + (4A \operatorname{Sec}[c] \operatorname{Sec}[c+dx] \operatorname{Sin}[dx]) / (3d) + (2(2A + 5A \cos[c] - 3B \cos[c]) \operatorname{Sec}[c] \operatorname{Tan}\left[\frac{c}{2}\right]) / (3d)) / (a + a \cos[c+dx]) \end{aligned}$$

**Maple [B]** time = 9.714, size = 493, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(dx+c))*sec(dx+c)^(5/2)/(a+cos(dx+c)*a),x)`

[Out] 
$$\begin{aligned} & -(-(-2 \cos(1/2 dx + 1/2 c)^2 + 1) \sin(1/2 dx + 1/2 c)^2)^{1/2} / a \left( (A-B) \left( \cos(1/2 dx + 1/2 c) \left( \sin(1/2 dx + 1/2 c)^2 \right)^{1/2} \right) \left( 2 \sin(1/2 dx + 1/2 c)^2 - 1 \right)^{1/2} \right) \left( \operatorname{EllipticF}\left(\cos(1/2 dx + 1/2 c), 2^{1/2}\right) - \operatorname{EllipticE}\left(\cos(1/2 dx + 1/2 c), 2^{1/2}\right) \right) - 2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2 / \cos(1/2 dx + 1/2 c) / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} + (-2A + 2B) \left( -\sin(1/2 dx + 1/2 c)^2 \right)^{1/2} \left( 2 \sin(1/2 dx + 1/2 c)^2 - 1 \right)^{1/2} \left( -2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2 \right)^{1/2} \operatorname{EllipticE}\left(\cos(1/2 dx + 1/2 c), 2^{1/2}\right) + 2 \left( -2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2 \right)^{1/2} \cos(1/2 dx + 1/2 c) \sin(1/2 dx + 1/2 c)^2 / \sin(1/2 dx + 1/2 c)^2 / (2 \sin(1/2 dx + 1/2 c)^2 - 1) + 2A \left( -1/6 \cos(1/2 dx + 1/2 c) \left( -2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2 \right)^{1/2} / (\cos(1/2 dx + 1/2 c)^2 - 1)^{1/2} \right)^2 + 1/3 \left( \sin(1/2 dx + 1/2 c)^2 \right)^{1/2} \left( -2 \cos(1/2 dx + 1/2 c)^2 + 1 \right)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticF}\left(\cos(1/2 dx + 1/2 c), 2^{1/2}\right) \right) / \sin(1/2 dx + 1/2 c) / (2 \cos(1/2 dx + 1/2 c)^2 - 1)^{1/2} / d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(dx+c))*sec(dx+c)^(5/2)/(a+a*cos(dx+c)),x, algorithm="maxima")`

[Out] `integrate((B*cos(dx + c) + A)*sec(dx + c)^(5/2)/(a*cos(dx + c) + a), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{a \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(5/2)/(a+a\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a), x)

$$3.477 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=159

$$-\frac{(A-B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{d(a \sec(c+dx)+a)} + \frac{(3A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{ad} - \frac{(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx)\right)}{ad}$$

[Out] -(((3\*A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*d)) - ((A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*d) + ((3\*A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(a\*d) - ((A - B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(d\*(a + a\*Sec[c + d\*x]))

**Rubi [A]** time = 0.275871, antiderivative size = 159, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4019, 3787, 3771, 2641, 3768, 2639}

$$-\frac{(A-B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{d(a \sec(c+dx)+a)} + \frac{(3A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{ad} - \frac{(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx)\right)}{ad}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2))/(a + a\*Cos[c + d\*x]),x]

[Out] -(((3\*A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*d)) - ((A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*d) + ((3\*A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(a\*d) - ((A - B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(d\*(a + a\*Sec[c + d\*x]))

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4019

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(B\_.) + (A\_.)), x\_Symbol] :> Simp[(d\*(A\*b - a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*(n - 1)) - B\*(b\*d\*(n - 1)) - d\*(a\*B\*(m - n + 1) + A\*b\*(m + n))\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{a + a \cos(c + dx)} dx &= \int \frac{\sec^{\frac{3}{2}}(c + dx)(B + A \sec(c + dx))}{a + a \sec(c + dx)} dx \\
&= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \sqrt{\sec(c + dx)} \left( -\frac{1}{2}a(A - B) + \frac{1}{2}a(3A - B) \right)}{a^2} \\
&= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{(A - B) \int \sqrt{\sec(c + dx)} dx}{2a} + \frac{(3A - B) \int \sqrt{\sec(c + dx)} dx}{2a} \\
&= \frac{(3A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{ad} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{(A - B) \int \sqrt{\sec(c + dx)} dx}{2a} \\
&= -\frac{(A - B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} + \frac{(3A - B) \sqrt{\sec(c + dx)}}{ad} \\
&= -\frac{(3A - B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} - \frac{(A - B) \sqrt{\cos(c + dx)}}{ad}
\end{aligned}$$

**Mathematica [C]** time = 4.36917, size = 400, normalized size = 2.52

$$\cos^2\left(\frac{1}{2}(c + dx)\right) \left( 6\sqrt{\sec(c + dx)} \left( 2(B - A) \tan\left(\frac{1}{2}(c + dx)\right) + 2(3A - B) \csc(c) \cos(dx) \right) + 6\sqrt{2}A \csc(c) e^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + a*Cos[c + d*x]), x]
```

```
[Out] (Cos[(c + d*x)/2]^2*((6*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))]) + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*d*x) - (2*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x))])
```

)\*(c + d\*x))] + E^((2\*I)\*d\*x)\*(-1 + E^((2\*I)\*c))\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x)))]/E^(I\*d\*x) - 12\*A\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]] + 12\*B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]] + 6\*Sqrt[Sec[c + d\*x]]\*(2\*(3\*A - B)\*Cos[d\*x]\*Csc[c] + 2\*(-A + B)\*Tan[(c + d\*x)/2]))/(6\*a\*d\*(1 + Cos[c + d\*x]))

**Maple [A]** time = 5.949, size = 319, normalized size = 2.

$$-\frac{1}{da} \sqrt{-(-2(\cos(1/2 dx + c/2))^2 + 1) \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} \left( \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{2(\sin(1/2 dx + c/2))^2 - 1} \sqrt{-\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+cos(d\*x+c)\*a), x)

[Out] -(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/a\*(cos(1/2\*d\*x+1/2\*c)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(A\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-3\*A\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-B\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+B\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2)))-2\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(3\*A-B)\*sin(1/2\*d\*x+1/2\*c)^4+(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(5\*A-B)\*sin(1/2\*d\*x+1/2\*c)^2)/cos(1/2\*d\*x+1/2\*c)/sin(1/2\*d\*x+1/2\*c)^3/(2\*sin(1/2\*d\*x+1/2\*c)^2-1)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c)), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{a \cos(dx + c) + a}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c)), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(3/2)/(a+a\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a), x)

$$3.478 \quad \int \frac{(A+B \cos(c+dx))\sqrt{\sec(c+dx)}}{a+a \cos(c+dx)} dx$$

**Optimal.** Leaf size=123

$$-\frac{(A-B) \sin(c+dx)\sqrt{\sec(c+dx)}}{d(a \sec(c+dx)+a)} + \frac{(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{ad}$$

[Out] ((A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*d) + ((A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*d) - ((A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(d\*(a + a\*Sec[c + d\*x]))

**Rubi [A]** time = 0.244608, antiderivative size = 123, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2960, 4019, 3787, 3771, 2639, 2641}

$$-\frac{(A-B) \sin(c+dx)\sqrt{\sec(c+dx)}}{d(a \sec(c+dx)+a)} + \frac{(A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{ad} + \frac{(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{ad}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]])/(a + a\*Cos[c + d\*x]),x]

[Out] ((A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*d) + ((A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*d) - ((A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(d\*(a + a\*Sec[c + d\*x]))

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4019

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(B\_.) + (A\_.)), x\_Symbol] :> Simp[(d\*(A\*b - a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*(n - 1)) - B\*(b\*d\*(n - 1)) - d\*(a\*B\*(m - n + 1) + A\*b\*(m + n))\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3771



Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{a + a \cos(c + dx)} dx &= \int \frac{\sqrt{\sec(c + dx)}(B + A \sec(c + dx))}{a + a \sec(c + dx)} dx \\ &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \frac{\frac{1}{2}a(A-B) + \frac{1}{2}a(A+B) \sec(c+dx)}{\sqrt{\sec(c+dx)}} dx}{a^2} \\ &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{(A - B) \int \frac{1}{\sqrt{\sec(c+dx)}} dx}{2a} + \frac{(A + B) \int \sqrt{\sec(c+dx)}}{2a} \\ &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{((A - B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\sec(c+dx)}}{2a} \\ &= \frac{(A - B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} + \frac{(A + B)\sqrt{\cos(c + dx)}}{2a} \end{aligned}$$

**Mathematica [C]** time = 1.0928, size = 200, normalized size = 1.63

$$\frac{(-1 + e^{2ic}) e^{-\frac{1}{2}i(4c+dx)} \left(\csc\left(\frac{c}{2}\right) + i \sec\left(\frac{c}{2}\right)\right) \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left((A - B) \left(e^{i(c+dx)} \left(1 + e^{i(c+dx)}\right) \sqrt{1 + e^{2i(c+dx)}}\right)\right)}{24ad}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]])/(a + a\*Cos[c + d\*x]), x]

[Out] -((-1 + E^((2\*I)\*c))\*((3\*I)\*(A + B)\*(1 + E^(I\*(c + d\*x))))\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + (A - B)\*(-3\*(1 + E^((2\*I)\*(c + d\*x)))) + E^(I\*(c + d\*x))\*(1 + E^(I\*(c + d\*x)))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))])\*(Csc[c/2] + I\*Sec[c/2])\*Sec[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]])/(24\*a\*d\*E^((I/2)\*(4\*c + d\*x)))

**Maple [A]** time = 3.193, size = 244, normalized size = 2.

$$\frac{1}{da} \sqrt{\left(2 \left(\cos\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2 \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1} \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(AE\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+cos(d*x+c)*a),x)`

[Out]  $((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\cos(1/2*d*x+1/2*c)* (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))+(2*A-2*B)*\sin(1/2*d*x+1/2*c)^4+(-A+B)*\sin(1/2*d*x+1/2*c)^2/a/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c)),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(a*cos(d*x + c) + a), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{a \cos(dx + c) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c)),x, algorithm="fricas")`

[Out] `integral((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(a*cos(d*x + c) + a), x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A\sqrt{\sec(c+dx)}}{\cos(c+dx)+1} dx + \int \frac{B \cos(c+dx)\sqrt{\sec(c+dx)}}{\cos(c+dx)+1} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)**(1/2)/(a+a*cos(d*x+c)),x)`

[Out] `(Integral(A*sqrt(sec(c + d*x))/(cos(c + d*x) + 1), x) + Integral(B*cos(c + d*x)*sqrt(sec(c + d*x))/(cos(c + d*x) + 1), x))/a`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{a \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c)),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(a*cos(d*x + c) + a), x)
```

$$3.479 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=125

$$\frac{(A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{d(a \sec(c+dx)+a)} + \frac{(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} - \frac{(A-3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{ad}$$

[Out] -(((A - 3\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*d)) + ((A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*d) + ((A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(d\*(a + a\*Sec[c + d\*x]))

**Rubi [A]** time = 0.252913, antiderivative size = 125, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2960, 4020, 3787, 3771, 2639, 2641}

$$\frac{(A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{d(a \sec(c+dx)+a)} + \frac{(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{ad} - \frac{(A-3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{ad}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]]),x]

[Out] -(((A - 3\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*d)) + ((A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*d) + ((A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(d\*(a + a\*Sec[c + d\*x]))

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4020

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> -Simp[((A\*b - a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^n)/(b\*f\*(2\*m + 1)), x] - Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n\*Simp[b\*B\*n - a\*A\*(2\*m + n + 1) + (A\*b - a\*B)\*(m + n + 1)\*Csc[e + f\*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^(n)*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))\sqrt{\sec(c + dx)}} dx &= \int \frac{B + A \sec(c + dx)}{\sqrt{\sec(c + dx)}(a + a \sec(c + dx))} dx \\ &= \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} + \frac{\int \frac{-\frac{1}{2}a(A-3B) + \frac{1}{2}a(A-B) \sec(c+dx)}{\sqrt{\sec(c+dx)}} dx}{a^2} \\ &= \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{(A - 3B) \int \frac{1}{\sqrt{\sec(c+dx)}} dx}{2a} + \frac{(A - B) \int \sqrt{\sec(c+dx)}}{2} \\ &= \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{d(a + a \sec(c + dx))} - \frac{((A - 3B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\sec(c+dx)}} dx}{2a} \\ &= -\frac{(A - 3B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{ad} + \frac{(A - B)\sqrt{\cos(c + dx)}}{ad} \end{aligned}$$

**Mathematica [C]** time = 2.57646, size = 422, normalized size = 3.38

$$\cos^2\left(\frac{1}{2}(c + dx)\right) \left( \frac{6 \csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \sec\left(\frac{1}{2}(c+dx)\right) \left( (A-2B) \cos\left(\frac{1}{2}(c-dx)\right) - B \cos\left(\frac{1}{2}(3c+dx)\right) \right)}{\sqrt{\sec(c+dx)}} + 2\sqrt{2}A \csc(c) e^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1 + e^{2i(c+dx)}} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])*Sqrt[Sec[c + d*x]]), x]
```

```
[Out] (Cos[(c + d*x)/2]^2*((2*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d
*x))))*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x)
)] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((
2*I)*(c + d*x))])/E^(I*d*x) - (6*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))]/(1 + E^((
2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I
)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))*Hypergeometric2F1[1/2, 3/4
, 7/4, -E^((2*I)*(c + d*x))])/E^(I*d*x) + (6*((A - 2*B)*Cos[(c - d*x)/2] -
B*Cos[(3*c + d*x)/2])*Csc[c/2]*Sec[c/2]*Sec[(c + d*x)/2])/Sqrt[Sec[c + d*x
]] + 12*A*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]] -
12*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]))/(6*
a*d*(1 + Cos[c + d*x]))
```

**Maple [A]** time = 3.398, size = 244, normalized size = 2.

$$-\frac{1}{da} \sqrt{\left(2 \left(\cos\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \sqrt{2 \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1} \left(\text{AEll}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)/sec(d\*x+c)^(1/2),x)

[Out] -((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(A\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+A\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-B\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-3\*B\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))+(2\*A-2\*B)\*sin(1/2\*d\*x+1/2\*c)^4+(-A+B)\*sin(1/2\*d\*x+1/2\*c)^2)/a/cos(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c))), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c))), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A}{\cos(c+dx)\sqrt{\sec(c+dx)+\sqrt{\sec(c+dx)}}} dx + \int \frac{B \cos(c+dx)}{\cos(c+dx)\sqrt{\sec(c+dx)+\sqrt{\sec(c+dx)}}} dx}{a}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))/sec(d\*x+c)\*\*(1/2),x)

```
[Out] (Integral(A/(cos(c + d*x)*sqrt(sec(c + d*x)) + sqrt(sec(c + d*x))), x) + In
tegral(B*cos(c + d*x)/(cos(c + d*x)*sqrt(sec(c + d*x)) + sqrt(sec(c + d*x))
), x))/a
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="
giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*sqrt(sec(d*x + c))), x
)
```

$$3.480 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx)) \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=163

$$-\frac{(3A-5B)\sin(c+dx)}{3ad\sqrt{\sec(c+dx)}} + \frac{(A-B)\sin(c+dx)}{d\sqrt{\sec(c+dx)}(a\sec(c+dx)+a)} - \frac{(3A-5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \dots$$

[Out] (3\*(A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*d) - ((3\*A - 5\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*a\*d) - ((3\*A - 5\*B)\*Sin[c + d\*x])/(3\*a\*d\*Sqrt[Sec[c + d\*x]]) + ((A - B)\*Sin[c + d\*x])/(d\*Sqrt[Sec[c + d\*x]]\*(a + a\*Sec[c + d\*x]))

**Rubi [A]** time = 0.28072, antiderivative size = 163, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4020, 3787, 3769, 3771, 2641, 2639}

$$-\frac{(3A-5B)\sin(c+dx)}{3ad\sqrt{\sec(c+dx)}} + \frac{(A-B)\sin(c+dx)}{d\sqrt{\sec(c+dx)}(a\sec(c+dx)+a)} - \frac{(3A-5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3ad} + \dots$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2)), x]

[Out] (3\*(A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*d) - ((3\*A - 5\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*a\*d) - ((3\*A - 5\*B)\*Sin[c + d\*x])/(3\*a\*d\*Sqrt[Sec[c + d\*x]]) + ((A - B)\*Sin[c + d\*x])/(d\*Sqrt[Sec[c + d\*x]]\*(a + a\*Sec[c + d\*x]))

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4020

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(B\_.) + (A\_.)), x\_Symbol] :> -Simp[(A\*b - a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^n/(b\*f\*(2\*m + 1)), x] - Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n\*Simp[b\*B\*n - a\*A\*(2\*m + n + 1) + (A\*b - a\*B)\*(m + n + 1)\*Csc[e + f\*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3769





$(2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))] * Csc[c] * (-3*Sqrt[1 + E^((2*I)*(c + d*x))] + E^((2*I)*d*x)*(-1 + E^((2*I)*c))] * Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x)))] / E^(I*d*x) - 12*A*Sqrt[Cos[c + d*x]] * EllipticF[(c + d*x)/2, 2] * Sqrt[Sec[c + d*x]] + 20*B*Sqrt[Cos[c + d*x]] * EllipticF[(c + d*x)/2, 2] * Sqrt[Sec[c + d*x]] - (Csc[c/2] * Sec[c/2] * Sec[(c + d*x)/2]) * ((12*A - 13*B) * Cos[(c - d*x)/2] + (6*A - 5*B) * Cos[(3*c + d*x)/2] - 2*B * Sin[c] * Sin[(3*(c + d*x))/2]) / Sqrt[Sec[c + d*x]]) / (6*a*d*(1 + Cos[c + d*x]))$

**Maple [A]** time = 3.086, size = 262, normalized size = 1.6

$$\frac{1}{3da} \sqrt{2(\cos(1/2 dx + c/2))^2 - 1} \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2 \left( \cos\left(\frac{dx}{2} + \frac{c}{2}\right) \sqrt{2(\sin(1/2 dx + c/2))^2 - 1} \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \right) (3AE$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)/sec(d\*x+c)^(3/2), x)

[Out]  $\frac{1}{3} * ((2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) * \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (\cos(1/2 * d * x + 1/2 * c) * (2 * \sin(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) * (\sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) * (3 * A * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) + 9 * A * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 5 * B * \text{EllipticF}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2)) - 9 * B * \text{EllipticE}(\cos(1/2 * d * x + 1/2 * c), 2 ^ (1/2))) + 8 * B * \sin(1/2 * d * x + 1/2 * c) ^ 6 + (6 * A - 18 * B) * \sin(1/2 * d * x + 1/2 * c) ^ 4 + (-3 * A + 7 * B) * \sin(1/2 * d * x + 1/2 * c) ^ 2) / a / \cos(1/2 * d * x + 1/2 * c) / (-2 * \sin(1/2 * d * x + 1/2 * c) ^ 4 + \sin(1/2 * d * x + 1/2 * c) ^ 2) ^ (1/2) / \sin(1/2 * d * x + 1/2 * c) / (2 * \cos(1/2 * d * x + 1/2 * c) ^ 2 - 1) ^ (1/2) / d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(3/2), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] `integral((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*sec(d*x + c)^(3/2)), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/sec(d*x+c)**(3/2),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="giac")`

[Out] `integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)*sec(d*x + c)^(3/2)), x)`

$$3.481 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx)) \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=196

$$\frac{(A-B) \sin(c+dx)}{d \sec^2(c+dx)(a \sec(c+dx)+a)} - \frac{(5A-7B) \sin(c+dx)}{5ad \sec^2(c+dx)} + \frac{5(A-B) \sin(c+dx)}{3ad \sqrt{\sec(c+dx)}} + \frac{5(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{3ad}$$

[Out] (-3\*(5\*A - 7\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(5\*a\*d) + (5\*(A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(3\*a\*d) - ((5\*A - 7\*B)\*Sin[c + d\*x])/(5\*a\*d\*Sec[c + d\*x]^(3/2)) + (5\*(A - B)\*Sin[c + d\*x])/(3\*a\*d\*Sqrt[Sec[c + d\*x]]) + ((A - B)\*Sin[c + d\*x])/(d\*Sec[c + d\*x]^(3/2)\*(a + a\*Sec[c + d\*x]))

**Rubi [A]** time = 0.300342, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4020, 3787, 3769, 3771, 2639, 2641}

$$\frac{(A-B) \sin(c+dx)}{d \sec^2(c+dx)(a \sec(c+dx)+a)} - \frac{(5A-7B) \sin(c+dx)}{5ad \sec^2(c+dx)} + \frac{5(A-B) \sin(c+dx)}{3ad \sqrt{\sec(c+dx)}} + \frac{5(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{3ad}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2)), x]

[Out] (-3\*(5\*A - 7\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(5\*a\*d) + (5\*(A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(3\*a\*d) - ((5\*A - 7\*B)\*Sin[c + d\*x])/(5\*a\*d\*Sec[c + d\*x]^(3/2)) + (5\*(A - B)\*Sin[c + d\*x])/(3\*a\*d\*Sqrt[Sec[c + d\*x]]) + ((A - B)\*Sin[c + d\*x])/(d\*Sec[c + d\*x]^(3/2)\*(a + a\*Sec[c + d\*x]))

### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.))\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

### Rule 4020

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :> -Simp[(A\*b - a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^n/(b\*f\*(2\*m + 1)), x] - Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n\*Simp[b\*B\*n - a\*A\*(2\*m + n + 1) + (A\*b - a\*B)\*(m + n + 1)\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)} dx &= \int \frac{B + A \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)(a + a \sec(c + dx))} dx \\
&= \frac{(A - B) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} + \frac{\int \frac{-\frac{1}{2}a(5A-7B) + \frac{5}{2}a(A-B) \sec(c+dx)}{\sec^{\frac{5}{2}}(c+dx)} dx}{a^2} \\
&= \frac{(A - B) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} - \frac{(5A - 7B) \int \frac{1}{\sec^{\frac{5}{2}}(c+dx)} dx}{2a} + \frac{(5(A - B))}{a^2} \\
&= -\frac{(5A - 7B) \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} + \frac{5(A - B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} + \frac{(A - B) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} \\
&= -\frac{(5A - 7B) \sin(c + dx)}{5ad \sec^{\frac{3}{2}}(c + dx)} + \frac{5(A - B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} + \frac{(A - B) \sin(c + dx)}{d \sec^{\frac{3}{2}}(c + dx)(a + a \sec(c + dx))} \\
&= -\frac{3(5A - 7B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5ad} + \frac{5(A - B) \sqrt{\cos(c + dx)}}{5ad}
\end{aligned}$$

**Mathematica [C]** time = 3.21636, size = 518, normalized size = 2.64

$$\cos^2\left(\frac{1}{2}(c + dx)\right) \left( \sqrt{\sec(c + dx)} \left( 40(A - B) \sin(2c) \cos(2dx) - 12(20A - 33B) \cos(c) \sin(dx) + 40(A - B) \cos(2c) \sin(2c) \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])*Sec[c + d*x]^(5/2)),x]
```

```
[Out] (Cos[(c + d*x)/2]^2*((60*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c +
d*x))))*Sqrt[1 + E^((2*I)*(c + d*x))]*Csc[c]*(-3*Sqrt[1 + E^((2*I)*(c + d*x)
```

$$\left. \right) + E^{((2I)d*x)*(-1 + E^{((2I)*c)})} \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -E^{((2I)*(c + d*x))}\right] / E^{(I*d*x) - (84*\sqrt{2}*B*\sqrt{E^{(I*(c + d*x))}/(1 + E^{((2I)*(c + d*x))})}*\sqrt{1 + E^{((2I)*(c + d*x))}}*\text{Csc}[c]*(-3*\sqrt{1 + E^{((2I)*(c + d*x))}} + E^{((2I)d*x)*(-1 + E^{((2I)*c)})} \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{3}{4}, \frac{7}{4}, -E^{((2I)*(c + d*x))}\right] / E^{(I*d*x) + 200*A*\sqrt{\text{Cos}[c + d*x]}*\text{EllipticF}[(c + d*x)/2, 2]*\sqrt{\text{Sec}[c + d*x]} - 200*B*\sqrt{\text{Cos}[c + d*x]}*\text{EllipticF}[(c + d*x)/2, 2]*\sqrt{\text{Sec}[c + d*x]} + \sqrt{\text{Sec}[c + d*x]}*(3*(40*A - 51*B + (20*A - 33*B)*\text{Cos}[2*c])*\text{Cos}[d*x]*\text{Csc}[c/2]*\text{Sec}[c/2] + 40*(A - B)*\text{Cos}[2*d*x]*\text{Sin}[2*c] + 12*B*\text{Cos}[3*d*x]*\text{Sin}[3*c] - 120*(A - B)*\text{Sec}[c/2]*\text{Sec}[(c + d*x)/2]*\text{Sin}[(d*x)/2] - 12*(20*A - 33*B)*\text{Cos}[c]*\text{Sin}[d*x] + 40*(A - B)*\text{Cos}[2*c]*\text{Sin}[2*d*x] + 12*B*\text{Cos}[3*c]*\text{Sin}[3*d*x] - 120*(A - B)*\text{Tan}[c/2])}) / (60*a*d*(1 + \text{Cos}[c + d*x]))$$

**Maple [A]** time = 3.461, size = 281, normalized size = 1.4

$$-\frac{1}{15da} \sqrt{2(\cos(1/2 dx + c/2))^2 - 1} \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2 \left(\cos\left(\frac{dx}{2} + \frac{c}{2}\right)\right) \sqrt{2(\sin(1/2 dx + c/2))^2 - 1} \sqrt{\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} (25$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)/sec(d\*x+c)^(5/2), x)

[Out]  $-1/15*((2*\cos(1/2*d*x+1/2*c))^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\cos(1/2*d*x+1/2*c))*(2*\sin(1/2*d*x+1/2*c))^2)^{(1/2)}*(\sin(1/2*d*x+1/2*c))^2)^{(1/2)}*(25*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+45*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-25*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-63*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}))+48*B*\sin(1/2*d*x+1/2*c)^8+(-40*A-56*B)*\sin(1/2*d*x+1/2*c)^6+(90*A-30*B)*\sin(1/2*d*x+1/2*c)^4+(-35*A+23*B)*\sin(1/2*d*x+1/2*c)^2)/a/\cos(1/2*d*x+1/2*c)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c))^2-1)^{(1/2)}/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(5/2), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))/sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a) \sec(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))/sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2)), x)

$$3.482 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=208

$$-\frac{(5A-2B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{(4A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{a^2d} - \frac{(5A-2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx)\right)}{3a^2d}$$

[Out] -(((4\*A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(a^2\*d)) - ((5\*A - 2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(3\*a^2\*d) + ((4\*A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(a^2\*d) - ((5\*A - 2\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*a^2\*d\*(1 + Sec[c + d\*x])) - ((A - B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(3\*d\*(a + a\*Sec[c + d\*x])^2)

**Rubi [A]** time = 0.430758, antiderivative size = 208, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4019, 3787, 3771, 2641, 3768, 2639}

$$-\frac{(5A-2B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{3a^2d(\sec(c+dx)+1)} + \frac{(4A-B) \sin(c+dx) \sqrt{\sec(c+dx)}}{a^2d} - \frac{(5A-2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx)\right)}{3a^2d}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2))/(a + a\*Cos[c + d\*x])^2,x]

[Out] -(((4\*A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(a^2\*d)) - ((5\*A - 2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(3\*a^2\*d) + ((4\*A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(a^2\*d) - ((5\*A - 2\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*a^2\*d\*(1 + Sec[c + d\*x])) - ((A - B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(3\*d\*(a + a\*Sec[c + d\*x])^2)

### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.))\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

### Rule 4019

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :> Simp[(d\*(A\*b - a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*(n - 1)) - B\*(b\*d\*(n - 1)) - d\*(a\*B\*(m - n + 1) + A\*b\*(m + n))\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[



$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

### Rule 3771

$\text{Int}[(\text{csc}[(c\_.) + (d\_.)*(x\_)]*(b\_.)^{(n\_)}, x\_Symbol] :> \text{Dist}[(b*\text{Csc}[c + d*x])^{(n)}*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

### Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c\_.) + (d\_.)*(x\_)]], x\_Symbol] :> \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

### Rule 3768

$\text{Int}[(\text{csc}[(c\_.) + (d\_.)*(x\_)]*(b\_.)^{(n\_)}, x\_Symbol] :> -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Csc}[c + d*x])^{(n - 1)})/(d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2))/(n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{GtQ}[n, 1] \&\& \text{IntegerQ}[2*n]$

### Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c\_.) + (d\_.)*(x\_)]], x\_Symbol] :> \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^2} dx &= \int \frac{\sec^5(c + dx)(B + A \sec(c + dx))}{(a + a \sec(c + dx))^2} dx \\ &= -\frac{(A - B) \sec^5(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \int \frac{\sec^3(c + dx) \left(-\frac{3}{2}a(A - B) + \frac{1}{2}a(7A - B) \sec(c + dx)\right)}{a + a \sec(c + dx)} dx \\ &= -\frac{(5A - 2B) \sec^3(c + dx) \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} - \frac{(A - B) \sec^5(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \dots \\ &= -\frac{(5A - 2B) \sec^3(c + dx) \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} - \frac{(A - B) \sec^5(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \dots \\ &= \frac{(4A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^2d} - \frac{(5A - 2B) \sec^3(c + dx) \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} - \dots \\ &= -\frac{(5A - 2B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3a^2d} + \frac{(4A - B) \sqrt{\sec(c + dx)}}{a^2} - \dots \\ &= -\frac{(4A - B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2d} - \frac{(5A - 2B) \sqrt{\cos(c + dx)}}{a^2} - \dots \end{aligned}$$

**Mathematica [C]** time = 3.14467, size = 303, normalized size = 1.46

$$\frac{e^{-idx} \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left(\cos\left(\frac{1}{2}(c + 3dx)\right) + i \sin\left(\frac{1}{2}(c + 3dx)\right)\right) \left(-i(4A - B)e^{-i(c + dx)} \sqrt{1 + e^{2i(c + dx)}} (1 + e^{i(c + dx)})\right)}{a^2d}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2))/(a + a\*Cos[c + d\*x])^2, x]

[Out]  $-(\cos[(c + dx)/2] \sqrt{\sec[c + dx]} * ((29I)A - (5I)B + (2I)(25A - 7B) \cos[c + dx] + (17I)A \cos[2(c + dx)] - (5I)B \cos[2(c + dx)] - (I(4A - B)(1 + E^{I(c + dx)})^3 \sqrt{1 + E^{(2I)(c + dx)}}] * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{(2I)(c + dx)}]) / E^{I(c + dx)} + 8(5A - 2B) \cos[(c + dx)/2]^3 \sqrt{\cos[c + dx]} * \text{EllipticF}[(c + dx)/2, 2] * (\cos[(c + dx)/2] - I \sin[(c + dx)/2]) - 12A \sin[c + dx] - 7A \sin[2(c + dx)] + B \sin[2(c + dx)]) * (\cos[(c + 3dx)/2] + I \sin[(c + 3dx)/2])) / (6a^2 d E^{I dx} (1 + \cos[c + dx])^2)$

**Maple [B]** time = 4.286, size = 494, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+cos(d\*x+c)\*a)^2,x)

[Out]  $-1/6 * (2 * (2 * \sin(1/2 * dx + 1/2 * c) - 1)^{1/2} * (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{1/2} * (\sin(1/2 * dx + 1/2 * c)^2)^{1/2} * (5 * A * \text{EllipticF}(\cos(1/2 * dx + 1/2 * c), 2^{1/2}) - 12 * A * \text{EllipticE}(\cos(1/2 * dx + 1/2 * c), 2^{1/2}) - 2 * B * \text{EllipticF}(\cos(1/2 * dx + 1/2 * c), 2^{1/2}) + 3 * B * \text{EllipticE}(\cos(1/2 * dx + 1/2 * c), 2^{1/2})) * \cos(1/2 * dx + 1/2 * c) * \sin(1/2 * dx + 1/2 * c)^2 - 2 * (2 * \sin(1/2 * dx + 1/2 * c) - 1)^{1/2} * (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{1/2} * (\sin(1/2 * dx + 1/2 * c)^2)^{1/2} * (5 * A * \text{EllipticF}(\cos(1/2 * dx + 1/2 * c), 2^{1/2}) - 12 * A * \text{EllipticE}(\cos(1/2 * dx + 1/2 * c), 2^{1/2}) - 2 * B * \text{EllipticF}(\cos(1/2 * dx + 1/2 * c), 2^{1/2}) + 3 * B * \text{EllipticE}(\cos(1/2 * dx + 1/2 * c), 2^{1/2})) * \cos(1/2 * dx + 1/2 * c) - 12 * (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{1/2} * (4 * A - B) * \sin(1/2 * dx + 1/2 * c)^6 + 2 * (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{1/2} * (43 * A - 10 * B) * \sin(1/2 * dx + 1/2 * c)^4 - (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{1/2} * (37 * A - 7 * B) * \sin(1/2 * dx + 1/2 * c)^2) / a^2 / \cos(1/2 * dx + 1/2 * c)^3 / (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{1/2} / \sin(1/2 * dx + 1/2 * c) / (2 * \cos(1/2 * dx + 1/2 * c) - 1)^{1/2} / d$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^2,x, algorithm
="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(a^2*cos(d*x + c)^2 + 2*a^
2*cos(d*x + c) + a^2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+a*cos(d*x+c))**2,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^2,x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^2, x
)
```

$$3.483 \quad \int \frac{(A+B \cos(c+dx))\sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=161

$$\frac{(2A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{A \sin(c+dx)\sqrt{\sec(c+dx)}}{a^2d(\sec(c+dx)+1)} + \frac{A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d}$$

```
[Out] (A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d)
+ ((2*A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x
]])/(3*a^2*d) - (A*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*d*(1 + Sec[c + d*x
])) - ((A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2
)
```

**Rubi [A]** time = 0.388056, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2960, 4019, 3787, 3771, 2639, 2641}

$$\frac{(2A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} - \frac{A \sin(c+dx)\sqrt{\sec(c+dx)}}{a^2d(\sec(c+dx)+1)} + \frac{A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + a*Cos[c + d*x])^2,x]
```

```
[Out] (A*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*d)
+ ((2*A + B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x
]])/(3*a^2*d) - (A*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*d*(1 + Sec[c + d*x
])) - ((A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d*(a + a*Sec[c + d*x])^2
)
```

#### Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dis
t[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c
*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

#### Rule 4019

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(d*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1))/(a*f*
(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(
d*Csc[e + f*x])^(n - 1)*Simp[A*(a*d*(n - 1)) - B*(b*d*(n - 1)) - d*(a*B*(m
- n + 1) + A*b*(m + n))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A
, B}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && Gt
Q[n, 0]
```

#### Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) +
(a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{(a + a \cos(c + dx))^2} dx &= \int \frac{\sec^{\frac{3}{2}}(c + dx)(B + A \sec(c + dx))}{(a + a \sec(c + dx))^2} dx \\ &= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \int \frac{\sqrt{\sec(c + dx)} \left( -\frac{1}{2}a(A - B) + \frac{1}{2}a(5A + B) \sec(c + dx) \right)}{a + a \sec(c + dx)} dx \\ &= -\frac{A \sqrt{\sec(c + dx)} \sin(c + dx)}{a^2 d (1 + \sec(c + dx))} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \int \frac{\frac{3a^2 A + 5a^2 B}{2} \sqrt{\sec(c + dx)}}{a + a \sec(c + dx)} dx \\ &= -\frac{A \sqrt{\sec(c + dx)} \sin(c + dx)}{a^2 d (1 + \sec(c + dx))} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{A \int \frac{\sqrt{\sec(c + dx)}}{a + a \sec(c + dx)} dx}{2} \\ &= -\frac{A \sqrt{\sec(c + dx)} \sin(c + dx)}{a^2 d (1 + \sec(c + dx))} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{(A \sqrt{\cos(c + dx)})}{2} \\ &= \frac{A \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)} - (2A + B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} + \frac{(2A + B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2} \end{aligned}$$

**Mathematica [C]** time = 2.00357, size = 256, normalized size = 1.59

$$e^{-idx} \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left( \cos\left(\frac{1}{2}(c + 3dx)\right) + i \sin\left(\frac{1}{2}(c + 3dx)\right) \right) \left( 2i \cos(c + dx)(i(A - B) \sin(c + dx) + (5A - B) \cos(c + dx)) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]])/(a + a\*Cos[c + d\*x])^2, x]

[Out] (Cos[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]]\*(((-1)\*A\*(1 + E^(I\*(c + d\*x)))^3\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))])/E^(I\*(c + d\*x)) + 8\*(2\*A + B)\*Cos[(c + d\*x)/2]^3\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*(Cos[(c + d\*x)/2] - I\*Sin[(c + d\*x)/2]) + (2\*I)\*Cos[c + d\*x]\*(7\*A - B + (5\*A + B)\*Cos[c + d\*x] + I\*(A - B)\*Sin[c + d\*x]))\*(Cos[(c + 3\*d\*x)/2] + I\*Sin[(c + 3\*d\*x)/2]))/(6\*a^2\*d\*E^(I\*d\*x)\*(1 + Cos[c + d\*x])^2)

**Maple [A]** time = 3.796, size = 350, normalized size = 2.2

$$\frac{1}{6a^2d} \sqrt{\left(2(\cos(1/2 dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(12A(\cos(1/2 dx + c/2))^6 - 4A(\cos(1/2 dx + c/2))^3 \sqrt{\sin(1/2 dx + c/2)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+cos(d\*x+c)\*a)^2,x)

[Out] 1/6\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(12\*A\*cos(1/2\*d\*x+1/2\*c)^6-4\*A\*cos(1/2\*d\*x+1/2\*c)^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+6\*A\*cos(1/2\*d\*x+1/2\*c)^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-2\*B\*cos(1/2\*d\*x+1/2\*c)^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-16\*A\*cos(1/2\*d\*x+1/2\*c)^4-2\*B\*cos(1/2\*d\*x+1/2\*c)^4+3\*A\*cos(1/2\*d\*x+1/2\*c)^2+3\*B\*cos(1/2\*d\*x+1/2\*c)^2+A-B)/a^2/cos(1/2\*d\*x+1/2\*c)^3/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\sec(dx + c)}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(sec(d\*x + c))/(a\*cos(d\*x + c) + a)^2, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A) \sqrt{\sec(dx + c)}}{a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(sec(d\*x + c))/(a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\frac{\int \frac{A \sqrt{\sec(c+dx)}}{\cos^2(c+dx)+2 \cos(c+dx)+1} dx + \int \frac{B \cos(c+dx) \sqrt{\sec(c+dx)}}{\cos^2(c+dx)+2 \cos(c+dx)+1} dx}{a^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c))\*\*2,x)

[Out] (Integral(A\*sqrt(sec(c + d\*x))/(cos(c + d\*x)\*\*2 + 2\*cos(c + d\*x) + 1), x) +  
Integral(B\*cos(c + d\*x)\*sqrt(sec(c + d\*x))/(cos(c + d\*x)\*\*2 + 2\*cos(c + d\*x) + 1), x))/a\*\*2

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{(a \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(sec(d\*x + c))/(a\*cos(d\*x + c) + a)^2, x)

$$3.484 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^2 \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=168

$$\frac{(A+2B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3a^2 d (\sec(c+dx)+1)} + \frac{(A+2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2 d} - \frac{B \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{a^2 d}$$

[Out]  $-(B \sqrt{\cos[c+dx]} \text{EllipticE}[(c+dx)/2, 2] \sqrt{\sec[c+dx]})/(a^2 d) + ((A+2B) \sqrt{\cos[c+dx]} \text{EllipticF}[(c+dx)/2, 2] \sqrt{\sec[c+dx]})/(3a^2 d) + ((A+2B) \sqrt{\sec[c+dx]} \sin[c+dx])/(3a^2 d (1 + \sec[c+dx])) - ((A-B) \sqrt{\sec[c+dx]} \sin[c+dx])/(3d (a + a \sec[c+dx])^2)$

**Rubi [A]** time = 0.391055, antiderivative size = 168, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4019, 4020, 3787, 3771, 2639, 2641}

$$\frac{(A+2B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3a^2 d (\sec(c+dx)+1)} + \frac{(A+2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2 d} - \frac{B \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{a^2 d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B \cos[c + dx]) / ((a + a \cos[c + dx])^2 \sqrt{\sec[c + dx]}), x]$

[Out]  $-(B \sqrt{\cos[c+dx]} \text{EllipticE}[(c+dx)/2, 2] \sqrt{\sec[c+dx]})/(a^2 d) + ((A+2B) \sqrt{\cos[c+dx]} \text{EllipticF}[(c+dx)/2, 2] \sqrt{\sec[c+dx]})/(3a^2 d) + ((A+2B) \sqrt{\sec[c+dx]} \sin[c+dx])/(3a^2 d (1 + \sec[c+dx])) - ((A-B) \sqrt{\sec[c+dx]} \sin[c+dx])/(3d (a + a \sec[c+dx])^2)$

#### Rule 2960

$\text{Int}[(\csc[e] + (f)(x))(g)]^{(p)}((a) + (b) \sin[e] + (f)(x))^{(m)}((c) + (d) \sin[e] + (f)(x))^{(n)}, x\_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g \csc[e + fx])^{(p-m-n)}(b + a \csc[e + fx])^m (d + c \csc[e + fx])^n, x], x] /;$  FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4019

$\text{Int}[(\csc[e] + (f)(x))(d)]^{(n)}(\csc[e] + (f)(x))(b) + (a)]^{(m)}(\csc[e] + (f)(x))(B) + (A), x\_Symbol] \rightarrow \text{Simp}[(d(A*b - a*B) \cot[e + fx] (a + b \csc[e + fx])^m (d \csc[e + fx])^{(n-1)}) / (a*f*(2*m+1)), x] - \text{Dist}[1/(a*b*(2*m+1)), \text{Int}[(a + b \csc[e + fx])^{(m+1)} (d \csc[e + fx])^{(n-1)} \text{Simp}[A*(a*d*(n-1)) - B*(b*d*(n-1)) - d*(a*B*(m-n+1) + A*b*(m+n)) \csc[e + fx], x], x], x] /;$  FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

#### Rule 4020

$\text{Int}[(\csc[e] + (f)(x))(d)]^{(n)}(\csc[e] + (f)(x))(b) + (a)]^{(m)}(\csc[e] + (f)(x))(B) + (A), x\_Symbol] \rightarrow -\text{Simp}[(A*b - a*B) \cot[e + fx] (a + b \csc[e + fx])^m (d \csc[e + fx])^n / (b*f*(2*m+1)), x] - \text{Dist}[1/(a^2*(2*m+1)), \text{Int}[(a + b \csc[e + fx])^{(m+1)} (d \csc[e$



```
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^2 \sqrt{\sec(c + dx)}} dx &= \int \frac{\sqrt{\sec(c + dx)}(B + A \sec(c + dx))}{(a + a \sec(c + dx))^2} dx \\
&= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int \frac{\frac{1}{2}a(A-B) + \frac{3}{2}a(A+B) \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))} dx}{3a^2} \\
&= \frac{(A + 2B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} - \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \frac{\int}{3a^2} \\
&= \frac{(A + 2B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} - \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{B}{3a^2} \\
&= \frac{(A + 2B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} - \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} - \frac{B}{3a^2} \\
&= -\frac{B\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2d} + \frac{(A + 2B)\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3a^2}
\end{aligned}$$

**Mathematica [C]** time = 2.44334, size = 256, normalized size = 1.52

$$\frac{e^{-idx} \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left(\cos\left(\frac{1}{2}(c + 3dx)\right) + i \sin\left(\frac{1}{2}(c + 3dx)\right)\right) \left(i\left(2 \cos(c + dx)(-i(A - B) \sin(c + dx) + (A + B) \cos(c + dx))\right)\right)}{3a^2}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^2*Sqrt[Sec[c + d*x]]),
x]
```

```
[Out] (Cos[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(8*(A + 2*B)*Cos[(c + d*x)/2]^3*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*(Cos[(c + d*x)/2] - I*Sin[(c + d*x)/2]) + I*((B*(1 + E^(I*(c + d*x)))^3*Sqrt[1 + E^((2*I)*(c + d*x))]*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2*I)*(c + d*x))])/E^(I*(c + d*x)) + 2*Cos[c + d*x]*(-A - 5*B + (A - 7*B)*Cos[c + d*x] - I*(A - B)*Sin[c + d*x]))*(Cos[(c + 3*d*x)/2] + I*Sin[(c + 3*d*x)/2]))/(6*a^2*d*E^(I*d*x)*(1 + Cos[c + d*x])^2)
```

**Maple [A]** time = 3.863, size = 350, normalized size = 2.1

$$-\frac{1}{6a^2d} \sqrt{\left(2(\cos(1/2 dx + c/2))^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(2A(\cos(1/2 dx + c/2))^3 \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 - 1} + \dots\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/(a+cos(d*x+c)*a)^2/sec(d*x+c)^(1/2),x)
```

```
[Out] -1/6*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*A*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+12*B*cos(1/2*d*x+1/2*c)^6+4*B*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+6*B*cos(1/2*d*x+1/2*c)^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))+2*A*cos(1/2*d*x+1/2*c)^4-20*B*cos(1/2*d*x+1/2*c)^4-3*A*cos(1/2*d*x+1/2*c)^2+9*B*cos(1/2*d*x+1/2*c)^2+A-B)/a^2/cos(1/2*d*x+1/2*c)^3/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/sec(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^2*sqrt(sec(d*x + c))), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{(a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2) \sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^2/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

[Out] integral((B\*cos(d\*x + c) + A)/((a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2)\*sqrt(sec(d\*x + c))), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^2\*sqrt(sec(d\*x + c))), x)

$$3.485 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^2 \sec^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=176

$$\frac{(2A-5B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3a^2 d (\sec(c+dx)+1)} + \frac{(2A-5B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2 d} - \frac{(A-4B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{a^2 d}$$

[Out] -(((A - 4\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a^2\*d)) + ((2\*A - 5\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*a^2\*d) + ((2\*A - 5\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3\*a^2\*d\*(1 + Sec[c + d\*x])) + ((A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*(a + a\*Sec[c + d\*x])^2)

**Rubi [A]** time = 0.406233, antiderivative size = 176, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2960, 4020, 3787, 3771, 2639, 2641}

$$\frac{(2A-5B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3a^2 d (\sec(c+dx)+1)} + \frac{(2A-5B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3a^2 d} - \frac{(A-4B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{a^2 d}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(3/2)), x]

[Out] -(((A - 4\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a^2\*d)) + ((2\*A - 5\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*a^2\*d) + ((2\*A - 5\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3\*a^2\*d\*(1 + Sec[c + d\*x])) + ((A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*(a + a\*Sec[c + d\*x])^2)

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4020

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(B\_.) + (A\_.)), x\_Symbol] :> -Simp[((A\*b - a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^n)/(b\*f\*(2\*m + 1)), x] - Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n\*Simp[b\*B\*n - a\*A\*(2\*m + n + 1) + (A\*b - a\*B)\*(m + n + 1)\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^n, x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^2 \sec^2(c + dx)} dx = \int \frac{B + A \sec(c + dx)}{\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} dx$$

$$= \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \int \frac{-\frac{1}{2}a(A-7B) + \frac{3}{2}a(A-B) \sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))} dx$$

$$= \frac{(2A - 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} + \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \dots$$

$$= \frac{(2A - 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} + \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \dots$$

$$= \frac{(2A - 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3a^2d(1 + \sec(c + dx))} + \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d(a + a \sec(c + dx))^2} + \dots$$

$$= -\frac{(A - 4B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{a^2d} + \frac{(2A - 5B)\sqrt{\cos(c + dx)}}{a^2d}$$

**Mathematica [C]** time = 6.37018, size = 475, normalized size = 2.7

$$\cos^4\left(\frac{1}{2}(c + dx)\right) \left( \frac{\csc\left(\frac{c}{2}\right) \sec\left(\frac{c}{2}\right) \sec^3\left(\frac{1}{2}(c+dx)\right) \left(5(A-4B) \cos\left(\frac{1}{2}(c-dx)\right) + 4(A-4B) \cos\left(\frac{1}{2}(3c+dx)\right) + 3A \cos\left(\frac{1}{2}(c+3dx)\right) - 9B \cos\left(\frac{1}{2}(c+3dx)\right) - 3B \cos\left(\frac{1}{2}(c+dx)\right)\right)}{2\sqrt{\sec(c+dx)}} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(3/2)), x]

[Out] (Cos[(c + d\*x)/2]^4\*((2\*Sqrt[2]\*A\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Csc[c]\*(-3\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]) + E^((2\*I)\*d\*x)\*(-1 + E^((2\*I)\*c))\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))])/E^(I\*d\*x) - (8\*Sqrt[2]\*B\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Csc[c]\*(-3\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]) + E^((2\*I)\*d\*x)\*(-1 + E^((2\*I)\*c))\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))])/E^(I\*d\*x) + ((5\*(A - 4\*B)\*Cos[(c - d\*x)/2] + 4\*(A - 4\*B)\*Cos[(3\*c + d\*x)/2] + 3\*A\*Cos[(c + 3\*d\*x)/2] - 9\*B\*Cos[(c + 3\*d\*x)/2] - 3\*B\*Cos[(5\*c + 3\*d\*x)/2])\*Csc[c/2]\*Sec[c/2]\*Sec[(c + d\*x)/2]^3)/(2

\*Sqrt[Sec[c + d\*x]]) + 8\*A\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]] - 20\*B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])))/(3\*a^2\*d\*(1 + Cos[c + d\*x])^2)

**Maple [A]** time = 3.718, size = 421, normalized size = 2.4

$$-\frac{1}{6a^2d} \sqrt{(2(\cos(1/2 dx + c/2))^2 - 1) \left( \sin\left(\frac{dx}{2} + \frac{c}{2}\right) \right)^2} \left( 12A(\cos(1/2 dx + c/2))^6 + 4A(\cos(1/2 dx + c/2))^3 \sqrt{(\sin(1/2 dx + c/2))^2 - 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^2/sec(d\*x+c)^(3/2), x)

[Out] -1/6\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(12\*A\*cos(1/2\*d\*x+1/2\*c)^6+4\*A\*cos(1/2\*d\*x+1/2\*c)^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+6\*A\*cos(1/2\*d\*x+1/2\*c)^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-24\*B\*cos(1/2\*d\*x+1/2\*c)^6-10\*B\*cos(1/2\*d\*x+1/2\*c)^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-24\*B\*cos(1/2\*d\*x+1/2\*c)^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-20\*A\*cos(1/2\*d\*x+1/2\*c)^4+38\*B\*cos(1/2\*d\*x+1/2\*c)^4+9\*A\*cos(1/2\*d\*x+1/2\*c)^2-15\*B\*cos(1/2\*d\*x+1/2\*c)^2-A+B)/a^2/cos(1/2\*d\*x+1/2\*c)^3/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(3/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{B \cos(dx + c) + A}{(a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2) \sec(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/((a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2)\*sec(d\*x + c)^(3/2)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)\*\*(3/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(3/2)), x)

$$3.486 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^2 \sec^{\frac{5}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=206

$$-\frac{5(A-2B)\sin(c+dx)}{3a^2d\sqrt{\sec(c+dx)}} + \frac{(4A-7B)\sin(c+dx)}{3a^2d\sqrt{\sec(c+dx)}(\sec(c+dx)+1)} - \frac{5(A-2B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} +$$

[Out] ((4\*A - 7\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a^2\*d) - (5\*(A - 2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*a^2\*d) - (5\*(A - 2\*B)\*Sin[c + d\*x])/(3\*a^2\*d\*Sqrt[Sec[c + d\*x]]) + ((4\*A - 7\*B)\*Sin[c + d\*x])/(3\*a^2\*d\*Sqrt[Sec[c + d\*x]]\*(1 + Sec[c + d\*x])) + ((A - B)\*Sin[c + d\*x])/(3\*d\*Sqrt[Sec[c + d\*x]]\*(a + a\*Sec[c + d\*x])^2)

**Rubi [A]** time = 0.433914, antiderivative size = 206, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4020, 3787, 3769, 3771, 2641, 2639}

$$-\frac{5(A-2B)\sin(c+dx)}{3a^2d\sqrt{\sec(c+dx)}} + \frac{(4A-7B)\sin(c+dx)}{3a^2d\sqrt{\sec(c+dx)}(\sec(c+dx)+1)} - \frac{5(A-2B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3a^2d} +$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(5/2)),x]

[Out] ((4\*A - 7\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a^2\*d) - (5\*(A - 2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*a^2\*d) - (5\*(A - 2\*B)\*Sin[c + d\*x])/(3\*a^2\*d\*Sqrt[Sec[c + d\*x]]) + ((4\*A - 7\*B)\*Sin[c + d\*x])/(3\*a^2\*d\*Sqrt[Sec[c + d\*x]]\*(1 + Sec[c + d\*x])) + ((A - B)\*Sin[c + d\*x])/(3\*d\*Sqrt[Sec[c + d\*x]]\*(a + a\*Sec[c + d\*x])^2)

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4020

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(B\_.) + (A\_.)), x\_Symbol] :> -Simp[(A\*b - a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^n/(b\*f\*(2\*m + 1)), x] - Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n\*Simp[b\*B\*n - a\*A\*(2\*m + n + 1) + (A\*b - a\*B)\*(m + n + 1)\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[



$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

### Rule 3769

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] :> \text{Simp}[(\text{Cos}[c + d*x]*(b*\text{Csc}[c + d*x])^{(n + 1)})/(b*d*n), x] + \text{Dist}[(n + 1)/(b^2*n), \text{Int}[(b*\text{Csc}[c + d*x])^{(n + 2)}, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{LtQ}[n, -1] \&\& \text{IntegerQ}[2*n]$

### Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] :> \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

### Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x\_Symbol] :> \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

### Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x\_Symbol] :> \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^2 \sec^2(c + dx)} dx &= \int \frac{B + A \sec(c + dx)}{\sec^2(c + dx)(a + a \sec(c + dx))^2} dx \\ &= \frac{(A - B) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} + \frac{\int \frac{-\frac{3}{2}a(A-3B) + \frac{5}{2}a(A-B) \sec(c+dx)}{\sec^2(c+dx)(a+a \sec(c+dx))} dx}{3a^2} \\ &= \frac{(4A - 7B) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}(1 + \sec(c + dx))} + \frac{(A - B) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} + \dots \\ &= \frac{(4A - 7B) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}(1 + \sec(c + dx))} + \frac{(A - B) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} + \dots \\ &= -\frac{5(A - 2B) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} + \frac{(4A - 7B) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}(1 + \sec(c + dx))} + \frac{(A - B) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \dots \\ &= \frac{(4A - 7B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2 d} - \frac{5(A - 2B) \sin(c + dx)}{3a^2 d \sqrt{\sec(c + dx)}} + \dots \\ &= \frac{(4A - 7B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2 d} - \frac{5(A - 2B) \sqrt{\cos(c + dx)}}{3a^2 d \sqrt{\sec(c + dx)}} + \dots \end{aligned}$$

**Mathematica [C]** time = 6.84035, size = 777, normalized size = 3.77

$$\cos^4\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{\sec(c + dx)} \left( \frac{8(A-2B) \cos(c) \sin(dx)}{d} - \frac{2 \sec\left(\frac{c}{2}\right) \sec^3\left(\frac{c}{2} + \frac{dx}{2}\right) \left(A \sin\left(\frac{dx}{2}\right) - B \sin\left(\frac{dx}{2}\right)\right)}{3d} - \frac{2(A-B) \tan\left(\frac{c}{2}\right) \sec^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{3d} + \frac{4 \sec\left(\frac{c}{2}\right)}{3d} \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])^2\*Sec[c + d\*x]^(5/2)), x]

[Out]  $(-4\sqrt{2}A\sqrt{E^{I(c+d*x)}}/(1+E^{(2I)(c+d*x)}))\sqrt{1+E^{(2I)(c+d*x)}}\cos[c/2+(d*x)/2]^4\csc[c/2](-3\sqrt{1+E^{(2I)(c+d*x)}}+E^{(2I)d*x}(-1+E^{(2I)c}))\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{(2I)(c+d*x)}]\text{Sec}[c/2]/(3dE^{I d*x}(a+a\cos[c+d*x])^2)+(7\sqrt{2}B\sqrt{E^{I(c+d*x)}}/(1+E^{(2I)(c+d*x)}))\sqrt{1+E^{(2I)(c+d*x)}}\cos[c/2+(d*x)/2]^4\csc[c/2](-3\sqrt{1+E^{(2I)(c+d*x)}}+E^{(2I)d*x}(-1+E^{(2I)c}))\text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{(2I)(c+d*x)}]\text{Sec}[c/2]/(3dE^{I d*x}(a+a\cos[c+d*x])^2)-(10A\cos[c/2+(d*x)/2]^4\sqrt{\cos[c+d*x]}\csc[c/2]\text{EllipticF}[(c+d*x)/2, 2]\text{Sec}[c/2]\sqrt{\text{Sec}[c+d*x]}\sin[c]/(3d(a+a\cos[c+d*x])^2)+(20B\cos[c/2+(d*x)/2]^4\sqrt{\cos[c+d*x]}\csc[c/2]\text{EllipticF}[(c+d*x)/2, 2]\text{Sec}[c/2]\sqrt{\text{Sec}[c+d*x]}\sin[c]/(3d(a+a\cos[c+d*x])^2)+(\cos[c/2+(d*x)/2]^4\sqrt{\text{Sec}[c+d*x]}((-2(3A-5B+A\cos[2c]-2B\cos[2c])\cos[d*x]\csc[c/2]\text{Sec}[c/2])/d+(4B\cos[2d*x]\sin[2c])/3d+(4\text{Sec}[c/2]\text{Sec}[c/2+(d*x)/2](7A\sin[(d*x)/2]-10B\sin[(d*x)/2]))/3d-(2\text{Sec}[c/2]\text{Sec}[c/2+(d*x)/2]^3(A\sin[(d*x)/2]-B\sin[(d*x)/2]))/3d+(8(A-2B)\cos[c]\sin[d*x])/d+(4B\cos[2c]\sin[2d*x])/3d+(4(7A-10B)\tan[c/2])/3d-(2(A-B)\text{Sec}[c/2+(d*x)/2]^2\tan[c/2])/3d))/(a+a\cos[c+d*x])^2$

**Maple [A]** time = 3.851, size = 435, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^2/sec(d\*x+c)^(5/2),x)

[Out]  $1/6*((2\cos(1/2d*x+1/2c))^2-1)\sin(1/2d*x+1/2c)^2)^{1/2}*(-16B\cos(1/2d*x+1/2c)^8+24A\cos(1/2d*x+1/2c)^6+10A\cos(1/2d*x+1/2c)^3(\sin(1/2d*x+1/2c)^2)^{1/2}*(-2\cos(1/2d*x+1/2c)^2+1)^{1/2}\text{EllipticF}(\cos(1/2d*x+1/2c), 2^{1/2})+24A\cos(1/2d*x+1/2c)^3(\sin(1/2d*x+1/2c)^2)^{1/2}*(-2\cos(1/2d*x+1/2c)^2+1)^{1/2}\text{EllipticE}(\cos(1/2d*x+1/2c), 2^{1/2})-12B\cos(1/2d*x+1/2c)^6-20B\cos(1/2d*x+1/2c)^3(\sin(1/2d*x+1/2c)^2)^{1/2}*(-2\cos(1/2d*x+1/2c)^2+1)^{1/2}\text{EllipticF}(\cos(1/2d*x+1/2c), 2^{1/2})-42B\cos(1/2d*x+1/2c)^3(\sin(1/2d*x+1/2c)^2)^{1/2}*(-2\cos(1/2d*x+1/2c)^2+1)^{1/2}\text{EllipticE}(\cos(1/2d*x+1/2c), 2^{1/2})-38A\cos(1/2d*x+1/2c)^4+48B\cos(1/2d*x+1/2c)^4+15A\cos(1/2d*x+1/2c)^2-21B\cos(1/2d*x+1/2c)^2-A+B)/a^2/\cos(1/2d*x+1/2c)^3/(-2\sin(1/2d*x+1/2c)^4+\sin(1/2d*x+1/2c)^2)^{1/2}/\sin(1/2d*x+1/2c)/(2\cos(1/2d*x+1/2c)^2-1)^{1/2}/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(5/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{(a^2 \cos(dx + c)^2 + 2a^2 \cos(dx + c) + a^2) \sec(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/((a^2\*cos(d\*x + c)^2 + 2\*a^2\*cos(d\*x + c) + a^2)\*sec(d\*x + c)^(5/2)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^2/sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(5/2)), x)

$$3.487 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=261

$$-\frac{(13A-3B) \sin(c+dx) \sec^3(c+dx)}{6d(a^3 \sec(c+dx) + a^3)} + \frac{(49A-9B) \sin(c+dx) \sqrt{\sec(c+dx)}}{10a^3d} - \frac{(13A-3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{c+dx}{2}, 2\right)}{6a^3d}$$

[Out]  $-\left(\left(49A-9B\right)\sqrt{\cos\left[c+d*x\right]}\text{EllipticE}\left[\frac{c+d*x}{2}, 2\right]\sqrt{\sec\left[c+d*x\right]}\right)/\left(10a^3d\right) - \left(\left(13A-3B\right)\sqrt{\cos\left[c+d*x\right]}\text{EllipticF}\left[\frac{c+d*x}{2}, 2\right]\sqrt{\sec\left[c+d*x\right]}\right)/\left(6a^3d\right) + \left(\left(49A-9B\right)\sqrt{\sec\left[c+d*x\right]}\sin\left[c+d*x\right]\right)/\left(10a^3d\right) - \left(\left(A-B\right)\sec\left[c+d*x\right]^{\left(7/2\right)}\sin\left[c+d*x\right]\right)/\left(5*d*\left(a+a*\sec\left[c+d*x\right]\right)^3\right) - \left(\left(8A-3B\right)\sec\left[c+d*x\right]^{\left(5/2\right)}\sin\left[c+d*x\right]\right)/\left(15*a*d*\left(a+a*\sec\left[c+d*x\right]\right)^2\right) - \left(\left(13A-3B\right)\sec\left[c+d*x\right]^{\left(3/2\right)}\sin\left[c+d*x\right]\right)/\left(6*d*\left(a^3+a^3*\sec\left[c+d*x\right]\right)\right)$

**Rubi [A]** time = 0.612115, antiderivative size = 261, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4019, 3787, 3771, 2641, 3768, 2639}

$$-\frac{(13A-3B) \sin(c+dx) \sec^3(c+dx)}{6d(a^3 \sec(c+dx) + a^3)} + \frac{(49A-9B) \sin(c+dx) \sqrt{\sec(c+dx)}}{10a^3d} - \frac{(13A-3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{c+dx}{2}, 2\right)}{6a^3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}\left[\left(\left(A+B*\cos\left[c+d*x\right]\right)*\sec\left[c+d*x\right]^{\left(3/2\right)}\right)/\left(a+a*\cos\left[c+d*x\right]\right)^3,x\right]$

[Out]  $-\left(\left(49A-9B\right)\sqrt{\cos\left[c+d*x\right]}\text{EllipticE}\left[\frac{c+d*x}{2}, 2\right]\sqrt{\sec\left[c+d*x\right]}\right)/\left(10a^3d\right) - \left(\left(13A-3B\right)\sqrt{\cos\left[c+d*x\right]}\text{EllipticF}\left[\frac{c+d*x}{2}, 2\right]\sqrt{\sec\left[c+d*x\right]}\right)/\left(6a^3d\right) + \left(\left(49A-9B\right)\sqrt{\sec\left[c+d*x\right]}\sin\left[c+d*x\right]\right)/\left(10a^3d\right) - \left(\left(A-B\right)\sec\left[c+d*x\right]^{\left(7/2\right)}\sin\left[c+d*x\right]\right)/\left(5*d*\left(a+a*\sec\left[c+d*x\right]\right)^3\right) - \left(\left(8A-3B\right)\sec\left[c+d*x\right]^{\left(5/2\right)}\sin\left[c+d*x\right]\right)/\left(15*a*d*\left(a+a*\sec\left[c+d*x\right]\right)^2\right) - \left(\left(13A-3B\right)\sec\left[c+d*x\right]^{\left(3/2\right)}\sin\left[c+d*x\right]\right)/\left(6*d*\left(a^3+a^3*\sec\left[c+d*x\right]\right)\right)$

### Rule 2960

$\text{Int}\left[\left(\csc\left[\left(e_{.}\right)+\left(f_{.}\right)*\left(x_{.}\right)\right]*\left(g_{.}\right)\right)^{\left(p_{.}\right)}*\left(\left(a_{.}\right)+\left(b_{.}\right)*\sin\left[\left(e_{.}\right)+\left(f_{.}\right)*\left(x_{.}\right)\right]\right)^{\left(m_{.}\right)}*\left(\left(c_{.}\right)+\left(d_{.}\right)*\sin\left[\left(e_{.}\right)+\left(f_{.}\right)*\left(x_{.}\right)\right]\right)^{\left(n_{.}\right)}, x_{\text{Symbol}}\right] :> \text{Dist}\left[g^{\left(m+n\right)}, \text{Int}\left[\left(g*\csc\left[e+f*x\right]\right)^{\left(p-m-n\right)}*\left(b+a*\csc\left[e+f*x\right]\right)^m*\left(d+c*\csc\left[e+f*x\right]\right)^n, x\right], x\right] /; \text{FreeQ}\left[\{a, b, c, d, e, f, g, p\}, x\right] \&\& \text{NeQ}\left[b*c-a*d, 0\right] \&\& \text{IntegerQ}\left[p\right] \&\& \text{IntegerQ}\left[m\right] \&\& \text{IntegerQ}\left[n\right]$

### Rule 4019

$\text{Int}\left[\left(\csc\left[\left(e_{.}\right)+\left(f_{.}\right)*\left(x_{.}\right)\right]*\left(d_{.}\right)\right)^{\left(n_{.}\right)}*\left(\csc\left[\left(e_{.}\right)+\left(f_{.}\right)*\left(x_{.}\right)\right]*\left(b_{.}\right)+\left(a_{.}\right)\right)^{\left(m_{.}\right)}*\left(\csc\left[\left(e_{.}\right)+\left(f_{.}\right)*\left(x_{.}\right)\right]*\left(B_{.}\right)+\left(A_{.}\right)\right), x_{\text{Symbol}}\right] :> \text{Simp}\left[\left(d*\left(A*b-a*B\right)*\cot\left[e+f*x\right]*\left(a+b*\csc\left[e+f*x\right]\right)^m*\left(d*\csc\left[e+f*x\right]\right)^{\left(n-1\right)}\right)/\left(a*f*\left(2*m+1\right)\right), x\right] - \text{Dist}\left[1/\left(a*b*\left(2*m+1\right)\right), \text{Int}\left[\left(a+b*\csc\left[e+f*x\right]\right)^{\left(m+1\right)}*\left(d*\csc\left[e+f*x\right]\right)^{\left(n-1\right)}*\text{Simp}\left[A*\left(a*d*\left(n-1\right)\right)-B*\left(b*d*\left(n-1\right)\right)-d*\left(a*B*\left(m-n+1\right)+A*b*\left(m+n\right)\right)*\csc\left[e+f*x\right], x\right], x\right] /; \text{FreeQ}\left[\{a, b, d, e, f, A, B\}, x\right] \&\& \text{NeQ}\left[A*b-a*B, 0\right] \&\& \text{EqQ}\left[a^2-b^2, 0\right] \&\& \text{LtQ}\left[m, -2^{\left(-1\right)}\right] \&\& \text{GtQ}\left[n, 0\right]$

Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] :> Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] :> -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{(A + B \cos(c + dx)) \sec^3(c + dx)}{(a + a \cos(c + dx))^3} dx &= \int \frac{\sec^7(c + dx)(B + A \sec(c + dx))}{(a + a \sec(c + dx))^3} dx \\
 &= -\frac{(A - B) \sec^7(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \int \frac{\sec^5(c + dx) \left(-\frac{5}{2}a(A - B) + \frac{1}{2}a(11A - B) \sec(c + dx)\right)}{(a + a \sec(c + dx))^2} dx \\
 &= -\frac{(A - B) \sec^7(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(8A - 3B) \sec^5(c + dx) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \int \frac{\sec^3(c + dx) \left(-\frac{3}{2}a(A - B) + \frac{1}{2}a(11A - B) \sec(c + dx)\right)}{(a + a \sec(c + dx))} dx \\
 &= -\frac{(A - B) \sec^7(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(8A - 3B) \sec^5(c + dx) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{(A - B) \sec^3(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))} + \int \frac{\sec(c + dx) \left(-\frac{1}{2}a(A - B) + \frac{1}{2}a(11A - B) \sec(c + dx)\right)}{a} dx \\
 &= -\frac{(A - B) \sec^7(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(8A - 3B) \sec^5(c + dx) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{(A - B) \sec^3(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))} - \frac{(A - B) \sec(c + dx) \sin(c + dx)}{5d} + \frac{(49A - 9B) \sqrt{\sec(c + dx)} \sin(c + dx)}{10a^3d} \\
 &= -\frac{(A - B) \sec^7(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(8A - 3B) \sec^5(c + dx) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \frac{(A - B) \sec^3(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))} - \frac{(A - B) \sec(c + dx) \sin(c + dx)}{5d} + \frac{(49A - 9B) \sqrt{\sec(c + dx)} \sin(c + dx)}{10a^3d} \\
 &= -\frac{(13A - 3B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{6a^3d} + \frac{(49A - 9B) \sqrt{\sec(c + dx)} \sin(c + dx)}{10a^3d} \\
 &= -\frac{(49A - 9B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3d} - \frac{(13A - 3B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{6a^3d}
 \end{aligned}$$

**Mathematica [C]** time = 5.39708, size = 358, normalized size = 1.37

$$e^{-idx} \cos\left(\frac{1}{2}(c+dx)\right) \sqrt{\sec(c+dx)} \left(\cos\left(\frac{1}{2}(c+3dx)\right) + i \sin\left(\frac{1}{2}(c+3dx)\right)\right) \left(-i(49A-9B)e^{-2i(c+dx)} \sqrt{1+e^{2i(c+dx)}} (1+e^{i(c+dx)})\right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2))/(a + a\*Cos[c + d\*x])^3, x]

[Out] -(Cos[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]]\*(((-I)\*(49\*A - 9\*B)\*(1 + E^(I\*(c + d\*x))))^5\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))])/E^((2\*I)\*(c + d\*x)) + 160\*(13\*A - 3\*B)\*Cos[(c + d\*x)/2]^5\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*(Cos[(c + d\*x)/2] - I\*Sin[(c + d\*x)/2]) + (2\*I)\*(642\*A - 102\*B + (1082\*A - 207\*B)\*Cos[c + d\*x] + 6\*(87\*A - 17\*B)\*Cos[2\*(c + d\*x)] + 106\*A\*Cos[3\*(c + d\*x)] - 21\*B\*Cos[3\*(c + d\*x)] + (161\*I)\*A\*Sin[c + d\*x] - (6\*I)\*B\*Sin[c + d\*x] + (148\*I)\*A\*Sin[2\*(c + d\*x)] - (18\*I)\*B\*Sin[2\*(c + d\*x)] + (41\*I)\*A\*Sin[3\*(c + d\*x)] - (6\*I)\*B\*Sin[3\*(c + d\*x)]))\*(Cos[(c + 3\*d\*x)/2] + I\*Sin[(c + 3\*d\*x)/2]))/(120\*a^3\*d\*E^(I\*d\*x)\*(1 + Cos[c + d\*x])^3)

**Maple [B]** time = 4.529, size = 685, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+cos(d\*x+c)\*a)^3,x)

[Out] -1/60\*(-2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(65\*A\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-147\*A\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-15\*B\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+27\*B\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4+4\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(65\*A\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-147\*A\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-15\*B\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+27\*B\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)-2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(65\*A\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-147\*A\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-15\*B\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))+27\*B\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))\*cos(1/2\*d\*x+1/2\*c)+12\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(49\*A-9\*B)\*sin(1/2\*d\*x+1/2\*c)^8-2\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(817\*A-147\*B)\*sin(1/2\*d\*x+1/2\*c)^6+6\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(248\*A-43\*B)\*sin(1/2\*d\*x+1/2\*c)^4-(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(439\*A-69\*B)\*sin(1/2\*d\*x+1/2\*c)^2)/a^3/cos(1/2\*d\*x+1/2\*c)^5/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^3,x, algorithm
="maxima")
```

[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{a^3 \cos(dx + c)^3 + 3 a^3 \cos(dx + c)^2 + 3 a^3 \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^3,x, algorithm
="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(a^3*cos(d*x + c)^3 + 3*a^
3*cos(d*x + c)^2 + 3*a^3*cos(d*x + c) + a^3), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+a*cos(d*x+c))**3,x)
```

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^3,x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^3, x
)
```

$$3.488 \quad \int \frac{(A+B \cos(c+dx))\sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=222

$$-\frac{(9A+B)\sin(c+dx)\sqrt{\sec(c+dx)}}{10d(a^3 \sec(c+dx)+a^3)} + \frac{(3A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(9A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{10a^3}$$

[Out] ((9\*A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(10\*a^3\*d) + ((3\*A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(6\*a^3\*d) - ((A - B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(5\*d\*(a + a\*Sec[c + d\*x])^3) - ((6\*A - B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Sec[c + d\*x])^2) - ((9\*A + B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(10\*d\*(a^3 + a^3\*Sec[c + d\*x]))

**Rubi [A]** time = 0.581253, antiderivative size = 222, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2960, 4019, 3787, 3771, 2639, 2641}

$$-\frac{(9A+B)\sin(c+dx)\sqrt{\sec(c+dx)}}{10d(a^3 \sec(c+dx)+a^3)} + \frac{(3A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{6a^3d} + \frac{(9A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{10a^3}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]])/(a + a\*Cos[c + d\*x])^3, x]

[Out] ((9\*A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(10\*a^3\*d) + ((3\*A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(6\*a^3\*d) - ((A - B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(5\*d\*(a + a\*Sec[c + d\*x])^3) - ((6\*A - B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Sec[c + d\*x])^2) - ((9\*A + B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(10\*d\*(a^3 + a^3\*Sec[c + d\*x]))

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.))\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4019

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :> Simp[(d\*(A\*b - a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*(n - 1)) - B\*(b\*d\*(n - 1)) - d\*(a\*B\*(m - n + 1) + A\*b\*(m + n))\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[



$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

**Rule 3771**

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] \text{ :> Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

**Rule 2639**

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x\_Symbol] \text{ :> Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

**Rule 2641**

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x\_Symbol] \text{ :> Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

**Rubi steps**

$$\int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{(a + a \cos(c + dx))^3} dx = \int \frac{\sec^5(c + dx)(B + A \sec(c + dx))}{(a + a \sec(c + dx))^3} dx$$

$$= -\frac{(A - B) \sec^5(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{\int \frac{\sec^3(c + dx) \left(-\frac{3}{2}a(A - B) + \frac{1}{2}a(9A + B) \sec(c + dx)\right)}{(a + a \sec(c + dx))^2} dx}{5a^2}$$

$$= -\frac{(A - B) \sec^5(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(6A - B) \sec^3(c + dx) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \int \frac{\sec^3(c + dx) \left(-\frac{3}{2}a(A - B) + \frac{1}{2}a(9A + B) \sec(c + dx)\right)}{(a + a \sec(c + dx))^2} dx$$

$$= -\frac{(A - B) \sec^5(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(6A - B) \sec^3(c + dx) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \int \frac{\sec^3(c + dx) \left(-\frac{3}{2}a(A - B) + \frac{1}{2}a(9A + B) \sec(c + dx)\right)}{(a + a \sec(c + dx))^2} dx$$

$$= -\frac{(A - B) \sec^5(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(6A - B) \sec^3(c + dx) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \int \frac{\sec^3(c + dx) \left(-\frac{3}{2}a(A - B) + \frac{1}{2}a(9A + B) \sec(c + dx)\right)}{(a + a \sec(c + dx))^2} dx$$

$$= -\frac{(A - B) \sec^5(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(6A - B) \sec^3(c + dx) \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} - \int \frac{\sec^3(c + dx) \left(-\frac{3}{2}a(A - B) + \frac{1}{2}a(9A + B) \sec(c + dx)\right)}{(a + a \sec(c + dx))^2} dx$$

$$= \frac{(9A + B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)} - (3A + B)\sqrt{\cos(c + dx)}}{10a^3d} + \dots$$

**Mathematica [C]** time = 6.88651, size = 793, normalized size = 3.57

$$\frac{\cos^6\left(\frac{c}{2} + \frac{dx}{2}\right)\sqrt{\sec(c + dx)}\left(\frac{2\sec\left(\frac{c}{2}\right)\sec^5\left(\frac{c}{2} + \frac{dx}{2}\right)\left(A\sin\left(\frac{dx}{2}\right) - B\sin\left(\frac{dx}{2}\right)\right)}{5d} + \frac{4\sec\left(\frac{c}{2}\right)\sec^3\left(\frac{c}{2} + \frac{dx}{2}\right)\left(3A\sin\left(\frac{dx}{2}\right) + 2B\sin\left(\frac{dx}{2}\right)\right)}{15d} + \frac{2(A - B)\tan\left(\frac{c}{2}\right)}{5d}\right)}{(a \cos(c + dx))^3}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]])/(a + a\*Cos[c + d\*x])^3, x]

[Out] (-3\*Sqrt[2]\*A\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Cos[c/2 + (d\*x)/2]^6\*Csc[c/2]\*(-3\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])

$$\begin{aligned} & *x))] + E^{((2*I)*d*x)*(-1 + E^{((2*I)*c)})} * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, - \\ & E^{((2*I)*(c + d*x))}] * \text{Sec}[c/2] / (5*d * E^{(I*d*x)} * (a + a*\text{Cos}[c + d*x])^3) - (S \\ & \text{qrt}[2]*B*\text{Sqrt}[E^{(I*(c + d*x))} / (1 + E^{((2*I)*(c + d*x))})] * \text{Sqrt}[1 + E^{((2*I)*} \\ & (c + d*x))] * \text{Cos}[c/2 + (d*x)/2]^6 * \text{Csc}[c/2] * (-3*\text{Sqrt}[1 + E^{((2*I)*(c + d*x))}] \\ & + E^{((2*I)*d*x)} * (-1 + E^{((2*I)*c)}) * \text{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{((2 \\ & *I)*(c + d*x))}] * \text{Sec}[c/2] / (15*d * E^{(I*d*x)} * (a + a*\text{Cos}[c + d*x])^3) + (2*A*C \\ & \text{os}[c/2 + (d*x)/2]^6 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + d*x)/2, 2] * S \\ & \text{ec}[c/2] * \text{Sqrt}[\text{Sec}[c + d*x]] * \text{Sin}[c]) / (d * (a + a*\text{Cos}[c + d*x])^3) + (2*B*\text{Cos}[c/ \\ & 2 + (d*x)/2]^6 * \text{Sqrt}[\text{Cos}[c + d*x]] * \text{Csc}[c/2] * \text{EllipticF}[(c + d*x)/2, 2] * \text{Sec}[c/ \\ & 2] * \text{Sqrt}[\text{Sec}[c + d*x]] * \text{Sin}[c]) / (3*d * (a + a*\text{Cos}[c + d*x])^3) + (\text{Cos}[c/2 + (d* \\ & x)/2]^6 * \text{Sqrt}[\text{Sec}[c + d*x]] * ((-2*(9*A + B)*\text{Cos}[d*x] * \text{Csc}[c/2] * \text{Sec}[c/2]) / (5*d) \\ & + (2*\text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^5 * (A*\text{Sin}[(d*x)/2] - B*\text{Sin}[(d*x)/2]))) / (5*d) \\ & + (4*\text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2] * (3*A*\text{Sin}[(d*x)/2] + B*\text{Sin}[(d*x)/2])) / (3* \\ & d) + (4*\text{Sec}[c/2] * \text{Sec}[c/2 + (d*x)/2]^3 * (3*A*\text{Sin}[(d*x)/2] + 2*B*\text{Sin}[(d*x)/2]) \\ & ) / (15*d) + (4*(3*A + B)*\text{Tan}[c/2]) / (3*d) + (4*(3*A + 2*B)*\text{Sec}[c/2 + (d*x)/2] \\ & ^2 * \text{Tan}[c/2]) / (15*d) + (2*(A - B)*\text{Sec}[c/2 + (d*x)/2]^4 * \text{Tan}[c/2]) / (5*d)) / (a \\ & + a*\text{Cos}[c + d*x])^3 \end{aligned}$$

**Maple [A]** time = 3.971, size = 451, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+cos(d\*x+c)\*a)^3,x)

[Out]  $\frac{1}{60} * ((2*\cos(1/2*d*x+1/2*c))^2 - 1) * \sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (108*A*\cos(1/2*d*x+1/2*c)^8 - 30*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^5 + 54*A*\cos(1/2*d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 12*B*\cos(1/2*d*x+1/2*c)^8 - 10*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} * \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * \cos(1/2*d*x+1/2*c)^5 + 6*B*\cos(1/2*d*x+1/2*c)^5 * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (-2*\cos(1/2*d*x+1/2*c)^2 + 1)^{(1/2)} * \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 138*A*\cos(1/2*d*x+1/2*c)^6 - 22*B*\cos(1/2*d*x+1/2*c)^6 + 24*A*\cos(1/2*d*x+1/2*c)^4 + 6*B*\cos(1/2*d*x+1/2*c)^4 + 3*A*\cos(1/2*d*x+1/2*c)^2 + 7*B*\cos(1/2*d*x+1/2*c)^2 + 3*A - 3*B) / a^3 / \cos(1/2*d*x+1/2*c)^5 / (-2*\sin(1/2*d*x+1/2*c)^4 + \sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2 - 1)^{(1/2)} / d$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(sec(d\*x + c))/(a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{(a \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(sec(d\*x + c))/(a\*cos(d\*x + c) + a)^3, x)

$$3.489 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3 \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=216

$$\frac{(A+B) \sin(c+dx) \sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} + \frac{(A+B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3 d} + \frac{(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{10a^3 d}$$

[Out] ((A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(10\*a^3\*d) + ((A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(6\*a^3\*d) - ((A - B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(5\*d\*(a + a\*Sec[c + d\*x])^3) - ((4\*A + B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Sec[c + d\*x])^2) + ((A + B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(6\*d\*(a^3 + a^3\*Sec[c + d\*x]))

**Rubi [A]** time = 0.566247, antiderivative size = 216, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4019, 4020, 3787, 3771, 2639, 2641}

$$\frac{(A+B) \sin(c+dx) \sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} + \frac{(A+B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3 d} + \frac{(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{10a^3 d}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])^3\*Sqrt[Sec[c + d\*x]]), x]

[Out] ((A - B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(10\*a^3\*d) + ((A + B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(6\*a^3\*d) - ((A - B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(5\*d\*(a + a\*Sec[c + d\*x])^3) - ((4\*A + B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(15\*a\*d\*(a + a\*Sec[c + d\*x])^2) + ((A + B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(6\*d\*(a^3 + a^3\*Sec[c + d\*x]))

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.))\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4019

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :> Simp[(d\*(A\*b - a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 1))/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*(n - 1)) - B\*(b\*d\*(n - 1)) - d\*(a\*B\*(m - n + 1) + A\*b\*(m + n))\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

#### Rule 4020

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :> -Simp[(A\*b

- a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^n)/(b\*f\*(2\*m + 1)), x] - Dist[1/(a^2\*(2\*m + 1)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n\*Simp[b\*B\*n - a\*A\*(2\*m + n + 1) + (A\*b - a\*B)\*(m + n + 1)\*Csc[e + f\*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]

Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n\_\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^n\_, x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^3 \sqrt{\sec(c + dx)}} dx = \int \frac{\sec^3(c + dx)(B + A \sec(c + dx))}{(a + a \sec(c + dx))^3} dx$$

$$= -\frac{(A - B) \sec^3(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \int \frac{\sqrt{\sec(c + dx)} \left( -\frac{1}{2}a(A - B) + \frac{1}{2}a(7A + 3B) \sec(c + dx) \right)}{(a + a \sec(c + dx))^2} dx$$

$$= -\frac{(A - B) \sec^3(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(4A + B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \int \frac{\sqrt{\sec(c + dx)} \left( -\frac{1}{2}a(A - B) + \frac{1}{2}a(7A + 3B) \sec(c + dx) \right)}{(a + a \sec(c + dx))^2} dx$$

$$= -\frac{(A - B) \sec^3(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(4A + B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \int \frac{\sqrt{\sec(c + dx)} \left( -\frac{1}{2}a(A - B) + \frac{1}{2}a(7A + 3B) \sec(c + dx) \right)}{(a + a \sec(c + dx))^2} dx$$

$$= -\frac{(A - B) \sec^3(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(4A + B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \int \frac{\sqrt{\sec(c + dx)} \left( -\frac{1}{2}a(A - B) + \frac{1}{2}a(7A + 3B) \sec(c + dx) \right)}{(a + a \sec(c + dx))^2} dx$$

$$= -\frac{(A - B) \sec^3(c + dx) \sin(c + dx)}{5d(a + a \sec(c + dx))^3} - \frac{(4A + B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \int \frac{\sqrt{\sec(c + dx)} \left( -\frac{1}{2}a(A - B) + \frac{1}{2}a(7A + 3B) \sec(c + dx) \right)}{(a + a \sec(c + dx))^2} dx$$

$$= \frac{(A - B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3d} + \frac{(A + B) \sqrt{\cos(c + dx)}}{5ad}$$

**Mathematica [C]** time = 6.86473, size = 792, normalized size = 3.67

$$\cos^6\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{\sec(c + dx)} \left( -\frac{2 \sec\left(\frac{c}{2}\right) \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right) \left( A \sin\left(\frac{dx}{2}\right) - B \sin\left(\frac{dx}{2}\right) \right)}{5d} + \frac{4 \sec\left(\frac{c}{2}\right) \sec^3\left(\frac{c}{2} + \frac{dx}{2}\right) \left( 2A \sin\left(\frac{dx}{2}\right) - 7B \sin\left(\frac{dx}{2}\right) \right)}{15d} - \frac{2(A - B) \tan\left(\frac{c}{2}\right)}{5d} \right)$$

(a cos(c + dx))

Antiderivative was successfully verified.

[In] Integrate[(A + B\*cos[c + d\*x])/((a + a\*cos[c + d\*x])^3\*Sqrt[Sec[c + d\*x]]), x]

[Out] 
$$-(\sqrt{2} * A * \sqrt{E^{I(c + dx)} / (1 + E^{(2I)(c + dx)})}) * \sqrt{1 + E^{(2I)(c + dx)}} * \cos[c/2 + (dx)/2]^6 * \operatorname{Csc}[c/2] * (-3 * \sqrt{1 + E^{(2I)(c + dx)}}) + E^{(2I)dx} * (-1 + E^{(2I)c}) * \operatorname{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{(2I)(c + dx)}] * \operatorname{Sec}[c/2] / (15 * d * E^{I dx} * (a + a \cos[c + dx])^3) + (\sqrt{2} * B * \sqrt{E^{I(c + dx)} / (1 + E^{(2I)(c + dx)})}) * \sqrt{1 + E^{(2I)(c + dx)}} * \cos[c/2 + (dx)/2]^6 * \operatorname{Csc}[c/2] * (-3 * \sqrt{1 + E^{(2I)(c + dx)}}) + E^{(2I)dx} * (-1 + E^{(2I)c}) * \operatorname{Hypergeometric2F1}[1/2, 3/4, 7/4, -E^{(2I)(c + dx)}] * \operatorname{Sec}[c/2] / (15 * d * E^{I dx} * (a + a \cos[c + dx])^3) + (2 * A * \cos[c/2 + (dx)/2]^6 * \sqrt{\cos[c + dx]} * \operatorname{Csc}[c/2] * \operatorname{EllipticF}[(c + dx)/2, 2] * \operatorname{Sec}[c/2] * \sqrt{\operatorname{Sec}[c + dx]} * \sin[c]) / (3 * d * (a + a \cos[c + dx])^3) + (2 * B * \cos[c/2 + (dx)/2]^6 * \sqrt{\cos[c + dx]} * \operatorname{Csc}[c/2] * \operatorname{EllipticF}[(c + dx)/2, 2] * \operatorname{Sec}[c/2] * \sqrt{\operatorname{Sec}[c + dx]} * \sin[c]) / (3 * d * (a + a \cos[c + dx])^3) + (\cos[c/2 + (dx)/2]^6 * \sqrt{\operatorname{Sec}[c + dx]} * ((-2 * (A - B) * \cos[dx] * \operatorname{Csc}[c/2] * \operatorname{Sec}[c/2]) / (5 * d) + (4 * \operatorname{Sec}[c/2] * \operatorname{Sec}[c/2 + (dx)/2]^3 * (2 * A * \sin[(dx)/2] - 7 * B * \sin[(dx)/2])) / (15 * d) - (2 * \operatorname{Sec}[c/2] * \operatorname{Sec}[c/2 + (dx)/2]^5 * (A * \sin[(dx)/2] - B * \sin[(dx)/2])) / (5 * d) + (4 * \operatorname{Sec}[c/2] * \operatorname{Sec}[c/2 + (dx)/2] * (A * \sin[(dx)/2] + B * \sin[(dx)/2])) / (3 * d) + (4 * (A + B) * \tan[c/2]) / (3 * d) + (4 * (2 * A - 7 * B) * \operatorname{Sec}[c/2 + (dx)/2]^2 * \tan[c/2]) / (15 * d) - (2 * (A - B) * \operatorname{Sec}[c/2 + (dx)/2]^4 * \tan[c/2]) / (5 * d)) / (a + a \cos[c + dx])^3$$

**Maple [A]** time = 4.217, size = 451, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^3/sec(d\*x+c)^(1/2), x)

[Out] 
$$\frac{1}{60} * ((2 * \cos(1/2 * dx + 1/2 * c) - 1) * \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (12 * A * \cos(1/2 * dx + 1/2 * c)^8 - 10 * A * (\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * dx + 1/2 * c)^2 + 1)^{(1/2)} * \operatorname{EllipticF}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) * \cos(1/2 * dx + 1/2 * c)^5 + 6 * A * \cos(1/2 * dx + 1/2 * c)^5 * (\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * dx + 1/2 * c)^2 + 1)^{(1/2)} * \operatorname{EllipticE}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) - 12 * B * \cos(1/2 * dx + 1/2 * c)^8 - 10 * B * (\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * dx + 1/2 * c)^2 + 1)^{(1/2)} * \operatorname{EllipticF}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) * \cos(1/2 * dx + 1/2 * c)^5 - 6 * B * \cos(1/2 * dx + 1/2 * c)^5 * (\sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} * (-2 * \cos(1/2 * dx + 1/2 * c)^2 + 1)^{(1/2)} * \operatorname{EllipticE}(\cos(1/2 * dx + 1/2 * c), 2^{(1/2)}) - 22 * A * \cos(1/2 * dx + 1/2 * c)^6 + 2 * B * \cos(1/2 * dx + 1/2 * c)^6 + 6 * A * \cos(1/2 * dx + 1/2 * c)^4 + 24 * B * \cos(1/2 * dx + 1/2 * c)^4 + 7 * A * \cos(1/2 * dx + 1/2 * c)^2 - 17 * B * \cos(1/2 * dx + 1/2 * c)^2 - 3 * A + 3 * B) / a^3 / \cos(1/2 * dx + 1/2 * c)^5 / (-2 * \sin(1/2 * dx + 1/2 * c)^4 + \sin(1/2 * dx + 1/2 * c)^2)^{(1/2)} / \sin(1/2 * dx + 1/2 * c) / (2 * \cos(1/2 * dx + 1/2 * c)^2 - 1)^{(1/2)} / d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^3\*sqrt(sec(d\*x + c))), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{(a^3 \cos(dx + c)^3 + 3 a^3 \cos(dx + c)^2 + 3 a^3 \cos(dx + c) + a^3)\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)\*sqrt(sec(d\*x + c))), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^3\*sqrt(sec(d\*x + c))), x)

$$3.490 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3 \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=222

$$\frac{(A+3B) \sin(c+dx) \sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} + \frac{(A+3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3 d} - \frac{(A+9B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{10a^3 d}$$

[Out]  $-\left((A+9B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticE}\left[\frac{c+dx}{2}, 2\right] \sqrt{\sec(c+dx)}\right) / (10a^3 d) + \left((A+3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticF}\left[\frac{c+dx}{2}, 2\right] \sqrt{\sec(c+dx)}\right) / (6a^3 d) - \left((A-B) \sqrt{\sec(c+dx)} \sin(c+dx)\right) / (5d(a+a \sec(c+dx))^3) + \left((2A+3B) \sqrt{\sec(c+dx)} \sin(c+dx)\right) / (15a d(a+a \sec(c+dx))^2) + \left((A+3B) \sqrt{\sec(c+dx)} \sin(c+dx)\right) / (6d(a^3 + a^3 \sec(c+dx)))$

**Rubi [A]** time = 0.579967, antiderivative size = 222, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4019, 4020, 3787, 3771, 2639, 2641}

$$\frac{(A+3B) \sin(c+dx) \sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} + \frac{(A+3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3 d} - \frac{(A+9B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{10a^3 d}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(A+B \cos(c+dx)) / ((a+a \cos(c+dx))^3 \sec(c+dx)^{(3/2)}), x]$

[Out]  $-\left((A+9B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticE}\left[\frac{c+dx}{2}, 2\right] \sqrt{\sec(c+dx)}\right) / (10a^3 d) + \left((A+3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \operatorname{EllipticF}\left[\frac{c+dx}{2}, 2\right] \sqrt{\sec(c+dx)}\right) / (6a^3 d) - \left((A-B) \sqrt{\sec(c+dx)} \sin(c+dx)\right) / (5d(a+a \sec(c+dx))^3) + \left((2A+3B) \sqrt{\sec(c+dx)} \sin(c+dx)\right) / (15a d(a+a \sec(c+dx))^2) + \left((A+3B) \sqrt{\sec(c+dx)} \sin(c+dx)\right) / (6d(a^3 + a^3 \sec(c+dx)))$

#### Rule 2960

$\operatorname{Int}[(\csc(e_.) + (f_.) \cdot (x_)) \cdot (g_.)^{\cdot (p_.)} \cdot ((a_.) + (b_.) \cdot \sin(e_.) + (f_.) \cdot (x_)))^{\cdot (m_.)} \cdot ((c_.) + (d_.) \cdot \sin(e_.) + (f_.) \cdot (x_)))^{\cdot (n_.)}, x\_Symbol] \rightarrow \operatorname{Dist}[g^{\cdot (m+n)}, \operatorname{Int}[(g \cdot \csc[e + f \cdot x])^{\cdot (p-m-n)} \cdot (b + a \cdot \csc[e + f \cdot x])^{\cdot m} \cdot (d + c \cdot \csc[e + f \cdot x])^{\cdot n}, x], x] /;$  FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b \cdot c - a \cdot d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4019

$\operatorname{Int}[(\csc(e_.) + (f_.) \cdot (x_)) \cdot (d_.)^{\cdot (n_.)} \cdot (\csc(e_.) + (f_.) \cdot (x_)) \cdot (b_.) + (a_.)^{\cdot (m_.)} \cdot (\csc(e_.) + (f_.) \cdot (x_)) \cdot (B_.) + (A_.)], x\_Symbol] \rightarrow \operatorname{Simp}[(d \cdot (A \cdot b - a \cdot B) \cdot \cot[e + f \cdot x] \cdot (a + b \cdot \csc[e + f \cdot x])^{\cdot m} \cdot (d \cdot \csc[e + f \cdot x])^{\cdot (n-1)}) / (a \cdot f \cdot (2 \cdot m + 1)), x] - \operatorname{Dist}[1 / (a \cdot b \cdot (2 \cdot m + 1)), \operatorname{Int}[(a + b \cdot \csc[e + f \cdot x])^{\cdot (m+1)} \cdot (d \cdot \csc[e + f \cdot x])^{\cdot (n-1)} \cdot \operatorname{Simp}[A \cdot (a \cdot d \cdot (n-1)) - B \cdot (b \cdot d \cdot (n-1)) - d \cdot (a \cdot B \cdot (m-n+1) + A \cdot b \cdot (m+n)) \cdot \csc[e + f \cdot x], x], x], x] /;$  FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A \cdot b - a \cdot B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0]

#### Rule 4020



```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[((A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(b*f*(2*m +
1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e
+ f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e +
f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0
] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

#### Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

#### Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

#### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^3 \sec^{\frac{3}{2}}(c + dx)} dx &= \int \frac{\sqrt{\sec(c + dx)}(B + A \sec(c + dx))}{(a + a \sec(c + dx))^3} dx \\
&= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{\int \frac{\frac{1}{2}a(A-B) + \frac{5}{2}a(A+B)\sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^2} dx}{5a^2} \\
&= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(2A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} \\
&= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(2A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \\
&= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(2A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \\
&= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(2A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \\
&= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(2A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \\
&= -\frac{(A + 9B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3d} + \frac{(A + 3B)\sqrt{\cos(c + dx)}}{10a^3d}
\end{aligned}$$

**Mathematica [C]** time = 6.95649, size = 793, normalized size = 3.57

$$\cos^6\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{\sec(c+dx)} \left( \frac{2 \sec\left(\frac{c}{2}\right) \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right) \left(A \sin\left(\frac{dx}{2}\right) - B \sin\left(\frac{dx}{2}\right)\right)}{5d} - \frac{4 \sec\left(\frac{c}{2}\right) \sec^3\left(\frac{c}{2} + \frac{dx}{2}\right) \left(7A \sin\left(\frac{dx}{2}\right) - 12B \sin\left(\frac{dx}{2}\right)\right)}{15d} + \frac{2(A-B) \tan\left(\frac{c}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right)}{5d} \right)$$


---

(a cos(c + d

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(3/2)), x]

[Out] (Sqrt[2]\*A\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Cos[c/2 + (d\*x)/2]^6\*Csc[c/2]\*(-3\*Sqrt[1 + E^((2\*I)\*(c + d\*x))] + E^((2\*I)\*d\*x)\*(-1 + E^((2\*I)\*c))\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))])\*Sec[c/2])/(15\*d\*E^(I\*d\*x)\*(a + a\*Cos[c + d\*x])^3) + (3\*Sqrt[2]\*B\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Cos[c/2 + (d\*x)/2]^6\*Csc[c/2]\*(-3\*Sqrt[1 + E^((2\*I)\*(c + d\*x))] + E^((2\*I)\*d\*x)\*(-1 + E^((2\*I)\*c))\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))])\*Sec[c/2])/(5\*d\*E^(I\*d\*x)\*(a + a\*Cos[c + d\*x])^3) + (2\*A\*Cos[c/2 + (d\*x)/2]^6\*Sqrt[Cos[c + d\*x]]\*Csc[c/2]\*EllipticF[(c + d\*x)/2, 2]\*Sec[c/2]\*Sqrt[Sec[c + d\*x]]\*Sin[c])/(3\*d\*(a + a\*Cos[c + d\*x])^3) + (2\*B\*Cos[c/2 + (d\*x)/2]^6\*Sqrt[Cos[c + d\*x]]\*Csc[c/2]\*EllipticF[(c + d\*x)/2, 2]\*Sec[c/2]\*Sqrt[Sec[c + d\*x]]\*Sin[c])/(d\*(a + a\*Cos[c + d\*x])^3) + (Cos[c/2 + (d\*x)/2]^6\*Sqrt[Sec[c + d\*x]]\*((2\*(A + 9\*B)\*Cos[d\*x]\*Csc[c/2]\*Sec[c/2])/(5\*d) - (4\*Sec[c/2]\*Sec[c/2 + (d\*x)/2]^3\*(7\*A\*Sin[(d\*x)/2] - 12\*B\*Sin[(d\*x)/2]))/(15\*d) + (4\*Sec[c/2]\*Sec[c/2 + (d\*x)/2]\*(A\*Sin[(d\*x)/2] - 9\*B\*Sin[(d\*x)/2]))/(3\*d) + (2\*Sec[c/2]\*Sec[c/2 + (d\*x)/2]^5\*(A\*Sin[(d\*x)/2] - B\*Sin[(d\*x)/2]))/(5\*d) + (4\*(A - 9\*B)\*Tan[c/2])/(3\*d) - (4\*(7\*A - 12\*B)\*Sec[c/2 + (d\*x)/2]^2\*Tan[c/2])/(15\*d) + (2\*(A - B)\*Sec[c/2 + (d\*x)/2]^4\*Tan[c/2])/(5\*d)))/(a + a\*Cos[c + d\*x])^3

**Maple [A]** time = 3.7, size = 451, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^3/sec(d\*x+c)^(3/2), x)

[Out] -1/60\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(12\*A\*cos(1/2\*d\*x+1/2\*c)^8+10\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^5+6\*A\*cos(1/2\*d\*x+1/2\*c)^5\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+108\*B\*cos(1/2\*d\*x+1/2\*c)^8+30\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^5+54\*B\*cos(1/2\*d\*x+1/2\*c)^5\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-2\*A\*cos(1/2\*d\*x+1/2\*c)^6-198\*B\*cos(1/2\*d\*x+1/2\*c)^6-24\*A\*cos(1/2\*d\*x+1/2\*c)^4+114\*B\*cos(1/2\*d\*x+1/2\*c)^4+17\*A\*cos(1/2\*d\*x+1/2\*c)^2-27\*B\*cos(1/2\*d\*x+1/2\*c)^2-3\*A+3\*B)/a^3/cos(1/2\*d\*x+1/2\*c)^5/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(3/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{B \cos(dx + c) + A}{(a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3) \sec(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)\*sec(d\*x + c)^(3/2)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*3/sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(3/2)), x)

$$3.491 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3 \sec^{\frac{5}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=228

$$\frac{(3A-13B) \sin(c+dx) \sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} + \frac{(3A-13B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3 d} - \frac{(9A-49B) \sqrt{\cos(c+dx)}}{6a^3 d}$$

[Out]  $-\left(\left(9A-49B\right) \sqrt{\cos [c+d x]} \operatorname{EllipticE}\left[\left(c+d x\right) / 2, 2\right] \sqrt{\sec [c+d x]}\right) / \left(10 a^3 d\right)+\left(\left(3 A-13 B\right) \sqrt{\cos [c+d x]} \operatorname{EllipticF}\left[\left(c+d x\right) / 2, 2\right] \sqrt{\sec [c+d x]}\right) / \left(6 a^3 d\right)+\left(\left(A-B\right) \sqrt{\sec [c+d x]} \sin [c+d x]\right) / \left(5 d\left(a+a \sec [c+d x]\right)^3\right)+\left(\left(3 A-8 B\right) \sqrt{\sec [c+d x]} \sin [c+d x]\right) / \left(15 a d\left(a+a \sec [c+d x]\right)^2\right)+\left(\left(3 A-13 B\right) \sqrt{\sec [c+d x]} \sin [c+d x]\right) / \left(6 d\left(a^3+a^3 \sec [c+d x]\right)\right)$

**Rubi [A]** time = 0.576693, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2960, 4020, 3787, 3771, 2639, 2641}

$$\frac{(3A-13B) \sin(c+dx) \sqrt{\sec(c+dx)}}{6d(a^3 \sec(c+dx) + a^3)} + \frac{(3A-13B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{6a^3 d} - \frac{(9A-49B) \sqrt{\cos(c+dx)}}{6a^3 d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A+B \cos [c+d x]) / ((a+a \cos [c+d x])^3 \sec [c+d x]^{(5 / 2)}), x]$

[Out]  $-\left(\left(9 A-49 B\right) \sqrt{\cos [c+d x]} \operatorname{EllipticE}\left[\left(c+d x\right) / 2, 2\right] \sqrt{\sec [c+d x]}\right) / \left(10 a^3 d\right)+\left(\left(3 A-13 B\right) \sqrt{\cos [c+d x]} \operatorname{EllipticF}\left[\left(c+d x\right) / 2, 2\right] \sqrt{\sec [c+d x]}\right) / \left(6 a^3 d\right)+\left(\left(A-B\right) \sqrt{\sec [c+d x]} \sin [c+d x]\right) / \left(5 d\left(a+a \sec [c+d x]\right)^3\right)+\left(\left(3 A-8 B\right) \sqrt{\sec [c+d x]} \sin [c+d x]\right) / \left(15 a d\left(a+a \sec [c+d x]\right)^2\right)+\left(\left(3 A-13 B\right) \sqrt{\sec [c+d x]} \sin [c+d x]\right) / \left(6 d\left(a^3+a^3 \sec [c+d x]\right)\right)$

#### Rule 2960

$\text{Int}[(\csc [e_.] + (f_.) (x_)] (g_.)^{(p_.)} ((a_.) + (b_.) \sin [e_.] + (f_.) (x_))]^{(m_.)} ((c_.) + (d_.) \sin [e_.] + (f_.) (x_))]^{(n_.)}, x_{\text{Symbol}}] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g \csc [e+f x])^{(p-m-n)} (b+a \csc [e+f x])^m (d+c \csc [e+f x])^n, x], x] / ; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

#### Rule 4020

$\text{Int}[(\csc [e_.] + (f_.) (x_)] (d_.)^{(n_.)} (\csc [e_.] + (f_.) (x_)] (b_.) + (a_.)^{(m_.)} (\csc [e_.] + (f_.) (x_)] (B_.) + (A_.)], x_{\text{Symbol}}] \rightarrow -\text{Simp}[(A*b - a*B) \cot [e+f x] (a+b \csc [e+f x])^m (d \csc [e+f x])^n] / (b*f*(2*m+1)), x] - \text{Dist}[1/(a^2*(2*m+1)), \text{Int}[(a+b \csc [e+f x])^{(m+1)} (d \csc [e+f x])^n \text{Simp}[b*B*n - a*A*(2*m+n+1) + (A*b - a*B)*(m+n+1) \csc [e+f x], x], x], x] / ; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{!GtQ}[n, 0]$

#### Rule 3787

$\text{Int}[(\csc [e_.] + (f_.) (x_)] (d_.)^{(n_.)} (\csc [e_.] + (f_.) (x_)] (b_.) + (a_.)], x_{\text{Symbol}}] \rightarrow \text{Dist}[a, \text{Int}[(d \csc [e+f x])^n, x], x] + \text{Dist}[b/d, \text{Int}[\csc [e+f x], x], x]$

$(d*\text{Csc}[e + f*x])^{(n + 1)}, x, x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

### Rule 3771

$\text{Int}[(\text{csc}[c_.] + (d_.)*(x_))* (b_.)^{(n_)}, x\_Symbol] :> \text{Dist}[(b*\text{Csc}[c + d*x])^{n*} \text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

### Rule 2639

$\text{Int}[\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x\_Symbol] :> \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

### Rule 2641

$\text{Int}[1/\text{Sqrt}[\sin[(c_.) + (d_.)*(x_)]], x\_Symbol] :> \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^3 \sec^{\frac{5}{2}}(c + dx)} dx &= \int \frac{B + A \sec(c + dx)}{\sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} dx \\ &= \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \int \frac{-\frac{1}{2}a(A-11B) + \frac{5}{2}a(A-B)\sec(c+dx)}{\sqrt{\sec(c+dx)}(a+a \sec(c+dx))^2} dx \\ &= \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(3A - 8B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \int \frac{3A - 8B}{15ad} dx \\ &= \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(3A - 8B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{(3A - 8B)x}{15ad} \\ &= \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(3A - 8B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{(3A - 8B)x}{15ad} \\ &= \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(3A - 8B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{(3A - 8B)x}{15ad} \\ &= \frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{5d(a + a \sec(c + dx))^3} + \frac{(3A - 8B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15ad(a + a \sec(c + dx))^2} + \frac{(3A - 8B)x}{15ad} \\ &= -\frac{(9A - 49B)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3d} + \frac{(3A - 13B)\sqrt{\cos(c + dx)}}{10a^3d} \end{aligned}$$

**Mathematica [C]** time = 7.10992, size = 817, normalized size = 3.58

$$\frac{3\sqrt{2}Ae^{-idx} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \csc\left(\frac{c}{2}\right) \left( e^{2idx} (-1+e^{2ic}) {}_2F_1\left(\frac{1}{2}, \frac{3}{4}; \frac{7}{4}; -e^{2i(c+dx)}\right) - 3\sqrt{1+e^{2i(c+dx)}} \right) \sec\left(\frac{c}{2}\right) \cos^6\left(\frac{c}{2}\right)}{5d(\cos(c+dx)a+a)^3}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(5/2)), x]

[Out] (3\*Sqrt[2]\*A\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Cos[c/2 + (d\*x)/2]^6\*Csc[c/2]\*(-3\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])

$$\begin{aligned} & x)) + E^{((2*I)*d*x)*(-1 + E^{((2*I)*c)})*Hypergeometric2F1[1/2, 3/4, 7/4, -E^{((2*I)*(c + d*x))}]*Sec[c/2]}/(5*d*E^{(I*d*x)*(a + a*\cos[c + d*x])^3} - (49 \\ & *Sqrt[2]*B*Sqrt[E^{(I*(c + d*x))}/(1 + E^{((2*I)*(c + d*x))})*Sqrt[1 + E^{((2*I) \\ & )*(c + d*x)}]*\cos[c/2 + (d*x)/2]^6*\csc[c/2]*(-3*Sqrt[1 + E^{((2*I)*(c + d*x) \\ & )}] + E^{((2*I)*d*x)*(-1 + E^{((2*I)*c)})*Hypergeometric2F1[1/2, 3/4, 7/4, -E^{( \\ & (2*I)*(c + d*x))}]*Sec[c/2]}/(15*d*E^{(I*d*x)*(a + a*\cos[c + d*x])^3} + (2*A \\ & *\cos[c/2 + (d*x)/2]^6*Sqrt[\cos[c + d*x]]*\csc[c/2]*EllipticF[(c + d*x)/2, 2] \\ & *Sec[c/2]*Sqrt[Sec[c + d*x]]*\sin[c])/(d*(a + a*\cos[c + d*x])^3} - (26*B*\cos \\ & [c/2 + (d*x)/2]^6*Sqrt[\cos[c + d*x]]*\csc[c/2]*EllipticF[(c + d*x)/2, 2]*Sec \\ & [c/2]*Sqrt[Sec[c + d*x]]*\sin[c])/(3*d*(a + a*\cos[c + d*x])^3} + (\cos[c/2 + \\ & (d*x)/2]^6*Sqrt[Sec[c + d*x]]*((-2*(-9*A + 39*B + 10*B*\cos[2*c])*Cos[d*x]*C \\ & sc[c/2]*Sec[c/2])/(5*d) - (4*Sec[c/2]*Sec[c/2 + (d*x)/2]*(9*A*\sin[(d*x)/2] \\ & - 23*B*\sin[(d*x)/2]))/(3*d) + (4*Sec[c/2]*Sec[c/2 + (d*x)/2]^3*(12*A*\sin[(d \\ & *x)/2] - 17*B*\sin[(d*x)/2]))/(15*d) - (2*Sec[c/2]*Sec[c/2 + (d*x)/2]^5*(A*S \\ & in[(d*x)/2] - B*\sin[(d*x)/2]))/(5*d) + (16*B*\cos[c]*\sin[d*x])/d - (4*(9*A - \\ & 23*B)*\tan[c/2])/(3*d) + (4*(12*A - 17*B)*Sec[c/2 + (d*x)/2]^2*\tan[c/2])/(1 \\ & 5*d) - (2*(A - B)*Sec[c/2 + (d*x)/2]^4*\tan[c/2])/(5*d)))/(a + a*\cos[c + d*x \\ & ])^3 \end{aligned}$$

**Maple [A]** time = 3.719, size = 451, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^3/sec(d\*x+c)^(5/2),x)

[Out] 
$$\begin{aligned} & -1/60*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(108*A*\cos(1/ \\ & 2*d*x+1/2*c)^8+30*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1 \\ & )^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^5+54*A*\cos \\ & (1/2*d*x+1/2*c)^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{ \\ & (1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-348*B*\cos(1/2*d*x+1/2*c)^8-130* \\ & B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticF( \\ & \cos(1/2*d*x+1/2*c),2^{(1/2)})*\cos(1/2*d*x+1/2*c)^5-294*B*\cos(1/2*d*x+1/2*c)^5 \\ & *(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}*EllipticE(c \\ & os(1/2*d*x+1/2*c),2^{(1/2)})-198*A*\cos(1/2*d*x+1/2*c)^6+578*B*\cos(1/2*d*x+1/2 \\ & *c)^6+114*A*\cos(1/2*d*x+1/2*c)^4-264*B*\cos(1/2*d*x+1/2*c)^4-27*A*\cos(1/2*d* \\ & x+1/2*c)^2+37*B*\cos(1/2*d*x+1/2*c)^2+3*A-3*B)/a^3/\cos(1/2*d*x+1/2*c)^5/(-2* \\ & \sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos( \\ & 1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{B \cos(dx + c) + A}{(a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3) \sec(dx + c)^{\frac{5}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)\*sec(d\*x + c)^(5/2)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*3/sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(5/2)), x)

$$3.492 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^3 \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=259

$$-\frac{(13A-33B)\sin(c+dx)}{6a^3d\sqrt{\sec(c+dx)}} + \frac{7(7A-17B)\sin(c+dx)}{30d\sqrt{\sec(c+dx)}(a^3\sec(c+dx)+a^3)} - \frac{(13A-33B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\right)}{6a^3d}$$

```
[Out] (7*(7*A - 17*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) - ((13*A - 33*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) - ((13*A - 33*B)*Sin[c + d*x])/(6*a^3*d*Sqrt[Sec[c + d*x]]) + ((A - B)*Sin[c + d*x])/(5*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^3) + ((A - 2*B)*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2) + (7*(7*A - 17*B)*Sin[c + d*x])/(30*d*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x]))
```

**Rubi [A]** time = 0.623547, antiderivative size = 259, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4020, 3787, 3769, 3771, 2641, 2639}

$$-\frac{(13A-33B)\sin(c+dx)}{6a^3d\sqrt{\sec(c+dx)}} + \frac{7(7A-17B)\sin(c+dx)}{30d\sqrt{\sec(c+dx)}(a^3\sec(c+dx)+a^3)} - \frac{(13A-33B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\right)}{6a^3d}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^3*Sec[c + d*x]^(7/2)), x]
```

```
[Out] (7*(7*A - 17*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(10*a^3*d) - ((13*A - 33*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(6*a^3*d) - ((13*A - 33*B)*Sin[c + d*x])/(6*a^3*d*Sqrt[Sec[c + d*x]]) + ((A - B)*Sin[c + d*x])/(5*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^3) + ((A - 2*B)*Sin[c + d*x])/(3*a*d*Sqrt[Sec[c + d*x]]*(a + a*Sec[c + d*x])^2) + (7*(7*A - 17*B)*Sin[c + d*x])/(30*d*Sqrt[Sec[c + d*x]]*(a^3 + a^3*Sec[c + d*x]))
```

#### Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

#### Rule 4020

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.), x_Symbol] :> -Simp[(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n]/(b*f*(2*m + 1)), x] - Dist[1/(a^2*(2*m + 1)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[b*B*n - a*A*(2*m + n + 1) + (A*b - a*B)*(m + n + 1)*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && EqQ[a^2 - b^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0]
```

#### Rule 3787



Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^3 \sec^2(c + dx)} dx &= \int \frac{B + A \sec(c + dx)}{\sec^2(c + dx)(a + a \sec(c + dx))^3} dx \\
 &= \frac{(A - B) \sin(c + dx)}{5d \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} + \frac{\int \frac{-\frac{1}{2}a(3A-13B) + \frac{7}{2}a(A-B) \sec(c+dx)}{\sec^2(c+dx)(a+a \sec(c+dx))^2} dx}{5a^2} \\
 &= \frac{(A - B) \sin(c + dx)}{5d \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} + \frac{(A - 2B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} \\
 &= \frac{(A - B) \sin(c + dx)}{5d \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} + \frac{(A - 2B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} \\
 &= \frac{(A - B) \sin(c + dx)}{5d \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} + \frac{(A - 2B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^2} \\
 &= -\frac{(13A - 33B) \sin(c + dx)}{6a^3 d \sqrt{\sec(c + dx)}} + \frac{(A - B) \sin(c + dx)}{5d \sqrt{\sec(c + dx)}(a + a \sec(c + dx))^3} + \frac{(A - 2B) \sin(c + dx)}{3ad \sqrt{\sec(c + dx)}} \\
 &= \frac{7(7A - 17B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3 d} - \frac{(13A - 33B) \sin(c + dx)}{6a^3 d \sqrt{\sec(c + dx)}} \\
 &= \frac{7(7A - 17B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{10a^3 d} - \frac{(13A - 33B) \sqrt{\cos(c + dx)}}{6a^3 d}
 \end{aligned}$$

**Mathematica [C]** time = 4.55882, size = 589, normalized size = 2.27

$$\cos^6\left(\frac{1}{2}(c+dx)\right)\left(-\frac{\csc\left(\frac{c}{2}\right)\sec\left(\frac{c}{2}\right)\sec^5\left(\frac{1}{2}(c+dx)\right)\left((806A-1961B)\cos\left(\frac{1}{2}(c-dx)\right)+(664A-1609B)\cos\left(\frac{1}{2}(3c+dx)\right)+470A\cos\left(\frac{1}{2}(c+3dx)\right)+265A\cos\left(\frac{1}{2}(5c+3dx)\right)\right)}{\dots}\right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(7/2)), x]

[Out] (Cos[(c + d\*x)/2]^6\*((-98\*Sqrt[2]\*A\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Csc[c]\*(-3\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]) + E^((2\*I)\*d\*x)\*(-1 + E^((2\*I)\*c))\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))])/E^(I\*d\*x) + (238\*Sqrt[2]\*B\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*Csc[c]\*(-3\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]) + E^((2\*I)\*d\*x)\*(-1 + E^((2\*I)\*c))\*Hypergeometric2F1[1/2, 3/4, 7/4, -E^((2\*I)\*(c + d\*x))])/E^(I\*d\*x) - (((806\*A - 1961\*B)\*Cos[(c - d\*x)/2] + (664\*A - 1609\*B)\*Cos[(3\*c + d\*x)/2] + 470\*A\*Cos[(c + 3\*d\*x)/2] - 1165\*B\*Cos[(c + 3\*d\*x)/2] + 265\*A\*Cos[(5\*c + 3\*d\*x)/2] - 620\*B\*Cos[(5\*c + 3\*d\*x)/2] + 117\*A\*Cos[(3\*c + 5\*d\*x)/2] - 292\*B\*Cos[(3\*c + 5\*d\*x)/2] + 30\*A\*Cos[(7\*c + 5\*d\*x)/2] - 65\*B\*Cos[(7\*c + 5\*d\*x)/2] - 5\*B\*Cos[(5\*c + 7\*d\*x)/2] + 5\*B\*Cos[(9\*c + 7\*d\*x)/2])\*Csc[c/2]\*Sec[c/2]\*Sec[(c + d\*x)/2]^5)/(8\*Sqrt[Sec[c + d\*x]]) - 260\*A\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]] + 660\*B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]))/((15\*a^3\*d\*(1 + Cos[c + d\*x])^3)

**Maple [A]** time = 3.979, size = 465, normalized size = 1.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^3/sec(d\*x+c)^(7/2), x)

[Out] 1/60\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-160\*B\*cos(1/2\*d\*x+1/2\*c)^10+348\*A\*cos(1/2\*d\*x+1/2\*c)^8+130\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^5+294\*A\*cos(1/2\*d\*x+1/2\*c)^5\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-468\*B\*cos(1/2\*d\*x+1/2\*c)^8-330\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*cos(1/2\*d\*x+1/2\*c)^5-714\*B\*cos(1/2\*d\*x+1/2\*c)^5\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-578\*A\*cos(1/2\*d\*x+1/2\*c)^6+1058\*B\*cos(1/2\*d\*x+1/2\*c)^6+264\*A\*cos(1/2\*d\*x+1/2\*c)^4-474\*B\*cos(1/2\*d\*x+1/2\*c)^4-37\*A\*cos(1/2\*d\*x+1/2\*c)^2+47\*B\*cos(1/2\*d\*x+1/2\*c)^2+3\*A-3\*B)/a^3/cos(1/2\*d\*x+1/2\*c)^5/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{B \cos(dx + c) + A}{(a^3 \cos(dx + c)^3 + 3a^3 \cos(dx + c)^2 + 3a^3 \cos(dx + c) + a^3) \sec(dx + c)^{\frac{7}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/((a^3\*cos(d\*x + c)^3 + 3\*a^3\*cos(d\*x + c)^2 + 3\*a^3\*cos(d\*x + c) + a^3)\*sec(d\*x + c)^(7/2)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^3/sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(7/2)), x)

$$3.493 \quad \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{11}{2}}(c + dx) dx$$

**Optimal.** Leaf size=220

$$\frac{2a(8A + 9B) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{63d\sqrt{a \cos(c + dx) + a}} + \frac{4a(8A + 9B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{16a(8A + 9B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{315d\sqrt{a \cos(c + dx) + a}}$$

[Out] (32\*a\*(8\*A + 9\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(315\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (16\*a\*(8\*A + 9\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(315\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (4\*a\*(8\*A + 9\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*(8\*A + 9\*B)\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(63\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sec[c + d\*x]^(9/2)\*Sin[c + d\*x])/(9\*d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.486495, antiderivative size = 220, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2961, 2980, 2772, 2771}

$$\frac{2a(8A + 9B) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{63d\sqrt{a \cos(c + dx) + a}} + \frac{4a(8A + 9B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{16a(8A + 9B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{315d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(11/2), x]

[Out] (32\*a\*(8\*A + 9\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(315\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (16\*a\*(8\*A + 9\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(315\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (4\*a\*(8\*A + 9\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*(8\*A + 9\*B)\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(63\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sec[c + d\*x]^(9/2)\*Sin[c + d\*x])/(9\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2980

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 2772

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]
```

Rule 2771

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\int \sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) \sec^{\frac{11}{2}}(c + dx) dx = (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{\sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) \sec^{\frac{11}{2}}(c + dx)}{\cos^{\frac{11}{2}}(c + dx)} dx$$

$$= \frac{2aA \sec^{\frac{9}{2}}(c + dx) \sin(c + dx)}{9d\sqrt{a + a \cos(c + dx)}} + \frac{1}{9} ((8A + 9B)\sqrt{\cos(c + dx)} \sec^{\frac{9}{2}}(c + dx) \sin(c + dx))$$

$$= \frac{2a(8A + 9B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{63d\sqrt{a + a \cos(c + dx)}} + \frac{2aA \sec^{\frac{9}{2}}(c + dx) \sin(c + dx)}{9d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{4a(8A + 9B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{2a(8A + 9B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{63d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{16a(8A + 9B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{315d\sqrt{a + a \cos(c + dx)}} + \frac{4a(8A + 9B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{32a(8A + 9B)\sqrt{\sec(c + dx)} \sin(c + dx)}{315d\sqrt{a + a \cos(c + dx)}} + \frac{16a(8A + 9B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{315d\sqrt{a + a \cos(c + dx)}}$$

**Mathematica [A]** time = 0.537771, size = 124, normalized size = 0.56

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{9}{2}}(c + dx) \sqrt{a(\cos(c + dx) + 1)}(11(8A + 9B) \cos(c + dx) + 11(8A + 9B) \cos(2(c + dx)) + 16A \cos(3(c + dx)))}{315d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(11/2), x]
```

```
[Out] (2*Sqrt[a*(1 + Cos[c + d*x])]*(107*A + 81*B + 11*(8*A + 9*B)*Cos[c + d*x] + 11*(8*A + 9*B)*Cos[2*(c + d*x)] + 16*A*Cos[3*(c + d*x)] + 18*B*Cos[3*(c + d*x)] + 16*A*Cos[4*(c + d*x)] + 18*B*Cos[4*(c + d*x)])*Sec[c + d*x]^(9/2)*Tan[(c + d*x)/2])/(315*d)
```

**Maple [A]** time = 0.802, size = 138, normalized size = 0.6

$$\frac{(-2 + 2 \cos(dx + c)) (128 A (\cos(dx + c))^4 + 144 B (\cos(dx + c))^4 + 64 A (\cos(dx + c))^3 + 72 B (\cos(dx + c))^3 + 48 A (\cos(dx + c))^2 + 72 B (\cos(dx + c))^2 + 48 A \cos(dx + c) + 48 B)}{315 d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*sec(d*x+c)^(11/2)*(a+cos(d*x+c)*a)^(1/2),x)`

[Out] 
$$-2/315/d*(-1+\cos(d*x+c))*(128*A*\cos(d*x+c)^4+144*B*\cos(d*x+c)^4+64*A*\cos(d*x+c)^3+72*B*\cos(d*x+c)^3+48*A*\cos(d*x+c)^2+54*B*\cos(d*x+c)^2+40*A*\cos(d*x+c)+45*B*\cos(d*x+c)+35*A)*\cos(d*x+c)*(1/\cos(d*x+c))^(11/2)*(a*(1+\cos(d*x+c)))^(1/2)/\sin(d*x+c)$$

**Maxima [B]** time = 1.98382, size = 890, normalized size = 4.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^(11/2)*(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] 
$$\frac{2/315*(A*(315*\sqrt{2}*\sqrt{a}*\sin(d*x+c)/(\cos(d*x+c)+1) - 735*\sqrt{2}*\sqrt{a}*\sin(d*x+c)^3/(\cos(d*x+c)+1)^3 + 1302*\sqrt{2}*\sqrt{a}*\sin(d*x+c)^5/(\cos(d*x+c)+1)^5 - 1206*\sqrt{2}*\sqrt{a}*\sin(d*x+c)^7/(\cos(d*x+c)+1)^7 + 431*\sqrt{2}*\sqrt{a}*\sin(d*x+c)^9/(\cos(d*x+c)+1)^9 - 107*\sqrt{2}*\sqrt{a}*\sin(d*x+c)^{11}/(\cos(d*x+c)+1)^{11})*(\sin(d*x+c)^2/(\cos(d*x+c)+1)^2 + 1)^5/((\sin(d*x+c)/(\cos(d*x+c)+1)+1)^{(11/2)}*(-\sin(d*x+c)/(\cos(d*x+c)+1)+1)^{(11/2)}*(5*\sin(d*x+c)^2/(\cos(d*x+c)+1)^2 + 10*\sin(d*x+c)^4/(\cos(d*x+c)+1)^4 + 10*\sin(d*x+c)^6/(\cos(d*x+c)+1)^6 + 5*\sin(d*x+c)^8/(\cos(d*x+c)+1)^8 + \sin(d*x+c)^{10}/(\cos(d*x+c)+1)^{10} + 1)) + 9*B*(35*\sqrt{2}*\sqrt{a}*\sin(d*x+c)/(\cos(d*x+c)+1) - 105*\sqrt{2}*\sqrt{a}*\sin(d*x+c)^3/(\cos(d*x+c)+1)^3 + 154*\sqrt{2}*\sqrt{a}*\sin(d*x+c)^5/(\cos(d*x+c)+1)^5 - 142*\sqrt{2}*\sqrt{a}*\sin(d*x+c)^7/(\cos(d*x+c)+1)^7 + 67*\sqrt{2}*\sqrt{a}*\sin(d*x+c)^9/(\cos(d*x+c)+1)^9 - 9*\sqrt{2}*\sqrt{a}*\sin(d*x+c)^{11}/(\cos(d*x+c)+1)^{11})*(\sin(d*x+c)^2/(\cos(d*x+c)+1)^2 + 1)^5/((\sin(d*x+c)/(\cos(d*x+c)+1)+1)^{(11/2)}*(-\sin(d*x+c)/(\cos(d*x+c)+1)+1)^{(11/2)}*(5*\sin(d*x+c)^2/(\cos(d*x+c)+1)^2 + 10*\sin(d*x+c)^4/(\cos(d*x+c)+1)^4 + 10*\sin(d*x+c)^6/(\cos(d*x+c)+1)^6 + 5*\sin(d*x+c)^8/(\cos(d*x+c)+1)^8 + \sin(d*x+c)^{10}/(\cos(d*x+c)+1)^{10} + 1)))/d$$

**Fricas [A]** time = 1.72264, size = 316, normalized size = 1.44

$$\frac{2(16(8A+9B)\cos(dx+c)^4 + 8(8A+9B)\cos(dx+c)^3 + 6(8A+9B)\cos(dx+c)^2 + 5(8A+9B)\cos(dx+c) + 35A)\sqrt{a\cos(dx+c)+a}\sin(dx+c)/((d\cos(dx+c)^5 + d\cos(dx+c)^4)\sqrt{\cos(dx+c)})}{315(d\cos(dx+c)^5 + d\cos(dx+c)^4)\sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^(11/2)*(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")`

[Out] 
$$2/315*(16*(8*A+9*B)*\cos(d*x+c)^4 + 8*(8*A+9*B)*\cos(d*x+c)^3 + 6*(8*A+9*B)*\cos(d*x+c)^2 + 5*(8*A+9*B)*\cos(d*x+c) + 35*A)*\sqrt{a*\cos(d*x+c)+a}*\sin(d*x+c)/((d*\cos(d*x+c)^5 + d*\cos(d*x+c)^4)*\sqrt{\cos(d*x+c)})$$

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(11/2)\*(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{a \cos(dx + c) + a} \sec(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(11/2)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(11/2), x)

$$3.494 \quad \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx) dx$$

**Optimal.** Leaf size=175

$$\frac{2a(6A + 7B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{35d\sqrt{a \cos(c + dx) + a}} + \frac{8a(6A + 7B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{16a(6A + 7B) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d\sqrt{a \cos(c + dx) + a}}$$

[Out] (16\*a\*(6\*A + 7\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (8\*a\*(6\*A + 7\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*(6\*A + 7\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(35\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(7\*d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.405595, antiderivative size = 175, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2961, 2980, 2772, 2771}

$$\frac{2a(6A + 7B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{35d\sqrt{a \cos(c + dx) + a}} + \frac{8a(6A + 7B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{16a(6A + 7B) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(9/2), x]

[Out] (16\*a\*(6\*A + 7\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (8\*a\*(6\*A + 7\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*(6\*A + 7\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(35\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(7\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Ssin[e + f\*x])^p, Int[((a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^n)/(g\*Ssin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2980

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Ssin[e + f\*x]]], x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Ssin[e + f\*x]]\*(c + d\*Ssin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 2772

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Ssin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Ssin[e + f\*x]]], x] + Dis



t[(((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

### Rule 2771

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2), x\_Symbol] := Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned} \int \sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx) dx &= (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{\sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx)}{\cos^2(c + dx)} dx \\ &= \frac{2aA \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} + \frac{1}{7} \left( (6A + 7B)\sqrt{\cos(c + dx)} \right) \\ &= \frac{2a(6A + 7B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2aA \sec^{\frac{7}{2}}(c + dx)}{7d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{8a(6A + 7B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{2a(6A + 7B) \sec^{\frac{5}{2}}(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{16a(6A + 7B)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{8a(6A + 7B) \sec^{\frac{3}{2}}(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.428378, size = 102, normalized size = 0.58

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{7}{2}}(c + dx) \sqrt{a(\cos(c + dx) + 1)}(9(6A + 7B) \cos(c + dx) + 2(6A + 7B) \cos(2(c + dx)) + 12A \cos(3(c + dx)))}{105d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(9/2), x]

[Out] (2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(27\*A + 14\*B + 9\*(6\*A + 7\*B)\*Cos[c + d\*x] + 2\*(6\*A + 7\*B)\*Cos[2\*(c + d\*x)] + 12\*A\*Cos[3\*(c + d\*x)] + 14\*B\*Cos[3\*(c + d\*x)])\*Sec[c + d\*x]^(7/2)\*Tan[(c + d\*x)/2])/(105\*d)

**Maple [A]** time = 0.801, size = 116, normalized size = 0.7

$$\frac{(-2 + 2 \cos(dx + c)) (48 A (\cos(dx + c))^3 + 56 B (\cos(dx + c))^3 + 24 A (\cos(dx + c))^2 + 28 B (\cos(dx + c))^2 + 18 A \cos(dx + c))}{105 d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(9/2)\*(a+cos(d\*x+c)\*a)^(1/2), x)

[Out] 
$$-2/105/d*(-1+\cos(dx+c))*(48*A*\cos(dx+c)^3+56*B*\cos(dx+c)^3+24*A*\cos(dx+c)^2+28*B*\cos(dx+c)^2+18*A*\cos(dx+c)+21*B*\cos(dx+c)+15*A)*\cos(dx+c)*(1/\cos(dx+c))^{9/2}*(a*(1+\cos(dx+c)))^{1/2}/\sin(dx+c)$$

**Maxima [B]** time = 2.17877, size = 767, normalized size = 4.38

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(dx+c))*sec(dx+c)^(9/2)*(a+a*cos(dx+c))^(1/2),x, algorithm="maxima")`

[Out] 
$$\begin{aligned} & 2/105*(3*A*(35*\sqrt{2}*\sqrt{a}*\sin(dx+c)/(\cos(dx+c)+1) - 70*\sqrt{2}*\sqrt{a}*\sin(dx+c)^3/(\cos(dx+c)+1)^3 + 84*\sqrt{2}*\sqrt{a}*\sin(dx+c)^5/(\cos(dx+c)+1)^5 - 58*\sqrt{2}*\sqrt{a}*\sin(dx+c)^7/(\cos(dx+c)+1)^7 + 9*\sqrt{2}*\sqrt{a}*\sin(dx+c)^9/(\cos(dx+c)+1)^9)*(\sin(dx+c)^2/(\cos(dx+c)+1)^2 + 1)^4/((\sin(dx+c)/(\cos(dx+c)+1)+1)^{(9/2)}*(-\sin(dx+c)/(\cos(dx+c)+1)+1)^{(9/2)}*(4*\sin(dx+c)^2/(\cos(dx+c)+1)^2 + 6*\sin(dx+c)^4/(\cos(dx+c)+1)^4 + 4*\sin(dx+c)^6/(\cos(dx+c)+1)^6 + \sin(dx+c)^8/(\cos(dx+c)+1)^8 + 1)) + 7*B*(15*\sqrt{2}*\sqrt{a}*\sin(dx+c)/(\cos(dx+c)+1) - 40*\sqrt{2}*\sqrt{a}*\sin(dx+c)^3/(\cos(dx+c)+1)^3 + 42*\sqrt{2}*\sqrt{a}*\sin(dx+c)^5/(\cos(dx+c)+1)^5 - 24*\sqrt{2}*\sqrt{a}*\sin(dx+c)^7/(\cos(dx+c)+1)^7 + 7*\sqrt{2}*\sqrt{a}*\sin(dx+c)^9/(\cos(dx+c)+1)^9)*(\sin(dx+c)^2/(\cos(dx+c)+1)^2 + 1)^4/((\sin(dx+c)/(\cos(dx+c)+1)+1)^{(9/2)}*(-\sin(dx+c)/(\cos(dx+c)+1)+1)^{(9/2)}*(4*\sin(dx+c)^2/(\cos(dx+c)+1)^2 + 6*\sin(dx+c)^4/(\cos(dx+c)+1)^4 + 4*\sin(dx+c)^6/(\cos(dx+c)+1)^6 + \sin(dx+c)^8/(\cos(dx+c)+1)^8 + 1)))/d \end{aligned}$$

**Fricas [A]** time = 1.64265, size = 273, normalized size = 1.56

$$\frac{2\left(8(6A+7B)\cos(dx+c)^3+4(6A+7B)\cos(dx+c)^2+3(6A+7B)\cos(dx+c)+15A\right)\sqrt{a\cos(dx+c)+a}\sin(dx+c)}{105\left(d\cos(dx+c)^4+d\cos(dx+c)^3\right)\sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(dx+c))*sec(dx+c)^(9/2)*(a+a*cos(dx+c))^(1/2),x, algorithm="fricas")`

[Out] 
$$2/105*(8*(6*A+7*B)*\cos(dx+c)^3+4*(6*A+7*B)*\cos(dx+c)^2+3*(6*A+7*B)*\cos(dx+c)+15*A)*\sqrt{a*\cos(dx+c)+a}*\sin(dx+c)/((d*\cos(dx+c)^4+d*\cos(dx+c)^3)*\sqrt{\cos(dx+c)})$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(dx+c))*sec(dx+c)**(9/2)*(a+a*cos(dx+c))**(1/2),x)`

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{a \cos(dx + c) + a} \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(9/2)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(9/2), x)

### 3.495 $\int \sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx$

**Optimal.** Leaf size=130

$$\frac{2a(4A + 5B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{4a(4A + 5B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2aA \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d\sqrt{a \cos(c + dx) + a}}$$

[Out] (4\*a\*(4\*A + 5\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*(4\*A + 5\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(5\*d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.334, antiderivative size = 130, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2961, 2980, 2772, 2771}

$$\frac{2a(4A + 5B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{4a(4A + 5B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2aA \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{5d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2), x]

[Out] (4\*a\*(4\*A + 5\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*(4\*A + 5\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(5\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2980

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 2772

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x]

&& NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

### Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] := Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rubi steps

$$\begin{aligned} \int \sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx &= \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{\sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx)}{\cos^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2aA \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} + \frac{1}{5} \left((4A + 5B)\sqrt{\cos(c + dx)}\right) \int \frac{\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2a(4A + 5B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2aA \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{4a(4A + 5B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2a(4A + 5B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.272196, size = 78, normalized size = 0.6

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{5}{2}}(c + dx) \sqrt{a(\cos(c + dx) + 1)}((4A + 5B) \cos(c + dx) + (4A + 5B) \cos(2(c + dx)) + 7A + 5B)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2), x]

[Out] (2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(7\*A + 5\*B + (4\*A + 5\*B)\*Cos[c + d\*x] + (4\*A + 5\*B)\*Cos[2\*(c + d\*x)])\*Sec[c + d\*x]^(5/2)\*Tan[(c + d\*x)/2])/(15\*d)

**Maple [A]** time = 0.759, size = 94, normalized size = 0.7

$$\frac{(-2 + 2 \cos(dx + c)) \left(8 A (\cos(dx + c))^2 + 10 B (\cos(dx + c))^2 + 4 A \cos(dx + c) + 5 B \cos(dx + c) + 3 A\right) \cos(dx + c)}{15 d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2)\*(a+cos(d\*x+c)\*a)^(1/2), x)

[Out] -2/15/d\*(-1+cos(d\*x+c))\*(8\*A\*cos(d\*x+c)^2+10\*B\*cos(d\*x+c)^2+4\*A\*cos(d\*x+c)+5\*B\*cos(d\*x+c)+3\*A)\*cos(d\*x+c)\*(1/cos(d\*x+c))^(7/2)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)

**Maxima [B]** time = 1.84246, size = 641, normalized size = 4.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] 
$$\frac{2}{15} \left( A \left( 15 \sqrt{2} \sqrt{a} \sin(dx+c) / (\cos(dx+c)+1) - 25 \sqrt{2} \sqrt{a} \sin(dx+c)^3 / (\cos(dx+c)+1)^3 + 17 \sqrt{2} \sqrt{a} \sin(dx+c)^5 / (\cos(dx+c)+1)^5 - 7 \sqrt{2} \sqrt{a} \sin(dx+c)^7 / (\cos(dx+c)+1)^7 \right) \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2 + 1} \right)^3 / \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{7/2} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{7/2} \left( 3 \sin(dx+c)^2 / (\cos(dx+c)+1)^2 + 3 \sin(dx+c)^4 / (\cos(dx+c)+1)^4 + \sin(dx+c)^6 / (\cos(dx+c)+1)^6 + 1 \right) + 5B \left( 3 \sqrt{2} \sqrt{a} \sin(dx+c) / (\cos(dx+c)+1) - 7 \sqrt{2} \sqrt{a} \sin(dx+c)^3 / (\cos(dx+c)+1)^3 + 5 \sqrt{2} \sqrt{a} \sin(dx+c)^5 / (\cos(dx+c)+1)^5 - \sqrt{2} \sqrt{a} \sin(dx+c)^7 / (\cos(dx+c)+1)^7 \right) \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2 + 1} \right)^3 / \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{7/2} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{7/2} \left( 3 \sin(dx+c)^2 / (\cos(dx+c)+1)^2 + 3 \sin(dx+c)^4 / (\cos(dx+c)+1)^4 + \sin(dx+c)^6 / (\cos(dx+c)+1)^6 + 1 \right) \right) / d$$

**Fricas [A]** time = 1.8969, size = 225, normalized size = 1.73

$$\frac{2 \left( 2(4A + 5B) \cos(dx+c)^2 + (4A + 5B) \cos(dx+c) + 3A \right) \sqrt{a \cos(dx+c) + a} \sin(dx+c)}{15 \left( d \cos(dx+c)^3 + d \cos(dx+c)^2 \right) \sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 
$$\frac{2}{15} \left( 2(4A + 5B) \cos(dx+c)^2 + (4A + 5B) \cos(dx+c) + 3A \right) \sqrt{a \cos(dx+c) + a} \sin(dx+c) / \left( (d \cos(dx+c)^3 + d \cos(dx+c)^2) \sqrt{\cos(dx+c)} \right)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(7/2)\*(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx+c) + A) \sqrt{a \cos(dx+c) + a} \sec(dx+c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)*(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(a*cos(d*x + c) + a)*sec(d*x + c)^(7/2), x)
```

$$3.496 \quad \int \sqrt{a + a \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx$$

**Optimal.** Leaf size=85

$$\frac{2a(2A + 3B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d\sqrt{a \cos(c + dx) + a}} + \frac{2aA \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d\sqrt{a \cos(c + dx) + a}}$$

[Out] (2\*a\*(2\*A + 3\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.266136, antiderivative size = 85, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.086$ , Rules used = {2961, 2980, 2771}

$$\frac{2a(2A + 3B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d\sqrt{a \cos(c + dx) + a}} + \frac{2aA \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2), x]

[Out] (2\*a\*(2\*A + 3\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_)])\*(g\_.)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2980

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 2771

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2), x\_Symbol] :> Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps



$$\int \sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx = \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{\sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{\cos^2(c + dx)} dx$$

$$= \frac{2aA \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{1}{3} \left( (2A + 3B)\sqrt{\cos(c + dx)} \sec^{\frac{5}{2}}(c + dx) \right)$$

$$= \frac{2a(2A + 3B)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)}} + \frac{2aA \sec^{\frac{3}{2}}(c + dx)}{3d\sqrt{a + a \cos(c + dx)}}$$

**Mathematica [A]** time = 0.182304, size = 57, normalized size = 0.67

$$\frac{2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{3}{2}}(c + dx) \sqrt{a(\cos(c + dx) + 1)}((2A + 3B) \cos(c + dx) + A)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2), x]

[Out] (2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(A + (2\*A + 3\*B)\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2)\*Tan[(c + d\*x)/2])/(3\*d)

**Maple [A]** time = 0.806, size = 70, normalized size = 0.8

$$\frac{(-2 + 2 \cos(dx + c))(2A \cos(dx + c) + 3B \cos(dx + c) + A) \cos(dx + c)}{3d \sin(dx + c)} \left( (\cos(dx + c))^{-1} \right)^{\frac{5}{2}} \sqrt{a(1 + \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)\*(a+cos(d\*x+c)\*a)^(1/2), x)

[Out] -2/3/d\*(-1+cos(d\*x+c))\*(2\*A\*cos(d\*x+c)+3\*B\*cos(d\*x+c)+A)\*cos(d\*x+c)\*(1/cos(d\*x+c))^(5/2)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)

**Maxima [B]** time = 1.75363, size = 513, normalized size = 6.04

$$2 \frac{\left( A \left( \frac{3\sqrt{2}\sqrt{a}\sin(dx+c)}{\cos(dx+c)+1} - \frac{4\sqrt{2}\sqrt{a}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sqrt{2}\sqrt{a}\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2 + 3B \left( \frac{\sqrt{2}\sqrt{a}\sin(dx+c)}{\cos(dx+c)+1} - \frac{2\sqrt{2}\sqrt{a}\sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{\sqrt{2}\sqrt{a}\sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right) \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2 + \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left( \frac{2\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right) + \left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{5}{2}} \left( \frac{2\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)}{3d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)\*(a+a\*cos(d\*x+c))^(1/2), x, alghm="maxima")

[Out] 2/3\*(A\*(3\*sqrt(2)\*sqrt(a)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 4\*sqrt(2)\*sqrt(a)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + sqrt(2)\*sqrt(a)\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5)\*(sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 1)^2/((sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(5/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(5/2))

$$2) * (2 * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + \sin(dx + c)^4 / (\cos(dx + c) + 1)^4 + 1)) + 3 * B * (\sqrt{2} * \sqrt{a} * \sin(dx + c) / (\cos(dx + c) + 1) - 2 * \sqrt{2} * \sqrt{a} * \sin(dx + c)^3 / (\cos(dx + c) + 1)^3 + \sqrt{2} * \sqrt{a} * \sin(dx + c)^5 / (\cos(dx + c) + 1)^5) * (\sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + 1)^2 / ((\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{5/2} * (-\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{5/2} * (2 * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + \sin(dx + c)^4 / (\cos(dx + c) + 1)^4 + 1))) / d$$

**Fricas [A]** time = 1.98353, size = 177, normalized size = 2.08

$$\frac{2((2A + 3B)\cos(dx + c) + A)\sqrt{a\cos(dx + c) + a\sin(dx + c)}}{3(d\cos(dx + c)^2 + d\cos(dx + c))\sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*sec(dx+c)^(5/2)\*(a+a\*cos(dx+c))^(1/2),x, algorithm="fricas")

[Out] 2/3\*((2\*A + 3\*B)\*cos(dx + c) + A)\*sqrt(a\*cos(dx + c) + a)\*sin(dx + c)/((d\*cos(dx + c)^2 + d\*cos(dx + c))\*sqrt(cos(dx + c)))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*sec(dx+c)\*\*(5/2)\*(a+a\*cos(dx+c))\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{a \cos(dx + c) + a} \sec(dx + c)^2 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*sec(dx+c)^(5/2)\*(a+a\*cos(dx+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(dx + c) + A)\*sqrt(a\*cos(dx + c) + a)\*sec(dx + c)^(5/2), x)

$$3.497 \quad \int \sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx$$

**Optimal.** Leaf size=96

$$\frac{2aA \sin(c + dx) \sqrt{\sec(c + dx)}}{d \sqrt{a \cos(c + dx) + a}} + \frac{2\sqrt{a}B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{d}$$

[Out] (2\*Sqrt[a]\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/d + (2\*a\*A\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.272747, antiderivative size = 96, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2961, 2980, 2774, 216}

$$\frac{2aA \sin(c + dx) \sqrt{\sec(c + dx)}}{d \sqrt{a \cos(c + dx) + a}} + \frac{2\sqrt{a}B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2),x]

[Out] (2\*Sqrt[a]\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/d + (2\*a\*A\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^m, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2980

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 2774

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 216

```
Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

### Rubi steps

$$\begin{aligned} \int \sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2aA \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} + \left( B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{dx}{\cos(c + dx)} \\ &= \frac{2aA \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} - \frac{(2B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{d} \\ &= \frac{2\sqrt{a}B \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d} + \frac{2aA \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.213843, size = 86, normalized size = 0.9

$$\frac{\sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(2A \sin\left(\frac{1}{2}(c + dx)\right) + \sqrt{2}B \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)}}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]
```

```
[Out] (Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(Sqrt[2]*B*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + 2*A*Sin[(c + d*x)/2])/d
```

**Maple [B]** time = 0.777, size = 171, normalized size = 1.8

$$2 \frac{\cos(dx + c) \left( (\cos(dx + c))^{-1} \right)^{3/2} \sqrt{a(1 + \cos(dx + c))}}{d(1 + \cos(dx + c))} \left( B \cos(dx + c) \arctan \left( \frac{\sin(dx + c)}{\cos(dx + c)} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \right) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)*(a+cos(d*x+c)*a)^(1/2), x)
```

```
[Out] 2/d*(B*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))))^(1/2)/cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))))^(1/2)/cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+A*sin(d*x+c))*cos(d*x+c)*(1/cos(d*x+c))^(3/2)*(a*(1+cos(d*x+c)))^(1/2)/(1+cos(d*x+c))
```

**Maxima [B]** time = 2.3093, size = 1223, normalized size = 12.74

result too large to display



[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{a \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)\*(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2), x)

### 3.498 $\int \sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx))\sqrt{\sec(c + dx)} dx$

**Optimal.** Leaf size=98

$$\frac{\sqrt{a}(2A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{d} + \frac{aB \sin(c + dx)}{d\sqrt{\sec(c + dx)}\sqrt{a \cos(c + dx) + a}}$$

[Out] (Sqrt[a]\*(2\*A + B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/d + (a\*B\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])

**Rubi [A]** time = 0.271111, antiderivative size = 98, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2961, 2981, 2774, 216}

$$\frac{\sqrt{a}(2A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{d} + \frac{aB \sin(c + dx)}{d\sqrt{\sec(c + dx)}\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]],x]

[Out] (Sqrt[a]\*(2\*A + B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/d + (a\*B\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^m, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2981

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(2\*n + 3)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(b\*d\*(2\*n + 3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

#### Rule 2774

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

#### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rubi steps

$$\begin{aligned} \int \sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx))\sqrt{\sec(c + dx)} dx &= (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{\sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{aB \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}\sqrt{\sec(c + dx)}} + \frac{1}{2} \left( (2A + B)\sqrt{\cos(c + dx)} \right. \\ &\quad \left. - \frac{(2A + B)\sqrt{\cos(c + dx)}}{\sqrt{a + a \cos(c + dx)}\sqrt{\sec(c + dx)}} \right) \\ &= \frac{aB \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}\sqrt{\sec(c + dx)}} - \frac{(2A + B)\sqrt{\cos(c + dx)}}{\sqrt{a + a \cos(c + dx)}\sqrt{\sec(c + dx)}} \\ &= \frac{\sqrt{a}(2A + B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{d} \end{aligned}$$

**Mathematica [A]** time = 0.201082, size = 103, normalized size = 1.05

$$\frac{\sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left( \sqrt{2}(2A + B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) \right) + 2B \sin\left(\frac{1}{2}(c + dx)\right)}{2d}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]], x]

[Out] (Sqrt[Cos[c + d\*x]]\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]]\*(Sqrt[2]\*(2\*A + B)\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]] + 2\*B\*Sqrt[Cos[c + d\*x]]\*Sin[(c + d\*x)/2]))/(2\*d)

**Maple [A]** time = 0.766, size = 168, normalized size = 1.7

$$-\frac{(\cos(dx + c))^2 - 1}{d(\sin(dx + c))^2} \left( B \sin(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} + 2A \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}\right) + B \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*(a\*cos(d\*x+c)\*a)^(1/2)\*sec(d\*x+c)^(1/2), x)

[Out] -1/d\*(B\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+2\*A\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+B\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c)))\*(a\*(1+cos(d\*x+c)))^(1/2)\*(1/cos(d\*x+c))^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)^2\*(cos(d\*x+c)^2-1)

**Maxima [B]** time = 2.81321, size = 1268, normalized size = 12.94

result too large to display

Verification of antiderivative is not currently implemented for this CAS.



[In] integrate((A+B\*cos(d\*x+c))\*(a+a\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out]  $\frac{1}{4}*(4*A*\sqrt{a}*\arctan2((\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c), (\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \cos(d*x + c)) + (2*(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sin(d*x + c) - (\cos(d*x + c) - 1)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sqrt{a} + \sqrt{a}*(\arctan2(-(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sin(d*x + c) - \cos(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(d*x + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))) + 1) - \arctan2(-(\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sin(d*x + c) - \cos(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(d*x + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))) - 1) - \arctan2((\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + 1) + \arctan2((\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c))^2 + \sin(2*d*x + 2*c))^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1))*B)/d$

**Fricas [A]** time = 1.92259, size = 274, normalized size = 2.8

$$\frac{\sqrt{a \cos(dx+c) + aB} \sqrt{\cos(dx+c)} \sin(dx+c) - ((2A+B) \cos(dx+c) + 2A+B) \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c) + a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)}{d \cos(dx+c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*(a+a\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out]  $(\sqrt{a*\cos(d*x + c) + a}*B*\sqrt{\cos(d*x + c)}*\sin(d*x + c) - ((2*A + B)*\cos(d*x + c) + 2*A + B)*\sqrt{a}*\arctan(\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)})/(\sqrt{a}*\sin(d*x + c)))/((d*\cos(d*x + c) + d)$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \sqrt{a(\cos(c+dx)+1)}(A+B\cos(c+dx))\sqrt{\sec(c+dx)}dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*(a+a\*cos(d\*x+c))\*\*(1/2)\*sec(d\*x+c)\*\*(1/2),x)

[Out] Integral(sqrt(a\*(cos(c + d\*x) + 1))\*(A + B\*cos(c + d\*x))\*sqrt(sec(c + d\*x)), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{a \cos(dx + c) + a} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*(a+a\*cos(d\*x+c))^(1/2)\*sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c)), x)

$$3.499 \quad \int \frac{\sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=151

$$\frac{\sqrt{a}(4A+3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{4d} + \frac{a(4A+3B)\sin(c+dx)}{4d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{aB\sin(c+dx)}{2d\sec^2(c+dx)}$$

```
[Out] (Sqrt[a]*(4*A + 3*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]
]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*d) + (a*B*Sin[c + d*x])/(2*d*Sq
rt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)) + (a*(4*A + 3*B)*Sin[c + d*x])/(
4*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])
```

**Rubi [A]** time = 0.337594, antiderivative size = 151, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2981, 2770, 2774, 216}

$$\frac{\sqrt{a}(4A+3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{4d} + \frac{a(4A+3B)\sin(c+dx)}{4d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{aB\sin(c+dx)}{2d\sec^2(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]],x]
```

```
[Out] (Sqrt[a]*(4*A + 3*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]
]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*d) + (a*B*Sin[c + d*x])/(2*d*Sq
rt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)) + (a*(4*A + 3*B)*Sin[c + d*x])/(
4*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d
*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

#### Rule 2981

```
Int[Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +
b*Sin[e + f*x]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

#### Rule 2770

```
Int[Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])
^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]], x] + Dist[(2*n*(b*c + a*d))/(b*
(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x],
x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
```

] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

**Rule 2774**

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

**Rule 216**

Int[1/Sqrt[(a\_) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rubi steps

$$\int \frac{\sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx = (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) dx$$

$$= \frac{aB \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{4} ((4A + 3B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)})$$

$$= \frac{aB \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{a(4A + 3B) \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}\sqrt{\sec(c + dx)}}$$

$$= \frac{aB \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{a(4A + 3B) \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)}\sqrt{\sec(c + dx)}}$$

$$= \frac{\sqrt{a}(4A + 3B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{4d} + \frac{aB \sin(c + dx)}{2d\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)}$$

**Mathematica [A]** time = 0.377992, size = 120, normalized size = 0.79

$$\frac{\sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(\sqrt{2}(4A + 3B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + a\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Sqrt[Sec[c + d\*x]], x]

[Out] (Sqrt[Cos[c + d\*x]]\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]]\*(Sqrt[2]\*(4\*A + 3\*B)\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]] + 2\*Sqrt[Cos[c + d\*x]]\*(4\*A + 3\*B + 2\*B\*Cos[c + d\*x])\*Sin[(c + d\*x)/2]))/(8\*d)

**Maple [A]** time = 0.858, size = 238, normalized size = 1.6

$$\frac{(-1 + \cos(dx + c))^2 \cos(dx + c)}{4d(\sin(dx + c))^4} \left( 2B \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \sin(dx + c) \cos(dx + c) + 4A \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \sin(dx + c) + 3 \right)$$

Verification of antiderivative is not currently implemented for this CAS.



$$2 + 2\cos(2dx + 2c) + 1)^{1/4}(\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))), \cos(2dx + 2c)))\sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - \cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))\sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}(\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) + \sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))\sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) - 1) - \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}\sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) + 1) + \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}\sin(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}\cos(1/2\arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - 1)))B/d$$

**Fricas [A]** time = 1.9491, size = 348, normalized size = 2.3

$$\frac{((4A + 3B)\cos(dx + c) + 4A + 3B)\sqrt{a}\arctan\left(\frac{\sqrt{a}\cos(dx+c)+a\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right) - \frac{(2B\cos(dx+c)^2+(4A+3B)\cos(dx+c))\sqrt{a}\cos(dx+c)+a\sin(dx+c)}{\sqrt{\cos(dx+c)}}}{4(d\cos(dx+c)+d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*(a+a\*cos(dx+c))^(1/2)/sec(dx+c)^(1/2),x, algorithm="fricas")

[Out] -1/4\*(((4\*A + 3\*B)\*cos(dx + c) + 4\*A + 3\*B)\*sqrt(a)\*arctan(sqrt(a\*cos(dx + c) + a)\*sqrt(cos(dx + c))/(sqrt(a)\*sin(dx + c)))) - (2\*B\*cos(dx + c)^2 + (4\*A + 3\*B)\*cos(dx + c))\*sqrt(a\*cos(dx + c) + a)\*sin(dx + c)/sqrt(cos(dx + c)))/(d\*cos(dx + c) + d)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{\sqrt{a(\cos(c+dx)+1)}(A+B\cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*(a+a\*cos(dx+c))^(1/2)/sec(dx+c)^(1/2),x)

[Out] Integral(sqrt(a\*(cos(c + dx) + 1))\*(A + B\*cos(c + dx))/sqrt(sec(c + dx)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B\cos(dx+c)+A)\sqrt{a\cos(dx+c)+a}}{\sqrt{\sec(dx+c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*(a+a\*cos(dx+c))^(1/2)/sec(dx+c)^(1/2),x, algorithm="giac")

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(a*cos(d*x + c) + a)/sqrt(sec(d*x + c)),  
x)
```

$$3.500 \quad \int \frac{\sqrt{a+a \cos(c+dx)}(A+B \cos(c+dx))}{\sec^2(c+dx)} dx$$

**Optimal.** Leaf size=196

$$\frac{a(6A+5B)\sin(c+dx)}{12d \sec^2(c+dx)\sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{a}(6A+5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a(6A+5B)}{8d\sqrt{\sec(c+dx)}}$$

```
[Out] (Sqrt[a]*(6*A + 5*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a*B*Sin[c + d*x])/(3*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(5/2)) + (a*(6*A + 5*B)*Sin[c + d*x])/(12*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)) + (a*(6*A + 5*B)*Sin[c + d*x])/(8*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])
```

**Rubi [A]** time = 0.413737, antiderivative size = 196, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2981, 2770, 2774, 216}

$$\frac{a(6A+5B)\sin(c+dx)}{12d \sec^2(c+dx)\sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{a}(6A+5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a(6A+5B)}{8d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]
```

```
[Out] (Sqrt[a]*(6*A + 5*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a*B*Sin[c + d*x])/(3*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(5/2)) + (a*(6*A + 5*B)*Sin[c + d*x])/(12*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)) + (a*(6*A + 5*B)*Sin[c + d*x])/(8*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

#### Rule 2981

```
Int[Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

#### Rule 2770

```
Int[Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])
```



```

^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*
(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x],
x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0
] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]

```

Rule 2774

```

Int[Sqrt[(a_) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]

```

Rule 216

```

Int[1/Sqrt[(a_) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

```

Rubi steps

$$\int \frac{\sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx = (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \cos^{\frac{3}{2}}(c + dx)\sqrt{a + a \cos(c + dx)}(A + B \cos(c + dx)) dx$$

$$= \frac{aB \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{1}{6} \left( (6A + 5B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \right)$$

$$= \frac{aB \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{a(6A + 5B) \sin(c + dx)}{12d\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)}$$

$$= \frac{aB \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{a(6A + 5B) \sin(c + dx)}{12d\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)}$$

$$= \frac{aB \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{a(6A + 5B) \sin(c + dx)}{12d\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)}$$

$$= \frac{aB \sin(c + dx)}{3d\sqrt{a + a \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)} + \frac{a(6A + 5B) \sin(c + dx)}{12d\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{\sqrt{a}(6A + 5B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{8d} + \frac{2 \sin\left(\frac{1}{2}(c + dx)\right)}{48d}$$

**Mathematica [A]** time = 0.689976, size = 138, normalized size = 0.7

$$\frac{\sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2}(6A + 5B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right)\right)}{48d}$$

Antiderivative was successfully verified.

```

[In] Integrate[(Sqrt[a + a*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]

```

```

[Out] (Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(3*Sqrt[2]*(6*A + 5*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(18*A + 19*B + 2*(6*A + 5*B)*Cos[c + d*x] + 4*B*Cos[2*(c + d*x)])*Sin[(c + d*x)/2]))/(48*d)

```

**Maple [A]** time = 0.833, size = 308, normalized size = 1.6

$$-\frac{(-1 + \cos(dx + c))^3 \cos(dx + c)}{24d(\sin(dx + c))^6} \left( 8B(\cos(dx + c))^2 \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \sin(dx + c) + 12A \cos(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*(a+cos(d\*x+c)\*a)^(1/2)/sec(d\*x+c)^(3/2),x)

[Out] -1/24/d\*(-1+cos(d\*x+c))^3\*(8\*B\*cos(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+12\*A\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+10\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)\*cos(d\*x+c)+18\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+15\*B\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+18\*A\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+15\*B\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c)))\*(a\*(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)/(1/cos(d\*x+c))^(3/2)/sin(d\*x+c)^6

**Maxima [B]** time = 3.3366, size = 4024, normalized size = 20.53

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*(a+a\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] 1/96\*(6\*(2\*(cos(2\*d\*x + 2\*c))^2 + sin(2\*d\*x + 2\*c))^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*((cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) \* sin(2\*d\*x + 2\*c) - (cos(2\*d\*x + 2\*c) - 2)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + sin(2\*d\*x + 2\*c))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + ((cos(2\*d\*x + 2\*c) - 2)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + sin(2\*d\*x + 2\*c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) - cos(2\*d\*x + 2\*c) + 2)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))\*sqrt(a) + 3\*sqrt(a)\*(arctan2((cos(2\*d\*x + 2\*c))^2 + sin(2\*d\*x + 2\*c))^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) \* sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) \* sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))), (cos(2\*d\*x + 2\*c))^2 + sin(2\*d\*x + 2\*c))^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) \* cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))) + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) \* sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))) + 1 - arctan2((cos(2\*d\*x + 2\*c))^2 + sin(2\*d\*x + 2\*c))^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) \* sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) \* sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))))), (cos(2\*d\*x + 2\*c))^2 + sin(2\*d\*x + 2\*c))^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) \* cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))) + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) \* sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)))) - 1 - arctan2((cos(2\*d\*x + 2\*c))^2 + sin(2\*d\*x + 2\*c))^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)), (cos(2\*d\*x + 2\*c))^2 + sin(2\*d\*x + 2\*c))^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + 1 + arctan2((cos(2\*d\*x + 2\*c))^2 + sin(2\*d\*x + 2\*c))^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c),



$n2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)), (\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^(1/4)*\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) - 1))) * B) / d$

**Fricas [A]** time = 1.97049, size = 397, normalized size = 2.03

$$\frac{3((6A + 5B)\cos(dx + c) + 6A + 5B)\sqrt{a}\arctan\left(\frac{\sqrt{a}\cos(dx+c)+a\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right) - \frac{(8B\cos(dx+c)^3 + 2(6A+5B)\cos(dx+c)^2 + 3(6A+5B)\cos(dx+c))\sqrt{\cos(dx+c)}}{\sqrt{\cos(dx+c)}}}{24(d\cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*(a+a\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out]  $-1/24*(3*((6*A + 5*B)*\cos(d*x + c) + 6*A + 5*B)*\sqrt{a}*\arctan(\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)})/(\sqrt{a}*\sin(d*x + c))) - (8*B*\cos(d*x + c)^3 + 2*(6*A + 5*B)*\cos(d*x + c)^2 + 3*(6*A + 5*B)*\cos(d*x + c))*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c)/\sqrt{\cos(d*x + c)})/(d*\cos(d*x + c) + d)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*(a+a\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B\cos(dx+c) + A)\sqrt{a\cos(dx+c) + a}}{\sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*(a+a\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(a\*cos(d\*x + c) + a)/sec(d\*x + c)^(3/2), x)

$$3.501 \quad \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^{\frac{13}{2}}(c + dx) dx$$

**Optimal.** Leaf size=275

$$\frac{2a^2(12A + 11B) \sin(c + dx) \sec^{\frac{9}{2}}(c + dx)}{99d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(168A + 187B) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{693d\sqrt{a \cos(c + dx) + a}} + \frac{4a^2(168A + 187B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{1155d\sqrt{a \cos(c + dx) + a}}$$

[Out] (32\*a^2\*(168\*A + 187\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3465\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (16\*a^2\*(168\*A + 187\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3465\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (4\*a^2\*(168\*A + 187\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(1155\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(168\*A + 187\*B)\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(693\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(12\*A + 11\*B)\*Sec[c + d\*x]^(9/2)\*Sin[c + d\*x])/(99\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(11/2)\*Sin[c + d\*x])/(11\*d)

**Rubi [A]** time = 0.723155, antiderivative size = 275, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2975, 2980, 2772, 2771}

$$\frac{2a^2(12A + 11B) \sin(c + dx) \sec^{\frac{9}{2}}(c + dx)}{99d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(168A + 187B) \sin(c + dx) \sec^{\frac{7}{2}}(c + dx)}{693d\sqrt{a \cos(c + dx) + a}} + \frac{4a^2(168A + 187B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{1155d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(13/2), x]

[Out] (32\*a^2\*(168\*A + 187\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3465\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (16\*a^2\*(168\*A + 187\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3465\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (4\*a^2\*(168\*A + 187\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(1155\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(168\*A + 187\*B)\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(693\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(12\*A + 11\*B)\*Sec[c + d\*x]^(9/2)\*Sin[c + d\*x])/(99\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(11/2)\*Sin[c + d\*x])/(11\*d)

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2975

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A

, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rule 2772

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] :> Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^{13/2}(c + dx) dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^{13/2}(c + dx)}{\cos^2(c + dx)} dx$$

$$= \frac{2aA\sqrt{a + a \cos(c + dx)} \sec^{11/2}(c + dx) \sin(c + dx)}{11d} + \frac{1}{11} \int \frac{2a^2(12A + 11B) \sec^9(c + dx) \sin(c + dx)}{99d\sqrt{a + a \cos(c + dx)}} dx + \frac{2aA\sqrt{a + a \cos(c + dx)} \sec^{13/2}(c + dx)}{99d}$$

$$= \frac{2a^2(168A + 187B) \sec^7(c + dx) \sin(c + dx)}{693d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(12A + 11B) \sec^{13/2}(c + dx)}{99d}$$

$$= \frac{4a^2(168A + 187B) \sec^5(c + dx) \sin(c + dx)}{1155d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(168A + 187B) \sec^{13/2}(c + dx)}{693d}$$

$$= \frac{16a^2(168A + 187B) \sec^3(c + dx) \sin(c + dx)}{3465d\sqrt{a + a \cos(c + dx)}} + \frac{4a^2(168A + 187B) \sec^{13/2}(c + dx)}{693d}$$

$$= \frac{32a^2(168A + 187B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3465d\sqrt{a + a \cos(c + dx)}} + \frac{16a^2(168A + 187B) \sec^{13/2}(c + dx)}{693d}$$

**Mathematica [A]** time = 0.774511, size = 146, normalized size = 0.53

$$a \tan\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{11}{2}}(c + dx) \sqrt{a(\cos(c + dx) + 1)} ((6342A + 6193B) \cos(c + dx) + 13(168A + 187B) \cos(2(c + dx)))$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(13/2), x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(2478\*A + 2057\*B + (6342\*A + 6193\*B)\*Cos[c + d\*x] + 13\*(168\*A + 187\*B)\*Cos[2\*(c + d\*x)] + 2184\*A\*Cos[3\*(c + d\*x)] + 2431\*B\*Cos[3\*(c + d\*x)] + 336\*A\*Cos[4\*(c + d\*x)] + 374\*B\*Cos[4\*(c + d\*x)] + 336\*A\*Cos[5\*(c + d\*x)] + 374\*B\*Cos[5\*(c + d\*x)])\*Sec[c + d\*x]^(11/2)\*Tan[(c + d\*x)/2])/(3465\*d)

**Maple [A]** time = 0.777, size = 161, normalized size = 0.6

$$2a(-1 + \cos(dx + c)) \left( 2688A(\cos(dx + c))^5 + 2992B(\cos(dx + c))^5 + 1344A(\cos(dx + c))^4 + 1496B(\cos(dx + c))^4 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(13/2), x)

[Out] -2/3465/d\*a\*(-1+cos(d\*x+c))\*(2688\*A\*cos(d\*x+c)^5+2992\*B\*cos(d\*x+c)^5+1344\*A\*cos(d\*x+c)^4+1496\*B\*cos(d\*x+c)^4+1008\*A\*cos(d\*x+c)^3+1122\*B\*cos(d\*x+c)^3+840\*A\*cos(d\*x+c)^2+935\*B\*cos(d\*x+c)^2+735\*A\*cos(d\*x+c)+385\*B\*cos(d\*x+c)+315\*A\*cos(d\*x+c)\*(1/cos(d\*x+c))^(13/2)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)

**Maxima [B]** time = 2.3038, size = 961, normalized size = 3.49

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(13/2), x, algorithm="maxima")

[Out] 4/3465\*(21\*(165\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 495\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 1056\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 1254\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7 + 781\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^9/(cos(d\*x + c) + 1)^9 - 299\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^11/(cos(d\*x + c) + 1)^11 + 46\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^13/(cos(d\*x + c) + 1)^13)\*A\*(sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 1)^5/((sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(13/2))\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(13/2)\*(5\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 10\*sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4 + 10\*sin(d\*x + c)^6/(cos(d\*x + c) + 1)^6 + 5\*sin(d\*x + c)^8/(cos(d\*x + c) + 1)^8 + sin(d\*x + c)^10/(cos(d\*x + c) + 1)^10 + 1)) + 11\*(315\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 1155\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 2184\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 2586\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7 + 1759\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^9/(cos(d\*x + c) + 1)^9 - 1056\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^11/(cos(d\*x + c) + 1)^11 + 1254\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^13/(cos(d\*x + c) + 1)^13)\*B

$$+ 1)^9 - 611\sqrt{2}a^{3/2}\sin(dx + c)^{11}/(\cos(dx + c) + 1)^{11} + 94\sqrt{2}a^{3/2}\sin(dx + c)^{13}/(\cos(dx + c) + 1)^{13} * B * (\sin(dx + c)^2/(\cos(dx + c) + 1)^2 + 1)^5 / ((\sin(dx + c)/(\cos(dx + c) + 1) + 1)^{13/2} * (-\sin(dx + c)/(\cos(dx + c) + 1) + 1)^{13/2} * (5\sin(dx + c)^2/(\cos(dx + c) + 1)^2 + 10\sin(dx + c)^4/(\cos(dx + c) + 1)^4 + 10\sin(dx + c)^6/(\cos(dx + c) + 1)^6 + 5\sin(dx + c)^8/(\cos(dx + c) + 1)^8 + \sin(dx + c)^{10}/(\cos(dx + c) + 1)^{10} + 1))) / d$$

**Fricas [A]** time = 1.48124, size = 402, normalized size = 1.46

$$\frac{2(16(168A + 187B)a \cos(dx + c)^5 + 8(168A + 187B)a \cos(dx + c)^4 + 6(168A + 187B)a \cos(dx + c)^3 + 5(168A + 187B)a \cos(dx + c)^2 + 35(21A + 11B)a \cos(dx + c) + 315Aa) \sqrt{a \cos(dx + c) + a} \sin(dx + c) / ((d \cos(dx + c)^6 + d \cos(dx + c)^5) \sqrt{\cos(dx + c)})}{3465(d \cos(dx + c)^6 + d \cos(dx + c)^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))^(3/2)\*(A+B\*cos(dx+c))\*sec(dx+c)^(13/2), x, algorithm="fricas")

[Out] 2/3465\*(16\*(168\*A + 187\*B)\*a\*cos(dx + c)^5 + 8\*(168\*A + 187\*B)\*a\*cos(dx + c)^4 + 6\*(168\*A + 187\*B)\*a\*cos(dx + c)^3 + 5\*(168\*A + 187\*B)\*a\*cos(dx + c)^2 + 35\*(21\*A + 11\*B)\*a\*cos(dx + c) + 315\*A\*a)\*sqrt(a\*cos(dx + c) + a)\*sin(dx + c)/((d\*cos(dx + c)^6 + d\*cos(dx + c)^5)\*sqrt(cos(dx + c)))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))\*\*(3/2)\*(A+B\*cos(dx+c))\*sec(dx+c)\*\*(13/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{13}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))^(3/2)\*(A+B\*cos(dx+c))\*sec(dx+c)^(13/2), x, algorithm="giac")

[Out] integrate((B\*cos(dx + c) + A)\*(a\*cos(dx + c) + a)^(3/2)\*sec(dx + c)^(13/2), x)



$$3.502 \quad \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^{11/2}(c + dx) dx$$

**Optimal.** Leaf size=228

$$\frac{2a^2(10A + 9B) \sin(c + dx) \sec^{7/2}(c + dx)}{63d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(34A + 39B) \sin(c + dx) \sec^{5/2}(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{8a^2(34A + 39B) \sin(c + dx) \sec^{3/2}(c + dx)}{315d\sqrt{a \cos(c + dx) + a}}$$

[Out] (16\*a^2\*(34\*A + 39\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(315\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (8\*a^2\*(34\*A + 39\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(315\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(34\*A + 39\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(10\*A + 9\*B)\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(63\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(9/2)\*Sin[c + d\*x])/(9\*d)

**Rubi [A]** time = 0.649973, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2975, 2980, 2772, 2771}

$$\frac{2a^2(10A + 9B) \sin(c + dx) \sec^{7/2}(c + dx)}{63d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(34A + 39B) \sin(c + dx) \sec^{5/2}(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{8a^2(34A + 39B) \sin(c + dx) \sec^{3/2}(c + dx)}{315d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(11/2), x]

[Out] (16\*a^2\*(34\*A + 39\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(315\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (8\*a^2\*(34\*A + 39\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(315\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(34\*A + 39\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(10\*A + 9\*B)\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(63\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(9/2)\*Sin[c + d\*x])/(9\*d)

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[(g\*Csc[e + f\*x])^p\*(g\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^n]/(g\*Ssin[e + f\*x])^p, x, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2975

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1)\*Simp[A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

Rule 2772

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]
```

Rule 2771

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^{11/2}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^{11/2}(c + dx)}{\cos^{11/2}(c + dx)} dx \\ &= \frac{2aA\sqrt{a + a \cos(c + dx)} \sec^9(c + dx) \sin(c + dx)}{9d} + \frac{1}{9} \left( 2\sqrt{a + a \cos(c + dx)} \sec^7(c + dx) \sin(c + dx) \right) \\ &= \frac{2a^2(10A + 9B) \sec^{7/2}(c + dx) \sin(c + dx)}{63d\sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)} \sec^5(c + dx) \sin(c + dx)}{63d} \\ &= \frac{2a^2(34A + 39B) \sec^{5/2}(c + dx) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(10A + 9B) \sec^{3/2}(c + dx) \sin(c + dx)}{63d} \\ &= \frac{8a^2(34A + 39B) \sec^{3/2}(c + dx) \sin(c + dx)}{315d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(34A + 39B) \sec^{1/2}(c + dx) \sin(c + dx)}{105d} \\ &= \frac{16a^2(34A + 39B) \sqrt{\sec(c + dx)} \sin(c + dx)}{315d\sqrt{a + a \cos(c + dx)}} + \frac{8a^2(34A + 39B) \sin(c + dx)}{315d} \end{aligned}$$

**Mathematica [A]** time = 0.69188, size = 124, normalized size = 0.54

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sec^9(c + dx) \sqrt{a(\cos(c + dx) + 1)} ((374A + 324B) \cos(c + dx) + 11(34A + 39B) \cos(2(c + dx)) + 68A \cos(3(c + dx)))}{315d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(11/2), x]
```

```
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*(376*A + 351*B + (374*A + 324*B)*Cos[c + d*x]
+ 11*(34*A + 39*B)*Cos[2*(c + d*x)] + 68*A*Cos[3*(c + d*x)] + 78*B*Cos[3*(
c + d*x)] + 68*A*Cos[4*(c + d*x)] + 78*B*Cos[4*(c + d*x)])*Sec[c + d*x]^(9/
2)*Tan[(c + d*x)/2])/(315*d)
```

**Maple [A]** time = 0.684, size = 139, normalized size = 0.6

$$\frac{2a(-1 + \cos(dx + c)) \left( 272A(\cos(dx + c))^4 + 312B(\cos(dx + c))^4 + 136A(\cos(dx + c))^3 + 156B(\cos(dx + c))^3 \right)}{315d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x)
```

```
[Out] -2/315/d*a*(-1+cos(d*x+c))*(272*A*cos(d*x+c)^4+312*B*cos(d*x+c)^4+136*A*cos
(d*x+c)^3+156*B*cos(d*x+c)^3+102*A*cos(d*x+c)^2+117*B*cos(d*x+c)^2+85*A*cos
(d*x+c)+45*B*cos(d*x+c)+35*A)*cos(d*x+c)*(1/cos(d*x+c))^(11/2)*(a*(1+cos(d*
x+c)))^(1/2)/sin(d*x+c)
```

**Maxima [B]** time = 2.15245, size = 836, normalized size = 3.67

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x, algo
rithm="maxima")
```

```
[Out] 4/315*((315*sqrt(2)*a^(3/2)*sin(d*x + c)/(cos(d*x + c) + 1) - 840*sqrt(2)*a
^(3/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 1344*sqrt(2)*a^(3/2)*sin(d*x +
c)^5/(cos(d*x + c) + 1)^5 - 1242*sqrt(2)*a^(3/2)*sin(d*x + c)^7/(cos(d*x +
c) + 1)^7 + 517*sqrt(2)*a^(3/2)*sin(d*x + c)^9/(cos(d*x + c) + 1)^9 - 94*sq
rt(2)*a^(3/2)*sin(d*x + c)^11/(cos(d*x + c) + 1)^11)*A*(sin(d*x + c)^2/(co
s(d*x + c) + 1)^2 + 1)^4/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2)*(-si
n(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2)*(4*sin(d*x + c)^2/(cos(d*x + c) +
1)^2 + 6*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + 4*sin(d*x + c)^6/(cos(d*x +
c) + 1)^6 + sin(d*x + c)^8/(cos(d*x + c) + 1)^8 + 1)) + 3*(105*sqrt(2)*a^(
3/2)*sin(d*x + c)/(cos(d*x + c) + 1) - 350*sqrt(2)*a^(3/2)*sin(d*x + c)^3/(
cos(d*x + c) + 1)^3 + 518*sqrt(2)*a^(3/2)*sin(d*x + c)^5/(cos(d*x + c) + 1)
^5 - 444*sqrt(2)*a^(3/2)*sin(d*x + c)^7/(cos(d*x + c) + 1)^7 + 209*sqrt(2)*
a^(3/2)*sin(d*x + c)^9/(cos(d*x + c) + 1)^9 - 38*sqrt(2)*a^(3/2)*sin(d*x +
c)^11/(cos(d*x + c) + 1)^11)*B*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^4/
((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2)*(-sin(d*x + c)/(cos(d*x + c)
+ 1) + 1)^(11/2)*(4*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 6*sin(d*x + c)^4/
(cos(d*x + c) + 1)^4 + 4*sin(d*x + c)^6/(cos(d*x + c) + 1)^6 + sin(d*x + c)
^8/(cos(d*x + c) + 1)^8 + 1)))/d
```

**Fricas [A]** time = 1.4335, size = 338, normalized size = 1.48

$$\frac{2 \left( 8(34A + 39B)a \cos(dx + c)^4 + 4(34A + 39B)a \cos(dx + c)^3 + 3(34A + 39B)a \cos(dx + c)^2 + 5(17A + 9B)a \cos(dx + c) \right)}{315 \left( d \cos(dx + c)^5 + d \cos(dx + c)^4 \right) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x, algo
rithm="fricas")
```

```
[Out] 2/315*(8*(34*A + 39*B)*a*cos(d*x + c)^4 + 4*(34*A + 39*B)*a*cos(d*x + c)^3
+ 3*(34*A + 39*B)*a*cos(d*x + c)^2 + 5*(17*A + 9*B)*a*cos(d*x + c) + 35*A*a
)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/((d*cos(d*x + c))^5 + d*cos(d*x + c)
^4)*sqrt(cos(d*x + c))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(11/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x, algo
rithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^(11/
2), x)
```

$$3.503 \quad \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=181

$$\frac{2a^2(8A + 7B) \sin(c + dx) \sec^5(c + dx)}{35d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(52A + 63B) \sin(c + dx) \sec^3(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{4a^2(52A + 63B) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d\sqrt{a \cos(c + dx) + a}}$$

[Out] (4\*a^2\*(52\*A + 63\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(52\*A + 63\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(8\*A + 7\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(35\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(7\*d)

**Rubi [A]** time = 0.560834, antiderivative size = 181, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2975, 2980, 2772, 2771}

$$\frac{2a^2(8A + 7B) \sin(c + dx) \sec^5(c + dx)}{35d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(52A + 63B) \sin(c + dx) \sec^3(c + dx)}{105d\sqrt{a \cos(c + dx) + a}} + \frac{4a^2(52A + 63B) \sin(c + dx) \sqrt{\sec(c + dx)}}{105d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(9/2), x]

[Out] (4\*a^2\*(52\*A + 63\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(52\*A + 63\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(8\*A + 7\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(35\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(7\*d)

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2975

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

#### Rule 2772

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]
```

#### Rule 2771

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx)}{\cos^2(c + dx)} dx \\ &= \frac{2aA\sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{7d} + \frac{1}{7} \left( 2\sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \sin(c + dx) \right) \\ &= \frac{2a^2(8A + 7B) \sec^2(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{7d} \\ &= \frac{2a^2(52A + 63B) \sec^2(c + dx) \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(8A + 7B) \sec^2(c + dx) \sin(c + dx)}{35d\sqrt{a + a \cos(c + dx)}} \\ &= \frac{4a^2(52A + 63B) \sqrt{\sec(c + dx)} \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(52A + 63B) \sqrt{\sec(c + dx)} \sin(c + dx)}{105d} \end{aligned}$$

**Mathematica [A]** time = 0.544828, size = 102, normalized size = 0.56

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sec^2(c + dx) \sqrt{a(\cos(c + dx) + 1)} (3(78A + 77B) \cos(c + dx) + (52A + 63B) \cos(2(c + dx)) + 52A \cos(3(c + dx)))}{105d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2), x]
```

```
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*(82*A + 63*B + 3*(78*A + 77*B)*Cos[c + d*x] + (52*A + 63*B)*Cos[2*(c + d*x)] + 52*A*Cos[3*(c + d*x)] + 63*B*Cos[3*(c + d*x)]))*Sec[c + d*x]^(7/2)*Tan[(c + d*x)/2]/(105*d)
```

**Maple [A]** time = 0.652, size = 117, normalized size = 0.7

$$\frac{2a(-1 + \cos(dx + c)) \left( 104A(\cos(dx + c))^3 + 126B(\cos(dx + c))^3 + 52A(\cos(dx + c))^2 + 63B(\cos(dx + c))^2 + 3 \right)}{105d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(9/2),x)

[Out] -2/105/d\*a\*(-1+cos(d\*x+c))\*(104\*A\*cos(d\*x+c)^3+126\*B\*cos(d\*x+c)^3+52\*A\*cos(d\*x+c)^2+63\*B\*cos(d\*x+c)^2+39\*A\*cos(d\*x+c)+21\*B\*cos(d\*x+c)+15\*A)\*cos(d\*x+c)\*(1/cos(d\*x+c))^(9/2)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)

**Maxima [B]** time = 2.50775, size = 711, normalized size = 3.93

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(9/2),x, algorithm="maxima")

[Out] 4/105\*((105\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 245\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 273\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 171\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7 + 38\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^9/(cos(d\*x + c) + 1)^9)\*A\*(sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 1)^3/((sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(9/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(9/2)\*(3\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 3\*sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4 + sin(d\*x + c)^6/(cos(d\*x + c) + 1)^6 + 1)) + 21\*(5\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 15\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 17\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 9\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7 + 2\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^9/(cos(d\*x + c) + 1)^9)\*B\*(sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 1)^3/((sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(9/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(9/2)\*(3\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 3\*sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4 + sin(d\*x + c)^6/(cos(d\*x + c) + 1)^6 + 1)))/d

**Fricas [A]** time = 1.46307, size = 288, normalized size = 1.59

$$\frac{2 \left( 2(52A + 63B)a \cos(dx + c)^3 + (52A + 63B)a \cos(dx + c)^2 + 3(13A + 7B)a \cos(dx + c) + 15Aa \right) \sqrt{a \cos(dx + c)}}{105 \left( d \cos(dx + c)^4 + d \cos(dx + c)^3 \right) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(9/2),x, algorithm="fricas")

[Out] 2/105\*(2\*(52\*A + 63\*B)\*a\*cos(d\*x + c)^3 + (52\*A + 63\*B)\*a\*cos(d\*x + c)^2 + 3\*(13\*A + 7\*B)\*a\*cos(d\*x + c) + 15\*A\*a)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/((d\*cos(d\*x + c)^4 + d\*cos(d\*x + c)^3)\*sqrt(cos(d\*x + c)))

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(9/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(9/2), x)



$$3.504 \quad \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=134

$$\frac{2a^2(6A + 5B) \sin(c + dx) \sec^3(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(18A + 25B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2aA \sin(c + dx) \sec^5(c + dx) \sqrt{a}}{5d}$$

[Out] (2\*a^2\*(18\*A + 25\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(6\*A + 5\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(5\*d)

**Rubi [A]** time = 0.468983, antiderivative size = 134, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2961, 2975, 2980, 2771}

$$\frac{2a^2(6A + 5B) \sin(c + dx) \sec^3(c + dx)}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2a^2(18A + 25B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d\sqrt{a \cos(c + dx) + a}} + \frac{2aA \sin(c + dx) \sec^5(c + dx) \sqrt{a}}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2), x]

[Out] (2\*a^2\*(18\*A + 25\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(6\*A + 5\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(5\*d)

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2975

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2980

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*

$(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]$ ,  $x$  +  $\text{Dist}[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d))$ ,  $\text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^{(n + 1)}$ ,  $x$ ],  $x$  /;  $\text{FreeQ}\{a, b, c, d, e, f, A, B\}, x$  &&  $\text{NeQ}[b*c - a*d, 0]$  &&  $\text{EqQ}[a^2 - b^2, 0]$  &&  $\text{NeQ}[c^2 - d^2, 0]$  &&  $\text{LtQ}[n, -1]$

Rule 2771

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\text{sin}[(e_) + (f_)*(x_)]]/((c_) + (d_)*\text{sin}[(e_) + (f_)*(x_)])^{(3/2)}$ ,  $x\_Symbol$ ]  $\rightarrow$   $\text{Simp}[(-2*b^2*\text{Cos}[e + f*x])/(f*(b*c + a*d)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]])$ ,  $x$  /;  $\text{FreeQ}\{a, b, c, d, e, f\}, x$  &&  $\text{NeQ}[b*c - a*d, 0]$  &&  $\text{EqQ}[a^2 - b^2, 0]$  &&  $\text{NeQ}[c^2 - d^2, 0]$

Rubi steps

$$\int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx = (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx)}{\cos^2(c + dx)} dx$$

$$= \frac{2aA\sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{5d} + \frac{1}{5} (2\sqrt{c + dx})$$

$$= \frac{2a^2(6A + 5B) \sec^2(c + dx) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)}}{15d\sqrt{a + a \cos(c + dx)}}$$

$$= \frac{2a^2(18A + 25B)\sqrt{\sec(c + dx)} \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(6A + 5B)}{15d\sqrt{a + a \cos(c + dx)}}$$

**Mathematica [A]** time = 0.33013, size = 80, normalized size = 0.6

$$\frac{a \tan\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{5}{2}}(c + dx) \sqrt{a(\cos(c + dx) + 1)} (2(9A + 5B) \cos(c + dx) + (18A + 25B) \cos(2(c + dx)) + 24A + 25B)}{15d}$$

Antiderivative was successfully verified.

[In]  $\text{Integrate}[(a + a*\text{Cos}[c + d*x])^{(3/2)}*(A + B*\text{Cos}[c + d*x])*\text{Sec}[c + d*x]^{(7/2)}$ ,  $x$ ]

[Out]  $(a*\text{Sqrt}[a*(1 + \text{Cos}[c + d*x])]*(24*A + 25*B + 2*(9*A + 5*B)*\text{Cos}[c + d*x] + (18*A + 25*B)*\text{Cos}[2*(c + d*x)])*\text{Sec}[c + d*x]^{(5/2)}*\text{Tan}[(c + d*x)/2])/(15*d)$

**Maple [A]** time = 0.569, size = 95, normalized size = 0.7

$$\frac{2a(-1 + \cos(dx + c)) (18A(\cos(dx + c))^2 + 25B(\cos(dx + c))^2 + 9A\cos(dx + c) + 5B\cos(dx + c) + 3A) \cos(dx + c)}{15d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+\cos(d*x+c)*a)^{(3/2)}*(A+B*\cos(d*x+c))*\text{sec}(d*x+c)^{(7/2)}, x)$

[Out]  $-2/15/d*a*(-1+\cos(d*x+c))*(18*A*\cos(d*x+c)^2+25*B*\cos(d*x+c)^2+9*A*\cos(d*x+c)+5*B*\cos(d*x+c)+3*A)*\cos(d*x+c)*(1/\cos(d*x+c))^{(7/2)}*(a*(1+\cos(d*x+c)))^{(1/2)}/\sin(d*x+c)$

**Maxima [B]** time = 1.99292, size = 589, normalized size = 4.4

$$4 \frac{\left( 3 \left( \frac{5\sqrt{2}a^3 \sin(dx+c)}{\cos(dx+c)+1} - \frac{10\sqrt{2}a^3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{7\sqrt{2}a^3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} - \frac{2\sqrt{2}a^3 \sin(dx+c)^7}{(\cos(dx+c)+1)^7} \right) A \left( \frac{\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + 1 \right)^2 \right.}{\left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left( \frac{2\sin(dx+c)^2}{(\cos(dx+c)+1)^2} + \frac{\sin(dx+c)^4}{(\cos(dx+c)+1)^4} + 1 \right)} + \frac{5 \left( \frac{3\sqrt{2}a^3 \sin(dx+c)}{\cos(dx+c)+1} - \frac{8\sqrt{2}a^3 \sin(dx+c)^3}{(\cos(dx+c)+1)^3} + \frac{7\sqrt{2}a^3 \sin(dx+c)^5}{(\cos(dx+c)+1)^5} \right)}{\left( \frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}} \left( -\frac{\sin(dx+c)}{\cos(dx+c)+1} + 1 \right)^{\frac{7}{2}}}$$

15 d

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorith="maxima")

[Out] 4/15\*(3\*(5\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 10\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 7\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 2\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7)\*A\*(sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 1)^2/((sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(7/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(7/2)\*(2\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4 + 1)) + 5\*(3\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 8\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 7\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 2\*sqrt(2)\*a^(3/2)\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7)\*B\*(sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 1)^2/((sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(7/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(7/2)\*(2\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4 + 1)))/d

**Fricas [A]** time = 1.4596, size = 234, normalized size = 1.75

$$\frac{2 \left( (18A + 25B)a \cos(dx+c)^2 + (9A + 5B)a \cos(dx+c) + 3Aa \right) \sqrt{a \cos(dx+c) + a \sin(dx+c)}}{15 \left( d \cos(dx+c)^3 + d \cos(dx+c)^2 \right) \sqrt{\cos(dx+c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorith="fricas")

[Out] 2/15\*((18\*A + 25\*B)\*a\*cos(d\*x + c)^2 + (9\*A + 5\*B)\*a\*cos(d\*x + c) + 3\*A\*a)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/((d\*cos(d\*x + c)^3 + d\*cos(d\*x + c)^2)\*sqrt(cos(d\*x + c)))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(7/2), x)

$$3.505 \quad \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=145

$$\frac{2a^2(4A + 3B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d\sqrt{a \cos(c + dx) + a}} + \frac{2a^{3/2}B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{2aA \sin(c + dx) \sec^2(c + dx)}{3d}$$

[Out] (2\*a^(3/2)\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/d + (2\*a^2\*(4\*A + 3\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.450702, antiderivative size = 145, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2975, 2980, 2774, 216}

$$\frac{2a^2(4A + 3B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d\sqrt{a \cos(c + dx) + a}} + \frac{2a^{3/2}B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{d} + \frac{2aA \sin(c + dx) \sec^2(c + dx)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2), x]

[Out] (2\*a^(3/2)\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/d + (2\*a^2\*(4\*A + 3\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d)

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n]/(g\*Sin[e + f\*x])^p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2975

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2980

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Sim

```
p[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*
(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c
- 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(
c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] &
& NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

#### Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)
*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]
```

#### Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

#### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^5(c + dx)}{\cos^5(c + dx)} dx \\ &= \frac{2aA \sqrt{a + a \cos(c + dx)} \sec^3(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} (2\sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \sin(c + dx) - \frac{2}{3} \sec^3(c + dx) \sin(c + dx)) \\ &= \frac{2a^2(4A + 3B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} + \frac{2aA \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{3d} \\ &= \frac{2a^2(4A + 3B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} + \frac{2aA \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{3d} \\ &= \frac{2a^{3/2} B \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d} + \frac{2a^2(4A + 3B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} + \frac{2aA \sqrt{a + a \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{3d} \end{aligned}$$

**Mathematica [A]** time = 0.394888, size = 106, normalized size = 0.73

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sec^3(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left(2 \sin\left(\frac{1}{2}(c + dx)\right) ((5A + 3B) \cos(c + dx) + A) + 3\sqrt{2}B \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2), x]
```

```
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sec[c + d*x]^(3/2)*(3*Sqrt[2]*B*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(3/2) + 2*(A + (5*A + 3*B)*Cos[c + d*x])*Sin[(c + d*x)/2]))/(3*d)
```

**Maple [B]** time = 0.666, size = 287, normalized size = 2.

$$\frac{2 \cos(dx + c) a (\sin(dx + c))^2}{3d (-1 + \cos(dx + c)) (1 + \cos(dx + c))^2} \left( 3B (\cos(dx + c))^2 \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}\right) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)}\right) \right)$$



$$2*c) + 1)^{(1/4)} * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1) * \sqrt{a} * B / (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1) + 8*(3*\sqrt{2}) * a^{(3/2)} * \sin(d*x + c) / (\cos(d*x + c) + 1) - 5*\sqrt{2}) * a^{(3/2)} * \sin(d*x + c)^3 / (\cos(d*x + c) + 1)^3 + 2*\sqrt{2}) * a^{(3/2)} * \sin(d*x + c)^5 / (\cos(d*x + c) + 1)^5 * A / ((\sin(d*x + c) / (\cos(d*x + c) + 1) + 1)^{(5/2)} * (-\sin(d*x + c) / (\cos(d*x + c) + 1) + 1)^{(5/2)})) / d$$

**Fricas [A]** time = 1.61521, size = 355, normalized size = 2.45

$$\frac{2 \left( 3 \left( B a \cos(dx + c)^2 + B a \cos(dx + c) \right) \sqrt{a} \arctan \left( \frac{\sqrt{a \cos(dx+c) + a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right) - \frac{((5 A + 3 B) a \cos(dx+c) + A a) \sqrt{a \cos(dx+c) + a} \sin(dx+c)}{\sqrt{\cos(dx+c)}} \right)}{3 \left( d \cos(dx + c)^2 + d \cos(dx + c) \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] -2/3\*(3\*(B\*a\*cos(d\*x + c)^2 + B\*a\*cos(d\*x + c))\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - ((5\*A + 3\*B)\*a\*cos(d\*x + c) + A\*a)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(d\*cos(d\*x + c)^2 + d\*cos(d\*x + c))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(5/2), x)



$$3.506 \quad \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=146

$$\frac{a^{3/2}(2A + 3B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{d} - \frac{a^2(2A - B)\sin(c + dx)}{d\sqrt{\sec(c + dx)}\sqrt{a\cos(c + dx) + a}} + \frac{2aA\sin(c + dx)}{d}$$

[Out] (a^(3/2)\*(2\*A + 3\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/d - (a^2\*(2\*A - B)\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d

**Rubi [A]** time = 0.465838, antiderivative size = 146, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2975, 2981, 2774, 216}

$$\frac{a^{3/2}(2A + 3B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{d} - \frac{a^2(2A - B)\sin(c + dx)}{d\sqrt{\sec(c + dx)}\sqrt{a\cos(c + dx) + a}} + \frac{2aA\sin(c + dx)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2),x]

[Out] (a^(3/2)\*(2\*A + 3\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/d - (a^2\*(2\*A - B)\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) + (2\*a\*A\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_)])\*(g\_.)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*SIN[e + f\*x])^p, Int[((a + b\*SIN[e + f\*x])^m\*(c + d\*SIN[e + f\*x])^n)/(g\*SIN[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2975

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*SIN[e + f\*x])^(m - 1)\*(c + d\*SIN[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*SIN[e + f\*x])^(m - 1)\*(c + d\*SIN[e + f\*x])^(n + 1)\*Simp[A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*SIN[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2981

Int[Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Simp

```
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rubi steps

$$\int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^3(c + dx)}{\cos^3(c + dx)} dx$$

$$= \frac{2aA\sqrt{a + a \cos(c + dx)}\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \left( 2\sqrt{\cos(c + dx)} \right)$$

$$= -\frac{a^2(2A - B) \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}\sqrt{\sec(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)}}{d}$$

$$= -\frac{a^2(2A - B) \sin(c + dx)}{d\sqrt{a + a \cos(c + dx)}\sqrt{\sec(c + dx)}} + \frac{2aA\sqrt{a + a \cos(c + dx)}}{d}$$

$$= \frac{a^{3/2}(2A + 3B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d}$$

**Mathematica [A]** time = 0.32242, size = 107, normalized size = 0.73

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left( \sqrt{2}(2A + 3B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) \sqrt{\cos(c + dx)} + 2 \sin\left(\frac{1}{2}(c + dx)\right) \right)}{2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]
```

```
[Out] (a*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(Sqrt[2]*(2*A + 3*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Sqrt[Cos[c + d*x]] + 2*(2*A + B*Cos[c + d*x])*Sin[(c + d*x)/2]))/(2*d)
```

**Maple [B]** time = 0.655, size = 308, normalized size = 2.1

$$\frac{\cos(dx + c) a}{d(1 + \cos(dx + c))} \left( 2 A \cos(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}\right) + 3 B \cos(dx + c) \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+\cos(dx+c)*a)^{(3/2)}*(A+B*\cos(dx+c))*\sec(dx+c)^{(3/2)},x)$

[Out]  $\frac{1}{d}a*(2A*\cos(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}/\cos(dx+c))+3B*\cos(dx+c)*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}/\cos(dx+c)))+(2A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}/\cos(dx+c))+B*\sin(dx+c)*\cos(dx+c)+3B*\arctan(\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}/\cos(dx+c)))+(a*(1+\cos(dx+c)))^{(1/2)}/(1+\cos(dx+c))$

**Maxima [B]** time = 2.97994, size = 2431, normalized size = 16.65

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+a*\cos(dx+c))^{(3/2)}*(A+B*\cos(dx+c))*\sec(dx+c)^{(3/2)},x, \text{algoritm}=\text{"maxima"})$

[Out]  $\frac{1}{4}*((2*(a*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(dx + c) - (a*\cos(dx + c) - a)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sqrt{a} + 3*(a*\arctan2(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(dx + c) - \cos(dx + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(dx + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(dx + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) + 1) - a*\arctan2(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(dx + c) - \cos(dx + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(dx + c)*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + \sin(dx + c)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) - 1) - a*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + 1) + a*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1))*\sqrt{a})*B + 2*((a*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))) + \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))) + 1) - a*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))))$

$\cos(2dx + 2c))$ ),  $(\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot (\cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) + \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c)))) - 1) - a \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) + 1) + a \arctan2((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))), (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) - 1)) \cdot (\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4} \cdot \sqrt{a} + 4 \cdot (a \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c))) - (a \cos(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1))) \cdot \sin(1/2 \arctan2(\sin(2dx + 2c), \cos(2dx + 2c) + 1)))) \cdot \sqrt{a} \cdot A / ((\cos(2dx + 2c)^2 + \sin(2dx + 2c)^2 + 2\cos(2dx + 2c) + 1)^{1/4}) / d$

**Fricas [A]** time = 1.85919, size = 323, normalized size = 2.21

$$\frac{((2A + 3B)a \cos(dx + c) + (2A + 3B)a) \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c) + a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{(Ba \cos(dx+c) + 2Aa) \sqrt{a \cos(dx+c) + a} \sin(dx+c)}{\sqrt{\cos(dx+c)}}}{d \cos(dx + c) + d}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] -(((2\*A + 3\*B)\*a\*cos(d\*x + c) + (2\*A + 3\*B)\*a)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - (B\*a\*cos(d\*x + c) + 2\*A\*a)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(d\*cos(d\*x + c) + d)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2),x, algorithm="giac")

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^(3/2), x)
```

### 3.507 $\int (a+a \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$

**Optimal.** Leaf size=153

$$\frac{a^{3/2}(12A+7B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{4d} + \frac{a^2(4A+5B)\sin(c+dx)}{4d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{aB\sin(c+dx)\sqrt{a}}{2d\sqrt{\sec(c+dx)}}$$

[Out] (a^(3/2)\*(12\*A + 7\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(4\*d) + (a^2\*(4\*A + 5\*B)\*Sin[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) + (a\*B\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d\*Sqrt[Sec[c + d\*x]])

**Rubi [A]** time = 0.455454, antiderivative size = 153, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2976, 2981, 2774, 216}

$$\frac{a^{3/2}(12A+7B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{4d} + \frac{a^2(4A+5B)\sin(c+dx)}{4d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{aB\sin(c+dx)\sqrt{a}}{2d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]],x]

[Out] (a^(3/2)\*(12\*A + 7\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(4\*d) + (a^2\*(4\*A + 5\*B)\*Sin[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) + (a\*B\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d\*Sqrt[Sec[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_)])\*(g\_.)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Ssin[e + f\*x])^p, Int[((a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^n)/(g\*Ssin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2976

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m-1)\*(c + d\*Ssin[e + f\*x])^(n+1))/(d\*f\*(m+n+1)), x] + Dist[1/(d\*(m+n+1)), Int[(a + b\*Ssin[e + f\*x])^(m-1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a\*A\*d\*(m+n+1) + B\*(a\*c\*(m-1) + b\*d\*(n+1)) + (A\*b\*d\*(m+n+1) - B\*(b\*c\*m - a\*d\*(2\*m+n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2981

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Ssin[e + f\*x])^(n+1))/(d\*f\*(2\*n+3)\*Sqrt[a + b\*Ssin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n+3) - B\*(b\*c - 2\*a\*d\*(n+1)))/(b

```
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

#### Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*
(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]
```

#### Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

#### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{aB \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} + \frac{1}{2} \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{a^2 (4A + 5B) \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{aB \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} \\ &= \frac{a^2 (4A + 5B) \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{aB \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} \\ &= \frac{a^3 (12A + 7B) \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4d} \end{aligned}$$

**Mathematica [A]** time = 0.441364, size = 121, normalized size = 0.79

$$\frac{a \sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left( \sqrt{2}(12A + 7B) \sin^{-1} \left( \sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right) \right) \right) + 2 \sin\left(\frac{1}{2}(c + dx)\right)}{8d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]], x]
```

```
[Out] (a*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*(Sqrt[2]*(12*A + 7*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*Sqrt[Cos[c + d*x]]*(4*A + 7*B + 2*B*Cos[c + d*x])*Sin[(c + d*x)/2]))/(8*d)
```

**Maple [A]** time = 0.696, size = 233, normalized size = 1.5

$$\frac{a \left( (\cos(dx + c))^2 - 1 \right)}{4d (\sin(dx + c))^2} \left( 2B \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \sin(dx + c) \cos(dx + c) + 4A \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \sin(dx + c) + 7B \sin(dx + c) \right)$$





+ 2\*c))) + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) - a\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*(cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) - 1) - a\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + 1) + a\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - 1))\*sqrt(a))\*B)/d

**Fricas [A]** time = 1.96677, size = 365, normalized size = 2.39

$$\frac{((12A + 7B)a \cos(dx + c) + (12A + 7B)a)\sqrt{a} \arctan\left(\frac{\sqrt{a} \cos(dx+c) + a\sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{(2Ba \cos(dx+c)^2 + (4A+7B)a \cos(dx+c))\sqrt{a}}{\sqrt{\cos(dx+c)}}}{4(d \cos(dx + c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2),x, algorith="fricas")

[Out] -1/4\*(((12\*A + 7\*B)\*a\*cos(d\*x + c) + (12\*A + 7\*B)\*a)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - (2\*B\*a\*cos(d\*x + c)^2 + (4\*A + 7\*B)\*a\*cos(d\*x + c))\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(d\*cos(d\*x + c) + d)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^(3/2)*sqrt(sec(d*x + c)), x)
```

$$3.508 \quad \int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=200

$$\frac{a^2(6A+7B)\sin(c+dx)}{12d \sec^2(c+dx)\sqrt{a \cos(c+dx)+a}} + \frac{a^{3/2}(14A+11B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^2(14A+11B)\sin(c+dx)}{8d\sqrt{\sec(c+dx)}}$$

[Out] (a^(3/2)\*(14\*A + 11\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(8\*d) + (a^2\*(6\*A + 7\*B)\*Sin[c + d\*x])/(12\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)) + (a\*B\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*Sec[c + d\*x]^(3/2)) + (a^2\*(14\*A + 11\*B)\*Sin[c + d\*x])/(8\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])

**Rubi [A]** time = 0.54217, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2976, 2981, 2770, 2774, 216}

$$\frac{a^2(6A+7B)\sin(c+dx)}{12d \sec^2(c+dx)\sqrt{a \cos(c+dx)+a}} + \frac{a^{3/2}(14A+11B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{8d} + \frac{a^2(14A+11B)\sin(c+dx)}{8d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + a\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Sqrt[Sec[c + d\*x]], x]

[Out] (a^(3/2)\*(14\*A + 11\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(8\*d) + (a^2\*(6\*A + 7\*B)\*Sin[c + d\*x])/(12\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)) + (a\*B\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(3\*d\*Sec[c + d\*x]^(3/2)) + (a^2\*(14\*A + 11\*B)\*Sin[c + d\*x])/(8\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2976

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m-1)\*(c + d\*Sin[e + f\*x])^(n+1))/(d\*f\*(m+n+1)), x] + Dist[1/(d\*(m+n+1)), Int[(a + b\*Sin[e + f\*x])^(m-1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m+n+1) + B\*(a\*c\*(m-1) + b\*d\*(n+1)) + (A\*b\*d\*(m+n+1) - B\*(b\*c\*m - a\*d\*(2\*m+n)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +
b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

#### Rule 2770

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (
f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])
^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*
(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x],
x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]
```

#### Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*
(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]
```

#### Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

#### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2} (A + B \cos(c + dx)) dx \\ &= \frac{aB \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{3} (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{3/2} dx \\ &= \frac{a^2 (6A + 7B) \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{aB \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \sec^{\frac{3}{2}}(c + dx)} \\ &= \frac{a^2 (6A + 7B) \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{aB \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \sec^{\frac{3}{2}}(c + dx)} \\ &= \frac{a^2 (6A + 7B) \sin(c + dx)}{12d \sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{aB \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{3d \sec^{\frac{3}{2}}(c + dx)} \\ &= \frac{a^3 (14A + 11B) \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{8d} + \frac{aB \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{12d} \end{aligned}$$

**Mathematica [A]** time = 0.504107, size = 141, normalized size = 0.7

$$\frac{a \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2}(14A + 11B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)} + \left(\sin\left(\frac{3}{2}(c + dx)\right)\right) \sqrt{\sec(c + dx)}}{48d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + a\*cos[c + d\*x])^(3/2)\*(A + B\*cos[c + d\*x]))/Sqrt[Sec[c + d\*x]],x]

[Out] (a\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]]\*(3\*Sqrt[2]\*(14\*A + 11\*B)\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Sqrt[Cos[c + d\*x]] + (42\*A + 37\*B + 2\*(6\*A + 11\*B)\*Cos[c + d\*x] + 4\*B\*Cos[2\*(c + d\*x)])\*(-Sin[(c + d\*x)/2] + Sin[(3\*(c + d\*x))/2])))/(48\*d)

**Maple [A]** time = 0.658, size = 309, normalized size = 1.5

$$\frac{a(-1 + \cos(dx + c))^2 \cos(dx + c)}{24d(\sin(dx + c))^4} \left( 8B(\cos(dx + c))^2 \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \sin(dx + c) + 12A \cos(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(3/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x)

[Out] 1/24/d\*a\*(-1+cos(d\*x+c))^2\*(8\*B\*cos(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+12\*A\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+22\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)\*cos(d\*x+c)+42\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+33\*B\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+42\*A\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+33\*B\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c)))\*cos(d\*x+c)\*(a\*(1+cos(d\*x+c)))^(1/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/(1/cos(d\*x+c))^(1/2)/sin(d\*x+c)^4

**Maxima [B]** time = 4.38399, size = 4081, normalized size = 20.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorith="maxima")

[Out] 1/96\*(6\*(2\*(cos(2\*d\*x + 2\*c))^2 + sin(2\*d\*x + 2\*c))^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*((a\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) \* sin(2\*d\*x + 2\*c) + a\*sin(2\*d\*x + 2\*c) - (a\*cos(2\*d\*x + 2\*c) - 6\*a)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) \* cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) + (a\*sin(2\*d\*x + 2\*c)\*sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) - a\*cos(2\*d\*x + 2\*c) + (a\*cos(2\*d\*x + 2\*c) - 6\*a)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))) \* sqrt(a) + 7\*(a\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) \* sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) - cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))) \* sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))), (cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1))\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) + sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c) + 1)) \* sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c)))) + 1) - a\*arctan2((cos(2\*d\*x + 2\*c)^2 + sin(2\*d\*x + 2\*c)^2 + 2\*cos(2\*d\*x + 2\*c) + 1)^(1/4)\*cos(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))) \* sin(1/2\*arctan2(sin(2\*d\*x + 2\*c), cos(2\*d\*x + 2\*c))))

$$\begin{aligned}
& + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x \\
& x + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))), (\cos( \\
& 2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*(\cos(1/ \\
& 2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1))*\cos(1/2*\arctan2(\sin(2*d*x \\
& x + 2*c), \cos(2*d*x + 2*c))) + \sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x \\
& + 2*c) + 1))*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) - 1) - a \\
& *\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1) \\
& ^{(1/4)}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x \\
& + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\cos(1/2*\arctan2 \\
& (\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + 1) + a*\arctan2((\cos(2*d*x + \\
& 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2*\arctan2 \\
& (\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x \\
& + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c) + 1)) - 1))*\sqrt{a})*A + (4*(a*\cos(3/2*\arctan2(\sin(2/3*\arctan2 \\
& (\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c) \\
& , \cos(3*d*x + 3*c))) + 1))*\sin(3*d*x + 3*c) - (a*\cos(3*d*x + 3*c) - a)*\sin( \\
& 3/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*a \\
& rctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))*(\cos(2/3*\arctan2(\sin(3*d \\
& *x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d \\
& *x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1) \\
& ^{(3/4)}*\sqrt{a} + 6*(\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 \\
& + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2 \\
& 2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)}*((3*a*\sin(2/3*\arctan2(\sin \\
& (3*d*x + 3*c), \cos(3*d*x + 3*c))) + 11*a*\sin(1/3*\arctan2(\sin(3*d*x + 3*c), \\
& \cos(3*d*x + 3*c))))*\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3 \\
& *d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) - \\
& (3*a*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 5*a*\cos(1/3*\ar \\
& ctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) - 8*a)*\sin(1/2*\arctan2(\sin(2/3*a \\
& rctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3* \\
& c), \cos(3*d*x + 3*c))) + 1))*\sqrt{a} + 33*(a*\arctan2(-(\cos(2/3*\arctan2(\sin \\
& (3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos \\
& (3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) \\
& + 1)^{(1/4)}*(\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3 \\
& *c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))*\sin(1/3*a \\
& rctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) - \cos(1/3*\arctan2(\sin(3*d*x + 3 \\
& *c), \cos(3*d*x + 3*c)))*\sin(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), c \\
& os(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1 \\
& )), (\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arct \\
& an2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + \\
& 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)}*(\cos(1/3*\arctan2(\sin(3*d*x + 3*c), \cos( \\
& 3*d*x + 3*c))))*\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x \\
& + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) + \sin( \\
& 1/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))*\sin(1/2*\arctan2(\sin(2/3*\ar \\
& ctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c) \\
& ), \cos(3*d*x + 3*c))) + 1))) + 1) - a*\arctan2(-(\cos(2/3*\arctan2(\sin(3*d*x + \\
& 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + \\
& 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/ \\
& 4)}*(\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), c \\
& os(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))*\sin(1/3*\arctan2(s \\
& in(3*d*x + 3*c), \cos(3*d*x + 3*c))) - \cos(1/3*\arctan2(\sin(3*d*x + 3*c), \cos \\
& (3*d*x + 3*c)))*\sin(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x \\
& + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))), (co \\
& s(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3*\arctan2(\sin( \\
& 3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2*\cos(2/3*\arctan2(\sin(3*d*x + 3*c), co \\
& s(3*d*x + 3*c))) + 1)^{(1/4)}*(\cos(1/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + \\
& 3*c))))*\cos(1/2*\arctan2(\sin(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) \\
& , \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) + \sin(1/3*\arct \\
& an2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))*\sin(1/2*\arctan2(\sin(2/3*\arctan2(si \\
& n(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3*\arctan2(\sin(3*d*x + 3*c), \cos(3
\end{aligned}$$

```
*d*x + 3*c))) + 1))) - 1) - a*arctan2((cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) + 1) + a*arctan2((cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)), (cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) - 1))*sqrt(a))*B)/d
```

**Fricas [A]** time = 1.8698, size = 423, normalized size = 2.12

$$\frac{3((14A + 11B)a \cos(dx + c) + (14A + 11B)a)\sqrt{a} \arctan\left(\frac{\sqrt{a}\cos(dx+c)+a\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right) - \frac{(8Ba \cos(dx+c)^3 + 2(6A+11B)a \cos(dx+c))}{24(d \cos(dx+c) + d)}}{24(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorith="fricas")
```

```
[Out] -1/24*(3*((14*A + 11*B)*a*cos(d*x + c) + (14*A + 11*B)*a)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - (8*B*a*cos(d*x + c)^3 + 2*(6*A + 11*B)*a*cos(d*x + c)^2 + 3*(14*A + 11*B)*a*cos(d*x + c))*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^(3/2)/sqrt(sec(d*x + c)), x)
```



$$3.509 \quad \int \frac{(a+a \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\sec^2(c+dx)} dx$$

**Optimal.** Leaf size=247

$$\frac{a^2(88A + 75B) \sin(c + dx)}{96d \sec^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{a^2(8A + 9B) \sin(c + dx)}{24d \sec^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{a^{3/2}(88A + 75B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64d}$$

```
[Out] (a^(3/2)*(88*A + 75*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(64*d) + (a^2*(8*A + 9*B)*Sin[c + d*x])/(24*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(5/2)) + (a*B*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(4*d*Sec[c + d*x]^(5/2)) + (a^2*(88*A + 75*B)*Sin[c + d*x])/(96*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)) + (a^2*(88*A + 75*B)*Sin[c + d*x])/(64*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])
```

**Rubi [A]** time = 0.643638, antiderivative size = 247, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2976, 2981, 2770, 2774, 216}

$$\frac{a^2(88A + 75B) \sin(c + dx)}{96d \sec^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{a^2(8A + 9B) \sin(c + dx)}{24d \sec^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{a^{3/2}(88A + 75B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]
```

```
[Out] (a^(3/2)*(88*A + 75*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(64*d) + (a^2*(8*A + 9*B)*Sin[c + d*x])/(24*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(5/2)) + (a*B*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(4*d*Sec[c + d*x]^(5/2)) + (a^2*(88*A + 75*B)*Sin[c + d*x])/(96*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)) + (a^2*(88*A + 75*B)*Sin[c + d*x])/(64*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

#### Rule 2976

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
```







$$\begin{aligned}
& *x + 4*c)^2 - 2*a*cos(4*d*x + 4*c) + a)*sin(4*d*x + 4*c))*cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 20*(a*sin(4*d*x + 4*c)^3 + (a*cos(4*d*x + 4*c)^2 + 2*a*cos(4*d*x + 4*c) + a)*sin(4*d*x + 4*c))*sin(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 5*(2*a*cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + a*sin(4*d*x + 4*c) - 2*(a*cos(4*d*x + 4*c) + a)*sin(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*cos(3/4*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 20*(a*sin(4*d*x + 4*c)^3 + (a*cos(4*d*x + 4*c)^2 - a*cos(4*d*x + 4*c))*sin(4*d*x + 4*c))*cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + (8*a*cos(4*d*x + 4*c)^2 + 32*(a*cos(4*d*x + 4*c)^2 + a*sin(4*d*x + 4*c)^2 - 2*a*cos(4*d*x + 4*c) + a)*cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 8*a*sin(4*d*x + 4*c)^2 + 32*(a*cos(4*d*x + 4*c)^2 + a*sin(4*d*x + 4*c)^2 + 2*a*cos(4*d*x + 4*c) + a)*sin(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 - 5*a*cos(4*d*x + 4*c) + 2*(16*a*cos(4*d*x + 4*c)^2 + 16*a*sin(4*d*x + 4*c)^2 - 21*a*cos(4*d*x + 4*c) + 5*a)*cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 2*(64*a*cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + 21*a*sin(4*d*x + 4*c))*sin(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*sin(3/4*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 20*(4*a*cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*sin(4*d*x + 4*c)^2 + a*sin(4*d*x + 4*c)^2)*sin(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*cos(3/2*arctan2(\sin(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1)) - (5*a*cos(4*d*x + 4*c)^3 - 8*a*cos(4*d*x + 4*c)^2 + 4*(5*a*cos(4*d*x + 4*c)^3 - 18*a*cos(4*d*x + 4*c)^2 + (5*a*cos(4*d*x + 4*c) - 8*a)*sin(4*d*x + 4*c)^2 + 21*a*cos(4*d*x + 4*c) - 8*a)*cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + (5*a*cos(4*d*x + 4*c) - 8*a)*sin(4*d*x + 4*c)^2 + 4*(5*a*cos(4*d*x + 4*c)^3 + 2*a*cos(4*d*x + 4*c)^2 + (5*a*cos(4*d*x + 4*c) - 8*a)*sin(4*d*x + 4*c)^2 - 11*a*cos(4*d*x + 4*c) - 8*a)*sin(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + (8*a*cos(4*d*x + 4*c)^2 + 32*(a*cos(4*d*x + 4*c)^2 + a*sin(4*d*x + 4*c)^2 - 2*a*cos(4*d*x + 4*c) + a)*cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 8*a*sin(4*d*x + 4*c)^2 + 32*(a*cos(4*d*x + 4*c)^2 + a*sin(4*d*x + 4*c)^2 + 2*a*cos(4*d*x + 4*c) + a)*sin(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 - 5*a*cos(4*d*x + 4*c) + 2*(16*a*cos(4*d*x + 4*c)^2 + 16*a*sin(4*d*x + 4*c)^2 - 21*a*cos(4*d*x + 4*c) + 5*a)*cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 2*(64*a*cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + 21*a*sin(4*d*x + 4*c))*sin(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*cos(3/4*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 4*(5*a*cos(4*d*x + 4*c)^3 - 13*a*cos(4*d*x + 4*c)^2 + (5*a*cos(4*d*x + 4*c) - 8*a)*sin(4*d*x + 4*c)^2 + 8*a*cos(4*d*x + 4*c))*cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 5*(2*a*cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + a*sin(4*d*x + 4*c) - 2*(a*cos(4*d*x + 4*c) + a)*sin(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*sin(3/4*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*(5*a*cos(4*d*x + 4*c) - 8*a)*cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + (5*a*cos(4*d*x + 4*c) - 8*a)*sin(4*d*x + 4*c))*sin(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*sin(3/2*arctan2(\sin(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1))*sqrt(a) - 2*(cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))^2 + 2*cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)^(1/4))*((3*a*cos(4*d*x + 4*c)^2*sin(4*d*x + 4*c) + 3*a*sin(4*d*x + 4*c)^3 - 64*(a*cos(4*d*x + 4*c)^2 + a*sin(4*d*x + 4*c)^2 + 2*a*cos(4*d*x + 4*c) + a)*sin(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^3 + 12*(a*sin(4*d*x + 4*c)^3 + (a*cos(4*d*x + 4*c)^2 - 2*a*cos(4*d*x + 4*c) + a)*sin(4*d*x + 4*c) - 24*(a*cos(4*d*x + 4*c)^2 + a*sin(4*d*x + 4*c)^2 - 2*a*cos(4*d*x + 4*c) + a)*sin(1/4*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 3*a*cos(1/4*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + 4*(3*a*sin(4*d*x + 4*c)^3 + 64*a*cos(1/2*arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + (3*a*cos(4*d*x
\end{aligned}$$

$$\begin{aligned}
& + 4*c)^2 + 6*a*\cos(4*d*x + 4*c) + 19*a)*\sin(4*d*x + 4*c) - 72*(a*\cos(4*d*x \\
& + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 + 2*a*\cos(4*d*x + 4*c) + a)*\sin(1/4*\arctan \\
& 2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 6*(2*a*\sin(4*d*x + 4*c)^3 + a*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + 2*(a*\cos(4*d*x + 4*c)^2 - a*\cos(4*d*x + 4*c))*\sin(4*d*x + 4*c) - (48*a*\cos(4*d*x + 4*c)^2 + 48*a*\sin(4*d*x + 4*c)^2 - 47*a*\cos(4*d*x + 4*c) - a)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 2*(8*a*\cos(4*d*x + 4*c)^2 + 32*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))^2 + 14*a*\sin(4*d*x + 4*c)^2 - 141*a*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 8*(4*a*\cos(4*d*x + 4*c)^2 + 7*a*\sin(4*d*x + 4*c)^2 - 72*a*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*a*\cos(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 3*(a*\cos(4*d*x + 4*c) + a)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 3*(24*a*\cos(4*d*x + 4*c)^2 + 24*a*\sin(4*d*x + 4*c)^2 + a*\cos(4*d*x + 4*c))*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \cos(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1)) - (3*a*\cos(4*d*x + 4*c)^3 - 64*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^3 + 56*a*\cos(4*d*x + 4*c)^2 + 4*(3*a*\cos(4*d*x + 4*c)^3 + 34*a*\cos(4*d*x + 4*c)^2 + (3*a*\cos(4*d*x + 4*c) + 40*a)*\sin(4*d*x + 4*c)^2 - 93*a*\cos(4*d*x + 4*c) - 40*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 56*a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + (3*a*\cos(4*d*x + 4*c) + 56*a)*\sin(4*d*x + 4*c)^2 + 4*(3*a*\cos(4*d*x + 4*c)^3 + 62*a*\cos(4*d*x + 4*c)^2 + (3*a*\cos(4*d*x + 4*c) + 56*a)*\sin(4*d*x + 4*c)^2 + 115*a*\cos(4*d*x + 4*c) - 16*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 + 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 40*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 + 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 56*a)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 - 3*a*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 2*(6*a*\cos(4*d*x + 4*c)^3 + 98*a*\cos(4*d*x + 4*c)^2 + 2*(3*a*\cos(4*d*x + 4*c) + 52*a)*\sin(4*d*x + 4*c)^2 - 3*a*\sin(4*d*x + 4*c)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 112*a*\cos(4*d*x + 4*c) - (80*a*\cos(4*d*x + 4*c)^2 + 80*a*\sin(4*d*x + 4*c)^2 - 77*a*\cos(4*d*x + 4*c) - 3*a)*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - (40*a*\cos(4*d*x + 4*c)^2 + 40*a*\sin(4*d*x + 4*c)^2 + 3*a*\cos(4*d*x + 4*c))*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 2*(128*a*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 * \sin(4*d*x + 4*c) + 77*a*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + 8*(40*a*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) - (3*a*\cos(4*d*x + 4*c) + 52*a)*\sin(4*d*x + 4*c)) * \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 2*(3*a*\cos(4*d*x + 4*c) + 56*a)*\sin(4*d*x + 4*c) + 3*(a*\cos(4*d*x + 4*c) + a)*\sin(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(1/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 1))) * \sqrt{a} + 75*((a*\cos(4*d*x + 4*c)^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - 2*a*\cos(4*d*x + 4*c) + a)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + a*\sin(4*d*x + 4*c)^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 + 2*a*\cos(4*d*x + 4*c) + a)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 4*(a*\cos(4*d*x + 4*c)^2 + a*\sin(4*d*x + 4*c)^2 - a*\cos(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*a*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) * \sin(4*d*x + 4*c) + a*\sin(4*d*x + 4*c)) * \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) * \arctan2(-(\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2
\end{aligned}$$



$(\sin(4dx + 4c), \cos(4dx + 4c)) \cdot \sin(4dx + 4c) + a \sin(4dx + 4c) \cdot \sin(\frac{1}{2} \arctan(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)})) \cdot \arctan(\frac{\cos(\frac{1}{2} \arctan(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)})^2 + \sin(\frac{1}{2} \arctan(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)})^2 + 2 \cos(\frac{1}{2} \arctan(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)})) + 1)^{1/4} \sin(\frac{1}{2} \arctan(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)})) \cdot \cos(\frac{1}{2} \arctan(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)}) + 1), (\cos(\frac{1}{2} \arctan(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)})^2 + \sin(\frac{1}{2} \arctan(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)})^2 + 2 \cos(\frac{1}{2} \arctan(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)})) + 1)^{1/4} \cos(\frac{1}{2} \arctan(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)})) \cdot \cos(\frac{1}{2} \arctan(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)}) + 1) - 1) \cdot \sqrt{a} \cdot B / (4 \cdot (\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 - 2 \cos(4dx + 4c) + 1) \cdot \cos(\frac{1}{2} \arctan(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)})^2 + 4 \cdot (\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 + 2 \cos(4dx + 4c) + 1) \cdot \sin(\frac{1}{2} \arctan(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)})^2 + \cos(4dx + 4c)^2 + 4 \cdot (\cos(4dx + 4c)^2 + \sin(4dx + 4c)^2 - \cos(4dx + 4c)) \cdot \cos(\frac{1}{2} \arctan(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)}) + \sin(4dx + 4c)^2 - 4 \cdot (4 \cos(\frac{1}{2} \arctan(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)})) \cdot \sin(4dx + 4c) + \sin(4dx + 4c)) \cdot \sin(\frac{1}{2} \arctan(\frac{\sin(4dx + 4c)}{\cos(4dx + 4c)})))/d$

**Fricas [A]** time = 2.33828, size = 473, normalized size = 1.91

$$\frac{3((88A + 75B)a \cos(dx + c) + (88A + 75B)a) \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{(48Ba \cos(dx+c)^4 + 8(8A+15B)a \cos(dx+c))}{192(d \cos(dx+c) + d)}}{192(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] -1/192\*(3\*((88\*A + 75\*B)\*a\*cos(d\*x + c) + (88\*A + 75\*B)\*a)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - (48\*B\*a\*cos(d\*x + c)^4 + 8\*(8\*A + 15\*B)\*a\*cos(d\*x + c)^3 + 2\*(88\*A + 75\*B)\*a\*cos(d\*x + c)^2 + 3\*(88\*A + 75\*B)\*a\*cos(d\*x + c))\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(d\*cos(d\*x + c) + d)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((a+a*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^(3/2)/sec(d*x + c)^(3/2), x)
```

$$3.510 \quad \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{15/2}(c + dx) dx$$

**Optimal.** Leaf size=322

$$\frac{2a^2(16A + 13B) \sin(c + dx) \sec^{11/2}(c + dx) \sqrt{a \cos(c + dx) + a}}{143d} + \frac{2a^3(280A + 299B) \sin(c + dx) \sec^{9/2}(c + dx)}{1287d \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(4184A + 4615B)}{1287d \sqrt{a \cos(c + dx) + a}}$$

[Out] (32\*a^3\*(4184\*A + 4615\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(45045\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (16\*a^3\*(4184\*A + 4615\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(45045\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (4\*a^3\*(4184\*A + 4615\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(15015\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^3\*(4184\*A + 4615\*B)\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(9009\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^3\*(280\*A + 299\*B)\*Sec[c + d\*x]^(9/2)\*Sin[c + d\*x])/(1287\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(16\*A + 13\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(11/2)\*Sin[c + d\*x])/(143\*d) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(13/2)\*Sin[c + d\*x])/(13\*d)

**Rubi [A]** time = 0.938889, antiderivative size = 322, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2975, 2980, 2772, 2771}

$$\frac{2a^2(16A + 13B) \sin(c + dx) \sec^{11/2}(c + dx) \sqrt{a \cos(c + dx) + a}}{143d} + \frac{2a^3(280A + 299B) \sin(c + dx) \sec^{9/2}(c + dx)}{1287d \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(4184A + 4615B)}{1287d \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(15/2), x]

[Out] (32\*a^3\*(4184\*A + 4615\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(45045\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (16\*a^3\*(4184\*A + 4615\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(45045\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (4\*a^3\*(4184\*A + 4615\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(15015\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^3\*(4184\*A + 4615\*B)\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(9009\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^3\*(280\*A + 299\*B)\*Sec[c + d\*x]^(9/2)\*Sin[c + d\*x])/(1287\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(16\*A + 13\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(11/2)\*Sin[c + d\*x])/(143\*d) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(13/2)\*Sin[c + d\*x])/(13\*d)

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^n]/(g\*Ssin[e + f\*x]^p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2975

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1)\*Simp[a

$A*d*(m - n - 2) - B*(a*c*(m - 1) + b*d*(n + 1)) - (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(n + 1)))*\sin[e + f*x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2980

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*\sin[(e_) + (f_)*(x_)])^{(c_) + (d_)*\sin[(e_) + (f_)*(x_)]^{(n_)}, x\_Symbol] := -\text{Simp}[(b^2*(B*c - A*d)*\text{Cos}[e + f*x]*(c + d*\sin[e + f*x])^{(n + 1)})/(d*f*(n + 1)*(b*c + a*d)*\text{Sqrt}[a + b*\sin[e + f*x]]], x] + \text{Dist}[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), \text{Int}[\text{Sqrt}[a + b*\sin[e + f*x]]*(c + d*\sin[e + f*x])^{(n + 1)}, x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

#### Rule 2772

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{(n_)}, x\_Symbol] := \text{Simp}[(b*c - a*d)*\text{Cos}[e + f*x]*(c + d*\sin[e + f*x])^{(n + 1)})/(f*(n + 1)*(c^2 - d^2)*\text{Sqrt}[a + b*\sin[e + f*x]]], x] + \text{Dist}[(2*n + 3)*(b*c - a*d)/(2*b*(n + 1)*(c^2 - d^2)), \text{Int}[\text{Sqrt}[a + b*\sin[e + f*x]]*(c + d*\sin[e + f*x])^{(n + 1)}, x], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

#### Rule 2771

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*\sin[(e_) + (f_)*(x_)])^{(3/2)}, x\_Symbol] := \text{Simp}[(-2*b^2*\text{Cos}[e + f*x])/(f*(b*c + a*d)*\text{Sqrt}[a + b*\sin[e + f*x]]*\text{Sqrt}[c + d*\sin[e + f*x]]), x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rubi steps

$$\begin{aligned}
\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{15/2}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{15/2}(c + dx)}{\cos^{15/2}(c + dx)} dx \\
&= \frac{2aA(a + a \cos(c + dx))^{3/2} \sec^{13/2}(c + dx) \sin(c + dx)}{13d} + \frac{1}{13} \int (a + a \cos(c + dx))^{3/2} \sec^{11/2}(c + dx) \sin(c + dx) dx \\
&= \frac{2a^2(16A + 13B) \sqrt{a + a \cos(c + dx)} \sec^{11/2}(c + dx) \sin(c + dx)}{143d} \\
&= \frac{2a^3(280A + 299B) \sec^{9/2}(c + dx) \sin(c + dx)}{1287d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(16A + 13B)}{13} \int (a + a \cos(c + dx))^{1/2} \sec^{7/2}(c + dx) \sin(c + dx) dx \\
&= \frac{2a^3(4184A + 4615B) \sec^{7/2}(c + dx) \sin(c + dx)}{9009d \sqrt{a + a \cos(c + dx)}} + \frac{2a^3(280A + 299B)}{13} \int (a + a \cos(c + dx))^{1/2} \sec^{5/2}(c + dx) \sin(c + dx) dx \\
&= \frac{4a^3(4184A + 4615B) \sec^{5/2}(c + dx) \sin(c + dx)}{15015d \sqrt{a + a \cos(c + dx)}} + \frac{2a^3(4184A + 4615B)}{13} \int (a + a \cos(c + dx))^{1/2} \sec^{3/2}(c + dx) \sin(c + dx) dx \\
&= \frac{16a^3(4184A + 4615B) \sec^{3/2}(c + dx) \sin(c + dx)}{45045d \sqrt{a + a \cos(c + dx)}} + \frac{4a^3(4184A + 4615B)}{13} \int (a + a \cos(c + dx))^{1/2} \sec^{1/2}(c + dx) \sin(c + dx) dx \\
&= \frac{32a^3(4184A + 4615B) \sqrt{\sec(c + dx)} \sin(c + dx)}{45045d \sqrt{a + a \cos(c + dx)}} + \frac{16a^3(4184A + 4615B)}{13} \int \sin(c + dx) dx
\end{aligned}$$

**Mathematica [A]** time = 0.890915, size = 171, normalized size = 0.53

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^{13/2}(c + dx) \sqrt{a(\cos(c + dx) + 1)} (35(5552A + 5083B) \cos(c + dx) + 14(15167A + 15925B) \cos(2(c + dx)))}{(90090d)}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(15/2), x]

[Out] (a^2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(171806\*A + 162955\*B + 35\*(5552\*A + 5083\*B)\*Cos[c + d\*x] + 14\*(15167\*A + 15925\*B)\*Cos[2\*(c + d\*x)] + 62760\*A\*Cos[3\*(c + d\*x)] + 69225\*B\*Cos[3\*(c + d\*x)] + 62760\*A\*Cos[4\*(c + d\*x)] + 69225\*B\*Cos[4\*(c + d\*x)] + 8368\*A\*Cos[5\*(c + d\*x)] + 9230\*B\*Cos[5\*(c + d\*x)] + 8368\*A\*Cos[6\*(c + d\*x)] + 9230\*B\*Cos[6\*(c + d\*x)])\*Sec[c + d\*x]^(13/2)\*Tan[(c + d\*x)/2])/(90090\*d)

**Maple [A]** time = 0.651, size = 185, normalized size = 0.6

$$\frac{2a^2(-1 + \cos(dx + c)) \left( 66944A(\cos(dx + c))^6 + 73840B(\cos(dx + c))^6 + 33472A(\cos(dx + c))^5 + 36920B(\cos(dx + c))^5 \right)}{(90090d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(15/2), x)

```
[Out] -2/45045/d*a^2*(-1+cos(d*x+c))*(66944*A*cos(d*x+c)^6+73840*B*cos(d*x+c)^6+3
3472*A*cos(d*x+c)^5+36920*B*cos(d*x+c)^5+25104*A*cos(d*x+c)^4+27690*B*cos(d
*x+c)^4+20920*A*cos(d*x+c)^3+23075*B*cos(d*x+c)^3+18305*A*cos(d*x+c)^2+1456
0*B*cos(d*x+c)^2+11970*A*cos(d*x+c)+4095*B*cos(d*x+c)+3465*A)*cos(d*x+c)*(1
/cos(d*x+c))^(15/2)*(a*(1+cos(d*x+c)))^(1/2)/sin(d*x+c)
```

**Maxima [B]** time = 2.19606, size = 1030, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(15/2),x, algo
rithm="maxima")
```

```
[Out] 8/45045*((45045*sqrt(2)*a^(5/2)*sin(d*x + c)/(cos(d*x + c) + 1) - 165165*sq
rt(2)*a^(5/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 414414*sqrt(2)*a^(5/2)*
sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 604890*sqrt(2)*a^(5/2)*sin(d*x + c)^7
/(cos(d*x + c) + 1)^7 + 522665*sqrt(2)*a^(5/2)*sin(d*x + c)^9/(cos(d*x + c)
+ 1)^9 - 289185*sqrt(2)*a^(5/2)*sin(d*x + c)^11/(cos(d*x + c) + 1)^11 + 88
980*sqrt(2)*a^(5/2)*sin(d*x + c)^13/(cos(d*x + c) + 1)^13 - 11864*sqrt(2)*a
^(5/2)*sin(d*x + c)^15/(cos(d*x + c) + 1)^15)*A*(sin(d*x + c)^2/(cos(d*x +
c) + 1)^2 + 1)^5/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(15/2)*(-sin(d*x +
c)/(cos(d*x + c) + 1) + 1)^(15/2)*(5*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 +
10*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + 10*sin(d*x + c)^6/(cos(d*x + c) +
1)^6 + 5*sin(d*x + c)^8/(cos(d*x + c) + 1)^8 + sin(d*x + c)^10/(cos(d*x + c)
+ 1)^10 + 1)) + 65*(693*sqrt(2)*a^(5/2)*sin(d*x + c)/(cos(d*x + c) + 1) -
3003*sqrt(2)*a^(5/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 6930*sqrt(2)*a^
(5/2)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 10098*sqrt(2)*a^(5/2)*sin(d*x +
c)^7/(cos(d*x + c) + 1)^7 + 9053*sqrt(2)*a^(5/2)*sin(d*x + c)^9/(cos(d*x +
c) + 1)^9 - 4875*sqrt(2)*a^(5/2)*sin(d*x + c)^11/(cos(d*x + c) + 1)^11 + 1
500*sqrt(2)*a^(5/2)*sin(d*x + c)^13/(cos(d*x + c) + 1)^13 - 200*sqrt(2)*a^
(5/2)*sin(d*x + c)^15/(cos(d*x + c) + 1)^15)*B*(sin(d*x + c)^2/(cos(d*x + c)
+ 1)^2 + 1)^5/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(15/2)*(-sin(d*x + c)
/(cos(d*x + c) + 1) + 1)^(15/2)*(5*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 10
*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + 10*sin(d*x + c)^6/(cos(d*x + c) + 1)
^6 + 5*sin(d*x + c)^8/(cos(d*x + c) + 1)^8 + sin(d*x + c)^10/(cos(d*x + c)
+ 1)^10 + 1)))/d
```

**Fricas [A]** time = 1.51198, size = 487, normalized size = 1.51

$$\frac{2(16(4184A + 4615B)a^2 \cos(dx + c)^6 + 8(4184A + 4615B)a^2 \cos(dx + c)^5 + 6(4184A + 4615B)a^2 \cos(dx + c)^4 + \dots)}{45045(d \dots)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(15/2),x, algo
rithm="fricas")
```

```
[Out] 2/45045*(16*(4184*A + 4615*B)*a^2*cos(d*x + c)^6 + 8*(4184*A + 4615*B)*a^2*
cos(d*x + c)^5 + 6*(4184*A + 4615*B)*a^2*cos(d*x + c)^4 + 5*(4184*A + 4615*
B)*a^2*cos(d*x + c)^3 + 35*(523*A + 416*B)*a^2*cos(d*x + c)^2 + 315*(38*A +
13*B)*a^2*cos(d*x + c) + 3465*A*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)
/((d*cos(d*x + c)^7 + d*cos(d*x + c)^6)*sqrt(cos(d*x + c)))
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(15/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(15/2),x, algo  
rithm="giac")
```

```
[Out] Timed out
```

$$3.511 \quad \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{13/2}(c + dx) dx$$

**Optimal.** Leaf size=275

$$\frac{2a^2(14A + 11B) \sin(c + dx) \sec^{9/2}(c + dx) \sqrt{a \cos(c + dx) + a}}{99d} + \frac{2a^3(194A + 209B) \sin(c + dx) \sec^{7/2}(c + dx)}{693d \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(710A + 803B) \sin(c + dx) \sec^{5/2}(c + dx)}{1155d \sqrt{a \cos(c + dx) + a}}$$

[Out] (16\*a^3\*(710\*A + 803\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3465\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (8\*a^3\*(710\*A + 803\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3465\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^3\*(710\*A + 803\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(1155\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^3\*(194\*A + 209\*B)\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(693\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(14\*A + 11\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(9/2)\*Sin[c + d\*x])/(99\*d) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(11/2)\*Sin[c + d\*x])/(11\*d)

**Rubi [A]** time = 0.848269, antiderivative size = 275, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2975, 2980, 2772, 2771}

$$\frac{2a^2(14A + 11B) \sin(c + dx) \sec^{9/2}(c + dx) \sqrt{a \cos(c + dx) + a}}{99d} + \frac{2a^3(194A + 209B) \sin(c + dx) \sec^{7/2}(c + dx)}{693d \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(710A + 803B) \sin(c + dx) \sec^{5/2}(c + dx)}{1155d \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(13/2), x]

[Out] (16\*a^3\*(710\*A + 803\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3465\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (8\*a^3\*(710\*A + 803\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3465\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^3\*(710\*A + 803\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(1155\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^3\*(194\*A + 209\*B)\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(693\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(14\*A + 11\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(9/2)\*Sin[c + d\*x])/(99\*d) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(11/2)\*Sin[c + d\*x])/(11\*d)

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2975

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A

, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

Rule 2980

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(2\*d\*(n + 1)\*(b\*c + a\*d)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]

Rule 2772

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((b\*c - a\*d)\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)\*Sqrt[a + b\*Sin[e + f\*x]]], x] + Dist[((2\*n + 3)\*(b\*c - a\*d))/(2\*b\*(n + 1)\*(c^2 - d^2)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2\*n + 3, 0] && IntegerQ[2\*n]

Rule 2771

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2), x\_Symbol] :> Simp[(-2\*b^2\*Cos[e + f\*x])/(f\*(b\*c + a\*d)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rubi steps

$$\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{13/2}(c + dx) dx = (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{13/2}(c + dx)}{\cos^{13/2}(c + dx)} dx$$

$$= \frac{2aA(a + a \cos(c + dx))^{3/2} \sec^{11/2}(c + dx) \sin(c + dx)}{11d} + \frac{1}{11} \int (a + a \cos(c + dx))^{3/2} \sec^{11/2}(c + dx) \sin(c + dx) dx$$

$$= \frac{2a^2(14A + 11B) \sqrt{a + a \cos(c + dx)} \sec^9(c + dx) \sin(c + dx)}{99d}$$

$$= \frac{2a^3(194A + 209B) \sec^7(c + dx) \sin(c + dx)}{693d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(14A + 11B) \sqrt{a + a \cos(c + dx)} \sec^7(c + dx) \sin(c + dx)}{99d}$$

$$= \frac{2a^3(710A + 803B) \sec^5(c + dx) \sin(c + dx)}{1155d \sqrt{a + a \cos(c + dx)}} + \frac{2a^3(194A + 209B) \sqrt{a + a \cos(c + dx)} \sec^5(c + dx) \sin(c + dx)}{693d}$$

$$= \frac{8a^3(710A + 803B) \sec^3(c + dx) \sin(c + dx)}{3465d \sqrt{a + a \cos(c + dx)}} + \frac{2a^3(710A + 803B) \sqrt{a + a \cos(c + dx)} \sec^3(c + dx) \sin(c + dx)}{1155d}$$

$$= \frac{16a^3(710A + 803B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3465d \sqrt{a + a \cos(c + dx)}} + \frac{8a^3(710A + 803B) \sqrt{a + a \cos(c + dx)} \sec(c + dx) \sin(c + dx)}{1155d}$$



**Mathematica [A]** time = 1.27922, size = 147, normalized size = 0.53

$$a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{11}{2}}(c + dx) \sqrt{a(\cos(c + dx) + 1)} ((25070A + 24827B) \cos(c + dx) + (9230A + 9284B) \cos(2(c + dx)))$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(13/2), x]

[Out] (a^2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*(9070\*A + 7678\*B + (25070\*A + 24827\*B)\*Cos[c + d\*x] + (9230\*A + 9284\*B)\*Cos[2\*(c + d\*x)] + 9230\*A\*Cos[3\*(c + d\*x)] + 10439\*B\*Cos[3\*(c + d\*x)] + 1420\*A\*Cos[4\*(c + d\*x)] + 1606\*B\*Cos[4\*(c + d\*x)] + 1420\*A\*Cos[5\*(c + d\*x)] + 1606\*B\*Cos[5\*(c + d\*x)])\*Sec[c + d\*x]^(11/2)\*Tan[(c + d\*x)/2])/(6930\*d)

**Maple [A]** time = 0.674, size = 163, normalized size = 0.6

$$2a^2(-1 + \cos(dx + c)) \left(5680A(\cos(dx + c))^5 + 6424B(\cos(dx + c))^5 + 2840A(\cos(dx + c))^4 + 3212B(\cos(dx + c))^4\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(13/2), x)

[Out] -2/3465/d\*a^2\*(-1+cos(d\*x+c))\*(5680\*A\*cos(d\*x+c)^5+6424\*B\*cos(d\*x+c)^5+2840\*A\*cos(d\*x+c)^4+3212\*B\*cos(d\*x+c)^4+2130\*A\*cos(d\*x+c)^3+2409\*B\*cos(d\*x+c)^3+1775\*A\*cos(d\*x+c)^2+1430\*B\*cos(d\*x+c)^2+1120\*A\*cos(d\*x+c)+385\*B\*cos(d\*x+c)+315\*A)\*cos(d\*x+c)\*(1/cos(d\*x+c))^(13/2)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)

**Maxima [B]** time = 2.4238, size = 907, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(13/2), x, algorithm="maxima")

[Out] 8/3465\*(5\*(693\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 2310\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 4620\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 5478\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7 + 3575\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^9/(cos(d\*x + c) + 1)^9 - 1300\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^11/(cos(d\*x + c) + 1)^11 + 200\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^13/(cos(d\*x + c) + 1)^13)\*A\*(sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 1)^4/((sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(13/2)\*(-sin(d\*x + c)/(cos(d\*x + c) + 1) + 1)^(13/2)\*(4\*sin(d\*x + c)^2/(cos(d\*x + c) + 1)^2 + 6\*sin(d\*x + c)^4/(cos(d\*x + c) + 1)^4 + 4\*sin(d\*x + c)^6/(cos(d\*x + c) + 1)^6 + sin(d\*x + c)^8/(cos(d\*x + c) + 1)^8 + 1)) + 11\*(315\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)/(cos(d\*x + c) + 1) - 1260\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^3/(cos(d\*x + c) + 1)^3 + 2394\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^5/(cos(d\*x + c) + 1)^5 - 2736\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^7/(cos(d\*x + c) + 1)^7 + 1859\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^9/(cos(d\*x + c) + 1)^9 - 1300\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^11/(cos(d\*x + c) + 1)^11 + 200\*sqrt(2)\*a^(5/2)\*sin(d\*x + c)^13/(cos(d\*x + c) + 1)^13)

$$\frac{5/2 * \sin(dx + c)^9 / (\cos(dx + c) + 1)^9 - 676 * \sqrt{2} * a^{5/2} * \sin(dx + c)^{11} / (\cos(dx + c) + 1)^{11} + 104 * \sqrt{2} * a^{5/2} * \sin(dx + c)^{13} / (\cos(dx + c) + 1)^{13} * B * (\sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + 1)^4 / ((\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{13/2} * (-\sin(dx + c) / (\cos(dx + c) + 1) + 1)^{13/2} * (4 * \sin(dx + c)^2 / (\cos(dx + c) + 1)^2 + 6 * \sin(dx + c)^4 / (\cos(dx + c) + 1)^4 + 4 * \sin(dx + c)^6 / (\cos(dx + c) + 1)^6 + \sin(dx + c)^8 / (\cos(dx + c) + 1)^8 + 1))}{d}$$

**Fricas [A]** time = 1.48055, size = 417, normalized size = 1.52

$$\frac{2(8(710A + 803B)a^2 \cos(dx + c)^5 + 4(710A + 803B)a^2 \cos(dx + c)^4 + 3(710A + 803B)a^2 \cos(dx + c)^3 + 5(355A + 286B)a^2 \cos(dx + c)^2 + 35(32A + 11B)a^2 \cos(dx + c) + 315Aa^2) \sqrt{a \cos(dx + c) + a} \sin(dx + c)}{3465(d \cos(dx + c)^6 + d \cos(dx + c)^5)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))^(5/2)\*(A+B\*cos(dx+c))\*sec(dx+c)^(13/2),x, algorithm="fricas")

[Out] 2/3465\*(8\*(710\*A + 803\*B)\*a^2\*cos(dx + c)^5 + 4\*(710\*A + 803\*B)\*a^2\*cos(dx + c)^4 + 3\*(710\*A + 803\*B)\*a^2\*cos(dx + c)^3 + 5\*(355\*A + 286\*B)\*a^2\*cos(dx + c)^2 + 35\*(32\*A + 11\*B)\*a^2\*cos(dx + c) + 315\*A\*a^2)\*sqrt(a\*cos(dx + c) + a)\*sin(dx + c)/((d\*cos(dx + c)^6 + d\*cos(dx + c)^5)\*sqrt(cos(dx + c)))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))\*\*(5/2)\*(A+B\*cos(dx+c))\*sec(dx+c)\*\*(13/2),x)

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(dx+c))^(5/2)\*(A+B\*cos(dx+c))\*sec(dx+c)^(13/2),x, algorithm="giac")

[Out] Timed out

$$3.512 \quad \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{11/2}(c + dx) dx$$

**Optimal.** Leaf size=228

$$\frac{2a^2(4A + 3B) \sin(c + dx) \sec^{7/2}(c + dx) \sqrt{a \cos(c + dx) + a}}{21d} + \frac{2a^3(124A + 135B) \sin(c + dx) \sec^{5/2}(c + dx)}{315d \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(292A + 345B)}{315d \sqrt{a \cos(c + dx) + a}}$$

[Out] (4\*a^3\*(292\*A + 345\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(315\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^3\*(292\*A + 345\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(315\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^3\*(124\*A + 135\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(315\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(4\*A + 3\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(21\*d) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(9/2)\*Sin[c + d\*x])/(9\*d)

**Rubi [A]** time = 0.76767, antiderivative size = 228, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2975, 2980, 2772, 2771}

$$\frac{2a^2(4A + 3B) \sin(c + dx) \sec^{7/2}(c + dx) \sqrt{a \cos(c + dx) + a}}{21d} + \frac{2a^3(124A + 135B) \sin(c + dx) \sec^{5/2}(c + dx)}{315d \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(292A + 345B)}{315d \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(11/2), x]

[Out] (4\*a^3\*(292\*A + 345\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(315\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^3\*(292\*A + 345\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(315\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^3\*(124\*A + 135\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(315\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(4\*A + 3\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(21\*d) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(9/2)\*Sin[c + d\*x])/(9\*d)

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Ssin[e + f\*x])^p, Int[((a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^n)/(g\*Ssin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2975

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1)\*Simp[A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

Rule 2772

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[((b*c - a*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(f*(n + 1)*(c^2 - d^2)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[((2*n + 3)*(b*c - a*d))/(2*b*(n + 1)*(c^2 - d^2)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && NeQ[2*n + 3, 0] && IntegerQ[2*n]
```

Rule 2771

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{11/2}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{11/2}(c + dx)}{\cos^{11/2}(c + dx)} dx \\ &= \frac{2aA(a + a \cos(c + dx))^{3/2} \sec^{9/2}(c + dx) \sin(c + dx)}{9d} + \frac{1}{9} \int \frac{2a^2(4A + 3B) \sqrt{a + a \cos(c + dx)} \sec^{7/2}(c + dx) \sin(c + dx)}{21d} dx \\ &= \frac{2a^3(124A + 135B) \sec^{5/2}(c + dx) \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(4A + 3B) \sec^{3/2}(c + dx) \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{2a^3(292A + 345B) \sec^{3/2}(c + dx) \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} + \frac{2a^3(124A + 135B) \sec^{1/2}(c + dx) \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{4a^3(292A + 345B) \sqrt{\sec(c + dx)} \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} + \frac{2a^3(292A + 345B) \sec^{1/2}(c + dx) \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.938351, size = 126, normalized size = 0.55

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^{9/2}(c + dx) \sqrt{a(\cos(c + dx) + 1)} ((1396A + 1215B) \cos(c + dx) + 2(803A + 870B) \cos(2(c + dx)) + 292A + 345B)}{630d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(11/2), x]
```

```
[Out] (a^2*sqrt[a*(1 + Cos[c + d*x])]*(1454*A + 1395*B + (1396*A + 1215*B)*Cos[c + d*x] + 2*(803*A + 870*B)*Cos[2*(c + d*x)] + 292*A*Cos[3*(c + d*x)] + 345*B*Cos[3*(c + d*x)] + 292*A*Cos[4*(c + d*x)] + 345*B*Cos[4*(c + d*x)])*Sec[c + d*x]^(9/2)*Tan[(c + d*x)/2])/(630*d)
```

**Maple [A]** time = 0.654, size = 141, normalized size = 0.6

$$\frac{2a^2(-1 + \cos(dx + c))\left(584A(\cos(dx + c))^4 + 690B(\cos(dx + c))^4 + 292A(\cos(dx + c))^3 + 345B(\cos(dx + c))^3\right)}{315d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+cos(d*x+c)*a)^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x)
```

```
[Out] -2/315/d*a^2*(-1+cos(d*x+c))*(584*A*cos(d*x+c)^4+690*B*cos(d*x+c)^4+292*A*cos(d*x+c)^3+345*B*cos(d*x+c)^3+219*A*cos(d*x+c)^2+180*B*cos(d*x+c)^2+130*A*cos(d*x+c)+45*B*cos(d*x+c)+35*A)*cos(d*x+c)*(1/cos(d*x+c))^(11/2)*(a*(1+cos(d*x+c)))^(1/2)/sin(d*x+c)
```

**Maxima [B]** time = 2.3983, size = 782, normalized size = 3.43

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x, algorithm="maxima")
```

```
[Out] 8/315*((315*sqrt(2)*a^(5/2)*sin(d*x + c)/(cos(d*x + c) + 1) - 945*sqrt(2)*a^(5/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 1449*sqrt(2)*a^(5/2)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 1287*sqrt(2)*a^(5/2)*sin(d*x + c)^7/(cos(d*x + c) + 1)^7 + 572*sqrt(2)*a^(5/2)*sin(d*x + c)^9/(cos(d*x + c) + 1)^9 - 104*sqrt(2)*a^(5/2)*sin(d*x + c)^11/(cos(d*x + c) + 1)^11)*A*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^3/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2))*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2)*(3*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 3*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + sin(d*x + c)^6/(cos(d*x + c) + 1)^6 + 1)) + 15*(21*sqrt(2)*a^(5/2)*sin(d*x + c)/(cos(d*x + c) + 1) - 77*sqrt(2)*a^(5/2)*sin(d*x + c)^3/(cos(d*x + c) + 1)^3 + 119*sqrt(2)*a^(5/2)*sin(d*x + c)^5/(cos(d*x + c) + 1)^5 - 99*sqrt(2)*a^(5/2)*sin(d*x + c)^7/(cos(d*x + c) + 1)^7 + 44*sqrt(2)*a^(5/2)*sin(d*x + c)^9/(cos(d*x + c) + 1)^9 - 8*sqrt(2)*a^(5/2)*sin(d*x + c)^11/(cos(d*x + c) + 1)^11)*B*(sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 1)^3/((sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2))*(-sin(d*x + c)/(cos(d*x + c) + 1) + 1)^(11/2)*(3*sin(d*x + c)^2/(cos(d*x + c) + 1)^2 + 3*sin(d*x + c)^4/(cos(d*x + c) + 1)^4 + sin(d*x + c)^6/(cos(d*x + c) + 1)^6 + 1))/d
```

**Fricas [A]** time = 1.39322, size = 354, normalized size = 1.55

$$\frac{2\left(2(292A + 345B)a^2 \cos(dx + c)^4 + (292A + 345B)a^2 \cos(dx + c)^3 + 3(73A + 60B)a^2 \cos(dx + c)^2 + 5(26A + 9B)a^2 \cos(dx + c) + 5A\right)}{315\left(d \cos(dx + c)^5 + d \cos(dx + c)^4\right)\sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x, algo
rithm="fricas")
```

```
[Out] 2/315*(2*(292*A + 345*B)*a^2*cos(d*x + c)^4 + (292*A + 345*B)*a^2*cos(d*x +
c)^3 + 3*(73*A + 60*B)*a^2*cos(d*x + c)^2 + 5*(26*A + 9*B)*a^2*cos(d*x + c
) + 35*A*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/((d*cos(d*x + c))^5 + d*
cos(d*x + c)^4)*sqrt(cos(d*x + c))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(11/2),x)
```

```
[Out] Timed out
```

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x, algo
rithm="giac")
```

```
[Out] Timed out
```

$$3.513 \quad \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=181

$$\frac{2a^2(10A + 7B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx) \sqrt{a \cos(c + dx) + a}}{35d} + \frac{2a^3(10A + 11B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{15d \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(230A + 101B)}{10d^2 \sqrt{a \cos(c + dx) + a}}$$

[Out] (2\*a^3\*(230\*A + 301\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^3\*(10\*A + 11\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(10\*A + 7\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(35\*d) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(7\*d)

**Rubi [A]** time = 0.676108, antiderivative size = 181, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2961, 2975, 2980, 2771}

$$\frac{2a^2(10A + 7B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx) \sqrt{a \cos(c + dx) + a}}{35d} + \frac{2a^3(10A + 11B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{15d \sqrt{a \cos(c + dx) + a}} + \frac{2a^3(230A + 101B)}{10d^2 \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(9/2), x]

[Out] (2\*a^3\*(230\*A + 301\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^3\*(10\*A + 11\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(10\*A + 7\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(35\*d) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(7\*d)

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2975

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

### Rule 2771

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(3/2), x_Symbol] := Simp[(-2*b^2*Cos[e + f*x])/(f*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^9(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^9(c + dx)}{\cos^9(c + dx)} dx \\ &= \frac{2aA(a + a \cos(c + dx))^{3/2} \sec^7(c + dx) \sin(c + dx)}{7d} + \frac{1}{7} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^7(c + dx) dx \\ &= \frac{2a^2(10A + 7B)\sqrt{a + a \cos(c + dx)} \sec^5(c + dx) \sin(c + dx)}{35d} \\ &= \frac{2a^3(10A + 11B) \sec^3(c + dx) \sin(c + dx)}{15d\sqrt{a + a \cos(c + dx)}} + \frac{2a^2(10A + 7B)}{15d} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx \\ &= \frac{2a^3(230A + 301B)\sqrt{\sec(c + dx)} \sin(c + dx)}{105d\sqrt{a + a \cos(c + dx)}} + \frac{2a^3(10A + 7B)}{15d} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx \end{aligned}$$

**Mathematica [A]** time = 0.700292, size = 104, normalized size = 0.57

$$\frac{a^2 \tan\left(\frac{1}{2}(c + dx)\right) \sec^7(c + dx) \sqrt{a(\cos(c + dx) + 1)} ((930A + 987B) \cos(c + dx) + 2(115A + 98B) \cos(2(c + dx)) + 230A)}{210d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2), x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*(290*A + 196*B + (930*A + 987*B)*Cos[c + d*x] + 2*(115*A + 98*B)*Cos[2*(c + d*x)] + 230*A*Cos[3*(c + d*x)] + 301*B*Cos[3*(c + d*x)])*Sec[c + d*x]^(7/2)*Tan[(c + d*x)/2])/(210*d)
```

**Maple [A]** time = 0.655, size = 119, normalized size = 0.7

$$\frac{2a^2(-1 + \cos(dx + c)) \left( 230A(\cos(dx + c))^3 + 301B(\cos(dx + c))^3 + 115A(\cos(dx + c))^2 + 98B(\cos(dx + c))^2 + 60A \cos(dx + c) + 230A \right)}{105d \sin(dx + c)}$$

Verification of antiderivative is not currently implemented for this CAS.



[In] `int((a+cos(d*x+c)*a)^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x)`

[Out] 
$$-2/105/d*a^2*(-1+\cos(d*x+c))*(230*A*\cos(d*x+c)^3+301*B*\cos(d*x+c)^3+115*A*\cos(d*x+c)^2+98*B*\cos(d*x+c)^2+60*A*\cos(d*x+c)+21*B*\cos(d*x+c)+15*A)*\cos(d*x+c)*(1/\cos(d*x+c))^(9/2)*(a*(1+\cos(d*x+c)))^(1/2)/\sin(d*x+c)$$

**Maxima [B]** time = 2.33033, size = 659, normalized size = 3.64

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algorithm="maxima")`

[Out] 
$$\begin{aligned} & 8/105*(5*(21*\sqrt{2})*a^{5/2}*\sin(d*x+c)/(\cos(d*x+c)+1) - 56*\sqrt{2}) * a^{5/2} * \sin(d*x+c)^3 / (\cos(d*x+c)+1)^3 + 63*\sqrt{2}) * a^{5/2} * \sin(d*x+c)^5 / (\cos(d*x+c)+1)^5 - 36*\sqrt{2}) * a^{5/2} * \sin(d*x+c)^7 / (\cos(d*x+c)+1)^7 + 8*\sqrt{2}) * a^{5/2} * \sin(d*x+c)^9 / (\cos(d*x+c)+1)^9 * A * (\sin(d*x+c)^2 / (\cos(d*x+c)+1)^2 + 1)^2 / ((\sin(d*x+c)/(\cos(d*x+c)+1) + 1)^{(9/2)} * (-\sin(d*x+c)/(\cos(d*x+c)+1) + 1)^{(9/2)} * (2*\sin(d*x+c)^2 / (\cos(d*x+c)+1)^2 + \sin(d*x+c)^4 / (\cos(d*x+c)+1)^4 + 1)) + 7*(15*\sqrt{2}) * a^{5/2} * \sin(d*x+c) / (\cos(d*x+c)+1) - 50*\sqrt{2}) * a^{5/2} * \sin(d*x+c)^3 / (\cos(d*x+c)+1)^3 + 63*\sqrt{2}) * a^{5/2} * \sin(d*x+c)^5 / (\cos(d*x+c)+1)^5 - 36*\sqrt{2}) * a^{5/2} * \sin(d*x+c)^7 / (\cos(d*x+c)+1)^7 + 8*\sqrt{2}) * a^{5/2} * \sin(d*x+c)^9 / (\cos(d*x+c)+1)^9 * B * (\sin(d*x+c)^2 / (\cos(d*x+c)+1)^2 + 1)^2 / ((\sin(d*x+c)/(\cos(d*x+c)+1) + 1)^{(9/2)} * (-\sin(d*x+c)/(\cos(d*x+c)+1) + 1)^{(9/2)} * (2*\sin(d*x+c)^2 / (\cos(d*x+c)+1)^2 + \sin(d*x+c)^4 / (\cos(d*x+c)+1)^4 + 1))) / d \end{aligned}$$

**Fricas [A]** time = 1.44344, size = 300, normalized size = 1.66

$$\frac{2 \left( (230 A + 301 B) a^2 \cos(dx + c)^3 + (115 A + 98 B) a^2 \cos(dx + c)^2 + 3 (20 A + 7 B) a^2 \cos(dx + c) + 15 A a^2 \right) \sqrt{a \cos(dx + c)}}{105 \left( d \cos(dx + c)^4 + d \cos(dx + c)^3 \right) \sqrt{\cos(dx + c)}}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algorithm="fricas")`

[Out] 
$$2/105*((230*A + 301*B)*a^2*\cos(d*x+c)^3 + (115*A + 98*B)*a^2*\cos(d*x+c)^2 + 3*(20*A + 7*B)*a^2*\cos(d*x+c) + 15*A*a^2)*\sqrt{a*\cos(d*x+c)+a}*\sin(d*x+c)/((d*\cos(d*x+c)^4 + d*\cos(d*x+c)^3)*\sqrt{\cos(d*x+c)})$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(9/2),x)`

[Out] Timed out

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(9/2),x, algorithm="giac")

[Out] Timed out

$$3.514 \quad \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=192

$$\frac{2a^2(8A + 5B) \sin(c + dx) \sec^3(c + dx) \sqrt{a \cos(c + dx) + a}}{15d} + \frac{2a^3(32A + 35B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d \sqrt{a \cos(c + dx) + a}} + \frac{2a^{5/2} B \sqrt{\cos(c + dx)}}{15d}$$

[Out] (2\*a^(5/2)\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/d + (2\*a^3\*(32\*A + 35\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(8\*A + 5\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(15\*d) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(5\*d)

**Rubi [A]** time = 0.622924, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2975, 2980, 2774, 216}

$$\frac{2a^2(8A + 5B) \sin(c + dx) \sec^3(c + dx) \sqrt{a \cos(c + dx) + a}}{15d} + \frac{2a^3(32A + 35B) \sin(c + dx) \sqrt{\sec(c + dx)}}{15d \sqrt{a \cos(c + dx) + a}} + \frac{2a^{5/2} B \sqrt{\cos(c + dx)}}{15d}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2), x]

[Out] (2\*a^(5/2)\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/d + (2\*a^3\*(32\*A + 35\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*a^2\*(8\*A + 5\*B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(15\*d) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(5\*d)

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2975

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2980

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[(b^2*(B*c - A*d)*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(b*c + a*d)*Sqrt[a + b*Sin[e + f*x]]], x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(2*d*(n + 1)*(b*c + a*d)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1]
```

#### Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]
```

#### Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

#### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{7/2}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{7/2}(c + dx)}{\cos^2(c + dx)} dx \\ &= \frac{2aA(a + a \cos(c + dx))^{3/2} \sec^2(c + dx) \sin(c + dx)}{5d} + \frac{1}{5} \left( 2a^2(8A + 5B) \sqrt{a + a \cos(c + dx)} \sec^3(c + dx) \sin(c + dx) \right) \\ &= \frac{2a^2(8A + 5B) \sqrt{a + a \cos(c + dx)} \sec^3(c + dx) \sin(c + dx)}{15d} \\ &= \frac{2a^3(32A + 35B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(8A + 5B)}{15d} \\ &= \frac{2a^3(32A + 35B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} + \frac{2a^2(8A + 5B)}{15d} \\ &= \frac{2a^{5/2} B \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d} + \frac{2a^2(8A + 5B)}{15d} \end{aligned}$$

**Mathematica [A]** time = 0.814521, size = 130, normalized size = 0.68

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{5}{2}}(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left( 2 \sin\left(\frac{1}{2}(c + dx)\right) (2(14A + 5B) \cos(c + dx) + (43A + 40B) \cos(2(c + dx))) \right)}{30d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sec[c + d*x]^(5/2)*(30*Sqrt[2]*B*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(5/2) + 2*(49*A + 40*B) + 2*(14*A + 5*B)*Cos[c + d*x] + (43*A + 40*B)*Cos[2*(c + d*x)])*Sin[(c + d
```

$\cdot x)/2]))/(30*d)$

**Maple [B]** time = 0.724, size = 389, normalized size = 2.

$$\frac{2a^2 \cos(dx+c) (\sin(dx+c))^4}{15d(-1+\cos(dx+c))^2(1+\cos(dx+c))^3} \left( 15B(\cos(dx+c))^3 \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\right) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+cos(d*x+c)*a)^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x)`

[Out]  $2/15/d*a^2*(15*B*cos(d*x+c)^3*arctan(\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))))^{1/2}/cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{5/2}+45*B*cos(d*x+c)^2*arctan(\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))))^{1/2}/cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{5/2}+45*B*cos(d*x+c)*arctan(\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))))^{1/2}/cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{5/2}+15*B*arctan(\sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))))^{1/2}/cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{5/2}+43*A*sin(d*x+c)*cos(d*x+c)^2+40*B*sin(d*x+c)*cos(d*x+c)^2+14*A*cos(d*x+c)*sin(d*x+c)+5*B*sin(d*x+c)*cos(d*x+c)+3*A*sin(d*x+c))*cos(d*x+c)*(1/cos(d*x+c))^{7/2}*(a*(1+cos(d*x+c)))^{1/2}*sin(d*x+c)^4/(-1+cos(d*x+c))^2/(1+cos(d*x+c))^3$

**Maxima [B]** time = 3.28966, size = 2313, normalized size = 12.05

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorith="maxima")`

[Out]  $1/30*(5*(10*\sqrt{\cos(2*d*x+2*c)^2+\sin(2*d*x+2*c)^2+2*\cos(2*d*x+2*c)+1}*a^{5/2}*\sin(3/2*\arctan2(\sin(2*d*x+2*c),\cos(2*d*x+2*c)+1))+3*((a^2*\cos(2*d*x+2*c)^2+a^2*\sin(2*d*x+2*c)^2+2*a^2*\cos(2*d*x+2*c)+a^2)*\arctan2((\cos(2*d*x+2*c)^2+\sin(2*d*x+2*c)^2+2*\cos(2*d*x+2*c)+1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x+2*c),\cos(2*d*x+2*c))))*\sin(1/2*\arctan2(\sin(2*d*x+2*c),\cos(2*d*x+2*c)+1))-\cos(1/2*\arctan2(\sin(2*d*x+2*c),\cos(2*d*x+2*c)+1))*\sin(1/2*\arctan2(\sin(2*d*x+2*c),\cos(2*d*x+2*c))))),(\cos(2*d*x+2*c)^2+\sin(2*d*x+2*c)^2+2*\cos(2*d*x+2*c)+1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x+2*c),\cos(2*d*x+2*c)+1))*\cos(1/2*\arctan2(\sin(2*d*x+2*c),\cos(2*d*x+2*c))))+\sin(1/2*\arctan2(\sin(2*d*x+2*c),\cos(2*d*x+2*c)+1))*\sin(1/2*\arctan2(\sin(2*d*x+2*c),\cos(2*d*x+2*c))))+1)-(a^2*\cos(2*d*x+2*c)^2+a^2*\sin(2*d*x+2*c)^2+2*a^2*\cos(2*d*x+2*c)+a^2)*\arctan2((\cos(2*d*x+2*c)^2+\sin(2*d*x+2*c)^2+2*\cos(2*d*x+2*c)+1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x+2*c),\cos(2*d*x+2*c))))*\sin(1/2*\arctan2(\sin(2*d*x+2*c),\cos(2*d*x+2*c)+1))-\cos(1/2*\arctan2(\sin(2*d*x+2*c),\cos(2*d*x+2*c)+1))*\sin(1/2*\arctan2(\sin(2*d*x+2*c),\cos(2*d*x+2*c))))),(\cos(2*d*x+2*c)^2+\sin(2*d*x+2*c)^2+2*\cos(2*d*x+2*c)+1)^{1/4}*(\cos(1/2*\arctan2(\sin(2*d*x+2*c),\cos(2*d*x+2*c)+1))*\cos(1/2*\arctan2(\sin(2*d*x+2*c),\cos(2*d*x+2*c))))+\sin(1/2*\arctan2(\sin(2*d*x+2*c),\cos(2*d*x+2*c)+1))*\sin(1/2*\arctan2(\sin(2*d*x+2*c),\cos(2*d*x+2*c))))-1)-(a^2*\cos(2*d*x+2*c)^2+a^2*\sin(2*d*x+2*c)^2+2*a^2*\cos(2*d*x+2*c)+a^2)*\arctan2((\cos(2*d*x+2*c)^2+\sin(2*d*x+2*c)^2+2*\cos(2*d*x+2*c)+1)^{1/4}*\sin(1/2*\arctan2(\sin(2*d*x+2*c),\cos(2*d*x+2*c)+1)))$

$2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + 1) + (a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\cos(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1))*(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)}*\sqrt{(a) + 2*((3*a^2*\sin(4*d*x + 4*c) + 7*a^2*\sin(2*d*x + 2*c) - 4*(3*a^2*\sin(4*d*x + 4*c) + 7*a^2*\sin(2*d*x + 2*c))*\cos(5/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 4*(3*a^2*\cos(4*d*x + 4*c) + 7*a^2*\cos(2*d*x + 2*c) + 4*a^2)*\sin(5/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))))*\cos(5/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - (3*a^2*\cos(4*d*x + 4*c) + 7*a^2*\cos(2*d*x + 2*c) + 4*a^2 + 4*(3*a^2*\cos(4*d*x + 4*c) + 7*a^2*\cos(2*d*x + 2*c) + 4*a^2)*\cos(5/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))) + 4*(3*a^2*\sin(4*d*x + 4*c) + 7*a^2*\sin(2*d*x + 2*c))*\sin(5/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c)))*)*\sin(5/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + 15*(a^2*\cos(2*d*x + 2*c)^2 + a^2*\sin(2*d*x + 2*c)^2 + 2*a^2*\cos(2*d*x + 2*c) + a^2)*\sin(1/2*\arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)))*\sqrt{(a)}*B/(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(5/4)} + 16*(15*\sqrt{2})*a^{(5/2)}*\sin(d*x + c)/(\cos(d*x + c) + 1) - 35*\sqrt{2}*a^{(5/2)}*\sin(d*x + c)^3/(\cos(d*x + c) + 1)^3 + 28*\sqrt{2}*a^{(5/2)}*\sin(d*x + c)^5/(\cos(d*x + c) + 1)^5 - 8*\sqrt{2}*a^{(5/2)}*\sin(d*x + c)^7/(\cos(d*x + c) + 1)^7)*A/((\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{(7/2)}*(-\sin(d*x + c)/(\cos(d*x + c) + 1) + 1)^{(7/2)))/d$

**Fricas [A]** time = 1.6166, size = 425, normalized size = 2.21

$$\frac{2 \left( 15 \left( B a^2 \cos(dx + c)^3 + B a^2 \cos(dx + c)^2 \right) \sqrt{a} \arctan \left( \frac{\sqrt{a} \cos(dx + c) + a \sqrt{\cos(dx + c)}}{\sqrt{a} \sin(dx + c)} \right) - \frac{(43 A + 40 B) a^2 \cos(dx + c)^2 + (14 A + 5 B) a^2 \cos(dx + c)}{\sqrt{\cos(dx + c)}} \right)}{15 \left( d \cos(dx + c)^3 + d \cos(dx + c)^2 \right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] -2/15\*(15\*(B\*a^2\*cos(d\*x + c)^3 + B\*a^2\*cos(d\*x + c)^2)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - ((43\*A + 40\*B)\*a^2\*cos(d\*x + c)^2 + (14\*A + 5\*B)\*a^2\*cos(d\*x + c) + 3\*A\*a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(d\*cos(d\*x + c)^3 + d\*cos(d\*x + c)^2)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.515 \quad \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=193

$$\frac{a^{5/2}(2A + 5B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{d} - \frac{a^3(14A + 3B)\sin(c + dx)}{3d\sqrt{\sec(c + dx)}\sqrt{a\cos(c + dx) + a}} + \frac{2a^2(2A + B)\sin(c + dx)}{3d\sqrt{\sec(c + dx)}\sqrt{a\cos(c + dx) + a}}$$

[Out] (a^(5/2)\*(2\*A + 5\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/d - (a^3\*(14\*A + 3\*B)\*Sin[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) + (2\*a^2\*(2\*A + B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.654143, antiderivative size = 193, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2975, 2981, 2774, 216}

$$\frac{a^{5/2}(2A + 5B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{d} - \frac{a^3(14A + 3B)\sin(c + dx)}{3d\sqrt{\sec(c + dx)}\sqrt{a\cos(c + dx) + a}} + \frac{2a^2(2A + B)\sin(c + dx)}{3d\sqrt{\sec(c + dx)}\sqrt{a\cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2), x]

[Out] (a^(5/2)\*(2\*A + 5\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/d - (a^3\*(14\*A + 3\*B)\*Sin[c + d\*x])/(3\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) + (2\*a^2\*(2\*A + B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d)

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^m, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2975

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2981



```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

#### Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]
```

#### Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

#### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^5(c + dx)}{\cos^5(c + dx)} dx \\ &= \frac{2aA(a + a \cos(c + dx))^{3/2} \sec^3(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} \int \frac{2a^2(2A + B) \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} dx \\ &= -\frac{a^3(14A + 3B) \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{2a^2(2A + B) \sqrt{a}}{d} \int \frac{1}{\sqrt{a + a \cos(c + dx)}} dx \\ &= -\frac{a^3(14A + 3B) \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{2a^2(2A + B) \sqrt{a}}{d} \operatorname{arcsin} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \\ &= \frac{a^{5/2} (2A + 5B) \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d} \end{aligned}$$

**Mathematica [A]** time = 0.733592, size = 130, normalized size = 0.67

$$\frac{a^2 \sec \left( \frac{1}{2}(c + dx) \right) \sec^3(c + dx) \sqrt{a(\cos(c + dx) + 1)} \left( 3\sqrt{2}(2A + 5B) \sin^{-1} \left( \sqrt{2} \sin \left( \frac{1}{2}(c + dx) \right) \right) \cos^3(c + dx) + \sin \left( \frac{1}{2}(c + dx) \right) \right)}{6d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2), x]
```

```
[Out] (a^2*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sec[c + d*x]^(3/2)*(3*Sqrt[2]*(2*A + 5*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]]*Cos[c + d*x]^(3/2) + (4*A + 3*B + 4*(8*A + 3*B)*Cos[c + d*x] + 3*B*Cos[2*(c + d*x)])*Sin[(c + d*x)/2])
```

))/(6\*d)

**Maple [B]** time = 0.688, size = 492, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+cos(d*x+c)*a)^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x)`

[Out] 
$$-1/3/d*a^2*(6*A*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^{3/2}*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{1/2}/cos(d*x+c))+15*B*cos(d*x+c)^2*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{1/2}/cos(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^{3/2}+12*A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{3/2}*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{1/2}/cos(d*x+c))+30*B*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{1/2}/cos(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^{3/2}+6*A*(cos(d*x+c)/(1+cos(d*x+c)))^{3/2}*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{1/2}/cos(d*x+c))+15*B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^{1/2}/cos(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^{3/2}+3*B*sin(d*x+c)*cos(d*x+c)^2+16*A*cos(d*x+c)*sin(d*x+c)+6*B*sin(d*x+c)*cos(d*x+c)+2*A*sin(d*x+c)*cos(d*x+c)*(a*(1+cos(d*x+c)))^{1/2}*(1/cos(d*x+c))^{5/2}*sin(d*x+c)^2/(-1+cos(d*x+c))/(1+cos(d*x+c))^2$$

**Maxima [B]** time = 3.74259, size = 3753, normalized size = 19.45

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="maxima")`

[Out] 
$$1/12*(2*(30*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^{3/4}*a^{5/2}*sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - 2*(cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^{1/4})*((12*a^2*cos(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) * sin(2*d*x + 2*c) - 3*a^2*sin(2*d*x + 2*c) - 4*(3*a^2*cos(2*d*x + 2*c) + 4*a^2)*sin(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) * cos(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) + (12*a^2*sin(2*d*x + 2*c)*sin(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) + 3*a^2*cos(2*d*x + 2*c) - a^2 + 4*(3*a^2*cos(2*d*x + 2*c) + 4*a^2)*cos(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) * sin(3/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1))) * sqrt(a) + 3*((a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^{1/4}*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))) * sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) - cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) * sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c))))), (cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^{1/4}*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) * cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))) + sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c) + 1)) * sin(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x + 2*c)))))) + 1) - (a^2*cos(2*d*x + 2*c)^2 + a^2*sin(2*d*x + 2*c)^2 + 2*a^2*cos(2*d*x + 2*c) + a^2)*arctan2((cos(2*d*x + 2*c)^2 + sin(2*d*x + 2*c)^2 + 2*cos(2*d*x + 2*c) + 1)^{1/4}*(cos(1/2*arctan2(sin(2*d*x + 2*c), cos(2*d*x$$

$$\begin{aligned}
& + 2*c)) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - \cos(1/2 \\
& * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2 * \arctan2(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2* \\
& \cos(2*d*x + 2*c) + 1)^{(1/4)} * (\cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + \\
& 2*c) + 1)) * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c))) + \sin(1/2 * a \\
& rctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) * \sin(1/2 * \arctan2(\sin(2*d*x + \\
& 2*c), \cos(2*d*x + 2*c)))) - 1) - (a^2 * \cos(2*d*x + 2*c)^2 + a^2 * \sin(2*d*x + \\
& 2*c)^2 + 2 * a^2 * \cos(2*d*x + 2*c) + a^2) * \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2 \\
& *d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1)^{(1/4)} * \sin(1/2 * \arctan2(\sin(2*d*x + 2 \\
& *c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*c \\
& \cos(2*d*x + 2*c) + 1)^{(1/4)} * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2* \\
& c) + 1)) + 1) + (a^2 * \cos(2*d*x + 2*c)^2 + a^2 * \sin(2*d*x + 2*c)^2 + 2 * a^2 * co \\
& s(2*d*x + 2*c) + a^2) * \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2* \\
& \cos(2*d*x + 2*c) + 1)^{(1/4)} * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2 \\
& *c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + \\
& 1)^{(1/4)} * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1)) * \text{sqrt} \\
& (a) * A / (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1) \\
& + 3 * (18 * (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1)^ \\
& (3/4) * a^{(5/2)} * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + 2 * \\
& (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1)^{(1/4)} * (( \\
& 4 * a^2 * \sin(3*d*x + 3*c) + 5 * a^2 * \sin(2*d*x + 2*c) + 4 * a^2 * \sin(d*x + c)) * \cos(3 \\
& /2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) + (a^2 * \cos(2*d*x + 2*c) \\
& ^2 * \sin(d*x + c) + a^2 * \sin(2*d*x + 2*c)^2 * \sin(d*x + c) + 2 * a^2 * \cos(2*d*x + 2 \\
& *c) * \sin(d*x + c) + a^2 * \sin(d*x + c)) * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos( \\
& 2*d*x + 2*c) + 1)) - (4 * a^2 * \cos(3*d*x + 3*c) + 5 * a^2 * \cos(2*d*x + 2*c) + 4 * a \\
& ^2 * \cos(d*x + c) + 5 * a^2) * \sin(3/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
& + 1)) - ((a^2 * \cos(d*x + c) - a^2) * \cos(2*d*x + 2*c)^2 + a^2 * \cos(d*x + c) + \\
& (a^2 * \cos(d*x + c) - a^2) * \sin(2*d*x + 2*c)^2 - a^2 + 2 * (a^2 * \cos(d*x + c) - a \\
& ^2) * \cos(2*d*x + 2*c)) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + \\
& 1))) * \text{sqrt}(a) + 5 * ((a^2 * \cos(2*d*x + 2*c)^2 + a^2 * \sin(2*d*x + 2*c)^2 + 2 * a^2 * \\
& \cos(2*d*x + 2*c) + a^2) * \arctan2(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + \\
& 2 * \cos(2*d*x + 2*c) + 1)^{(1/4)} * (\cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x \\
& + 2*c) + 1)) * \sin(d*x + c) - \cos(d*x + c) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos( \\
& 2*d*x + 2*c) + 1)^{(1/4)} * (\cos(d*x + c) * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos \\
& (2*d*x + 2*c) + 1)) + \sin(d*x + c) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2* \\
& d*x + 2*c) + 1)))) + 1) - (a^2 * \cos(2*d*x + 2*c)^2 + a^2 * \sin(2*d*x + 2*c)^2 + \\
& 2 * a^2 * \cos(2*d*x + 2*c) + a^2) * \arctan2(-(\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2 \\
& *c)^2 + 2 * \cos(2*d*x + 2*c) + 1)^{(1/4)} * (\cos(1/2 * \arctan2(\sin(2*d*x + 2*c), co \\
& s(2*d*x + 2*c) + 1)) * \sin(d*x + c) - \cos(d*x + c) * \sin(1/2 * \arctan2(\sin(2*d*x \\
& + 2*c), \cos(2*d*x + 2*c) + 1))), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + \\
& 2 * \cos(2*d*x + 2*c) + 1)^{(1/4)} * (\cos(d*x + c) * \cos(1/2 * \arctan2(\sin(2*d*x + 2* \\
& c), \cos(2*d*x + 2*c) + 1)) + \sin(d*x + c) * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \\
& \cos(2*d*x + 2*c) + 1)))) - 1) - (a^2 * \cos(2*d*x + 2*c)^2 + a^2 * \sin(2*d*x + 2 \\
& *c)^2 + 2 * a^2 * \cos(2*d*x + 2*c) + a^2) * \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d \\
& *x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1)^{(1/4)} * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c \\
& ), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos \\
& (2*d*x + 2*c) + 1)^{(1/4)} * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) \\
& + 1)) + 1) + (a^2 * \cos(2*d*x + 2*c)^2 + a^2 * \sin(2*d*x + 2*c)^2 + 2 * a^2 * \cos( \\
& 2*d*x + 2*c) + a^2) * \arctan2((\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * co \\
& s(2*d*x + 2*c) + 1)^{(1/4)} * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c \\
& ) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1) \\
& ^{(1/4)} * \cos(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1)) * \text{sqrt}( \\
& a) * B / (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2 * \cos(2*d*x + 2*c) + 1) / d
\end{aligned}$$

**Fricas [A]** time = 1.93908, size = 432, normalized size = 2.24

$$\frac{3 \left( (2A + 5B)a^2 \cos(dx + c)^2 + (2A + 5B)a^2 \cos(dx + c) \right) \sqrt{a} \arctan \left( \frac{\sqrt{a} \cos(dx + c) + a \sqrt{\cos(dx + c)}}{\sqrt{a} \sin(dx + c)} \right) - \frac{(3Ba^2 \cos(dx + c)^2 + 2(8A + 3B)a^2 \cos(dx + c))}{3(d \cos(dx + c)^2 + d \cos(dx + c))}}{3(d \cos(dx + c)^2 + d \cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] -1/3\*(3\*((2\*A + 5\*B)\*a^2\*cos(d\*x + c)^2 + (2\*A + 5\*B)\*a^2\*cos(d\*x + c))\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - (3\*B\*a^2\*cos(d\*x + c)^2 + 2\*(8\*A + 3\*B)\*a^2\*cos(d\*x + c) + 2\*A\*a^2)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(d\*cos(d\*x + c)^2 + d\*cos(d\*x + c))

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] Timed out

$$3.516 \quad \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=198

$$\frac{a^{5/2}(20A + 19B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{4d} - \frac{a^3(4A - 9B)\sin(c + dx)}{4d\sqrt{\sec(c + dx)}\sqrt{a\cos(c + dx) + a}} - \frac{a^2(4A - B)\sin(c + dx)}{4d\sqrt{\sec(c + dx)}\sqrt{a\cos(c + dx) + a}}$$

[Out] (a^(5/2)\*(20\*A + 19\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(4\*d) - (a^3\*(4\*A - 9\*B)\*Sin[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) - (a^2\*(4\*A - B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d\*Sqrt[Sec[c + d\*x]]) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d

**Rubi [A]** time = 0.664439, antiderivative size = 198, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2975, 2976, 2981, 2774, 216}

$$\frac{a^{5/2}(20A + 19B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{4d} - \frac{a^3(4A - 9B)\sin(c + dx)}{4d\sqrt{\sec(c + dx)}\sqrt{a\cos(c + dx) + a}} - \frac{a^2(4A - B)\sin(c + dx)}{4d\sqrt{\sec(c + dx)}\sqrt{a\cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2), x]

[Out] (a^(5/2)\*(20\*A + 19\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(4\*d) - (a^3\*(4\*A - 9\*B)\*Sin[c + d\*x])/(4\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) - (a^2\*(4\*A - B)\*Sqrt[a + a\*Cos[c + d\*x]]\*Sin[c + d\*x])/(2\*d\*Sqrt[Sec[c + d\*x]]) + (2\*a\*A\*(a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2975

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[(b^2\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(b\*c + a\*d)), x] - Dist[b/(d\*(n + 1)\*(b\*c + a\*d)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[a\*A\*d\*(m - n - 2) - B\*(a\*c\*(m - 1) + b\*d\*(n + 1)) - (A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(n + 1)))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && LtQ[n, -1] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2976

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp
mp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n +
1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x
])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) +
b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

### Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Simp
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +
b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

### Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)
*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]
```

### Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

### Rubi steps

$$\begin{aligned} \int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^3(c + dx)}{\cos^2(c + dx)} dx \\ &= \frac{2aA(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + (2\sqrt{c}) \\ &= -\frac{a^2(4A - B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d\sqrt{\sec(c + dx)}} + \frac{2aA(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)} \sin(c + dx)}{2d\sqrt{\sec(c + dx)}} \\ &= -\frac{a^3(4A - 9B) \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{a^2(4A - B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d\sqrt{\sec(c + dx)}} \\ &= -\frac{a^3(4A - 9B) \sin(c + dx)}{4d\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{a^2(4A - B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{2d\sqrt{\sec(c + dx)}} \\ &= \frac{a^{5/2}(20A + 19B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4d} \end{aligned}$$

**Mathematica [A]** time = 0.780806, size = 126, normalized size = 0.64

$$\frac{a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(\sqrt{2}(20A + 19B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)} + 2 \sin\left(\frac{1}{2}(c + dx)\right)}{8d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2), x]

[Out] (a^2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]]\*(Sqrt[2]\*(20\*A + 19\*B)\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Sqrt[Cos[c + d\*x]] + 2\*(8\*A + B + (4\*A + 11\*B)\*Cos[c + d\*x] + B\*Cos[2\*(c + d\*x)])\*Sin[(c + d\*x)/2]))/(8\*d)

**Maple [B]** time = 0.71, size = 344, normalized size = 1.7

$$\frac{a^2 \cos(dx + c)}{4d(1 + \cos(dx + c))} \left( 20 A \cos(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}\right) + 2 B \sin(dx + c) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2), x)

[Out] 1/4/d\*a^2\*(20\*A\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+2\*B\*sin(d\*x+c)\*cos(d\*x+c)^2+19\*B\*cos(d\*x+c)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+4\*A\*cos(d\*x+c)\*sin(d\*x+c)+20\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+11\*B\*sin(d\*x+c)\*cos(d\*x+c)+19\*B\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+8\*A\*sin(d\*x+c)\*cos(d\*x+c)\*(1/cos(d\*x+c))^(3/2)\*(a\*(1+cos(d\*x+c)))^(1/2)/(1+cos(d\*x+c))

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2), x, algorith="maxima")

[Out] Timed out

**Fricas [A]** time = 1.91563, size = 393, normalized size = 1.98

$$\frac{\left( (20 A + 19 B) a^2 \cos(dx + c) + (20 A + 19 B) a^2 \right) \sqrt{a} \arctan\left( \frac{\sqrt{a} \cos(dx+c) + a \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right) - \frac{(2 B a^2 \cos(dx+c)^2 + (4 A + 11 B) a^2 \cos(dx+c)) \sqrt{\cos(dx+c)}}{4 (d \cos(dx+c) + d)}}{4 (d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2), x, algorith="fricas")

```
[Out] -1/4*(((20*A + 19*B)*a^2*cos(d*x + c) + (20*A + 19*B)*a^2)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - (2*B*a^2*cos(d*x + c)^2 + (4*A + 11*B)*a^2*cos(d*x + c) + 8*A*a^2)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] Timed out
```



### 3.517 $\int (a+a \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$

**Optimal.** Leaf size=200

$$\frac{a^{5/2}(38A + 25B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{8d} + \frac{a^3(54A + 49B)\sin(c+dx)}{24d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{a^2(2A + 3B)}{24d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}}$$

```
[Out] (a^(5/2)*(38*A + 25*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a^3*(54*A + 49*B)*Sin[c + d*x])/(24*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (a^2*(2*A + 3*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[Sec[c + d*x]]) + (a*B*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

**Rubi [A]** time = 0.650332, antiderivative size = 200, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2976, 2981, 2774, 216}

$$\frac{a^{5/2}(38A + 25B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{8d} + \frac{a^3(54A + 49B)\sin(c+dx)}{24d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{a^2(2A + 3B)}{24d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]],x]
```

```
[Out] (a^(5/2)*(38*A + 25*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(8*d) + (a^3*(54*A + 49*B)*Sin[c + d*x])/(24*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (a^2*(2*A + 3*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[Sec[c + d*x]]) + (a*B*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

#### Rule 2976

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2981

```
Int[Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Simp
```

```
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +
b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

#### Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)*
(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]
```

#### Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

#### Rubi steps

$$\int (a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{aB(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{1}{3} \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{a^2(2A + 3B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{4d\sqrt{\sec(c + dx)}} + \frac{aB(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}}$$

$$= \frac{a^3(54A + 49B) \sin(c + dx)}{24d\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{a^2(2A + 3B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{4d\sqrt{\sec(c + dx)}}$$

$$= \frac{a^3(54A + 49B) \sin(c + dx)}{24d\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{a^2(2A + 3B)\sqrt{a + a \cos(c + dx)} \sin(c + dx)}{4d\sqrt{\sec(c + dx)}}$$

$$= \frac{a^{5/2}(38A + 25B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{8d}$$

**Mathematica [A]** time = 0.968606, size = 141, normalized size = 0.7

$$\frac{a^2 \sqrt{\cos(c + dx)} \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2}(38A + 25B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) + 2 \sin\left(\frac{1}{2}(c + dx)\right)\right)}{48d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]
],x]
```

```
[Out] (a^2*Sqrt[Cos[c + d*x]]*Sqrt[a*(1 + Cos[c + d*x])]*Sec[(c + d*x)/2]*Sqrt[Se
c[c + d*x]]*(3*Sqrt[2]*(38*A + 25*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*S
qrt[Cos[c + d*x]]*(66*A + 79*B + 2*(6*A + 17*B)*Cos[c + d*x] + 4*B*Cos[2*(c
+ d*x)])*Sin[(c + d*x)/2]))/(48*d)
```



$$\begin{aligned}
& *c) + 1)^{(1/4)} * \sin(1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)), (\cos(2*d*x + 2*c)^2 + \sin(2*d*x + 2*c)^2 + 2*\cos(2*d*x + 2*c) + 1)^{(1/4)} * \cos( \\
& 1/2 * \arctan2(\sin(2*d*x + 2*c), \cos(2*d*x + 2*c) + 1)) - 1) * \sqrt{a} * A + (4 * \\
& (a^2 * \cos(3/2 * \arctan2(\sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \\
& \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))) + 1) * \sin(3*d*x + 3*c) \\
& - (a^2 * \cos(3*d*x + 3*c) - a^2) * \sin(3/2 * \arctan2(\sin(2/3 * \arctan2(\sin(3*d*x + \\
& 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3* \\
& c)))) + 1))) * (\cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2 \\
& /3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2 * \cos(2/3 * \arctan2(\sin(3 \\
& *d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(3/4)} * \sqrt{a} + 30 * (\cos(2/3 * \arctan2(\sin \\
& (3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos \\
& (3*d*x + 3*c)))^2 + 2 * \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) \\
& + 1)^{(1/4)} * ((a^2 * \sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 5 * \\
& a^2 * \sin(1/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))) * \cos(1/2 * \arctan2(\sin \\
& (2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan2(\sin(3 * \\
& d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) - (a^2 * \cos(2/3 * \arctan2(\sin(3*d*x + 3*c) \\
& ), \cos(3*d*x + 3*c))) + 3 * a^2 * \cos(1/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + \\
& 3*c))) - 4 * a^2 * \sin(1/2 * \arctan2(\sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d * \\
& x + 3*c))), \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))) * \sqrt{ \\
& a} + 75 * (a^2 * \arctan2(-(\cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c) \\
& ))^2 + \sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2 * \cos(2/3 * \arctan2 \\
& (\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)} * (\cos(1/2 * \arctan2(\sin \\
& (2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan2(\sin(3*d * \\
& x + 3*c), \cos(3*d*x + 3*c))) + 1)) * \sin(1/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3 * \\
& d*x + 3*c))) - \cos(1/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) * \sin(1/2 \\
& * \arctan2(\sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan2 \\
& (\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))), (\cos(2/3 * \arctan2(\sin(3*d*x \\
& + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x \\
& + 3*c)))^2 + 2 * \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{( \\
& 1/4)} * (\cos(1/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) * \cos(1/2 * \arctan2( \\
& \sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan2(\sin(3 \\
& *d*x + 3*c), \cos(3*d*x + 3*c))) + 1)) + \sin(1/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3 * \\
& d*x + 3*c))) * \sin(1/2 * \arctan2(\sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d \\
& *x + 3*c))), \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))) + \\
& 1) - a^2 * \arctan2(-(\cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \\
& \sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2 * \cos(2/3 * \arctan2 \\
& (\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)} * (\cos(1/2 * \arctan2(\sin(2/3 * \arctan2 \\
& (\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan2(\sin(3*d*x + 3 * \\
& c), \cos(3*d*x + 3*c))) + 1)) * \sin(1/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + \\
& 3*c))) - \cos(1/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) * \sin(1/2 * \arctan2 \\
& (\sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan2(\sin \\
& (3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))), (\cos(2/3 * \arctan2(\sin(3*d*x + 3 * \\
& c), \cos(3*d*x + 3*c)))^2 + \sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3 * \\
& c)))^2 + 2 * \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)} * ( \\
& \cos(1/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) * \cos(1/2 * \arctan2(\sin(2/ \\
& 3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan2(\sin(3*d*x + \\
& 3*c), \cos(3*d*x + 3*c))) + 1)) + \sin(1/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3 * \\
& d * x + 3*c))) * \sin(1/2 * \arctan2(\sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3 \\
& *c))), \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1))) - 1) - a \\
& ^2 * \arctan2((\cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/ \\
& 3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2 * \cos(2/3 * \arctan2(\sin(3 * \\
& d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)} * \sin(1/2 * \arctan2(\sin(2/3 * \arctan2(\sin \\
& (3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos( \\
& 3*d*x + 3*c))) + 1)), (\cos(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) \\
& ^2 + \sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c)))^2 + 2 * \cos(2/3 * \arctan2 \\
& (\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))) + 1)^{(1/4)} * \cos(1/2 * \arctan2(\sin(2/ \\
& 3 * \arctan2(\sin(3*d*x + 3*c), \cos(3*d*x + 3*c))), \cos(2/3 * \arctan2(\sin(3*d*x + \\
& 3*c), \cos(3*d*x + 3*c))) + 1)) + 1) + a^2 * \arctan2((\cos(2/3 * \arctan2(\sin(3 * \\
& d * x + 3*c), \cos(3*d*x + 3*c)))^2 + \sin(2/3 * \arctan2(\sin(3*d*x + 3*c), \cos(3 * \\
& d
\end{aligned}$$

```
*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)
^(1/4)*sin(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))
, cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)), (cos(2/3*arct
an2(sin(3*d*x + 3*c), cos(3*d*x + 3*c)))^2 + sin(2/3*arctan2(sin(3*d*x + 3*
c), cos(3*d*x + 3*c)))^2 + 2*cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x +
3*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d
*x + 3*c))), cos(2/3*arctan2(sin(3*d*x + 3*c), cos(3*d*x + 3*c))) + 1)) - 1
))*sqrt(a))*B)/d
```

**Fricas [A]** time = 1.91022, size = 436, normalized size = 2.18

$$\frac{3 \left( (38A + 25B)a^2 \cos(dx + c) + (38A + 25B)a^2 \right) \sqrt{a} \arctan \left( \frac{\sqrt{a} \cos(dx+c) + a \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right) - \frac{(8Ba^2 \cos(dx+c)^3 + 2(6A+17B)a^2 \cos(dx+c)^2 + (38A+25B)a^2 \cos(dx+c) + 1) \sqrt{a}}{24(d \cos(dx+c) + d)}}{24(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algor
ithm="fricas")
```

```
[Out] -1/24*(3*((38*A + 25*B)*a^2*cos(d*x + c) + (38*A + 25*B)*a^2)*sqrt(a)*arcta
n(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - (8*
B*a^2*cos(d*x + c)^3 + 2*(6*A + 17*B)*a^2*cos(d*x + c)^2 + 3*(22*A + 25*B)*
a^2*cos(d*x + c))*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))
/(d*cos(d*x + c) + d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algor
ithm="giac")
```

```
[Out] Timed out
```

$$3.518 \quad \int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=247

$$\frac{a^3(104A + 95B) \sin(c + dx)}{96d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{a^2(8A + 11B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{24d \sec^{\frac{3}{2}}(c + dx)} + \frac{a^{5/2}(200A + 163B) \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}}{64d \sec^{\frac{3}{2}}(c + dx)}$$

```
[Out] (a^(5/2)*(200*A + 163*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(64*d) + (a^3*(104*A + 95*B)*Sin[c + d*x])/(96*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)) + (a^2*(8*A + 11*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(24*d*Sec[c + d*x]^(3/2)) + (a*B*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(4*d*Sec[c + d*x]^(3/2)) + (a^3*(200*A + 163*B)*Sin[c + d*x])/(64*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])
```

**Rubi [A]** time = 0.751629, antiderivative size = 247, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2976, 2981, 2770, 2774, 216}

$$\frac{a^3(104A + 95B) \sin(c + dx)}{96d \sec^{\frac{3}{2}}(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{a^2(8A + 11B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{24d \sec^{\frac{3}{2}}(c + dx)} + \frac{a^{5/2}(200A + 163B) \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}}{64d \sec^{\frac{3}{2}}(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]], x]
```

```
[Out] (a^(5/2)*(200*A + 163*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(64*d) + (a^3*(104*A + 95*B)*Sin[c + d*x])/(96*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)) + (a^2*(8*A + 11*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(24*d*Sec[c + d*x]^(3/2)) + (a*B*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(4*d*Sec[c + d*x]^(3/2)) + (a^3*(200*A + 163*B)*Sin[c + d*x])/(64*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

#### Rule 2976

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
```

& IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

### Rule 2981

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*B\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(2\*n + 3)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(A\*b\*d\*(2\*n + 3) - B\*(b\*c - 2\*a\*d\*(n + 1)))/(b\*d\*(2\*n + 3)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]

### Rule 2770

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(-2\*b\*Cos[e + f\*x]\*(c + d\*Sin[e + f\*x])^n)/(f\*(2\*n + 1)\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[(2\*n\*(b\*c + a\*d))/(b\*(2\*n + 1)), Int[Sqrt[a + b\*Sin[e + f\*x]]\*(c + d\*Sin[e + f\*x])^(n - 1), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2\*n]

### Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rubi steps

$$\begin{aligned} \int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \sqrt{\cos(c + dx)} (a + a \cos(c + dx))^{5/2} dx \\ &= \frac{aB(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{4d \sec^2(c + dx)} + \frac{1}{4} \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \\ &= \frac{a^2(8A + 11B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{24d \sec^2(c + dx)} + \frac{aB(a + a \cos(c + dx))^{3/2}}{4d \sec^2(c + dx)} \\ &= \frac{a^3(104A + 95B) \sin(c + dx)}{96d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2(8A + 11B) \sqrt{a + a \cos(c + dx)}}{24d \sec^2(c + dx)} \\ &= \frac{a^3(104A + 95B) \sin(c + dx)}{96d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2(8A + 11B) \sqrt{a + a \cos(c + dx)}}{24d \sec^2(c + dx)} \\ &= \frac{a^3(104A + 95B) \sin(c + dx)}{96d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2(8A + 11B) \sqrt{a + a \cos(c + dx)}}{24d \sec^2(c + dx)} \\ &= \frac{a^5/2(200A + 163B) \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64d} \end{aligned}$$

**Mathematica [A]** time = 0.968585, size = 159, normalized size = 0.64

$$a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(3\sqrt{2}(200A + 163B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)} + \left(\sin\right)$$

Antiderivative was successfully verified.

[In] Integrate[((a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Sqrt[Sec[c + d\*x]], x]

[Out] (a^2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]]\*(3\*Sqrt[2]\*(200\*A + 163\*B)\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Sqrt[Cos[c + d\*x]] + (632\*A + 581\*B + (272\*A + 362\*B)\*Cos[c + d\*x] + 4\*(8\*A + 23\*B)\*Cos[2\*(c + d\*x)] + 12\*B\*Cos[3\*(c + d\*x)])\*(-Sin[(c + d\*x)/2] + Sin[(3\*(c + d\*x))/2]))/(384\*d)

**Maple [A]** time = 0.658, size = 383, normalized size = 1.6

$$\frac{a^2(-1 + \cos(dx + c))^2 \cos(dx + c)}{192d(\sin(dx + c))^4} \left(48B(\cos(dx + c))^3 \sin(dx + c) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} + 64A(\cos(dx + c))^2 \sin(dx + c)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(5/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x)

[Out] 1/192/d\*a^2\*(-1+cos(d\*x+c))^2\*(48\*B\*cos(d\*x+c)^3\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+64\*A\*cos(d\*x+c)^2\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+184\*B\*cos(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+272\*A\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+326\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)\*cos(d\*x+c)+600\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+489\*B\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+600\*A\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+489\*B\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*cos(d\*x+c)\*(a\*(1+cos(d\*x+c)))^(1/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/(1/cos(d\*x+c))^(1/2)/sin(d\*x+c)^4

**Maxima [B]** time = 5.21407, size = 12677, normalized size = 51.32

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x, algorithm="maxima")

[Out] 1/768\*(8\*(4\*(a^2\*cos(3/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))) + 1))\*sin(3\*d\*x + 3\*c) - (a^2\*cos(3\*d\*x + 3\*c) - a^2)\*sin(3/2\*arctan2(sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))), cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))) + 1))\*cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))^2 + sin(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c)))^2 + 2\*cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))) + 1)^(3/4)\*sqrt(a) + 30\*(cos(2/3\*arctan2(sin(3\*d\*x + 3\*c), cos(3\*d\*x + 3\*c))))





$$\begin{aligned}
& *d*x + 4*c)^2*\sin(4*d*x + 4*c) + 3*a^2*\sin(4*d*x + 4*c)^3 + 12*(a^2*\sin(4*d*x + 4*c)^3 + (a^2*\cos(4*d*x + 4*c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 12*(a^2*\sin(4*d*x + 4*c)^3 + (a^2*\cos(4*d*x + 4*c)^2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 3*(2*a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(4*d*x + 4*c) + a^2*\sin(4*d*x + 4*c) - 2*(a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 12*(a^2*\sin(4*d*x + 4*c)^3 + (a^2*\cos(4*d*x + 4*c)^2 - a^2*\cos(4*d*x + 4*c))*\sin(4*d*x + 4*c))*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + (40*a^2*\cos(4*d*x + 4*c)^2 + 40*a^2*\sin(4*d*x + 4*c)^2 - 3*a^2*\cos(4*d*x + 4*c) + 160*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 160*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*(80*a^2*\cos(4*d*x + 4*c)^2 + 80*a^2*\sin(4*d*x + 4*c)^2 - 83*a^2*\cos(4*d*x + 4*c) + 3*a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 2*(320*a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(4*d*x + 4*c) + 83*a^2*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 12*(4*a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(3/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1)) - (3*a^2*\cos(4*d*x + 4*c)^3 - 40*a^2*\cos(4*d*x + 4*c)^2 + 4*(3*a^2*\cos(4*d*x + 4*c)^3 - 46*a^2*\cos(4*d*x + 4*c)^2 + 83*a^2*\cos(4*d*x + 4*c) + (3*a^2*\cos(4*d*x + 4*c) - 40*a^2)*\sin(4*d*x + 4*c)^2 - 40*a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + (3*a^2*\cos(4*d*x + 4*c) - 40*a^2)*\sin(4*d*x + 4*c)^2 + 4*(3*a^2*\cos(4*d*x + 4*c)^3 - 34*a^2*\cos(4*d*x + 4*c)^2 - 77*a^2*\cos(4*d*x + 4*c) + (3*a^2*\cos(4*d*x + 4*c) - 40*a^2)*\sin(4*d*x + 4*c)^2 - 40*a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + (40*a^2*\cos(4*d*x + 4*c)^2 + 40*a^2*\sin(4*d*x + 4*c)^2 - 3*a^2*\cos(4*d*x + 4*c) + 160*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 160*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*(80*a^2*\cos(4*d*x + 4*c)^2 + 80*a^2*\sin(4*d*x + 4*c)^2 - 83*a^2*\cos(4*d*x + 4*c) + 3*a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 2*(320*a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(4*d*x + 4*c) + 83*a^2*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 12*(4*a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\cos(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) + 4*(3*a^2*\cos(4*d*x + 4*c)^3 - 43*a^2*\cos(4*d*x + 4*c)^2 + 40*a^2*\cos(4*d*x + 4*c) + (3*a^2*\cos(4*d*x + 4*c) - 40*a^2)*\sin(4*d*x + 4*c)^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 3*(2*a^2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(4*d*x + 4*c) + a^2*\sin(4*d*x + 4*c) - 2*(a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(3/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))) - 4*(4*(3*a^2*\cos(4*d*x + 4*c) - 40*a^2)*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(4*d*x + 4*c) + (3*a^2*\cos(4*d*x + 4*c) - 40*a^2)*\sin(4*d*x + 4*c))*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(3/2*\arctan2(\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))), \cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1)))*sqrt(a) + 6*(\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + \sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^2 + 2*\cos(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))) + 1)^(1/4)*((a^2*\cos(4*d*x + 4*c)^2*\sin(4*d*x + 4*c) + a^2*\sin(4*d*x + 4*c)^3 + a^2*\cos(1/4*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c))))*\sin(4*d*x + 4*c) + 176*(a^2*\cos(4*d*x + 4*c)^2 + a^2*\sin(4*d*x + 4*c)^2 + 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(1/2*\arctan2(\sin(4*d*x + 4*c), \cos(4*d*x + 4*c)))^3 + 4*(a^2*\sin(4*d*x + 4*c)^3 + (a^2*\cos(4*d*x + 4*c)^2 - 2*a^2*\cos(4*d*x + 4*c) + a^2)*\sin(4*d*x + 4*c) + 164*(a^2*\cos
\end{aligned}$$





```
(sin(4*d*x + 4*c), cos(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + 1)) + 1) + (a^2*cos(4*d*x + 4*c)^2 + a^2*sin(4*d*x + 4*c)^2 + 4*(a^2*cos(4*d*x + 4*c)^2 + a^2*sin(4*d*x + 4*c)^2 - 2*a^2*cos(4*d*x + 4*c) + a^2)*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 4*(a^2*cos(4*d*x + 4*c)^2 + a^2*sin(4*d*x + 4*c)^2 + 2*a^2*cos(4*d*x + 4*c) + a^2)*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 4*(a^2*cos(4*d*x + 4*c)^2 + a^2*sin(4*d*x + 4*c)^2 - a^2*cos(4*d*x + 4*c))*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) - 4*(4*a^2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + a^2*sin(4*d*x + 4*c))*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))))*arctan2((cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + 1)^(1/4)*sin(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))) + 1)), (cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 2*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + 1)^(1/4)*cos(1/2*arctan2(sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))), cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))) + 1)) - 1))*sqrt(a)*B/(4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - 2*cos(4*d*x + 4*c) + 1)*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + 4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 + 2*cos(4*d*x + 4*c) + 1)*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))^2 + cos(4*d*x + 4*c)^2 + 4*(cos(4*d*x + 4*c)^2 + sin(4*d*x + 4*c)^2 - cos(4*d*x + 4*c))*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c))) + sin(4*d*x + 4*c)^2 - 4*(4*cos(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))*sin(4*d*x + 4*c) + sin(4*d*x + 4*c))*sin(1/2*arctan2(sin(4*d*x + 4*c), cos(4*d*x + 4*c)))))/d
```

**Fricas [A]** time = 2.37083, size = 500, normalized size = 2.02

$$\frac{3 \left( (200A + 163B)a^2 \cos(dx + c) + (200A + 163B)a^2 \right) \sqrt{a} \arctan \left( \frac{\sqrt{a} \cos(dx+c) + a \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right) - \frac{(48Ba^2 \cos(dx+c)^4 + 8(8A+23B)a^2 \cos(dx+c)^3 + 2(136A + 163B)a^2 \cos(dx+c)^2 + 3(200A + 163B)a^2 \cos(dx+c)) \sqrt{a} \cos(dx+c) + a \sin(dx+c)}{\sqrt{\cos(dx+c)}}}{192(d \cos(dx+c) + d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] -1/192*(3*((200*A + 163*B)*a^2*cos(d*x + c) + (200*A + 163*B)*a^2)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - (48*B*a^2*cos(d*x + c)^4 + 8*(8*A + 23*B)*a^2*cos(d*x + c)^3 + 2*(136*A + 163*B)*a^2*cos(d*x + c)^2 + 3*(200*A + 163*B)*a^2*cos(d*x + c))*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(d*cos(d*x + c) + d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(a*cos(d*x + c) + a)^(5/2)/sqrt(sec(d*x + c)), x)
```

$$3.519 \quad \int \frac{(a+a \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\sec^2(c+dx)} dx$$

**Optimal.** Leaf size=294

$$\frac{a^3(326A + 283B) \sin(c + dx)}{192d \sec^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{a^3(170A + 157B) \sin(c + dx)}{240d \sec^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{a^2(10A + 13B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{40d \sec^2(c + dx)}$$

```
[Out] (a^(5/2)*(326*A + 283*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(128*d) + (a^3*(170*A + 157*B)*Sin[c + d*x])/(240*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(5/2)) + (a^2*(10*A + 13*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(40*d*Sec[c + d*x]^(5/2)) + (a*B*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(5/2)) + (a^3*(326*A + 283*B)*Sin[c + d*x])/(192*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)) + (a^3*(326*A + 283*B)*Sin[c + d*x])/(128*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])
```

**Rubi [A]** time = 0.865567, antiderivative size = 294, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2976, 2981, 2770, 2774, 216}

$$\frac{a^3(326A + 283B) \sin(c + dx)}{192d \sec^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{a^3(170A + 157B) \sin(c + dx)}{240d \sec^2(c + dx) \sqrt{a \cos(c + dx) + a}} + \frac{a^2(10A + 13B) \sin(c + dx) \sqrt{a \cos(c + dx) + a}}{40d \sec^2(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Int[((a + a*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]
```

```
[Out] (a^(5/2)*(326*A + 283*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(128*d) + (a^3*(170*A + 157*B)*Sin[c + d*x])/(240*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(5/2)) + (a^2*(10*A + 13*B)*Sqrt[a + a*Cos[c + d*x]]*Sin[c + d*x])/(40*d*Sec[c + d*x]^(5/2)) + (a*B*(a + a*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(5/2)) + (a^3*(326*A + 283*B)*Sin[c + d*x])/(192*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)) + (a^3*(326*A + 283*B)*Sin[c + d*x])/(128*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

#### Rule 2976

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 1) + B*(a*c*(m - 1) + b*d*(n + 1)) + (A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x], x], x]
```

```
], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0]
&& EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1/2] && !LtQ[n, -1] &
& IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2981

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((A_) + (B_)*sin[(e_) + (
f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Simp
[(-2*b*B*Cos[e + f*x]*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(2*n + 3)*Sqrt[a +
b*Sin[e + f*x]]), x] + Dist[(A*b*d*(2*n + 3) - B*(b*c - 2*a*d*(n + 1)))/(b
*d*(2*n + 3)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n, x], x]
/; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 -
b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[n, -1]
```

#### Rule 2770

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*((c_) + (d_)*sin[(e_) + (
f_)*(x_)])^(n_), x_Symbol] :> Simp[(-2*b*Cos[e + f*x]*(c + d*Sin[e + f*x])
^n)/(f*(2*n + 1)*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[(2*n*(b*c + a*d))/(b*
(2*n + 1)), Int[Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^(n - 1), x],
x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0] && GtQ[n, 0] && IntegerQ[2*n]
```

#### Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)
*(x_)]], x_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]
```

#### Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] :> Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

#### Rubi steps



$$\begin{aligned}
\int \frac{(a + a \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\sec^2(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \cos^3(c + dx) (a + a \cos(c + dx))^{5/2} dx \\
&= \frac{aB(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d \sec^2(c + dx)} + \frac{1}{5} \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \cos^2(c + dx) (a + a \cos(c + dx))^{5/2} dx \\
&= \frac{a^2(10A + 13B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{40d \sec^2(c + dx)} + \frac{aB(a + a \cos(c + dx))^{3/2} \sin(c + dx)}{5d \sec^2(c + dx)} \\
&= \frac{a^3(170A + 157B) \sin(c + dx)}{240d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2(10A + 13B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{40d \sec^2(c + dx)} \\
&= \frac{a^3(170A + 157B) \sin(c + dx)}{240d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2(10A + 13B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{40d \sec^2(c + dx)} \\
&= \frac{a^3(170A + 157B) \sin(c + dx)}{240d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2(10A + 13B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{40d \sec^2(c + dx)} \\
&= \frac{a^3(170A + 157B) \sin(c + dx)}{240d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2(10A + 13B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{40d \sec^2(c + dx)} \\
&= \frac{a^3(170A + 157B) \sin(c + dx)}{240d \sqrt{a + a \cos(c + dx)} \sec^2(c + dx)} + \frac{a^2(10A + 13B) \sqrt{a + a \cos(c + dx)} \sin(c + dx)}{40d \sec^2(c + dx)} \\
&= \frac{a^5/2(326A + 283B) \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{128d}
\end{aligned}$$

**Mathematica [A]** time = 1.42732, size = 181, normalized size = 0.62

$$a^2 \sec\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \sqrt{a(\cos(c + dx) + 1)} \left(15\sqrt{2}(326A + 283B) \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right)\right) \sqrt{\cos(c + dx)} +$$

Antiderivative was successfully verified.

[In] Integrate[((a + a\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Sec[c + d\*x]^(3/2), x]

[Out] (a^2\*Sqrt[a\*(1 + Cos[c + d\*x])]\*Sec[(c + d\*x)/2]\*Sqrt[Sec[c + d\*x]]\*(15\*Sqrt[2]\*(326\*A + 283\*B)\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]]\*Sqrt[Cos[c + d\*x]] + (5810\*A + 5521\*B + (3620\*A + 3874\*B)\*Cos[c + d\*x] + 4\*(230\*A + 331\*B)\*Cos[2\*(c + d\*x)] + 120\*A\*Cos[3\*(c + d\*x)] + 348\*B\*Cos[3\*(c + d\*x)] + 48\*B\*Cos[4\*(c + d\*x)]\*(-Sin[(c + d\*x)/2] + Sin[(3\*(c + d\*x))/2])))/(3840\*d)

**Maple [A]** time = 0.589, size = 455, normalized size = 1.6

$$\frac{a^2(-1 + \cos(dx + c))^3 \cos(dx + c)}{1920d(\sin(dx + c))^6} \left( 384B \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} (\cos(dx + c))^4 \sin(dx + c) + 480A \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+cos(d\*x+c)\*a)^(5/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2), x)

[Out] -1/1920/d\*a^2\*(-1+cos(d\*x+c))^3\*(384\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^4\*sin(d\*x+c)+480\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^3\*

```

sin(d*x+c)+1392*B*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)
+1840*A*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+2264*B*cos
(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)+3260*A*cos(d*x+c)*(
cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)+2830*B*(cos(d*x+c)/(1+cos(d*x+c
)))^(1/2)*sin(d*x+c)*cos(d*x+c)+4890*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*si
n(d*x+c)+4245*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+4890*A*arctan(
sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+4245*B*arctan(sin(
d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*cos(d*x+c)*(a*(1+cos(
d*x+c)))^(1/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)/(1/cos(d*x+c))^(3/2)/sin(d
*x+c)^6

```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x, algor
ithm="maxima")

```

[Out] Timed out

**Fricas [A]** time = 2.43882, size = 562, normalized size = 1.91

$$\frac{15 \left( (326 A + 283 B) a^2 \cos(dx + c) + (326 A + 283 B) a^2 \right) \sqrt{a} \arctan \left( \frac{\sqrt{a} \cos(dx+c) + a \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)} \right) - \frac{(384 B a^2 \cos(dx+c)^5 + 48 (10 A + 29 B) a^2 \cos(dx+c)^4 + 8 (230 A + 283 B) a^2 \cos(dx+c)^3 + 10 (326 A + 283 B) a^2 \cos(dx+c)^2 + 15 (326 A + 283 B) a^2 \cos(dx+c)) \sqrt{a} \cos(dx+c) + a \sin(dx+c)}{1920 (d \cos(dx+c) + d^2 \sin(dx+c))}}{1920 (d \cos(dx+c) + d^2 \sin(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+a*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(3/2),x, algor
ithm="fricas")

```

```

[Out] -1/1920*(15*((326*A + 283*B)*a^2*cos(d*x + c) + (326*A + 283*B)*a^2)*sqrt(a)
)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))
) - (384*B*a^2*cos(d*x + c)^5 + 48*(10*A + 29*B)*a^2*cos(d*x + c)^4 + 8*(23
0*A + 283*B)*a^2*cos(d*x + c)^3 + 10*(326*A + 283*B)*a^2*cos(d*x + c)^2 + 1
5*(326*A + 283*B)*a^2*cos(d*x + c))*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/s
qrt(cos(d*x + c)))/(d*cos(d*x + c) + d)

```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+a*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)**(3/2),x)

```

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(a \cos(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+a\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(a\*cos(d\*x + c) + a)^(5/2)/sec(d\*x + c)^(3/2), x)

$$3.520 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{11}{2}}(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=295

$$-\frac{2(A-9B) \sin(c+dx) \sec^{\frac{7}{2}}(c+dx)}{63d\sqrt{a \cos(c+dx)+a}} + \frac{2(19A-3B) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{105d\sqrt{a \cos(c+dx)+a}} - \frac{2(29A-93B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{315d\sqrt{a \cos(c+dx)+a}} +$$

[Out]  $-\left(\left(\sqrt{2}\right)\left(A-B\right)\operatorname{ArcTan}\left[\frac{\sqrt{a}\sin\left[c+d x\right]}{\sqrt{2}\sqrt{\cos\left[c+d x\right]}}\right]\sqrt{a+a \cos\left[c+d x\right]}\right)\sqrt{\cos\left[c+d x\right]}\sqrt{\sec\left[c+d x\right]}\left/\left(\sqrt{a}\right)\right.$   
 $\left.+\left(2\left(257 A-129 B\right)\sqrt{\sec\left[c+d x\right]}\sin\left[c+d x\right]\right)\left/\left(315 d \sqrt{a+a \cos\left[c+d x\right]}\right)\right.$   
 $-\left(2\left(29 A-93 B\right)\sec\left[c+d x\right]^{\left(3 / 2\right)}\sin\left[c+d x\right]\right)\left/\left(315 d \sqrt{a+a \cos\left[c+d x\right]}\right)\right.$   
 $+\left(2\left(19 A-3 B\right)\sec\left[c+d x\right]^{\left(5 / 2\right)}\sin\left[c+d x\right]\right)\left/\left(105 d \sqrt{a+a \cos\left[c+d x\right]}\right)\right.$   
 $-\left(2\left(A-9 B\right)\sec\left[c+d x\right]^{\left(7 / 2\right)}\sin\left[c+d x\right]\right)\left/\left(63 d \sqrt{a+a \cos\left[c+d x\right]}\right)\right.$   
 $\left.+\left(2 A \sec\left[c+d x\right]^{\left(9 / 2\right)}\sin\left[c+d x\right]\right)\left/\left(9 d \sqrt{a+a \cos\left[c+d x\right]}\right)\right)$

**Rubi [A]** time = 1.05655, antiderivative size = 295, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2984, 12, 2782, 205}

$$-\frac{2(A-9B) \sin(c+dx) \sec^{\frac{7}{2}}(c+dx)}{63d\sqrt{a \cos(c+dx)+a}} + \frac{2(19A-3B) \sin(c+dx) \sec^{\frac{5}{2}}(c+dx)}{105d\sqrt{a \cos(c+dx)+a}} - \frac{2(29A-93B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{315d\sqrt{a \cos(c+dx)+a}} +$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}\left[\left(A+B \cos\left[c+d x\right]\right) \sec\left[c+d x\right]^{\left(11 / 2\right)} / \sqrt{a+a \cos\left[c+d x\right]}, x\right]$

[Out]  $-\left(\left(\sqrt{2}\right)\left(A-B\right)\operatorname{ArcTan}\left[\frac{\sqrt{a}\sin\left[c+d x\right]}{\sqrt{2}\sqrt{\cos\left[c+d x\right]}}\right]\sqrt{a+a \cos\left[c+d x\right]}\right)\sqrt{\cos\left[c+d x\right]}\sqrt{\sec\left[c+d x\right]}\left/\left(\sqrt{a}\right)\right.$   
 $\left.+\left(2\left(257 A-129 B\right)\sqrt{\sec\left[c+d x\right]}\sin\left[c+d x\right]\right)\left/\left(315 d \sqrt{a+a \cos\left[c+d x\right]}\right)\right.$   
 $-\left(2\left(29 A-93 B\right)\sec\left[c+d x\right]^{\left(3 / 2\right)}\sin\left[c+d x\right]\right)\left/\left(315 d \sqrt{a+a \cos\left[c+d x\right]}\right)\right.$   
 $+\left(2\left(19 A-3 B\right)\sec\left[c+d x\right]^{\left(5 / 2\right)}\sin\left[c+d x\right]\right)\left/\left(105 d \sqrt{a+a \cos\left[c+d x\right]}\right)\right.$   
 $-\left(2\left(A-9 B\right)\sec\left[c+d x\right]^{\left(7 / 2\right)}\sin\left[c+d x\right]\right)\left/\left(63 d \sqrt{a+a \cos\left[c+d x\right]}\right)\right.$   
 $\left.+\left(2 A \sec\left[c+d x\right]^{\left(9 / 2\right)}\sin\left[c+d x\right]\right)\left/\left(9 d \sqrt{a+a \cos\left[c+d x\right]}\right)\right)$

#### Rule 2961

$\operatorname{Int}\left[\left(\csc\left[e_{-}\right]+\left(f_{-}\right)\left(x_{-}\right)\right)\left(g_{-}\right)^{\left(p_{-}\right)}\left(\left(a_{-}\right)+\left(b_{-}\right)\sin\left[\left(e_{-}\right)+\left(f_{-}\right)\left(x_{-}\right)\right]\right)^{\left(m_{-}\right)}\left(\left(c_{-}\right)+\left(d_{-}\right)\sin\left[\left(e_{-}\right)+\left(f_{-}\right)\left(x_{-}\right)\right]\right)^{\left(n_{-}\right)}, x_{-}\operatorname{Symbol}\right] \rightarrow \operatorname{Dist}\left[\left(g \csc\left[e+f x\right]\right)^p\left(g \sin\left[e+f x\right]\right)^m, \operatorname{Int}\left[\left(a+b \sin\left[e+f x\right]\right)^m\left(c+d \sin\left[e+f x\right]\right)^n\right] / \left(g \sin\left[e+f x\right]\right)^p, x, x\right] / ; \operatorname{FreeQ}\left[\{a, b, c, d, e, f, g, m, n, p\}, x\right] \&\& \operatorname{NeQ}\left[b c-a d, 0\right] \&\& \operatorname{IntegerQ}\left[p\right] \&\& \left(\operatorname{IntegerQ}\left[m\right] \&\& \operatorname{IntegerQ}\left[n\right]\right)$

#### Rule 2984

$\operatorname{Int}\left[\left(\left(a_{-}\right)+\left(b_{-}\right)\sin\left[\left(e_{-}\right)+\left(f_{-}\right)\left(x_{-}\right)\right]\right)^{\left(m_{-}\right)}\left(\left(A_{-}\right)+\left(B_{-}\right)\sin\left[\left(e_{-}\right)+\left(f_{-}\right)\left(x_{-}\right)\right]\right)\left(\left(c_{-}\right)+\left(d_{-}\right)\sin\left[\left(e_{-}\right)+\left(f_{-}\right)\left(x_{-}\right)\right]\right)^{\left(n_{-}\right)}, x_{-}\operatorname{Symbol}\right] \rightarrow \operatorname{Simp}\left[\left(\left(B c-A d\right) \cos\left[e+f x\right]\left(a+b \sin\left[e+f x\right]\right)^m\left(c+d \sin\left[e+f x\right]\right)^{\left(n+1\right)}\right) / \left(f\left(n+1\right)\left(c^2-d^2\right)\right), x\right] + \operatorname{Dist}\left[1 / \left(b\left(n+1\right)\left(c^2-d^2\right)\right), \operatorname{Int}\left[\left(a+b \sin\left[e+f x\right]\right)^m\left(c+d \sin\left[e+f x\right]\right)^{\left(n+1\right)}\right] \operatorname{Simp}\left[A\left(a d m+b c\left(n+1\right)\right)-B\left(a c m+b d\left(n+1\right)\right)+b\left(B c-A d\right)\left(m+n+2\right) \sin\left[e+f x\right], x\right], x\right] / ; \operatorname{FreeQ}\left[\{a, b, c, d, e, f, A, B, m\}, x\right] \&\& \operatorname{NeQ}\left[b c-a d, 0\right] \&\& \operatorname{EqQ}$

$[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ (\text{IntegerQ}[n] \ || \ \text{EqQ}[m + 1/2, 0])$

### Rule 12

$\text{Int}[(a_*)(u_), x\_Symbol] \ :> \ \text{Dist}[a, \text{Int}[u, x], x] \ /; \ \text{FreeQ}[a, x] \ \&\& \ !\text{Match}[\text{Q}[u, (b_*)(v_)] \ /; \ \text{FreeQ}[b, x]]$

### Rule 2782

$\text{Int}[1/(\text{Sqrt}[(a_*) + (b_*)\sin[(e_*) + (f_*)(x_)]])\text{Sqrt}[(c_*) + (d_*)\sin[(e_*) + (f_*)(x_)]]), x\_Symbol] \ :> \ \text{Dist}[(-2*a)/f, \text{Subst}[\text{Int}[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*\text{Cos}[e + f*x])]/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]])], x] \ /; \ \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{EqQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0]$

### Rule 205

$\text{Int}[(a_*) + (b_*)(x_)^2)^{-1}, x\_Symbol] \ :> \ \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] \ /; \ \text{FreeQ}[\{a, b\}, x] \ \&\& \ \text{PosQ}[a/b]$

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^{\frac{11}{2}}(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{11}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx \\ &= \frac{2A \sec^{\frac{9}{2}}(c + dx) \sin(c + dx)}{9d \sqrt{a + a \cos(c + dx)}} + \frac{\left( 2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{-\frac{1}{2}a(A-9B)+4}{\cos^{\frac{9}{2}}(c+dx)\sqrt{a+a\cos(c+dx)}} dx}{9a} \\ &= -\frac{2(A-9B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{63d \sqrt{a + a \cos(c + dx)}} + \frac{2A \sec^{\frac{9}{2}}(c + dx) \sin(c + dx)}{9d \sqrt{a + a \cos(c + dx)}} + \frac{(4\sqrt{a+a\cos(c+dx)}) \int \frac{1}{\cos^{\frac{7}{2}}(c+dx)\sqrt{a+a\cos(c+dx)}} dx}{9a} \\ &= \frac{2(19A-3B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}} - \frac{2(A-9B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{63d \sqrt{a + a \cos(c + dx)}} \\ &= -\frac{2(29A-93B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} + \frac{2(19A-3B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{2(257A-129B) \sqrt{\sec(c + dx)} \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} - \frac{2(29A-93B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{2(257A-129B) \sqrt{\sec(c + dx)} \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} - \frac{2(29A-93B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{2(257A-129B) \sqrt{\sec(c + dx)} \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} - \frac{2(29A-93B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{315d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{\sqrt{2}(A-B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\sqrt{ad}} + \end{aligned}$$

**Mathematica [C]** time = 9.50608, size = 272, normalized size = 0.92

$$2e^{-\frac{1}{2}i(c+dx)} \cos\left(\frac{1}{2}(c+dx)\right) \left( -315i(A-B) \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \tanh^{-1}\left(\frac{1-e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right) - \frac{1}{4} \sin\left(\frac{1}{2}(c+dx)\right) \sec^{\frac{9}{2}}(c+dx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(11/2))/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] (2\*Cos[(c + d\*x)/2]\*((-315\*I)\*(A - B)\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])] - ((-1279\*A + 423\*B + (214\*A - 918\*B)\*Cos[c + d\*x] - 8\*(157\*A - 69\*B)\*Cos[2\*(c + d\*x)] + 58\*A\*Cos[3\*(c + d\*x)] - 186\*B\*Cos[3\*(c + d\*x)] - 257\*A\*Cos[4\*(c + d\*x)] + 129\*B\*Cos[4\*(c + d\*x)])\*Sec[c + d\*x]^(9/2)\*(Cos[(c + d\*x)/2] + I\*Sin[(c + d\*x)/2])\*Sin[(c + d\*x)/2])/4)/(315\*d\*E^((I/2)\*(c + d\*x))\*Sqrt[a\*(1 + Cos[c + d\*x])])

**Maple [B]** time = 0.641, size = 793, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(11/2)/(a+cos(d\*x+c)\*a)^(1/2),x)

[Out] 1/315/d\*2^(1/2)/a\*(315\*A\*cos(d\*x+c)^5\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(9/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-315\*B\*cos(d\*x+c)^5\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(9/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))+1575\*A\*cos(d\*x+c)^4\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(9/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-1575\*B\*cos(d\*x+c)^4\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(9/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))+3150\*A\*cos(d\*x+c)^3\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(9/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-3150\*B\*cos(d\*x+c)^3\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(9/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))+3150\*A\*cos(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(9/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-3150\*B\*cos(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(9/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))+1575\*A\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(9/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-1575\*B\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(9/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))+315\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(9/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-315\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(9/2)\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))+257\*A\*cos(d\*x+c)^4\*2^(1/2)\*sin(d\*x+c)-129\*B\*cos(d\*x+c)^4\*2^(1/2)\*sin(d\*x+c)-29\*A\*cos(d\*x+c)^3\*2^(1/2)\*sin(d\*x+c)+93\*B\*cos(d\*x+c)^3\*2^(1/2)\*sin(d\*x+c)+57\*A\*cos(d\*x+c)^2\*2^(1/2)\*sin(d\*x+c)-9\*B\*cos(d\*x+c)^2\*2^(1/2)\*sin(d\*x+c)-5\*A\*cos(d\*x+c)\*2^(1/2)\*sin(d\*x+c)+45\*B\*cos(d\*x+c)\*2^(1/2)\*sin(d\*x+c)+35\*A\*2^(1/2)\*sin(d\*x+c)\*cos(d\*x+c)\*(1/cos(d\*x+c))^(11/2)\*(a\*(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)^8/(-1+cos(d\*x+c))^4/(1+cos(d\*x+c))^5

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(11/2)/(a+a\*cos(d\*x+c))^(1/2),x, algo  
rithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.69998, size = 539, normalized size = 1.83

$$\frac{315\sqrt{2}((A-B)a\cos(dx+c)^5+(A-B)a\cos(dx+c)^4)\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)}{\sqrt{a}} + \frac{2((257A-129B)\cos(dx+c)^4-(29A-93B)\cos(dx+c)^3+3(19A-3B)\cos(dx+c)^2-5(A-9B)\cos(dx+c)+35A)\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{315(ad\cos(dx+c)^5+ad\cos(dx+c)^4)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(11/2)/(a+a\*cos(d\*x+c))^(1/2),x, algo  
rithm="fricas")

[Out] 1/315\*(315\*sqrt(2)\*((A - B)\*a\*cos(d\*x + c)^5 + (A - B)\*a\*cos(d\*x + c)^4)\*ar  
ctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x +  
c)))/sqrt(a) + 2\*((257\*A - 129\*B)\*cos(d\*x + c)^4 - (29\*A - 93\*B)\*cos(d\*x +  
c)^3 + 3\*(19\*A - 3\*B)\*cos(d\*x + c)^2 - 5\*(A - 9\*B)\*cos(d\*x + c) + 35\*A)\*sq  
rt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a\*d\*cos(d\*x + c)^5  
+ a\*d\*cos(d\*x + c)^4)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(11/2)/(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{11}{2}}}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(11/2)/(a+a\*cos(d\*x+c))^(1/2),x, algo  
rithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(11/2)/sqrt(a\*cos(d\*x + c) + a), x)

$$3.521 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=250

$$-\frac{2(A-7B) \sin(c+dx) \sec^5(c+dx)}{35d\sqrt{a \cos(c+dx)+a}} + \frac{2(31A-7B) \sin(c+dx) \sec^3(c+dx)}{105d\sqrt{a \cos(c+dx)+a}} - \frac{2(43A-91B) \sin(c+dx) \sqrt{\sec(c+dx)}}{105d\sqrt{a \cos(c+dx)+a}}$$

[Out] (Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]])\*Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(Sqrt[a]\*d) - (2\*(43\*A - 91\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*(31\*A - 7\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - (2\*(A - 7\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(35\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*A\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(7\*d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.837951, antiderivative size = 250, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2984, 12, 2782, 205}

$$-\frac{2(A-7B) \sin(c+dx) \sec^5(c+dx)}{35d\sqrt{a \cos(c+dx)+a}} + \frac{2(31A-7B) \sin(c+dx) \sec^3(c+dx)}{105d\sqrt{a \cos(c+dx)+a}} - \frac{2(43A-91B) \sin(c+dx) \sqrt{\sec(c+dx)}}{105d\sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(9/2))/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]])\*Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(Sqrt[a]\*d) - (2\*(43\*A - 91\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*(31\*A - 7\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(105\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - (2\*(A - 7\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(35\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*A\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(7\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^m, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2984

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Simp[((B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(b\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*(a\*d\*m + b\*c\*(n + 1)) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m



+ 1/2, 0])

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned}
 \int \frac{(A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{9}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx \\
 &= \frac{2A \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{7d \sqrt{a + a \cos(c + dx)}} + \frac{\left( 2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{-\frac{1}{2} a(A-7B) + 3a}{\cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx}{7a} \\
 &= -\frac{2(A - 7B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{35d \sqrt{a + a \cos(c + dx)}} + \frac{2A \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{7d \sqrt{a + a \cos(c + dx)}} + \frac{(4\sqrt{a} \sin(c + dx)) \int \frac{1}{\cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx}{7a} \\
 &= \frac{2(31A - 7B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}} - \frac{2(A - 7B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{35d \sqrt{a + a \cos(c + dx)}} \\
 &= -\frac{2(43A - 91B) \sqrt{\sec(c + dx)} \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}} + \frac{2(31A - 7B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}} \\
 &= -\frac{2(43A - 91B) \sqrt{\sec(c + dx)} \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}} + \frac{2(31A - 7B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}} \\
 &= -\frac{2(43A - 91B) \sqrt{\sec(c + dx)} \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}} + \frac{2(31A - 7B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105d \sqrt{a + a \cos(c + dx)}} \\
 &= \frac{\sqrt{2}(A - B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\sqrt{ad}} - \frac{2}{\sqrt{ad}}
 \end{aligned}$$

**Mathematica [C]** time = 6.79707, size = 250, normalized size = 1.

$$2e^{-\frac{1}{2}i(c+dx)} \cos\left(\frac{1}{2}(c+dx)\right) \left( 105i(A-B) \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \tanh^{-1}\left(\frac{1-e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right) - \frac{1}{2} \sin\left(\frac{1}{2}(c+dx)\right) \sec^{\frac{7}{2}}(c+dx) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2))/Sqrt[a + a*Cos[c + d*x]
],x]
```

```
[Out] (2*Cos[(c + d*x)/2]*((105*I)*(A - B)*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c
+ d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt
[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) - ((-122*A + 14*B + 3*(47*A - 119*B)*Co
s[c + d*x] + (-62*A + 14*B)*Cos[2*(c + d*x)] + 43*A*Cos[3*(c + d*x)] - 91*B
*Cos[3*(c + d*x)])*Sec[c + d*x]^(7/2)*(Cos[(c + d*x)/2] + I*Sin[(c + d*x)/2
])*Sin[(c + d*x)/2])/2)/(105*d*E^(I/2*(c + d*x))*Sqrt[a*(1 + Cos[c + d*x
])])
```

**Maple [B]** time = 0.769, size = 657, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)/(a+cos(d*x+c)*a)^(1/2),x)
```

```
[Out] 1/105/d*2^(1/2)/a*(105*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^4*(c
os(d*x+c)/(1+cos(d*x+c)))^(7/2)-105*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*co
s(d*x+c)^4*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)+420*A*arcsin((-1+cos(d*x+c))/s
in(d*x+c))*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)-420*B*arcsin((-1+
cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)+630*
A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*(cos(d*x+c)/(1+cos(d*x+c)
))^(7/2)-630*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*(cos(d*x+c)/
(1+cos(d*x+c)))^(7/2)+420*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)*
(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)-420*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*c
os(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)+105*A*arcsin((-1+cos(d*x+c))/si
n(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)-105*B*arcsin((-1+cos(d*x+c))/si
n(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)+43*A*cos(d*x+c)^3*2^(1/2)*sin(d
*x+c)-91*B*cos(d*x+c)^3*2^(1/2)*sin(d*x+c)-31*A*cos(d*x+c)^2*2^(1/2)*sin(d*
x+c)+7*B*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)+3*A*cos(d*x+c)*2^(1/2)*sin(d*x+c)-
21*B*cos(d*x+c)*2^(1/2)*sin(d*x+c)-15*A*2^(1/2)*sin(d*x+c))*cos(d*x+c)*sin(
d*x+c)^6*(1/cos(d*x+c))^(9/2)*(a*(1+cos(d*x+c)))^(1/2)/(-1+cos(d*x+c))^3/(1
+cos(d*x+c))^4
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)/(a+a*cos(d*x+c))^(1/2),x, algor
ithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [A]** time = 1.72449, size = 493, normalized size = 1.97

$$\frac{105\sqrt{2}((A-B)a\cos(dx+c)^4+(A-B)a\cos(dx+c)^3)\arctan\left(\frac{\sqrt{2}\sqrt{a}\cos(dx+c)+a\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)}{\sqrt{a}} + \frac{2((43A-91B)\cos(dx+c)^3-(31A-7B)\cos(dx+c)^2+3(A-7B)\cos(dx+c))}{\sqrt{\cos(dx+c)}}$$

$$105(ad\cos(dx+c)^4+ad\cos(dx+c)^3)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] -1/105*(105*sqrt(2)*((A - B)*a*cos(d*x + c)^4 + (A - B)*a*cos(d*x + c)^3)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/sqrt(a) + 2*((43*A - 91*B)*cos(d*x + c)^3 - (31*A - 7*B)*cos(d*x + c)^2 + 3*(A - 7*B)*cos(d*x + c) - 15*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c))/(a*d*cos(d*x + c)^4 + a*d*cos(d*x + c)^3)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(9/2)/(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{9}{2}}}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(9/2)/sqrt(a*cos(d*x + c) + a), x)
```

$$3.522 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=207

$$-\frac{2(A-5B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{15d\sqrt{a \cos(c+dx)+a}} + \frac{2(13A-5B) \sin(c+dx) \sqrt{\sec(c+dx)}}{15d\sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2}(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan(c+dx)}{\sqrt{ad}}$$

[Out] -((Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]])\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(Sqrt[a]\*d) + (2\*(13\*A - 5\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - (2\*(A - 5\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*A\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(5\*d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.646825, antiderivative size = 207, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2984, 12, 2782, 205}

$$-\frac{2(A-5B) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{15d\sqrt{a \cos(c+dx)+a}} + \frac{2(13A-5B) \sin(c+dx) \sqrt{\sec(c+dx)}}{15d\sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2}(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan(c+dx)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2))/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] -((Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]])\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(Sqrt[a]\*d) + (2\*(13\*A - 5\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - (2\*(A - 5\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(15\*d\*Sqrt[a + a\*Cos[c + d\*x]]) + (2\*A\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(5\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2984

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Simp[((B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(b\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*(a\*d\*m + b\*c\*(n + 1)) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{7}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx \\ &= \frac{2A \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d \sqrt{a + a \cos(c + dx)}} + \frac{\left( 2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{-\frac{1}{2} a(A-5B) + 2}{\cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx}{5a} \\ &= -\frac{2(A - 5B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} + \frac{2A \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d \sqrt{a + a \cos(c + dx)}} + \frac{(4\sqrt{a}) \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right)}{\sqrt{ad}} \\ &= \frac{2(13A - 5B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} - \frac{2(A - 5B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{2(13A - 5B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} - \frac{2(A - 5B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} \\ &= \frac{2(13A - 5B) \sqrt{\sec(c + dx)} \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} - \frac{2(A - 5B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d \sqrt{a + a \cos(c + dx)}} \\ &= -\frac{\sqrt{2}(A - B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\sqrt{ad}} + \end{aligned}$$

**Mathematica [C]** time = 7.96952, size = 1718, normalized size = 8.3

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2))/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (2\*Cos[c/2 + (d\*x)/2]\*Sqrt[(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(-1)]\*Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2]\*((2\*B\*Sin[c/2 + (d\*x)/2])/(5\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(5/2)) + (8\*B\*(Sin[c/2 + (d\*x)/2]/(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(3/2) + (2\*Sin[c/2 + (d\*x)/2])/Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2]))/15 - ((A - B)\*Csc[c/2 + (d\*x)/2]^7\*(4725\*Sin[c/2 + (d\*x)/2]^2 - 48825\*Sin[c/2 + (d\*x)/2]^4 +

```

210105*Sin[c/2 + (d*x)/2]^6 - 486630*Sin[c/2 + (d*x)/2]^8 + 655812*Sin[c/2
+ (d*x)/2]^10 - 710*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-
1 + 2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^10 - 40*Cos[(c + d*x)/2]^6*
HypergeometricPFQ[{2, 2, 2, 9/2}, {1, 1, 11/2}, Sin[c/2 + (d*x)/2]^2/(-1 +
2*Sin[c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^10 - 518760*Sin[c/2 + (d*x)/2]^
12 + 1770*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[
c/2 + (d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^12 + 226656*Sin[c/2 + (d*x)/2]^14 - 1
500*Hypergeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 +
(d*x)/2]^2)]*Sin[c/2 + (d*x)/2]^14 - 42048*Sin[c/2 + (d*x)/2]^16 + 440*Hype
rgeometric2F1[2, 9/2, 11/2, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]
^2)]*Sin[c/2 + (d*x)/2]^16 + 4725*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2
*Sin[c/2 + (d*x)/2]^2)]]*Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/
2]^2)] - 56700*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]
^2)]]*Sin[c/2 + (d*x)/2]^2*Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x
)/2]^2)] + 291060*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)
/2]^2)]]*Sin[c/2 + (d*x)/2]^4*Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (
d*x)/2]^2)] - 833760*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d
*x)/2]^2)]]*Sin[c/2 + (d*x)/2]^6*Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2
+ (d*x)/2]^2)] + 1458000*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2
+ (d*x)/2]^2)]]*Sin[c/2 + (d*x)/2]^8*Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[
c/2 + (d*x)/2]^2)] - 1598400*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[
c/2 + (d*x)/2]^2)]]*Sin[c/2 + (d*x)/2]^10*Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2
*Sin[c/2 + (d*x)/2]^2)] + 1080000*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/(-1 + 2
*Sin[c/2 + (d*x)/2]^2)]]*Sin[c/2 + (d*x)/2]^12*Sqrt[Sin[c/2 + (d*x)/2]^2/(-
1 + 2*Sin[c/2 + (d*x)/2]^2)] - 414720*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/(-1
+ 2*Sin[c/2 + (d*x)/2]^2)]]*Sin[c/2 + (d*x)/2]^14*Sqrt[Sin[c/2 + (d*x)/2]^
2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)] + 69120*ArcTanh[Sqrt[Sin[c/2 + (d*x)/2]^2/
(-1 + 2*Sin[c/2 + (d*x)/2]^2)]]*Sin[c/2 + (d*x)/2]^16*Sqrt[Sin[c/2 + (d*x)/
2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^2)] + 60*Cos[(c + d*x)/2]^4*HypergeometricP
FQ[{2, 2, 9/2}, {1, 11/2}, Sin[c/2 + (d*x)/2]^2/(-1 + 2*Sin[c/2 + (d*x)/2]^
2)]*Sin[c/2 + (d*x)/2]^10*(-5 + 4*Sin[c/2 + (d*x)/2]^2))/(675*(1 - 2*Sin[c
/2 + (d*x)/2]^2)^(7/2)*(-1 + 2*Sin[c/2 + (d*x)/2]^2)))/(d*Sqrt[a*(1 + Cos[
c + d*x])])

```

---

**Maple [B]** time = 0.774, size = 521, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)/(a+cos(d*x+c)*a)^(1/2),x)
```

```
[Out] 1/15/d*2^(1/2)/a*(15*A*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*arcsi
n((-1+cos(d*x+c))/sin(d*x+c))-15*B*cos(d*x+c)^3*(cos(d*x+c)/(1+cos(d*x+c)))
^(5/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+45*A*cos(d*x+c)^2*(cos(d*x+c)/(1+
cos(d*x+c)))^(5/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-45*B*cos(d*x+c)^2*(co
s(d*x+c)/(1+cos(d*x+c)))^(5/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+45*A*cos(
d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*arcsin((-1+cos(d*x+c))/sin(d*x+c))
-45*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*arcsin((-1+cos(d*x+c))/s
in(d*x+c))+15*A*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*arcsin((-1+cos(d*x+c))/si
n(d*x+c))-15*B*(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)*arcsin((-1+cos(d*x+c))/sin
(d*x+c))+13*A*cos(d*x+c)^2*2^(1/2)*sin(d*x+c)-5*B*cos(d*x+c)^2*2^(1/2)*sin(
d*x+c)-A*cos(d*x+c)*2^(1/2)*sin(d*x+c)+5*B*cos(d*x+c)*2^(1/2)*sin(d*x+c)+3*
A*2^(1/2)*sin(d*x+c))*cos(d*x+c)*(1/cos(d*x+c))^(7/2)*(a*(1+cos(d*x+c)))^(1
/2)*sin(d*x+c)^4/(-1+cos(d*x+c))^2/(1+cos(d*x+c))^3

```

---

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.68812, size = 443, normalized size = 2.14

$$\frac{15\sqrt{2}((A-B)a\cos(dx+c)^3+(A-B)a\cos(dx+c)^2)\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)}{\sqrt{a}} + \frac{2((13A-5B)\cos(dx+c)^2-(A-5B)\cos(dx+c)+3A)\sqrt{a\cos(dx+c)+a}}{\sqrt{\cos(dx+c)}}$$

$$15(ad\cos(dx+c)^3+ad\cos(dx+c)^2)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 1/15\*(15\*sqrt(2)\*((A - B)\*a\*cos(d\*x + c)^3 + (A - B)\*a\*cos(d\*x + c)^2)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c)))/sqrt(a) + 2\*((13\*A - 5\*B)\*cos(d\*x + c)^2 - (A - 5\*B)\*cos(d\*x + c) + 3\*A)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a\*d\*cos(d\*x + c)^3 + a\*d\*cos(d\*x + c)^2)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(7/2)/(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B\cos(dx+c) + A)\sec(dx+c)^{\frac{7}{2}}}{\sqrt{a\cos(dx+c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(7/2)/sqrt(a\*cos(d\*x + c) + a), x)

$$3.523 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=162

$$-\frac{2(A-3B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d \sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2}(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A \sin(c+dx)}{3d \sqrt{a \cos(c+dx)+a}}$$

```
[Out] (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*
Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*
d) - (2*(A - 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Cos[c +
d*x]]) + (2*A*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d*Sqrt[a + a*Cos[c + d*x]
])
```

**Rubi [A]** time = 0.452988, antiderivative size = 162, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2984, 12, 2782, 205}

$$-\frac{2(A-3B) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d \sqrt{a \cos(c+dx)+a}} + \frac{\sqrt{2}(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2A \sin(c+dx)}{3d \sqrt{a \cos(c+dx)+a}}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/Sqrt[a + a*Cos[c + d*x]],x]
```

```
[Out] (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*
Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*
d) - (2*(A - 3*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*d*Sqrt[a + a*Cos[c +
d*x]]) + (2*A*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d*Sqrt[a + a*Cos[c + d*x]
])
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] :> Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d
*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

#### Rule 2984

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(m_.))*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)]^(n_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] :> Sim
p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1
)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])
```

#### Rule 12



Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx \\ &= \frac{2A \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d \sqrt{a + a \cos(c + dx)}} + \frac{\left( 2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{-\frac{1}{2}a(A-3B)+a}{\cos^{\frac{3}{2}}(c+dx)\sqrt{a}} dx}{3a} \\ &= -\frac{2(A-3B)\sqrt{\sec(c+dx)}\sin(c+dx)}{3d\sqrt{a+a\cos(c+dx)}} + \frac{2A\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d\sqrt{a+a\cos(c+dx)}} + \frac{(4\sqrt{a})}{3a} \\ &= -\frac{2(A-3B)\sqrt{\sec(c+dx)}\sin(c+dx)}{3d\sqrt{a+a\cos(c+dx)}} + \frac{2A\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d\sqrt{a+a\cos(c+dx)}} + \left( \frac{4\sqrt{a}}{3a} \right) \\ &= -\frac{2(A-3B)\sqrt{\sec(c+dx)}\sin(c+dx)}{3d\sqrt{a+a\cos(c+dx)}} + \frac{2A\sec^{\frac{3}{2}}(c+dx)\sin(c+dx)}{3d\sqrt{a+a\cos(c+dx)}} - \frac{(2a)}{3a} \\ &= \frac{\sqrt{2}(A-B)\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a\cos(c+dx)}}\right)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{\sqrt{ad}} - \frac{2}{3} \end{aligned}$$

**Mathematica [F]** time = 0, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2))/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] \$Aborted

**Maple [B]** time = 0.774, size = 384, normalized size = 2.4

$$\frac{\sqrt{2} \cos(dx + c) (\sin(dx + c))^2}{3 da (-1 + \cos(dx + c)) (1 + \cos(dx + c))^2} \left( 3 A (\cos(dx + c))^2 \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \left(\frac{\cos(dx + c)}{1 + \cos(dx + c)}\right)^{3/2} - 3 B \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+cos(d*x+c)*a)^(1/2),x)`

[Out]  $\frac{1}{3}d^{2^{1/2}}/a*(3A*\cos(d*x+c)^2*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}-3B*\cos(d*x+c)^2*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}+6A*\cos(d*x+c)*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}-6B*\cos(d*x+c)*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}+3A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}-3B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*(\cos(d*x+c)/(1+\cos(d*x+c)))^{3/2}+A*\cos(d*x+c)*2^{1/2}*\sin(d*x+c)-3B*\cos(d*x+c)*2^{1/2}*\sin(d*x+c)-A*2^{1/2}*\sin(d*x+c))*\cos(d*x+c)*(1/\cos(d*x+c))^{5/2}*(a*(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)^2/(-1+\cos(d*x+c))/(1+\cos(d*x+c))^2$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.62739, size = 393, normalized size = 2.43

$$\frac{3\sqrt{2}((A-B)a\cos(dx+c)^2+(A-B)a\cos(dx+c))\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)}{\sqrt{a}} + \frac{2((A-3B)\cos(dx+c)-A)\sqrt{a\cos(dx+c)+a}\sin(dx+c)}{\sqrt{\cos(dx+c)}}$$


---


$$3(ad\cos(dx+c)^2+ad\cos(dx+c))$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")`

[Out]  $-1/3*(3*\sqrt{2}*((A-B)*a*\cos(d*x+c)^2+(A-B)*a*\cos(d*x+c))*\arctan(\sqrt{2}*\sqrt{a*\cos(d*x+c)+a}*\sqrt{\cos(d*x+c)})/(\sqrt{a}*\sin(d*x+c)))/\sqrt{a}+2*((A-3*B)*\cos(d*x+c)-A)*\sqrt{a*\cos(d*x+c)+a}*\sin(d*x+c)/\sqrt{\cos(d*x+c)})/(a*d*\cos(d*x+c)^2+a*d*\cos(d*x+c))$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)**(5/2)/(a+a*cos(d*x+c))**(1/2),x)`

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/sqrt(a*cos(d*x + c) + a), x)
```

$$3.524 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=119

$$\frac{2A \sin(c+dx) \sqrt{\sec(c+dx)}}{d \sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2}(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] -((Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(Sqrt[a]\*d)) + (2\*A\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.306133, antiderivative size = 119, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2984, 12, 2782, 205}

$$\frac{2A \sin(c+dx) \sqrt{\sec(c+dx)}}{d \sqrt{a \cos(c+dx)+a}} - \frac{\sqrt{2}(A-B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2))/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] -((Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(Sqrt[a]\*d)) + (2\*A\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^m, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2984

Int[((a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[((B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(b\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*(a\*d\*m + b\*c\*(n + 1)) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)])], x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{\sqrt{a + a \cos(c + dx)}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + a \cos(c + dx)}} dx \\ &= \frac{2A \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} + \frac{\left( 2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int -\frac{a}{2 \sqrt{\cos(c + dx)}} dx}{a} \\ &= \frac{2A \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} - \left( (A - B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2A \sqrt{\sec(c + dx)} \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)}} + \frac{\left( 2a(A - B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \text{Subst}\left[ \int \frac{1}{\sqrt{1 - u}} du, u = \cos(c + dx) \right]}{d} \\ &= -\frac{\sqrt{2}(A - B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{\sqrt{ad}} + \dots \end{aligned}$$

**Mathematica [C]** time = 1.50969, size = 203, normalized size = 1.71

$$2 \sin\left(\frac{1}{2}(c + dx)\right) \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)} \left( 10B - (A - B) \sec(c + dx) \right) \left( \frac{1}{2} \sin(c + dx) \tan(c + dx) {}_2F_1\left(2, \frac{5}{2}; \frac{7}{2}; -\sec(c + dx)\right) - \dots \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/Sqrt[a + a*Cos[c + d*x]], x]
```

```
[Out] (2*Cos[(c + d*x)/2]*Sqrt[Sec[c + d*x]]*Sin[(c + d*x)/2]*(10*B - (A - B)*Sec[c + d*x]*((-5*(1 + 4*Cos[c + d*x] + Cos[2*(c + d*x)])*Csc[(c + d*x)/2]^4*(1 - Cos[c + d*x] + ArcTanh[Sqrt[-(Sec[c + d*x]*Sin[(c + d*x)/2]^2)])*Cos[c + d*x]*Sqrt[2 - 2*Sec[c + d*x]]))/4 + (Hypergeometric2F1[2, 5/2, 7/2, -(Sec[c + d*x]*Sin[(c + d*x)/2]^2)]*Sin[c + d*x]*Tan[c + d*x])/2))/(5*d*Sqrt[a*(1 + Cos[c + d*x])])
```

**Maple [B]** time = 0.717, size = 231, normalized size = 1.9

$$\frac{\sqrt{2} \cos(dx + c)}{da(1 + \cos(dx + c))} \left( A \cos(dx + c) \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} - B \cos(dx + c) \arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+cos(d*x+c)*a)^(1/2),x)`

[Out]  $\frac{1}{d \cdot 2^{1/2} \cdot a} \left( A \cos(d \cdot x + c) \arcsin\left(\frac{-1 + \cos(d \cdot x + c)}{\sin(d \cdot x + c)}\right) \cdot \left(\frac{\cos(d \cdot x + c)}{1 + \cos(d \cdot x + c)}\right)^{1/2} - B \cos(d \cdot x + c) \arcsin\left(\frac{-1 + \cos(d \cdot x + c)}{\sin(d \cdot x + c)}\right) \cdot \left(\frac{\cos(d \cdot x + c)}{1 + \cos(d \cdot x + c)}\right)^{1/2} + A \cdot 2^{1/2} \sin(d \cdot x + c) + A \arcsin\left(\frac{-1 + \cos(d \cdot x + c)}{\sin(d \cdot x + c)}\right) \cdot \left(\frac{\cos(d \cdot x + c)}{1 + \cos(d \cdot x + c)}\right)^{1/2} - B \arcsin\left(\frac{-1 + \cos(d \cdot x + c)}{\sin(d \cdot x + c)}\right) \cdot \left(\frac{\cos(d \cdot x + c)}{1 + \cos(d \cdot x + c)}\right)^{1/2} \right) \cdot \cos(d \cdot x + c) \cdot \left(\frac{1}{\cos(d \cdot x + c)}\right)^{3/2} \cdot \left(a \cdot (1 + \cos(d \cdot x + c))\right)^{1/2} / (1 + \cos(d \cdot x + c))$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 1.61225, size = 306, normalized size = 2.57

$$\frac{\frac{\sqrt{2}((A-B)a \cos(dx+c) + (A-B)a) \arctan\left(\frac{\sqrt{2}\sqrt{a \cos(dx+c) + a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right)}{\sqrt{a}} + \frac{2\sqrt{a \cos(dx+c) + a} A \sin(dx+c)}{\sqrt{\cos(dx+c)}}}{ad \cos(dx+c) + ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")`

[Out]  $(\sqrt{2} \cdot ((A - B) \cdot a \cdot \cos(d \cdot x + c) + (A - B) \cdot a) \cdot \arctan(\sqrt{2} \cdot \sqrt{a \cdot \cos(d \cdot x + c) + a} \cdot \sqrt{\cos(d \cdot x + c)}) / \sqrt{a} + 2 \cdot \sqrt{a \cdot \cos(d \cdot x + c) + a} \cdot A \cdot \sin(d \cdot x + c) / \sqrt{\cos(d \cdot x + c)}) / (a \cdot d \cdot \cos(d \cdot x + c) + a \cdot d)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(1/2),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{3/2}}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/sqrt(a*cos(d*x + c) + a), x)
```

$$3.525 \quad \int \frac{(A+B \cos(c+dx))\sqrt{\sec(c+dx)}}{\sqrt{a+a \cos(c+dx)}} dx$$

**Optimal.** Leaf size=140

$$\frac{\sqrt{2}(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)}}\right)}{\sqrt{ad}}$$

[Out] (2\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(Sqrt[a]\*d) + (Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(Sqrt[a]\*d)

**Rubi [A]** time = 0.349669, antiderivative size = 140, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2982, 2782, 205, 2774, 216}

$$\frac{\sqrt{2}(A-B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{\sqrt{ad}} + \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]])/Sqrt[a + a\*Cos[c + d\*x]],x]

[Out] (2\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(Sqrt[a]\*d) + (Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(Sqrt[a]\*d)

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^m, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2982

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*(Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(A\*b - a\*B)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2782

Int[1/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]



Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Ssin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{\sqrt{a + a \cos(c + dx)}} dx &= (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}} dx \\ &= ((A - B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}} dx \\ &= \frac{(2a(A - B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \operatorname{Subst}\left(\int \frac{1}{2a^2 + ax^2} dx, x, -\frac{a \sin(c + dx)}{\sqrt{\cos(c + dx)}}\right)}{d} \\ &= \frac{2B \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} + \sqrt{2}(A - B) \tan^{-1}\left(\frac{1}{\sqrt{2}}\right)}{\sqrt{ad}} \end{aligned}$$

**Mathematica [A]** time = 0.204814, size = 102, normalized size = 0.73

$$\frac{2 \cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \left( (A - B) \tan^{-1}\left(\frac{\sin\left(\frac{1}{2}(c + dx)\right)}{\sqrt{\cos(c + dx)}}\right) + \sqrt{2}B \sin^{-1}\left(\sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right)\right) \right)}{d\sqrt{a}(\cos(c + dx) + 1)}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]])/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] (2\*(Sqrt[2]\*B\*ArcSin[Sqrt[2]\*Sin[(c + d\*x)/2]] + (A - B)\*ArcTan[Sin[(c + d\*x)/2]/Sqrt[Cos[c + d\*x]]])\*Cos[(c + d\*x)/2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(d\*Sqrt[a\*(1 + Cos[c + d\*x])])

**Maple [A]** time = 0.753, size = 153, normalized size = 1.1

$$\frac{\sqrt{2}((\cos(dx + c))^2 - 1)}{da(\sin(dx + c))^2} \sqrt{(\cos(dx + c))^{-1} \sqrt{a(1 + \cos(dx + c))}} \left( -B\sqrt{2} \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}\right) + A \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+cos(d*x+c)*a)^(1/2),x)`

[Out]  $\frac{1}{d} \frac{1}{a} \frac{1}{\cos(d*x+c)} \frac{1}{\sqrt{a(1+\cos(d*x+c))}} \left( -B \sqrt{2} \arctan\left(\frac{\sin(d*x+c) \cos(d*x+c)}{1+\cos(d*x+c)}\right) + A \arcsin\left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}\right) - B \arcsin\left(\frac{-1+\cos(d*x+c)}{\sin(d*x+c)}\right) \right) \frac{1}{\sqrt{a(1+\cos(d*x+c))}} \frac{1}{\sin(d*x+c)^2} \frac{1}{\cos(d*x+c)^2-1}$

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")`

[Out] Exception raised: ValueError

**Fricas [A]** time = 10.4379, size = 278, normalized size = 1.99

$$\frac{\sqrt{2}(A-B)\sqrt{a} \arctan\left(\frac{\sqrt{2}\sqrt{a}\cos(dx+c)+a\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right) + 2B\sqrt{a} \arctan\left(\frac{\sqrt{a}\cos(dx+c)+a\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)}{ad}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")`

[Out]  $-\frac{(\sqrt{2}(A-B)\sqrt{a}\arctan(\sqrt{2}\sqrt{a}\cos(dx+c)+a\sqrt{\cos(dx+c)}) + 2B\sqrt{a}\arctan(\sqrt{a}\cos(dx+c)+a\sqrt{\cos(dx+c)}))\sqrt{a}\sin(dx+c)}{a^2d}$

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A+B\cos(c+dx))\sqrt{\sec(c+dx)}}{\sqrt{a(\cos(c+dx)+1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(1/2),x)`

[Out] `Integral((A + B*cos(c + d*x))*sqrt(sec(c + d*x))/sqrt(a*(cos(c + d*x) + 1)), x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B\cos(dx+c)+A)\sqrt{\sec(dx+c)}}{\sqrt{a\cos(dx+c)+a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/sqrt(a*cos(d*x + c) + a), x)
```

$$3.526 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{a+a \cos(c+dx)}\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=181

$$\frac{(2A - B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{\sqrt{2}(A - B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}}$$

[Out] ((2\*A - B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(Sqrt[a]\*d) - (Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(Sqrt[a]\*d) + (B\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]))

**Rubi [A]** time = 0.512543, antiderivative size = 181, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2961, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{(2A - B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}} - \frac{\sqrt{2}(A - B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/(Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]), x]

[Out] ((2\*A - B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(Sqrt[a]\*d) - (Sqrt[2]\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(Sqrt[a]\*d) + (B\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]))

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2983

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> -Simp[(B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + n + 1)), x] + Dist[1/(b\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*b\*c\*(m + n + 1) + B\*(a\*c\*m + b\*d\*n) + (A\*b\*d\*(m + n + 1) + B\*(a\*d\*m + b\*c\*n))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])

#### Rule 2982

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(A\*b - a\*B)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]),

$x], x] + \text{Dist}[B/b, \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2782

$\text{Int}[1/(\text{Sqrt}[(a_) + (b_)*\text{sin}[(e_) + (f_)*(x_)])*\text{Sqrt}[(c_) + (d_)*\text{sin}[(e_) + (f_)*(x_)])], x\_Symbol] := \text{Dist}[(-2*a)/f, \text{Subst}[\text{Int}[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*\text{Cos}[e + f*x])/( \text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]])], x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 205

$\text{Int}[(a_) + (b_)*(x_)^2]^{-1}, x\_Symbol] := \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$  FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 2774

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\text{sin}[(e_) + (f_)*(x_)]]/\text{Sqrt}[(d_)*\text{sin}[(e_) + (f_)*(x_)]], x\_Symbol] := \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/\text{Sqrt}[1 - x^2/a], x], x, (b*\text{Cos}[e + f*x])/\text{Sqrt}[a + b*\text{Sin}[e + f*x]]], x] /;$  FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

### Rule 216

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x\_Symbol] := \text{Simp}[\text{ArcSin}[(\text{Rt}[-b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] /;$  FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{\sqrt{a + a \cos(c + dx)}} dx \\ &= \frac{B \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\frac{aB}{2} + \frac{1}{2} a^2}{\sqrt{\cos(c + dx)}} dx}{a} \\ &= \frac{B \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} - \left( (A - B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{B \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{(2a(A - B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{(2A - B) \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{\sqrt{2}(A - B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{\sqrt{ad}} \end{aligned}$$

**Mathematica [C]** time = 1.36029, size = 467, normalized size = 2.58

$$ie^{-2i(c+dx)} \left( 1 + e^{i(c+dx)} \right) \sqrt{\sec(c + dx)} \left( -(2A - B) e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \sinh^{-1} \left( e^{i(c+dx)} \right) + 2\sqrt{2} A e^{i(c+dx)} \sqrt{1 + e^{2i(c+dx)}} \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]),x]

[Out] ((I/4)\*(1 + E^(I\*(c + d\*x)))\*(B - B\*E^(I\*(c + d\*x)) + B\*E^((2\*I)\*(c + d\*x)) - B\*E^((3\*I)\*(c + d\*x)) - (2\*A - B)\*E^(I\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcSinh[E^(I\*(c + d\*x))] + Sqrt[2]\*B\*E^(I\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) + 2\*Sqrt[2]\*A\*E^(I\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[(-1 + E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) - Sqrt[2]\*B\*E^(I\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[(-1 + E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) + 2\*A\*E^(I\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) - B\*E^(I\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*Sqrt[Sec[c + d\*x]])/(d\*E^((2\*I)\*(c + d\*x))\*Sqrt[a\*(1 + Cos[c + d\*x])])

**Maple [A]** time = 0.727, size = 232, normalized size = 1.3

$$\frac{\sqrt{2} \cos(dx + c) (-1 + \cos(dx + c))^2}{2 da (\sin(dx + c))^4} \sqrt{a(1 + \cos(dx + c))} \left( B \sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \sin(dx + c) + 2 A \arctan\left(\frac{\sin(dx + c)}{\cos(dx + c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2)/(a+cos(d\*x+c)\*a)^(1/2),x)

[Out] 1/2/d\*2^(1/2)/a\*(a\*(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)\*(-1+cos(d\*x+c))^2\*(B\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+2\*A\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*2^(1/2)-B\*2^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))+2\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-2\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c)))/(1/cos(d\*x+c))^(1/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/sin(d\*x+c)^4

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] Exception raised: ValueError

**Fricas [A]** time = 13.4661, size = 466, normalized size = 2.57

$$\frac{\sqrt{a \cos(dx + c) + aB \sqrt{\cos(dx + c)}} \sin(dx + c) - ((2A - B) \cos(dx + c) + 2A - B) \sqrt{a} \arctan\left(\frac{\sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{\sqrt{a} \sin(dx + c)}\right) + ad \cos(dx + c) + ad}{ad \cos(dx + c) + ad}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] (sqrt(a*cos(d*x + c) + a)*B*sqrt(cos(d*x + c))*sin(d*x + c) - ((2*A - B)*cos(d*x + c) + 2*A - B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + sqrt(2)*((A - B)*a*cos(d*x + c) + (A - B)*a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c)))/sqrt(a))/(a*d*cos(d*x + c) + a*d)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \cos(c + dx)}{\sqrt{a(\cos(c + dx) + 1)}\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/sec(d*x+c)**(1/2)/(a+a*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + B*cos(c + d*x))/(sqrt(a*(cos(c + d*x) + 1))*sqrt(sec(c + d*x))), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{\sqrt{a \cos(dx + c) + a}\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/(sqrt(a*cos(d*x + c) + a)*sqrt(sec(d*x + c))), x)
```

$$3.527 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{a+a \cos(c+dx)} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=230

$$-\frac{(4A-7B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{4\sqrt{ad}} + \frac{(4A-B)\sin(c+dx)}{4d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{\sqrt{2}(A-B)\sqrt{\cos(c+dx)}}{4d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}}$$

```
[Out] -((4*A - 7*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*Sqrt[a]*d) + (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (B*SIN[c + d*x])/(2*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)) + ((4*A - B)*Sin[c + d*x])/(4*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])
```

**Rubi [A]** time = 0.699175, antiderivative size = 230, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2961, 2983, 2982, 2782, 205, 2774, 216}

$$-\frac{(4A-7B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{4\sqrt{ad}} + \frac{(4A-B)\sin(c+dx)}{4d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}} + \frac{\sqrt{2}(A-B)\sqrt{\cos(c+dx)}}{4d\sqrt{\sec(c+dx)}\sqrt{a\cos(c+dx)+a}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/(Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)),x]
```

```
[Out] -((4*A - 7*B)*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(4*Sqrt[a]*d) + (Sqrt[2]*(A - B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(Sqrt[a]*d) + (B*SIN[c + d*x])/(2*d*Sqrt[a + a*Cos[c + d*x]]*Sec[c + d*x]^(3/2)) + ((4*A - B)*Sin[c + d*x])/(4*d*Sqrt[a + a*Cos[c + d*x]]*Sqrt[Sec[c + d*x]])
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*SIN[e + f*x])^p, Int[((a + b*SIN[e + f*x])^m*(c + d*SIN[e + f*x])^n)/(g*SIN[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

#### Rule 2983

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> -Simp[(B*Cos[e + f*x]*(a + b*SIN[e + f*x])^m*(c + d*SIN[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*SIN[e + f*x])^m*(c + d*SIN[e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n))*SIN[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

#### Rule 2982



```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) +
(f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dis
t[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]),
x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^
2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2782

```
Int[1/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c
- b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*S
in[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 205

```
Int[((a_.) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rule 2774

```
Int[Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]
```

### Rule 216

```
Int[1/Sqrt[(a_.) + (b_.)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{3}{2}}(c + dx)(A + B \cos(c + dx))}{\sqrt{a + a \cos(c + dx)}} dx \\ &= \frac{B \sin(c + dx)}{2d \sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)}}{2a} dx}{2a} \\ &= \frac{B \sin(c + dx)}{2d \sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{(4A - B) \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \dots \\ &= \frac{B \sin(c + dx)}{2d \sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{(4A - B) \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} - \dots \\ &= \frac{B \sin(c + dx)}{2d \sqrt{a + a \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx)} + \frac{(4A - B) \sin(c + dx)}{4d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \dots \\ &= \frac{(4A - 7B) \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{4\sqrt{ad}} + \dots \end{aligned}$$

**Mathematica [C]** time = 1.41316, size = 412, normalized size = 1.79

$$ie^{-3i(c+dx)}(1 + e^{i(c+dx)})\sqrt{\sec(c+dx)}\left(-4A - 7B\right)e^{2i(c+dx)}\sqrt{1 + e^{2i(c+dx)}}\sinh^{-1}\left(e^{i(c+dx)}\right) - 8\sqrt{2}(A - B)e^{2i(c+dx)}\sqrt{1 + e^{2i(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/(Sqrt[a + a\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)),x]

[Out] ((-I/16)\*(1 + E^(I\*(c + d\*x)))\*(-B - 4\*A\*E^(I\*(c + d\*x)) + 2\*B\*E^(I\*(c + d\*x))) + 4\*A\*E^((2\*I)\*(c + d\*x)) - 3\*B\*E^((2\*I)\*(c + d\*x)) - 4\*A\*E^((3\*I)\*(c + d\*x)) + 3\*B\*E^((3\*I)\*(c + d\*x)) + 4\*A\*E^((4\*I)\*(c + d\*x)) - 2\*B\*E^((4\*I)\*(c + d\*x)) + B\*E^((5\*I)\*(c + d\*x)) - (4\*A - 7\*B)\*E^((2\*I)\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcSinh[E^(I\*(c + d\*x))] - 8\*Sqrt[2]\*(A - B)\*E^((2\*I)\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) + 4\*A\*E^((2\*I)\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]] - 7\*B\*E^((2\*I)\*(c + d\*x))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*Sqrt[Sec[c + d\*x]]/(d\*E^((3\*I)\*(c + d\*x))\*Sqrt[a\*(1 + Cos[c + d\*x])])

**Maple [A]** time = 0.786, size = 300, normalized size = 1.3

$$\frac{\sqrt{2} \cos(dx + c) (-1 + \cos(dx + c))^3}{8 da (\sin(dx + c))^6} \sqrt{a(1 + \cos(dx + c))} \left( -2 B \sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \cos(dx + c) \sin(dx + c) - 4 A \sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2)/(a+cos(d\*x+c)\*a)^(1/2),x)

[Out] 1/8/d\*2^(1/2)/a\*(a\*(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)\*(-1+cos(d\*x+c))^3\*(-2\*B\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)\*sin(d\*x+c)-4\*A\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+B\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)+4\*A\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)/cos(d\*x+c)\*2^(1/2)-7\*B\*2^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c))))^(1/2)/cos(d\*x+c)+8\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))-8\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))/(1/cos(d\*x+c))^(3/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)/sin(d\*x+c)^6

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{\sqrt{a \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorith="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/(sqrt(a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

---

**Fricas [A]** time = 25.8801, size = 539, normalized size = 2.34

$$\frac{((4A - 7B) \cos(dx + c) + 4A - 7B)\sqrt{a} \arctan\left(\frac{\sqrt{a} \cos(dx+c) + a\sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) - \frac{4\sqrt{2}((A-B)a \cos(dx+c) + (A-B)a) \arctan\left(\frac{\sqrt{2}\sqrt{a} \cos(dx+c)}{\sqrt{a} \sin(dx+c)}\right)}{\sqrt{a}}}{4(ad \cos(dx + c) + ad)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] 1/4\*(((4\*A - 7\*B)\*cos(d\*x + c) + 4\*A - 7\*B)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 4\*sqrt(2)\*((A - B)\*a\*cos(d\*x + c) + (A - B)\*a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c)))/sqrt(a) + (2\*B\*cos(d\*x + c)^2 + (4\*A - B)\*cos(d\*x + c))\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a\*d\*cos(d\*x + c) + a\*d)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)\*\*(3/2)/(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{\sqrt{a \cos(dx + c) + a \sec(dx + c)^2}^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(sqrt(a\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

$$3.528 \quad \int \frac{(aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{a + a \cos(c + dx)}} dx$$

**Optimal.** Leaf size=192

$$\frac{(2aB + 2Ab - bB) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}} \right)}{\sqrt{ad}} + \frac{\sqrt{2}(a - b)(A - B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}} \right)}{\sqrt{ad}}$$

[Out] ((2\*A\*b + 2\*a\*B - b\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(Sqrt[a]\*d) + (Sqrt[2]\*(a - b)\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(Sqrt[a]\*d) + (b\*B\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])

**Rubi [A]** time = 0.665248, antiderivative size = 192, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 54,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.13$ , Rules used = {4221, 3045, 2982, 2782, 205, 2774, 216}

$$\frac{(2aB + 2Ab - bB) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}} \right)}{\sqrt{ad}} + \frac{\sqrt{2}(a - b)(A - B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}} \right)}{\sqrt{ad}}$$

Antiderivative was successfully verified.

[In] Int[((a\*A + (A\*b + a\*B)\*Cos[c + d\*x] + b\*B\*Cos[c + d\*x]^2)\*Sqrt[Sec[c + d\*x]])/Sqrt[a + a\*Cos[c + d\*x]], x]

[Out] ((2\*A\*b + 2\*a\*B - b\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(Sqrt[a]\*d) + (Sqrt[2]\*(a - b)\*(A - B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(Sqrt[a]\*d) + (b\*B\*Sin[c + d\*x])/(d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])

#### Rule 4221

Int[(u\_)\*((c\_)\*sec[(a\_) + (b\_)\*(x\_)])^(m\_), x\_Symbol] :> Dist[(c\*Sec[a + b\*x])^m\*(c\*Cos[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Cos[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

#### Rule 3045

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)]) + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2, x\_Symbol] :> -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 2)), x] + Dist[1/(b\*d\*(m + n + 2)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n\*Simp[A\*b\*d\*(m + n + 2) + C\*(a\*c\*m + b\*d\*(n + 1)) + (C\*(a\*d\*m - b\*c\*(m + 1)) + b\*B\*d\*(m + n + 2))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, m, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && !LtQ[m, -2^(-1)] && NeQ[m + n + 2, 0]

#### Rule 2982

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])]\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])], x\_Symbol] :> Dist[(A\*b - a\*B)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]),

x], x] + Dist[B/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x])]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rubi steps

$$\int \frac{(aA + (Ab + aB) \cos(c + dx) + bB \cos^2(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{a + a \cos(c + dx)}} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{aA + (Ab + aB) \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{bB \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{(\sqrt{\cos(c + dx)} \int \frac{aA + (Ab + aB) \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}}$$

$$= \frac{bB \sin(c + dx)}{d \sqrt{a + a \cos(c + dx)} \sqrt{\sec(c + dx)}} + ((a - b)A \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) + (2a(a - b) \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) - \frac{2a(a - b)}{\sqrt{a}} \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)})}{\sqrt{ad}}$$

**Mathematica [A]** time = 0.449816, size = 143, normalized size = 0.74

$$\frac{\cos\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \left( \sqrt{2}(2aB + 2Ab - bB) \sin^{-1} \left( \sqrt{2} \sin\left(\frac{1}{2}(c + dx)\right) \right) + 2(a - b)(A - B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \right)}{d \sqrt{a(\cos(c + dx) + 1)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a*A + (A*b + a*B)*Cos[c + d*x] + b*B*Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]])/Sqrt[a + a*Cos[c + d*x]],x]
```

```
[Out] (Cos[(c + d*x)/2]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*(Sqrt[2]*(2*A*b + 2*a*B - b*B)*ArcSin[Sqrt[2]*Sin[(c + d*x)/2]] + 2*(a - b)*(A - B)*ArcTan[Sin[(c + d*x)/2]/Sqrt[Cos[c + d*x]]] + 2*b*B*Sqrt[Cos[c + d*x]]*Sin[(c + d*x)/2]))/(d*Sqrt[a*(1 + Cos[c + d*x])])
```

**Maple [A]** time = 0.799, size = 317, normalized size = 1.7

$$-\frac{\sqrt{2}((\cos(dx+c))^2-1)}{2da(\sin(dx+c))^2} \left( B\sqrt{2}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} b \sin(dx+c) + 2A \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}}\right) \sqrt{2}b + 2 \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a*A+(A*b+B*a)*cos(d*x+c)+b*B*cos(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+cos(d*x+c)*a)^(1/2),x)
```

```
[Out] -1/2/d*2^(1/2)/a*(B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*b*sin(d*x+c)+2*A*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*2^(1/2)*b+2*B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*2^(1/2)*a-B*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*2^(1/2)*b-2*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*a+2*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*b+2*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*a-2*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*b)*(1/cos(d*x+c))^(1/2)*(a*(1+cos(d*x+c)))^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/sin(d*x+c)^2*(cos(d*x+c)^2-1)
```

**Maxima [F(-2)]** time = 0., size = 0, normalized size = 0.

Exception raised: ValueError

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*A+(A*b+B*a)*cos(d*x+c)+b*B*cos(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] Exception raised: ValueError
```

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*A+(A*b+B*a)*cos(d*x+c)+b*B*cos(d*x+c)^2)*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx))(a + b \cos(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{a(\cos(c + dx) + 1)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*A+(A\*b+B\*a)\*cos(d\*x+c)+b\*B\*cos(d\*x+c)\*\*2)\*sec(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*(a + b\*cos(c + d\*x))\*sqrt(sec(c + d\*x))/sqrt(a\*(cos(c + d\*x) + 1)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)) \sqrt{\sec(dx + c)}}{\sqrt{a \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*A+(A\*b+B\*a)\*cos(d\*x+c)+b\*B\*cos(d\*x+c)^2)\*sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c)^2 + A\*a + (B\*a + A\*b)\*cos(d\*x + c))\*sqrt(sec(d\*x + c))/sqrt(a\*cos(d\*x + c) + a), x)

**3.529** 
$$\int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=317

$$\frac{(19A - 15B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(11A - 7B) \sin(c + dx) \sec^2(c + dx)}{14ad\sqrt{a \cos(c + dx) + a}} - \frac{(A - B)}{2a}$$

```
[Out] ((19*A - 15*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((1201*A - 1029*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(210*a*d*Sqrt[a + a*Cos[c + d*x]]) + ((397*A - 273*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(210*a*d*Sqrt[a + a*Cos[c + d*x]]) - ((67*A - 63*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(70*a*d*Sqrt[a + a*Cos[c + d*x]]) - ((A - B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2)) + ((11*A - 7*B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(14*a*d*Sqrt[a + a*Cos[c + d*x]])
```

**Rubi [A]** time = 1.10609, antiderivative size = 317, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2978, 2984, 12, 2782, 205}

$$\frac{(19A - 15B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(11A - 7B) \sin(c + dx) \sec^2(c + dx)}{14ad\sqrt{a \cos(c + dx) + a}} - \frac{(A - B)}{2a}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2))/(a + a*Cos[c + d*x])^(3/2), x]
```

```
[Out] ((19*A - 15*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((1201*A - 1029*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(210*a*d*Sqrt[a + a*Cos[c + d*x]]) + ((397*A - 273*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(210*a*d*Sqrt[a + a*Cos[c + d*x]]) - ((67*A - 63*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(70*a*d*Sqrt[a + a*Cos[c + d*x]]) - ((A - B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2)) + ((11*A - 7*B)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(14*a*d*Sqrt[a + a*Cos[c + d*x]])
```

**Rule 2961**

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n]/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

**Rule 2978**

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
```



$b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$   
 $\&\& \text{!GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] \parallel \text{EqQ}[c, 0])$

#### Rule 2984

$\text{Int}[(a_.) + (b_.)\sin[(e_.) + (f_.)x]^m * ((A_.) + (B_.)\sin[(e_.) + (f_.)x]) * ((c_.) + (d_.)\sin[(e_.) + (f_.)x])^n, x\_Symbol] \rightarrow \text{Simp}[(B*c - A*d)\cos[e + f*x] * (a + b*\sin[e + f*x])^m * (c + d*\sin[e + f*x])^{n+1} / (f*(n+1)*(c^2 - d^2)), x] + \text{Dist}[1/(b*(n+1)*(c^2 - d^2)), \text{Int}[(a + b*\sin[e + f*x])^m * (c + d*\sin[e + f*x])^{n+1} * \text{Simp}[A*(a*d*m + b*c*(n+1)) - B*(a*c*m + b*d*(n+1)) + b*(B*c - A*d)*(m+n+2)*\sin[e + f*x], x], x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegerQ}[n] \parallel \text{EqQ}[m + 1/2, 0])$

#### Rule 12

$\text{Int}[(a_.) * (u_.), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /;$   $\text{FreeQ}[a, x] \&\& \text{!MatchQ}[u, (b_.) * (v_.)] /;$   $\text{FreeQ}[b, x]$

#### Rule 2782

$\text{Int}[1/(\text{Sqrt}[(a_.) + (b_.)\sin[(e_.) + (f_.)x]] * \text{Sqrt}[(c_.) + (d_.)\sin[(e_.) + (f_.)x]]), x\_Symbol] \rightarrow \text{Dist}[(-2*a)/f, \text{Subst}[\text{Int}[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*\cos[e + f*x]) / (\text{Sqrt}[a + b*\sin[e + f*x]] * \text{Sqrt}[c + d*\sin[e + f*x]])], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

#### Rule 205

$\text{Int}[(a_.) + (b_.) * (x_)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] * \text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /;$   $\text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$

#### Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{9}{2}}(c + dx) (a + a \cos(c + dx))^{3/2}} dx \\
&= -\frac{(A - B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\frac{1}{2}a(11A-7B)}{\cos^{\frac{9}{2}}(c+dx)}}{2a^2} \\
&= -\frac{(A - B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(11A - 7B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{14ad\sqrt{a + a \cos(c + dx)}} + \dots \\
&= -\frac{(67A - 63B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{70ad\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \dots \\
&= \frac{(397A - 273B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{210ad\sqrt{a + a \cos(c + dx)}} - \frac{(67A - 63B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{70ad\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{(1201A - 1029B) \sqrt{\sec(c + dx)} \sin(c + dx)}{210ad\sqrt{a + a \cos(c + dx)}} + \frac{(397A - 273B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{210ad\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{(1201A - 1029B) \sqrt{\sec(c + dx)} \sin(c + dx)}{210ad\sqrt{a + a \cos(c + dx)}} + \frac{(397A - 273B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{210ad\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{(1201A - 1029B) \sqrt{\sec(c + dx)} \sin(c + dx)}{210ad\sqrt{a + a \cos(c + dx)}} + \frac{(397A - 273B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{210ad\sqrt{a + a \cos(c + dx)}} \\
&= \frac{(19A - 15B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{2\sqrt{2}a^{3/2}d} - \dots
\end{aligned}$$

**Mathematica [C]** time = 10.3343, size = 2966, normalized size = 9.36

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(9/2))/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] (2\*Cos[c/2 + (d\*x)/2]^3\*Sqrt[(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(-1)]\*Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2]\*(-(A - B)\*(1 - 2\*Sin[c/2 + (d\*x)/2]))/(28\*(1 + Sin[c/2 + (d\*x)/2])\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(7/2)) + ((A - B)\*(1 + 2\*Sin[c/2 + (d\*x)/2]))/(28\*(1 - Sin[c/2 + (d\*x)/2])\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(7/2)) - ((A - B)\*(315\*ArcTan[(1 - 2\*Sin[c/2 + (d\*x)/2])/Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2]] + (5 + 3\*Sin[c/2 + (d\*x)/2]))/((1 - Sin[c/2 + (d\*x)/2])\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(5/2)) - (11 + 17\*Sin[c/2 + (d\*x)/2])/((1 - Sin[c/2 + (d\*x)/2])\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(3/2)) + (61 + 71\*Sin[c/2 + (d\*x)/2])/((1 - Sin[c/2 + (d\*x)/2])\*Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2]) + (193\*Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2])/((1 - Sin[c/2 + (d\*x)/2]))/70 + ((A - B)\*(315\*ArcTan[(1 + 2\*Sin[c/2 + (d\*x)/2])/Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2]] + (5 - 3\*Sin[c/2 + (d\*x)/2]))/((1 + Sin[c/2 + (d\*x)/2])\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(5/2)) - (11 - 17\*Sin[c/2 + (d\*x)/2])/((1 + Sin[c/2 + (d\*x)/2])\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(3/2)) + (61 - 71\*Sin[c/2 + (d\*x)/2])/((1 + Sin[c/2 + (d\*x)/2])\*Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2]) + (193\*Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2])/((1 + Sin[c/2 + (d\*x)/2]))/70 - ((-A - 3\*B)\*Csc[c/2 + (d\*x)/2]^9\*(363825\*Sin[c/2 + (d\*x)/2]^2 - 4729725\*Sin[c/2 + (d\*x)/2]^4 + 26785605\*Sin[

$$\begin{aligned}
& c/2 + (d*x)/2]^6 - 86790165*\text{Sin}[c/2 + (d*x)/2]^8 + 177677808*\text{Sin}[c/2 + (d*x) \\
& )/2]^10 - 239283044*\text{Sin}[c/2 + (d*x)/2]^12 + 52080*\text{Hypergeometric2F1}[2, 11/2 \\
& , 13/2, \text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]*\text{Sin}[c/2 + (d*x) \\
& /2]^12 + 560*\text{HypergeometricPFQ}[\{2, 2, 2, 2, 11/2\}, \{1, 1, 1, 13/2\}, \text{Sin}[c/2 \\
& + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]*\text{Sin}[c/2 + (d*x)/2]^12 + 213120 \\
& 160*\text{Sin}[c/2 + (d*x)/2]^14 - 168280*\text{Hypergeometric2F1}[2, 11/2, 13/2, \text{Sin}[c/2 \\
& + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]*\text{Sin}[c/2 + (d*x)/2]^14 - 2240*\text{H} \\
& ypergeometricPFQ[\{2, 2, 2, 2, 11/2\}, \{1, 1, 1, 13/2\}, \text{Sin}[c/2 + (d*x)/2]^2/ \\
& (-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]*\text{Sin}[c/2 + (d*x)/2]^14 - 121497024*\text{Sin}[c/2 + \\
& (d*x)/2]^16 + 212520*\text{Hypergeometric2F1}[2, 11/2, 13/2, \text{Sin}[c/2 + (d*x)/2]^2/ \\
& (-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]*\text{Sin}[c/2 + (d*x)/2]^16 + 3360*\text{HypergeometricP} \\
& FQ[\{2, 2, 2, 2, 11/2\}, \{1, 1, 1, 13/2\}, \text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/ \\
& 2 + (d*x)/2]^2)]*\text{Sin}[c/2 + (d*x)/2]^16 + 40125184*\text{Sin}[c/2 + (d*x)/2]^18 - 1 \\
& 24320*\text{Hypergeometric2F1}[2, 11/2, 13/2, \text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 \\
& + (d*x)/2]^2)]*\text{Sin}[c/2 + (d*x)/2]^18 - 2240*\text{HypergeometricPFQ}[\{2, 2, 2, 2, \\
& 11/2\}, \{1, 1, 1, 13/2\}, \text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2) \\
& ]*\text{Sin}[c/2 + (d*x)/2]^18 - 5840384*\text{Sin}[c/2 + (d*x)/2]^20 + 28000*\text{Hypergeomet} \\
& ric2F1[2, 11/2, 13/2, \text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]*\text{S} \\
& in[c/2 + (d*x)/2]^20 + 560*\text{HypergeometricPFQ}[\{2, 2, 2, 2, 11/2\}, \{1, 1, 1, \\
& 13/2\}, \text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]*\text{Sin}[c/2 + (d*x)/ \\
& 2]^20 + 363825*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2] \\
& ^2)]]*\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)] - 5336100*\text{Ar} \\
& cTanh[\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]]*\text{Sin}[c/2 + ( \\
& d*x)/2]^2*\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)] + 346361 \\
& 40*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]]*\text{Sin}[c/ \\
& 2 + (d*x)/2]^4*\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)] - 1 \\
& 31060160*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]]* \\
& \text{Sin}[c/2 + (d*x)/2]^6*\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2 \\
& )] + 320535600*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2] \\
& ^2)]]*\text{Sin}[c/2 + (d*x)/2]^8*\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x) \\
& )/2]^2)] - 530671680*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d \\
& *x)/2]^2)]]*\text{Sin}[c/2 + (d*x)/2]^10*\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 \\
& + (d*x)/2]^2)] + 604296000*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c \\
& /2 + (d*x)/2]^2)]]*\text{Sin}[c/2 + (d*x)/2]^12*\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + 2* \\
& \text{Sin}[c/2 + (d*x)/2]^2)] - 468948480*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/(-1 + \\
& 2*\text{Sin}[c/2 + (d*x)/2]^2)]]*\text{Sin}[c/2 + (d*x)/2]^14*\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2/( \\
& -1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)] + 237726720*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + (d*x)/2]^2 \\
& /(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]]*\text{Sin}[c/2 + (d*x)/2]^16*\text{Sqrt}[\text{Sin}[c/2 + (d*x) \\
& /2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)] - 70963200*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + (d*x) \\
& )/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]]*\text{Sin}[c/2 + (d*x)/2]^18*\text{Sqrt}[\text{Sin}[c/2 + \\
& (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)] + 9461760*\text{ArcTanh}[\text{Sqrt}[\text{Sin}[c/2 + \\
& (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]]*\text{Sin}[c/2 + (d*x)/2]^20*\text{Sqrt}[\text{Sin}[ \\
& c/2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)] - 1120*\text{Cos}[(c + d*x)/2]^6*\text{H} \\
& ypergeometricPFQ[\{2, 2, 2, 11/2\}, \{1, 1, 13/2\}, \text{Sin}[c/2 + (d*x)/2]^2/(-1 + \\
& 2*\text{Sin}[c/2 + (d*x)/2]^2)]*\text{Sin}[c/2 + (d*x)/2]^12*(-6 + 5*\text{Sin}[c/2 + (d*x)/2]^2 \\
& ) + 280*\text{Cos}[(c + d*x)/2]^4*\text{HypergeometricPFQ}[\{2, 2, 11/2\}, \{1, 13/2\}, \text{Sin}[c \\
& /2 + (d*x)/2]^2/(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)]*\text{Sin}[c/2 + (d*x)/2]^12*(103 - \\
& 164*\text{Sin}[c/2 + (d*x)/2]^2 + 70*\text{Sin}[c/2 + (d*x)/2]^4))/(80850*(1 - 2*\text{Sin}[c/ \\
& 2 + (d*x)/2]^2)^(9/2)*(-1 + 2*\text{Sin}[c/2 + (d*x)/2]^2)))/(d*(a*(1 + \text{Cos}[c + d \\
& *x]))^(3/2))
\end{aligned}$$


---

**Maple [B]** time = 0.72, size = 731, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(9/2)/(a+cos(d\*x+c)\*a)^(3/2),x)

```
[Out] 1/420/d*2^(1/2)/a^2*(1995*A*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)*cos(d*x+c)^4*
sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-1575*B*(cos(d*x+c)/(1+cos(d*x
+c)))^(7/2)*cos(d*x+c)^4*sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+7980
*A*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)*cos(d*x+c)^3*sin(d*x+c)*arcsin((-1+cos
(d*x+c))/sin(d*x+c))-6300*B*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)*cos(d*x+c)^3*
sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+11970*A*(cos(d*x+c)/(1+cos(d*
x+c)))^(7/2)*cos(d*x+c)^2*sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-945
0*B*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)*cos(d*x+c)^2*sin(d*x+c)*arcsin((-1+co
s(d*x+c))/sin(d*x+c))+7980*A*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)*cos(d*x+c)*s
in(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))-6300*B*(cos(d*x+c)/(1+cos(d*x+
c)))^(7/2)*cos(d*x+c)*sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x+c))+1995*A*
(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)*sin(d*x+c)*arcsin((-1+cos(d*x+c))/sin(d*x
+c))-1575*B*(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)*sin(d*x+c)*arcsin((-1+cos(d*x
+c))/sin(d*x+c))-1201*A*cos(d*x+c)^5*2^(1/2)+1029*B*cos(d*x+c)^5*2^(1/2)+39
7*A*cos(d*x+c)^4*2^(1/2)-273*B*cos(d*x+c)^4*2^(1/2)+1000*A*cos(d*x+c)^3*2^(
1/2)-840*B*cos(d*x+c)^3*2^(1/2)-232*A*cos(d*x+c)^2*2^(1/2)+168*B*cos(d*x+c)
^2*2^(1/2)+96*A*cos(d*x+c)*2^(1/2)-84*B*cos(d*x+c)*2^(1/2)-60*A*2^(1/2))*co
s(d*x+c)*(1/cos(d*x+c))^(9/2)*(a*(1+cos(d*x+c)))^(1/2)*sin(d*x+c)^5/(-1+cos
(d*x+c))^3/(1+cos(d*x+c))^4
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)/(a+a*cos(d*x+c))^(3/2),x, algor
ithm="maxima")
```

[Out] Timed out

**Fricas [A]** time = 2.90661, size = 645, normalized size = 2.03

$$\frac{105\sqrt{2}\left((19A-15B)\cos(dx+c)^5+2(19A-15B)\cos(dx+c)^4+(19A-15B)\cos(dx+c)^3\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a}\cos(dx+c)}{\sqrt{a}\sin(dx+c)}\right)}{420\left(a^2d\cos(dx+c)^5+2a^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(9/2)/(a+a*cos(d*x+c))^(3/2),x, algor
ithm="fricas")
```

```
[Out] -1/420*(105*sqrt(2)*((19*A - 15*B)*cos(d*x + c)^5 + 2*(19*A - 15*B)*cos(d*x
+ c)^4 + (19*A - 15*B)*cos(d*x + c)^3)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d
*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*((1201*A - 1029
*B)*cos(d*x + c)^4 + 12*(67*A - 63*B)*cos(d*x + c)^3 - 28*(7*A - 3*B)*cos(d
*x + c)^2 + 12*(3*A - 7*B)*cos(d*x + c) - 60*A)*sqrt(a*cos(d*x + c) + a)*si
n(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^5 + 2*a^2*d*cos(d*x + c)
^4 + a^2*d*cos(d*x + c)^3)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(9/2)/(a+a\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{9}{2}}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(9/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(9/2)/(a\*cos(d\*x + c) + a)^(3/2), x)

$$3.530 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx)}{(a+a \cos(c+dx))^{\frac{3}{2}}} dx$$

**Optimal.** Leaf size=270

$$\frac{(15A - 11B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(9A - 5B)\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)}{10ad\sqrt{a\cos(c+dx)+a}} - \frac{(A - B)\sec^{\frac{5}{2}}(c+dx)}{2a\sqrt{a\cos(c+dx)+a}}$$

```
[Out] -((15*A - 11*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]])*Sqrt[a + a*Cos[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) + ((147*A - 95*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(30*a*d*Sqrt[a + a*Cos[c + d*x]]) - ((39*A - 35*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(30*a*d*Sqrt[a + a*Cos[c + d*x]]) - ((A - B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2)) + ((9*A - 5*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(10*a*d*Sqrt[a + a*Cos[c + d*x]])
```

**Rubi [A]** time = 0.887079, antiderivative size = 270, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2978, 2984, 12, 2782, 205}

$$\frac{(15A - 11B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)} \tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(9A - 5B)\sin(c+dx)\sec^{\frac{5}{2}}(c+dx)}{10ad\sqrt{a\cos(c+dx)+a}} - \frac{(A - B)\sec^{\frac{5}{2}}(c+dx)}{2a\sqrt{a\cos(c+dx)+a}}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2))/(a + a*Cos[c + d*x])^(3/2), x]
```

```
[Out] -((15*A - 11*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]])*Sqrt[a + a*Cos[c + d*x]])*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) + ((147*A - 95*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(30*a*d*Sqrt[a + a*Cos[c + d*x]]) - ((39*A - 35*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(30*a*d*Sqrt[a + a*Cos[c + d*x]]) - ((A - B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2)) + ((9*A - 5*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(10*a*d*Sqrt[a + a*Cos[c + d*x]])
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

#### Rule 2978

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
```

&& !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2984

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(((B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(b\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*(a\*d\*m + b\*c\*(n + 1)) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx)}{(a + a \cos(c + dx))^{\frac{3}{2}}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{7}{2}}(c + dx) (a + a \cos(c + dx))^{\frac{3}{2}}} dx \\
&= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{\frac{3}{2}}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\frac{1}{2}a(9A - 5B) -}{\cos^{\frac{7}{2}}(c + dx)}}{2a^2} \\
&= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{\frac{3}{2}}} + \frac{(9A - 5B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{10ad\sqrt{a + a \cos(c + dx)}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\frac{1}{2}a(9A - 5B) -}{\cos^{\frac{7}{2}}(c + dx)}}{2a^2} \\
&= -\frac{(39A - 35B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{30ad\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{\frac{3}{2}}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\frac{1}{2}a(9A - 5B) -}{\cos^{\frac{7}{2}}(c + dx)}}{2a^2} \\
&= \frac{(147A - 95B) \sqrt{\sec(c + dx)} \sin(c + dx)}{30ad\sqrt{a + a \cos(c + dx)}} - \frac{(39A - 35B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{30ad\sqrt{a + a \cos(c + dx)}} \\
&= \frac{(147A - 95B) \sqrt{\sec(c + dx)} \sin(c + dx)}{30ad\sqrt{a + a \cos(c + dx)}} - \frac{(39A - 35B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{30ad\sqrt{a + a \cos(c + dx)}} \\
&= \frac{(147A - 95B) \sqrt{\sec(c + dx)} \sin(c + dx)}{30ad\sqrt{a + a \cos(c + dx)}} - \frac{(39A - 35B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{30ad\sqrt{a + a \cos(c + dx)}} \\
&= \frac{(147A - 95B) \sqrt{\sec(c + dx)} \sin(c + dx)}{30ad\sqrt{a + a \cos(c + dx)}} - \frac{(39A - 35B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{30ad\sqrt{a + a \cos(c + dx)}} \\
&= -\frac{(15A - 11B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{2\sqrt{2}a^{\frac{3}{2}}d} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\frac{1}{2}a(9A - 5B) -}{\cos^{\frac{7}{2}}(c + dx)}}{2a^2}
\end{aligned}$$

**Mathematica [F]** time = 0, size = 0, normalized size = 0.

\$Aborted

Verification is Not applicable to the result.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2))/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] \$Aborted

**Maple [B]** time = 0.703, size = 595, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2)/(a+cos(d\*x+c)\*a)^(3/2), x)

[Out] 1/60/d\*2^(1/2)/a^2\*(225\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)\*cos(d\*x+c)^3-165\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)\*cos(d\*x+c)^3+675\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)\*cos(d\*x+c)^2-495\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)\*cos(d\*x+c)^2+675\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)\*cos(d\*x+c)-495\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)\*c



$$\begin{aligned} & \cos(dx+c) + 225A \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{5/2} - 165B \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sin(dx+c) \left(\frac{\cos(dx+c)}{1+\cos(dx+c)}\right)^{5/2} \\ & - 147A \cos(dx+c)^4 2^{1/2} + 95B \cos(dx+c)^4 2^{1/2} + 39A \cos(dx+c)^3 2^{1/2} - 35B \cos(dx+c)^3 2^{1/2} + 120A \cos(dx+c)^2 2^{1/2} \\ & - 80B \cos(dx+c)^2 2^{1/2} - 24A \cos(dx+c) 2^{1/2} + 20B \cos(dx+c) 2^{1/2} + 12A 2^{1/2} \cos(dx+c) \sin(dx+c)^3 \left(\frac{1}{\cos(dx+c)}\right)^{7/2} \\ & \left(\frac{a(1+\cos(dx+c))}{-1+\cos(dx+c)}\right)^{1/2} \left(\frac{1}{1+\cos(dx+c)}\right)^3 \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*sec(dx+c)^(7/2)/(a+a\*cos(dx+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 2.77946, size = 590, normalized size = 2.19

$$\frac{15\sqrt{2}\left((15A-11B)\cos(dx+c)^4 + 2(15A-11B)\cos(dx+c)^3 + (15A-11B)\cos(dx+c)^2\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a}\cos(dx+c)}{\sqrt{a}\sin(dx+c)}\right)}{60\left(a^2d\cos(dx+c)^4 + 2a^2d\cos(dx+c)^3 + a^2d\cos(dx+c)^2\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*sec(dx+c)^(7/2)/(a+a\*cos(dx+c))^(3/2),x, algorithm="fricas")

[Out] 1/60\*(15\*sqrt(2)\*((15\*A - 11\*B)\*cos(dx + c)^4 + 2\*(15\*A - 11\*B)\*cos(dx + c)^3 + (15\*A - 11\*B)\*cos(dx + c)^2)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(dx + c) + a)\*sqrt(cos(dx + c))/(sqrt(a)\*sin(dx + c))) + 2\*((147\*A - 95\*B)\*cos(dx + c)^3 + 12\*(9\*A - 5\*B)\*cos(dx + c)^2 - 4\*(3\*A - 5\*B)\*cos(dx + c) + 12\*A)\*sqrt(a\*cos(dx + c) + a)\*sin(dx + c)/sqrt(cos(dx + c)))/(a^2\*d\*cos(dx + c)^4 + 2\*a^2\*d\*cos(dx + c)^3 + a^2\*d\*cos(dx + c)^2)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*sec(dx+c)\*\*(7/2)/(a+a\*cos(dx+c))\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx+c) + A) \sec(dx+c)^{7/2}}{(a \cos(dx+c) + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(7/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(7/2)/(a*cos(d*x + c) + a)^(3/2), x)
```

$$3.531 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=223

$$\frac{(11A - 7B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(7A - 3B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{6ad\sqrt{a \cos(c + dx) + a}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx)}{2d\sqrt{a \cos(c + dx) + a}}$$

[Out] ((11\*A - 7\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(2\*Sqrt[2]\*a^(3/2)\*d) - ((19\*A - 15\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(6\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - ((A - B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2)) + ((7\*A - 3\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(6\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.701828, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2978, 2984, 12, 2782, 205}

$$\frac{(11A - 7B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(7A - 3B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{6ad\sqrt{a \cos(c + dx) + a}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx)}{2d\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2))/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] ((11\*A - 7\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(2\*Sqrt[2]\*a^(3/2)\*d) - ((19\*A - 15\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(6\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]]) - ((A - B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2)) + ((7\*A - 3\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(6\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^m, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2978

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

Rule 2984

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] :> Sim
p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n +
1)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e
_) + (f_)*(x_)])], x_Symbol] :> Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c
- b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*S
in[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] :> Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{(a + a \cos(c + dx))^{3/2}} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx) (a + a \cos(c + dx))^{3/2}} dx \\
&= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\frac{1}{2}a(7A - 3B) - \frac{5}{2}a(7A - 3B)}{\cos^{\frac{5}{2}}(c + dx)} dx}{2a^2} \\
&= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(7A - 3B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6ad\sqrt{a + a \cos(c + dx)}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx}{2a^2} \\
&= -\frac{(19A - 15B) \sqrt{\sec(c + dx)} \sin(c + dx)}{6ad\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx}{2a^2} \\
&= -\frac{(19A - 15B) \sqrt{\sec(c + dx)} \sin(c + dx)}{6ad\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx}{2a^2} \\
&= -\frac{(19A - 15B) \sqrt{\sec(c + dx)} \sin(c + dx)}{6ad\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx}{2a^2} \\
&= \frac{(11A - 7B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{2\sqrt{2}a^{3/2}d} - \frac{(19A - 15B) \sqrt{\sec(c + dx)} \sin(c + dx)}{6ad\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\cos^{\frac{5}{2}}(c + dx)} dx}{2a^2}
\end{aligned}$$

**Mathematica [C]** time = 6.84534, size = 981, normalized size = 4.4

$$2 \cos^3\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{\frac{1}{1-2\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}} \sqrt{1-2\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)} \left( \frac{(A+3B) \left( -12 \cos^4\left(\frac{1}{2}(c+dx)\right) {}_3F_2\left(2, 2, \frac{7}{2}; 1, \frac{9}{2}; -\frac{\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{1-2\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}\right) \sin^8\left(\frac{c}{2} + \frac{dx}{2}\right) - 12 {}_2F_1\left(2, \frac{7}{2}; \frac{9}{2}; -\frac{\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{1-2\sin^2\left(\frac{c}{2} + \frac{dx}{2}\right)}\right)}{\dots} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2))/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] (2\*Cos[c/2 + (d\*x)/2]^3\*Sqrt[(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(-1)]\*Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2]\*(-(A - B)\*(1 - 2\*Sin[c/2 + (d\*x)/2]))/(12\*(1 + Sin[c/2 + (d\*x)/2])\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(3/2)) + ((A - B)\*(1 + 2\*Sin[c/2 + (d\*x)/2]))/(12\*(1 - Sin[c/2 + (d\*x)/2])\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(3/2)) - ((A - B)\*(5\*ArcTan[(1 - 2\*Sin[c/2 + (d\*x)/2])/Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2]] + (1 + Sin[c/2 + (d\*x)/2])/((1 - Sin[c/2 + (d\*x)/2])\*Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2])) + (3\*Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2])/((1 - Sin[c/2 + (d\*x)/2])))/2 + ((A - B)\*(5\*ArcTan[(1 + 2\*Sin[c/2 + (d\*x)/2])/Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2]] + (1 - Sin[c/2 + (d\*x)/2])/((1 + Sin[c/2 + (d\*x)/2])\*Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2])) + (3\*Sqrt[1 - 2\*Sin[c/2 + (d\*x)/2]^2])/((1 + Sin[c/2 + (d\*x)/2])))/2 + ((A + 3\*B)\*Csc[c/2 + (d\*x)/2]^5\*(-12\*Cos[(c + d\*x)/2]^4\*HypergeometricPFQ[{2, 2, 7/2}, {1, 9/2}, -(Sin[c/2 + (d\*x)/2]^2/(1 - 2\*Sin[c/2 + (d\*x)/2]^2))]\*Sin[c/2 + (d\*x)/2]^8 - 12\*Hypergeometric2F1[2, 7/2, 9/2, -(Sin[c/2 + (d\*x)/2]^2/(1 - 2\*Sin[c/2 + (d\*x)/2]^2))]\*Sin[c/2 + (d\*x)/2]^8\*(4 - 7\*Sin[c/2 + (d\*x)/2]^2 + 3\*Sin[c/2 + (d\*x)/2]^4) + 7\*Sqrt[-(Sin[c/2 + (d\*x)/2]^2/(1 - 2\*Sin[c/2 + (d\*x)/2]^2))]\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^3\*(15 - 20\*Sin[c/2 + (d\*x)/2]^2 + 8\*Sin[c/2 + (d\*x)/2]^4)\*((3 - 7\*Sin[c/2 + (d\*x)/2]^2)\*Sqrt[-(Sin[c/2 + (d\*x)/2]^2/(1 - 2\*Sin[c/2 + (d\*x)/2]^2))] - 3\*ArcTanh[Sqrt[-(Sin[c/2 + (d\*x)/2]^2/(1 - 2\*Sin[c/2 + (d\*x)/2]^2))])\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)))/(126\*(1 - 2\*Sin[c/2 + (d\*x)/2]^2)^(7/2)))/(d\*(a\*(1 + Cos[c + d\*x]))^(3/2))

**Maple [B]** time = 0.727, size = 457, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+cos(d\*x+c)\*a)^(3/2), x)

[Out] 1/12/d\*2^(1/2)/a^2\*(33\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-21\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+66\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-42\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)+33\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-21\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)-19\*A\*cos(d\*x+c)^3\*2^(1/2)+15\*B\*cos(d\*x+c)^3\*2^(1/2)+7\*A\*cos(d\*x+c)^2\*2^(1/2)-3\*B\*cos(d\*x+c)^2\*2^(1/2)+16\*A\*cos(d\*x+c)\*2^(1/2)-12\*B\*cos(d\*x+c)\*2^(1/2)-4\*A\*2^(1/2))\*cos(d\*x+c)\*(1/cos(d\*x+c))^(5/2)\*(a\*(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)/(-1+cos(d\*x+c))/(1+cos(d\*x+c))^2

---

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] Timed out

---

**Fricas [A]** time = 2.17199, size = 531, normalized size = 2.38

$$\frac{3\sqrt{2}((11A-7B)\cos(dx+c)^3 + 2(11A-7B)\cos(dx+c)^2 + (11A-7B)\cos(dx+c))\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a}\cos(dx+c)+a\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)}{12(a^2d\cos(dx+c)^3 + 2a^2d\cos(dx+c)^2 + a^2d\cos(dx+c))}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] -1/12\*(3\*sqrt(2)\*((11\*A - 7\*B)\*cos(d\*x + c)^3 + 2\*(11\*A - 7\*B)\*cos(d\*x + c)^2 + (11\*A - 7\*B)\*cos(d\*x + c))\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) + 2\*((19\*A - 15\*B)\*cos(d\*x + c)^2 + 12\*(A - B)\*cos(d\*x + c) - 4\*A)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a^2\*d\*cos(d\*x + c)^3 + 2\*a^2\*d\*cos(d\*x + c)^2 + a^2\*d\*cos(d\*x + c))

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(5/2)/(a+a\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^(3/2), x)

$$3.532 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=176

$$\frac{(7A - 3B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(5A - B) \sin(c + dx)\sqrt{\sec(c + dx)}}{2ad\sqrt{a \cos(c + dx) + a}} - \frac{(A - B)}{2a}$$

[Out] -((7\*A - 3\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(2\*Sqrt[2]\*a^(3/2)\*d) - ((A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2)) + ((5\*A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(2\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.519239, antiderivative size = 176, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2978, 2984, 12, 2782, 205}

$$\frac{(7A - 3B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{(5A - B) \sin(c + dx)\sqrt{\sec(c + dx)}}{2ad\sqrt{a \cos(c + dx) + a}} - \frac{(A - B)}{2a}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2))/(a + a\*Cos[c + d\*x])^(3/2), x]

[Out] -((7\*A - 3\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(2\*Sqrt[2]\*a^(3/2)\*d) - ((A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2)) + ((5\*A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(2\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2978

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2984

```
Int[((a_) + (b_.)*sin[(e_) + (f_.)*(x_)])^(m_)*((A_) + (B_.)*sin[(e_) + (f_.)*(x_)])*((c_) + (d_.)*sin[(e_) + (f_.)*(x_)])^(n_), x_Symbol] := Simp
p[((B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n
+ 1))/(f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(b*(n + 1)*(c^2 - d^2)), Int[(a
+ b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*(a*d*m + b*c*(n + 1
)) - B*(a*c*m + b*d*(n + 1)) + b*(B*c - A*d)*(m + n + 2)*Sin[e + f*x], x],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ
[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m
+ 1/2, 0])
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 2782

```
Int[1/(Sqrt[(a_) + (b_.)*sin[(e_) + (f_.)*(x_)]]*Sqrt[(c_) + (d_.)*sin[(e
_) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c
- b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*S
in[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{(a + a \cos(c + dx))^{\frac{3}{2}}} dx = (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) (a + a \cos(c + dx))^{\frac{3}{2}}} dx$$

$$= -\frac{(A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{\frac{3}{2}}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\frac{1}{2} a(5A - B) - a}{\cos^{\frac{3}{2}}(c + dx)}}{2a^2}$$

$$= -\frac{(A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{\frac{3}{2}}} + \frac{(5A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{2ad \sqrt{a + a \cos(c + dx)}} + \frac{(\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{7A - 3B}{\cos^{\frac{3}{2}}(c + dx)}}{2a^2}$$

$$= -\frac{(A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{2d(a + a \cos(c + dx))^{\frac{3}{2}}} + \frac{(5A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{2ad \sqrt{a + a \cos(c + dx)}} + \frac{((7A - 3B) \tan^{-1}(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}})) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{2\sqrt{2} a^{\frac{3}{2}} d} - \frac{(A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{2a^2}$$

**Mathematica [C]** time = 4.45078, size = 443, normalized size = 2.52

$$\cos^3\left(\frac{1}{2}(c + dx)\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \left( \frac{(A+3B) \csc^3\left(\frac{1}{2}(c+dx)\right) \left(5(4 \cos(c+dx) + \cos(2(c+dx))) + 1\right) \left(-\cos(c+dx) + \cos(c+dx) \sqrt{2-2\sec(c+dx)}\right) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2} \sqrt{\cos(c+dx)} \sqrt{a+a \cos(c+dx)}}\right) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{2\sqrt{2} a^{\frac{3}{2}} d} - \frac{(A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{2a^2} \right)$$

Warning: Unable to verify antiderivative.



[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2))/(a + a\*Cos[c + d\*x])^(3/2),x]

[Out] (Cos[(c + d\*x)/2]^3\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*(30\*(A - B)\*ArcTan[(1 - 2\*Sin[(c + d\*x)/2])/Sqrt[Cos[c + d\*x]]] - 30\*(A - B)\*ArcTan[(1 + 2\*Sin[(c + d\*x)/2])/Sqrt[Cos[c + d\*x]]] - (20\*(A - B)\*Sqrt[Cos[c + d\*x]])/(-1 + Sin[(c + d\*x)/2]) - (20\*(A - B)\*Sqrt[Cos[c + d\*x]])/(1 + Sin[(c + d\*x)/2]) + (5\*(A - B)\*(-1 + 2\*Sin[(c + d\*x)/2]))/(Sqrt[Cos[c + d\*x]]\*(Cos[(c + d\*x)/4] + Sin[(c + d\*x)/4])^2) - (5\*(A - B)\*(1 + 2\*Sin[(c + d\*x)/2]))/(Sqrt[Cos[c + d\*x]]\*(-1 + Sin[(c + d\*x)/2])) + ((A + 3\*B)\*Csc[(c + d\*x)/2]^3\*(5\*(1 + 4\*Cos[c + d\*x] + Cos[2\*(c + d\*x)])\*(1 - Cos[c + d\*x] + ArcTanh[Sqrt[-(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)])\*Cos[c + d\*x]\*Sqrt[2 - 2\*Sec[c + d\*x]]) - 2\*Hypergeometric2F1[2, 5/2, 7/2, -(Sec[c + d\*x]\*Sin[(c + d\*x)/2]^2)]\*Sin[(c + d\*x)/2]^4\*Sin[c + d\*x]\*Tan[c + d\*x]))/(2\*Cos[c + d\*x]^(3/2)))/(10\*d\*(a\*(1 + Cos[c + d\*x]))^(3/2))

**Maple [B]** time = 0.675, size = 312, normalized size = 1.8

$$-\frac{\sqrt{2} \cos(dx+c)}{4 a^2 d \sin(dx+c) (1+\cos(dx+c))} \left( -7 A \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sin(dx+c) \cos(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} + 3 B \arcsin\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right) \sin(dx+c) \cos(dx+c) \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+cos(d\*x+c)\*a)^(3/2),x)

[Out] -1/4/d\*2^(1/2)/a^2\*(-7\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+3\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+5\*A\*cos(d\*x+c)^2\*2^(1/2)-7\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-B\*cos(d\*x+c)^2\*2^(1/2)+3\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-A\*cos(d\*x+c)\*2^(1/2)+B\*cos(d\*x+c)\*2^(1/2)-4\*A\*2^(1/2))\*cos(d\*x+c)\*(1/cos(d\*x+c))^(3/2)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)/(1+cos(d\*x+c))

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorith="maxima")

[Out] Timed out

**Fricas [A]** time = 2.0023, size = 435, normalized size = 2.47

$$\frac{\sqrt{2}((7A-3B)\cos(dx+c)^2+2(7A-3B)\cos(dx+c)+7A-3B)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a}\cos(dx+c)+a\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)+\frac{2((5A-B)\cos(dx+c)+5A-3B)}{4(a^2d\cos(dx+c)^2+2a^2d\cos(dx+c)+a^2d)}}{4(a^2d\cos(dx+c)^2+2a^2d\cos(dx+c)+a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="fricas")
```

```
[Out] 1/4*(sqrt(2)*((7*A - 3*B)*cos(d*x + c)^2 + 2*(7*A - 3*B)*cos(d*x + c) + 7*A - 3*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*((5*A - B)*cos(d*x + c) + 4*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(3/2)/(a*cos(d*x + c) + a)^(3/2), x)
```

$$3.533 \quad \int \frac{(A+B \cos(c+dx))\sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=127

$$\frac{(3A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B)\sin(c+dx)}{2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}}$$

```
[Out] ((3*A + B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]])
```

**Rubi [A]** time = 0.337286, antiderivative size = 127, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2978, 12, 2782, 205}

$$\frac{(3A+B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} - \frac{(A-B)\sin(c+dx)}{2d\sqrt{\sec(c+dx)}(a\cos(c+dx)+a)^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + a*Cos[c + d*x])^(3/2), x]
```

```
[Out] ((3*A + B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) - ((A - B)*Sin[c + d*x])/(2*d*(a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]])
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

#### Rule 2978

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 12

```
Int[(a_.)*(u_.), x_Symbol] :> Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_.)*(v_.) /; FreeQ[b, x]]
```

Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{(a + a \cos(c + dx))^{3/2}} dx = \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{3/2}} dx$$

$$= -\frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}\sqrt{\sec(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{1}{2\sqrt{\cos(c + dx)}} dx}{2a^2}$$

$$= -\frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}\sqrt{\sec(c + dx)}} + \frac{\left((3A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right)}{4a}$$

$$= -\frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2}\sqrt{\sec(c + dx)}} - \frac{\left((3A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right)}{2d(a + a \cos(c + dx))^{3/2}\sqrt{\sec(c + dx)}}$$

$$= \frac{(3A + B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2}\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{2\sqrt{2}a^{3/2}d} - \frac{1}{2d(a + a \cos(c + dx))^{3/2}}$$

**Mathematica [C]** time = 1.62216, size = 196, normalized size = 1.54

$$\frac{i \cos^3\left(\frac{1}{2}(c + dx)\right) \left( (3A + B)e^{-\frac{1}{2}i(c + dx)} \sqrt{\frac{e^{i(c + dx)}}{1 + e^{2i(c + dx)}}} \sqrt{1 + e^{2i(c + dx)}} \tanh^{-1}\left(\frac{1 - e^{i(c + dx)}}{\sqrt{2}\sqrt{1 + e^{2i(c + dx)}}}\right) - \frac{1}{2}i(A - B) \left( \sin\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{3}{2}(c + dx)\right) \right) \right)}{d(a(\cos(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + a*Cos[c + d*x])^(3/2), x]
```

```
[Out] (I*Cos[(c + d*x)/2]^3*(((3*A + B)*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])]/E^((I/2)*(c + d*x)) - (I/2)*(A - B)*Sec[(c + d*x)/2]^2*Sqrt[Sec[c + d*x]]*(Sin[(c + d*x)/2] - Sin[(3*(c + d*x))/2]))/(d*(a*(1 + Cos[c + d*x]))^(3/2))
```

**Maple [B]** time = 0.656, size = 236, normalized size = 1.9

$$-\frac{\sqrt{2}((\cos(dx + c))^2 - 1)}{4a^2d(\sin(dx + c))^3} \sqrt{(\cos(dx + c))^{-1}} \sqrt{a(1 + \cos(dx + c))} \left( A\sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \cos(dx + c) - 3A \arcsin\left(\frac{-1 - \cos(dx + c)}{2}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+cos(d\*x+c)\*a)^(3/2),x)

[Out] 
$$-1/4/d*2^{(1/2)}/a^2*(1/\cos(d*x+c))^{(1/2)}*(a*(1+\cos(d*x+c)))^{(1/2)}*(A*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)-3*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)-B*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)-B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)-A*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}+B*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}/\sin(d*x+c)^3*(\cos(d*x+c)^2-1)$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\sec(dx + c)}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(sec(d\*x + c))/(a\*cos(d\*x + c) + a)^(3/2), x)

**Fricas [A]** time = 1.96492, size = 397, normalized size = 3.13

$$\frac{\sqrt{2}((3A + B) \cos(dx + c)^2 + 2(3A + B) \cos(dx + c) + 3A + B) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx+c)+a} \sqrt{\cos(dx+c)}}{\sqrt{a} \sin(dx+c)}\right) + 2 \sqrt{a} \cos(dx + c)}{4(a^2 d \cos(dx + c)^2 + 2a^2 d \cos(dx + c) + a^2 d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(3/2),x, algorithm="fricas")

[Out] 
$$-1/4*(\sqrt{2}*((3*A + B)*\cos(d*x + c)^2 + 2*(3*A + B)*\cos(d*x + c) + 3*A + B)*\sqrt{a}*\arctan(\sqrt{2}*\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)})/(\sqrt{a}*\sin(d*x + c))) + 2*\sqrt{a*\cos(d*x + c) + a}*(A - B)*\sqrt{\cos(d*x + c)}*\sin(d*x + c))/(a^2*d*\cos(d*x + c)^2 + 2*a^2*d*\cos(d*x + c) + a^2*d)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\sec(dx + c)}}{(a \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+a*cos(d*x+c))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(a*cos(d*x + c) + a)^(3/2), x)
```

$$3.534 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{3/2} \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=185

$$\frac{(A-5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{a^{3/2}d}$$

```
[Out] (2*B*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(a^(3/2)*d) + ((A - 5*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sin[c + d*x])/(2*(a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]])
```

**Rubi [A]** time = 0.543816, antiderivative size = 185, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2961, 2977, 2982, 2782, 205, 2774, 216}

$$\frac{(A-5B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a\cos(c+dx)+a}}\right)}{2\sqrt{2}a^{3/2}d} + \frac{2B\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{a^{3/2}d}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]]), x]
```

```
[Out] (2*B*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(a^(3/2)*d) + ((A - 5*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(2*Sqrt[2]*a^(3/2)*d) + ((A - B)*Sin[c + d*x])/(2*(a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]])
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^n]/(g*Ssin[e + f*x])^p, x, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

#### Rule 2977

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Simp[(A*b - a*B)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^n]/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 2982

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dis
```

$t[(A*b - a*B)/b, \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] + \text{Dist}[B/b, \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 2782

$\text{Int}[1/(\text{Sqrt}[(a_) + (b_)*\text{sin}[(e_) + (f_)*(x_)]]*\text{Sqrt}[(c_) + (d_)*\text{sin}[(e_) + (f_)*(x_)]]), x\_Symbol] := \text{Dist}[(-2*a)/f, \text{Subst}[\text{Int}[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*\text{Cos}[e + f*x])]/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]])], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 205

$\text{Int}[(a_) + (b_)*(x_)^2]^{-1}, x\_Symbol] := \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{PosQ}[a/b]$

### Rule 2774

$\text{Int}[\text{Sqrt}[(a_) + (b_)*\text{sin}[(e_) + (f_)*(x_)]]/\text{Sqrt}[(d_)*\text{sin}[(e_) + (f_)*(x_)]], x\_Symbol] := \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/\text{Sqrt}[1 - x^2/a], x], x, (b*\text{Cos}[e + f*x])]/\text{Sqrt}[a + b*\text{Sin}[e + f*x]]], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{EqQ}[d, a/b]$

### Rule 216

$\text{Int}[1/\text{Sqrt}[(a_) + (b_)*(x_)^2], x\_Symbol] := \text{Simp}[\text{ArcSin}[(\text{Rt}[-b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] /; \text{FreeQ}\{a, b\}, x\} \&\& \text{GtQ}[a, 0] \&\& \text{NegQ}[b]$

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^{3/2}} dx \\ &= \frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\frac{1}{2}a(A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx}{2a^2} \\ &= \frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} + \frac{\left( (A - 5B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)}{4a} \\ &= \frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} - \frac{\left( (A - 5B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)}{4a} \\ &= \frac{2B \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{a^{3/2} d} + \frac{(A - 5B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{4a} \end{aligned}$$

**Mathematica [C]** time = 1.64481, size = 243, normalized size = 1.31

$$\frac{\cos^3 \left( \frac{1}{2}(c + dx) \right) \left( (A - B) \left( \sin \left( \frac{3}{2}(c + dx) \right) - \sin \left( \frac{1}{2}(c + dx) \right) \right) \sec^2 \left( \frac{1}{2}(c + dx) \right) \sqrt{\sec(c + dx)} - i\sqrt{2}e^{-\frac{1}{2}i(c + dx)} \sqrt{\frac{e^{i(c + dx)}}{1 + e^{2i(c + dx)}}} \sqrt{1 + \cos(c + dx)} \right)}{2d(a(\cos(c + dx) + 1))}$$

Antiderivative was successfully verified.



[In] Integrate[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]]),x]

[Out] (Cos[(c + d\*x)/2]^3\*((-I)\*Sqrt[2]\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*(4\*B\*ArcSinh[E^(I\*(c + d\*x))] - Sqrt[2]\*(A - 5\*B)\*ArcTanh[(1 - E^(I\*(c + d\*x))]/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) - 4\*B\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])/E^((I/2)\*(c + d\*x)) + (A - B)\*Sec[(c + d\*x)/2]^2\*Sqrt[Sec[c + d\*x]]\*(-Sin[(c + d\*x)/2] + Sin[(3\*(c + d\*x)/2)]))/(2\*d\*(a\*(1 + Cos[c + d\*x]))^(3/2))

**Maple [A]** time = 0.657, size = 288, normalized size = 1.6

$$\frac{\sqrt{2} \cos(dx + c) (-1 + \cos(dx + c))^2}{4 a^2 d (\sin(dx + c))^5} \sqrt{a (1 + \cos(dx + c))} \left( A \sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \cos(dx + c) - B \sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^(3/2)/sec(d\*x+c)^(1/2),x)

[Out] -1/4/d\*2^(1/2)/a^2\*(a\*(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)\*(-1+cos(d\*x+c))^2\*(A\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)-B\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)-4\*B\*2^(1/2)\*arctan(sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)/cos(d\*x+c))\*sin(d\*x+c)-A\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)+B\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-5\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c))/(1/cos(d\*x+c))^(1/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(3/2)/sin(d\*x+c)^5

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(1/2),x, algorith="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^(3/2)\*sqrt(sec(d\*x + c))), x)

**Fricas [A]** time = 43.2471, size = 571, normalized size = 3.09

$$\frac{\sqrt{2}((A - 5B) \cos(dx + c)^2 + 2(A - 5B) \cos(dx + c) + A - 5B) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a \cos(dx + c) + a} \sqrt{\cos(dx + c)}}{\sqrt{a} \sin(dx + c)}\right) - 2 \sqrt{a} \cos(dx + c)}{4(a^2 d \cos(dx + c))^2}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(1/2),x, algorith="fricas")

```
[Out] -1/4*(sqrt(2)*((A - 5*B)*cos(d*x + c)^2 + 2*(A - 5*B)*cos(d*x + c) + A - 5*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - 2*sqrt(a*cos(d*x + c) + a)*(A - B)*sqrt(cos(d*x + c))*sin(d*x + c) + 8*(B*cos(d*x + c)^2 + 2*B*cos(d*x + c) + B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))))/(a^2*d*cos(d*x + c)^2 + 2*a^2*d*cos(d*x + c) + a^2*d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(3/2)/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(3/2)*sqrt(sec(d*x + c))), x)
```

$$3.535 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{3/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=237

$$\frac{(2A-3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(5A-9B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d}$$

[Out] ((2\*A - 3\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(a^(3/2)\*d) - ((5\*A - 9\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(2\*Sqrt[2]\*a^(3/2)\*d) + ((A - B)\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(3/2)) - ((A - 3\*B)\*Sin[c + d\*x])/(2\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]))

**Rubi [A]** time = 0.736422, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2961, 2977, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{(2A-3B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\sin^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{a\cos(c+dx)+a}}\right)}{a^{3/2}d} - \frac{(5A-9B)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\tan^{-1}\left(\frac{\sqrt{a}\sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}}\right)}{2\sqrt{2}a^{3/2}d}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(3/2)), x]

[Out] ((2\*A - 3\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(a^(3/2)\*d) - ((5\*A - 9\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(2\*Sqrt[2]\*a^(3/2)\*d) + ((A - B)\*Sin[c + d\*x])/(2\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(3/2)) - ((A - 3\*B)\*Sin[c + d\*x])/(2\*a\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]))

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Ssin[e + f\*x])^p, Int[((a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^n)/(g\*Ssin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2977

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Simp[(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^n/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

Rule 2983

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := -Simp[
(B*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(f*(m + n
+ 1)), x] + Dist[1/(b*(m + n + 1)), Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[
e + f*x])^(n - 1)*Simp[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m +
n + 1) + B*(a*d*m + b*c*n))*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d,
e, f, A, B, m}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d
^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])
```

Rule 2982

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(Sqrt[(a_) + (b_)*sin[(e_) +
(f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dis
t[(A*b - a*B)/b, Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]),
x], x] + Dist[B/b, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]],
x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^
2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e
_) + (f_)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c
- b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*S
in[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rule 2774

```
Int[Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)]]/Sqrt[(d_)*sin[(e_) + (f_)
*(x_)]], x_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b*Cos
[e + f*x])/Sqrt[a + b*Sin[e + f*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && Eq
Q[a^2 - b^2, 0] && EqQ[d, a/b]
```

Rule 216

```
Int[1/Sqrt[(a_) + (b_)*(x_)^2], x_Symbol] := Simp[ArcSin[(Rt[-b, 2]*x)/Sqr
t[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]
```

Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{3}{2}}(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{3/2}} dx \\
&= \frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)}}{2d(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} dx}{2d(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} \\
&= \frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} - \frac{(A - 3B) \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}\sqrt{\sec(c + dx)}} \\
&= \frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} - \frac{(A - 3B) \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}\sqrt{\sec(c + dx)}} \\
&= \frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} - \frac{(A - 3B) \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}\sqrt{\sec(c + dx)}} \\
&= \frac{(A - B) \sin(c + dx)}{2d(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} - \frac{(A - 3B) \sin(c + dx)}{2ad\sqrt{a + a \cos(c + dx)}\sqrt{\sec(c + dx)}} \\
&= \frac{(2A - 3B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{a^{3/2}d} - \frac{(5A - 9B) \tan^{-1}\left(\frac{\sqrt{\cos(c + dx)}}{\sqrt{\sec(c + dx)}}\right)}{a^{3/2}d}
\end{aligned}$$

**Mathematica [C]** time = 6.69571, size = 836, normalized size = 3.53

$$\frac{\sqrt{\sec(c + dx)} \left( \frac{\sec\left(\frac{c}{2}\right) \left( A \sin\left(\frac{dx}{2}\right) - B \sin\left(\frac{dx}{2}\right) \right) \sec^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{d} + \frac{\sec\left(\frac{c}{2}\right) \left( A \sin\left(\frac{c}{2}\right) - B \sin\left(\frac{c}{2}\right) \right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right)}{d} - \frac{2A \cos\left(\frac{dx}{2}\right) \sin\left(\frac{c}{2}\right)}{d} + \frac{2B \cos\left(\frac{3dx}{2}\right) \sin\left(\frac{3c}{2}\right)}{d} \right)}{(a(\cos(c + dx) + 1))^{3/2}}$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(3/2)),x]

[Out] ((-I)\*A\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*Cos[c/2 + (d\*x)/2]^3)/(d\*E^((I/2)\*(c + d\*x))\*(a\*(1 + Cos[c + d\*x]))^(3/2)) + ((3\*I)\*B\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*Cos[c/2 + (d\*x)/2]^3)/(d\*E^((I/2)\*(c + d\*x))\*(a\*(1 + Cos[c + d\*x]))^(3/2)) + ((2\*I)\*Sqrt[2]\*A\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*(-ArcSinh[E^(I\*(c + d\*x))] + Sqrt[2]\*ArcTanh[(-1 + E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) + ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*Cos[c/2 + (d\*x)/2]^3)/(d\*E^((I/2)\*(c + d\*x))\*(a\*(1 + Cos[c + d\*x]))^(3/2)) - ((3\*I)\*Sqrt[2]\*B\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*(-ArcSinh[E^(I\*(c + d\*x))] + Sqrt[2]\*ArcTanh[(-1 + E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]) + ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*Cos[c/2 + (d\*x)/2]^3)/(d\*E^((I/2)\*(c + d\*x))\*(a\*(1 + Cos[c + d\*x]))^(3/2)) + (Cos[c/2 + (d\*x)/2]^3\*Sqrt[Sec[c + d\*x]]\*((-2\*A\*Cos[(d\*x)/2]\*Sin[c/2])/d + (Sec[c/2]\*Sec[c/2 + (d\*x)/2]\*(A\*Sin[c/2] - B\*Sin[c/2])/d + (2\*B\*Cos[(3\*d\*x)/2]\*Sin[(3\*c)/2])/d - (2\*A\*Cos[c/2]\*Sin[(d\*x)/2])/d + (Sec[c/2]\*Sec[c/2 + (d\*x)/2]^2\*(A\*Sin[(d\*x)/2] - B\*Sin[(d\*x)/2])/d + (2\*B\*Cos[(3\*c)/2]\*Sin[(3\*d\*x)/2])/d))/(a\*(1 + Cos[c + d\*x]))^(3/2)

**Maple [A]** time = 1.02, size = 370, normalized size = 1.6

$$-\frac{\sqrt{2} \cos(dx+c)(-1+\cos(dx+c))^3}{4a^2d(\sin(dx+c))^7} \sqrt{a(1+\cos(dx+c))} \left( -2B\sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\cos(dx+c))^2 + 4A \arctan\left(\frac{\sin(dx+c)}{\cos(dx+c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a\*cos(d\*x+c)\*a)^(3/2)/sec(d\*x+c)^(3/2),x)

[Out] 
$$-1/4/d*2^{(1/2)}/a^2*(a*(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)*(-1+\cos(d*x+c))^{-3}*(-2*B*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)^2+4*A*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}/\cos(d*x+c))*2^{(1/2)}*\sin(d*x+c)+A*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)-6*B*2^{(1/2)}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}/\cos(d*x+c))*\sin(d*x+c)-B*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)-A*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}+5*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)+3*B*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}-9*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c))/(\cos(d*x+c))^{(3/2)}/(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}/\sin(d*x+c)^7$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx+c) + A}{(a \cos(dx+c) + a)^{\frac{3}{2}} \sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(3/2)), x)

**Fricas [A]** time = 47.8034, size = 667, normalized size = 2.81

$$\frac{\sqrt{2}((5A-9B)\cos(dx+c)^2+2(5A-9B)\cos(dx+c)+5A-9B)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a}\cos(dx+c)+a\sqrt{\cos(dx+c)}}{\sqrt{a}\sin(dx+c)}\right)-4((2A-3B)\cos(dx+c)^2+2(2A-3B)\cos(dx+c)+2A-3B)\sqrt{a}\arctan\left(\frac{\sqrt{a}\cos(dx+c)+a}{\sqrt{a}\sin(dx+c)}\right)}{4(a^2d\cos(dx+c)+a^2d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] 
$$1/4*(\sqrt{2}*((5*A-9*B)*\cos(d*x+c)^2+2*(5*A-9*B)*\cos(d*x+c)+5*A-9*B)*\sqrt{a}*\arctan(\sqrt{2}*\sqrt{a*\cos(d*x+c)+a}*\sqrt{\cos(d*x+c)})/(\sqrt{a}*\sin(d*x+c))-4*((2*A-3*B)*\cos(d*x+c)^2+2*(2*A-3*B)*\cos(d*x+c)+2*A-3*B)*\sqrt{a}*\arctan(\sqrt{a*\cos(d*x+c)+a}*\sqrt{\cos(d*x+c)})/(\sqrt{a}*\sin(d*x+c))+2*(2*B*\cos(d*x+c)^2-(A-3*B)*\cos(d*x+c))*\sqrt{a*\cos(d*x+c)+a}*\sin(d*x+c)/\sqrt{\cos(d*x+c)})/(a^2*d*\cos(d*x+c)^2+2*a^2*d*\cos(d*x+c)+a^2*d)$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*(3/2)/sec(d\*x+c)\*\*(3/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(3/2)), x)

$$3.536 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx)}{(a+a \cos(c+dx))^{\frac{5}{2}}} dx$$

**Optimal.** Leaf size=317

$$\frac{(157A - 85B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{80a^2 d \sqrt{a \cos(c + dx) + a}} - \frac{(787A - 475B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{240a^2 d \sqrt{a \cos(c + dx) + a}} + \frac{(2671A - 1495B) \sin(c + dx) \sqrt{\sec(c + dx)}}{240a^2 d \sqrt{a \cos(c + dx) + a}}$$

```
[Out] -((283*A - 163*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]
*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt
[2]*a^(5/2)*d) + ((2671*A - 1495*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(240*a
^2*d*Sqrt[a + a*Cos[c + d*x]]) - ((787*A - 475*B)*Sec[c + d*x]^(3/2)*Sin[c
+ d*x])/(240*a^2*d*Sqrt[a + a*Cos[c + d*x]]) - ((A - B)*Sec[c + d*x]^(5/2)*
Sin[c + d*x])/(4*d*(a + a*Cos[c + d*x])^(5/2)) - ((21*A - 13*B)*Sec[c + d*x
]^(5/2)*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2)) + ((157*A - 85*B)
*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(80*a^2*d*Sqrt[a + a*Cos[c + d*x]])
```

**Rubi [A]** time = 1.12478, antiderivative size = 317, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2978, 2984, 12, 2782, 205}

$$\frac{(157A - 85B) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{80a^2 d \sqrt{a \cos(c + dx) + a}} - \frac{(787A - 475B) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{240a^2 d \sqrt{a \cos(c + dx) + a}} + \frac{(2671A - 1495B) \sin(c + dx) \sqrt{\sec(c + dx)}}{240a^2 d \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2))/(a + a*Cos[c + d*x])^(5/2), x]
```

```
[Out] -((283*A - 163*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]
*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt
[2]*a^(5/2)*d) + ((2671*A - 1495*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(240*a
^2*d*Sqrt[a + a*Cos[c + d*x]]) - ((787*A - 475*B)*Sec[c + d*x]^(3/2)*Sin[c
+ d*x])/(240*a^2*d*Sqrt[a + a*Cos[c + d*x]]) - ((A - B)*Sec[c + d*x]^(5/2)*
Sin[c + d*x])/(4*d*(a + a*Cos[c + d*x])^(5/2)) - ((21*A - 13*B)*Sec[c + d*x
]^(5/2)*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2)) + ((157*A - 85*B)
*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(80*a^2*d*Sqrt[a + a*Cos[c + d*x]])
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^m*(c + d
*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

#### Rule 2978

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
```



$b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$   
 $\&\& \text{!GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] \parallel \text{EqQ}[c, 0])$

#### Rule 2984

$\text{Int}[(a_.) + (b_.)\sin[(e_.) + (f_.)x]^m * ((A_.) + (B_.)\sin[(e_.) + (f_.)x]) * ((c_.) + (d_.)\sin[(e_.) + (f_.)x])^n, x\_Symbol] \rightarrow \text{Simp}[(B*c - A*d)\cos[e + f*x] * (a + b\sin[e + f*x])^m * (c + d\sin[e + f*x])^{n+1} / (f*(n+1)*(c^2 - d^2)), x] + \text{Dist}[1/(b*(n+1)*(c^2 - d^2)), \text{Int}[(a + b\sin[e + f*x])^m * (c + d\sin[e + f*x])^{n+1} * \text{Simp}[A*(a*d*m + b*c*(n+1)) - B*(a*c*m + b*d*(n+1)) + b*(B*c - A*d)*(m+n+2)*\sin[e + f*x], x], x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegerQ}[n] \parallel \text{EqQ}[m + 1/2, 0])$

#### Rule 12

$\text{Int}[(a_.) * (u_.), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /;$   $\text{FreeQ}[a, x] \&\& \text{!MatchQ}[u, (b_.) * (v_.) /;$   $\text{FreeQ}[b, x]$

#### Rule 2782

$\text{Int}[1/(\text{Sqrt}[(a_.) + (b_.)\sin[(e_.) + (f_.)x]) * \text{Sqrt}[(c_.) + (d_.)\sin[(e_.) + (f_.)x])], x\_Symbol] \rightarrow \text{Dist}[(-2*a)/f, \text{Subst}[\text{Int}[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*\cos[e + f*x]) / (\text{Sqrt}[a + b*\sin[e + f*x]] * \text{Sqrt}[c + d*\sin[e + f*x]])], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

#### Rule 205

$\text{Int}[(a_.) + (b_.) * (x_.)^2)^{-1}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2] * \text{ArcTan}[x/\text{Rt}[a/b, 2]]) / a, x] /;$   $\text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$

#### Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{7}{2}}(c + dx) (a + a \cos(c + dx))^{5/2}} dx \\
&= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\frac{1}{2}a(13A-5B)}{\cos^{\frac{7}{2}}(c+dx)}}{4a^2} \\
&= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(21A - 13B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \dots \\
&= -\frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(21A - 13B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \dots \\
&= -\frac{(787A - 475B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{240a^2d\sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} \\
&= \frac{(2671A - 1495B)\sqrt{\sec(c + dx)} \sin(c + dx)}{240a^2d\sqrt{a + a \cos(c + dx)}} - \frac{(787A - 475B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{240a^2d\sqrt{a + a \cos(c + dx)}} \\
&= \frac{(2671A - 1495B)\sqrt{\sec(c + dx)} \sin(c + dx)}{240a^2d\sqrt{a + a \cos(c + dx)}} - \frac{(787A - 475B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{240a^2d\sqrt{a + a \cos(c + dx)}} \\
&= \frac{(2671A - 1495B)\sqrt{\sec(c + dx)} \sin(c + dx)}{240a^2d\sqrt{a + a \cos(c + dx)}} - \frac{(787A - 475B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{240a^2d\sqrt{a + a \cos(c + dx)}} \\
&= \frac{(283A - 163B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a+a \cos(c+dx)}}\right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16\sqrt{2}a^{5/2}d} + \dots
\end{aligned}$$

**Mathematica [C]** time = 8.17732, size = 261, normalized size = 0.82

$$\cos^5\left(\frac{1}{2}(c + dx)\right) \left( \tan\left(\frac{1}{2}(c + dx)\right) \sec^3\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{5}{2}}(c + dx) (10(2605A - 1381B) \cos(c + dx) + 108(157A - 85B) \cos(2(c + dx))) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2))/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] (Cos[(c + d\*x)/2]^5\*(((240\*I)\*((283\*A - 163\*B)\*Sqrt[E^(I\*(c + d\*x))]/(1 + E^((2\*I)\*(c + d\*x))))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[(1 - E^(I\*(c + d\*x))]/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])))/E^((I/2)\*(c + d\*x)) + (15053\*A - 7685\*B + 10\*(2605\*A - 1381\*B)\*Cos[c + d\*x] + 108\*(157\*A - 85\*B)\*Cos[2\*(c + d\*x)] + 9110\*A\*Cos[3\*(c + d\*x)] - 5030\*B\*Cos[3\*(c + d\*x)] + 2671\*A\*Cos[4\*(c + d\*x)] - 1495\*B\*Cos[4\*(c + d\*x)]\*Sec[(c + d\*x)/2]^3\*Sec[c + d\*x]^(5/2)\*Tan[(c + d\*x)/2]))/(960\*d\*(a\*(1 + Cos[c + d\*x]))^(5/2))

**Maple [B]** time = 0.747, size = 729, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2)/(a+cos(d\*x+c)\*a)^(5/2),x)

[Out] 
$$\begin{aligned} & -1/480/d*2^{(1/2)}/a^3*(4245*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}*\sin(d*x+c)*a \\ & \operatorname{rcsin}((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)^4-2445*B*(\cos(d*x+c)/(1+\cos(d* \\ & x+c)))^{(5/2)}*\sin(d*x+c)*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)^4+169 \\ & 80*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c) \\ & ))^{(5/2)}*\cos(d*x+c)^3-9780*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c) \\ & *(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}*\cos(d*x+c)^3+25470*A*\arcsin((-1+\cos(d*x+ \\ & c))/\sin(d*x+c))*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}*\cos(d*x+c)^2-1 \\ & 4670*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x \\ & +c)))^{(5/2)}*\cos(d*x+c)^2+16980*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x \\ & +c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}*\cos(d*x+c)-9780*B*\arcsin((-1+\cos(d*x+ \\ & c))/\sin(d*x+c))*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(5/2)}*\cos(d*x+c)+424 \\ & 5*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c) \\ & ))^{(5/2)}-2445*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*(\cos(d*x+c)/( \\ & 1+\cos(d*x+c)))^{(5/2)}-2671*A*\cos(d*x+c)^5*2^{(1/2)}+1495*B*\cos(d*x+c)^5*2^{(1/2) \\ & )-1884*A*\cos(d*x+c)^4*2^{(1/2)}+1020*B*\cos(d*x+c)^4*2^{(1/2)}+2987*A*\cos(d*x+c) \\ & ^3*2^{(1/2)}-1715*B*\cos(d*x+c)^3*2^{(1/2)}+1728*A*\cos(d*x+c)^2*2^{(1/2)}-960*B*\cos \\ & (d*x+c)^2*2^{(1/2)}-256*A*\cos(d*x+c)*2^{(1/2)}+160*B*\cos(d*x+c)*2^{(1/2)}+96*A*2 \\ & ^{(1/2)}*\cos(d*x+c)*\sin(d*x+c)*(1/\cos(d*x+c))^{(7/2)}*(a*(1+\cos(d*x+c)))^{(1/2)} \\ & /(-1+\cos(d*x+c))/(1+\cos(d*x+c))^3 \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 1.84531, size = 732, normalized size = 2.31

$$\frac{15\sqrt{2}\left((283A-163B)\cos(dx+c)^5+3(283A-163B)\cos(dx+c)^4+3(283A-163B)\cos(dx+c)^3+(283A-163B)\cos(dx+c)^2\right)+480\left(a^3d\cos(dx+c)\right)}{480\left(a^3d\cos(dx+c)\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] 
$$\begin{aligned} & 1/480*(15*\sqrt{2})*((283*A - 163*B)*\cos(d*x + c)^5 + 3*(283*A - 163*B)*\cos(d \\ & *x + c)^4 + 3*(283*A - 163*B)*\cos(d*x + c)^3 + (283*A - 163*B)*\cos(d*x + c) \\ & ^2)*\sqrt{a}*\arctan(\sqrt{2}*\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)})/(\sqrt{ \\ & t(a)*\sin(d*x + c)}) + 2*((2671*A - 1495*B)*\cos(d*x + c)^4 + 5*(911*A - 503* \\ & B)*\cos(d*x + c)^3 + 32*(49*A - 25*B)*\cos(d*x + c)^2 - 160*(A - B)*\cos(d*x + \\ & c) + 96*A)*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c)/\sqrt{\cos(d*x + c)})/(a^3* \\ & d*\cos(d*x + c)^5 + 3*a^3*d*\cos(d*x + c)^4 + 3*a^3*d*\cos(d*x + c)^3 + a^3*d* \\ & \cos(d*x + c)^2) \end{aligned}$$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(7/2)/(a+a\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{7}{2}}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(7/2)/(a\*cos(d\*x + c) + a)^(5/2), x)

$$3.537 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=270

$$\frac{(95A - 39B) \sin(c + dx) \sec^3(c + dx)}{48a^2 d \sqrt{a \cos(c + dx) + a}} - \frac{(299A - 147B) \sin(c + dx) \sqrt{\sec(c + dx)}}{48a^2 d \sqrt{a \cos(c + dx) + a}} + \frac{(163A - 75B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16a^2 d}$$

```
[Out] ((163*A - 75*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((299*A - 147*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(48*a^2*d*Sqrt[a + a*Cos[c + d*x]]) - ((A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*(a + a*Cos[c + d*x])^(5/2)) - ((17*A - 9*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2)) + ((95*A - 39*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(48*a^2*d*Sqrt[a + a*Cos[c + d*x]])
```

**Rubi [A]** time = 0.928702, antiderivative size = 270, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2978, 2984, 12, 2782, 205}

$$\frac{(95A - 39B) \sin(c + dx) \sec^3(c + dx)}{48a^2 d \sqrt{a \cos(c + dx) + a}} - \frac{(299A - 147B) \sin(c + dx) \sqrt{\sec(c + dx)}}{48a^2 d \sqrt{a \cos(c + dx) + a}} + \frac{(163A - 75B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16a^2 d}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + a*Cos[c + d*x])^(5/2), x]
```

```
[Out] ((163*A - 75*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((299*A - 147*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(48*a^2*d*Sqrt[a + a*Cos[c + d*x]]) - ((A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(4*d*(a + a*Cos[c + d*x])^(5/2)) - ((17*A - 9*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2)) + ((95*A - 39*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(48*a^2*d*Sqrt[a + a*Cos[c + d*x]])
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

#### Rule 2978

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
```

&& !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2984

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[((B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(b\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*(a\*d\*m + b\*c\*(n + 1)) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{(a + a \cos(c + dx))^{\frac{5}{2}}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx) (a + a \cos(c + dx))^{\frac{5}{2}}} dx \\
&= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{\frac{5}{2}}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\frac{1}{2}a(11A - 5B) \sec^{\frac{5}{2}}(c + dx)}{\cos^{\frac{5}{2}}(c + dx)}}{4a^2} \\
&= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{\frac{5}{2}}} - \frac{(17A - 9B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{\frac{3}{2}}} + \\
&= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{\frac{5}{2}}} - \frac{(17A - 9B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{\frac{3}{2}}} + \\
&= -\frac{(299A - 147B) \sqrt{\sec(c + dx)} \sin(c + dx)}{48a^2 d \sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{\frac{5}{2}}} \\
&= -\frac{(299A - 147B) \sqrt{\sec(c + dx)} \sin(c + dx)}{48a^2 d \sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{\frac{5}{2}}} \\
&= -\frac{(299A - 147B) \sqrt{\sec(c + dx)} \sin(c + dx)}{48a^2 d \sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{4d(a + a \cos(c + dx))^{\frac{5}{2}}} \\
&= \frac{(163A - 75B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16\sqrt{2}a^{\frac{5}{2}}d}
\end{aligned}$$

**Mathematica [C]** time = 3.58877, size = 243, normalized size = 0.9

$$i \cos^5 \left( \frac{1}{2}(c + dx) \right) \left( 3(163A - 75B) e^{-\frac{1}{2}i(c+dx)} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \tanh^{-1} \left( \frac{1-e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}} \right) + \frac{1}{8} i \tan \left( \frac{1}{2}(c + dx) \right) \sec^{\frac{3}{2}}(c + dx) \right)$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2))/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] ((I/12)\*Cos[(c + d\*x)/2]^5\*((3\*(163\*A - 75\*B)\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])]/E^((I/2)\*(c + d\*x)) + (I/8)\*(878\*A - 510\*B + (1537\*A - 825\*B)\*Cos[c + d\*x] + 2\*(503\*A - 255\*B)\*Cos[2\*(c + d\*x)] + 299\*A\*Cos[3\*(c + d\*x)] - 147\*B\*Cos[3\*(c + d\*x)])\*Sec[(c + d\*x)/2]^3\*Sec[c + d\*x]^(3/2)\*Tan[(c + d\*x)/2]))/(d\*(a\*(1 + Cos[c + d\*x]))^(5/2))

**Maple [B]** time = 0.638, size = 585, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+cos(d\*x+c)\*a)^(5/2), x)

```
[Out] -1/96/d*2^(1/2)/a^3*(489*A*sin(d*x+c)*cos(d*x+c)^3*arcsin((-1+cos(d*x+c))/sin(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-225*B*sin(d*x+c)*cos(d*x+c)^3*arcsin((-1+cos(d*x+c))/sin(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+1467*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-675*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+1467*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-675*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+489*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)-299*A*cos(d*x+c)^4*2^(1/2)-225*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)+147*B*cos(d*x+c)^4*2^(1/2)-204*A*cos(d*x+c)^3*2^(1/2)+108*B*cos(d*x+c)^3*2^(1/2)+343*A*cos(d*x+c)^2*2^(1/2)-159*B*cos(d*x+c)^2*2^(1/2)+192*A*cos(d*x+c)*2^(1/2)-96*B*cos(d*x+c)*2^(1/2)-32*A*2^(1/2))*cos(d*x+c)*(1/cos(d*x+c))^(5/2)*(a*(1+cos(d*x+c)))^(1/2)/sin(d*x+c)/(1+cos(d*x+c))^2
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(5/2),x, algorithm="maxima")
```

[Out] Timed out

**Fricas [A]** time = 1.83528, size = 672, normalized size = 2.49

$$\frac{3\sqrt{2}((163A - 75B)\cos(dx + c)^4 + 3(163A - 75B)\cos(dx + c)^3 + 3(163A - 75B)\cos(dx + c)^2 + (163A - 75B)\cos(dx + c))}{96(a^3d\cos(dx + c)^4 + 3a^3d\cos(dx + c)^3 + 3a^3d\cos(dx + c)^2 + a^3d\cos(dx + c))}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(5/2),x, algorithm="fricas")
```

```
[Out] -1/96*(3*sqrt(2)*((163*A - 75*B)*cos(d*x + c)^4 + 3*(163*A - 75*B)*cos(d*x + c)^3 + 3*(163*A - 75*B)*cos(d*x + c)^2 + (163*A - 75*B)*cos(d*x + c))*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*((299*A - 147*B)*cos(d*x + c)^3 + (503*A - 255*B)*cos(d*x + c)^2 + 32*(5*A - 3*B)*cos(d*x + c) - 32*A)*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c))/(a^3*d*cos(d*x + c)^4 + 3*a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + a^3*d*cos(d*x + c))
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(5/2)/(a+a*cos(d*x+c))**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/(a*cos(d*x + c) + a)^(5/2), x)
```

$$3.538 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=223

$$\frac{(49A - 9B) \sin(c + dx) \sqrt{\sec(c + dx)}}{16a^2 d \sqrt{a \cos(c + dx) + a}} - \frac{(75A - 19B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}} \right)}{16 \sqrt{2} a^{5/2} d} \quad (13A)$$

```
[Out] -((75*A - 19*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(4*d*(a + a*Cos[c + d*x])^(5/2))) - ((13*A - 5*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(16*a*d*(a + a*Cos[c + d*x])^(3/2))) + ((49*A - 9*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(16*a^2*d*Sqrt[a + a*Cos[c + d*x]]))
```

**Rubi [A]** time = 0.72912, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2978, 2984, 12, 2782, 205}

$$\frac{(49A - 9B) \sin(c + dx) \sqrt{\sec(c + dx)}}{16a^2 d \sqrt{a \cos(c + dx) + a}} - \frac{(75A - 19B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}} \right)}{16 \sqrt{2} a^{5/2} d} \quad (13A)$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + a*Cos[c + d*x])^(5/2), x]
```

```
[Out] -((75*A - 19*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(4*d*(a + a*Cos[c + d*x])^(5/2))) - ((13*A - 5*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(16*a*d*(a + a*Cos[c + d*x])^(3/2))) + ((49*A - 9*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]/(16*a^2*d*Sqrt[a + a*Cos[c + d*x]]))
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

#### Rule 2978

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2984

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)/(f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(b\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*(a\*d\*m + b\*c\*(n + 1)) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\begin{aligned}
 \int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{(a + a \cos(c + dx))^{5/2}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) (a + a \cos(c + dx))^{5/2}} dx \\
 &= -\frac{(A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\frac{1}{2} a^{9A-1}}{\cos^{\frac{3}{2}}(c + dx)}}{4a^2} \\
 &= -\frac{(A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(13A - 5B) \sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \\
 &= -\frac{(A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(13A - 5B) \sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \\
 &= -\frac{(A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(13A - 5B) \sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \\
 &= -\frac{(A - B) \sqrt{\sec(c + dx)} \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}} - \frac{(13A - 5B) \sqrt{\sec(c + dx)} \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}} + \\
 &= -\frac{(75A - 19B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16\sqrt{2} a^{5/2} d}
 \end{aligned}$$

**Mathematica [C]** time = 2.19252, size = 219, normalized size = 0.98

$$\cos^5\left(\frac{1}{2}(c+dx)\right)\left(\frac{1}{4}\tan\left(\frac{1}{2}(c+dx)\right)\sec^3\left(\frac{1}{2}(c+dx)\right)\sqrt{\sec(c+dx)}(2(85A-13B)\cos(c+dx)+(49A-9B)\cos(2(c+dx)))\right)$$


---


$$4d(a(\cos(c+dx)+1))^{5/2}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2))/(a + a\*Cos[c + d\*x])^(5/2),x]

[Out] (Cos[(c + d\*x)/2]^5\*((( -I)\*(75\*A - 19\*B)\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x))]]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])]/E^((I/2)\*(c + d\*x)) + ((113\*A - 9\*B + 2\*(85\*A - 13\*B)\*Cos[c + d\*x] + (49\*A - 9\*B)\*Cos[2\*(c + d\*x)])\*Sec[(c + d\*x)/2]^3\*Sqrt[Sec[c + d\*x]]\*Tan[(c + d\*x)/2])/4)/(4\*d\*(a\*(1 + Cos[c + d\*x]))^(5/2))

**Maple [B]** time = 0.578, size = 457, normalized size = 2.1

$$\frac{\sqrt{2}(-1 + \cos(dx + c))\cos(dx + c)}{32da^3(\sin(dx + c))^3(1 + \cos(dx + c))}\left(-75A\arcsin\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right)(\cos(dx + c))^2\sin(dx + c)\sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+cos(d\*x+c)\*a)^(5/2),x)

[Out] 1/32/d\*2^(1/2)/a^3\*(-1+cos(d\*x+c))\*(-75\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+19\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+49\*A\*cos(d\*x+c)^3\*2^(1/2)-150\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-9\*B\*cos(d\*x+c)^3\*2^(1/2)+38\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+36\*A\*cos(d\*x+c)^2\*2^(1/2)-75\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-4\*B\*cos(d\*x+c)^2\*2^(1/2)+19\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-53\*A\*cos(d\*x+c)\*2^(1/2)+13\*B\*cos(d\*x+c)\*2^(1/2)-32\*A\*2^(1/2))\*cos(d\*x+c)\*(1/cos(d\*x+c))^(3/2)\*(a\*(1+cos(d\*x+c)))^(1/2)/sin(d\*x+c)^3/(1+cos(d\*x+c))

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 1.89661, size = 570, normalized size = 2.56

$$\frac{\sqrt{2}((75A - 19B)\cos(dx + c)^3 + 3(75A - 19B)\cos(dx + c)^2 + 3(75A - 19B)\cos(dx + c) + 75A - 19B)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a}\cos(dx + c)}{\sqrt{a}\sin(dx + c)}\right) + 2((49A - 9B)\cos(dx + c)^2 + (85A - 13B)\cos(dx + c) + 32A)\sqrt{a\cos(dx + c) + a}\sin(dx + c)/\sqrt{\cos(dx + c)}}{32(a^3d\cos(dx + c)^3 + 3a^3d\cos(dx + c)^2 + 3a^3d\cos(dx + c) + a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] 1/32\*(sqrt(2)\*((75\*A - 19\*B)\*cos(d\*x + c)^3 + 3\*(75\*A - 19\*B)\*cos(d\*x + c)^2 + 3\*(75\*A - 19\*B)\*cos(d\*x + c) + 75\*A - 19\*B)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) + 2\*((49\*A - 9\*B)\*cos(d\*x + c)^2 + (85\*A - 13\*B)\*cos(d\*x + c) + 32\*A)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + 3\*a^3\*d\*cos(d\*x + c) + a^3\*d)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(3/2)/(a+a\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a)^(5/2), x)

$$3.539 \quad \int \frac{(A+B \cos(c+dx))\sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=176

$$\frac{(19A + 5B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(9A - B) \sin(c + dx)}{16ad\sqrt{\sec(c + dx)}(a \cos(c + dx) + a)^{3/2}} - \frac{1}{4d\sqrt{2}}$$

```
[Out] ((19*A + 5*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sin[c + d*x])/(4*d*(a + a*Cos[c + d*x])^(5/2)*Sqrt[Sec[c + d*x]]) - ((9*A - B)*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]])
```

**Rubi [A]** time = 0.526173, antiderivative size = 176, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2978, 12, 2782, 205}

$$\frac{(19A + 5B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} - \frac{(9A - B) \sin(c + dx)}{16ad\sqrt{\sec(c + dx)}(a \cos(c + dx) + a)^{3/2}} - \frac{1}{4d\sqrt{2}}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + a*Cos[c + d*x])^(5/2), x]
```

```
[Out] ((19*A + 5*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) - ((A - B)*Sin[c + d*x])/(4*d*(a + a*Cos[c + d*x])^(5/2)*Sqrt[Sec[c + d*x]]) - ((9*A - B)*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]])
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

#### Rule 2978

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 205

Int[((a\_) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{(a + a \cos(c + dx))^{5/2}} dx &= \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{5/2}} dx \\ &= -\frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}\sqrt{\sec(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{\frac{1}{2} \frac{a}{\sqrt{c}}}{\sqrt{c}}}{4a^2} \\ &= -\frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}\sqrt{\sec(c + dx)}} - \frac{(9A - B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}\sqrt{\sec(c + dx)}} \\ &= -\frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}\sqrt{\sec(c + dx)}} - \frac{(9A - B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}\sqrt{\sec(c + dx)}} \\ &= -\frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2}\sqrt{\sec(c + dx)}} - \frac{(9A - B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2}\sqrt{\sec(c + dx)}} \\ &= \frac{(19A + 5B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2}\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{16\sqrt{2}a^{5/2}d} \end{aligned}$$

**Mathematica [C]** time = 1.73673, size = 216, normalized size = 1.23

$$\frac{i \cos^5\left(\frac{1}{2}(c + dx)\right) \left( (19A + 5B) e^{-\frac{1}{2}i(c+dx)} \sqrt{\frac{e^{i(c+dx)}}{1+e^{2i(c+dx)}}} \sqrt{1+e^{2i(c+dx)}} \tanh^{-1}\left(\frac{1-e^{i(c+dx)}}{\sqrt{2}\sqrt{1+e^{2i(c+dx)}}}\right) - \frac{1}{4}i \left( \sin\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{3}{2}(c + dx)\right) \right) \right)}{4d(a(\cos(c + dx) + 1))^{5/2}}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]])/(a + a\*Cos[c + d\*x])^(5/2), x]

[Out] ((I/4)\*Cos[(c + d\*x)/2]^5\*(((19\*A + 5\*B)\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))])\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])/E^((I/2)\*(c + d\*x)) - (I/4)\*(13\*A - 5\*B + (9\*A - B)\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^4\*Sqrt[Sec[c + d\*x]]\*(Sin[(c + d\*x)/2] - Sin[(3\*(c + d\*x))/2]))/(d\*(a\*(1 + Cos[c + d\*x]))^(5/2))

**Maple [B]** time = 0.682, size = 376, normalized size = 2.1

$$\frac{\sqrt{2} \cos(dx+c) (-1+\cos(dx+c))^2}{32 da^3 (\sin(dx+c))^5} \sqrt{(\cos(dx+c))^{-1} \sqrt{a(1+\cos(dx+c))}} \left( 9 A \sqrt{2} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} (\cos(dx+c))^2 - B \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+cos(d\*x+c)\*a)^(5/2),x)

[Out] 1/32/d\*2^(1/2)/a^3\*(1/cos(d\*x+c))^(1/2)\*(a\*(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)\*(-1+cos(d\*x+c))^2\*(9\*A\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^2-B\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^2+4\*A\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)-19\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*cos(d\*x+c)-4\*B\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)-5\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*cos(d\*x+c)-13\*A\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-19\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)+5\*B\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)-5\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)/sin(d\*x+c)^5/(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [A]** time = 1.84354, size = 551, normalized size = 3.13

$$\frac{\sqrt{2}((19A+5B)\cos(dx+c)^3+3(19A+5B)\cos(dx+c)^2+3(19A+5B)\cos(dx+c)+19A+5B)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx+c)+a}}{\sqrt{\cos(dx+c)}}\right)}{32(a^3d\cos(dx+c)^3+3a^3d\cos(dx+c)^2+3a^3d\cos(dx+c)+a^3d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] -1/32\*(sqrt(2)\*((19\*A+5\*B)\*cos(d\*x+c)^3+3\*(19\*A+5\*B)\*cos(d\*x+c)^2+3\*(19\*A+5\*B)\*cos(d\*x+c)+19\*A+5\*B)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x+c)+a)\*sqrt(cos(d\*x+c))/(sqrt(a)\*sin(d\*x+c)))+2\*((9\*A-B)\*cos(d\*x+c)^2+(13\*A-5\*B)\*cos(d\*x+c))\*sqrt(a\*cos(d\*x+c)+a)\*sin(d\*x+c)/sqrt(cos(d\*x+c))/(a^3\*d\*cos(d\*x+c)^3+3\*a^3\*d\*cos(d\*x+c)^2+3\*a^3\*d\*cos(d\*x+c)+a^3\*d)



**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c))\*\*(5/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\sec(dx + c)}}{(a \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(5/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(sec(d\*x + c))/(a\*cos(d\*x + c) + a)^(5/2), x)

$$3.540 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{5/2} \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=174

$$\frac{(5A + 3B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A + 7B) \sin(c + dx)}{16ad\sqrt{\sec(c + dx)}(a \cos(c + dx) + a)^{3/2}} + \frac{1}{4d\sqrt{a}}$$

[Out] ((5\*A + 3\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(16\*Sqrt[2]\*a^(5/2)\*d) + ((A - B)\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)\*Sqrt[Sec[c + d\*x]]) + ((A + 7\*B)\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]])

**Rubi [A]** time = 0.510908, antiderivative size = 174, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2977, 2978, 12, 2782, 205}

$$\frac{(5A + 3B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{(A + 7B) \sin(c + dx)}{16ad\sqrt{\sec(c + dx)}(a \cos(c + dx) + a)^{3/2}} + \frac{1}{4d\sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])^(5/2)\*Sqrt[Sec[c + d\*x]]), x]

[Out] ((5\*A + 3\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(16\*Sqrt[2]\*a^(5/2)\*d) + ((A - B)\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)\*Sqrt[Sec[c + d\*x]]) + ((A + 7\*B)\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2977

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2978

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Simp

```
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

### Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

### Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]]], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^{5/2}} dx \\ &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\sqrt{a + a \cos(c + dx)}} dx}{4a^2} \\ &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} + \frac{(A + 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} \\ &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} + \frac{(A + 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} \\ &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} + \frac{(A + 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} \\ &= \frac{(5A + 3B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{16\sqrt{2}a^{5/2}d} + \end{aligned}$$

**Mathematica [C]** time = 1.76977, size = 213, normalized size = 1.22

$$\frac{\cos^5\left(\frac{1}{2}(c + dx)\right) \left( \frac{1}{4} \left( \sin\left(\frac{3}{2}(c + dx)\right) - \sin\left(\frac{1}{2}(c + dx)\right) \right) \sqrt{\sec(c + dx)} \sec^4\left(\frac{1}{2}(c + dx)\right) ((A + 7B) \cos(c + dx) + 5A + 3B) \right)}{4d(a(\cos(c + dx) + 1))^{5/2}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(5/2)*Sqrt[Sec[c + d*x]]), x]
```

[Out]  $(\cos[(c + dx)/2])^5 \cdot ((I \cdot (5A + 3B) \cdot \sqrt{E^{(I \cdot (c + dx))} / (1 + E^{(2I \cdot (c + dx))})}) \cdot \sqrt{1 + E^{(2I \cdot (c + dx))}}) \cdot \operatorname{ArcTanh}[(1 - E^{(I \cdot (c + dx))}) / (\sqrt{2} \cdot \sqrt{1 + E^{(2I \cdot (c + dx))}})]) / (E^{((I/2) \cdot (c + dx))} + ((5A + 3B + (A + 7B) \cdot \cos[c + dx]) \cdot \operatorname{Sec}[(c + dx)/2]^4 \cdot \sqrt{\operatorname{Sec}[c + dx]} \cdot (-\sin[(c + dx)/2] + \sin[(3 \cdot (c + dx))/2])) / (4 \cdot d \cdot (a \cdot (1 + \cos[c + dx]))^{(5/2)})$

**Maple [B]** time = 0.582, size = 375, normalized size = 2.2

$$\frac{\sqrt{2} \cos(dx + c) (-1 + \cos(dx + c))^3}{32 da^3 (\sin(dx + c))^7} \sqrt{a(1 + \cos(dx + c))} \left( A \sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} (\cos(dx + c))^2 + 7B \sqrt{2} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/(a+cos(d*x+c)*a)^(5/2)/sec(d*x+c)^(1/2),x)`

[Out]  $1/32/d*2^{(1/2)}/a^3*(a*(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)*(-1+\cos(d*x+c))^{3*(A*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)^2+7*B*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)^2+5*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)+4*A*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)+3*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)-4*B*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)+5*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)-5*A*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}+3*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)-3*B*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)})/(1/\cos(d*x+c))^{(1/2)}/(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}/\sin(d*x+c)^7$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorith="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(5/2)*sqrt(sec(d*x + c))), x)`

**Fricas [A]** time = 1.71398, size = 544, normalized size = 3.13

$$\frac{\sqrt{2}((5A + 3B) \cos(dx + c)^3 + 3(5A + 3B) \cos(dx + c)^2 + 3(5A + 3B) \cos(dx + c) + 5A + 3B) \sqrt{a} \arctan\left(\frac{\sqrt{2} \sqrt{a} \cos(dx + c)}{\sqrt{a^3 d \cos(dx + c)^3 + 3a^3 d \cos(dx + c)^2 + 3a^3 d \cos(dx + c) + 5A + 3B}}\right)}{32(a^3 d \cos(dx + c)^3 + 3a^3 d \cos(dx + c)^2 + 3a^3 d \cos(dx + c) + 5A + 3B)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorith="fricas")`

```
[Out] -1/32*(sqrt(2)*((5*A + 3*B)*cos(d*x + c)^3 + 3*(5*A + 3*B)*cos(d*x + c)^2 +
3*(5*A + 3*B)*cos(d*x + c) + 5*A + 3*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(
d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - 2*((A + 7*B)*cos
(d*x + c)^2 + (5*A + 3*B)*cos(d*x + c))*sqrt(a*cos(d*x + c) + a)*sin(d*x +
c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a
^3*d*cos(d*x + c) + a^3*d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(5/2)/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algo
rithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(5/2)*sqrt(sec(d*x + c
))), x)
```

$$3.541 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{5/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=234

$$\frac{(3A - 43B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)}}\right)}{a^{5/2}d}$$

```
[Out] (2*B*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^(5/2)*d) + ((3*A - 43*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sin[c + d*x])/(4*d*(a + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(3/2)) + ((3*A - 11*B)*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]])
```

**Rubi [A]** time = 0.738146, antiderivative size = 234, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2961, 2977, 2982, 2782, 205, 2774, 216}

$$\frac{(3A - 43B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{16\sqrt{2}a^{5/2}d} + \frac{2B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)}}\right)}{a^{5/2}d}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(3/2)), x]
```

```
[Out] (2*B*ArcSin[(Sqrt[a]*Sin[c + d*x])/Sqrt[a + a*Cos[c + d*x]]]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]/(a^(5/2)*d) + ((3*A - 43*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(16*Sqrt[2]*a^(5/2)*d) + ((A - B)*Sin[c + d*x])/(4*d*(a + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(3/2)) + ((3*A - 11*B)*Sin[c + d*x])/(16*a*d*(a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]])
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

#### Rule 2977

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2982

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(A\*b - a\*B)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2782

Int[1/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 205

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rule 2774

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

Rule 216

Int[1/Sqrt[(a\_.) + (b\_.)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{5/2}} dx \\
 &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{c}}{4a^2}}{4a^2} \\
 &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} + \frac{(3A - 11B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} \\
 &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} + \frac{(3A - 11B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} \\
 &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} + \frac{(3A - 11B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} \\
 &= \frac{2B \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} + (3A - 43B) \tan^{-1} \left( \frac{\sqrt{c}}{a^{5/2} d} \right)}{a^{5/2} d}
 \end{aligned}$$

**Mathematica [C]** time = 2.5089, size = 264, normalized size = 1.13

$$\cos^5\left(\frac{1}{2}(c+dx)\right)\left(\frac{1}{2}\left(\sin\left(\frac{3}{2}(c+dx)\right)-\sin\left(\frac{1}{2}(c+dx)\right)\right)\right)\sec^4\left(\frac{1}{2}(c+dx)\right)\sqrt{\sec(c+dx)}((7A-15B)\cos(c+dx)+3A-11B)$$

8d(a

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(3/2)),x]
```

```
[Out] (Cos[(c + d*x)/2]^5*(((-I)*Sqrt[2]*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*(32*B*ArcSinh[E^(I*(c + d*x))] - Sqrt[2]*(3*A - 43*B)*ArcTanh[(1 - E^(I*(c + d*x))]/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) - 32*B*ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])/E^((I/2)*(c + d*x)) + ((3*A - 11*B + (7*A - 15*B)*Cos[c + d*x])*Sec[(c + d*x)/2]^4*Sqrt[Sec[c + d*x]]*(-Sin[(c + d*x)/2] + Sin[(3*(c + d*x))/2]))/2))/(8*d*(a*(1 + Cos[c + d*x])^(5/2)))
```

**Maple [B]** time = 0.605, size = 476, normalized size = 2.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/(a+cos(d*x+c)*a)^(5/2)/sec(d*x+c)^(3/2),x)
```

```
[Out] -1/32/d*2^(1/2)/a^3*(a*(1+cos(d*x+c)))^(1/2)*(-1+cos(d*x+c))^4*cos(d*x+c)*(7*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^2-15*B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^2-32*B*2^(1/2)*sin(d*x+c)*cos(d*x+c)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))+3*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)-4*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)-43*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)+4*B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)-32*B*2^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*sin(d*x+c)+3*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)-3*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-43*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)+11*B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2))/(1/cos(d*x+c))^(3/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(5/2)/sin(d*x+c)^9
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^(3/2)), x)
```



---

**Fricas [A]** time = 77.0789, size = 759, normalized size = 3.24

$$\sqrt{2}((3A - 43B)\cos(dx + c)^3 + 3(3A - 43B)\cos(dx + c)^2 + 3(3A - 43B)\cos(dx + c) + 3A - 43B)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a}\cos(dx + c) + a}{\sqrt{a}\sin(dx + c)}\right) + 64(B\cos(dx + c)^3 + 3B\cos(dx + c)^2 + 3B\cos(dx + c) + B)\sqrt{a}\arctan\left(\frac{\sqrt{a}\cos(dx + c) + a}{\sqrt{a}\sin(dx + c)}\right) - 2((7A - 15B)\cos(dx + c)^2 + (3A - 11B)\cos(dx + c))\sqrt{a}\cos(dx + c) + a\sin(dx + c)/\sqrt{\cos(dx + c)}}{(a^3d\cos(dx + c)^3 + 3a^3d\cos(dx + c)^2 + 3a^3d\cos(dx + c) + a^3d)}$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] -1/32\*(sqrt(2)\*((3\*A - 43\*B)\*cos(d\*x + c)^3 + 3\*(3\*A - 43\*B)\*cos(d\*x + c)^2 + 3\*(3\*A - 43\*B)\*cos(d\*x + c) + 3\*A - 43\*B)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) + 64\*(B\*cos(d\*x + c)^3 + 3\*B\*cos(d\*x + c)^2 + 3\*B\*cos(d\*x + c) + B)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 2\*((7\*A - 15\*B)\*cos(d\*x + c)^2 + (3\*A - 11\*B)\*cos(d\*x + c))\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a^3\*d\*cos(d\*x + c)^3 + 3\*a^3\*d\*cos(d\*x + c)^2 + 3\*a^3\*d\*cos(d\*x + c) + a^3\*d)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(3/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(3/2)), x)

$$3.542 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{5/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=286

$$\frac{(2A - 5B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(11A - 35B) \sin(c + dx)}{16a^2d\sqrt{\sec(c + dx)}\sqrt{a \cos(c + dx) + a}} - \frac{(43A - 115B)\sqrt{\cos(c + dx)}}{16a^2d\sqrt{\sec(c + dx)}\sqrt{a \cos(c + dx) + a}}$$

[Out] ((2\*A - 5\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(a^(5/2)\*d) - ((43\*A - 115\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(16\*Sqrt[2]\*a^(5/2)\*d) + ((A - B)\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(5/2)) + ((7\*A - 15\*B)\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(3/2)) - ((11\*A - 35\*B)\*Sin[c + d\*x])/(16\*a^2\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])

**Rubi [A]** time = 0.981494, antiderivative size = 286, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2961, 2977, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{(2A - 5B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{a \cos(c+dx)+a}}\right)}{a^{5/2}d} - \frac{(11A - 35B) \sin(c + dx)}{16a^2d\sqrt{\sec(c + dx)}\sqrt{a \cos(c + dx) + a}} - \frac{(43A - 115B)\sqrt{\cos(c + dx)}}{16a^2d\sqrt{\sec(c + dx)}\sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(5/2)),x]

[Out] ((2\*A - 5\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(a^(5/2)\*d) - ((43\*A - 115\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(16\*Sqrt[2]\*a^(5/2)\*d) + ((A - B)\*Sin[c + d\*x])/(4\*d\*(a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(5/2)) + ((7\*A - 15\*B)\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(3/2)) - ((11\*A - 35\*B)\*Sin[c + d\*x])/(16\*a^2\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Ssin[e + f\*x])^m, Int[((a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^n)/(g\*Ssin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2977

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; Free

$Q[\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}] \&\& \text{GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] \mid \mid \text{EqQ}[c, 0])$

### Rule 2983

$\text{Int}[\{(a_{\cdot}) + (b_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\}^{(m_{\cdot})} \{(A_{\cdot}) + (B_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\} \{(c_{\cdot}) + (d_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\}^{(n_{\cdot})}, x_{\text{Symbol}}] \rightarrow -\text{Simp}[(B\cos[e + f*x]*(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x])^n)/(f*(m + n + 1)), x] + \text{Dist}[1/(b*(m + n + 1)), \text{Int}[(a + b*\sin[e + f*x])^m*(c + d*\sin[e + f*x])^{(n - 1)}*\text{Simp}[A*b*c*(m + n + 1) + B*(a*c*m + b*d*n) + (A*b*d*(m + n + 1) + B*(a*d*m + b*c*n))*\sin[e + f*x], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[n, 0] \&\& (\text{IntegerQ}[n] \mid \mid \text{EqQ}[m + 1/2, 0])$

### Rule 2982

$\text{Int}[\{(A_{\cdot}) + (B_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]\}/(\text{Sqrt}[(a_{\cdot}) + (b_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]]*\text{Sqrt}[(c_{\cdot}) + (d_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]]), x_{\text{Symbol}}] \rightarrow \text{Dist}[(A*b - a*B)/b, \text{Int}[1/(\text{Sqrt}[a + b*\sin[e + f*x]]*\text{Sqrt}[c + d*\sin[e + f*x]]), x], x] + \text{Dist}[B/b, \text{Int}[\text{Sqrt}[a + b*\sin[e + f*x]]/\text{Sqrt}[c + d*\sin[e + f*x]], x], x] /; \text{FreeQ}[\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 2782

$\text{Int}[1/(\text{Sqrt}[(a_{\cdot}) + (b_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]]*\text{Sqrt}[(c_{\cdot}) + (d_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]]), x_{\text{Symbol}}] \rightarrow \text{Dist}[(-2*a)/f, \text{Subst}[\text{Int}[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*\cos[e + f*x])]/(\text{Sqrt}[a + b*\sin[e + f*x]]*\text{Sqrt}[c + d*\sin[e + f*x]])], x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 205

$\text{Int}[\{(a_{\cdot}) + (b_{\cdot})(x_{\cdot})^2\}^{(-1)}, x_{\text{Symbol}}] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{PosQ}[a/b]$

### Rule 2774

$\text{Int}[\text{Sqrt}[(a_{\cdot}) + (b_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]]/\text{Sqrt}[(d_{\cdot})\sin[(e_{\cdot}) + (f_{\cdot})(x_{\cdot})]]*(x_{\cdot})], x_{\text{Symbol}}] \rightarrow \text{Dist}[-2/f, \text{Subst}[\text{Int}[1/\text{Sqrt}[1 - x^2/a], x], x, (b*\cos[e + f*x])/\text{Sqrt}[a + b*\sin[e + f*x]]], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{EqQ}[d, a/b]$

### Rule 216

$\text{Int}[1/\text{Sqrt}[(a_{\cdot}) + (b_{\cdot})(x_{\cdot})^2], x_{\text{Symbol}}] \rightarrow \text{Simp}[\text{ArcSin}[(\text{Rt}[-b, 2]*x)/\text{Sqrt}[a]]/\text{Rt}[-b, 2], x] /; \text{FreeQ}[\{a, b\}, x] \&\& \text{GtQ}[a, 0] \&\& \text{NegQ}[b]$

### Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{5}{2}}(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{5/2}} dx \\
 &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{\frac{3}{2}}(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{5/2}} dx}{4a^2} \\
 &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} + \frac{(7A - 15B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sec^2(c + dx)} \\
 &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} + \frac{(7A - 15B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} + \frac{(7A - 15B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} + \frac{(7A - 15B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} + \frac{(7A - 15B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{(A - B) \sin(c + dx)}{4d(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} + \frac{(7A - 15B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{3/2} \sec^{\frac{3}{2}}(c + dx)} \\
 &= \frac{(2A - 5B) \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} - (43A - 115B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{a^{5/2} d}
 \end{aligned}$$

**Mathematica [C]** time = 7.15705, size = 929, normalized size = 3.25

$$\sqrt{\sec(c + dx)} \left( \frac{\sec\left(\frac{c}{2}\right) \left( B \sin\left(\frac{dx}{2}\right) - A \sin\left(\frac{dx}{2}\right) \right) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{2d} - \frac{(A - B) \tan\left(\frac{c}{2}\right) \sec^3\left(\frac{c}{2} + \frac{dx}{2}\right)}{2d} + \frac{\sec\left(\frac{c}{2}\right) \left( 19A \sin\left(\frac{dx}{2}\right) - 27B \sin\left(\frac{dx}{2}\right) \right) \sec^2\left(\frac{c}{2} + \frac{dx}{2}\right)}{4d} + \frac{(19A - 27B) \tan\left(\frac{c}{2}\right) \sec\left(\frac{c}{2} + \frac{dx}{2}\right)}{4d} \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(5/2)), x]
```

```
[Out] (((-11*I)/4)*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^5)/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(5/2)) + (((35*I)/4)*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^5)/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(5/2)) + ((4*I)*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*(-ArcSinh[E^(I*(c + d*x))]) + Sqrt[2]*ArcTanh[(-1 + E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) + ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^5)/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(5/2)) - ((10*I)*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*(-ArcSinh[E^(I*(c + d*x))]) + Sqrt[2]*ArcTanh[(-1 + E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) + ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^5)/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(5/2)) + (Cos[c/2 + (d*x)/2]^5*Sqrt[Sec[c + d*x]]*((15*(-A + B)*Cos[(d*x)/2]*Sin[c/2]))/(2*d) + (4*B*Cos[(3*d*x)/2]*Sin[(3*c)/2])/d - (15*(A - B)*Cos[c/2]*Sin[(d*x)/2])/(2*d) + (Sec[c/2]*Sec[c/2 + (d*x)/2]^2*(19*A*Sin[(d*x)/2] - 27*B*Sin[(d*x)/2]))/(2*d)
```

$$\frac{B \sin\left(\frac{d*x}{2}\right)}{(4*d)} + \frac{(\sec\left[\frac{c}{2}\right] * \sec\left[\frac{c}{2} + \frac{d*x}{2}\right])^4 * (-A * \sin\left[\frac{d*x}{2}\right]) + B * \sin\left(\frac{d*x}{2}\right)}{(2*d)} + \frac{4*B*\cos\left[\frac{3*c}{2}\right]*\sin\left[\frac{3*d*x}{2}\right]}{d} + \frac{((19*A - 27*B) * \sec\left[\frac{c}{2} + \frac{d*x}{2}\right] * \tan\left[\frac{c}{2}\right])}{(4*d)} - \frac{((A - B) * \sec\left[\frac{c}{2} + \frac{d*x}{2}\right])^3 * \tan\left[\frac{c}{2}\right]}{(2*d)} \right) / (a * (1 + \cos[c + d*x]))^{5/2}$$

**Maple [B]** time = 0.615, size = 609, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^(5/2)/sec(d\*x+c)^(5/2),x)

[Out] 
$$\begin{aligned} & -1/32/d*2^{(1/2)}/a^3*(a*(1+\cos(d*x+c)))^{(1/2)}*(-1+\cos(d*x+c))^5*\cos(d*x+c)* \\ & -16*B*\cos(d*x+c)^3*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}+15*A*2^{(1/2)}*( \\ & \cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)^2+32*A*\cos(d*x+c)*2^{(1/2)}*\sin(d \\ & *x+c)*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}/\cos(d*x+c))-39*B* \\ & 2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)^2-80*B*2^{(1/2)}*\sin(d*x \\ & +c)*\cos(d*x+c)*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}/\cos(d*x \\ & c))+43*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)-4*A*2^{(1/ \\ & 2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)+32*A*\arctan(\sin(d*x+c)*(\cos \\ & (d*x+c)/(1+\cos(d*x+c)))^{(1/2)}/\cos(d*x+c))*2^{(1/2)}*\sin(d*x+c)-115*B*\arcsin(( \\ & -1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)+20*B*2^{(1/2)}*(\cos(d*x+c)/( \\ & 1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)-80*B*2^{(1/2)}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/ \\ & (1+\cos(d*x+c)))^{(1/2)}/\cos(d*x+c))*\sin(d*x+c)+43*A*\arcsin((-1+\cos(d*x+c))/\si \\ & n(d*x+c))*\sin(d*x+c)-11*A*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}-115*B*a \\ & rcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)+35*B*2^{(1/2)}*(\cos(d*x+c)/(1+co \\ & s(d*x+c)))^{(1/2)}/(1/\cos(d*x+c))^{(5/2)}/(\cos(d*x+c)/(1+\cos(d*x+c)))^{(7/2)}/\si \\ & n(d*x+c)^{11} \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(5/2)), x)

**Fricas [A]** time = 99.5675, size = 853, normalized size = 2.98

$$\sqrt{2} \left( (43A - 115B) \cos(dx + c)^3 + 3(43A - 115B) \cos(dx + c)^2 + 3(43A - 115B) \cos(dx + c) + 43A - 115B \right) \sqrt{a} \arcsin\left(\frac{\cos(dx + c) + a}{\sqrt{a} \sec(dx + c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(5/2),x, algorithm="fricas")
```

```
[Out] 1/32*(sqrt(2)*((43*A - 115*B)*cos(d*x + c)^3 + 3*(43*A - 115*B)*cos(d*x + c)^2 + 3*(43*A - 115*B)*cos(d*x + c) + 43*A - 115*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - 32*((2*A - 5*B)*cos(d*x + c)^3 + 3*(2*A - 5*B)*cos(d*x + c)^2 + 3*(2*A - 5*B)*cos(d*x + c) + 2*A - 5*B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*(16*B*cos(d*x + c)^3 - 5*(3*A - 11*B)*cos(d*x + c)^2 - (11*A - 35*B)*cos(d*x + c))*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^3*d*cos(d*x + c)^3 + 3*a^3*d*cos(d*x + c)^2 + 3*a^3*d*cos(d*x + c) + a^3*d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(5/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(5/2)/sec(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^(5/2)), x)
```

$$3.543 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=317

$$\frac{(579A - 199B) \sin(c + dx) \sec^3(c + dx)}{192a^3 d \sqrt{a \cos(c + dx) + a}} - \frac{(109A - 41B) \sin(c + dx) \sec^3(c + dx)}{64a^2 d (a \cos(c + dx) + a)^{3/2}} - \frac{(1887A - 691B) \sin(c + dx) \sqrt{\sec(c + dx)}}{192a^3 d \sqrt{a \cos(c + dx) + a}}$$

```
[Out] ((1015*A - 363*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(64*Sqrt[2]*a^(7/2)*d) - ((1887*A - 691*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(192*a^3*d*Sqrt[a + a*Cos[c + d*x]]) - ((A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(6*d*(a + a*Cos[c + d*x])^(7/2)) - ((23*A - 11*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(48*a*d*(a + a*Cos[c + d*x])^(5/2)) - ((109*A - 41*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(64*a^2*d*(a + a*Cos[c + d*x])^(3/2)) + ((579*A - 199*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(192*a^3*d*Sqrt[a + a*Cos[c + d*x]])
```

**Rubi [A]** time = 1.14665, antiderivative size = 317, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2978, 2984, 12, 2782, 205}

$$\frac{(579A - 199B) \sin(c + dx) \sec^3(c + dx)}{192a^3 d \sqrt{a \cos(c + dx) + a}} - \frac{(109A - 41B) \sin(c + dx) \sec^3(c + dx)}{64a^2 d (a \cos(c + dx) + a)^{3/2}} - \frac{(1887A - 691B) \sin(c + dx) \sqrt{\sec(c + dx)}}{192a^3 d \sqrt{a \cos(c + dx) + a}}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + a*Cos[c + d*x])^(7/2), x]
```

```
[Out] ((1015*A - 363*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(64*Sqrt[2]*a^(7/2)*d) - ((1887*A - 691*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(192*a^3*d*Sqrt[a + a*Cos[c + d*x]]) - ((A - B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(6*d*(a + a*Cos[c + d*x])^(7/2)) - ((23*A - 11*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(48*a*d*(a + a*Cos[c + d*x])^(5/2)) - ((109*A - 41*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(64*a^2*d*(a + a*Cos[c + d*x])^(3/2)) + ((579*A - 199*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(192*a^3*d*Sqrt[a + a*Cos[c + d*x]])
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

#### Rule 2978

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
```

$b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[m, -2^{(-1)}]$   
 $\&\& \text{!GtQ}[n, 0] \&\& \text{IntegerQ}[2*m] \&\& (\text{IntegerQ}[2*n] \parallel \text{EqQ}[c, 0])$

#### Rule 2984

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)])^{(m_)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_)])*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)])^{(n_)}, x\_Symbol] \rightarrow \text{Simp}[(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{(n+1)})/(f*(n+1)*(c^2 - d^2)), x] + \text{Dist}[1/(b*(n+1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^{(n+1)}*\text{Simp}[A*(a*d*m + b*c*(n+1)) - B*(a*c*m + b*d*(n+1)) + b*(B*c - A*d)*(m+n+2)*\text{Sin}[e + f*x], x], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, m\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{LtQ}[n, -1] \&\& (\text{IntegerQ}[n] \parallel \text{EqQ}[m + 1/2, 0])$

#### Rule 12

$\text{Int}[(a_)*(u_), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[u, x], x] /; \text{FreeQ}[a, x] \&\& \text{!MatchQ}[u, (b_)*(v_)] /; \text{FreeQ}[b, x]$

#### Rule 2782

$\text{Int}[1/(\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_)]])*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]]), x\_Symbol] \rightarrow \text{Dist}[(-2*a)/f, \text{Subst}[\text{Int}[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*\text{Cos}[e + f*x])/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]])], x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{EqQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

#### Rule 205

$\text{Int}[(a_.) + (b_.)*(x_)^2)^{(-1)}, x\_Symbol] \rightarrow \text{Simp}[(\text{Rt}[a/b, 2]*\text{ArcTan}[x/\text{Rt}[a/b, 2]])/a, x] /; \text{FreeQ}\{a, b\}, x] \&\& \text{PosQ}[a/b]$

#### Rubi steps



$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{(a + a \cos(c + dx))^{7/2}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx) (a + a \cos(c + dx))^{7/2}} dx \\
&= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\frac{3}{2}a(5A - B)}{\cos^{\frac{5}{2}}(c + dx)}}{6a^2} \\
&= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(23A - 11B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} \\
&= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(23A - 11B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} \\
&= -\frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(23A - 11B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} \\
&= -\frac{(1887A - 691B) \sqrt{\sec(c + dx)} \sin(c + dx)}{192a^3 d \sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} \\
&= -\frac{(1887A - 691B) \sqrt{\sec(c + dx)} \sin(c + dx)}{192a^3 d \sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} \\
&= -\frac{(1887A - 691B) \sqrt{\sec(c + dx)} \sin(c + dx)}{192a^3 d \sqrt{a + a \cos(c + dx)}} - \frac{(A - B) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} \\
&= \frac{(1015A - 363B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64 \sqrt{2} a^{7/2} d}
\end{aligned}$$

**Mathematica [C]** time = 5.5, size = 267, normalized size = 0.84

$$\cos^7\left(\frac{1}{2}(c + dx)\right) \left( -\frac{\tan\left(\frac{1}{2}(c + dx)\right) \sec^5\left(\frac{1}{2}(c + dx)\right) \sec^{\frac{3}{2}}(c + dx) (4(9415A - 3579B) \cos(c + dx) + 8(3069A - 1145B) \cos(2(c + dx)) + 10164A \cos(3(c + dx)) + 18)}{96d} \right)$$


---


$$8(a(\cos(c + dx)))^{7/2}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2))/(a + a\*Cos[c + d\*x])^(7/2), x]

[Out] (Cos[(c + d\*x)/2]^7\*((I\*(1015\*A - 363\*B)\*Sqrt[E^(I\*(c + d\*x))]/(1 + E^((2\*I)\*(c + d\*x))))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[(1 - E^(I\*(c + d\*x))]/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]))/(d\*E^((I/2)\*(c + d\*x))) - ((21641\*A - 8469\*B + 4\*(9415\*A - 3579\*B)\*Cos[c + d\*x] + 8\*(3069\*A - 1145\*B)\*Cos[2\*(c + d\*x)] + 10164\*A\*Cos[3\*(c + d\*x)] - 3748\*B\*Cos[3\*(c + d\*x)] + 1887\*A\*Cos[4\*(c + d\*x)] - 691\*B\*Cos[4\*(c + d\*x)])\*Sec[(c + d\*x)/2]^5\*Sec[c + d\*x]^(3/2)\*Tan[(c + d\*x)/2]/(96\*d))/(8\*(a\*(1 + Cos[c + d\*x]))^(7/2))

**Maple [B]** time = 0.649, size = 729, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+cos(d*x+c)*a)^(7/2),x)`

[Out] 
$$\begin{aligned} & -1/384/d*2^{(1/2)}/a^4*(-1+\cos(d*x+c))*(-3045*A*\cos(d*x+c)^4*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}*\sin(d*x+c)+1089*B*\cos(d*x+c)^4*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}*\sin(d*x+c)-12180*A*\sin(d*x+c)*\cos(d*x+c)^3*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}+4356*B*\sin(d*x+c)*\cos(d*x+c)^3*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}-18270*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}+6534*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}+1887*A*\cos(d*x+c)^5*2^{(1/2)}-12180*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}-691*B*\cos(d*x+c)^5*2^{(1/2)}+4356*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}+3195*A*\cos(d*x+c)^4*2^{(1/2)}-3045*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}-1183*B*\cos(d*x+c)^4*2^{(1/2)}+1089*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(3/2)}-831*A*\cos(d*x+c)^3*2^{(1/2)}+275*B*\cos(d*x+c)^3*2^{(1/2)}-3355*A*\cos(d*x+c)^2*2^{(1/2)}+1215*B*\cos(d*x+c)^2*2^{(1/2)}-1024*A*\cos(d*x+c)*2^{(1/2)}+384*B*\cos(d*x+c)*2^{(1/2)}+128*A*2^{(1/2)}*\cos(d*x+c)*(1/\cos(d*x+c))^{(5/2)}*(a*(1+\cos(d*x+c)))^{(1/2)}/\sin(d*x+c)^3/(1+\cos(d*x+c))^2 \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="maxima")`

[Out] Timed out

**Fricas [A]** time = 1.84682, size = 822, normalized size = 2.59

$$3\sqrt{2}\left((1015A - 363B)\cos(dx + c)^5 + 4(1015A - 363B)\cos(dx + c)^4 + 6(1015A - 363B)\cos(dx + c)^3 + 4(1015A - 363B)\cos(dx + c)^2 + (1015A - 363B)\cos(dx + c)\right)\sqrt{a}\arctan\left(\frac{\sqrt{2}\sqrt{a\cos(dx + c) + a}\sqrt{\cos(dx + c)}}{\sqrt{a}\sin(dx + c)}\right) + 2\left((1887A - 691B)\cos(dx + c)^4 + 2(2541A - 937B)\cos(dx + c)^3 + 39(109A - 41B)\cos(dx + c)^2 + 128(7A - 3B)\cos(dx + c) - 128A\right)\sqrt{a\cos(dx + c) + a}\sin(dx + c)/\sqrt{\cos(dx + c)}\left/(a^4d\cos(dx + c)^5 + 4a^4d\cos(dx + c)^4 + 6a^4d\cos(dx + c)^3 + 4a^4d\cos(dx + c)^2 + a^4d\cos(dx + c)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+a*cos(d*x+c))^(7/2),x, algorithm="fricas")`

[Out] 
$$\begin{aligned} & -1/384*(3*\sqrt{2})*((1015*A - 363*B)*\cos(d*x + c)^5 + 4*(1015*A - 363*B)*\cos(d*x + c)^4 + 6*(1015*A - 363*B)*\cos(d*x + c)^3 + 4*(1015*A - 363*B)*\cos(d*x + c)^2 + (1015*A - 363*B)*\cos(d*x + c))*\sqrt{a}\arctan(\sqrt{2}*\sqrt{a*\cos(d*x + c) + a}*\sqrt{\cos(d*x + c)})/(\sqrt{a}*\sin(d*x + c))) + 2*((1887*A - 691*B)*\cos(d*x + c)^4 + 2*(2541*A - 937*B)*\cos(d*x + c)^3 + 39*(109*A - 41*B)*\cos(d*x + c)^2 + 128*(7*A - 3*B)*\cos(d*x + c) - 128*A)*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c)/\sqrt{\cos(d*x + c)}\left/(a^4*d*\cos(d*x + c)^5 + 4*a^4*d*\cos(d*x + c)^4 + 6*a^4*d*\cos(d*x + c)^3 + 4*a^4*d*\cos(d*x + c)^2 + a^4*d*\cos(d*x + c)\right) \end{aligned}$$

$x + c)$ )

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(5/2)/(a+a\*cos(d\*x+c))\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(5/2)/(a\*cos(d\*x + c) + a)^(7/2), x)

$$3.544 \quad \int \frac{(A+B \cos(c+dx)) \sec^2(c+dx)}{(a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=270

$$\frac{(691A - 103B) \sin(c + dx) \sqrt{\sec(c + dx)}}{192a^3 d \sqrt{a \cos(c + dx) + a}} - \frac{(199A - 43B) \sin(c + dx) \sqrt{\sec(c + dx)}}{192a^2 d (a \cos(c + dx) + a)^{3/2}} - \frac{3(121A - 21B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64 \sqrt{a}}$$

[Out] (-3\*(121\*A - 21\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]])\*Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(64\*Sqrt[2]\*a^(7/2)\*d) - ((A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(6\*d\*(a + a\*Cos[c + d\*x])^(7/2)) - ((19\*A - 7\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(48\*a\*d\*(a + a\*Cos[c + d\*x])^(5/2)) - ((199\*A - 43\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(192\*a^2\*d\*(a + a\*Cos[c + d\*x])^(3/2)) + ((691\*A - 103\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(192\*a^3\*d\*Sqrt[a + a\*Cos[c + d\*x]])

**Rubi [A]** time = 0.949955, antiderivative size = 270, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2978, 2984, 12, 2782, 205}

$$\frac{(691A - 103B) \sin(c + dx) \sqrt{\sec(c + dx)}}{192a^3 d \sqrt{a \cos(c + dx) + a}} - \frac{(199A - 43B) \sin(c + dx) \sqrt{\sec(c + dx)}}{192a^2 d (a \cos(c + dx) + a)^{3/2}} - \frac{3(121A - 21B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64 \sqrt{a}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2))/(a + a\*Cos[c + d\*x])^(7/2), x]

[Out] (-3\*(121\*A - 21\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]])\*Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(64\*Sqrt[2]\*a^(7/2)\*d) - ((A - B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(6\*d\*(a + a\*Cos[c + d\*x])^(7/2)) - ((19\*A - 7\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(48\*a\*d\*(a + a\*Cos[c + d\*x])^(5/2)) - ((199\*A - 43\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(192\*a^2\*d\*(a + a\*Cos[c + d\*x])^(3/2)) + ((691\*A - 103\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(192\*a^3\*d\*Sqrt[a + a\*Cos[c + d\*x]])

### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^m, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

### Rule 2978

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]

&& !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2984

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(((B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(b\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[A\*(a\*d\*m + b\*c\*(n + 1)) - B\*(a\*c\*m + b\*d\*(n + 1)) + b\*(B\*c - A\*d)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[n, -1] && (IntegerQ[n] || EqQ[m + 1/2, 0])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

#### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x])\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

#### Rubi steps

$$\begin{aligned}
 \int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{(a + a \cos(c + dx))^{7/2}} dx &= \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)(a + a \cos(c + dx))^{7/2}} dx \\
 &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} + \frac{\left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{\frac{1}{2}a(13A - B) - \frac{1}{3}a^2 \cos^2(c + dx)}{\cos^{\frac{3}{2}}(c + dx)} dx}{6a^2} \\
 &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B)\sqrt{\sec(c + dx)} \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} + \dots \\
 &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B)\sqrt{\sec(c + dx)} \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} - \dots \\
 &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B)\sqrt{\sec(c + dx)} \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} - \dots \\
 &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B)\sqrt{\sec(c + dx)} \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} - \dots \\
 &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B)\sqrt{\sec(c + dx)} \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} - \dots \\
 &= -\frac{(A - B)\sqrt{\sec(c + dx)} \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}} - \frac{(19A - 7B)\sqrt{\sec(c + dx)} \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2}} - \dots \\
 &= -\frac{3(121A - 21B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2}\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{64\sqrt{2}a^{7/2}d}
 \end{aligned}$$

**Mathematica [C]** time = 3.18135, size = 242, normalized size = 0.9

$$\cos^7\left(\frac{1}{2}(c + dx)\right) \left(\frac{1}{16} \tan\left(\frac{1}{2}(c + dx)\right) \sec^5\left(\frac{1}{2}(c + dx)\right) \sqrt{\sec(c + dx)}(9(941A - 121B) \cos(c + dx) + 4(937A - 133B) \cos(2\right)$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + a*Cos[c + d*x])^(7/2), x]
```

```
[Out] (Cos[(c + d*x)/2]^7*((( -9*I)*(121*A - 21*B)*Sqrt[E^(I*(c + d*x))]/(1 + E^((2*I)*(c + d*x))))*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])/E^((I/2)*(c + d*x)) + ((5284*A - 532*B + 9*(941*A - 121*B)*Cos[c + d*x] + 4*(937*A - 133*B)*Cos[2*(c + d*x)]) + 691*A*Cos[3*(c + d*x)] - 103*B*Cos[3*(c + d*x)])*Sec[(c + d*x)/2]^5*Sqrt[Sec[c + d*x]]*Tan[(c + d*x)/2])/16)/(24*d*(a*(1 + Cos[c + d*x]))^(7/2))
```

**Maple [B]** time = 0.647, size = 595, normalized size = 2.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+cos(d*x+c)*a)^(7/2), x)
```

```
[Out] 1/384/d*2^(1/2)/a^4*(-1+cos(d*x+c))^2*(1089*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^3*sin(d*x+c)-189*B*arcsi
```

```
n((-1+cos(d*x+c))/sin(d*x+c))*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^
3*sin(d*x+c)+3267*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*sin(d*x
+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-691*A*cos(d*x+c)^4*2^(1/2)-567*B*arcs
in((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d
*x+c)))^(1/2)+103*B*cos(d*x+c)^4*2^(1/2)+3267*A*arcsin((-1+cos(d*x+c))/sin(
d*x+c))*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-1183*A*cos(
d*x+c)^3*2^(1/2)-567*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*
x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+163*B*cos(d*x+c)^3*2^(1/2)+1089*A*ar
csin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/
2)+275*A*cos(d*x+c)^2*2^(1/2)-189*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(
d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-71*B*cos(d*x+c)^2*2^(1/2)+1215*A*c
os(d*x+c)*2^(1/2)-195*B*cos(d*x+c)*2^(1/2)+384*A*2^(1/2))*cos(d*x+c)*(1/cos
(d*x+c))^(3/2)*(a*(1+cos(d*x+c)))^(1/2)/sin(d*x+c)^5/(1+cos(d*x+c))
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(7/2),x, algor
ithm="maxima")
```

```
[Out] Timed out
```

**Fricas [A]** time = 1.76961, size = 714, normalized size = 2.64

$$\frac{9\sqrt{2}\left((121A - 21B)\cos(dx + c)^4 + 4(121A - 21B)\cos(dx + c)^3 + 6(121A - 21B)\cos(dx + c)^2 + 4(121A - 21B)\cos(dx + c) + 121A - 21B\right)}{384\left(a^4d\cos(dx + c)^4 + 4a^4d\cos(dx + c)^3 + 6a^4d\cos(dx + c)^2 + 4a^4d\cos(dx + c) + a^4d\right)}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+a*cos(d*x+c))^(7/2),x, algor
ithm="fricas")
```

```
[Out] 1/384*(9*sqrt(2)*((121*A - 21*B)*cos(d*x + c)^4 + 4*(121*A - 21*B)*cos(d*x
+ c)^3 + 6*(121*A - 21*B)*cos(d*x + c)^2 + 4*(121*A - 21*B)*cos(d*x + c) +
121*A - 21*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x
+ c))/(sqrt(a)*sin(d*x + c))) + 2*((691*A - 103*B)*cos(d*x + c)^3 + 2*(937*
A - 133*B)*cos(d*x + c)^2 + 39*(41*A - 5*B)*cos(d*x + c) + 384*A)*sqrt(a*co
s(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^4*d*cos(d*x + c)^4 + 4*
a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*
d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(3/2)/(a+a*cos(d*x+c))**(7/2),x)
```

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+a\*cos(d\*x+c))^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(3/2)/(a\*cos(d\*x + c) + a)^(7/2), x)



$$3.545 \quad \int \frac{(A+B \cos(c+dx))\sqrt{\sec(c+dx)}}{(a+a \cos(c+dx))^{7/2}} dx$$

**Optimal.** Leaf size=223

$$\frac{(103A + 5B) \sin(c + dx)}{192a^2d\sqrt{\sec(c + dx)}(a \cos(c + dx) + a)^{3/2}} + \frac{(63A + 13B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d}$$

[Out] ((63\*A + 13\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]])\*Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(64\*Sqrt[2]\*a^(7/2)\*d) - ((A - B)\*Sin[c + d\*x])/(6\*d\*(a + a\*Cos[c + d\*x])^(7/2)\*Sqrt[Sec[c + d\*x]]) - ((5\*A - B)\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(5/2)\*Sqrt[Sec[c + d\*x]]) - ((103\*A + 5\*B)\*Sin[c + d\*x])/(192\*a^2\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]])

**Rubi [A]** time = 0.727955, antiderivative size = 223, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2978, 12, 2782, 205}

$$\frac{(103A + 5B) \sin(c + dx)}{192a^2d\sqrt{\sec(c + dx)}(a \cos(c + dx) + a)^{3/2}} + \frac{(63A + 13B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} \tan^{-1}\left(\frac{\sqrt{a} \sin(c+dx)}{\sqrt{2}\sqrt{\cos(c+dx)}\sqrt{a \cos(c+dx)+a}}\right)}{64\sqrt{2}a^{7/2}d}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]])/(a + a\*Cos[c + d\*x])^(7/2), x]

[Out] ((63\*A + 13\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]])\*Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(64\*Sqrt[2]\*a^(7/2)\*d) - ((A - B)\*Sin[c + d\*x])/(6\*d\*(a + a\*Cos[c + d\*x])^(7/2)\*Sqrt[Sec[c + d\*x]]) - ((5\*A - B)\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(5/2)\*Sqrt[Sec[c + d\*x]]) - ((103\*A + 5\*B)\*Sin[c + d\*x])/(192\*a^2\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[(g\*Csc[e + f\*x])^p\*(g\*Ssin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2978

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Simp[(b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(a\*f\*(2\*m + 1)\*(b\*c - a\*d)), x] + Dist[1/(a\*(2\*m + 1)\*(b\*c - a\*d)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[B\*(a\*c\*m + b\*d\*(n + 1)) + A\*(b\*c\*(m + 1) - a\*d\*(2\*m + n + 2)) + d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_)] /; FreeQ[b, x]

Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*cos[e + f\*x])/(Sqrt[a + b\*sin[e + f\*x])\*Sqrt[c + d\*sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

Rubi steps

$$\int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{(a + a \cos(c + dx))^{7/2}} dx = \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + a \cos(c + dx))^{7/2}} dx$$

$$= -\frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}\sqrt{\sec(c + dx)}} + \frac{\left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{6a^2}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}\sqrt{\sec(c + dx)}} - \frac{(5A - B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}\sqrt{\sec(c + dx)}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}\sqrt{\sec(c + dx)}} - \frac{(5A - B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}\sqrt{\sec(c + dx)}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}\sqrt{\sec(c + dx)}} - \frac{(5A - B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}\sqrt{\sec(c + dx)}}$$

$$= -\frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2}\sqrt{\sec(c + dx)}} - \frac{(5A - B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2}\sqrt{\sec(c + dx)}}$$

$$= \frac{(63A + 13B) \tan^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{2}\sqrt{\cos(c + dx)}\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{64\sqrt{2}a^{7/2}d} - \frac{1}{6d}$$

**Mathematica [C]** time = 3.02116, size = 228, normalized size = 1.02

$$\frac{\cos^7\left(\frac{1}{2}(c + dx)\right) \left(\sin\left(\frac{1}{2}(c + dx)\right) - \sin\left(\frac{3}{2}(c + dx)\right)\right) \sqrt{\sec(c + dx)} \sec^6\left(\frac{1}{2}(c + dx)\right) ((532A - 4B) \cos(c + dx) + (103A + 384d(a \cos(c + dx))))}{384d(a \cos(c + dx))}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*cos[c + d\*x])\*Sqrt[Sec[c + d\*x]])/(a + a\*cos[c + d\*x])^(7/2), x]

[Out] (Cos[(c + d\*x)/2]^7\*(((48\*I)\*(63\*A + 13\*B)\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])]/E^((I/2)\*(c + d\*x)) + (493\*A - 7\*3\*B + (532\*A - 4\*B)\*Cos[c + d\*x] + (103\*A + 5\*B)\*Cos[2\*(c + d\*x)])\*Sec[(c + d\*x)/2]^6\*Sqrt[Sec[c + d\*x]]\*(Sin[(c + d\*x)/2] - Sin[(3\*(c + d\*x))/2])))/

$384*d*(a*(1 + \text{Cos}[c + d*x]))^{(7/2)}$

**Maple [B]** time = 0.707, size = 512, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((A+B*\cos(d*x+c))*\sec(d*x+c)^{(1/2)}/(a+\cos(d*x+c)*a)^{(7/2)},x)$

[Out] 
$$-1/384/d*2^{(1/2)}/a^4*(1/\cos(d*x+c))^{(1/2)}*(a*(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)*(-1+\cos(d*x+c))^{(3/2)}*(103*A*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)^3+5*B*\cos(d*x+c)^3*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}+163*A*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)^2-189*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)^2*\sin(d*x+c)-7*B*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)^2-39*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+c)^2*\sin(d*x+c)-71*A*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)-378*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)-37*B*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)-78*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)-195*A*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}-189*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)+39*B*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}-39*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c))/\sin(d*x+c)^7/(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((A+B*\cos(d*x+c))*\sec(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(7/2)},x, \text{algorith m}="maxima")$

[Out] Timed out

**Fricas [A]** time = 1.73606, size = 686, normalized size = 3.08

$$\frac{3\sqrt{2}((63A+13B)\cos(dx+c)^4+4(63A+13B)\cos(dx+c)^3+6(63A+13B)\cos(dx+c)^2+4(63A+13B)\cos(dx+c)+63A+13B)\sqrt{a}\arctan(\sqrt{2}\sqrt{a\cos(dx+c)+a})\sqrt{\cos(dx+c)}}{384(a^4d\cos(dx+c)^4+4a^4d\cos(dx+c)^3}$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((A+B*\cos(d*x+c))*\sec(d*x+c)^{(1/2)}/(a+a*\cos(d*x+c))^{(7/2)},x, \text{algorith m}="fricas")$

[Out] 
$$-1/384*(3*\sqrt{2}*((63*A + 13*B)*\cos(d*x + c)^4 + 4*(63*A + 13*B)*\cos(d*x + c)^3 + 6*(63*A + 13*B)*\cos(d*x + c)^2 + 4*(63*A + 13*B)*\cos(d*x + c) + 63*A + 13*B)*\sqrt{a}*\arctan(\sqrt{2}*\sqrt{a*\cos(d*x + c) + a})*\sqrt{\cos(d*x + c)})/(\sqrt{a}*\sin(d*x + c))) + 2*((103*A + 5*B)*\cos(d*x + c)^3 + 2*(133*A - B)*\cos(d*x + c)^2 + 39*(5*A - B)*\cos(d*x + c))*\sqrt{a*\cos(d*x + c) + a}*\sin(d*x + c)/\sqrt{\cos(d*x + c)})/(a^4*d*\cos(d*x + c)^4 + 4*a^4*d*\cos(d*x + c)^3$$

+ 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(1/2)/(a+a\*cos(d\*x+c))\*\*(7/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\sec(dx + c)}}{(a \cos(dx + c) + a)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+a\*cos(d\*x+c))^(7/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(sec(d\*x + c))/(a\*cos(d\*x + c) + a)^(7/2), x)

$$3.546 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{7/2} \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=221

$$\frac{(5A - 17B) \sin(c + dx)}{192a^2 d \sqrt{\sec(c + dx)} (a \cos(c + dx) + a)^{3/2}} + \frac{(13A + 7B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}} \right)}{64 \sqrt{2} a^{7/2} d}$$

[Out] ((13\*A + 7\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]])\*Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(64\*Sqrt[2]\*a^(7/2)\*d) + ((A - B)\*Sin[c + d\*x])/(6\*d\*(a + a\*Cos[c + d\*x])^(7/2)\*Sqrt[Sec[c + d\*x]]) + ((A + 3\*B)\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(5/2)\*Sqrt[Sec[c + d\*x]]) - ((5\*A - 17\*B)\*Sin[c + d\*x])/(192\*a^2\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]])

**Rubi [A]** time = 0.725067, antiderivative size = 221, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2977, 2978, 12, 2782, 205}

$$\frac{(5A - 17B) \sin(c + dx)}{192a^2 d \sqrt{\sec(c + dx)} (a \cos(c + dx) + a)^{3/2}} + \frac{(13A + 7B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}} \right)}{64 \sqrt{2} a^{7/2} d}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])^(7/2)\*Sqrt[Sec[c + d\*x]]), x]

[Out] ((13\*A + 7\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]])\*Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(64\*Sqrt[2]\*a^(7/2)\*d) + ((A - B)\*Sin[c + d\*x])/(6\*d\*(a + a\*Cos[c + d\*x])^(7/2)\*Sqrt[Sec[c + d\*x]]) + ((A + 3\*B)\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(5/2)\*Sqrt[Sec[c + d\*x]]) - ((5\*A - 17\*B)\*Sin[c + d\*x])/(192\*a^2\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n/(g\*Sin[e + f\*x])^p, x, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2977

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Simp[(A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

#### Rule 2978

```
Int[((a_) + (b_.)*sin[(e_) + (f_.)*(x_)])^(m_)*((A_) + (B_.)*sin[(e_) + (f_.)*(x_)])*((c_) + (d_.)*sin[(e_) + (f_.)*(x_)])^(n_), x_Symbol] := Simp[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b_)*(v_) /; FreeQ[b, x]]
```

Rule 2782

```
Int[1/(Sqrt[(a_) + (b_.)*sin[(e_) + (f_.)*(x_)]]*Sqrt[(c_) + (d_.)*sin[(e_) + (f_.)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c - b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 205

```
Int[((a_) + (b_.)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + a \cos(c + dx))^{7/2}} dx$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\frac{1}{2}a(A - B) \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx}{6a^2}$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \frac{(A + 3B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \frac{(A + 3B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \frac{(A + 3B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sqrt{\sec(c + dx)}} + \frac{(A + 3B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{(13A + 7B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64 \sqrt{2} a^{7/2} d} + \frac{\dots}{6a^2}$$

**Mathematica [C]** time = 2.87215, size = 233, normalized size = 1.05

$$\cos^7 \left( \frac{1}{2}(c + dx) \right) \left( \frac{\left( \sin \left( \frac{1}{2}(c + dx) \right) - \sin \left( \frac{3}{2}(c + dx) \right) \right) \sec^6 \left( \frac{1}{2}(c + dx) \right) \sqrt{\sec(c + dx)} (4(A + 35B) \cos(c + dx) + (17B - 5A) \cos(2(c + dx)) + 73A + 59B)}{48d} + \frac{i(13A + 7B)e^{-i(c + dx)}}{8(a(\cos(c + dx) + 1))^{7/2}} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*cos[c + d*x])/((a + a*cos[c + d*x])^(7/2)*sqrt[Sec[c + d*x]]),x]
```

```
[Out] (Cos[(c + d*x)/2]^7*(I*(13*A + 7*B)*sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(sqrt[2]*sqrt[1 + E^((2*I)*(c + d*x))]])]/(d*E^((I/2)*(c + d*x))) - ((73*A + 59*B + 4*(A + 35*B)*Cos[c + d*x] + (-5*A + 17*B)*Cos[2*(c + d*x)])*Sec[(c + d*x)/2]^6*sqrt[Sec[c + d*x]]*(Sin[(c + d*x)/2] - Sin[(3*(c + d*x))/2]))/(48*d)))/(8*(a*(1 + Cos[c + d*x]))^(7/2))
```

**Maple [B]** time = 0.661, size = 512, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/(a+cos(d*x+c)*a)^(7/2)/sec(d*x+c)^(1/2),x)
```

```
[Out] 1/384/d*2^(1/2)/a^4*(a*(1+cos(d*x+c)))^(1/2)*cos(d*x+c)*(-1+cos(d*x+c))^4*(5*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^3-17*B*cos(d*x+c)^3*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-7*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^2-39*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*sin(d*x+c)-53*B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^2-21*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*sin(d*x+c)-37*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)-78*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)+49*B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)-42*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d*x+c)+39*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-39*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)+21*B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-21*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c))/(1/cos(d*x+c))^(1/2)/(cos(d*x+c)/(1+cos(d*x+c)))^(3/2)/sin(d*x+c)^9
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(7/2)*sqrt(sec(d*x + c))), x)
```

**Fricas [A]** time = 1.74693, size = 679, normalized size = 3.07

$$3\sqrt{2}\left((13A + 7B)\cos(dx + c)^4 + 4(13A + 7B)\cos(dx + c)^3 + 6(13A + 7B)\cos(dx + c)^2 + 4(13A + 7B)\cos(dx + c)\right) / \left(384\left(a^4d\cos(dx + c)\right)^4 + 4a^4d\cos(dx + c)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] -1/384*(3*sqrt(2)*((13*A + 7*B)*cos(d*x + c)^4 + 4*(13*A + 7*B)*cos(d*x + c)^3 + 6*(13*A + 7*B)*cos(d*x + c)^2 + 4*(13*A + 7*B)*cos(d*x + c) + 13*A + 7*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) + 2*((5*A - 17*B)*cos(d*x + c)^3 - 2*(A + 35*B)*cos(d*x + c)^2 - 3*(13*A + 7*B)*cos(d*x + c))*sqrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c))/(a^4*d*cos(d*x + c)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c) + a^4*d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))**(7/2)/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((a*cos(d*x + c) + a)^(7/2)*sqrt(sec(d*x + c))), x)
```



$$3.547 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{7/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=221

$$\frac{(17A + 67B) \sin(c + dx)}{192a^2 d \sqrt{\sec(c + dx)} (a \cos(c + dx) + a)^{3/2}} + \frac{(7A + 5B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}} \right)}{64 \sqrt{2} a^{7/2} d}$$

```
[Out] ((7*A + 5*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(64*Sqrt[2]*a^(7/2)*d) + ((A - B)*Sin[c + d*x])/(6*d*(a + a*Cos[c + d*x])^(7/2)*Sec[c + d*x]^(3/2)) + ((A - 13*B)*Sin[c + d*x])/(48*a*d*(a + a*Cos[c + d*x])^(5/2)*Sqrt[Sec[c + d*x]]) + ((17*A + 67*B)*Sin[c + d*x])/(192*a^2*d*(a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]])
```

**Rubi [A]** time = 0.723135, antiderivative size = 221, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2977, 2978, 12, 2782, 205}

$$\frac{(17A + 67B) \sin(c + dx)}{192a^2 d \sqrt{\sec(c + dx)} (a \cos(c + dx) + a)^{3/2}} + \frac{(7A + 5B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}} \right)}{64 \sqrt{2} a^{7/2} d}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(7/2)*Sec[c + d*x]^(3/2)), x]
```

```
[Out] ((7*A + 5*B)*ArcTan[(Sqrt[a]*Sin[c + d*x])/(Sqrt[2]*Sqrt[Cos[c + d*x]]*Sqrt[a + a*Cos[c + d*x]])]*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])/(64*Sqrt[2]*a^(7/2)*d) + ((A - B)*Sin[c + d*x])/(6*d*(a + a*Cos[c + d*x])^(7/2)*Sec[c + d*x]^(3/2)) + ((A - 13*B)*Sin[c + d*x])/(48*a*d*(a + a*Cos[c + d*x])^(5/2)*Sqrt[Sec[c + d*x]]) + ((17*A + 67*B)*Sin[c + d*x])/(192*a^2*d*(a + a*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]])
```

#### Rule 2961

```
Int[(csc[e_.] + (f_.)*(x_.))*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*SIN[e + f*x])^p, Int[((a + b*SIN[e + f*x])^m*(c + d*SIN[e + f*x])^n)/(g*SIN[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

#### Rule 2977

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Simp[((A*b - a*B)*Cos[e + f*x]*(a + b*SIN[e + f*x])^m*(c + d*SIN[e + f*x])^n)/(a*f*(2*m + 1)), x] - Dist[1/(a*b*(2*m + 1)), Int[(a + b*SIN[e + f*x])^(m + 1)*(c + d*SIN[e + f*x])^(n - 1)*Simp[A*(a*d*n - b*c*(m + 1)) - B*(a*c*m + b*d*n) - d*(a*B*(m - n) + A*b*(m + n + 1))*SIN[e + f*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 2978

```
Int[((a_) + (b_)*sin[(e_) + (f_)*(x_)])^(m_)*((A_) + (B_)*sin[(e_) +
(f_)*(x_)])*((c_) + (d_)*sin[(e_) + (f_)*(x_)])^(n_), x_Symbol] := Sim
p[(b*(A*b - a*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(
n + 1))/(a*f*(2*m + 1)*(b*c - a*d)), x] + Dist[1/(a*(2*m + 1)*(b*c - a*d)),
Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[B*(a*c*m + b*
d*(n + 1)) + A*(b*c*(m + 1) - a*d*(2*m + n + 2)) + d*(A*b - a*B)*(m + n + 2
)*Sin[e + f*x], x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[
b*c - a*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)]
&& !GtQ[n, 0] && IntegerQ[2*m] && (IntegerQ[2*n] || EqQ[c, 0])
```

Rule 12

```
Int[(a_)*(u_), x_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !Match
Q[u, (b_)*(v_)] /; FreeQ[b, x]
```

Rule 2782

```
Int[1/(Sqrt[(a_) + (b_)*sin[(e_) + (f_)*(x_)])*Sqrt[(c_) + (d_)*sin[(e
_) + (f_)*(x_)]]), x_Symbol] := Dist[(-2*a)/f, Subst[Int[1/(2*b^2 - (a*c
- b*d)*x^2), x], x, (b*Cos[e + f*x])/(Sqrt[a + b*Sin[e + f*x])*Sqrt[c + d*S
in[e + f*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] &&
EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 205

```
Int[((a_) + (b_)*(x_)^2)^(-1), x_Symbol] := Simp[(Rt[a/b, 2]*ArcTan[x/Rt[a
/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{7/2} \sec^3(c + dx)} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{7/2}} dx$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^3(c + dx)} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)}}{6a^2}}{6a^2}$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^3(c + dx)} + \frac{(A - 13B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^3(c + dx)} + \frac{(A - 13B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^3(c + dx)} + \frac{(A - 13B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^3(c + dx)} + \frac{(A - 13B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^3(c + dx)} + \frac{(A - 13B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}}$$

$$= \frac{(7A + 5B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{64 \sqrt{2} a^{7/2} d} + \frac{\dots}{6d}$$

**Mathematica [C]** time = 7.16513, size = 488, normalized size = 2.21

$$\cos^7\left(\frac{c}{2} + \frac{dx}{2}\right) \sqrt{\sec(c+dx)} \left( \frac{(17A+67B)\sin\left(\frac{c}{2}\right)\cos\left(\frac{dx}{2}\right)}{12d} + \frac{(17A+67B)\cos\left(\frac{c}{2}\right)\sin\left(\frac{dx}{2}\right)}{12d} + \frac{\sec\left(\frac{c}{2}\right)\sec^6\left(\frac{c}{2}+\frac{dx}{2}\right)\left(A\sin\left(\frac{dx}{2}\right)-B\sin\left(\frac{dx}{2}\right)\right)}{3d} + \frac{\sec\left(\frac{c}{2}\right)}{3d} \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])^(7/2)\*Sec[c + d\*x]^(3/2)), x]

[Out] ((I/8)\*(7\*A + 5\*B)\*Sqrt[E^(I\*(c + d\*x))/(1 + E^((2\*I)\*(c + d\*x)))]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*ArcTanh[(1 - E^(I\*(c + d\*x)))/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]])\*Cos[c/2 + (d\*x)/2]^7)/(d\*E^((I/2)\*(c + d\*x))\*(a\*(1 + Cos[c + d\*x]))^(7/2)) + (Cos[c/2 + (d\*x)/2]^7\*Sqrt[Sec[c + d\*x]]\*((17\*A + 67\*B)\*Cos[(d\*x)/2]\*Sin[c/2])/(12\*d) + ((17\*A + 67\*B)\*Cos[c/2]\*Sin[(d\*x)/2])/(12\*d) + (Sec[c/2]\*Sec[c/2 + (d\*x)/2]^2\*(19\*A\*Sin[(d\*x)/2] - 151\*B\*Sin[(d\*x)/2]))/(24\*d) + (Sec[c/2]\*Sec[c/2 + (d\*x)/2]^6\*(A\*Sin[(d\*x)/2] - B\*Sin[(d\*x)/2]))/(3\*d) + (Sec[c/2]\*Sec[c/2 + (d\*x)/2]^4\*(-17\*A\*Sin[(d\*x)/2] + 29\*B\*Sin[(d\*x)/2]))/(12\*d) + ((19\*A - 151\*B)\*Sec[c/2 + (d\*x)/2]\*Tan[c/2])/(24\*d) - ((17\*A - 29\*B)\*Sec[c/2 + (d\*x)/2]^3\*Tan[c/2])/(12\*d) + ((A - B)\*Sec[c/2 + (d\*x)/2]^5\*Tan[c/2])/(3\*d))/(a\*(1 + Cos[c + d\*x]))^(7/2)

**Maple [B]** time = 0.598, size = 512, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^(7/2)/sec(d\*x+c)^(3/2), x)

[Out] 1/384/d\*2^(1/2)/a^4\*(a\*(1+cos(d\*x+c)))^(1/2)\*(-1+cos(d\*x+c))^5\*cos(d\*x+c)\*(17\*A\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^3+67\*B\*cos(d\*x+c)^3\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+53\*A\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)^2+21\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2+15\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*cos(d\*x+c)^2\*sin(d\*x+c)-49\*A\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)+42\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*cos(d\*x+c)-35\*B\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*cos(d\*x+c)+30\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)\*cos(d\*x+c)-21\*A\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+21\*A\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c)-15\*B\*2^(1/2)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)+15\*B\*arcsin((-1+cos(d\*x+c))/sin(d\*x+c))\*sin(d\*x+c))/(1/cos(d\*x+c))^(3/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(5/2)/sin(d\*x+c)^11

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^2 \sec(dx + c)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(3/2), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^(7/2)\*sec(d\*x + c)^(3/2)), x)

**Fricas [A]** time = 1.84914, size = 675, normalized size = 3.05

$$\frac{3\sqrt{2}((7A + 5B)\cos(dx + c)^4 + 4(7A + 5B)\cos(dx + c)^3 + 6(7A + 5B)\cos(dx + c)^2 + 4(7A + 5B)\cos(dx + c) + 7A + 5B)\sqrt{a}\arctan(\sqrt{2}\sqrt{a\cos(dx + c) + a}\sqrt{\cos(dx + c)})}{384(a^4d\cos(dx + c)^4 + 4a^4d\cos(dx + c)^3 + 6a^4d\cos(dx + c)^2 + 4a^4d\cos(dx + c) + a^4d)}$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] -1/384\*(3\*sqrt(2)\*((7\*A + 5\*B)\*cos(d\*x + c)^4 + 4\*(7\*A + 5\*B)\*cos(d\*x + c)^3 + 6\*(7\*A + 5\*B)\*cos(d\*x + c)^2 + 4\*(7\*A + 5\*B)\*cos(d\*x + c) + 7\*A + 5\*B)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 2\*((17\*A + 67\*B)\*cos(d\*x + c)^3 + 10\*(7\*A + 5\*B)\*cos(d\*x + c)^2 + 3\*(7\*A + 5\*B)\*cos(d\*x + c)\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c)))/(a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(3/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(3/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^(7/2)\*sec(d\*x + c)^(3/2)), x)

$$3.548 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{7/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=281

$$\frac{(5A - 49B) \sin(c + dx)}{64a^2 d \sqrt{\sec(c + dx)} (a \cos(c + dx) + a)^{3/2}} + \frac{(5A - 177B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}} \right)}{64 \sqrt{2} a^{7/2} d}$$

[Out] (2\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(a^(7/2)\*d) + ((5\*A - 177\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(64\*Sqrt[2]\*a^(7/2)\*d) + ((A - B)\*Sin[c + d\*x])/(6\*d\*(a + a\*Cos[c + d\*x])^(7/2)\*Sec[c + d\*x]^(5/2)) + ((5\*A - 17\*B)\*Sin[c + d\*x])/(48\*a\*d\*(a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(3/2)) + ((5\*A - 49\*B)\*Sin[c + d\*x])/(64\*a^2\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]])

**Rubi [A]** time = 0.919124, antiderivative size = 281, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2961, 2977, 2982, 2782, 205, 2774, 216}

$$\frac{(5A - 49B) \sin(c + dx)}{64a^2 d \sqrt{\sec(c + dx)} (a \cos(c + dx) + a)^{3/2}} + \frac{(5A - 177B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{2} \sqrt{\cos(c + dx)} \sqrt{a \cos(c + dx) + a}} \right)}{64 \sqrt{2} a^{7/2} d}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])^(7/2)\*Sec[c + d\*x]^(5/2)), x]

[Out] (2\*B\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]])\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(a^(7/2)\*d) + ((5\*A - 177\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])/(64\*Sqrt[2]\*a^(7/2)\*d) + ((A - B)\*Sin[c + d\*x])/(6\*d\*(a + a\*Cos[c + d\*x])^(7/2)\*Sec[c + d\*x]^(5/2)) + ((5\*A - 17\*B)\*Sin[c + d\*x])/(48\*a\*d\*(a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(3/2)) + ((5\*A - 49\*B)\*Sin[c + d\*x])/(64\*a^2\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^m, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2977

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (Int

egerQ[2\*n] || EqQ[c, 0])

### Rule 2982

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(A\*b - a\*B)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2782

Int[1/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 205

Int[((a\_.) + (b\_.)\*(x\_)^2)^(-1), x\_Symbol] :> Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 2774

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] :> Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

### Rule 216

Int[1/Sqrt[(a\_.) + (b\_.)\*(x\_)^2], x\_Symbol] :> Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)^{5/2}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^5(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{7/2}} dx \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)^{5/2}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{7/2}} dx}{6a^2} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)^{5/2}} + \frac{(5A - 17B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)^{3/2}} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)^{5/2}} + \frac{(5A - 17B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)^{3/2}} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)^{5/2}} + \frac{(5A - 17B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)^{3/2}} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)^{5/2}} + \frac{(5A - 17B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)^{3/2}} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)^{5/2}} + \frac{(5A - 17B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)^{3/2}} \\
&= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)^{5/2}} + \frac{(5A - 17B) \sin(c + dx)}{48ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)^{3/2}} \\
&= \frac{2B \sin^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} (5A - 177B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right)}{a^{7/2} d} + \frac{(5A - 177B) \tan^{-1} \left( \frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}} \right) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{a^{7/2} d}
\end{aligned}$$

**Mathematica [C]** time = 3.91197, size = 281, normalized size = 1.

$$\cos^7 \left( \frac{1}{2}(c + dx) \right) \left( \frac{1}{8} \left( \sin \left( \frac{3}{2}(c + dx) \right) - \sin \left( \frac{1}{2}(c + dx) \right) \right) \right) \sec^6 \left( \frac{1}{2}(c + dx) \right) \sqrt{\sec(c + dx)} (4(25A - 181B) \cos(c + dx) + 6)$$

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])^(7/2)\*Sec[c + d\*x]^(5/2)), x]

[Out] (Cos[(c + d\*x)/2]^7\*(((-3\*I)\*Sqrt[2]\*Sqrt[E^(I\*(c + d\*x))]/(1 + E^((2\*I)\*(c + d\*x)))))\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]\*(128\*B\*ArcSinh[E^(I\*(c + d\*x))]] - Sqrt[2]\*(5\*A - 177\*B)\*ArcTanh[(1 - E^(I\*(c + d\*x))]/(Sqrt[2]\*Sqrt[1 + E^((2\*I)\*(c + d\*x))]]]) - 128\*B\*ArcTanh[Sqrt[1 + E^((2\*I)\*(c + d\*x))]])/E^((I/2)\*(c + d\*x)) + ((97\*A - 541\*B + 4\*(25\*A - 181\*B)\*Cos[c + d\*x] + (67\*A - 247\*B)\*Cos[2\*(c + d\*x)])\*Sec[(c + d\*x)/2]^6\*Sqrt[Sec[c + d\*x]]\*(-Sin[(c + d\*x)/2] + Sin[(3\*(c + d\*x))/2]))/8)/(48\*d\*(a\*(1 + Cos[c + d\*x]))^(7/2))

**Maple [B]** time = 0.675, size = 667, normalized size = 2.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+cos(d\*x+c)\*a)^(7/2)/sec(d\*x+c)^(5/2), x)

```
[Out] -1/384/d*2^(1/2)/a^4*(-1+cos(d*x+c))^6*(a*(1+cos(d*x+c)))^(1/2)*cos(d*x+c)*
(67*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^3-247*B*cos(d*x+
c)^3*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)-384*B*cos(d*x+c)^2*sin(d*x+c
)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))*2^(1/2)-1
7*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)^2+15*A*arcsin((-1+
cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*sin(d*x+c)-115*B*2^(1/2)*(cos(d*x+c)/(
1+cos(d*x+c)))^(1/2)*cos(d*x+c)^2-768*B*2^(1/2)*sin(d*x+c)*cos(d*x+c)*arcta
n(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*x+c))-531*B*arcsin((-1
+cos(d*x+c))/sin(d*x+c))*cos(d*x+c)^2*sin(d*x+c)-35*A*2^(1/2)*(cos(d*x+c)/(
1+cos(d*x+c)))^(1/2)*cos(d*x+c)+30*A*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin
(d*x+c)*cos(d*x+c)+215*B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*cos(d*x+
c)-384*B*2^(1/2)*arctan(sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)/cos(d*
x+c))*sin(d*x+c)-1062*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c)*cos(d
*x+c)-15*A*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)+15*A*arcsin((-1+cos(d*
x+c))/sin(d*x+c))*sin(d*x+c)+147*B*2^(1/2)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2
)-531*B*arcsin((-1+cos(d*x+c))/sin(d*x+c))*sin(d*x+c))/(1/cos(d*x+c))^(5/2
)/(cos(d*x+c)/(1+cos(d*x+c)))^(7/2)/sin(d*x+c)^13
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(5/2),x, algor
ithm="maxima")
```

[Out] Timed out

**Fricas [A]** time = 98.8766, size = 927, normalized size = 3.3

$$3\sqrt{2}\left((5A - 177B)\cos(dx + c)^4 + 4(5A - 177B)\cos(dx + c)^3 + 6(5A - 177B)\cos(dx + c)^2 + 4(5A - 177B)\cos(dx + c)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+a*cos(d*x+c))^(7/2)/sec(d*x+c)^(5/2),x, algor
ithm="fricas")
```

```
[Out] -1/384*(3*sqrt(2)*((5*A - 177*B)*cos(d*x + c)^4 + 4*(5*A - 177*B)*cos(d*x +
c)^3 + 6*(5*A - 177*B)*cos(d*x + c)^2 + 4*(5*A - 177*B)*cos(d*x + c) + 5*A
- 177*B)*sqrt(a)*arctan(sqrt(2)*sqrt(a*cos(d*x + c) + a)*sqrt(cos(d*x + c)
)/(sqrt(a)*sin(d*x + c))) + 768*(B*cos(d*x + c)^4 + 4*B*cos(d*x + c)^3 + 6*
B*cos(d*x + c)^2 + 4*B*cos(d*x + c) + B)*sqrt(a)*arctan(sqrt(a*cos(d*x + c)
+ a)*sqrt(cos(d*x + c))/(sqrt(a)*sin(d*x + c))) - 2*((67*A - 247*B)*cos(d*
x + c)^3 + 2*(25*A - 181*B)*cos(d*x + c)^2 + 3*(5*A - 49*B)*cos(d*x + c))*s
qrt(a*cos(d*x + c) + a)*sin(d*x + c)/sqrt(cos(d*x + c)))/(a^4*d*cos(d*x + c
)^4 + 4*a^4*d*cos(d*x + c)^3 + 6*a^4*d*cos(d*x + c)^2 + 4*a^4*d*cos(d*x + c
) + a^4*d)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))\*\*(7/2)/sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^(7/2)\*sec(d\*x + c)^(5/2)), x)

$$3.549 \quad \int \frac{A+B \cos(c+dx)}{(a+a \cos(c+dx))^{7/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=333

$$\frac{(79A - 259B) \sin(c + dx)}{192a^2 d \sec^2(c + dx) (a \cos(c + dx) + a)^{3/2}} + \frac{(2A - 7B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{a^{7/2} d} - \frac{7(7A - 7B)}{64a^3 d \sqrt{\sec(c + dx)}}$$

[Out] ((2\*A - 7\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(a^(7/2)\*d) - ((177\*A - 637\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(64\*Sqrt[2]\*a^(7/2)\*d) + ((A - B)\*Sin[c + d\*x])/(6\*d\*(a + a\*Cos[c + d\*x])^(7/2)\*Sec[c + d\*x]^(7/2)) + ((3\*A - 7\*B)\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(5/2)) + ((79\*A - 259\*B)\*Sin[c + d\*x])/(192\*a^2\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(3/2)) - (7\*(7\*A - 27\*B)\*Sin[c + d\*x])/(64\*a^3\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])

**Rubi [A]** time = 1.20498, antiderivative size = 333, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2961, 2977, 2983, 2982, 2782, 205, 2774, 216}

$$\frac{(79A - 259B) \sin(c + dx)}{192a^2 d \sec^2(c + dx) (a \cos(c + dx) + a)^{3/2}} + \frac{(2A - 7B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a \cos(c + dx) + a}}\right)}{a^{7/2} d} - \frac{7(7A - 7B)}{64a^3 d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/((a + a\*Cos[c + d\*x])^(7/2)\*Sec[c + d\*x]^(7/2)), x]

[Out] ((2\*A - 7\*B)\*ArcSin[(Sqrt[a]\*Sin[c + d\*x])/Sqrt[a + a\*Cos[c + d\*x]]]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(a^(7/2)\*d) - ((177\*A - 637\*B)\*ArcTan[(Sqrt[a]\*Sin[c + d\*x])/(Sqrt[2]\*Sqrt[Cos[c + d\*x]]\*Sqrt[a + a\*Cos[c + d\*x]])]\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]/(64\*Sqrt[2]\*a^(7/2)\*d) + ((A - B)\*Sin[c + d\*x])/(6\*d\*(a + a\*Cos[c + d\*x])^(7/2)\*Sec[c + d\*x]^(7/2)) + ((3\*A - 7\*B)\*Sin[c + d\*x])/(16\*a\*d\*(a + a\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(5/2)) + ((79\*A - 259\*B)\*Sin[c + d\*x])/(192\*a^2\*d\*(a + a\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(3/2)) - (7\*(7\*A - 27\*B)\*Sin[c + d\*x])/(64\*a^3\*d\*Sqrt[a + a\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2977

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Simp[((A\*b - a\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(a\*f\*(2\*m + 1)), x] - Dist[1/(a\*b\*(2\*m + 1)), Int[(a + b\*Sin[e + f\*x])^(m + 1), x], x]

1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*(a\*d\*n - b\*c\*(m + 1)) - B\*(a\*c\*m + b\*d\*n) - d\*(a\*B\*(m - n) + A\*b\*(m + n + 1))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -2^(-1)] && GtQ[n, 0] && IntegerQ[2\*m] && (IntegerQ[2\*n] || EqQ[c, 0])

### Rule 2983

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + n + 1)), x] + Dist[1/(b\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[A\*b\*c\*(m + n + 1) + B\*(a\*c\*m + b\*d\*n) + (A\*b\*d\*(m + n + 1) + B\*(a\*d\*m + b\*c\*n))\*Sin[e + f\*x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, m}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[n, 0] && (IntegerQ[n] || EqQ[m + 1/2, 0])

### Rule 2982

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])]\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(A\*b - a\*B)/b, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] + Dist[B/b, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2782

Int[1/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])]\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[(-2\*a)/f, Subst[Int[1/(2\*b^2 - (a\*c - b\*d)\*x^2), x], x, (b\*Cos[e + f\*x])/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]])], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && EqQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 205

Int[((a\_) + (b\_)\*(x\_)^2)^(-1), x\_Symbol] := Simp[(Rt[a/b, 2]\*ArcTan[x/Rt[a/b, 2]])/a, x] /; FreeQ[{a, b}, x] && PosQ[a/b]

### Rule 2774

Int[Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]/Sqrt[(d\_)\*sin[(e\_) + (f\_)\*(x\_)]], x\_Symbol] := Dist[-2/f, Subst[Int[1/Sqrt[1 - x^2/a], x], x, (b\*Cos[e + f\*x])/Sqrt[a + b\*Sin[e + f\*x]]], x] /; FreeQ[{a, b, d, e, f}, x] && EqQ[a^2 - b^2, 0] && EqQ[d, a/b]

### Rule 216

Int[1/Sqrt[(a\_) + (b\_)\*(x\_)^2], x\_Symbol] := Simp[ArcSin[(Rt[-b, 2]\*x)/Sqrt[a]]/Rt[-b, 2], x] /; FreeQ[{a, b}, x] && GtQ[a, 0] && NegQ[b]

### Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(c + dx)}{(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} dx &= \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{\cos^{\frac{7}{2}}(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{7/2}} dx \\
 &= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} + \frac{\left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{\cos^{\frac{5}{2}}(c + dx)(A + B \cos(c + dx))}{(a + a \cos(c + dx))^{7/2}} dx}{6a^2} \\
 &= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} + \frac{(3A - 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} \\
 &= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} + \frac{(3A - 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} \\
 &= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} + \frac{(3A - 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} \\
 &= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} + \frac{(3A - 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} \\
 &= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} + \frac{(3A - 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} \\
 &= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} + \frac{(3A - 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} \\
 &= \frac{(A - B) \sin(c + dx)}{6d(a + a \cos(c + dx))^{7/2} \sec^2(c + dx)} + \frac{(3A - 7B) \sin(c + dx)}{16ad(a + a \cos(c + dx))^{5/2} \sec^2(c + dx)} \\
 &= \frac{(2A - 7B) \sin^{-1}\left(\frac{\sqrt{a} \sin(c + dx)}{\sqrt{a + a \cos(c + dx)}}\right) \sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{a^{7/2}d} - \frac{(177A - 637B)}{a^{7/2}d}
 \end{aligned}$$

**Mathematica [C]** time = 7.5768, size = 1017, normalized size = 3.05

$$\sqrt{\sec(c + dx)} \left( \frac{\sec\left(\frac{c}{2}\right) \left(A \sin\left(\frac{dx}{2}\right) - B \sin\left(\frac{dx}{2}\right)\right) \sec^6\left(\frac{c}{2} + \frac{dx}{2}\right)}{3d} + \frac{(A - B) \tan\left(\frac{c}{2}\right) \sec^5\left(\frac{c}{2} + \frac{dx}{2}\right)}{3d} + \frac{\sec\left(\frac{c}{2}\right) \left(53B \sin\left(\frac{dx}{2}\right) - 41A \sin\left(\frac{dx}{2}\right)\right) \sec^4\left(\frac{c}{2} + \frac{dx}{2}\right)}{12d} - \frac{(41A - 53B)}{12d} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + a*Cos[c + d*x])^(7/2)*Sec[c + d*x]^(7/2)),x]
```

```
[Out] (((-49*I)/8)*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^7)/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(7/2)) + (((189*I)/8)*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*ArcTanh[(1 - E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^7)/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(7/2)) + ((8*I)*Sqrt[2]*A*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*(-ArcSinh[E^(I*(c + d*x))]) + Sqrt[2]*ArcTanh[(-1 + E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) + ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])*Cos[c/2 + (d*x)/2]^7)/(d*E^((I/2)*(c + d*x))*(a*(1 + Cos[c + d*x]))^(7/2)) - ((28*I)*Sqrt[2]*B*Sqrt[E^(I*(c + d*x))/(1 + E^((2*I)*(c + d*x)))]*Sqrt[1 + E^((2*I)*(c + d*x))]*(-ArcSinh[E^(I*(c + d*x))]) + Sqrt[2]*ArcTanh[(-1 + E^(I*(c + d*x)))/(Sqrt[2]*Sqrt[1 + E^((2*I)*(c + d*x))]]) + ArcTanh[Sqrt[1 + E^((2*I)*(c + d*x))]])
```

$$\begin{aligned} & ) * \cos[c/2 + (d*x)/2]^7 / (d * E^{(I/2)*(c + d*x)}) * (a * (1 + \cos[c + d*x]))^{(7/2)} \\ & ) + (\cos[c/2 + (d*x)/2]^7 * \sqrt{\sec[c + d*x]} * (((-247*A + 427*B) * \cos[(d*x)/2] \\ & ] * \sin[c/2]) / (12*d) + (8*B * \cos[(3*d*x)/2] * \sin[(3*c)/2]) / d - ((247*A - 427*B) \\ & * \cos[c/2] * \sin[(d*x)/2]) / (12*d) + (\sec[c/2] * \sec[c/2 + (d*x)/2]^2 * (379*A * \sin[ \\ & (d*x)/2] - 703*B * \sin[(d*x)/2])) / (24*d) + (\sec[c/2] * \sec[c/2 + (d*x)/2]^6 * (A * \\ & \sin[(d*x)/2] - B * \sin[(d*x)/2])) / (3*d) + (\sec[c/2] * \sec[c/2 + (d*x)/2]^4 * (-41 \\ & * A * \sin[(d*x)/2] + 53*B * \sin[(d*x)/2])) / (12*d) + (8*B * \cos[(3*c)/2] * \sin[(3*d*x) \\ & ] / 2) / d + ((379*A - 703*B) * \sec[c/2 + (d*x)/2] * \tan[c/2]) / (24*d) - ((41*A - 5 \\ & 3*B) * \sec[c/2 + (d*x)/2]^3 * \tan[c/2]) / (12*d) + ((A - B) * \sec[c/2 + (d*x)/2]^5 * \\ & \tan[c/2]) / (3*d) / (a * (1 + \cos[c + d*x]))^{(7/2)} \end{aligned}$$

**Maple [B]** time = 0.71, size = 855, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a\*cos(d\*x+c)\*a)^(7/2)/sec(d\*x+c)^(7/2),x)

[Out] 
$$\begin{aligned} & -1/384/d*2^{(1/2)}/a^4*(a*(1+\cos(d*x+c)))^{(1/2)}*(-1+\cos(d*x+c))^{7*\cos(d*x+c)*} \\ & (-192*B*\cos(d*x+c)^4*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}+384*A*2^{(1/2)} \\ & )*\sin(d*x+c)*\cos(d*x+c)^2*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \\ & )/\cos(d*x+c)+247*A*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d*x+c)^3 \\ & -1344*B*\cos(d*x+c)^2*\sin(d*x+c)*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c) \\ & ))^{(1/2)}/\cos(d*x+c))*2^{(1/2)}-907*B*\cos(d*x+c)^3*2^{(1/2)}*(\cos(d*x+c)/(1+\cos( \\ & d*x+c)))^{(1/2)}+768*A*\cos(d*x+c)*2^{(1/2)}*\sin(d*x+c)*\arctan(\sin(d*x+c)*(\cos(d \\ & *x+c)/(1+\cos(d*x+c)))^{(1/2)}/\cos(d*x+c))+115*A*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d* \\ & x+c)))^{(1/2)}*\cos(d*x+c)^2+531*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d*x+ \\ & c)^2*\sin(d*x+c)-2688*B*2^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*\arctan(\sin(d*x+c)*(\cos \\ & (d*x+c)/(1+\cos(d*x+c)))^{(1/2)}/\cos(d*x+c))-343*B*2^{(1/2)}*(\cos(d*x+c)/(1+\cos( \\ & d*x+c)))^{(1/2)}*\cos(d*x+c)^2-1911*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\cos(d \\ & *x+c)^2*\sin(d*x+c)+384*A*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)} \\ & )/\cos(d*x+c))*2^{(1/2)}*\sin(d*x+c)-215*A*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{( \\ & 1/2)}*\cos(d*x+c)+1062*A*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*\cos(d \\ & *x+c)-1344*B*2^{(1/2)}*\arctan(\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}/\co \\ & s(d*x+c))*\sin(d*x+c)+875*B*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*\cos(d* \\ & x+c)-3822*B*\arcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)*\cos(d*x+c)-147*A* \\ & 2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}+531*A*\arcsin((-1+\cos(d*x+c))/\sin( \\ & d*x+c))*\sin(d*x+c)+567*B*2^{(1/2)}*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}-1911*B*a \\ & rcsin((-1+\cos(d*x+c))/\sin(d*x+c))*\sin(d*x+c)/(1/\cos(d*x+c))^{(7/2)}/(\cos(d*x \\ & +c)/(1+\cos(d*x+c)))^{(9/2)}/\sin(d*x+c)^{15} \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(7/2),x, algor  
ithm="maxima")

[Out] Timed out

**Fricas [A]** time = 172.239, size = 1041, normalized size = 3.13

$$3\sqrt{2}((177A - 637B)\cos(dx + c)^4 + 4(177A - 637B)\cos(dx + c)^3 + 6(177A - 637B)\cos(dx + c)^2 + 4(177A - 637B)\cos(dx + c) + 177A - 637B)$$


---

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] 1/384\*(3\*sqrt(2)\*((177\*A - 637\*B)\*cos(d\*x + c)^4 + 4\*(177\*A - 637\*B)\*cos(d\*x + c)^3 + 6\*(177\*A - 637\*B)\*cos(d\*x + c)^2 + 4\*(177\*A - 637\*B)\*cos(d\*x + c) + 177\*A - 637\*B)\*sqrt(a)\*arctan(sqrt(2)\*sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) - 384\*((2\*A - 7\*B)\*cos(d\*x + c)^4 + 4\*(2\*A - 7\*B)\*cos(d\*x + c)^3 + 6\*(2\*A - 7\*B)\*cos(d\*x + c)^2 + 4\*(2\*A - 7\*B)\*cos(d\*x + c) + 2\*A - 7\*B)\*sqrt(a)\*arctan(sqrt(a\*cos(d\*x + c) + a)\*sqrt(cos(d\*x + c))/(sqrt(a)\*sin(d\*x + c))) + 2\*(192\*B\*cos(d\*x + c)^4 - (247\*A - 1099\*B)\*cos(d\*x + c)^3 - 2\*(181\*A - 721\*B)\*cos(d\*x + c)^2 - 21\*(7\*A - 27\*B)\*cos(d\*x + c))\*sqrt(a\*cos(d\*x + c) + a)\*sin(d\*x + c)/sqrt(cos(d\*x + c))/(a^4\*d\*cos(d\*x + c)^4 + 4\*a^4\*d\*cos(d\*x + c)^3 + 6\*a^4\*d\*cos(d\*x + c)^2 + 4\*a^4\*d\*cos(d\*x + c) + a^4\*d)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(7/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(a \cos(dx + c) + a)^{\frac{7}{2}} \sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+a\*cos(d\*x+c))^(7/2)/sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((a\*cos(d\*x + c) + a)^(7/2)\*sec(d\*x + c)^(7/2)), x)

$$3.550 \quad \int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx$$

**Optimal.** Leaf size=180

$$\frac{2(aB + Ab) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{2(3aA + 5bB) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{2(aB + Ab) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{3d}$$

```
[Out] (-2*(3*a*A + 5*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*(3*a*A + 5*b*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*(A*b + a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d) + (2*a*A*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d)
```

**Rubi [A]** time = 0.223326, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2960, 3997, 3787, 3768, 3771, 2639, 2641}

$$\frac{2(aB + Ab) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{2(3aA + 5bB) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{2(aB + Ab) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{3d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]
```

```
[Out] (-2*(3*a*A + 5*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*(3*a*A + 5*b*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*(A*b + a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d) + (2*a*A*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d)
```

#### Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

#### Rule 3997

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 1)), x] + Dist[1/(n + 1), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 1) + B*b*n + (A*b + B*a)*(n + 1)*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && !LeQ[n, -1]
```

#### Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^(n)*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx &= \int \sec^{\frac{3}{2}}(c + dx)(b + a \sec(c + dx))(B + A \sec(c + dx)) dx \\
&= \frac{2aA \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{2}{5} \int \sec^{\frac{3}{2}}(c + dx) \left( \frac{1}{2}(3aA + 5bB) \right. \\
&= \frac{2aA \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} + (Ab + aB) \int \sec^{\frac{5}{2}}(c + dx) dx \\
&= \frac{2(3aA + 5bB) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{2(Ab + aB) \sec^{\frac{3}{2}}(c + dx)}{3d} \\
&= \frac{2(3aA + 5bB) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{2(Ab + aB) \sec^{\frac{3}{2}}(c + dx)}{3d} \\
&= -\frac{2(3aA + 5bB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \dots
\end{aligned}$$

**Mathematica [A]** time = 1.82451, size = 132, normalized size = 0.73

$$\frac{\sec^{\frac{5}{2}}(c + dx) \left( 20(aB + Ab) \cos^{\frac{5}{2}}(c + dx) F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 12(3aA + 5bB) \cos^{\frac{5}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + 2 \sin(c + dx) \right)}{30d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2),x]
```

```
[Out] (Sec[c + d*x]^(5/2)*(-12*(3*a*A + 5*b*B)*Cos[c + d*x]^(5/2)*EllipticE[(c +
d*x)/2, 2] + 20*(A*b + a*B)*Cos[c + d*x]^(5/2)*EllipticF[(c + d*x)/2, 2] +
2*(15*(a*A + b*B) + 10*(A*b + a*B)*Cos[c + d*x] + 3*(3*a*A + 5*b*B)*Cos[2*(
c + d*x)])*Sin[c + d*x])/(30*d)
```



**Maple [B]** time = 10.268, size = 663, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x)`

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*(A*b+B*a))*(-1 \\ & /6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / \\ & (\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d \\ & *x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} *E \\ & llipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 2*B*b*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \\ & (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c \\ & )^2)^{(1/2)} *EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) + 2*(-2*\sin(1/2*d*x+1/2*c)^4 \\ & +\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \cos(1/2*d*x+1/2*c) * \sin(1/2*d*x+1/2*c)^2 / \sin(1 \\ & /2*d*x+1/2*c)^2 / (2*\sin(1/2*d*x+1/2*c)^2-1) - 2/5*a*A / (8*\sin(1/2*d*x+1/2*c)^6- \\ & 12*\sin(1/2*d*x+1/2*c)^4+6*\sin(1/2*d*x+1/2*c)^2-1) / \sin(1/2*d*x+1/2*c)^2 * (12* \\ & EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} * (\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c)^4 - 24*\sin(1/2*d*x+1/2*c)^6 * \cos(1 \\ & /2*d*x+1/2*c) - 12*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) * (2*\sin(1/2*d*x+1/2*c \\ & )^2-1)^{(1/2)} * (\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * \sin(1/2*d*x+1/2*c)^2 + 24*\sin(1/2*d \\ & *x+1/2*c)^4 * \cos(1/2*d*x+1/2*c) + 3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} * (2*\sin(1/2*d* \\ & x+1/2*c)^2-1)^{(1/2)} * EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) - 8*\sin(1/2*d*x+1/2 \\ & *c)^2 * \cos(1/2*d*x+1/2*c) * (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1 \\ & /2)} / \sin(1/2*d*x+1/2*c) / (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)} / d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)*sec(d*x + c)^(7/2), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right) \sec(dx + c)^{\frac{7}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm="fricas")`

[Out] `integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sec(d*x + c)^(7/2), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(7/2), x)

$$3.551 \quad \int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx$$

**Optimal.** Leaf size=143

$$\frac{2(aB + Ab) \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{2(aA + 3bB) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(aB + Ab) \sqrt{\cos(c + dx)}}{3d}$$

[Out] (-2\*(A\*b + a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*(a\*A + 3\*b\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*(A\*b + a\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d + (2\*a\*A\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.201043, antiderivative size = 143, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2960, 3997, 3787, 3771, 2641, 3768, 2639}

$$\frac{2(aB + Ab) \sin(c + dx) \sqrt{\sec(c + dx)}}{d} + \frac{2(aA + 3bB) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(aB + Ab) \sqrt{\cos(c + dx)}}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*cos[c + d\*x])\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^(5/2), x]

[Out] (-2\*(A\*b + a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*(a\*A + 3\*b\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*(A\*b + a\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d + (2\*a\*A\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d)

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 3997

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :> -Simp[(b\*B\*Cot[e + f\*x]\*(d\*Csc[e + f\*x])^n)/(f\*(n + 1)), x] + Dist[1/(n + 1), Int[(d\*Csc[e + f\*x])^n\*Simp[A\*a\*(n + 1) + B\*b\*n + (A\*b + B\*a)\*(n + 1)\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && !LeQ[n, -1]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := -Simp[(b*Cos[c + d*x]
)*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), I
nt[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] &&
IntegerQ[2*n]
```

### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx &= \int \sqrt{\sec(c + dx)}(b + a \sec(c + dx))(B + A \sec(c + dx)) dx \\
&= \frac{2aA \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2}{3} \int \sqrt{\sec(c + dx)} \left( \frac{1}{2}(aA + 3bB) \right) dx \\
&= \frac{2aA \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + (Ab + aB) \int \sec^{\frac{3}{2}}(c + dx) dx \\
&= \frac{2(Ab + aB) \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2aA \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} \\
&= \frac{2(aA + 3bB) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{2(Ab + aB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.796936, size = 104, normalized size = 0.73

$$\frac{2\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\left((aA + 3bB)F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 3(aB + Ab)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{\sin(c+dx)(3(aB+Ab)\cos(c+dx)+aA)}{\cos^{\frac{3}{2}}(c+dx)}\right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2), x]
```

```
[Out] (2*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*(-3*(A*b + a*B)*EllipticE[(c + d*x)
]/2, 2] + (a*A + 3*b*B)*EllipticF[(c + d*x)/2, 2] + ((a*A + 3*(A*b + a*B)*C
os[c + d*x])*Sin[c + d*x])/Cos[c + d*x]^(3/2))/(3*d)
```

**Maple [B]** time = 8.347, size = 428, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x)`

[Out] 
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*B*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*a*A*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*(A*b+B*a)*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)*sec(d*x + c)^(5/2), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right) \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="fricas")`

[Out] `integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sec(d*x + c)^(5/2), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)*sec(d*x + c)^(5/2), x)
```

$$3.552 \quad \int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=111

$$\frac{2(aB + Ab)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx)\middle|2\right)}{d} - \frac{2(aA - bB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}E\left(\frac{1}{2}(c + dx)\middle|2\right)}{d} + \frac{2aA}{d}$$

[Out] (-2\*(a\*A - b\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*(A\*b + a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*a\*A\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d

**Rubi [A]** time = 0.180414, antiderivative size = 111, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2960, 3997, 3787, 3771, 2639, 2641}

$$\frac{2(aB + Ab)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx)\middle|2\right)}{d} - \frac{2(aA - bB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}E\left(\frac{1}{2}(c + dx)\middle|2\right)}{d} + \frac{2aA}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2), x]

[Out] (-2\*(a\*A - b\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*(A\*b + a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*a\*A\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.))\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 3997

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :> -Simp[(b\*B\*Cot[e + f\*x]\*(d\*Csc[e + f\*x])^n)/(f\*(n + 1)), x] + Dist[1/(n + 1), Int[(d\*Csc[e + f\*x])^n\*Simp[A\*a\*(n + 1) + B\*b\*n + (A\*b + B\*a)\*(n + 1)\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && !LeQ[n, -1]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] :> Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&

EqQ[n^2, 1/4]

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx &= \int \frac{(b + a \sec(c + dx))(B + A \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + 2 \int \frac{\frac{1}{2}(-aA + bB) + \frac{1}{2}(Ab + aA)}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + (Ab + aA) \int \sqrt{\sec(c + dx)} dx \\ &= \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + ((Ab + aA)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \\ &= \frac{2(aA - bB)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \dots \end{aligned}$$

**Mathematica [A]** time = 0.258839, size = 85, normalized size = 0.77

$$\frac{2\sqrt{\sec(c + dx)} \left( (aB + Ab)\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right) - (aA - bB)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right) + aA \sin(c + dx) \right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]
```

```
[Out] (2*Sqrt[Sec[c + d*x]]*(-((a*A - b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]) + (A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + a*A*Sin[c + d*x]))/d
```

**Maple [A]** time = 3.681, size = 244, normalized size = 2.2

$$-2 \frac{A \text{EllipticF}\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right), \sqrt{2}\right) \sqrt{2} \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1 \sqrt{\left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2} b + A \text{EllipticE}\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)}{\dots}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2), x)
```

```
[Out] -2*(A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2))*sin(1/2*d*x+1/2*c)^(1/2)*b+A*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(2
```



$$\frac{\sin(\frac{1}{2}dx + \frac{1}{2}c)^{2-1} \cdot (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{\frac{1}{2}} \cdot a - 2Aa \cdot \cos(\frac{1}{2}dx + \frac{1}{2}c) \cdot \sin(\frac{1}{2}dx + \frac{1}{2}c)^2 + B \cdot \text{EllipticF}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{\frac{1}{2}}) \cdot (2 \cdot \sin(\frac{1}{2}dx + \frac{1}{2}c)^{2-1} \cdot (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{\frac{1}{2}} \cdot a - B \cdot \text{EllipticE}(\cos(\frac{1}{2}dx + \frac{1}{2}c), 2^{\frac{1}{2}})) \cdot (2 \cdot \sin(\frac{1}{2}dx + \frac{1}{2}c)^{2-1} \cdot (\sin(\frac{1}{2}dx + \frac{1}{2}c)^2)^{\frac{1}{2}} \cdot b)}{\sin(\frac{1}{2}dx + \frac{1}{2}c) \cdot (2 \cdot \cos(\frac{1}{2}dx + \frac{1}{2}c)^{2-1})^{\frac{1}{2}} / d}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right) \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*a + (B\*a + A\*b)\*cos(d\*x + c))\*sec(d\*x + c)^(3/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2), x)

### 3.553 $\int (a+b \cos(c+dx))(A+B \cos(c+dx))\sqrt{\sec(c+dx)} dx$

**Optimal.** Leaf size=115

$$\frac{2(3aA + bB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2(aB + Ab)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2bB}{3d\sqrt{\sec(c+dx)}}$$

[Out] (2\*(A\*b + a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*(3\*a\*A + b\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*b\*B\*Sin[c + d\*x])/(3\*d\*Sqrt[Sec[c + d\*x]])

**Rubi [A]** time = 0.18779, antiderivative size = 115, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.194$ , Rules used = {2960, 3996, 3787, 3771, 2639, 2641}

$$\frac{2(3aA + bB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}F\left(\frac{1}{2}(c+dx)\middle|2\right)}{3d} + \frac{2(aB + Ab)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}E\left(\frac{1}{2}(c+dx)\middle|2\right)}{d} + \frac{2bB}{3d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]],x]

[Out] (2\*(A\*b + a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*(3\*a\*A + b\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*b\*B\*Sin[c + d\*x])/(3\*d\*Sqrt[Sec[c + d\*x]])

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.))\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 3996

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.), x\_Symbol] :> Simp[(A\*a\*Cot[e + f\*x]\*(d\*Csc[e + f\*x])^n)/(f\*n), x] + Dist[1/(d\*n), Int[(d\*Csc[e + f\*x])^(n + 1)\*Simp[n\*(B\*a + A\*b) + (B\*b\*n + A\*a\*(n + 1))\*Csc[e + f\*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && LeQ[n, -1]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] :> Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int (a + b \cos(c + dx))(A + B \cos(c + dx))\sqrt{\sec(c + dx)} dx = \int \frac{(b + a \sec(c + dx))(B + A \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2bB \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{3}{2}(Ab + aB) - \frac{1}{2}(3aA + bB) \sec(c + dx)}{\sqrt{\sec(c + dx)}} dx$$

$$= \frac{2bB \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - (-Ab - aB) \int \frac{1}{\sqrt{\sec(c + dx)}} dx - \frac{1}{3}(-3aA - bB) \int \frac{\sec(c + dx)}{\sqrt{\sec(c + dx)}} dx$$

$$= \frac{2bB \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - ((-Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)} + (3aA + bB)\sqrt{\sec(c + dx)})$$

$$= \frac{2(Ab + aB)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{(3aA + bB)\sqrt{\sec(c + dx)}}{d}$$

**Mathematica [A]** time = 0.227436, size = 90, normalized size = 0.78

$$\frac{\sqrt{\sec(c + dx)} \left( 2(3aA + bB)\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 6(aB + Ab)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right) + bB \sin(2(c + dx)) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]],x]

[Out] (Sqrt[Sec[c + d\*x]]\*(6\*(A\*b + a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + 2\*(3\*a\*A + b\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + b\*B\*S in[2\*(c + d\*x)]))/(3\*d)

**Maple [B]** time = 3.579, size = 326, normalized size = 2.8

$$-\frac{2}{3d} \sqrt{\left(2 \cos\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1} \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2 \left(4 B b \cos\left(\frac{1}{2} dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^4 + 3 a A \sqrt{\left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2),x)

[Out] -2/3\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(4\*B\*b\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^4+3\*a\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-3\*A\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2)))\*b+B\*b\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))-3\*B\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)

$$\frac{\sqrt{2} \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) \sqrt{2 - \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)} \operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx + \frac{1}{2}c\right), 2\right) - 2Bb \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) \sqrt{\sec(dx + c)}}{(-2 \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) \sqrt{4 + \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)^2} \sqrt{\sec(dx + c)}) / \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right) / (2 \cos\left(\frac{1}{2}dx + \frac{1}{2}c\right) \sqrt{2 - \sin\left(\frac{1}{2}dx + \frac{1}{2}c\right)})} dx$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right) \sqrt{\sec(dx + c)}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*a + (B\*a + A\*b)\*cos(d\*x + c))\*sqrt(sec(d\*x + c)), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (A + B \cos(c + dx))(a + b \cos(c + dx)) \sqrt{\sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*(a + b\*cos(c + d\*x))\*sqrt(sec(c + d\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a) \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c)), x)

$$3.554 \quad \int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=148

$$\frac{2(aB + Ab) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2(aB + Ab)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(5aA + 3bB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{5d}$$

```
[Out] (2*(5*a*A + 3*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*b*B*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(A*b + a*B)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

**Rubi [A]** time = 0.208288, antiderivative size = 148, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2960, 3996, 3787, 3769, 3771, 2641, 2639}

$$\frac{2(aB + Ab) \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{2(aB + Ab)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(5aA + 3bB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{5d}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]], x]
```

```
[Out] (2*(5*a*A + 3*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*b*B*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(A*b + a*B)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

#### Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

#### Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

#### Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

#### Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Simp[(Cos[c + d*x]*(b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c + d*x])^(n + 1), x], x]
```

$d*x])^{(n + 2), x], x] /; \text{FreeQ}\{b, c, d\}, x] \ \&\& \ \text{LtQ}[n, -1] \ \&\& \ \text{IntegerQ}[2*n]$

### Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] \ :> \ \text{Dist}[(b*\text{Csc}[c + d*x])^{n*}*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x] \ \&\& \ \text{EqQ}[n^2, 1/4]$

### Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x\_Symbol] \ :> \ \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

### Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x\_Symbol] \ :> \ \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

### Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))(A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \int \frac{(b + a \sec(c + dx))(B + A \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2bB \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}(Ab + aB) - \frac{1}{2}(5aA + 3bB) \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2bB \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - (-Ab - aB) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx - \frac{1}{5}(-5aA - 3bB) \int \frac{1}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2bB \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} - \frac{1}{3}(-Ab - aB) \int \sqrt{\sec(c + dx)} dx \\ &= \frac{2(5aA + 3bB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2bB \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\ &= \frac{2(5aA + 3bB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2(Ab + aB) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.527425, size = 108, normalized size = 0.73

$$\frac{\sqrt{\sec(c + dx)} \left( \sin(2(c + dx))(5aB + 5Ab + 3bB \cos(c + dx)) + 10(aB + Ab) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 6(5aA + 3bB) \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*Cos[c + d\*x])\*(A + B\*Cos[c + d\*x]))/Sqrt[Sec[c + d\*x]],x]

[Out] (Sqrt[Sec[c + d\*x]]\*(6\*(5\*a\*A + 3\*b\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + 10\*(A\*b + a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + (5\*A\*b + 5\*a\*B + 3\*b\*B\*Cos[c + d\*x])\*Sin[2\*(c + d\*x)]))/(15\*d)

**Maple [B]** time = 3.483, size = 371, normalized size = 2.5

$$-\frac{2}{15d} \sqrt{\left(2 \cos\left(\frac{1}{2}dx + \frac{c}{2}\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-24 Bb \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 + (20 Ab + 20 aB\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x)

[Out] 
$$-2/15*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-24*B*b*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(20*A*b+20*B*a+24*B*b)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-10*A*b-10*B*a-6*B*b)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+5*A*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b-15*A*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a+5*B*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a-9*B*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)/sqrt(sec(d\*x + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*a + (B\*a + A\*b)\*cos(d\*x + c))/sqrt(sec(d\*x + c)), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx))(a + b \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/sec(d\*x+c)\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*(a + b\*cos(c + d\*x))/sqrt(sec(c + d\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)/sqrt(sec(d\*x + c)), x)



$$3.555 \quad \int \frac{(a+b \cos(c+dx))(A+B \cos(c+dx))}{\sec^2(c+dx)} dx$$

**Optimal.** Leaf size=180

$$\frac{2(aB + Ab) \sin(c + dx)}{5d \sec^2(c + dx)} + \frac{2(7aA + 5bB) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2(7aA + 5bB) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \dots$$

```
[Out] (6*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(7*a*A + 5*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*b*B*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(A*b + a*B)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(7*a*A + 5*b*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]])
```

**Rubi [A]** time = 0.233885, antiderivative size = 180, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.226$ , Rules used = {2960, 3996, 3787, 3769, 3771, 2639, 2641}

$$\frac{2(aB + Ab) \sin(c + dx)}{5d \sec^2(c + dx)} + \frac{2(7aA + 5bB) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \frac{2(7aA + 5bB) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \dots$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]
```

```
[Out] (6*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(7*a*A + 5*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(21*d) + (2*b*B*Sin[c + d*x])/(7*d*Sec[c + d*x]^(5/2)) + (2*(A*b + a*B)*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*(7*a*A + 5*b*B)*Sin[c + d*x])/(21*d*Sqrt[Sec[c + d*x]])
```

#### Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

#### Rule 3996

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (B*b*n + A*a*(n + 1))*Csc[e + f*x], x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && LeQ[n, -1]
```

#### Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

#### Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^(n)*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))(A + B \cos(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \int \frac{(b + a \sec(c + dx))(B + A \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2bB \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7}{2}(Ab + aB) - \frac{1}{2}(7aA + 5bB) \sec(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2bB \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - (-Ab - aB) \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx - \frac{1}{7}(-7aA - 5bB) \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2bB \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(7aA + 5bB) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \dots \\ &= \frac{2bB \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2(Ab + aB) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(7aA + 5bB) \sin(c + dx)}{21d \sqrt{\sec(c + dx)}} + \dots \\ &= \frac{6(Ab + aB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2(7aA + 5bB) \sqrt{\cos(c + dx)}}{21d} \end{aligned}$$

**Mathematica [A]** time = 0.966796, size = 125, normalized size = 0.69

$$\frac{\sqrt{\sec(c + dx)} \left( \sin(2(c + dx))(42(aB + Ab) \cos(c + dx) + 70aA + 15bB \cos(2(c + dx)) + 65bB) + 20(7aA + 5bB) \sqrt{\cos(c + dx)} \right)}{210d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*Cos[c + d*x])*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]
```

```
[Out] (Sqrt[Sec[c + d*x]]*(252*(A*b + a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)
/2, 2] + 20*(7*a*A + 5*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] +
(70*a*A + 65*b*B + 42*(A*b + a*B)*Cos[c + d*x] + 15*b*B*Cos[2*(c + d*x)])*S
in[2*(c + d*x)]))/(210*d)
```

**Maple [A]** time = 3.358, size = 413, normalized size = 2.3

$$-\frac{2}{105d} \sqrt{\left(2 \left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(240 Bb \cos\left(\frac{1}{2}dx + \frac{c}{2}\right) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^8 + (-168 Ab - 168 B^2) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^6 + (-168 A^2 - 168 B^2) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^4 + (-168 A^2 - 168 B^2) \left(\sin\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 + (-168 A^2 - 168 B^2)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2), x)

[Out] 
$$-\frac{2}{105} \left( (2 \cos(\frac{1}{2}dx + \frac{c}{2})^2 - 1) \sin(\frac{1}{2}dx + \frac{c}{2})^2 \right)^{1/2} \left( 240 B^2 b \cos(\frac{1}{2}dx + \frac{c}{2}) \sin(\frac{1}{2}dx + \frac{c}{2})^8 + (-168 A^2 b - 168 B^2 a - 360 B^2 b) \sin(\frac{1}{2}dx + \frac{c}{2})^6 \cos(\frac{1}{2}dx + \frac{c}{2}) + (140 A^2 a + 168 A^2 b + 168 B^2 a + 280 B^2 b) \sin(\frac{1}{2}dx + \frac{c}{2})^4 \cos(\frac{1}{2}dx + \frac{c}{2}) + (-70 A^2 a - 42 A^2 b - 42 B^2 a - 80 B^2 b) \sin(\frac{1}{2}dx + \frac{c}{2})^2 \cos(\frac{1}{2}dx + \frac{c}{2}) + 35 A^2 \left( \sin(\frac{1}{2}dx + \frac{c}{2})^2 \right)^{1/2} \left( 2 \sin(\frac{1}{2}dx + \frac{c}{2})^2 - 1 \right)^{1/2} \operatorname{EllipticF}\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right), 2^{1/2}\right) - 63 A \left( \sin(\frac{1}{2}dx + \frac{c}{2})^2 \right)^{1/2} \left( 2 \sin(\frac{1}{2}dx + \frac{c}{2})^2 - 1 \right)^{1/2} \operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right), 2^{1/2}\right) + b + 25 B^2 b \left( \sin(\frac{1}{2}dx + \frac{c}{2})^2 \right)^{1/2} \left( 2 \sin(\frac{1}{2}dx + \frac{c}{2})^2 - 1 \right)^{1/2} \operatorname{EllipticF}\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right), 2^{1/2}\right) - 63 B \left( \sin(\frac{1}{2}dx + \frac{c}{2})^2 \right)^{1/2} \left( 2 \sin(\frac{1}{2}dx + \frac{c}{2})^2 - 1 \right)^{1/2} \operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right), 2^{1/2}\right) \right) \frac{1}{(-2 \sin(\frac{1}{2}dx + \frac{c}{2})^4 + \sin(\frac{1}{2}dx + \frac{c}{2})^2)^{1/2} \sin(\frac{1}{2}dx + \frac{c}{2}) / (2 \cos(\frac{1}{2}dx + \frac{c}{2})^2 - 1)^{1/2} / d}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)/sec(d\*x + c)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\operatorname{integral}\left(\frac{Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)}{\sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2), x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*a + (B\*a + A\*b)\*cos(d\*x + c))/sec(d\*x + c)^(3/2), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx))(a + b \cos(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/sec(d\*x+c)\*\*(3/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*(a + b\*cos(c + d\*x))/sec(c + d\*x)\*\*(3/2), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)/sec(d\*x + c)^(3/2), x)

$$3.556 \quad \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx$$

**Optimal.** Leaf size=221

$$\frac{2(a^2B + 2aAb + 3b^2B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(3a^2A + 5b(2aB + Ab)) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d}$$

[Out] (-2\*(3\*a^2\*A + 5\*b\*(A\*b + 2\*a\*B))\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(5\*d) + (2\*(2\*a\*A\*b + a^2\*B + 3\*b^2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(3\*d) + (2\*(3\*a^2\*A + 5\*b\*(A\*b + 2\*a\*B))\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x]/(5\*d) + (2\*a\*(7\*A\*b + 5\*a\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x]/(15\*d) + (2\*a\*A\*Sec[c + d\*x]^(3/2)\*(b + a\*Sec[c + d\*x])\*Sin[c + d\*x]))/(5\*d)

**Rubi [A]** time = 0.379852, antiderivative size = 221, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2960, 4026, 4047, 3768, 3771, 2639, 4046, 2641}

$$\frac{2(a^2B + 2aAb + 3b^2B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} + \frac{2(3a^2A + 5b(2aB + Ab)) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*cos[c + d\*x])^2\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^(7/2), x]

[Out] (-2\*(3\*a^2\*A + 5\*b\*(A\*b + 2\*a\*B))\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(5\*d) + (2\*(2\*a\*A\*b + a^2\*B + 3\*b^2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(3\*d) + (2\*(3\*a^2\*A + 5\*b\*(A\*b + 2\*a\*B))\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x]/(5\*d) + (2\*a\*(7\*A\*b + 5\*a\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x]/(15\*d) + (2\*a\*A\*Sec[c + d\*x]^(3/2)\*(b + a\*Sec[c + d\*x])\*Sin[c + d\*x]))/(5\*d)

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4026

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] := -Simp[(b\*B\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m - 1)\*(d\*Csc[e + f\*x])^n)/(f\*(m + n)), x] + Dist[1/(m + n), Int[(a + b\*Csc[e + f\*x])^(m - 2)\*(d\*Csc[e + f\*x])^n\*Simp[a^2\*A\*(m + n) + a\*b\*B\*n + (a\*(2\*A\*b + a\*B)\*(m + n) + b^2\*B\*(m + n - 1))\*Csc[e + f\*x] + b\*(A\*b\*(m + n) + a\*B\*(2\*m + n - 1))\*Csc[e + f\*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])

#### Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

### Rule 3768

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := -Simp[(b*Cos[c + d*x]*(b*Csc[c + d*x])^(n - 1))/(d*(n - 1)), x] + Dist[(b^2*(n - 2))/(n - 1), Int[(b*Csc[c + d*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2*n]
```

### Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]
```

### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.) + (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1)), x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rubi steps

$$\begin{aligned}
 \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx &= \int \sqrt{\sec(c + dx)} (b + a \sec(c + dx))^2 (B + A \sec(c + dx)) dx \\
 &= \frac{2aA \sec^{\frac{3}{2}}(c + dx) (b + a \sec(c + dx)) \sin(c + dx)}{5d} + \frac{2}{5} \int \sqrt{\sec(c + dx)} (b + a \sec(c + dx))^2 (B + A \sec(c + dx)) dx \\
 &= \frac{2aA \sec^{\frac{3}{2}}(c + dx) (b + a \sec(c + dx)) \sin(c + dx)}{5d} + \frac{2}{5} \int \sqrt{\sec(c + dx)} (b + a \sec(c + dx))^2 (B + A \sec(c + dx)) dx \\
 &= \frac{2(3a^2A + 5b(Ab + 2aB)) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{2a(7A + 5B)}{5d} \int \sqrt{\sec(c + dx)} (b + a \sec(c + dx))^2 (B + A \sec(c + dx)) dx \\
 &= \frac{2(3a^2A + 5b(Ab + 2aB)) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{2a(7A + 5B)}{5d} \int \sqrt{\sec(c + dx)} (b + a \sec(c + dx))^2 (B + A \sec(c + dx)) dx \\
 &= -\frac{2(3a^2A + 5b(Ab + 2aB)) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}
 \end{aligned}$$

**Mathematica [A]** time = 2.36768, size = 171, normalized size = 0.77

$$\sec^{\frac{5}{2}}(c + dx) \left( 20(a^2B + 2aAb + 3b^2B) \cos^{\frac{5}{2}}(c + dx) F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 12(3a^2A + 10abB + 5Ab^2) \cos^{\frac{5}{2}}(c + dx) E\left(\frac{1}{2}(c + dx) \middle| 2\right) \right) \sqrt{\sec(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*cos[c + d*x])^2*(A + B*cos[c + d*x])*Sec[c + d*x]^(7/2), x]
```

```
[Out] (Sec[c + d*x]^(5/2)*(-12*(3*a^2*A + 5*A*b^2 + 10*a*b*B)*Cos[c + d*x]^(5/2)*
EllipticE[(c + d*x)/2, 2] + 20*(2*a*A*b + a^2*B + 3*b^2*B)*Cos[c + d*x]^(5/2)*
EllipticF[(c + d*x)/2, 2] + 2*(15*(a^2*A + A*b^2 + 2*a*b*B) + 10*a*(2*A*
b + a*B)*Cos[c + d*x] + 3*(3*a^2*A + 5*A*b^2 + 10*a*b*B)*Cos[2*(c + d*x)])*
Sin[c + d*x]))/(30*d)
```

**Maple [B]** time = 10.918, size = 750, normalized size = 3.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2), x)
```

```
[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*b^2*B*(sin(1/
2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2
*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+2*b
*(A*b+2*B*a)*(-sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2
)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*
x+1/2*c), 2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*co
s(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2)/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+
1/2*c)^2-1)-2/5*a^2*A/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin
(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*EllipticE(cos(1/2*d*x+1/2*c),
2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*sin(
1/2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*EllipticE(co
s(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2
*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c
)+3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE
(cos(1/2*d*x+1/2*c), 2^(1/2))-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c))*(-2
*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*a*(2*A*b+B*a)*(-1/6*cos
(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1
/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2
*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*Ellipti
cF(cos(1/2*d*x+1/2*c), 2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2
-1)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2), x, algorithm
="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2*sec(d*x + c)^(7/2), x
)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^2 \cos(dx + c)^3 + Aa^2 + (2 Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2 Aab) \cos(dx + c)\right) \sec(dx + c)^{\frac{7}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((B\*b^2\*cos(d\*x + c)^3 + A\*a^2 + (2\*B\*a\*b + A\*b^2)\*cos(d\*x + c)^2 + (B\*a^2 + 2\*A\*a\*b)\*cos(d\*x + c))\*sec(d\*x + c)^(7/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(7/2), x)



$$3.557 \quad \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx$$

**Optimal.** Leaf size=177

$$\frac{2(a^2A + 6abB + 3Ab^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(a^2B + 2aAb - b^2B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d}$$

[Out] (-2\*(2\*a\*A\*b + a^2\*B - b^2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*(a^2\*A + 3\*A\*b^2 + 6\*a\*b\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*a\*(5\*A\*b + 3\*a\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3\*d) + (2\*a\*A\*Sqrt[Sec[c + d\*x]]\*(b + a\*Sec[c + d\*x])\*Sin[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.351616, antiderivative size = 177, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4026, 4047, 3771, 2641, 4046, 2639}

$$\frac{2(a^2A + 6abB + 3Ab^2) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(a^2B + 2aAb - b^2B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2), x]

[Out] (-2\*(2\*a\*A\*b + a^2\*B - b^2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d + (2\*(a^2\*A + 3\*A\*b^2 + 6\*a\*b\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*a\*(5\*A\*b + 3\*a\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3\*d) + (2\*a\*A\*Sqrt[Sec[c + d\*x]]\*(b + a\*Sec[c + d\*x])\*Sin[c + d\*x])/(3\*d)

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4026

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] := -Simp[(b\*B\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m - 1)\*(d\*Csc[e + f\*x])^n)/(f\*(m + n)), x] + Dist[1/(m + n), Int[(a + b\*Csc[e + f\*x])^(m - 2)\*(d\*Csc[e + f\*x])^n\*Simp[a^2\*A\*(m + n) + a\*b\*B\*n + (a\*(2\*A\*b + a\*B)\*(m + n) + b^2\*B\*(m + n - 1))\*Csc[e + f\*x] + b\*(A\*b\*(m + n) + a\*B\*(2\*m + n - 1))\*Csc[e + f\*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && !IGtQ[n, 1] && !IntegerQ[m]

#### Rule 4047

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.))^(m\_.)\*((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.)), x\_Symbol] := Dist[B/b, Int[(b\*Csc

$[e + f*x]^{(m + 1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /;$  FreeQ[{b, e, f, A, B, C, m}, x]

**Rule 3771**

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^n], x\_Symbol] := \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /;$  FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

**Rule 2641**

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

**Rule 4046**

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^m*(\text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) + (A_.)), x\_Symbol] := -\text{Simp}[(C*\text{Cot}[e + f*x]*(b*\text{Csc}[e + f*x])^m)/(f*(m + 1)), x] + \text{Dist}[(C*m + A*(m + 1))/(m + 1), \text{Int}[(b*\text{Csc}[e + f*x])^m, x], x] /;$  FreeQ[{b, e, f, A, C, m}, x] && NeQ[C\*m + A\*(m + 1), 0] && !LeQ[m, -1]

**Rule 2639**

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

**Rubi steps**

$$\begin{aligned} \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx &= \int \frac{(b + a \sec(c + dx))^2 (B + A \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2aA\sqrt{\sec(c + dx)}(b + a \sec(c + dx)) \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{-\frac{1}{2}b}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2aA\sqrt{\sec(c + dx)}(b + a \sec(c + dx)) \sin(c + dx)}{3d} + \frac{2}{3} \int \frac{-\frac{1}{2}b}{\sqrt{\sec(c + dx)}} dx \\ &= \frac{2a(5Ab + 3aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2aA\sqrt{\sec(c + dx)}}{3d} \\ &= \frac{2(a^2A + 3Ab^2 + 6abB)\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{3d} \\ &= \frac{2(2aAb + a^2B - b^2B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{d} \end{aligned}$$

**Mathematica [A]** time = 1.11888, size = 125, normalized size = 0.71

$$\frac{2\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\left((a^2A + 6abB + 3Ab^2)F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 3(a^2B + 2aAb - b^2B)E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{a \sin(c + dx)}{\sqrt{\sec(c + dx)}}\right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2), x]

[Out] (2\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*(-3\*(2\*a\*A\*b + a^2\*B - b^2\*B)\*EllipticE[(c + d\*x)/2, 2] + (a^2\*A + 3\*A\*b^2 + 6\*a\*b\*B)\*EllipticF[(c + d\*x)/2,

2] + (a\*(a\*A + 3\*(2\*A\*b + a\*B)\*Cos[c + d\*x])\*Sin[c + d\*x])/Cos[c + d\*x]^(3/2)))/(3\*d)

**Maple [B]** time = 7.943, size = 677, normalized size = 3.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2),x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*b^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)}))+2*A*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+4*B*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-2*b^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*a*(2*A*b+B*a)*(-\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+2*a^2*A*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^2 \cos(dx + c)^3 + Aa^2 + (2 Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2 Aab) \cos(dx + c)\right) \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] `integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sec(d*x + c)^(5/2), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)**(5/2), x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2), x, algorithm="giac")`

[Out] `integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2*sec(d*x + c)^(5/2), x)`

$$3.558 \quad \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx$$

**Optimal.** Leaf size=161

$$\frac{2(3a^2B + 6aAb + b^2B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(a^2A - b(2aB + Ab)) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d}$$

[Out]  $(-2*(a^2*A - b*(A*b + 2*a*B))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*(6*a*A*b + 3*a^2*B + b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*b^2*B*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*a^2*A*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d$

**Rubi [A]** time = 0.320127, antiderivative size = 161, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4024, 4047, 3771, 2641, 4046, 2639}

$$\frac{2(3a^2B + 6aAb + b^2B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(a^2A - b(2aB + Ab)) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])^2*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^{(3/2)}, x]$

[Out]  $(-2*(a^2*A - b*(A*b + 2*a*B))*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*(6*a*A*b + 3*a^2*B + b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*b^2*B*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]]) + (2*a^2*A*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d$

#### Rule 2960

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Csc}[e + f*x])^{(p-m-n)}*(b + a*\text{Csc}[e + f*x])^{(d+c)}*\text{Csc}[e + f*x]^n, x], x] /;$  FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4024

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[(a^2*A*\text{Cos}[e + f*x]*(d*\text{Csc}[e + f*x])^{(n+1)})/(d*f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(d*\text{Csc}[e + f*x])^{(n+1)}*(a*(2*A*b + a*B)*n + (2*a*b*B*n + A*(b^2*n + a^2*(n+1)))*\text{Csc}[e + f*x] + b^2*B*n*\text{Csc}[e + f*x]^2), x], x] /;$  FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

#### Rule 4047

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.))^{(m_.)}*((A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)), x\_Symbol] \rightarrow \text{Dist}[B/b, \text{Int}[(b*\text{Csc}[e + f*x])^{(m+1)}, x], x] + \text{Int}[(b*\text{Csc}[e + f*x])^m*(A + C*\text{Csc}[e + f*x]^2), x] /;$  FreeQ[{b, e, f, A, B, C, m}, x]

#### Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_)]^2*(C_.
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

### Rubi steps

$$\int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx = \int \frac{(b + a \sec(c + dx))^2 (B + A \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx$$

$$= \frac{2b^2 B \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{3}{2}b(Ab + 2aB) + \left(-3aAb + \left(-\frac{3a^2}{2}\right)\right)}{\sqrt{\sec(c + dx)}} dx$$

$$= \frac{2b^2 B \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{-\frac{3}{2}b(Ab + 2aB) - \frac{3}{2}a^2 A \sec^2(c + dx)}{\sqrt{\sec(c + dx)}} dx$$

$$= \frac{2b^2 B \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{2a^2 A \sqrt{\sec(c + dx)} \sin(c + dx)}{d} - (a^2 A -$$

$$= \frac{2(6aAb + 3a^2 B + b^2 B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d}$$

$$= \frac{2(a^2 A - b(Ab + 2aB)) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d}$$

**Mathematica [A]** time = 0.728235, size = 124, normalized size = 0.77

$$\frac{\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \left( 2(3a^2 B + 6aAb + b^2 B) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + (-6a^2 A + 12abB + 6Ab^2) E\left(\frac{1}{2}(c + dx) \middle| 2\right) + \frac{2 \sin(c + dx)}{\sqrt{\sec(c + dx)}} \right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]
```

```
[Out] (Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((-6*a^2*A + 6*A*b^2 + 12*a*b*B)*Ell
ipticE[(c + d*x)/2, 2] + 2*(6*a*A*b + 3*a^2*B + b^2*B)*EllipticF[(c + d*x)/
2, 2] + (2*(3*a^2*A + b^2*B*Cos[c + d*x])*Sin[c + d*x])/Sqrt[Cos[c + d*x]]
)/(3*d)
```

---

**Maple [B]** time = 3.925, size = 404, normalized size = 2.5

$$-\frac{2}{3d} \left( 4 B b^2 \cos(1/2 dx + c/2) (\sin(1/2 dx + c/2))^4 + 6 A a b \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{2 (\sin(1/2 dx + c/2))^2 - 1} \text{EllipticF} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2),x)

[Out] 
$$-2/3*(4*B*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^4+6*A*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a^2-3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2-6*A*a^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2+3*B*a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+b^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-6*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})*a*b-2*B*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(3/2), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^2 \cos(dx + c)^3 + Aa^2 + (2 Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2 Aab) \cos(dx + c)\right) \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B\*b^2\*cos(d\*x + c)^3 + A\*a^2 + (2\*B\*a\*b + A\*b^2)\*cos(d\*x + c)^2 + (B\*a^2 + 2\*A\*a\*b)\*cos(d\*x + c))\*sec(d\*x + c)^(3/2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(3/2), x )



### 3.559 $\int (a+b \cos(c+dx))^2 (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$

**Optimal.** Leaf size=171

$$\frac{2(3a^2A + 2abB + Ab^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2(5a^2B + 10aAb + 3b^2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{5d}$$

```
[Out] (2*(10*a*A*b + 5*a^2*B + 3*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(3*a^2*A + A*b^2 + 2*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*b^2*B*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*b*(A*b + 2*a*B)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

**Rubi [A]** time = 0.336487, antiderivative size = 171, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4024, 4047, 3771, 2639, 4045, 2641}

$$\frac{2(3a^2A + 2abB + Ab^2) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3d} + \frac{2(5a^2B + 10aAb + 3b^2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)}}{5d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^2*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]],x]
```

```
[Out] (2*(10*a*A*b + 5*a^2*B + 3*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(3*a^2*A + A*b^2 + 2*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*b^2*B*Sin[c + d*x])/(5*d*Sec[c + d*x]^(3/2)) + (2*b*(A*b + 2*a*B)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d*x]])
```

#### Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

#### Rule 4024

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^2*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a^2*A*Cos[e + f*x]*(d*Csc[e + f*x])^(n + 1))/(d*f*n), x] + Dist[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*(a*(2*A*b + a*B)*n + (2*a*b*B*n + A*(b^2*n + a^2*(n + 1)))*Csc[e + f*x] + b^2*B*n*Csc[e + f*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]
```

#### Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.) + (A\_.)), x\_Symbol] := Simp[(A\*Cot[e + f\*x]\*(b\*Csc[e + f\*x])^m)/(f\*m), x] + Dist[(C\*m + A\*(m + 1))/(b^2\*m), Int[(b\*Csc[e + f\*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C\*m + A\*(m + 1), 0] && LeQ[m, -1]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^2 (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx &= \int \frac{(b + a \sec(c + dx))^2 (B + A \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2b^2 B \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}b(Ab + 2aB) + \left(-5aAb + \left(-\frac{5a^2}{2}\right)\right)}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2b^2 B \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{-\frac{5}{2}b(Ab + 2aB) - \frac{5}{2}a^2 A \sec^2(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\ &= \frac{2b^2 B \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2b(Ab + 2aB) \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} - \frac{1}{3} \left(-3a^2 A - \frac{2(10aAb + 5a^2 B + 3b^2 B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d}\right) \\ &= \frac{2(10aAb + 5a^2 B + 3b^2 B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} \end{aligned}$$

**Mathematica [A]** time = 0.882372, size = 128, normalized size = 0.75

$$\frac{\sqrt{\sec(c + dx)} \left(10(3a^2 A + 2abB + Ab^2) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 6(5a^2 B + 10aAb + 3b^2 B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}\right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]],x]

[Out] (Sqrt[Sec[c + d\*x]]\*(6\*(10\*a\*A\*b + 5\*a^2\*B + 3\*b^2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + 10\*(3\*a^2\*A + A\*b^2 + 2\*a\*b\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + b\*(5\*A\*b + 10\*a\*B + 3\*b\*B\*Cos[c + d\*x])\*Sin[2\*

$(c + d*x]))/ (15*d)$

**Maple [B]** time = 3.695, size = 487, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\cos(d*x+c))^2*(A+B*\cos(d*x+c))*\sec(d*x+c)^{(1/2)}, x)$

[Out] 
$$-2/15*((2*\cos(1/2*d*x+1/2*c)^2-1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-24*b^2*B*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^6+(20*A*b^2+40*B*a*b+24*B*b^2)*\sin(1/2*d*x+1/2*c)^4*\cos(1/2*d*x+1/2*c)+(-10*A*b^2-20*B*a*b-6*B*b^2)*\sin(1/2*d*x+1/2*c)^2*\cos(1/2*d*x+1/2*c)+15*a^2*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+5*A*b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-30*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a*b+10*B*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-15*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a^2-9*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/ (2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b*\cos(d*x+c))^2*(A+B*\cos(d*x+c))*\sec(d*x+c)^{(1/2)}, x, \text{algorithm} = "maxima")$

[Out]  $\text{integrate}((B*\cos(d*x + c) + A)*(b*\cos(d*x + c) + a)^2*\text{sqrt}(\sec(d*x + c)), x)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$\text{integral}((B*b^2*\cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*\cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*\cos(d*x + c))*\sqrt{\sec(d*x + c)}, x)$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((a+b*\cos(d*x+c))^2*(A+B*\cos(d*x+c))*\sec(d*x+c)^{(1/2)}, x, \text{algorithm} = "fricas")$

[Out]  $\text{integral}((B*b^2*\cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*\cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*\cos(d*x + c))*\text{sqrt}(\sec(d*x + c)), x)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^2\*sqrt(sec(d\*x + c)), x)

$$3.560 \quad \int \frac{(a+b \cos(c+dx))^2(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=213

$$\frac{2(7a^2B + 14aAb + 5b^2B) \sin(c + dx)}{21d\sqrt{\sec(c + dx)}} + \frac{2(7a^2B + 14aAb + 5b^2B) \sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(5a^2B + 10aAb + 5b^2B) \cos(c + dx)}{21d}$$

[Out] (2\*(5\*a^2\*A + 3\*A\*b^2 + 6\*a\*b\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(5\*d) + (2\*(14\*a\*A\*b + 7\*a^2\*B + 5\*b^2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(21\*d) + (2\*b^2\*B\*Sin[c + d\*x])/(7\*d\*Sec[c + d\*x]^(5/2)) + (2\*b\*(A\*b + 2\*a\*B)\*Sin[c + d\*x])/(5\*d\*Sec[c + d\*x]^(3/2)) + (2\*(14\*a\*A\*b + 7\*a^2\*B + 5\*b^2\*B)\*Sin[c + d\*x])/(21\*d\*Sqrt[Sec[c + d\*x]])

**Rubi [A]** time = 0.372137, antiderivative size = 213, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2960, 4024, 4047, 3769, 3771, 2641, 4045, 2639}

$$\frac{2(7a^2B + 14aAb + 5b^2B) \sin(c + dx)}{21d\sqrt{\sec(c + dx)}} + \frac{2(7a^2B + 14aAb + 5b^2B) \sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{21d} + \frac{2(5a^2B + 10aAb + 5b^2B) \cos(c + dx)}{21d}$$

Antiderivative was successfully verified.

[In] Int[((a + b\*Cos[c + d\*x])^2\*(A + B\*Cos[c + d\*x]))/Sqrt[Sec[c + d\*x]],x]

[Out] (2\*(5\*a^2\*A + 3\*A\*b^2 + 6\*a\*b\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(5\*d) + (2\*(14\*a\*A\*b + 7\*a^2\*B + 5\*b^2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(21\*d) + (2\*b^2\*B\*Sin[c + d\*x])/(7\*d\*Sec[c + d\*x]^(5/2)) + (2\*b\*(A\*b + 2\*a\*B)\*Sin[c + d\*x])/(5\*d\*Sec[c + d\*x]^(3/2)) + (2\*(14\*a\*A\*b + 7\*a^2\*B + 5\*b^2\*B)\*Sin[c + d\*x])/(21\*d\*Sqrt[Sec[c + d\*x]])

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4024

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^2\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] := Simp[(a^2\*A\*Cos[e + f\*x]\*(d\*Csc[e + f\*x])^(n + 1))/(d\*f\*n), x] + Dist[1/(d\*n), Int[(d\*Csc[e + f\*x])^(n + 1)\*(a\*(2\*A\*b + a\*B)\*n + (2\*a\*b\*B\*n + A\*(b^2\*n + a^2\*(n + 1)))\*Csc[e + f\*x] + b^2\*B\*n\*Csc[e + f\*x]^2), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

#### Rule 4047

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.))^(m\_.)\*((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.)), x\_Symbol] := Dist[B/b, Int[(b\*Csc[e + f\*x])^(m + 1), x], x] + Int[(b\*Csc[e + f\*x])^m\*(A + C\*Csc[e + f\*x]^2),

x] /; FreeQ[{b, e, f, A, B, C, m}, x]

### Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^n, x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^n, x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rule 4045

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.))^m\*(csc[(e\_.) + (f\_.)\*(x\_)]^2\*(C\_. + (A\_.)), x\_Symbol] := Simp[(A\*Cot[e + f\*x]\*(b\*Csc[e + f\*x])^m)/(f\*m), x] + Dist[(C\*m + A\*(m + 1))/(b^2\*m), Int[(b\*Csc[e + f\*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C\*m + A\*(m + 1), 0] && LeQ[m, -1]

### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned} \int \frac{(a + b \cos(c + dx))^2(A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \int \frac{(b + a \sec(c + dx))^2(B + A \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx \\ &= \frac{2b^2B \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7}{2}b(Ab + 2aB) + \left(-7aAb + \left(-\frac{7a^2}{2} - \frac{5b^2}{2}\right)B\right) \sec^{\frac{5}{2}}(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2b^2B \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{-\frac{7}{2}b(Ab + 2aB) - \frac{7}{2}a^2A \sec^2(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx - \frac{1}{7} \int \frac{(-7aAb + \left(-\frac{7a^2}{2} - \frac{5b^2}{2}\right)B) \sec^{\frac{5}{2}}(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2b^2B \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2b(Ab + 2aB) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(14aAb + 7a^2B + 5b^2B)}{21d \sqrt{\sec(c + dx)}} \\ &= \frac{2b^2B \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} + \frac{2b(Ab + 2aB) \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{2(14aAb + 7a^2B + 5b^2B)}{21d \sqrt{\sec(c + dx)}} \\ &= \frac{2(5a^2A + 3Ab^2 + 6abB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \dots \end{aligned}$$

**Mathematica [A]** time = 1.33155, size = 161, normalized size = 0.76

$$\sqrt{\sec(c + dx)} \left( \sin(2(c + dx)) \left( 5(14a^2B + 28aAb + 3b^2B \cos(2(c + dx))) + 13b^2B \right) + 42b(2aB + Ab) \cos(c + dx) \right) + 20(7a^2A + 3Ab^2 + 6abB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a + b*cos[c + d*x])^2*(A + B*cos[c + d*x]))/Sqrt[Sec[c + d*x]], x]
```

```
[Out] (Sqrt[Sec[c + d*x]]*(84*(5*a^2*A + 3*A*b^2 + 6*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 20*(14*a*A*b + 7*a^2*B + 5*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + (42*b*(A*b + 2*a*B)*Cos[c + d*x] + 5*(28*a*A*b + 14*a^2*B + 13*b^2*B + 3*b^2*B*cos[2*(c + d*x)]))*Sin[2*(c + d*x)]))/(210*d)
```

**Maple [B]** time = 3.781, size = 548, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2), x)
```

```
[Out] -2/105*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(240*b^2*B*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^8+(-168*A*b^2-336*B*a*b-360*B*b^2)*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)+(280*A*a*b+168*A*b^2+140*B*a^2+336*B*a*b+280*B*b^2)*sin(1/2*d*x+1/2*c)^4*cos(1/2*d*x+1/2*c)+(-140*A*a*b-42*A*b^2-70*B*a^2-84*B*a*b-80*B*b^2)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+70*A*a*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-105*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*a^2-63*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*b^2+35*B*a^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+25*b^2*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))-126*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*a*b)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^2}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^2*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2), x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^2/sqrt(sec(d*x + c)), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{Bb^2 \cos(dx + c)^3 + Aa^2 + (2 Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2 Aab) \cos(dx + c)}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*b^2\*cos(d\*x + c)^3 + A\*a^2 + (2\*B\*a\*b + A\*b^2)\*cos(d\*x + c)^2 + (B\*a^2 + 2\*A\*a\*b)\*cos(d\*x + c))/sqrt(sec(d\*x + c)), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx))(a + b \cos(c + dx))^2}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/sec(d\*x+c)\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*(a + b\*cos(c + d\*x))^2/sqrt(sec(c + d\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^2}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^2\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^2/sqrt(sec(d\*x + c)), x)



$$3.561 \quad \int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx) dx$$

**Optimal.** Leaf size=295

$$\frac{2a(5a^2A + 21abB + 18Ab^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{21d} + \frac{2(9a^2Ab + 3a^3B + 15ab^2B + 5Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d}$$

[Out] (-2\*(9\*a^2\*A\*b + 5\*A\*b^3 + 3\*a^3\*B + 15\*a\*b^2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(5\*d) + (2\*(5\*a^3\*A + 21\*a\*A\*b^2 + 21\*a^2\*b\*B + 21\*b^3\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(21\*d) + (2\*(9\*a^2\*A\*b + 5\*A\*b^3 + 3\*a^3\*B + 15\*a\*b^2\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(5\*d) + (2\*a\*(5\*a^2\*A + 18\*A\*b^2 + 21\*a\*b\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(21\*d) + (2\*a^2\*(11\*A\*b + 7\*a\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(35\*d) + (2\*a\*A\*Sec[c + d\*x]^(3/2)\*(b + a\*Sec[c + d\*x])^2\*Ssin[c + d\*x])/(7\*d)

**Rubi [A]** time = 0.597226, antiderivative size = 295, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {2960, 4026, 4076, 4047, 3768, 3771, 2639, 4046, 2641}

$$\frac{2a(5a^2A + 21abB + 18Ab^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{21d} + \frac{2(9a^2Ab + 3a^3B + 15ab^2B + 5Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(9/2),x]

[Out] (-2\*(9\*a^2\*A\*b + 5\*A\*b^3 + 3\*a^3\*B + 15\*a\*b^2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(5\*d) + (2\*(5\*a^3\*A + 21\*a\*A\*b^2 + 21\*a^2\*b\*B + 21\*b^3\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(21\*d) + (2\*(9\*a^2\*A\*b + 5\*A\*b^3 + 3\*a^3\*B + 15\*a\*b^2\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(5\*d) + (2\*a\*(5\*a^2\*A + 18\*A\*b^2 + 21\*a\*b\*B)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(21\*d) + (2\*a^2\*(11\*A\*b + 7\*a\*B)\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(35\*d) + (2\*a\*A\*Sec[c + d\*x]^(3/2)\*(b + a\*Sec[c + d\*x])^2\*Ssin[c + d\*x])/(7\*d)

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4026

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] := -Simp[(b\*B\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m - 1)\*(d\*Csc[e + f\*x])^n)/(f\*(m + n)), x] + Dist[1/(m + n), Int[(a + b\*Csc[e + f\*x])^(m - 2)\*(d\*Csc[e + f\*x])^n\*Simp[a^2\*A\*(m + n) + a\*b\*B\*n + (a\*(2\*A\*b + a\*B)\*(m + n) + b^2\*B\*(m + n - 1))\*Csc[e + f\*x] + b\*(A\*b\*(m + n) + a\*B\*(2\*m + n - 1))\*Csc[e + f\*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b

$\wedge 2, 0]$  && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])

#### Rule 4076

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_)])\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_)]<sup>2</sup>\*(C\_.))\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))<sup>(n\_.)</sup>\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] := -Simp[(b\*C\*Csc[e + f\*x]\*Cot[e + f\*x]\*(d\*Csc[e + f\*x])<sup>n</sup>/(f\*(n + 2)), x] + Dist[1/(n + 2), Int[(d\*Csc[e + f\*x])<sup>n</sup>\*Simp[A\*a\*(n + 2) + (B\*a\*(n + 2) + b\*(C\*(n + 1) + A\*(n + 2)))\*Csc[e + f\*x] + (a\*C + B\*b)\*(n + 2)\*Csc[e + f\*x]<sup>2</sup>, x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !LtQ[n, -1]

#### Rule 4047

Int[(csc[(e\_.) + (f\_.)\*(x\_)])\*(b\_.))<sup>(m\_.)</sup>\*((A\_.) + csc[(e\_.) + (f\_.)\*(x\_)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_)]<sup>2</sup>\*(C\_.)), x\_Symbol] := Dist[B/b, Int[(b\*Csc[e + f\*x])<sup>(m + 1)</sup>, x], x] + Int[(b\*Csc[e + f\*x])<sup>m</sup>\*(A + C\*Csc[e + f\*x]<sup>2</sup>), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_)])\*(b\_.))<sup>(n\_.)</sup>, x\_Symbol] := -Simp[(b\*Cos[c + d\*x]\*(b\*Csc[c + d\*x])<sup>(n - 1)</sup>)/(d\*(n - 1)), x] + Dist[(b<sup>2</sup>\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])<sup>(n - 2)</sup>, x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)])\*(b\_.))<sup>(n\_.)</sup>, x\_Symbol] := Dist[(b\*Csc[c + d\*x])<sup>n</sup>\*Sin[c + d\*x]<sup>n</sup>, Int[1/Sin[c + d\*x]<sup>n</sup>, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n<sup>2</sup>, 1/4]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 4046

Int[(csc[(e\_.) + (f\_.)\*(x\_)])\*(b\_.))<sup>(m\_.)</sup>\*(csc[(e\_.) + (f\_.)\*(x\_)]<sup>2</sup>\*(C\_.) + (A\_.)), x\_Symbol] := -Simp[(C\*Cot[e + f\*x]\*(b\*Csc[e + f\*x])<sup>m</sup>/(f\*(m + 1)), x] + Dist[(C\*m + A\*(m + 1))/(m + 1), Int[(b\*Csc[e + f\*x])<sup>m</sup>, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C\*m + A\*(m + 1), 0] && !LeQ[m, -1]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx) dx &= \int \sqrt{\sec(c + dx)} (b + a \sec(c + dx))^3 (B + A \sec(c + dx)) dx \\
&= \frac{2aA \sec^{\frac{3}{2}}(c + dx) (b + a \sec(c + dx))^2 \sin(c + dx)}{7d} + \frac{2}{7} \int \dots \\
&= \frac{2a^2(11Ab + 7aB) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{35d} + \frac{2aA \sec^{\frac{3}{2}}(c + dx)}{7} \int \dots \\
&= \frac{2a^2(11Ab + 7aB) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{35d} + \frac{2aA \sec^{\frac{3}{2}}(c + dx)}{7} \int \dots \\
&= \frac{2(9a^2Ab + 5Ab^3 + 3a^3B + 15ab^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} \\
&= \frac{2(9a^2Ab + 5Ab^3 + 3a^3B + 15ab^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} \\
&= -\frac{2(9a^2Ab + 5Ab^3 + 3a^3B + 15ab^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}, c + dx\right)}{5d}
\end{aligned}$$

**Mathematica [A]** time = 3.50839, size = 225, normalized size = 0.76

$$2\sqrt{\sec(c + dx)} \left( 21(9a^2Ab + 3a^3B + 15ab^2B + 5Ab^3) \sin(c + dx) + 5a(5a^2A + 21abB + 21Ab^2) \tan(c + dx) + 5(5a^3A + 21a^2bB + 21aAb^2) \sec(c + dx) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2), x]

[Out] (2*Sqrt[Sec[c + d*x]]*(-21*(9*a^2*A*b + 5*A*b^3 + 3*a^3*B + 15*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2] + 5*(5*a^3*A + 21*a*A*b^2 + 21*a^2*b*B + 21*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2] + 21*(9*a^2*A*b + 5*A*b^3 + 3*a^3*B + 15*a*b^2*B)*Sin[c + d*x] + 5*a*(5*a^2*A + 21*A*b^2 + 21*a*b*B)*Tan[c + d*x] + 21*a^2*(3*A*b + a*B)*Sec[c + d*x]*Tan[c + d*x] + 15*a^3*A*Sec[c + d*x]^2*Tan[c + d*x]))/(105*d)
```

**Maple [B]** time = 13.595, size = 944, normalized size = 3.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2), x)

[Out] -(-(-2*cos(1/2*d*x+1/2*c)^2+1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*B*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))+2*b^2*(A*b+3*B*a)*(-sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))+2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2/sin(1/2*d*x+1/2*c)^2/(2*sin(1/2*d*x+1/2*c)^2-1)-2/5*a^2*(3*A*b+B*a)/(8*sin(1/2*d*x+1/2*c)^6-12*sin(1/2*d*x+1/2*c)^4+6*sin(1/2*d*x+1/2*c)^2-1)/sin(1/2*d*x+1/2*c)^2*(12*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin(1/2*d*x+1/2*c)^2
```

```

)^(1/2)*sin(1/2*d*x+1/2*c)^4-24*sin(1/2*d*x+1/2*c)^6*cos(1/2*d*x+1/2*c)-12*
EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*(sin
(1/2*d*x+1/2*c)^2)^(1/2)*sin(1/2*d*x+1/2*c)^2+24*sin(1/2*d*x+1/2*c)^4*cos(1
/2*d*x+1/2*c)+3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/
2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-8*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x
+1/2*c))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+2*A*a^3*(-1/5
6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(
cos(1/2*d*x+1/2*c)^2-1/2)^4-5/42*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^
4+sin(1/2*d*x+1/2*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+5/21*(sin(1/2*d*
x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^
4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))) +6*a*b*
(A*b+B*a)*(-1/6*cos(1/2*d*x+1/2*c)*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2
*c)^2)^(1/2)/(cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*
(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*
c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*c
os(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algorithm
="maxima")

```

```

[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3*sec(d*x + c)^(9/2), x
)

```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

```

integral((Bb^3*cos(dx+c)^4 + Aa^3 + (3Bab^2 + Ab^3)*cos(dx+c)^3 + 3(Ba^2b + Aab^2)*cos(dx+c)^2 + (Ba^3 + 3Aa^2b)*cos

```

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algorithm
="fricas")

```

```

[Out] integral((B*b^3*cos(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*cos(d*x + c)^3
+ 3*(B*a^2*b + A*a*b^2)*cos(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*cos(d*x + c))
*sec(d*x + c)^(9/2), x)

```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)**(9/2),x)

```

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(9/2), x )

$$3.562 \quad \int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx$$

**Optimal.** Leaf size=244

$$\frac{2a(3a^2A + 15abB + 14Ab^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{2(3a^2Ab + a^3B + 9ab^2B + 3Ab^3) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{c + dx}{2}, 2\right)}{3d}$$

```
[Out] (-2*(3*a^3*A + 15*a*A*b^2 + 15*a^2*b*B - 5*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(3*a^2*A*b + 3*A*b^3 + a^3*B + 9*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*(3*a^2*A + 14*A*b^2 + 15*a*b*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*a^2*(9*A*b + 5*a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*d) + (2*a*A*Sqrt[Sec[c + d*x]]*(b + a*Sec[c + d*x])^2*Ssin[c + d*x])/(5*d)
```

**Rubi [A]** time = 0.577069, antiderivative size = 244, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2960, 4026, 4076, 4047, 3771, 2641, 4046, 2639}

$$\frac{2a(3a^2A + 15abB + 14Ab^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{5d} + \frac{2(3a^2Ab + a^3B + 9ab^2B + 3Ab^3) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{c + dx}{2}, 2\right)}{3d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]
```

```
[Out] (-2*(3*a^3*A + 15*a*A*b^2 + 15*a^2*b*B - 5*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(3*a^2*A*b + 3*A*b^3 + a^3*B + 9*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*a*(3*a^2*A + 14*A*b^2 + 15*a*b*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*a^2*(9*A*b + 5*a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*d) + (2*a*A*Sqrt[Sec[c + d*x]]*(b + a*Sec[c + d*x])^2*Ssin[c + d*x])/(5*d)
```

#### Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

#### Rule 4026

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*Csc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])
```

Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)
)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)])*(
B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)])*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)])*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx &= \int \frac{(b + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2aA\sqrt{\sec(c + dx)}(b + a \sec(c + dx))^2 \sin(c + dx)}{5d} + \frac{2}{5} \int \frac{(b + a \sec(c + dx))^3 \sin(c + dx)}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2a^2(9Ab + 5aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} + \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{5d} \\
&= \frac{2a^2(9Ab + 5aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} + \frac{2aA\sqrt{\sec(c + dx)} \sin(c + dx)}{5d} \\
&= \frac{2a(3a^2A + 14Ab^2 + 15abB) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} + \frac{2a^2(9Ab + 5aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15d} \\
&= \frac{2(3a^2Ab + 3Ab^3 + a^3B + 9ab^2B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx)\right)}{3d} \\
&= -\frac{2(3a^3A + 15aAb^2 + 15a^2bB - 5b^3B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{5d}
\end{aligned}$$

**Mathematica [A]** time = 1.55486, size = 192, normalized size = 0.79

$$\frac{2\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\left(5(3a^2Ab + a^3B + 9ab^2B + 3Ab^3)F\left(\frac{1}{2}(c + dx)\right) - 3(3a^3A + 15a^2bB + 15aAb^2 - 5b^3B)E\left(\frac{1}{2}(c + dx)\right)\right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^3\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^(7/2), x]

[Out] (2\*Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*(-3\*(3\*a^3\*A + 15\*a\*A\*b^2 + 15\*a^2\*b\*B - 5\*b^3\*B)\*EllipticE[(c + d\*x)/2, 2] + 5\*(3\*a^2\*A\*b + 3\*A\*b^3 + a^3\*B + 9\*a\*b^2\*B)\*EllipticF[(c + d\*x)/2, 2] + (a\*(15\*(a^2\*A + 3\*A\*b^2 + 3\*a\*b\*B) + 10\*a\*(3\*A\*b + a\*B)\*Cos[c + d\*x] + 9\*(a^2\*A + 5\*A\*b^2 + 5\*a\*b\*B)\*Cos[2\*(c + d\*x)]))\*Sin[c + d\*x])/(2\*Cos[c + d\*x]^(5/2)))/(15\*d)

**Maple [B]** time = 10.882, size = 997, normalized size = 4.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2), x)

[Out] -((-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*B\*b^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2)))+2\*A\*b^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))+6\*B\*a\*b^2\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-2\*B\*b^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2)))/15\*d



$$\begin{aligned} & \frac{1}{2}c)^4 + \sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2)^{\frac{1}{2}} * \text{EllipticF}\left(\cos\left(\frac{1}{2}d^*x + \frac{1}{2}c\right), 2^{\frac{1}{2}}\right) + \\ & 6*a*b*(A*B+B*A)*(-\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2)^{\frac{1}{2}}*(2*\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2-1)^{\frac{1}{2}} * \\ & (-2*\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^4 + \sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2)^{\frac{1}{2}} * \text{EllipticE}\left(\cos\left(\frac{1}{2}d^*x + \frac{1}{2}c\right), 2^{\frac{1}{2}}\right) + \\ & 2*(-2*\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^4 + \sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2)^{\frac{1}{2}} * \cos\left(\frac{1}{2}d^*x + \frac{1}{2}c\right) * \sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2 / \\ & \sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2 / (2*\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2-1) - 2/5*A*a^3 / (8*\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^6 - 12*\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^4 + 6* \\ & \sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2-1) / \sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2 * (12*\text{EllipticE}\left(\cos\left(\frac{1}{2}d^*x + \frac{1}{2}c\right), 2^{\frac{1}{2}}\right) * \\ & (2*\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2-1)^{\frac{1}{2}} * (\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2)^{\frac{1}{2}} * \sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^4 - 24*\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^6 * \\ & \cos\left(\frac{1}{2}d^*x + \frac{1}{2}c\right) - 12*\text{EllipticE}\left(\cos\left(\frac{1}{2}d^*x + \frac{1}{2}c\right), 2^{\frac{1}{2}}\right) * (2*\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2-1)^{\frac{1}{2}} * \\ & (\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2)^{\frac{1}{2}} * \sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2 + 24*\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^4 * \cos\left(\frac{1}{2}d^*x + \frac{1}{2}c\right) + \\ & 3*(\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2)^{\frac{1}{2}} * (2*\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2-1)^{\frac{1}{2}} * \text{EllipticE}\left(\cos\left(\frac{1}{2}d^*x + \frac{1}{2}c\right), 2^{\frac{1}{2}}\right) - \\ & 8*\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2 * \cos\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)) * (-2*\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^4 + \sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2)^{\frac{1}{2}} + \\ & 2*a^2*(3*A*b+B*a)*(-1/6*\cos\left(\frac{1}{2}d^*x + \frac{1}{2}c\right) * (-2*\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^4 + \sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2)^{\frac{1}{2}} / \\ & (\cos\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2-1/2)^2 + 1/3*(\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2)^{\frac{1}{2}} * (-2*\cos\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2+1)^{\frac{1}{2}} / \\ & (-2*\sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^4 + \sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2)^{\frac{1}{2}} * \text{EllipticF}\left(\cos\left(\frac{1}{2}d^*x + \frac{1}{2}c\right), 2^{\frac{1}{2}}\right) / \\ & \sin\left(\frac{1}{2}d^*x + \frac{1}{2}c\right) / (2*\cos\left(\frac{1}{2}d^*x + \frac{1}{2}c\right)^2-1)^{\frac{1}{2}} / d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(7/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^3 \cos(dx + c)^4 + Aa^3 + (3Bab^2 + Ab^3) \cos(dx + c)^3 + 3(Ba^2b + Aab^2) \cos(dx + c)^2 + (Ba^3 + 3Aa^2b)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((B\*b^3\*cos(d\*x + c)^4 + A\*a^3 + (3\*B\*a\*b^2 + A\*b^3)\*cos(d\*x + c)^3 + 3\*(B\*a^2\*b + A\*a\*b^2)\*cos(d\*x + c)^2 + (B\*a^3 + 3\*A\*a^2\*b)\*cos(d\*x + c)) \* sec(d\*x + c)^(7/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(7/2), x )

$$3.563 \quad \int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx$$

**Optimal.** Leaf size=239

$$\frac{2a(3a^2B + 9aAb - 2b^2B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d} + \frac{2(a^3A + 9a^2bB + 9aAb^2 + b^3B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}\right)}{3d}$$

[Out]  $(-2*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*(a^3*A + 9*a*A*b^2 + 9*a^2*b*B + b^3*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*a*(9*a*A*b + 3*a^2*B - 2*b^2*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*a^2*(a*A - b*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d) + (2*b*B*(b + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

**Rubi [A]** time = 0.565625, antiderivative size = 239, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2960, 4025, 4076, 4047, 3771, 2641, 4046, 2639}

$$\frac{2a(3a^2B + 9aAb - 2b^2B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3d} + \frac{2(a^3A + 9a^2bB + 9aAb^2 + b^3B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}\right)}{3d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b*\text{Cos}[c + d*x])^3*(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^{(5/2)}, x]$

[Out]  $(-2*(3*a^2*A*b - A*b^3 + a^3*B - 3*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*(a^3*A + 9*a*A*b^2 + 9*a^2*b*B + b^3*B)*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticF}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*d) + (2*a*(9*a*A*b + 3*a^2*B - 2*b^2*B)*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/(3*d) + (2*a^2*(a*A - b*B)*\text{Sec}[c + d*x]^{(3/2)}*\text{Sin}[c + d*x])/(3*d) + (2*b*B*(b + a*\text{Sec}[c + d*x])^2*\text{Sin}[c + d*x])/(3*d*\text{Sqrt}[\text{Sec}[c + d*x]])$

#### Rule 2960

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Csc}[e + f*x])^{(p-m-n)}*(b + a*\text{Csc}[e + f*x])^m*(d + c*\text{Csc}[e + f*x])^n, x], x] /;$  FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4025

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[(a*A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m-1)}*(d*\text{Csc}[e + f*x])^n)/(f*n), x] + \text{Dist}[1/(d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m-2)}*(d*\text{Csc}[e + f*x])^{(n+1)}*\text{Simp}[a*(a*B*n - A*b*(m-n-1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1+n)))*\text{Csc}[e + f*x] + b*(b*B*n + a*A*(m+n))*\text{Csc}[e + f*x]^2, x], x] /;$  FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]

#### Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]
```

#### Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] :=> Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

#### Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] :=> Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

#### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :=> Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] :=> -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

#### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] :=> Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx &= \int \frac{(b + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} - \frac{2}{3} \int \frac{(b + a \sec(c + dx))^3}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2a^2(aA - bB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= \frac{2a^2(aA - bB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} \\
&= \frac{2a(9aAb + 3a^2B - 2b^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{3d} + \frac{2a^2(aA - bB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} \\
&= \frac{2(a^3A + 9aAb^2 + 9a^2bB + b^3B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \\
&= -\frac{2(3a^2Ab - Ab^3 + a^3B - 3ab^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}
\end{aligned}$$

**Mathematica [A]** time = 1.86882, size = 166, normalized size = 0.69

$$\frac{\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \left( 2(a^3A + 9a^2bB + 9aAb^2 + b^3B) F\left(\frac{1}{2}(c + dx) \middle| 2\right) - 6(3a^2Ab + a^3B - 3ab^2B - Ab^3) E\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2), x]

[Out] (Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*(-6\*(3\*a^2\*A\*b - A\*b^3 + a^3\*B - 3\*a\*b^2\*B)\*EllipticE[(c + d\*x)/2, 2] + 2\*(a^3\*A + 9\*a\*A\*b^2 + 9\*a^2\*b\*B + b^3\*B)\*EllipticF[(c + d\*x)/2, 2] + ((2\*a^3\*A + b^3\*B + 6\*a^2\*(3\*A\*b + a\*B))\*Cos[c + d\*x] + b^3\*B\*Cos[2\*(c + d\*x)])\*Sin[c + d\*x])/Cos[c + d\*x]^(3/2))/(3\*d)

**Maple [B]** time = 10.385, size = 1212, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2), x)

[Out] 2/3\*(-(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(4\*sin(1/2\*d\*x+1/2\*c)^4-4\*sin(1/2\*d\*x+1/2\*c)^2+1)/sin(1/2\*d\*x+1/2\*c)^3\*(8\*B\*b^3\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+2\*A\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^3\*sin(1/2\*d\*x+1/2\*c)^2+18\*A\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a\*b^2\*sin(1/2\*d\*x+1/2\*c)^2+18\*A\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^2\*b\*sin(1/2\*d\*x+1/2\*c)^2-6\*A\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*b^3\*sin(1/2\*d\*x+1/2\*c)^2-36\*A\*a^2\*b\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)

```

c)^4+18*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(
1/2))*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*b*sin(1/2*d*x+1/2*c)^2+2*B*(2*sin(1/
2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*sin(1/2*d*x+
1/2*c)^2)^(1/2)*b^3*sin(1/2*d*x+1/2*c)^2+6*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/
2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3*s
in(1/2*d*x+1/2*c)^2-18*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2
*d*x+1/2*c),2^(1/2))*sin(1/2*d*x+1/2*c)^2)^(1/2)*a*b^2*sin(1/2*d*x+1/2*c)^
2-12*B*a^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^4-8*B*b^3*cos(1/2*d*x+1/2*
c)*sin(1/2*d*x+1/2*c)^4-A*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/
2*d*x+1/2*c),2^(1/2))*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3-9*A*(2*sin(1/2*d*x+1
/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*sin(1/2*d*x+1/2*c)^
2)^(1/2)*a*b^2-9*A*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1
/2*c),2^(1/2))*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*b+3*A*(2*sin(1/2*d*x+1/2*c)
^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*sin(1/2*d*x+1/2*c)^2)^(1
/2)*b^3+2*A*a^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+18*A*a^2*b*cos(1/2*
d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2-9*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*Ellipt
icF(cos(1/2*d*x+1/2*c),2^(1/2))*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^2*b-B*(2*sin
(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*sin(1/2*d
*x+1/2*c)^2)^(1/2)*b^3-3*B*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1
/2*d*x+1/2*c),2^(1/2))*sin(1/2*d*x+1/2*c)^2)^(1/2)*a^3+9*B*(2*sin(1/2*d*x+
1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*sin(1/2*d*x+1/2*c)
^2)^(1/2)*a*b^2+6*B*a^3*cos(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2+2*B*b^3*cos
(1/2*d*x+1/2*c)*sin(1/2*d*x+1/2*c)^2*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+
1/2*c)^2)^(1/2)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm
="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3*sec(d*x + c)^(5/2), x
)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^3 \cos(dx + c)^4 + Aa^3 + (3Bab^2 + Ab^3) \cos(dx + c)^3 + 3(Ba^2b + Aab^2) \cos(dx + c)^2 + (Ba^3 + 3Aa^2b) \cos(dx + c) + A^2b\right) \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm
="fricas")
```

```
[Out] integral((B*b^3*cos(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*cos(d*x + c)^3
+ 3*(B*a^2*b + A*a*b^2)*cos(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*cos(d*x + c))
*sec(d*x + c)^(5/2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**3*(A+B*cos(d*x+c))*sec(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3*sec(d*x + c)^(5/2), x)
```

$$3.564 \quad \int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx$$

**Optimal.** Leaf size=237

$$\frac{2(9a^2Ab + 3a^3B + 3ab^2B + Ab^3) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(5a^3A - 15a^2bB - 15aAb^2 - 3b^3B) \sqrt{\cos(c + dx)}}{5d}$$

```
[Out] (-2*(5*a^3*A - 15*a*A*b^2 - 15*a^2*b*B - 3*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(9*a^2*A*b + A*b^3 + 3*a^3*B + 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*b^2*(5*A*b + 9*a*B)*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]) + (2*a^2*(5*a*A - b*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*b*B*(b + a*Sec[c + d*x])^2*Ssin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))
```

**Rubi [A]** time = 0.532947, antiderivative size = 237, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2960, 4025, 4074, 4047, 3771, 2641, 4046, 2639}

$$\frac{2(9a^2Ab + 3a^3B + 3ab^2B + Ab^3) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} - \frac{2(5a^3A - 15a^2bB - 15aAb^2 - 3b^3B) \sqrt{\cos(c + dx)}}{5d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]
```

```
[Out] (-2*(5*a^3*A - 15*a*A*b^2 - 15*a^2*b*B - 3*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(5*d) + (2*(9*a^2*A*b + A*b^3 + 3*a^3*B + 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*d) + (2*b^2*(5*A*b + 9*a*B)*Sin[c + d*x])/(15*d*Sqrt[Sec[c + d*x]]) + (2*a^2*(5*a*A - b*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(5*d) + (2*b*B*(b + a*Sec[c + d*x])^2*Ssin[c + d*x])/(5*d*Sec[c + d*x]^(3/2))
```

#### Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

#### Rule 4025

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*A*Cos[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dist[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n))]*Csc[e + f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && LeQ[n, -1]
```

#### Rule 4074



```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.
))*csc[(e_.) + (f_.)*(x_)]*(d_.)^n*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
_)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b
) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{
a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

#### Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_)]*
(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

#### Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

#### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_)]^2*(C_.)
+ (A_)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

#### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx &= \int \frac{(b + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} - \frac{2}{5} \int \frac{(b + a \sec(c + dx))^2 \sin(c + dx)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2b^2(5Ab + 9aB) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2b^2(5Ab + 9aB) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2b^2(5Ab + 9aB) \sin(c + dx)}{15d \sqrt{\sec(c + dx)}} + \frac{2a^2(5aA - bB) \sqrt{\sec(c + dx)} \sin(c + dx)}{5d} \\
&= \frac{2(9a^2Ab + Ab^3 + 3a^3B + 3ab^2B) \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d} \\
&= -\frac{2(5a^3A - 15aAb^2 - 15a^2bB - 3b^3B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d}
\end{aligned}$$

**Mathematica [A]** time = 1.37629, size = 172, normalized size = 0.73

$$\frac{\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \left( 20(9a^2Ab + 3a^3B + 3ab^2B + Ab^3) F\left(\frac{1}{2}(c + dx) \middle| 2\right) + 12(-5a^3A + 15a^2bB + 15aAb^2 + 3b^3B) \right)}{30d}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2), x]

[Out] (Sqrt[Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*(12\*(-5\*a^3\*A + 15\*a\*A\*b^2 + 15\*a^2\*b\*B + 3\*b^3\*B)\*EllipticE[(c + d\*x)/2, 2] + 20\*(9\*a^2\*A\*b + A\*b^3 + 3\*a^3\*B + 3\*a\*b^2\*B)\*EllipticF[(c + d\*x)/2, 2] + (2\*(10\*b^2\*(A\*b + 3\*a\*B)\*Cos[c + d\*x] + 3\*(10\*a^3\*A + b^3\*B + b^3\*B\*Cos[2\*(c + d\*x)]))\*Sin[c + d\*x])/Sqrt[Cos[c + d\*x]]))/(30\*d)

**Maple [B]** time = 4.28, size = 867, normalized size = 3.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2), x)

[Out] -2/15\*(-24\*B\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*b^3\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^6+4\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*b^2\*(5\*A\*b+15\*B\*a+6\*B\*b)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)-2\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(15\*A\*a^3+5\*A\*b^3+15\*B\*a\*b^2+3\*B\*b^3)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)+45\*A\*a^2\*b\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)+5\*A\*b^3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*Ell

```

ipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+15*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^3-45*A*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b^2+15*a^3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)+15*B*a*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)-45*B*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2*b-9*B*(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^3)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3*sec(d*x + c)^(3/2), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

```
integral((Bb^3*cos(dx+c)^4 + Aa^3 + (3Bab^2 + Ab^3)*cos(dx+c)^3 + 3(Ba^2b + Aab^2)*cos(dx+c)^2 + (Ba^3 + 3Aa^2b)
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] integral((B*b^3*cos(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*cos(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*cos(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*cos(d*x + c))*sec(d*x + c)^(3/2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)**(3/2),x)
```

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(3/2), x )

### 3.565 $\int (a+b \cos(c+dx))^3 (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$

**Optimal.** Leaf size=245

$$\frac{2b(18a^2B + 21aAb + 5b^2B) \sin(c+dx)}{21d\sqrt{\sec(c+dx)}} + \frac{2(21a^3A + 21a^2bB + 21aAb^2 + 5b^3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx)\right)}{21d}$$

```
[Out] (2*(15*a^2*A*b + 3*A*b^3 + 5*a^3*B + 9*a*b^2*B)*Sqrt[Cos[c + d*x]]*Elliptic
E[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(21*a^3*A + 21*a*A*b^2 + 2
1*a^2*b*B + 5*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[
c + d*x]]/(21*d) + (2*b^2*(7*A*b + 11*a*B)*Sin[c + d*x])/(35*d*Sec[c + d*x
]^(3/2)) + (2*b*(21*a*A*b + 18*a^2*B + 5*b^2*B)*Sin[c + d*x])/(21*d*Sqrt[Se
c[c + d*x]]) + (2*b*B*(b + a*Sec[c + d*x])^2*Ssin[c + d*x])/(7*d*Sec[c + d*x
]^(5/2))
```

**Rubi [A]** time = 0.543859, antiderivative size = 245, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2960, 4025, 4074, 4047, 3771, 2639, 4045, 2641}

$$\frac{2b(18a^2B + 21aAb + 5b^2B) \sin(c+dx)}{21d\sqrt{\sec(c+dx)}} + \frac{2(21a^3A + 21a^2bB + 21aAb^2 + 5b^3B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx)\right)}{21d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^3*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]],x]
```

```
[Out] (2*(15*a^2*A*b + 3*A*b^3 + 5*a^3*B + 9*a*b^2*B)*Sqrt[Cos[c + d*x]]*Elliptic
E[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(5*d) + (2*(21*a^3*A + 21*a*A*b^2 + 2
1*a^2*b*B + 5*b^3*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[
c + d*x]]/(21*d) + (2*b^2*(7*A*b + 11*a*B)*Sin[c + d*x])/(35*d*Sec[c + d*x
]^(3/2)) + (2*b*(21*a*A*b + 18*a^2*B + 5*b^2*B)*Sin[c + d*x])/(21*d*Sqrt[Se
c[c + d*x]]) + (2*b*B*(b + a*Sec[c + d*x])^2*Ssin[c + d*x])/(7*d*Sec[c + d*x
]^(5/2))
```

#### Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dis
t[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c
*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

#### Rule 4025

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*A*Co
t[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*n), x] + Dis
t[1/(d*n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^(n + 1)*Simp[a
*(a*B*n - A*b*(m - n - 1)) + (2*a*b*B*n + A*(b^2*n + a^2*(1 + n)))*Csc[e +
f*x] + b*(b*B*n + a*A*(m + n))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d
, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] &&
LeQ[n, -1]
```

#### Rule 4074

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_)), x_Symbol] := Simp[(A*a*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*n), x] + Di
st[1/(d*n), Int[(d*Csc[e + f*x])^(n + 1)*Simp[n*(B*a + A*b) + (n*(a*C + B*b
) + A*a*(n + 1))*Csc[e + f*x] + b*C*n*Csc[e + f*x]^2, x], x], x] /; FreeQ[{
a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]
```

#### Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

#### Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^n, x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

#### Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rule 4045

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^m*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_)), x_Symbol] := Simp[(A*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*m), x] +
Dist[(C*m + A*(m + 1))/(b^2*m), Int[(b*Csc[e + f*x])^(m + 2), x], x] /; Fre
eQ[{b, e, f, A, C}, x] && NeQ[C*m + A*(m + 1), 0] && LeQ[m, -1]
```

#### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^3 (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx &= \int \frac{(b + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sec^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} - \frac{2}{7} \int \frac{(b + a \sec(c + dx))^2 \sin(c + dx)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2b^2(7Ab + 11aB) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2b^2(7Ab + 11aB) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{7d \sec^{\frac{5}{2}}(c + dx)} \\
&= \frac{2b^2(7Ab + 11aB) \sin(c + dx)}{35d \sec^{\frac{3}{2}}(c + dx)} + \frac{2b(21aAb + 18a^2B + 5b^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{21d \sqrt{\sec(c + dx)}} \\
&= \frac{2(15a^2Ab + 3Ab^3 + 5a^3B + 9ab^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{5d} \\
&= \frac{2(15a^2Ab + 3Ab^3 + 5a^3B + 9ab^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx)\right)}{5d}
\end{aligned}$$

**Mathematica [A]** time = 1.2559, size = 180, normalized size = 0.73

$$\frac{\sqrt{\sec(c + dx)} \left( b \sin(2(c + dx)) \left( 5(42a^2B + 42aAb + 3b^2B \cos(2(c + dx))) + 13b^2B \right) + 42b(3aB + Ab) \cos(c + dx) \right) + 20 \dots}{\dots}$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]], x]

[Out] (Sqrt[Sec[c + d\*x]]\*(84\*(15\*a^2\*A\*b + 3\*A\*b^3 + 5\*a^3\*B + 9\*a\*b^2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + 20\*(21\*a^3\*A + 21\*a\*A\*b^2 + 21\*a^2\*b\*B + 5\*b^3\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + b\*(42\*b\*(A\*b + 3\*a\*B)\*Cos[c + d\*x] + 5\*(42\*a\*A\*b + 42\*a^2\*B + 13\*b^2\*B + 3\*b^2\*B\*Cos[2\*(c + d\*x)])))\*Sin[2\*(c + d\*x)])/(210\*d)

**Maple [B]** time = 3.599, size = 664, normalized size = 2.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2), x)

[Out] -2/105\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(240\*B\*b^3\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^8+(-168\*A\*b^3-504\*B\*a\*b^2-360\*B\*b^3)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+(420\*A\*a\*b^2+168\*A\*b^3+420\*B\*a^2\*b+504\*B\*a\*b^2+280\*B\*b^3)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-210\*A\*a\*b^2-42\*A\*b^3-210\*B\*a^2\*b-126\*B\*a\*b^2-80\*B\*b^3)\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)-315\*A\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*a^2\*b-63\*A\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)

$*b^3+105*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3+105*A*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*b^2-105*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^3-189*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a*b^2+105*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*a^2*b+25*B*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*b^3)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^3\*sqrt(sec(d\*x + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral((Bb^3 cos(dx + c)^4 + Aa^3 + (3Bab^2 + Ab^3) cos(dx + c)^3 + 3(Ba^2b + Aab^2) cos(dx + c)^2 + (Ba^3 + 3Aa^2b) cos(dx + c) + A^3) \* sqrt(sec(dx + c)), x)

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*b^3\*cos(d\*x + c)^4 + A\*a^3 + (3\*B\*a\*b^2 + A\*b^3)\*cos(d\*x + c)^3 + 3\*(B\*a^2\*b + A\*a\*b^2)\*cos(d\*x + c)^2 + (B\*a^3 + 3\*A\*a^2\*b)\*cos(d\*x + c)) \* sqrt(sec(d\*x + c)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)} dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3*sqrt(sec(d*x + c)), x)
```

$$3.566 \quad \int \frac{(a+b \cos(c+dx))^3 (A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=295

$$\frac{2b(22a^2B + 27aAb + 7b^2B) \sin(c+dx)}{45d \sec^3(c+dx)} + \frac{2(21a^2Ab + 7a^3B + 15ab^2B + 5Ab^3) \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} + \frac{2(21a^2Ab + 7a^3B + 15ab^2B + 5Ab^3) \sin(c+dx)}{21d \sqrt{\sec(c+dx)}}$$

[Out] (2\*(15\*a^3\*A + 27\*a\*A\*b^2 + 27\*a^2\*b\*B + 7\*b^3\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(15\*d) + (2\*(21\*a^2\*A\*b + 5\*A\*b^3 + 7\*a^3\*B + 15\*a\*b^2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(21\*d) + (2\*b^2\*(9\*A\*b + 13\*a\*B)\*Sin[c + d\*x])/(63\*d\*Sec[c + d\*x]^(5/2)) + (2\*b\*(27\*a\*A\*b + 22\*a^2\*B + 7\*b^2\*B)\*Sin[c + d\*x])/(45\*d\*Sec[c + d\*x]^(3/2)) + (2\*(21\*a^2\*A\*b + 5\*A\*b^3 + 7\*a^3\*B + 15\*a\*b^2\*B)\*Sin[c + d\*x])/(21\*d\*Sqrt[Sec[c + d\*x]]) + (2\*b\*B\*(b + a\*Sec[c + d\*x])^2\*Ssin[c + d\*x])/(9\*d\*Sec[c + d\*x]^(7/2))

**Rubi [A]** time = 0.578549, antiderivative size = 295, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {2960, 4025, 4074, 4047, 3769, 3771, 2641, 4045, 2639}

$$\frac{2b(22a^2B + 27aAb + 7b^2B) \sin(c+dx)}{45d \sec^3(c+dx)} + \frac{2(21a^2Ab + 7a^3B + 15ab^2B + 5Ab^3) \sin(c+dx)}{21d \sqrt{\sec(c+dx)}} + \frac{2(21a^2Ab + 7a^3B + 15ab^2B + 5Ab^3) \sin(c+dx)}{21d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a + b\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x]))/Sqrt[Sec[c + d\*x]],x]

[Out] (2\*(15\*a^3\*A + 27\*a\*A\*b^2 + 27\*a^2\*b\*B + 7\*b^3\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(15\*d) + (2\*(21\*a^2\*A\*b + 5\*A\*b^3 + 7\*a^3\*B + 15\*a\*b^2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(21\*d) + (2\*b^2\*(9\*A\*b + 13\*a\*B)\*Sin[c + d\*x])/(63\*d\*Sec[c + d\*x]^(5/2)) + (2\*b\*(27\*a\*A\*b + 22\*a^2\*B + 7\*b^2\*B)\*Sin[c + d\*x])/(45\*d\*Sec[c + d\*x]^(3/2)) + (2\*(21\*a^2\*A\*b + 5\*A\*b^3 + 7\*a^3\*B + 15\*a\*b^2\*B)\*Sin[c + d\*x])/(21\*d\*Sqrt[Sec[c + d\*x]]) + (2\*b\*B\*(b + a\*Sec[c + d\*x])^2\*Ssin[c + d\*x])/(9\*d\*Sec[c + d\*x]^(7/2))

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4025

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] :> Simp[(a\*A\*Coth[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m - 1)\*(d\*Csc[e + f\*x])^n)/(f\*n), x] + Dist[1/(d\*n), Int[(a + b\*Csc[e + f\*x])^(m - 2)\*(d\*Csc[e + f\*x])^(n + 1)\*Simp[a\*(a\*B\*n - A\*b\*(m - n - 1)) + (2\*a\*b\*B\*n + A\*(b^2\*n + a^2\*(1 + n)))\*Csc[e + f\*x] + b\*(b\*B\*n + a\*A\*(m + n))\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] &&

LeQ[n, -1]

Rule 4074

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_)])\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_)]^2\*(C\_.))\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] := Simp[(A\*a\*Cot[e + f\*x]\*(d\*Csc[e + f\*x])^n)/(f\*n), x] + Dist[1/(d\*n), Int[(d\*Csc[e + f\*x])^(n + 1)\*Simp[n\*(B\*a + A\*b) + (n\*(a\*C + B\*b) + A\*a\*(n + 1))\*Csc[e + f\*x] + b\*C\*n\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && LtQ[n, -1]

Rule 4047

Int[(csc[(e\_.) + (f\_.)\*(x\_)])\*(b\_.))^m\*((A\_.) + csc[(e\_.) + (f\_.)\*(x\_)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_)]^2\*(C\_.)), x\_Symbol] := Dist[B/b, Int[(b\*Csc[e + f\*x])^(m + 1), x], x] + Int[(b\*Csc[e + f\*x])^m\*(A + C\*Csc[e + f\*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_)])\*(b\_.))^n, x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c + d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n]

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)])\*(b\_.))^n, x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 4045

Int[(csc[(e\_.) + (f\_.)\*(x\_)])\*(b\_.))^m\*(csc[(e\_.) + (f\_.)\*(x\_)]^2\*(C\_.) + (A\_.)), x\_Symbol] := Simp[(A\*Cot[e + f\*x]\*(b\*Csc[e + f\*x])^m)/(f\*m), x] + Dist[(C\*m + A\*(m + 1))/(b^2\*m), Int[(b\*Csc[e + f\*x])^(m + 2), x], x] /; FreeQ[{b, e, f, A, C}, x] && NeQ[C\*m + A\*(m + 1), 0] && LeQ[m, -1]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^3 (A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx &= \int \frac{(b + a \sec(c + dx))^3 (B + A \sec(c + dx))}{\sec^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} - \frac{2}{9} \int \frac{(b + a \sec(c + dx)) \left(-\frac{1}{2}b(9Ab + 13aB) \sin(c + dx)\right)}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2b^2(9Ab + 13aB) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{4}{6} \int \frac{(b + a \sec(c + dx)) \left(-\frac{1}{2}b(9Ab + 13aB) \sin(c + dx)\right)}{\sec^{\frac{3}{2}}(c + dx)} dx \\
&= \frac{2b^2(9Ab + 13aB) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2bB(b + a \sec(c + dx))^2 \sin(c + dx)}{9d \sec^{\frac{7}{2}}(c + dx)} + \frac{4}{6} \int \frac{(b + a \sec(c + dx)) \left(-\frac{1}{2}b(9Ab + 13aB) \sin(c + dx)\right)}{\sec^{\frac{1}{2}}(c + dx)} dx \\
&= \frac{2b^2(9Ab + 13aB) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2b(27aAb + 22a^2B + 7b^2B) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2b^2(9Ab + 13aB) \sin(c + dx)}{63d \sec^{\frac{5}{2}}(c + dx)} + \frac{2b(27aAb + 22a^2B + 7b^2B) \sin(c + dx)}{45d \sec^{\frac{3}{2}}(c + dx)} \\
&= \frac{2(15a^3A + 27aAb^2 + 27a^2bB + 7b^3B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{15d}
\end{aligned}$$

**Mathematica [A]** time = 1.78156, size = 219, normalized size = 0.74

$$\frac{\sqrt{\sec(c + dx)} \left( \sin(2(c + dx)) (7b(108a^2B + 108aAb + 43b^2B) \cos(c + dx) + 5(252a^2Ab + 84a^3B + 18b^2(3aB + Ab) \cos(c + dx))) \right)}{15d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*Cos[c + d\*x])^3\*(A + B\*Cos[c + d\*x]))/Sqrt[Sec[c + d\*x]], x]

[Out] (Sqrt[Sec[c + d\*x]]\*(168\*(15\*a^3\*A + 27\*a\*A\*b^2 + 27\*a^2\*b\*B + 7\*b^3\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + 120\*(21\*a^2\*A\*b + 5\*A\*b^3 + 7\*a^3\*B + 15\*a\*b^2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + (7\*b\*(108\*a\*A\*b + 108\*a^2\*B + 43\*b^2\*B)\*Cos[c + d\*x] + 5\*(252\*a^2\*A\*b + 78\*A\*b^3 + 84\*a^3\*B + 234\*a\*b^2\*B + 18\*b^2\*(A\*b + 3\*a\*B)\*Cos[2\*(c + d\*x)] + 7\*b^3\*B\*Cos[3\*(c + d\*x)]))\*Sin[2\*(c + d\*x)])/(1260\*d)

**Maple [B]** time = 3.452, size = 745, normalized size = 2.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^3\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x)

[Out] -2/315\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-1120\*B\*b^3\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^10+(720\*A\*b^3+2160\*B\*a\*b^2+2240\*B\*b^3)\*sin(1/2\*d\*x+1/2\*c)^8\*cos(1/2\*d\*x+1/2\*c)+(-1512\*A\*a\*b^2-1080\*A\*b^3-1512\*B\*a^2\*b-3240\*B\*a\*b^2-2072\*B\*b^3)\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+(1260\*A\*a^2\*b+1512\*A\*a\*b^2+840\*A\*b^3+420\*B\*a^3+1512\*B\*a^2\*b+2520\*B\*a\*b^2+952\*B\*b^3)\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(-630\*A\*a^2\*b-378\*A\*a\*b^2-240

```
*A*b^3-210*B*a^3-378*B*a^2*b-720*B*a*b^2-168*B*b^3)*sin(1/2*d*x+1/2*c)^2*cos(1/2*d*x+1/2*c)+315*A*a^2*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+75*A*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-315*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^3-567*A*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a*b^2+105*a^3*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+225*B*a*b^2*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))-567*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*a^2*b-147*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(2*sin(1/2*d*x+1/2*c)^2-1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))*b^3)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^3}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3/sqrt(sec(d*x + c)), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{Bb^3 \cos(dx + c)^4 + Aa^3 + (3Bab^2 + Ab^3) \cos(dx + c)^3 + 3(Ba^2b + Aab^2) \cos(dx + c)^2 + (Ba^3 + 3Aa^2b) \cos(dx + c) + A^2b}{\sqrt{\sec(dx + c)}} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((B*b^3*cos(d*x + c)^4 + A*a^3 + (3*B*a*b^2 + A*b^3)*cos(d*x + c)^3 + 3*(B*a^2*b + A*a*b^2)*cos(d*x + c)^2 + (B*a^3 + 3*A*a^2*b)*cos(d*x + c))/sqrt(sec(d*x + c)), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**3*(A+B*cos(d*x+c))/sec(d*x+c)**(1/2),x)
```

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^3}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^3*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^3/sqrt(sec(d*x + c)), x)
```

$$3.567 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=210

$$\frac{2(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{a^2 d} + \frac{2(Ab - aB) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} + \frac{2b(Ab - aB) \sqrt{\cos(c + dx)}}{a^2 d}$$

[Out] (2\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a^2\*d) + (2\*A\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*a\*d) + (2\*b\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a^2\*(a + b)\*d) - (2\*(A\*b - a\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(a^2\*d) + (2\*A\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*a\*d)

**Rubi [A]** time = 0.807839, antiderivative size = 210, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$ , Rules used = {2960, 4033, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{2(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{a^2 d} + \frac{2(Ab - aB) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{a^2 d} + \frac{2b(Ab - aB) \sqrt{\cos(c + dx)}}{a^2 d}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2))/(a + b\*Cos[c + d\*x]),x]

[Out] (2\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a^2\*d) + (2\*A\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*a\*d) + (2\*b\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a^2\*(a + b)\*d) - (2\*(A\*b - a\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(a^2\*d) + (2\*A\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*a\*d)

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(m\_.))\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4033

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(B\_.) + (A\_.), x\_Symbol] :> -Simp[(B\*d^2\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 2))/(b\*f\*(m + n)), x] + Dist[d^2/(b\*(m + n)), Int[(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 2)\*Simp[a\*B\*(n - 2) + B\*b\*(m + n - 1)\*Csc[e + f\*x] + (A\*b\*(m + n) - a\*B\*(n - 1))\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && NeQ[m + n, 0] && !IGtQ[m, 1]

#### Rule 4102

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_)]^2\*(C\_.))\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a

```

_)^(m_), x_Symbol] := -Simp[(C*d*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)
*(d*Csc[e + f*x])^(n - 1))/(b*f*(m + n + 1)), x] + Dist[d/(b*(m + n + 1)),
Int[(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^(n - 1)*Simp[a*C*(n - 1) + (A*b
*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) - a*C*n)*Csc[e
+ f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 -
b^2, 0] && GtQ[n, 0]

```

#### Rule 4106

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_.))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B
)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]

```

#### Rule 3849

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

#### Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

#### Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.)), x_Symbol] := Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[
(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

```

#### Rule 3771

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]

```

#### Rule 2639

```

Int[Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticE[(1*(c - P
i/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

#### Rule 2641

```

Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

```

#### Rubi steps





$$\frac{x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+2*A/a*(-1/6*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}/(\cos(1/2*d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c),2^{1/2}))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{1/2}}{d}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/(b*cos(d*x + c) + a), x)
```

$$3.568 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=126

$$\frac{2(Ab - aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{ad(a+b)} + \frac{2A \sin(c+dx)\sqrt{\sec(c+dx)}}{ad} - \frac{2A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{ad}$$

[Out]  $(-2*A*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticE}[(c+d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(a*d) - (2*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticPi}[(2*b)/(a+b), (c+d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(a*(a+b)*d) + (2*A*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/(a*d)$

**Rubi [A]** time = 0.458501, antiderivative size = 126, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2960, 4033, 4106, 3849, 2805, 12, 3771, 2639}

$$\frac{2(Ab - aB)\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c+dx)\middle|2\right)}{ad(a+b)} + \frac{2A \sin(c+dx)\sqrt{\sec(c+dx)}}{ad} - \frac{2A\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}}{ad}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(A + B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^{(3/2)} / (a + b*\text{Cos}[c + d*x]), x]$

[Out]  $(-2*A*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticE}[(c+d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(a*d) - (2*(A*b - a*B)*\text{Sqrt}[\text{Cos}[c+d*x]]*\text{EllipticPi}[(2*b)/(a+b), (c+d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c+d*x]])/(a*(a+b)*d) + (2*A*\text{Sqrt}[\text{Sec}[c+d*x]]*\text{Sin}[c+d*x])/(a*d)$

#### Rule 2960

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(g_.))^{(p_.)}*((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] :> \text{Dist}[g^{(m+n)}, \text{Int}[(g*\text{Csc}[e + f*x])^{(p-m-n)}*(b + a*\text{Csc}[e + f*x])^{(m)}*(d + c*\text{Csc}[e + f*x])^{(n)}, x], x] /;$  FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4033

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{(n_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^{(m_.)}*(\text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x\_Symbol] :> -\text{Simp}[(B*d^{(2)}*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{(m+1)}*(d*\text{Csc}[e + f*x])^{(n-2)})/(b*f*(m+n)), x] + \text{Dist}[d^2/(b*(m+n)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{(m)}*(d*\text{Csc}[e + f*x])^{(n-2)}*\text{Simp}[a*B*(n-2) + B*b*(m+n-1)*\text{Csc}[e + f*x] + (A*b*(m+n) - a*B*(n-1))*\text{Csc}[e + f*x]^2, x], x], x] /;$  FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[n, 1] && NeQ[m+n, 0] && !IGtQ[m, 1]

#### Rule 4106

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.)] / (\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)]*(\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))), x\_Symbol] :> \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), \text{Int}[(d*\text{Csc}[e + f*x])^{(3/2)} / (a + b*\text{Csc}[e + f*x]), x], x] + \text{Dist}[1/a^2, \text{Int}[(a*A - (A*b - a*B)*\text{Csc}[e + f*x]) / \text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] /;$  FreeQ[{a, b, d, e, f, A, B,

C}, x] && NeQ[a^2 - b^2, 0]

### Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

### Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^n, x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned}
 \int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{a + b \cos(c + dx)} dx &= \int \frac{\sec^{\frac{3}{2}}(c + dx)(B + A \sec(c + dx))}{b + a \sec(c + dx)} dx \\
 &= \frac{2A\sqrt{\sec(c + dx)} \sin(c + dx)}{ad} + \frac{2 \int \frac{-\frac{Ab}{2} - \frac{1}{2}aA \sec(c + dx) - \frac{1}{2}(Ab - aB) \sec^2(c + dx)}{\sqrt{\sec(c + dx)}(b + a \sec(c + dx))} dx}{a} \\
 &= \frac{2A\sqrt{\sec(c + dx)} \sin(c + dx)}{ad} + \frac{2 \int -\frac{Ab^2}{2\sqrt{\sec(c + dx)}} dx}{ab^2} + \frac{(-Ab + aB) \int \frac{\sec^{\frac{3}{2}}(c + dx)}{b + a \sec(c + dx)} dx}{a} \\
 &= \frac{2A\sqrt{\sec(c + dx)} \sin(c + dx)}{ad} - \frac{A \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{a} + \frac{((-Ab + aB)\sqrt{\cos(c + dx)})}{a} \\
 &= -\frac{2(Ab - aB)\sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a(a + b)d} + \frac{2A\sqrt{\sec(c + dx)}}{a} \\
 &= -\frac{2A\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{ad} - \frac{2(Ab - aB)\sqrt{\cos(c + dx)}}{a}
 \end{aligned}$$

**Mathematica [A]** time = 1.26548, size = 127, normalized size = 1.01

$$\frac{2 \cos(2(c + dx)) \sqrt{-\tan^2(c + dx)} \csc(c + dx) \sec(c + dx) \left(- (aA - aB + Ab) F\left(\sin^{-1}\left(\sqrt{\sec(c + dx)}\right) \middle| -1\right) + (aB - Ab) E\left(\sin^{-1}\left(\sqrt{\sec(c + dx)}\right) \middle| -1\right)\right)}{a^2 d (\sec^2(c + dx) - 2)}$$

Antiderivative was successfully verified.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2))/(a + b\*Cos[c + d\*x]),x]

[Out] (-2\*Cos[2\*(c + d\*x)]\*Csc[c + d\*x]\*(a\*A\*EllipticE[ArcSin[Sqrt[Sec[c + d\*x]]], -1] - (a\*A + A\*b - a\*B)\*EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1] + (-A\*b) + a\*B)\*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d\*x]]], -1])\*Sec[c + d\*x]\*Sqrt[-Tan[c + d\*x]^2]/(a^2\*d\*(-2 + Sec[c + d\*x]^2))

**Maple [A]** time = 7.079, size = 327, normalized size = 2.6

$$-\frac{1}{d}\sqrt{-\left(-2\left(\cos\left(\frac{1}{2}dx + \frac{c}{2}\right)\right)^2 + 1\right)\left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-4\frac{(-Ab + aB)b\sqrt{(\sin(1/2 dx + c/2))^2}\sqrt{-2(\cos(1/2 dx + c/2))^2}}{a(-2ab + 2b^2)\sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2}}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x)

[Out] -((-2\*cos(1/2\*d\*x+1/2\*c)^2+1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-4\*(-A\*b+B\*a)/a/(-2\*a\*b+2\*b^2)\*b\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(-2\*cos(1/2\*d\*x+1/2\*c)^2+1)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticPi(cos(1/2\*d\*x+1/2\*c),-2\*b/(a-b),2^(1/2))+2\*A/a\*(-(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))+2\*(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*cos(1/2\*d\*x+1/2\*c)\*sin(1/2\*d\*x+1/2\*c)^2/sin(1/2\*d\*x+1/2\*c)^2/(2\*sin(1/2\*d\*x+1/2\*c)^2-1))/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a), x)

$$3.569 \quad \int \frac{(A+B \cos(c+dx))\sqrt{\sec(c+dx)}}{a+b \cos(c+dx)} dx$$

**Optimal.** Leaf size=101

$$\frac{2(Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx)\right)2}{bd(a + b)} + \frac{2B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx)\right)2}{bd}$$

[Out] (2\*B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(b\*d) + (2\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(b\*(a + b)\*d)

**Rubi [A]** time = 0.282784, antiderivative size = 101, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2960, 4038, 3771, 2641, 3849, 2805}

$$\frac{2(Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx)\right)2}{bd(a + b)} + \frac{2B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx)\right)2}{bd}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]])/(a + b\*Cos[c + d\*x]),x]

[Out] (2\*B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(b\*d) + (2\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(b\*(a + b)\*d)

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]\*(x\_.))^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4038

Int[((csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)))/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.), x\_Symbol] :> Dist[A/a, Int[(d\*Csc[e + f\*x])^n, x], x] - Dist[(A\*b - a\*B)/(a\*d), Int[(d\*Csc[e + f\*x])^(n + 1)/(a + b\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b^2, 0]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] :> Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 3849



```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_.), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]
```

**Rule 2805**

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c,
d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]
```

**Rubi steps**

$$\int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{a + b \cos(c + dx)} dx = \int \frac{\sqrt{\sec(c + dx)}(B + A \sec(c + dx))}{b + a \sec(c + dx)} dx$$

$$= \frac{B \int \sqrt{\sec(c + dx)} dx}{b} - \frac{(-Ab + aB) \int \frac{\sec^3(c + dx)}{b + a \sec(c + dx)} dx}{b}$$

$$= \frac{(B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{b} - \frac{((-Ab + aB)\sqrt{\cos(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx}{b}$$

$$= \frac{2B\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{bd} + \frac{2(Ab - aB)\sqrt{\cos(c + dx)}\Pi\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd}$$

**Mathematica [A]** time = 0.52218, size = 78, normalized size = 0.77

$$\frac{2\sqrt{-\tan^2(c + dx)} \cot(c + dx) \left( (Ab - aB)\Pi\left(-\frac{a}{b}; -\sin^{-1}\left(\sqrt{\sec(c + dx)}\right) \middle| -1\right) + AbF\left(\sin^{-1}\left(\sqrt{\sec(c + dx)}\right) \middle| -1\right) \right)}{abd}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + b*Cos[c + d*x]), x]
```

```
[Out] (2*Cot[c + d*x]*(A*b*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + (A*b - a*B)
)*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*Sqrt[-Tan[c + d*x]^2
]/(a*b*d)
```

**Maple [A]** time = 3.706, size = 217, normalized size = 2.2

$$-2 \frac{\sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)(\sin(1/2 dx + c/2))^2} \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 + 1}}{b(a - b) \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \sin(1/2 dx + c/2)} \sqrt{2(\cos(1/2 dx + c/2))^2 - 1} d \left( A \text{EllipticPi} \left( \frac{1}{2}(c + dx) \middle| 2 \right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c)), x)
```

```
[Out] -2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2
*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*(A*EllipticPi(cos(1/2*d*x+1/
2*c), -2*b/(a-b), 2^(1/2))*b-B*EllipticPi(cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^(1/2)
```

2))\*a+B\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*a-B\*EllipticF(cos(1/2\*d\*x+1/2\*c),2^(1/2))\*b)/b/(a-b)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(sec(d\*x + c))/(b\*cos(d\*x + c) + a), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] Timed out

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{a + b \cos(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c)),x)

[Out] Integral((A + B\*cos(c + d\*x))\*sqrt(sec(c + d\*x))/(a + b\*cos(c + d\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(sec(d\*x + c))/(b\*cos(d\*x + c) + a), x)

$$3.570 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=149

$$\frac{2(Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d} - \frac{2a(Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{b^2d(a + b)}$$

[Out] (2\*B\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(b\*d) + (2\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(b^2\*d) - (2\*a\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(b^2\*(a + b)\*d)

**Rubi [A]** time = 0.346273, antiderivative size = 149, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2960, 4038, 3771, 2639, 3848, 2803, 2641, 2805}

$$\frac{2(Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d} - \frac{2a(Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)}{b^2d(a + b)}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/((a + b\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]]), x]

[Out] (2\*B\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(b\*d) + (2\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(b^2\*d) - (2\*a\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(b^2\*(a + b)\*d)

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] := Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4038

Int[((csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)))/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.), x\_Symbol] := Dist[A/a, Int[(d\*Csc[e + f\*x])^n, x], x] - Dist[(A\*b - a\*B)/(a\*d), Int[(d\*Csc[e + f\*x])^(n + 1)/(a + b\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b^2, 0]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 3848

```
Int[Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]/(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x_Symbol] := Dist[(Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]])/d, Int[Sqrt[d*Sin[e + f*x]]/(b + a*Sin[e + f*x]), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2803

```
Int[Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]), x_Symbol] := Dist[d/b, Int[1/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[(b*c - a*d)/b, Int[1/((a + b*Sin[e + f*x])*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))\sqrt{\sec(c + dx)}} dx &= \int \frac{B + A \sec(c + dx)}{\sqrt{\sec(c + dx)}(b + a \sec(c + dx))} dx \\ &= \frac{B \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{b} - \frac{(-Ab + aB) \int \frac{\sqrt{\sec(c + dx)}}{b + a \sec(c + dx)} dx}{b} \\ &= \frac{(B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)} dx}{b} - \frac{((-Ab + aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)} dx}{b} \\ &= \frac{2B\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{bd} - \frac{((-Ab + aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\sec(c + dx)} dx}{b^2} \\ &= \frac{2B\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{bd} + \frac{2(Ab - aB)\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2d} \end{aligned}$$

**Mathematica [A]** time = 6.14245, size = 224, normalized size = 1.5

$$\frac{\cot(c + dx) \left( -2Ab\sqrt{-\tan^2(c + dx)} \Pi\left(-\frac{a}{b}; -\sin^{-1}\left(\sqrt{\sec(c + dx)}\right) \middle| -1\right) + 2aB\sqrt{-\tan^2(c + dx)} \Pi\left(-\frac{a}{b}; -\sin^{-1}\left(\sqrt{\sec(c + dx)}\right) \middle| -1\right) \right)}{b^2d}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])*Sqrt[Sec[c + d*x]]), x]
```

```
[Out] (Cot[c + d*x]*(-(b*B*Sec[c + d*x]^(3/2)) - b*B*Cos[2*(c + d*x)]*Sec[c + d*x]^(3/2) + b*B*Sec[c + d*x]^(7/2) + b*B*Cos[2*(c + d*x)]*Sec[c + d*x]^(7/2) - 2*b*B*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[-Tan[c + d*x]^2] + 2
```

```
*b*B*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[-Tan[c + d*x]^2] - 2*A*
b*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[-Tan[c + d*x]^2]
+ 2*a*B*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[-Tan[c +
d*x]^2]))/(b^2*d)
```

**Maple [A]** time = 3.76, size = 295, normalized size = 2.

$$-2 \frac{\sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)(\sin(1/2 dx + c/2))^2} \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 + 1}}{(a-b)b^2 \sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \sin(1/2 dx + c/2)} \sqrt{2(\cos(1/2 dx + c/2))^2 - 1} d} \left( A \text{Elliptic} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(1/2), x)
```

```
[Out] -2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*(sin(1/2*d*x+1/2
*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*(A*EllipticF(cos(1/2*d*x+1/2
*c), 2^(1/2))*a*b-A*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*b^2-A*EllipticPi(c
os(1/2*d*x+1/2*c), -2*b/(a-b), 2^(1/2))*a*b-B*EllipticF(cos(1/2*d*x+1/2*c), 2^
(1/2))*a^2+B*EllipticF(cos(1/2*d*x+1/2*c), 2^(1/2))*a*b-B*EllipticE(cos(1/2*
d*x+1/2*c), 2^(1/2))*a*b+B*EllipticE(cos(1/2*d*x+1/2*c), 2^(1/2))*b^2+B*Ellip
ticPi(cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^(1/2))*a^2)/b^2/(a-b)/(-2*sin(1/2*d*x
+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2
*c)^2-1)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(1/2), x, algorithm="
maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)*sqrt(sec(d*x + c))), x
)
```

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(1/2), x, algorithm="
fricas")
```

```
[Out] Timed out
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx)) \sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))/sec(d\*x+c)\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))/((a + b\*cos(c + d\*x))\*sqrt(sec(c + d\*x))), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c))), x)

$$3.571 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx)) \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=197

$$\frac{2(-3a^2B + 3aAb - b^2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3b^3d} + \frac{2a^2(Ab - aB) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \Pi\left(\frac{2}{a}\right)}{b^3d(a+b)}$$

[Out] (2\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(b^2\*d) - (2\*(3\*a\*A\*b - 3\*a^2\*B - b^2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(3\*b^3\*d) + (2\*a^2\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(b^3\*(a + b)\*d) + (2\*B\*Sin[c + d\*x])/(3\*b\*d\*Sqrt[Sec[c + d\*x]]))

**Rubi [A]** time = 0.559735, antiderivative size = 197, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {2960, 4034, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{2(-3a^2B + 3aAb - b^2B) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} F\left(\frac{1}{2}(c+dx) \middle| 2\right)}{3b^3d} + \frac{2a^2(Ab - aB) \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \Pi\left(\frac{2}{a}\right)}{b^3d(a+b)}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/((a + b\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2)),x]

[Out] (2\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(b^2\*d) - (2\*(3\*a\*A\*b - 3\*a^2\*B - b^2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(3\*b^3\*d) + (2\*a^2\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]]/(b^3\*(a + b)\*d) + (2\*B\*Sin[c + d\*x])/(3\*b\*d\*Sqrt[Sec[c + d\*x]]))

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] := Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4034

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)), x\_Symbol] := Simp[(A\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n)/(a\*f\*n), x] + Dist[1/(a\*d\*n), Int[(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n + 1)\*Simp[a\*B\*n - A\*b\*(m + n + 1) + A\*a\*(n + 1)\*Csc[e + f\*x] + A\*b\*(m + n + 2)\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, m}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

#### Rule 4106

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.)) / (Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.)]\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))), x\_Symbol] := Dist[(A\*b^2 - a\*b\*B + a^2\*C)/(a^2\*d^2), Int[(d\*Csc[e + f\*x])^(3/2)/(a + b\*Csc[e + f\*x]), x], x] + Dist[1/a^2, Int[(a\*A - (A\*b - a\*B

) $\text{Csc}[e + f*x]/\text{Sqrt}[d*\text{Csc}[e + f*x]]$ , x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a<sup>2</sup> - b<sup>2</sup>, 0]

#### Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))<sup>(3/2)</sup>/(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a<sup>2</sup> - b<sup>2</sup>, 0]

#### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])<sup>2</sup>\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a<sup>2</sup> - b<sup>2</sup>, 0] && NeQ[c<sup>2</sup> - d<sup>2</sup>, 0] && GtQ[c + d, 0]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))<sup>(n\_.)</sup>\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])<sup>n</sup>, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])<sup>(n + 1)</sup>, x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))<sup>(n\_.)</sup>, x\_Symbol] := Dist[(b\*Csc[c + d\*x])<sup>n</sup>\*Sin[c + d\*x]<sup>n</sup>, Int[1/Sin[c + d\*x]<sup>n</sup>, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n<sup>2</sup>, 1/4]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps





$$2*d*x+1/2*c)^{2-1})^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c),2^{1/2}))*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*b^3-3*A*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{1/2}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{1/2}))*a^2*b-3*a^3*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c),2^{1/2}))+3*B*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c),2^{1/2}))*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*a^2*b-B*a*b^2*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c),2^{1/2}))+B*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c),2^{1/2}))*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*b^3-3*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c),2^{1/2}))*a^2*b+3*B*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c),2^{1/2}))*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*a*b^2+3*B*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(2*\sin(1/2*d*x+1/2*c)^{2-1})^{1/2}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{1/2}))*a^3/b^3/(a-b)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^{2-1})^{1/2}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))/sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(3/2),x, algorithm="
giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)*sec(d*x + c)^(3/2)), x
)
```

**3.572** 
$$\int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=405

$$\frac{b(Ab - aB) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{ad(a^2 - b^2)(a \sec(c + dx) + b)} + \frac{(2a^2A + 3abB - 5Ab^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3a^2d(a^2 - b^2)} - \frac{(4a^2Ab - 2a^3B + 3ab^2B - 5Ab^3) \sin(c + dx) \sec^{\frac{1}{2}}(c + dx)}{a^3d(a^2 - b^2)}$$

```
[Out] ((4*a^2*A*b - 5*A*b^3 - 2*a^3*B + 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^3*(a^2 - b^2)*d) + ((2*a^2*A - 5*A*b^2 + 3*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*(a^2 - b^2)*d) + (b*(7*a^2*A*b - 5*A*b^3 - 5*a^3*B + 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^3*(a - b)*(a + b)^2*d) - ((4*a^2*A*b - 5*A*b^3 - 2*a^3*B + 3*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^3*(a^2 - b^2)*d) + ((2*a^2*A - 5*A*b^2 + 3*a*b*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d) + (b*(A*b - a*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(a*(a^2 - b^2)*d*(b + a*Sec[c + d*x]))
```

**Rubi [A]** time = 1.28872, antiderivative size = 405, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 10, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$ , Rules used = {2960, 4029, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b(Ab - aB) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{ad(a^2 - b^2)(a \sec(c + dx) + b)} + \frac{(2a^2A + 3abB - 5Ab^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3a^2d(a^2 - b^2)} - \frac{(4a^2Ab - 2a^3B + 3ab^2B - 5Ab^3) \sin(c + dx) \sec^{\frac{1}{2}}(c + dx)}{a^3d(a^2 - b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + b*Cos[c + d*x])^2,x]
```

```
[Out] ((4*a^2*A*b - 5*A*b^3 - 2*a^3*B + 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^3*(a^2 - b^2)*d) + ((2*a^2*A - 5*A*b^2 + 3*a*b*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(3*a^2*(a^2 - b^2)*d) + (b*(7*a^2*A*b - 5*A*b^3 - 5*a^3*B + 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^3*(a - b)*(a + b)^2*d) - ((4*a^2*A*b - 5*A*b^3 - 2*a^3*B + 3*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^3*(a^2 - b^2)*d) + ((2*a^2*A - 5*A*b^2 + 3*a*b*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d) + (b*(A*b - a*B)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(a*(a^2 - b^2)*d*(b + a*Sec[c + d*x]))
```

**Rule 2960**

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

**Rule 4029**

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*d^2*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n -
```

2))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] - Dist[d/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 2)\*Simp[a\*d\*(A\*b - a\*B)\*(n - 2) + b\*d\*(A\*b - a\*B)\*(m + 1)\*Csc[e + f\*x] - (a\*A\*b\*d\*(m + n) - d\*B\*(a^2\*(n - 1) + b^2\*(m + 1)))\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 1]

#### Rule 4102

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_)])\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_)]^2\*(C\_.))\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^(m\_), x\_Symbol] := -Simp[(C\*d\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1))/(b\*f\*(m + n + 1)), x] + Dist[d/(b\*(m + n + 1)), Int[(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[a\*C\*(n - 1) + (A\*b\*(m + n + 1) + b\*C\*(m + n))\*Csc[e + f\*x] + (b\*B\*(m + n + 1) - a\*C\*n)\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

#### Rule 4106

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_)])\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_)]^2\*(C\_.))/(Sqrt[csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.)]\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))), x\_Symbol] := Dist[(A\*b^2 - a\*b\*B + a^2\*C)/(a^2\*d^2), Int[(d\*Csc[e + f\*x])^(3/2)/(a + b\*Csc[e + f\*x]), x], x] + Dist[1/a^2, Int[(a\*A - (A\*b - a\*B)\*Csc[e + f\*x])/Sqrt[d\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

#### Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)])\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{(a + b \cos(c + dx))^2} dx = \int \frac{\sec^{\frac{7}{2}}(c + dx)(B + A \sec(c + dx))}{(b + a \sec(c + dx))^2} dx$$

$$= \frac{b(Ab - aB) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{a(a^2 - b^2)d(b + a \sec(c + dx))} - \int \frac{\sec^{\frac{3}{2}}(c + dx) \left(-\frac{3}{2}b(Ab - aB) + a(Ab - aB) \sec(c + dx)\right)}{b + a \sec(c + dx)} \frac{1}{a(a^2 - b^2)} dx$$

$$= \frac{(2a^2A - 5Ab^2 + 3abB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a^2(a^2 - b^2)d} + \frac{b(Ab - aB) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{a(a^2 - b^2)d(b + a \sec(c + dx))}$$

$$= -\frac{(4a^2Ab - 5Ab^3 - 2a^3B + 3ab^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^3(a^2 - b^2)d} + \frac{(2a^2A - 5Ab^2 - 2a^3B + 3ab^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^3(a^2 - b^2)d}$$

$$= -\frac{(4a^2Ab - 5Ab^3 - 2a^3B + 3ab^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^3(a^2 - b^2)d} + \frac{(2a^2A - 5Ab^2 - 2a^3B + 3ab^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^3(a^2 - b^2)d}$$

$$= -\frac{(4a^2Ab - 5Ab^3 - 2a^3B + 3ab^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^3(a^2 - b^2)d} + \frac{(2a^2A - 5Ab^2 - 2a^3B + 3ab^2B) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^3(a^2 - b^2)d}$$

$$= \frac{b(7a^2Ab - 5Ab^3 - 5a^3B + 3ab^2B) \sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^3(a - b)(a + b)^2d}$$

$$= \frac{(4a^2Ab - 5Ab^3 - 2a^3B + 3ab^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^3(a^2 - b^2)d} + \dots$$

**Mathematica [A]** time = 7.05589, size = 741, normalized size = 1.83

$$\frac{\sqrt{\sec(c + dx)} \left( \frac{(-4a^2Ab + 2a^3B - 3ab^2B + 5Ab^3) \sin(c + dx)}{a^3(a^2 - b^2)} + \frac{ab^2B \sin(c + dx) - Ab^3 \sin(c + dx)}{a^2(a^2 - b^2)(a + b \cos(c + dx))} + \frac{2A \tan(c + dx)}{3a^2} \right)}{d} + \dots$$

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2))/(a + b\*Cos[c + d\*x])^2, x]

[Out] ((-2\*(-28\*a^3\*A\*b + 40\*a\*A\*b^3 + 12\*a^4\*B - 24\*a^2\*b^2\*B)\*Cos[c + d\*x]^2\*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/(b\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + (2\*(-4\*a^4\*A - 44\*a^2\*A\*b^2 + 45\*A\*b^4 + 30\*a^3\*b\*B - 27\*a\*b^3\*B)\*Cos[c + d\*x]^2\*(EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1] + EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d\*x]]], -1])\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/(a\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + ((-12\*a^2\*A\*b^2 + 15\*A\*b^4 + 6\*a^3\*b\*B - 9\*a\*b^3\*B)\*Cos[2\*(c + d\*x)]\*(b + a\*Sec[c + d\*x])\*(-4\*a\*b + 4\*a\*b\*Sec[c + d\*x]^2 - 4\*a\*b\*EllipticE[ArcSin[Sqrt[Sec[c + d\*x]]], -1])\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] + 2\*(2\*a - b)\*b\*EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2])/(a^3(a^2 - b^2)d)

$$c + d*x]^2] + 4*a^2*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 2*b^2*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x])/(a*b^2*(a + b*cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - Sec[c + d*x]^2))/(12*a^3*(-a + b)*(a + b)*d) + (Sqrt[Sec[c + d*x]]*((( -4*a^2*A*b + 5*A*b^3 + 2*a^3*B - 3*a*b^2*B)*Sin[c + d*x])/(a^3*(a^2 - b^2)) + (-A*b^3*Ssin[c + d*x]) + a*b^2*B*Ssin[c + d*x])/(a^2*(a^2 - b^2)*(a + b*cos[c + d*x])) + (2*A*Tan[c + d*x])/(3*a^2)))/d$$

**Maple [B]** time = 16.78, size = 1031, normalized size = 2.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x)

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-4*b^2*(2*A*b-B \\ & *a)/a^3/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^ \\ & 2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi( \\ & \cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+2*(-2*A*b+B*a)/a^3*(-\sin(1/2*d*x+1/ \\ & 2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+2*(-2*\sin(1/ \\ & 2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1 \\ & /2*c)^2)/\sin(1/2*d*x+1/2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+2*(A*b-B*a)*b/a^2* \\ & (-1/a*b^2/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x \\ & +1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2*d*x+1/2*c)^2+a-b)-1/2/a/(a+b)*(\sin(1/2*d*x+1/ \\ & 2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*b/(a^2- \\ & b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin \\ & (1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c) \\ & ), 2^{(1/2)})+1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1 \\ & /2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*Ellip \\ & ticE(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^ \\ & 4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1 \\ & /2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos( \\ & 1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1 \\ & /2)}*EllipticPi(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})))+2*A/a^2*(-1/6*\cos(1/ \\ & 2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(\cos(1/2* \\ & d*x+1/2*c)^2-1/2)^2+1/3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c) \\ & ^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF( \\ & \cos(1/2*d*x+1/2*c), 2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1) \\ & ^{(1/2)}/d \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^2, x)



$$3.573 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=316

$$\frac{b(Ab - aB) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{ad(a^2 - b^2)(a \sec(c + dx) + b)} + \frac{(2a^2A + abB - 3Ab^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{a^2d(a^2 - b^2)} + \frac{(Ab - aB) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{ad(a^2 - b^2)}$$

```
[Out] -(((2*a^2*A - 3*A*b^2 + a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]
*Sqrt[Sec[c + d*x]])/(a^2*(a^2 - b^2)*d)) + ((A*b - a*B)*Sqrt[Cos[c + d*x]]
*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(a*(a^2 - b^2)*d) - ((5*a^2*
A*b - 3*A*b^3 - 3*a^3*B + a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*b)/(a +
b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a - b)*(a + b)^2*d) + ((2*a^
2*A - 3*A*b^2 + a*b*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*(a^2 - b^2)*d)
+ (b*(A*b - a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(a*(a^2 - b^2)*d*(b + a*
Sec[c + d*x]))
```

**Rubi [A]** time = 0.941633, antiderivative size = 316, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$ , Rules used = {2960, 4029, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b(Ab - aB) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{ad(a^2 - b^2)(a \sec(c + dx) + b)} + \frac{(2a^2A + abB - 3Ab^2) \sin(c + dx) \sqrt{\sec(c + dx)}}{a^2d(a^2 - b^2)} + \frac{(Ab - aB) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}}{ad(a^2 - b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + b*Cos[c + d*x])^2,x]
```

```
[Out] -(((2*a^2*A - 3*A*b^2 + a*b*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]
*Sqrt[Sec[c + d*x]])/(a^2*(a^2 - b^2)*d)) + ((A*b - a*B)*Sqrt[Cos[c + d*x]]
*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(a*(a^2 - b^2)*d) - ((5*a^2*
A*b - 3*A*b^3 - 3*a^3*B + a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*b)/(a +
b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(a^2*(a - b)*(a + b)^2*d) + ((2*a^
2*A - 3*A*b^2 + a*b*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a^2*(a^2 - b^2)*d)
+ (b*(A*b - a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(a*(a^2 - b^2)*d*(b + a*
Sec[c + d*x]))
```

#### Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]^(n_.), x_Symbol] :> Dis
t[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c
*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

#### Rule 4029

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(a*d^2*
(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n -
2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a
+ b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n
- 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*
(n - 1) + b^2*(m + 1)))*Csc[e + f*x]^2, x], x] /; FreeQ[{a, b, d, e, f,
```

A, B}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 1]

#### Rule 4102

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^m, x\_Symbol] := -Simp[(C\*d\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1))/(b\*f\*(m + n + 1)), x] + Dist[d/(b\*(m + n + 1)), Int[(a + b\*Csc[e + f\*x])^m\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[a\*C\*(n - 1) + (A\*b\*(m + n + 1) + b\*C\*(m + n))\*Csc[e + f\*x] + (b\*B\*(m + n + 1) - a\*C\*n)\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && GtQ[n, 0]

#### Rule 4106

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.))/(Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.)]\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))), x\_Symbol] := Dist[(A\*b^2 - a\*b\*B + a^2\*C)/(a^2\*d^2), Int[(d\*Csc[e + f\*x])^(3/2)/(a + b\*Csc[e + f\*x]), x], x] + Dist[1/a^2, Int[(a\*A - (A\*b - a\*B)\*Csc[e + f\*x])/Sqrt[d\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

#### Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^n, x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{(a + b \cos(c + dx))^2} dx = \int \frac{\sec^{\frac{5}{2}}(c + dx)(B + A \sec(c + dx))}{(b + a \sec(c + dx))^2} dx$$

$$= \frac{b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{a(a^2 - b^2)d(b + a \sec(c + dx))} - \int \frac{\sqrt{\sec(c+dx)} \left( -\frac{1}{2}b(Ab-aB)+a(Ab-aB) \sec(c+dx) \right)}{b+a \sec(c+dx)} dx$$

$$= \frac{(2a^2A - 3Ab^2 + abB) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^2(a^2 - b^2)d} + \frac{b(Ab - aB) \sec^{\frac{3}{2}}(c + dx)}{a(a^2 - b^2)d(b + a \sec(c + dx))}$$

$$= \frac{(2a^2A - 3Ab^2 + abB) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^2(a^2 - b^2)d} + \frac{b(Ab - aB) \sec^{\frac{3}{2}}(c + dx)}{a(a^2 - b^2)d(b + a \sec(c + dx))}$$

$$= \frac{(2a^2A - 3Ab^2 + abB) \sqrt{\sec(c + dx)} \sin(c + dx)}{a^2(a^2 - b^2)d} + \frac{b(Ab - aB) \sec^{\frac{3}{2}}(c + dx)}{a(a^2 - b^2)d(b + a \sec(c + dx))}$$

$$= -\frac{(5a^2Ab - 3Ab^3 - 3a^3B + ab^2B) \sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2(a - b)(a + b)^2d}$$

$$= -\frac{(2a^2A - 3Ab^2 + abB) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a^2(a^2 - b^2)d} + \frac{(Ab - aB) \sqrt{\sec(c + dx)}}{a(a^2 - b^2)d}$$

**Mathematica [B]** time = 6.93585, size = 687, normalized size = 2.17

$$\frac{\sqrt{\sec(c + dx)} \left( \frac{(2a^2A + abB - 3Ab^2) \sin(c + dx)}{a^2(a^2 - b^2)} + \frac{Ab^2 \sin(c + dx) - abB \sin(c + dx)}{a(a^2 - b^2)(a + b \cos(c + dx))} \right)}{d} - \frac{2(4a^3A + 4a^2bB - 8aAb^2) \sin(c + dx) \cos^2(c + dx) \sqrt{1 - \sec^2(c + dx)}}{b(1 - \cos^2(c + dx))(a + b \cos(c + dx))}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + b*Cos[c + d*x])^2, x]
```

```
[Out] -((-2*(4*a^3*A - 8*a*A*b^2 + 4*a^2*b*B)*Cos[c + d*x]^2*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(10*a^2*A*b - 9*A*b^3 - 4*a^3*B + 3*a*b^2*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + ((2*a^2*A*b - 3*A*b^3 + a*b^2*B)*Cos[2*(c + d*x)]*(b + a*Sec[c + d*x])*(-4*a*b + 4*a*b*Sec[c + d*x]^2 - 4*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*(2*a - b)*b*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 4*a^2*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 2*b^2*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x])/(a*b^2*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - Sec[c + d*x]^2))/(4*a^2*(a - b)*(a + b)*d) + (Sqrt[Sec[c + d*x]]*(((2*a^2*A - 3*A*b^2 + a*b*B)*Sin[c + d*x])/(a^2*(a^2 - b^2)) + (A*b^2*Sin[c + d*x] - a*b*B*Sin[c + d*x])/(a*(a^2 - b^2)*(a + b*Cos[c + d*x]))))/d
```

---

**Maple [B]** time = 10.849, size = 883, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((A+B*\cos(d*x+c))*\sec(d*x+c)^{(3/2)}/(a+b*\cos(d*x+c))^2,x)$

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(4*A*b^2/a^2/(-2 \\ & *a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/ \\ & (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x \\ & +1/2*c),-2*b/(a-b),2^{(1/2)})+2/a^2*A*(-(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1 \\ & /2*d*x+1/2*c)^2-1)^{(1/2)}*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *\text{EllipticE}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+2*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2 \\ & *d*x+1/2*c)^2)^{(1/2)}*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2/\sin(1/2*d*x+1 \\ & /2*c)^2/(2*\sin(1/2*d*x+1/2*c)^2-1)+2*(-A*b+B*a)/a*(-1/a*b^2/(a^2-b^2)*\cos(1 \\ & /2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*b*\cos \\ & (1/2*d*x+1/2*c)^2+a-b)-1/2/a/(a+b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2 \\ & *d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c \\ & )^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2*b/(a^2-b^2 \\ & )/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin( \\ & 1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c),2 \\ & ^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos \\ & (1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1 \\ & /2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+1/a/(a^2-b^2)/(-2*a* \\ & b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} \\ & /(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d* \\ & x+1/2*c),-2*b/(a-b),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1 \\ & )^{(1/2)}/d \end{aligned}$$

---

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((A+B*\cos(d*x+c))*\sec(d*x+c)^{(3/2)}/(a+b*\cos(d*x+c))^2,x, \text{algorithm} = "maxima")$

[Out] Timed out

---

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((A+B*\cos(d*x+c))*\sec(d*x+c)^{(3/2)}/(a+b*\cos(d*x+c))^2,x, \text{algorithm} = "fricas")$

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^2, x)

$$3.574 \quad \int \frac{(A+B \cos(c+dx))\sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^2} dx$$

**Optimal.** Leaf size=260

$$\frac{b(Ab - aB) \sin(c + dx)\sqrt{\sec(c + dx)}}{ad(a^2 - b^2)(a \sec(c + dx) + b)} - \frac{(Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd(a^2 - b^2)} - \frac{(Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{ad(a^2 - b^2)}$$

[Out] -(((A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*(a^2 - b^2)\*d) - ((A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(b\*(a^2 - b^2)\*d) + ((3\*a^2\*A\*b - A\*b^3 - a^3\*B - a\*b^2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*(a - b)\*b\*(a + b)^2\*d) + (b\*(A\*b - a\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(a\*(a^2 - b^2)\*d\*(b + a\*Sec[c + d\*x]))

**Rubi [A]** time = 0.612991, antiderivative size = 260, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {2960, 4029, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b(Ab - aB) \sin(c + dx)\sqrt{\sec(c + dx)}}{ad(a^2 - b^2)(a \sec(c + dx) + b)} - \frac{(Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{bd(a^2 - b^2)} - \frac{(Ab - aB)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}{ad(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]])/(a + b\*Cos[c + d\*x])^2,x]

[Out] -(((A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*(a^2 - b^2)\*d) - ((A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(b\*(a^2 - b^2)\*d) + ((3\*a^2\*A\*b - A\*b^3 - a^3\*B - a\*b^2\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(a\*(a - b)\*b\*(a + b)^2\*d) + (b\*(A\*b - a\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(a\*(a^2 - b^2)\*d\*(b + a\*Sec[c + d\*x]))

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.))\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4029

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.), x\_Symbol] :> Simp[(a\*d^2\*(A\*b - a\*B)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 2))/(b\*f\*(m + 1)\*(a^2 - b^2)), x] - Dist[d/(b\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 2)\*Simp[a\*d\*(A\*b - a\*B)\*(n - 2) + b\*d\*(A\*b - a\*B)\*(m + 1)\*Csc[e + f\*x] - (a\*A\*b\*d\*(m + n) - d\*B\*(a^2\*(n - 1) + b^2\*(m + 1)))\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 1]

#### Rule 4106

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.)))/(Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.)]\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))), x\_Symbol] := Dist[(A\*b^2 - a\*b\*B + a^2\*C)/(a^2\*d^2), Int[(d\*Csc[e + f\*x])^(3/2)/(a + b\*Csc[e + f\*x]), x], x] + Dist[1/a^2, Int[(a\*A - (A\*b - a\*B)\*Csc[e + f\*x])/Sqrt[d\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

#### Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{(a + b \cos(c + dx))^2} dx &= \int \frac{\sec^{\frac{3}{2}}(c + dx)(B + A \sec(c + dx))}{(b + a \sec(c + dx))^2} dx \\
&= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d(b + a \sec(c + dx))} - \int \frac{\frac{1}{2}b(Ab - aB) + a(Ab - aB)\sec(c + dx) - \frac{1}{2}(2a^2A - Ab^2)}{\sqrt{\sec(c + dx)}(b + a \sec(c + dx))} dx \\
&= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d(b + a \sec(c + dx))} - \frac{\int \frac{\frac{1}{2}b^2(Ab - aB) + \frac{1}{2}ab(Ab - aB)\sec(c + dx)}{\sqrt{\sec(c + dx)}} dx}{ab^2(a^2 - b^2)} + \dots \\
&= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2)d(b + a \sec(c + dx))} - \frac{(Ab - aB) \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{2a(a^2 - b^2)} - \frac{(Ab - aB)}{2b} \\
&= \frac{(3a^2Ab - Ab^3 - a^3B - ab^2B)\sqrt{\cos(c + dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{a(a - b)b(a + b)^2d} \\
&= -\frac{(Ab - aB)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{a(a^2 - b^2)d} - \frac{(Ab - aB)\sqrt{\cos(c + dx)}}{a(a^2 - b^2)d}
\end{aligned}$$

**Mathematica [B]** time = 6.81852, size = 645, normalized size = 2.48

$$\frac{\sqrt{\sec(c + dx)} \left( \frac{aB \sin(c + dx) - Ab \sin(c + dx)}{(a^2 - b^2)(a + b \cos(c + dx))} - \frac{(aB - Ab) \sin(c + dx)}{a(a^2 - b^2)} \right)}{d} + \frac{2(-4a^2A + abB + 3Ab^2) \sin(c + dx) \cos^2(c + dx) \sqrt{1 - \sec^2(c + dx)} (a \sec(c + dx) + b) \left( \Pi\left(-\frac{a}{b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)} \right)}{a(1 - \cos^2(c + dx))(a + b \cos(c + dx))}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]])/(a + b\*Cos[c + d\*x])^2, x]

[Out] ((-2\*(4\*a\*A\*b - 4\*a^2\*B)\*Cos[c + d\*x]^2\*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/(b\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + (2\*(-4\*a^2\*A + 3\*A\*b^2 + a\*b\*B)\*Cos[c + d\*x]^2\*(EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1] + EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d\*x]]], -1])\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/(a\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + ((A\*b^2 - a\*b\*B)\*Cos[2\*(c + d\*x)]\*(b + a\*Sec[c + d\*x])\*(-4\*a\*b + 4\*a\*b\*Sec[c + d\*x]^2 - 4\*a\*b\*EllipticE[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] + 2\*(2\*a - b)\*b\*EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] + 4\*a^2\*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] - 2\*b^2\*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2])\*Sin[c + d\*x])/(a\*b^2\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)\*Sqrt[Sec[c + d\*x]]\*(2 - Sec[c + d\*x]^2)))/(4\*a\*(-a + b)\*(a + b)\*d + (Sqrt[Sec[c + d\*x]]\*(-(((-(A\*b) + a\*B)\*Sin[c + d\*x]))/(a\*(a^2 - b^2))) + (-(A\*b\*Sin[c + d\*x]) + a\*B\*Sin[c + d\*x])/((a^2 - b^2)\*(a + b\*Cos[c + d\*x]))))/d

**Maple [B]** time = 8.523, size = 721, normalized size = 2.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.



[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x)

[Out] 
$$-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-4*B/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{1/2}))+2*(A*b-B*a)/b*(-1/a*b^2/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}/(2*b*\cos(1/2*d*x+1/2*c)^2+a-b)-1/2/a/(a+b)*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c),2^{1/2}))-1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticF(\cos(1/2*d*x+1/2*c),2^{1/2}))+1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticE(\cos(1/2*d*x+1/2*c),2^{1/2}))-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{1/2}))+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{1/2}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{1/2}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{1/2}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{1/2})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{1/2}/d$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="fricas")

[Out] Timed out

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{(a + b \cos(c + dx))^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c))\*\*2,x)

[Out] Integral((A + B\*cos(c + d\*x))\*sqrt(sec(c + d\*x))/(a + b\*cos(c + d\*x))^2, x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{(b \cos(dx + c) + a)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^2,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(sec(d\*x + c))/(b\*cos(d\*x + c) + a)^2, x)

$$3.575 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^2 \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=258

$$\frac{(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{d(a^2 - b^2)(a \sec(c + dx) + b)} + \frac{(a^2 B + aAb - 2b^2 B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d(a^2 - b^2)} + \frac{(Ab - aB) \sqrt{\sec(c + dx)}}{d(a^2 - b^2)}$$

```
[Out] ((A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(b*(a^2 - b^2)*d) + ((a*A*b + a^2*B - 2*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^2*(a^2 - b^2)*d) - ((a^2*A*b + A*b^3 + a^3*B - 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/((a - b)*b^2*(a + b)^2*d) - ((A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/((a^2 - b^2)*d*(b + a*Sec[c + d*x]))
```

**Rubi [A]** time = 0.605312, antiderivative size = 258, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {2960, 4027, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{d(a^2 - b^2)(a \sec(c + dx) + b)} + \frac{(a^2 B + aAb - 2b^2 B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^2 d(a^2 - b^2)} + \frac{(Ab - aB) \sqrt{\sec(c + dx)}}{d(a^2 - b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^2*Sqrt[Sec[c + d*x]]),x]
```

```
[Out] ((A*b - a*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]]/(b*(a^2 - b^2)*d) + ((a*A*b + a^2*B - 2*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(b^2*(a^2 - b^2)*d) - ((a^2*A*b + A*b^3 + a^3*B - 3*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/((a - b)*b^2*(a + b)^2*d) - ((A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/((a^2 - b^2)*d*(b + a*Sec[c + d*x]))
```

#### Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

#### Rule 4027

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1))/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)*Simp[d*(n - 1)*(A*b - a*B) + d*(a*A - b*B)*(m + 1)*Csc[e + f*x] - d*(A*b - a*B)*(m + n + 1)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && LtQ[0, n, 1]
```

#### Rule 4106

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)])^2*(C_.)/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a
```

Int[(d\*Csc[e + f\*x])^(3/2)/(a + b\*Csc[e + f\*x]), x], x] + Dist[1/a^2, Int[(a\*A - (A\*b - a\*B)\*Csc[e + f\*x])/Sqrt[d\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

#### Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] :=> Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :=> Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)]/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] :=> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] :=> Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :=> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :=> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^2 \sqrt{\sec(c + dx)}} dx &= \int \frac{\sqrt{\sec(c + dx)}(B + A \sec(c + dx))}{(b + a \sec(c + dx))^2} dx \\
&= -\frac{(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{(a^2 - b^2)d(b + a \sec(c + dx))} + \frac{\int \frac{\frac{1}{2}(Ab - aB) + (aA - bB)\sec(c + dx) - \frac{1}{2}(Ab - aB)\sec(c + dx)}{\sqrt{\sec(c + dx)}(b + a \sec(c + dx))} dx}{a^2 - b^2} \\
&= -\frac{(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{(a^2 - b^2)d(b + a \sec(c + dx))} + \frac{\int \frac{\frac{1}{2}b(Ab - aB) - (\frac{1}{2}a(Ab - aB) - b(aA - bB))\sec(c + dx)}{\sqrt{\sec(c + dx)}} dx}{b^2(a^2 - b^2)} \\
&= -\frac{(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{(a^2 - b^2)d(b + a \sec(c + dx))} + \frac{(Ab - aB) \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{2b(a^2 - b^2)} + \frac{(aAb + a^2B - 2b^2B)}{(a - b)b^2(a + b)^2d} \\
&= -\frac{(a^2Ab + Ab^3 + a^3B - 3ab^2B) \sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{(a - b)b^2(a + b)^2d} \\
&= \frac{(Ab - aB)\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{b(a^2 - b^2)d} + \frac{(aAb + a^2B - 2b^2B)}{(a - b)b^2(a + b)^2d}
\end{aligned}$$

**Mathematica [B]** time = 6.77587, size = 632, normalized size = 2.45

$$\frac{\sqrt{\sec(c + dx)} \left( \frac{(Ab - aB) \sin(c + dx)}{b(b^2 - a^2)} + \frac{a^2 B \sin(c + dx) - aAb \sin(c + dx)}{b(b^2 - a^2)(a + b \cos(c + dx))} \right)}{d} + \frac{(Ab - aB) \sin(c + dx) \cos(2(c + dx))(a \sec(c + dx) + b) \left( 4a^2 \sqrt{\sec(c + dx)} \sqrt{1 - \sec^2(c + dx)} \right)}{(a - b)b^2(a + b)^2d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B\*Cos[c + d\*x])/((a + b\*Cos[c + d\*x])^2\*Sqrt[Sec[c + d\*x]]), x]

[Out] ((-2\*(4\*a\*A - 4\*b\*B)\*Cos[c + d\*x]^2\*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/(b\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + (2\*(-(A\*b) + a\*B)\*Cos[c + d\*x]^2\*(EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1] + EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d\*x]]], -1])\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/(a\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + ((A\*b - a\*B)\*Cos[2\*(c + d\*x)]\*(b + a\*Sec[c + d\*x])\*(-4\*a\*b + 4\*a\*b\*Sec[c + d\*x]^2 - 4\*a\*b\*EllipticE[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] + 2\*(2\*a - b)\*b\*EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] + 4\*a^2\*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] - 2\*b^2\*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2])\*Sin[c + d\*x])/(a\*b^2\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)\*Sqrt[Sec[c + d\*x]]\*(2 - Sec[c + d\*x]^2))/(4\*(a - b)\*(a + b)\*d) + (Sqrt[Sec[c + d\*x]]\*((A\*b - a\*B)\*Sin[c + d\*x])/(b\*(-a^2 + b^2)) + (-a\*A\*b\*Sin[c + d\*x]) + a^2\*B\*Sin[c + d\*x])/(b\*(-a^2 + b^2)\*(a + b\*Cos[c + d\*x])))/d

**Maple [B]** time = 9.402, size = 808, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2/sec(d*x+c)^(1/2),x)`

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*B/b^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-4/b \\ & *(A*b-2*B*a)/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})-2*a*(A*b-B*a)/b^2*(-1/a*b^2/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2*d*x+1/2*c)^2+a-b)-1/2/a/(a+b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2/sec(d*x+c)^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^2*sqrt(sec(d*x + c))), x)`

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2/sec(d*x+c)^(1/2),x, algorithm="fricas")`

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*2/sec(d\*x+c)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^2 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^2\*sqrt(sec(d\*x + c))), x)

$$3.576 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^2 \sec^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=284

$$\frac{a(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{bd(a^2 - b^2)(a \sec(c + dx) + b)} + \frac{(a^2 Ab - 3a^3 B + 4ab^2 B - 2Ab^3) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^3 d(a^2 - b^2)} - \frac{(-3)}{(-3)}$$

```
[Out] -(((a*A*b - 3*a^2*B + 2*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]
*Sqrt[Sec[c + d*x]])/(b^2*(a^2 - b^2)*d) + ((a^2*A*b - 2*A*b^3 - 3*a^3*B +
4*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]
)/(b^3*(a^2 - b^2)*d) - (a*(a^2*A*b - 3*A*b^3 - 3*a^3*B + 5*a*b^2*B)*Sqrt[C
os[c + d*x]]*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/
((a - b)*b^3*(a + b)^2*d) + (a*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]
)/(b*(a^2 - b^2)*d*(b + a*Sec[c + d*x]))
```

**Rubi [A]** time = 0.65849, antiderivative size = 284, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.273$ , Rules used = {2960, 4030, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{a(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{bd(a^2 - b^2)(a \sec(c + dx) + b)} + \frac{(a^2 Ab - 3a^3 B + 4ab^2 B - 2Ab^3) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{b^3 d(a^2 - b^2)} - \frac{(-3)}{(-3)}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^2*Sec[c + d*x]^(3/2)),x]
```

```
[Out] -(((a*A*b - 3*a^2*B + 2*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]
*Sqrt[Sec[c + d*x]])/(b^2*(a^2 - b^2)*d) + ((a^2*A*b - 2*A*b^3 - 3*a^3*B +
4*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]
)/(b^3*(a^2 - b^2)*d) - (a*(a^2*A*b - 3*A*b^3 - 3*a^3*B + 5*a*b^2*B)*Sqrt[C
os[c + d*x]]*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/
((a - b)*b^3*(a + b)^2*d) + (a*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]
)/(b*(a^2 - b^2)*d*(b + a*Sec[c + d*x]))
```

#### Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dis
t[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c
*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c -
a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

#### Rule 4030

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> Simp[(b*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*
(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e
+ f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1))
+ a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*
Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b
- a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILt
Q[n, 0])
```



Rule 4106

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)])*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)
)/(Sqrt[csc[(e_.) + (f_.)*(x_)]*(d_.)]*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))), x_Symbol]
:> Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f*x])^(3/2)/(a + b*Csc[e + f*x]), x], x]
+ Dist[1/a^2, Int[(a*A - (A*b - a*B)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 3849

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.)^(3/2)/(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol]
:> Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e, f}, x]
&& NeQ[a^2 - b^2, 0]
```

Rule 2805

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol]
:> Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x]
&& NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]
```

Rule 3787

```
Int[(csc[(e_.) + (f_.)*(x_)])*(d_.)^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol]
:> Dist[a, Int[(d*Csc[e + f*x])^n, x], x] + Dist[b/d, Int[(d*Csc[e + f*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]
```

Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_)])*(b_.)^(n_), x_Symbol]
:> Dist[(b*Csc[c + d*x])^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x]
&& EqQ[n^2, 1/4]
```

Rule 2639

```
Int[Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol]
:> Simp[(2*EllipticE[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_)]], x_Symbol]
:> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^2 \sec^{\frac{3}{2}}(c + dx)} dx = \int \frac{B + A \sec(c + dx)}{\sqrt{\sec(c + dx)}(b + a \sec(c + dx))^2} dx$$

$$= \frac{a(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{b(a^2 - b^2)d(b + a \sec(c + dx))} + \frac{\int \frac{\frac{1}{2}(-aAb + 3a^2B - 2b^2B) - b(Ab - aB) \sec(c + dx) + \frac{1}{2}a}{\sqrt{\sec(c + dx)}(b + a \sec(c + dx))} dx}{b(a^2 - b^2)}$$

$$= \frac{a(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{b(a^2 - b^2)d(b + a \sec(c + dx))} + \frac{\int \frac{\frac{1}{2}b(-aAb + 3a^2B - 2b^2B) - (b^2(Ab - aB) + \frac{1}{2}a(-aAb + 3a^2B - 2b^2B))}{\sqrt{\sec(c + dx)}} dx}{b^3(a^2 - b^2)}$$

$$= \frac{a(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{b(a^2 - b^2)d(b + a \sec(c + dx))} - \frac{(aAb - 3a^2B + 2b^2B) \int \frac{1}{\sqrt{\sec(c + dx)}} dx}{2b^2(a^2 - b^2)} +$$

$$= -\frac{a(a^2Ab - 3Ab^3 - 3a^3B + 5ab^2B) \sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{(a - b)b^3(a + b)^2d}$$

$$= -\frac{(aAb - 3a^2B + 2b^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{b^2(a^2 - b^2)d} + \frac{(a^2Ab - \dots)}{b^2(a^2 - b^2)d}$$

**Mathematica [B]** time = 6.88642, size = 661, normalized size = 2.33

$$\frac{\sqrt{\sec(c + dx)} \left( \frac{a^2Ab \sin(c + dx) - a^3B \sin(c + dx)}{b^2(b^2 - a^2)(a + b \cos(c + dx))} - \frac{a(bB - Ab) \sin(c + dx)}{b^2(a^2 - b^2)} \right)}{d} + \frac{2(a^2(-B) - aAb + 2b^2B) \sin(c + dx) \cos^2(c + dx) \sqrt{1 - \sec^2(c + dx)} (a \sec(c + dx) + b) \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{a(1 - \cos^2(c + dx))(a + b \cos(c + dx))d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^2*Sec[c + d*x]^(3/2)), x]
```

```
[Out] ((-2*(4*A*b^2 - 4*a*b*B)*Cos[c + d*x]^2*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(-(a*A*b) - a^2*B + 2*b^2*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + ((a*A*b - 3*a^2*B + 2*b^2*B)*Cos[2*(c + d*x)]*(b + a*Sec[c + d*x])*(-4*a*b + 4*a*b*Sec[c + d*x]^2 - 4*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*(2*a - b)*b*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 4*a^2*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 2*b^2*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x])/(a*b^2*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - Sec[c + d*x]^2)))/(4*b*(-a + b)*(a + b)*d) + (Sqrt[Sec[c + d*x]]*(-((a*(-A*b) + a*B)*Sin[c + d*x])/(b^2*(a^2 - b^2))) + (a^2*A*b*Sin[c + d*x] - a^3*B*Sin[c + d*x])/(b^2*(-a^2 + b^2)*(a + b*Cos[c + d*x])))/d
```

**Maple [B]** time = 10.895, size = 849, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x)

[Out] 
$$-\left(-\left(-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(\frac{2}{b^3}\left(-2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^{1/2}\right)\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(A\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),2^{1/2}\right)+b-2B\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),2^{1/2}\right)+a-B\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),2^{1/2}\right)+b\right)+4\frac{a}{b^2}\left(2Ab-3Ba\right)\left(-2ab+2b^2\right)\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)^{1/2}\left(-2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\operatorname{EllipticPi}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),-2b/(a-b),2^{1/2}\right)+2a^2\left(Ab-Ba\right)/b^3\left(-1/a*b^2/(a^2-b^2)\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)\left(-2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\right)\left(2b\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+a-b\right)-1/2/a/(a+b)\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)^{1/2}\left(-2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),2^{1/2}\right)-1/2b/(a^2-b^2)/a\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)^{1/2}\left(-2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\operatorname{EllipticF}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),2^{1/2}\right)+1/2b/(a^2-b^2)/a\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)^{1/2}\left(-2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\operatorname{EllipticE}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),2^{1/2}\right)-3a/(a^2-b^2)\left(-2ab+2b^2\right)b\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)^{1/2}\left(-2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\operatorname{EllipticPi}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),-2b/(a-b),2^{1/2}\right)+1/a/(a^2-b^2)\left(-2ab+2b^2\right)b^3\left(\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\left(-2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2+1\right)^{1/2}\left(-2\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^4+\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2\right)^{1/2}\operatorname{EllipticPi}\left(\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right),-2b/(a-b),2^{1/2}\right)\right)/\sin\left(\frac{1}{2}dx+\frac{1}{2}c\right)\left(2\cos\left(\frac{1}{2}dx+\frac{1}{2}c\right)^2-1\right)^{1/2}/d$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(3/2)),x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*2/sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^2/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^2\*sec(d\*x + c)^(3/2)), x)



$\text{Csc}[e + f*x]^2, x], x] /;$  FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

#### Rule 4104

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) * (\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^n * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m, x\_Symbol] :> \text{Simp}[(A*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1} * (d*\text{Csc}[e + f*x])^n) / (a*f*n), x] + \text{Dist}[1/(a*d*n), \text{Int}[(a + b*\text{Csc}[e + f*x])^m * (d*\text{Csc}[e + f*x])^{n+1} * \text{Simp}[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*\text{Csc}[e + f*x] + A*b*(m + n + 2)*\text{Csc}[e + f*x]^2, x], x], x] /;$  FreeQ[{a, b, d, e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

#### Rule 4106

$\text{Int}[(A_.) + \text{csc}[(e_.) + (f_.)*(x_.)]*(B_.) + \text{csc}[(e_.) + (f_.)*(x_.)]^2*(C_.) / (\text{Sqrt}[\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.)] * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))), x\_Symbol] :> \text{Dist}[(A*b^2 - a*b*B + a^2*C) / (a^2*d^2), \text{Int}[(d*\text{Csc}[e + f*x])^{3/2} / (a + b*\text{Csc}[e + f*x]), x], x] + \text{Dist}[1/a^2, \text{Int}[(a*A - (A*b - a*B)*\text{Csc}[e + f*x]) / \text{Sqrt}[d*\text{Csc}[e + f*x]], x], x] /;$  FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

#### Rule 3849

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{3/2} / (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x\_Symbol] :> \text{Dist}[d*\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]], \text{Int}[1 / (\text{Sqrt}[d*\text{Sin}[e + f*x]]*(b + a*\text{Sin}[e + f*x])), x], x] /;$  FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2805

$\text{Int}[1/((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]], x\_Symbol] :> \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)]) / (f*(a + b)*\text{Sqrt}[c + d]), x] /;$  FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

#### Rule 3787

$\text{Int}[(\text{csc}[(e_.) + (f_.)*(x_.)]*(d_.))^{n_.} * (\text{csc}[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.)), x\_Symbol] :> \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] /;$  FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{n_.}, x\_Symbol] :> \text{Dist}[(b*\text{Csc}[c + d*x])^n * \text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /;$  FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x\_Symbol] :> \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rule 2641

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x\_Symbol] :> \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^2 \sec^{\frac{5}{2}}(c + dx)} dx &= \int \frac{B + A \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(b + a \sec(c + dx))^2} dx \\
 &= \frac{a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\sec(c + dx)}(b + a \sec(c + dx))} + \int \frac{\frac{1}{2}(-3aAb + 5a^2B - 2b^2B) - b(Ab - aB)}{\sec^{\frac{3}{2}}(c + dx)(b + a \sec(c + dx))} dx \\
 &= -\frac{(3aAb - 5a^2B + 2b^2B) \sin(c + dx)}{3b^2(a^2 - b^2) d \sqrt{\sec(c + dx)}} + \frac{a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\sec(c + dx)}(b + a \sec(c + dx))} \\
 &= -\frac{(3aAb - 5a^2B + 2b^2B) \sin(c + dx)}{3b^2(a^2 - b^2) d \sqrt{\sec(c + dx)}} + \frac{a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\sec(c + dx)}(b + a \sec(c + dx))} \\
 &= -\frac{(3aAb - 5a^2B + 2b^2B) \sin(c + dx)}{3b^2(a^2 - b^2) d \sqrt{\sec(c + dx)}} + \frac{a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{\sec(c + dx)}(b + a \sec(c + dx))} \\
 &= \frac{a^2(3a^2Ab - 5Ab^3 - 5a^3B + 7ab^2B) \sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{(a - b)b^4(a + b)^2d} \\
 &= \frac{(3a^2Ab - 2Ab^3 - 5a^3B + 4ab^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{b^3(a^2 - b^2)d}
 \end{aligned}$$

**Mathematica [A]** time = 6.99334, size = 707, normalized size = 1.95

$$\frac{\sqrt{\sec(c + dx)} \left( \frac{a^2(aB - Ab) \sin(c + dx)}{b^3(a^2 - b^2)} - \frac{a^3Ab \sin(c + dx) - a^4B \sin(c + dx)}{b^3(b^2 - a^2)(a + b \cos(c + dx))} + \frac{B \sin(2(c + dx))}{3b^2} \right)}{d} - \frac{2(8a^2bB - 12aAb^2 + 4b^3B) \sin(c + dx) \cos^2(c + dx) \sqrt{1 - \cos^2(c + dx)}}{b(1 - \cos^2(c + dx))}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^2*Sec[c + d*x]^(5/2)), x]
```

```
[Out] -((-2*(-12*a*A*b^2 + 8*a^2*b*B + 4*b^3*B)*Cos[c + d*x]^2*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(-3*a^2*A*b + 6*A*b^3 + 5*a^3*B - 8*a*b^2*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + ((-9*a^2*A*b + 6*A*b^3 + 15*a^3*B - 12*a*b^2*B)*Cos[2*(c + d*x)]*(b + a*Sec[c + d*x])*(-4*a*b + 4*a*b*Sec[c + d*x]^2 - 4*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*(2*a - b)*b*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 4*a^2*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 2*b^2*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x])/(a*b^2*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - Sec[c + d*x]^2))/(12*(a - b)*b^2*(a + b)*d) + (Sqrt[Sec[c + d*x]]*((a^2*(-(A*b) + a*B)*Sin[c + d*x])/(b^3*(a^2 - b^2)) - (a^3*A*b*Sin[c + d*x] - a^4*B*Sin[c + d*x])/(b^3*(-a^2 + b^2)*(a + b*Cos[c + d*x])) + (B*Sin[2*(c + d*x)]/(3*b^2)))/d
```

**Maple [B]** time = 13.194, size = 1066, normalized size = 2.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2/sec(d*x+c)^(5/2),x)`

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2/3/b^4/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-4*B*b^2*\cos(1/2*d*x+1/2*c) \\ & * \sin(1/2*d*x+1/2*c)^4+6*A*a*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+3*A*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ & *b^2-9*B*a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-b^2*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)}) \\ & )-6*B*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)}* \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a*b+2*B*b^2*\cos(1/2*d*x+1/2*c)*\sin(1/2*d*x+1/2*c)^2-4*a^2/b^3*(3*A*b-4*B*a)/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & )*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})-2*a^3*(A*b-B*a)/b^4*(-1/a*b^2/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2*d*x+1/2*c)^2+a-b)-1/2/a/(a+b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^2 \sec(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2/sec(d*x+c)^(5/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^2*sec(d*x + c)^(5/2)), x)`

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2/sec(d*x+c)^(5/2),x, algorithm="fricas")
```

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**2/sec(d*x+c)**(5/2),x)
```

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^2 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^2/sec(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^2*sec(d*x + c)^(5/2)), x)
```

$$3.578 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=480

$$\frac{b(Ab - aB) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{2ad(a^2 - b^2)(a \sec(c + dx) + b)^2} + \frac{b(11a^2Ab - 7a^3B + ab^2B - 5Ab^3) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{4a^2d(a^2 - b^2)^2(a \sec(c + dx) + b)} + \frac{(-29a^2Ab^2 + 8a^4A^2)}{4a^2d(a^2 - b^2)^2(a \sec(c + dx) + b)}$$

[Out]  $-\left((8a^4A - 29a^2Ab^2 + 15A^2b^4 + 9a^3b^3B - 3ab^3B)\sqrt{\cos[c + dx]}\text{EllipticE}\left[\frac{c + dx}{2}, 2\right]\sqrt{\sec[c + dx]}\right)/(4a^3(a^2 - b^2)^2d) + \left((11a^2Ab - 5A^2b^3 - 7a^3B + ab^2B)\sqrt{\cos[c + dx]}\text{EllipticF}\left[\frac{c + dx}{2}, 2\right]\sqrt{\sec[c + dx]}\right)/(4a^2(a^2 - b^2)^2d) - \left((35a^4Ab - 38a^2A^2b^3 + 15A^2b^5 - 15a^5B + 6a^3b^2B - 3ab^4B)\sqrt{\cos[c + dx]}\text{EllipticPi}\left[\frac{2b}{a + b}, \frac{c + dx}{2}, 2\right]\sqrt{\sec[c + dx]}\right)/(4a^3(a - b)^2(a + b)^3d) + \left((8a^4A - 29a^2Ab^2 + 15A^2b^4 + 9a^3b^3B - 3ab^3B)\sqrt{\sec[c + dx]}\sin[c + dx]\right)/(4a^3(a^2 - b^2)^2d) + (b(Ab - aB)\sec[c + dx]^{5/2}\sin[c + dx])/(2a(a^2 - b^2)d(b + a\sec[c + dx])^2) + (b(11a^2Ab - 5A^2b^3 - 7a^3B + ab^2B)\sec[c + dx]^{3/2}\sin[c + dx])/(4a^2(a^2 - b^2)^2d(b + a\sec[c + dx]))$

**Rubi [A]** time = 1.45029, antiderivative size = 480, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 11, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2960, 4029, 4098, 4102, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b(Ab - aB) \sin(c + dx) \sec^{\frac{5}{2}}(c + dx)}{2ad(a^2 - b^2)(a \sec(c + dx) + b)^2} + \frac{b(11a^2Ab - 7a^3B + ab^2B - 5Ab^3) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{4a^2d(a^2 - b^2)^2(a \sec(c + dx) + b)} + \frac{(-29a^2Ab^2 + 8a^4A^2)}{4a^2d(a^2 - b^2)^2(a \sec(c + dx) + b)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[\frac{(A + B \cos[c + dx]) \sec[c + dx]^{3/2}}{(a + b \cos[c + dx])^3}, x]$

[Out]  $-\left((8a^4A - 29a^2Ab^2 + 15A^2b^4 + 9a^3b^3B - 3ab^3B)\sqrt{\cos[c + dx]}\text{EllipticE}\left[\frac{c + dx}{2}, 2\right]\sqrt{\sec[c + dx]}\right)/(4a^3(a^2 - b^2)^2d) + \left((11a^2Ab - 5A^2b^3 - 7a^3B + ab^2B)\sqrt{\cos[c + dx]}\text{EllipticF}\left[\frac{c + dx}{2}, 2\right]\sqrt{\sec[c + dx]}\right)/(4a^2(a^2 - b^2)^2d) - \left((35a^4Ab - 38a^2A^2b^3 + 15A^2b^5 - 15a^5B + 6a^3b^2B - 3ab^4B)\sqrt{\cos[c + dx]}\text{EllipticPi}\left[\frac{2b}{a + b}, \frac{c + dx}{2}, 2\right]\sqrt{\sec[c + dx]}\right)/(4a^3(a - b)^2(a + b)^3d) + \left((8a^4A - 29a^2Ab^2 + 15A^2b^4 + 9a^3b^3B - 3ab^3B)\sqrt{\sec[c + dx]}\sin[c + dx]\right)/(4a^3(a^2 - b^2)^2d) + (b(Ab - aB)\sec[c + dx]^{5/2}\sin[c + dx])/(2a(a^2 - b^2)d(b + a\sec[c + dx])^2) + (b(11a^2Ab - 5A^2b^3 - 7a^3B + ab^2B)\sec[c + dx]^{3/2}\sin[c + dx])/(4a^2(a^2 - b^2)^2d(b + a\sec[c + dx]))$

### Rule 2960

$\text{Int}[(\text{csc}[e_.] + (f_.) \cdot (x_.) \cdot (g_.)^p) \cdot ((a_.) + (b_.) \cdot \sin[e_.] + (f_.) \cdot (x_.)^m) \cdot ((c_.) + (d_.) \cdot \sin[e_.] + (f_.) \cdot (x_.)^n), x\_Symbol] \rightarrow \text{Dist}[g^{m+n}, \text{Int}[(g \cdot \text{Csc}[e + f \cdot x])^{p-m-n} \cdot (b + a \cdot \text{Csc}[e + f \cdot x])^m \cdot (d + c \cdot \text{Csc}[e + f \cdot x])^n, x], x] /;$  FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b \cdot c - a \cdot d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

### Rule 4029

$\text{Int}[(\text{csc}[e_.] + (f_.) \cdot (x_.) \cdot (d_.)^n) \cdot (\text{csc}[e_.] + (f_.) \cdot (x_.) \cdot (b_.) + (a_.)^m) \cdot (\text{csc}[e_.] + (f_.) \cdot (x_.) \cdot (B_.) + (A_.)], x\_Symbol] \rightarrow \text{Simp}[a \cdot d^2 \cdot$

$(A*b - a*B)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^{n-2})/(b*f*(m+1)*(a^2 - b^2)), x] - \text{Dist}[d/(b*(m+1)*(a^2 - b^2)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^{n-2}*\text{Simp}[a*d*(A*b - a*B)*(n - 2) + b*d*(A*b - a*B)*(m+1)*\text{Csc}[e + f*x] - (a*A*b*d*(m+n) - d*B*(a^2*(n-1) + b^2*(m+1)))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 1]$

**Rule 4098**

$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x])^2*(C + \text{csc}[e + f*x])*(d)^n*(C + \text{csc}[e + f*x])*(b + a)^m, x\_Symbol] :> -\text{Simp}[(d*(A*b^2 - a*b*B + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^{n-1})/(b*f*(a^2 - b^2)*(m+1)), x] + \text{Dist}[d/(b*(a^2 - b^2)*(m+1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^{n-1}*\text{Simp}[A*b^2*(n-1) - a*(b*B - a*C)*(n-1) + b*(a*A - b*B + a*C)*(m+1)*\text{Csc}[e + f*x] - (b*(A*b - a*B)*(m+n+1) + C*(a^2*n + b^2*(m+1)))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& \text{GtQ}[n, 0]$

**Rule 4102**

$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x])^2*(C + \text{csc}[e + f*x])*(d)^n*(C + \text{csc}[e + f*x])*(b + a)^m, x\_Symbol] :> -\text{Simp}[(C*d*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^{n-1})/(b*f*(m+n+1)), x] + \text{Dist}[d/(b*(m+n+1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^m*(d*\text{Csc}[e + f*x])^{n-1}*\text{Simp}[a*C*(n-1) + (A*b*(m+n+1) + b*C*(m+n))*\text{Csc}[e + f*x] + (b*B*(m+n+1) - a*C*n)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, m\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{GtQ}[n, 0]$

**Rule 4106**

$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x])^2*(C + \text{csc}[e + f*x])]/(\text{Sqrt}[\text{csc}[e + f*x]*(d)]*(C + \text{csc}[e + f*x])*(b + a)), x\_Symbol] :> \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), \text{Int}[(d*\text{Csc}[e + f*x])^{3/2}/(a + b*\text{Csc}[e + f*x]), x], x] + \text{Dist}[1/a^2, \text{Int}[(a*A - (A*b - a*B)*\text{Csc}[e + f*x])/(\text{Sqrt}[d*\text{Csc}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

**Rule 3849**

$\text{Int}[(\text{csc}[e + f*x]*(d))^{3/2}/(\text{csc}[e + f*x]*(b + a)), x\_Symbol] :> \text{Dist}[d*\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]], \text{Int}[1/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*(b + a*\text{Sin}[e + f*x])), x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0]$

**Rule 2805**

$\text{Int}[1/(((a + b)*\text{sin}[e + f*x])*\text{Sqrt}[(c + d)*\text{sin}[e + f*x] + (f*x)]), x\_Symbol] :> \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

**Rule 3787**

$\text{Int}[(\text{csc}[e + f*x]*(d))^{n-1}*(C + \text{csc}[e + f*x])*(b + a), x\_Symbol] :> \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n-1}, x], x]$

$(d*\text{Csc}[e + f*x])^{(n + 1)}, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x]$

**Rule 3771**

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_.)]*(b_.))^{(n_.)}, x\_Symbol] :> \text{Dist}[(b*\text{Csc}[c + d*x])^{n*}*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x] \&\& \text{EqQ}[n^2, 1/4]$

**Rule 2639**

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x\_Symbol] :> \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

**Rule 2641**

$\text{Int}[1/\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_.)]], x\_Symbol] :> \text{Simp}[(2*\text{EllipticF}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}\{c, d\}, x]$

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{(a + b \cos(c + dx))^3} dx &= \int \frac{\sec^{\frac{7}{2}}(c + dx)(B + A \sec(c + dx))}{(b + a \sec(c + dx))^3} dx \\ &= \frac{b(Ab - aB) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{2a(a^2 - b^2) d(b + a \sec(c + dx))^2} - \int \frac{\sec^{\frac{3}{2}}(c + dx) \left(-\frac{3}{2}b(Ab - aB) + 2a(Ab - aB) \sec(c + dx)\right)}{(b + a \sec(c + dx))^3} dx \\ &= \frac{b(Ab - aB) \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{2a(a^2 - b^2) d(b + a \sec(c + dx))^2} + \frac{b(11a^2Ab - 5Ab^3 - 7a^3B + ab^2B) \sec^{\frac{3}{2}}(c + dx)}{4a^2(a^2 - b^2)^2 d(b + a \sec(c + dx))} \\ &= \frac{(8a^4A - 29a^2Ab^2 + 15Ab^4 + 9a^3bB - 3ab^3B) \sqrt{\sec(c + dx)} \sin(c + dx)}{4a^3(a^2 - b^2)^2 d} + \frac{b(Ab - aB) \sec^{\frac{3}{2}}(c + dx)}{2a(a^2 - b^2) d} \\ &= \frac{(8a^4A - 29a^2Ab^2 + 15Ab^4 + 9a^3bB - 3ab^3B) \sqrt{\sec(c + dx)} \sin(c + dx)}{4a^3(a^2 - b^2)^2 d} + \frac{b(Ab - aB) \sec^{\frac{3}{2}}(c + dx)}{2a(a^2 - b^2) d} \\ &= \frac{(8a^4A - 29a^2Ab^2 + 15Ab^4 + 9a^3bB - 3ab^3B) \sqrt{\sec(c + dx)} \sin(c + dx)}{4a^3(a^2 - b^2)^2 d} + \frac{b(Ab - aB) \sec^{\frac{3}{2}}(c + dx)}{2a(a^2 - b^2) d} \\ &= -\frac{(35a^4Ab - 38a^2Ab^3 + 15Ab^5 - 15a^5B + 6a^3b^2B - 3ab^4B) \sqrt{\cos(c + dx)} \text{E}\left(\frac{2}{a+b} \arctan\left(\frac{\sqrt{\cos(c + dx)}}{a + b \cos(c + dx)}\right)\right)}{4a^3(a - b)^2(a + b)^3 d} \\ &= -\frac{(8a^4A - 29a^2Ab^2 + 15Ab^4 + 9a^3bB - 3ab^3B) \sqrt{\cos(c + dx)} \text{E}\left(\frac{1}{2}(c + dx)\right) \text{E}\left(\frac{1}{2}(c + dx)\right)}{4a^3(a^2 - b^2)^2 d} \end{aligned}$$

**Mathematica [A]** time = 7.16484, size = 850, normalized size = 1.77

$$\frac{\sqrt{\sec(c + dx)} \left( \frac{(8Aa^4 + 9bBa^3 - 29Ab^2a^2 - 3b^3Ba + 15Ab^4) \sin(c + dx)}{4a^3(a^2 - b^2)^2} + \frac{Ab^2 \sin(c + dx) - abB \sin(c + dx)}{2a(a^2 - b^2)(a + b \cos(c + dx))^2} + \frac{-5A \sin(c + dx)b^4 + aB \sin(c + dx)b^3 + 11a^2A \sin(c + dx)b^2 - 5a^3B \sin(c + dx)b + 5a^4B \sin(c + dx)}{4a^2(a^2 - b^2)^2(a + b \cos(c + dx))} \right)}{d}$$

Warning: Unable to verify antiderivative.



$$\begin{aligned} & (1/2)/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} \\ & /(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+3/2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})-3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})-2*A*b/a^2*(-1/a*b^2/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2*d*x+1/2*c)^2+a-b)-1/2/a/(a+b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^3, x )

$$3.579 \quad \int \frac{(A+B \cos(c+dx))\sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^3} dx$$

**Optimal.** Leaf size=405

$$\frac{b(Ab - aB) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{2ad(a^2 - b^2)(a \sec(c + dx) + b)^2} + \frac{b(9a^2Ab - 5a^3B - ab^2B - 3Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{4a^2d(a^2 - b^2)^2(a \sec(c + dx) + b)} - \frac{(7a^2Ab - 3a^3B - 3a^2b^2B - 3ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{4a^2d(a^2 - b^2)^2(a \sec(c + dx) + b)}$$

[Out]  $-(9a^2Ab - 3a^3B - 5a^3B - ab^2B) \sqrt{\cos(c + dx)} \operatorname{EllipticE}[(c + dx)/2, 2] \sqrt{\sec(c + dx)} / (4a^2(a^2 - b^2)^2d) - ((7a^2Ab - Ab^3 - 3a^3B - 3ab^2B) \sqrt{\cos(c + dx)} \operatorname{EllipticF}[(c + dx)/2, 2] \sqrt{\sec(c + dx)} / (4ab(a^2 - b^2)^2d) + ((15a^4Ab - 6a^2Ab^3 + 3Ab^5 - 3a^5B - 10a^3b^2B + ab^4B) \sqrt{\cos(c + dx)} \operatorname{EllipticPi}[(2b)/(a + b), (c + dx)/2, 2] \sqrt{\sec(c + dx)} / (4a^2(a - b)^2b(a + b)^3d) + (b(Ab - aB) \sec(c + dx)^{(3/2)} \sin(c + dx)) / (2a(a^2 - b^2)d(b + a \sec(c + dx))^2) + (b(9a^2Ab - 3a^3B - 5a^3B - ab^2B) \sqrt{\sec(c + dx)} \sin(c + dx)) / (4a^2(a^2 - b^2)^2d(b + a \sec(c + dx)))$

**Rubi [A]** time = 1.03566, antiderivative size = 405, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$ , Rules used = {2960, 4029, 4098, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{b(Ab - aB) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{2ad(a^2 - b^2)(a \sec(c + dx) + b)^2} + \frac{b(9a^2Ab - 5a^3B - ab^2B - 3Ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{4a^2d(a^2 - b^2)^2(a \sec(c + dx) + b)} - \frac{(7a^2Ab - 3a^3B - 3a^2b^2B - 3ab^3) \sin(c + dx) \sqrt{\sec(c + dx)}}{4a^2d(a^2 - b^2)^2(a \sec(c + dx) + b)}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}[(A + B \cos(c + dx)) \sqrt{\sec(c + dx)} / (a + b \cos(c + dx))^3, x]$

[Out]  $-(9a^2Ab - 3a^3B - 5a^3B - ab^2B) \sqrt{\cos(c + dx)} \operatorname{EllipticE}[(c + dx)/2, 2] \sqrt{\sec(c + dx)} / (4a^2(a^2 - b^2)^2d) - ((7a^2Ab - Ab^3 - 3a^3B - 3ab^2B) \sqrt{\cos(c + dx)} \operatorname{EllipticF}[(c + dx)/2, 2] \sqrt{\sec(c + dx)} / (4ab(a^2 - b^2)^2d) + ((15a^4Ab - 6a^2Ab^3 + 3Ab^5 - 3a^5B - 10a^3b^2B + ab^4B) \sqrt{\cos(c + dx)} \operatorname{EllipticPi}[(2b)/(a + b), (c + dx)/2, 2] \sqrt{\sec(c + dx)} / (4a^2(a - b)^2b(a + b)^3d) + (b(Ab - aB) \sec(c + dx)^{(3/2)} \sin(c + dx)) / (2a(a^2 - b^2)d(b + a \sec(c + dx))^2) + (b(9a^2Ab - 3a^3B - 5a^3B - ab^2B) \sqrt{\sec(c + dx)} \sin(c + dx)) / (4a^2(a^2 - b^2)^2d(b + a \sec(c + dx)))$

### Rule 2960

$\operatorname{Int}[(\csc(e_.) + (f_.) \cdot (x_)) \cdot (g_.)^{(p_.)} \cdot ((a_.) + (b_.) \cdot \sin[(e_.) + (f_.) \cdot (x_)])^{(m_.)} \cdot ((c_.) + (d_.) \cdot \sin[(e_.) + (f_.) \cdot (x_)])^{(n_.)}, x\_Symbol] \rightarrow \operatorname{Dist}[g^{(m+n)}, \operatorname{Int}[(g \cdot \csc[e + f \cdot x])^{(p-m-n)} \cdot (b + a \cdot \csc[e + f \cdot x])^m \cdot (d + c \cdot \csc[e + f \cdot x])^n, x], x] /;$  FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b \cdot c - a \cdot d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

### Rule 4029

$\operatorname{Int}[(\csc(e_.) + (f_.) \cdot (x_)) \cdot (d_.)^{(n_.)} \cdot (\csc(e_.) + (f_.) \cdot (x_)) \cdot (b_.) + (a_.)^{(m_.)} \cdot (\csc(e_.) + (f_.) \cdot (x_)) \cdot (B_.) + (A_.)], x\_Symbol] \rightarrow \operatorname{Simp}[(a \cdot d^2 \cdot (A \cdot b - a \cdot B) \cdot \cot[e + f \cdot x] \cdot (a + b \cdot \csc[e + f \cdot x])^{(m+1)} \cdot (d \cdot \csc[e + f \cdot x])^{(n-2)}) / (b \cdot f \cdot (m+1) \cdot (a^2 - b^2)), x] - \operatorname{Dist}[d / (b \cdot (m+1) \cdot (a^2 - b^2)), \operatorname{Int}[(a + b \cdot \csc[e + f \cdot x])^{(m+1)} \cdot (d \cdot \csc[e + f \cdot x])^{(n-2)} \cdot \operatorname{Simp}[a \cdot d \cdot (A \cdot b - a \cdot B) \cdot (n-2) + b \cdot d \cdot (A \cdot b - a \cdot B) \cdot (m+1) \cdot \csc[e + f \cdot x] - (a \cdot A \cdot b \cdot d \cdot (m+n) - d \cdot B \cdot (a^2 \cdot$



$(n - 1) + b^2(m + 1)) * \text{Csc}[e + f*x]^2, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[A*b - a*B, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{GtQ}[n, 1]$

#### Rule 4098

$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x])^2*(C + \text{csc}[e + f*x])*(d)^n*(\text{csc}[e + f*x]*(b) + (a))^m], x\_Symbol] \rightarrow -\text{Simp}[(d*(A*b^2 - a*b*B + a^2*C)*\text{Cot}[e + f*x]*(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^{n-1})/(b*f*(a^2 - b^2)*(m + 1)), x] + \text{Dist}[d/(b*(a^2 - b^2)*(m + 1)), \text{Int}[(a + b*\text{Csc}[e + f*x])^{m+1}*(d*\text{Csc}[e + f*x])^{n-1}*\text{Simp}[A*b^2*(n - 1) - a*(b*B - a*C)*(n - 1) + b*(a*A - b*B + a*C)*(m + 1)*\text{Csc}[e + f*x] - (b*(A*b - a*B)*(m + n + 1) + C*(a^2*n + b^2*(m + 1)))*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{LtQ}[m, -1] \ \&\& \ \text{GtQ}[n, 0]$

#### Rule 4106

$\text{Int}[(A + \text{csc}[e + f*x])*(B + \text{csc}[e + f*x])^2*(C + \sqrt{\text{csc}[e + f*x]*(d) + (\text{csc}[e + f*x]*(b) + (a))})], x\_Symbol] \rightarrow \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), \text{Int}[(d*\text{Csc}[e + f*x])^{3/2}/(a + b*\text{Csc}[e + f*x]), x], x] + \text{Dist}[1/a^2, \text{Int}[(a*A - (A*b - a*B)*\text{Csc}[e + f*x])/sqrt{d*\text{Csc}[e + f*x]}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, A, B, C\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

#### Rule 3849

$\text{Int}[(\text{csc}[e + f*x]*(d)^{3/2}/(\text{csc}[e + f*x]*(b) + (a))), x\_Symbol] \rightarrow \text{Dist}[d*\sqrt{d*\text{Sin}[e + f*x]}*\sqrt{d*\text{Csc}[e + f*x]}, \text{Int}[1/(\sqrt{d*\text{Sin}[e + f*x]}*(b + a*\text{Sin}[e + f*x])), x], x] /; \text{FreeQ}[\{a, b, d, e, f\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0]$

#### Rule 2805

$\text{Int}[1/((a + (b)*\text{sin}[e + f*x])*\sqrt{(c + (d)*\text{sin}[e + f*x])}), x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)])/(f*(a + b)*\sqrt{c + d}), x] /; \text{FreeQ}[\{a, b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[b*c - a*d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{GtQ}[c + d, 0]$

#### Rule 3787

$\text{Int}[(\text{csc}[e + f*x]*(d)^n*(\text{csc}[e + f*x]*(b) + (a))), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d*\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d*\text{Csc}[e + f*x])^{n+1}, x], x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

#### Rule 3771

$\text{Int}[(\text{csc}[c + d*x]*(b))^n], x\_Symbol] \rightarrow \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}[\{b, c, d\}, x] \ \&\& \ \text{EqQ}[n^2, 1/4]$

#### Rule 2639

$\text{Int}[\sqrt{\text{sin}[c + d*x]}], x\_Symbol] \rightarrow \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2])/d, x] /; \text{FreeQ}[\{c, d\}, x]$

#### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)], x_Symbol] :> Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{(a + b \cos(c + dx))^3} dx = \int \frac{\sec^{\frac{5}{2}}(c + dx)(B + A \sec(c + dx))}{(b + a \sec(c + dx))^3} dx$$

$$= \frac{b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2a(a^2 - b^2) d(b + a \sec(c + dx))^2} - \int \frac{\sqrt{\sec(c+dx)} \left(-\frac{1}{2}b(Ab-aB)+2a(Ab-aB) \sec(c+dx)\right)}{(b+a \sec(c+dx))} \frac{1}{2a(a^2 - b^2)}$$

$$= \frac{b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2a(a^2 - b^2) d(b + a \sec(c + dx))^2} + \frac{b(9a^2Ab - 3Ab^3 - 5a^3B - ab^2B) \sqrt{\sec(c + dx)}}{4a^2(a^2 - b^2)^2 d(b + a \sec(c + dx))}$$

$$= \frac{b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2a(a^2 - b^2) d(b + a \sec(c + dx))^2} + \frac{b(9a^2Ab - 3Ab^3 - 5a^3B - ab^2B) \sqrt{\sec(c + dx)}}{4a^2(a^2 - b^2)^2 d(b + a \sec(c + dx))}$$

$$= \frac{b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{2a(a^2 - b^2) d(b + a \sec(c + dx))^2} + \frac{b(9a^2Ab - 3Ab^3 - 5a^3B - ab^2B) \sqrt{\sec(c + dx)}}{4a^2(a^2 - b^2)^2 d(b + a \sec(c + dx))}$$

$$= \frac{(15a^4Ab - 6a^2Ab^3 + 3Ab^5 - 3a^5B - 10a^3b^2B + ab^4B) \sqrt{\cos(c + dx)} \Pi\left(\frac{2b}{a+b}; \frac{1}{2}(c + dx) \mid 2\right)}{4a^2(a - b)^2 b(a + b)^3 d}$$

$$= -\frac{(9a^2Ab - 3Ab^3 - 5a^3B - ab^2B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \mid 2\right) \sqrt{\sec(c + dx)}}{4a^2(a^2 - b^2)^2 d}$$

**Mathematica [A]** time = 6.92288, size = 803, normalized size = 1.98

$$\frac{2(16Ba^4 - 32Aba^3 + 8b^2Ba^2 + 8Ab^3a) \Pi\left(-\frac{a}{b}; -\sin^{-1}\left(\sqrt{\sec(c+dx)}\right) \mid -1\right) (b+a \sec(c+dx)) \sqrt{1-\sec^2(c+dx)} \sin(c+dx) \cos^2(c+dx)}{b(a+b \cos(c+dx))(1-\cos^2(c+dx))} + \frac{2(16Aa^4 - 9bBa^3 - 19Ab^2a^2 + 3b^3Ba)}{b(a+b \cos(c+dx))(1-\cos^2(c+dx))}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + b*Cos[c + d*x])^3, x]
```

```
[Out] ((-2*(-32*a^3*A*b + 8*a*A*b^3 + 16*a^4*B + 8*a^2*b^2*B)*Cos[c + d*x]^2*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(16*a^4*A - 19*a^2*A*b^2 + 9*A*b^4 - 9*a^3*b*B + 3*a*b^3*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + ((-9*a^2*A*b^2 + 3*A*b^4 + 5*a^3*b*B + a*b^3*B)*Cos[2*(c + d*x)]*(b + a*Sec[c + d*x])*(-4*a*b + 4*a*b*Sec[c + d*x]^2 - 4*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*(2*a - b)*b*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 4*a^2*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 2*b^2*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x])/(a*b^2*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)*Sqrt[Sec[c + d*x]]*(2 - S
```

$$\frac{\text{ec}[c + d*x]^2)}{(16*a^2*(a - b)^2*(a + b)^2*d) + (\text{Sqrt}[\text{Sec}[c + d*x]]*(-((-9*a^2*A*b + 3*A*b^3 + 5*a^3*B + a*b^2*B)*\text{Sin}[c + d*x])/(4*a^2*(a^2 - b^2)^2) + (-A*b*\text{Sin}[c + d*x]) + a*B*\text{Sin}[c + d*x])/(2*(a^2 - b^2)*(a + b*\text{Cos}[c + d*x]))^2 + (-7*a^2*A*b*\text{Sin}[c + d*x] + A*b^3*\text{Sin}[c + d*x] + 3*a^3*B*\text{Sin}[c + d*x] + 3*a*b^2*B*\text{Sin}[c + d*x])/(4*a*(a^2 - b^2)^2*(a + b*\text{Cos}[c + d*x])))))/d$$

**Maple [B]** time = 15.027, size = 1744, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((A+B*\cos(d*x+c))*\text{sec}(d*x+c)^{(1/2)}/(a+b*\cos(d*x+c))^3,x)$

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*(A*b-B*a)/b*( \\ & -1/2/a*b^2/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x \\ & +1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2*d*x+1/2*c)^2+a-b)^2-3/4*b^2*(3*a^2-b^2)/a^2/ \\ & (a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^ \\ & 2)^{(1/2)}/(2*b*\cos(1/2*d*x+1/2*c)^2+a-b)-7/8/(a+b)/(a^2-b^2)*( \sin(1/2*d*x+1/ \\ & 2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin \\ & (1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/4/(a+b)/( \\ & a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/( \\ & -2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/ \\ & 2*c), 2^{(1/2)})*b+3/8/(a+b)/(a^2-b^2)/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos \\ & (1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2) \\ & ^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^2-9/8*b/(a^2-b^2)^2*(\sin(1/2 \\ & *d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2* \\ & c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+3/8* \\ & b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1 \\ & )^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos( \\ & 1/2*d*x+1/2*c), 2^{(1/2)})+9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2* \\ & \cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2 \\ & )^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3/8*b^3/a^2/(a^2-b^2)^2*(\sin( \\ & 1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1 \\ & /2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1 \\ & 5/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1 \\ & /2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/ \\ & 2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+3/2/(a^2-b^2)^2/(-2*a* \\ & b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2) \\ & }/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d* \\ & x+1/2*c), -2*b/(a-b), 2^{(1/2)})-3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(\sin(1/ \\ & 2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2 \\ & *c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), \\ & 2^{(1/2)})))+2*B/b*(-1/a*b^2/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c) \\ & ^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2*d*x+1/2*c)^2+a-b)-1/2/a/(a+b) \\ & *(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2 \\ & *d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1 \\ & /2)})-1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^ \\ & 2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(c \\ & \cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*( \\ & -2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c \\ & )^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^ \\ & 2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin \\ & (1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c) \\ & , -2*b/(a-b), 2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2 \\ & )^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2* \\ & d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})))/\sin \end{aligned}$$

$$(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c))\*\*3,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{(b \cos(dx + c) + a)^3} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^3,x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(sec(d\*x + c))/(b\*cos(d\*x + c) + a)^3, x)

$$3.580 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3 \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=402

$$\frac{(7a^2Ab - 3a^3B - 3ab^2B - Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{4ad(a^2 - b^2)^2 (a \sec(c+dx) + b)} + \frac{b(Ab - aB) \sin(c+dx) \sqrt{\sec(c+dx)}}{2ad(a^2 - b^2) (a \sec(c+dx) + b)^2} + \frac{(3a^2Ab + a^3B - 7a^2b^2 - Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{4ad(a^2 - b^2)^2 (a \sec(c+dx) + b)}$$

```
[Out] ((5*a^2*A*b + A*b^3 - a^3*B - 5*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a*b*(a^2 - b^2)^2*d) + ((3*a^2*A*b + 3*A*b^3 + a^3*B - 7*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*b^2*(a^2 - b^2)^2*d) - ((3*a^4*A*b + 10*a^2*A*b^3 - A*b^5 + a^5*B - 10*a^3*b^2*B - 3*a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a*(a - b)^2*b^2*(a + b)^3*d) + (b*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(b + a*Sec[c + d*x])^2) - ((7*a^2*A*b - A*b^3 - 3*a^3*B - 3*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*a*(a^2 - b^2)^2*d*(b + a*Sec[c + d*x]))
```

**Rubi [A]** time = 1.08968, antiderivative size = 402, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$ , Rules used = {2960, 4029, 4100, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{(7a^2Ab - 3a^3B - 3ab^2B - Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{4ad(a^2 - b^2)^2 (a \sec(c+dx) + b)} + \frac{b(Ab - aB) \sin(c+dx) \sqrt{\sec(c+dx)}}{2ad(a^2 - b^2) (a \sec(c+dx) + b)^2} + \frac{(3a^2Ab + a^3B - 7a^2b^2 - Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{4ad(a^2 - b^2)^2 (a \sec(c+dx) + b)}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^3*Sqrt[Sec[c + d*x]]),x]
```

```
[Out] ((5*a^2*A*b + A*b^3 - a^3*B - 5*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a*b*(a^2 - b^2)^2*d) + ((3*a^2*A*b + 3*A*b^3 + a^3*B - 7*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*b^2*(a^2 - b^2)^2*d) - ((3*a^4*A*b + 10*a^2*A*b^3 - A*b^5 + a^5*B - 10*a^3*b^2*B - 3*a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*a*(a - b)^2*b^2*(a + b)^3*d) + (b*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*a*(a^2 - b^2)*d*(b + a*Sec[c + d*x])^2) - ((7*a^2*A*b - A*b^3 - 3*a^3*B - 3*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*a*(a^2 - b^2)^2*d*(b + a*Sec[c + d*x]))
```

#### Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

#### Rule 4029

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := Simp[(a*d^2*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2))/(b*f*(m + 1)*(a^2 - b^2)), x] - Dist[d/(b*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 2)*Simp[a*d*(A*b - a*B)*(n - 2) + b*d*(A*b - a*B)*(m + 1)*Csc[e + f*x] - (a*A*b*d*(m + n) - d*B*(a^2*
```

$(n - 1) + b^2(m + 1)) * \text{Csc}[e + f*x]^2, x], x] /;$  FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && GtQ[n, 1]

Rule 4100

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.)) \* (csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n \* (csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))^m, x\_Symbol] := Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1) \* (d\*Csc[e + f\*x])^n / (a\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(a\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1) \* (d\*Csc[e + f\*x])^n \* Simp[a\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 1) - a\*(A\*b - a\*B + b\*C)\*(m + 1)\*Csc[e + f\*x] + (A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2)\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && ! (ILtQ[m + 1/2, 0] && ILtQ[n, 0])

Rule 4106

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_.)]^2\*(C\_.)) / (Sqrt[csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.)] \* (csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.))), x\_Symbol] := Dist[(A\*b^2 - a\*b\*B + a^2\*C)/(a^2\*d^2), Int[(d\*Csc[e + f\*x])^(3/2)/(a + b\*Csc[e + f\*x]), x], x] + Dist[1/a^2, Int[(a\*A - (A\*b - a\*B)\*Csc[e + f\*x])/Sqrt[d\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^3/2 / (csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] := Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^n \* (csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.)), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^n, x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n \* Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^3 \sqrt{\sec(c + dx)}} dx = \int \frac{\sec^{\frac{3}{2}}(c + dx)(B + A \sec(c + dx))}{(b + a \sec(c + dx))^3} dx$$

$$= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(b + a \sec(c + dx))^2} - \int \frac{\frac{1}{2}b(Ab - aB) + 2a(Ab - aB)\sec(c + dx) - \frac{1}{2}(4a^2A - b^2B)\sec^2(c + dx)}{\sqrt{\sec(c + dx)}(b + a \sec(c + dx))^3} dx$$

$$= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(b + a \sec(c + dx))^2} - \frac{(7a^2Ab - Ab^3 - 3a^3B - 3ab^2B)\sqrt{\sec(c + dx)}}{4a(a^2 - b^2)^2 d(b + a \sec(c + dx))}$$

$$= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(b + a \sec(c + dx))^2} - \frac{(7a^2Ab - Ab^3 - 3a^3B - 3ab^2B)\sqrt{\sec(c + dx)}}{4a(a^2 - b^2)^2 d(b + a \sec(c + dx))}$$

$$= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(b + a \sec(c + dx))^2} - \frac{(7a^2Ab - Ab^3 - 3a^3B - 3ab^2B)\sqrt{\sec(c + dx)}}{4a(a^2 - b^2)^2 d(b + a \sec(c + dx))}$$

$$= \frac{b(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2a(a^2 - b^2)d(b + a \sec(c + dx))^2} - \frac{(7a^2Ab - Ab^3 - 3a^3B - 3ab^2B)\sqrt{\sec(c + dx)}}{4a(a^2 - b^2)^2 d(b + a \sec(c + dx))}$$

$$= -\frac{(3a^4Ab + 10a^2Ab^3 - Ab^5 + a^5B - 10a^3b^2B - 3ab^4B)\sqrt{\cos(c + dx)}\Pi\left(\frac{2b}{a+b}\right)}{4a(a - b)^2b^2(a + b)^3d}$$

$$= \frac{(5a^2Ab + Ab^3 - a^3B - 5ab^2B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx)\middle|2\right)\sqrt{\sec(c + dx)}}{4ab(a^2 - b^2)^2 d}$$

**Mathematica [A]** time = 6.90651, size = 790, normalized size = 1.97

$$\frac{\sqrt{\sec(c + dx)} \left( \frac{(-5a^2Ab + a^3B + 5ab^2B - Ab^3)\sin(c + dx)}{4ab(a^2 - b^2)^2} - \frac{aAb \sin(c + dx) - a^2B \sin(c + dx)}{2b(b^2 - a^2)(a + b \cos(c + dx))^2} + \frac{3a^2Ab \sin(c + dx) + a^3B \sin(c + dx) - 7ab^2B \sin(c + dx) + 3Ab^3 \sin(c + dx)}{4b(b^2 - a^2)^2(a + b \cos(c + dx))} \right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B\*Cos[c + d\*x])/((a + b\*Cos[c + d\*x])^3\*Sqrt[Sec[c + d\*x]]), x]

[Out] ((-2\*(16\*a^3\*A + 8\*a\*A\*b^2 - 24\*a^2\*b\*B)\*Cos[c + d\*x]^2\*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/(b\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + (2\*(-9\*a^2\*A\*b + 3\*A\*b^3 + 5\*a^3\*B + a\*b^2\*B)\*Cos[c + d\*x]^2\*(EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1] + EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d\*x]]], -1])\*(b + a\*Sec[c + d\*x])\*Sqrt[1 - Sec[c + d\*x]^2]\*Sin[c + d\*x])/(a\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)) + ((5\*a^2\*A\*b + A\*b^3 - a^3\*B - 5\*a\*b^2\*B)\*Cos[2\*(c + d\*x)]\*(b + a\*Sec[c + d\*x])\*(-4\*a\*b + 4\*a\*b\*Sec[c + d\*x]^2 - 4\*a\*b\*EllipticE[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] + 2\*(2\*a - b)\*b\*EllipticF[ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] + 4\*a^2\*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2] - 2\*b^2\*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d\*x]]], -1]\*Sqrt[Sec[c + d\*x]]\*Sqrt[1 - Sec[c + d\*x]^2])\*Sin[c + d\*x])/(a\*b^2\*(a + b\*Cos[c + d\*x])\*(1 - Cos[c + d\*x]^2)\*Sqrt[Sec[c + d\*x]]\*(2 - Sec[c + d\*x]^2)))/(16\*a\*(a - b)^2\*(a + b

$$\begin{aligned} &)^2*d) + (\text{Sqrt}[\text{Sec}[c + d*x]]*((-5*a^2*A*b - A*b^3 + a^3*B + 5*a*b^2*B)*\text{Sin} \\ &[c + d*x])/(4*a*b*(a^2 - b^2)^2) - (a*A*b*\text{Sin}[c + d*x] - a^2*B*\text{Sin}[c + d*x] \\ &)/(2*b*(-a^2 + b^2)*(a + b*\text{Cos}[c + d*x])^2) + (3*a^2*A*b*\text{Sin}[c + d*x] + 3*A \\ &*b^3*\text{Sin}[c + d*x] + a^3*B*\text{Sin}[c + d*x] - 7*a*b^2*B*\text{Sin}[c + d*x])/(4*b*(-a^2 \\ &+ b^2)^2*(a + b*\text{Cos}[c + d*x]))) / d \end{aligned}$$

**Maple [B]** time = 15.087, size = 1850, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((A+B*\cos(d*x+c))/(a+b*\cos(d*x+c))^3/\sec(d*x+c)^{(1/2)}, x)$

[Out] 
$$\begin{aligned} &-(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-4*B/b/(-2*a*b+ \\ &2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*s \\ &\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2* \\ &c), -2*b/(a-b), 2^{(1/2)})-2*a*(A*b-B*a)/b^2*(-1/2/a*b^2/(a^2-b^2)*\cos(1/2*d*x+ \\ &1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2*d* \\ &x+1/2*c)^2+a-b)^2-3/4*b^2*(3*a^2-b^2)/a^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(- \\ &2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2*d*x+1/2*c)^ \\ &2+a-b)-7/8/(a+b)/(a^2-b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2 \\ &*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{Ellipti} \\ &cF(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/4/(a+b)/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2) \\ &^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d \\ &*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b+3/8/(a+b)/(a^2-b \\ &^2)/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2* \\ &\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2* \\ &c), 2^{(1/2)})*b^2-9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2* \\ &d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\ &\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+ \\ &1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+ \\ &\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+9/8*b/(a^ \\ &2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2 \\ &*sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2 \\ &*c), 2^{(1/2)})-3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1 \\ &/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/ \\ &2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2 \\ &)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin( \\ &1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), \\ &-2*b/(a-b), 2^{(1/2)})+3/2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^ \\ &2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2 \\ &*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})-3/4/ \\ &a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2 \\ &*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ &*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)}))+2*(A*b-2*B*a)/b^2*(-1/a \\ &*b^2/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2* \\ &c)^2)^{(1/2)}/(2*b*\cos(1/2*d*x+1/2*c)^2+a-b)-1/2/a/(a+b)*(\sin(1/2*d*x+1/2*c)^ \\ &2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2 \\ &*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-1/2*b/(a^2-b^2)/ \\ &a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/ \\ &2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{( \\ &1/2)})+1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c) \\ &^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE} \\ &(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2 \\ &*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin \\ &(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+ \end{aligned}$$



$$\frac{1}{a} \frac{(a^2 - b^2)^{-1/2}}{(-2ab + 2b^2) b^3 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} * E_{\text{llipticPi}}(\cos(1/2 dx + 1/2 c), -2b/(a-b), 2^{1/2})} / \sin(1/2 dx + 1/2 c) / (2 \cos(1/2 dx + 1/2 c)^2 - 1)^{1/2} / d$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*3/sec(d\*x+c)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^3 \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^3\*sqrt(sec(d\*x + c))), x)

$$3.581 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3 \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=400

$$\frac{(3a^2Ab + a^3B - 7ab^2B + 3Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{4bd(a^2 - b^2)^2 (a \sec(c+dx) + b)} - \frac{(Ab - aB) \sin(c+dx) \sqrt{\sec(c+dx)}}{2d(a^2 - b^2) (a \sec(c+dx) + b)^2} + \frac{(a^3Ab - 5a^2b^2B + 3a^4B)}{2d(a^2 - b^2) (a \sec(c+dx) + b)^2}$$

```
[Out] -((a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*b^2*(a^2 - b^2)^2*d) + ((a^3*A*b - 7*a*A*b^3 + 3*a^4*B - 5*a^2*b^2*B + 8*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*b^3*(a^2 - b^2)^2*d) - ((a^4*A*b - 10*a^2*A*b^3 - 3*A*b^5 + 3*a^5*B - 6*a^3*b^2*B + 15*a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*(a - b)^2*b^3*(a + b)^3*d) - ((A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*(a^2 - b^2)*d*(b + a*Sec[c + d*x])^2) + ((3*a^2*A*b + 3*A*b^3 + a^3*B - 7*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*b*(a^2 - b^2)^2*d*(b + a*Sec[c + d*x]))
```

**Rubi [A]** time = 0.955012, antiderivative size = 400, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$ , Rules used = {2960, 4027, 4100, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{(3a^2Ab + a^3B - 7ab^2B + 3Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{4bd(a^2 - b^2)^2 (a \sec(c+dx) + b)} - \frac{(Ab - aB) \sin(c+dx) \sqrt{\sec(c+dx)}}{2d(a^2 - b^2) (a \sec(c+dx) + b)^2} + \frac{(a^3Ab - 5a^2b^2B + 3a^4B)}{2d(a^2 - b^2) (a \sec(c+dx) + b)^2}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^3*Sec[c + d*x]^(3/2)),x]
```

```
[Out] -((a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*Sqrt[Cos[c + d*x]]*EllipticE[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*b^2*(a^2 - b^2)^2*d) + ((a^3*A*b - 7*a*A*b^3 + 3*a^4*B - 5*a^2*b^2*B + 8*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*b^3*(a^2 - b^2)^2*d) - ((a^4*A*b - 10*a^2*A*b^3 - 3*A*b^5 + 3*a^5*B - 6*a^3*b^2*B + 15*a*b^4*B)*Sqrt[Cos[c + d*x]]*EllipticPi[(2*b)/(a + b), (c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/(4*(a - b)^2*b^3*(a + b)^3*d) - ((A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(2*(a^2 - b^2)*d*(b + a*Sec[c + d*x])^2) + ((3*a^2*A*b + 3*A*b^3 + a^3*B - 7*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*b*(a^2 - b^2)^2*d*(b + a*Sec[c + d*x]))
```

### Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

### Rule 4027

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(d*(A*b - a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^(n - 1)
```

)/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^(n - 1)\*Simp[d\*(n - 1)\*(A\*b - a\*B) + d\*(a\*A - b\*B)\*(m + 1)\*Csc[e + f\*x] - d\*(A\*b - a\*B)\*(m + n + 1)\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && LtQ[0, n, 1]

#### Rule 4100

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_)])\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_)]^2\*(C\_.))\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))^m, x\_Symbol] :> Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cot[e + f\*x]\*(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n)/(a\*f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/(a\*(m + 1)\*(a^2 - b^2)), Int[(a + b\*Csc[e + f\*x])^(m + 1)\*(d\*Csc[e + f\*x])^n\*Simp[a\*(a\*A - b\*B + a\*C)\*(m + 1) - (A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 1) - a\*(A\*b - a\*B + b\*C)\*(m + 1)\*Csc[e + f\*x] + (A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2)\*Csc[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && ! (ILtQ[m + 1/2, 0] && ILtQ[n, 0])

#### Rule 4106

Int[((A\_.) + csc[(e\_.) + (f\_.)\*(x\_)])\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_)]^2\*(C\_.))/(Sqrt[csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.)]\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.))), x\_Symbol] :> Dist[(A\*b^2 - a\*b\*B + a^2\*C)/(a^2\*d^2), Int[(d\*Csc[e + f\*x])^(3/2)/(a + b\*Csc[e + f\*x]), x], x] + Dist[1/a^2, Int[(a\*A - (A\*b - a\*B)\*Csc[e + f\*x])/Sqrt[d\*Csc[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

#### Rule 3849

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^(3/2)/(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[d\*Sqrt[d\*Sin[e + f\*x]]\*Sqrt[d\*Csc[e + f\*x]], Int[1/(Sqrt[d\*Sin[e + f\*x]]\*(b + a\*Sin[e + f\*x])), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2805

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(2\*EllipticPi[(2\*b)/(a + b), (1\*(e - Pi/2 + f\*x))/2, (2\*d)/(c + d)])/(f\*(a + b)\*Sqrt[c + d]), x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[c + d, 0]

#### Rule 3787

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(d\_.))^n\*(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.) + (a\_.)), x\_Symbol] :> Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^n, x\_Symbol] :> Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

**Rule 2641**

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^3 \sec^{\frac{3}{2}}(c + dx)} dx = \int \frac{\sqrt{\sec(c + dx)}(B + A \sec(c + dx))}{(b + a \sec(c + dx))^3} dx$$

$$= -\frac{(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{\int \frac{\frac{1}{2}(Ab - aB) + 2(aA - bB)\sec(c + dx) - \frac{3}{2}(Ab - aB)\sec^2(c + dx)}{\sqrt{\sec(c + dx)}(b + a \sec(c + dx))^2} dx}{2(a^2 - b^2)}$$

$$= -\frac{(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{(3a^2Ab + 3Ab^3 + a^3B - 7ab^2B)\sqrt{\sec(c + dx)}}{4b(a^2 - b^2)^2 d(b + a \sec(c + dx))}$$

$$= -\frac{(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{(3a^2Ab + 3Ab^3 + a^3B - 7ab^2B)\sqrt{\sec(c + dx)}}{4b(a^2 - b^2)^2 d(b + a \sec(c + dx))}$$

$$= -\frac{(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{(3a^2Ab + 3Ab^3 + a^3B - 7ab^2B)\sqrt{\sec(c + dx)}}{4b(a^2 - b^2)^2 d(b + a \sec(c + dx))}$$

$$= -\frac{(a^4Ab - 10a^2Ab^3 - 3Ab^5 + 3a^5B - 6a^3b^2B + 15ab^4B)\sqrt{\cos(c + dx)}\Pi\left(\frac{2b}{a+b}; \frac{1}{2}\right)}{4(a - b)^2b^3(a + b)^3d}$$

$$= -\frac{(a^2Ab + 5Ab^3 + 3a^3B - 9ab^2B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx)\middle|2\right)\sqrt{\sec(c + dx)}}{4b^2(a^2 - b^2)^2 d} + \dots$$

**Mathematica [A]** time = 6.91622, size = 792, normalized size = 1.98

$$\frac{\sqrt{\sec(c + dx)} \left( \frac{(a^2Ab + 3a^3B - 9ab^2B + 5Ab^3)\sin(c + dx)}{4b^2(a^2 - b^2)^2} - \frac{a^3B \sin(c + dx) - a^2Ab \sin(c + dx)}{2b^2(b^2 - a^2)(a + b \cos(c + dx))^2} + \frac{a^3Ab \sin(c + dx) + 11a^2b^2B \sin(c + dx) - 5a^4B \sin(c + dx) - 7aAb^3 \sin(c + dx)}{4b^2(b^2 - a^2)^2(a + b \cos(c + dx))} \right)}{d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^3*Sec[c + d*x]^(3/2)), x]
```

```
[Out] -((-2*(24*a*A*b^2 - 8*a^2*b*B - 16*b^3*B)*Cos[c + d*x]^2*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(-5*a^2*A*b - A*b^3 + a^3*B + 5*a*b^2*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + ((a^2*A*b + 5*A*b^3 + 3*a^3*B - 9*a*b^2*B)*Cos[2*(c + d*x)]*(b + a*Sec[c + d*x])*(-4*a*b + 4*a*b*Sec[c + d*x]^2 - 4*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*(2*a - b)*b*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 4*a^2*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] - 2*b^2*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2])*Sin[c + d*x])/(a*b^2*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2))
```



```
*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-3*a/(a^2-b^2)/(-2*
a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)
/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*
x+1/2*c),-2*b/(a-b),2^(1/2))+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(sin(1/2*d*x+
1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+
sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2
))))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)^(3/2),x, algorithm
="maxima")
```

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)^(3/2),x, algorithm
="fricas")
```

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**3/sec(d*x+c)**(3/2),x)
```

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)^(3/2),x, algorithm
="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^3*sec(d*x + c)^(3/2)),  
x)
```

$$3.582 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3 \sec^{\frac{5}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=427

$$\frac{a(a^2Ab - 5a^3B + 11ab^2B - 7Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{4b^2d(a^2 - b^2)^2(a \sec(c+dx) + b)} + \frac{a(Ab - aB) \sin(c+dx) \sqrt{\sec(c+dx)}}{2bd(a^2 - b^2)(a \sec(c+dx) + b)^2} + \frac{(-5a^2Ab^3 + 3a^4Ab)}{4b^2d(a^2 - b^2)^2(a \sec(c+dx) + b)}$$

[Out]  $-\left(\left(3a^3Ab - 9a^2Ab^3 - 15a^4B + 29a^2b^2B - 8b^4B\right) \sqrt{\cos(c+dx)} \operatorname{EllipticE}\left[\frac{c+dx}{2}, 2\right] \sqrt{\sec(c+dx)}\right) / \left(4b^3(a^2 - b^2)^2d\right) + \left(\left(3a^4Ab - 5a^2Ab^3 + 8Ab^5 - 15a^5B + 33a^3b^2B - 24ab^4B\right) \sqrt{\cos(c+dx)} \operatorname{EllipticF}\left[\frac{c+dx}{2}, 2\right] \sqrt{\sec(c+dx)}\right) / \left(4b^4(a^2 - b^2)^2d\right) - \left(a\left(3a^4Ab - 6a^2Ab^3 + 15Ab^5 - 15a^5B + 38a^3b^2B - 35ab^4B\right) \sqrt{\cos(c+dx)} \operatorname{EllipticPi}\left[\frac{2b}{a+b}, \frac{c+dx}{2}, 2\right] \sqrt{\sec(c+dx)}\right) / \left(4(a-b)^2b^4(a+b)^3d\right) + \left(a(Ab - aB) \sqrt{\sec(c+dx)} \sin(c+dx)\right) / \left(2b(a^2 - b^2)d(b + a \sec(c+dx))^2\right) + \left(a(a^2Ab - 7Ab^3 - 5a^3B + 11ab^2B) \sqrt{\sec(c+dx)} \sin(c+dx)\right) / \left(4b^2(a^2 - b^2)^2d(b + a \sec(c+dx))\right)$

**Rubi [A]** time = 1.05701, antiderivative size = 427, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 10, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.303$ , Rules used = {2960, 4030, 4100, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{a(a^2Ab - 5a^3B + 11ab^2B - 7Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{4b^2d(a^2 - b^2)^2(a \sec(c+dx) + b)} + \frac{a(Ab - aB) \sin(c+dx) \sqrt{\sec(c+dx)}}{2bd(a^2 - b^2)(a \sec(c+dx) + b)^2} + \frac{(-5a^2Ab^3 + 3a^4Ab)}{4b^2d(a^2 - b^2)^2(a \sec(c+dx) + b)}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}\left[\frac{A + B \cos(c+dx)}{(a + b \cos(c+dx))^3 \sec^{\frac{5}{2}}(c+dx)}, x\right]$

[Out]  $-\left(\left(3a^3Ab - 9a^2Ab^3 - 15a^4B + 29a^2b^2B - 8b^4B\right) \sqrt{\cos(c+dx)} \operatorname{EllipticE}\left[\frac{c+dx}{2}, 2\right] \sqrt{\sec(c+dx)}\right) / \left(4b^3(a^2 - b^2)^2d\right) + \left(\left(3a^4Ab - 5a^2Ab^3 + 8Ab^5 - 15a^5B + 33a^3b^2B - 24ab^4B\right) \sqrt{\cos(c+dx)} \operatorname{EllipticF}\left[\frac{c+dx}{2}, 2\right] \sqrt{\sec(c+dx)}\right) / \left(4b^4(a^2 - b^2)^2d\right) - \left(a\left(3a^4Ab - 6a^2Ab^3 + 15Ab^5 - 15a^5B + 38a^3b^2B - 35ab^4B\right) \sqrt{\cos(c+dx)} \operatorname{EllipticPi}\left[\frac{2b}{a+b}, \frac{c+dx}{2}, 2\right] \sqrt{\sec(c+dx)}\right) / \left(4(a-b)^2b^4(a+b)^3d\right) + \left(a(Ab - aB) \sqrt{\sec(c+dx)} \sin(c+dx)\right) / \left(2b(a^2 - b^2)d(b + a \sec(c+dx))^2\right) + \left(a(a^2Ab - 7Ab^3 - 5a^3B + 11ab^2B) \sqrt{\sec(c+dx)} \sin(c+dx)\right) / \left(4b^2(a^2 - b^2)^2d(b + a \sec(c+dx))\right)$

### Rule 2960

$\operatorname{Int}\left[\left(\csc(e_.) + (f_.) \cdot (x_.)\right) \cdot (g_.)^{\left(p_.\right)} \cdot \left(\left(a_.\right) + (b_.) \cdot \sin\left[e_.\right] + (f_.) \cdot (x_.)\right)^{\left(m_.\right)} \cdot \left(\left(c_.\right) + (d_.) \cdot \sin\left[e_.\right] + (f_.) \cdot (x_.)\right)^{\left(n_.\right)}, x\_Symbol\right] \rightarrow \operatorname{Dist}\left[g^{\left(m+n\right)}, \operatorname{Int}\left[\left(g \cdot \csc\left[e + f \cdot x\right]\right)^{\left(p-m-n\right)} \cdot \left(b + a \cdot \csc\left[e + f \cdot x\right]\right)^m \cdot \left(d + c \cdot \csc\left[e + f \cdot x\right]\right)^n, x\right], x\right] /;$  FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

### Rule 4030

$\operatorname{Int}\left[\left(\csc(e_.) + (f_.) \cdot (x_.)\right) \cdot (d_.)^{\left(n_.\right)} \cdot \left(\csc(e_.) + (f_.) \cdot (x_.)\right) \cdot (b_.) + (a_.)\right]^{\left(m_.\right)} \cdot \left(\csc(e_.) + (f_.) \cdot (x_.)\right) \cdot (B_.) + (A_.)\right], x\_Symbol\right] \rightarrow \operatorname{Simp}\left[(b \cdot (A \cdot b - a \cdot B) \cdot \cot\left[e + f \cdot x\right] \cdot (a + b \cdot \csc\left[e + f \cdot x\right])^{\left(m+1\right)} \cdot (d \cdot \csc\left[e + f \cdot x\right])^n\right] / (a \cdot f \cdot$



$(m + 1)(a^2 - b^2), x] + \text{Dist}[1/(a(m + 1)(a^2 - b^2)), \text{Int}[(a + b\text{Csc}[e + f*x])^{m+1}(d\text{Csc}[e + f*x])^n \text{Simp}[A(a^2(m + 1) - b^2(m + n + 1)) + a*b*B*n - a*(A*b - a*B)*(m + 1)*\text{Csc}[e + f*x] + b*(A*b - a*B)*(m + n + 2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, n\}, x\} \&\& \text{NeQ}[A*b - a*B, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& !(\text{ILtQ}[m + 1/2, 0] \&\& \text{ILtQ}[n, 0])$

**Rule 4100**

$\text{Int}[(A + \text{csc}[e + f*x])(B + \text{csc}[e + f*x])^2(C + \text{csc}[e + f*x])(d + \text{csc}[e + f*x])^n(C + \text{csc}[e + f*x])(b + A)](x) \text{ :> } \text{Simp}[(A*b^2 - a*b*B + a^2*C)\text{Cot}[e + f*x](a + b\text{Csc}[e + f*x])^{m+1}(d\text{Csc}[e + f*x])^n / (a*f*(m + 1)(a^2 - b^2)), x] + \text{Dist}[1/(a(m + 1)(a^2 - b^2)), \text{Int}[(a + b\text{Csc}[e + f*x])^{m+1}(d\text{Csc}[e + f*x])^n \text{Simp}[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1) - a*(A*b - a*B + b*C)*(m + 1)*\text{Csc}[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m + n + 2)*\text{Csc}[e + f*x]^2, x], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C, n\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{LtQ}[m, -1] \&\& !(\text{ILtQ}[m + 1/2, 0] \&\& \text{ILtQ}[n, 0])$

**Rule 4106**

$\text{Int}[(A + \text{csc}[e + f*x])(B + \text{csc}[e + f*x])^2(C + \text{csc}[e + f*x])(d + \text{csc}[e + f*x])^n / (\text{Sqrt}[\text{csc}[e + f*x](d + \text{csc}[e + f*x])(b + A))](x) \text{ :> } \text{Dist}[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), \text{Int}[(d\text{Csc}[e + f*x])^{3/2} / (a + b\text{Csc}[e + f*x]), x], x] + \text{Dist}[1/a^2, \text{Int}[(a*A - (A*b - a*B)*\text{Csc}[e + f*x]) / \text{Sqrt}[d\text{Csc}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B, C\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

**Rule 3849**

$\text{Int}[(\text{csc}[e + f*x](d + \text{csc}[e + f*x])^{3/2} / (\text{csc}[e + f*x](b + A))](x) \text{ :> } \text{Dist}[d*\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Sqrt}[d*\text{Csc}[e + f*x]], \text{Int}[1 / (\text{Sqrt}[d*\text{Sin}[e + f*x]]*(b + a*\text{Sin}[e + f*x])), x], x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0]$

**Rule 2805**

$\text{Int}[1 / ((a + b*\text{sin}[e + f*x])*\text{Sqrt}[c + d*\text{sin}[e + f*x]])(x) \text{ :> } \text{Simp}[(2*\text{EllipticPi}[(2*b)/(a + b), (1*(e - \text{Pi}/2 + f*x))/2, (2*d)/(c + d)]) / (f*(a + b)*\text{Sqrt}[c + d]), x] /; \text{FreeQ}\{a, b, c, d, e, f\}, x\} \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[c + d, 0]$

**Rule 3787**

$\text{Int}[(\text{csc}[e + f*x](d + \text{csc}[e + f*x])^n)(b + A)](x) \text{ :> } \text{Dist}[a, \text{Int}[(d\text{Csc}[e + f*x])^n, x], x] + \text{Dist}[b/d, \text{Int}[(d\text{Csc}[e + f*x])^{n+1}, x], x] /; \text{FreeQ}\{a, b, d, e, f, n\}, x\}$

**Rule 3771**

$\text{Int}[(\text{csc}[c + d*x](b + A)](x) \text{ :> } \text{Dist}[(b*\text{Csc}[c + d*x])^n*\text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /; \text{FreeQ}\{b, c, d\}, x\} \&\& \text{EqQ}[n^2, 1/4]$

**Rule 2639**

$\text{Int}[\text{Sqrt}[\text{sin}[c + d*x]](x) \text{ :> } \text{Simp}[(2*\text{EllipticE}[(1*(c - \text{Pi}/2 + d*x))/2, 2]) / d, x] /; \text{FreeQ}\{c, d\}, x\}$

Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c - Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^3 \sec^{\frac{5}{2}}(c + dx)} dx = \int \frac{B + A \sec(c + dx)}{\sqrt{\sec(c + dx)}(b + a \sec(c + dx))^3} dx$$

$$= \frac{a(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2b(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{\int \frac{\frac{1}{2}(-aAb + 5a^2B - 4b^2B) - 2b(Ab - aB) \sec(c + dx) + \frac{3}{2}}{\sqrt{\sec(c + dx)}(b + a \sec(c + dx))^2} dx}{2b(a^2 - b^2)}$$

$$= \frac{a(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2b(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{a(a^2Ab - 7Ab^3 - 5a^3B + 11ab^2B)\sqrt{\sec(c + dx)}}{4b^2(a^2 - b^2)^2d(b + a \sec(c + dx))}$$

$$= \frac{a(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2b(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{a(a^2Ab - 7Ab^3 - 5a^3B + 11ab^2B)\sqrt{\sec(c + dx)}}{4b^2(a^2 - b^2)^2d(b + a \sec(c + dx))}$$

$$= \frac{a(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{2b(a^2 - b^2)d(b + a \sec(c + dx))^2} + \frac{a(a^2Ab - 7Ab^3 - 5a^3B + 11ab^2B)\sqrt{\sec(c + dx)}}{4b^2(a^2 - b^2)^2d(b + a \sec(c + dx))}$$

$$= -\frac{a(3a^4Ab - 6a^2Ab^3 + 15Ab^5 - 15a^5B + 38a^3b^2B - 35ab^4B)\sqrt{\cos(c + dx)}\Pi\left(\frac{c + dx}{2}, -\frac{a}{b}; -\sin^{-1}\left(\frac{\sqrt{\sec(c + dx)}}{b}\right)\right)}{4(a - b)^2b^4(a + b)^3d}$$

$$= -\frac{(3a^3Ab - 9aAb^3 - 15a^4B + 29a^2b^2B - 8b^4B)\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx)\middle|2\right)}{4b^3(a^2 - b^2)^2d}$$

**Mathematica [A]** time = 7.0666, size = 826, normalized size = 1.93

$$\frac{2(16Ab^4 - 32aBb^3 + 8a^2Ab^2 + 8a^3Bb)\Pi\left(-\frac{a}{b}; -\sin^{-1}\left(\frac{\sqrt{\sec(c + dx)}}{b}\right)\right) - (b + a \sec(c + dx))\sqrt{1 - \sec^2(c + dx)} \sin(c + dx) \cos^2(c + dx)}{b(a + b \cos(c + dx))(1 - \cos^2(c + dx))} + \frac{2(5Ba^4 - Aba^3 - 7b^2Ba^2 - 5Ab^3a + \dots)}{\dots}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^3*Sec[c + d*x]^(5/2)), x]
```

```
[Out] ((-2*(8*a^2*A*b^2 + 16*A*b^4 + 8*a^3*b*B - 32*a*b^3*B)*Cos[c + d*x]^2*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(b*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + (2*(-(a^3*A*b) - 5*a*A*b^3 + 5*a^4*B - 7*a^2*b^2*B + 8*b^4*B)*Cos[c + d*x]^2*(EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1] + EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1])*(b + a*Sec[c + d*x])*Sqrt[1 - Sec[c + d*x]^2]*Sin[c + d*x])/(a*(a + b*Cos[c + d*x])*(1 - Cos[c + d*x]^2)) + ((-3*a^3*A*b + 9*a*A*b^3 + 15*a^4*B - 29*a^2*b^2*B + 8*b^4*B)*Cos[2*(c + d*x)]*(b + a*Sec[c + d*x])*(-4*a*b + 4*a*b*Sec[c + d*x]^2 - 4*a*b*EllipticE[ArcSin[Sqrt[Sec[c + d*x]]], -1])*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 2*(2*a - b)*b*EllipticF[ArcSin[Sqrt[Sec[c + d*x]]], -1])*Sqrt[Sec[c + d*x]]*Sqrt[1 - Sec[c + d*x]^2] + 4*a^2*EllipticPi[-(a/b), -ArcSin[Sqrt[Sec[c + d*x]]], -1]*
```

$$\begin{aligned} & \text{Sqrt}[\text{Sec}[c + d*x]] * \text{Sqrt}[1 - \text{Sec}[c + d*x]^2] - 2*b^2 * \text{EllipticPi}[-(a/b), -\text{Arc} \\ & \text{Sin}[\text{Sqrt}[\text{Sec}[c + d*x]]], -1] * \text{Sqrt}[\text{Sec}[c + d*x]] * \text{Sqrt}[1 - \text{Sec}[c + d*x]^2]) * \text{S} \\ & \text{in}[c + d*x] / (a*b^2*(a + b*\text{Cos}[c + d*x])*(1 - \text{Cos}[c + d*x]^2)*\text{Sqrt}[\text{Sec}[c + \\ & d*x]]*(2 - \text{Sec}[c + d*x]^2))) / (16*(a - b)^2*b^2*(a + b)^2*d + (\text{Sqrt}[\text{Sec}[c + \\ & d*x]]*(-(a*(-3*a^2*A*b + 9*A*b^3 + 7*a^3*B - 13*a*b^2*B)*\text{Sin}[c + d*x]) / (4* \\ & b^3*(a^2 - b^2)^2) - (a^3*A*b*\text{Sin}[c + d*x] - a^4*B*\text{Sin}[c + d*x]) / (2*b^3*(-a \\ & ^2 + b^2)*(a + b*\text{Cos}[c + d*x])^2) + (-5*a^4*A*b*\text{Sin}[c + d*x] + 11*a^2*A*b^3 \\ & *\text{Sin}[c + d*x] + 9*a^5*B*\text{Sin}[c + d*x] - 15*a^3*b^2*B*\text{Sin}[c + d*x]) / (4*b^3*(- \\ & a^2 + b^2)^2*(a + b*\text{Cos}[c + d*x])))) / d \end{aligned}$$

**Maple [B]** time = 17.077, size = 1977, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((A+B*\cos(d*x+c))/(a+b*\cos(d*x+c))^3/\sec(d*x+c)^{(5/2)}, x)$

[Out] 
$$\begin{aligned} & -(-(-2*\cos(1/2*d*x+1/2*c)^2+1)*\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2/b^4/(-2*\sin(1 \\ & /2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(2*\sin(1/2*d*x+1/2*c)^2-1)^{(1/2)} \\ & )*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(A*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b-3 \\ & *B*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*a-B*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2 \\ & ^{(1/2)})*b)+12*a/b^3*(A*b-2*B*a)/(-2*a*b+2*b^2)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)} \\ & *(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2 \\ & *c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})-2*a^3*(A*b-B \\ & *a)/b^4*(-1/2/a*b^2/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+s \\ & \sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2*d*x+1/2*c)^2+a-b)^2-3/4*b^2*(3*a^2- \\ & b^2)/a^2/(a^2-b^2)^2*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d* \\ & x+1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2*d*x+1/2*c)^2+a-b)-7/8/(a+b)/(a^2-b^2)*(\sin(1 \\ & /2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/ \\ & 2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+1/ \\ & 4/(a+b)/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1 \\ & )^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos( \\ & 1/2*d*x+1/2*c), 2^{(1/2)})*b+3/8/(a+b)/(a^2-b^2)/a^2*(\sin(1/2*d*x+1/2*c)^2)^{(1 \\ & /2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+ \\ & 1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})*b^2-9/8*b/(a^2-b^2)^2 \\ & *(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2 \\ & *d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticF}(\cos(1/2*d*x+1/2*c), 2^{(1 \\ & /2)})+3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1 \\ & /2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{Ellip \\ & ticF}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})+9/8*b/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{( \\ & 1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x \\ & +1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2^{(1/2)})-3/8*b^3/a^2/(a^2-b^2 \\ & )^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin( \\ & 1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticE}(\cos(1/2*d*x+1/2*c), 2 \\ & ^{(1/2)})-15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}* \\ & (-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2* \\ & c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})+3/2/(a^2-b^2) \\ & ^2/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2 \\ & +1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(c \\ & os(1/2*d*x+1/2*c), -2*b/(a-b), 2^{(1/2)})-3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^ \\ & 5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)}/(-2*\sin(1/ \\ & 2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{EllipticPi}(\cos(1/2*d*x+1/2*c), -2 \\ & *b/(a-b), 2^{(1/2)})))+2*a^2/b^4*(3*A*b-4*B*a)*(-1/a*b^2/(a^2-b^2)*\cos(1/2*d*x+ \\ & 1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}/(2*b*\cos(1/2*d* \\ & x+1/2*c)^2+a-b)-1/2/a/(a+b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/ \\ & 2*c)^2+1)^{(1/2)}/(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*\text{Ellipt} \end{aligned}$$

```
icF(cos(1/2*d*x+1/2*c),2^(1/2))-1/2*b/(a^2-b^2)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))+1/2*b/(a^2-b^2)/a*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2))+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticPi(cos(1/2*d*x+1/2*c),-2*b/(a-b),2^(1/2)))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)^(5/2),x, algorithm="maxima")
```

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)^(5/2),x, algorithm="fricas")
```

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**3/sec(d*x+c)**(5/2),x)
```

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^3/sec(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^3*sec(d*x + c)^(5/2)), x)
```

$$3.583 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^3 \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=521

$$\frac{a(3a^2Ab - 7a^3B + 13ab^2B - 9Ab^3) \sin(c+dx)}{4b^2d(a^2 - b^2)^2 \sqrt{\sec(c+dx)}(a \sec(c+dx) + b)} + \frac{a(Ab - aB) \sin(c+dx)}{2bd(a^2 - b^2) \sqrt{\sec(c+dx)}(a \sec(c+dx) + b)^2} - \frac{(15a^3Ab + 61a^2b^2B)}{12b^3d}$$

[Out] ((15\*a^4\*A\*b - 29\*a^2\*A\*b^3 + 8\*A\*b^5 - 35\*a^5\*B + 65\*a^3\*b^2\*B - 24\*a\*b^4\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(4\*b^4\*(a^2 - b^2)^2\*d) - ((45\*a^5\*A\*b - 99\*a^3\*A\*b^3 + 72\*a\*A\*b^5 - 105\*a^6\*B + 23\*a^4\*b^2\*B - 128\*a^2\*b^4\*B - 8\*b^6\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(12\*b^5\*(a^2 - b^2)^2\*d) + (a^2\*(15\*a^4\*A\*b - 38\*a^2\*A\*b^3 + 35\*A\*b^5 - 35\*a^5\*B + 86\*a^3\*b^2\*B - 63\*a\*b^4\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(4\*(a - b)^2\*b^5\*(a + b)^3\*d) - ((15\*a^3\*A\*b - 33\*a\*A\*b^3 - 35\*a^4\*B + 61\*a^2\*b^2\*B - 8\*b^4\*B)\*Sin[c + d\*x])/(12\*b^3\*(a^2 - b^2)^2\*d\*Sqrt[Sec[c + d\*x]]) + (a\*(A\*b - a\*B)\*Sin[c + d\*x])/(2\*b\*(a^2 - b^2)\*d\*Sqrt[Sec[c + d\*x]]\*(b + a\*Sec[c + d\*x])^2) + (a\*(3\*a^2\*A\*b - 9\*A\*b^3 - 7\*a^3\*B + 13\*a\*b^2\*B)\*Sin[c + d\*x])/(4\*b^2\*(a^2 - b^2)^2\*d\*Sqrt[Sec[c + d\*x]]\*(b + a\*Sec[c + d\*x]))

**Rubi [A]** time = 1.52877, antiderivative size = 521, normalized size of antiderivative = 1., number of steps used = 12, number of rules used = 11, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.333$ , Rules used = {2960, 4030, 4100, 4104, 4106, 3849, 2805, 3787, 3771, 2639, 2641}

$$\frac{a(3a^2Ab - 7a^3B + 13ab^2B - 9Ab^3) \sin(c+dx)}{4b^2d(a^2 - b^2)^2 \sqrt{\sec(c+dx)}(a \sec(c+dx) + b)} + \frac{a(Ab - aB) \sin(c+dx)}{2bd(a^2 - b^2) \sqrt{\sec(c+dx)}(a \sec(c+dx) + b)^2} - \frac{(15a^3Ab + 61a^2b^2B)}{12b^3d}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/((a + b\*Cos[c + d\*x])^3\*Sec[c + d\*x]^(7/2)),x]

[Out] ((15\*a^4\*A\*b - 29\*a^2\*A\*b^3 + 8\*A\*b^5 - 35\*a^5\*B + 65\*a^3\*b^2\*B - 24\*a\*b^4\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(4\*b^4\*(a^2 - b^2)^2\*d) - ((45\*a^5\*A\*b - 99\*a^3\*A\*b^3 + 72\*a\*A\*b^5 - 105\*a^6\*B + 23\*a^4\*b^2\*B - 128\*a^2\*b^4\*B - 8\*b^6\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(12\*b^5\*(a^2 - b^2)^2\*d) + (a^2\*(15\*a^4\*A\*b - 38\*a^2\*A\*b^3 + 35\*A\*b^5 - 35\*a^5\*B + 86\*a^3\*b^2\*B - 63\*a\*b^4\*B)\*Sqrt[Cos[c + d\*x]]\*EllipticPi[(2\*b)/(a + b), (c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(4\*(a - b)^2\*b^5\*(a + b)^3\*d) - ((15\*a^3\*A\*b - 33\*a\*A\*b^3 - 35\*a^4\*B + 61\*a^2\*b^2\*B - 8\*b^4\*B)\*Sin[c + d\*x])/(12\*b^3\*(a^2 - b^2)^2\*d\*Sqrt[Sec[c + d\*x]]) + (a\*(A\*b - a\*B)\*Sin[c + d\*x])/(2\*b\*(a^2 - b^2)\*d\*Sqrt[Sec[c + d\*x]]\*(b + a\*Sec[c + d\*x])^2) + (a\*(3\*a^2\*A\*b - 9\*A\*b^3 - 7\*a^3\*B + 13\*a\*b^2\*B)\*Sin[c + d\*x])/(4\*b^2\*(a^2 - b^2)^2\*d\*Sqrt[Sec[c + d\*x]]\*(b + a\*Sec[c + d\*x]))

**Rule 2960**

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

**Rule 4030**

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_)), x_Symbol] := Simp[(b*(A*b
- a*B)*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*
(m + 1)*(a^2 - b^2)), x] + Dist[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e
+ f*x])^(m + 1)*(d*Csc[e + f*x])^n*Simp[A*(a^2*(m + 1) - b^2*(m + n + 1))
+ a*b*B*n - a*(A*b - a*B)*(m + 1)*Csc[e + f*x] + b*(A*b - a*B)*(m + n + 2)*
Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b
- a*B, 0] && NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILt
Q[n, 0])

```

#### Rule 4100

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[((A*b^2 - a*b*B + a^2*C)*Cot[e + f*x]*(a + b*Cs
c[e + f*x])^(m + 1)*(d*Csc[e + f*x])^n)/(a*f*(m + 1)*(a^2 - b^2)), x] + Dis
t[1/(a*(m + 1)*(a^2 - b^2)), Int[(a + b*Csc[e + f*x])^(m + 1)*(d*Csc[e + f*
x])^n*Simp[a*(a*A - b*B + a*C)*(m + 1) - (A*b^2 - a*b*B + a^2*C)*(m + n + 1
) - a*(A*b - a*B + b*C)*(m + 1)*Csc[e + f*x] + (A*b^2 - a*b*B + a^2*C)*(m +
n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x]
&& NeQ[a^2 - b^2, 0] && LtQ[m, -1] && !(ILtQ[m + 1/2, 0] && ILtQ[n, 0])

```

#### Rule 4104

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))^(m_), x_Symbol] := Simp[(A*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m + 1)*(d
*Csc[e + f*x])^n)/(a*f*n), x] + Dist[1/(a*d*n), Int[(a + b*Csc[e + f*x])^m*
(d*Csc[e + f*x])^(n + 1)*Simp[a*B*n - A*b*(m + n + 1) + a*(A + A*n + C*n)*C
sc[e + f*x] + A*b*(m + n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d,
e, f, A, B, C, m}, x] && NeQ[a^2 - b^2, 0] && LeQ[n, -1]

```

#### Rule 4106

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))/(Sqrt[csc[(e_.) + (f_.)*(x_.)]*(d_.)]*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a
_))), x_Symbol] := Dist[(A*b^2 - a*b*B + a^2*C)/(a^2*d^2), Int[(d*Csc[e + f
*x])^(3/2)/(a + b*Csc[e + f*x]), x], x] + Dist[1/a^2, Int[(a*A - (A*b - a*B
)*Csc[e + f*x])/Sqrt[d*Csc[e + f*x]], x], x] /; FreeQ[{a, b, d, e, f, A, B,
C}, x] && NeQ[a^2 - b^2, 0]

```

#### Rule 3849

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(3/2)/(csc[(e_.) + (f_.)*(x_.)]*(b_.) +
(a_)), x_Symbol] := Dist[d*Sqrt[d*Sin[e + f*x]]*Sqrt[d*Csc[e + f*x]], Int[1
/(Sqrt[d*Sin[e + f*x]]*(b + a*Sin[e + f*x])), x], x] /; FreeQ[{a, b, d, e,
f}, x] && NeQ[a^2 - b^2, 0]

```

#### Rule 2805

```

Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)])), x_Symbol] := Simp[(2*EllipticPi[(2*b)/(a + b), (1*(e - Pi
/2 + f*x))/2, (2*d)/(c + d)]/(f*(a + b)*Sqrt[c + d]), x] /; FreeQ[{a, b, c
, d, e, f}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2,
0] && GtQ[c + d, 0]

```

#### Rule 3787

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) +

```

(a\_), x\_Symbol] := Dist[a, Int[(d\*Csc[e + f\*x])^n, x], x] + Dist[b/d, Int[(d\*Csc[e + f\*x])^(n + 1), x], x] /; FreeQ[{a, b, d, e, f, n}, x]

### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^n, x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

### Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^3 \sec^2(c + dx)} dx &= \int \frac{B + A \sec(c + dx)}{\sec^{\frac{3}{2}}(c + dx)(b + a \sec(c + dx))^3} dx \\
 &= \frac{a(Ab - aB) \sin(c + dx)}{2b(a^2 - b^2) d \sqrt{\sec(c + dx)}(b + a \sec(c + dx))^2} + \int \frac{\frac{1}{2}(-3aAb + 7a^2B - 4b^2B) - 2b(Ab - aB)}{\sec^{\frac{3}{2}}(c + dx)(b + a \sec(c + dx))^3} dx \\
 &= \frac{a(Ab - aB) \sin(c + dx)}{2b(a^2 - b^2) d \sqrt{\sec(c + dx)}(b + a \sec(c + dx))^2} + \frac{a(3a^2Ab - 9Ab^3 - 7a^3B + 13a^2b^2B)}{4b^2(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}} \\
 &= -\frac{(15a^3Ab - 33aAb^3 - 35a^4B + 61a^2b^2B - 8b^4B) \sin(c + dx)}{12b^3(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}} + \frac{a(Ab - aB)}{2b(a^2 - b^2) d \sqrt{\sec(c + dx)}} \\
 &= -\frac{(15a^3Ab - 33aAb^3 - 35a^4B + 61a^2b^2B - 8b^4B) \sin(c + dx)}{12b^3(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}} + \frac{a(Ab - aB)}{2b(a^2 - b^2) d \sqrt{\sec(c + dx)}} \\
 &= -\frac{(15a^3Ab - 33aAb^3 - 35a^4B + 61a^2b^2B - 8b^4B) \sin(c + dx)}{12b^3(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}} + \frac{a(Ab - aB)}{2b(a^2 - b^2) d \sqrt{\sec(c + dx)}} \\
 &= \frac{a^2(15a^4Ab - 38a^2Ab^3 + 35Ab^5 - 35a^5B + 86a^3b^2B - 63ab^4B) \sqrt{\cos(c + dx)} \Pi}{4(a - b)^2 b^5 (a + b)^3 d} \\
 &= \frac{(15a^4Ab - 29a^2Ab^3 + 8Ab^5 - 35a^5B + 65a^3b^2B - 24ab^4B) \sqrt{\cos(c + dx)} E\left(\frac{1}{2}\right)}{4b^4(a^2 - b^2)^2 d}
 \end{aligned}$$

**Mathematica [A]** time = 7.29926, size = 871, normalized size = 1.67

$$\frac{\sqrt{\sec(c + dx)} \left( \frac{(11Ba^3 - 7Aba^2 - 17b^2Ba + 13Ab^3) \sin(c + dx) a^2}{4b^4(a^2 - b^2)^2} - \frac{a^5 B \sin(c + dx) - a^4 Ab \sin(c + dx)}{2b^4(b^2 - a^2)(a + b \cos(c + dx))^2} + \frac{-13B \sin(c + dx) a^6 + 9Ab \sin(c + dx) a^5 + 19b^2 B \sin(c + dx) a^4}{4b^4(b^2 - a^2)^2 (a + b \cos(c + dx))} \right)}{d}$$

Warning: Unable to verify antiderivative.



[In] Integrate[(A + B\*cos[c + d\*x])/((a + b\*cos[c + d\*x])^3\*Sec[c + d\*x]^(7/2)), x]

[Out] 
$$-\left(-2(-24a^3Ab^2 + 96a^2A^2b^4 + 56a^4b^2B - 112a^2b^3B - 16b^5B) \cos[c + d*x]^2 \operatorname{EllipticPi}\left[-\frac{a}{b}, -\operatorname{ArcSin}\left[\sqrt{\operatorname{Sec}[c + d*x]}\right], -1\right] (b + a \operatorname{Sec}[c + d*x]) \sqrt{1 - \operatorname{Sec}[c + d*x]^2} \sin[c + d*x] / (b(a + b \cos[c + d*x]) (1 - \cos[c + d*x]^2)) + (2(-15a^4Ab + 21a^2A^2b^3 - 24Ab^5 + 35a^5B - 73a^3b^2B + 56ab^4B) \cos[c + d*x]^2 \operatorname{EllipticF}\left[\operatorname{ArcSin}\left[\sqrt{\operatorname{Sec}[c + d*x]}\right], -1\right] + \operatorname{EllipticPi}\left[-\frac{a}{b}, -\operatorname{ArcSin}\left[\sqrt{\operatorname{Sec}[c + d*x]}\right], -1\right] (b + a \operatorname{Sec}[c + d*x]) \sqrt{1 - \operatorname{Sec}[c + d*x]^2} \sin[c + d*x] / (a(a + b \cos[c + d*x]) (1 - \cos[c + d*x]^2)) + ((-45a^4Ab + 87a^2A^2b^3 - 24Ab^5 + 105a^5B - 195a^3b^2B + 72ab^4B) \cos[2(c + d*x)] (b + a \operatorname{Sec}[c + d*x]) (-4ab + 4ab \operatorname{Sec}[c + d*x]^2 - 4ab \operatorname{EllipticE}\left[\operatorname{ArcSin}\left[\sqrt{\operatorname{Sec}[c + d*x]}\right], -1\right] \sqrt{\operatorname{Sec}[c + d*x]} \sqrt{1 - \operatorname{Sec}[c + d*x]^2} + 2(2a - b) b \operatorname{EllipticF}\left[\operatorname{ArcSin}\left[\sqrt{\operatorname{Sec}[c + d*x]}\right], -1\right] \sqrt{\operatorname{Sec}[c + d*x]} \sqrt{1 - \operatorname{Sec}[c + d*x]^2} + 4a^2 \operatorname{EllipticPi}\left[-\frac{a}{b}, -\operatorname{ArcSin}\left[\sqrt{\operatorname{Sec}[c + d*x]}\right], -1\right] \sqrt{\operatorname{Sec}[c + d*x]} \sqrt{1 - \operatorname{Sec}[c + d*x]^2} - 2b^2 \operatorname{EllipticPi}\left[-\frac{a}{b}, -\operatorname{ArcSin}\left[\sqrt{\operatorname{Sec}[c + d*x]}\right], -1\right] \sqrt{\operatorname{Sec}[c + d*x]} \sqrt{1 - \operatorname{Sec}[c + d*x]^2}) \sin[c + d*x] / (ab^2(a + b \cos[c + d*x]) (1 - \cos[c + d*x]^2) \sqrt{\operatorname{Sec}[c + d*x]} (2 - \operatorname{Sec}[c + d*x]^2)) / (48(a - b)^2 b^3 (a + b)^2 d) + (\sqrt{\operatorname{Sec}[c + d*x]} ((a^2(-7a^2Ab + 13Ab^3 + 11a^3B - 17ab^2B) \sin[c + d*x]) / (4b^4(a^2 - b^2)^2) - (a^4Ab \sin[c + d*x]) + a^5B \sin[c + d*x]) / (2b^4(-a^2 + b^2) (a + b \cos[c + d*x])^2) + (9a^5Ab \sin[c + d*x] - 15a^3A^2b^3 \sin[c + d*x] - 13a^6B \sin[c + d*x] + 19a^4b^2B \sin[c + d*x]) / (4b^4(-a^2 + b^2)^2 (a + b \cos[c + d*x])) + (B \sin[2(c + d*x)]) / (3b^3)) / d$$

**Maple [B]** time = 19.167, size = 2195, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(7/2), x)

[Out] 
$$-\left(-(-2 \cos(1/2 dx + 1/2 c)^2 + 1) \sin(1/2 dx + 1/2 c)^2\right)^{1/2} \left(-2/3 b^5 / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)\right)^{1/2} \left(-4 B b^2 \cos(1/2 dx + 1/2 c) \sin(1/2 dx + 1/2 c)^4 + 9 A a b (\sin(1/2 dx + 1/2 c)^2)^{1/2} (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) + 3 A (\sin(1/2 dx + 1/2 c)^2)^{1/2} (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2})\right) b^2 - 18 B a^2 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) - b^2 B (\sin(1/2 dx + 1/2 c)^2)^{1/2} (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) - 9 B (\sin(1/2 dx + 1/2 c)^2)^{1/2} (2 \sin(1/2 dx + 1/2 c)^2 - 1)^{1/2} \operatorname{EllipticE}(\cos(1/2 dx + 1/2 c), 2^{1/2}) a b + 2 B b^2 \cos(1/2 dx + 1/2 c) \sin(1/2 dx + 1/2 c)^2 - 8 a^2 / b^4 (3 A b - 5 B a) / (-2 a b + 2 b^2) (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticPi}(\cos(1/2 dx + 1/2 c), -2 b / (a - b), 2^{1/2}) + 2 a^4 (A b - B a) / b^5 (-1/2 a b^2 / (a^2 - b^2) \cos(1/2 dx + 1/2 c) (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} / (2 b \cos(1/2 dx + 1/2 c)^2 + a - b)^2 - 3/4 b^2 (3 a^2 - b^2) / a^2 / (a^2 - b^2)^2 \cos(1/2 dx + 1/2 c) (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} / (2 b \cos(1/2 dx + 1/2 c)^2 + a - b) - 7/8 / (a + b) / (a^2 - b^2) (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) + 1/4 / (a + b) / (a^2 - b^2) a (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2} \operatorname{EllipticF}(\cos(1/2 dx + 1/2 c), 2^{1/2}) b + 3/8 / (a + b) / (a^2 - b^2) / a^2 (\sin(1/2 dx + 1/2 c)^2)^{1/2} (-2 \cos(1/2 dx + 1/2 c)^2 + 1)^{1/2} / (-2 \sin(1/2 dx + 1/2 c)^4 + \sin(1/2 dx + 1/2 c)^2)^{1/2}$$

$$\begin{aligned} & x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})*b^2-9/8*b/(a^2-b^2) \\ & ^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3/8*b^3/a^2/(a^2-b^2)^2*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-15/4*a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+3/2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})-3/4/a^2/(a^2-b^2)^2/(-2*a*b+2*b^2)*b^5*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})-2/b^5*a^3*(4*A*b-5*B*a)*(-1/a*b^2/(a^2-b^2)*\cos(1/2*d*x+1/2*c)*(-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)} / (2*b*\cos(1/2*d*x+1/2*c)^2+a-b)-1/2/a/(a+b)*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})-1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticF(\cos(1/2*d*x+1/2*c),2^{(1/2)})+1/2*b/(a^2-b^2)/a*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticE(\cos(1/2*d*x+1/2*c),2^{(1/2)})-3*a/(a^2-b^2)/(-2*a*b+2*b^2)*b*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})+1/a/(a^2-b^2)/(-2*a*b+2*b^2)*b^3*(\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*(-2*\cos(1/2*d*x+1/2*c)^2+1)^{(1/2)} / (-2*\sin(1/2*d*x+1/2*c)^4+\sin(1/2*d*x+1/2*c)^2)^{(1/2)}*EllipticPi(\cos(1/2*d*x+1/2*c),-2*b/(a-b),2^{(1/2)})))/\sin(1/2*d*x+1/2*c)/(2*\cos(1/2*d*x+1/2*c)^2-1)^{(1/2)}/d \end{aligned}$$

**Maxima [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] Timed out

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*3/sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^3 \sec(dx + c)^{\frac{7}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^3/sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^3\*sec(d\*x + c)^(7/2)), x)

$$3.584 \quad \int \frac{(aB + bB \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{a + b \cos(c + dx)} dx$$

**Optimal.** Leaf size=64

$$\frac{2B \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{2B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d}$$

[Out] (2\*B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*B\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.0371022, antiderivative size = 64, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {21, 3768, 3771, 2641}

$$\frac{2B \sin(c + dx) \sec^{\frac{3}{2}}(c + dx)}{3d} + \frac{2B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d}$$

Antiderivative was successfully verified.

[In] Int[((a\*B + b\*B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2))/(a + b\*Cos[c + d\*x]),x]

[Out] (2\*B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*B\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d)

#### Rule 21

Int[(u\_.)\*((a\_.) + (b\_.)\*(v\_.))^(m\_.)\*((c\_.) + (d\_.)\*(v\_.))^(n\_.), x\_Symbol] := Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 3768

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := -Simp[(b\*Cos[c + d\*x] \* (b\*Csc[c + d\*x])^(n - 1))/(d\*(n - 1)), x] + Dist[(b^2\*(n - 2))/(n - 1), Int[(b\*Csc[c + d\*x])^(n - 2), x], x] /; FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] := Dist[(b\*Csc[c + d\*x])^n \* Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticF[(1\*(c - Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{(aB + bB \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{a + b \cos(c + dx)} dx &= B \int \sec^{\frac{5}{2}}(c + dx) dx \\
&= \frac{2B \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} B \int \sqrt{\sec(c + dx)} dx \\
&= \frac{2B \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} (B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{2B \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d}
\end{aligned}$$

**Mathematica [A]** time = 0.0684642, size = 47, normalized size = 0.73

$$\frac{2B \sec^{\frac{3}{2}}(c + dx) \left( \sin(c + dx) + \cos^{\frac{3}{2}}(c + dx) F\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[((a\*B + b\*B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2))/(a + b\*Cos[c + d\*x]), x]

[Out] (2\*B\*Sec[c + d\*x]^(3/2)\*(Cos[c + d\*x]^(3/2)\*EllipticF[(c + d\*x)/2, 2] + Sin[c + d\*x]))/(3\*d)

**Maple [B]** time = 3.359, size = 214, normalized size = 3.3

$$-\frac{2B}{3d} \left( -2 \sqrt{2 (\sin(1/2 dx + c/2))^2 - 1} \text{EllipticF}\left(\cos(1/2 dx + c/2), \sqrt{2}\right) \sqrt{(\sin(1/2 dx + c/2))^2 (\sin(1/2 dx + c/2))^2 + 1} \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)), x)

[Out] -2/3\*(-2\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*sin(1/2\*d\*x+1/2\*c)^2+(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-2\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))\*B\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(3/2)/sin(1/2\*d\*x+1/2\*c)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)^{\frac{5}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)), x, algorithm="maxima")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)\*sec(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(B \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral(B\*sec(d\*x + c)^(5/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c)),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)^{\frac{5}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)\*sec(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a), x)

$$3.585 \quad \int \frac{(aB + bB \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{a + b \cos(c + dx)} dx$$

**Optimal.** Leaf size=60

$$\frac{2B \sin(c + dx) \sqrt{\sec(c + dx)}}{d} - \frac{2B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

[Out]  $(-2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*B*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d$

**Rubi [A]** time = 0.0361397, antiderivative size = 60, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {21, 3768, 3771, 2639}

$$\frac{2B \sin(c + dx) \sqrt{\sec(c + dx)}}{d} - \frac{2B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a*B + b*B*\text{Cos}[c + d*x])* \text{Sec}[c + d*x]^{(3/2)} / (a + b*\text{Cos}[c + d*x]), x]$

[Out]  $(-2*B*\text{Sqrt}[\text{Cos}[c + d*x]]*\text{EllipticE}[(c + d*x)/2, 2]*\text{Sqrt}[\text{Sec}[c + d*x]])/d + (2*B*\text{Sqrt}[\text{Sec}[c + d*x]]*\text{Sin}[c + d*x])/d$

#### Rule 21

$\text{Int}[(u_.)*((a_.) + (b_.)*(v_))^{(m_.)}*((c_.) + (d_.)*(v_))^{(n_.)}, x\_Symbol] := \text{Dist}[(b/d)^m, \text{Int}[u*(c + d*v)^{(m + n)}, x], x] /;$  FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 3768

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_)]*(b_.)^{(n_.)}), x\_Symbol] := -\text{Simp}[(b*\text{Cos}[c + d*x])*(b*\text{Csc}[c + d*x])^{(n - 1)}) / (d*(n - 1)), x] + \text{Dist}[(b^2*(n - 2)) / (n - 1), \text{Int}[(b*\text{Csc}[c + d*x])^{(n - 2)}, x], x] /;$  FreeQ[{b, c, d}, x] && GtQ[n, 1] && IntegerQ[2\*n]

#### Rule 3771

$\text{Int}[(\text{csc}[(c_.) + (d_.)*(x_)]*(b_.)^{(n_.)}), x\_Symbol] := \text{Dist}[(b*\text{Csc}[c + d*x])^n * \text{Sin}[c + d*x]^n, \text{Int}[1/\text{Sin}[c + d*x]^n, x], x] /;$  FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 2639

$\text{Int}[\text{Sqrt}[\text{sin}[(c_.) + (d_.)*(x_)]], x\_Symbol] := \text{Simp}[(2*\text{EllipticE}[(1*(c - P i/2 + d*x))/2, 2])/d, x] /;$  FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{(aB + bB \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{a + b \cos(c + dx)} dx &= B \int \sec^{\frac{3}{2}}(c + dx) dx \\
&= \frac{2B\sqrt{\sec(c + dx)} \sin(c + dx)}{d} - B \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2B\sqrt{\sec(c + dx)} \sin(c + dx)}{d} - (B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)} dx \\
&= -\frac{2B\sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{d} + \frac{2B\sqrt{\sec(c + dx)} \sin(c + dx)}{d}
\end{aligned}$$

**Mathematica [A]** time = 0.0441791, size = 46, normalized size = 0.77

$$\frac{2B\sqrt{\sec(c + dx)} \left( \sin(c + dx) - \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a\*B + b\*B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2))/(a + b\*Cos[c + d\*x]),x]

[Out] (2\*B\*Sqrt[Sec[c + d\*x]]\*(-(Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]) + Sin[c + d\*x]))/d

**Maple [A]** time = 2.691, size = 102, normalized size = 1.7

$$\frac{B \left( \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{2} (\sin(1/2 dx + c/2))^2 - 1 \text{EllipticE}(\cos(1/2 dx + c/2), \sqrt{2}) - 2 (\sin(1/2 dx + c/2))^2 \cos(1/2 dx + c/2) \right)}{\sin(1/2 dx + c/2) \sqrt{2} (\cos(1/2 dx + c/2))^2 - 1} d$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x)

[Out] -2\*B\*((sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-2\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)^{\frac{3}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x, algorithm="maxima")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)\*sec(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a),x)



---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(B \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x, algorithm="fricas")

[Out] integral(B\*sec(d\*x + c)^(3/2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c)),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)^{\frac{3}{2}}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)\*sec(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a), x)

$$3.586 \quad \int \frac{(aB + bB \cos(c + dx))\sqrt{\sec(c + dx)}}{a + b \cos(c + dx)} dx$$

**Optimal.** Leaf size=37

$$\frac{2B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

[Out] (2\*B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d

**Rubi [A]** time = 0.0234589, antiderivative size = 37, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {21, 3771, 2641}

$$\frac{2B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[((a\*B + b\*B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]])/(a + b\*Cos[c + d\*x]),x]

[Out] (2\*B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d

#### Rule 21

Int[(u\_.)\*((a\_.) + (b\_.)\*(v\_.))^(m\_.)\*((c\_.) + (d\_.)\*(v\_.))^(n\_.), x\_Symbol] :>  
 Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]  
 && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x,  
 a + b\*x])

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] :> Dist[(b\*Csc[c + d\*x])  
 ]^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&  
 EqQ[n^2, 1/4]

#### Rule 2641

Int[1/Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticF[(1\*(c -  
 Pi/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{(aB + bB \cos(c + dx))\sqrt{\sec(c + dx)}}{a + b \cos(c + dx)} dx &= B \int \sqrt{\sec(c + dx)} dx \\ &= (B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\ &= \frac{2B\sqrt{\cos(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)\sqrt{\sec(c + dx)}}{d} \end{aligned}$$

**Mathematica [A]** time = 0.0286205, size = 37, normalized size = 1.

$$\frac{2B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{d}$$

Antiderivative was successfully verified.

```
[In] Integrate[((a*B + b*B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + b*Cos[c + d*x]),x]
```

```
[Out] (2*B*Sqrt[Cos[c + d*x]]*EllipticF[(c + d*x)/2, 2]*Sqrt[Sec[c + d*x]])/d
```

**Maple [B]** time = 2.184, size = 134, normalized size = 3.6

$$-2 \frac{\sqrt{(2(\cos(1/2 dx + c/2))^2 - 1)(\sin(1/2 dx + c/2))^2} B \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2(\cos(1/2 dx + c/2))^2 + 1} \text{EllipticF}(\dots)}{\sqrt{-2(\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \sin(1/2 dx + c/2)} \sqrt{2(\cos(1/2 dx + c/2))^2 - 1}}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c)),x)
```

```
[Out] -2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)*EllipticF(cos(1/2*d*x+1/2*c),2^(1/2))/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \sqrt{\sec(dx + c)}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c)),x, algorithm="maxima")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)*sqrt(sec(d*x + c))/(b*cos(d*x + c) + a),x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}(B\sqrt{\sec(dx + c)},x)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c)),x, algorithm="fricas")
```

```
[Out] integral(B*sqrt(sec(d*x + c)), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$B \int \sqrt{\sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c)),x)

[Out] B\*Integral(sqrt(sec(c + d\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba)\sqrt{\sec(dx + c)}}{b \cos(dx + c) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c)),x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)\*sqrt(sec(d\*x + c))/(b\*cos(d\*x + c) + a), x)

$$3.587 \quad \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))\sqrt{\sec(c + dx)}} dx$$

**Optimal.** Leaf size=37

$$\frac{2B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}E\left(\frac{1}{2}(c + dx)\middle|2\right)}{d}$$

[Out] (2\*B\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d

**Rubi [A]** time = 0.0227405, antiderivative size = 37, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.083$ , Rules used = {21, 3771, 2639}

$$\frac{2B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}E\left(\frac{1}{2}(c + dx)\middle|2\right)}{d}$$

Antiderivative was successfully verified.

[In] Int[(a\*B + b\*B\*Cos[c + d\*x])/((a + b\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]]),x]

[Out] (2\*B\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/d

#### Rule 21

Int[(u\_.)\*((a\_.) + (b\_.)\*(v\_.))^(m\_.)\*((c\_.) + (d\_.)\*(v\_.))^(n\_.), x\_Symbol] :> Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] :> Dist[(b\*Csc[c + d\*x])^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] && EqQ[n^2, 1/4]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] :> Simp[(2\*EllipticE[(1\*(c - P i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned} \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))\sqrt{\sec(c + dx)}} dx &= B \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\ &= (B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)} dx \\ &= \frac{2B\sqrt{\cos(c + dx)}E\left(\frac{1}{2}(c + dx)\middle|2\right)\sqrt{\sec(c + dx)}}{d} \end{aligned}$$

**Mathematica [A]** time = 0.033936, size = 37, normalized size = 1.

$$\frac{2BE\left(\frac{1}{2}(c + dx)\middle|2\right)}{d\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(a*B + b*B*Cos[c + d*x])/((a + b*Cos[c + d*x])*Sqrt[Sec[c + d*x]]),x]
```

```
[Out] (2*B*EllipticE[(c + d*x)/2, 2])/(d*Sqrt[Cos[c + d*x]]*Sqrt[Sec[c + d*x]])
```

**Maple [B]** time = 1.898, size = 134, normalized size = 3.6

$$2 \frac{\sqrt{(2 (\cos(1/2 dx + c/2))^2 - 1) (\sin(1/2 dx + c/2))^2} B \sqrt{(\sin(1/2 dx + c/2))^2} \sqrt{-2 (\cos(1/2 dx + c/2))^2 + 1} \text{EllipticE}(\cos(\dots))}{\sqrt{-2 (\sin(1/2 dx + c/2))^4 + (\sin(1/2 dx + c/2))^2 \sin(1/2 dx + c/2)} \sqrt{2 (\cos(1/2 dx + c/2))^2 - 1} d}$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(1/2),x)
```

```
[Out] 2*((2*cos(1/2*d*x+1/2*c)^2-1)*sin(1/2*d*x+1/2*c)^2)^(1/2)*B*(sin(1/2*d*x+1/2*c)^2)^(1/2)*(-2*cos(1/2*d*x+1/2*c)^2+1)^(1/2)*EllipticE(cos(1/2*d*x+1/2*c),2^(1/2))/(-2*sin(1/2*d*x+1/2*c)^4+sin(1/2*d*x+1/2*c)^2)^(1/2)/sin(1/2*d*x+1/2*c)/(2*cos(1/2*d*x+1/2*c)^2-1)^(1/2)/d
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)*sqrt(sec(d*x + c))), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral(B/sqrt(sec(d*x + c)), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$B \int \frac{1}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))/sec(d\*x+c)\*\*(1/2),x)

[Out] B\*Integral(1/sqrt(sec(c + d\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)/((b\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c))), x)

$$3.588 \quad \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)} dx$$

**Optimal.** Leaf size=64

$$\frac{2B \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{2B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d}$$

[Out] (2\*B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*B\*Sin[c + d\*x])/(3\*d\*Sqrt[Sec[c + d\*x]])

**Rubi [A]** time = 0.0390212, antiderivative size = 64, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {21, 3769, 3771, 2641}

$$\frac{2B \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{2B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right)}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a\*B + b\*B\*Cos[c + d\*x])/((a + b\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2)),x]

[Out] (2\*B\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(3\*d) + (2\*B\*Sin[c + d\*x])/(3\*d\*Sqrt[Sec[c + d\*x]])

#### Rule 21

```
Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] :=
  Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
  && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x,
  a + b*x])
```

#### Rule 3769

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Simp[(Cos[c + d*x]*(
b*Csc[c + d*x])^(n + 1))/(b*d*n), x] + Dist[(n + 1)/(b^2*n), Int[(b*Csc[c +
d*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2*n
]
```

#### Rule 3771

```
Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Dist[(b*Csc[c + d*x]
)^n*Sin[c + d*x]^n, Int[1/Sin[c + d*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&
EqQ[n^2, 1/4]
```

#### Rule 2641

```
Int[1/Sqrt[sin[(c_.) + (d_.)*(x_.)]], x_Symbol] := Simp[(2*EllipticF[(1*(c -
Pi/2 + d*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]
```

#### Rubi steps



$$\begin{aligned}
\int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx)) \sec^2(c + dx)} dx &= B \int \frac{1}{\sec^2(c + dx)} dx \\
&= \frac{2B \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{1}{3} B \int \sqrt{\sec(c + dx)} dx \\
&= \frac{2B \sin(c + dx)}{3d \sqrt{\sec(c + dx)}} + \frac{1}{3} (B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{2B \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{3d} + \frac{2B \sin(c + dx)}{3d \sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 0.0435626, size = 50, normalized size = 0.78

$$\frac{B \sqrt{\sec(c + dx)} \left( \sin(2(c + dx)) + 2 \sqrt{\cos(c + dx)} F\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{3d}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*B + b\*B\*Cos[c + d\*x])/((a + b\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2)), x]

[Out] (B\*Sqrt[Sec[c + d\*x]]\*(2\*Sqrt[Cos[c + d\*x]]\*EllipticF[(c + d\*x)/2, 2] + Sin[2\*(c + d\*x)]))/(3\*d)

**Maple [B]** time = 2.876, size = 180, normalized size = 2.8

$$-\frac{2B}{3d} \sqrt{\left(2 \cos\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^2 - 1} \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2 \left(4 \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^4 \cos\left(\frac{1}{2} dx + \frac{c}{2}\right) + \sqrt{2} \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(3/2), x)

[Out] -2/3\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*B\*(4\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c)+(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*EllipticF(cos(1/2\*d\*x+1/2\*c), 2^(1/2))-2\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c))/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a) \sec(dx + c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(3/2), x, algorithm="maxima")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)/((b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B}{\sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral(B/sec(d\*x + c)^(3/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))/sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a) \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)/((b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

$$3.589 \quad \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)} dx$$

**Optimal.** Leaf size=64

$$\frac{2B \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{6B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d}$$

[Out] (6\*B\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(5\*d + (2\*B\*Sin[c + d\*x])/(5\*d\*Sec[c + d\*x]^(3/2)))

**Rubi [A]** time = 0.036836, antiderivative size = 64, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 36,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.111$ , Rules used = {21, 3769, 3771, 2639}

$$\frac{2B \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{6B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right)}{5d}$$

Antiderivative was successfully verified.

[In] Int[(a\*B + b\*B\*Cos[c + d\*x])/((a + b\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2)),x]

[Out] (6\*B\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2]\*Sqrt[Sec[c + d\*x]])/(5\*d + (2\*B\*Sin[c + d\*x])/(5\*d\*Sec[c + d\*x]^(3/2)))

#### Rule 21

Int[(u\_.)\*((a\_.) + (b\_.)\*(v\_.))^(m\_.)\*((c\_.) + (d\_.)\*(v\_.))^(n\_.), x\_Symbol] :=  
Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]  
&& EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x,  
a + b\*x])

#### Rule 3769

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(  
b\*Csc[c + d\*x])^(n + 1))/(b\*d\*n), x] + Dist[(n + 1)/(b^2\*n), Int[(b\*Csc[c +  
d\*x])^(n + 2), x], x] /; FreeQ[{b, c, d}, x] && LtQ[n, -1] && IntegerQ[2\*n  
]

#### Rule 3771

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_), x\_Symbol] := Dist[(b\*Csc[c + d\*x]  
)^n\*Sin[c + d\*x]^n, Int[1/Sin[c + d\*x]^n, x], x] /; FreeQ[{b, c, d}, x] &&  
EqQ[n^2, 1/4]

#### Rule 2639

Int[Sqrt[sin[(c\_.) + (d\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*EllipticE[(1\*(c - P  
i/2 + d\*x))/2, 2])/d, x] /; FreeQ[{c, d}, x]

#### Rubi steps

$$\begin{aligned}
\int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)} dx &= B \int \frac{1}{\sec^{\frac{5}{2}}(c + dx)} dx \\
&= \frac{2B \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{5}(3B) \int \frac{1}{\sqrt{\sec(c + dx)}} dx \\
&= \frac{2B \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{5} (3B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)} dx \\
&= \frac{6B \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \sqrt{\sec(c + dx)}}{5d} + \frac{2B \sin(c + dx)}{5d \sec^{\frac{3}{2}}(c + dx)}
\end{aligned}$$

**Mathematica [A]** time = 0.070115, size = 56, normalized size = 0.88

$$\frac{B \sqrt{\sec(c + dx)} \left( \sin(c + dx) + \sin(3(c + dx)) + 12 \sqrt{\cos(c + dx)} E\left(\frac{1}{2}(c + dx) \middle| 2\right) \right)}{10d}$$

Antiderivative was successfully verified.

[In] Integrate[(a\*B + b\*B\*Cos[c + d\*x])/((a + b\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2)),x]

[Out] (B\*Sqrt[Sec[c + d\*x]]\*(12\*Sqrt[Cos[c + d\*x]]\*EllipticE[(c + d\*x)/2, 2] + Sin[c + d\*x] + Sin[3\*(c + d\*x)]))/(10\*d)

**Maple [B]** time = 2.808, size = 203, normalized size = 3.2

$$-\frac{2B}{5d} \sqrt{\left(2 \cos\left(\frac{1}{2} dx + \frac{c}{2}\right)^2 - 1\right) \left(\sin\left(\frac{dx}{2} + \frac{c}{2}\right)\right)^2} \left(-8 \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^6 \cos\left(\frac{1}{2} dx + \frac{c}{2}\right) + 8 \left(\sin\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)^4 \cos\left(\frac{1}{2} dx + \frac{c}{2}\right)\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(5/2),x)

[Out] -2/5\*((2\*cos(1/2\*d\*x+1/2\*c)^2-1)\*sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*B\*(-8\*sin(1/2\*d\*x+1/2\*c)^6\*cos(1/2\*d\*x+1/2\*c)+8\*sin(1/2\*d\*x+1/2\*c)^4\*cos(1/2\*d\*x+1/2\*c))-3\*(sin(1/2\*d\*x+1/2\*c)^2)^(1/2)\*(2\*sin(1/2\*d\*x+1/2\*c)^2-1)^(1/2)\*EllipticE(cos(1/2\*d\*x+1/2\*c),2^(1/2))-2\*sin(1/2\*d\*x+1/2\*c)^2\*cos(1/2\*d\*x+1/2\*c)/(-2\*sin(1/2\*d\*x+1/2\*c)^4+sin(1/2\*d\*x+1/2\*c)^2)^(1/2)/sin(1/2\*d\*x+1/2\*c)/(2\*cos(1/2\*d\*x+1/2\*c)^2-1)^(1/2)/d

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))/sec(d\*x+c)^(5/2),x, algorithm="maxima")

```
[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)*sec(d*x + c)^(5/2)), x)
```

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B}{\sec(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="fricas")
```

```
[Out] integral(B/sec(d*x + c)^(5/2), x)
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)**(5/2),x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a) \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))/sec(d*x+c)^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)*sec(d*x + c)^(5/2)), x)
```

$$3.590 \quad \int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx) dx$$

**Optimal.** Leaf size=473

$$\frac{2(25a^2A + 7abB - 4Ab^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}}{105a^2d} + \frac{2(a - b) \sqrt{a + b} (a^2(25A - 63B) + 2ab(3A - 7B))}{105a^2d}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*Sqrt[
Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[
a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x])
)/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(105*a^4*d*Sqrt[Sec[c + d*
x]]) + (2*(a - b)*Sqrt[a + b]*(8*A*b^2 + a^2*(25*A - 63*B) + 2*a*b*(3*A - 7
*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*
x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec
[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(105*a^3*d*Sqrt[
Sec[c + d*x]]) + (2*(25*a^2*A - 4*A*b^2 + 7*a*b*B)*Sqrt[a + b*Cos[c + d*x]]
*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(105*a^2*d) + (2*(A*b + 7*a*B)*Sqrt[a + b
*Cos[c + d*x]]*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(35*a*d) + (2*A*Sqrt[a + b*
Cos[c + d*x]]*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(7*d)
```

**Rubi [A]** time = 1.43775, antiderivative size = 473, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2999, 3055, 2998, 2816, 2994}

$$\frac{2(25a^2A + 7abB - 4Ab^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}}{105a^2d} + \frac{2(a - b) \sqrt{a + b} (a^2(25A - 63B) + 2ab(3A - 7B))}{105a^2d}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*Sqrt[
Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[
a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x])
)/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(105*a^4*d*Sqrt[Sec[c + d*
x]]) + (2*(a - b)*Sqrt[a + b]*(8*A*b^2 + a^2*(25*A - 63*B) + 2*a*b*(3*A - 7
*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*
x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec
[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(105*a^3*d*Sqrt[
Sec[c + d*x]]) + (2*(25*a^2*A - 4*A*b^2 + 7*a*b*B)*Sqrt[a + b*Cos[c + d*x]]
*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(105*a^2*d) + (2*(A*b + 7*a*B)*Sqrt[a + b
*Cos[c + d*x]]*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(35*a*d) + (2*A*Sqrt[a + b*
Cos[c + d*x]]*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(7*d)
```

**Rule 2961**

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^m*(c + d
*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 2999

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[((B\*a - A\*b)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n - 1)\*Simp[c\*(a\*A - b\*B)\*(m + 1) + d\*n\*(A\*b - a\*B) + (d\*(a\*A - b\*B)\*(m + 1) - c\*(A\*b - a\*B)\*(m + 2))\*Sin[e + f\*x] - d\*(A\*b - a\*B)\*(m + n + 2)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]

Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]) + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^2, x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rubi steps

$$\begin{aligned}
\int \sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx) dx &= \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{\sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx)}{\cos^{\frac{9}{2}}(c + dx)} dx \\
&= \frac{2A\sqrt{a + b \cos(c + dx)} \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{7d} + \frac{1}{7} \left(2\sqrt{\cos(c + dx)} \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)\right) \\
&= \frac{2(Ab + 7aB)\sqrt{a + b \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{35ad} + \frac{2\sqrt{\cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{7d} \\
&= \frac{2(25a^2A - 4Ab^2 + 7abB)\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105a^2d} \\
&= \frac{2(25a^2A - 4Ab^2 + 7abB)\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{105a^2d} \\
&= \frac{2(a - b)\sqrt{a + b}(19a^2Ab + 8Ab^3 + 63a^3B - 14ab^2B)\sqrt{\cos(c + dx)}}{105a^2d}
\end{aligned}$$

**Mathematica [B]** time = 24.4085, size = 3321, normalized size = 7.02

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(9/2), x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((2\*(19\*a^2\*A\*b + 8\*A\*b^3 + 63\*a^3\*B - 14\*a\*b^2\*B)\*Sin[c + d\*x])/(105\*a^3) + (2\*Sec[c + d\*x]^2\*(A\*b\*Ssin[c + d\*x] + 7\*a\*B\*Ssin[c + d\*x]))/(35\*a) + (2\*Sec[c + d\*x]\*(25\*a^2\*A\*Ssin[c + d\*x] - 4\*A\*b^2\*Ssin[c + d\*x] + 7\*a\*b\*B\*Ssin[c + d\*x]))/(105\*a^2) + (2\*A\*Sec[c + d\*x]^2\*Tan[c + d\*x])/7)/d + (2\*((-19\*A\*b)/(105\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) - (8\*A\*b^3)/(105\*a^2\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) - (3\*a\*B)/(5\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) + (2\*b^2\*B)/(15\*a\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) + (5\*a\*A\*Sqrt[Sec[c + d\*x]])/(21\*Sqrt[a + b\*Cos[c + d\*x]]) - (17\*A\*b^2\*Sqrt[Sec[c + d\*x]])/(105\*a\*Sqrt[a + b\*Cos[c + d\*x]]) - (8\*A\*b^4\*Sqrt[Sec[c + d\*x]])/(105\*a^3\*Sqrt[a + b\*Cos[c + d\*x]]) - (2\*b\*B\*Sqrt[Sec[c + d\*x]])/(15\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*b^3\*B\*Sqrt[Sec[c + d\*x]])/(15\*a^2\*Sqrt[a + b\*Cos[c + d\*x]]) - (19\*A\*b^2\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(105\*a\*Sqrt[a + b\*Cos[c + d\*x]]) - (8\*A\*b^4\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(105\*a^3\*Sqrt[a + b\*Cos[c + d\*x]]) - (3\*b\*B\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(5\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*b^3\*B\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(15\*a^2\*Sqrt[a + b\*Cos[c + d\*x]]))\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*(-2\*(a + b)\*(19\*a^2\*A\*b + 8\*A\*b^3 + 63\*a^3\*B - 14\*a\*b^2\*B)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x]])\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*a\*(a + b)\*(8\*A\*b^2 - 2\*a\*b\*(3\*A + 7\*B) + a^2\*(25\*A + 63\*B))\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x]])\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - (19\*a^2\*A\*b + 8\*A\*b^3 + 63\*a^3\*B - 14\*a\*b^2\*B)\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2])/((105\*a^3\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[(c + d\*x)/2]^2]\*((b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sin[c + d\*x]\*(-2\*(a + b)\*(19\*a^2\*A\*b + 8\*A\*b^3 + 63\*a^3\*B - 14\*a\*b^2\*B)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x]])\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]]



$$\begin{aligned}
& , (-a + b)/(a + b) + 2*a*(a + b)*(8*A*b^2 - 2*a*b*(3*A + 7*B) + a^2*(25*A \\
& + 63*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(( \\
& a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a \\
& + b)] - (19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*\text{Cos}[c + d*x]*(a + b \\
& *\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((105*a^3*(a + b*\text{Cos}[c \\
& + d*x])^(3/2)*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + \\
& d*x]])*\text{Tan}[(c + d*x)/2]*(-2*(a + b)*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a* \\
& b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a \\
& + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + \\
& b)] + 2*a*(a + b)*(8*A*b^2 - 2*a*b*(3*A + 7*B) + a^2*(25*A + 63*B))*\text{Sqrt}[\text{C} \\
& \text{os}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos} \\
& [c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - (19*a^ \\
& 2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \\
& \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((105*a^3*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqr} \\
& \text{t}[\text{Sec}[(c + d*x)/2]^2]) + (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*(-((19*a^ \\
& 2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \\
& \text{Sec}[(c + d*x)/2]^4)/2 - ((a + b)*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^ \\
& 2*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcS} \\
& \text{in}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{C} \\
& \text{os}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{C} \\
& \text{os}[c + d*x])] + (a*(a + b)*(8*A*b^2 - 2*a*b*(3*A + 7*B) + a^2*(25*A + 63*B) \\
& )*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin} \\
& \text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[ \\
& c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[ \\
& c + d*x])] - ((a + b)*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*\text{Sqrt}[\text{C} \\
& \text{os}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b) \\
& )/(a + b)]*(-((b*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((a + b*\text{Cos}[ \\
& c + d*x])* \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(a + b*\text{Cos}[c \\
& + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + (a*(a + b)*(8*A*b^2 - 2*a*b*(3*A + \\
& 7*B) + a^2*(25*A + 63*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF}[\text{A} \\
& \text{rcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*(-((b*\text{Sin}[c + d*x])/((a + b)*(1 \\
& + \text{Cos}[c + d*x])))) + ((a + b*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c \\
& + d*x])^2))/\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + b*( \\
& 19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2] \\
& ^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + (19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a* \\
& b^2*B)*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] \\
& ] - (19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[ \\
& c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 + (a*(a + b)*(8*A*b^2 - 2*a \\
& *b*(3*A + 7*B) + a^2*(25*A + 63*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{S} \\
& \text{qrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2)/ \\
& (\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[1 - ((-a + b)*\text{Tan}[(c + d*x)/2]^2)/(a + b) \\
& )) - ((a + b)*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*\text{Sqrt}[\text{Cos}[c + \\
& d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d* \\
& x]))]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[1 - ((-a + b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]/ \text{S} \\
& \text{qrt}[1 - \text{Tan}[(c + d*x)/2]^2])/((105*a^3*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c \\
& + d*x)/2]^2]) + ((-2*(a + b)*(19*a^2*A*b + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B) \\
& )*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)* \\
& (1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] \\
& + 2*a*(a + b)*(8*A*b^2 - 2*a*b*(3*A + 7*B) + a^2*(25*A + 63*B))*\text{Sqrt}[\text{Cos}[c \\
& + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + \\
& d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - (19*a^2*A*b \\
& + 8*A*b^3 + 63*a^3*B - 14*a*b^2*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \text{Sec}[( \\
& c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d \\
& *x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/((105*a^3*\text{Sqrt}[a + \\
& b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d* \\
& x]]))
\end{aligned}$$

**Maple [B]** time = 0.706, size = 3436, normalized size = 7.3

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((A+B*\cos(dx+c))*\sec(dx+c)^{(9/2)}*(a+b*\cos(dx+c))^{(1/2)}, x)$

[Out]  $\frac{2}{105} \frac{d}{a^3} (-25A*\cos(dx+c)^5*a^3*b - 19A*\cos(dx+c)^5*a^2*b^2 + 4A*\cos(dx+c)^5*a*b^3 - 63B*\cos(dx+c)^5*a^3*b - 7B*\cos(dx+c)^5*a^2*b^2 + 14B*\cos(dx+c)^5*a*b^3 - 19A*\cos(dx+c)^4*a^3*b + 20A*\cos(dx+c)^4*a^2*b^2 - 8A*\cos(dx+c)^4*a*b^3 - 14B*a*b^3*\cos(dx+c)^4 + 4A*\cos(dx+c)^3*a*b^3 - A*\cos(dx+c)^2*a^2*b^2 + 18A*\cos(dx+c)*a^3*b - 7B*\cos(dx+c)^3*a^2*b^2 + 28B*\cos(dx+c)^2*a^3*b + 35B*\cos(dx+c)^4*a^3*b + 14B*\cos(dx+c)^4*a^2*b^2 + 26A*\cos(dx+c)^3*a^3*b + 8A*b^4*\cos(dx+c)^4 + 15A*a^4 + 19A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*\cos(dx+c)^3*\sin(dx+c)*a^2*b^2 - 63B*\cos(dx+c)^4*a^4 + 42B*\cos(dx+c)^3*a^4 - 25A*\cos(dx+c)^4*a^4 + 10A*\cos(dx+c)^2*a^4 + 21B*\cos(dx+c)*a^4 - 8A*\cos(dx+c)^5*b^4 + 8A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*\cos(dx+c)^4*\sin(dx+c)*b^4 - 25A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*\cos(dx+c)^4*\sin(dx+c)*a^4 + 63B*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^4 - 63B*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^4 + 8A*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*b^4 - 25A*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^4 + 63B*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*\cos(dx+c)^3*\sin(dx+c)*a^4 - 63B*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*\cos(dx+c)^3*\sin(dx+c)*a^4 + 8A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*\cos(dx+c)^3*\sin(dx+c)*a*b^3 - 19A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*\cos(dx+c)^3*\sin(dx+c)*a^3*b - 2A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*\cos(dx+c)^3*\sin(dx+c)*a^2*b^2 - 8A*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*\cos(dx+c)^3*\sin(dx+c)*a*b^3 + 63B*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^3*b - 14B*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^2*b^2 - 14B*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*EllipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*\cos(dx+c)^3*\sin(dx+c)*a*b^3 - 49B*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^3*b + 14B*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*(1/(a+b))*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)}*EllipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{(1/2)}*a^2*b^2 + 19A*\cos(dx+c)^4*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)}*$

$$\begin{aligned} & (1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^3*b+19*A*\cos(d*x+c)^4*\sin(d*x+c)*(cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^2*b^2+8*A*\cos(d*x+c)^4*\sin(d*x+c)*(cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a*b^3-19*A*\cos(d*x+c)^4*\sin(d*x+c)*(cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^3*b-2*A*\cos(d*x+c)^4*\sin(d*x+c)*(cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^2*b^2-8*A*\cos(d*x+c)^4*\sin(d*x+c)*(cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a*b^3+63*B*(cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*cos(d*x+c)^4*\sin(d*x+c)*a^3*b-14*B*cos(d*x+c)^4*\sin(d*x+c)*(cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^2*b^2-14*B*cos(d*x+c)^4*\sin(d*x+c)*(cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a*b^3-49*B*(cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*cos(d*x+c)^4*\sin(d*x+c)*a^3*b+14*B*(cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*cos(d*x+c)^4*\sin(d*x+c)*a^2*b^2+19*A*(cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*cos(d*x+c)^3*\sin(d*x+c)*a^3*b)*cos(d*x+c)*(1/cos(d*x+c))^{(9/2)}/(a+b*cos(d*x+c))^{(1/2)}/sin(d*x+c) \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(9/2)\*(a+b\*cos(d\*x+c))^(1/2),x, algorith="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(9/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{9}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(9/2)\*(a+b\*cos(d\*x+c))^(1/2),x, algorith="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(9/2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(9/2)\*(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(9/2)\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(9/2), x)

$$3.591 \quad \int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx$$

**Optimal.** Leaf size=390

$$\frac{2(a-b)\sqrt{a+b}(9a^2A+5abB-2Ab^2)\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{15a^3d\sqrt{\sec(c+dx)}}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(9*a^2*A - 2*A*b^2 + 5*a*b*B)*Sqrt[Cos[c + d*x]]*Csc
[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c
+ d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(
a*(1 + Sec[c + d*x]))/(a - b)]/(15*a^3*d*Sqrt[Sec[c + d*x]]) - (2*(a - b)*
Sqrt[a + b]*(9*a*A + 2*A*b - 5*a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*Ellipti
cF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a
+ b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d
*x]))/(a - b)]/(15*a^2*d*Sqrt[Sec[c + d*x]]) + (2*(A*b + 5*a*B)*Sqrt[a + b*
Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*a*d) + (2*A*Sqrt[a + b*C
os[c + d*x]]*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d)
```

**Rubi [A]** time = 1.05711, antiderivative size = 390, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2999, 3055, 2998, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b}(9a^2A+5abB-2Ab^2)\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{15a^3d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(9*a^2*A - 2*A*b^2 + 5*a*b*B)*Sqrt[Cos[c + d*x]]*Csc
[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c
+ d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(
a*(1 + Sec[c + d*x]))/(a - b)]/(15*a^3*d*Sqrt[Sec[c + d*x]]) - (2*(a - b)*
Sqrt[a + b]*(9*a*A + 2*A*b - 5*a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*Ellipti
cF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a
+ b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d
*x]))/(a - b)]/(15*a^2*d*Sqrt[Sec[c + d*x]]) + (2*(A*b + 5*a*B)*Sqrt[a + b*
Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*a*d) + (2*A*Sqrt[a + b*C
os[c + d*x]]*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d)
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dis
t[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Ssin[e + f*x])^m*(c + d
*Ssin[e + f*x])^n)/(g*Ssin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

#### Rule 2999

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Si
```

```
mp[((B*a - A*b)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m + 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*Sin[e + f*x] - d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]
```

### Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

### Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

### Rubi steps

$$\begin{aligned}
\int \sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx) dx &= \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{\sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) \sec^{\frac{7}{2}}(c + dx)}{\cos^{\frac{7}{2}}(c + dx)} dx \\
&= \frac{2A\sqrt{a + b \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{5d} + \frac{1}{5} \left(2\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)\right) \\
&= \frac{2(Ab + 5aB)\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15ad} \\
&= \frac{2(Ab + 5aB)\sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{15ad} \\
&= \frac{2(a - b)\sqrt{a + b} (9a^2A - 2Ab^2 + 5abB) \sqrt{\cos(c + dx)} \csc(c + dx)}{15ad}
\end{aligned}$$

**Mathematica [A]** time = 17.9216, size = 423, normalized size = 1.08

$$\frac{\sqrt{\sec(c + dx)}\sqrt{a + b \cos(c + dx)} \left( \frac{2(9a^2A + 5abB - 2Ab^2) \sin(c + dx)}{15a^2} + \frac{2 \sec(c + dx)(5aB \sin(c + dx) + Ab \sin(c + dx))}{15a} + \frac{2}{5}A \tan(c + dx) \sec(c + dx) \right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2), x]

[Out] (2\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*(-2\*(a + b)\*(9\*a^2\*A - 2\*A\*b^2 + 5\*a\*b\*B)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*a\*(a + b)\*(9\*a\*A - 2\*A\*b + 5\*a\*B)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - (9\*a^2\*A - 2\*A\*b^2 + 5\*a\*b\*B)\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2]))/(15\*a^2\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[(c + d\*x)/2]^2]) + (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((2\*(9\*a^2\*A - 2\*A\*b^2 + 5\*a\*b\*B)\*Sin[c + d\*x])/(15\*a^2) + (2\*Sec[c + d\*x]\*(A\*b\*Sin[c + d\*x] + 5\*a\*B\*Sin[c + d\*x]))/(15\*a) + (2\*A\*Sec[c + d\*x]\*Tan[c + d\*x])/5))/d

**Maple [B]** time = 0.576, size = 2489, normalized size = 6.4

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2)\*(a+b\*cos(d\*x+c))^(1/2), x)

[Out] 2/15/d/a^2\*(3\*A\*a^3-2\*A\*b^3\*cos(d\*x+c)^3+2\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*cos(d\*x+c)^3\*sin(d\*x+c)\*a\*b^2+5\*B\*a\*b^2\*cos(d\*x+c)^3-A\*a\*b^2\*cos(d\*x+c)^2+10\*B\*a^2\*b\*cos(d\*x+c)^2+4\*A\*a^2\*b\*cos(d\*x+c)-5\*B\*cos(d\*x+c)^3\*a^2\*b-9\*A\*cos(d\*x+c)^4\*a^2\*b-A\*cos(d\*x+c)^4\*a\*b^2-5\*B

```

*cos(d*x+c)^4*a^2*b-5*B*cos(d*x+c)^4*a*b^2+5*A*cos(d*x+c)^3*a^2*b+2*A*cos(d
*x+c)^3*a*b^2-5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c
))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b)
)^(1/2))*cos(d*x+c)^3*sin(d*x+c)*a^2*b+9*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2
)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c)
)/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)^2*sin(d*x+c)*a^2*b-2*A*cos(d*x
+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c)
))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b)
)^(1/2))*a*b^2-7*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c
))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b)
)^(1/2))*cos(d*x+c)^2*sin(d*x+c)*a^2*b+2*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2
)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c)
)/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)^2*sin(d*x+c)*a*b^2+5*B*cos(d*x
+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c)
))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b)
)^(1/2))*a^2*b+5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c
))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b)
)^(1/2))*cos(d*x+c)^2*sin(d*x+c)*a*b^2-5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2
)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c)
)/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)^2*sin(d*x+c)*a^2*b+9*A*(cos(d
*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*
EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)^3*sin
(d*x+c)*a^2*b-2*A*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)
*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c)
)/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^2-7*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2
)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c)
)/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)^3*sin(d*x+c)*a^2*b+5*B*cos(d*x
+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c)
))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b)
)^(1/2))*a^2*b+5*B*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)
*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c)
)/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^2-2*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2
)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c)
)/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)^3*sin(d*x+c)*b^3-9*A*(cos(d*x+
c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*El
lipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)^3*sin(d
*x+c)*a^3-5*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c)
)/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1
/2))*cos(d*x+c)^3*sin(d*x+c)*a^3+9*A*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1
+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*Ellipti
cE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3-2*A*cos(d*x+c)^2*si
n(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos
(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*
b^3-9*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(
d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*c
os(d*x+c)^2*sin(d*x+c)*a^3-5*B*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d
*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1
+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3+9*A*(cos(d*x+c)/(1+cos(d*
x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+
cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)^3*sin(d*x+c)*a^3+5*
B*a^3*cos(d*x+c)+2*A*cos(d*x+c)^4*b^3-9*A*cos(d*x+c)^3*a^3+6*A*cos(d*x+c)^2
*a^3-5*B*cos(d*x+c)^3*a^3*cos(d*x+c)*(1/cos(d*x+c))^(7/2)/(a+b*cos(d*x+c))
^(1/2)/sin(d*x+c)

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a \sec(dx + c)}^{\frac{7}{2}} dx$$



Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2)\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(7/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{7}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2)\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(7/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(7/2)\*(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2)\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(7/2), x)

$$3.592 \quad \int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx$$

**Optimal.** Leaf size=324

$$\frac{2(a-b)\sqrt{a+b}(3aB+Ab)\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{3a^2d\sqrt{\sec(c+dx)}} + \frac{2(a-b)\sqrt{a+b}(A+3B)\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{3a^2d\sqrt{\sec(c+dx)}}$$

[Out] (2\*(a - b)\*Sqrt[a + b]\*(A\*b + 3\*a\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a^2\*d\*Sqrt[Sec[c + d\*x]]) + (2\*(a - b)\*Sqrt[a + b]\*(A - 3\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a\*d\*Sqrt[Sec[c + d\*x]]) + (2\*A\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d)

**Rubi [A]** time = 0.675137, antiderivative size = 324, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2999, 2998, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b}(3aB+Ab)\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{3a^2d\sqrt{\sec(c+dx)}} + \frac{2(a-b)\sqrt{a+b}(A+3B)\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{3a^2d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[Sqrt[a + b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2), x]

[Out] (2\*(a - b)\*Sqrt[a + b]\*(A\*b + 3\*a\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a^2\*d\*Sqrt[Sec[c + d\*x]]) + (2\*(a - b)\*Sqrt[a + b]\*(A - 3\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a\*d\*Sqrt[Sec[c + d\*x]]) + (2\*A\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d)

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2999

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] :> Simp[((B\*a - A\*b)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n)/(f\*(m + 1)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(a^2 - b^2)), Int[(a +

$b \sin[e + f x]^{m+1} (c + d \sin[e + f x])^{n-1} \text{Simp}[c(aA - bB)(m+1) + d n(Ab - aB) + (d(aA - bB)(m+1) - c(Ab - aB)(m+2)) \sin[e + f x] - d(Ab - aB)(m+n+2) \sin^2[e + f x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]

### Rule 2998

$\text{Int}[\frac{(A_.) + (B_.) \sin[(e_.) + (f_.) (x_.)]}{((a_.) + (b_.) \sin[(e_.) + (f_.) (x_.)])^{3/2} \sqrt{(c_.) + (d_.) \sin[(e_.) + (f_.) (x_.)])}, x\_Symbol] := \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\sqrt{a + b \sin[e + f x]} \sqrt{c + d \sin[e + f x]}), x], x] - \text{Dist}[(A b - a B)/(a - b), \text{Int}[(1 + \sin[e + f x]) / ((a + b \sin[e + f x])^{3/2} \sqrt{c + d \sin[e + f x]}), x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

### Rule 2816

$\text{Int}[1/(\sqrt{(d_.) \sin[(e_.) + (f_.) (x_.)]} \sqrt{(a_.) + (b_.) \sin[(e_.) + (f_.) (x_.)])}, x\_Symbol] := \text{Simp}[(-2 \tan[e + f x] \text{Rt}[(a + b)/d, 2] \sqrt{(a(1 - \text{Csc}[e + f x]))/(a + b)} \sqrt{(a(1 + \text{Csc}[e + f x]))/(a - b)} \text{EllipticF}[\text{ArcSin}[\sqrt{a + b \sin[e + f x]}] / (\sqrt{d \sin[e + f x]} \text{Rt}[(a + b)/d, 2])}, -(a + b)/(a - b))] / (a f), x] /;$  FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

### Rule 2994

$\text{Int}[\frac{(A_.) + (B_.) \sin[(e_.) + (f_.) (x_.)]}{((b_.) \sin[(e_.) + (f_.) (x_.)])^{3/2} \sqrt{(c_.) + (d_.) \sin[(e_.) + (f_.) (x_.)])}, x\_Symbol] := \text{Simp}[(-2 A (c - d) \tan[e + f x] \text{Rt}[(c + d)/b, 2] \sqrt{(c(1 + \text{Csc}[e + f x]))/(c - d)} \sqrt{(c(1 - \text{Csc}[e + f x]))/(c + d)} \text{EllipticE}[\text{ArcSin}[\sqrt{c + d \sin[e + f x]}] / (\sqrt{b \sin[e + f x]} \text{Rt}[(c + d)/b, 2])}, -((c + d)/(c - d))] / (f b c^2), x] /;$  FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

### Rubi steps

$$\begin{aligned} \int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx) dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{\cos^{\frac{5}{2}}(c + dx)} dx \\ &= \frac{2A \sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} (2\sqrt{c} \dots) \\ &= \frac{2A \sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} ((a - \dots)) \\ &= \frac{2(a - b) \sqrt{a + b} (Ab + 3aB) \sqrt{\cos(c + dx)} \csc(c + dx) E(\sin \dots)}{3a^2 d \sqrt{\sec \dots}} \end{aligned}$$

**Mathematica [A]** time = 14.977, size = 346, normalized size = 1.07

$$\frac{\sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)} \left( \frac{2(3aB + Ab) \sin(c + dx)}{3a} + \frac{2}{3} A \tan(c + dx) \right)}{d} + \frac{2 \sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right) \sec(c + dx)} \left( -(3aB + A) \right)}{d}$$



$c)/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c) * a * b - a^2 * A - A * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * b^2 - 3 * B * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2 * \cos(dx+c) * (1/\cos(dx+c))^{5/2} / (a+b * \cos(dx+c))^{1/2} / \sin(dx+c)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*sec(dx+c)^(5/2)\*(a+b\*cos(dx+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(dx + c) + A)\*sqrt(b\*cos(dx + c) + a)\*sec(dx + c)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*sec(dx+c)^(5/2)\*(a+b\*cos(dx+c))^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(dx + c) + A)\*sqrt(b\*cos(dx + c) + a)\*sec(dx + c)^(5/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*sec(dx+c)\*\*(5/2)\*(a+b\*cos(dx+c))\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)*(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(5/2), x)
```

$$3.593 \quad \int \sqrt{a + b \cos(c + dx)} (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx$$

**Optimal.** Leaf size=411

$$\frac{2\sqrt{a+b}(Ab - a(A - B))\sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a+b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c + dx)}{\sqrt{a+b}\sqrt{\cos(c + dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad\sqrt{\sec(c + dx)}} + 2A$$

```
[Out] (2*A*(a - b)*Sqrt[a + b]*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d*Sqrt[Sec[c + d*x]]) + (2*Sqrt[a + b]*(A*b - a*(A - B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d*Sqrt[Sec[c + d*x]]) - (2*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(d*Sqrt[Sec[c + d*x]]))
```

**Rubi [A]** time = 0.684636, antiderivative size = 411, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2991, 2809, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b}(Ab - a(A - B))\sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a+b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c + dx)}{\sqrt{a+b}\sqrt{\cos(c + dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad\sqrt{\sec(c + dx)}} + 2A$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]
```

```
[Out] (2*A*(a - b)*Sqrt[a + b]*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d*Sqrt[Sec[c + d*x]]) + (2*Sqrt[a + b]*(A*b - a*(A - B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d*Sqrt[Sec[c + d*x]]) - (2*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(d*Sqrt[Sec[c + d*x]]))
```

**Rule 2961**

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

**Rule 2991**

```
Int[(((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(c_) + (d_.)*sin[(e_.) +
(f_.)*(x_)])]/((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2), x_Symbol] :> Dist[(B*d
)/b^2, Int[Sqrt[b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Int[(A*c
+ (B*c + A*d)*Sin[e + f*x])/((b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x
]]), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0]
```

#### Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

#### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

#### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f_
.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

#### Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

#### Rubi steps



$$\begin{aligned}
\int \sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx &= (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{\sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx \\
&= (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{aA + (Ab + aB) \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} dx \\
&= -\frac{2\sqrt{a + b}\sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\sqrt{\cos(c + dx)}}{\sqrt{a+b}\sqrt{\cos(c + dx)}}\right)\right)}{d\sqrt{\sec(c + dx)}} \\
&= \frac{2A(a - b)\sqrt{a + b}\sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\sqrt{\cos(c + dx)}}{\sqrt{a+b}\sqrt{\cos(c + dx)}}\right)\right)}{ad\sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 17.2097, size = 639, normalized size = 1.55

$$2 \left( -(a(A + B) + b(A - B)) \sqrt{1 - \tan^2\left(\frac{1}{2}(c + dx)\right)} \left( \tan^2\left(\frac{1}{2}(c + dx)\right) + 1 \right) \sqrt{\frac{a \tan^2\left(\frac{1}{2}(c + dx)\right) + a - b \tan^2\left(\frac{1}{2}(c + dx)\right) + b}{a + b}} F\left(\sin^{-1}\left(\frac{\sqrt{a + b} \sqrt{\cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right)\right) \right)$$

Warning: Unable to verify antiderivative.

[In] Integrate[Sqrt[a + b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2), x]

[Out] (2\*A\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d + (2\*(a\*A\*Tan[(c + d\*x)/2] + A\*b\*Tan[(c + d\*x)/2] - 2\*A\*b\*Tan[(c + d\*x)/2]^3 - a\*A\*Tan[(c + d\*x)/2]^5 + A\*b\*Tan[(c + d\*x)/2]^5 + 2\*b\*B\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 2\*b\*B\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + A\*(a + b)\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - (b\*(A - B) + a\*(A + B))\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)))/(d\*Sqrt[(1 - Tan[(c + d\*x)/2]^2)^(-1)]\*(-1 + Tan[(c + d\*x)/2]^2)\*(1 + Tan[(c + d\*x)/2]^2)^(3/2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(1 + Tan[(c + d\*x)/2]^2]))

**Maple [B]** time = 0.57, size = 1361, normalized size = 3.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))^(1/2), x)

[Out] -2/d\*(A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*s

```

in(d*x+c)*cos(d*x+c)*a+A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a
+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)*EllipticF((-1+cos(d*x
+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*b-A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)
*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/
sin(d*x+c),(-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*a-A*(cos(d*x+c)/(1+c
os(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE
((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos(d*x+c)*b+B
*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+
cos(d*x+c)))^(1/2)*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/
(a+b))^(1/2))*a-B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+
b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)*EllipticF((-1+cos(d*x+c))/si
n(d*x+c),(-a-b)/(a+b))^(1/2))*b+2*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))
^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)*EllipticP
i((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^(1/2))*b+A*sin(d*x+c)*(cos(d
*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)
*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a+A*sin(d*x+c)*
(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))
^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*b-A*sin(d
*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*
x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a-A
*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+
cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)
))*b+B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d
*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*
sin(d*x+c)-B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1
+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/
2))*b*sin(d*x+c)+2*B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*
(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c
),-1,(-a-b)/(a+b))^(1/2))*b+A*cos(d*x+c)^2*b+A*cos(d*x+c)*a-A*cos(d*x+c)*b
-a*A)*cos(d*x+c)*(1/cos(d*x+c))^(3/2)/(a+b*cos(d*x+c))^(1/2)/sin(d*x+c)

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(1/2),x, algor
ithm="maxima")

```

```

[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(3/2),
x)

```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left((B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```

[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(3/2)*(a+b*cos(d*x+c))^(1/2),x, algor
ithm="fricas")

```

```

[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(3/2),
x)

```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(3/2)\*(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2), x)

### 3.594 $\int \sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx))\sqrt{\sec(c + dx)} dx$

**Optimal.** Leaf size=445

$$\frac{\sqrt{a+b}(2A+B)\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{d\sqrt{\sec(c+dx)}} - \sqrt{a+b}(aB+2)$$

```
[Out] -(((a - b)*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/(a*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(2*A + B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/(d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(2*A*b + a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/(b*d*Sqrt[Sec[c + d*x]]) + (B*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d
```

**Rubi [A]** time = 0.902686, antiderivative size = 445, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2961, 3003, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b}(2A+B)\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{d\sqrt{\sec(c+dx)}} - \sqrt{a+b}(aB+2)$$

Antiderivative was successfully verified.

```
[In] Int[Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]],x]
```

```
[Out] -(((a - b)*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/(a*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(2*A + B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/(d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(2*A*b + a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)])/(b*d*Sqrt[Sec[c + d*x]]) + (B*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !IntegerQ[m] && IntegerQ[n]
```

#### Rule 3003

```
Int[Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Sim
p[(-2*B*Cos[e + f*x]*Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n)/(f*(2
*n + 3)), x] + Dist[1/(2*n + 3), Int[((c + d*Sin[e + f*x])^(n - 1)*Simp[a*A
*c*(2*n + 3) + B*(b*c + 2*a*d*n) + (B*(a*c + b*d)*(2*n + 1) + A*(b*c + a*d)
*(2*n + 3))*Sin[e + f*x] + (A*b*d*(2*n + 3) + B*(a*d + 2*b*c*n))*Sin[e + f*
x]^2, x])/Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B
}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && EqQ
[n^2, 1/4]
```

### Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]
), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -(c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[Arc
Sin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

### Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

### Rubi steps

$$\begin{aligned}
\int \sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx))\sqrt{\sec(c + dx)} dx &= \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \frac{\sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx \\
&= \frac{B\sqrt{a + b \cos(c + dx)}\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{1}{2} \left(\sqrt{\cos(c + dx)}\right) \\
&= \frac{B\sqrt{a + b \cos(c + dx)}\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{1}{2} \left(\sqrt{\cos(c + dx)}\right) \\
&= -\frac{\sqrt{a + b}(2Ab + aB)\sqrt{\cos(c + dx)} \csc(c + dx)\Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{bd\sqrt{\sec(c + dx)}} \\
&= -\frac{(a - b)\sqrt{a + b}B\sqrt{\cos(c + dx)} \csc(c + dx)E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{ad\sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 17.4229, size = 795, normalized size = 1.79

$$aB \tan^5\left(\frac{1}{2}(c + dx)\right) - bB \tan^5\left(\frac{1}{2}(c + dx)\right) + 2bB \tan^3\left(\frac{1}{2}(c + dx)\right) + 4Ab\Pi\left(-1; -\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right)\right)\Big|_{\frac{b-a}{a+b}} \sqrt{1 - \tan^2\left(\frac{1}{2}(c + dx)\right)}$$

Antiderivative was successfully verified.

[In] Integrate[Sqrt[a + b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]], x]

[Out] 
$$\begin{aligned}
&-(a*B*\tan[(c + d*x)/2]) - b*B*\tan[(c + d*x)/2] + 2*b*B*\tan[(c + d*x)/2]^3 \\
&+ a*B*\tan[(c + d*x)/2]^5 - b*B*\tan[(c + d*x)/2]^5 + 4*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 2*a*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 4*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 2*a*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - (a + b)*B*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 2*(A*b + a*(-A + B))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)]/(d*Sqrt[(1 + Tan[(c + d*x)/2]^2)/(1 - Tan[(c + d*x)/2]^2)]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(-1 + Tan[(c + d*x)/2]^4))
\end{aligned}$$

**Maple [B]** time = 0.701, size = 1369, normalized size = 3.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^(1/2),x)

[Out]  $-1/d*(1/\cos(d*x+c))^{1/2}/(a+b*\cos(d*x+c))^{1/2}*(2*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*a-2*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b+4*A*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*b-2*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a+2*B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*a+B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a+B*\cos(d*x+c)*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b+2*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a-2*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b+4*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*b*\sin(d*x+c)-2*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*\sin(d*x+c)+2*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*a*\sin(d*x+c)+B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*\sin(d*x+c)+B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b*\sin(d*x+c)+B*\cos(d*x+c)^3*b+B*\cos(d*x+c)^2*a-b*B*\cos(d*x+c)^2-B*\cos(d*x+c)*a)/\sin(d*x+c)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)\*(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c)),x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(sec(d*x + c)), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(1/2)*(a+b*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + B*cos(c + d*x))*sqrt(a + b*cos(c + d*x))*sqrt(sec(c + d*x)), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)*(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(sec(d*x + c)), x)
```



$$3.595 \quad \int \frac{\sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=533

$$\frac{\sqrt{a+b}(a^2(-B)+4aAb+4b^2B)\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}\Pi\left(\frac{a+b}{b};\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{4b^2d\sqrt{\sec(c+dx)}}$$

```
[Out] -((a - b)*Sqrt[a + b]*(4*A*b + a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*a*b*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(4*A*b + (a + 2*b)*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(4*a*A*b - a^2*B + 4*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b^2*d*Sqrt[Sec[c + d*x]]) + (B*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*d*Sqrt[Sec[c + d*x]]) + ((4*A*b + a*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*b*d)
```

**Rubi [A]** time = 1.26508, antiderivative size = 533, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2961, 3003, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b}(a^2(-B)+4aAb+4b^2B)\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}\Pi\left(\frac{a+b}{b};\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{4b^2d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]],x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(4*A*b + a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*a*b*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(4*A*b + (a + 2*b)*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(4*a*A*b - a^2*B + 4*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b^2*d*Sqrt[Sec[c + d*x]]) + (B*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*d*Sqrt[Sec[c + d*x]]) + ((4*A*b + a*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*b*d)
```

**Rule 2961**

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Ssin[e + f*x])^m*(c + d*Ssin[e + f*x])^n)/(g*Ssin[e + f*x])^p, x] /; FreeQ[{a, b, c, d, e, f, g,
```

$m, n, p, x]$  &&  $\text{NeQ}[b*c - a*d, 0]$  &&  $!\text{IntegerQ}[p]$  &&  $!(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$

### Rule 3003

$\text{Int}[\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]]*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])*((c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow \text{Simp}[(-2*B*\text{Cos}[e + f*x]*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(c + d*\text{Sin}[e + f*x])^n)/(f*(2*n + 3)), x] + \text{Dist}[1/(2*n + 3), \text{Int}[(c + d*\text{Sin}[e + f*x])^{(n-1)}*\text{Simp}[a*A*c*(2*n + 3) + B*(b*c + 2*a*d*n) + (B*(a*c + b*d)*(2*n + 1) + A*(b*c + a*d)*(2*n + 3))*\text{Sin}[e + f*x] + (A*b*d*(2*n + 3) + B*(a*d + 2*b*c*n))*\text{Sin}[e + f*x]^2, x]]/\text{Sqrt}[a + b*\text{Sin}[e + f*x]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[n^2, 1/4]$

### Rule 3061

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2)/(\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]]*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]]), x\_Symbol] \rightarrow -\text{Simp}[(C*\text{Cos}[e + f*x]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]])/(d*f*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]), x] + \text{Dist}[1/(2*d), \text{Int}[(1*\text{Simp}[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*\text{Sin}[e + f*x] + (2*b*B*d - C*(b*c + a*d))*\text{Sin}[e + f*x]^2, x]]/((a + b*\text{Sin}[e + f*x])^{(3/2)}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 3053

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2)/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(3/2)}*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]]), x\_Symbol] \rightarrow \text{Dist}[C/b^2, \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/\text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] + \text{Dist}[1/b^2, \text{Int}[(A*b^2 - a^2*C + b*(b*B - 2*a*C))*\text{Sin}[e + f*x]/((a + b*\text{Sin}[e + f*x])^{(3/2)}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 2809

$\text{Int}[\text{Sqrt}[(b_.)*\sin[(e_.) + (f_.)*(x_.)]]/\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*b*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -(c + d)/(c - d))]/(d*f), x] /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{PosQ}[(c + d)/b]$

### Rule 2998

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]]/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(3/2)}*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]]), x\_Symbol] \rightarrow \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{(3/2)}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

### Rule 2816

$\text{Int}[1/(\text{Sqrt}[(d_.)*\sin[(e_.) + (f_.)*(x_.)]]*\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]]), x\_Symbol] \rightarrow \text{Simp}[(-2*\text{Tan}[e + f*x]*\text{Rt}[(a + b)/d, 2]*\text{Sqrt}[(a*(1$

```
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rubi steps

$$\int \frac{\sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx = \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}(A + B \cos(c + dx)) dx$$

$$= \frac{B\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d\sqrt{\sec(c + dx)}} + \frac{1}{4} \left(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}\right) \int \sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)} dx$$

$$= \frac{B\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d\sqrt{\sec(c + dx)}} + \frac{(4Ab + aB)\sqrt{a + b \cos(c + dx)}\sqrt{\sec(c + dx)}}{4bd}$$

$$= \frac{B\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d\sqrt{\sec(c + dx)}} + \frac{(4Ab + aB)\sqrt{a + b \cos(c + dx)}\sqrt{\sec(c + dx)}}{4bd}$$

$$= -\frac{\sqrt{a + b} (4aAb - a^2B + 4b^2B) \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c + dx)}}{\sqrt{a+b \cos(c + dx)}}\right)\right)}{4b^2d\sqrt{\sec(c + dx)}}$$

$$= -\frac{(a - b)\sqrt{a + b}(4Ab + aB)\sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c + dx)}}{\sqrt{a+b \cos(c + dx)}}\right)\right)}{4abd\sqrt{\sec(c + dx)}}$$

**Mathematica [B]** time = 18.6295, size = 1133, normalized size = 2.13

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]], x]
```

```
[Out] (B*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[2*(c + d*x)])/(4*d) + (Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(4*a*A*b*Tan[(c + d*x)/2] + 4*A*b^2*Tan[(c + d*x)/2] + a^2*B*Tan[(c + d*x)/2] + a*b*B*Tan[(c + d*x)/2] - 8*A*b^2*Tan[(c + d*x)/2]^3 - 2*a*b*B*Tan[(c + d*x)/2]^3 - 4*a*A*b*Tan[(c + d*x)/2]^5 + 4*A*b^2*Tan[(c + d*x)/2]^5 - a^2*B*Tan[(c + d*x)/2]^5 + a*b*B*Tan[(c + d*x)/2]^5 - 8*a*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 2*a^2*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 8*b^2*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a +
```



$x+c), (-\frac{a-b}{a+b})^{1/2} * a*b+2*B*\sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-\frac{a-b}{a+b})^{1/2} * a*b+B*\sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-\frac{a-b}{a+b})^{1/2} * a*b+4*A * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \sin(d*x+c) * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-\frac{a-b}{a+b})^{1/2} * b^2-4*B*\sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-\frac{a-b}{a+b})^{1/2} * b^2-2*B*\sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-\frac{a-b}{a+b})^{1/2} * a^2+8*B*\sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-\frac{a-b}{a+b})^{1/2} * b^2+B*\sin(d*x+c) * (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} * (1/(a+b) * (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} * \text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-\frac{a-b}{a+b})^{1/2} * a^2) * (1/\cos(d*x+c))^{1/2} / \sin(d*x+c) / (a+b*\cos(d*x+c))^{1/2}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*(a+b\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(1/2),x, algorith="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/sqrt(sec(d\*x + c)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*(a+b\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(1/2),x, algorith="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/sqrt(sec(d\*x + c)), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx)) \sqrt{a + b \cos(c + dx)}}{\sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*(a+b\*cos(d\*x+c))\*\*(1/2)/sec(d\*x+c)\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))\*sqrt(a + b\*cos(c + d\*x))/sqrt(sec(c + d\*x)), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*(a+b\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/sqrt(sec(d\*x + c)), x)

$$3.596 \quad \int \frac{\sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx$$

**Optimal.** Leaf size=620

$$\frac{(-3a^2B + 6aAb + 16b^2B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{24b^2d} - \frac{(a - b) \sqrt{a + b} (-3a^2B + 6aAb + 16b^2B) \sqrt{\cos(c + dx)}}{24b^2d}$$

```
[Out] -((a - b)*Sqrt[a + b]*(6*a*A*b - 3*a^2*B + 16*b^2*B)*Sqrt[Cos[c + d*x]]*Csc
[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c
+ d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(
a*(1 + Sec[c + d*x]))/(a - b)]/(24*a*b^2*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a +
b]*(a + 2*b)*(6*A*b - 3*a*B + 8*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*Ellip
ticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((
a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c +
d*x]))/(a - b)]/(24*b^2*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(2*a^2*A*b -
8*A*b^3 - a^3*B - 4*a*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a
+ b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])],
-((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c
+ d*x]))/(a - b)]/(8*b^3*d*Sqrt[Sec[c + d*x]]) + ((2*A*b - a*B)*Sqrt[a +
b*Cos[c + d*x]]*Sin[c + d*x])/(4*b*d*Sqrt[Sec[c + d*x]]) + (B*(a + b*Cos[c
+ d*x])^(3/2)*Sin[c + d*x])/(3*b*d*Sqrt[Sec[c + d*x]]) + ((6*a*A*b - 3*a^2*
B + 16*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(24
*b^2*d)
```

**Rubi [A]** time = 1.74001, antiderivative size = 620, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$ , Rules used = {2961, 2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(-3a^2B + 6aAb + 16b^2B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{24b^2d} - \frac{(a - b) \sqrt{a + b} (-3a^2B + 6aAb + 16b^2B) \sqrt{\cos(c + dx)}}{24b^2d}$$

Antiderivative was successfully verified.

```
[In] Int[(Sqrt[a + b*Cos[c + d*x]]*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(6*a*A*b - 3*a^2*B + 16*b^2*B)*Sqrt[Cos[c + d*x]]*Csc
[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c
+ d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(
a*(1 + Sec[c + d*x]))/(a - b)]/(24*a*b^2*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a +
b]*(a + 2*b)*(6*A*b - 3*a*B + 8*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*Ellip
ticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((
a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c +
d*x]))/(a - b)]/(24*b^2*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(2*a^2*A*b -
8*A*b^3 - a^3*B - 4*a*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a
+ b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])],
-((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c
+ d*x]))/(a - b)]/(8*b^3*d*Sqrt[Sec[c + d*x]]) + ((2*A*b - a*B)*Sqrt[a +
b*Cos[c + d*x]]*Sin[c + d*x])/(4*b*d*Sqrt[Sec[c + d*x]]) + (B*(a + b*Cos[c
+ d*x])^(3/2)*Sin[c + d*x])/(3*b*d*Sqrt[Sec[c + d*x]]) + ((6*a*A*b - 3*a^2*
B + 16*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(24
*b^2*d)
```

**Rule 2961**

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

#### Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

#### Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

#### Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C))*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
```



+ d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

#### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rubi steps

$$\begin{aligned}
\int \frac{\sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx))}{\sec^{\frac{3}{2}}(c+dx)} dx &= \left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \cos^{\frac{3}{2}}(c+dx)\sqrt{a+b \cos(c+dx)}(A+B \cos(c+dx)) dx \\
&= \frac{B(a+b \cos(c+dx))^{\frac{3}{2}} \sin(c+dx)}{3bd\sqrt{\sec(c+dx)}} + \frac{\left(\sqrt{\cos(c+dx)}\sqrt{\sec(c+dx)}\right) \int \frac{\sqrt{a+b \cos(c+dx)}}{\sec^{\frac{3}{2}}(c+dx)} dx}{1} \\
&= \frac{(2Ab-aB)\sqrt{a+b \cos(c+dx)} \sin(c+dx)}{4bd\sqrt{\sec(c+dx)}} + \frac{B(a+b \cos(c+dx))^{\frac{3}{2}} \sin(c+dx)}{3bd\sqrt{\sec(c+dx)}} \\
&= \frac{(2Ab-aB)\sqrt{a+b \cos(c+dx)} \sin(c+dx)}{4bd\sqrt{\sec(c+dx)}} + \frac{B(a+b \cos(c+dx))^{\frac{3}{2}} \sin(c+dx)}{3bd\sqrt{\sec(c+dx)}} \\
&= \frac{(2Ab-aB)\sqrt{a+b \cos(c+dx)} \sin(c+dx)}{4bd\sqrt{\sec(c+dx)}} + \frac{B(a+b \cos(c+dx))^{\frac{3}{2}} \sin(c+dx)}{3bd\sqrt{\sec(c+dx)}} \\
&= \frac{\sqrt{a+b} \left(2a^2Ab - 8Ab^3 - a^3B - 4ab^2B\right) \sqrt{\cos(c+dx)} \csc(c+dx) \Pi\left(\frac{a+b}{b}; \frac{c+dx}{2}\right)}{8b^3d\sqrt{\sec(c+dx)}} \\
&= -\frac{(a-b)\sqrt{a+b} \left(6aAb - 3a^2B + 16b^2B\right) \sqrt{\cos(c+dx)} \csc(c+dx) E\left(\sin^{-1}\left(\frac{a+b \cos(c+dx)}{a+b}\right)\right)}{24ab^2d\sqrt{\sec(c+dx)}}
\end{aligned}$$

**Mathematica [B]** time = 14.6712, size = 1549, normalized size = 2.5

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(Sqrt[a + b\*Cos[c + d\*x]]\*(A + B\*Cos[c + d\*x]))/Sec[c + d\*x]^(3/2),x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((B\*Sin[c + d\*x])/12 + ((6\*A\*b + a\*B)\*Sin[2\*(c + d\*x)]/(24\*b) + (B\*Sin[3\*(c + d\*x)]/12))/d + (Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(1 + Tan[(c + d\*x)/2]^2])\*(6\*a^2\*A\*b\*Tan[(c + d\*x)/2] + 6\*a\*A\*b^2\*Tan[(c + d\*x)/2] - 3\*a^3\*B\*Tan[(c + d\*x)/2] - 3\*a^2\*b\*B\*Tan[(c + d\*x)/2] + 16\*a\*b^2\*B\*Tan[(c + d\*x)/2] + 16\*b^3\*B\*Tan[(c + d\*x)/2] - 12\*a\*A\*b^2\*Tan[(c + d\*x)/2]^3 + 6\*a^2\*b\*B\*Tan[(c + d\*x)/2]^3 - 32\*b^3\*B\*Tan[(c + d\*x)/2]^3 - 6\*a^2\*A\*b\*Tan[(c + d\*x)/2]^5 + 6\*a\*A\*b^2\*Tan[(c + d\*x)/2]^5 + 3\*a^3\*B\*Tan[(c + d\*x)/2]^5 - 3\*a^2\*b\*B\*Tan[(c + d\*x)/2]^5 - 16\*a\*b^2\*B\*Tan[(c + d\*x)/2]^5 + 16\*b^3\*B\*Tan[(c + d\*x)/2]^5 + 12\*a^2\*A\*b\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - 48\*A\*b^3\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - 6\*a^3\*B\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - 24\*a\*b^2\*B\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 12\*a^2\*A\*b\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - 48\*A\*b^3\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)]

$$\begin{aligned}
& - 6*a^3*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*sqrt[1 - Tan[(c + d*x)/2]^2]*sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 24*a*b^2*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*sqrt[1 - Tan[(c + d*x)/2]^2]*sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] \\
& - (a + b)*(-6*a*A*b + 3*a^2*B - 16*b^2*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 2*b*(-12*A*b^2 + 2*a*b*(3*A - 7*B) + a^2*B)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)])) / (24*b^2*d*(-1 + Tan[(c + d*x)/2]^2)*sqrt[(1 + Tan[(c + d*x)/2]^2)/(1 - Tan[(c + d*x)/2]^2)]*(b*(-1 + Tan[(c + d*x)/2]^2) - a*(1 + Tan[(c + d*x)/2]^2)))
\end{aligned}$$

**Maple [B]** time = 0.787, size = 2957, normalized size = 4.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*(a+b\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(3/2), x)

[Out] 
$$\begin{aligned}
& -1/24/d/b^2*(6*A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*a^2*b-6*A*a*b^2*cos(d*x+c)^2+3*B*a^2*b*cos(d*x+c)^2-6*A*a^2*b*cos(d*x+c)-B*cos(d*x+c)^3*a^2*b+10*B*cos(d*x+c)^4*a*b^2+18*A*cos(d*x+c)^3*a*b^2-24*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*b^3*sin(d*x+c)+8*B*cos(d*x+c)^5*b^3+8*B*cos(d*x+c)^3*b^3-3*B*cos(d*x+c)^2*a^3-16*B*cos(d*x+c)^2*b^3-12*A*cos(d*x+c)^2*b^3+6*A*cos(d*x+c)^2*a^2*b+6*B*cos(d*x+c)^2*a*b^2-12*A*cos(d*x+c)*a*b^2-2*B*cos(d*x+c)*a^2*b-16*B*cos(d*x+c)*a*b^2+6*A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*a*b^2+12*A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*a*b^2-12*A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*sin(d*x+c)*a^2*b-3*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*a^2*b+16*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*a*b^2+2*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*a^2*b-28*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*b^3+48*A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*sin(d*x+c)*b^3-3*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*a^3+16*B*cos
\end{aligned}$$

$$\begin{aligned}
& (d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*b^3+6*B*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*a^3+6*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)+6*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2*\sin(d*x+c)+12*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2*\sin(d*x+c)-12*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)-3*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)+16*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2*\sin(d*x+c)+2*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)-28*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b^2*\sin(d*x+c)+24*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*a*b^2*\sin(d*x+c)+3*B*a^3*\cos(d*x+c)+12*A*\cos(d*x+c)^4*b^3+48*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*b^3*\sin(d*x+c)-3*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a^3*\sin(d*x+c)+16*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*b^3*\sin(d*x+c)+6*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*a^3*\sin(d*x+c))*\cos(d*x+c)*(1/\cos(d*x+c))^{3/2}/\sin(d*x+c)/(a+b*\cos(d*x+c))^{1/2}
\end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*(a+b\*cos(d\*x+c))^(1/2)/sec(d\*x+c)^(3/2), x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/sec(d\*x + c)^(3/2), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*(a+b*cos(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*(a+b*cos(d*x+c))**(1/2)/sec(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*(a+b*cos(d*x+c))^(1/2)/sec(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/sec(d*x + c)^(3/2), x)
```

$$3.597 \quad \int (a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sec^{11/2}(c+dx) dx$$

**Optimal.** Leaf size=562

$$\frac{2(49a^2A + 72abB + 3Ab^2) \sin(c+dx) \sec^{5/2}(c+dx) \sqrt{a+b \cos(c+dx)}}{315ad} + \frac{2(88a^2Ab + 75a^3B + 9ab^2B - 4Ab^3) \sin(c+dx)}{315a^2d}$$

[Out] (2\*(a - b)\*Sqrt[a + b]\*(147\*a^4\*A + 33\*a^2\*A\*b^2 + 8\*A\*b^4 + 246\*a^3\*b\*B - 18\*a\*b^3\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(315\*a^4\*d\*Sqrt[Sec[c + d\*x]]) + (2\*(a - b)\*Sqrt[a + b]\*(8\*A\*b^3 - a^3\*(147\*A - 75\*B) + 3\*a^2\*b\*(13\*A - 57\*B) + 6\*a\*b^2\*(A - 3\*B))\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(315\*a^3\*d\*Sqrt[Sec[c + d\*x]]) + (2\*(88\*a^2\*A\*b - 4\*A\*b^3 + 75\*a^3\*B + 9\*a\*b^2\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(315\*a^2\*d) + (2\*(49\*a^2\*A + 3\*A\*b^2 + 72\*a\*b\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(315\*a\*d) + (2\*(10\*A\*b + 9\*a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(63\*d) + (2\*a\*A\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(9/2)\*Sin[c + d\*x])/(9\*d)

**Rubi [A]** time = 2.07837, antiderivative size = 562, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2989, 3055, 2998, 2816, 2994}

$$\frac{2(49a^2A + 72abB + 3Ab^2) \sin(c+dx) \sec^{5/2}(c+dx) \sqrt{a+b \cos(c+dx)}}{315ad} + \frac{2(88a^2Ab + 75a^3B + 9ab^2B - 4Ab^3) \sin(c+dx)}{315a^2d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(11/2), x]

[Out] (2\*(a - b)\*Sqrt[a + b]\*(147\*a^4\*A + 33\*a^2\*A\*b^2 + 8\*A\*b^4 + 246\*a^3\*b\*B - 18\*a\*b^3\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(315\*a^4\*d\*Sqrt[Sec[c + d\*x]]) + (2\*(a - b)\*Sqrt[a + b]\*(8\*A\*b^3 - a^3\*(147\*A - 75\*B) + 3\*a^2\*b\*(13\*A - 57\*B) + 6\*a\*b^2\*(A - 3\*B))\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(315\*a^3\*d\*Sqrt[Sec[c + d\*x]]) + (2\*(88\*a^2\*A\*b - 4\*A\*b^3 + 75\*a^3\*B + 9\*a\*b^2\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(315\*a^2\*d) + (2\*(49\*a^2\*A + 3\*A\*b^2 + 72\*a\*b\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(315\*a\*d) + (2\*(10\*A\*b + 9\*a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(7/2)\*Sin[c + d\*x])/(63\*d) + (2\*a\*A\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(9/2)\*Sin[c + d\*x])/(9\*d)

**Rule 2961**

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d

$\text{*Sin}[e + f*x]^n / (\text{g*Sin}[e + f*x]^p, x], x] /;$  FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2989

$\text{Int}[(a_.) + (b_.)\text{sin}[(e_.) + (f_.)x]^m * ((A_.) + (B_.)\text{sin}[(e_.) + (f_.)x]^n), x\_Symbol] := -\text{Simp}[(b*c - a*d)*(B*c - A*d)\text{Cos}[e + f*x]*(a + b\text{Sin}[e + f*x])^{m-1}*(c + d\text{Sin}[e + f*x])^{n+1}]/(d*f*(n+1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n+1)*(c^2 - d^2)), \text{Int}[(a + b\text{Sin}[e + f*x])^{m-2}*(c + d\text{Sin}[e + f*x])^{n+1}]*\text{Simp}[b*(b*c - a*d)*(B*c - A*d)*(m-1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n+1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n+1) - a*(b*c - a*d)*(B*c - A*d)*(n+2))*\text{Sin}[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m+n+1) - b*B*(c^2*m + d^2*(n+1)))*\text{Sin}[e + f*x]^2, x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

#### Rule 3055

$\text{Int}[(a_.) + (b_.)\text{sin}[(e_.) + (f_.)x]^m * ((c_.) + (d_.)\text{sin}[(e_.) + (f_.)x]^n + (C_.)\text{sin}[(e_.) + (f_.)x]^2), x\_Symbol] := -\text{Simp}[(A*b^2 - a*b*B + a^2*C)\text{Cos}[e + f*x]*(a + b\text{Sin}[e + f*x])^{m+1}*(c + d\text{Sin}[e + f*x])^{n+1}]/(f*(m+1)*(b*c - a*d)*(a^2 - b^2)), x] + \text{Dist}[1/((m+1)*(b*c - a*d)*(a^2 - b^2)), \text{Int}[(a + b\text{Sin}[e + f*x])^{m+1}*(c + d\text{Sin}[e + f*x])^n*\text{Simp}[(m+1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m+n+2) - (c*(A*b^2 - a*b*B + a^2*C) + (m+1)*(b*c - a*d)*(A*b - a*B + b*C))*\text{Sin}[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m+n+3))*\text{Sin}[e + f*x]^2, x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 2998

$\text{Int}[(A_.) + (B_.)\text{sin}[(e_.) + (f_.)x] / (((a_.) + (b_.)\text{sin}[(e_.) + (f_.)x]^{3/2}*\text{Sqrt}[(c_.) + (d_.)\text{sin}[(e_.) + (f_.)x]]), x\_Symbol] := \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b\text{Sin}[e + f*x]]*\text{Sqrt}[c + d\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x]) / ((a + b\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[c + d\text{Sin}[e + f*x]]), x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

#### Rule 2816

$\text{Int}[1/(\text{Sqrt}[(d_.)\text{sin}[(e_.) + (f_.)x]]*\text{Sqrt}[(a_.) + (b_.)\text{sin}[(e_.) + (f_.)x]]), x\_Symbol] := \text{Simp}[(-2*\text{Tan}[e + f*x]*\text{Rt}[(a + b)/d, 2]*\text{Sqrt}[(a*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Csc}[e + f*x]))/(a - b)]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b\text{Sin}[e + f*x]]/(\text{Sqrt}[d\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /;$  FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

$\text{Int}[(A_.) + (B_.)\text{sin}[(e_.) + (f_.)x] / (((b_.)\text{sin}[(e_.) + (f_.)x]^{3/2}*\text{Sqrt}[(c_.) + (d_.)\text{sin}[(e_.) + (f_.)x]]), x\_Symbol] := \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d\text{Sin}[e + f$

\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2]], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

### Rubi steps

$$\begin{aligned}
 \int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^{\frac{11}{2}}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^{\frac{11}{2}}(c + dx)}{\cos^{\frac{11}{2}}(c + dx)} dx \\
 &= \frac{2aA \sqrt{a + b \cos(c + dx)} \sec^{\frac{9}{2}}(c + dx) \sin(c + dx)}{9d} + \frac{1}{9} \left( 2\sqrt{a + b \cos(c + dx)} \sec^{\frac{7}{2}}(c + dx) \sin(c + dx) \right) \\
 &= \frac{2(10Ab + 9aB) \sqrt{a + b \cos(c + dx)} \sec^{\frac{7}{2}}(c + dx) \sin(c + dx)}{63d} \\
 &= \frac{2(49a^2 A + 3Ab^2 + 72abB) \sqrt{a + b \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx) \sin(c + dx)}{315ad} \\
 &= \frac{2(88a^2 Ab - 4Ab^3 + 75a^3 B + 9ab^2 B) \sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{315a^2 d} \\
 &= \frac{2(88a^2 Ab - 4Ab^3 + 75a^3 B + 9ab^2 B) \sqrt{a + b \cos(c + dx)} \sec^{\frac{1}{2}}(c + dx) \sin(c + dx)}{315a^2 d} \\
 &= \frac{2(a - b) \sqrt{a + b} (147a^4 A + 33a^2 Ab^2 + 8Ab^4 + 246a^3 bB - 18a^2 b^3 B)}{315a^2 d}
 \end{aligned}$$

**Mathematica [B]** time = 25.675, size = 3739, normalized size = 6.65

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(11/2), x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((2\*(147\*a^4\*A + 33\*a^2\*A\*b^2 + 8\*A\*b^4 + 246\*a^3\*b\*B - 18\*a\*b^3\*B)\*Sin[c + d\*x])/(315\*a^3) + (2\*Sec[c + d\*x]^3\*(10\*A\*b\*SIN[c + d\*x] + 9\*a\*B\*SIN[c + d\*x]))/63 + (2\*Sec[c + d\*x]^2\*(49\*a^2\*A\*SIN[c + d\*x] + 3\*A\*b^2\*SIN[c + d\*x] + 72\*a\*b\*B\*SIN[c + d\*x]))/(315\*a) + (2\*Sec[c + d\*x]\*(88\*a^2\*A\*b\*SIN[c + d\*x] - 4\*A\*b^3\*SIN[c + d\*x] + 75\*a^3\*B\*SIN[c + d\*x] + 9\*a\*b^2\*B\*SIN[c + d\*x]))/(315\*a^2) + (2\*a\*A\*Sec[c + d\*x]^3\*Tan[c + d\*x])/9)/d + (2\*((-7\*a^2\*A)/(15\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) - (11\*A\*b^2)/(105\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) - (8\*A\*b^4)/(315\*a^2\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) - (82\*a\*b\*B)/(105\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) + (2\*b^3\*B)/(35\*a\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) + (13\*a\*A\*b\*Sqrt[Sec[c + d\*x]])/(105\*Sqrt[a + b\*Cos[c + d\*x]]) - (31\*A\*b^3\*Sqrt[Sec[c + d\*x]])/(315\*a\*Sqrt[a + b\*Cos[c + d\*x]]) - (8\*A\*b^5\*Sqrt[Sec[c + d\*x]])/(315\*a^3\*Sqrt[a + b\*Cos[c + d\*x]]) + (5\*a^2\*B\*Sqrt[Sec[c + d\*x]])/(21\*Sqrt[a + b\*Cos[c + d\*x]]) - (31\*b^2\*B\*Sqrt[Sec[c + d\*x]])/(105\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*b^4\*B\*Sqrt[Sec[c + d\*x]])/(35\*a^2\*Sqrt[a + b\*Cos[c + d\*x]]) - (7\*a\*A\*b\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(15\*Sqrt[a + b\*Cos[c + d\*x]]) - (11\*A\*b^3\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(105\*a\*Sqrt[a + b\*Cos[c + d\*x]]) - (8\*A\*b^5\*



$$\begin{aligned}
& \cos[2(c + dx)] \sqrt{\sec[c + dx]} / (315a^3 \sqrt{a + b \cos[c + dx]}) - (82b^2 B \cos[2(c + dx)] \sqrt{\sec[c + dx]} / (105 \sqrt{a + b \cos[c + dx]})) \\
& + (2b^4 B \cos[2(c + dx)] \sqrt{\sec[c + dx]} / (35a^2 \sqrt{a + b \cos[c + dx]})) \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} (-2(a + b)(147a^4 A + 33a^2 A b^2 + 8A b^4 + 246a^3 b B - 18a b^3 B) \sqrt{\cos[c + dx]} / (1 + \cos[c + dx])) \\
& \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] + 2a(a + b)(8A b^3 - 6a b^2(A + 3B) + 3a^3(49A + 25B) + 3a^2 b(13A + 57B)) \sqrt{\cos[c + dx]} / (1 + \cos[c + dx]) \\
& \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] - (147a^4 A + 33a^2 A b^2 + 8A b^4 + 246a^3 b B - 18a b^3 B) \cos[c + dx] (a + b \cos[c + dx]) \sec[(c + dx)/2]^2 \tan[(c + dx)/2]) \\
& / (315a^3 d \sqrt{a + b \cos[c + dx]} \sqrt{\sec[(c + dx)/2]^2} ((b \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} \sin[c + dx] (-2(a + b)(147a^4 A + 33a^2 A b^2 + 8A b^4 + 246a^3 b B - 18a b^3 B) \sqrt{\cos[c + dx]} / (1 + \cos[c + dx])) \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] + 2a(a + b)(8A b^3 - 6a b^2(A + 3B) + 3a^3(49A + 25B) + 3a^2 b(13A + 57B)) \sqrt{\cos[c + dx]} / (1 + \cos[c + dx]) \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] - (147a^4 A + 33a^2 A b^2 + 8A b^4 + 246a^3 b B - 18a b^3 B) \cos[c + dx] (a + b \cos[c + dx]) \sec[(c + dx)/2]^2 \tan[(c + dx)/2]) / (315a^3 (a + b \cos[c + dx])^{3/2} \sqrt{\sec[(c + dx)/2]^2}) \\
& - (\sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} \tan[(c + dx)/2] (-2(a + b)(147a^4 A + 33a^2 A b^2 + 8A b^4 + 246a^3 b B - 18a b^3 B) \sqrt{\cos[c + dx]} / (1 + \cos[c + dx])) \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] + 2a(a + b)(8A b^3 - 6a b^2(A + 3B) + 3a^3(49A + 25B) + 3a^2 b(13A + 57B)) \sqrt{\cos[c + dx]} / (1 + \cos[c + dx]) \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] - (147a^4 A + 33a^2 A b^2 + 8A b^4 + 246a^3 b B - 18a b^3 B) \cos[c + dx] (a + b \cos[c + dx]) \sec[(c + dx)/2]^2 \tan[(c + dx)/2]) / (315a^3 \sqrt{a + b \cos[c + dx]} \sqrt{\sec[(c + dx)/2]^2}) + (2 \sqrt{\cos[(c + dx)/2]^2 \sec[c + dx]} (-((147a^4 A + 33a^2 A b^2 + 8A b^4 + 246a^3 b B - 18a b^3 B) \cos[c + dx] (a + b \cos[c + dx]) \sec[(c + dx)/2]^4) / 2 - ((a + b)(147a^4 A + 33a^2 A b^2 + 8A b^4 + 246a^3 b B - 18a b^3 B) \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] * ((\cos[c + dx] \sin[c + dx]) / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx])) / \sqrt{\cos[c + dx]} / (1 + \cos[c + dx]) + (a(a + b)(8A b^3 - 6a b^2(A + 3B) + 3a^3(49A + 25B) + 3a^2 b(13A + 57B)) \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] * ((\cos[c + dx] \sin[c + dx]) / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx])) / \sqrt{\cos[c + dx]} / (1 + \cos[c + dx])) - ((a + b)(147a^4 A + 33a^2 A b^2 + 8A b^4 + 246a^3 b B - 18a b^3 B) \sqrt{\cos[c + dx]} / (1 + \cos[c + dx])) \operatorname{EllipticE}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] * ((b \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])) + ((a + b \cos[c + dx]) \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])^2)) / \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} + (a(a + b)(8A b^3 - 6a b^2(A + 3B) + 3a^3(49A + 25B) + 3a^2 b(13A + 57B)) \sqrt{\cos[c + dx]} / (1 + \cos[c + dx])) \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] * ((b \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])) + ((a + b \cos[c + dx]) \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])^2)) / \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} + b(147a^4 A + 33a^2 A b^2 + 8A b^4 + 246a^3 b B - 18a b^3 B) \cos[c + dx] \sec[(c + dx)/2]^2 \sin[c + dx] \tan[(c + dx)/2] + (147a^4 A + 33a^2 A b^2 + 8A b^4 + 246a^3 b B - 18a b^3 B) (a + b \cos[c + dx]) \sec[(c + dx)/2]^2 \sin[c + dx] \tan[(c + dx)/2] - (147a^4 A + 33a^2 A b^2 + 8A b^4 + 246a^3 b B - 18a b^3 B) \cos[c + dx] (a + b \cos[c + dx]) \sec[(c + dx)/2]^2 \tan[(c + dx)/2]^2 + (a(a + b)(8A b^3 - 6a b^2(A + 3B) + 3a^3(49A + 25B) + 3a^2 b(13A + 57B)) \sqrt{\cos[c + dx]} / (1 + \cos[c + dx])) \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))}
\end{aligned}$$

$$\begin{aligned} & /((a+b)*(1+\cos[c+dx]))*\sec[(c+dx)/2]^2/(\sqrt{1-\tan[(c+dx)/2]^2}*\sqrt{1-((-a+b)*\tan[(c+dx)/2]^2)/(a+b)}) - ((a+b)*(147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B)*\sqrt{\cos[c+dx]/(1+\cos[c+dx])}*\sqrt{(a+b*\cos[c+dx])/(a+b)*(1+\cos[c+dx])})*\sec[(c+dx)/2]^2*\sqrt{1-((-a+b)*\tan[(c+dx)/2]^2)/(a+b)})/\sqrt{1-\tan[(c+dx)/2]^2})/(315*a^3*\sqrt{a+b*\cos[c+dx]}*\sqrt{\sec[(c+dx)/2]^2}) + ((-2*(a+b)*(147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B)*\sqrt{\cos[c+dx]/(1+\cos[c+dx])}*\sqrt{(a+b*\cos[c+dx])/(a+b)*(1+\cos[c+dx])})*\ellipticE[\text{ArcSin}[\tan[(c+dx)/2]], (-a+b)/(a+b)] + 2*a*(a+b)*(8*A*b^3 - 6*a*b^2*(A+3*B) + 3*a^3*(49*A+25*B) + 3*a^2*b*(13*A+57*B))*\sqrt{\cos[c+dx]/(1+\cos[c+dx])}*\sqrt{(a+b*\cos[c+dx])/(a+b)*(1+\cos[c+dx])})*\ellipticF[\text{ArcSin}[\tan[(c+dx)/2]], (-a+b)/(a+b)] - (147*a^4*A + 33*a^2*A*b^2 + 8*A*b^4 + 246*a^3*b*B - 18*a*b^3*B)*\cos[c+dx]*(a+b*\cos[c+dx])*sec[(c+dx)/2]^2*\tan[(c+dx)/2]*(-(\cos[(c+dx)/2]*\sec[c+dx]*\sin[(c+dx)/2]) + \cos[(c+dx)/2]^2*\sec[c+dx]*\tan[c+dx]))/(315*a^3*\sqrt{a+b*\cos[c+dx]}*\sqrt{\sec[(c+dx)/2]^2}*\sqrt{\cos[(c+dx)/2]^2*\sec[c+dx]})) \end{aligned}$$

**Maple [B]** time = 0.969, size = 4399, normalized size = 7.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\cos(dx+c))^{3/2}*(A+B*\cos(dx+c))*\sec(dx+c)^{11/2}, x)$

[Out] 
$$\begin{aligned} & -2/315/d/a^3*(186*A*\sin(dx+c)*\cos(dx+c)^5*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\ellipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^4*b-33*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\sin(dx+c)*\cos(dx+c)^5*\ellipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^2*b^3-8*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\sin(dx+c)*\cos(dx+c)^5*\ellipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b^4+246*B*\sin(dx+c)*\cos(dx+c)^5*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\ellipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^4*b+153*B*\sin(dx+c)*\cos(dx+c)^5*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\ellipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^3*b^2-18*B*\sin(dx+c)*\cos(dx+c)^5*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\ellipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^2*b^3-246*B*\sin(dx+c)*\cos(dx+c)^5*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\ellipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^4*b-246*B*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\sin(dx+c)*\cos(dx+c)^5*\ellipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^3*b^2+18*B*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\sin(dx+c)*\cos(dx+c)^5*\ellipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^2*b^3+18*B*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\sin(dx+c)*\cos(dx+c)^5*\ellipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b^4+186*A*\sin(dx+c)*\cos(dx+c)^4*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\ellipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^4*b+33*A*\sin(dx+c)*\cos(dx+c)^4*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\ellipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^3*b^2+2*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\sin(dx+c)*\cos(dx+c)^4*\ellipticF((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^2*b^3+8*A*s \end{aligned}$$



$(a+b) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c))^{1/2} \cdot \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \cdot a^5 + 147 \cdot A \cdot \sin(dx+c) \cdot \cos(dx+c)^4 \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot (1/(a+b) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \cdot \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \cdot a^5 - 147 \cdot A \cdot \sin(dx+c) \cdot \cos(dx+c)^4 \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot (1/(a+b) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \cdot a^5 - 8 \cdot A \cdot \sin(dx+c) \cdot \cos(dx+c)^4 \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot (1/(a+b) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \cdot \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \cdot b^5 + 75 \cdot B \cdot \sin(dx+c) \cdot \cos(dx+c)^4 \cdot (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \cdot (1/(a+b) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \cdot \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \cdot a^5 \cdot \cos(dx+c) / (a+b \cdot \cos(dx+c))^{1/2} \cdot (1/\cos(dx+c))^{11/2} / \sin(dx+c)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx+c) + A)(b \cos(dx+c) + a)^{3/2} \sec(dx+c)^{11/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(3/2)\*(A+B\*cos(dx+c))\*sec(dx+c)^(11/2),x, algorithm="maxima")

[Out] integrate((B\*cos(dx+c) + A)\*(b\*cos(dx+c) + a)^(3/2)\*sec(dx+c)^(11/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(dx+c)^2 + Aa + (Ba + Ab) \cos(dx+c)\right) \sqrt{b \cos(dx+c) + a} \sec(dx+c)^{11/2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(3/2)\*(A+B\*cos(dx+c))\*sec(dx+c)^(11/2),x, algorithm="fricas")

[Out] integral((B\*b\*cos(dx+c)^2 + A\*a + (B\*a + A\*b)\*cos(dx+c))\*sqrt(b\*cos(dx+c) + a)\*sec(dx+c)^(11/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))\*\*(3/2)\*(A+B\*cos(dx+c))\*sec(dx+c)\*\*(11/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(11/2),x, algo
rithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^(11/
2), x)
```

$$3.598 \quad \int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=473

$$\frac{2(25a^2A + 42abB + 3Ab^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}}{105ad} - \frac{2(a - b) \sqrt{a + b} (a^2(-25A - 63B)) + 3ab(19A - 7B)}{105ad}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*Sqrt[
Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[
a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x])
)/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(105*a^3*d*Sqrt[Sec[c + d*
x]]) - (2*(a - b)*Sqrt[a + b]*(6*A*b^2 - a^2*(25*A - 63*B) + 3*a*b*(19*A -
7*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d
*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Se
c[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(105*a^2*d*Sqrt
[Sec[c + d*x]]) + (2*(25*a^2*A + 3*A*b^2 + 42*a*b*B)*Sqrt[a + b*Cos[c + d*x
]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(105*a*d) + (2*(8*A*b + 7*a*B)*Sqrt[a +
b*Cos[c + d*x]]*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(35*d) + (2*a*A*Sqrt[a +
b*Cos[c + d*x]]*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(7*d)
```

**Rubi [A]** time = 1.52908, antiderivative size = 473, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2989, 3055, 2998, 2816, 2994}

$$\frac{2(25a^2A + 42abB + 3Ab^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}}{105ad} - \frac{2(a - b) \sqrt{a + b} (a^2(-25A - 63B)) + 3ab(19A - 7B)}{105ad}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*Sqrt[
Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[
a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x])
)/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(105*a^3*d*Sqrt[Sec[c + d*
x]]) - (2*(a - b)*Sqrt[a + b]*(6*A*b^2 - a^2*(25*A - 63*B) + 3*a*b*(19*A -
7*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d
*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Se
c[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(105*a^2*d*Sqrt
[Sec[c + d*x]]) + (2*(25*a^2*A + 3*A*b^2 + 42*a*b*B)*Sqrt[a + b*Cos[c + d*x
]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(105*a*d) + (2*(8*A*b + 7*a*B)*Sqrt[a +
b*Cos[c + d*x]]*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(35*d) + (2*a*A*Sqrt[a +
b*Cos[c + d*x]]*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(7*d)
```

### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dis
t[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^m*(c + d
*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 2989

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c +
d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Ssin[e + f*x])^(m - 2)*(c + d*Ssin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

```

Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)^2], x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Ssin[e + f*x])^(m + 1)*(c + d*Ssin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rule 2998

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Ssin[
e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]

```

Rule 2816

```

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[Arc
Sin[Sqrt[a + b*Ssin[e + f*x]]/(Sqrt[d*Ssin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]

```

Rule 2994

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Ssin[e + f
*x]]/(Sqrt[b*Ssin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]

```

Rubi steps

$$\begin{aligned}
 \int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx)}{\cos^2(c + dx)} dx \\
 &= \frac{2aA \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{7d} + \frac{1}{7} \left( 2\sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx) \right) \\
 &= \frac{2(8Ab + 7aB) \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{35d} \\
 &= \frac{2(25a^2A + 3Ab^2 + 42abB) \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{105ad} \\
 &= \frac{2(25a^2A + 3Ab^2 + 42abB) \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{105ad} \\
 &= \frac{2(a - b) \sqrt{a + b} (82a^2Ab - 6Ab^3 + 63a^3B + 21ab^2B) \sqrt{\cos(c + dx)}}{105ad}
 \end{aligned}$$

**Mathematica [B]** time = 24.3363, size = 3318, normalized size = 7.01

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(9/2), x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((-2\*(-82\*a^2\*A\*b + 6\*A\*b^3 - 63\*a^3\*B - 21\*a\*b^2\*B)\*Sin[c + d\*x])/(105\*a^2) + (2\*Sec[c + d\*x]^2\*(8\*A\*b\*Sin[c + d\*x] + 7\*a\*B\*Sin[c + d\*x]))/35 + (2\*Sec[c + d\*x]\*(25\*a^2\*A\*Sin[c + d\*x] + 3\*A\*b^2\*Sin[c + d\*x] + 42\*a\*b\*B\*Sin[c + d\*x]))/(105\*a) + (2\*a\*A\*Sec[c + d\*x]^2\*Tan[c + d\*x])/7))/d + (2\*((-82\*a\*A\*b)/(105\*Sqrt[a + b\*Cos[c + d\*x]])\*Sqrt[Sec[c + d\*x]] + (2\*A\*b^3)/(35\*a\*Sqrt[a + b\*Cos[c + d\*x]])\*Sqrt[Sec[c + d\*x]]) - (3\*a^2\*B)/(5\*Sqrt[a + b\*Cos[c + d\*x]])\*Sqrt[Sec[c + d\*x]] - (b^2\*B)/(5\*Sqrt[a + b\*Cos[c + d\*x]])\*Sqrt[Sec[c + d\*x]] + (5\*a^2\*A\*Sqrt[Sec[c + d\*x]])/(21\*Sqrt[a + b\*Cos[c + d\*x]]) - (31\*A\*b^2\*Sqrt[Sec[c + d\*x]])/(105\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*A\*b^4\*Sqrt[Sec[c + d\*x]])/(35\*a^2\*Sqrt[a + b\*Cos[c + d\*x]]) + (a\*b\*B\*Sqrt[Sec[c + d\*x]])/(5\*Sqrt[a + b\*Cos[c + d\*x]]) - (b^3\*B\*Sqrt[Sec[c + d\*x]])/(5\*a\*Sqrt[a + b\*Cos[c + d\*x]]) - (82\*A\*b^2\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(105\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*A\*b^4\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(35\*a^2\*Sqrt[a + b\*Cos[c + d\*x]]) - (3\*a\*b\*B\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(5\*Sqrt[a + b\*Cos[c + d\*x]]) - (b^3\*B\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(5\*a\*Sqrt[a + b\*Cos[c + d\*x]]))\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*(-2\*(a + b)\*(82\*a^2\*A\*b - 6\*A\*b^3 + 63\*a^3\*B + 21\*a\*b^2\*B)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x]])\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*a\*(a + b)\*(-6\*A\*b^2 + 3\*a\*b\*(19\*A + 7\*B) + a^2\*(25\*A + 63\*B))\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x]])\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - (82\*a^2\*A\*b - 6\*A\*b^3 + 63\*a^3\*B + 21\*a\*b^2\*B)\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2]))/(105\*a^2\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[(c + d\*x)/2]^2\*((b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sin[c + d\*x]\*(-2\*(a + b)\*(82\*a^2\*A\*b - 6\*A\*b^3 + 63\*a^3\*B + 21\*a



$$\begin{aligned}
& *b^2*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(-6*A*b^2 + 3*a*b*(19*A + 7*B) + a^2*(25*A + 63*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - (82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((105*a^2*(a + b*\text{Cos}[c + d*x])^(3/2))*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d*x)/2]*(-2*(a + b)*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(-6*A*b^2 + 3*a*b*(19*A + 7*B) + a^2*(25*A + 63*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - (82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((105*a^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*(-((82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^4)/2 - ((a + b)*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B))*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x]))^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]) + (a*(a + b)*(-6*A*b^2 + 3*a*b*(19*A + 7*B) + a^2*(25*A + 63*B))*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x]))^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]) - ((a + b)*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*(-((b*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((a + b*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + (a*(a + b)*(-6*A*b^2 + 3*a*b*(19*A + 7*B) + a^2*(25*A + 63*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*(-((b*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((a + b*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + b*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + (82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*(a + b*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - (82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 + (a*(a + b)*(-6*A*b^2 + 3*a*b*(19*A + 7*B) + a^2*(25*A + 63*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2)/(\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[1 - ((-a + b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) - ((a + b)*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[1 - ((-a + b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]/\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2])/((105*a^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + ((-2*(a + b)*(82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(-6*A*b^2 + 3*a*b*(19*A + 7*B) + a^2*(25*A + 63*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - (82*a^2*A*b - 6*A*b^3 + 63*a^3*B + 21*a*b^2*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])*\text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x])/((105*a^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]])))))
\end{aligned}$$



```

os(d*x+c)^4*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(
d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/
(a+b))^(1/2))*a^3*b-82*A*cos(d*x+c)^4*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c))
)^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d
*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b^2+6*A*cos(d*x+c)^4*sin(d*x+c)
*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c))
)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^3+82
*A*cos(d*x+c)^4*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*
cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a
-b)/(a+b))^(1/2))*a^3*b+51*A*cos(d*x+c)^4*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x
+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+c
os(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b^2-6*A*cos(d*x+c)^4*sin(d*
x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x
+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a*b^
3-63*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d
*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*co
s(d*x+c)^4*sin(d*x+c)*a^3*b-21*B*cos(d*x+c)^4*sin(d*x+c)*(cos(d*x+c)/(1+cos
(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((
-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*a^2*b^2-21*B*cos(d*x+c)^4*s
in(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+co
s(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))
*a*b^3+84*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+
cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2)
))*cos(d*x+c)^4*sin(d*x+c)*a^3*b+21*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/
(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(
d*x+c),(-a-b)/(a+b))^(1/2))*cos(d*x+c)^4*sin(d*x+c)*a^2*b^2-82*A*(cos(d*x+
c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*El
lipticE((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))*cos(d*x+c)^3*sin(d
*x+c)*a^3*b*cos(d*x+c)/(a+b*cos(d*x+c))^(1/2)*(1/cos(d*x+c))^(9/2)/sin(d*x
+c)

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sec(dx + c)^9 dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algor
ithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^(9/2
), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{9}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2),x, algor
ithm="fricas")
```

```
[Out] integral((B*b*cos(d*x + c)^2 + A*a + (B*a + A*b)*cos(d*x + c))*sqrt(b*cos(d
*x + c) + a)*sec(d*x + c)^(9/2), x)
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(9/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{9}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(9/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(9/2), x)

$$3.599 \quad \int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=393

$$\frac{2(a-b)\sqrt{a+b}(9a^2A + 20abB + 3Ab^2)\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{15a^2d\sqrt{\sec(c+dx)}}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(9*a^2*A + 3*A*b^2 + 20*a*b*B)*Sqrt[Cos[c + d*x]]*Cs
c[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[
c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[
(a*(1 + Sec[c + d*x]))/(a - b)]/(15*a^2*d*Sqrt[Sec[c + d*x]]) - (2*(a - b)
*Sqrt[a + b]*(9*a*A - 3*A*b - 5*a*B + 15*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*
x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]
]]], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 +
Sec[c + d*x]))/(a - b)]/(15*a*d*Sqrt[Sec[c + d*x]]) + (2*(6*A*b + 5*a*B)*S
qrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*d) + (2*a*A*Sq
rt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d)
```

**Rubi [A]** time = 1.09051, antiderivative size = 393, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2989, 3055, 2998, 2816, 2994}

$$\frac{2(a-b)\sqrt{a+b}(9a^2A + 20abB + 3Ab^2)\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{15a^2d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(9*a^2*A + 3*A*b^2 + 20*a*b*B)*Sqrt[Cos[c + d*x]]*Cs
c[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[
c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[
(a*(1 + Sec[c + d*x]))/(a - b)]/(15*a^2*d*Sqrt[Sec[c + d*x]]) - (2*(a - b)
*Sqrt[a + b]*(9*a*A - 3*A*b - 5*a*B + 15*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*
x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]
]]], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 +
Sec[c + d*x]))/(a - b)]/(15*a*d*Sqrt[Sec[c + d*x]]) + (2*(6*A*b + 5*a*B)*S
qrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*d) + (2*a*A*Sq
rt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d)
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d
*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

#### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := -S
```

```
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2)*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

### Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

### Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)
]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^{7/2}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^{7/2}(c + dx)}{\cos^2(c + dx)} dx \\
&= \frac{2aA \sqrt{a + b \cos(c + dx)} \sec^{5/2}(c + dx) \sin(c + dx)}{5d} + \frac{1}{5} \left( 2(6Ab + 5aB) \sqrt{a + b \cos(c + dx)} \sec^{3/2}(c + dx) \sin(c + dx) \right. \\
&= \frac{2(6Ab + 5aB) \sqrt{a + b \cos(c + dx)} \sec^{3/2}(c + dx) \sin(c + dx)}{15d} \\
&= \frac{2(6Ab + 5aB) \sqrt{a + b \cos(c + dx)} \sec^{3/2}(c + dx) \sin(c + dx)}{15d} \\
&= \frac{2(a - b) \sqrt{a + b} (9a^2 A + 3Ab^2 + 20abB) \sqrt{\cos(c + dx)} \sec^{3/2}(c + dx) \sin(c + dx)}{15d}
\end{aligned}$$

**Mathematica [A]** time = 18.5459, size = 427, normalized size = 1.09

$$\frac{\sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)} \left( \frac{2(9a^2 A + 20abB + 3Ab^2) \sin(c + dx)}{15a} + \frac{2}{15} \sec(c + dx) (5aB \sin(c + dx) + 6Ab \sin(c + dx)) + \frac{2}{5} a \right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2), x]

[Out] (2\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*(-2\*(a + b)\*(9\*a^2\*A + 3\*A\*b^2 + 20\*a\*b\*B)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*a\*(a + b)\*(3\*b\*(A + 5\*B) + a\*(9\*A + 5\*B))\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - (9\*a^2\*A + 3\*A\*b^2 + 20\*a\*b\*B)\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2]))/(15\*a\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[(c + d\*x)/2]^2]) + (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((2\*(9\*a^2\*A + 3\*A\*b^2 + 20\*a\*b\*B)\*Sin[c + d\*x]/(15\*a) + (2\*Sec[c + d\*x]\*(6\*A\*b\*Sin[c + d\*x] + 5\*a\*B\*Sin[c + d\*x])))/15 + (2\*a\*A\*Sec[c + d\*x]\*Tan[c + d\*x])/5))/d

**Maple [B]** time = 0.605, size = 2674, normalized size = 6.8

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2), x)

[Out] -2/15/d/a\*(-3\*A\*a^3+15\*B\*sin(d\*x+c)\*cos(d\*x+c)^3\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*a\*b^2-9\*A\*a\*b^2\*cos(d\*x+c)^2-25\*B\*a^2\*b\*cos(d\*x+c)^2-9\*A\*a^2\*b\*cos(d\*x+c)+20\*B\*cos(d\*x+c)^3\*a^2\*b-20\*B\*a\*b^2\*cos(d\*x+c)^3+20\*B\*cos(d\*x+c)^4\*a\*b^2+3\*A\*cos(d\*x+c)^3\*a\*b^2+9\*A\*cos(d\*x+c)^4

$$\begin{aligned}
& *a^2*b+6*A*\cos(d*x+c)^4*a*b^2+5*B*\cos(d*x+c)^4*a^2*b-3*A*b^3*\cos(d*x+c)^3+1 \\
& 5*B*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b \\
& *\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (- \\
& (a-b)/(a+b))^{1/2})*a*b^2+3*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+ \\
& b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (- \\
& (a-b)/(a+b))^{1/2})*\cos(d*x+c)^3*\sin(d*x+c)*a*b^2-20*B*\cos(d*x+c)^3*\sin(d*x \\
& +c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+ \\
& c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2})*a^2*b \\
& -20*B*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a \\
& +b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), ( \\
& - (a-b)/(a+b))^{1/2})*a*b^2+20*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)* \\
& (a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c) \\
& , (- (a-b)/(a+b))^{1/2})*\cos(d*x+c)^3*\sin(d*x+c)*a^2*b-9*A*(\cos(d*x+c)/(1+\cos \\
& (d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE(( \\
& -1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*a^2 \\
& *b-3*A*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*( \\
& a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c) \\
& , (- (a-b)/(a+b))^{1/2})*a*b^2+12*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b) \\
& *(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c) \\
& ), (- (a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*a^2*b+3*A*(\cos(d*x+c)/(1+co \\
& s(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF( \\
& (-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*a \\
& b^2-20*B*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b) \\
& *(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c) \\
& ), (- (a-b)/(a+b))^{1/2})*a^2*b-20*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+ \\
& b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x \\
& +c), (- (a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c)*a*b^2+20*B*(\cos(d*x+c)/(1 \\
& +\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*Ellipti \\
& cF((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2})*\cos(d*x+c)^2*\sin(d*x+c) \\
& *a^2*b-9*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+c \\
& os(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2} \\
& )*\cos(d*x+c)^3*\sin(d*x+c)*a^2*b-3*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a \\
& +b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d* \\
& x+c), (- (a-b)/(a+b))^{1/2})*\cos(d*x+c)^3*\sin(d*x+c)*b^3+9*A*(\cos(d*x+c)/(1+c \\
& os(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF \\
& ((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2})*\cos(d*x+c)^3*\sin(d*x+c)*a \\
& ^3+5*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d \\
& *x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2})*co \\
& s(d*x+c)^3*\sin(d*x+c)*a^3-9*A*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d* \\
& x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+ \\
& \cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2})*a^3-3*A*\cos(d*x+c)^2*\sin(d*x+c) \\
& )*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c) \\
& ))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2})*b^3+9*A \\
& *(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c) \\
& ))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2})*\cos(d*x+ \\
& c)^2*\sin(d*x+c)*a^3+5*B*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c))) \\
& ^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d* \\
& x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2})*a^3-9*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} \\
& *(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x \\
& +c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2})*\cos(d*x+c)^3*\sin(d*x+c)*a^3-5*B*a^3*c \\
& os(d*x+c)+3*A*\cos(d*x+c)^4*b^3+9*A*\cos(d*x+c)^3*a^3-6*A*\cos(d*x+c)^2*a^3+5* \\
& B*\cos(d*x+c)^3*a^3-3*A*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} \\
& *(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x \\
& +c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2})*a*b^2+12*A*(\cos(d*x+c)/(1+\cos(d*x+c) \\
& ))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d \\
& *x+c))/\sin(d*x+c), (- (a-b)/(a+b))^{1/2})*\cos(d*x+c)^3*\sin(d*x+c)*a^2*b)*\cos( \\
& d*x+c)/(a+b*\cos(d*x+c))^{1/2}*(1/\cos(d*x+c))^{7/2}/\sin(d*x+c)
\end{aligned}$$



**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(7/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{7}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*a + (B\*a + A\*b)\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(7/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(7/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(7/2), x)

$$3.600 \quad \int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=479

$$\frac{2\sqrt{a+b} \left( a^2(A-3B) - a(4Ab-6bB) + 3Ab^2 \right) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{3ad\sqrt{\sec(c+dx)}}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(4*A*b + 3*a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a*d*Sqrt[Sec[c + d*x]]) + (2*Sqrt[a + b]*(3*A*b^2 + a^2*(A - 3*B) - a*(4*A*b - 6*b*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a*d*Sqrt[Sec[c + d*x]]) - (2*b*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(d*Sqrt[Sec[c + d*x]]) + (2*a*A*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d)
```

**Rubi [A]** time = 1.0759, antiderivative size = 479, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2961, 2989, 3053, 2809, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b} \left( a^2(A-3B) - a(4Ab-6bB) + 3Ab^2 \right) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{3ad\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(4*A*b + 3*a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a*d*Sqrt[Sec[c + d*x]]) + (2*Sqrt[a + b]*(3*A*b^2 + a^2*(A - 3*B) - a*(4*A*b - 6*b*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a*d*Sqrt[Sec[c + d*x]]) - (2*b*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(d*Sqrt[Sec[c + d*x]]) + (2*a*A*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*d)
```

**Rule 2961**

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c +
d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Ssin[e + f*x])^(m - 2)*(c + d*Ssin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Ssin[e + f*x]]/
Sqrt[c + d*Ssin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x])/((a + b*Ssin[e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Ssin[e + f*x]]/(Sqrt[b*Ssin[e + f*x]]*Rt[(c + d)/b,
2])], -(c + d)/(c - d)]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Ssin[e + f*x]]*Sqrt[c + d*Ssin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Ssin[
e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Ssin[e + f*x]]/(Sqrt[d*Ssin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Ssin[e + f
*x]]/(Sqrt[b*Ssin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
```

&& PosQ[(c + d)/b]

### Rubi steps

$$\begin{aligned} \int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^5(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^5(c + dx)}{\cos^5(c + dx)} dx \\ &= \frac{2aA \sqrt{a + b \cos(c + dx)} \sec^3(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} \left( 2\sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx) \right) \\ &= \frac{2aA \sqrt{a + b \cos(c + dx)} \sec^3(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} \left( 2\sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx) \right) \\ &= -\frac{2b\sqrt{a + b \cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c + dx)}}{\sqrt{a+b}}\right)\right)}{d\sqrt{\sec(c + dx)}} \\ &= \frac{2(a - b)\sqrt{a + b}(4Ab + 3aB)\sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c + dx)}}{\sqrt{a+b}}\right)\right)}{3ad\sqrt{\sec(c + dx)}} \end{aligned}$$

**Mathematica [B]** time = 24.2648, size = 6011, normalized size = 12.55

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2), x]

[Out] Result too large to show

**Maple [B]** time = 0.694, size = 2326, normalized size = 4.9

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2), x)

[Out] 
$$\begin{aligned} & -2/3/d*(3*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\ & * \cos(d*x+c)^2*\sin(d*x+c)*b^2-3*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\ & * \cos(d*x+c)^2*\sin(d*x+c)*b^2+6*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2}) \\ & * \cos(d*x+c)^2*\sin(d*x+c)*b^2+3*A*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\ & * \sin(d*x+c)*b^2+A*\cos(d*x+c)^2*a^2-4*A*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\ & * b^2+A*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \end{aligned}$$

$$\begin{aligned}
& b)^{(1/2)} * a^{2-3B} * \cos(dx+c)^2 * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * (1/(a+b) * \\
& (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c) \\
& , (-a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^{2+3B} * \cos(dx+c)^2 * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * (1/(a+b) * \\
& (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c) , (-a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^{2+A} * \cos(dx+c) * \\
& (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c) , (-a-b)/(a+b))^{(1/2)} * \sin(dx+c) \\
& * a^{2+3B} * \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c) , (-a-b)/(a+b))^{(1/2)} * \sin(dx+c) \\
& * a^{2-4A} * \cos(dx+c)^2 * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c) , (-a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^{b+3B} * \cos(dx+c)^3 * a^{b-3B} * \cos(dx+c)^2 * a^{b+4A} * \cos(dx+c)^2 * a^{b-5A} * \cos(dx+c) * a^{b+4A} * \cos(dx+c)^3 * b^{2-4A} * \cos(dx+c)^2 * b^{2+3B} * \cos(dx+c)^2 * a^{2-3B} * \cos(dx+c) * a^{2+A} * \cos(dx+c)^3 * a^{b-4A} * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} * \sin(dx+c) * \cos(dx+c) * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c) , (-a-b)/(a+b))^{(1/2)} * a^{b+6B} * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c) , (-a-b)/(a+b))^{(1/2)} * a^{b-3B} * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c) , (-a-b)/(a+b))^{(1/2)} * a^{b+4A} * \cos(dx+c)^2 * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c) , (-a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^{b-3B} * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c) , (-a-b)/(a+b))^{(1/2)} * a^{b+6B} * \cos(dx+c)^2 * \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c) , (-a-b)/(a+b))^{(1/2)} * a^{b+4A} * \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c) , (-a-b)/(a+b))^{(1/2)} * \sin(dx+c) * a^{b-a^2A-4A} * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c) , (-a-b)/(a+b))^{(1/2)} * b^{2-3B} * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} * \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c) , (-a-b)/(a+b))^{(1/2)} * b^{2+6B} * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} * \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c) , -1 , (-a-b)/(a+b))^{(1/2)} * b^{2-3B} * \sin(dx+c) * \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{(1/2)} * (1/(a+b) * (a+b*\cos(dx+c))/(1+\cos(dx+c)))^{(1/2)} * \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c) , (-a-b)/(a+b))^{(1/2)} * a^2 * \cos(dx+c) / (a+b*\cos(dx+c))^{(1/2)} * (1/\cos(dx+c))^{(5/2)} / \sin(dx+c)
\end{aligned}$$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx+c) + A)(b \cos(dx+c) + a)^{\frac{3}{2}} \sec(dx+c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(3/2)\*(A+B\*cos(dx+c))\*sec(dx+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(dx+c) + A)\*(b\*cos(dx+c) + a)^(3/2)\*sec(dx+c)^(5/2), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(dx + c)^2 + Aa + (Ba + Ab) \cos(dx + c)\right) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{5}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B\*b\*cos(d\*x + c)^2 + A\*a + (B\*a + A\*b)\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{5}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(5/2), x)

$$3.601 \quad \int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=509

$$\frac{(2aA - bB) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{d} - \frac{\sqrt{a + b(2a(A - B) - b(4A + B))} \sqrt{\cos(c + dx)} \csc(c + dx)}{d \sqrt{\sec(c + dx)}}$$

```
[Out] ((a - b)*Sqrt[a + b]*(2*a*A - b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a +
b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x
]))/(a - b)]/(a*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(2*a*(A - B) - b*(4*A
+ B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c +
d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - S
ec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(d*Sqrt[Sec[c
+ d*x]]) - (Sqrt[a + b]*(2*A*b + 3*a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*Ell
ipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c
+ d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a
*(1 + Sec[c + d*x]))/(a - b)]/(d*Sqrt[Sec[c + d*x]]) + (2*a*A*Sqrt[a + b*C
os[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d - ((2*a*A - b*B)*Sqrt[a + b
*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d
```

**Rubi [A]** time = 1.38004, antiderivative size = 509, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2961, 2989, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(2aA - bB) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{d} - \frac{\sqrt{a + b(2a(A - B) - b(4A + B))} \sqrt{\cos(c + dx)} \csc(c + dx)}{d \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(2*a*A - b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a +
b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x
]))/(a - b)]/(a*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(2*a*(A - B) - b*(4*A
+ B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c +
d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - S
ec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(d*Sqrt[Sec[c
+ d*x]]) - (Sqrt[a + b]*(2*A*b + 3*a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*Ell
ipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c
+ d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a
*(1 + Sec[c + d*x]))/(a - b)]/(d*Sqrt[Sec[c + d*x]]) + (2*a*A*Sqrt[a + b*C
os[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d - ((2*a*A - b*B)*Sqrt[a + b
*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d
```

**Rule 2961**

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^m*(c + d
*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
```

tegerQ[n])

### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

### Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x
]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c
+ a*d))*Sin[e + f*x]^2, x]]/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C)*Sin[e + f*x]]/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -(c + d)/(c - d)]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
```



```

_.)*(x_]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

```

Rule 2994

```

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

```

Rubi steps

$$\begin{aligned}
 \int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\cos^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2aA\sqrt{a + b \cos(c + dx)}\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + (2\sqrt{a + b \cos(c + dx)}\sqrt{\sec(c + dx)} \sin(c + dx)) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)} dx \\
 &= \frac{2aA\sqrt{a + b \cos(c + dx)}\sqrt{\sec(c + dx)} \sin(c + dx)}{d} - \frac{(2a + b) \sqrt{a + b \cos(c + dx)}\sqrt{\sec(c + dx)} \sin(c + dx)}{d} \\
 &= \frac{2aA\sqrt{a + b \cos(c + dx)}\sqrt{\sec(c + dx)} \sin(c + dx)}{d} - \frac{(2a + b) \sqrt{a + b \cos(c + dx)}\sqrt{\sec(c + dx)} \sin(c + dx)}{d} \\
 &= -\frac{\sqrt{a + b}(2Ab + 3aB)\sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^2\left(\frac{c + dx}{2}\right)\right)}{d\sqrt{\sec(c + dx)}} \\
 &= \frac{(a - b)\sqrt{a + b}(2aA - bB)\sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^2\left(\frac{c + dx}{2}\right)\right)}{ad\sqrt{\sec(c + dx)}}
 \end{aligned}$$

**Mathematica [A]** time = 18.3951, size = 935, normalized size = 1.84

$$\frac{2aA\sqrt{a + b \cos(c + dx)}\sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{\sqrt{\frac{1}{1 - \tan^2\left(\frac{1}{2}(c + dx)\right)}} \left( 2a^2 A \tan^5\left(\frac{1}{2}(c + dx)\right) - 2aAb \tan^5\left(\frac{1}{2}(c + dx)\right) \right)}{d}$$

Warning: Unable to verify antiderivative.

```

[In] Integrate[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]

```

```

[Out] (2*a*A*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d + (Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(-2*a^2*A*Tan[(c + d*x)/2] - 2*a*A*b*Tan[(c + d*x)/2] + a*b*B*Tan[(c + d*x)/2] + b^2*B*Tan[(c + d*x)/2] + 4*a*A*b*Tan[(c + d*x)/2]^3 - 2*b^2*B*Tan[(c + d*x)/2]^3 + 2*a^2*A*Tan[(c + d*x)/2]^5 - 2

```

$$\begin{aligned}
& *a*A*b*\tan\left[\frac{c+dx}{2}\right]^5 - a*b*B*\tan\left[\frac{c+dx}{2}\right]^5 + b^2*B*\tan\left[\frac{c+dx}{2}\right]^5 \\
& - 4*A*b^2*\text{EllipticPi}\left[-1, -\text{ArcSin}\left[\tan\left[\frac{c+dx}{2}\right]\right], \frac{-a+b}{a+b}\right]*\sqrt{1 - \tan\left[\frac{c+dx}{2}\right]^2} \\
& *\sqrt{\frac{a+b+a*\tan\left[\frac{c+dx}{2}\right]^2 - b*\tan\left[\frac{c+dx}{2}\right]^2}{a+b}} - 6*a*b*B*\text{EllipticPi}\left[-1, -\text{ArcSin}\left[\tan\left[\frac{c+dx}{2}\right]\right], \frac{-a+b}{a+b}\right] \\
& *\sqrt{1 - \tan\left[\frac{c+dx}{2}\right]^2}*\sqrt{\frac{a+b+a*\tan\left[\frac{c+dx}{2}\right]^2 - b*\tan\left[\frac{c+dx}{2}\right]^2}{a+b}} - 4*A*b^2*\text{EllipticPi}\left[-1, -\text{ArcSin}\left[\tan\left[\frac{c+dx}{2}\right]\right], \frac{-a+b}{a+b}\right] \\
& *\tan\left[\frac{c+dx}{2}\right]^2*\sqrt{1 - \tan\left[\frac{c+dx}{2}\right]^2}*\sqrt{\frac{a+b+a*\tan\left[\frac{c+dx}{2}\right]^2 - b*\tan\left[\frac{c+dx}{2}\right]^2}{a+b}} \\
& - 6*a*b*B*\text{EllipticPi}\left[-1, -\text{ArcSin}\left[\tan\left[\frac{c+dx}{2}\right]\right], \frac{-a+b}{a+b}\right]*\tan\left[\frac{c+dx}{2}\right]^2*\sqrt{1 - \tan\left[\frac{c+dx}{2}\right]^2} \\
& *\sqrt{\frac{a+b+a*\tan\left[\frac{c+dx}{2}\right]^2 - b*\tan\left[\frac{c+dx}{2}\right]^2}{a+b}} - (a+b)*(2*a*A - b*B)*\text{EllipticE}\left[\text{ArcSin}\left[\tan\left[\frac{c+dx}{2}\right]\right], \frac{-a+b}{a+b}\right] \\
& *\sqrt{1 - \tan\left[\frac{c+dx}{2}\right]^2}*(1 + \tan\left[\frac{c+dx}{2}\right]^2)*\sqrt{\frac{a+b+a*\tan\left[\frac{c+dx}{2}\right]^2 - b*\tan\left[\frac{c+dx}{2}\right]^2}{a+b}} \\
& + 2*(-A*b^2 + 2*a*b*(A - B) + a^2*(A + B))*\text{EllipticF}\left[\text{ArcSin}\left[\tan\left[\frac{c+dx}{2}\right]\right], \frac{-a+b}{a+b}\right] \\
& *\sqrt{1 - \tan\left[\frac{c+dx}{2}\right]^2}*(1 + \tan\left[\frac{c+dx}{2}\right]^2)*\sqrt{\frac{a+b+a*\tan\left[\frac{c+dx}{2}\right]^2 - b*\tan\left[\frac{c+dx}{2}\right]^2}{a+b}} \\
& ))/(d*(1 + \tan\left[\frac{c+dx}{2}\right]^2)^{(3/2)}*\sqrt{\frac{a+b+a*\tan\left[\frac{c+dx}{2}\right]^2 - b*\tan\left[\frac{c+dx}{2}\right]^2}{1 + \tan\left[\frac{c+dx}{2}\right]^2}})
\end{aligned}$$

**Maple [B]** time = 0.476, size = 2193, normalized size = 4.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\cos(dx+c))^{(3/2)}*(A+B*\cos(dx+c))*\sec(dx+c)^{(3/2)}, x)$

[Out] 
$$\begin{aligned}
& -1/d*(-2*A*\cos(dx+c)*( \cos(dx+c)/(1+\cos(dx+c)) )^{(1/2)}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)) )^{(1/2)} \\
& *\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)}\right)^{(1/2)}*\sin(dx+c)*b^2+2*A*( \cos(dx+c)/(1+\cos(dx+c)) )^{(1/2)}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)) )^{(1/2)} \\
& *\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)}\right)^{(1/2)}*a^2*\sin(dx+c)+2*A*\cos(dx+c)*( \cos(dx+c)/(1+\cos(dx+c)) )^{(1/2)}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)) )^{(1/2)} \\
& *\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)}\right)^{(1/2)}*\sin(dx+c)*a^2+2*B*\cos(dx+c)*( \cos(dx+c)/(1+\cos(dx+c)) )^{(1/2)}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)) )^{(1/2)} \\
& *\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)}\right)^{(1/2)}*\sin(dx+c)*a^2+6*B*( \cos(dx+c)/(1+\cos(dx+c)) )^{(1/2)}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)) )^{(1/2)} \\
& *\text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{-(a-b)}{(a+b)}\right)^{(1/2)}*\cos(dx+c)*\sin(dx+c)*a*b+4*A*( \cos(dx+c)/(1+\cos(dx+c)) )^{(1/2)}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)) )^{(1/2)} \\
& *\text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{-(a-b)}{(a+b)}\right)^{(1/2)}*\cos(dx+c)*\sin(dx+c)*b^2-2*A*( \cos(dx+c)/(1+\cos(dx+c)) )^{(1/2)}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)) )^{(1/2)} \\
& *\text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)}\right)^{(1/2)}*\cos(dx+c)*\sin(dx+c)*a^2+B*( \cos(dx+c)/(1+\cos(dx+c)) )^{(1/2)}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)) )^{(1/2)} \\
& *\text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)}\right)^{(1/2)}*\cos(dx+c)*\sin(dx+c)*b^2+6*B*( \cos(dx+c)/(1+\cos(dx+c)) )^{(1/2)}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)) )^{(1/2)} \\
& *\text{EllipticPi}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, -1, \frac{-(a-b)}{(a+b)}\right)^{(1/2)}*a*b*\sin(dx+c)+B*b^2*\cos(dx+c)^3+B*\cos(dx+c)^2*a*b-B*\cos(dx+c)*a*b+2*A*\cos(dx+c)^2*a*b-2*A*\cos(dx+c)*a*b-B*\cos(dx+c)^2*b^2-2*A*( \cos(dx+c)/(1+\cos(dx+c)) )^{(1/2)}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)) )^{(1/2)} \\
& *\sin(dx+c)*\cos(dx+c)*\text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)}\right)^{(1/2)}*a*b-4*B*\sin(dx+c)*\cos(dx+c)*( \cos(dx+c)/(1+\cos(dx+c)) )^{(1/2)}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)) )^{(1/2)} \\
& *\text{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)}\right)^{(1/2)}*a*b+B*\sin(dx+c)*\cos(dx+c)*( \cos(dx+c)/(1+\cos(dx+c)) )^{(1/2)}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)) )^{(1/2)} \\
& *\text{EllipticE}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}, \frac{-(a-b)}{(a+b)}\right)^{(1/2)}*a*b+4*A*\cos(dx+c)*( \cos(dx+c)/(1+\cos(dx+c)) )^{(1/2)}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)) )^{(1/2)}
\end{aligned}$$

$$\begin{aligned} & (1/2)*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\sin(dx+c) \\ & *a*b+2*A*\cos(dx+c)*a^2-2*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b \\ & *\cos(dx+c)/(1+\cos(dx+c)))^{1/2})*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (- \\ & a-b)/(a+b))^{1/2})*b^2*\sin(dx+c)+4*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/ \\ & (a+b)*(a+b*\cos(dx+c)/(1+\cos(dx+c)))^{1/2})*\text{EllipticF}((-1+\cos(dx+c))/\sin( \\ & dx+c), (-a-b)/(a+b))^{1/2})*a*b*\sin(dx+c)-2*a^2*A-2*A*\sin(dx+c)*(\cos(dx \\ & +c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c)/(1+\cos(dx+c)))^{1/2})*E \\ & llipticE((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b-4*B*\sin(dx+c \\ & )*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c)/(1+\cos(dx+c) \\ & ))^{1/2})*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b+B*s \\ & in(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c)/(1+co \\ & s(dx+c)))^{1/2})*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} \\ & )*a*b+4*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c)/(1+cos \\ & (dx+c)))^{1/2})*\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2} \\ & )*b^2*\sin(dx+c)-2*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos( \\ & dx+c)/(1+\cos(dx+c)))^{1/2})*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/ \\ & (a+b))^{1/2})*a^2*\sin(dx+c)+2*B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} \\ & *(1/(a+b)*(a+b*\cos(dx+c)/(1+\cos(dx+c)))^{1/2})*\text{EllipticF}((-1+\cos(dx+c) \\ & )/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^2+B*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c) \\ & c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c)/(1+\cos(dx+c)))^{1/2})*\text{EllipticE}((-1+co \\ & s(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*b^2)*\cos(dx+c)/(a+b*\cos(dx+c)) \\ & ^{1/2}*(1/\cos(dx+c))^{3/2}/\sin(dx+c) \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx+c) + A)(b \cos(dx+c) + a)^{\frac{3}{2}} \sec(dx+c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(3/2)\*(A+B\*cos(dx+c))\*sec(dx+c)^(3/2),x, algorith="maxima")

[Out] integrate((B\*cos(dx+c) + A)\*(b\*cos(dx+c) + a)^(3/2)\*sec(dx+c)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(dx+c)^2 + Aa + (Ba + Ab) \cos(dx+c)\right) \sqrt{b \cos(dx+c) + a} \sec(dx+c)^{\frac{3}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(3/2)\*(A+B\*cos(dx+c))\*sec(dx+c)^(3/2),x, algorith="fricas")

[Out] integral((B\*b\*cos(dx+c)^2 + A\*a + (B\*a + A\*b)\*cos(dx+c))\*sqrt(b\*cos(dx+c) + a)\*sec(dx+c)^(3/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^(3/2), x)
```

### 3.602 $\int (a+b \cos(c+dx))^{3/2} (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$

**Optimal.** Leaf size=532

$$\frac{\sqrt{a+b} (3a^2B + 12aAb + 4b^2B) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{4bd \sqrt{\sec(c+dx)}}$$

```
[Out] -((a - b)*Sqrt[a + b]*(4*A*b + 5*a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*Ellip
ticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((
a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c +
d*x]))/(a - b)]/(4*a*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(8*a*A + 4*A*b +
5*a*B + 2*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b
*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[
(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*d*
Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(12*a*A*b + 3*a^2*B + 4*b^2*B)*Sqrt[Cos[
c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]
]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[
c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b*d*Sqrt[Sec[
c + d*x]]) + (b*B*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*d*Sqrt[Sec[c + d
*x]]) + ((4*A*b + 5*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c +
d*x])/(4*d)
```

**Rubi [A]** time = 1.36707, antiderivative size = 532, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2961, 2990, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b} (3a^2B + 12aAb + 4b^2B) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{4bd \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]], x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(4*A*b + 5*a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*Ellip
ticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((
a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c +
d*x]))/(a - b)]/(4*a*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(8*a*A + 4*A*b +
5*a*B + 2*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b
*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[
(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*d*
Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(12*a*A*b + 3*a^2*B + 4*b^2*B)*Sqrt[Cos[
c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]
]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[
c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(4*b*d*Sqrt[Sec[
c + d*x]]) + (b*B*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*d*Sqrt[Sec[c + d
*x]]) + ((4*A*b + 5*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c +
d*x])/(4*d)
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_.)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dis
t[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d
*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
```

tegerQ[n])

### Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] :> -S
imp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n
+ 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*
x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m -
1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n
)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e
+ f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c -
a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n
, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

### Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_)]]), x_Symbol] :> -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x
]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*
c + a*d))*Sin[e + f*x]^2, x])/(a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C))*Sin[e + f*x]/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
```

- Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])/(((b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rubi steps

$$\int (a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{bB \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} + \frac{1}{2} \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)}}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{bB \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} + \frac{(4Ab + 5aB) \sqrt{a + b \cos(c + dx)}}{2d \sqrt{\sec(c + dx)}} + \frac{(4Ab + 5aB) \sqrt{a + b \cos(c + dx)}}{2d \sqrt{\sec(c + dx)}} + \frac{\sqrt{a + b} (12aAb + 3a^2B + 4b^2B) \sqrt{\cos(c + dx)} \csc(c + dx)}{4ad \sqrt{\sec(c + dx)}}$$

$$= - \frac{(a - b) \sqrt{a + b} (4Ab + 5aB) \sqrt{\cos(c + dx)} \csc(c + dx) E}{4ad \sqrt{\sec(c + dx)}}$$

**Mathematica [B]** time = 18.5723, size = 1146, normalized size = 2.15

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]], x]

[Out] (b\*B\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[2\*(c + d\*x)])/(4\*d) + (Sqrt[(1 - Tan[(c + d\*x)/2]^2)^(-1)]\*(4\*a\*A\*b\*Tan[(c + d\*x)/2] + 4\*A\*b^2\*Tan[(c + d\*x)/2] + 5\*a^2\*B\*Tan[(c + d\*x)/2] + 5\*a\*b\*B\*Tan[(c + d\*x)/2] - 8\*A\*b^2\*Tan[(c + d\*x)/2]^3 - 10\*a\*b\*B\*Tan[(c + d\*x)/2]^3 - 4\*a\*A\*b\*Tan[(c + d\*x)/2]^5 + 4\*A\*b^2\*Tan[(c + d\*x)/2]^5 - 5\*a^2\*B\*Tan[(c + d\*x)/2]^5 + 5\*a\*b\*B\*Tan[(c + d\*x)/2]^5 - 24\*a\*A\*b\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]]], (-a + b)/(a + b))\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - 6\*a^2\*B\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]]], (-a + b)/(a + b))\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - 8\*b^2\*B\*EllipticPi[

```

-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 24*a*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 6*a^2*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 8*b^2*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + (a + b)*(4*A*b + 5*a*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 2*(4*a^2*(A - B) - 2*b^2*B + a*b*(-8*A + B))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)))/(4*d*(1 + Tan[(c + d*x)/2]^2)^(3/2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2))]

```

**Maple [B]** time = 0.547, size = 2432, normalized size = 4.6

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(3/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2), x)
```

```

[Out] -1/4/d*(1/cos(d*x+c))^(1/2)/(a+b*cos(d*x+c))^(1/2)*(8*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*sin(d*x+c)+24*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)*cos(d*x+c)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*a*b+8*A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*a^2-8*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*a^2+7*B*cos(d*x+c)^3*a*b-5*B*cos(d*x+c)^2*a*b-2*B*cos(d*x+c)*a*b+4*A*cos(d*x+c)^2*a*b-4*A*cos(d*x+c)*a*b+4*A*cos(d*x+c)^3*b^2-4*A*cos(d*x+c)^2*b^2+2*B*cos(d*x+c)^4*b^2-2*B*cos(d*x+c)^2*b^2+5*B*cos(d*x+c)^2*a^2-5*B*cos(d*x+c)*a^2+4*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)*cos(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b+2*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b+5*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b-16*A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b*sin(d*x+c)+4*A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*b^2-4*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*b^2+6*B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*a^2+8*B*sin

```



$$\begin{aligned}
& (d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/ \\
& (1+\cos(d*x+c)))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2}) \\
& *b^2+5*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/ \\
& (1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\
& *a^2+24*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/ \\
& (1+\cos(d*x+c)))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2}) \\
& *a*b+4*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/ \\
& (1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\
& *a*b+2*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/ \\
& (1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\
& *a*b+5*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/ \\
& (1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\
& *a*b+4*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/ \\
& (1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\
& *b^2-4*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/ \\
& (1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\
& *b^2+6*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/ \\
& (1+\cos(d*x+c)))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2}) \\
& *a^2+8*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/ \\
& (1+\cos(d*x+c)))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2}) \\
& *b^2+5*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/ \\
& (1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\
& *a^2-8*B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/ \\
& (1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2}) \\
& *a^2/\sin(d*x+c)
\end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2),x, algorith="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)\*sqrt(sec(d\*x + c)), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2),x, algorith="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(1/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)\*sqrt(sec(d\*x + c)), x)

$$3.603 \quad \int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=626

$$\frac{(3a^2B + 30aAb + 16b^2B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{24bd} + \frac{\sqrt{a + b} (3a^2B + 30aAb + 14abB + 12Ab^2 + 12b^2B)}{24bd}$$

```
[Out] -((a - b)*Sqrt[a + b]*(30*a*A*b + 3*a^2*B + 16*b^2*B)*Sqrt[Cos[c + d*x]]*Cs
c[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[
c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[
(a*(1 + Sec[c + d*x]))/(a - b)]/(24*a*b*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a +
b]*(30*a*A*b + 12*A*b^2 + 3*a^2*B + 14*a*b*B + 16*b^2*B)*Sqrt[Cos[c + d*x]]
*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[C
os[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sq
rt[(a*(1 + Sec[c + d*x]))/(a - b)]/(24*b*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a +
b]*(6*a^2*A*b + 8*A*b^3 - a^3*B + 12*a*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d
*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt
[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*
Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(8*b^2*d*Sqrt[Sec[c + d*x]]) + (b*B*S
qrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3*d*Sec[c + d*x]^(3/2)) + ((6*A*b +
7*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(12*d*Sqrt[Sec[c + d*x]]) + (
(30*a*A*b + 3*a^2*B + 16*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]
*Sin[c + d*x])/(24*b*d)
```

**Rubi [A]** time = 1.97347, antiderivative size = 626, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$ , Rules used = {2961, 2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(3a^2B + 30aAb + 16b^2B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{24bd} + \frac{\sqrt{a + b} (3a^2B + 30aAb + 14abB + 12Ab^2 + 12b^2B)}{24bd}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]], x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(30*a*A*b + 3*a^2*B + 16*b^2*B)*Sqrt[Cos[c + d*x]]*Cs
c[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[
c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[
(a*(1 + Sec[c + d*x]))/(a - b)]/(24*a*b*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a +
b]*(30*a*A*b + 12*A*b^2 + 3*a^2*B + 14*a*b*B + 16*b^2*B)*Sqrt[Cos[c + d*x]]
*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[C
os[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sq
rt[(a*(1 + Sec[c + d*x]))/(a - b)]/(24*b*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a +
b]*(6*a^2*A*b + 8*A*b^3 - a^3*B + 12*a*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d
*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt
[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*
Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(8*b^2*d*Sqrt[Sec[c + d*x]]) + (b*B*S
qrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(3*d*Sec[c + d*x]^(3/2)) + ((6*A*b +
7*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(12*d*Sqrt[Sec[c + d*x]]) + (
(30*a*A*b + 3*a^2*B + 16*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]
*Sin[c + d*x])/(24*b*d)
```

Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

### Rule 2990

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])*(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 1)), x] + Dist[1/(d*(m + n + 1)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^n*Simp[a^2*A*d*(m + n + 1) + b*B*(b*c*(m - 1) + a*d*(n + 1)) + (a*d*(2*A*b + a*B)*(m + n + 1) - b*B*(a*c - b*d*(m + n)))*Sin[e + f*x] + b*(A*b*d*(m + n + 1) - B*(b*c*m - a*d*(2*m + n)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

### Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n + 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c - b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n + 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

### Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C))*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
```

+ d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

#### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

Int[((A\_) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rubi steps



$$\begin{aligned}
& b \cdot \tan\left[\frac{c + dx}{2}\right]^2 / (a + b) + 6a^3 B \operatorname{EllipticPi}\left[-1, -\operatorname{ArcSin}\left[\tan\left[\frac{c + dx}{2}\right]\right], \frac{-a + b}{a + b}\right] \cdot \tan\left[\frac{c + dx}{2}\right]^2 \sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2} \cdot \\
& \sqrt{(a + b + a \cdot \tan\left[\frac{c + dx}{2}\right]^2 - b \cdot \tan\left[\frac{c + dx}{2}\right]^2) / (a + b)} - 72a^2 b^2 B \operatorname{EllipticPi}\left[-1, -\operatorname{ArcSin}\left[\tan\left[\frac{c + dx}{2}\right]\right], \frac{-a + b}{a + b}\right] \cdot \tan\left[\frac{c + dx}{2}\right]^2 \sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2} \cdot \sqrt{(a + b + a \cdot \tan\left[\frac{c + dx}{2}\right]^2 - b \cdot \tan\left[\frac{c + dx}{2}\right]^2) / (a + b)} + (a + b) \cdot (30a^2 A^2 b + 3a^2 B + 16b^2 B) \cdot \operatorname{EllipticE}\left[\operatorname{ArcSin}\left[\tan\left[\frac{c + dx}{2}\right]\right], \frac{-a + b}{a + b}\right] \cdot \sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2} \cdot (1 + \tan\left[\frac{c + dx}{2}\right]^2) \cdot \sqrt{(a + b + a \cdot \tan\left[\frac{c + dx}{2}\right]^2 - b \cdot \tan\left[\frac{c + dx}{2}\right]^2) / (a + b)} - 2b \cdot (12A^2 b^2 + a^2(24A - 7B) + a(-6A^2 b + 26b^2 B)) \cdot \operatorname{EllipticF}\left[\operatorname{ArcSin}\left[\tan\left[\frac{c + dx}{2}\right]\right], \frac{-a + b}{a + b}\right] \cdot \sqrt{1 - \tan\left[\frac{c + dx}{2}\right]^2} \cdot (1 + \tan\left[\frac{c + dx}{2}\right]^2) \cdot \sqrt{(a + b + a \cdot \tan\left[\frac{c + dx}{2}\right]^2 - b \cdot \tan\left[\frac{c + dx}{2}\right]^2) / (a + b))\right) / (24b^2 d \cdot (1 + \tan\left[\frac{c + dx}{2}\right]^2)^{3/2} \cdot \sqrt{(a + b + a \cdot \tan\left[\frac{c + dx}{2}\right]^2 - b \cdot \tan\left[\frac{c + dx}{2}\right]^2) / (1 + \tan\left[\frac{c + dx}{2}\right]^2))}
\end{aligned}$$

**Maple [B]** time = 0.65, size = 3141, normalized size = 5.

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (a+b \cdot \cos(dx+c))^{3/2} \cdot (A+B \cdot \cos(dx+c)) / \sec(dx+c)^{1/2}, x$

[Out]  $\frac{1}{24} \frac{d}{b} \cdot (-30A \cdot \cos(dx+c) \cdot (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} \cdot (1/(a+b)) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \cdot \operatorname{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) \cdot \sin(dx+c) \cdot a^2 b + 48A \cdot \sin(dx+c) \cdot (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} \cdot (1/(a+b)) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \cdot \operatorname{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) \cdot \cos(dx+c) \cdot a^2 b + 30A \cdot a^2 b^2 \cdot \cos(dx+c)^2 + 3B \cdot a^2 b^2 \cdot \cos(dx+c)^2 + 30A \cdot a^2 b^2 \cdot \cos(dx+c) - 17B \cdot \cos(dx+c)^3 \cdot a^2 b - 22B \cdot \cos(dx+c)^4 \cdot a^2 b - 42A \cdot \cos(dx+c)^3 \cdot a^2 b + 24A \cdot (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} \cdot (1/(a+b)) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \cdot \operatorname{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) \cdot b^3 \cdot \sin(dx+c) + 48A \cdot (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} \cdot (1/(a+b)) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \cdot \operatorname{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) \cdot a^2 b \cdot \sin(dx+c) - 8B \cdot \cos(dx+c)^5 \cdot b^3 - 8B \cdot \cos(dx+c)^3 \cdot b^3 - 3B \cdot \cos(dx+c)^2 \cdot a^3 + 16B \cdot \cos(dx+c)^2 \cdot b^3 + 12A \cdot \cos(dx+c)^2 \cdot b^3 - 30A \cdot \cos(dx+c)^2 \cdot a^2 b + 6B \cdot \cos(dx+c)^2 \cdot a^2 b^2 + 12A \cdot \cos(dx+c) \cdot a^2 b^2 + 14B \cdot \cos(dx+c) \cdot a^2 b^2 + 16B \cdot \cos(dx+c) \cdot a^2 b^2 - 30A \cdot \cos(dx+c) \cdot (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} \cdot (1/(a+b)) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \cdot \operatorname{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) \cdot \sin(dx+c) \cdot a^2 b - 12A \cdot \cos(dx+c) \cdot (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} \cdot (1/(a+b)) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \cdot \operatorname{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) \cdot \sin(dx+c) \cdot a^2 b - 36A \cdot \cos(dx+c) \cdot (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} \cdot (1/(a+b)) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \cdot \operatorname{EllipticPi}((-1+\cos(dx+c)) / \sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) \cdot \sin(dx+c) \cdot a^2 b - 3B \cdot \cos(dx+c) \cdot (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} \cdot (1/(a+b)) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \cdot \operatorname{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) \cdot \sin(dx+c) \cdot a^2 b - 16B \cdot \cos(dx+c) \cdot (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} \cdot (1/(a+b)) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \cdot \operatorname{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) \cdot \sin(dx+c) \cdot a^2 b - 14B \cdot \cos(dx+c) \cdot (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} \cdot (1/(a+b)) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \cdot \operatorname{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) \cdot \sin(dx+c) \cdot a^2 b + 52B \cdot \cos(dx+c) \cdot (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} \cdot (1/(a+b)) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \cdot \operatorname{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2}) \cdot \sin(dx+c) \cdot a^2 b - 72B \cdot \cos(dx+c) \cdot (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} \cdot (1/(a+b)) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \cdot \operatorname{EllipticPi}((-1+\cos(dx+c)) / \sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) \cdot \sin(dx+c) \cdot a^2 b + 24A \cdot \cos(dx+c) \cdot (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} \cdot (1/(a+b)) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} \cdot \operatorname{EllipticF}$

```

((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*b^3-48*A*cos(d
*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*
x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))
*sin(d*x+c)*b^3-3*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*
(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),
(-a-b)/(a+b))^(1/2))*sin(d*x+c)*a^3-16*B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x
+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+c
os(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*sin(d*x+c)*b^3+6*B*cos(d*x+c)*(
cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^
(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*sin(d*
x+c)*a^3-30*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(
1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1
/2))*a^2*b*sin(d*x+c)-30*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*
cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a
-b)/(a+b))^(1/2))*a*b^2*sin(d*x+c)-12*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(
1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/si
n(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^2*sin(d*x+c)-36*A*(cos(d*x+c)/(1+cos(d*x
+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+
cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*a^2*b*sin(d*x+c)-3*B*(cos(d
*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)
*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b*sin(d*x+c
)-16*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d
*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*
b^2*sin(d*x+c)-14*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x
+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+
b))^(1/2))*a^2*b*sin(d*x+c)+52*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)
*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c
), (-a-b)/(a+b))^(1/2))*a*b^2*sin(d*x+c)-72*B*(cos(d*x+c)/(1+cos(d*x+c)))^(
1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x
+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*a*b^2*sin(d*x+c)+3*B*a^3*cos(d*x+c
)-12*A*cos(d*x+c)^4*b^3-48*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+
b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -
1, (-a-b)/(a+b))^(1/2))*b^3*sin(d*x+c)-3*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)
*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))
/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^3*sin(d*x+c)-16*B*(cos(d*x+c)/(1+cos(d*
x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+
cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*b^3*sin(d*x+c)+6*B*(cos(d*x+c)
/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*Elli
pticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*a^3*sin(d*x+c))*
(1/cos(d*x+c))^(1/2)/sin(d*x+c)/(a+b*cos(d*x+c))^(1/2)

```

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2), x, algorith="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)/sqrt(sec(d\*x + c)), x)

---



**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)/sqrt(sec(d\*x + c)), x)

$$3.604 \quad \int \frac{(a+b \cos(c+dx))^{3/2}(A+B \cos(c+dx))}{\sec^2(c+dx)} dx$$

**Optimal.** Leaf size=730

$$\frac{(24a^2Ab - 9a^3B + 156ab^2B + 128Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a+b \cos(c+dx)}}{192b^2d} + \frac{(-3a^2B + 8aAb + 12b^2B) \sin(c+dx)}{32bd \sqrt{\sec(c+dx)}}$$

```
[Out] -((a - b)*Sqrt[a + b]*(24*a^2*A*b + 128*A*b^3 - 9*a^3*B + 156*a*b^2*B)*Sqrt
[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt
[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]
))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(192*a*b^2*d*Sqrt[Sec[c +
d*x]]) - (Sqrt[a + b]*(9*a^3*B - 6*a^2*b*(4*A + B) - 8*b^3*(16*A + 9*B) -
4*a*b^2*(28*A + 39*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqr
t[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)
]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)
)/(192*b^2*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(8*a^3*A*b - 96*a*A*b^3 - 3
*a^4*B - 24*a^2*b^2*B - 48*b^4*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticP
i[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]
])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 +
Sec[c + d*x]))/(a - b)]/(64*b^3*d*Sqrt[Sec[c + d*x]]) + ((8*a*A*b - 3*a^2*
B + 12*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(32*b*d*Sqrt[Sec[c + d
*x]]) + ((8*A*b - 3*a*B)*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(24*b*d*S
qrt[Sec[c + d*x]]) + (B*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(4*b*d*Sqr
t[Sec[c + d*x]]) + ((24*a^2*A*b + 128*A*b^3 - 9*a^3*B + 156*a*b^2*B)*Sqrt[a
+ b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(192*b^2*d)
```

**Rubi [A]** time = 2.44076, antiderivative size = 730, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$ , Rules used = {2961, 2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(24a^2Ab - 9a^3B + 156ab^2B + 128Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a+b \cos(c+dx)}}{192b^2d} + \frac{(-3a^2B + 8aAb + 12b^2B) \sin(c+dx)}{32bd \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])^(3/2)*(A + B*Cos[c + d*x]))/Sec[c + d*x]^(3/2), x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(24*a^2*A*b + 128*A*b^3 - 9*a^3*B + 156*a*b^2*B)*Sqrt
[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt
[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]
))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(192*a*b^2*d*Sqrt[Sec[c +
d*x]]) - (Sqrt[a + b]*(9*a^3*B - 6*a^2*b*(4*A + B) - 8*b^3*(16*A + 9*B) -
4*a*b^2*(28*A + 39*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqr
t[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)
]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)
)/(192*b^2*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(8*a^3*A*b - 96*a*A*b^3 - 3
*a^4*B - 24*a^2*b^2*B - 48*b^4*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticP
i[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]
])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 +
Sec[c + d*x]))/(a - b)]/(64*b^3*d*Sqrt[Sec[c + d*x]]) + ((8*a*A*b - 3*a^2*
B + 12*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(32*b*d*Sqrt[Sec[c + d
*x]]) + ((8*A*b - 3*a*B)*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(24*b*d*S
qrt[Sec[c + d*x]]) + (B*(a + b*Cos[c + d*x])^(5/2)*Sin[c + d*x])/(4*b*d*Sqr
t[Sec[c + d*x]]) + ((24*a^2*A*b + 128*A*b^3 - 9*a^3*B + 156*a*b^2*B)*Sqrt[a
```

$$+ b \cos[c + dx] \sqrt{\sec[c + dx]} \sin[c + dx] / (192 b^2 d)$$

Rule 2961

Int[(csc[e\_] + (f\_)\*(x\_))\*(g\_)^(p\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

Rule 2990

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*B\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^n\*Simp[a^2\*A\*d\*(m + n + 1) + b\*B\*(b\*c\*(m - 1) + a\*d\*(n + 1)) + (a\*d\*(2\*A\*b + a\*B)\*(m + n + 1) - b\*B\*(a\*c - b\*d\*(m + n)))\*Sin[e + f\*x] + b\*(A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3049

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)] + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 2)), x] + Dist[1/(d\*(m + n + 2)), Int[(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 2) + C\*(b\*c\*m + a\*d\*(n + 1)) + (d\*(A\*b + a\*B)\*(m + n + 2) - C\*(a\*c - b\*d\*(m + n + 1)))\*Sin[e + f\*x] + (C\*(a\*d\*m - b\*c\*(m + 1)) + b\*B\*d\*(m + n + 2))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

Rule 3061

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)] + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2)/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*Sqrt[c + d\*Sin[e + f\*x]])/(d\*f\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[1/(2\*d), Int[(1\*Simp[2\*a\*A\*d - C\*(b\*c - a\*d) - 2\*(a\*c\*C - d\*(A\*b + a\*B))\*Sin[e + f\*x] + (2\*b\*B\*d - C\*(b\*c + a\*d))\*Sin[e + f\*x]^2, x])/(a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 3053

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)] + (C\_)\*sin[(e\_) + (f\_)\*(x\_)]^2)/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[C/b^2, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[1/b^2, Int[(A\*b^2 - a^2\*C + b\*(b\*B - 2\*a\*C)\*Sin[e + f\*x])/(a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x])], x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

### Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{3/2} (A + B \cos(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \cos^{\frac{3}{2}}(c + dx) (a + b \cos(c + dx))^{3/2} dx \\
&= \frac{B(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{4bd\sqrt{\sec(c + dx)}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \cos^{\frac{3}{2}}(c + dx) (a + b \cos(c + dx))^{3/2} dx}{4bd\sqrt{\sec(c + dx)}} \\
&= \frac{(8Ab - 3a^2B)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{24bd\sqrt{\sec(c + dx)}} + \frac{B(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{4bd\sqrt{\sec(c + dx)}} \\
&= \frac{(8aAb - 3a^2B + 12b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{32bd\sqrt{\sec(c + dx)}} + \frac{(8Ab - 3a^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{32bd\sqrt{\sec(c + dx)}} \\
&= \frac{(8aAb - 3a^2B + 12b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{32bd\sqrt{\sec(c + dx)}} + \frac{(8Ab - 3a^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{32bd\sqrt{\sec(c + dx)}} \\
&= \frac{(8aAb - 3a^2B + 12b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{32bd\sqrt{\sec(c + dx)}} + \frac{(8Ab - 3a^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{32bd\sqrt{\sec(c + dx)}} \\
&= \frac{\sqrt{a + b} (8a^3Ab - 96aAb^3 - 3a^4B - 24a^2b^2B - 48b^4B) \sqrt{\cos(c + dx)}}{64b} \\
&= -\frac{(a - b)\sqrt{a + b} (24a^2Ab + 128Ab^3 - 9a^3B + 156ab^2B) \sqrt{\cos(c + dx)}}{192ab}
\end{aligned}$$

**Mathematica [B]** time = 21.6206, size = 1907, normalized size = 2.61

result too large to display

Antiderivative was successfully verified.

[In] Integrate[((a + b\*Cos[c + d\*x])^(3/2)\*(A + B\*Cos[c + d\*x]))/Sec[c + d\*x]^(3/2),x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*(((8\*A\*b + 9\*a\*B)\*Sin[c + d\*x])/96 + ((56\*a\*A\*b + 3\*a^2\*B + 48\*b^2\*B)\*Sin[2\*(c + d\*x)]/(192\*b) + ((8\*A\*b + 9\*a\*B)\*Sin[3\*(c + d\*x)]/96 + (b\*B\*Sin[4\*(c + d\*x)]/32))/d + (Sqrt[(1 - Tan[(c + d\*x)/2]^2)^(-1)]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(1 + Tan[(c + d\*x)/2]^2)]\*(-24\*a^3\*A\*b\*Tan[(c + d\*x)/2] - 24\*a^2\*A\*b^2\*Tan[(c + d\*x)/2] - 128\*a\*A\*b^3\*Tan[(c + d\*x)/2] - 128\*A\*b^4\*Tan[(c + d\*x)/2] + 9\*a^4\*B\*Tan[(c + d\*x)/2] + 9\*a^3\*b\*B\*Tan[(c + d\*x)/2] - 156\*a^2\*b^2\*B\*Tan[(c + d\*x)/2] - 156\*a\*b^3\*B\*Tan[(c + d\*x)/2] + 48\*a^2\*A\*b^2\*Tan[(c + d\*x)/2]^3 + 256\*A\*b^4\*Tan[(c + d\*x)/2]^3 - 18\*a^3\*b\*B\*Tan[(c + d\*x)/2]^3 + 312\*a\*b^3\*B\*Tan[(c + d\*x)/2]^3 + 24\*a^3\*A\*b\*Tan[(c + d\*x)/2]^5 - 24\*a^2\*A\*b^2\*Tan[(c + d\*x)/2]^5 + 128\*a\*A\*b^3\*Tan[(c + d\*x)/2]^5 - 128\*A\*b^4\*Tan[(c + d\*x)/2]^5 - 9\*a^4\*B\*Tan[(c + d\*x)/2]^5 + 9\*a^3\*b\*B\*Tan[(c + d\*x)/2]^5 + 156\*a^2\*b^2\*B\*Tan[(c + d\*x)/2]^5 - 156\*a\*b^3\*B\*Tan[(c + d\*x)/2]^5 - 48\*a^3\*A\*b\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 576\*a\*A\*b^3\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 18\*a^4\*B\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 144\*a^2\*b^2\*B\*Elliptic





$$\begin{aligned}
& +b*\cos(d*x+c)/(1+\cos(d*x+c))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), \\
& -(a-b)/(a+b))^{1/2})*a^2*b^2*\sin(d*x+c)-156*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} \\
& *(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c))^{1/2})*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), \\
& -(a-b)/(a+b))^{1/2})*a*b^3*\sin(d*x+c)-6*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} \\
& *(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c))^{1/2})*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\
& -(a-b)/(a+b))^{1/2})*a^3*b*\sin(d*x+c)+228*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} \\
& *(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c))^{1/2})*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\
& -(a-b)/(a+b))^{1/2})*a^2*b^2*\sin(d*x+c)-72*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} \\
& *(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c))^{1/2})*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\
& -(a-b)/(a+b))^{1/2})*a*b^3*\sin(d*x+c)+144*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} \\
& *(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c))^{1/2})*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\
& -(a-b)/(a+b))^{1/2})*b^4*\sin(d*x+c)*\cos(d*x+c)*(1/\cos(d*x+c))^{3/2}/\sin(d*x+c) \\
& /(a+b*\cos(d*x+c))^{1/2}
\end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)/sec(d\*x + c)^(3/2), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(3/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out



**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{3}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(3/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(3/2)/sec(d\*x + c)^(3/2), x)

$$3.605 \quad \int (a+b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^{13/2}(c+dx) dx$$

**Optimal.** Leaf size=662

$$\frac{2(81a^2A + 209abB + 113Ab^2) \sin(c+dx) \sec^{7/2}(c+dx) \sqrt{a+b \cos(c+dx)}}{693d} + \frac{2(1145a^2Ab + 539a^3B + 825ab^2B + 15Ab^3)}{34d}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3465*a^4*d*Sqrt[Sec[c + d*x]]) + (2*(a - b)*Sqrt[a + b]*(40*A*b^4 + 3*a^4*(225*A - 539*B) - 6*a^3*b*(505*A - 209*B) + 15*a^2*b^2*(19*A - 121*B) + 10*a*b^3*(3*A - 11*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3465*a^3*d*Sqrt[Sec[c + d*x]]) + (2*(675*a^4*A + 1025*a^2*A*b^2 - 20*A*b^4 + 1793*a^3*b*B + 55*a*b^3*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3465*a^2*d) + (2*(1145*a^2*A*b + 15*A*b^3 + 539*a^3*B + 825*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(3465*a*d) + (2*(81*a^2*A + 113*A*b^2 + 209*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(693*d) + (2*a*(14*A*b + 11*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(9/2)*Sin[c + d*x])/(99*d) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(11/2)*Sin[c + d*x])/(11*d)
```

**Rubi [A]** time = 2.91098, antiderivative size = 662, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2961, 2989, 3047, 3055, 2998, 2816, 2994}

$$\frac{2(81a^2A + 209abB + 113Ab^2) \sin(c+dx) \sec^{7/2}(c+dx) \sqrt{a+b \cos(c+dx)}}{693d} + \frac{2(1145a^2Ab + 539a^3B + 825ab^2B + 15Ab^3)}{34d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(13/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3465*a^4*d*Sqrt[Sec[c + d*x]]) + (2*(a - b)*Sqrt[a + b]*(40*A*b^4 + 3*a^4*(225*A - 539*B) - 6*a^3*b*(505*A - 209*B) + 15*a^2*b^2*(19*A - 121*B) + 10*a*b^3*(3*A - 11*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3465*a^3*d*Sqrt[Sec[c + d*x]]) + (2*(675*a^4*A + 1025*a^2*A*b^2 - 20*A*b^4 + 1793*a^3*b*B + 55*a*b^3*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3465*a^2*d) + (2*(1145*a^2*A*b + 15*A*b^3 + 539*a^3*B + 825*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(3465*a*d) + (2*(81*a^2*A + 113*A*b^2 + 209*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(693*d) + (2*a*(14*A*b + 11*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(9/2)*Sin[c + d*x])/(99*d) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(11/2)*Sin[c + d*x])/(11*d)
```

\*Cos[c + d\*x]^(3/2)\*Sec[c + d\*x]^(11/2)\*Sin[c + d\*x]/(11\*d)

#### Rule 2961

Int[(csc[e\_.] + (f\_.)\*(x\_.))\*(g\_.)]^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] := Dist[(g\*Csc[e + f\*x])^p\*(g\*Ssin[e + f\*x])^p, Int[((a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^n)/(g\*Ssin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2989

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] := -Simp[((b\*c - a\*d)\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Ssin[e + f\*x])^(m - 2)\*(c + d\*Ssin[e + f\*x])^(n + 1)\*Simp[b\*(b\*c - a\*d)\*(B\*c - A\*d)\*(m - 1) + a\*d\*(a\*A\*c + b\*B\*c - (A\*b + a\*B)\*d)\*(n + 1) + (b\*(b\*d\*(B\*c - A\*d) + a\*(A\*c\*d + B\*(c^2 - 2\*d^2)))\*(n + 1) - a\*(b\*c - a\*d)\*(B\*c - A\*d)\*(n + 2))\*Sin[e + f\*x] + b\*(d\*(A\*b\*c + a\*B\*c - a\*A\*d)\*(m + n + 1) - b\*B\*(c^2\*m + d^2\*(n + 1)))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

#### Rule 3047

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] := -Simp[((c^2\*C - B\*c\*d + A\*d^2)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1)\*Simp[A\*d\*(b\*d\*m + a\*c\*(n + 1)) + (c\*C - B\*d)\*(b\*c\*m + a\*d\*(n + 1)) - (d\*(A\*(a\*d\*(n + 2) - b\*c\*(n + 1)) + B\*(b\*d\*(n + 1) - a\*c\*(n + 2))) - C\*(b\*c\*d\*(n + 1) - a\*(c^2 + d^2\*(n + 1)))\*Sin[e + f\*x] + b\*(d\*(B\*c - A\*d)\*(m + n + 2) - C\*(c^2\*(m + 1) + d^2\*(n + 1)))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

#### Rule 3055

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2), x\_Symbol] := -Simp[((A\*b^2 - a\*b\*B + a^2\*C)\*Cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/((m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), Int[(a + b\*Ssin[e + f\*x])^(m + 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[(m + 1)\*(b\*c - a\*d)\*(a\*A - b\*B + a\*C) + d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 2) - (c\*(A\*b^2 - a\*b\*B + a^2\*C) + (m + 1)\*(b\*c - a\*d)\*(A\*b - a\*B + b\*C))\*Sin[e + f\*x] - d\*(A\*b^2 - a\*b\*B + a^2\*C)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := D

```
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

### Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_) + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_) + (f
_)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2]]], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

### Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2]]], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{\frac{13}{2}}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{\frac{13}{2}}(c + dx)}{\cos^{\frac{13}{2}}(c + dx)} dx \\
&= \frac{2aA(a + b \cos(c + dx))^{3/2} \sec^{\frac{11}{2}}(c + dx) \sin(c + dx)}{11d} + \frac{1}{11} \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{\frac{13}{2}}(c + dx)}{\cos^{\frac{13}{2}}(c + dx)} dx \\
&= \frac{2a(14Ab + 11aB) \sqrt{a + b \cos(c + dx)} \sec^{\frac{9}{2}}(c + dx) \sin(c + dx)}{99d} \\
&= \frac{2(81a^2A + 113Ab^2 + 209abB) \sqrt{a + b \cos(c + dx)} \sec^{\frac{7}{2}}(c + dx)}{693d} \\
&= \frac{2(1145a^2Ab + 15Ab^3 + 539a^3B + 825ab^2B) \sqrt{a + b \cos(c + dx)} \sec^{\frac{5}{2}}(c + dx)}{3465ad} \\
&= \frac{2(675a^4A + 1025a^2Ab^2 - 20Ab^4 + 1793a^3bB + 55ab^3B)}{3465a^2d} \\
&= \frac{2(675a^4A + 1025a^2Ab^2 - 20Ab^4 + 1793a^3bB + 55ab^3B)}{3465a^2d} \\
&= \frac{2(a - b) \sqrt{a + b} (3705a^4Ab + 255a^2Ab^3 + 40Ab^5 + 1617a^3b^2B)}{3465a^2d}
\end{aligned}$$

**Mathematica [B]** time = 26.7664, size = 4198, normalized size = 6.34

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*cos[c + d\*x])^(5/2)\*(A + B\*cos[c + d\*x])\*Sec[c + d\*x]^(13/2),x]

[Out] (Sqrt[a + b\*cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((2\*(3705\*a^4\*A\*b + 255\*a^2\*A\*b^3 + 40\*A\*b^5 + 1617\*a^5\*B + 3069\*a^3\*b^2\*B - 110\*a\*b^4\*B)\*Sin[c + d\*x])/(3465\*a^3) + (2\*Sec[c + d\*x]^4\*(23\*a\*A\*b\*SIN[c + d\*x] + 11\*a^2\*B\*SIN[c + d\*x]))/99 + (2\*Sec[c + d\*x]^3\*(81\*a^2\*A\*SIN[c + d\*x] + 113\*A\*b^2\*SIN[c + d\*x] + 209\*a\*b\*B\*SIN[c + d\*x]))/693 + (2\*Sec[c + d\*x]^2\*(1145\*a^2\*A\*b\*SIN[c + d\*x] + 15\*A\*b^3\*SIN[c + d\*x] + 539\*a^3\*B\*SIN[c + d\*x] + 825\*a\*b^2\*B\*SIN[c + d\*x]))/(3465\*a) + (2\*Sec[c + d\*x]\*(675\*a^4\*A\*SIN[c + d\*x] + 1025\*a^2\*A\*b^2\*SIN[c + d\*x] - 20\*A\*b^4\*SIN[c + d\*x] + 1793\*a^3\*b\*B\*SIN[c + d\*x] + 55\*a\*b^3\*B\*SIN[c + d\*x]))/(3465\*a^2) + (2\*a^2\*A\*Sec[c + d\*x]^4\*Tan[c + d\*x])/11)/d + (2\*((-247\*a^2\*A\*b)/(231\*Sqrt[a + b\*cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) - (17\*A\*b^3)/(231\*Sqrt[a + b\*cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) - (8\*A\*b^5)/(693\*a^2\*Sqrt[a + b\*cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) - (7\*a^3\*B)/(15\*Sqrt[a + b\*cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) - (31\*a\*b^2\*B)/(35\*Sqrt[a + b\*cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) + (2\*b^4\*B)/(63\*a\*Sqrt[a + b\*cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) + (15\*a^3\*A\*Sqrt[Sec[c + d\*x]])/(77\*Sqrt[a + b\*cos[c + d\*x]]) - (26\*a\*A\*b^2\*Sqrt[Sec[c + d\*x]])/(231\*Sqrt[a + b\*cos[c + d\*x]]) - (7\*A\*b^4\*Sqrt[Sec[c + d\*x]])/(99\*a\*Sqrt[a + b\*cos[c + d\*x]]) - (8\*A\*b^6\*Sqrt[Sec[c + d\*x]])/(693\*a^3\*Sqrt[a + b\*cos[c + d\*x]]) + (38\*a^2\*b\*B\*Sqrt[Sec[c + d\*x]])/(105\*Sqrt[a + b\*cos[c + d\*x]]) - (124\*b^3\*B\*Sqrt[Sec[c + d\*x]])/(315\*Sqrt[a + b\*cos[c + d\*x]]) + (2\*b^5\*B\*Sqrt[Sec[c + d\*x]])/(63\*a^2\*Sqrt[a + b\*cos[c + d\*x]]) - (247\*a\*A\*b^2\*cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(231\*Sqrt[a + b\*cos[c + d\*x]]) - (17\*A\*b^4\*cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(231\*a\*Sqrt[a + b\*cos[c + d\*x]]) - (8\*A\*b^6\*cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(693\*a^3\*Sqrt[a + b\*cos[c + d\*x]]) - (7\*a^2\*b\*B\*cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(15\*Sqrt[a + b\*cos[c + d\*x]]) - (31\*b^3\*B\*cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(35\*Sqrt[a + b\*cos[c + d\*x]]) + (2\*b^5\*B\*cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(63\*a^2\*Sqrt[a + b\*cos[c + d\*x]])\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]\*(-2\*(a + b)\*(3705\*a^4\*A\*b + 255\*a^2\*A\*b^3 + 40\*A\*b^5 + 1617\*a^5\*B + 3069\*a^3\*b^2\*B - 110\*a\*b^4\*B)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \*Sqrt[(a + b\*cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*a\*(a + b)\*(40\*A\*b^4 - 10\*a\*b^3\*(3\*A + 11\*B) + 15\*a^2\*b^2\*(19\*A + 121\*B) + 6\*a^3\*b\*(505\*A + 209\*B) + 3\*a^4\*(225\*A + 539\*B))\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \*Sqrt[(a + b\*cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - (3705\*a^4\*A\*b + 255\*a^2\*A\*b^3 + 40\*A\*b^5 + 1617\*a^5\*B + 3069\*a^3\*b^2\*B - 110\*a\*b^4\*B)\*Cos[c + d\*x]\*(a + b\*cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2))/(3465\*a^3\*d\*Sqrt[a + b\*cos[c + d\*x]]\*Sqrt[Sec[(c + d\*x)/2]^2]\*((b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sin[c + d\*x]\*(-2\*(a + b)\*(3705\*a^4\*A\*b + 255\*a^2\*A\*b^3 + 40\*A\*b^5 + 1617\*a^5\*B + 3069\*a^3\*b^2\*B - 110\*a\*b^4\*B)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \*Sqrt[(a + b\*cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*a\*(a + b)\*(40\*A\*b^4 - 10\*a\*b^3\*(3\*A + 11\*B) + 15\*a^2\*b^2\*(19\*A + 121\*B) + 6\*a^3\*b\*(505\*A + 209\*B) + 3\*a^4\*(225\*A + 539\*B))\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \*Sqrt[(a + b\*cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - (3705\*a^4\*A\*b + 255\*a^2\*A\*b^3 + 40\*A\*b^5 + 1617\*a^5\*B + 3069\*a^3\*b^2\*B - 110\*a\*b^4\*B)\*Cos[c + d\*x]\*(a + b\*cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2))/(3465\*a^3\*(a + b\*cos[c + d\*x])^(3/2)\*Sqrt[Sec[(c + d\*x)/2]^2]) - (Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Tan[(c + d\*x)/2]\*(-2\*(a + b)\*(3705\*a^4\*A\*b + 255\*a^2\*A\*b^3 + 40\*A\*b^5 + 1617\*a^5\*B + 3069\*a^3\*b^2\*B - 110\*a\*b^4\*B)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \*Sqrt[(a + b\*cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*a\*(a + b)\*(40\*A\*b^4 - 10\*a\*b^3\*(3\*A + 11\*B) + 15\*a^2\*b^2\*(19\*A + 121\*B) + 6\*a^3\*b\*(505\*A + 209\*B) + 3\*a^4\*(225\*A + 539\*B))\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])])

```

]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[
Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (3705*a^4*A*b + 255*a^2*A*b^3 + 40*A
*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Cos[c + d*x]*(a + b*Cos[c
+ d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/((3465*a^3*Sqrt[a + b*Cos[c +
d*x]])*Sqrt[Sec[(c + d*x)/2]^2]) + (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]
*(-((3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B
- 110*a*b^4*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^4)/2 - ((
a + b)*(3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2
*B - 110*a*b^4*B)*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*E
llipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*((Cos[c + d*x]*Sin[c +
d*x))/(1 + Cos[c + d*x])^2 - Sin[c + d*x]/(1 + Cos[c + d*x])))/Sqrt[Cos[c
+ d*x]/(1 + Cos[c + d*x])] + (a*(a + b)*(40*A*b^4 - 10*a*b^3*(3*A + 11*B) +
15*a^2*b^2*(19*A + 121*B) + 6*a^3*b*(505*A + 209*B) + 3*a^4*(225*A + 539*B
))*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[
Tan[(c + d*x)/2]], (-a + b)/(a + b)]*((Cos[c + d*x]*Sin[c + d*x))/(1 + Cos
[c + d*x])^2 - Sin[c + d*x]/(1 + Cos[c + d*x])))/Sqrt[Cos[c + d*x]/(1 + Cos
[c + d*x])] - ((a + b)*(3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*
B + 3069*a^3*b^2*B - 110*a*b^4*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Ell
ipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*(-((b*Sin[c + d*x])/((a
+ b)*(1 + Cos[c + d*x])))) + ((a + b*Cos[c + d*x])*Sin[c + d*x])/((a + b)*(1
+ Cos[c + d*x])^2))/Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x])
)] + (a*(a + b)*(40*A*b^4 - 10*a*b^3*(3*A + 11*B) + 15*a^2*b^2*(19*A + 121*
B) + 6*a^3*b*(505*A + 209*B) + 3*a^4*(225*A + 539*B))*Sqrt[Cos[c + d*x]/(1
+ Cos[c + d*x])]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*(-((
b*Sin[c + d*x])/((a + b)*(1 + Cos[c + d*x])))) + ((a + b*Cos[c + d*x])*Sin[c
+ d*x])/((a + b)*(1 + Cos[c + d*x])^2))/Sqrt[(a + b*Cos[c + d*x])/((a + b
)*(1 + Cos[c + d*x]))] + b*(3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*
a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Cos[c + d*x]*Sec[(c + d*x)/2]^2*Sin[c
+ d*x]*Tan[(c + d*x)/2] + (3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*
a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]
^2*Sin[c + d*x]*Tan[(c + d*x)/2] - (3705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5
+ 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Cos[c + d*x]*(a + b*Cos[c + d
*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]^2 + (a*(a + b)*(40*A*b^4 - 10*a*b^
3*(3*A + 11*B) + 15*a^2*b^2*(19*A + 121*B) + 6*a^3*b*(505*A + 209*B) + 3*a^
4*(225*A + 539*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c
+ d*x])/((a + b)*(1 + Cos[c + d*x]))]*Sec[(c + d*x)/2]^2)/(Sqrt[1 - Tan[(c
+ d*x)/2]^2]*Sqrt[1 - ((-a + b)*Tan[(c + d*x)/2]^2)/(a + b)]) - ((a + b)*(3
705*a^4*A*b + 255*a^2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*
a*b^4*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((
a + b)*(1 + Cos[c + d*x]))]*Sec[(c + d*x)/2]^2*Sqrt[1 - ((-a + b)*Tan[(c +
d*x)/2]^2)/(a + b)]/Sqrt[1 - Tan[(c + d*x)/2]^2]))/(3465*a^3*Sqrt[a + b*Co
s[c + d*x]])*Sqrt[Sec[(c + d*x)/2]^2]) + ((-2*(a + b)*(3705*a^4*A*b + 255*a^
2*A*b^3 + 40*A*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Sqrt[Cos[c
+ d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c +
d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)
*(40*A*b^4 - 10*a*b^3*(3*A + 11*B) + 15*a^2*b^2*(19*A + 121*B) + 6*a^3*b*(5
05*A + 209*B) + 3*a^4*(225*A + 539*B))*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])
]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[
Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (3705*a^4*A*b + 255*a^2*A*b^3 + 40*A
*b^5 + 1617*a^5*B + 3069*a^3*b^2*B - 110*a*b^4*B)*Cos[c + d*x]*(a + b*Cos[c
+ d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])*(-(Cos[(c + d*x)/2]*Sec[c + d
*x]*Sin[(c + d*x)/2]) + Cos[(c + d*x)/2]^2*Sec[c + d*x]*Tan[c + d*x]))/(346
5*a^3*Sqrt[a + b*Cos[c + d*x))*Sqrt[Sec[(c + d*x)/2]^2]*Sqrt[Cos[(c + d*x)/
2]^2*Sec[c + d*x]]))

```

---

**Maple [B]** time = 1.276, size = 5381, normalized size = 8.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(13/2),x)`

[Out] result too large to display

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{13}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(13/2),x, algorith="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^(13/2), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)\right) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{13}{2}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(13/2),x, algorith="fricas")`

[Out] `integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(13/2), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(13/2),x)`

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(13/2),x, algo  
rithm="giac")
```

```
[Out] Timed out
```



$$3.606 \quad \int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{11/2}(c + dx) dx$$

**Optimal.** Leaf size=562

$$\frac{2(49a^2A + 135abB + 75Ab^2) \sin(c + dx) \sec^{5/2}(c + dx) \sqrt{a + b \cos(c + dx)}}{315d} + \frac{2(163a^2Ab + 75a^3B + 135ab^2B + 5Ab^3)}{3}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(147*a^4*A + 279*a^2*A*b^2 - 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(315*a^3*d*Sqrt[Sec[c + d*x]]) - (2*(a - b)*Sqrt[a + b]*(10*A*b^3 - 6*a^2*b*(19*A - 60*B) + 3*a^3*(49*A - 25*B) + 15*a*b^2*(11*A - 3*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(315*a^2*d*Sqrt[Sec[c + d*x]]) + (2*(163*a^2*A*b + 5*A*b^3 + 75*a^3*B + 135*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(315*a*d) + (2*(49*a^2*A + 75*A*b^2 + 135*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(315*d) + (2*a*(4*A*b + 3*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(21*d) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(9/2)*Sin[c + d*x])/(9*d)
```

**Rubi [A]** time = 2.07156, antiderivative size = 562, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2961, 2989, 3047, 3055, 2998, 2816, 2994}

$$\frac{2(49a^2A + 135abB + 75Ab^2) \sin(c + dx) \sec^{5/2}(c + dx) \sqrt{a + b \cos(c + dx)}}{315d} + \frac{2(163a^2Ab + 75a^3B + 135ab^2B + 5Ab^3)}{3}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(11/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(147*a^4*A + 279*a^2*A*b^2 - 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(315*a^3*d*Sqrt[Sec[c + d*x]]) - (2*(a - b)*Sqrt[a + b]*(10*A*b^3 - 6*a^2*b*(19*A - 60*B) + 3*a^3*(49*A - 25*B) + 15*a*b^2*(11*A - 3*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(315*a^2*d*Sqrt[Sec[c + d*x]]) + (2*(163*a^2*A*b + 5*A*b^3 + 75*a^3*B + 135*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(315*a*d) + (2*(49*a^2*A + 75*A*b^2 + 135*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(315*d) + (2*a*(4*A*b + 3*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(21*d) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(9/2)*Sin[c + d*x])/(9*d)
```

Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n]/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

### Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

### Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

&& NeQ[A, B]

### Rule 2816

Int[1/(Sqrt[(d\_)\*sin[(e\_.) + (f\_.)\*(x\_)]])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

### Rule 2994

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^3/2\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

### Rubi steps

$$\begin{aligned}
 \int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{11/2}(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{11/2}(c + dx)}{\cos^{11/2}(c + dx)} dx \\
 &= \frac{2aA(a + b \cos(c + dx))^{3/2} \sec^2(c + dx) \sin(c + dx)}{9d} + \frac{2B(a + b \cos(c + dx))^{3/2} \sec^2(c + dx) \sin(c + dx)}{9d} \\
 &= \frac{2a(4Ab + 3aB) \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{21d} \\
 &= \frac{2(49a^2A + 75Ab^2 + 135abB) \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{315d} \\
 &= \frac{2(163a^2Ab + 5Ab^3 + 75a^3B + 135ab^2B) \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{315ad} \\
 &= \frac{2(163a^2Ab + 5Ab^3 + 75a^3B + 135ab^2B) \sqrt{a + b \cos(c + dx)} \sec^2(c + dx) \sin(c + dx)}{315ad} \\
 &= \frac{2(a - b) \sqrt{a + b} (147a^4A + 279a^2Ab^2 - 10Ab^4 + 435a^3B)}{315ad}
 \end{aligned}$$

**Mathematica [B]** time = 25.8229, size = 3755, normalized size = 6.68

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(11/2), x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((2\*(147\*a^4\*A + 279\*a^2\*A\*b^2 - 10\*A\*b^4 + 435\*a^3\*b\*B + 45\*a\*b^3\*B)\*Sin[c + d\*x])/(315\*a^2) + (2\*Sec[c

$$\begin{aligned}
& + d*x]^3*(19*a*A*b*\sin[c + d*x] + 9*a^2*B*\sin[c + d*x])/63 + (2*\sec[c + d*x]^2*(49*a^2*A*\sin[c + d*x] + 75*A*b^2*\sin[c + d*x] + 135*a*b*B*\sin[c + d*x]))/315 + (2*\sec[c + d*x]*(163*a^2*A*b*\sin[c + d*x] + 5*A*b^3*\sin[c + d*x] + 75*a^3*B*\sin[c + d*x] + 135*a*b^2*B*\sin[c + d*x]))/(315*a) + (2*a^2*A*\sec[c + d*x]^3*\tan[c + d*x])/9)/d + (2*((-7*a^3*A)/(15*\sqrt{a + b*\cos[c + d*x]})*\sqrt{\sec[c + d*x]}) - (31*a*A*b^2)/(35*\sqrt{a + b*\cos[c + d*x]})*\sqrt{\sec[c + d*x]}) + (2*A*b^4)/(63*a*\sqrt{a + b*\cos[c + d*x]})*\sqrt{\sec[c + d*x]}) - (29*a^2*b*B)/(21*\sqrt{a + b*\cos[c + d*x]})*\sqrt{\sec[c + d*x]}) - (b^3*B)/(7*\sqrt{a + b*\cos[c + d*x]})*\sqrt{\sec[c + d*x]}) + (38*a^2*A*b*\sqrt{\sec[c + d*x]})/(105*\sqrt{a + b*\cos[c + d*x]}) - (124*A*b^3*\sqrt{\sec[c + d*x]})/(315*\sqrt{a + b*\cos[c + d*x]}) + (2*A*b^5*\sqrt{\sec[c + d*x]})/(63*a^2*\sqrt{a + b*\cos[c + d*x]}) + (5*a^3*B*\sqrt{\sec[c + d*x]})/(21*\sqrt{a + b*\cos[c + d*x]}) - (2*a*b^2*B*\sqrt{\sec[c + d*x]})/(21*\sqrt{a + b*\cos[c + d*x]}) - (b^4*B*\sqrt{\sec[c + d*x]})/(7*a*\sqrt{a + b*\cos[c + d*x]}) - (7*a^2*A*b*\cos[2*(c + d*x)]*\sqrt{\sec[c + d*x]})/(15*\sqrt{a + b*\cos[c + d*x]}) - (31*A*b^3*\cos[2*(c + d*x)]*\sqrt{\sec[c + d*x]})/(35*\sqrt{a + b*\cos[c + d*x]}) + (2*A*b^5*\cos[2*(c + d*x)]*\sqrt{\sec[c + d*x]})/(63*a^2*\sqrt{a + b*\cos[c + d*x]}) - (29*a*b^2*B*\cos[2*(c + d*x)]*\sqrt{\sec[c + d*x]})/(21*\sqrt{a + b*\cos[c + d*x]}) - (b^4*B*\cos[2*(c + d*x)]*\sqrt{\sec[c + d*x]})/(7*a*\sqrt{a + b*\cos[c + d*x]}) * \sqrt{\cos[(c + d*x)/2]^2*\sec[c + d*x]}*(-2*(a + b)*(147*a^4*A + 279*a^2*A*b^2 - 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(a + b*\cos[c + d*x])/(a + b)*(1 + \cos[c + d*x])})*\text{EllipticE}[\text{ArcSin}[\tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(-10*A*b^3 + 15*a*b^2*(11*A + 3*B) + 3*a^3*(49*A + 25*B) + 6*a^2*b*(19*A + 60*B))*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(a + b*\cos[c + d*x])/(a + b)*(1 + \cos[c + d*x])})*\text{EllipticF}[\text{ArcSin}[\tan[(c + d*x)/2]], (-a + b)/(a + b)] - (147*a^4*A + 279*a^2*A*b^2 - 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*\cos[c + d*x]*(a + b*\cos[c + d*x])* \sec[(c + d*x)/2]^2*\tan[(c + d*x)/2])/((315*a^2*d*\sqrt{a + b*\cos[c + d*x]})*\sqrt{\sec[(c + d*x)/2]^2}*((b*\sqrt{\cos[(c + d*x)/2]^2*\sec[c + d*x]})*\sin[c + d*x]*(-2*(a + b)*(147*a^4*A + 279*a^2*A*b^2 - 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(a + b*\cos[c + d*x])/(a + b)*(1 + \cos[c + d*x])})*\text{EllipticE}[\text{ArcSin}[\tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(-10*A*b^3 + 15*a*b^2*(11*A + 3*B) + 3*a^3*(49*A + 25*B) + 6*a^2*b*(19*A + 60*B))*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(a + b*\cos[c + d*x])/(a + b)*(1 + \cos[c + d*x])})*\text{EllipticF}[\text{ArcSin}[\tan[(c + d*x)/2]], (-a + b)/(a + b)] - (147*a^4*A + 279*a^2*A*b^2 - 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*\cos[c + d*x]*(a + b*\cos[c + d*x])* \sec[(c + d*x)/2]^2*\tan[(c + d*x)/2])/((315*a^2*(a + b*\cos[c + d*x])^(3/2)*\sqrt{\sec[(c + d*x)/2]^2}) - (\sqrt{\cos[(c + d*x)/2]^2*\sec[c + d*x]}*\tan[(c + d*x)/2]*(-2*(a + b)*(147*a^4*A + 279*a^2*A*b^2 - 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(a + b*\cos[c + d*x])/(a + b)*(1 + \cos[c + d*x])})*\text{EllipticE}[\text{ArcSin}[\tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(-10*A*b^3 + 15*a*b^2*(11*A + 3*B) + 3*a^3*(49*A + 25*B) + 6*a^2*b*(19*A + 60*B))*\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])}*\sqrt{(a + b*\cos[c + d*x])/(a + b)*(1 + \cos[c + d*x])})*\text{EllipticF}[\text{ArcSin}[\tan[(c + d*x)/2]], (-a + b)/(a + b)] - (147*a^4*A + 279*a^2*A*b^2 - 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*\cos[c + d*x]*(a + b*\cos[c + d*x])* \sec[(c + d*x)/2]^2*\tan[(c + d*x)/2])/((315*a^2*\sqrt{a + b*\cos[c + d*x]})*\sqrt{\sec[(c + d*x)/2]^2}) + (2*\sqrt{\cos[(c + d*x)/2]^2*\sec[c + d*x]}*(-((147*a^4*A + 279*a^2*A*b^2 - 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*\cos[c + d*x]*(a + b*\cos[c + d*x])* \sec[(c + d*x)/2]^4)/2 - ((a + b)*(147*a^4*A + 279*a^2*A*b^2 - 10*A*b^4 + 435*a^3*b*B + 45*a*b^3*B)*\sqrt{(a + b*\cos[c + d*x])/(a + b)*(1 + \cos[c + d*x])})*\text{EllipticE}[\text{ArcSin}[\tan[(c + d*x)/2]], (-a + b)/(a + b)]*((\cos[c + d*x]*\sin[c + d*x])/(1 + \cos[c + d*x])^2 - \sin[c + d*x]/(1 + \cos[c + d*x])))/\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])} + (a*(a + b)*(-10*A*b^3 + 15*a*b^2*(11*A + 3*B) + 3*a^3*(49*A + 25*B) + 6*a^2*b*(19*A + 60*B))*\sqrt{(a + b*\cos[c + d*x])/(a + b)*(1 + \cos[c + d*x])})*\text{EllipticF}[\text{ArcSin}[\tan[(c + d*x)/2]], (-a + b)/(a + b)]*((\cos[c + d*x]*\sin[c + d*x])/(1 + \cos[c + d*x])^2 - \sin[c + d*x]/(1 + \cos[c + d*x])))/\sqrt{\cos[c + d*x]/(1 + \cos[c + d*x])} - ((a + b)*(147*a^4*A + 279*
\end{aligned}$$

$$\begin{aligned}
& a^2 A b^2 - 10 A b^4 + 435 a^3 b B + 45 a b^3 B) \operatorname{Sqrt}[\operatorname{Cos}[c + d x] / (1 + \operatorname{Cos}[c + d x])] \operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Tan}[(c + d x) / 2]], (-a + b) / (a + b)] * (-((b \operatorname{Sin}[c + d x]) / ((a + b) * (1 + \operatorname{Cos}[c + d x])))) + ((a + b \operatorname{Cos}[c + d x]) * \operatorname{Sin}[c + d x]) / ((a + b) * (1 + \operatorname{Cos}[c + d x])^2)) / \operatorname{Sqrt}[(a + b \operatorname{Cos}[c + d x]) / ((a + b) * (1 + \operatorname{Cos}[c + d x]))] + (a * (a + b) * (-10 A b^3 + 15 a b^2 * (11 A + 3 B) + 3 a^3 * (49 A + 25 B) + 6 a^2 b * (19 A + 60 B))) \operatorname{Sqrt}[\operatorname{Cos}[c + d x] / (1 + \operatorname{Cos}[c + d x])] \\
& * \operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Tan}[(c + d x) / 2]], (-a + b) / (a + b)] * (-((b \operatorname{Sin}[c + d x]) / ((a + b) * (1 + \operatorname{Cos}[c + d x])))) + ((a + b \operatorname{Cos}[c + d x]) * \operatorname{Sin}[c + d x]) / ((a + b) * (1 + \operatorname{Cos}[c + d x])^2)) / \operatorname{Sqrt}[(a + b \operatorname{Cos}[c + d x]) / ((a + b) * (1 + \operatorname{Cos}[c + d x]))] + b * (147 a^4 A + 279 a^2 A b^2 - 10 A b^4 + 435 a^3 b B + 45 a b^3 B) * \operatorname{Cos}[c + d x] * \operatorname{Sec}[(c + d x) / 2]^2 * \operatorname{Sin}[c + d x] * \operatorname{Tan}[(c + d x) / 2] + (147 a^4 A + 279 a^2 A b^2 - 10 A b^4 + 435 a^3 b B + 45 a b^3 B) * (a + b \operatorname{Cos}[c + d x]) * \operatorname{Sec}[(c + d x) / 2]^2 * \operatorname{Sin}[c + d x] * \operatorname{Tan}[(c + d x) / 2] - (147 a^4 A + 279 a^2 A b^2 - 10 A b^4 + 435 a^3 b B + 45 a b^3 B) * \operatorname{Cos}[c + d x] * (a + b \operatorname{Cos}[c + d x]) * \operatorname{Sec}[(c + d x) / 2]^2 * \operatorname{Tan}[(c + d x) / 2]^2 + (a * (a + b) * (-10 A b^3 + 15 a b^2 * (11 A + 3 B) + 3 a^3 * (49 A + 25 B) + 6 a^2 b * (19 A + 60 B))) \operatorname{Sqrt}[\operatorname{Cos}[c + d x] / (1 + \operatorname{Cos}[c + d x])] * \operatorname{Sqrt}[(a + b \operatorname{Cos}[c + d x]) / ((a + b) * (1 + \operatorname{Cos}[c + d x]))] * \operatorname{Sec}[(c + d x) / 2]^2 / (\operatorname{Sqrt}[1 - \operatorname{Tan}[(c + d x) / 2]^2] * \operatorname{Sqrt}[1 - ((-a + b) * \operatorname{Tan}[(c + d x) / 2]^2) / (a + b)]) - ((a + b) * (147 a^4 A + 279 a^2 A b^2 - 10 A b^4 + 435 a^3 b B + 45 a b^3 B) * \operatorname{Sqrt}[\operatorname{Cos}[c + d x] / (1 + \operatorname{Cos}[c + d x])] * \operatorname{Sqrt}[(a + b \operatorname{Cos}[c + d x]) / ((a + b) * (1 + \operatorname{Cos}[c + d x]))] * \operatorname{Sec}[(c + d x) / 2]^2 * \operatorname{Sqrt}[1 - ((-a + b) * \operatorname{Tan}[(c + d x) / 2]^2) / (a + b)]) / \operatorname{Sqrt}[1 - \operatorname{Tan}[(c + d x) / 2]^2]) / (315 a^2 * \operatorname{Sqrt}[a + b \operatorname{Cos}[c + d x]] * \operatorname{Sqrt}[\operatorname{Sec}[(c + d x) / 2]^2] + ((-2 * (a + b) * (147 a^4 A + 279 a^2 A b^2 - 10 A b^4 + 435 a^3 b B + 45 a b^3 B) * \operatorname{Sqrt}[\operatorname{Cos}[c + d x] / (1 + \operatorname{Cos}[c + d x])] * \operatorname{Sqrt}[(a + b \operatorname{Cos}[c + d x]) / ((a + b) * (1 + \operatorname{Cos}[c + d x]))] * \operatorname{EllipticE}[\operatorname{ArcSin}[\operatorname{Tan}[(c + d x) / 2]], (-a + b) / (a + b)] + 2 a * (a + b) * (-10 A b^3 + 15 a b^2 * (11 A + 3 B) + 3 a^3 * (49 A + 25 B) + 6 a^2 b * (19 A + 60 B))) \operatorname{Sqrt}[\operatorname{Cos}[c + d x] / (1 + \operatorname{Cos}[c + d x])] * \operatorname{Sqrt}[(a + b \operatorname{Cos}[c + d x]) / ((a + b) * (1 + \operatorname{Cos}[c + d x]))] * \operatorname{EllipticF}[\operatorname{ArcSin}[\operatorname{Tan}[(c + d x) / 2]], (-a + b) / (a + b)] - (147 a^4 A + 279 a^2 A b^2 - 10 A b^4 + 435 a^3 b B + 45 a b^3 B) * \operatorname{Cos}[c + d x] * (a + b \operatorname{Cos}[c + d x]) * \operatorname{Sec}[(c + d x) / 2]^2 * \operatorname{Tan}[(c + d x) / 2]) * (-\operatorname{Cos}[(c + d x) / 2] * \operatorname{Sec}[c + d x] * \operatorname{Sin}[(c + d x) / 2] + \operatorname{Cos}[(c + d x) / 2]^2 * \operatorname{Sec}[c + d x] * \operatorname{Tan}[c + d x]) / (315 a^2 * \operatorname{Sqrt}[a + b \operatorname{Cos}[c + d x]] * \operatorname{Sqrt}[\operatorname{Sec}[(c + d x) / 2]^2] * \operatorname{Sqrt}[\operatorname{Cos}[(c + d x) / 2]^2 * \operatorname{Sec}[c + d x]]))
\end{aligned}$$

**Maple [B]** time = 0.887, size = 4400, normalized size = 7.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (a+b \cos(dx+c))^{5/2} (A+B \cos(dx+c)) \sec(dx+c)^{11/2} dx$

[Out]  $2/315/d/a^2 * (-261 A \sin(dx+c) \cos(dx+c)^5 (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^4 b + 279 A * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \sin(dx+c) \cos(dx+c)^5 * \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^2 b^3 - 10 A * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \sin(dx+c) \cos(dx+c)^5 * \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a b^4 - 435 B \sin(dx+c) \cos(dx+c)^5 (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^4 b - 405 B \sin(dx+c) \cos(dx+c)^5 (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * a^3 b^2 - 45 B \sin(dx+c) \cos(dx+c)^5 (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c),$



$$\begin{aligned}
& 5+147*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^5*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ,(-a-b)/(a+b))^{1/2})*a^5-10*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^5*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ,(-a-b)/(a+b))^{1/2})*b^5-279*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^5*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ,(-a-b)/(a+b))^{1/2})*a^3*b^2-155*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^5*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ,(-a-b)/(a+b))^{1/2})*a^2*b^3+10*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^5*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ,(-a-b)/(a+b))^{1/2})*a*b^4+147*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^5*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ,(-a-b)/(a+b))^{1/2})*a^4*b+279*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)*\cos(d*x+c)^5*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ,(-a-b)/(a+b))^{1/2})*a^3*b^2-75*B*\sin(d*x+c)*\cos(d*x+c)^5*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2})*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ,(-a-b)/(a+b))^{1/2})*a^5-147*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2})*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ,(-a-b)/(a+b))^{1/2})*a^5+147*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2})*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ,(-a-b)/(a+b))^{1/2})*a^5-10*A*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2})*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ,(-a-b)/(a+b))^{1/2})*b^5-75*B*\sin(d*x+c)*\cos(d*x+c)^4*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2})*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), \\
& ,(-a-b)/(a+b))^{1/2})*a^5*\cos(d*x+c)/(a+b*\cos(d*x+c))^{1/2}*(1/\cos(d*x+c))^{11/2}/\sin(d*x+c)
\end{aligned}$$


---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{11}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(11/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(11/2), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)\right) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{11/2}, dx\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(11/2),x, algorithm="fricas")

[Out] integral((B\*b^2\*cos(d\*x + c)^3 + A\*a^2 + (2\*B\*a\*b + A\*b^2)\*cos(d\*x + c)^2 + (B\*a^2 + 2\*A\*a\*b)\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(11/2), dx)

2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(11/2),x)

[Out] Timed out

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(11/2),x, algorithm="giac")

[Out] Timed out



$$3.607 \quad \int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^{\frac{9}{2}}(c + dx) dx$$

**Optimal.** Leaf size=474

$$\frac{2(25a^2A + 77abB + 45Ab^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}}{105d} + \frac{2(a - b) \sqrt{a + b} (a^2(25A - 63B) - 8ab(15A + 7B))}{105d}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(145*a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(105*a^2*d*Sqrt[Sec[c + d*x]]) + (2*(a - b)*Sqrt[a + b]*(a^2*(25*A - 63*B) + 15*b^2*(A - 7*B) - 8*a*b*(15*A - 7*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(105*a*d*Sqrt[Sec[c + d*x]]) + (2*(25*a^2*A + 45*A*b^2 + 77*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(105*d) + (2*a*(10*A*b + 7*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(35*d) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(7*d)
```

**Rubi [A]** time = 1.50085, antiderivative size = 474, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2961, 2989, 3047, 3055, 2998, 2816, 2994}

$$\frac{2(25a^2A + 77abB + 45Ab^2) \sin(c + dx) \sec^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}}{105d} + \frac{2(a - b) \sqrt{a + b} (a^2(25A - 63B) - 8ab(15A + 7B))}{105d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(9/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(145*a^2*A*b + 15*A*b^3 + 63*a^3*B + 161*a*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(105*a^2*d*Sqrt[Sec[c + d*x]]) + (2*(a - b)*Sqrt[a + b]*(a^2*(25*A - 63*B) + 15*b^2*(A - 7*B) - 8*a*b*(15*A - 7*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(105*a*d*Sqrt[Sec[c + d*x]]) + (2*(25*a^2*A + 45*A*b^2 + 77*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(105*d) + (2*a*(10*A*b + 7*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(35*d) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(7/2)*Sin[c + d*x])/(7*d)
```

**Rule 2961**

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 2989

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0
] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

```

Rule 3047

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)
*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0
] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

```

Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

Rule 2998

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]

```

Rule 2816

```

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(

```

$(a + b)/(a - b)]/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x\} \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

Rule 2994

$\text{Int}[(A_ + (B_.)*\sin[(e_.) + (f_.)*(x_)])]/(((b_.)*\sin[(e_.) + (f_.)*(x_)]))^{3/2}*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_)]), x\_Symbol] := \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[c*(1 + \text{Csc}[e + f*x])]/(c - d)]*\text{Sqrt}[c*(1 - \text{Csc}[e + f*x])]/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x\} \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

Rubi steps

$$\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^9(c + dx) dx = (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^9(c + dx)}{\cos^2(c + dx)} dx$$

$$= \frac{2aA(a + b \cos(c + dx))^{3/2} \sec^7(c + dx) \sin(c + dx)}{7d} + \frac{1}{7} \int \frac{2a(10Ab + 7aB) \sqrt{a + b \cos(c + dx)} \sec^5(c + dx) \sin(c + dx)}{35d} dx$$

$$= \frac{2(25a^2A + 45Ab^2 + 77abB) \sqrt{a + b \cos(c + dx)} \sec^3(c + dx)}{105d} + \frac{2(25a^2A + 45Ab^2 + 77abB) \sqrt{a + b \cos(c + dx)} \sec^3(c + dx)}{105d}$$

$$= \frac{2(a - b) \sqrt{a + b} (145a^2Ab + 15Ab^3 + 63a^3B + 161ab^2B)}{105d}$$

**Mathematica [B]** time = 24.9105, size = 3348, normalized size = 7.06

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(9/2), x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((2\*(145\*a^2\*A\*b + 15\*A\*b^3 + 63\*a^3\*B + 161\*a\*b^2\*B)\*Sin[c + d\*x])/(105\*a) + (2\*Sec[c + d\*x]^2\*(15\*a\*A\*b\*Sin[c + d\*x] + 7\*a^2\*B\*Sin[c + d\*x]))/35 + (2\*Sec[c + d\*x]\*(25\*a^2\*A\*Sin[c + d\*x] + 45\*A\*b^2\*Sin[c + d\*x] + 77\*a\*b\*B\*Sin[c + d\*x]))/105 + (2\*a^2\*A\*Sec[c + d\*x]^2\*Tan[c + d\*x])/7))/d + (2\*((-29\*a^2\*A\*b)/(21\*Sqrt[a + b\*Cos[c + d\*x]])\*Sqrt[Sec[c + d\*x]]) - (A\*b^3)/(7\*Sqrt[a + b\*Cos[c + d\*x]])\*Sqrt[Sec[c + d\*x]]) - (3\*a^3\*B)/(5\*Sqrt[a + b\*Cos[c + d\*x]])\*Sqrt[Sec[c + d\*x]]) - (23\*a\*b^2\*B)/(15\*Sqrt[a + b\*Cos[c + d\*x]])\*Sqrt[Sec[c + d\*x]]) + (5\*a^3\*A\*Sqrt[Sec[c + d\*x]])/(21\*Sqrt[a + b\*Cos[c + d\*x]]) - (2\*a\*A\*b^2\*Sqrt[Sec[c + d\*x]])/(21\*Sqrt[a + b\*Cos[c + d\*x]]) - (A\*b^4\*Sqrt[Sec[c + d\*x]])/(7\*a\*Sqrt[a + b\*Cos[c + d\*x]]) + (8\*a^2\*b\*B\*Sqrt[Sec[c + d\*x]])/(15\*Sqrt[a + b\*Cos[c + d\*x]]) - (8\*b^3\*B\*Sqrt[Sec[c + d\*x]])/(15\*Sqrt[a + b\*Cos[c + d\*x]]) - (29\*a\*A\*b^2\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(21\*Sqrt[a + b\*Cos[c + d\*x]]) -



$$\begin{aligned} & s[c + d*x])) * \text{Sec}[(c + d*x)/2]^2 * \text{Sqrt}[1 - ((-a + b) * \text{Tan}[(c + d*x)/2]^2) / (a + b)] / \text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]] / (105 * a * \text{Sqrt}[a + b * \text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + ((-2 * (a + b) * (145 * a^2 * A * b + 15 * A * b^3 + 63 * a^3 * B + 161 * a * b^2 * B) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(a + b * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b) / (a + b)] + 2 * a * (a + b) * (15 * b^2 * (A + 7 * B) + 8 * a * b * (15 * A + 7 * B) + a^2 * (25 * A + 63 * B)) * \text{Sqrt}[\text{Cos}[c + d*x] / (1 + \text{Cos}[c + d*x])] * \text{Sqrt}[(a + b * \text{Cos}[c + d*x]) / ((a + b) * (1 + \text{Cos}[c + d*x]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b) / (a + b)] - (145 * a^2 * A * b + 15 * A * b^3 + 63 * a^3 * B + 161 * a * b^2 * B) * \text{Cos}[c + d*x] * (a + b * \text{Cos}[c + d*x]) * \text{Sec}[(c + d*x)/2]^2 * \text{Tan}[(c + d*x)/2] * (-\text{Cos}[(c + d*x)/2] * \text{Sec}[c + d*x] * \text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x] * \text{Tan}[c + d*x]) / (105 * a * \text{Sqrt}[a + b * \text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[(c + d*x)/2]^2] * \text{Sqrt}[\text{Cos}[(c + d*x)/2]^2 * \text{Sec}[c + d*x]])) \end{aligned}$$

**Maple [B]** time = 0.774, size = 3636, normalized size = 7.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a+b*\cos(d*x+c))^{(5/2)}*(A+B*\cos(d*x+c))*\text{sec}(d*x+c)^{(9/2)},x)$

[Out] 
$$\begin{aligned} & -2/105/d/a*(25*A*\cos(d*x+c)^5*a^3*b+145*A*\cos(d*x+c)^5*a^2*b^2+45*A*\cos(d*x+c)^5*a*b^3+63*B*\cos(d*x+c)^5*a^3*b+77*B*\cos(d*x+c)^5*a^2*b^2+161*B*\cos(d*x+c)^5*a*b^3+145*A*\cos(d*x+c)^4*a^3*b-55*A*\cos(d*x+c)^4*a^2*b^2+15*A*\cos(d*x+c)^4*a*b^3-161*B*a*b^3*\cos(d*x+c)^4-60*A*\cos(d*x+c)^3*a*b^3-90*A*\cos(d*x+c)^2*a^2*b^2-60*A*\cos(d*x+c)*a^3*b-238*B*\cos(d*x+c)^3*a^2*b^2-98*B*\cos(d*x+c)^2*a^3*b+35*B*\cos(d*x+c)^4*a^3*b+161*B*\cos(d*x+c)^4*a^2*b^2-110*A*\cos(d*x+c)^3*a^3*b-15*A*b^4*\cos(d*x+c)^4-15*A*a^4-145*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^3*\sin(d*x+c)*a^2*b^2+63*B*\cos(d*x+c)^4*a^4-42*B*\cos(d*x+c)^3*a^4+25*A*\cos(d*x+c)^4*a^4-10*A*\cos(d*x+c)^2*a^4-21*B*\cos(d*x+c)*a^4+15*A*\cos(d*x+c)^5*b^4-15*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^4*\sin(d*x+c)*b^4+25*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^4*\sin(d*x+c)*a^4-63*B*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^4+63*B*\cos(d*x+c)^4*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^4-15*A*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*b^4+25*A*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^4-63*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^3*\sin(d*x+c)*a^4+63*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^3*\sin(d*x+c)*a^3*b+135*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)} \end{aligned}$$

$$\begin{aligned} & )^{1/2} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c)^3 * \sin(dx+c) * a^2 * b^2 + 15 * A * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c)^3 * \sin(dx+c) * a * b^3 - 63 * B * \cos(dx+c)^3 * \sin(dx+c) * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3 * b - 161 * B * \cos(dx+c)^3 * \sin(dx+c) * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 * b^2 - 161 * B * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c)^3 * \sin(dx+c) * a * b^3 + 119 * B * \cos(dx+c)^3 * \sin(dx+c) * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3 * b + 161 * B * \cos(dx+c)^3 * \sin(dx+c) * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 * b^2 - 145 * A * \cos(dx+c)^4 * \sin(dx+c) * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3 * b - 145 * A * \cos(dx+c)^4 * \sin(dx+c) * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 * b^2 - 15 * A * \cos(dx+c)^4 * \sin(dx+c) * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a * b^3 + 145 * A * \cos(dx+c)^4 * \sin(dx+c) * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3 * b + 135 * A * \cos(dx+c)^4 * \sin(dx+c) * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 * b^2 + 15 * A * \cos(dx+c)^4 * \sin(dx+c) * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a * b^3 - 63 * B * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c)^4 * \sin(dx+c) * a^3 * b - 161 * B * \cos(dx+c)^4 * \sin(dx+c) * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 * b^2 - 161 * B * \cos(dx+c)^4 * \sin(dx+c) * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a * b^3 + 119 * B * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c)^4 * \sin(dx+c) * a^3 * b + 161 * B * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c)^4 * \sin(dx+c) * a^2 * b^2 - 145 * A * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticE}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * \cos(dx+c)^3 * \sin(dx+c) * a^3 * b + 105 * B * \sin(dx+c) * \cos(dx+c)^3 * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a * b^3 + 105 * B * \sin(dx+c) * \cos(dx+c)^4 * (\cos(dx+c)/(1 + \cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c))/(1 + \cos(dx+c)))^{1/2} * \text{EllipticF}((-1 + \cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2} * a * b^3 * \cos(dx+c) / (a+b * \cos(dx+c))^{1/2} * (1/\cos(dx+c))^{9/2} / \sin(dx+c) \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx+c) + A)(b \cos(dx+c) + a)^{5/2} \sec(dx+c)^{9/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(5/2)\*(A+B\*cos(dx+c))\*sec(dx+c)^(9/2),x, algor

```
ithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^(9/2), x)
```

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)\right) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{9/2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2), x, algorithm="fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(9/2), x)
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(9/2), x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(9/2), x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.608 \quad \int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=553

$$\frac{2\sqrt{a+b}(a^2b(17A-35B) + a^3(-9A-5B)) - ab^2(23A-45B) + 15Ab^3}{15ad\sqrt{\sec(c+dx)}} \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx))}{a-b}}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*(9*a^2*A + 23*A*b^2 + 35*a*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(15*a*d*Sqrt[Sec[c + d*x]]) + (2*Sqrt[a + b]*(15*A*b^3 - a*b^2*(23*A - 45*B) + a^2*b*(17*A - 35*B) - a^3*(9*A - 5*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(15*a*d*Sqrt[Sec[c + d*x]]) - (2*b^2*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(d*Sqrt[Sec[c + d*x]]) + (2*a*(8*A*b + 5*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*d) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d)
```

**Rubi [A]** time = 1.47274, antiderivative size = 553, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2961, 2989, 3047, 3053, 2809, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b}(a^2b(17A-35B) + a^3(-9A-5B)) - ab^2(23A-45B) + 15Ab^3}{15ad\sqrt{\sec(c+dx)}} \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx))}{a-b}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(7/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*(9*a^2*A + 23*A*b^2 + 35*a*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(15*a*d*Sqrt[Sec[c + d*x]]) + (2*Sqrt[a + b]*(15*A*b^3 - a*b^2*(23*A - 45*B) + a^2*b*(17*A - 35*B) - a^3*(9*A - 5*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(15*a*d*Sqrt[Sec[c + d*x]]) - (2*b^2*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(d*Sqrt[Sec[c + d*x]]) + (2*a*(8*A*b + 5*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(15*d) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(5/2)*Sin[c + d*x])/(5*d)
```

**Rule 2961**

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d
```



$\text{Sin}[e + f*x]^n / (g*\text{Sin}[e + f*x]^p, x], x] /;$  FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

### Rule 2989

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(c_.)} + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^{(n_.)}, x\_Symbol] := -\text{Simp}[(b*c - a*d)*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m - 1)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)}) / (d*f*(n + 1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n + 1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m - 2)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)}]*\text{Simp}[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*\text{Sin}[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*\text{Sin}[e + f*x]^2, x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

### Rule 3047

$\text{Int}[(a_. + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(m_.)}*((c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(n_.)}*((A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2), x\_Symbol] := -\text{Simp}[(c^2*C - B*c*d + A*d^2)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{(m)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)}) / (d*f*(n + 1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n + 1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{(m - 1)}*(c + d*\text{Sin}[e + f*x])^{(n + 1)}]*\text{Simp}[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*\text{Sin}[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*\text{Sin}[e + f*x]^2, x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]

### Rule 3053

$\text{Int}[(A_. + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)] + (C_.)*\text{sin}[(e_.) + (f_.)*(x_.)]^2) / (((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(3/2)}*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]]), x\_Symbol] := \text{Dist}[C/b^2, \text{Int}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]] / \text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] + \text{Dist}[1/b^2, \text{Int}[(A*b^2 - a^2*C + b*(b*B - 2*a*C))*\text{Sin}[e + f*x] / ((a + b*\text{Sin}[e + f*x])^{(3/2)}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2809

$\text{Int}[\text{Sqrt}[(b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]] / \text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]], x\_Symbol] := \text{Simp}[(2*b*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x])) / (c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x])) / (c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]] / (\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -(c + d)/(c - d))] / (d*f), x] /;$  FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

### Rule 2998

$\text{Int}[(A_. + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)]) / (((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)])^{(3/2)}*\text{Sqrt}[(c_.) + (d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]]), x\_Symbol] := \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x]) / ((a + b*\text{Sin}[e + f*x])^{(3/2)}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

&& NeQ[A, B]

### Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_)+(f_)*(x_)])*Sqrt[(a_)+(b_)*sin[(e_)+(f_)*(x_)])], x_Symbol] :> Simp[(-2*Tan[e+f*x]*Rt[(a+b)/d, 2]*Sqrt[(a*(1-Csc[e+f*x]))/(a+b)]*Sqrt[(a*(1+Csc[e+f*x]))/(a-b)]*EllipticF[ArcSin[Sqrt[a+b*Sin[e+f*x]]/(Sqrt[d*Sin[e+f*x]]*Rt[(a+b)/d, 2])], -(a+b)/(a-b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2-b^2, 0] && PosQ[(a+b)/d]
```

### Rule 2994

```
Int[((A_)+(B_)*sin[(e_)+(f_)*(x_)])/(((b_)*sin[(e_)+(f_)*(x_)])^(3/2)*Sqrt[(c_)+(d_)*sin[(e_)+(f_)*(x_)])], x_Symbol] :> Simp[(-2*A*(c-d)*Tan[e+f*x]*Rt[(c+d)/b, 2]*Sqrt[(c*(1+Csc[e+f*x]))/(c-d)]*Sqrt[(c*(1-Csc[e+f*x]))/(c+d)]*EllipticE[ArcSin[Sqrt[c+d*Sin[e+f*x]]/(Sqrt[b*Sin[e+f*x]]*Rt[(c+d)/b, 2])], -((c+d)/(c-d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2-d^2, 0] && EqQ[A, B] && PosQ[(c+d)/b]
```

### Rubi steps

$$\begin{aligned} \int (a+b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sec^7(c+dx) dx &= \left( \sqrt{\cos(c+dx)} \sqrt{\sec(c+dx)} \right) \int \frac{(a+b \cos(c+dx))^{5/2} (A+B \cos(c+dx))}{\cos^7(c+dx)} dx \\ &= \frac{2aA(a+b \cos(c+dx))^{3/2} \sec^5(c+dx) \sin(c+dx)}{5d} + \frac{1}{5} (2aB \cos(c+dx) \sec^5(c+dx) \sin(c+dx) - \frac{2aB \cos(c+dx) \sec^5(c+dx) \sin(c+dx)}{5d}) \\ &= \frac{2a(8Ab+5aB) \sqrt{a+b \cos(c+dx)} \sec^3(c+dx) \sin(c+dx)}{15d} \\ &= \frac{2a(8Ab+5aB) \sqrt{a+b \cos(c+dx)} \sec^3(c+dx) \sin(c+dx)}{15d} \\ &= -\frac{2b^2 \sqrt{a+b} B \sqrt{\cos(c+dx)} \csc(c+dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}}{\sqrt{a+b}}\right)\right)}{d \sqrt{\sec(c+dx)}} \\ &= \frac{2(a-b) \sqrt{a+b} (9a^2A+23Ab^2+35abB) \sqrt{\cos(c+dx)} \csc(c+dx)}{15d} \end{aligned}$$

**Mathematica [B]** time = 25.0543, size = 7062, normalized size = 12.77

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a+b*Cos[c+d*x])^(5/2)*(A+B*Cos[c+d*x])*Sec[c+d*x]^(7/2), x]
```

```
[Out] Result too large to show
```

**Maple [B]** time = 0.713, size = 3282, normalized size = 5.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int ((a+b\cos(dx+c))^{5/2}*(A+B\cos(dx+c))*\sec(dx+c)^{7/2}, x)$

[Out] 
$$-2/15/d*(-3*A*a^3+5*A*\cos(dx+c)^3*a^2*b+45*B*\sin(dx+c)*\cos(dx+c)^3*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b^2-34*A*a*b^2*\cos(dx+c)^2-40*B*a^2*b*\cos(dx+c)^2-14*A*a^2*b*\cos(dx+c)+35*B*\cos(dx+c)^3*a^2*b-35*B*a*b^2*\cos(dx+c)^3+35*B*\cos(dx+c)^4*a*b^2+23*A*\cos(dx+c)^3*a*b^2+9*A*\cos(dx+c)^4*a^2*b+11*A*\cos(dx+c)^4*a*b^2+5*B*\cos(dx+c)^4*a^2*b-23*A*b^3*\cos(dx+c)^3+45*B*\sin(dx+c)*\cos(dx+c)^2*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b^2+23*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)^3*\sin(dx+c)*a*b^2-35*B*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^2*b-35*B*\cos(dx+c)^3*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b^2+35*B*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)^3*\sin(dx+c)*a^2*b-9*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)^2*\sin(dx+c)*a^2*b-23*A*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*b^2+17*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)^2*\sin(dx+c)*a^2*b+23*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)^2*\sin(dx+c)*a*b^2-35*B*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^2*b-35*B*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)^2*\sin(dx+c)*a*b^2+35*B*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)^2*\sin(dx+c)*a^2*b-9*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)^3*\sin(dx+c)*a^2*b-23*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)^3*\sin(dx+c)*b^3+9*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)^3*\sin(dx+c)*a^3+5*B*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)^3*\sin(dx+c)*a^3-9*A*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a^3-23*A*\cos(dx+c)^2*\sin(dx+c)*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*b^3+9*A*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b*\cos(dx+c))/(1+\cos(dx+c)))^{1/2})*\text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)^2*\sin(dx+c)*a^3+5*B*\cos(dx+c)^2*\sin(dx+c)$$

```

+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a^3-9*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)^3*sin(d*x+c)*a^3-5*B*a^3*cos(d*x+c)+23*A*cos(d*x+c)^4*b^3+9*A*cos(d*x+c)^3*a^3-6*A*cos(d*x+c)^2*a^3+5*B*cos(d*x+c)^3*a^3-23*A*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*b^2+17*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*cos(d*x+c)^3*sin(d*x+c)*a^2*b+15*A*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b^3-15*B*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b^3+30*B*cos(d*x+c)^3*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*b^3+15*A*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b^3-15*B*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b^3+30*B*cos(d*x+c)^2*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*b^3*cos(d*x+c)/(a+b*cos(d*x+c))^(1/2)*(1/cos(d*x+c))^(7/2)/sin(d*x+c)

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{7}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorith="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)*sec(d*x + c)^(7/2), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

```
integral((Bb^2*cos(dx+c)^3 + Aa^2 + (2Bab + Ab^2)*cos(dx+c)^2 + (Ba^2 + 2Aab)*cos(dx+c))*sqrt(b*cos(dx+c) + a)*sec(dx+c)
```

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorith="fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(7/2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(7/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(7/2),x, algorithm="giac")
```

```
[Out] Timed out
```

$$3.609 \quad \int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=596

$$\frac{(6a^2B + 14aAb - 3b^2B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{3d} - \frac{\sqrt{a + b} (-2a^2(A - 3B) + 2ab(7A - 9B) - 3b^2(6A + B))}{3d}$$

[Out] ((a - b)\*Sqrt[a + b]\*(14\*a\*A\*b + 6\*a^2\*B - 3\*b^2\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a\*d\*Sqrt[Sec[c + d\*x]]) - (Sqrt[a + b]\*(2\*a\*b\*(7\*A - 9\*B) - 2\*a^2\*(A - 3\*B) - 3\*b^2\*(6\*A + B))\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*d\*Sqrt[Sec[c + d\*x]]) - (b\*Sqrt[a + b]\*(2\*A\*b + 5\*a\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(d\*Sqrt[Sec[c + d\*x]]) + (2\*a\*(2\*A\*b + a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d - ((14\*a\*A\*b + 6\*a^2\*B - 3\*b^2\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3\*d) + (2\*a\*A\*(a + b\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d)

**Rubi [A]** time = 1.89549, antiderivative size = 596, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$ , Rules used = {2961, 2989, 3047, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(6a^2B + 14aAb - 3b^2B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{3d} - \frac{\sqrt{a + b} (-2a^2(A - 3B) + 2ab(7A - 9B) - 3b^2(6A + B))}{3d}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2), x]

[Out] ((a - b)\*Sqrt[a + b]\*(14\*a\*A\*b + 6\*a^2\*B - 3\*b^2\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a\*d\*Sqrt[Sec[c + d\*x]]) - (Sqrt[a + b]\*(2\*a\*b\*(7\*A - 9\*B) - 2\*a^2\*(A - 3\*B) - 3\*b^2\*(6\*A + B))\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*d\*Sqrt[Sec[c + d\*x]]) - (b\*Sqrt[a + b]\*(2\*A\*b + 5\*a\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(d\*Sqrt[Sec[c + d\*x]]) + (2\*a\*(2\*A\*b + a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/d - ((14\*a\*A\*b + 6\*a^2\*B - 3\*b^2\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3\*d) + (2\*a\*A\*(a + b\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*d)

Rule 2961

```
Int[(csc[e_.] + (f_.)*(x_.))*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dis
t[(g*Csc[e + f*x])^p*(g*Ssin[e + f*x])^p, Int[((a + b*Ssin[e + f*x])^m*(c + d
*Ssin[e + f*x])^n)/(g*Ssin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Ssin[e + f*x])^(m - 1)*(c +
d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Ssin[e + f*x])^(m - 2)*(c + d*Ssin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

### Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_.)]^(n_.))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.)
+ (f_.)*(x_.)]^2), x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]
*(a + b*Ssin[e + f*x])^(m*(c + d*Ssin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d
^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Ssin[e + f*x])^(m - 1)
*(c + d*Ssin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*
(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1)
- a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] +
b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]
^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0]
&& NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

### Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)]), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Ssin[e + f*x
]])/(d*f*Sqrt[a + b*Ssin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c
+ a*d))*Sin[e + f*x]^2, x])/((a + b*Ssin[e + f*x])^(3/2)*Sqrt[c + d*Ssin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_.)]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Ssin[e + f*x]]/
Sqrt[c + d*Ssin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C))*Sin[e + f*x])/((a + b*Ssin[e + f*x])^(3/2)*Sqrt[c + d*Ssin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

### Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)
```

```
*(x_)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

#### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

#### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)])*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

#### Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

#### Rubi steps



$$\begin{aligned}
\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\cos^2(c + dx)} dx \\
&= \frac{2aA(a + b \cos(c + dx))^{3/2} \sec^2(c + dx) \sin(c + dx)}{3d} + \frac{1}{3} \\
&= \frac{2a(2Ab + aB) \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} \\
&= \frac{2a(2Ab + aB) \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} \\
&= \frac{2a(2Ab + aB) \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} \\
&= -\frac{b\sqrt{a + b}(2Ab + 5aB) \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \dots\right)}{d\sqrt{\sin(c + dx)}} \\
&= \frac{(a - b)\sqrt{a + b}(14aAb + 6a^2B - 3b^2B) \sqrt{\cos(c + dx)} \csc(c + dx)}{3d\sqrt{\sin(c + dx)}}
\end{aligned}$$

**Mathematica [B]** time = 25.5968, size = 7752, normalized size = 13.01

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2), x]

[Out] Result too large to show

**Maple [B]** time = 0.612, size = 3212, normalized size = 5.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2), x)

[Out] 
$$\begin{aligned}
& -1/3/d*(-2*A*a^3+30*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)^2*a*b^2+3*B*b^3*\cos(d*x+c)^4+2*A*\cos(d*x+c)^3*a^2*b-14*A*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\sin(d*x+c)*a^2*b+14*A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*\cos(d*x+c)*a^2*b-14*A*a*b^2*\cos(d*x+c)^2-6*B*a^2*b*\cos(d*x+c)^2-16*A*a^2*b*\cos(d*x+c)+6*B*\cos(d*x+c)^3*a^2*b+3*B*a*b^2*\cos(d*x+c)^3+14*A*\cos(d*x+c)^3*a*b^2-3*B*\cos(d*x+c)^3*b^3+6*B*\cos(d*x+c)^2*a^3+14*A*\cos(d*x+c)^2*a^2*b-3*B*\cos(d*x+c)^2*a*b^2-18*B*\sin
\end{aligned}$$



$+b) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c))^{1/2} \cdot \text{EllipticPi}((-1+\cos(dx+c)) / \sin(dx+c), -1, (-a-b)/(a+b))^{1/2} \cdot \sin(dx+c) \cdot \cos(dx+c)^2 \cdot b^3 - 6A \cdot \cos(dx+c)^2 \cdot \sin(dx+c) \cdot (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} \cdot (1/(a+b)) \cdot (a+b \cdot \cos(dx+c)) / (1+\cos(dx+c))^{1/2} \cdot \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} \cdot b^3 \cdot \cos(dx+c) / (a+b \cdot \cos(dx+c))^{1/2} \cdot (1/\cos(dx+c))^{5/2} / \sin(dx+c)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx+c) + A)(b \cos(dx+c) + a)^{5/2} \sec(dx+c)^{5/2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(5/2)\*(A+B\*cos(dx+c))\*sec(dx+c)^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(dx+c) + A)\*(b\*cos(dx+c) + a)^(5/2)\*sec(dx+c)^(5/2), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(5/2)\*(A+B\*cos(dx+c))\*sec(dx+c)^(5/2),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))\*\*(5/2)\*(A+B\*cos(dx+c))\*sec(dx+c)\*\*(5/2),x)

[Out] Timed out

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(5/2)\*(A+B\*cos(dx+c))\*sec(dx+c)^(5/2),x, algorithm="giac")

[Out] Timed out

$$3.610 \quad \int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^2(c + dx) dx$$

**Optimal.** Leaf size=607

$$\frac{(8a^2A - 9abB - 4Ab^2) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{4d} - \frac{\sqrt{a + b} (8a^2(A - B) - 3ab(8A + 3B) - 2b^2(2A + B))}{4d}$$

```
[Out] ((a - b)*Sqrt[a + b]*(8*a^2*A - 4*A*b^2 - 9*a*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(8*a^2*(A - B) - 2*b^2*(2*A + B) - 3*a*b*(8*A + 3*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(20*a*A*b + 15*a^2*B + 4*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*d*Sqrt[Sec[c + d*x]]) - (b*(4*a*A - b*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*d*Sqrt[Sec[c + d*x]]) - ((8*a^2*A - 4*A*b^2 - 9*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d
```

**Rubi [A]** time = 1.87928, antiderivative size = 607, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$ , Rules used = {2961, 2989, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(8a^2A - 9abB - 4Ab^2) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{4d} - \frac{\sqrt{a + b} (8a^2(A - B) - 3ab(8A + 3B) - 2b^2(2A + B))}{4d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]
```

```
[Out] ((a - b)*Sqrt[a + b]*(8*a^2*A - 4*A*b^2 - 9*a*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*a*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(8*a^2*(A - B) - 2*b^2*(2*A + B) - 3*a*b*(8*A + 3*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(20*a*A*b + 15*a^2*B + 4*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*d*Sqrt[Sec[c + d*x]]) - (b*(4*a*A - b*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*d*Sqrt[Sec[c + d*x]]) - ((8*a^2*A - 4*A*b^2 - 9*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*d) + (2*a*A*(a + b*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/d
```

Rule 2961

```
Int[(csc[e_.] + (f_.)*(x_.))*(g_.)^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d
*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

#### Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_.)]*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] := -S
imp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c +
d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)
*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)
]*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)
*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) -
a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A
*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /;
FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0]
&& NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

#### Rule 3049

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.))*((c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)]^(n_.))*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.)
+ (f_.)*(x_.)]^2), x_Symbol] := -Simp[(C*Cos[e + f*x]*(a + b*Sin[e + f*x])
^m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(m + n + 2)), x] + Dist[1/(d*(m + n
+ 2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^n*Simp[a*A*d*(
m + n + 2) + C*(b*c*m + a*d*(n + 1)) + (d*(A*b + a*B)*(m + n + 2) - C*(a*c
- b*d*(m + n + 1)))*Sin[e + f*x] + (C*(a*d*m - b*c*(m + 1)) + b*B*d*(m + n
+ 2))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x]
&& NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m,
0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))
```

#### Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]*Sqrt[(c_.) + (d_.)*sin[(e_.)
+ (f_.)*(x_.)]]), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]
])/ (d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d
- C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c
+ a*d))*Sin[e + f*x]^2, x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e
+ f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d,
0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e
_.) + (f_.)*(x_.)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/
Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B
- 2*a*C))*Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]
]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

#### Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_.)]], x_Symbol] := Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
```

$\text{Csc}[e + f*x])]/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(d*f), x] /; \text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{PosQ}[(c + d)/b]$

#### Rule 2998

$\text{Int}[(A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)]/((a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]), x\_Symbol] :> \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^(3/2)*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

#### Rule 2816

$\text{Int}[1/(\text{Sqrt}[(d_.)*\text{sin}[(e_.) + (f_.)*(x_.)]]*\text{Sqrt}[(a_.) + (b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]), x\_Symbol] :> \text{Simp}[(-2*\text{Tan}[e + f*x]*\text{Rt}[(a + b)/d, 2]*\text{Sqrt}[(a*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Csc}[e + f*x]))/(a - b)]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{PosQ}[(a + b)/d]$

#### Rule 2994

$\text{Int}[(A_.) + (B_.)*\text{sin}[(e_.) + (f_.)*(x_.)]/((b_.)*\text{sin}[(e_.) + (f_.)*(x_.)]), x\_Symbol] :> \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{EqQ}[A, B] \&\& \text{PosQ}[(c + d)/b]$

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^3(c + dx) dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sec^3(c + dx)}{\cos^2(c + dx)} dx \\
&= \frac{2aA(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} + \frac{2bA(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} \\
&= -\frac{b(4aA - bB) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} + \frac{2aA(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)} \sin(c + dx)}{d} \\
&= -\frac{b(4aA - bB) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} - \frac{(8a^2A - 4abA + b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} \\
&= -\frac{b(4aA - bB) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} - \frac{(8a^2A - 4abA + b^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2d \sqrt{\sec(c + dx)}} \\
&= -\frac{\sqrt{a + b} (20aAb + 15a^2B + 4b^2B) \sqrt{\cos(c + dx)} \csc(c + dx)}{2d} \\
&= -\frac{(a - b) \sqrt{a + b} (8a^2A - 4Ab^2 - 9abB) \sqrt{\cos(c + dx)} \csc(c + dx)}{2d}
\end{aligned}$$

**Mathematica [B]** time = 19.3882, size = 1290, normalized size = 2.13

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2), x]
```

```
[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*(2*a^2*A*Sin[c + d*x] + (b^2*B*Sin[2*(c + d*x)]/4))/d + (Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*(-8*a^3*A*Tan[(c + d*x)/2] - 8*a^2*A*b*Tan[(c + d*x)/2] + 4*a*A*b^2*Tan[(c + d*x)/2] + 4*A*b^3*Tan[(c + d*x)/2] + 9*a^2*b*B*Tan[(c + d*x)/2] + 9*a*b^2*B*Tan[(c + d*x)/2] + 16*a^2*A*b*Tan[(c + d*x)/2]^3 - 8*A*b^3*Tan[(c + d*x)/2]^3 - 18*a*b^2*B*Tan[(c + d*x)/2]^3 + 8*a^3*A*Tan[(c + d*x)/2]^5 - 8*a^2*A*b*Tan[(c + d*x)/2]^5 - 4*a*A*b^2*Tan[(c + d*x)/2]^5 + 4*A*b^3*Tan[(c + d*x)/2]^5 - 9*a^2*b*B*Tan[(c + d*x)/2]^5 + 9*a*b^2*B*Tan[(c + d*x)/2]^5 - 40*a*A*b^2*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 30*a^2*b*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 8*b^3*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 40*a*A*b^2*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 30*a^2*b*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 8*b^3*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - (a + b)*(8*a^2*A - 4*A*b^2 - 9*a*b*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2])^2)
```

$$2) \sqrt{(a + b + a \tan[(c + dx)/2]^2 - b \tan[(c + dx)/2]^2)/(a + b)} + 2(12a^2b(A - B) - 2b^3B + a^2b^2(-12A + B) + 4a^3(A + B)) \operatorname{EllipticF}[\operatorname{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] \sqrt{1 - \tan[(c + dx)/2]^2} (1 + \tan[(c + dx)/2]^2) \sqrt{(a + b + a \tan[(c + dx)/2]^2 - b \tan[(c + dx)/2]^2)/(a + b)} / (4d(1 + \tan[(c + dx)/2]^2)^{3/2} \sqrt{(a + b + a \tan[(c + dx)/2]^2 - b \tan[(c + dx)/2]^2)/(1 + \tan[(c + dx)/2]^2)})$$

**Maple [B]** time = 0.735, size = 3278, normalized size = 5.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (a+b \cos(dx+c))^{5/2} (A+B \cos(dx+c)) \sec(dx+c)^{3/2} dx$

[Out] 
$$-1/4/d * (-8Aa^3 + 8A \cos(dx+c) a^3 - 8A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) a^3 \sin(dx+c) + 2Bb^3 \cos(dx+c)^4 + 8A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) a^3 \sin(dx+c) - 8A \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c) a^2 b + 24A \sin(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \cos(dx+c) a^2 b + 4A a^2 b^2 \cos(dx+c)^2 + 9B a^2 b \cos(dx+c)^2 - 8A a^2 b \cos(dx+c) + 11B a^2 b^2 \cos(dx+c)^3 + 24A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) a^2 b \sin(dx+c) - 2B \cos(dx+c)^2 b^3 - 4A \cos(dx+c)^2 b^3 + 4A a^2 b^3 \cos(dx+c)^3 + 8A \cos(dx+c)^2 a^2 b - 9B \cos(dx+c)^2 a^2 b^2 - 4A \cos(dx+c) a^2 b^2 - 9B \cos(dx+c) a^2 b - 2B \cos(dx+c) a^2 b^2 + 4A \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c) a^2 b^2 - 24A \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c) a^2 b^2 + 9B \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c) a^2 b + 9B \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c) a^2 b^2 - 24B \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c) a^2 b + 2B \cos(dx+c) * (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c) a^2 b^2 - 8A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) a^2 b \sin(dx+c) + 4A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) a^2 b^2 \sin(dx+c) - 24A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) a^2 b^2 \sin(dx+c) + 9B (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) a^2 b \sin(dx+c) + 9B (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) a^2 b^2 \sin(dx+c) + 8A (\cos(dx+c)/(1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} * \operatorname{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) * \sin(dx+c)$$



$$\begin{aligned}
& d*x+c)*\cos(d*x+c)*a^3+8*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*a^3-24*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)+2*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b^2*\sin(d*x+c)-8*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a^3+4*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*b^3-4*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b^3+8*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*b^3+40*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*a*b^2*\sin(d*x+c)+40*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*a*b^2+30*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*a^2*b+30*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*a^2*b*\sin(d*x+c)+4*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b^3*\sin(d*x+c)+8*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3*\sin(d*x+c)-4*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b^3*\sin(d*x+c)+8*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*b^3*\sin(d*x+c)*\cos(d*x+c)/(\cos(d*x+c))^{1/2}*(1/\cos(d*x+c))^{3/2}/\sin(d*x+c)
\end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx + c) + A)(b \cos(dx + c) + a)^2 \sec(dx + c)^3 dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2),x, algorith="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

integral((Bb^2 cos(dx + c)^3 + Aa^2 + (2 Bab + Ab^2) cos(dx + c)^2 + (Ba^2 + 2 Aab) cos(dx + c))sqrt(b cos(dx + c) + a se

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] integral((B*b^2*cos(d*x + c)^3 + A*a^2 + (2*B*a*b + A*b^2)*cos(d*x + c)^2 + (B*a^2 + 2*A*a*b)*cos(d*x + c))*sqrt(b*cos(d*x + c) + a)*sec(d*x + c)^(3/2), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] Timed out
```

### 3.611 $\int (a+b \cos(c+dx))^{5/2} (A+B \cos(c+dx)) \sqrt{\sec(c+dx)} dx$

**Optimal.** Leaf size=624

$$\frac{(33a^2B + 54aAb + 16b^2B) \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a+b \cos(c+dx)}}{24d} + \frac{\sqrt{a+b} (a^2(48A + 33B) + a(54Ab + 26bB))}{24d}$$

```
[Out] -((a - b)*Sqrt[a + b]*(54*a*A*b + 33*a^2*B + 16*b^2*B)*Sqrt[Cos[c + d*x]]*C
sc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos
[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt
[(a*(1 + Sec[c + d*x]))/(a - b)]/(24*a*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b
]*(4*b^2*(3*A + 4*B) + a^2*(48*A + 33*B) + a*(54*A*b + 26*b*B))*Sqrt[Cos[c
+ d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]
*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a +
b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(24*d*Sqrt[Sec[c + d*x]]) - (Sqr
t[a + b]*(30*a^2*A*b + 8*A*b^3 + 5*a^3*B + 20*a*b^2*B)*Sqrt[Cos[c + d*x]]*C
sc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a +
b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(
a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(8*b*d*Sqrt[Sec[c + d*x]]) +
(b*(2*A*b + 3*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[Sec[c +
d*x]]) + (b*B*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d
*x]]) + ((54*a*A*b + 33*a^2*B + 16*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec
[c + d*x]]*Sin[c + d*x])/(24*d)
```

**Rubi [A]** time = 1.94606, antiderivative size = 624, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$ , Rules used = {2961, 2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(33a^2B + 54aAb + 16b^2B) \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a+b \cos(c+dx)}}{24d} + \frac{\sqrt{a+b} (a^2(48A + 33B) + a(54Ab + 26bB))}{24d}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]], x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(54*a*A*b + 33*a^2*B + 16*b^2*B)*Sqrt[Cos[c + d*x]]*C
sc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos
[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt
[(a*(1 + Sec[c + d*x]))/(a - b)]/(24*a*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b
]*(4*b^2*(3*A + 4*B) + a^2*(48*A + 33*B) + a*(54*A*b + 26*b*B))*Sqrt[Cos[c
+ d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]
*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a +
b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(24*d*Sqrt[Sec[c + d*x]]) - (Sqr
t[a + b]*(30*a^2*A*b + 8*A*b^3 + 5*a^3*B + 20*a*b^2*B)*Sqrt[Cos[c + d*x]]*C
sc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a +
b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(
a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(8*b*d*Sqrt[Sec[c + d*x]]) +
(b*(2*A*b + 3*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(4*d*Sqrt[Sec[c +
d*x]]) + (b*B*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(3*d*Sqrt[Sec[c + d
*x]]) + ((54*a*A*b + 33*a^2*B + 16*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec
[c + d*x]]*Sin[c + d*x])/(24*d)
```

**Rule 2961**

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dis
```

$\int ((g \operatorname{Csc}[e + f x])^p (g \operatorname{Sin}[e + f x])^p, \operatorname{Int}[(a + b \operatorname{Sin}[e + f x])^m (c + d \operatorname{Sin}[e + f x])^n] / (g \operatorname{Sin}[e + f x])^p, x], x) /;$  FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

### Rule 2990

$\operatorname{Int}[(a + b \operatorname{Sin}[e + f x])^m ((c + d \operatorname{Sin}[e + f x])^n), x_{\text{Symbol}}] := -\operatorname{Simp}[(b B \operatorname{Cos}[e + f x] (a + b \operatorname{Sin}[e + f x])^{m-1} (c + d \operatorname{Sin}[e + f x])^{n+1}) / (d f (m + n + 1)), x] + \operatorname{Dist}[1 / (d (m + n + 1)), \operatorname{Int}[(a + b \operatorname{Sin}[e + f x])^{m-2} (c + d \operatorname{Sin}[e + f x])^n \operatorname{Simp}[a^2 A d (m + n + 1) + b B (b c (m - 1) + a d (n + 1)) + (a d (2 A b + a B) (m + n + 1) - b B (a c - b d (m + n)))] \operatorname{Sin}[e + f x] + b (A b d (m + n + 1) - B (b c m - a d (2 m + n))] \operatorname{Sin}[e + f x]^2, x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rule 3049

$\operatorname{Int}[(a + b \operatorname{Sin}[e + f x])^m ((c + d \operatorname{Sin}[e + f x])^n + (C + d \operatorname{Sin}[e + f x])^2), x_{\text{Symbol}}] := -\operatorname{Simp}[(C \operatorname{Cos}[e + f x] (a + b \operatorname{Sin}[e + f x])^m (c + d \operatorname{Sin}[e + f x])^{n+1}) / (d f (m + n + 2)), x] + \operatorname{Dist}[1 / (d (m + n + 2)), \operatorname{Int}[(a + b \operatorname{Sin}[e + f x])^{m-1} (c + d \operatorname{Sin}[e + f x])^n \operatorname{Simp}[a A d (m + n + 2) + C (b c m + a d (n + 1)) + (d (A b + a B) (m + n + 2) - C (a c - b d (m + n + 1))] \operatorname{Sin}[e + f x] + (C (a d m - b c (m + 1)) + b B d (m + n + 2)) \operatorname{Sin}[e + f x]^2, x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rule 3061

$\operatorname{Int}[(A + B \operatorname{Sin}[e + f x] + (C + d \operatorname{Sin}[e + f x])^2) / (\operatorname{Sqrt}[a + b \operatorname{Sin}[e + f x]] \operatorname{Sqrt}[c + d \operatorname{Sin}[e + f x] + (f \operatorname{Sin}[e + f x])]), x_{\text{Symbol}}] := -\operatorname{Simp}[(C \operatorname{Cos}[e + f x] \operatorname{Sqrt}[c + d \operatorname{Sin}[e + f x]]) / (d f \operatorname{Sqrt}[a + b \operatorname{Sin}[e + f x]]), x] + \operatorname{Dist}[1 / (2 d), \operatorname{Int}[(1 \operatorname{Simp}[2 a A d - C (b c - a d) - 2 (a c C - d (A b + a B))] \operatorname{Sin}[e + f x] + (2 b B d - C (b c + a d)) \operatorname{Sin}[e + f x]^2, x)] / ((a + b \operatorname{Sin}[e + f x])^{3/2} \operatorname{Sqrt}[c + d \operatorname{Sin}[e + f x]]), x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3053

$\operatorname{Int}[(A + B \operatorname{Sin}[e + f x] + (C + d \operatorname{Sin}[e + f x])^2) / ((a + b \operatorname{Sin}[e + f x])^{3/2} \operatorname{Sqrt}[c + d \operatorname{Sin}[e + f x] + (f \operatorname{Sin}[e + f x])]), x_{\text{Symbol}}] := \operatorname{Dist}[C / b^2, \operatorname{Int}[\operatorname{Sqrt}[a + b \operatorname{Sin}[e + f x]] / \operatorname{Sqrt}[c + d \operatorname{Sin}[e + f x]], x], x] + \operatorname{Dist}[1 / b^2, \operatorname{Int}[(A b^2 - a^2 C + b (b B - 2 a C)) \operatorname{Sin}[e + f x] / ((a + b \operatorname{Sin}[e + f x])^{3/2} \operatorname{Sqrt}[c + d \operatorname{Sin}[e + f x]]), x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2809

$\operatorname{Int}[\operatorname{Sqrt}[b \operatorname{Sin}[e + f x]] / \operatorname{Sqrt}[c + d \operatorname{Sin}[e + f x] + (f \operatorname{Sin}[e + f x])], x_{\text{Symbol}}] := \operatorname{Simp}[(2 b \operatorname{Tan}[e + f x] \operatorname{Rt}[(c + d) / b, 2] \operatorname{Sqrt}[(c (1 + \operatorname{Csc}[e + f x])) / (c - d)] \operatorname{Sqrt}[(c (1 - \operatorname{Csc}[e + f x])) / (c + d)] \operatorname{EllipticPi}[(c + d) / d, \operatorname{ArcSin}[\operatorname{Sqrt}[c + d \operatorname{Sin}[e + f x]] / (\operatorname{Sqrt}[b \operatorname{Sin}[e + f x]] \operatorname{Rt}[(c + d) / b, 2])], -(c + d) / (c - d))] / (d f), x] /;$  FreeQ[{b, c, d, e, f}, x] && NeQ[c

$^2 - d^2, 0]$  && PosQ[(c + d)/b]

Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rubi steps

$$\int (a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx)) \sqrt{\sec(c + dx)} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\sqrt{\cos(c + dx)}} dx$$

$$= \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}} + \frac{1}{3} \left( \sqrt{\cos(c + dx)} \right)$$

$$= \frac{b(2Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d\sqrt{\sec(c + dx)}} + \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}}$$

$$= \frac{b(2Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d\sqrt{\sec(c + dx)}} + \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}}$$

$$= \frac{b(2Ab + 3aB)\sqrt{a + b \cos(c + dx)} \sin(c + dx)}{4d\sqrt{\sec(c + dx)}} + \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{3d\sqrt{\sec(c + dx)}}$$

$$= \frac{\sqrt{a + b} (30a^2Ab + 8Ab^3 + 5a^3B + 20ab^2B) \sqrt{\cos(c + dx)}}{4d\sqrt{\sec(c + dx)}}$$

$$= \frac{(a - b)\sqrt{a + b} (54aAb + 33a^2B + 16b^2B) \sqrt{\cos(c + dx)}}{4d\sqrt{\sec(c + dx)}}$$

**Mathematica [B]** time = 19.3676, size = 1521, normalized size = 2.44

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[c + d\*x])^(5/2)\*(A + B\*cos[c + d\*x])\*Sqrt[Sec[c + d\*x]], x]

[Out] (Sqrt[a + b\*cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((b^2\*B\*sin[c + d\*x])/12 + (b\*(6\*A\*b + 13\*a\*B)\*sin[2\*(c + d\*x)]/24 + (b^2\*B\*sin[3\*(c + d\*x)]/12))/d - (Sqrt[(1 - Tan[(c + d\*x)/2]^2)^(-1)]\*(-54\*a^2\*A\*b\*Tan[(c + d\*x)/2] - 54\*a\*A\*b^2\*Tan[(c + d\*x)/2] - 33\*a^3\*B\*Tan[(c + d\*x)/2] - 33\*a^2\*b\*B\*Tan[(c + d\*x)/2] - 16\*a\*b^2\*B\*Tan[(c + d\*x)/2] - 16\*b^3\*B\*Tan[(c + d\*x)/2] + 108\*a\*A\*b^2\*Tan[(c + d\*x)/2]^3 + 66\*a^2\*b\*B\*Tan[(c + d\*x)/2]^3 + 32\*b^3\*B\*Tan[(c + d\*x)/2]^3 + 54\*a^2\*A\*b\*Tan[(c + d\*x)/2]^5 - 54\*a\*A\*b^2\*Tan[(c + d\*x)/2]^5 + 33\*a^3\*B\*Tan[(c + d\*x)/2]^5 - 33\*a^2\*b\*B\*Tan[(c + d\*x)/2]^5 + 16\*a\*b^2\*B\*Tan[(c + d\*x)/2]^5 - 16\*b^3\*B\*Tan[(c + d\*x)/2]^5 + 180\*a^2\*A\*b\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 48\*A\*b^3\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 30\*a^3\*B\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 120\*a\*b^2\*B\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 180\*a^2\*A\*b\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 48\*A\*b^3\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 30\*a^3\*B\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 120\*a\*b^2\*B\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - (a + b)\*(54\*a\*A\*b + 33\*a^2\*B + 16\*b^2\*B)\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - 2\*(-12\*A\*b^3 + 2\*a\*b^2\*(3\*A - 19\*B) + 24\*a^3\*(A - B) + a^2\*(-72\*A\*b + 13\*b\*B))\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)])))/(24\*d\*(1 + Tan[(c + d\*x)/2]^2)^(3/2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(1 + Tan[(c + d\*x)/2]^2)])

**Maple [B]** time = 0.727, size = 3514, normalized size = 5.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2), x)

[Out] -1/24/d\*(1/cos(d\*x+c))^(1/2)/(a+b\*cos(d\*x+c))^(1/2)\*(48\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF(



$s(dx+c))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})$   
 $\cdot \sin(dx+c) \cos(dx+c) a^3 - 48B(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b) \cdot$   
 $(a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c)$   
 $, (-a-b)/(a+b))^{1/2}) \sin(dx+c) \cos(dx+c) a^3 + 26B(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b) \cdot$   
 $(a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})$   
 $\cdot a^2 b \sin(dx+c) - 76B(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b) \cdot (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} \text{E}$   
 $\text{llipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \cdot a \cdot b^2 \sin(dx+c) +$   
 $120B(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b) \cdot (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2})$   
 $\cdot a \cdot b^2 \sin(dx+c) - 33B a^3 \cos(dx+c) + 12A \cos(dx+c)^4 b^3 + 48A(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b) \cdot (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} \text{Ell}$   
 $\text{ipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) \cdot b^3 \sin(dx+c) -$   
 $48B(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b) \cdot (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} \text{EllipticF}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \cdot a^3 \cdot$   
 $\sin(dx+c) + 33B(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b) \cdot (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \cdot a^3 \cdot \sin(dx+c) + 16B(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b) \cdot (a+b \cdot$   
 $\cos(dx+c))/(1+\cos(dx+c)))^{1/2} \text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2}) \cdot b^3 \sin(dx+c) + 30B(\cos(dx+c)/(1+\cos(dx+c)))^{1/2} (1/(a+b) \cdot (a+b \cos(dx+c))/(1+\cos(dx+c)))^{1/2} \text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2}) \cdot a^3 \cdot \sin(dx+c) / \sin(dx+c)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(dx+c) + A)(b \cos(dx+c) + a)^{5/2} \sqrt{\sec(dx+c)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(5/2)\*(A+B\*cos(dx+c))\*sec(dx+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(dx+c) + A)\*(b\*cos(dx+c) + a)^(5/2)\*sqrt(sec(dx+c)), x)

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(dx+c))^(5/2)\*(A+B\*cos(dx+c))\*sec(dx+c)^(1/2),x, algorithm="fricas")

[Out] Timed out

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.



```
[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

---

**Giac [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))*sec(d*x+c)^(1/2),x, algo  
ithm="giac")
```

```
[Out] Timed out
```

$$3.612 \quad \int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=724

$$\frac{(264a^2Ab + 15a^3B + 284ab^2B + 128Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a+b \cos(c+dx)}}{192bd} + \frac{(5a^2B + 24aAb + 12b^2B) \sin(c+dx)}{32d \sqrt{\sec(c+dx)}}$$

```
[Out] -((a - b)*Sqrt[a + b]*(264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(192*a*b*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(15*a^3*B + 8*b^3*(16*A + 9*B) + 2*a^2*b*(132*A + 59*B) + 4*a*b^2*(52*A + 71*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(192*b*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(40*a^3*A*b + 160*a*A*b^3 - 5*a^4*B + 120*a^2*b^2*B + 48*b^4*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(64*b^2*d*Sqrt[Sec[c + d*x]]) + (b*B*(a + b)*Cos[c + d*x])^(3/2)*Sin[c + d*x]/(4*d*Sec[c + d*x]^(3/2)) + ((24*a*A*b + 5*a^2*B + 12*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(32*d*Sqrt[Sec[c + d*x]]) + ((8*A*b + 11*a*B)*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(24*d*Sqrt[Sec[c + d*x]]) + ((264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(192*b*d)
```

**Rubi [A]** time = 2.51753, antiderivative size = 724, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 9, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$ , Rules used = {2961, 2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(264a^2Ab + 15a^3B + 284ab^2B + 128Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)} \sqrt{a+b \cos(c+dx)}}{192bd} + \frac{(5a^2B + 24aAb + 12b^2B) \sin(c+dx)}{32d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a + b*Cos[c + d*x])^(5/2)*(A + B*Cos[c + d*x]))/Sqrt[Sec[c + d*x]], x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(192*a*b*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(15*a^3*B + 8*b^3*(16*A + 9*B) + 2*a^2*b*(132*A + 59*B) + 4*a*b^2*(52*A + 71*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(192*b*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(40*a^3*A*b + 160*a*A*b^3 - 5*a^4*B + 120*a^2*b^2*B + 48*b^4*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(64*b^2*d*Sqrt[Sec[c + d*x]]) + (b*B*(a + b)*Cos[c + d*x])^(3/2)*Sin[c + d*x]/(4*d*Sec[c + d*x]^(3/2)) + ((24*a*A*b + 5*a^2*B + 12*b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(32*d*Sqrt[Sec[c + d*x]]) + ((8*A*b + 11*a*B)*(a + b*Cos[c + d*x])^(3/2)*Sin[c + d*x])/(24*d*Sqrt[Sec[c + d*x]]) + ((264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B)
```

\*Sqrt[a + b\*cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x]/(192\*b\*d)

### Rule 2961

Int[(csc[e\_] + (f\_)\*(x\_))\*(g\_)^(p\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := Dist[(g\*Csc[e + f\*x])^p\*(g\*Ssin[e + f\*x])^p, Int[((a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^n)/(g\*Ssin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

### Rule 2990

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)])\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_), x\_Symbol] := -Simp[(b\*B\*cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 1)), x] + Dist[1/(d\*(m + n + 1)), Int[(a + b\*Ssin[e + f\*x])^(m - 2)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a^2\*A\*d\*(m + n + 1) + b\*B\*(b\*c\*(m - 1) + a\*d\*(n + 1)) + (a\*d\*(2\*A\*b + a\*B)\*(m + n + 1) - b\*B\*(a\*c - b\*d\*(m + n)))\*Sin[e + f\*x] + b\*(A\*b\*d\*(m + n + 1) - B\*(b\*c\*m - a\*d\*(2\*m + n)))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rule 3049

Int[((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)\*((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)] + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^2, x\_Symbol] := -Simp[(C\*cos[e + f\*x]\*(a + b\*Ssin[e + f\*x])^m\*(c + d\*Ssin[e + f\*x])^(n + 1))/(d\*f\*(m + n + 2)), x] + Dist[1/(d\*(m + n + 2)), Int[(a + b\*Ssin[e + f\*x])^(m - 1)\*(c + d\*Ssin[e + f\*x])^n\*Simp[a\*A\*d\*(m + n + 2) + C\*(b\*c\*m + a\*d\*(n + 1)) + (d\*(A\*b + a\*B)\*(m + n + 2) - C\*(a\*c - b\*d\*(m + n + 1)))\*Sin[e + f\*x] + (C\*(a\*d\*m - b\*c\*(m + 1)) + b\*B\*d\*(m + n + 2))\*Sin[e + f\*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rule 3061

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)] + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^2/(Sqrt[(a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]]\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := -Simp[(C\*cos[e + f\*x]\*Sqrt[c + d\*Ssin[e + f\*x]])/(d\*f\*Sqrt[a + b\*Ssin[e + f\*x]]), x] + Dist[1/(2\*d), Int[(1\*Simp[2\*a\*A\*d - C\*(b\*c - a\*d) - 2\*(a\*c\*C - d\*(A\*b + a\*B))\*Sin[e + f\*x] + (2\*b\*B\*d - C\*(b\*c + a\*d))\*Sin[e + f\*x]^2, x])/(a + b\*Ssin[e + f\*x])^(3/2)\*Sqrt[c + d\*Ssin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3053

Int[((A\_) + (B\_)\*sin[(e\_) + (f\_)\*(x\_)] + (C\_)\*sin[(e\_) + (f\_)\*(x\_)])^2/(((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)])^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_) + (f\_)\*(x\_)]]), x\_Symbol] := Dist[C/b^2, Int[Sqrt[a + b\*Ssin[e + f\*x]]/Sqrt[c + d\*Ssin[e + f\*x]], x], x] + Dist[1/b^2, Int[(A\*b^2 - a^2\*C + b\*(b\*B - 2\*a\*C))\*Sin[e + f\*x]/((a + b\*Ssin[e + f\*x])^(3/2)\*Sqrt[c + d\*Ssin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d))]/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

#### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

#### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

#### Rule 2994

```
Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{5/2}(A + B \cos(c + dx))}{\sqrt{\sec(c + dx)}} dx &= (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{5/2} dx \\
&= \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)} + \frac{1}{4} (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \\
&= \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)} + \frac{(8Ab + 11aB)(a + b \cos(c + dx))^{5/2}}{24d\sqrt{\sec(c + dx)}} \\
&= \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)} + \frac{(24aAb + 5a^2B + 12b^2B) \sqrt{a}}{32d\sqrt{\sec(c + dx)}} \\
&= \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)} + \frac{(24aAb + 5a^2B + 12b^2B) \sqrt{a}}{32d\sqrt{\sec(c + dx)}} \\
&= \frac{bB(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{4d \sec^{\frac{3}{2}}(c + dx)} + \frac{(24aAb + 5a^2B + 12b^2B) \sqrt{a}}{32d\sqrt{\sec(c + dx)}} \\
&= \frac{\sqrt{a + b} (40a^3Ab + 160aAb^3 - 5a^4B + 120a^2b^2B + 48b^4B) \sqrt{\cos(c + dx)}}{192d} \\
&= \frac{(a - b)\sqrt{a + b} (264a^2Ab + 128Ab^3 + 15a^3B + 284ab^2B) \sqrt{\cos(c + dx)}}{192d}
\end{aligned}$$

**Mathematica [B]** time = 20.1522, size = 1877, normalized size = 2.59

result too large to display

Warning: Unable to verify antiderivative.

[In] Integrate[((a + b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Sqrt[Sec[c + d\*x]], x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((b\*(8\*A\*b + 17\*a\*B)\*Sin[c + d\*x])/96 + ((104\*a\*A\*b + 59\*a^2\*B + 48\*b^2\*B)\*Sin[2\*(c + d\*x)])/192 + (b\*(8\*A\*b + 17\*a\*B)\*Sin[3\*(c + d\*x)])/96 + (b^2\*B\*Ssin[4\*(c + d\*x)])/32))/d + (Sqrt[(1 - Tan[(c + d\*x)/2]^2)^(-1)]\*(264\*a^3\*A\*b\*Tan[(c + d\*x)/2] + 264\*a^2\*A\*b^2\*Tan[(c + d\*x)/2] + 128\*a\*A\*b^3\*Tan[(c + d\*x)/2] + 128\*A\*b^4\*Tan[(c + d\*x)/2] + 15\*a^4\*B\*Tan[(c + d\*x)/2] + 15\*a^3\*b\*B\*Tan[(c + d\*x)/2] + 284\*a^2\*b^2\*B\*Tan[(c + d\*x)/2] + 284\*a\*b^3\*B\*Tan[(c + d\*x)/2] - 528\*a^2\*A\*b^2\*Tan[(c + d\*x)/2]^3 - 256\*A\*b^4\*Tan[(c + d\*x)/2]^3 - 30\*a^3\*b\*B\*Tan[(c + d\*x)/2]^3 - 568\*a\*b^3\*B\*Tan[(c + d\*x)/2]^3 - 264\*a^3\*A\*b\*Tan[(c + d\*x)/2]^5 + 264\*a^2\*A\*b^2\*Tan[(c + d\*x)/2]^5 - 128\*a\*A\*b^3\*Tan[(c + d\*x)/2]^5 + 128\*A\*b^4\*Tan[(c + d\*x)/2]^5 - 15\*a^4\*B\*Tan[(c + d\*x)/2]^5 + 15\*a^3\*b\*B\*Tan[(c + d\*x)/2]^5 - 284\*a^2\*b^2\*B\*Tan[(c + d\*x)/2]^5 + 284\*a\*b^3\*B\*Tan[(c + d\*x)/2]^5 - 240\*a^3\*A\*b\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - 960\*a\*A\*b^3\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + 30\*a^4\*B\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - 720\*a^2\*b^2\*B\*Ell

```

ipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c +
d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a +
b)] - 288*b^4*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]
*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c
+ d*x)/2]^2)/(a + b)] - 240*a^3*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2
]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[
(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 960*a*A*b^
3*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)
/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*T
an[(c + d*x)/2]^2)/(a + b)] + 30*a^4*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)
/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqr
t[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 720*a^2*
b^2*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c +
d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 -
b*Tan[(c + d*x)/2]^2)/(a + b)] - 288*b^4*B*EllipticPi[-1, -ArcSin[Tan[(c +
d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2
]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + (a
+ b)*(264*a^2*A*b + 128*A*b^3 + 15*a^3*B + 284*a*b^2*B)*EllipticE[ArcSin[Ta
n[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c
+ d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a
+ b)] - 2*b*(a^3*(192*A - 59*B) + 4*a*b^2*(76*A - 9*B) + 72*b^3*B + a^2*(-
104*A*b + 322*b*B))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*S
qrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c
+ d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)))/(192*b*d*(1 + Tan[(c + d*x)
/2]^2)^(3/2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1
+ Tan[(c + d*x)/2]^2))]

```

---

**Maple [B]** time = 0.883, size = 4240, normalized size = 5.9

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2), x)
```

```

[Out] -1/192/d/b*(15*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c)
)/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))
^(1/2))*a^4*sin(d*x+c)+184*B*cos(d*x+c)^5*a*b^3+272*A*cos(d*x+c)^4*a*b^3-26
4*A*cos(d*x+c)^2*a^2*b^2-264*A*cos(d*x+c)*a^3*b-15*B*cos(d*x+c)^2*a^3*b+254
*B*cos(d*x+c)^4*a^2*b^2+48*B*cos(d*x+c)^6*b^4+24*B*cos(d*x+c)^4*b^4-72*B*co
s(d*x+c)^2*b^4-128*A*cos(d*x+c)^2*b^4+64*A*cos(d*x+c)^3*b^4+240*A*(cos(d*x+
c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*El
lipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*sin(d*x+c)*cos
(d*x+c)*a^3*b+288*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x
+c))/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)
/(a+b))^(1/2))*b^4*sin(d*x+c)-144*A*cos(d*x+c)^2*a*b^3+30*B*cos(d*x+c)^2*a^
2*b^2-284*B*cos(d*x+c)^2*a*b^3-208*A*cos(d*x+c)*a^2*b^2-128*A*cos(d*x+c)*a
b^3-118*B*cos(d*x+c)*a^3*b-284*B*cos(d*x+c)*a^2*b^2-72*B*cos(d*x+c)*a*b^3+4
72*A*cos(d*x+c)^3*a^2*b^2+133*B*cos(d*x+c)^3*a^3*b+172*B*cos(d*x+c)^3*a*b^3
+264*A*cos(d*x+c)^2*a^3*b-15*B*cos(d*x+c)*a^4+15*B*cos(d*x+c)^2*a^4+128*A*(
cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(
1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*b^4*sin(d*
x+c)-30*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+co
s(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1
/2))*a^4*sin(d*x+c)+64*A*cos(d*x+c)^5*b^4-384*A*(cos(d*x+c)/(1+cos(d*x+c)))
^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*
x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^3*b*sin(d*x+c)-384*A*sin(d*x+c)*co

```

$$\begin{aligned}
& s(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos \\
& (d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})* \\
& a^3*b+960*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+ \\
& \cos(d*x+c)))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})* \\
& \sin(d*x+c)*\cos(d*x+c)*a*b^3+264*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}* \\
& (1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin \\
& (d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a^3*b+264*A*(\cos(d*x+c) \\
& /(\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*El \\
& lipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x \\
& +c)*a^2*b^2+128*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c) \\
& ))/(\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b) \\
& )^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a*b^3+208*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} \\
& *(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c)) \\
& / \sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a^2*b^2-608*A*(\cos( \\
& d*x+c)/(\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} \\
& )*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos \\
& (d*x+c)*a*b^3+720*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x \\
& +c))/(\cos(d*x+c)))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b) \\
& /(\cos(d*x+c)))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a^2*b^2+15*B*(\cos(d*x+c)/(\cos(d*x+c) \\
& ))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos( \\
& d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a^3*b+284*B* \\
& (\cos(d*x+c)/(\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c))) \\
& ^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c) \\
& *\cos(d*x+c)*a^2*b^2+284*B*(\cos(d*x+c)/(\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b* \\
& \cos(d*x+c))/(\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a \\
& -b)/(\cos(d*x+c)))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a*b^3+118*B*(\cos(d*x+c)/(\cos(d*x+ \\
& c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+co \\
& s(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a^3*b-644* \\
& B*(\cos(d*x+c)/(\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c) \\
& ))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x \\
& +c)*\cos(d*x+c)*a^2*b^2+72*B*(\cos(d*x+c)/(\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b \\
& *\cos(d*x+c))/(\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(- \\
& a-b)/(\cos(d*x+c)))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a*b^3+128*A*(\cos(d*x+c)/(\cos(d*x \\
& +c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+c \\
& os(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*b^4-30*B* \\
& (\cos(d*x+c)/(\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c))) \\
& ^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*\sin(d \\
& *x+c)*\cos(d*x+c)*a^4+288*B*(\cos(d*x+c)/(\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b* \\
& \cos(d*x+c))/(\cos(d*x+c)))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1, \\
& (-a-b)/(\cos(d*x+c)))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*b^4+15*B*(\cos(d*x+c)/(\cos(d*x \\
& +c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+c \\
& os(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*\cos(d*x+c)*a^4-144*B \\
& *(\cos(d*x+c)/(\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)) \\
& )^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+ \\
& c)*\cos(d*x+c)*b^4+240*A*(\cos(d*x+c)/(\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos \\
& (d*x+c))/(\cos(d*x+c)))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c),-1,(- \\
& a-b)/(\cos(d*x+c)))^{1/2})*a^3*b*\sin(d*x+c)+960*A*(\cos(d*x+c)/(\cos(d*x+c)))^{1/2} \\
& *(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticPi((-1+\cos(d*x+c)) \\
& / \sin(d*x+c),-1,(-a-b)/(a+b))^{1/2})*a*b^3*\sin(d*x+c)+264*A*(\cos(d*x+c)/(\cos \\
& (d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*Elliptic \\
& E((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^3*b*\sin(d*x+c)+264*A*( \\
& \cos(d*x+c)/(\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2} \\
& )*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*b^2*\sin \\
& (d*x+c)+128*A*(\cos(d*x+c)/(\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/ \\
& (\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2} \\
& )*a*b^3*\sin(d*x+c)+208*A*(\cos(d*x+c)/(\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+ \\
& b*\cos(d*x+c))/(\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(- \\
& a-b)/(\cos(d*x+c)))^{1/2})*a^2*b^2*\sin(d*x+c)-608*A*(\cos(d*x+c)/(\cos(d*x+c)))^{1/2} \\
& *(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c)
\end{aligned}$$

```

)))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^3*sin(d*x+c)+720*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c), -1, (-a-b)/(a+b))^(1/2))*a^2*b^2*sin(d*x+c)+15*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^3*b*sin(d*x+c)+284*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b^2*sin(d*x+c)+284*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^3*sin(d*x+c)+118*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^3*b*sin(d*x+c)-644*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b^2*sin(d*x+c)+72*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a*b^3*sin(d*x+c)-144*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*b^4*sin(d*x+c))*(1/cos(d*x+c))^(1/2)/sin(d*x+c)/(a+b*cos(d*x+c))^(1/2)
)

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2), x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*(b*cos(d*x + c) + a)^(5/2)/sqrt(sec(d*x + c)), x)
```

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))^(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)^(1/2), x, algorithm="fricas")
```

```
[Out] Timed out
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(d*x+c))**(5/2)*(A+B*cos(d*x+c))/sec(d*x+c)**(1/2), x)
```



[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)/sqrt(sec(d\*x + c)), x)

$$3.613 \quad \int \frac{(a+b \cos(c+dx))^{5/2}(A+B \cos(c+dx))}{\sec^2(c+dx)} dx$$

**Optimal.** Leaf size=839

$$\frac{B \sin(c+dx)(a+b \cos(c+dx))^{7/2}}{5bd\sqrt{\sec(c+dx)}} + \frac{(10Ab-3aB) \sin(c+dx)(a+b \cos(c+dx))^{5/2}}{40bd\sqrt{\sec(c+dx)}} + \frac{(-15Ba^2+50Aba+64b^2B) \sin(c+dx)}{240bd\sqrt{\sec(c+dx)}}$$

[Out]  $-\left((a-b)\sqrt{a+b}\left(150a^3Ab+2840aAb^3-45a^4B+1692a^2b^2B+1024b^4B\right)\sqrt{\cos[c+dx]}\operatorname{Csc}[c+dx]\operatorname{EllipticE}\left[\operatorname{ArcSin}\left[\sqrt{\frac{a+b\cos[c+dx]}{a+b}}\right]\right],-\left(\frac{a+b}{a-b}\right)\sqrt{\frac{a(1-\sec[c+dx])}{a+b}}\sqrt{\frac{a(1+\sec[c+dx])}{a-b}}\right)/\left(1920a^2b^2d\sqrt{\sec[c+dx]}\right)-\left(\sqrt{a+b}\left(45a^4B-30a^3b(5A+B)-16b^4(45A+64B)-8a^2b^3(355A+193B)-4a^2b^2(295A+423B)\right)\sqrt{\cos[c+dx]}\operatorname{Csc}[c+dx]\operatorname{EllipticF}\left[\operatorname{ArcSin}\left[\sqrt{\frac{a+b\cos[c+dx]}{a+b}}\right]\right],-\left(\frac{a+b}{a-b}\right)\sqrt{\frac{a(1-\sec[c+dx])}{a+b}}\sqrt{\frac{a(1+\sec[c+dx])}{a-b}}\right)/\left(1920b^2d\sqrt{\sec[c+dx]}\right)+\left(\sqrt{a+b}\left(10a^4Ab-240a^2Ab^3-96Ab^5-3a^5B-40a^3b^2B-240a^2b^4B\right)\sqrt{\cos[c+dx]}\operatorname{Csc}[c+dx]\operatorname{EllipticPi}\left[\frac{a+b}{b},\operatorname{ArcSin}\left[\sqrt{\frac{a+b\cos[c+dx]}{a+b}}\right]\right],-\left(\frac{a+b}{a-b}\right)\sqrt{\frac{a(1-\sec[c+dx])}{a+b}}\sqrt{\frac{a(1+\sec[c+dx])}{a-b}}\right)/\left(128b^3d\sqrt{\sec[c+dx]}\right)+\left(50a^2Ab+120Ab^3-15a^3B+172ab^2B\right)\sqrt{a+b\cos[c+dx]}\sin[c+dx])/320b^2d\sqrt{\sec[c+dx]}+\left(50a^2Ab-15a^2B+64b^2B\right)(a+b\cos[c+dx])^{3/2}\sin[c+dx]/\left(240b^2d\sqrt{\sec[c+dx]}\right)+\left(10Ab-3aB\right)(a+b\cos[c+dx])^{5/2}\sin[c+dx]/\left(40b^2d\sqrt{\sec[c+dx]}\right)+\left(B(a+b\cos[c+dx])^{7/2}\sin[c+dx]\right)/\left(5b^2d\sqrt{\sec[c+dx]}\right)+\left(150a^3Ab+2840aAb^3-45a^4B+1692a^2b^2B+1024b^4B\right)\sqrt{a+b\cos[c+dx]}\sqrt{\sec[c+dx]}\sin[c+dx]/\left(1920b^2d\right)$

**Rubi [A]** time = 3.6028, antiderivative size = 839, normalized size of antiderivative = 1., number of steps used = 11, number of rules used = 9, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$ , Rules used = {2961, 2990, 3049, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{B \sin(c+dx)(a+b \cos(c+dx))^{7/2}}{5bd\sqrt{\sec(c+dx)}} + \frac{(10Ab-3aB) \sin(c+dx)(a+b \cos(c+dx))^{5/2}}{40bd\sqrt{\sec(c+dx)}} + \frac{(-15Ba^2+50Aba+64b^2B) \sin(c+dx)}{240bd\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In]  $\operatorname{Int}\left[\left(\frac{a+b\cos[c+dx]}{\sec[c+dx]}\right)^{5/2}(A+B\cos[c+dx])/\sec[c+dx]^{3/2},x\right]$

[Out]  $-\left((a-b)\sqrt{a+b}\left(150a^3Ab+2840aAb^3-45a^4B+1692a^2b^2B+1024b^4B\right)\sqrt{\cos[c+dx]}\operatorname{Csc}[c+dx]\operatorname{EllipticE}\left[\operatorname{ArcSin}\left[\sqrt{\frac{a+b\cos[c+dx]}{a+b}}\right]\right],-\left(\frac{a+b}{a-b}\right)\sqrt{\frac{a(1-\sec[c+dx])}{a+b}}\sqrt{\frac{a(1+\sec[c+dx])}{a-b}}\right)/\left(1920a^2b^2d\sqrt{\sec[c+dx]}\right)-\left(\sqrt{a+b}\left(45a^4B-30a^3b(5A+B)-16b^4(45A+64B)-8a^2b^3(355A+193B)-4a^2b^2(295A+423B)\right)\sqrt{\cos[c+dx]}\operatorname{Csc}[c+dx]\operatorname{EllipticF}\left[\operatorname{ArcSin}\left[\sqrt{\frac{a+b\cos[c+dx]}{a+b}}\right]\right],-\left(\frac{a+b}{a-b}\right)\sqrt{\frac{a(1-\sec[c+dx])}{a+b}}\sqrt{\frac{a(1+\sec[c+dx])}{a-b}}\right)/\left(1920b^2d\sqrt{\sec[c+dx]}\right)+\left(\sqrt{a+b}\left(10a^4Ab-240a^2Ab^3-96Ab^5-3a^5B-40a^3b^2B-240a^2b^4B\right)\sqrt{\cos[c+dx]}\operatorname{Csc}[c+dx]\operatorname{EllipticPi}\left[\frac{a+b}{b},\operatorname{ArcSin}\left[\sqrt{\frac{a+b\cos[c+dx]}{a+b}}\right]\right],-\left(\frac{a+b}{a-b}\right)\sqrt{\frac{a(1-\sec[c+dx])}{a+b}}\sqrt{\frac{a(1+\sec[c+dx])}{a-b}}\right)/\left(128b^3d\sqrt{\sec[c+dx]}\right)+\left(50a^2Ab+120Ab^3-15a^3B+172ab^2B\right)\sqrt{a+b\cos[c+dx]}\sin[c+dx])/320b^2d\sqrt{\sec[c+dx]}+\left(50a^2Ab-15a^2B+64b^2B\right)(a+b\cos[c+dx])^{3/2}\sin[c+dx]/\left(240b^2d\sqrt{\sec[c+dx]}\right)+\left(10Ab-3aB\right)(a+b\cos[c+dx])^{5/2}\sin[c+dx]/\left(40b^2d\sqrt{\sec[c+dx]}\right)+\left(B(a+b\cos[c+dx])^{7/2}\sin[c+dx]\right)/\left(5b^2d\sqrt{\sec[c+dx]}\right)+\left(150a^3Ab+2840aAb^3-45a^4B+1692a^2b^2B+1024b^4B\right)\sqrt{a+b\cos[c+dx]}\sqrt{\sec[c+dx]}\sin[c+dx]/\left(1920b^2d\right)$

$0 * A * b^3 - 15 * a^3 * B + 172 * a * b^2 * B) * \text{Sqrt}[a + b * \text{Cos}[c + d * x]] * \text{Sin}[c + d * x]] / (3$   
 $20 * b * d * \text{Sqrt}[\text{Sec}[c + d * x]]) + ((50 * a * A * b - 15 * a^2 * B + 64 * b^2 * B) * (a + b * \text{Cos}[c$   
 $+ d * x])^{(3/2)} * \text{Sin}[c + d * x]) / (240 * b * d * \text{Sqrt}[\text{Sec}[c + d * x]]) + ((10 * A * b - 3 * a * B) * (a + b * \text{Cos}[c + d * x])^{(5/2)} * \text{Sin}[c + d * x]) / (40 * b * d * \text{Sqrt}[\text{Sec}[c + d * x]]) + ($   
 $B * (a + b * \text{Cos}[c + d * x])^{(7/2)} * \text{Sin}[c + d * x]) / (5 * b * d * \text{Sqrt}[\text{Sec}[c + d * x]]) + ((1$   
 $50 * a^3 * A * b + 2840 * a * A * b^3 - 45 * a^4 * B + 1692 * a^2 * b^2 * B + 1024 * b^4 * B) * \text{Sqrt}[a$   
 $+ b * \text{Cos}[c + d * x]] * \text{Sqrt}[\text{Sec}[c + d * x]] * \text{Sin}[c + d * x]) / (1920 * b^2 * d)$

### Rule 2961

$\text{Int}[(\text{csc}[(e_{.}) + (f_{.}) * (x_{.})] * (g_{.}))^{(p_{.})} * ((a_{.}) + (b_{.}) * \text{sin}[(e_{.}) + (f_{.}) * (x_{.})])^{(m_{.})} * ((c_{.}) + (d_{.}) * \text{sin}[(e_{.}) + (f_{.}) * (x_{.})])^{(n_{.})}, x\_Symbol] \rightarrow \text{Dis}$   
 $\text{t}[(g * \text{Csc}[e + f * x])^{(p)} * (g * \text{Sin}[e + f * x])^{(p)}, \text{Int}[(a + b * \text{Sin}[e + f * x])^{(m)} * (c + d$   
 $* \text{Sin}[e + f * x])^{(n)} / (g * \text{Sin}[e + f * x])^{(p)}, x], x] /;$  FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b \* c - a \* d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

### Rule 2990

$\text{Int}[(a_{.}) + (b_{.}) * \text{sin}[(e_{.}) + (f_{.}) * (x_{.})])^{(m_{.})} * ((A_{.}) + (B_{.}) * \text{sin}[(e_{.}) + (f_{.}) * (x_{.})])^{(n_{.})}, x\_Symbol] \rightarrow -\text{S}$   
 $\text{imp}[(b * B * \text{Cos}[e + f * x] * (a + b * \text{Sin}[e + f * x])^{(m - 1)} * (c + d * \text{Sin}[e + f * x])^{(n$   
 $+ 1)) / (d * f * (m + n + 1)), x] + \text{Dist}[1 / (d * (m + n + 1)), \text{Int}[(a + b * \text{Sin}[e + f * x])^{(m - 2)} * (c + d * \text{Sin}[e + f * x])^{(n * \text{Simp}[a^2 * A * d * (m + n + 1) + b * B * (b * c * (m - 1) + a * d * (n + 1)) + (a * d * (2 * A * b + a * B) * (m + n + 1) - b * B * (a * c - b * d * (m + n))) * \text{Sin}[e + f * x] + b * (A * b * d * (m + n + 1) - B * (b * c * m - a * d * (2 * m + n))) * \text{Sin}[e + f * x]^2, x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b \* c - a \* d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rule 3049

$\text{Int}[(a_{.}) + (b_{.}) * \text{sin}[(e_{.}) + (f_{.}) * (x_{.})])^{(m_{.})} * ((c_{.}) + (d_{.}) * \text{sin}[(e_{.}) + (f_{.}) * (x_{.})])^{(n_{.})} * ((A_{.}) + (B_{.}) * \text{sin}[(e_{.}) + (f_{.}) * (x_{.})] + (C_{.}) * \text{sin}[(e_{.}) + (f_{.}) * (x_{.})]^2), x\_Symbol] \rightarrow -\text{Simp}[(C * \text{Cos}[e + f * x] * (a + b * \text{Sin}[e + f * x])^{(m)} * (c + d * \text{Sin}[e + f * x])^{(n + 1)}) / (d * f * (m + n + 2)), x] + \text{Dist}[1 / (d * (m + n + 2)), \text{Int}[(a + b * \text{Sin}[e + f * x])^{(m - 1)} * (c + d * \text{Sin}[e + f * x])^{(n * \text{Simp}[a * A * d * (m + n + 2) + C * (b * c * m + a * d * (n + 1)) + (d * (A * b + a * B) * (m + n + 2) - C * (a * c - b * d * (m + n + 1))) * \text{Sin}[e + f * x] + (C * (a * d * m - b * c * (m + 1)) + b * B * d * (m + n + 2)) * \text{Sin}[e + f * x]^2, x], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b \* c - a \* d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && !(IGtQ[n, 0] && (!IntegerQ[m] || (EqQ[a, 0] && NeQ[c, 0])))

### Rule 3061

$\text{Int}[(A_{.}) + (B_{.}) * \text{sin}[(e_{.}) + (f_{.}) * (x_{.})] + (C_{.}) * \text{sin}[(e_{.}) + (f_{.}) * (x_{.})]^2) / (\text{Sqrt}[(a_{.}) + (b_{.}) * \text{sin}[(e_{.}) + (f_{.}) * (x_{.})]] * \text{Sqrt}[(c_{.}) + (d_{.}) * \text{sin}[(e_{.}) + (f_{.}) * (x_{.})]]), x\_Symbol] \rightarrow -\text{Simp}[(C * \text{Cos}[e + f * x] * \text{Sqrt}[c + d * \text{Sin}[e + f * x]]) / (d * f * \text{Sqrt}[a + b * \text{Sin}[e + f * x]]), x] + \text{Dist}[1 / (2 * d), \text{Int}[(1 * \text{Simp}[2 * a * A * d - C * (b * c - a * d) - 2 * (a * c * C - d * (A * b + a * B)) * \text{Sin}[e + f * x] + (2 * b * B * d - C * (b * c + a * d)) * \text{Sin}[e + f * x]^2, x]) / ((a + b * \text{Sin}[e + f * x])^{(3/2)} * \text{Sqrt}[c + d * \text{Sin}[e + f * x]]), x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b \* c - a \* d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3053

$\text{Int}[(A_{.}) + (B_{.}) * \text{sin}[(e_{.}) + (f_{.}) * (x_{.})] + (C_{.}) * \text{sin}[(e_{.}) + (f_{.}) * (x_{.})]^2) / (((a_{.}) + (b_{.}) * \text{sin}[(e_{.}) + (f_{.}) * (x_{.})])^{(3/2)} * \text{Sqrt}[(c_{.}) + (d_{.}) * \text{sin}[(e_{.}) + (f_{.}) * (x_{.})]]), x\_Symbol] \rightarrow \text{Dist}[C / b^2, \text{Int}[\text{Sqrt}[a + b * \text{Sin}[e + f * x]] /$

$\text{Sqrt}[c + d*\text{Sin}[e + f*x]], x], x] + \text{Dist}[1/b^2, \text{Int}[(A*b^2 - a^2*C + b*(b*B - 2*a*C)*\text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[c + d*\text{Sin}[e + f*x])], x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2809

$\text{Int}[\text{Sqrt}[(b_*)*\text{sin}[(e_*) + (f_*)*(x_)]]/\text{Sqrt}[(c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_)]], x\_Symbol] :> \text{Simp}[(2*b*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d)))/(d*f), x] /;$  FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

#### Rule 2998

$\text{Int}[((A_*) + (B_*)*\text{sin}[(e_*) + (f_*)*(x_)])/(((a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_)]))^{3/2}*\text{Sqrt}[(c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_)]], x\_Symbol] :> \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

#### Rule 2816

$\text{Int}[1/(\text{Sqrt}[(d_*)*\text{sin}[(e_*) + (f_*)*(x_)]]*\text{Sqrt}[(a_*) + (b_*)*\text{sin}[(e_*) + (f_*)*(x_)]], x\_Symbol] :> \text{Simp}[(-2*\text{Tan}[e + f*x]*\text{Rt}[(a + b)/d, 2]*\text{Sqrt}[(a*(1 - \text{Csc}[e + f*x]))/(a + b)]*\text{Sqrt}[(a*(1 + \text{Csc}[e + f*x]))/(a - b)]*\text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b*\text{Sin}[e + f*x]]/(\text{Sqrt}[d*\text{Sin}[e + f*x]]*\text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b)))/(a*f), x] /;$  FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

$\text{Int}[((A_*) + (B_*)*\text{sin}[(e_*) + (f_*)*(x_)])/(((b_*)*\text{sin}[(e_*) + (f_*)*(x_)]))^{3/2}*\text{Sqrt}[(c_*) + (d_*)*\text{sin}[(e_*) + (f_*)*(x_)]], x\_Symbol] :> \text{Simp}[(-2*A*(c - d)*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^2), x] /;$  FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rubi steps

$$\begin{aligned}
\int \frac{(a + b \cos(c + dx))^{5/2} (A + B \cos(c + dx))}{\sec^{\frac{3}{2}}(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \cos^{\frac{3}{2}}(c + dx) (a + b \cos(c + dx))^{5/2} dx \\
&= \frac{B(a + b \cos(c + dx))^{7/2} \sin(c + dx)}{5bd\sqrt{\sec(c + dx)}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right)}{5bd\sqrt{\sec(c + dx)}} \int \cos^{\frac{3}{2}}(c + dx) (a + b \cos(c + dx))^{5/2} dx \\
&= \frac{(10Ab - 3aB)(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{40bd\sqrt{\sec(c + dx)}} + \frac{B(a + b \cos(c + dx))^{7/2} \sin(c + dx)}{5bd\sqrt{\sec(c + dx)}} \\
&= \frac{(50aAb - 15a^2B + 64b^2B)(a + b \cos(c + dx))^{3/2} \sin(c + dx)}{240bd\sqrt{\sec(c + dx)}} + \frac{(10Ab - 3aB)(a + b \cos(c + dx))^{5/2} \sin(c + dx)}{40bd\sqrt{\sec(c + dx)}} \\
&= \frac{(50a^2Ab + 120Ab^3 - 15a^3B + 172ab^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{320bd\sqrt{\sec(c + dx)}} \\
&= \frac{(50a^2Ab + 120Ab^3 - 15a^3B + 172ab^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{320bd\sqrt{\sec(c + dx)}} \\
&= \frac{(50a^2Ab + 120Ab^3 - 15a^3B + 172ab^2B) \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{320bd\sqrt{\sec(c + dx)}} \\
&= \frac{\sqrt{a + b} (10a^4Ab - 240a^2Ab^3 - 96Ab^5 - 3a^5B - 40a^3b^2B - 240ab^4B)}{320bd\sqrt{\sec(c + dx)}} \\
&= \frac{(a - b) \sqrt{a + b} (150a^3Ab + 2840aAb^3 - 45a^4B + 1692a^2b^2B + 1020ab^4B)}{320bd\sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [A]** time = 15.5365, size = 705, normalized size = 0.84

$$\frac{\sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)} \left( \frac{1}{960} (93a^2B + 170aAb + 88b^2B) \sin(c + dx) + \frac{1}{960} (93a^2B + 170aAb + 100b^2B) \sin(3(c + dx)) \right)}{d}$$

Antiderivative was successfully verified.

[In] Integrate[((a + b\*Cos[c + d\*x])^(5/2)\*(A + B\*Cos[c + d\*x]))/Sec[c + d\*x]^(3/2),x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*(((170\*a\*A\*b + 93\*a^2\*B + 88\*b^2\*B)\*Sin[c + d\*x])/960 + ((590\*a^2\*A\*b + 480\*A\*b^3 + 15\*a^3\*B + 1024\*a\*b^2\*B)\*Sin[2\*(c + d\*x)]/(1920\*b) + ((170\*a\*A\*b + 93\*a^2\*B + 100\*b^2\*B)\*Sin[3\*(c + d\*x)]/960 + (b\*(10\*A\*b + 21\*a\*B)\*Sin[4\*(c + d\*x)]/320 + (b^2\*B\*Ssin[5\*(c + d\*x)]/80))/d - ((b\*(a + b)\*(150\*a^3\*A\*b + 2840\*a\*A\*b^3 - 45\*a^4\*B + 1692\*a^2\*b^2\*B + 1024\*b^4\*B)\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sec[(c + d\*x)/2]^2\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2)/(a + b)) + a\*(a + b)\*(45\*a^4\*B - 30\*a^3\*b\*(5\*A + 3\*B) + 60\*a^2\*b^2\*(5\*A + 11\*B) + 16\*b^4\*(45\*A + 64\*B) + 8\*a\*b^3\*(265\*A + 129\*B))\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]\*Sec[(c + d\*x)/2]^2\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2)/(a + b)) + 15\*(10\*a^4\*A\*b - 240\*a^2\*A\*b^3 - 96\*A\*b^5 - 3\*a^5\*B - 40\*a^3\*b^2\*B - 240\*a\*b^4\*B)\*((a - b)\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - 2\*b\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]]])

2]], (-a + b)/(a + b)]\*Sec[(c + d\*x)/2]^2\*Sqrt[((a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2)/(a + b)] - b\*(150\*a^3\*A\*b + 2840\*a\*A\*b^3 - 45\*a^4\*B + 1692\*a^2\*b^2\*B + 1024\*b^4\*B)\*(a + b\*Cos[c + d\*x])\*(Cos[c + d\*x]\*Sec[(c + d\*x)/2]^2)^(3/2)\*Sec[c + d\*x]\*Tan[(c + d\*x)/2)]/(1920\*b^3\*d\*Sqrt[a + b\*Cos[c + d\*x]])\*(Cos[c + d\*x]\*Sec[(c + d\*x)/2]^2)^(3/2)\*Sec[c + d\*x]^(3/2))

**Maple [B]** time = 0.967, size = 5172, normalized size = 6.2

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x)

[Out] result too large to display

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)/sec(d\*x + c)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(Bb^2 \cos(dx + c)^3 + Aa^2 + (2Bab + Ab^2) \cos(dx + c)^2 + (Ba^2 + 2Aab) \cos(dx + c)) \sqrt{b \cos(dx + c) + a}}{\sec(dx + c)^{\frac{3}{2}}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B\*b^2\*cos(d\*x + c)^3 + A\*a^2 + (2\*B\*a\*b + A\*b^2)\*cos(d\*x + c)^2 + (B\*a^2 + 2\*A\*a\*b)\*cos(d\*x + c))\*sqrt(b\*cos(d\*x + c) + a)/sec(d\*x + c)^(3/2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))\*\*(5/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)(b \cos(dx + c) + a)^{\frac{5}{2}}}{\sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(d\*x+c))^(5/2)\*(A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*(b\*cos(d\*x + c) + a)^(5/2)/sec(d\*x + c)^(3/2), x)

$$3.614 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{7}{2}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=403

$$\frac{2\sqrt{a+b} (a^2(9A-5B) - 2ab(A+5B) + 8Ab^2) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{15a^3 d \sqrt{\sec(c+dx)}}$$

[Out] (2\*(a - b)\*Sqrt[a + b]\*(9\*a^2\*A + 8\*A\*b^2 - 10\*a\*b\*B)\*Sqrt[Cos[c + d\*x]]\*Cs  
c[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[  
(a\*(1 + Sec[c + d\*x]))/(a - b)]/(15\*a^4\*d\*Sqrt[Sec[c + d\*x]]) - (2\*Sqrt[a + b]\*(8\*A\*b^2 + a^2\*(9\*A - 5\*B) - 2\*a\*b\*(A + 5\*B))\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(15\*a^3\*d\*Sqrt[Sec[c + d\*x]]) - (2\*(4\*A\*b - 5\*a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(15\*a^2\*d) + (2\*A\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(5\*a\*d)

**Rubi [A]** time = 1.02566, antiderivative size = 403, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 3000, 3055, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b} (a^2(9A-5B) - 2ab(A+5B) + 8Ab^2) \sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{15a^3 d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(7/2))/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] (2\*(a - b)\*Sqrt[a + b]\*(9\*a^2\*A + 8\*A\*b^2 - 10\*a\*b\*B)\*Sqrt[Cos[c + d\*x]]\*Cs  
c[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[  
(a\*(1 + Sec[c + d\*x]))/(a - b)]/(15\*a^4\*d\*Sqrt[Sec[c + d\*x]]) - (2\*Sqrt[a + b]\*(8\*A\*b^2 + a^2\*(9\*A - 5\*B) - 2\*a\*b\*(A + 5\*B))\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(15\*a^3\*d\*Sqrt[Sec[c + d\*x]]) - (2\*(4\*A\*b - 5\*a\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(15\*a^2\*d) + (2\*A\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(5/2)\*Sin[c + d\*x])/(5\*a\*d)

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^m, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !IntegerQ[m] && IntegerQ[n]

#### Rule 3000

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_.), x\_Symbol] := -S



```
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

### Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b)]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

### Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

### Rubi steps



$$\begin{aligned}
& c + d*x))/((a + b)*(1 + \text{Cos}[c + d*x]))*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], \\
& (-a + b)/(a + b)] + 2*a*(8*A*b^2 + 2*a*b*(A - 5*B) + a^2*(9*A + 5*B))*\text{Sqrt} \\
& [\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{C} \\
& \text{os}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - (9*a \\
& ^2*A + 8*A*b^2 - 10*a*b*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/ \\
& 2]^2*\text{Tan}[(c + d*x)/2))/((15*a^3*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x) \\
& /2]^2]) + (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*(-((9*a^2*A + 8*A*b^2 - \\
& 10*a*b*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^4)/2 - ((a + b) \\
& )*(9*a^2*A + 8*A*b^2 - 10*a*b*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{C} \\
& \text{os}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*((\text{Cos}[c \\
& + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x] \\
& )))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + (a*(8*A*b^2 + 2*a*b*(A - 5*B) + \\
& a^2*(9*A + 5*B))*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{E} \\
& \text{llipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + \\
& d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c \\
& + d*x]/(1 + \text{Cos}[c + d*x])] - ((a + b)*(9*a^2*A + 8*A*b^2 - 10*a*b*B))*\text{Sqrt}[\text{C} \\
& \text{os}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b) \\
& )/(a + b)]*(-((b*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])))) + ((a + b*\text{Cos}[c \\
& + d*x])* \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2))/\text{Sqrt}[(a + b*\text{Cos}[c \\
& + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + (a*(8*A*b^2 + 2*a*b*(A - 5*B) + a^2 \\
& *(9*A + 5*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c \\
& + d*x)/2]], (-a + b)/(a + b)]*(-((b*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d* \\
& x])))) + ((a + b*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2)) \\
& )/\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + b*(9*a^2*A + 8* \\
& A*b^2 - 10*a*b*B)*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x) \\
& /2] + (9*a^2*A + 8*A*b^2 - 10*a*b*B)*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2] \\
& ^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - (9*a^2*A + 8*A*b^2 - 10*a*b*B)*\text{Cos}[c + d \\
& *x]*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 + (a*(8*A*b^ \\
& 2 + 2*a*b*(A - 5*B) + a^2*(9*A + 5*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x]) \\
& ]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^ \\
& 2)/(\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[1 - ((-a + b)*\text{Tan}[(c + d*x)/2]^2)/(a \\
& + b)]) - ((a + b)*(9*a^2*A + 8*A*b^2 - 10*a*b*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos} \\
& [c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c \\
& + d*x)/2]^2*\text{Sqrt}[1 - ((-a + b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]/\text{Sqrt}[1 - \text{Tan}[(c \\
& + d*x)/2]^2))/((15*a^3*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) \\
& + ((-2*(a + b)*(9*a^2*A + 8*A*b^2 - 10*a*b*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c \\
& + d*x]])*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE} \\
& [\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(8*A*b^2 + 2*a*b*(A - 5* \\
& B) + a^2*(9*A + 5*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos} \\
& [c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]] \\
& , (-a + b)/(a + b)] - (9*a^2*A + 8*A*b^2 - 10*a*b*B)*\text{Cos}[c + d*x]*(a + b*\text{C} \\
& \text{os}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c \\
& + d*x]*\text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/( \\
& 15*a^3*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + d*x) \\
& /2]^2*\text{Sec}[c + d*x]))))
\end{aligned}$$

**Maple [B]** time = 0.671, size = 2488, normalized size = 6.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((A+B*\cos(d*x+c))*\text{sec}(d*x+c)^{(7/2)}/(a+b*\cos(d*x+c))^{(1/2)},x)$

[Out]  $-2/15/d/a^3*(-3*A*a^3-10*A*\cos(d*x+c)^3*a^2*b-4*A*a*b^2*\cos(d*x+c)^2+5*B*a^2*b*\cos(d*x+c)^2+A*a^2*b*\cos(d*x+c)-10*B*\cos(d*x+c)^3*a^2*b+10*B*a*b^2*\cos(d*x+c)^3-10*B*\cos(d*x+c)^4*a*b^2+8*A*\cos(d*x+c)^3*a*b^2+9*A*\cos(d*x+c)^4*a^$

$$\begin{aligned}
& 2*b-4*A*\cos(d*x+c)^4*a*b^2+5*B*\cos(d*x+c)^4*a^2*b-8*A*b^3*\cos(d*x+c)^3+8*A* \\
& (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c))) \\
& ^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\cos(d*x+c) \\
& ^3*\sin(d*x+c)*a*b^2+10*B*\cos(d*x+c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c) \\
& ))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticE((-1+\cos( \\
& d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^2*b+10*B*\cos(d*x+c)^3*\sin(d*x+c) \\
& *(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c) \\
& ))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a*b^2-10 \\
& *B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c) \\
& ))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\cos(d* \\
& x+c)^3*\sin(d*x+c)*a^2*b-9*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b \\
& *\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (- \\
& a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)*a^2*b-8*A*\cos(d*x+c)^2*\sin(d*x+c) \\
& *(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c) \\
& ))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a*b^2+2 \\
& *A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c) \\
& ))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\cos(d* \\
& x+c)^2*\sin(d*x+c)*a^2*b+8*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b \\
& *\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (- \\
& a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)*a*b^2+10*B*\cos(d*x+c)^2*\sin(d*x+ \\
& c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c) \\
& ))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*a^2*b+ \\
& 10*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x \\
& +c)))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\cos( \\
& d*x+c)^2*\sin(d*x+c)*a*b^2-10*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*( \\
& a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\
& (-a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)*a^2*b-9*A*(\cos(d*x+c)/(1+\cos( \\
& d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticE((- \\
& 1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^3*\sin(d*x+c)*a^2* \\
& b-8*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d* \\
& x+c)))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\cos \\
& (d*x+c)^3*\sin(d*x+c)*b^3+9*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+ \\
& b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (- \\
& a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^3*\sin(d*x+c)*a^3+5*B*(\cos(d*x+c)/(1+\cos(d*x+ \\
& c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticF((-1+co \\
& s(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^3*\sin(d*x+c)*a^3-9*A* \\
& \cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos \\
& (d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b) \\
& /(a+b))^{(1/2)}*a^3-8*A*\cos(d*x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{( \\
& 1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticE((-1+\cos(d*x \\
& +c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*b^3+9*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{( \\
& 1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*EllipticF((-1+\cos(d*x+ \\
& c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*\cos(d*x+c)^2*\sin(d*x+c)*a^3+5*B*\cos(d* \\
& x+c)^2*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c) \\
& ))/(1+\cos(d*x+c)))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b) \\
& )^{(1/2)}*a^3-9*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c) \\
& ))/(1+\cos(d*x+c)))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b) \\
& )^{(1/2)}*\cos(d*x+c)^3*\sin(d*x+c)*a^3-5*B*a^3*\cos(d*x+c)+8*A*\cos(d*x+c)^4*b^3 \\
& +9*A*\cos(d*x+c)^3*a^3-6*A*\cos(d*x+c)^2*a^3+5*B*\cos(d*x+c)^3*a^3-8*A*\cos(d*x \\
& +c)^3*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c) \\
& ))/(1+\cos(d*x+c)))^{(1/2)}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b) \\
& )^{(1/2)}*a*b^2+2*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c) \\
& ))/(1+\cos(d*x+c)))^{(1/2)}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b) \\
& )^{(1/2)}*\cos(d*x+c)^3*\sin(d*x+c)*a^2*b*\cos(d*x+c)*(1/\cos(d*x+c))^{(7/2)}/(a+ \\
& b*\cos(d*x+c))^{(1/2)}/\sin(d*x+c)
\end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{7}{2}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(7/2)/sqrt(b\*cos(d\*x + c) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{7}{2}}}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(7/2)/sqrt(b\*cos(d\*x + c) + a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(7/2)/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{7}{2}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(7/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(7/2)/sqrt(b\*cos(d\*x + c) + a), x)

$$3.615 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=330

$$\frac{2\sqrt{a+b}(a(A-3B)+2Ab)\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{3a^2d\sqrt{\sec(c+dx)}} - \frac{2(a$$

[Out] (-2\*(a - b)\*Sqrt[a + b]\*(2\*A\*b - 3\*a\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/(3\*a^3\*d\*Sqrt[Sec[c + d\*x]]) + (2\*Sqrt[a + b]\*(2\*A\*b + a\*(A - 3\*B))\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/(3\*a^2\*d\*Sqrt[Sec[c + d\*x]]) + (2\*A\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*a\*d)

**Rubi [A]** time = 0.663952, antiderivative size = 330, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 3000, 2998, 2816, 2994}

$$\frac{2\sqrt{a+b}(a(A-3B)+2Ab)\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{3a^2d\sqrt{\sec(c+dx)}} - \frac{2(a$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2))/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] (-2\*(a - b)\*Sqrt[a + b]\*(2\*A\*b - 3\*a\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/(3\*a^3\*d\*Sqrt[Sec[c + d\*x]]) + (2\*Sqrt[a + b]\*(2\*A\*b + a\*(A - 3\*B))\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b))]/(3\*a^2\*d\*Sqrt[Sec[c + d\*x]]) + (2\*A\*Sqrt[a + b\*Cos[c + d\*x]]\*Sec[c + d\*x]^(3/2)\*Sin[c + d\*x])/(3\*a\*d)

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Ssin[e + f\*x])^m, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 3000

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> -Simp[((A\*b^2 - a\*b\*B)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^(1 + n))/(f\*(m + 1)\*(b\*c - a\*d)\*(a^2 - b^2)), x] + Dist[1/(m + 1)

$(b*c - a*d)*(a^2 - b^2)$ , Int[(a + b\*Sin[e + f\*x])^(m + 1)\*(c + d\*Sin[e + f\*x])^n\*Simp[(a\*A - b\*B)\*(b\*c - a\*d)\*(m + 1) + b\*d\*(A\*b - a\*B)\*(m + n + 2) + (A\*b - a\*B)\*(a\*d\*(m + 1) - b\*c\*(m + 2))\*Sin[e + f\*x] - b\*d\*(A\*b - a\*B)\*(m + n + 3)\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2\*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

#### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} dx$$

$$= \frac{2A \sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3ad} + \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})^2}{3ad}$$

$$= \frac{2A \sqrt{a + b \cos(c + dx)} \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3ad} + \frac{((2Ab + a(A - 3B)) \sqrt{\cos(c + dx)})^2}{3ad}$$

$$= -\frac{2(a - b) \sqrt{a + b} (2Ab - 3aB) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}}\right)\right)}{3a^3 d \sqrt{\sec(c + dx)}}$$

**Mathematica [A]** time = 16.0303, size = 355, normalized size = 1.08

$$\frac{\sqrt{\sec(c+dx)}\sqrt{a+b\cos(c+dx)}\left(\frac{2(3aB-2Ab)\sin(c+dx)}{3a^2} + \frac{2A\tan(c+dx)}{3a}\right)}{d} + \frac{2\sqrt{\cos^2\left(\frac{1}{2}(c+dx)\right)}\sec(c+dx)\left((2Ab-3aB)\cos(c+dx)\right)}{d}$$

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2))/Sqrt[a + b\*Cos[c + d\*x]], x]

[Out] (2\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*(-2\*(a + b)\*(-2\*A\*b + 3\*a\*B)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*a\*(-2\*A\*b + a\*(A + 3\*B))\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + (2\*A\*b - 3\*a\*B)\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2])/(3\*a^2\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[(c + d\*x)/2]^2]) + (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((2\*(-2\*A\*b + 3\*a\*B)\*Sin[c + d\*x])/(3\*a^2) + (2\*A\*Tan[c + d\*x])/(3\*a)))/d

**Maple [B]** time = 0.769, size = 1544, normalized size = 4.7

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(1/2), x)

[Out] -2/3/d/a^2\*(A\*cos(d\*x+c)^2\*a^2+2\*A\*cos(d\*x+c)^2\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*b^2+A\*cos(d\*x+c)^2\*sin(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*a^2-3\*B\*cos(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*sin(d\*x+c)\*a^2+3\*B\*cos(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*sin(d\*x+c)\*a^2+A\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*sin(d\*x+c)\*a^2+3\*B\*cos(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*sin(d\*x+c)\*a^2+2\*A\*cos(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*sin(d\*x+c)\*a\*b+3\*B\*cos(d\*x+c)^3\*a\*b-3\*B\*cos(d\*x+c)^2\*a\*b-2\*A\*cos(d\*x+c)^2\*a\*b+A\*cos(d\*x+c)\*a\*b-2\*A\*cos(d\*x+c)^3\*b^2+2\*A\*cos(d\*x+c)^2\*b^2+3\*B\*cos(d\*x+c)^2\*a^2-3\*B\*cos(d\*x+c)\*a^2+A\*cos(d\*x+c)^3\*a\*b+2\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*sin(d\*x+c)\*cos(d\*x+c)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*a\*b-3\*B\*sin(d\*x+c)\*cos(d\*x+c)\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*a\*b-2\*A\*cos(d\*x+c)^2\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2))\*sin(d\*x+c)\*a\*b-3\*B\*cos(d\*x+c)^2\*sin



$(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*b-2*A*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)*a*b-a^2*A+2*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b^2-3*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a^2*\cos(d*x+c)*(1/\cos(d*x+c))^{5/2}/(a+b*\cos(d*x+c))^{1/2}/\sin(d*x+c)$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(5/2)/sqrt(b\*cos(d\*x + c) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(5/2)/sqrt(b\*cos(d\*x + c) + a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(5/2)/(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sec(d*x + c)^(5/2)/sqrt(b*cos(d*x + c) + a), x)
```

$$3.616 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=270

$$\frac{2A(a-b)\sqrt{a+b}\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{a^2 d \sqrt{\sec(c+dx)}} - \frac{2\sqrt{a+b}(A-B)}{a^2 d \sqrt{\sec(c+dx)}}$$

```
[Out] (2*A*(a - b)*Sqrt[a + b]*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)
)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)
)]/(a^2*d*Sqrt[Sec[c + d*x]]) - (2*Sqrt[a + b]*(A - B)*Sqrt[Cos[c + d*x]]*
Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Co
s[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqr
t[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d*Sqrt[Sec[c + d*x]])
```

**Rubi [A]** time = 0.456611, antiderivative size = 270, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2961, 2998, 2816, 2994}

$$\frac{2A(a-b)\sqrt{a+b}\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{a^2 d \sqrt{\sec(c+dx)}} - \frac{2\sqrt{a+b}(A-B)}{a^2 d \sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/Sqrt[a + b*Cos[c + d*x]],x]
```

```
[Out] (2*A*(a - b)*Sqrt[a + b]*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)
)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)
)]/(a^2*d*Sqrt[Sec[c + d*x]]) - (2*Sqrt[a + b]*(A - B)*Sqrt[Cos[c + d*x]]*
Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Co
s[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqr
t[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d*Sqrt[Sec[c + d*x]])
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d
*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

#### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_)]/(((b_)*sin[(e_)] + (f_)*(x_))]^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\ &= \left( A \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1 + \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} dx + \left( (-A + B) \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx) \sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{2A(a - b) \sqrt{a + b} \sqrt{\cos(c + dx)} \csc(c + dx) E \left( \sin^{-1} \left( \frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b} \sqrt{\cos(c + dx)}} \right) \middle| -\frac{a + b}{a - b} \right) \sqrt{a + b \cos(c + dx)}}{a^2 d \sqrt{\sec(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 13.9796, size = 279, normalized size = 1.03

$$2 \left( A \sin(c + dx) \sqrt{\sec(c + dx)} (a + b \cos(c + dx)) - \frac{\sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right) \sec(c + dx)} \left( -2a(A + B) \sqrt{\frac{1}{\sec(c + dx) + 1}} \sqrt{\frac{a + b \cos(c + dx)}{(a + b)(\cos(c + dx) + 1)}} F \left( \sin^{-1} \left( \tan\left(\frac{1}{2}(c + dx)\right) \right) \right) \right)}{ad \sqrt{a + b \cos(c + dx)}} \right)$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/Sqrt[a + b*Cos[c + d*x]], x]
```

```
[Out] (2*(A*(a + b*Cos[c + d*x])*Sqrt[Sec[c + d*x]]*Sin[c + d*x] - (Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(2*A*(a + b)*Sqrt[(a + b*Cos[c + d*x]]/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[(1 + Sec[c + d*x])^(-1)] - 2*a*(A + B)*Sqrt[(a + b*Cos[c + d*x]]/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[(1 + Sec[c + d*x])^(-1)] + A*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/Sqrt[Sec[(c + d*x)/2]^2]))/(a*d*Sqrt[a + b*Cos[c + d*x]])
```

**Maple [B]** time = 0.708, size = 812, normalized size = 3.

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x)

[Out] 
$$\begin{aligned} & -2/d/a*(A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}) \\ & * \sin(d*x+c)*\cos(d*x+c)*a-A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}) \\ & * \sin(d*x+c)*\cos(d*x+c)*a-A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}) \\ & * \sin(d*x+c)*\cos(d*x+c)*b+B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\cos(d*x+c)*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}) \\ & * a+A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}) \\ & * a-A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}) \\ & * a-A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}) \\ & * b+B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2}) \\ & * a*\sin(d*x+c)+A*\cos(d*x+c)^2*b+A*\cos(d*x+c)*a-A*\cos(d*x+c)*b-a*A \\ & *\cos(d*x+c)*(1/\cos(d*x+c))^{3/2}/(a+b*\cos(d*x+c))^{1/2}/\sin(d*x+c) \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(3/2)/sqrt(b\*cos(d\*x + c) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(3/2)/sqrt(b\*cos(d\*x + c) + a), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(3/2)/sqrt(b\*cos(d\*x + c) + a), x)

$$3.617 \quad \int \frac{(A+B \cos(c+dx))\sqrt{\sec(c+dx)}}{\sqrt{a+b \cos(c+dx)}} dx$$

**Optimal.** Leaf size=268

$$\frac{2A\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{ad\sqrt{\sec(c+dx)}} - \frac{2B\sqrt{a+b}\sqrt{\cos(c+dx)}}{ad\sqrt{\sec(c+dx)}}$$

[Out] (2\*A\*Sqrt[a + b]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d\*Sqrt[Sec[c + d\*x]]) - (2\*Sqrt[a + b]\*B\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(b\*d\*Sqrt[Sec[c + d\*x]]))

**Rubi [A]** time = 0.399286, antiderivative size = 268, normalized size of antiderivative = 1., number of steps used = 4, number of rules used = 4, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.114$ , Rules used = {2961, 3006, 2809, 2816}

$$\frac{2A\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{ad\sqrt{\sec(c+dx)}} - \frac{2B\sqrt{a+b}\sqrt{\cos(c+dx)}}{ad\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]])/Sqrt[a + b\*Cos[c + d\*x]],x]

[Out] (2\*A\*Sqrt[a + b]\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d\*Sqrt[Sec[c + d\*x]]) - (2\*Sqrt[a + b]\*B\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(b\*d\*Sqrt[Sec[c + d\*x]]))

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n/(g\*Sin[e + f\*x])^p, x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 3006

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] :> Dist[B/d, Int[Sqrt[c + d\*Sin[e + f\*x]]/Sqrt[a + b\*Sin[e + f\*x]], x], x] - Dist[(B\*c - A\*d)/d, Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_)]]/Sqrt[(c_) + (d_.)*sin[(e_.) + (f_.)
*(x_)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

### Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx &= (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}} dx \\ &= (A\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}} dx + (B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{\cos(c + dx)}{\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{2A\sqrt{a + b}\sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) F\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}}\right) \middle| -\frac{a + b}{a - b}\right) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}}}{ad\sqrt{\sec(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 2.64605, size = 159, normalized size = 0.59

$$\frac{2\sqrt{\sec(c + dx) + 1}\sqrt{\cos(c + dx)}\sec^2\left(\frac{1}{2}(c + dx)\right)\sqrt{\frac{a + b \cos(c + dx)}{(a + b)(\cos(c + dx) + 1)}}\left((A - B)F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c + dx)\right)\right) \middle| \frac{b - a}{a + b}\right) - 2B\Pi\left(-1; \frac{1}{2}(c + dx)\right)\right)}{d\sqrt{\sec^2\left(\frac{1}{2}(c + dx)\right)}\sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/Sqrt[a + b*Cos[c + d*x]
],x]
```

```
[Out] (2*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*((A - B)*Ellipti
cF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - 2*B*EllipticPi[-1, -ArcSin
[Tan[(c + d*x)/2]], (-a + b)/(a + b)])*Sqrt[Cos[c + d*x]*Sec[(c + d*x)/2]^
2]*Sqrt[1 + Sec[c + d*x]])/(d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]
^2))
```

**Maple [A]** time = 0.674, size = 199, normalized size = 0.7

$$2 \frac{\sqrt{(\cos(dx + c))^{-1} (\sin(dx + c))^2}}{d\sqrt{a + b \cos(dx + c)} (-1 + \cos(dx + c))} \sqrt{\frac{\cos(dx + c)}{1 + \cos(dx + c)}} \sqrt{\frac{a + b \cos(dx + c)}{(a + b)(1 + \cos(dx + c))}} \left( A \operatorname{EllipticF}\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(1/2),x)
```



```
[Out] 2/d*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*(A*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))-B*EllipticF((-1+cos(d*x+c))/sin(d*x+c),(-a-b)/(a+b))^(1/2))+2*B*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-a-b)/(a+b))^(1/2))/(a+b*cos(d*x+c))^(1/2)*(1/cos(d*x+c))^(1/2)*sin(d*x+c)^2/(-1+cos(d*x+c))
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(1/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/sqrt(b*cos(d*x + c) + a), x)
```

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(1/2),x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/sqrt(b*cos(d*x + c) + a), x)
```

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)**(1/2)/(a+b*cos(d*x+c))**(1/2),x)
```

```
[Out] Integral((A + B*cos(c + d*x))*sqrt(sec(c + d*x))/sqrt(a + b*cos(c + d*x)), x)
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{\sqrt{b \cos(dx + c) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/sqrt(b*cos(d*x + c) + a), x)
```

$$3.618 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{a+b \cos(c+dx)} \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=487

$$\frac{\sqrt{a+b}(2Ab-aB)\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{b^2 d \sqrt{\sec(c+dx)}} + aB$$

```
[Out] -(((a - b)*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*b*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(2*A*b - a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^2*d*Sqrt[Sec[c + d*x]]) + (B*Sin[c + d*x])/(d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (a*B*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b*d*Sqrt[a + b*Cos[c + d*x]])
```

**Rubi [A]** time = 1.26536, antiderivative size = 487, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2961, 3003, 3051, 2809, 2993, 2998, 2816, 2994}

$$\frac{\sqrt{a+b}(2Ab-aB)\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{b^2 d \sqrt{\sec(c+dx)}} + aB$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/(Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]),x]
```

```
[Out] -(((a - b)*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*b*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(2*A*b - a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^2*d*Sqrt[Sec[c + d*x]]) + (B*Sin[c + d*x])/(d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (a*B*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b*d*Sqrt[a + b*Cos[c + d*x]])
```

**Rule 2961**

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 3003

```
Int[Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]]*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_), x_Symbol] :> Sim
p[(-2*B*Cos[e + f*x]*Sqrt[a + b*Sin[e + f*x]]*(c + d*Sin[e + f*x])^n)/(f*(2
*n + 3)), x] + Dist[1/(2*n + 3), Int[((c + d*Sin[e + f*x])^(n - 1)*Simp[a*A
*c*(2*n + 3) + B*(b*c + 2*a*d*n) + (B*(a*c + b*d)*(2*n + 1) + A*(b*c + a*d)
*(2*n + 3))*Sin[e + f*x] + (A*b*d*(2*n + 3) + B*(a*d + 2*b*c*n))*Sin[e + f*
x]^2, x])/Sqrt[a + b*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B
}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && EqQ
[n^2, 1/4]
```

Rule 3051

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)] + (C_.)*sin[(e_.) + (f_.)*(x_.)]^
2)/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_
)])^(3/2)), x_Symbol] :> Dist[C/(b*d), Int[Sqrt[d*Sin[e + f*x]]/Sqrt[a + b*
Sin[e + f*x]], x], x] + Dist[1/b, Int[(A*b + (b*B - a*C)*Sin[e + f*x])/((a
+ b*Sin[e + f*x])^(3/2)*Sqrt[d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, d, e,
f, A, B, C}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2809

```
Int[Sqrt[(b_.)*sin[(e_.) + (f_.)*(x_.)]]/Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)
*(x_.)]], x_Symbol] :> Simp[(2*b*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 +
Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticPi[(c
+ d)/d, ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b,
2])], -((c + d)/(c - d)))/(d*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c
^2 - d^2, 0] && PosQ[(c + d)/b]
```

Rule 2993

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/((Sqrt[(d_.)*sin[(e_.) + (f_.)*(
x_.)]*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(3/2)), x_Symbol] :> Simp[(2*(
A*b - a*B)*Cos[e + f*x])/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin
[e + f*x]]), x] + Dist[d/(a^2 - b^2), Int[(A*b - a*B + (a*A - b*B)*Sin[e +
f*x])/(Sqrt[a + b*Sin[e + f*x]]*(d*Sin[e + f*x])^(3/2)), x], x] /; FreeQ[{a
, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]], x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_.)]], x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2]), -(c + d)/(c - d)]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

### Rubi steps

$$\begin{aligned} \int \frac{A + B \cos(c + dx)}{\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{B \sin(c + dx)}{d \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{1}{2} \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{aB + B \cos(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{B \sin(c + dx)}{d \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{abB + (2aA + B \cos(c + dx))}{\sqrt{a + b \cos(c + dx)}} dx}{2b} \\ &= -\frac{\sqrt{a + b} (2Ab - aB) \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^2 d \sqrt{\sec(c + dx)}} \\ &= -\frac{\sqrt{a + b} (2Ab - aB) \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^2 d \sqrt{\sec(c + dx)}} \\ &= -\frac{(a - b) \sqrt{a + b} B \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right) - \frac{a+b}{a-b}}{abd \sqrt{\sec(c + dx)}} \end{aligned}$$

**Mathematica [C]** time = 18.2758, size = 1091, normalized size = 2.24

$$\frac{\sqrt{\frac{a \tan^2\left(\frac{1}{2}(c+dx)\right) - b \tan^2\left(\frac{1}{2}(c+dx)\right) + a + b}{\tan^2\left(\frac{1}{2}(c+dx)\right) + 1}} \left( -a \sqrt{\frac{a-b}{a+b}} B \tan^5\left(\frac{1}{2}(c+dx)\right) + b \sqrt{\frac{a-b}{a+b}} B \tan^5\left(\frac{1}{2}(c+dx)\right) - 2b \sqrt{\frac{a-b}{a+b}} B \tan^3\left(\frac{1}{2}(c+dx)\right) \right)}{\sqrt{\frac{a \tan^2\left(\frac{1}{2}(c+dx)\right) - b \tan^2\left(\frac{1}{2}(c+dx)\right) + a + b}{\tan^2\left(\frac{1}{2}(c+dx)\right) + 1}}}$$

Antiderivative was successfully verified.

```
[In] Integrate[(A + B*Cos[c + d*x])/((Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]), x]
```

```
[Out] (Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(a*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2] + b*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2] - 2*b*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2]^3 - a*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2]^5 + b*Sqrt[(a - b)/(a + b)]*B*Tan[(c + d*x)/2]^5 - (4*I)*A*b*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -(a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*a*B*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -(a + b)/(a - b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - (4*I)*A*b*EllipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -(a + b)/(a - b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*a*B*El
```

```

lipticPi[(a + b)/(a - b), I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]]
, -((a + b)/(a - b))*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[
(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + I*(a - b)*
B*EllipticE[I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a
- b))*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b +
a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + (2*I)*(A*b - a*B)*
EllipticF[I*ArcSinh[Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2]], -((a + b)/(a -
b))*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a
*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b))]/(b*Sqrt[(a - b)/(a +
b)]*d*(-1 + Tan[(c + d*x)/2]^2)*Sqrt[(1 + Tan[(c + d*x)/2]^2)/(1 - Tan[(c
+ d*x)/2]^2)]*(b*(-1 + Tan[(c + d*x)/2]^2) - a*(1 + Tan[(c + d*x)/2]^2)))

```

**Maple [B]** time = 0.708, size = 1004, normalized size = 2.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(1/2),x)
```

```
[Out] -1/d/b*(4*A*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b
)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x
+c),-1,(-(a-b)/(a+b))^(1/2))*b-2*A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(
1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*cos(d*x+c)*EllipticF((
-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b-2*B*cos(d*x+c)*sin(d*x+c)
*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c))
)^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*a+B*
cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d
*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(
a+b))^(1/2))*a+B*cos(d*x+c)*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1
/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin
(d*x+c),(-(a-b)/(a+b))^(1/2))*b+4*A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a
+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticPi((-1+cos(d*x+c))/sin(d
*x+c),-1,(-(a-b)/(a+b))^(1/2))*b*sin(d*x+c)-2*A*sin(d*x+c)*(cos(d*x+c)/(1+c
os(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF
((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b-2*B*(cos(d*x+c)/(1+cos(
d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticPi((
-1+cos(d*x+c))/sin(d*x+c),-1,(-(a-b)/(a+b))^(1/2))*a*sin(d*x+c)+B*(cos(d*x+
c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*El
lipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*a*sin(d*x+c)+B*(co
s(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1
/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c),(-(a-b)/(a+b))^(1/2))*b*sin(d*x+c)
+B*cos(d*x+c)^3*b+B*cos(d*x+c)^2*a-b*B*cos(d*x+c)^2-B*cos(d*x+c)*a*(1/cos(
d*x+c))^(1/2)/(a+b*cos(d*x+c))^(1/2)/sin(d*x+c)

```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(1/2),x, algor
ithm="maxima")
```

[Out] integrate((B\*cos(d\*x + c) + A)/(sqrt(b\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c))), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/(sqrt(b\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c))), x)

---

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{A + B \cos(c + dx)}{\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Integral((A + B\*cos(c + d\*x))/(sqrt(a + b\*cos(c + d\*x))\*sqrt(sec(c + d\*x))), x)

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(sqrt(b\*cos(d\*x + c) + a)\*sqrt(sec(d\*x + c))), x)

$$3.619 \quad \int \frac{A+B \cos(c+dx)}{\sqrt{a+b \cos(c+dx)} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=539

$$\frac{\sqrt{a+b}(-3a^2B+4aAb-4b^2B)\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}\Pi\left(\frac{a+b}{b};\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)-\frac{a}{a-b}}{4b^3d\sqrt{\sec(c+dx)}}$$

```
[Out] -((a - b)*Sqrt[a + b]*(4*A*b - 3*a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*a*b^2*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(4*A*b - 3*a*B + 2*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*b^2*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(4*a*A*b - 3*a^2*B - 4*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*b^3*d*Sqrt[Sec[c + d*x]]) + (B*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*b*d*Sqrt[Sec[c + d*x]]) + ((4*A*b - 3*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*b^2*d)
```

**Rubi [A]** time = 1.25292, antiderivative size = 539, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2961, 2990, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{\sqrt{a+b}(-3a^2B+4aAb-4b^2B)\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}\Pi\left(\frac{a+b}{b};\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)-\frac{a}{a-b}}{4b^3d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/(Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)), x]
```

```
[Out] -((a - b)*Sqrt[a + b]*(4*A*b - 3*a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*a*b^2*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(4*A*b - 3*a*B + 2*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*b^2*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*(4*a*A*b - 3*a^2*B - 4*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(4*b^3*d*Sqrt[Sec[c + d*x]]) + (B*Sqrt[a + b*Cos[c + d*x]]*Sin[c + d*x])/(2*b*d*Sqrt[Sec[c + d*x]]) + ((4*A*b - 3*a*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(4*b^2*d)
```

**Rule 2961**

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
```



$m, n, p, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& !\text{IntegerQ}[p] \&\& !(\text{IntegerQ}[m] \&\& \text{IntegerQ}[n])$

### Rule 2990

$\text{Int}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]^{(m_.)}*((A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)])^{(n_.)}, x\_Symbol] \rightarrow -\text{Simp}[(b*B*\text{Cos}[e + f*x]*(a + b*\sin[e + f*x])^{(m-1)}*(c + d*\sin[e + f*x])^{(n+1)})/(d*f*(m+n+1)), x] + \text{Dist}[1/(d*(m+n+1)), \text{Int}[(a + b*\sin[e + f*x])^{(m-2)}*(c + d*\sin[e + f*x])^n*\text{Simp}[a^2*A*d*(m+n+1) + b*B*(b*c*(m-1) + a*d*(n+1)) + (a*d*(2*A*b + a*B)*(m+n+1) - b*B*(a*c - b*d*(m+n)))*\sin[e + f*x] + b*(A*b*d*(m+n+1) - B*(b*c*m - a*d*(2*m+n)))*\sin[e + f*x]^2, x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, A, B, n\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{GtQ}[m, 1] \&\& !( \text{IGtQ}[n, 1] \&\& ( !\text{IntegerQ}[m] || (\text{EqQ}[a, 0] \&\& \text{NeQ}[c, 0]) ) )$

### Rule 3061

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2)/(\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]]*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]], x\_Symbol] \rightarrow -\text{Simp}[(C*\text{Cos}[e + f*x]*\text{Sqrt}[c + d*\sin[e + f*x]])/(d*f*\text{Sqrt}[a + b*\sin[e + f*x]]), x] + \text{Dist}[1/(2*d), \text{Int}[(1*\text{Simp}[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*\sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*\sin[e + f*x]^2, x])]/((a + b*\sin[e + f*x])^{(3/2)}*\text{Sqrt}[c + d*\sin[e + f*x]]), x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 3053

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)] + (C_.)*\sin[(e_.) + (f_.)*(x_.)]^2)/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(3/2)}*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]], x\_Symbol] \rightarrow \text{Dist}[C/b^2, \text{Int}[\text{Sqrt}[a + b*\sin[e + f*x]]/\text{Sqrt}[c + d*\sin[e + f*x]], x], x] + \text{Dist}[1/b^2, \text{Int}[(A*b^2 - a^2*C + b*(b*B - 2*a*C))*\sin[e + f*x]]/((a + b*\sin[e + f*x])^{(3/2)}*\text{Sqrt}[c + d*\sin[e + f*x]]), x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, A, B, C\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0]$

### Rule 2809

$\text{Int}[\text{Sqrt}[(b_.)*\sin[(e_.) + (f_.)*(x_.)]]/\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]], x\_Symbol] \rightarrow \text{Simp}[(2*b*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d*\sin[e + f*x]]/(\text{Sqrt}[b*\sin[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -(c + d)/(c - d))]/(d*f), x] /;$   $\text{FreeQ}\{b, c, d, e, f\}, x] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{PosQ}[(c + d)/b]$

### Rule 2998

$\text{Int}[(A_.) + (B_.)*\sin[(e_.) + (f_.)*(x_.)]]/(((a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)])^{(3/2)}*\text{Sqrt}[(c_.) + (d_.)*\sin[(e_.) + (f_.)*(x_.)]], x\_Symbol] \rightarrow \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\sin[e + f*x]]*\text{Sqrt}[c + d*\sin[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \sin[e + f*x])]/((a + b*\sin[e + f*x])^{(3/2)}*\text{Sqrt}[c + d*\sin[e + f*x]]), x], x] /;$   $\text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \&\& \text{NeQ}[b*c - a*d, 0] \&\& \text{NeQ}[a^2 - b^2, 0] \&\& \text{NeQ}[c^2 - d^2, 0] \&\& \text{NeQ}[A, B]$

### Rule 2816

$\text{Int}[1/(\text{Sqrt}[(d_.)*\sin[(e_.) + (f_.)*(x_.)]]*\text{Sqrt}[(a_.) + (b_.)*\sin[(e_.) + (f_.)*(x_.)]], x\_Symbol]$

```

_.)*(x_)]], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

```

#### Rule 2994

```

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

```

#### Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{\sqrt{a + b \cos(c + dx)} \sec^2(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{\sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{B \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2bd \sqrt{\sec(c + dx)}} + \frac{\left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\frac{aB}{2} + bB \cos(c + dx)}{\sqrt{\cos(c + dx)}} dx}{2b} \\
&= \frac{B \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2bd \sqrt{\sec(c + dx)}} + \frac{(4Ab - 3aB) \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}}{4b^2 d} \\
&= \frac{B \sqrt{a + b \cos(c + dx)} \sin(c + dx)}{2bd \sqrt{\sec(c + dx)}} + \frac{(4Ab - 3aB) \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}}{4b^2 d} \\
&= \frac{\sqrt{a + b} (4aAb - 3a^2B - 4b^2B) \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{4b^3 d \sqrt{\sec(c + dx)}} \\
&= -\frac{(a - b) \sqrt{a + b} (4aAb - 3aB) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{4ab^2 d \sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [B]** time = 19.7937, size = 1169, normalized size = 2.17

result too large to display

Antiderivative was successfully verified.

```

[In] Integrate[(A + B*Cos[c + d*x])/(Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)), x]

```

```

[Out] (B*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[2*(c + d*x)]/(4*b*d) + (Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(-4*a*A*b*Tan[(c + d*x)/2] - 4*A*b^2*Tan[(c + d*x)/2] + 3*a^2*B*Tan[(c + d*x)/2] + 3*a*b*B*Tan[(c + d*x)/2] + 8*A*b^2*Tan[(c + d*x)/2]^3 - 6*a*b*B*Tan[(c + d*x)/2]^3 + 4*a*A*b*Tan[(c + d*x)/2]^5 - 4*A*b^2*Tan[(c + d*x)/2]^5 - 3*a^2*B*Tan[(c + d*x)/2]^5 + 3*a*b*B*Tan[(c + d*x)/2]^5 - 8*a*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c

```

$$\begin{aligned}
& + d*x)/2]^2 - b*\tan[(c + d*x)/2]^2)/(a + b)] + 6*a^2*B*EllipticPi[-1, -\text{ArcSin}[\tan[(c + d*x)/2]], (-a + b)/(a + b)]*\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{(a + b + a*\tan[(c + d*x)/2]^2 - b*\tan[(c + d*x)/2]^2)/(a + b)} + 8*b^2*B*EllipticPi[-1, -\text{ArcSin}[\tan[(c + d*x)/2]], (-a + b)/(a + b)]*\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{(a + b + a*\tan[(c + d*x)/2]^2 - b*\tan[(c + d*x)/2]^2)/(a + b)} - 8*a*A*b*EllipticPi[-1, -\text{ArcSin}[\tan[(c + d*x)/2]], (-a + b)/(a + b)]*\tan[(c + d*x)/2]^2*\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{(a + b + a*\tan[(c + d*x)/2]^2 - b*\tan[(c + d*x)/2]^2)/(a + b)} + 6*a^2*B*EllipticPi[-1, -\text{ArcSin}[\tan[(c + d*x)/2]], (-a + b)/(a + b)]*\tan[(c + d*x)/2]^2*\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{(a + b + a*\tan[(c + d*x)/2]^2 - b*\tan[(c + d*x)/2]^2)/(a + b)} + 8*b^2*B*EllipticPi[-1, -\text{ArcSin}[\tan[(c + d*x)/2]], (-a + b)/(a + b)]*\tan[(c + d*x)/2]^2*\sqrt{1 - \tan[(c + d*x)/2]^2}*\sqrt{(a + b + a*\tan[(c + d*x)/2]^2 - b*\tan[(c + d*x)/2]^2)/(a + b)} + (a + b)*(-4*A*b + 3*a*B)*EllipticE[\text{ArcSin}[\tan[(c + d*x)/2]], (-a + b)/(a + b)]*\sqrt{1 - \tan[(c + d*x)/2]^2}*(1 + \tan[(c + d*x)/2]^2)*\sqrt{(a + b + a*\tan[(c + d*x)/2]^2 - b*\tan[(c + d*x)/2]^2)/(a + b)} - 2*(a - 2*b)*b*B*EllipticF[\text{ArcSin}[\tan[(c + d*x)/2]], (-a + b)/(a + b)]*\sqrt{1 - \tan[(c + d*x)/2]^2}*(1 + \tan[(c + d*x)/2]^2)*\sqrt{(a + b + a*\tan[(c + d*x)/2]^2 - b*\tan[(c + d*x)/2]^2)/(a + b)))/(4*b^2*d*\sqrt{1 + \tan[(c + d*x)/2]^2}*(b*(-1 + \tan[(c + d*x)/2]^2) - a*(1 + \tan[(c + d*x)/2]^2)))
\end{aligned}$$

**Maple [B]** time = 0.648, size = 1878, normalized size = 3.5

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int (A+B*\cos(d*x+c))/\sec(d*x+c)^{(3/2)}/(a+b*\cos(d*x+c))^{(1/2)}, x$

[Out]  $1/4/d/b^2*(8*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c)))/(1+\cos(d*x+c))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{(1/2)})*a*b+B*\cos(d*x+c)^3*a*b-3*B*\cos(d*x+c)^2*a*b+2*B*\cos(d*x+c)*a*b-4*A*\cos(d*x+c)^2*a*b+4*A*\cos(d*x+c)*a*b-4*A*\cos(d*x+c)^3*b^2+4*A*\cos(d*x+c)^2*b^2-2*B*\cos(d*x+c)^4*b^2+2*B*\cos(d*x+c)^2*b^2+3*B*\cos(d*x+c)^2*a^2-3*B*\cos(d*x+c)*a^2-4*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c)))/(1+\cos(d*x+c))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)})*a*b-2*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c)))/(1+\cos(d*x+c))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)})*a*b+3*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c)))/(1+\cos(d*x+c))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)})*a*b-4*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c)))/(1+\cos(d*x+c))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)})*b^2+4*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c)))/(1+\cos(d*x+c))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)})*b^2-6*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c)))/(1+\cos(d*x+c))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{(1/2)})*a^2-8*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c)))/(1+\cos(d*x+c))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{(1/2)})*a*b-4*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c)))/(1+\cos(d*x+c))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c)))/(1+\cos(d*x+c))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{(1/2)})*a^2+8*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c)))/(1+\cos(d*x+c))^{(1/2)}*\text{EllipticPi}((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{(1/2)})*a*b-4$

$$\begin{aligned} & /2)) * a * b - 2 * B * \sin(d * x + c) * (\cos(d * x + c) / (1 + \cos(d * x + c)))^{1/2} * (1 / (a + b) * (a + b * \cos \\ & (d * x + c)) / (1 + \cos(d * x + c)))^{1/2} * \text{EllipticF}((-1 + \cos(d * x + c)) / \sin(d * x + c), (- (a - b) \\ & / (a + b))^{1/2}) * a * b + 3 * B * \sin(d * x + c) * (\cos(d * x + c) / (1 + \cos(d * x + c)))^{1/2} * (1 / (a + b) \\ & ) * (a + b * \cos(d * x + c)) / (1 + \cos(d * x + c))^{1/2} * \text{EllipticE}((-1 + \cos(d * x + c)) / \sin(d * x + \\ & c), (- (a - b) / (a + b))^{1/2}) * a * b - 4 * A * (\cos(d * x + c) / (1 + \cos(d * x + c)))^{1/2} * (1 / (a + b) \\ & ) * (a + b * \cos(d * x + c)) / (1 + \cos(d * x + c))^{1/2} * \sin(d * x + c) * \text{EllipticE}((-1 + \cos(d * x + c) \\ & ) / \sin(d * x + c), (- (a - b) / (a + b))^{1/2}) * b^2 + 4 * B * \sin(d * x + c) * (\cos(d * x + c) / (1 + \cos(d * \\ & x + c)))^{1/2} * (1 / (a + b) * (a + b * \cos(d * x + c)) / (1 + \cos(d * x + c)))^{1/2} * \text{EllipticF}((-1 + \\ & \cos(d * x + c)) / \sin(d * x + c), (- (a - b) / (a + b))^{1/2}) * b^2 - 6 * B * \sin(d * x + c) * (\cos(d * x + c) \\ & / (1 + \cos(d * x + c)))^{1/2} * (1 / (a + b) * (a + b * \cos(d * x + c)) / (1 + \cos(d * x + c)))^{1/2} * \text{EllipticPi}((-1 + \cos(d * x + c)) / \sin(d * x + c), -1, (- (a - b) / (a + b))^{1/2}) * a^2 - 8 * B * \sin(d * x + \\ & c) * (\cos(d * x + c) / (1 + \cos(d * x + c)))^{1/2} * (1 / (a + b) * (a + b * \cos(d * x + c)) / (1 + \cos(d * x + c) \\ & ))^{1/2} * \text{EllipticPi}((-1 + \cos(d * x + c)) / \sin(d * x + c), -1, (- (a - b) / (a + b))^{1/2}) * b^2 + 3 * B * \sin(d * x + c) * (\cos(d * x + c) / (1 + \cos(d * x + c)))^{1/2} * (1 / (a + b) * (a + b * \cos(d * x + c) \\ & ) / (1 + \cos(d * x + c)))^{1/2} * \text{EllipticE}((-1 + \cos(d * x + c)) / \sin(d * x + c), (- (a - b) / (a + b)) \\ & ^{1/2}) * a^2 * \cos(d * x + c) * (1 / \cos(d * x + c))^{3/2} / \sin(d * x + c) / (a + b * \cos(d * x + c))^{1/2} \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)/(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*(1/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/(sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)), x)

$$3.620 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{(a+b \cos(c+dx))^{\frac{3}{2}}} dx$$

**Optimal.** Leaf size=433

$$\frac{2(a^2A + 3abB - 4Ab^2) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) \sqrt{a+b \cos(c+dx)}}{3a^2d(a^2 - b^2)} + \frac{2b(Ab - aB) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{ad(a^2 - b^2) \sqrt{a+b \cos(c+dx)}} - \frac{2(5a^2Ab - 4a^2B^2)}{3a^2d(a^2 - b^2)}$$

```
[Out] (-2*(5*a^2*A*b - 8*A*b^3 - 3*a^3*B + 6*a*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^4*Sqrt[a + b]*d*Sqrt[Sec[c + d*x]]) + (2*(a + 2*b)*(4*A*b + a*(A - 3*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^3*Sqrt[a + b]*d*Sqrt[Sec[c + d*x]]) + (2*b*(A*b - a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x]/(a*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) + (2*(a^2*A - 4*A*b^2 + 3*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d)
```

**Rubi [A]** time = 1.15943, antiderivative size = 433, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 3000, 3055, 2998, 2816, 2994}

$$\frac{2(a^2A + 3abB - 4Ab^2) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) \sqrt{a+b \cos(c+dx)}}{3a^2d(a^2 - b^2)} + \frac{2b(Ab - aB) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx)}{ad(a^2 - b^2) \sqrt{a+b \cos(c+dx)}} - \frac{2(5a^2Ab - 4a^2B^2)}{3a^2d(a^2 - b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (-2*(5*a^2*A*b - 8*A*b^3 - 3*a^3*B + 6*a*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^4*Sqrt[a + b]*d*Sqrt[Sec[c + d*x]]) + (2*(a + 2*b)*(4*A*b + a*(A - 3*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^3*Sqrt[a + b]*d*Sqrt[Sec[c + d*x]]) + (2*b*(A*b - a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x]/(a*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]) + (2*(a^2*A - 4*A*b^2 + 3*a*b*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)*d)
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

#### Rule 3000

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

```

### Rule 3055

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)]) + (C_.)*sin[(e_.)
+ (f_.)*(x_)])^2, x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))

```

### Rule 2998

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]

```

### Rule 2816

```

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]

```

### Rule 2994

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]

```

### Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{(a + b \cos(c + dx))^{\frac{3}{2}}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx) (a + b \cos(c + dx))^{\frac{3}{2}}} dx \\
&= \frac{2b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{(2 \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\frac{1}{2}(a^2 A - 4Ab^2 + 3abB) \sqrt{a + b \cos(c + dx)}}{3a^2(a^2 - b^2)} dx}{3a^2(a^2 - b^2)} \\
&= \frac{2b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{2(a^2 A - 4Ab^2 + 3abB) \sqrt{a + b \cos(c + dx)}}{3a^2(a^2 - b^2)} \\
&= \frac{2b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{2(a^2 A - 4Ab^2 + 3abB) \sqrt{a + b \cos(c + dx)}}{3a^2(a^2 - b^2)} \\
&= \frac{2(5a^2 Ab - 8Ab^3 - 3a^3 B + 6ab^2 B) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}}\right)\right)}{3a^4 \sqrt{a + b} d \sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [B]** time = 24.5402, size = 3433, normalized size = 7.93

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(5/2))/(a + b\*Cos[c + d\*x])^(3/2),x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((2\*(-5\*a^2\*A\*b + 8\*A\*b^3 + 3\*a^3\*B - 6\*a\*b^2\*B)\*Sin[c + d\*x])/(3\*a^3\*(a^2 - b^2)) + (2\*(-(A\*b^3\*Sin[c + d\*x]) + a\*b^2\*B\*Sin[c + d\*x]))/(a^2\*(a^2 - b^2)\*(a + b\*Cos[c + d\*x])) + (2\*A\*Tan[c + d\*x])/(3\*a^2)))/d + (2\*((5\*A\*b)/(3\*(a^2 - b^2)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) - (8\*A\*b^3)/(3\*a^2\*(a^2 - b^2)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) - (a\*B)/((a^2 - b^2)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) + (2\*b^2\*B)/(a\*(a^2 - b^2)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) + (a\*A\*Sqrt[Sec[c + d\*x]])/(3\*(a^2 - b^2)\*Sqrt[a + b\*Cos[c + d\*x]]) + (7\*A\*b^2\*Sqrt[Sec[c + d\*x]])/(3\*a\*(a^2 - b^2)\*Sqrt[a + b\*Cos[c + d\*x]]) - (8\*A\*b^4\*Sqrt[Sec[c + d\*x]])/(3\*a^3\*(a^2 - b^2)\*Sqrt[a + b\*Cos[c + d\*x]]) - (2\*b\*B\*Sqrt[Sec[c + d\*x]])/((a^2 - b^2)\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*b^3\*B\*Sqrt[Sec[c + d\*x]])/(a^2\*(a^2 - b^2)\*Sqrt[a + b\*Cos[c + d\*x]]) + (5\*A\*b^2\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(3\*a\*(a^2 - b^2)\*Sqrt[a + b\*Cos[c + d\*x]]) - (8\*A\*b^4\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(3\*a^3\*(a^2 - b^2)\*Sqrt[a + b\*Cos[c + d\*x]]) - (b\*B\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/((a^2 - b^2)\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*b^3\*B\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(a^2\*(a^2 - b^2)\*Sqrt[a + b\*Cos[c + d\*x]])\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*(-2\*(a + b)\*(-5\*a^2\*A\*b + 8\*A\*b^3 + 3\*a^3\*B - 6\*a\*b^2\*B)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*a\*(a^2 - a\*b - 2\*b^2)\*(-4\*A\*b + a\*(A + 3\*B))\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - (-5\*a^2\*A\*b + 8\*A\*b^3 + 3\*a^3\*B - 6\*a\*b^2\*B)\*Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2])/((3\*a^3\*(a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[(c + d\*x)/2]^2]\*((b\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*Sin[c + d\*x]\*(-2\*(a + b)\*(-5\*a^2\*A\*b + 8\*A\*b^3 + 3\*a^3\*B - 6\*a\*b^2\*B)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*a\*(a^2 - a\*b - 2\*b^2)



$$\begin{aligned}
& *(-4*A*b + a*(A + 3*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - (-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((3*a^3*(a^2 - b^2)*(a + b*\text{Cos}[c + d*x])^(3/2)*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d*x)/2]*(-2*(a + b)*(-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a^2 - a*b - 2*b^2)*(-4*A*b + a*(A + 3*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - (-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((3*a^3*(a^2 - b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*(-((-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^4)/2 - ((a + b)*(-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B))*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/((1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]) + (a*(a^2 - a*b - 2*b^2)*(-4*A*b + a*(A + 3*B))*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/((1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]) - ((a + b)*(-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*((b*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])) + ((a + b*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2)))/\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + (a*(a^2 - a*b - 2*b^2)*(-4*A*b + a*(A + 3*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*((b*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])) + ((a + b*\text{Cos}[c + d*x])* \text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x])^2)))/\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + b*(-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*\text{Cos}[c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + (-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - (-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 + (a*(a^2 - a*b - 2*b^2)*(-4*A*b + a*(A + 3*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2)/(\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2]*\text{Sqrt}[1 - ((-a + b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]) - ((a + b)*(-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[1 - ((-a + b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)]/\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2])/((3*a^3*(a^2 - b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + ((-2*(a + b)*(-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a^2 - a*b - 2*b^2)*(-4*A*b + a*(A + 3*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - (-5*a^2*A*b + 8*A*b^3 + 3*a^3*B - 6*a*b^2*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/(3*a^3*(a^2 - b^2)*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]))
\end{aligned}$$


---

**Maple [B]** time = 0.651, size = 3343, normalized size = 7.7

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((A+B*\cos(d*x+c))*\sec(d*x+c)^{(5/2)}/(a+b*\cos(d*x+c))^{(3/2)},x)$

[Out] 
$$\begin{aligned} & -2/3/d/(a+b)/(a-b)/a^3*(-4*A*\cos(d*x+c)^3*a*b^3+4*A*\cos(d*x+c)^2*a^2*b^2+4* \\ & A*\cos(d*x+c)*a^3*b+3*B*\cos(d*x+c)^3*a^2*b^2-3*B*\cos(d*x+c)^2*a^3*b+A*\cos(d* \\ & x+c)^3*a^3*b-8*A*\cos(d*x+c)^2*b^4+8*A*\cos(d*x+c)^3*b^4+A*(\cos(d*x+c)/(1+\cos \\ & (d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticF}(( \\ & -1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^2*a^4 \\ & -8*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x \\ & +c)))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*\sin( \\ & d*x+c)*\cos(d*x+c)^2*b^4+3*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b \\ & *\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(- \\ & a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^2*a^4-3*B*\sin(d*x+c)*\cos(d*x+c)^2* \\ & (\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c))) \\ & ^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^4+A*\sin \\ & (d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+ \\ & c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b \\ & ))^{(1/2)}*a^4+3*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*( \\ & 1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin \\ & (d*x+c),(-a-b)/(a+b))^{(1/2)}*a^4-5*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c)/ \\ & (1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{Ellip \\ & ticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^3*b+2*A*(\cos(d*x+c) \\ & /(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{Elli \\ & pticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c \\ & )^2*a^2*b^2+8*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c)) \\ & /(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{( \\ & 1/2)}*\sin(d*x+c)*\cos(d*x+c)^2*a*b^3+5*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x+c) \\ & /(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{Ell \\ & ipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a^3*b-3*B*(\cos(d*x+ \\ & c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{El \\ & lipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x \\ & +c)^2*a^3*b+5*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c)) \\ & /(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{( \\ & 1/2)}*\sin(d*x+c)*\cos(d*x+c)^2*a^2*b^2-8*A*\sin(d*x+c)*\cos(d*x+c)^2*(\cos(d*x \\ & +c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{E \\ & llipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*a*b^3-3*B*(\cos(d* \\ & x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}* \\ & \text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d \\ & *x+c)^2*a^3*b-6*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c) \\ & ))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b) \\ & )^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^2*a^2*b^2+6*B*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1 \\ & /2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c \\ & ))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^2*a^2*b^2-A*a^4+8 \\ & *A*\cos(d*x+c)^2*a*b^3-6*B*\cos(d*x+c)^2*a^2*b^2+6*B*\cos(d*x+c)^2*a*b^3-4*A*c \\ & \cos(d*x+c)*a*b^3+3*B*\cos(d*x+c)*a^2*b^2-5*A*\cos(d*x+c)^3*a^2*b^2+3*B*\cos(d*x \\ & +c)^3*a^3*b-6*B*\cos(d*x+c)^3*a*b^3-5*A*\cos(d*x+c)^2*a^3*b+A*\cos(d*x+c)^2*a^ \\ & 4-3*B*\cos(d*x+c)*a^4+3*B*\cos(d*x+c)^2*a^4+A*a^2*b^2+6*B*(\cos(d*x+c)/(1+\cos( \\ & d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticE}((- \\ & 1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)^2*a*b^ \\ & 3-5*A*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b \\ & *\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticF}((-1+\cos(d*x+c))/\sin(d*x+c),(- \\ & a-b)/(a+b))^{(1/2)}*a^3*b+5*A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+ \\ & b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(- \\ & a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*a^3*b+5*A*(\cos(d*x+c)/(1+\cos(d*x+ \\ & c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{(1/2)}*\text{EllipticE}((-1+co \\ & s(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*\sin(d*x+c)*\cos(d*x+c)*a^2*b^2-8* \\ & A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{(1/2)}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c) \\ & ))^{(1/2)}*\text{EllipticE}((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{(1/2)}*\sin(d*x \end{aligned}$$

+c)\*cos(d\*x+c)\*a\*b^3+2\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*sin(d\*x+c)\*cos(d\*x+c)\*a^2\*b^2+8\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*sin(d\*x+c)\*cos(d\*x+c)\*a\*b^3-3\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*sin(d\*x+c)\*cos(d\*x+c)\*a^3\*b+6\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*sin(d\*x+c)\*cos(d\*x+c)\*a^2\*b^2+6\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*sin(d\*x+c)\*cos(d\*x+c)\*a\*b^3-3\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*sin(d\*x+c)\*cos(d\*x+c)\*a^3\*b-6\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*sin(d\*x+c)\*cos(d\*x+c)\*a^2\*b^2-8\*A\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*sin(d\*x+c)\*cos(d\*x+c)\*b^4-3\*B\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticE((-1+cos(d\*x+c))/sin(d\*x+c),(-(a-b)/(a+b))^(1/2))\*sin(d\*x+c)\*cos(d\*x+c)\*a^4)\*cos(d\*x+c)\*(1/cos(d\*x+c))^(5/2)/(a+b\*cos(d\*x+c))^(1/2)/sin(d\*x+c)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorith="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{5}{2}}}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorith="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^(3/2), x)

$$3.621 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{3}{2}}(c+dx)}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=345

$$\frac{2b(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{ad(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} + \frac{2(a^2A + abB - 2Ab^2) \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}}}{a^3 d \sqrt{a + b} \sqrt{\sec(c + dx)}}$$

```
[Out] (2*(a^2*A - 2*A*b^2 + a*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a^3*Sqrt[a + b]*d*Sqrt[Sec[c + d*x]]) - (2*(2*A*b + a*(A - B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a^2*Sqrt[a + b]*d*Sqrt[Sec[c + d*x]]) + (2*b*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]])
```

**Rubi [A]** time = 0.790547, antiderivative size = 345, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 3000, 2998, 2816, 2994}

$$\frac{2b(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{ad(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} + \frac{2(a^2A + abB - 2Ab^2) \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}}}{a^3 d \sqrt{a + b} \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (2*(a^2*A - 2*A*b^2 + a*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a^3*Sqrt[a + b]*d*Sqrt[Sec[c + d*x]]) - (2*(2*A*b + a*(A - B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a^2*Sqrt[a + b]*d*Sqrt[Sec[c + d*x]]) + (2*b*(A*b - a*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(a*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]])
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^n*(c + d*Sin[e + f*x])^m)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

#### Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(p_.), x_Symbol] := -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/(m + 1)
```

```

*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))

```

#### Rule 2998

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_.)]^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]))], x_Symbol] :> D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]

```

#### Rule 2816

```

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_.)])), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]

```

#### Rule 2994

```

Int[((A_) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((b_.)*sin[(e_.) + (f_.)*(x_.)]
^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])), x_Symbol] :> Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]

```

#### Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx &= (\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) (a + b \cos(c + dx))^{3/2}} dx \\
&= \frac{2b(Ab - aB) \sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\frac{1}{2}(a^2 A - a^2 B)}{a(a^2 - b^2)} dx}{a(a^2 - b^2)} \\
&= \frac{2b(Ab - aB) \sqrt{\sec(c + dx)} \sin(c + dx)}{a(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} - \frac{((a - b)(2Ab + a(A - B)) \sqrt{\cos(c + dx)})}{a(a^2 - b^2)} \\
&= \frac{2(a^2 A - 2Ab^2 + abB) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}}\right) \middle| -\frac{a + b}{a - b}\right)}{a^3 \sqrt{a + b} d \sqrt{\sec(c + dx)}}
\end{aligned}$$



$$\begin{aligned} & )^{1/2} * (1/(a+b) * (a+b * \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} * \sin(dx+c) * a^2 * b - A * (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 * b * \sin(dx+c) + 2 * A * (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} * a * b^2 * \sin(dx+c) - 2 * A * (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} * a * b^2 * \sin(dx+c) - B * (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 * b * \sin(dx+c) - B * (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} * a * b^2 * \sin(dx+c) + A * (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^3 + B * (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^3 + B * (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} * a^2 * b * \sin(dx+c) - A * (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} * \sin(dx+c) * \cos(dx+c) * a^3 + 2 * A * (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} * \sin(dx+c) * \cos(dx+c) * b^3 + 2 * A * (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} * \text{EllipticE}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} * b^3 * \sin(dx+c) + B * (\cos(dx+c) / (1+\cos(dx+c)))^{1/2} * (1/(a+b) * (a+b * \cos(dx+c)) / (1+\cos(dx+c)))^{1/2} * \text{EllipticF}((-1+\cos(dx+c)) / \sin(dx+c), (-a-b)/(a+b))^{1/2} * a^3 * \sin(dx+c) * \cos(dx+c) * (1/\cos(dx+c))^{3/2} / (a+b * \cos(dx+c))^{1/2} / \sin(dx+c) \end{aligned}$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx+c) + A) \sec(dx+c)^{\frac{3}{2}}}{(b \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*sec(dx+c)^(3/2)/(a+b\*cos(dx+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(dx+c) + A)\*sec(dx+c)^(3/2)/(b\*cos(dx+c) + a)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(B \cos(dx+c) + A) \sqrt{b \cos(dx+c) + a} \sec(dx+c)^{\frac{3}{2}}}{b^2 \cos(dx+c)^2 + 2ab \cos(dx+c) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*sec(dx+c)^(3/2)/(a+b\*cos(dx+c))^(3/2),x, algorithm="fricas")



[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)/(b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*(3/2), x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^(3/2), x)

$$3.622 \quad \int \frac{(A+B \cos(c+dx))\sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=324

$$-\frac{2(Ab - aB) \sin(c + dx)\sqrt{\sec(c + dx)}}{d(a^2 - b^2)\sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB)\sqrt{\cos(c + dx)} \csc(c + dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}}{\sqrt{a+b}}\right)\right)}{a^2 d \sqrt{a + b} \sqrt{\sec(c + dx)}}$$

[Out] (2\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a^2\*Sqrt[a + b]\*d\*Sqrt[Sec[c + d\*x]]) + (2\*(A + B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*Sqrt[a + b]\*d\*Sqrt[Sec[c + d\*x]]) - (2\*(A\*b - a\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/((a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]])]

**Rubi [A]** time = 0.68498, antiderivative size = 324, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.143$ , Rules used = {2961, 2993, 2998, 2816, 2994}

$$-\frac{2(Ab - aB) \sin(c + dx)\sqrt{\sec(c + dx)}}{d(a^2 - b^2)\sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB)\sqrt{\cos(c + dx)} \csc(c + dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} E\left(\sin^{-1}\left(\frac{\sqrt{a+b}}{\sqrt{a+b}}\right)\right)}{a^2 d \sqrt{a + b} \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]])/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (2\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a^2\*Sqrt[a + b]\*d\*Sqrt[Sec[c + d\*x]]) + (2\*(A + B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*Sqrt[a + b]\*d\*Sqrt[Sec[c + d\*x]]) - (2\*(A\*b - a\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/((a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]])]

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^m, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !IntegerQ[m] && IntegerQ[n]

#### Rule 2993

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(3/2)), x\_Symbol] :> Simp[(2\*(A\*b - a\*B)\*Cos[e + f\*x]/(f\*(a^2 - b^2)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[d\*Sin[e + f\*x]]), x] + Dist[d/(a^2 - b^2), Int[(A\*b - a\*B + (a\*A - b\*B)\*Sin[e + f\*x]/(Sqrt[a + b\*Sin[e + f\*x]]\*(d\*Sin[e + f\*x])^(3/2)), x], x] /; FreeQ[{a

, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]

Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

Rule 2994

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(((b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

Rubi steps

$$\int \frac{(A + B \cos(c + dx))\sqrt{\sec(c + dx)}}{(a + b \cos(c + dx))^{3/2}} dx = (\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{A + B \cos(c + dx)}{\sqrt{\cos(c + dx)}(a + b \cos(c + dx))^{3/2}} dx$$

$$= -\frac{2(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{(\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{Ab - aB}{\cos(c + dx)} dx}{a^2 - b^2}$$

$$= -\frac{2(Ab - aB)\sqrt{\sec(c + dx)} \sin(c + dx)}{(a^2 - b^2) d \sqrt{a + b \cos(c + dx)}} + \frac{((a - b)(A + B)\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{a(1 - \cos(c + dx))}{\cos(c + dx)} dx}{a^2}$$

$$= \frac{2(Ab - aB)\sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\cos(c+dx))}{\cos(c+dx)}}}{a^2 \sqrt{a + b} d \sqrt{\sec(c + dx)}}$$

**Mathematica [A]** time = 13.6734, size = 305, normalized size = 0.94

$$2 \left( \frac{b(Ab - aB) \sin(c + dx)}{\sqrt{\sec(c + dx)}} + \frac{\sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right) \sec(c + dx)} \left( -(Ab - aB) \cos(c + dx) \tan\left(\frac{1}{2}(c + dx)\right) \sec^2\left(\frac{1}{2}(c + dx)\right) (a + b \cos(c + dx)) + 2a(a + b)(A - B) \sqrt{\frac{1}{\sec(c + dx) + 1}} \right)}{\sqrt{\sec^2\left(\frac{1}{2}(c + dx)\right)}} \right) / d(a^3 - ab^2) \sqrt{a + b \cos(c + dx)}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + b*Cos[c + d*x])^(3/2),x]
```

```
[Out] (2*((b*(A*b - a*B)*Sin[c + d*x])/Sqrt[Sec[c + d*x]] + (Sqrt[Cos[(c + d*x)/2]]^2*Sec[c + d*x])*(2*(a + b)*(-(A*b) + a*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]]], (-a + b)/(a + b)]*Sqrt[(1 + Sec[c + d*x])^(-1)]*Sqrt[(b + a*Sec[c + d*x])/((a + b)*(1 + Sec[c + d*x]))] + 2*a*(a + b)*(A - B)*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[(1 + Sec[c + d*x])^(-1)]*Sqrt[(b + a*Sec[c + d*x])/((a + b)*(1 + Sec[c + d*x]))] - (A*b - a*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2])/Sqrt[Sec[(c + d*x)/2]^2]))/((a^3 - a*b^2)*d*Sqrt[a + b*Cos[c + d*x]])
```

**Maple [B]** time = 0.684, size = 1636, normalized size = 5.1

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(3/2),x)
```

```
[Out] -2/d/(a+b)/(a-b)/a*(1/cos(d*x+c))^(1/2)/(a+b*cos(d*x+c))^(1/2)*(A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*sin(d*x+c)*a^2+A*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*sin(d*x+c)*a*b-A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)*cos(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*a*b-A*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*b^2-B*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*sin(d*x+c)*a^2-B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*a*b+B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*a^2+B*sin(d*x+c)*cos(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*a*b+A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*a^2*sin(d*x+c)+A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*a*b*sin(d*x+c)-A*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*a*b-A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*sin(d*x+c)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*b^2-B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*a^2-B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*a*b+B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*a^2+B*sin(d*x+c)*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b)^(1/2))*a*b-A*cos(d*x+c)^2*a*b+A*cos(d*x+c)^2*b^2+B*cos(d*x+c)^2*a^2-B*cos(d*x+c)^2*a*b+A*cos(d*x+c)*a*b-A*
```

$$\cos(dx+c)*b^2-B*\cos(dx+c)*a^2+B*\cos(dx+c)*a*b)/\sin(dx+c)$$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*sec(dx+c)^(1/2)/(a+b\*cos(dx+c))^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(dx + c) + A)\*sqrt(sec(dx + c))/(b\*cos(dx + c) + a)^(3/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}\sqrt{\sec(dx + c)}}{b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*sec(dx+c)^(1/2)/(a+b\*cos(dx+c))^(3/2),x, algorithm="fricas")

[Out] integral((B\*cos(dx + c) + A)\*sqrt(b\*cos(dx + c) + a)\*sqrt(sec(dx + c))/(b^2\*cos(dx + c)^2 + 2\*a\*b\*cos(dx + c) + a^2), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*sec(dx+c)\*\*(1/2)/(a+b\*cos(dx+c))\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A)\sqrt{\sec(dx + c)}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(dx+c))\*sec(dx+c)^(1/2)/(a+b\*cos(dx+c))^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(dx + c) + A)\*sqrt(sec(dx + c))/(b\*cos(dx + c) + a)^(3/2), x)

$$3.623 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{3/2} \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=476

$$\frac{2a(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{bd(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB) \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}} F\left(\sin^{-1}\left(\frac{\sqrt{a + b}}{\sqrt{a + b \cos(c + dx)}}\right)\right)}{abd \sqrt{a + b} \sqrt{\sec(c + dx)}}$$

[Out] (-2\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b \*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*b\*Sqrt[a + b]\*d\*Sqrt[Sec[c + d\*x]]) + (2\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*b\*Sqrt[a + b]\*d\*Sqrt[Sec[c + d\*x]]) - (2\*Sqrt[a + b]\*B\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)])/(b^2\*d\*Sqrt[Sec[c + d\*x]]) + (2\*a\*(A\*b - a\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(b\*(a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]])

**Rubi [A]** time = 0.775266, antiderivative size = 476, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 7, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.2$ , Rules used = {2961, 2992, 2809, 2794, 2795, 2816, 2994}

$$\frac{2a(Ab - aB) \sin(c + dx) \sqrt{\sec(c + dx)}}{bd(a^2 - b^2) \sqrt{a + b \cos(c + dx)}} + \frac{2(Ab - aB) \sqrt{\cos(c + dx)} \csc(c + dx) \sqrt{\frac{a(1 - \sec(c + dx))}{a + b}} \sqrt{\frac{a(\sec(c + dx) + 1)}{a - b}} F\left(\sin^{-1}\left(\frac{\sqrt{a + b}}{\sqrt{a + b \cos(c + dx)}}\right)\right)}{abd \sqrt{a + b} \sqrt{\sec(c + dx)}}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/((a + b\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]]), x]

[Out] (-2\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b \*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*b\*Sqrt[a + b]\*d\*Sqrt[Sec[c + d\*x]]) + (2\*(A\*b - a\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*b\*Sqrt[a + b]\*d\*Sqrt[Sec[c + d\*x]]) - (2\*Sqrt[a + b]\*B\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)])/(b^2\*d\*Sqrt[Sec[c + d\*x]]) + (2\*a\*(A\*b - a\*B)\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(b\*(a^2 - b^2)\*d\*Sqrt[a + b\*Cos[c + d\*x]])

#### Rule 2961

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.)\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> Dist[(g\*Csc[e + f\*x])^p\*(g\*Sin[e + f\*x])^p, Int[((a + b\*Sin[e + f\*x])^m\*(c + d\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

#### Rule 2992

Int[(((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])]/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2), x\_Symbol] := Dist[B/b, Int[Sqrt[c + d\*Sin[e + f\*x]]/Sqrt[a + b\*Sin[e + f\*x]], x], x] + Dist[(A\*b - a\*B)/b, Int[Sqrt[c + d\*Sin[e + f\*x]]/(a + b\*Sin[e + f\*x])^(3/2), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

#### Rule 2794

Int[Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2), x\_Symbol] := Simp[(-2\*a\*d\*Cos[e + f\*x])/(f\*(a^2 - b^2)\*Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[d\*Sin[e + f\*x]]), x] - Dist[d^2/(a^2 - b^2), Int[Sqrt[a + b\*Sin[e + f\*x]]/(d\*Sin[e + f\*x])^(3/2), x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

#### Rule 2795

Int[Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2), x\_Symbol] := Dist[(c - d)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(b\*c - a\*d)/(a - b), Int[(1 + Sin[e + f\*x])/(a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

Int[(((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rubi steps

$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + b \cos(c + dx))^{3/2}} dx \\
&= \frac{(B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{\sqrt{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx}{b} + \frac{((Ab - aB) \sqrt{\cos(c + dx)})}{b^2 d \sqrt{\sec(c + dx)}} \\
&= - \frac{2\sqrt{a + b} B \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\sec(c + dx)}}{b^2 d \sqrt{\sec(c + dx)}} \\
&= - \frac{2\sqrt{a + b} B \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\sec(c + dx)}}{b^2 d \sqrt{\sec(c + dx)}} \\
&= - \frac{2(Ab - aB) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\sec(c + dx)}}{ab \sqrt{a + b} d \sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [C]** time = 13.9953, size = 1403, normalized size = 2.95

result too large to display

Antiderivative was successfully verified.

[In] Integrate[(A + B\*Cos[c + d\*x])/((a + b\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]]),x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((2\*(A\*b - a\*B)\*Sin[c + d\*x])/(b\*(-a^2 + b^2)) - (2\*(a\*A\*b\*Sin[c + d\*x] - a^2\*B\*Sin[c + d\*x]))/(b\*(-a^2 + b^2)\*(a + b\*Cos[c + d\*x])))/d + (2\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(1 + Tan[(c + d\*x)/2]^2)]\*(a\*A\*b\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2] + A\*b^2\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2] - a^2\*Sqrt[(a - b)/(a + b)]\*B\*Tan[(c + d\*x)/2] - a\*b\*Sqrt[(a - b)/(a + b)]\*B\*Tan[(c + d\*x)/2] - 2\*A\*b^2\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^3 + 2\*a\*b\*Sqrt[(a - b)/(a + b)]\*B\*Tan[(c + d\*x)/2]^3 - a\*A\*b\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^5 + A\*b^2\*Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]^5 + a^2\*Sqrt[(a - b)/(a + b)]\*B\*Tan[(c + d\*x)/2]^5 - a\*b\*Sqrt[(a - b)/(a + b)]\*B\*Tan[(c + d\*x)/2]^5 - (2\*I)\*a^2\*B\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b))\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + (2\*I)\*b^2\*B\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b))\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - (2\*I)\*a^2\*B\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b))\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + (2\*I)\*b^2\*B\*EllipticPi[(a + b)/(a - b), I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b))\*Tan[(c + d\*x)/2]^2\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - I\*(a - b)\*(-(A\*b) + a\*B)\*EllipticE[I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b))\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] + I\*(a - b)\*(-(A\*b) + (2\*a + b)\*B)\*EllipticF[I\*ArcSinh[Sqrt[(a - b)/(a + b)]\*Tan[(c + d\*x)/2]], -(a + b)/(a - b))\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*(1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)])))/(b\*Sqrt[(a - b)/(a + b)]\*(a^2 - b^2)\*d\*(-1 + Tan[(c + d\*x)/2]^2)\*Sqrt[(1 + Tan[(c + d\*x)/2]^2)/(1 - Tan[(c + d\*x)/2]^2)]\*(b\*(-1 + Tan[(c + d\*x)/2]^2)/2



$]^2) - a*(1 + \text{Tan}[(c + d*x)/2]^2))$

**Maple [B]** time = 0.596, size = 2016, normalized size = 4.2

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((A+B*\cos(d*x+c))/(a+b*\cos(d*x+c))^{3/2}/\sec(d*x+c)^{1/2}, x)$

[Out] 
$$\begin{aligned} & -2/d/(a+b)/(a-b)/b*(-A*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b) \\ & )*(a+b*\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), \\ & (-a-b)/(a+b))^{1/2}*\sin(d*x+c)*b^2-A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2} \\ & *(1/(a+b)*(a+b*\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/ \\ & \sin(d*x+c), (-a-b)/(a+b))^{1/2})*b^2*\sin(d*x+c)+B*\cos(d*x+c)^2*a*b-B*\cos(d*x+c) \\ & )^2*a^2+B*\cos(d*x+c)*a^2+A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b* \\ & \cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)*\cos(d*x+c)*EllipticE((-1+\cos(d \\ & *x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b+B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d* \\ & x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2})* \\ & EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*a*b-B*\sin(d*x+c) \\ & *\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+ \\ & \cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} \\ & ))*a*b-A*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x \\ & +c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a \\ & b))^{1/2})*\sin(d*x+c)*a*b-A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b \\ & *\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (- \\ & a-b)/(a+b))^{1/2})*a*b*\sin(d*x+c)+A*\cos(d*x+c)*b^2+A*\sin(d*x+c)*\cos(d*x+c)* \\ & (\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c)/(1+\cos(d*x+c))) \\ & )^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*b^2+B*\sin \\ & (d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+ \\ & c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b \\ & ))^{1/2})*b^2+2*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*( \\ & 1/(a+b)*(a+b*\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*EllipticPi((-1+\cos(d*x+c))/s \\ & in(d*x+c), -1, (-a-b)/(a+b))^{1/2})*a^2-2*B*\sin(d*x+c)*\cos(d*x+c)*(\cos(d*x+c) \\ & )/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*Ell \\ & ipsisPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*b^2-B*\sin(d*x+c) \\ & *\cos(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1 \\ & +\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} \\ & ))*a^2+A*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d* \\ & x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a \\ & +b))^{1/2})*a*b+B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a \\ & +b*\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c), (- \\ & a-b)/(a+b))^{1/2})*a*b-B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/( \\ & a+b)*(a+b*\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d \\ & *x+c), (-a-b)/(a+b))^{1/2})*a*b+A*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b) \\ & )*(a+b*\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*\sin(d*x+c)*EllipticE((-1+\cos(d*x+c) \\ & ))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*b^2+B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x \\ & +c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+c \\ & os(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2})*b^2+2*B*\sin(d*x+c)*(\cos(d*x+c)/ \\ & (1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*Ellip \\ & ticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*a^2-2*B*\sin(d*x+c) \\ & )*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c)/(1+\cos(d*x+c) \\ & ))^{1/2}*EllipticPi((-1+\cos(d*x+c))/\sin(d*x+c), -1, (-a-b)/(a+b))^{1/2})*b^2 \\ & -B*\sin(d*x+c)*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/( \\ & 1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c), (-a-b)/(a+b))^{1/2} \\ & ))*a^2*(1/\cos(d*x+c))^{1/2}/\sin(d*x+c)/(a+b*\cos(d*x+c))^{1/2} \end{aligned}$$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(1/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^(3/2)\*sqrt(sec(d\*x + c))), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{(b^2 \cos(dx + c)^2 + 2ab \cos(dx + c) + a^2)\sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(1/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/((b^2\*cos(d\*x + c)^2 + 2\*a\*b\*cos(d\*x + c) + a^2)\*sqrt(sec(d\*x + c))), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*(3/2)/sec(d\*x+c)\*\*(1/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(1/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^(3/2)\*sqrt(sec(d\*x + c))), x)

$$3.624 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{3/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=560

$$\frac{(-3a^2B + 2aAb + b^2B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{b^2 d (a^2 - b^2)} + \frac{2a(Ab - aB) \sin(c + dx)}{bd (a^2 - b^2) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}$$

```
[Out] ((2*a*A*b - 3*a^2*B + b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*b^2*Sqrt[a + b]*d*Sqrt[Sec[c + d*x]]) - ((2*A*b - (3*a + b)*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^2*Sqrt[a + b]*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(2*A*b - 3*a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^3*d*Sqrt[Sec[c + d*x]]) + (2*a*(A*b - a*B)*Sin[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - ((2*a*A*b - 3*a^2*B + b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b^2*(a^2 - b^2)*d)
```

**Rubi [A]** time = 1.50902, antiderivative size = 560, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2961, 2989, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{(-3a^2B + 2aAb + b^2B) \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{b^2 d (a^2 - b^2)} + \frac{2a(Ab - aB) \sin(c + dx)}{bd (a^2 - b^2) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)), x]
```

```
[Out] ((2*a*A*b - 3*a^2*B + b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*b^2*Sqrt[a + b]*d*Sqrt[Sec[c + d*x]]) - ((2*A*b - (3*a + b)*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^2*Sqrt[a + b]*d*Sqrt[Sec[c + d*x]]) - (Sqrt[a + b]*(2*A*b - 3*a*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(b^3*d*Sqrt[Sec[c + d*x]]) + (2*a*(A*b - a*B)*Sin[c + d*x])/(b*(a^2 - b^2)*d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - ((2*a*A*b - 3*a^2*B + b^2*B)*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b^2*(a^2 - b^2)*d)
```

**Rule 2961**

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*SIN[e + f*x])^p, Int[((a + b*SIN[e + f*x])^m*(c + d
```

\*Sin[e + f\*x])^n)/(g\*Sin[e + f\*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

### Rule 2989

Int[((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(m\_)\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])\*(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_), x\_Symbol] := -Simp[((b\*c - a\*d)\*(B\*c - A\*d)\*Cos[e + f\*x]\*(a + b\*Sin[e + f\*x])^(m - 1)\*(c + d\*Sin[e + f\*x])^(n + 1))/(d\*f\*(n + 1)\*(c^2 - d^2)), x] + Dist[1/(d\*(n + 1)\*(c^2 - d^2)), Int[(a + b\*Sin[e + f\*x])^(m - 2)\*(c + d\*Sin[e + f\*x])^(n + 1)\*Simp[b\*(b\*c - a\*d)\*(B\*c - A\*d)\*(m - 1) + a\*d\*(a\*A\*c + b\*B\*c - (A\*b + a\*B)\*d)\*(n + 1) + (b\*(b\*d\*(B\*c - A\*d) + a\*(A\*c\*d + B\*(c^2 - 2\*d^2)))\*(n + 1) - a\*(b\*c - a\*d)\*(B\*c - A\*d)\*(n + 2))\*Sin[e + f\*x] + b\*(d\*(A\*b\*c + a\*B\*c - a\*A\*d)\*(m + n + 1) - b\*B\*(c^2\*m + d^2\*(n + 1)))\*Sin[e + f\*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

### Rule 3061

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2)/(Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] := -Simp[(C\*Cos[e + f\*x]\*Sqrt[c + d\*Sin[e + f\*x]])/(d\*f\*Sqrt[a + b\*Sin[e + f\*x]]), x] + Dist[1/(2\*d), Int[(1\*Simp[2\*a\*A\*d - C\*(b\*c - a\*d) - 2\*(a\*c\*C - d\*(A\*b + a\*B))\*Sin[e + f\*x] + (2\*b\*B\*d - C\*(b\*c + a\*d))\*Sin[e + f\*x]^2, x])/(a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 3053

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)] + (C\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^2)/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])), x\_Symbol] := Dist[C/b^2, Int[Sqrt[a + b\*Sin[e + f\*x]]/Sqrt[c + d\*Sin[e + f\*x]], x], x] + Dist[1/b^2, Int[(A\*b^2 - a^2\*C + b\*(b\*B - 2\*a\*C)\*Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

### Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

### Rule 2998

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)])/(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]), x\_Symbol] := Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b\*Sin[e + f\*x]]\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] - Dist[(A\*b - a\*B)/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Sin[e + f\*x])^(3/2)\*Sqrt[c + d\*Sin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

### Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])], x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{3/2} \sec^2(c + dx)} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^{3/2}} dx$$

$$= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}}$$

$$= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{(2aAb - 3a^2B + b^2B) \sqrt{a + b \cos(c + dx)}}{b^3 d \sqrt{\sec(c + dx)}}$$

$$= \frac{2a(Ab - aB) \sin(c + dx)}{b(a^2 - b^2) d \sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} - \frac{(2aAb - 3a^2B + b^2B) \sqrt{a + b \cos(c + dx)}}{b^3 d \sqrt{\sec(c + dx)}}$$

$$= -\frac{\sqrt{a + b}(2aAb - 3aB) \sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{b^3 d \sqrt{\sec(c + dx)}}$$

$$= \frac{(2aAb - 3a^2B + b^2B) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right)\right)}{ab^2 \sqrt{a + b} d \sqrt{\sec(c + dx)}}$$

**Mathematica [B]** time = 19.578, size = 1567, normalized size = 2.8

result too large to display

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)),x]
```

```
[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((-2*a*(-(A*b) + a*B)*Sin[c + d*x])/(b^2*(a^2 - b^2)) + (2*(a^2*A*b*Sin[c + d*x] - a^3*B*Sin[c + d*x]))/(b^2*(-a^2 + b^2)*(a + b*Cos[c + d*x])))/d - (Sqrt[(1 - Tan[(c + d*x)/2]^2)^(-1)]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(2*a^2*A*b*Tan[(c + d*x)/2] + 2*a*A*b^2*Tan[(c + d*x)/2] - 3*a^3*B*Tan[(c + d*x)/2] - 3*a^2*b*B*Tan[(c + d*x)/2] + a*b^2*B*Tan[(c + d*x)/2]))/d
```





```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(3/2),x, algorithm="maxima")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^(3/2)), x)
```

**Fricas [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(3/2),x, algorithm="fricas")
```

```
[Out] Timed out
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(3/2)/sec(d*x+c)**(3/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^(3/2)*sec(d*x + c)^(3/2)), x)
```



$$3.625 \quad \int \frac{(A+B \cos(c+dx)) \sec^{\frac{5}{2}}(c+dx)}{(a+b \cos(c+dx))^{\frac{5}{2}}} dx$$

**Optimal.** Leaf size=607

$$\frac{2(-13a^2Ab^2 + a^4A + 8a^3bB - 4ab^3B + 8Ab^4) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) \sqrt{a+b \cos(c+dx)}}{3a^3d(a^2-b^2)^2} + \frac{2b(10a^2Ab - 7a^3B + 3a^4A)}{3a^2d(a^2-b^2)}$$

```
[Out] (-2*(8*a^4*A*b - 28*a^2*A*b^3 + 16*A*b^5 - 3*a^5*B + 15*a^3*b^2*B - 8*a*b^4*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(3*a^5*(a - b)*(a + b)^(3/2)*d*Sqrt[Sec[c + d*x]]) - (2*(16*A*b^4 - a^4*(A - 3*B) + 4*a*b^3*(3*A - 2*B) - 9*a^3*b*(A - B) - 2*a^2*b^2*(8*A + 3*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(3*a^4*Sqrt[a + b]*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]) + (2*b*(A*b - a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)) + (2*b*(10*a^2*A*b - 6*A*b^3 - 7*a^3*B + 3*a*b^2*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]]) + (2*(a^4*A - 13*a^2*A*b^2 + 8*A*b^4 + 8*a^3*b*B - 4*a*b^3*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^3*(a^2 - b^2)^2*d)
```

**Rubi [A]** time = 2.20318, antiderivative size = 607, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 3000, 3055, 2998, 2816, 2994}

$$\frac{2(-13a^2Ab^2 + a^4A + 8a^3bB - 4ab^3B + 8Ab^4) \sin(c+dx) \sec^{\frac{3}{2}}(c+dx) \sqrt{a+b \cos(c+dx)}}{3a^3d(a^2-b^2)^2} + \frac{2b(10a^2Ab - 7a^3B + 3a^4A)}{3a^2d(a^2-b^2)}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (-2*(8*a^4*A*b - 28*a^2*A*b^3 + 16*A*b^5 - 3*a^5*B + 15*a^3*b^2*B - 8*a*b^4*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(3*a^5*(a - b)*(a + b)^(3/2)*d*Sqrt[Sec[c + d*x]]) - (2*(16*A*b^4 - a^4*(A - 3*B) + 4*a*b^3*(3*A - 2*B) - 9*a^3*b*(A - B) - 2*a^2*b^2*(8*A + 3*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(3*a^4*Sqrt[a + b]*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]) + (2*b*(A*b - a*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)) + (2*b*(10*a^2*A*b - 6*A*b^3 - 7*a^3*B + 3*a*b^2*B)*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]]) + (2*(a^4*A - 13*a^2*A*b^2 + 8*A*b^4 + 8*a^3*b*B - 4*a*b^3*B)*Sqrt[a + b*Cos[c + d*x]]*Sec[c + d*x]^(3/2)*Sin[c + d*x])/(3*a^3*(a^2 - b^2)^2*d)
```

**Rule 2961**

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[(a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n]/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

### Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> -Simp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2) + (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && RationalQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

### Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)]^2), x_Symbol] :> -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

### Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]], x_Symbol] :> Dist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]
```

### Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))/ (a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

### Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/((b_.)*sin[(e_.) + (f_.)*(x_)])
```

```
^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

### Rubi steps

$$\int \frac{(A + B \cos(c + dx)) \sec^{\frac{5}{2}}(c + dx)}{(a + b \cos(c + dx))^{\frac{5}{2}}} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{5}{2}}(c + dx) (a + b \cos(c + dx))^{\frac{5}{2}}} dx$$

$$= \frac{2b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{\frac{3}{2}}} + \frac{(2\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{3}{2}(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{3a^2(a^2 - b^2)^2 d\sqrt{a + b \cos(c + dx)}}$$

$$= \frac{2b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{\frac{3}{2}}} + \frac{2b(10a^2Ab - 6Ab^3 - 7a^3B + 3ab^2B)}{3a^2(a^2 - b^2)^2 d\sqrt{a + b \cos(c + dx)}}$$

$$= \frac{2b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{\frac{3}{2}}} + \frac{2b(10a^2Ab - 6Ab^3 - 7a^3B + 3ab^2B)}{3a^2(a^2 - b^2)^2 d\sqrt{a + b \cos(c + dx)}}$$

$$= \frac{2b(Ab - aB) \sec^{\frac{3}{2}}(c + dx) \sin(c + dx)}{3a(a^2 - b^2)d(a + b \cos(c + dx))^{\frac{3}{2}}} + \frac{2b(10a^2Ab - 6Ab^3 - 7a^3B + 3ab^2B)}{3a^2(a^2 - b^2)^2 d\sqrt{a + b \cos(c + dx)}}$$

$$= \frac{2(8a^4Ab - 28a^2Ab^3 + 16Ab^5 - 3a^5B + 15a^3b^2B - 8ab^4B) \sqrt{\cos(c + dx)} \operatorname{cs}[\operatorname{ArcSin}[\frac{\sqrt{\cos(c + dx)}}{a + b \cos(c + dx)}]]}{3a^5(a - b)(a + b)^3}$$

**Mathematica [B]** time = 26.5591, size = 4316, normalized size = 7.11

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[((A + B*Cos[c + d*x])*Sec[c + d*x]^(5/2))/(a + b*Cos[c + d*x])^(5/2),x]
```

```
[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((2*(-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*Sin[c + d*x])/(3*a^4*(a^2 - b^2)^2) + (2*(-(A*b^3*Sin[c + d*x]) + a*b^2*B*Sin[c + d*x]))/(3*a^2*(a^2 - b^2)*(a + b*Cos[c + d*x])^2) + (2*(-11*a^2*A*b^3*Sin[c + d*x] + 7*A*b^5*Sin[c + d*x] + 8*a^3*b^2*B*Sin[c + d*x] - 4*a*b^4*B*Sin[c + d*x]))/(3*a^3*(a^2 - b^2)^2*(a + b*Cos[c + d*x])) + (2*A*Tan[c + d*x])/(3*a^3)))/d + (2*((8*a*A*b)/(3*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (2*8*A*b^3)/(3*a*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (16*A*b^5)/(3*a^3*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (a^2*B)/((a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (5*b^2*B)/((a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) - (8*b^4*B)/(3*a^2*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (a^2*A*Sqrt[Sec[c + d*x]])/(3*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) + (5*A*b^2*Sqrt[Sec[c + d*x]])/((a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) - (32*A*b^4*Sqrt[Sec[c + d*x]])/(3*a^2*(a^2 - b^2)^2*Sqrt[a + b*Cos[c + d*x]]) + (16
```

$$\begin{aligned}
& *A*b^6*\text{Sqrt}[\text{Sec}[c + d*x]]/(3*a^4*(a^2 - b^2)^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - \\
& (3*a*b*B*\text{Sqrt}[\text{Sec}[c + d*x]])/((a^2 - b^2)^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (1 \\
& 7*b^3*B*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*a*(a^2 - b^2)^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - \\
& (8*b^5*B*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*a^3*(a^2 - b^2)^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) \\
& + (8*A*b^2*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*(a^2 - b^2)^2*\text{Sqrt}[a + \\
& b*\text{Cos}[c + d*x]]) - (28*A*b^4*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*a^2*(a \\
& ^2 - b^2)^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (16*A*b^6*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec} \\
& [c + d*x]])/(3*a^4*(a^2 - b^2)^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) - (a*b*B*\text{Cos}[2*( \\
& c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/((a^2 - b^2)^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]) + (5 \\
& *b^3*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(a*(a^2 - b^2)^2*\text{Sqrt}[a + b*\text{Cos} \\
& [c + d*x]]) - (8*b^5*B*\text{Cos}[2*(c + d*x)]*\text{Sqrt}[\text{Sec}[c + d*x]])/(3*a^3*(a^2 - b \\
& ^2)^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]])*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*(-2* \\
& (a + b)*(-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8* \\
& a*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/(( \\
& a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a \\
& + b)] + 2*a*(a + b)*(-16*A*b^4 + 2*a^2*b^2*(8*A - 3*B) - 9*a^3*b*(A + B) + \\
& 4*a*b^3*(3*A + 2*B) + a^4*(A + 3*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] \\
& *\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{T} \\
& an[(c + d*x)/2]], (-a + b)/(a + b)] - (-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 \\
& + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])*Se \\
& c[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((3*a^4*(a^2 - b^2)^2*d*\text{Sqrt}[a + b*\text{Cos}[c \\
& + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*((b*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]] \\
& *\text{Sin}[c + d*x]*(-2*(a + b)*(-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - \\
& 15*a^3*b^2*B + 8*a*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + \\
& b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x) \\
& ]/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(-16*A*b^4 + 2*a^2*b^2*(8*A - 3*B) - \\
& 9*a^3*b*(A + B) + 4*a*b^3*(3*A + 2*B) + a^4*(A + 3*B))*\text{Sqrt}[\text{Cos}[c + d*x]/( \\
& 1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]* \\
& \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - (-8*a^4*A*b + 28*a^ \\
& 2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*\text{Cos}[c + d*x]*(a + \\
& b*\text{Cos}[c + d*x])*Sec[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2])/((3*a^4*(a^2 - b^2)^2* \\
& (a + b*\text{Cos}[c + d*x])^(3/2)*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) - (\text{Sqrt}[\text{Cos}[(c + d*x)/ \\
& 2]^2*\text{Sec}[c + d*x]]*\text{Tan}[(c + d*x)/2]*(-2*(a + b)*(-8*a^4*A*b + 28*a^2*A*b^3 \\
& - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos} \\
& [c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Ellipti \\
& cE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(-16*A*b^4 + 2 \\
& *a^2*b^2*(8*A - 3*B) - 9*a^3*b*(A + B) + 4*a*b^3*(3*A + 2*B) + a^4*(A + 3*B) \\
& ))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b) \\
& *(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] \\
& - (-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4 \\
& *B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])*Sec[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]) \\
& /((3*a^4*(a^2 - b^2)^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + \\
& (2*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]*(-((-8*a^4*A*b + 28*a^2*A*b^3 - 16 \\
& *A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d* \\
& x])*Sec[(c + d*x)/2]^4)/2 - ((a + b)*(-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 \\
& + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 \\
& + \text{Cos}[c + d*x]))]*\text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*(( \\
& \text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + \\
& d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])] + (a*(a + b)*(-16*A*b^4 + 2* \\
& a^2*b^2*(8*A - 3*B) - 9*a^3*b*(A + B) + 4*a*b^3*(3*A + 2*B) + a^4*(A + 3*B) \\
& )*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{T} \\
& an[(c + d*x)/2]], (-a + b)/(a + b)]*((\text{Cos}[c + d*x]*\text{Sin}[c + d*x])/(1 + \text{Cos}[ \\
& c + d*x])^2 - \text{Sin}[c + d*x]/(1 + \text{Cos}[c + d*x])))/\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[ \\
& c + d*x]]) - ((a + b)*(-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15* \\
& a^3*b^2*B + 8*a*b^4*B)*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticE}[\text{ArcS} \\
& in[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*(-((b*\text{Sin}[c + d*x])/((a + b)*(1 + C \\
& os[c + d*x])))) + ((a + b*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + \\
& d*x])^2)))/\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + (a*(a \\
& + b)*(-16*A*b^4 + 2*a^2*b^2*(8*A - 3*B) - 9*a^3*b*(A + B) + 4*a*b^3*(3*A +
\end{aligned}$$

$$\begin{aligned}
& 2*B) + a^4*(A + 3*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{EllipticF}[\text{ArcSi} \\
& \text{n}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)]*(-((b*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Co} \\
& \text{s}[c + d*x]))) + ((a + b*\text{Cos}[c + d*x])*\text{Sin}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d \\
& *x])^2)))/\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))] + b*(-8*a \\
& ^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*\text{Cos}[ \\
& c + d*x]*\text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] + (-8*a^4*A*b + 2 \\
& 8*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*(a + b*\text{Cos}[c + \\
& d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Sin}[c + d*x]*\text{Tan}[(c + d*x)/2] - (-8*a^4*A*b + 28* \\
& a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B)*\text{Cos}[c + d*x]*(a \\
& + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]^2 + (a*(a + b)*(-16*A \\
& *b^4 + 2*a^2*b^2*(8*A - 3*B) - 9*a^3*b*(A + B) + 4*a*b^3*(3*A + 2*B) + a^4*( \\
& A + 3*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/ \\
& ((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{Sec}[(c + d*x)/2]^2)/(\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2 \\
& ]^2]*\text{Sqrt}[1 - ((-a + b)*\text{Tan}[(c + d*x)/2]^2)/(a + b)] - ((a + b)*(-8*a^4*A* \\
& b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B))*\text{Sqrt}[\text{Cos}[ \\
& c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c \\
& + d*x]))]*\text{Sec}[(c + d*x)/2]^2*\text{Sqrt}[1 - ((-a + b)*\text{Tan}[(c + d*x)/2]^2)/(a + b \\
& )]/\text{Sqrt}[1 - \text{Tan}[(c + d*x)/2]^2))/((3*a^4*(a^2 - b^2)^2*\text{Sqrt}[a + b*\text{Cos}[c + d \\
& *x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]) + ((-2*(a + b)*(-8*a^4*A*b + 28*a^2*A*b^3 - \\
& 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c \\
& + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticE} \\
& [\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(-16*A*b^4 + 2*a \\
& ^2*b^2*(8*A - 3*B) - 9*a^3*b*(A + B) + 4*a*b^3*(3*A + 2*B) + a^4*(A + 3*B)) \\
& *\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*( \\
& 1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - \\
& (-8*a^4*A*b + 28*a^2*A*b^3 - 16*A*b^5 + 3*a^5*B - 15*a^3*b^2*B + 8*a*b^4*B) \\
& )*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2))*(- \\
& (\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c \\
& + d*x]*\text{Tan}[c + d*x]))/(3*a^4*(a^2 - b^2)^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{S} \\
& \text{ec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]]))
\end{aligned}$$

**Maple [B]** time = 0.757, size = 8101, normalized size = 13.4

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(5/2),x)

[Out] result too large to display

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(5/2),x, algor  
ithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^(5/2), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{5}{2}}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(5/2)/(b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(5/2)/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{5}{2}}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(5/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(5/2)/(b\*cos(d\*x + c) + a)^(5/2), x)

$$3.626 \quad \int \frac{(A+B \cos(c+dx)) \sec^3(c+dx)}{(a+b \cos(c+dx))^{5/2}} dx$$

**Optimal.** Leaf size=496

$$\frac{2b(8a^2Ab - 5a^3B + ab^2B - 4Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{3a^2d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2b(Ab - aB) \sin(c+dx) \sqrt{\sec(c+dx)}}{3ad(a^2 - b^2)(a+b \cos(c+dx))^{3/2}} + \frac{2(-3a^2b(3A + B) \sin(c+dx) \sqrt{\sec(c+dx)})}{3ad(a^2 - b^2)(a+b \cos(c+dx))^{3/2}}$$

```
[Out] (2*(3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B)*Sqrt[Cos[c +
d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*S
qrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b
)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^4*(a - b)*(a + b)^(3/2)*d*Sqr
t[Sec[c + d*x]]) + (2*(8*A*b^3 - 3*a^3*(A - B) + 2*a*b^2*(3*A - B) - 3*a^2*
b*(3*A + B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Co
s[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*
(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^3*S
qrt[a + b]*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]) + (2*b*(A*b - a*B)*Sqrt[Sec[c
+ d*x]]*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)) + (2*b
*(8*a^2*A*b - 4*A*b^3 - 5*a^3*B + a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]
)/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]])
```

**Rubi [A]** time = 1.38254, antiderivative size = 496, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 3000, 3055, 2998, 2816, 2994}

$$\frac{2b(8a^2Ab - 5a^3B + ab^2B - 4Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{3a^2d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2b(Ab - aB) \sin(c+dx) \sqrt{\sec(c+dx)}}{3ad(a^2 - b^2)(a+b \cos(c+dx))^{3/2}} + \frac{2(-3a^2b(3A + B) \sin(c+dx) \sqrt{\sec(c+dx)})}{3ad(a^2 - b^2)(a+b \cos(c+dx))^{3/2}}$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (2*(3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B)*Sqrt[Cos[c +
d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*S
qrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b
)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^4*(a - b)*(a + b)^(3/2)*d*Sqr
t[Sec[c + d*x]]) + (2*(8*A*b^3 - 3*a^3*(A - B) + 2*a*b^2*(3*A - B) - 3*a^2*
b*(3*A + B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Co
s[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*
(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(3*a^3*S
qrt[a + b]*(a^2 - b^2)*d*Sqrt[Sec[c + d*x]]) + (2*b*(A*b - a*B)*Sqrt[Sec[c
+ d*x]]*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)) + (2*b
*(8*a^2*A*b - 4*A*b^3 - 5*a^3*B + a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x]
)/(3*a^2*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]])
```

**Rule 2961**

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_.)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dis
t[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^m, Int[((a + b*Sin[e + f*x])^m*(c + d
*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 3055

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((c_.) + (d_.)*sin[(e_.) +
(f_.)*(x_)])^(n_)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.)
+ (f_.)*(x_)^2), x_Symbol] := -Simp[((A*b^2 - a*b*B + a^2*C)*Cos[e + f*x]
*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n + 1))/(f*(m + 1)*(b*c
- a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(b*c - a*d)*(a^2 - b^2)), Int[(a
+ b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^n*Simp[(m + 1)*(b*c - a*d)*
(a*A - b*B + a*C) + d*(A*b^2 - a*b*B + a^2*C)*(m + n + 2) - (c*(A*b^2 - a*b
*B + a^2*C) + (m + 1)*(b*c - a*d)*(A*b - a*B + b*C))*Sin[e + f*x] - d*(A*b^
2 - a*b*B + a^2*C)*(m + n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c
, d, e, f, A, B, C, n}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ
[c^2 - d^2, 0] && LtQ[m, -1] && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]
) || !(IntegerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || E
qQ[a, 0])))
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```



Rubi steps

$$\begin{aligned}
 \int \frac{(A + B \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{(a + b \cos(c + dx))^{5/2}} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{A + B \cos(c + dx)}{\cos^{\frac{3}{2}}(c + dx) (a + b \cos(c + dx))^{5/2}} dx \\
 &= \frac{2b(Ab - aB) \sqrt{\sec(c + dx)} \sin(c + dx)}{3a(a^2 - b^2) d (a + b \cos(c + dx))^{3/2}} + \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)}) \int \frac{1}{2} \left( \frac{2b(8a^2Ab - 4Ab^3 - 5a^3B + ab^2B)}{3a^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}} \right) dx}{3a(a^2 - b^2) d (a + b \cos(c + dx))^{3/2}} \\
 &= \frac{2b(Ab - aB) \sqrt{\sec(c + dx)} \sin(c + dx)}{3a(a^2 - b^2) d (a + b \cos(c + dx))^{3/2}} + \frac{2b(8a^2Ab - 4Ab^3 - 5a^3B + ab^2B)}{3a^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}} \\
 &= \frac{2b(Ab - aB) \sqrt{\sec(c + dx)} \sin(c + dx)}{3a(a^2 - b^2) d (a + b \cos(c + dx))^{3/2}} + \frac{2b(8a^2Ab - 4Ab^3 - 5a^3B + ab^2B)}{3a^2(a^2 - b^2)^2 d \sqrt{a + b \cos(c + dx)}} \\
 &= \frac{2(3a^4A - 15a^2Ab^2 + 8Ab^4 + 6a^3bB - 2ab^3B) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}}\right)\right)}{3a^4(a - b)(a + b)^{3/2} d \sqrt{\sec(c + dx)}}
 \end{aligned}$$

**Mathematica [B]** time = 26.0868, size = 3891, normalized size = 7.84

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2))/(a + b\*Cos[c + d\*x])^(5/2),x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((2\*(3\*a^4\*A - 15\*a^2\*A\*b^2 + 8\*A\*b^4 + 6\*a^3\*b\*B - 2\*a\*b^3\*B)\*Sin[c + d\*x])/(3\*a^3\*(a^2 - b^2)^2) - (2\*(-(A\*b^2\*Sin[c + d\*x]) + a\*b\*B\*Sin[c + d\*x]))/(3\*a\*(a^2 - b^2)\*(a + b\*Cos[c + d\*x])^2) - (2\*(-8\*a^2\*A\*b^2\*Sin[c + d\*x] + 4\*A\*b^4\*Sin[c + d\*x] + 5\*a^3\*b\*B\*Sin[c + d\*x] - a\*b^3\*B\*Sin[c + d\*x]))/(3\*a^2\*(a^2 - b^2)^2\*(a + b\*Cos[c + d\*x])))/d + (2\*(-((a^2\*A)/((a^2 - b^2)^2\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])) + (5\*A\*b^2)/((a^2 - b^2)^2\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) - (8\*A\*b^4)/(3\*a^2\*(a^2 - b^2)^2\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) - (2\*a\*b\*B)/((a^2 - b^2)^2\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) + (2\*b^3\*B)/(3\*a\*(a^2 - b^2)^2\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) - (3\*a\*A\*b\*Sqrt[Sec[c + d\*x]])/((a^2 - b^2)^2\*Sqrt[a + b\*Cos[c + d\*x]]) + (17\*A\*b^3\*Sqrt[Sec[c + d\*x]])/(3\*a\*(a^2 - b^2)^2\*Sqrt[a + b\*Cos[c + d\*x]]) - (8\*A\*b^5\*Sqrt[Sec[c + d\*x]])/(3\*a^3\*(a^2 - b^2)^2\*Sqrt[a + b\*Cos[c + d\*x]]) + (a^2\*B\*Sqrt[Sec[c + d\*x]])/((a^2 - b^2)^2\*Sqrt[a + b\*Cos[c + d\*x]]) - (5\*b^2\*B\*Sqrt[Sec[c + d\*x]])/(3\*(a^2 - b^2)^2\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*b^4\*B\*Sqrt[Sec[c + d\*x]])/(3\*a^2\*(a^2 - b^2)^2\*Sqrt[a + b\*Cos[c + d\*x]]) - (a\*A\*b\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/((a^2 - b^2)^2\*Sqrt[a + b\*Cos[c + d\*x]]) + (5\*A\*b^3\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(a\*(a^2 - b^2)^2\*Sqrt[a + b\*Cos[c + d\*x]]) - (8\*A\*b^5\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(3\*a^3\*(a^2 - b^2)^2\*Sqrt[a + b\*Cos[c + d\*x]]) - (2\*b^2\*B\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/((a^2 - b^2)^2\*Sqrt[a + b\*Cos[c + d\*x]]) + (2\*b^4\*B\*Cos[2\*(c + d\*x)]\*Sqrt[Sec[c + d\*x]])/(3\*a^2\*(a^2 - b^2)^2\*Sqrt[a + b\*Cos[c + d\*x]])\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*(-2\*(a + b)\*(3\*a^4\*A - 15\*a^2\*A\*b^2 + 8\*A\*b^4 + 6\*a^3\*b\*B - 2\*a\*b^3\*B)\*Sqrt[Cos[c + d\*x]]/(1 + Cos[c + d\*x]))\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*a\*(a + b)\*(8\*A\*b^3 + 3\*a^2\*b\*(-3\*A + B) + 3\*a^3\*(A + B) - 2\*a\*b^2\*(3\*A + B))\*Sqrt[Cos[c + d\*x]]

$$\begin{aligned}
& / (1 + \cos[c + dx]) \sqrt{(a + b \cos[c + dx])} / ((a + b)(1 + \cos[c + dx])) \\
& ] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] - (3a^4A - 15a^2Ab^2 \\
& * Ab^2 + 8Ab^4 + 6a^3bB - 2ab^3B) \cos[c + dx] * (a + b \cos[c + dx]) \\
& * \text{Sec}[(c + dx)/2]^2 \text{Tan}[(c + dx)/2]) / (3a^3(a^2 - b^2)^2 d \sqrt{a + b \cos[c + dx]} \\
& ] * \text{Sqrt}[\text{Sec}[(c + dx)/2]^2 * ((b \sqrt{\cos[(c + dx)/2]^2 \text{Sec}[c + dx]} \\
& * \sin[c + dx] * (-2(a + b)(3a^4A - 15a^2Ab^2 + 8Ab^4 + 6a^3bB \\
& - 2ab^3B) \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) \sqrt{(a + b \cos[c + dx])} \\
& ) / ((a + b)(1 + \cos[c + dx]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b) \\
& ) / (a + b)] + 2a(a + b)(8Ab^3 + 3a^2b(-3A + B) + 3a^3(A + B) - 2ab^2(3A + B)) \\
& * \text{Sqrt}[\cos[c + dx] / (1 + \cos[c + dx])] * \text{Sqrt}[(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))] \\
& ] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] - (3a^4A - 15a^2Ab^2 + 8Ab^4 + 6a^3bB - 2ab^3B) \\
& * \cos[c + dx] * (a + b \cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 \text{Tan}[(c + dx)/2]) / (3a^3(a^2 - b^2)^2 (a + b \cos[c + dx])^{3/2} \sqrt{\text{Sec}[(c + dx)/2]^2} - \\
& (\sqrt{\cos[(c + dx)/2]^2 \text{Sec}[c + dx]} * \text{Tan}[(c + dx)/2] * (-2(a + b)(3a^4A - 15a^2Ab^2 + 8Ab^4 + 6a^3bB - 2ab^3B) \\
& * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) \sqrt{(a + b \cos[c + dx])} / ((a + b)(1 + \cos[c + dx]))] * \text{Ellip} \\
& \text{ticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] + 2a(a + b)(8Ab^3 + 3a^2b(-3A + B) + 3a^3(A + B) - 2ab^2(3A + B)) \\
& * \text{Sqrt}[\cos[c + dx] / (1 + \cos[c + dx])] * \text{Sqrt}[(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))] * \text{E} \\
& \text{llipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] - (3a^4A - 15a^2Ab^2 + 8Ab^4 + 6a^3bB - 2ab^3B) * \cos[c + dx] * (a + b \cos[c + dx]) * \text{Se} \\
& \text{c}[(c + dx)/2]^2 \text{Tan}[(c + dx)/2]) / (3a^3(a^2 - b^2)^2 \sqrt{a + b \cos[c + dx]} * \text{Sqrt}[\text{Sec}[(c + dx)/2]^2] + (2 \sqrt{\cos[(c + dx)/2]^2 \text{Sec}[c + dx]} \\
& * (-((3a^4A - 15a^2Ab^2 + 8Ab^4 + 6a^3bB - 2ab^3B) \cos[c + dx] * (a + b \cos[c + dx]) * \text{Sec}[(c + dx)/2]^4) / 2 - ((a + b)(3a^4A - 15a^2Ab^2 + 8Ab^4 + 6a^3bB - 2ab^3B) \\
& * \sqrt{(a + b \cos[c + dx])} / ((a + b)(1 + \cos[c + dx]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] * \\
& (\cos[c + dx] * \sin[c + dx]) / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx])) / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} + (a(a + b)(8Ab^3 + 3a^2b(-3A + B) + 3a^3(A + B) - 2ab^2(3A + B)) \\
& * \sqrt{(a + b \cos[c + dx])} / ((a + b)(1 + \cos[c + dx]))] * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] * ((\cos[c + dx] * \sin[c + dx]) / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx])) / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} - ((a + b)(3a^4A - 15a^2Ab^2 + 8Ab^4 + 6a^3bB - 2ab^3B) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] * (-((b \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])))) + ((a + b \cos[c + dx]) * \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])^2)) / \sqrt{(a + b \cos[c + dx])} / ((a + b)(1 + \cos[c + dx]))] + (a(a + b)(8Ab^3 + 3a^2b(-3A + B) + 3a^3(A + B) - 2ab^2(3A + B)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + dx)/2]], (-a + b)/(a + b)] * (-((b \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])))) + ((a + b \cos[c + dx]) * \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])^2)) / \sqrt{(a + b \cos[c + dx])} / ((a + b)(1 + \cos[c + dx]))] + b(3a^4A - 15a^2Ab^2 + 8Ab^4 + 6a^3bB - 2ab^3B) * \cos[c + dx] * \text{Sec}[(c + dx)/2]^2 \sin[c + dx] * \text{Tan}[(c + dx)/2] + (3a^4A - 15a^2Ab^2 + 8Ab^4 + 6a^3bB - 2ab^3B) * (a + b \cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 \sin[c + dx] * \text{Tan}[(c + dx)/2] - (3a^4A - 15a^2Ab^2 + 8Ab^4 + 6a^3bB - 2ab^3B) * \cos[c + dx] * (a + b \cos[c + dx]) * \text{Sec}[(c + dx)/2]^2 \text{Tan}[(c + dx)/2]^2 + (a(a + b)(8Ab^3 + 3a^2b(-3A + B) + 3a^3(A + B) - 2ab^2(3A + B)) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \text{Sqrt}[(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))] * \text{Sec}[(c + dx)/2]^2 / (\sqrt{1 - \text{Tan}[(c + dx)/2]^2} * \text{Sqrt}[1 - ((-a + b) \text{Tan}[(c + dx)/2]^2) / (a + b)]) - ((a + b)(3a^4A - 15a^2Ab^2 + 8Ab^4 + 6a^3bB - 2ab^3B) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \text{Sqrt}[(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))] * \text{Sec}[(c + dx)/2]^2 \sqrt{1 - ((-a + b) \text{Tan}[(c + dx)/2]^2) / (a + b)} / \sqrt{1 - \text{Tan}[(c + dx)/2]^2}) / (3a^3(a^2 - b^2)^2 \sqrt{a + b \cos[c + dx]} * \text{Sqrt}[\text{Sec}[(c + dx)/2]^2] + ((-2(a + b)(3a^4A - 15a^2Ab^2 + 8Ab^4 + 6a^3bB - 2ab^3B) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) * \text{Sqrt}[(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))] * \text{EllipticE}[\text{ArcSin}[\text{Tan}[(c + dx)/2]],
\end{aligned}$$

$$\begin{aligned} & (-a + b)/(a + b) + 2*a*(a + b)*(8*A*b^3 + 3*a^2*b*(-3*A + B) + 3*a^3*(A + B) - 2*a*b^2*(3*A + B))*\text{Sqrt}[\text{Cos}[c + d*x]/(1 + \text{Cos}[c + d*x])]*\text{Sqrt}[(a + b*\text{Cos}[c + d*x])/((a + b)*(1 + \text{Cos}[c + d*x]))]*\text{EllipticF}[\text{ArcSin}[\text{Tan}[(c + d*x)/2]], (-a + b)/(a + b)] - (3*a^4*A - 15*a^2*A*b^2 + 8*A*b^4 + 6*a^3*b*B - 2*a*b^3*B)*\text{Cos}[c + d*x]*(a + b*\text{Cos}[c + d*x])* \text{Sec}[(c + d*x)/2]^2*\text{Tan}[(c + d*x)/2]*(-(\text{Cos}[(c + d*x)/2]*\text{Sec}[c + d*x]*\text{Sin}[(c + d*x)/2]) + \text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x]*\text{Tan}[c + d*x]))/(3*a^3*(a^2 - b^2)^2*\text{Sqrt}[a + b*\text{Cos}[c + d*x]]*\text{Sqrt}[\text{Sec}[(c + d*x)/2]^2]*\text{Sqrt}[\text{Cos}[(c + d*x)/2]^2*\text{Sec}[c + d*x])) \end{aligned}$$

**Maple [B]** time = 0.824, size = 6506, normalized size = 13.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2),x)

[Out] result too large to display

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^(5/2), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a} \sec(dx + c)^{\frac{3}{2}}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)\*sec(d\*x + c)^(3/2)/(b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sec(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)\*sec(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^(5/2), x)

**3.627**  $\int \frac{(A+B \cos(c+dx))\sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^{5/2}} dx$

**Optimal.** Leaf size=469

$$\frac{2(6a^2Ab - 3a^3B - ab^2B - 2Ab^3) \sin(c + dx)\sqrt{\sec(c + dx)}}{3ad(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} + \frac{2b(Ab - aB) \sin(c + dx)}{3ad(a^2 - b^2) \sqrt{\sec(c + dx)}(a + b \cos(c + dx))^{3/2}} - \frac{2(-$$

```
[Out] (2*(6*a^2*A*b - 2*A*b^3 - 3*a^3*B - a*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]
*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]]
)], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + S
ec[c + d*x]))/(a - b)]/(3*a^3*(a - b)*(a + b)^(3/2)*d*Sqrt[Sec[c + d*x]])
- (2*(2*A*b^2 - 3*a^2*(A + B) + a*b*(3*A + B))*Sqrt[Cos[c + d*x]]*Csc[c + d
*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x
]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 +
Sec[c + d*x]))/(a - b)]/(3*a^2*Sqrt[a + b]*(a^2 - b^2)*d*Sqrt[Sec[c + d*x
]]) + (2*b*(A*b - a*B)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Cos[c + d*x]
)^(3/2)*Sqrt[Sec[c + d*x]]) - (2*(6*a^2*A*b - 2*A*b^3 - 3*a^3*B - a*b^2*B)*
Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*
x]])
```

**Rubi [A]** time = 1.19007, antiderivative size = 469, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 3000, 2993, 2998, 2816, 2994}

$$\frac{2(6a^2Ab - 3a^3B - ab^2B - 2Ab^3) \sin(c + dx)\sqrt{\sec(c + dx)}}{3ad(a^2 - b^2)^2 \sqrt{a + b \cos(c + dx)}} + \frac{2b(Ab - aB) \sin(c + dx)}{3ad(a^2 - b^2) \sqrt{\sec(c + dx)}(a + b \cos(c + dx))^{3/2}} - \frac{2(-$$

Antiderivative was successfully verified.

```
[In] Int[((A + B*Cos[c + d*x])*Sqrt[Sec[c + d*x]])/(a + b*Cos[c + d*x])^(5/2), x]
```

```
[Out] (2*(6*a^2*A*b - 2*A*b^3 - 3*a^3*B - a*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]
*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]]
)], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + S
ec[c + d*x]))/(a - b)]/(3*a^3*(a - b)*(a + b)^(3/2)*d*Sqrt[Sec[c + d*x]])
- (2*(2*A*b^2 - 3*a^2*(A + B) + a*b*(3*A + B))*Sqrt[Cos[c + d*x]]*Csc[c + d
*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x
]])], -(a + b)/(a - b)]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 +
Sec[c + d*x]))/(a - b)]/(3*a^2*Sqrt[a + b]*(a^2 - b^2)*d*Sqrt[Sec[c + d*x
]]) + (2*b*(A*b - a*B)*Sin[c + d*x])/(3*a*(a^2 - b^2)*d*(a + b*Cos[c + d*x]
)^(3/2)*Sqrt[Sec[c + d*x]]) - (2*(6*a^2*A*b - 2*A*b^3 - 3*a^3*B - a*b^2*B)*
Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*a*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*
x]])
```

**Rule 2961**

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dis
t[(g*Sqrt[Sec[e + f*x]])^p*(g*Sqrt[Sec[e + f*x]])^p, Int[((a + b*Sin[e + f*x])^m*(c + d
*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g,
m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && In
tegerQ[n])
```

Rule 3000

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_.)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_), x_Symbol] := -S
imp[((A*b^2 - a*b*B)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e
+ f*x])^(1 + n))/(f*(m + 1)*(b*c - a*d)*(a^2 - b^2)), x] + Dist[1/((m + 1)
*(b*c - a*d)*(a^2 - b^2)), Int[(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e +
f*x])^n*Simp[(a*A - b*B)*(b*c - a*d)*(m + 1) + b*d*(A*b - a*B)*(m + n + 2)
+ (A*b - a*B)*(a*d*(m + 1) - b*c*(m + 2))*Sin[e + f*x] - b*d*(A*b - a*B)*(m
+ n + 3)*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, n},
x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && Ration
alQ[m] && m < -1 && ((EqQ[a, 0] && IntegerQ[m] && !IntegerQ[n]) || !(Inte
gerQ[2*n] && LtQ[n, -1] && ((IntegerQ[n] && !IntegerQ[m]) || EqQ[a, 0])))
```

Rule 2993

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(
x_.)])*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^(3/2)), x_Symbol] := Simp[(2*(
A*b - a*B)*Cos[e + f*x])/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin
[e + f*x]]), x] + Dist[d/(a^2 - b^2), Int[(A*b - a*B + (a*A - b*B)*Sin[e +
f*x])/(Sqrt[a + b*Sin[e + f*x]]*(d*Sin[e + f*x])^(3/2)), x], x] /; FreeQ[{a
, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]
```

Rule 2998

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_.)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]
```

Rule 2816

```
Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_.)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_.)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[A
rcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]
```

Rule 2994

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_.)])/(((b_.)*sin[(e_.) + (f_.)*(x_.)]
)^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]
```

Rubi steps



$$\begin{aligned}
& + b \cos[c + dx] / ((a + b)(1 + \cos[c + dx])) * \text{EllipticE}[\text{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] + 2a(a + b)(-2Ab^2 + 3a^2(A - B) + a^3A - B) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] + (-6a^2Ab + 2Ab^3 + 3a^3B + a^2b^2B) \cos[c + dx] * (a + b \cos[c + dx]) * \sec[(c + dx)/2]^2 * \tan[(c + dx)/2] / (3(a^3 - ab^2)^2 * (a + b \cos[c + dx])^{3/2} * \sqrt{\sec[(c + dx)/2]^2}) - (\sqrt{\cos[(c + dx)/2]^2} * \sec[c + dx] * \tan[(c + dx)/2] * (2(a + b)(-6a^2Ab + 2Ab^3 + 3a^3B + ab^2B) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticE}[\text{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] + 2a(a + b)(-2Ab^2 + 3a^2(A - B) + a^3A - B) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] + (-6a^2Ab + 2Ab^3 + 3a^3B + ab^2B) \cos[c + dx] * (a + b \cos[c + dx]) * \sec[(c + dx)/2]^2 * \tan[(c + dx)/2]) / (3(a^3 - ab^2)^2 * \sqrt{a + b \cos[c + dx]} * \sqrt{\sec[(c + dx)/2]^2}) + (2 * \sqrt{\cos[(c + dx)/2]^2} * \sec[c + dx] * (((-6a^2Ab + 2Ab^3 + 3a^3B + ab^2B) \cos[c + dx] * (a + b \cos[c + dx]) * \sec[(c + dx)/2]^4) / 2 + ((a + b)(-6a^2Ab + 2Ab^3 + 3a^3B + ab^2B) * \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticE}[\text{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] * ((\cos[c + dx] * \sin[c + dx]) / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx])) / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) + (a(a + b)(-2Ab^2 + 3a^2(A - B) + a^3A - B) * \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] * ((\cos[c + dx] * \sin[c + dx]) / (1 + \cos[c + dx])^2 - \sin[c + dx] / (1 + \cos[c + dx])) / \sqrt{\cos[c + dx] / (1 + \cos[c + dx])}) + ((a + b)(-6a^2Ab + 2Ab^3 + 3a^3B + ab^2B) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \text{EllipticE}[\text{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] * (-((b \sin[c + dx]) / ((a + b)(1 + \cos[c + dx]))) + ((a + b \cos[c + dx]) * \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])^2))) / \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))}) + (a(a + b)(-2Ab^2 + 3a^2(A - B) + a^3A - B) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \text{EllipticF}[\text{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] * (-((b \sin[c + dx]) / ((a + b)(1 + \cos[c + dx]))) + ((a + b \cos[c + dx]) * \sin[c + dx]) / ((a + b)(1 + \cos[c + dx])^2))) / \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))}) - b(-6a^2Ab + 2Ab^3 + 3a^3B + ab^2B) \cos[c + dx] * \sec[(c + dx)/2]^2 * \sin[c + dx] * \tan[(c + dx)/2] - (-6a^2Ab + 2Ab^3 + 3a^3B + ab^2B) * (a + b \cos[c + dx]) * \sec[(c + dx)/2]^2 * \sin[c + dx] * \tan[(c + dx)/2] + (-6a^2Ab + 2Ab^3 + 3a^3B + ab^2B) \cos[c + dx] * (a + b \cos[c + dx]) * \sec[(c + dx)/2]^2 * \tan[(c + dx)/2]^2 + (a(a + b)(-2Ab^2 + 3a^2(A - B) + a^3A - B) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \sec[(c + dx)/2]^2) / (\sqrt{1 - \tan[(c + dx)/2]^2} * \sqrt{1 - ((-a + b) \tan[(c + dx)/2]^2) / (a + b)}) + ((a + b)(-6a^2Ab + 2Ab^3 + 3a^3B + ab^2B) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \sec[(c + dx)/2]^2 * \sqrt{1 - ((-a + b) \tan[(c + dx)/2]^2) / (a + b)}) / \sqrt{1 - \tan[(c + dx)/2]^2}) / (3(a^3 - ab^2)^2 * \sqrt{a + b \cos[c + dx]} * \sqrt{\sec[(c + dx)/2]^2}) + ((2(a + b)(-6a^2Ab + 2Ab^3 + 3a^3B + ab^2B) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticE}[\text{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] + 2a(a + b)(-2Ab^2 + 3a^2(A - B) + a^3A - B) * \sqrt{\cos[c + dx] / (1 + \cos[c + dx])} * \sqrt{(a + b \cos[c + dx]) / ((a + b)(1 + \cos[c + dx]))} * \text{EllipticF}[\text{ArcSin}[\tan[(c + dx)/2]], (-a + b)/(a + b)] + (-6a^2Ab + 2Ab^3 + 3a^3B + ab^2B) \cos[c + dx] * (a + b \cos[c + dx]) * \sec[(c + dx)/2]^2 * \tan[(c + dx)/2]) * (-(\cos[(c + dx)/2] * \sec[c + dx] * \sin[(c + dx)/2]) + \cos[(c + dx)/2]^2 * \sec[c + dx] * \tan[c + dx]) / (3(a^3 - ab^2)^2 * \sqrt{a + b \cos[c + dx]} * \sqrt{\sec[(c + dx)/2]^2} * \sqrt{\cos[(c + dx)/2]^2 * \sec[c + dx]})
\end{aligned}$$



**Maple [B]** time = 0.641, size = 5205, normalized size = 11.1

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(5/2),x)`

[Out] result too large to display

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\sec(dx + c)}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(5/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(b*cos(d*x + c) + a)^(5/2), x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)}}{b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(5/2),x, algorithm="fricas")`

[Out] `integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)*sqrt(sec(d*x + c))/(b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3), x)`

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(d*x+c))*sec(d*x+c)**(1/2)/(a+b*cos(d*x+c))**(5/2),x)`

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(dx + c) + A) \sqrt{\sec(dx + c)}}{(b \cos(dx + c) + a)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))*sec(d*x+c)^(1/2)/(a+b*cos(d*x+c))^(5/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)*sqrt(sec(d*x + c))/(b*cos(d*x + c) + a)^(5/2), x)
```

$$3.628 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{5/2} \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=431

$$\frac{2(3a^2A - 4abB + Ab^2) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} - \frac{2(Ab - aB) \sin(c+dx)}{3d(a^2 - b^2) \sqrt{\sec(c+dx)}(a+b \cos(c+dx))^{3/2}} - \frac{2(3a^2A - 4abB}{3d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} \sin(c+dx) \sqrt{\sec(c+dx)}$$

```
[Out] (-2*(3*a^2*A + A*b^2 - 4*a*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(3*a^2*(a - b)*(a + b)^(3/2)*d*Sqrt[Sec[c + d*x]]) + (2*(a*(3*A + B) - b*(A + 3*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(3*a*(a - b)*(a + b)^(3/2)*d*Sqrt[Sec[c + d*x]]) - (2*(A*b - a*B)*Sin[c + d*x])/((3*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]]) + (2*(3*a^2*A + A*b^2 - 4*a*b*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/((3*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]]))
```

**Rubi [A]** time = 1.08094, antiderivative size = 431, normalized size of antiderivative = 1., number of steps used = 6, number of rules used = 6, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.171$ , Rules used = {2961, 2999, 2993, 2998, 2816, 2994}

$$\frac{2(3a^2A - 4abB + Ab^2) \sin(c+dx) \sqrt{\sec(c+dx)}}{3d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} - \frac{2(Ab - aB) \sin(c+dx)}{3d(a^2 - b^2) \sqrt{\sec(c+dx)}(a+b \cos(c+dx))^{3/2}} - \frac{2(3a^2A - 4abB}{3d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} \sin(c+dx) \sqrt{\sec(c+dx)}$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(5/2)*Sqrt[Sec[c + d*x]]), x]
```

```
[Out] (-2*(3*a^2*A + A*b^2 - 4*a*b*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(3*a^2*(a - b)*(a + b)^(3/2)*d*Sqrt[Sec[c + d*x]]) + (2*(a*(3*A + B) - b*(A + 3*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(3*a*(a - b)*(a + b)^(3/2)*d*Sqrt[Sec[c + d*x]]) - (2*(A*b - a*B)*Sin[c + d*x])/((3*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]]) + (2*(3*a^2*A + A*b^2 - 4*a*b*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/((3*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]]))
```

#### Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)]^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)]^(n_.), x_Symbol] :> Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

#### Rule 2999

```

Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_)*((A_.) + (B_.)*sin[(e_.) +
(f_.)*(x_)])*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_), x_Symbol] := Si
mp[((B*a - A*b)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*
x])^n)/(f*(m + 1)*(a^2 - b^2)), x] + Dist[1/((m + 1)*(a^2 - b^2)), Int[(a +
b*Sin[e + f*x])^(m + 1)*(c + d*Sin[e + f*x])^(n - 1)*Simp[c*(a*A - b*B)*(m
+ 1) + d*n*(A*b - a*B) + (d*(a*A - b*B)*(m + 1) - c*(A*b - a*B)*(m + 2))*S
in[e + f*x] - d*(A*b - a*B)*(m + n + 2)*Sin[e + f*x]^2, x], x], x] /; FreeQ
[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] &&
NeQ[c^2 - d^2, 0] && LtQ[m, -1] && GtQ[n, 0]

```

#### Rule 2993

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(
x_)])*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)), x_Symbol] := Simp[(2*(
A*b - a*B)*Cos[e + f*x])/(f*(a^2 - b^2)*Sqrt[a + b*Sin[e + f*x]]*Sqrt[d*Sin
[e + f*x]]), x] + Dist[d/(a^2 - b^2), Int[(A*b - a*B + (a*A - b*B)*Sin[e +
f*x])/(Sqrt[a + b*Sin[e + f*x]]*(d*Sin[e + f*x])^(3/2)), x], x] /; FreeQ[{a
, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]

```

#### Rule 2998

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((a_.) + (b_.)*sin[(e_.) + (f_
.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := D
ist[(A - B)/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x
]]), x], x] - Dist[(A*b - a*B)/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[
e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e,
f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
&& NeQ[A, B]

```

#### Rule 2816

```

Int[1/(Sqrt[(d_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(a_.) + (b_.)*sin[(e_.) + (f
_.)*(x_)]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1
- Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[Arc
Sin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(
(a + b)/(a - b)))/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2,
0] && PosQ[(a + b)/d]

```

#### Rule 2994

```

Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])/(((b_.)*sin[(e_.) + (f_.)*(x_)])
^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Simp[(-2*A
*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]
*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f
*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d)))/(f*b*c^
2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B]
&& PosQ[(c + d)/b]

```

#### Rubi steps

$$\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{5/2} \sqrt{\sec(c + dx)}} dx = \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)} (A + B \cos(c + dx))}{(a + b \cos(c + dx))^{5/2}} dx$$

$$= -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d (a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} - \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{3(a^2 - b^2) d (a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}}$$

$$= -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d (a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} + \frac{2(3a^2 A + Ab^2 - 4abB)}{3(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}}$$

$$= -\frac{2(Ab - aB) \sin(c + dx)}{3(a^2 - b^2) d (a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} + \frac{2(3a^2 A + Ab^2 - 4abB)}{3(a^2 - b^2)^2 d \sqrt{\sec(c + dx)}}$$

$$= -\frac{2(3a^2 A + Ab^2 - 4abB) \sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c+dx)}}{\sqrt{a+b \sqrt{\cos(c+dx)}}}\right)\right)}{3a^2(a-b)(a+b)^{3/2} d \sqrt{\sec(c + dx)}}$$

**Mathematica [A]** time = 18.9916, size = 528, normalized size = 1.23

$$\frac{\sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)} \left( -\frac{2(3a^2 A - 4abB + Ab^2) \sin(c + dx)}{3a(a^2 - b^2)^2} + \frac{2(a^2 B \sin(c + dx) - aAb \sin(c + dx))}{3b(b^2 - a^2)(a + b \cos(c + dx))^2} + \frac{2(2a^2 Ab \sin(c + dx) + a^3 B \sin(c + dx) - 2a^2 B \sin(c + dx))}{3b(b^2 - a^2)^2(a + b \cos(c + dx))} \right)}{d}$$

Warning: Unable to verify antiderivative.

```
[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(5/2)*Sqrt[Sec[c + d*x]]), x]
```

```
[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((-2*(3*a^2*A + A*b^2 - 4*a*b*B)*Sin[c + d*x])/(3*a*(a^2 - b^2)^2) + (2*(-(a*A*b*Sin[c + d*x]) + a^2*B*Sin[c + d*x]))/(3*b*(-a^2 + b^2)*(a + b*Cos[c + d*x])^2) + (2*(2*a^2*A*b*Sin[c + d*x] + 2*A*b^3*Sin[c + d*x] + a^3*B*Sin[c + d*x] - 5*a*b^2*B*Sin[c + d*x]))/(3*b*(-a^2 + b^2)^2*(a + b*Cos[c + d*x])))/d - (2*Sqrt[Cos[(c + d*x)/2]^2*Sec[c + d*x]]*(-2*(a + b)*(3*a^2*A + A*b^2 - 4*a*b*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] + 2*a*(a + b)*(3*a*A + A*b - a*B - 3*b*B)*Sqrt[Cos[c + d*x]/(1 + Cos[c + d*x])]*Sqrt[(a + b*Cos[c + d*x])/((a + b)*(1 + Cos[c + d*x]))]*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)] - (3*a^2*A + A*b^2 - 4*a*b*B)*Cos[c + d*x]*(a + b*Cos[c + d*x])*Sec[(c + d*x)/2]^2*Tan[(c + d*x)/2]))/(3*a*(a^2 - b^2)^2*d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[(c + d*x)/2]^2])
```

**Maple [B]** time = 0.681, size = 4243, normalized size = 9.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2), x)
```

```
[Out] 2/3/d/a/(a+b)^2/(a-b)^2*(-2*A*cos(d*x+c)^3*a*b^3-4*A*cos(d*x+c)^2*a^2*b^2-4*A*cos(d*x+c)*a^3*b+5*B*cos(d*x+c)^3*a^2*b^2+4*B*cos(d*x+c)^2*a^3*b-2*A*cos
```



```

sin(d*x+c)*cos(d*x+c)*a^2*b^2+A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*
(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c)
, (-a-b)/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)*a*b^3+4*B*(cos(d*x+c)/(1+cos(d
*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1
+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)*a^3*b+8
*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c
)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*sin(d*
x+c)*cos(d*x+c)*a^2*b^2+4*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b
*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-
a-b)/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)*a*b^3-5*B*(cos(d*x+c)/(1+cos(d*x+c
)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos
(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)*a^3*b-7*B*(
cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(
1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*sin(d*x+c)
*cos(d*x+c)*a^2*b^2-3*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos
(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)
/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)*a*b^3-A*(cos(d*x+c)/(1+cos(d*x+c)))^(1
/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c
))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*sin(d*x+c)*cos(d*x+c)*b^4-3*A*(cos(d*x+
c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*El
lipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^3*b*sin(d*x+c)-A
*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c))
)^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2)*a^2*b^2*
sin(d*x+c)-A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1
+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/
2))*a*b^3*sin(d*x+c)+A*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(
d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/
(a+b))^(1/2))*a^2*b^2*sin(d*x+c)+4*B*(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(
a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d*x+c))/sin(d
*x+c), (-a-b)/(a+b))^(1/2))*a^3*b*sin(d*x+c)+4*B*(cos(d*x+c)/(1+cos(d*x+c))
)^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*EllipticE((-1+cos(d
*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b^2*sin(d*x+c)-4*B*(cos(d*x+c)/
(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))^(1/2)*Ellip
ticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^3*b*sin(d*x+c)-3*B*
(cos(d*x+c)/(1+cos(d*x+c)))^(1/2)*(1/(a+b)*(a+b*cos(d*x+c))/(1+cos(d*x+c)))
^(1/2)*EllipticF((-1+cos(d*x+c))/sin(d*x+c), (-a-b)/(a+b))^(1/2))*a^2*b^2*s
in(d*x+c))*(1/cos(d*x+c))^(1/2)/sin(d*x+c)/(a+b*cos(d*x+c))^(3/2)

```

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(1/2),x, algorith="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^(5/2)\*sqrt(sec(d\*x + c))), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(B \cos(dx + c) + A) \sqrt{b \cos(dx + c) + a}}{(b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3) \sqrt{\sec(dx + c)}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorithm="fricas")
```

```
[Out] integral((B*cos(d*x + c) + A)*sqrt(b*cos(d*x + c) + a)/((b^3*cos(d*x + c)^3 + 3*a*b^2*cos(d*x + c)^2 + 3*a^2*b*cos(d*x + c) + a^3)*sqrt(sec(d*x + c))), x)
```

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))**(5/2)/sec(d*x+c)**(1/2),x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{5}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2)/sec(d*x+c)^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(d*x + c) + A)/((b*cos(d*x + c) + a)^(5/2)*sqrt(sec(d*x + c))), x)
```



$$3.629 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{5/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=602

$$\frac{2a(3a^3B - 7ab^2B + 4Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{3b^2d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2a(Ab - aB) \sin(c+dx)}{3bd(a^2 - b^2) \sqrt{\sec(c+dx)}(a+b \cos(c+dx))^{3/2}} - \frac{2(a^2bB +$$

```
[Out] (2*(4*A*b^3 + 3*a^3*B - 7*a*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a +
b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x
]))/(a - b))]/(3*a*(a - b)*b^2*(a + b)^(3/2)*d*Sqrt[Sec[c + d*x]]) - (2*(3*
A*b^3 + 3*a^3*B + a^2*b*B - a*b^2*(A + 6*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x
]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]]
)], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + S
ec[c + d*x]))/(a - b))]/(3*a*(a - b)*b^2*(a + b)^(3/2)*d*Sqrt[Sec[c + d*x]]
) - (2*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b,
ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b
)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x])
)/(a - b))]/(b^3*d*Sqrt[Sec[c + d*x]]) + (2*a*(A*b - a*B)*Sin[c + d*x])/(3*
b*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]]) - (2*a*(4*A*
b^3 + 3*a^3*B - 7*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*b^2*(a^2 - b
^2)^2*d*Sqrt[a + b*Cos[c + d*x]])
```

**Rubi [A]** time = 1.64539, antiderivative size = 602, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 8, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.229$ , Rules used = {2961, 2989, 3051, 2809, 2993, 2998, 2816, 2994}

$$\frac{2a(3a^3B - 7ab^2B + 4Ab^3) \sin(c+dx) \sqrt{\sec(c+dx)}}{3b^2d(a^2 - b^2)^2 \sqrt{a+b \cos(c+dx)}} + \frac{2a(Ab - aB) \sin(c+dx)}{3bd(a^2 - b^2) \sqrt{\sec(c+dx)}(a+b \cos(c+dx))^{3/2}} - \frac{2(a^2bB +$$

Antiderivative was successfully verified.

```
[In] Int[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(3/2)), x]
```

```
[Out] (2*(4*A*b^3 + 3*a^3*B - 7*a*b^2*B)*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*Elliptic
E[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a +
b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x
]))/(a - b))]/(3*a*(a - b)*b^2*(a + b)^(3/2)*d*Sqrt[Sec[c + d*x]]) - (2*(3*
A*b^3 + 3*a^3*B + a^2*b*B - a*b^2*(A + 6*B))*Sqrt[Cos[c + d*x]]*Csc[c + d*x
]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]]
)], -((a + b)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + S
ec[c + d*x]))/(a - b))]/(3*a*(a - b)*b^2*(a + b)^(3/2)*d*Sqrt[Sec[c + d*x]]
) - (2*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b,
ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b
)/(a - b))]*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x])
)/(a - b))]/(b^3*d*Sqrt[Sec[c + d*x]]) + (2*a*(A*b - a*B)*Sin[c + d*x])/(3*
b*(a^2 - b^2)*d*(a + b*Cos[c + d*x])^(3/2)*Sqrt[Sec[c + d*x]]) - (2*a*(4*A*
b^3 + 3*a^3*B - 7*a*b^2*B)*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(3*b^2*(a^2 - b
^2)^2*d*Sqrt[a + b*Cos[c + d*x]])
```

**Rule 2961**

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*
(x_.)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^(n_.), x_Symbol] :> Dis
```

$t[(g*\text{Csc}[e + f*x])^p*(g*\text{Sin}[e + f*x])^p, \text{Int}[(a + b*\text{Sin}[e + f*x])^m*(c + d*\text{Sin}[e + f*x])^n]/(g*\text{Sin}[e + f*x])^p, x], x] /;$  FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])

### Rule 2989

$\text{Int}[(a + b*\text{sin}[e + f*x])^m*((A + B*\text{sin}[e + f*x]) + (C + D*\text{sin}[e + f*x]))^n, x\_Symbol] := -\text{Simp}[(b*c - a*d)*(B*c - A*d)*\text{Cos}[e + f*x]*(a + b*\text{Sin}[e + f*x])^{m-1}*(c + d*\text{Sin}[e + f*x])^{n+1}]/(d*f*(n+1)*(c^2 - d^2)), x] + \text{Dist}[1/(d*(n+1)*(c^2 - d^2)), \text{Int}[(a + b*\text{Sin}[e + f*x])^{m-2}*(c + d*\text{Sin}[e + f*x])^{n+1})*\text{Simp}[b*(b*c - a*d)*(B*c - A*d)*(m-1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n+1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n+1) - a*(b*c - a*d)*(B*c - A*d)*(n+2))*\text{Sin}[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m+n+1) - b*B*(c^2*m + d^2*(n+1)))*\text{Sin}[e + f*x]^2, x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]

### Rule 3051

$\text{Int}[(A + B*\text{sin}[e + f*x] + C*\text{sin}[e + f*x])^2/(\text{Sqrt}[d*\text{sin}[e + f*x]]*((a + b*\text{sin}[e + f*x]) + (c + d*\text{sin}[e + f*x]))^{3/2}), x\_Symbol] := \text{Dist}[C/(b*d), \text{Int}[\text{Sqrt}[d*\text{Sin}[e + f*x]]/\text{Sqrt}[a + b*\text{Sin}[e + f*x]], x], x] + \text{Dist}[1/b, \text{Int}[(A*b + (b*B - a*C)*\text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[d*\text{Sin}[e + f*x]]), x], x] /;$  FreeQ[{a, b, d, e, f, A, B, C}, x] && NeQ[a^2 - b^2, 0]

### Rule 2809

$\text{Int}[\text{Sqrt}[b*\text{sin}[e + f*x]]/\text{Sqrt}[c + d*\text{sin}[e + f*x]]*(x), x\_Symbol] := \text{Simp}[(2*b*\text{Tan}[e + f*x]*\text{Rt}[(c + d)/b, 2]*\text{Sqrt}[(c*(1 + \text{Csc}[e + f*x]))/(c - d)]*\text{Sqrt}[(c*(1 - \text{Csc}[e + f*x]))/(c + d)]*\text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d*\text{Sin}[e + f*x]]/(\text{Sqrt}[b*\text{Sin}[e + f*x]]*\text{Rt}[(c + d)/b, 2])], -(c + d)/(c - d)]/(d*f), x] /;$  FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

### Rule 2993

$\text{Int}[(A + B*\text{sin}[e + f*x])^2/(\text{Sqrt}[d*\text{sin}[e + f*x]]*((a + b*\text{sin}[e + f*x]) + (c + d*\text{sin}[e + f*x]))^{3/2}), x\_Symbol] := \text{Simp}[(2*(A*b - a*B)*\text{Cos}[e + f*x]/(f*(a^2 - b^2)*\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[d*\text{Sin}[e + f*x]]), x] + \text{Dist}[d/(a^2 - b^2), \text{Int}[(A*b - a*B + (a*A - b*B)*\text{Sin}[e + f*x])/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*(d*\text{Sin}[e + f*x])^{3/2}), x], x] /;$  FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]

### Rule 2998

$\text{Int}[(A + B*\text{sin}[e + f*x])^2/((a + b*\text{sin}[e + f*x]) + (c + d*\text{sin}[e + f*x]))^{3/2}*\text{Sqrt}[c + d*\text{sin}[e + f*x]], x\_Symbol] := \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b*\text{Sin}[e + f*x]]*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] - \text{Dist}[(A*b - a*B)/(a - b), \text{Int}[(1 + \text{Sin}[e + f*x])/((a + b*\text{Sin}[e + f*x])^{3/2}*\text{Sqrt}[c + d*\text{Sin}[e + f*x]]), x], x] /;$  FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && NeQ[A, B]

### Rule 2816

$\text{Int}[1/(\text{Sqrt}[d*\text{sin}[e + f*x]]*\text{Sqrt}[a + b*\text{sin}[e + f*x]]), x]$

```

_.)*(x_]]), x_Symbol] := Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

```

Rule 2994

```

Int[((A_) + (B_)*sin[(e_) + (f_)*(x_)])/(((b_)*sin[(e_) + (f_)*(x_)])^(3/2)*Sqrt[(c_) + (d_)*sin[(e_) + (f_)*(x_)]]), x_Symbol] := Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

```

Rubi steps

$$\begin{aligned}
 \int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{5/2} \sec^2(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^3(c + dx)(A + B \cos(c + dx))}{(a + b \cos(c + dx))^{5/2}} dx \\
 &= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} - \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} \\
 &= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} - \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} \\
 &= -\frac{2\sqrt{a + b} B \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{b^3 d \sqrt{\sec(c + dx)}} \\
 &= -\frac{2\sqrt{a + b} B \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{b^3 d \sqrt{\sec(c + dx)}} \\
 &= \frac{2(4Ab^3 + 3a^3B - 7ab^2B) \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{3a(a - b)b^2(a + b)^{3/2} d \sqrt{\sec(c + dx)}}
 \end{aligned}$$

**Mathematica [C]** time = 16.1467, size = 1994, normalized size = 3.31

result too large to display

Warning: Unable to verify antiderivative.

```

[In] Integrate[(A + B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(5/2)*Sec[c + d*x]^(3/2)),x]

```

```

[Out] (Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]*((2*(4*A*b^3 + 3*a^3*B - 7*a*b^2*B)*Sin[c + d*x])/(3*b^2*(-a^2 + b^2)^2) - (2*(-(a^2*A*b*Sin[c + d*x]) + a^3*B*Sin[c + d*x]))/(3*b^2*(-a^2 + b^2)*(a + b*Cos[c + d*x])^2) - (2*(-(a^3*A*b*Sin[c + d*x]) + 5*a*A*b^3*Sin[c + d*x] + 4*a^4*B*Sin[c + d*x] - 8*a^2*b^2*B*Sin[c + d*x]))/(3*b^2*(-a^2 + b^2)^2*(a + b*Cos[c + d*x])))/d - (2*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(1 + Tan[(c + d*x)/2]^2)]*(4*a*A*b^3*Sqrt[(a - b)/(a + b)]*Tan[(c + d*x)/2] + 4*A*b^4*Sqrt[

```

$$\begin{aligned}
& (a-b)/(a+b) \cdot \tan[(c+dx)/2] + 3a^4 \sqrt{(a-b)/(a+b)} \cdot B \cdot \tan[(c+dx)/2] + 3a^3 b \sqrt{(a-b)/(a+b)} \cdot B \cdot \tan[(c+dx)/2] \\
& - 7a^2 b^2 \sqrt{(a-b)/(a+b)} \cdot B \cdot \tan[(c+dx)/2] - 7a b^3 \sqrt{(a-b)/(a+b)} \cdot B \cdot \tan[(c+dx)/2] - 8A b^4 \sqrt{(a-b)/(a+b)} \cdot \tan[(c+dx)/2]^3 \\
& - 6a^3 b \sqrt{(a-b)/(a+b)} \cdot B \cdot \tan[(c+dx)/2]^3 + 14a b^3 \sqrt{(a-b)/(a+b)} \cdot B \cdot \tan[(c+dx)/2]^3 - 4a^4 b^3 \sqrt{(a-b)/(a+b)} \cdot \tan[(c+dx)/2]^5 \\
& + 4A b^4 \sqrt{(a-b)/(a+b)} \cdot \tan[(c+dx)/2]^5 - 3a^4 \sqrt{(a-b)/(a+b)} \cdot B \cdot \tan[(c+dx)/2]^5 + 3a^3 b \sqrt{(a-b)/(a+b)} \cdot B \cdot \tan[(c+dx)/2]^5 \\
& + 7a^2 b^2 \sqrt{(a-b)/(a+b)} \cdot B \cdot \tan[(c+dx)/2]^5 - 7a b^3 \sqrt{(a-b)/(a+b)} \cdot B \cdot \tan[(c+dx)/2]^5 + (6I) a^4 B \operatorname{EllipticPi}[(a+b)/(a-b), \\
& I \operatorname{ArcSinh}[\sqrt{(a-b)/(a+b)} \cdot \tan[(c+dx)/2]], -((a+b)/(a-b))] \sqrt{1 - \tan[(c+dx)/2]^2} \sqrt{(a+b + a \tan[(c+dx)/2]^2 - b \tan[(c+dx)/2]^2)/(a+b)} \\
& - (12I) a^2 b^2 B \operatorname{EllipticPi}[(a+b)/(a-b), I \operatorname{ArcSinh}[\sqrt{(a-b)/(a+b)} \cdot \tan[(c+dx)/2]], -((a+b)/(a-b))] \sqrt{1 - \tan[(c+dx)/2]^2} \sqrt{(a+b + a \tan[(c+dx)/2]^2 - b \tan[(c+dx)/2]^2)/(a+b)} \\
& + (6I) b^4 B \operatorname{EllipticPi}[(a+b)/(a-b), I \operatorname{ArcSinh}[\sqrt{(a-b)/(a+b)} \cdot \tan[(c+dx)/2]], -((a+b)/(a-b))] \sqrt{1 - \tan[(c+dx)/2]^2} \sqrt{(a+b + a \tan[(c+dx)/2]^2 - b \tan[(c+dx)/2]^2)/(a+b)} \\
& + (6I) a^4 B \operatorname{EllipticPi}[(a+b)/(a-b), I \operatorname{ArcSinh}[\sqrt{(a-b)/(a+b)} \cdot \tan[(c+dx)/2]], -((a+b)/(a-b))] \tan[(c+dx)/2]^2 \sqrt{1 - \tan[(c+dx)/2]^2} \sqrt{(a+b + a \tan[(c+dx)/2]^2 - b \tan[(c+dx)/2]^2)/(a+b)} \\
& - (12I) a^2 b^2 B \operatorname{EllipticPi}[(a+b)/(a-b), I \operatorname{ArcSinh}[\sqrt{(a-b)/(a+b)} \cdot \tan[(c+dx)/2]], -((a+b)/(a-b))] \tan[(c+dx)/2]^2 \sqrt{1 - \tan[(c+dx)/2]^2} \sqrt{(a+b + a \tan[(c+dx)/2]^2 - b \tan[(c+dx)/2]^2)/(a+b)} \\
& + (6I) b^4 B \operatorname{EllipticPi}[(a+b)/(a-b), I \operatorname{ArcSinh}[\sqrt{(a-b)/(a+b)} \cdot \tan[(c+dx)/2]], -((a+b)/(a-b))] \tan[(c+dx)/2]^2 \sqrt{1 - \tan[(c+dx)/2]^2} \sqrt{(a+b + a \tan[(c+dx)/2]^2 - b \tan[(c+dx)/2]^2)/(a+b)} \\
& + I(a-b)(4A b^3 + 3a^3 B - 7a b^2 B) \operatorname{EllipticE}[I \operatorname{ArcSinh}[\sqrt{(a-b)/(a+b)} \cdot \tan[(c+dx)/2]], -((a+b)/(a-b))] \sqrt{1 - \tan[(c+dx)/2]^2} \sqrt{(a+b + a \tan[(c+dx)/2]^2 - b \tan[(c+dx)/2]^2)/(a+b)} \\
& - I(a-b)(3b^3(A-B) + 6a^3 B + 4a^2 b B - a b^2(A+9B)) \operatorname{EllipticF}[I \operatorname{ArcSinh}[\sqrt{(a-b)/(a+b)} \cdot \tan[(c+dx)/2]], -((a+b)/(a-b))] \sqrt{1 - \tan[(c+dx)/2]^2} \sqrt{(a+b + a \tan[(c+dx)/2]^2 - b \tan[(c+dx)/2]^2)/(a+b)} \\
& ))/(3b^2 \sqrt{(a-b)/(a+b)} \cdot (a^2 - b^2)^2 d \cdot (-1 + \tan[(c+dx)/2]^2) \sqrt{(1 + \tan[(c+dx)/2]^2)/(1 - \tan[(c+dx)/2]^2)} \cdot (b(-1 + \tan[(c+dx)/2]^2) - a(1 + \tan[(c+dx)/2]^2)))
\end{aligned}$$

**Maple [B]** time = 0.571, size = 5757, normalized size = 9.6

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\int \frac{(A+B \cos(dx+c))}{(a+b \cos(dx+c))^{5/2} \sec(dx+c)^{3/2}} dx$

[Out] result too large to display

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx+c) + A}{(b \cos(dx+c) + a)^2 \sec(dx+c)^2} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(3/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{(b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3) \sec(dx + c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(3/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/((b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3)\*sec(d\*x + c)^(3/2)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(3/2)), x)

$$3.630 \quad \int \frac{A+B \cos(c+dx)}{(a+b \cos(c+dx))^{5/2} \sec^2(c+dx)} dx$$

**Optimal.** Leaf size=733

$$\frac{2a(Ab - aB) \sin(c + dx)}{3bd(a^2 - b^2) \sec^2(c + dx)(a + b \cos(c + dx))^{3/2}} - \frac{(6a^3Ab + 26a^2b^2B - 15a^4B - 14aAb^3 - 3b^4B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3b^3d(a^2 - b^2)^2}$$

[Out] ((6\*a^3\*A\*b - 14\*a\*A\*b^3 - 15\*a^4\*B + 26\*a^2\*b^2\*B - 3\*b^4\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a\*(a - b)\*b^3\*(a + b)^(3/2)\*d\*Sqrt[Sec[c + d\*x]]) + ((3\*b^3\*(4\*A - B) + 15\*a^3\*B - a\*b^2\*(2\*A + 21\*B) - a^2\*(6\*A\*b - 5\*b\*B))\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*(a - b)\*b^3\*(a + b)^(3/2)\*d\*Sqrt[Sec[c + d\*x]]) - (Sqrt[a + b]\*(2\*A\*b - 5\*a\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(b^4\*d\*Sqrt[Sec[c + d\*x]]) + (2\*a\*(A\*b - a\*B)\*Sin[c + d\*x])/(3\*b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(3/2)) + (2\*a\*(2\*a^2\*A\*b - 6\*A\*b^3 - 5\*a^3\*B + 9\*a\*b^2\*B)\*Sin[c + d\*x])/(3\*b^2\*(a^2 - b^2)^2\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) - ((6\*a^3\*A\*b - 14\*a\*A\*b^3 - 15\*a^4\*B + 26\*a^2\*b^2\*B - 3\*b^4\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3\*b^3\*(a^2 - b^2)^2\*d)

**Rubi [A]** time = 2.49364, antiderivative size = 733, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 9, integrand size = 35,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.257$ , Rules used = {2961, 2989, 3047, 3061, 3053, 2809, 2998, 2816, 2994}

$$\frac{2a(Ab - aB) \sin(c + dx)}{3bd(a^2 - b^2) \sec^2(c + dx)(a + b \cos(c + dx))^{3/2}} - \frac{(6a^3Ab + 26a^2b^2B - 15a^4B - 14aAb^3 - 3b^4B) \sin(c + dx) \sqrt{\sec(c + dx)}}{3b^3d(a^2 - b^2)^2}$$

Antiderivative was successfully verified.

[In] Int[(A + B\*Cos[c + d\*x])/((a + b\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(5/2)), x]

[Out] ((6\*a^3\*A\*b - 14\*a\*A\*b^3 - 15\*a^4\*B + 26\*a^2\*b^2\*B - 3\*b^4\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticE[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*a\*(a - b)\*b^3\*(a + b)^(3/2)\*d\*Sqrt[Sec[c + d\*x]]) + ((3\*b^3\*(4\*A - B) + 15\*a^3\*B - a\*b^2\*(2\*A + 21\*B) - a^2\*(6\*A\*b - 5\*b\*B))\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(3\*(a - b)\*b^3\*(a + b)^(3/2)\*d\*Sqrt[Sec[c + d\*x]]) - (Sqrt[a + b]\*(2\*A\*b - 5\*a\*B)\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(b^4\*d\*Sqrt[Sec[c + d\*x]]) + (2\*a\*(A\*b - a\*B)\*Sin[c + d\*x])/(3\*b\*(a^2 - b^2)\*d\*(a + b\*Cos[c + d\*x])^(3/2)\*Sec[c + d\*x]^(3/2)) + (2\*a\*(2\*a^2\*A\*b - 6\*A\*b^3 - 5\*a^3\*B + 9\*a\*b^2\*B)\*Sin[c + d\*x])/(3\*b^2\*(a^2 - b^2)^2\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]) - ((6\*a^3\*A\*b - 14\*a\*A\*b^3 - 15\*a^4\*B + 26\*a^2\*b^2\*B - 3\*b^4\*B)\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(3\*b^3\*(a^2 - b^2)^2\*d)

$$\frac{2*b^2*B - 3*b^4*B}{(3*b^3*(a^2 - b^2)^2*d)} * \text{Sqrt}[a + b*\text{Cos}[c + d*x]] * \text{Sqrt}[\text{Sec}[c + d*x]] * \text{Sin}[c + d*x]$$
Rule 2961

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := Dist[(g*Csc[e + f*x])^p*(g*Sin[e + f*x])^p, Int[((a + b*Sin[e + f*x])^m*(c + d*Sin[e + f*x])^n)/(g*Sin[e + f*x])^p, x], x] /; FreeQ[{a, b, c, d, e, f, g, m, n, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && !(IntegerQ[m] && IntegerQ[n])
```

Rule 2989

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] := -Simp[((b*c - a*d)*(B*c - A*d)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 2)*(c + d*Sin[e + f*x])^(n + 1)*Simp[b*(b*c - a*d)*(B*c - A*d)*(m - 1) + a*d*(a*A*c + b*B*c - (A*b + a*B)*d)*(n + 1) + (b*(b*d*(B*c - A*d) + a*(A*c*d + B*(c^2 - 2*d^2)))*(n + 1) - a*(b*c - a*d)*(B*c - A*d)*(n + 2))*Sin[e + f*x] + b*(d*(A*b*c + a*B*c - a*A*d)*(m + n + 1) - b*B*(c^2*m + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 1] && LtQ[n, -1]
```

Rule 3047

```
Int[((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.)*((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)])^2, x_Symbol] := -Simp[((c^2*C - B*c*d + A*d^2)*Cos[e + f*x]*(a + b*Sin[e + f*x])^(m*(c + d*Sin[e + f*x])^(n + 1))/(d*f*(n + 1)*(c^2 - d^2)), x] + Dist[1/(d*(n + 1)*(c^2 - d^2)), Int[(a + b*Sin[e + f*x])^(m - 1)*(c + d*Sin[e + f*x])^(n + 1)*Simp[A*d*(b*d*m + a*c*(n + 1)) + (c*C - B*d)*(b*c*m + a*d*(n + 1)) - (d*(A*(a*d*(n + 2) - b*c*(n + 1)) + B*(b*d*(n + 1) - a*c*(n + 2))) - C*(b*c*d*(n + 1) - a*(c^2 + d^2*(n + 1)))*Sin[e + f*x] + b*(d*(B*c - A*d)*(m + n + 2) - C*(c^2*(m + 1) + d^2*(n + 1)))*Sin[e + f*x]^2, x], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && GtQ[m, 0] && LtQ[n, -1]
```

Rule 3061

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)])^2/(Sqrt[(a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)]]*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := -Simp[(C*Cos[e + f*x]*Sqrt[c + d*Sin[e + f*x]])/(d*f*Sqrt[a + b*Sin[e + f*x]]), x] + Dist[1/(2*d), Int[(1*Simp[2*a*A*d - C*(b*c - a*d) - 2*(a*c*C - d*(A*b + a*B))*Sin[e + f*x] + (2*b*B*d - C*(b*c + a*d))*Sin[e + f*x]^2, x])/(a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]
```

Rule 3053

```
Int[((A_.) + (B_.)*sin[(e_.) + (f_.)*(x_)] + (C_.)*sin[(e_.) + (f_.)*(x_)])^2/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[C/b^2, Int[Sqrt[a + b*Sin[e + f*x]]/Sqrt[c + d*Sin[e + f*x]], x], x] + Dist[1/b^2, Int[(A*b^2 - a^2*C + b*(b*B - 2*a*C))*Sin[e + f*x]/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /; FreeQ[{a, b, c, d, e, f, A, B, C}, x] && NeQ[b*c - a*d, 0] &&
```

$\text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0]$

#### Rule 2809

$\text{Int}[\text{Sqrt}[(b_.)\sin[(e_.) + (f_.)x]]/\text{Sqrt}[(c_.) + (d_.)\sin[(e_.) + (f_.)x]], x\_Symbol] \rightarrow \text{Simp}[(2b \tan[e + fx] \text{Rt}[(c + d)/b, 2] \text{Sqrt}[(c(1 + \text{Csc}[e + fx]))/(c - d)] \text{Sqrt}[(c(1 - \text{Csc}[e + fx]))/(c + d)] \text{EllipticPi}[(c + d)/d, \text{ArcSin}[\text{Sqrt}[c + d \sin[e + fx]]/(\text{Sqrt}[b \sin[e + fx]] \text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(df), x] /; \text{FreeQ}\{b, c, d, e, f\}, x] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{PosQ}[(c + d)/b]$

#### Rule 2998

$\text{Int}[(A_.) + (B_.)\sin[(e_.) + (f_.)x]]/((a_.) + (b_.)\sin[(e_.) + (f_.)x])^{3/2} \text{Sqrt}[(c_.) + (d_.)\sin[(e_.) + (f_.)x]], x\_Symbol] \rightarrow \text{Dist}[(A - B)/(a - b), \text{Int}[1/(\text{Sqrt}[a + b \sin[e + fx]] \text{Sqrt}[c + d \sin[e + fx]]), x], x] - \text{Dist}[(A b - a B)/(a - b), \text{Int}[(1 + \sin[e + fx])/(a + b \sin[e + fx])^{3/2} \text{Sqrt}[c + d \sin[e + fx]]], x], x] /; \text{FreeQ}\{a, b, c, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[b c - a d, 0] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{NeQ}[A, B]$

#### Rule 2816

$\text{Int}[1/(\text{Sqrt}[(d_.)\sin[(e_.) + (f_.)x]] \text{Sqrt}[(a_.) + (b_.)\sin[(e_.) + (f_.)x]]), x\_Symbol] \rightarrow \text{Simp}[(-2 \tan[e + fx] \text{Rt}[(a + b)/d, 2] \text{Sqrt}[(a(1 - \text{Csc}[e + fx]))/(a + b)] \text{Sqrt}[(a(1 + \text{Csc}[e + fx]))/(a - b)] \text{EllipticF}[\text{ArcSin}[\text{Sqrt}[a + b \sin[e + fx]]/(\text{Sqrt}[d \sin[e + fx]] \text{Rt}[(a + b)/d, 2])], -(a + b)/(a - b))]/(a f), x] /; \text{FreeQ}\{a, b, d, e, f\}, x] \ \&\& \ \text{NeQ}[a^2 - b^2, 0] \ \&\& \ \text{PosQ}[(a + b)/d]$

#### Rule 2994

$\text{Int}[(A_.) + (B_.)\sin[(e_.) + (f_.)x]]/((b_.)\sin[(e_.) + (f_.)x])^{3/2} \text{Sqrt}[(c_.) + (d_.)\sin[(e_.) + (f_.)x]], x\_Symbol] \rightarrow \text{Simp}[(-2 A (c - d) \tan[e + fx] \text{Rt}[(c + d)/b, 2] \text{Sqrt}[(c(1 + \text{Csc}[e + fx]))/(c - d)] \text{Sqrt}[(c(1 - \text{Csc}[e + fx]))/(c + d)] \text{EllipticE}[\text{ArcSin}[\text{Sqrt}[c + d \sin[e + fx]]/(\text{Sqrt}[b \sin[e + fx]] \text{Rt}[(c + d)/b, 2])], -((c + d)/(c - d))]/(f b c^2), x] /; \text{FreeQ}\{b, c, d, e, f, A, B\}, x] \ \&\& \ \text{NeQ}[c^2 - d^2, 0] \ \&\& \ \text{EqQ}[A, B] \ \&\& \ \text{PosQ}[(c + d)/b]$

#### Rubi steps



$$\begin{aligned}
\int \frac{A + B \cos(c + dx)}{(a + b \cos(c + dx))^{5/2} \sec^2(c + dx)} dx &= \left( \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\cos^{5/2}(c + dx) (A + B \cos(c + dx))}{(a + b \cos(c + dx))^{5/2}} dx \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sec^2(c + dx)} - \frac{(2\sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)})}{3b^2(a^2 - b^2)^2 d\sqrt{a + b \cos(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sec^2(c + dx)} + \frac{2a(2a^2Ab - 6Ab^3 - 5a^2b^2)}{3b^2(a^2 - b^2)^2 d\sqrt{a + b \cos(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sec^2(c + dx)} + \frac{2a(2a^2Ab - 6Ab^3 - 5a^2b^2)}{3b^2(a^2 - b^2)^2 d\sqrt{a + b \cos(c + dx)}} \\
&= \frac{2a(Ab - aB) \sin(c + dx)}{3b(a^2 - b^2) d(a + b \cos(c + dx))^{3/2} \sec^2(c + dx)} + \frac{2a(2a^2Ab - 6Ab^3 - 5a^2b^2)}{3b^2(a^2 - b^2)^2 d\sqrt{a + b \cos(c + dx)}} \\
&= -\frac{\sqrt{a + b}(2Ab - 5aB)\sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{b^4 d \sqrt{\sec(c + dx)}} \\
&= \frac{(6a^3Ab - 14aAb^3 - 15a^4B + 26a^2b^2B - 3b^4B) \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) E\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\right)}{3a(a - b)b^3(a + b)^{3/2} d \sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [B]** time = 22.4906, size = 2342, normalized size = 3.2

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[(A + B\*Cos[c + d\*x])/((a + b\*Cos[c + d\*x])^(5/2)\*Sec[c + d\*x]^(5/2)), x]

[Out] (Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*((-2\*a\*(-3\*a^2\*A\*b + 7\*A\*b^3 + 6\*a^3\*B - 10\*a\*b^2\*B)\*Sin[c + d\*x])/(3\*b^3\*(a^2 - b^2)^2) + (2\*(-(a^3\*A\*b\*Sin[c + d\*x]) + a^4\*B\*Sin[c + d\*x]))/(3\*b^3\*(-a^2 + b^2)\*(a + b\*Cos[c + d\*x])^2) + (2\*(-4\*a^4\*A\*b\*Sin[c + d\*x] + 8\*a^2\*A\*b^3\*Sin[c + d\*x] + 7\*a^5\*B\*Sin[c + d\*x] - 11\*a^3\*b^2\*B\*Sin[c + d\*x]))/(3\*b^3\*(-a^2 + b^2)^2\*(a + b\*Cos[c + d\*x])))/d + (Sqrt[(1 - Tan[(c + d\*x)/2]^2)^(-1)]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(1 + Tan[(c + d\*x)/2]^2)]\*(6\*a^4\*A\*b\*Tan[(c + d\*x)/2] + 6\*a^3\*A\*b^2\*Tan[(c + d\*x)/2] - 14\*a^2\*A\*b^3\*Tan[(c + d\*x)/2] - 14\*a\*A\*b^4\*Tan[(c + d\*x)/2] - 15\*a^5\*B\*Tan[(c + d\*x)/2] - 15\*a^4\*b\*B\*Tan[(c + d\*x)/2] + 26\*a^3\*b^2\*B\*Tan[(c + d\*x)/2] + 26\*a^2\*b^3\*B\*Tan[(c + d\*x)/2] - 3\*a\*b^4\*B\*Tan[(c + d\*x)/2] - 3\*b^5\*B\*Tan[(c + d\*x)/2] - 12\*a^3\*A\*b^2\*Tan[(c + d\*x)/2]^3 + 28\*a\*A\*b^4\*Tan[(c + d\*x)/2]^3 + 30\*a^4\*b\*B\*Tan[(c + d\*x)/2]^3 - 52\*a^2\*b^3\*B\*Tan[(c + d\*x)/2]^3 + 6\*b^5\*B\*Tan[(c + d\*x)/2]^3 - 6\*a^4\*A\*b\*Tan[(c + d\*x)/2]^5 + 6\*a^3\*A\*b^2\*Tan[(c + d\*x)/2]^5 + 14\*a^2\*A\*b^3\*Tan[(c + d\*x)/2]^5 - 14\*a\*A\*b^4\*Tan[(c + d\*x)/2]^5 + 15\*a^5\*B\*Tan[(c + d\*x)/2]^5 - 15\*a^4\*b\*B\*Tan[(c + d\*x)/2]^5 - 26\*a^3\*b^2\*B\*Tan[(c + d\*x)/2]^5 + 26\*a^2\*b^3\*B\*Tan[(c + d\*x)/2]^5 + 3\*a\*b^4\*B\*Tan[(c + d\*x)/2]^5 - 3\*b^5\*B\*Tan[(c + d\*x)/2]^5 + 12\*a^4\*A\*b\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]]], (-a + b)/(a + b)\*Sqrt[1 - Tan[(c + d\*x)/2]^2]\*Sqrt[(a + b + a\*Tan[(c + d\*x)/2]^2 - b\*Tan[(c + d\*x)/2]^2)/(a + b)] - 24\*a^2\*A\*b^3\*EllipticPi[-1, -ArcSin

```
[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 12*A*b^5*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 30*a^5*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 60*a^3*b^2*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 30*a*b^4*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 12*a^4*A*b*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 24*a^2*A*b^3*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 12*A*b^5*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 30*a^5*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 60*a^3*b^2*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - 30*a*b^4*B*EllipticPi[-1, -ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Tan[(c + d*x)/2]^2*Sqrt[1 - Tan[(c + d*x)/2]^2]*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] - (a + b)*(-6*a^3*A*b + 14*a*A*b^3 + 15*a^4*B - 26*a^2*b^2*B + 3*b^4*B)*EllipticE[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)] + 2*b*(a + b)*(3*A*b^3 + 3*a*b^2*(A - 2*B) + 5*a^3*B - a^2*b*(2*A + 3*B))*EllipticF[ArcSin[Tan[(c + d*x)/2]], (-a + b)/(a + b)]*Sqrt[1 - Tan[(c + d*x)/2]^2]*(1 + Tan[(c + d*x)/2]^2)*Sqrt[(a + b + a*Tan[(c + d*x)/2]^2 - b*Tan[(c + d*x)/2]^2)/(a + b)))/(3*b^3*(a^2 - b^2)^2*d*Sqrt[1 + Tan[(c + d*x)/2]^2]*(b*(-1 + Tan[(c + d*x)/2]^2) - a*(1 + Tan[(c + d*x)/2]^2)))
```

**Maple [B]** time = 0.714, size = 8621, normalized size = 11.8

output too large to display

Verification of antiderivative is not currently implemented for this CAS.

```
[In] int((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2)/sec(d*x+c)^(5/2),x)
```

```
[Out] result too large to display
```

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(d*x+c))/(a+b*cos(d*x+c))^(5/2)/sec(d*x+c)^(5/2),x, algorithm="maxima")
```

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(5/2)), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(dx + c) + A)\sqrt{b \cos(dx + c) + a}}{(b^3 \cos(dx + c)^3 + 3ab^2 \cos(dx + c)^2 + 3a^2b \cos(dx + c) + a^3) \sec(dx + c)^{\frac{5}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(5/2),x, algorithm="fricas")

[Out] integral((B\*cos(d\*x + c) + A)\*sqrt(b\*cos(d\*x + c) + a)/((b^3\*cos(d\*x + c)^3 + 3\*a\*b^2\*cos(d\*x + c)^2 + 3\*a^2\*b\*cos(d\*x + c) + a^3)\*sec(d\*x + c)^(5/2)), x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*(5/2)/sec(d\*x+c)\*\*(5/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{B \cos(dx + c) + A}{(b \cos(dx + c) + a)^{\frac{5}{2}} \sec(dx + c)^{\frac{5}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(5/2)/sec(d\*x+c)^(5/2),x, algorithm="giac")

[Out] integrate((B\*cos(d\*x + c) + A)/((b\*cos(d\*x + c) + a)^(5/2)\*sec(d\*x + c)^(5/2)), x)

$$3.631 \quad \int \frac{(aB + bB \cos(c + dx)) \sec^2(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx$$

**Optimal.** Leaf size=266

$$\frac{2B(a-b)\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{a^2d\sqrt{\sec(c+dx)}} - \frac{2B\sqrt{a+b}\sqrt{\cos(c+dx)}}{a^2d\sqrt{\sec(c+dx)}}$$

```
[Out] (2*(a - b)*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a^2*d*Sqrt[Sec[c + d*x]]) - (2*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d*Sqrt[Sec[c + d*x]]))
```

**Rubi [A]** time = 0.370149, antiderivative size = 266, normalized size of antiderivative = 1., number of steps used = 5, number of rules used = 5, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.132$ , Rules used = {21, 4222, 2801, 2816, 2994}

$$\frac{2B(a-b)\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}E\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{a^2d\sqrt{\sec(c+dx)}} - \frac{2B\sqrt{a+b}\sqrt{\cos(c+dx)}}{a^2d\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[((a*B + b*B*Cos[c + d*x])*Sec[c + d*x]^(3/2))/(a + b*Cos[c + d*x])^(3/2), x]
```

```
[Out] (2*(a - b)*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a^2*d*Sqrt[Sec[c + d*x]]) - (2*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b)]/(a*d*Sqrt[Sec[c + d*x]]))
```

### Rule 21

```
Int[(u_.)*((a_.) + (b_.)*(v_))^(m_.)*((c_.) + (d_.)*(v_))^(n_.), x_Symbol] := Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])
```

### Rule 4222

```
Int[(csc[(a_.) + (b_.)*(x_)]*(c_.))^(m_.)*(u_), x_Symbol] := Dist[(c*Csc[a + b*x])^m*(c*Sin[a + b*x])^m, Int[ActivateTrig[u]/(c*Sin[a + b*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]
```

### Rule 2801

```
Int[1/(((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(3/2)*Sqrt[(c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)]]), x_Symbol] := Dist[1/(a - b), Int[1/(Sqrt[a + b*Sin[e + f*x]]*Sqrt[c + d*Sin[e + f*x]]), x], x] - Dist[b/(a - b), Int[(1 + Sin[e + f*x])/((a + b*Sin[e + f*x])^(3/2)*Sqrt[c + d*Sin[e + f*x]]), x], x] /;
```

FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

#### Rule 2816

Int[1/(Sqrt[(d\_)\*sin[(e\_)] + (f\_)\*(x\_)])\*Sqrt[(a\_) + (b\_)\*sin[(e\_)] + (f\_)\*(x\_)]), x\_Symbol] := Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rule 2994

Int[((A\_) + (B\_)\*sin[(e\_)] + (f\_)\*(x\_)]/(((b\_)\*sin[(e\_)] + (f\_)\*(x\_))]^(3/2)\*Sqrt[(c\_) + (d\_)\*sin[(e\_)] + (f\_)\*(x\_)], x\_Symbol] := Simp[(-2\*A\*(c - d)\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticE[ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f\*b\*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]

#### Rubi steps

$$\begin{aligned} \int \frac{(aB + bB \cos(c + dx)) \sec^{\frac{3}{2}}(c + dx)}{(a + b \cos(c + dx))^{3/2}} dx &= B \int \frac{\sec^{\frac{3}{2}}(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\ &= (B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{1}{\cos^{\frac{3}{2}}(c + dx)\sqrt{a + b \cos(c + dx)}} dx \\ &= -\left( (B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}} dx \right) \\ &= \frac{2(a - b)\sqrt{a + b}\sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a + b \cos(c + dx)}}{\sqrt{a + b}\sqrt{\cos(c + dx)}}\right) \middle| -\frac{a + b}{a - b}\right)}{a^2 d \sqrt{\sec(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 6.0999, size = 298, normalized size = 1.12

$$B \left[ \frac{2 \sin(c + dx) \sqrt{\sec(c + dx)} \sqrt{a + b \cos(c + dx)}}{ad} - \frac{2 \sqrt{\cos^2\left(\frac{1}{2}(c + dx)\right) \sec(c + dx) \left(\cos(c + dx) \tan\left(\frac{1}{2}(c + dx)\right) \sec^2\right)}}{ad} \right]$$

Antiderivative was successfully verified.

[In] Integrate[((a\*B + b\*B\*Cos[c + d\*x])\*Sec[c + d\*x]^(3/2))/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] B\*((2\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]]\*Sin[c + d\*x])/(a\*d) - (2\*Sqrt[Cos[(c + d\*x)/2]^2\*Sec[c + d\*x]]\*(2\*(a + b)\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticE[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] - 2\*a\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])]\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + Cos[c + d\*x]\*(a + b\*Cos[c + d\*x])\*Sec[(c + d\*x)/2]^2\*Tan[(c + d\*x)/2])/(a\*d\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[(c + d\*x)/2]^2]))

---

**Maple [B]** time = 0.583, size = 621, normalized size = 2.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(3/2),x)`

[Out] 
$$-2*B/d/a*((\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*a-(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*a-(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\cos(d*x+c)*\sin(d*x+c)*b+a*(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticF((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*\sin(d*x+c)-(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*a*\sin(d*x+c)-(\cos(d*x+c)/(1+\cos(d*x+c)))^{1/2}*(1/(a+b)*(a+b*\cos(d*x+c))/(1+\cos(d*x+c)))^{1/2}*EllipticE((-1+\cos(d*x+c))/\sin(d*x+c),(-a-b)/(a+b))^{1/2})*b*\sin(d*x+c)+b*\cos(d*x+c)^2+\cos(d*x+c)*a-b*\cos(d*x+c)-a*\cos(d*x+c)*(1/\cos(d*x+c))^{3/2}/(a+b*\cos(d*x+c))^{1/2}/\sin(d*x+c)$$

---

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(3/2),x, algorithm="maxima")`

[Out] `integrate((B*b*cos(d*x + c) + B*a)*sec(d*x + c)^(3/2)/(b*cos(d*x + c) + a)^(3/2), x)`

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B \sec(dx + c)^{\frac{3}{2}}}{\sqrt{b \cos(dx + c) + a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a*B+b*B*cos(d*x+c))*sec(d*x+c)^(3/2)/(a+b*cos(d*x+c))^(3/2),x, algorithm="fricas")`

[Out] `integral(B*sec(d*x + c)^(3/2)/sqrt(b*cos(d*x + c) + a), x)`

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(3/2)/(a+b\*cos(d\*x+c))\*\*(3/2), x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba) \sec(dx + c)^{\frac{3}{2}}}{(b \cos(dx + c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^(3/2)/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)\*sec(d\*x + c)^(3/2)/(b\*cos(d\*x + c) + a)^(3/2), x)

$$3.632 \quad \int \frac{(aB+bB \cos(c+dx))\sqrt{\sec(c+dx)}}{(a+b \cos(c+dx))^{3/2}} dx$$

**Optimal.** Leaf size=130

$$\frac{2B\sqrt{a+b}\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad\sqrt{\sec(c+dx)}}$$

[Out] (2\*Sqrt[a + b]\*B\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d\*Sqrt[Sec[c + d\*x]])

**Rubi [A]** time = 0.155044, antiderivative size = 130, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.079$ , Rules used = {21, 4222, 2816}

$$\frac{2B\sqrt{a+b}\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{ad\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[((a\*B + b\*B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]])/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (2\*Sqrt[a + b]\*B\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticF[ArcSin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -((a + b)/(a - b))]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(a\*d\*Sqrt[Sec[c + d\*x]])

#### Rule 21

Int[(u\_.)\*((a\_.) + (b\_.)\*(v\_))^(m\_.)\*((c\_.) + (d\_.)\*(v\_))^(n\_.), x\_Symbol] :> Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_)]\*(c\_.))^(m\_.)\*(u\_), x\_Symbol] :> Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

#### Rule 2816

Int[1/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] :> Simp[(-2\*Tan[e + f\*x]\*Rt[(a + b)/d, 2]\*Sqrt[(a\*(1 - Csc[e + f\*x]))/(a + b)]\*Sqrt[(a\*(1 + Csc[e + f\*x]))/(a - b)]\*EllipticF[ArcSin[Sqrt[a + b\*Sin[e + f\*x]]/(Sqrt[d\*Sin[e + f\*x]]\*Rt[(a + b)/d, 2])], -((a + b)/(a - b)))/(a\*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]

#### Rubi steps



$$\begin{aligned} \int \frac{(aB + bB \cos(c + dx))\sqrt{\sec(c + dx)}}{(a + b \cos(c + dx))^{3/2}} dx &= B \int \frac{\sqrt{\sec(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx \\ &= (B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{1}{\sqrt{\cos(c + dx)}\sqrt{a + b \cos(c + dx)}} dx \\ &= \frac{2\sqrt{a + b}B\sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) F\left(\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{\frac{a(1-\cos(c+dx))}{a+b}}}{ad\sqrt{\sec(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.134802, size = 104, normalized size = 0.8

$$\frac{2B\sqrt{\frac{a+b\cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{b-a}{a+b}\right)}{d\sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}}\sqrt{\sec(c+dx)}\sqrt{a+b\cos(c+dx)}}$$

Antiderivative was successfully verified.

[In] Integrate[((a\*B + b\*B\*Cos[c + d\*x])\*Sqrt[Sec[c + d\*x]])/(a + b\*Cos[c + d\*x])^(3/2), x]

[Out] (2\*B\*Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))]\*EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]/(d\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])])\*Sqrt[a + b\*Cos[c + d\*x]]\*Sqrt[Sec[c + d\*x]])

**Maple [A]** time = 0.679, size = 126, normalized size = 1.

$$2 \frac{B\sqrt{(\cos(dx+c))^{-1}(\sin(dx+c))^2}}{d\sqrt{a+b\cos(dx+c)}(-1+\cos(dx+c))} \sqrt{\frac{\cos(dx+c)}{1+\cos(dx+c)}} \sqrt{\frac{a+b\cos(dx+c)}{(a+b)(1+\cos(dx+c))}} \operatorname{EllipticF}\left(\frac{-1+\cos(dx+c)}{\sin(dx+c)}\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(3/2), x)

[Out] 2\*B/d\*(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)\*EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)/(a+b\*cos(d\*x+c))^(1/2)\*(1/cos(d\*x+c))^(1/2)\*sin(d\*x+c)^2/(-1+cos(d\*x+c))

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx + c) + Ba)\sqrt{\sec(dx + c)}}{(b \cos(dx + c) + a)^{3/2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="maxima")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)\*sqrt(sec(d\*x + c))/(b\*cos(d\*x + c) + a)^(3/2), x)

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B\sqrt{\sec(dx+c)}}{\sqrt{b\cos(dx+c)+a}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="fricas")

[Out] integral(B\*sqrt(sec(d\*x + c))/sqrt(b\*cos(d\*x + c) + a), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)\*\*(1/2)/(a+b\*cos(d\*x+c))\*\*(3/2), x)

[Out] Timed out

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(Bb \cos(dx+c) + Ba)\sqrt{\sec(dx+c)}}{(b \cos(dx+c) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))\*sec(d\*x+c)^(1/2)/(a+b\*cos(d\*x+c))^(3/2), x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)\*sqrt(sec(d\*x + c))/(b\*cos(d\*x + c) + a)^(3/2), x)

$$3.633 \quad \int \frac{aB+bB \cos(c+dx)}{(a+b \cos(c+dx))^{3/2} \sqrt{\sec(c+dx)}} dx$$

**Optimal.** Leaf size=137

$$\frac{2B\sqrt{a+b}\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{bd\sqrt{\sec(c+dx)}}$$

[Out] (-2\*Sqrt[a + b]\*B\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticPi[(a + b)/b, Arc Sin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b)]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(b\*d\*Sqrt[Sec[c + d\*x]])

**Rubi [A]** time = 0.155048, antiderivative size = 137, normalized size of antiderivative = 1., number of steps used = 3, number of rules used = 3, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.079$ , Rules used = {21, 4222, 2809}

$$\frac{2B\sqrt{a+b}\sqrt{\cos(c+dx)} \csc(c+dx) \sqrt{\frac{a(1-\sec(c+dx))}{a+b}} \sqrt{\frac{a(\sec(c+dx)+1)}{a-b}} \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{bd\sqrt{\sec(c+dx)}}$$

Antiderivative was successfully verified.

[In] Int[(a\*B + b\*B\*Cos[c + d\*x])/((a + b\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]]), x]

[Out] (-2\*Sqrt[a + b]\*B\*Sqrt[Cos[c + d\*x]]\*Csc[c + d\*x]\*EllipticPi[(a + b)/b, Arc Sin[Sqrt[a + b\*Cos[c + d\*x]]/(Sqrt[a + b]\*Sqrt[Cos[c + d\*x]])], -(a + b)/(a - b)]\*Sqrt[(a\*(1 - Sec[c + d\*x]))/(a + b)]\*Sqrt[(a\*(1 + Sec[c + d\*x]))/(a - b)]/(b\*d\*Sqrt[Sec[c + d\*x]])

#### Rule 21

Int[(u\_.)\*((a\_.) + (b\_.)\*(v\_.))^(m\_.)\*((c\_.) + (d\_.)\*(v\_.))^(n\_.), x\_Symbol] := Dist[(b/d)^m, Int[u\*(c + d\*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x] && EqQ[b\*c - a\*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d\*x, a + b\*x])

#### Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_.)]\*(c\_.))^(m\_.)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Sin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Sin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

#### Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]], x\_Symbol] := Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Sin[e + f\*x]]/(Sqrt[b\*Sin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

#### Rubi steps

$$\begin{aligned} \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))^{3/2} \sqrt{\sec(c + dx)}} dx &= B \int \frac{1}{\sqrt{a + b \cos(c + dx)} \sqrt{\sec(c + dx)}} dx \\ &= \left( B \sqrt{\cos(c + dx)} \sqrt{\sec(c + dx)} \right) \int \frac{\sqrt{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx \\ &= - \frac{2\sqrt{a + b} B \sqrt{\cos(c + dx)} \operatorname{csc}(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b} \cos(c+dx)}{\sqrt{a+b} \sqrt{\cos(c+dx)}}\right) \middle| -\frac{a+b}{a-b}\right)}{bd \sqrt{\sec(c + dx)}} \end{aligned}$$

**Mathematica [A]** time = 0.178368, size = 149, normalized size = 1.09

$$\frac{2B \sqrt{\frac{\cos(c+dx)}{\cos(c+dx)+1}} \sqrt{\sec(c+dx)+1} \sqrt{\frac{a+b \cos(c+dx)}{(a+b)(\cos(c+dx)+1)}} \left( F\left(\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \middle| \frac{b-a}{a+b}\right) + 2\Pi\left(-1; -\sin^{-1}\left(\tan\left(\frac{1}{2}(c+dx)\right)\right) \right) \right)}{d \sqrt{\frac{1}{\cos(c+dx)+1}} \sqrt{a + b \cos(c + dx)}}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a\*B + b\*B\*Cos[c + d\*x])/((a + b\*Cos[c + d\*x])^(3/2)\*Sqrt[Sec[c + d\*x]]), x]

[Out] (-2\*B\*Sqrt[Cos[c + d\*x]/(1 + Cos[c + d\*x])] \* Sqrt[(a + b\*Cos[c + d\*x])/((a + b)\*(1 + Cos[c + d\*x]))] \* (EllipticF[ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)] + 2\*EllipticPi[-1, -ArcSin[Tan[(c + d\*x)/2]], (-a + b)/(a + b)]) \* Sqrt[1 + Sec[c + d\*x]]) / (d\*Sqrt[(1 + Cos[c + d\*x])^(-1)] \* Sqrt[a + b\*Cos[c + d\*x]])

**Maple [A]** time = 0.642, size = 144, normalized size = 1.1

$$2 \frac{B}{d \sqrt{a + b \cos(dx + c)} \sqrt{(\cos(dx + c))^{-1}}} \left( \operatorname{EllipticF}\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}, \sqrt{\frac{a - b}{a + b}}\right) - 2 \operatorname{EllipticPi}\left(\frac{-1 + \cos(dx + c)}{\sin(dx + c)}, -1\right) \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(1/2), x)

[Out] 2\*B/d/(a+b\*cos(d\*x+c))^(1/2)\*(EllipticF((-1+cos(d\*x+c))/sin(d\*x+c), (-a-b)/(a+b))^(1/2)-2\*EllipticPi((-1+cos(d\*x+c))/sin(d\*x+c), -1, (-a-b)/(a+b))^(1/2))\*(1/(a+b)\*(a+b\*cos(d\*x+c))/(1+cos(d\*x+c)))^(1/2)/(1/cos(d\*x+c))^(1/2)/(cos(d\*x+c)/(1+cos(d\*x+c)))^(1/2)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(1/2), x, algorithm="maxima")

```
[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)^(3/2)*sqrt(sec(d*x + c))), x)
```

---

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B}{\sqrt{b \cos(dx + c) + a} \sqrt{\sec(dx + c)}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2), x, algorithm="fricas")
```

```
[Out] integral(B/(sqrt(b*cos(d*x + c) + a)*sqrt(sec(d*x + c))), x)
```

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))**(3/2)/sec(d*x+c)**(1/2), x)
```

```
[Out] Timed out
```

---

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^{\frac{3}{2}} \sqrt{\sec(dx + c)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a*B+b*B*cos(d*x+c))/(a+b*cos(d*x+c))^(3/2)/sec(d*x+c)^(1/2), x, algorithm="giac")
```

```
[Out] integrate((B*b*cos(d*x + c) + B*a)/((b*cos(d*x + c) + a)^(3/2)*sqrt(sec(d*x + c))), x)
```

$$3.634 \quad \int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))^{3/2} \sec^2(c + dx)} dx$$

**Optimal.** Leaf size=479

$$\frac{aB\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}\Pi\left(\frac{a+b}{b};\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{b^2d\sqrt{\sec(c+dx)}} + \frac{aB\sin(c+dx)\sqrt{a+b}\sqrt{\cos(c+dx)}}{bd\sqrt{a+b}\sqrt{\cos(c+dx)}}$$

```
[Out] -(((a - b)*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(a*b*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(b*d*Sqrt[Sec[c + d*x]]) + (a*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(b^2*d*Sqrt[Sec[c + d*x]]) + (B*Sin[c + d*x])/(d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (a*B*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b*d*Sqrt[a + b*Cos[c + d*x]])]
```

**Rubi [A]** time = 0.922362, antiderivative size = 479, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 10, integrand size = 38,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.263$ , Rules used = {21, 4222, 2820, 2809, 3003, 2993, 12, 2801, 2816, 2994}

$$\frac{aB\sqrt{a+b}\sqrt{\cos(c+dx)}\csc(c+dx)\sqrt{\frac{a(1-\sec(c+dx))}{a+b}}\sqrt{\frac{a(\sec(c+dx)+1)}{a-b}}\Pi\left(\frac{a+b}{b};\sin^{-1}\left(\frac{\sqrt{a+b}\cos(c+dx)}{\sqrt{a+b}\sqrt{\cos(c+dx)}}\right)\middle|-\frac{a+b}{a-b}\right)}{b^2d\sqrt{\sec(c+dx)}} + \frac{aB\sin(c+dx)\sqrt{a+b}\sqrt{\cos(c+dx)}}{bd\sqrt{a+b}\sqrt{\cos(c+dx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(a*B + b*B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x]^(3/2)), x]
```

```
[Out] -(((a - b)*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticE[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(a*b*d*Sqrt[Sec[c + d*x]]) + (Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticF[ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(b*d*Sqrt[Sec[c + d*x]]) + (a*Sqrt[a + b]*B*Sqrt[Cos[c + d*x]]*Csc[c + d*x]*EllipticPi[(a + b)/b, ArcSin[Sqrt[a + b*Cos[c + d*x]]/(Sqrt[a + b]*Sqrt[Cos[c + d*x]])], -((a + b)/(a - b)))*Sqrt[(a*(1 - Sec[c + d*x]))/(a + b)]*Sqrt[(a*(1 + Sec[c + d*x]))/(a - b))]/(b^2*d*Sqrt[Sec[c + d*x]]) + (B*Sin[c + d*x])/(d*Sqrt[a + b*Cos[c + d*x]]*Sqrt[Sec[c + d*x]]) + (a*B*Sqrt[Sec[c + d*x]]*Sin[c + d*x])/(b*d*Sqrt[a + b*Cos[c + d*x]])]
```

**Rule 21**

```
Int[(u_.)*((a_.) + (b_.)*(v_.))^(m_.)*((c_.) + (d_.)*(v_.))^(n_.), x_Symbol] :>
Dist[(b/d)^m, Int[u*(c + d*v)^(m + n), x], x] /; FreeQ[{a, b, c, d, n}, x]
&& EqQ[b*c - a*d, 0] && IntegerQ[m] && (!IntegerQ[n] || SimplerQ[c + d*x, a + b*x])
```

Rule 4222

Int[(csc[(a\_.) + (b\_.)\*(x\_)]\*(c\_.))^(m\_.)\*(u\_), x\_Symbol] := Dist[(c\*Csc[a + b\*x])^m\*(c\*Ssin[a + b\*x])^m, Int[ActivateTrig[u]/(c\*Ssin[a + b\*x])^m, x], x] /; FreeQ[{a, b, c, m}, x] && !IntegerQ[m] && KnownSineIntegrandQ[u, x]

Rule 2820

Int[((d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)/Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := -Dist[(a\*d)/(2\*b), Int[Sqrt[d\*Ssin[e + f\*x]]/Sqrt[a + b\*Ssin[e + f\*x]], x], x] + Dist[d/(2\*b), Int[(Sqrt[d\*Ssin[e + f\*x]]\*(a + 2\*b\*Ssin[e + f\*x]))/Sqrt[a + b\*Ssin[e + f\*x]], x], x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0]

Rule 2809

Int[Sqrt[(b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]/Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]], x\_Symbol] := Simp[(2\*b\*Tan[e + f\*x]\*Rt[(c + d)/b, 2]\*Sqrt[(c\*(1 + Csc[e + f\*x]))/(c - d)]\*Sqrt[(c\*(1 - Csc[e + f\*x]))/(c + d)]\*EllipticPi[(c + d)/d, ArcSin[Sqrt[c + d\*Ssin[e + f\*x]]/(Sqrt[b\*Ssin[e + f\*x]]\*Rt[(c + d)/b, 2])], -(c + d)/(c - d)]/(d\*f), x] /; FreeQ[{b, c, d, e, f}, x] && NeQ[c^2 - d^2, 0] && PosQ[(c + d)/b]

Rule 3003

Int[Sqrt[(a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]\*((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(n\_), x\_Symbol] := Simp[(-2\*B\*Cos[e + f\*x]\*Sqrt[a + b\*Ssin[e + f\*x]]\*(c + d\*Ssin[e + f\*x])^n)/(f\*(2\*n + 3)), x] + Dist[1/(2\*n + 3), Int[((c + d\*Ssin[e + f\*x])^(n - 1)\*Simp[a\*A\*c\*(2\*n + 3) + B\*(b\*c + 2\*a\*d\*n) + (B\*(a\*c + b\*d)\*(2\*n + 1) + A\*(b\*c + a\*d)\*(2\*n + 3))\*Sin[e + f\*x] + (A\*b\*d\*(2\*n + 3) + B\*(a\*d + 2\*b\*c\*n))\*Sin[e + f\*x]^2, x])/Sqrt[a + b\*Ssin[e + f\*x]], x], x] /; FreeQ[{a, b, c, d, e, f, A, B}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0] && EqQ[n^2, 1/4]

Rule 2993

Int[((A\_.) + (B\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])/(Sqrt[(d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)), x\_Symbol] := Simp[(2\*(A\*b - a\*B)\*Cos[e + f\*x])/(f\*(a^2 - b^2)\*Sqrt[a + b\*Ssin[e + f\*x]]\*Sqrt[d\*Ssin[e + f\*x]]), x] + Dist[d/(a^2 - b^2), Int[(A\*b - a\*B + (a\*A - b\*B)\*Sin[e + f\*x])/(Sqrt[a + b\*Ssin[e + f\*x]]\*(d\*Ssin[e + f\*x])^(3/2)), x], x] /; FreeQ[{a, b, d, e, f, A, B}, x] && NeQ[a^2 - b^2, 0]

Rule 12

Int[(a\_)\*(u\_), x\_Symbol] := Dist[a, Int[u, x], x] /; FreeQ[a, x] && !MatchQ[u, (b\_)\*(v\_) /; FreeQ[b, x]]

Rule 2801

Int[1/(((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_)])^(3/2)\*Sqrt[(c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_)]]), x\_Symbol] := Dist[1/(a - b), Int[1/(Sqrt[a + b\*Ssin[e + f\*x]]\*Sqrt[c + d\*Ssin[e + f\*x]]), x], x] - Dist[b/(a - b), Int[(1 + Sin[e + f\*x])/((a + b\*Ssin[e + f\*x])^(3/2)\*Sqrt[c + d\*Ssin[e + f\*x]]), x], x] /; FreeQ[{a, b, c, d, e, f}, x] && NeQ[b\*c - a\*d, 0] && NeQ[a^2 - b^2, 0] && NeQ[c^2 - d^2, 0]

Rule 2816

```
Int[1/(Sqrt[(d_)*sin[(e_)] + (f_)*(x_)])*Sqrt[(a_) + (b_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Simp[(-2*Tan[e + f*x]*Rt[(a + b)/d, 2]*Sqrt[(a*(1 - Csc[e + f*x]))/(a + b)]*Sqrt[(a*(1 + Csc[e + f*x]))/(a - b)]*EllipticF[ArcSin[Sqrt[a + b*Sin[e + f*x]]/(Sqrt[d*Sin[e + f*x]]*Rt[(a + b)/d, 2])], -(a + b)/(a - b))]/(a*f), x] /; FreeQ[{a, b, d, e, f}, x] && NeQ[a^2 - b^2, 0] && PosQ[(a + b)/d]
```

### Rule 2994

```
Int[((A_) + (B_)*sin[(e_)] + (f_)*(x_)]/(((b_)*sin[(e_)] + (f_)*(x_))]^(3/2)*Sqrt[(c_) + (d_)*sin[(e_)] + (f_)*(x_)]), x_Symbol] :> Simp[(-2*A*(c - d)*Tan[e + f*x]*Rt[(c + d)/b, 2]*Sqrt[(c*(1 + Csc[e + f*x]))/(c - d)]*Sqrt[(c*(1 - Csc[e + f*x]))/(c + d)]*EllipticE[ArcSin[Sqrt[c + d*Sin[e + f*x]]/(Sqrt[b*Sin[e + f*x]]*Rt[(c + d)/b, 2])], -((c + d)/(c - d))]/(f*b*c^2), x] /; FreeQ[{b, c, d, e, f, A, B}, x] && NeQ[c^2 - d^2, 0] && EqQ[A, B] && PosQ[(c + d)/b]
```

### Rubi steps

$$\begin{aligned}
\int \frac{aB + bB \cos(c + dx)}{(a + b \cos(c + dx))^{3/2} \sec^2(c + dx)} dx &= B \int \frac{1}{\sqrt{a + b \cos(c + dx)} \sec^2(c + dx)} dx \\
&= (B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{\cos^{\frac{3}{2}}(c + dx)}{\sqrt{a + b \cos(c + dx)}} dx \\
&= \frac{(B\sqrt{\cos(c + dx)}\sqrt{\sec(c + dx)}) \int \frac{\sqrt{\cos(c + dx)}(a + 2b \cos(c + dx))}{\sqrt{a + b \cos(c + dx)}} dx}{2b} - \frac{(aB\sqrt{\cos(c + dx)}) \int \frac{\sqrt{\cos(c + dx)}}{\sqrt{a + b \cos(c + dx)}} dx}{b^2 d \sqrt{\sec(c + dx)}} \\
&= \frac{a\sqrt{a + bB}\sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c + dx)}}{\sqrt{a+b}\sqrt{\cos(c + dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a}}{b^2 d \sqrt{\sec(c + dx)}} \\
&= \frac{a\sqrt{a + bB}\sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c + dx)}}{\sqrt{a+b}\sqrt{\cos(c + dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a}}{b^2 d \sqrt{\sec(c + dx)}} \\
&= \frac{a\sqrt{a + bB}\sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c + dx)}}{\sqrt{a+b}\sqrt{\cos(c + dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a}}{b^2 d \sqrt{\sec(c + dx)}} \\
&= \frac{a\sqrt{a + bB}\sqrt{\cos(c + dx)} \csc(c + dx) \Pi\left(\frac{a+b}{b}; \sin^{-1}\left(\frac{\sqrt{a+b \cos(c + dx)}}{\sqrt{a+b}\sqrt{\cos(c + dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a}}{b^2 d \sqrt{\sec(c + dx)}} \\
&= -\frac{(a - b)\sqrt{a + bB}\sqrt{\cos(c + dx)} \csc(c + dx) E\left(\sin^{-1}\left(\frac{\sqrt{a+b \cos(c + dx)}}{\sqrt{a+b}\sqrt{\cos(c + dx)}}\right) \middle| -\frac{a+b}{a-b}\right) \sqrt{a}}{abd \sqrt{\sec(c + dx)}}
\end{aligned}$$

**Mathematica [C]** time = 6.11691, size = 5018, normalized size = 10.48

Result too large to show

Warning: Unable to verify antiderivative.

```
[In] Integrate[(a*B + b*B*Cos[c + d*x])/((a + b*Cos[c + d*x])^(3/2)*Sec[c + d*x])^(3/2), x]
```

[Out] Result too large to show



**Maple [A]** time = 0.697, size = 634, normalized size = 1.3

result too large to display

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((aB+bB\cos(dx+c))/(a+b\cos(dx+c))^{3/2}/\sec(dx+c)^{3/2}, x)$

[Out]  $B/d/b*(2*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2})*\cos(dx+c)*\sin(dx+c)*a-(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)*\sin(dx+c)*a-(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*\cos(dx+c)*\sin(dx+c)*b+2*(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticPi}((-1+\cos(dx+c))/\sin(dx+c), -1, (-a-b)/(a+b))^{1/2})*a*\sin(dx+c)-(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*a*\sin(dx+c)-(\cos(dx+c)/(1+\cos(dx+c)))^{1/2}*(1/(a+b)*(a+b\cos(dx+c))/(1+\cos(dx+c)))^{1/2}*\text{EllipticE}((-1+\cos(dx+c))/\sin(dx+c), (-a-b)/(a+b))^{1/2})*b*\sin(dx+c)-b*\cos(dx+c)^3-a*\cos(dx+c)^2+b*\cos(dx+c)^2+\cos(dx+c)*a*\cos(dx+c)*(1/\cos(dx+c))^{3/2}/\sin(dx+c)/(a+b\cos(dx+c))^{1/2}$

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx+c) + Ba}{(b \cos(dx+c) + a)^{\frac{3}{2}} \sec(dx+c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((aB+bB\cos(dx+c))/(a+b\cos(dx+c))^{3/2}/\sec(dx+c)^{3/2}, x, \text{algorithm}="maxima")$

[Out]  $\text{integrate}((B*b*\cos(dx+c) + B*a)/((b*\cos(dx+c) + a)^{3/2}*\sec(dx+c)^{3/2}), x)$

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{B}{\sqrt{b \cos(dx+c) + a} \sec(dx+c)^{\frac{3}{2}}}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{integrate}((aB+bB\cos(dx+c))/(a+b\cos(dx+c))^{3/2}/\sec(dx+c)^{3/2}, x, \text{algorithm}="fricas")$

[Out]  $\text{integral}(B/(\text{sqrt}(b*\cos(dx+c) + a)*\sec(dx+c)^{3/2}), x)$

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))\*\*(3/2)/sec(d\*x+c)\*\*(3/2),x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{Bb \cos(dx + c) + Ba}{(b \cos(dx + c) + a)^{\frac{3}{2}} \sec(dx + c)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a\*B+b\*B\*cos(d\*x+c))/(a+b\*cos(d\*x+c))^(3/2)/sec(d\*x+c)^(3/2),x, algorithm="giac")

[Out] integrate((B\*b\*cos(d\*x + c) + B\*a)/((b\*cos(d\*x + c) + a)^(3/2)\*sec(d\*x + c)^(3/2)), x)

$$3.635 \quad \int (a + b \cos(e + fx))^n (A + B \cos(e + fx)) (c \sec(e + fx))^m dx$$

**Optimal.** Leaf size=58

$(c \cos(e + fx))^m (c \sec(e + fx))^m \text{Unintegrable}((A + B \cos(e + fx))(c \cos(e + fx))^{-m} (a + b \cos(e + fx))^n, x)$

[Out]  $(c * \text{Cos}[e + f * x])^m * (c * \text{Sec}[e + f * x])^m * \text{Unintegrable}(((a + b * \text{Cos}[e + f * x])^n * (A + B * \text{Cos}[e + f * x])) / (c * \text{Cos}[e + f * x])^m, x)$

**Rubi [A]** time = 0.18063, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int (a + b \cos(e + fx))^n (A + B \cos(e + fx)) (c \sec(e + fx))^m dx$$

Verification is Not applicable to the result.

[In]  $\text{Int}[(a + b * \text{Cos}[e + f * x])^n * (A + B * \text{Cos}[e + f * x]) * (c * \text{Sec}[e + f * x])^m, x]$

[Out]  $(c * \text{Cos}[e + f * x])^m * (c * \text{Sec}[e + f * x])^m * \text{Defer}[\text{Int}](((a + b * \text{Cos}[e + f * x])^n * (A + B * \text{Cos}[e + f * x])) / (c * \text{Cos}[e + f * x])^m, x)$

Rubi steps

$$\int (a + b \cos(e + fx))^n (A + B \cos(e + fx)) (c \sec(e + fx))^m dx = ((c \cos(e + fx))^m (c \sec(e + fx))^m) \int (c \cos(e + fx))^{-n} dx$$

**Mathematica [A]** time = 8.45503, size = 0, normalized size = 0.

$$\int (a + b \cos(e + fx))^n (A + B \cos(e + fx)) (c \sec(e + fx))^m dx$$

Verification is Not applicable to the result.

[In]  $\text{Integrate}[(a + b * \text{Cos}[e + f * x])^n * (A + B * \text{Cos}[e + f * x]) * (c * \text{Sec}[e + f * x])^m, x]$

[Out]  $\text{Integrate}[(a + b * \text{Cos}[e + f * x])^n * (A + B * \text{Cos}[e + f * x]) * (c * \text{Sec}[e + f * x])^m, x]$

**Maple [A]** time = 3.207, size = 0, normalized size = 0.

$$\int (a + b \cos(fx + e))^n (A + B \cos(fx + e)) (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In]  $\text{int}((a + b * \cos(f * x + e))^n * (A + B * \cos(f * x + e)) * (c * \sec(f * x + e))^m, x)$

[Out]  $\text{int}((a + b * \cos(f * x + e))^n * (A + B * \cos(f * x + e)) * (c * \sec(f * x + e))^m, x)$

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos (fx + e) + A)(b \cos (fx + e) + a)^n (c \sec (fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(f\*x+e))^n\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x, algorithm="maxima")

[Out] integrate((B\*cos(f\*x + e) + A)\*(b\*cos(f\*x + e) + a)^n\*(c\*sec(f\*x + e))^m, x)

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \cos (fx + e) + A\right)\left(b \cos (fx + e) + a\right)^n\left(c \sec (fx + e)\right)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(f\*x+e))^n\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x, algorithm="fricas")

[Out] integral((B\*cos(f\*x + e) + A)\*(b\*cos(f\*x + e) + a)^n\*(c\*sec(f\*x + e))^m, x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(f\*x+e))\*\*n\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))\*\*m,x)

[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos (fx + e) + A)(b \cos (fx + e) + a)^n (c \sec (fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(f\*x+e))^n\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x, algorithm="giac")

[Out] integrate((B\*cos(f\*x + e) + A)\*(b\*cos(f\*x + e) + a)^n\*(c\*sec(f\*x + e))^m, x)

$$3.636 \quad \int (a + b \cos(e + fx))^4 (A + B \cos(e + fx)) (c \sec(e + fx))^m dx$$

**Optimal.** Leaf size=644

$$\frac{c^6 \sin(e + fx) (4a^3 Ab (m^2 - 8m + 15) + 6a^2 b^2 B (m^2 - 7m + 10) + a^4 B (m^2 - 8m + 15) + 4aAb^3 (m^2 - 7m + 10) + b^4 B (m^2 - 8m + 15))}{f(2-m)(4-m)(6-m)\sqrt{\sin^2(e + fx)}}$$

[Out] -((c^6\*(4\*a^3\*A\*b\*(15 - 8\*m + m^2) + a^4\*B\*(15 - 8\*m + m^2) + 4\*a\*A\*b^3\*(10 - 7\*m + m^2) + 6\*a^2\*b^2\*B\*(10 - 7\*m + m^2) + b^4\*B\*(8 - 6\*m + m^2))\*Hypergeometric2F1[1/2, (6 - m)/2, (8 - m)/2, Cos[e + f\*x]^2]\*(c\*Sec[e + f\*x])^(-6 + m)\*Sin[e + f\*x])/(f\*(2 - m)\*(4 - m)\*(6 - m)\*Sqrt[Sin[e + f\*x]^2])) - (c^5\*(a^4\*A\*(8 - 6\*m + m^2) + 6\*a^2\*A\*b^2\*(4 - 5\*m + m^2) + 4\*a^3\*b\*B\*(4 - 5\*m + m^2) + A\*b^4\*(3 - 4\*m + m^2) + 4\*a\*b^3\*B\*(3 - 4\*m + m^2))\*Hypergeometric2F1[1/2, (5 - m)/2, (7 - m)/2, Cos[e + f\*x]^2]\*(c\*Sec[e + f\*x])^(-5 + m)\*Sin[e + f\*x])/(f\*(1 - m)\*(3 - m)\*(5 - m)\*Sqrt[Sin[e + f\*x]^2]) - (a\*c^5\*(4\*a^2\*A\*b\*(3 - 4\*m + m^2) + a^3\*B\*(3 - 4\*m + m^2) + 2\*A\*b^3\*(4 - 2\*m + m^2) + a\*b^2\*B\*(8 - 13\*m + 5\*m^2))\*(c\*Sec[e + f\*x])^(-5 + m)\*Tan[e + f\*x])/(f\*(1 - m)\*(2 - m)\*(4 - m)) - (a^2\*c^5\*(2\*a\*b\*B\*(1 - m)^2 + a^2\*A\*(2 - m)^2 + A\*b^2\*(6 - m + m^2))\*Sec[e + f\*x]\*(c\*Sec[e + f\*x])^(-5 + m)\*Tan[e + f\*x])/(f\*(1 - m)\*(2 - m)\*(3 - m)) - (a\*c^5\*(a\*B\*(1 - m) - A\*b\*(2 + m))\*(c\*Sec[e + f\*x])^(-5 + m)\*(b + a\*Sec[e + f\*x])^2\*Tan[e + f\*x])/(f\*(1 - m)\*(2 - m)) - (a\*A\*c^5\*(c\*Sec[e + f\*x])^(-5 + m)\*(b + a\*Sec[e + f\*x])^3\*Tan[e + f\*x])/(f\*(1 - m))

**Rubi [A]** time = 2.04236, antiderivative size = 644, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2960, 4026, 4096, 4076, 4047, 3772, 2643, 4046}

$$\frac{c^6 \sin(e + fx) (4a^3 Ab (m^2 - 8m + 15) + 6a^2 b^2 B (m^2 - 7m + 10) + a^4 B (m^2 - 8m + 15) + 4aAb^3 (m^2 - 7m + 10) + b^4 B (m^2 - 8m + 15))}{f(2-m)(4-m)(6-m)\sqrt{\sin^2(e + fx)}}$$

Antiderivative was successfully verified.

[In] Int[(a + b\*Cos[e + f\*x])^4\*(A + B\*Cos[e + f\*x])\*(c\*Sec[e + f\*x])^m,x]

[Out] -((c^6\*(4\*a^3\*A\*b\*(15 - 8\*m + m^2) + a^4\*B\*(15 - 8\*m + m^2) + 4\*a\*A\*b^3\*(10 - 7\*m + m^2) + 6\*a^2\*b^2\*B\*(10 - 7\*m + m^2) + b^4\*B\*(8 - 6\*m + m^2))\*Hypergeometric2F1[1/2, (6 - m)/2, (8 - m)/2, Cos[e + f\*x]^2]\*(c\*Sec[e + f\*x])^(-6 + m)\*Sin[e + f\*x])/(f\*(2 - m)\*(4 - m)\*(6 - m)\*Sqrt[Sin[e + f\*x]^2])) - (c^5\*(a^4\*A\*(8 - 6\*m + m^2) + 6\*a^2\*A\*b^2\*(4 - 5\*m + m^2) + 4\*a^3\*b\*B\*(4 - 5\*m + m^2) + A\*b^4\*(3 - 4\*m + m^2) + 4\*a\*b^3\*B\*(3 - 4\*m + m^2))\*Hypergeometric2F1[1/2, (5 - m)/2, (7 - m)/2, Cos[e + f\*x]^2]\*(c\*Sec[e + f\*x])^(-5 + m)\*Sin[e + f\*x])/(f\*(1 - m)\*(3 - m)\*(5 - m)\*Sqrt[Sin[e + f\*x]^2]) - (a\*c^5\*(4\*a^2\*A\*b\*(3 - 4\*m + m^2) + a^3\*B\*(3 - 4\*m + m^2) + 2\*A\*b^3\*(4 - 2\*m + m^2) + a\*b^2\*B\*(8 - 13\*m + 5\*m^2))\*(c\*Sec[e + f\*x])^(-5 + m)\*Tan[e + f\*x])/(f\*(1 - m)\*(2 - m)\*(4 - m)) - (a^2\*c^5\*(2\*a\*b\*B\*(1 - m)^2 + a^2\*A\*(2 - m)^2 + A\*b^2\*(6 - m + m^2))\*Sec[e + f\*x]\*(c\*Sec[e + f\*x])^(-5 + m)\*Tan[e + f\*x])/(f\*(1 - m)\*(2 - m)\*(3 - m)) - (a\*c^5\*(a\*B\*(1 - m) - A\*b\*(2 + m))\*(c\*Sec[e + f\*x])^(-5 + m)\*(b + a\*Sec[e + f\*x])^2\*Tan[e + f\*x])/(f\*(1 - m)\*(2 - m)) - (a\*A\*c^5\*(c\*Sec[e + f\*x])^(-5 + m)\*(b + a\*Sec[e + f\*x])^3\*Tan[e + f\*x])/(f\*(1 - m))

Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_)]*(g_.))^(p_.)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_)])^(m_.)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_)])^(n_.), x_Symbol] :> Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

Rule 4026

```
Int[(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*Csc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])
```

Rule 4096

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> -Simp[(C*Cot[e + f*x]*(a + b*Csc[e + f*x])^m*(d*Csc[e + f*x])^n)/(f*(m + n + 1)), x] + Dist[1/(m + n + 1), Int[(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n*Simp[a*A*(m + n + 1) + a*C*n + ((A*b + a*B)*(m + n + 1) + b*C*(m + n))*Csc[e + f*x] + (b*B*(m + n + 1) + a*C*m)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && NeQ[a^2 - b^2, 0] && GtQ[m, 0] && !LeQ[n, -1]
```

Rule 4076

```
Int[((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.))^(m_.)*(csc[(e_.) + (f_.)*(x_)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_)]*(b_.) + (a_.)), x_Symbol] :> -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2) + (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n + 2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] && !LtQ[n, -1]
```

Rule 4047

```
Int[(csc[(e_.) + (f_.)*(x_)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_)]*(B_.) + csc[(e_.) + (f_.)*(x_)]^2*(C_.)), x_Symbol] :> Dist[B/b, Int[(b*Csc[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]
```

Rule 3772

```
Int[(csc[(c_.) + (d_.)*(x_)]*(b_.))^(n_.), x_Symbol] :> Simp[(b*Csc[c + d*x])^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]
```

Rule 2643

```
Int[(b_.)*sin[(c_.) + (d_.)*(x_)]^(n_.), x_Symbol] :> Simp[(Cos[c + d*x]*(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d*x]^2])/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2*n]
```

Rule 4046

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.)
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]
```

Rubi steps

$$\int (a + b \cos(e + fx))^4 (A + B \cos(e + fx)) (c \sec(e + fx))^m dx = c^5 \int (c \sec(e + fx))^{-5+m} (b + a \sec(e + fx))^4 (B + A \sec(e + fx)) dx$$

$$= -\frac{aAc^5(c \sec(e + fx))^{-5+m}(b + a \sec(e + fx))^3 \tan(e + fx)}{f(1 - m)}$$

$$= -\frac{ac^5(aB(1 - m) - Ab(2 + m))(c \sec(e + fx))^{-5+m}(b + a \sec(e + fx))^2}{f(1 - m)(2 - m)}$$

$$= -\frac{a^2c^5(2abB(1 - m)^2 + a^2A(2 - m)^2 + Ab^2(6 - m + m^2))}{f(3 - m)(2 - m)}$$

$$= -\frac{a^2c^5(2abB(1 - m)^2 + a^2A(2 - m)^2 + Ab^2(6 - m + m^2))}{f(3 - m)(2 - m)}$$

$$= -\frac{ac^5(4a^2Ab(3 - 4m + m^2) + a^3B(3 - 4m + m^2) + 2a^4A(8 - 6m + m^2) + 6a^2Ab^2(4 - 5m + m^2) + 4a^3b^2(3 - 4m + m^2))}{f(3 - m)(2 - m)}$$

$$= -\frac{(a^4A(8 - 6m + m^2) + 6a^2Ab^2(4 - 5m + m^2) + 4a^3b^2(3 - 4m + m^2))}{f(3 - m)(2 - m)}$$

$$= -\frac{(a^4A(8 - 6m + m^2) + 6a^2Ab^2(4 - 5m + m^2) + 4a^3b^2(3 - 4m + m^2))}{f(3 - m)(2 - m)}$$

**Mathematica [A]** time = 3.95873, size = 317, normalized size = 0.49

$$\sqrt{-\tan^2(e + fx) \cot(e + fx)} (c \sec(e + fx))^m \left( \frac{b^3(4aB + Ab) \cos^4(e + fx) {}_2F_1\left(\frac{1}{2}, \frac{m-4}{2}; \frac{m-2}{2}; \sec^2(e + fx)\right)}{m-4} + a \left( \frac{2b^2(3aB + 2Ab) \cos^3(e + fx) {}_2F_1\left(\frac{1}{2}, \frac{m-3}{2}; \frac{m-1}{2}; \sec^2(e + fx)\right)}{m-3} \right) \right)$$

Antiderivative was successfully verified.

```
[In] Integrate[(a + b*Cos[e + f*x])^4*(A + B*Cos[e + f*x])*(c*Sec[e + f*x])^m,x]
```

```
[Out] (Cot[e + f*x]*((b^4*B*Cos[e + f*x]^5*Hypergeometric2F1[1/2, (-5 + m)/2, (-3 + m)/2, Sec[e + f*x]^2])/(-5 + m) + (b^3*(A*b + 4*a*B)*Cos[e + f*x]^4*Hypergeometric2F1[1/2, (-4 + m)/2, (-2 + m)/2, Sec[e + f*x]^2])/(-4 + m) + a*((2*b^2*(2*A*b + 3*a*B)*Cos[e + f*x]^3*Hypergeometric2F1[1/2, (-3 + m)/2, (-1 + m)/2, Sec[e + f*x]^2])/(-3 + m) + a*((2*b*(3*A*b + 2*a*B)*Cos[e + f*x]^2*Hypergeometric2F1[1/2, (-2 + m)/2, m/2, Sec[e + f*x]^2])/(-2 + m) + a*((4*A*b + a*B)*Cos[e + f*x]*Hypergeometric2F1[1/2, (-1 + m)/2, (1 + m)/2, Sec[e + f*x]^2])/(-1 + m) + (a*A*Hypergeometric2F1[1/2, m/2, (2 + m)/2, Sec[e + f*x]^2])/m))*(c*Sec[e + f*x])^m*sqrt[-Tan[e + f*x]^2])/f
```

**Maple [F]** time = 2.862, size = 0, normalized size = 0.

$$\int (a + b \cos(fx + e))^4 (A + B \cos(fx + e)) (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(f\*x+e))^4\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x)

[Out] int((a+b\*cos(f\*x+e))^4\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^4 (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(f\*x+e))^4\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x, algorithm="maxima")

[Out] integrate((B\*cos(f\*x + e) + A)\*(b\*cos(f\*x + e) + a)^4\*(c\*sec(f\*x + e))^m, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^4 \cos(fx + e)^5 + Aa^4 + (4Bab^3 + Ab^4) \cos(fx + e)^4 + 2(3Ba^2b^2 + 2Aab^3) \cos(fx + e)^3 + 2(2Ba^3b + 3Aa^2b^2) \cos(fx + e)^2 + (B^2a^4 + 4A^2a^3b) \cos(fx + e)\right) (c \sec(fx + e))^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(f\*x+e))^4\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x, algorithm="fricas")

[Out] integral((B\*b^4\*cos(f\*x + e)^5 + A\*a^4 + (4\*B\*a\*b^3 + A\*b^4)\*cos(f\*x + e)^4 + 2\*(3\*B\*a^2\*b^2 + 2\*A\*a\*b^3)\*cos(f\*x + e)^3 + 2\*(2\*B\*a^3\*b + 3\*A\*a^2\*b^2)\*cos(f\*x + e)^2 + (B\*a^4 + 4\*A\*a^3\*b)\*cos(f\*x + e))\*(c\*sec(f\*x + e))^m, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(f\*x+e))^4\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^4 (c \sec(fx + e))^m dx$$



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(f*x+e))^4*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="giac")
```

```
[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^4*(c*sec(f*x + e))^m, x)
```

$$3.637 \quad \int (a + b \cos(e + fx))^3 (A + B \cos(e + fx)) (c \sec(e + fx))^m dx$$

**Optimal.** Leaf size=455

$$\frac{c^5 \sin(e + fx) (a^3 A (m^2 - 6m + 8) + 3a^2 b B (m^2 - 5m + 4) + 3a A b^2 (m^2 - 5m + 4) + b^3 B (m^2 - 4m + 3)) (c \sec(e + fx))}{f(1-m)(3-m)(5-m)\sqrt{\sin^2(e + fx)}}$$

[Out]  $-\left((c^5(a^3 A(8 - 6m + m^2) + 3a^2 b B(4 - 5m + m^2) + 3a^2 b^2 B(4 - 5m + m^2) + b^3 B(3 - 4m + m^2)) \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(5 - m)}{2}, \frac{(7 - m)}{2}, \cos[e + fx]^2\right] (c \sec[e + fx])^{(-5 + m)} \sin[e + fx]) / (f(1 - m)(3 - m)(5 - m) \sqrt{\sin[e + fx]^2})\right) - (c^4(A b^3(2 - m) + 3a b^2 B(2 - m) + 3a^2 A b(3 - m) + a^3 B(3 - m)) \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(4 - m)}{2}, \frac{(6 - m)}{2}, \cos[e + fx]^2\right] (c \sec[e + fx])^{(-4 + m)} \sin[e + fx]) / (f(2 - m)(4 - m) \sqrt{\sin[e + fx]^2}) - (a c^4(3a b^2 B(1 - m) + a^2 A(2 - m) - 2a b^2 m) (c \sec[e + fx])^{(-4 + m)} \tan[e + fx]) / (f(1 - m)(3 - m)) - (a^2 c^4(a B(1 - m) - A b(1 + m)) \sec[e + fx] (c \sec[e + fx])^{(-4 + m)} \tan[e + fx]) / (f(1 - m)(2 - m)) - (a A c^4 (c \sec[e + fx])^{(-4 + m)} (b + a \sec[e + fx])^2 \tan[e + fx]) / (f(1 - m))\right)$

**Rubi [A]** time = 1.14548, antiderivative size = 455, normalized size of antiderivative = 1., number of steps used = 9, number of rules used = 7, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.212$ , Rules used = {2960, 4026, 4076, 4047, 3772, 2643, 4046}

$$\frac{c^5 \sin(e + fx) (a^3 A (m^2 - 6m + 8) + 3a^2 b B (m^2 - 5m + 4) + 3a A b^2 (m^2 - 5m + 4) + b^3 B (m^2 - 4m + 3)) (c \sec(e + fx))}{f(1-m)(3-m)(5-m)\sqrt{\sin^2(e + fx)}}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b \cos[e + fx])^3 (A + B \cos[e + fx]) (c \sec[e + fx])^m, x]$

[Out]  $-\left((c^5(a^3 A(8 - 6m + m^2) + 3a^2 b B(4 - 5m + m^2) + 3a^2 b^2 B(4 - 5m + m^2) + b^3 B(3 - 4m + m^2)) \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(5 - m)}{2}, \frac{(7 - m)}{2}, \cos[e + fx]^2\right] (c \sec[e + fx])^{(-5 + m)} \sin[e + fx]) / (f(1 - m)(3 - m)(5 - m) \sqrt{\sin[e + fx]^2})\right) - (c^4(A b^3(2 - m) + 3a b^2 B(2 - m) + 3a^2 A b(3 - m) + a^3 B(3 - m)) \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(4 - m)}{2}, \frac{(6 - m)}{2}, \cos[e + fx]^2\right] (c \sec[e + fx])^{(-4 + m)} \sin[e + fx]) / (f(2 - m)(4 - m) \sqrt{\sin[e + fx]^2}) - (a c^4(3a b^2 B(1 - m) + a^2 A(2 - m) - 2a b^2 m) (c \sec[e + fx])^{(-4 + m)} \tan[e + fx]) / (f(1 - m)(3 - m)) - (a^2 c^4(a B(1 - m) - A b(1 + m)) \sec[e + fx] (c \sec[e + fx])^{(-4 + m)} \tan[e + fx]) / (f(1 - m)(2 - m)) - (a A c^4 (c \sec[e + fx])^{(-4 + m)} (b + a \sec[e + fx])^2 \tan[e + fx]) / (f(1 - m))\right)$

**Rule 2960**

$\text{Int}[(\text{csc}[e + fx] + (f \cdot x) \cdot \text{g})^{(p)} ((a + b \sin[e + fx] + (f \cdot x) \cdot \text{g}))^{(m)} ((c + d \sin[e + fx] + (f \cdot x) \cdot \text{g}))^{(n)}, x\_Symbol] :> \text{Dist}[\text{g}^{(m + n)}, \text{Int}[(\text{g} \cdot \text{Csc}[e + fx])^{(p - m - n)} (b + a \cdot \text{Csc}[e + fx])^m (d + c \cdot \text{Csc}[e + fx])^n, x], x] /;$  FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

**Rule 4026**

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] := -Simp[(b*B*C
ot[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x
] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp
p[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B)*(m + n) + b^2*B*(m + n - 1))*C
sc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x
] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A*b - a*B, 0] && NeQ[a^2 - b
^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])

```

#### Rule 4076

```

Int[((A_.) + csc[(e_.) + (f_.)*(x_.)]*(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.
))*(csc[(e_.) + (f_.)*(x_.)]*(d_.))^(n_.)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (
a_.)), x_Symbol] := -Simp[(b*C*Csc[e + f*x]*Cot[e + f*x]*(d*Csc[e + f*x])^n)
/(f*(n + 2)), x] + Dist[1/(n + 2), Int[(d*Csc[e + f*x])^n*Simp[A*a*(n + 2)
+ (B*a*(n + 2) + b*(C*(n + 1) + A*(n + 2)))*Csc[e + f*x] + (a*C + B*b)*(n +
2)*Csc[e + f*x]^2, x], x], x] /; FreeQ[{a, b, d, e, f, A, B, C, n}, x] &&
!LtQ[n, -1]

```

#### Rule 4047

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*((A_.) + csc[(e_.) + (f_.)*(x_.)]*
(B_.) + csc[(e_.) + (f_.)*(x_.)]^2*(C_.)), x_Symbol] := Dist[B/b, Int[(b*Csc
[e + f*x])^(m + 1), x], x] + Int[(b*Csc[e + f*x])^m*(A + C*Csc[e + f*x]^2),
x] /; FreeQ[{b, e, f, A, B, C, m}, x]

```

#### Rule 3772

```

Int[(csc[(c_.) + (d_.)*(x_.)]*(b_.))^(n_.), x_Symbol] := Simp[(b*Csc[c + d*x]
)^(n - 1)*((Sin[c + d*x]/b)^(n - 1)*Int[1/(Sin[c + d*x]/b)^n, x]), x] /; Fr
eeQ[{b, c, d, n}, x] && !IntegerQ[n]

```

#### Rule 2643

```

Int[((b_.)*sin[(c_.) + (d_.)*(x_.)])^(n_.), x_Symbol] := Simp[(Cos[c + d*x]*
(b*Sin[c + d*x])^(n + 1)*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c
+ d*x]^2]/(b*d*(n + 1)*Sqrt[Cos[c + d*x]^2]), x] /; FreeQ[{b, c, d, n}, x]
&& !IntegerQ[2*n]

```

#### Rule 4046

```

Int[(csc[(e_.) + (f_.)*(x_.)]*(b_.))^(m_.)*(csc[(e_.) + (f_.)*(x_.)]^2*(C_.
+ (A_.)), x_Symbol] := -Simp[(C*Cot[e + f*x]*(b*Csc[e + f*x])^m)/(f*(m + 1))
, x] + Dist[(C*m + A*(m + 1))/(m + 1), Int[(b*Csc[e + f*x])^m, x], x] /; Fr
eeQ[{b, e, f, A, C, m}, x] && NeQ[C*m + A*(m + 1), 0] && !LeQ[m, -1]

```

#### Rubi steps

$$\begin{aligned}
\int (a + b \cos(e + fx))^3 (A + B \cos(e + fx)) (c \sec(e + fx))^m dx &= c^4 \int (c \sec(e + fx))^{-4+m} (b + a \sec(e + fx))^3 (B + A \sec(e + fx)) dx \\
&= -\frac{aAc^4 (c \sec(e + fx))^{-4+m} (b + a \sec(e + fx))^2 \tan(e + fx)}{f(1-m)} \\
&= -\frac{a^2 c^4 (aB(1-m) - Ab(1+m)) \sec(e + fx) (c \sec(e + fx))}{f(1-m)(2-m)} \\
&= -\frac{a^2 c^4 (aB(1-m) - Ab(1+m)) \sec(e + fx) (c \sec(e + fx))}{f(1-m)(2-m)} \\
&= -\frac{ac^4 (3abB(1-m) + a^2 A(2-m) - 2Ab^2 m) (c \sec(e + fx))}{f(1-m)(3-m)} \\
&= -\frac{(Ab^3(2-m) + 3ab^2B(2-m) + 3a^2Ab(3-m) + a^3B(3-m)) (c \sec(e + fx))}{f(2-m)} \\
&= -\frac{(Ab^3(2-m) + 3ab^2B(2-m) + 3a^2Ab(3-m) + a^3B(3-m)) (c \sec(e + fx))}{f(2-m)}
\end{aligned}$$

**Mathematica [A]** time = 2.16282, size = 259, normalized size = 0.57

$$\sqrt{-\tan^2(e + fx)} \cot(e + fx) (c \sec(e + fx))^m \left( \frac{b^2 (3aB + Ab) \cos^3(e + fx) {}_2F_1\left(\frac{1}{2}, \frac{m-3}{2}; \frac{m-1}{2}; \sec^2(e + fx)\right)}{m-3} + a \left( \frac{3b(aB + Ab) \cos^2(e + fx) {}_2F_1\left(\frac{1}{2}, \frac{m-2}{2}; \frac{m}{2}; \sec^2(e + fx)\right)}{m-2} \right) \right)$$

Antiderivative was successfully verified.

[In] Integrate[(a + b\*cos[e + f\*x])^3\*(A + B\*cos[e + f\*x])\*(c\*Sec[e + f\*x])^m,x]

[Out] (Cot[e + f\*x]\*((b^3\*B\*cos[e + f\*x]^4\*Hypergeometric2F1[1/2, (-4 + m)/2, (-2 + m)/2, Sec[e + f\*x]^2])/(-4 + m) + (b^2\*(A\*b + 3\*a\*B)\*cos[e + f\*x]^3\*Hypergeometric2F1[1/2, (-3 + m)/2, (-1 + m)/2, Sec[e + f\*x]^2])/(-3 + m) + a\*((3\*b\*(A\*b + a\*B)\*cos[e + f\*x]^2\*Hypergeometric2F1[1/2, (-2 + m)/2, m/2, Sec[e + f\*x]^2])/(-2 + m) + a\*(((3\*A\*b + a\*B)\*cos[e + f\*x]\*Hypergeometric2F1[1/2, (-1 + m)/2, (1 + m)/2, Sec[e + f\*x]^2])/(-1 + m) + (a\*A\*Hypergeometric2F1[1/2, m/2, (2 + m)/2, Sec[e + f\*x]^2])/m))\* (c\*Sec[e + f\*x])^m\*sqrt[-Tan[e + f\*x]^2])/f

**Maple [F]** time = 2.351, size = 0, normalized size = 0.

$$\int (a + b \cos(fx + e))^3 (A + B \cos(fx + e)) (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(f\*x+e))^3\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x)

[Out] int((a+b\*cos(f\*x+e))^3\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^3 (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(f\*x+e))^3\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x, algorithm="maxima")

[Out] integrate((B\*cos(f\*x + e) + A)\*(b\*cos(f\*x + e) + a)^3\*(c\*sec(f\*x + e))^m, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^3 \cos(fx + e)^4 + Aa^3 + (3Bab^2 + Ab^3) \cos(fx + e)^3 + 3(Ba^2b + Aab^2) \cos(fx + e)^2 + (Ba^3 + 3Aa^2b\right.\right.$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(f\*x+e))^3\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x, algorithm="fricas")

[Out] integral((B\*b^3\*cos(f\*x + e)^4 + A\*a^3 + (3\*B\*a\*b^2 + A\*b^3)\*cos(f\*x + e)^3 + 3\*(B\*a^2\*b + A\*a\*b^2)\*cos(f\*x + e)^2 + (B\*a^3 + 3\*A\*a^2\*b)\*cos(f\*x + e)) \* (c\*sec(f\*x + e))^m, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(f\*x+e))^3\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x)

[Out] Timed out

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^3 (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(f\*x+e))^3\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x, algorithm="giac")

[Out] integrate((B\*cos(f\*x + e) + A)\*(b\*cos(f\*x + e) + a)^3\*(c\*sec(f\*x + e))^m, x)

### 3.638 $\int (a + b \cos(e + fx))^2 (A + B \cos(e + fx)) (c \sec(e + fx))^m dx$

**Optimal.** Leaf size=327

$$\frac{c^4 \sin(e + fx) (a^2 B(3 - m) + 2aAb(3 - m) + b^2 B(2 - m)) (c \sec(e + fx))^{m-4} {}_2F_1\left(\frac{1}{2}, \frac{4-m}{2}; \frac{6-m}{2}; \cos^2(e + fx)\right) c^3 \sin(e + fx)}{f(2 - m)(4 - m)\sqrt{\sin^2(e + fx)}}$$

```
[Out] -((c^4*(b^2*B*(2 - m) + 2*a*A*b*(3 - m) + a^2*B*(3 - m))*Hypergeometric2F1[1/2, (4 - m)/2, (6 - m)/2, Cos[e + f*x]^2]*(c*Sec[e + f*x])^(-4 + m)*Sin[e + f*x])/(f*(2 - m)*(4 - m)*Sqrt[Sin[e + f*x]^2])) - (c^3*(A*b^2*(1 - m) + 2*a*b*B*(1 - m) + a^2*A*(2 - m))*Hypergeometric2F1[1/2, (3 - m)/2, (5 - m)/2, Cos[e + f*x]^2]*(c*Sec[e + f*x])^(-3 + m)*Sin[e + f*x])/(f*(1 - m)*(3 - m)*Sqrt[Sin[e + f*x]^2]) - (a*c^3*(a*B*(1 - m) - A*b*m)*(c*Sec[e + f*x])^(-3 + m)*Tan[e + f*x])/(f*(1 - m)*(2 - m)) - (a*A*c^3*(c*Sec[e + f*x])^(-3 + m)*(b + a*Sec[e + f*x])*Tan[e + f*x])/(f*(1 - m))
```

**Rubi [A]** time = 0.642796, antiderivative size = 327, normalized size of antiderivative = 1., number of steps used = 8, number of rules used = 6, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.182$ , Rules used = {2960, 4026, 4047, 3772, 2643, 4046}

$$\frac{c^4 \sin(e + fx) (a^2 B(3 - m) + 2aAb(3 - m) + b^2 B(2 - m)) (c \sec(e + fx))^{m-4} {}_2F_1\left(\frac{1}{2}, \frac{4-m}{2}; \frac{6-m}{2}; \cos^2(e + fx)\right) c^3 \sin(e + fx)}{f(2 - m)(4 - m)\sqrt{\sin^2(e + fx)}}$$

Antiderivative was successfully verified.

```
[In] Int[(a + b*Cos[e + f*x])^2*(A + B*Cos[e + f*x])*(c*Sec[e + f*x])^m,x]
```

```
[Out] -((c^4*(b^2*B*(2 - m) + 2*a*A*b*(3 - m) + a^2*B*(3 - m))*Hypergeometric2F1[1/2, (4 - m)/2, (6 - m)/2, Cos[e + f*x]^2]*(c*Sec[e + f*x])^(-4 + m)*Sin[e + f*x])/(f*(2 - m)*(4 - m)*Sqrt[Sin[e + f*x]^2])) - (c^3*(A*b^2*(1 - m) + 2*a*b*B*(1 - m) + a^2*A*(2 - m))*Hypergeometric2F1[1/2, (3 - m)/2, (5 - m)/2, Cos[e + f*x]^2]*(c*Sec[e + f*x])^(-3 + m)*Sin[e + f*x])/(f*(1 - m)*(3 - m)*Sqrt[Sin[e + f*x]^2]) - (a*c^3*(a*B*(1 - m) - A*b*m)*(c*Sec[e + f*x])^(-3 + m)*Tan[e + f*x])/(f*(1 - m)*(2 - m)) - (a*A*c^3*(c*Sec[e + f*x])^(-3 + m)*(b + a*Sec[e + f*x])*Tan[e + f*x])/(f*(1 - m))
```

#### Rule 2960

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(g_.))^p_)*((a_.) + (b_.)*sin[(e_.) + (f_.)*(x_.)])^m_)*((c_.) + (d_.)*sin[(e_.) + (f_.)*(x_.)])^n_, x_Symbol] :> Dist[g^(m + n), Int[(g*Csc[e + f*x])^(p - m - n)*(b + a*Csc[e + f*x])^m*(d + c*Csc[e + f*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b*c - a*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]
```

#### Rule 4026

```
Int[(csc[(e_.) + (f_.)*(x_.)]*(d_.))^n_)*(csc[(e_.) + (f_.)*(x_.)]*(b_.) + (a_.))^m_)*((csc[(e_.) + (f_.)*(x_.)]*(B_.) + (A_.)), x_Symbol] :> -Simp[(b*B*Cos[e + f*x]*(a + b*Csc[e + f*x])^(m - 1)*(d*Csc[e + f*x])^n)/(f*(m + n)), x] + Dist[1/(m + n), Int[(a + b*Csc[e + f*x])^(m - 2)*(d*Csc[e + f*x])^n*Simp[a^2*A*(m + n) + a*b*B*n + (a*(2*A*b + a*B))*(m + n) + b^2*B*(m + n - 1)]*Csc[e + f*x] + b*(A*b*(m + n) + a*B*(2*m + n - 1))*Csc[e + f*x]^2, x], x], x
```

] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b^2, 0] && GtQ[m, 1] && !(IGtQ[n, 1] && !IntegerQ[m])

Rule 4047

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.))^(m\_.)\*((A\_.) + csc[(e\_.) + (f\_.)\*(x\_)]\*(B\_.) + csc[(e\_.) + (f\_.)\*(x\_)]^2\*(C\_.)), x\_Symbol] :> Dist[B/b, Int[(b\*Csc[e + f\*x])^(m + 1), x], x] + Int[(b\*Csc[e + f\*x])^m\*(A + C\*Csc[e + f\*x]^2), x] /; FreeQ[{b, e, f, A, B, C, m}, x]

Rule 3772

Int[(csc[(c\_.) + (d\_.)\*(x\_)]\*(b\_.))^(n\_), x\_Symbol] :> Simp[(b\*Csc[c + d\*x])^(n - 1)\*((Sin[c + d\*x]/b)^(n - 1)\*Int[1/(Sin[c + d\*x]/b)^n, x]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[n]

Rule 2643

Int[((b\_.)\*sin[(c\_.) + (d\_.)\*(x\_)])^(n\_), x\_Symbol] :> Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1)\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]^2])/(b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

Rule 4046

Int[(csc[(e\_.) + (f\_.)\*(x\_)]\*(b\_.))^(m\_.)\*(csc[(e\_.) + (f\_.)\*(x\_)]^2\*(C\_.) + (A\_.)), x\_Symbol] :> -Simp[(C\*Cot[e + f\*x]\*(b\*Csc[e + f\*x])^m)/(f\*(m + 1)), x] + Dist[(C\*m + A\*(m + 1))/(m + 1), Int[(b\*Csc[e + f\*x])^m, x], x] /; FreeQ[{b, e, f, A, C, m}, x] && NeQ[C\*m + A\*(m + 1), 0] && !LeQ[m, -1]

Rubi steps

$$\int (a + b \cos(e + fx))^2 (A + B \cos(e + fx)) (c \sec(e + fx))^m dx = c^3 \int (c \sec(e + fx))^{-3+m} (b + a \sec(e + fx))^2 (B + A \sec(e + fx)) dx$$

$$= -\frac{aAc^3(c \sec(e + fx))^{-3+m}(b + a \sec(e + fx)) \tan(e + fx)}{f(1 - m)}$$

$$= -\frac{aAc^3(c \sec(e + fx))^{-3+m}(b + a \sec(e + fx)) \tan(e + fx)}{f(1 - m)}$$

$$= -\frac{ac^3(aB(1 - m) - Abm)(c \sec(e + fx))^{-3+m} \tan(e + fx)}{f(1 - m)(2 - m)}$$

$$= -\frac{(Ab^2(1 - m) + 2abB(1 - m) + a^2A(2 - m)) \cos^3(e + fx)}{f(1 - m)}$$

$$= -\frac{(Ab^2(1 - m) + 2abB(1 - m) + a^2A(2 - m)) \cos^3(e + fx)}{f(1 - m)}$$

**Mathematica [A]** time = 0.935299, size = 205, normalized size = 0.63

$$\frac{\sqrt{-\tan^2(e + fx) \cot(e + fx)} (c \sec(e + fx))^m \left( \frac{b(2aB + Ab) \cos^2(e + fx) {}_2F_1\left(\frac{1}{2}, \frac{m-2}{2}; \frac{m}{2}; \sec^2(e + fx)\right)}{m-2} + a \left( \frac{(aB + 2Ab) \cos(e + fx) {}_2F_1\left(\frac{1}{2}, \frac{m-1}{2}; \frac{m}{2}; \sec^2(e + fx)\right)}{m-1} \right) \right)}{f}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b\*cos[e + f\*x])^2\*(A + B\*cos[e + f\*x])\*(c\*Sec[e + f\*x])^m,x]

[Out] (Cot[e + f\*x]\*((b^2\*B\*cos[e + f\*x]^3\*Hypergeometric2F1[1/2, (-3 + m)/2, (-1 + m)/2, Sec[e + f\*x]^2])/(-3 + m) + (b\*(A\*b + 2\*a\*B)\*Cos[e + f\*x]^2\*Hypergeometric2F1[1/2, (-2 + m)/2, m/2, Sec[e + f\*x]^2])/(-2 + m) + a\*((2\*A\*b + a\*B)\*Cos[e + f\*x]\*Hypergeometric2F1[1/2, (-1 + m)/2, (1 + m)/2, Sec[e + f\*x]^2])/(-1 + m) + (a\*A\*Hypergeometric2F1[1/2, m/2, (2 + m)/2, Sec[e + f\*x]^2])/m))\* (c\*Sec[e + f\*x])^m\*Sqrt[-Tan[e + f\*x]^2])/f

**Maple [F]** time = 2.099, size = 0, normalized size = 0.

$$\int (a + b \cos(fx + e))^2 (A + B \cos(fx + e)) (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(f\*x+e))^2\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x)

[Out] int((a+b\*cos(f\*x+e))^2\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^2 (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(f\*x+e))^2\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x, algorithm="maxima")

[Out] integrate((B\*cos(f\*x + e) + A)\*(b\*cos(f\*x + e) + a)^2\*(c\*sec(f\*x + e))^m, x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb^2 \cos(fx + e)^3 + Aa^2 + (2Bab + Ab^2) \cos(fx + e)^2 + (Ba^2 + 2Aab) \cos(fx + e)\right) (c \sec(fx + e))^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(f\*x+e))^2\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x, algorithm="fricas")

[Out] integral((B\*b^2\*cos(f\*x + e)^3 + A\*a^2 + (2\*B\*a\*b + A\*b^2)\*cos(f\*x + e)^2 + (B\*a^2 + 2\*A\*a\*b)\*cos(f\*x + e))\*(c\*sec(f\*x + e))^m, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out



Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(f*x+e))**2*(A+B*cos(f*x+e))*(c*sec(f*x+e))**m,x)
```

```
[Out] Timed out
```

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^2 (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((a+b*cos(f*x+e))^2*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="giac")
```

```
[Out] integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)^2*(c*sec(f*x + e))^m, x )
```

### 3.639 $\int (a + b \cos(e + fx))(A + B \cos(e + fx))(c \sec(e + fx))^m dx$

**Optimal.** Leaf size=217

$$\frac{c^3 \sin(e + fx)(aA(2 - m) + bB(1 - m))(c \sec(e + fx))^{m-3} {}_2F_1\left(\frac{1}{2}, \frac{3-m}{2}; \frac{5-m}{2}; \cos^2(e + fx)\right)}{f(1 - m)(3 - m)\sqrt{\sin^2(e + fx)}} - \frac{c^2(aB + Ab) \sin(e + fx)(c \sec(e + fx))^{m-2}}{f(1 - m)}$$

[Out]  $-\left(\left(c^3(bB(1 - m) + aA(2 - m))\text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(3 - m)}{2}, \frac{(5 - m)}{2}, \cos[e + fx]^2\right](c \sec[e + fx])^{-3 + m} \sin[e + fx]\right) / (f(1 - m)(3 - m)\sqrt{\sin[e + fx]^2})\right) - \left(\frac{(A*b + a*B)c^2 \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(2 - m)}{2}, \frac{(4 - m)}{2}, \cos[e + fx]^2\right](c \sec[e + fx])^{-2 + m} \sin[e + fx]}{f(2 - m)\sqrt{\sin[e + fx]^2}} - (aA*c^2(c \sec[e + fx])^{-2 + m} \tan[e + fx]) / (f(1 - m))\right)$

**Rubi [A]** time = 0.359662, antiderivative size = 217, normalized size of antiderivative = 1., number of steps used = 7, number of rules used = 5, integrand size = 31,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.161$ , Rules used = {2960, 3997, 3787, 3772, 2643}

$$\frac{c^3 \sin(e + fx)(aA(2 - m) + bB(1 - m))(c \sec(e + fx))^{m-3} {}_2F_1\left(\frac{1}{2}, \frac{3-m}{2}; \frac{5-m}{2}; \cos^2(e + fx)\right)}{f(1 - m)(3 - m)\sqrt{\sin^2(e + fx)}} - \frac{c^2(aB + Ab) \sin(e + fx)(c \sec(e + fx))^{m-2}}{f(1 - m)}$$

Antiderivative was successfully verified.

[In]  $\text{Int}[(a + b \cos[e + fx])(A + B \cos[e + fx])(c \sec[e + fx])^m, x]$

[Out]  $-\left(\left(c^3(bB(1 - m) + aA(2 - m))\text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(3 - m)}{2}, \frac{(5 - m)}{2}, \cos[e + fx]^2\right](c \sec[e + fx])^{-3 + m} \sin[e + fx]\right) / (f(1 - m)(3 - m)\sqrt{\sin[e + fx]^2})\right) - \left(\frac{(A*b + a*B)c^2 \text{Hypergeometric2F1}\left[\frac{1}{2}, \frac{(2 - m)}{2}, \frac{(4 - m)}{2}, \cos[e + fx]^2\right](c \sec[e + fx])^{-2 + m} \sin[e + fx]}{f(2 - m)\sqrt{\sin[e + fx]^2}} - (aA*c^2(c \sec[e + fx])^{-2 + m} \tan[e + fx]) / (f(1 - m))\right)$

#### Rule 2960

$\text{Int}[(\text{csc}[e] + (f \cdot x) \cdot \text{csc}[e + fx]) \cdot (g \cdot x)^p \cdot ((a \cdot x) + (b \cdot x) \cdot \sin[e + fx]) \cdot (c \cdot x)^m \cdot ((d \cdot x) + (e \cdot x) \cdot \sin[e + fx])^n, x\_Symbol] \rightarrow \text{Dist}[g^m \cdot \text{Int}[(g \cdot \text{Csc}[e + fx])^{p - m - n} \cdot (b + a \cdot \text{Csc}[e + fx])^m \cdot (d + c \cdot \text{Csc}[e + fx])^n, x], x] /; \text{FreeQ}\{a, b, c, d, e, f, g, p\}, x] \&\& \text{NeQ}[b \cdot c - a \cdot d, 0] \&\& \text{IntegerQ}[p] \&\& \text{IntegerQ}[m] \&\& \text{IntegerQ}[n]$

#### Rule 3997

$\text{Int}[(\text{csc}[e] + (f \cdot x) \cdot \text{csc}[e + fx]) \cdot (d \cdot x)^n \cdot (\text{csc}[e] + (f \cdot x) \cdot \text{csc}[e + fx]) \cdot (b \cdot x) + (a \cdot x) \cdot (\text{csc}[e] + (f \cdot x) \cdot \text{csc}[e + fx]) \cdot (B \cdot x) + (A \cdot x), x\_Symbol] \rightarrow -\text{Simp}[(b \cdot B \cdot \text{Cot}[e + fx] \cdot (d \cdot \text{Csc}[e + fx])^n) / (f \cdot (n + 1)), x] + \text{Dist}[1 / (n + 1), \text{Int}[(d \cdot \text{Csc}[e + fx])^n \cdot \text{Simp}[A \cdot a \cdot (n + 1) + B \cdot b \cdot n + (A \cdot b + B \cdot a) \cdot (n + 1) \cdot \text{Csc}[e + fx], x], x] /; \text{FreeQ}\{a, b, d, e, f, A, B\}, x] \&\& \text{NeQ}[A \cdot b - a \cdot B, 0] \&\& \text{!LeQ}[n, -1]$

#### Rule 3787

$\text{Int}[(\text{csc}[e] + (f \cdot x) \cdot \text{csc}[e + fx]) \cdot (d \cdot x)^n \cdot (\text{csc}[e] + (f \cdot x) \cdot \text{csc}[e + fx]) \cdot (b \cdot x) + (a \cdot x), x\_Symbol] \rightarrow \text{Dist}[a, \text{Int}[(d \cdot \text{Csc}[e + fx])^n, x], x] + \text{Dist}[b/d, \text{Int}[(\text{csc}[e] + (f \cdot x) \cdot \text{csc}[e + fx])^n, x], x]$

$(d \cdot \text{Csc}[e + f \cdot x])^{(n + 1)}, x, x] /; \text{FreeQ}[\{a, b, d, e, f, n\}, x]$

### Rule 3772

$\text{Int}[(\text{csc}[(c\_.) + (d\_.) \cdot (x\_)] \cdot (b\_.) )^{(n\_)}, x\_Symbol] :> \text{Simp}[(b \cdot \text{Csc}[c + d \cdot x])^{(n - 1)} \cdot ((\text{Sin}[c + d \cdot x]/b)^{(n - 1)} \cdot \text{Int}[1/(\text{Sin}[c + d \cdot x]/b)^n, x]), x] /; \text{FreeQ}[\{b, c, d, n\}, x] \&\& \text{!IntegerQ}[n]$

### Rule 2643

$\text{Int}[(b\_.) \cdot \text{sin}[(c\_.) + (d\_.) \cdot (x\_)] ]^{(n\_)}, x\_Symbol] :> \text{Simp}[(\text{Cos}[c + d \cdot x] \cdot (b \cdot \text{Sin}[c + d \cdot x])^{(n + 1)} \cdot \text{Hypergeometric2F1}[1/2, (n + 1)/2, (n + 3)/2, \text{Sin}[c + d \cdot x]^2]) / (b \cdot d \cdot (n + 1) \cdot \text{Sqrt}[\text{Cos}[c + d \cdot x]^2]), x] /; \text{FreeQ}[\{b, c, d, n\}, x] \&\& \text{!IntegerQ}[2 \cdot n]$

### Rubi steps

$$\begin{aligned} \int (a + b \cos(e + fx))(A + B \cos(e + fx))(c \sec(e + fx))^m dx &= c^2 \int (c \sec(e + fx))^{-2+m} (b + a \sec(e + fx))(B + A \sec(e + fx)) dx \\ &= -\frac{aAc^2(c \sec(e + fx))^{-2+m} \tan(e + fx)}{f(1 - m)} - \frac{c^2 \int (c \sec(e + fx))^{-2+m} dx}{f(1 - m)} \\ &= -\frac{aAc^2(c \sec(e + fx))^{-2+m} \tan(e + fx)}{f(1 - m)} + ((Ab + aB)c) \int (c \sec(e + fx))^{-2+m} dx \\ &= -\frac{aAc^2(c \sec(e + fx))^{-2+m} \tan(e + fx)}{f(1 - m)} + \left( (Ab + aB)c \int (c \sec(e + fx))^{-2+m} dx \right) \\ &= -\frac{(Ab + aB) \cos^2(e + fx) {}_2F_1\left(\frac{1}{2}, \frac{2-m}{2}; \frac{4-m}{2}; \cos^2(e + fx)\right)}{f(2 - m) \sqrt{\sin^2(e + fx)}} \end{aligned}$$

**Mathematica [A]** time = 0.361708, size = 163, normalized size = 0.75

$$\frac{\sqrt{-\tan^2(e + fx)} \cot(e + fx) (c \sec(e + fx))^m \left( (m - 2) \left( m(aB + Ab) \cos(e + fx) {}_2F_1\left(\frac{1}{2}, \frac{m-1}{2}; \frac{m+1}{2}; \sec^2(e + fx)\right) + aA \int (c \sec(e + fx))^{-2+m} dx \right) \right)}{f(m - 2)(m - 1)m}$$

Warning: Unable to verify antiderivative.

[In] Integrate[(a + b \* Cos[e + f \* x]) \* (A + B \* Cos[e + f \* x]) \* (c \* Sec[e + f \* x])^m, x]

[Out] (Cot[e + f \* x] \* (b \* B \* (-1 + m) \* m \* Cos[e + f \* x]^2 \* Hypergeometric2F1[1/2, (-2 + m)/2, m/2, Sec[e + f \* x]^2] + (-2 + m) \* ((A \* b + a \* B) \* m \* Cos[e + f \* x] \* Hypergeometric2F1[1/2, (-1 + m)/2, (1 + m)/2, Sec[e + f \* x]^2] + a \* A \* (-1 + m) \* Hypergeometric2F1[1/2, m/2, (2 + m)/2, Sec[e + f \* x]^2])) \* (c \* Sec[e + f \* x])^m \* Sqrt[-Tan[e + f \* x]^2]) / (f \* (-2 + m) \* (-1 + m) \* m)

**Maple [F]** time = 2.181, size = 0, normalized size = 0.

$$\int (a + b \cos(fx + e))(A + B \cos(fx + e))(c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((a+b*cos(f*x+e))*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x)`

[Out] `int((a+b*cos(f*x+e))*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x)`

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)(c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(f*x+e))*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="maxima")`

[Out] `integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)*(c*sec(f*x + e))^m, x)`

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(fx + e)^2 + Aa + (Ba + Ab) \cos(fx + e)\right)(c \sec(fx + e))^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(f*x+e))*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="fricas")`

[Out] `integral((B*b*cos(f*x + e)^2 + A*a + (B*a + A*b)*cos(f*x + e))*(c*sec(f*x + e))^m, x)`

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int (c \sec(e + fx))^m (A + B \cos(e + fx))(a + b \cos(e + fx)) dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(f*x+e))*(A+B*cos(f*x+e))*(c*sec(f*x+e))**m,x)`

[Out] `Integral((c*sec(e + f*x))**m*(A + B*cos(e + f*x))*(a + b*cos(e + f*x)), x)`

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)(c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(f*x+e))*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="giac")`

[Out] `integrate((B*cos(f*x + e) + A)*(b*cos(f*x + e) + a)*(c*sec(f*x + e))^m, x)`

$$3.640 \quad \int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{a+b \cos(e+fx)} dx$$

**Optimal.** Leaf size=299

$$\frac{(Ab - aB) \sin(e + fx) \cos(e + fx) \cos^2(e + fx)^{m/2} (c \sec(e + fx))^{m+1} F_1\left(\frac{1}{2}; \frac{m}{2}, 1; \frac{3}{2}; \sin^2(e + fx), -\frac{b^2 \sin^2(e+fx)}{a^2-b^2}\right)}{cf(a^2 - b^2)} + \frac{a(A + B \cos(e + fx)) (c \sec(e + fx))^m}{cf(a^2 - b^2)}$$

[Out] -(((A\*b - a\*B)\*AppellF1[1/2, m/2, 1, 3/2, Sin[e + f\*x]^2, -((b^2\*Sin[e + f\*x]^2)/(a^2 - b^2))]\*Cos[e + f\*x]\*(Cos[e + f\*x]^2)^(m/2)\*(c\*Sec[e + f\*x])^(1 + m)\*Sin[e + f\*x])/((a^2 - b^2)\*c\*f)) + (a\*(A\*b - a\*B)\*AppellF1[1/2, (1 + m)/2, 1, 3/2, Sin[e + f\*x]^2, -((b^2\*Sin[e + f\*x]^2)/(a^2 - b^2))]\*(Cos[e + f\*x]^2)^((1 + m)/2)\*(c\*Sec[e + f\*x])^(1 + m)\*Sin[e + f\*x])/(b\*(a^2 - b^2)\*c\*f) - (B\*c\*Hypergeometric2F1[1/2, (1 - m)/2, (3 - m)/2, Cos[e + f\*x]^2]\*(c\*Sec[e + f\*x])^(-1 + m)\*Sin[e + f\*x])/(b\*f\*(1 - m)\*Sqrt[Sin[e + f\*x]^2])

**Rubi [A]** time = 0.575894, antiderivative size = 299, normalized size of antiderivative = 1., number of steps used = 10, number of rules used = 8, integrand size = 33,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.242$ , Rules used = {2960, 4038, 3772, 2643, 3869, 2823, 3189, 429}

$$\frac{(Ab - aB) \sin(e + fx) \cos(e + fx) \cos^2(e + fx)^{m/2} (c \sec(e + fx))^{m+1} F_1\left(\frac{1}{2}; \frac{m}{2}, 1; \frac{3}{2}; \sin^2(e + fx), -\frac{b^2 \sin^2(e+fx)}{a^2-b^2}\right)}{cf(a^2 - b^2)} + \frac{a(A + B \cos(e + fx)) (c \sec(e + fx))^m}{cf(a^2 - b^2)}$$

Antiderivative was successfully verified.

[In] Int[((A + B\*Cos[e + f\*x])\*(c\*Sec[e + f\*x])^m)/(a + b\*Cos[e + f\*x]),x]

[Out] -(((A\*b - a\*B)\*AppellF1[1/2, m/2, 1, 3/2, Sin[e + f\*x]^2, -((b^2\*Sin[e + f\*x]^2)/(a^2 - b^2))]\*Cos[e + f\*x]\*(Cos[e + f\*x]^2)^(m/2)\*(c\*Sec[e + f\*x])^(1 + m)\*Sin[e + f\*x])/((a^2 - b^2)\*c\*f)) + (a\*(A\*b - a\*B)\*AppellF1[1/2, (1 + m)/2, 1, 3/2, Sin[e + f\*x]^2, -((b^2\*Sin[e + f\*x]^2)/(a^2 - b^2))]\*(Cos[e + f\*x]^2)^((1 + m)/2)\*(c\*Sec[e + f\*x])^(1 + m)\*Sin[e + f\*x])/(b\*(a^2 - b^2)\*c\*f) - (B\*c\*Hypergeometric2F1[1/2, (1 - m)/2, (3 - m)/2, Cos[e + f\*x]^2]\*(c\*Sec[e + f\*x])^(-1 + m)\*Sin[e + f\*x])/(b\*f\*(1 - m)\*Sqrt[Sin[e + f\*x]^2])

#### Rule 2960

Int[(csc[(e\_.) + (f\_.)\*(x\_.)]\*(g\_.))^(p\_.)\*((a\_.) + (b\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(m\_.))\*((c\_.) + (d\_.)\*sin[(e\_.) + (f\_.)\*(x\_.)]^(n\_.), x\_Symbol] :> Dist[g^(m + n), Int[(g\*Csc[e + f\*x])^(p - m - n)\*(b + a\*Csc[e + f\*x])^m\*(d + c\*Csc[e + f\*x])^n, x], x] /; FreeQ[{a, b, c, d, e, f, g, p}, x] && NeQ[b\*c - a\*d, 0] && !IntegerQ[p] && IntegerQ[m] && IntegerQ[n]

#### Rule 4038

Int[((csc[(e\_.) + (f\_.)\*(x\_.)]\*(d\_.))^(n\_.)\*(csc[(e\_.) + (f\_.)\*(x\_.)]\*(B\_.) + (A\_.)))/(csc[(e\_.) + (f\_.)\*(x\_.)]\*(b\_.) + (a\_.), x\_Symbol] :> Dist[A/a, Int[(d\*Csc[e + f\*x])^n, x], x] - Dist[(A\*b - a\*B)/(a\*d), Int[(d\*Csc[e + f\*x])^(n + 1)/(a + b\*Csc[e + f\*x]), x], x] /; FreeQ[{a, b, d, e, f, A, B, n}, x] && NeQ[A\*b - a\*B, 0] && NeQ[a^2 - b^2, 0]

#### Rule 3772

Int[(csc[(c\_.) + (d\_.)\*(x\_.)]\*(b\_.))^(n\_.), x\_Symbol] :> Simp[(b\*Csc[c + d\*x])^(n - 1)\*((Sin[c + d\*x]/b)^(n - 1)\*Int[1/(Sin[c + d\*x]/b)^n, x]), x] /; Fr

eeQ[{b, c, d, n}, x] && !IntegerQ[n]

### Rule 2643

Int[((b\_)\*sin[(c\_) + (d\_)\*(x\_)])^(n\_), x\_Symbol] := Simp[(Cos[c + d\*x]\*(b\*Sin[c + d\*x])^(n + 1)\*Hypergeometric2F1[1/2, (n + 1)/2, (n + 3)/2, Sin[c + d\*x]^2])/(b\*d\*(n + 1)\*Sqrt[Cos[c + d\*x]^2]), x] /; FreeQ[{b, c, d, n}, x] && !IntegerQ[2\*n]

### Rule 3869

Int[(csc[(e\_) + (f\_)\*(x\_)]\*(d\_))^(n\_)\*(csc[(e\_) + (f\_)\*(x\_)]\*(b\_) + (a\_))^(m\_), x\_Symbol] := Dist[Sin[e + f\*x]^n\*(d\*Csc[e + f\*x])^n, Int[(b + a\*Sin[e + f\*x])^m/Sin[e + f\*x]^(m + n), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && NeQ[a^2 - b^2, 0] && IntegerQ[m]

### Rule 2823

Int[((d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(n\_)/((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]), x\_Symbol] := Dist[a, Int[(d\*Sin[e + f\*x])^n/(a^2 - b^2\*Sin[e + f\*x]^2), x], x] - Dist[b/d, Int[(d\*Sin[e + f\*x])^(n + 1)/(a^2 - b^2\*Sin[e + f\*x]^2), x], x] /; FreeQ[{a, b, d, e, f, n}, x] && NeQ[a^2 - b^2, 0]

### Rule 3189

Int[((d\_)\*sin[(e\_) + (f\_)\*(x\_)])^(m\_)\*((a\_) + (b\_)\*sin[(e\_) + (f\_)\*(x\_)]^2)^(p\_), x\_Symbol] := With[{ff = FreeFactors[Cos[e + f\*x], x]}, -Dist[(ff\*d^(2\*IntPart[(m - 1)/2] + 1)\*(d\*Sin[e + f\*x])^(2\*FracPart[(m - 1)/2]))/(f\*(Sin[e + f\*x]^2)^FracPart[(m - 1)/2]), Subst[Int[(1 - ff^2\*x^2)^((m - 1)/2)\*(a + b - b\*ff^2\*x^2)^p, x], x, Cos[e + f\*x]/ff], x] /; FreeQ[{a, b, d, e, f, m, p}, x] && !IntegerQ[m]

### Rule 429

Int[((a\_) + (b\_)\*(x\_)^(n\_))^(p\_)\*((c\_) + (d\_)\*(x\_)^(n\_))^(q\_), x\_Symbol] := Simp[a^p\*c^q\*x\*AppellF1[1/n, -p, -q, 1 + 1/n, -((b\*x^n)/a), -((d\*x^n)/c)], x] /; FreeQ[{a, b, c, d, n, p, q}, x] && NeQ[b\*c - a\*d, 0] && NeQ[n, -1] && (IntegerQ[p] || GtQ[a, 0]) && (IntegerQ[q] || GtQ[c, 0])

### Rubi steps

$$\begin{aligned}
\int \frac{(A + B \cos(e + fx))(c \sec(e + fx))^m}{a + b \cos(e + fx)} dx &= \int \frac{(c \sec(e + fx))^m (B + A \sec(e + fx))}{b + a \sec(e + fx)} dx \\
&= \frac{B \int (c \sec(e + fx))^m dx}{b} + \frac{(Ab - aB) \int \frac{(c \sec(e + fx))^{1+m}}{b + a \sec(e + fx)} dx}{bc} \\
&= \frac{\left( B \left( \frac{\cos(e + fx)}{c} \right)^m (c \sec(e + fx))^m \right) \int \left( \frac{\cos(e + fx)}{c} \right)^{-m} dx}{b} + \frac{((Ab - aB) \cos^{1+m}(e + fx)) \int \frac{1}{b + a \sec(e + fx)} dx}{bc} \\
&= -\frac{B \cos(e + fx) {}_2F_1\left(\frac{1}{2}, \frac{1-m}{2}; \frac{3-m}{2}; \cos^2(e + fx)\right) (c \sec(e + fx))^m \sin(e + fx)}{bf(1-m)\sqrt{\sin^2(e + fx)}} \\
&= -\frac{B \cos(e + fx) {}_2F_1\left(\frac{1}{2}, \frac{1-m}{2}; \frac{3-m}{2}; \cos^2(e + fx)\right) (c \sec(e + fx))^m \sin(e + fx)}{bf(1-m)\sqrt{\sin^2(e + fx)}} \\
&= -\frac{(Ab - aB) F_1\left(\frac{1}{2}; \frac{m}{2}, 1; \frac{3}{2}; \sin^2(e + fx), -\frac{b^2 \sin^2(e + fx)}{a^2 - b^2}\right) \cos(e + fx) \cos^2(e + fx)}{(a^2 - b^2) cf}
\end{aligned}$$

**Mathematica [B]** time = 26.5004, size = 10630, normalized size = 35.55

Result too large to show

Warning: Unable to verify antiderivative.

[In] Integrate[((A + B\*Cos[e + f\*x])\*(c\*Sec[e + f\*x])^m)/(a + b\*Cos[e + f\*x]),x]

[Out] Result too large to show

**Maple [F]** time = 1.394, size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(fx + e))(c \sec(fx + e))^m}{a + b \cos(fx + e)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m/(a+b\*cos(f\*x+e)),x)

[Out] int((A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m/(a+b\*cos(f\*x+e)),x)

**Maxima [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(fx + e) + A)(c \sec(fx + e))^m}{b \cos(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m/(a+b\*cos(f\*x+e)),x, algorithm="maxima")

[Out] integrate((B\*cos(f\*x + e) + A)\*(c\*sec(f\*x + e))^m/(b\*cos(f\*x + e) + a), x)

**Fricas [F]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\frac{(B \cos(fx + e) + A)(c \sec(fx + e))^m}{b \cos(fx + e) + a}, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m/(a+b\*cos(f\*x+e)),x, algorithm="fricas")

[Out] integral((B\*cos(f\*x + e) + A)\*(c\*sec(f\*x + e))^m/(b\*cos(f\*x + e) + a), x)

**Sympy [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(c \sec(e + fx))^m (A + B \cos(e + fx))}{a + b \cos(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m/(a+b\*cos(f\*x+e)),x)

[Out] Integral((c\*sec(e + f\*x))^m\*(A + B\*cos(e + f\*x))/(a + b\*cos(e + f\*x)), x)

**Giac [F]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(fx + e) + A)(c \sec(fx + e))^m}{b \cos(fx + e) + a} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m/(a+b\*cos(f\*x+e)),x, algorithm="giac")

[Out] integrate((B\*cos(f\*x + e) + A)\*(c\*sec(f\*x + e))^m/(b\*cos(f\*x + e) + a), x)



$$3.641 \quad \int (a + b \cos(e + fx))^{3/2} (A + B \cos(e + fx)) (c \sec(e + fx))^m dx$$

**Optimal.** Leaf size=209

$$2(c \cos(e + fx))^m (c \sec(e + fx))^m \text{Unintegrable} \left( \frac{(c \cos(e + fx))^{-m} \left( \frac{1}{2} c \cos(e + fx) (a(5-2m)(aB+2Ab)+b^2B(3-2m)) + \frac{1}{2} bc \cos^2(e + fx)(2aB(3-2m) + b^2B(3-2m)) \right)}{\sqrt{a + b \cos(e + fx)}} \right)}{c(5 - 2m)}$$

[Out] (2\*b\*B\*Cos[e + f\*x]\*Sqrt[a + b\*Cos[e + f\*x]]\*(c\*Sec[e + f\*x])^m\*Sin[e + f\*x])/ (f\*(5 - 2\*m)) + (2\*(c\*Cos[e + f\*x])^m\*(c\*Sec[e + f\*x])^m\*Unintegrable[(((a\*c\*(2\*b\*B\*(1 - m) + 2\*a\*A\*(5/2 - m)))/2 + (c\*(b^2\*B\*(3 - 2\*m) + a\*(2\*A\*b + a\*B)\*(5 - 2\*m))\*Cos[e + f\*x])/2 + (b\*c\*(A\*b\*(5 - 2\*m) + 2\*a\*B\*(3 - m))\*Cos[e + f\*x]^2)/2)/((c\*Cos[e + f\*x])^m\*Sqrt[a + b\*Cos[e + f\*x]]), x)]/(c\*(5 - 2\*m))

**Rubi [A]** time = 0.721117, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int (a + b \cos(e + fx))^{3/2} (A + B \cos(e + fx)) (c \sec(e + fx))^m dx$$

Verification is Not applicable to the result.

[In] Int[(a + b\*Cos[e + f\*x])^(3/2)\*(A + B\*Cos[e + f\*x])\*(c\*Sec[e + f\*x])^m,x]

[Out] (2\*b\*B\*Cos[e + f\*x]\*Sqrt[a + b\*Cos[e + f\*x]]\*(c\*Sec[e + f\*x])^m\*Sin[e + f\*x])/ (f\*(5 - 2\*m)) + (2\*(c\*Cos[e + f\*x])^m\*(c\*Sec[e + f\*x])^m\*Defer[Int](((a\*c\*(2\*b\*B\*(1 - m) + 2\*a\*A\*(5/2 - m)))/2 + (c\*(b^2\*B\*(3 - 2\*m) + a\*(2\*A\*b + a\*B)\*(5 - 2\*m))\*Cos[e + f\*x])/2 + (b\*c\*(A\*b\*(5 - 2\*m) + 2\*a\*B\*(3 - m))\*Cos[e + f\*x]^2)/2)/((c\*Cos[e + f\*x])^m\*Sqrt[a + b\*Cos[e + f\*x]]), x)]/(c\*(5 - 2\*m))

Rubi steps

$$\int (a + b \cos(e + fx))^{3/2} (A + B \cos(e + fx)) (c \sec(e + fx))^m dx = ((c \cos(e + fx))^m (c \sec(e + fx))^m) \int (c \cos(e + fx))^{3/2} (A + B \cos(e + fx)) dx = \frac{2bB \cos(e + fx) \sqrt{a + b \cos(e + fx)} (c \sec(e + fx))^m}{f(5 - 2m)}$$

**Mathematica [A]** time = 57.0767, size = 0, normalized size = 0.

$$\int (a + b \cos(e + fx))^{3/2} (A + B \cos(e + fx)) (c \sec(e + fx))^m dx$$

Verification is Not applicable to the result.

[In] Integrate[(a + b\*Cos[e + f\*x])^(3/2)\*(A + B\*Cos[e + f\*x])\*(c\*Sec[e + f\*x])^m,x]

[Out] Integrate[(a + b\*cos[e + f\*x])^(3/2)\*(A + B\*cos[e + f\*x])\*(c\*Sec[e + f\*x])^m, x]

**Maple [A]** time = 0.714, size = 0, normalized size = 0.

$$\int (a + b \cos(fx + e))^{\frac{3}{2}} (A + B \cos(fx + e)) (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(f\*x+e))^(3/2)\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x)

[Out] int((a+b\*cos(f\*x+e))^(3/2)\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x)

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^{\frac{3}{2}} (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(f\*x+e))^(3/2)\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x, algorithm="maxima")

[Out] integrate((B\*cos(f\*x + e) + A)\*(b\*cos(f\*x + e) + a)^(3/2)\*(c\*sec(f\*x + e))^m, x)

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(Bb \cos(fx + e)^2 + Aa + (Ba + Ab) \cos(fx + e)\right) \sqrt{b \cos(fx + e) + a} (c \sec(fx + e))^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(f\*x+e))^(3/2)\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x, algorithm="fricas")

[Out] integral((B\*b\*cos(f\*x + e)^2 + A\*a + (B\*a + A\*b)\*cos(f\*x + e))\*sqrt(b\*cos(f\*x + e) + a)\*(c\*sec(f\*x + e))^m, x)

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(f\*x+e))\*\*(3/2)\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))\*\*m,x)

[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(fx + e) + A)(b \cos(fx + e) + a)^{\frac{3}{2}} (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((a+b\*cos(f\*x+e))^(3/2)\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m,x, algorithm="giac")

[Out] integrate((B\*cos(f\*x + e) + A)\*(b\*cos(f\*x + e) + a)^(3/2)\*(c\*sec(f\*x + e))^m, x)

$$3.642 \quad \int \sqrt{a + b \cos(e + fx)} (A + B \cos(e + fx)) (c \sec(e + fx))^m dx$$

**Optimal.** Leaf size=60

$$(c \cos(e + fx))^m (c \sec(e + fx))^m \text{Unintegrable} \left( \sqrt{a + b \cos(e + fx)} (A + B \cos(e + fx)) (c \cos(e + fx))^{-m}, x \right)$$

[Out] (c\*cos[e + f\*x])^m\*(c\*Sec[e + f\*x])^m\*Unintegrable[(Sqrt[a + b\*cos[e + f\*x]]\*(A + B\*cos[e + f\*x]))/(c\*cos[e + f\*x])^m, x]

**Rubi [A]** time = 0.238709, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \sqrt{a + b \cos(e + fx)} (A + B \cos(e + fx)) (c \sec(e + fx))^m dx$$

Verification is Not applicable to the result.

[In] Int[Sqrt[a + b\*cos[e + f\*x]]\*(A + B\*cos[e + f\*x])\*(c\*Sec[e + f\*x])^m, x]

[Out] (c\*cos[e + f\*x])^m\*(c\*Sec[e + f\*x])^m\*Defer[Int][(Sqrt[a + b\*cos[e + f\*x]]\*(A + B\*cos[e + f\*x]))/(c\*cos[e + f\*x])^m, x]

Rubi steps

$$\int \sqrt{a + b \cos(e + fx)} (A + B \cos(e + fx)) (c \sec(e + fx))^m dx = ((c \cos(e + fx))^m (c \sec(e + fx))^m) \int (c \cos(e + fx))^{-m} \sqrt{a + b \cos(e + fx)} dx$$

**Mathematica [A]** time = 12.3413, size = 0, normalized size = 0.

$$\int \sqrt{a + b \cos(e + fx)} (A + B \cos(e + fx)) (c \sec(e + fx))^m dx$$

Verification is Not applicable to the result.

[In] Integrate[Sqrt[a + b\*cos[e + f\*x]]\*(A + B\*cos[e + f\*x])\*(c\*Sec[e + f\*x])^m, x]

[Out] Integrate[Sqrt[a + b\*cos[e + f\*x]]\*(A + B\*cos[e + f\*x])\*(c\*Sec[e + f\*x])^m, x]

**Maple [A]** time = 0.773, size = 0, normalized size = 0.

$$\int \sqrt{a + b \cos(fx + e)} (A + B \cos(fx + e)) (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((a+b\*cos(f\*x+e))^(1/2)\*(A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m, x)

[Out] `int((a+b*cos(f*x+e))^(1/2)*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x)`

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(fx + e) + A) \sqrt{b \cos(fx + e) + a} (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(f*x+e))^(1/2)*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="maxima")`

[Out] `integrate((B*cos(f*x + e) + A)*sqrt(b*cos(f*x + e) + a)*(c*sec(f*x + e))^m, x)`

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral}\left(\left(B \cos(fx + e) + A\right) \sqrt{b \cos(fx + e) + a} \left(c \sec(fx + e)\right)^m, x\right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(f*x+e))^(1/2)*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="fricas")`

[Out] `integral((B*cos(f*x + e) + A)*sqrt(b*cos(f*x + e) + a)*(c*sec(f*x + e))^m, x)`

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int (c \sec(e + fx))^m (A + B \cos(e + fx)) \sqrt{a + b \cos(e + fx)} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(f*x+e))**(1/2)*(A+B*cos(f*x+e))*(c*sec(f*x+e))**m,x)`

[Out] `Integral((c*sec(e + f*x))**m*(A + B*cos(e + f*x))*sqrt(a + b*cos(e + f*x)), x)`

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int (B \cos(fx + e) + A) \sqrt{b \cos(fx + e) + a} (c \sec(fx + e))^m dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((a+b*cos(f*x+e))^(1/2)*(A+B*cos(f*x+e))*(c*sec(f*x+e))^m,x, algorithm="giac")`

[Out] `integrate((B*cos(f*x + e) + A)*sqrt(b*cos(f*x + e) + a)*(c*sec(f*x + e))^m, x)`

$$3.643 \quad \int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{\sqrt{a+b \cos(e+fx)}} dx$$

**Optimal.** Leaf size=60

$$(c \cos(e+fx))^m (c \sec(e+fx))^m \text{Unintegrable} \left( \frac{(A+B \cos(e+fx))(c \cos(e+fx))^{-m}}{\sqrt{a+b \cos(e+fx)}}, x \right)$$

[Out] (c\*Cos[e + f\*x])^m\*(c\*Sec[e + f\*x])^m\*Unintegrable[(A + B\*Cos[e + f\*x])/((c\*Cos[e + f\*x])^m\*Sqrt[a + b\*Cos[e + f\*x]]), x]

**Rubi [A]** time = 0.241677, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{\sqrt{a+b \cos(e+fx)}} dx$$

Verification is Not applicable to the result.

[In] Int[((A + B\*Cos[e + f\*x])\*(c\*Sec[e + f\*x])^m)/Sqrt[a + b\*Cos[e + f\*x]], x]

[Out] (c\*Cos[e + f\*x])^m\*(c\*Sec[e + f\*x])^m\*Defer[Int][(A + B\*Cos[e + f\*x])/((c\*Cos[e + f\*x])^m\*Sqrt[a + b\*Cos[e + f\*x]]), x]

Rubi steps

$$\int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{\sqrt{a+b \cos(e+fx)}} dx = ((c \cos(e+fx))^m (c \sec(e+fx))^m) \int \frac{(c \cos(e+fx))^{-m} (A+B \cos(e+fx))}{\sqrt{a+b \cos(e+fx)}} dx$$

**Mathematica [A]** time = 8.2039, size = 0, normalized size = 0.

$$\int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{\sqrt{a+b \cos(e+fx)}} dx$$

Verification is Not applicable to the result.

[In] Integrate[((A + B\*Cos[e + f\*x])\*(c\*Sec[e + f\*x])^m)/Sqrt[a + b\*Cos[e + f\*x]], x]

[Out] Integrate[((A + B\*Cos[e + f\*x])\*(c\*Sec[e + f\*x])^m)/Sqrt[a + b\*Cos[e + f\*x]], x]

**Maple [A]** time = 0.715, size = 0, normalized size = 0.

$$\int (A+B \cos(fx+e))(c \sec(fx+e))^m \frac{1}{\sqrt{a+b \cos(fx+e)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `int((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e))^(1/2),x)`

[Out] `int((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e))^(1/2),x)`

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(fx + e) + A) (c \sec(fx + e))^m}{\sqrt{b \cos(fx + e) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e))^(1/2),x, algorithm="maxima")`

[Out] `integrate((B*cos(f*x + e) + A)*(c*sec(f*x + e))^m/sqrt(b*cos(f*x + e) + a), x)`

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(B \cos(fx + e) + A) (c \sec(fx + e))^m}{\sqrt{b \cos(fx + e) + a}}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e))^(1/2),x, algorithm="fricas")`

[Out] `integral((B*cos(f*x + e) + A)*(c*sec(f*x + e))^m/sqrt(b*cos(f*x + e) + a), x)`

**Sympy [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(c \sec(e + fx))^m (A + B \cos(e + fx))}{\sqrt{a + b \cos(e + fx)}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] `integrate((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e))^(1/2),x)`

[Out] `Integral((c*sec(e + f*x))^m*(A + B*cos(e + f*x))/sqrt(a + b*cos(e + f*x)), x)`

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(fx + e) + A) (c \sec(fx + e))^m}{\sqrt{b \cos(fx + e) + a}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e))^(1/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(f*x + e) + A)*(c*sec(f*x + e))^m/sqrt(b*cos(f*x + e) + a), x)
```



$$3.644 \quad \int \frac{(A+B \cos(e+fx))(c \sec(e+fx))^m}{(a+b \cos(e+fx))^{3/2}} dx$$

**Optimal.** Leaf size=212

$$2(c \cos(e+fx))^m (c \sec(e+fx))^m \text{Unintegrable} \left( \frac{(c \cos(e+fx))^{-m} \left( \frac{1}{2} c (a^2 A - 2abB(1-m) + Ab^2(1-2m)) - \frac{1}{2} bc(3-2m)(Ab-aB) \cos^2(e+fx) - \frac{1}{2} ac}{\sqrt{a+b \cos(e+fx)}} \right)}{ac(a^2 - b^2)} \right)$$

[Out] (2\*b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(c\*Sec[e + f\*x])^m\*Sin[e + f\*x])/(a\*(a^2 - b^2)\*f\*Sqrt[a + b\*Cos[e + f\*x]]) + (2\*(c\*Cos[e + f\*x])^m\*(c\*Sec[e + f\*x])^m\*Unintegrable[((c\*(a^2\*A + A\*b^2\*(1 - 2\*m) - 2\*a\*b\*B\*(1 - m)))/2 - (a\*(A\*b - a\*B)\*c\*Cos[e + f\*x])/2 - (b\*(A\*b - a\*B)\*c\*(3 - 2\*m)\*Cos[e + f\*x]^2)/2]/((c\*Cos[e + f\*x])^m\*Sqrt[a + b\*Cos[e + f\*x]]), x])/(a\*(a^2 - b^2)\*c)

**Rubi [A]** time = 0.686432, antiderivative size = 0, normalized size of antiderivative = 0., number of steps used = 0, number of rules used = 0, integrand size = 0,  $\frac{\text{number of rules}}{\text{integrand size}} = 0.$ , Rules used = {}

$$\int \frac{(A + B \cos(e + fx))(c \sec(e + fx))^m}{(a + b \cos(e + fx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Int[((A + B\*Cos[e + f\*x])\*(c\*Sec[e + f\*x])^m)/(a + b\*Cos[e + f\*x])^(3/2), x]

[Out] (2\*b\*(A\*b - a\*B)\*Cos[e + f\*x]\*(c\*Sec[e + f\*x])^m\*Sin[e + f\*x])/(a\*(a^2 - b^2)\*f\*Sqrt[a + b\*Cos[e + f\*x]]) + (2\*(c\*Cos[e + f\*x])^m\*(c\*Sec[e + f\*x])^m\*Defere[Int](((c\*(a^2\*A + A\*b^2\*(1 - 2\*m) - 2\*a\*b\*B\*(1 - m)))/2 - (a\*(A\*b - a\*B)\*c\*Cos[e + f\*x])/2 - (b\*(A\*b - a\*B)\*c\*(3 - 2\*m)\*Cos[e + f\*x]^2)/2)/((c\*Cos[e + f\*x])^m\*Sqrt[a + b\*Cos[e + f\*x]]), x])/(a\*(a^2 - b^2)\*c)

Rubi steps

$$\begin{aligned} \int \frac{(A + B \cos(e + fx))(c \sec(e + fx))^m}{(a + b \cos(e + fx))^{3/2}} dx &= ((c \cos(e + fx))^m (c \sec(e + fx))^m) \int \frac{(c \cos(e + fx))^{-m} (A + B \cos(e + fx))}{(a + b \cos(e + fx))^{3/2}} dx \\ &= \frac{2b(Ab - aB) \cos(e + fx) (c \sec(e + fx))^m \sin(e + fx)}{a(a^2 - b^2) f \sqrt{a + b \cos(e + fx)}} + \frac{(2(c \cos(e + fx)))^m}{\sqrt{a + b \cos(e + fx)}} \end{aligned}$$

**Mathematica [A]** time = 10.5023, size = 0, normalized size = 0.

$$\int \frac{(A + B \cos(e + fx))(c \sec(e + fx))^m}{(a + b \cos(e + fx))^{3/2}} dx$$

Verification is Not applicable to the result.

[In] Integrate[((A + B\*Cos[e + f\*x])\*(c\*Sec[e + f\*x])^m)/(a + b\*Cos[e + f\*x])^(3/2), x]

[Out] Integrate[((A + B\*Cos[e + f\*x])\*(c\*Sec[e + f\*x])^m)/(a + b\*Cos[e + f\*x])^(3/2), x]

---

**Maple [A]** time = 0.716, size = 0, normalized size = 0.

$$\int (A + B \cos(fx + e)) (c \sec(fx + e))^m (a + b \cos(fx + e))^{-\frac{3}{2}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] int((A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m/(a+b\*cos(f\*x+e))^(3/2),x)

[Out] int((A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m/(a+b\*cos(f\*x+e))^(3/2),x)

---

**Maxima [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(fx + e) + A) (c \sec(fx + e))^m}{(b \cos(fx + e) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m/(a+b\*cos(f\*x+e))^(3/2),x, algorithm="maxima")

[Out] integrate((B\*cos(f\*x + e) + A)\*(c\*sec(f\*x + e))^m/(b\*cos(f\*x + e) + a)^(3/2), x)

---

**Fricas [A]** time = 0., size = 0, normalized size = 0.

$$\text{integral} \left( \frac{(B \cos(fx + e) + A) \sqrt{b \cos(fx + e) + a} (c \sec(fx + e))^m}{b^2 \cos(fx + e)^2 + 2ab \cos(fx + e) + a^2}, x \right)$$

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m/(a+b\*cos(f\*x+e))^(3/2),x, algorithm="fricas")

[Out] integral((B\*cos(f\*x + e) + A)\*sqrt(b\*cos(f\*x + e) + a)\*(c\*sec(f\*x + e))^m/(b^2\*cos(f\*x + e)^2 + 2\*a\*b\*cos(f\*x + e) + a^2), x)

---

**Sympy [F(-1)]** time = 0., size = 0, normalized size = 0.

Timed out

Verification of antiderivative is not currently implemented for this CAS.

[In] integrate((A+B\*cos(f\*x+e))\*(c\*sec(f\*x+e))^m/(a+b\*cos(f\*x+e))^(3/2),x)

[Out] Timed out

---

**Giac [A]** time = 0., size = 0, normalized size = 0.

$$\int \frac{(B \cos(fx + e) + A)(c \sec(fx + e))^m}{(b \cos(fx + e) + a)^{\frac{3}{2}}} dx$$

Verification of antiderivative is not currently implemented for this CAS.

```
[In] integrate((A+B*cos(f*x+e))*(c*sec(f*x+e))^m/(a+b*cos(f*x+e))^(3/2),x, algorithm="giac")
```

```
[Out] integrate((B*cos(f*x + e) + A)*(c*sec(f*x + e))^m/(b*cos(f*x + e) + a)^(3/2), x)
```



# Chapter 4

## Listing of Grading functions

The following are the current version of the grading functions used for grading the quality of the antiderivative with reference to the optimal antiderivative included in the test suite.

There is a version for Maple and for Mathematica/Rubi. There is a version for grading Sympy and version for use with Sagemath.

The following are links to the current source code.

The following are the listings of source code of the grading functions.

### 4.0.1 Mathematica and Rubi grading function

```
1 (* Original version thanks to Albert Rich emailed on 03/21/2017 *)
2 (* ::Package:: *)
3
4 (* ::Subsection:: *)
5 (*GradeAntiderivative[result,optimal]*)
6
7
8 (* ::Text:: *)
9 (*If result and optimal are mathematical expressions, *)
10 (*      GradeAntiderivative[result,optimal] returns*)
11 (* "F" if the result fails to integrate an expression that*)
12 (*   is integrable*)
13 (* "C" if result involves higher level functions than necessary*)
14 (* "B" if result is more than twice the size of the optimal*)
15 (*   antiderivative*)
16 (* "A" if result can be considered optimal*)
17
18
19 GradeAntiderivative[result_,optimal_] :=
20   If[ExpnType[result]<=ExpnType[optimal],
21     If[FreeQ[result,Complex] || Not[FreeQ[optimal,Complex]],
22       If[LeafCount[result]<=2*LeafCount[optimal],
23         "A",
24         "B"],
25       "C"],
26     If[FreeQ[result,Integrate] && FreeQ[result,Int],
27       "C",
28       "F"]]
29
30
31 (* ::Text:: *)
32 (*The following summarizes the type number assigned an *)
33 (*expression based on the functions it involves*)
34 (*1 = rational function*)
35 (*2 = algebraic function*)
36 (*3 = elementary function*)
37 (*4 = special function*)
```



```

101 AppellFunctionQ[func_] :=
102   MemberQ[{AppellF1},func]

```

## 4.0.2 Maple grading function

```

1 # File: GradeAntiderivative.mpl
2 # Original version thanks to Albert Rich emailed on 03/21/2017
3
4 #Nasser 03/22/2017 Use Maple leaf count instead since buildin
5 #Nasser 03/23/2017 missing 'ln' for ElementaryFunctionQ added
6 #Nasser 03/24/2017 corrected the check for complex result
7 #Nasser 10/27/2017 check for leafsize and do not call ExpnType()
8 # if leaf size is "too large". Set at 500,000
9 #Nasser 12/22/2019 Added debug flag, added 'dilog' to special functions
10 # see problem 156, file Apostol_Problems
11
12 GradeAntiderivative := proc(result,optimal)
13 local leaf_count_result, leaf_count_optimal,ExpnType_result,ExpnType_optimal,
14     debug:=false;
15
16     leaf_count_result:=leafcount(result);
17     #do NOT call ExpnType() if leaf size is too large. Recursion problem
18     if leaf_count_result > 500000 then
19         return "B";
20     fi;
21
22     leaf_count_optimal:=leafcount(optimal);
23
24     ExpnType_result:=ExpnType(result);
25     ExpnType_optimal:=ExpnType(optimal);
26
27     if debug then
28         print("ExpnType_result",ExpnType_result," ExpnType_optimal=",
29             ExpnType_optimal);
30     fi;
31
32 # If result and optimal are mathematical expressions,
33 # GradeAntiderivative[result,optimal] returns
34 # "F" if the result fails to integrate an expression that
35 # is integrable
36 # "C" if result involves higher level functions than necessary
37 # "B" if result is more than twice the size of the optimal
38 # antiderivative
39 # "A" if result can be considered optimal
40
41 #This check below actually is not needed, since I only
42 #call this grading only for passed integrals. i.e. I check
43 #for "F" before calling this. But no harm of keeping it here.
44 #just in case.
45
46 if not type(result,freeof('int')) then
47     return "F";
48 end if;
49
50 if ExpnType_result<=ExpnType_optimal then
51     if debug then
52         print("ExpnType_result<=ExpnType_optimal");
53     fi;
54     if is_contains_complex(result) then
55         if is_contains_complex(optimal) then
56             if debug then

```

```

57         print("both result and optimal complex");
58         fi;
59         #both result and optimal complex
60         if leaf_count_result<=2*leaf_count_optimal then
61             return "A";
62         else
63             return "B";
64         end if
65     else #result contains complex but optimal is not
66         if debug then
67             print("result contains complex but optimal is not");
68         fi;
69         return "C";
70     end if
71 else # result do not contain complex
72     # this assumes optimal do not as well
73     if debug then
74         print("result do not contain complex, this assumes optimal do
not as well");
75     fi;
76     if leaf_count_result<=2*leaf_count_optimal then
77         if debug then
78             print("leaf_count_result<=2*leaf_count_optimal");
79         fi;
80         return "A";
81     else
82         if debug then
83             print("leaf_count_result>2*leaf_count_optimal");
84         fi;
85         return "B";
86     end if
87 end if
88 else #ExpnType(result) > ExpnType(optimal)
89     if debug then
90         print("ExpnType(result) > ExpnType(optimal)");
91     fi;
92     return "C";
93 end if
94
95 end proc:
96
97 #
98 # is_contains_complex(result)
99 # takes expressions and returns true if it contains "I" else false
100 #
101 #Nasser 032417
102 is_contains_complex:= proc(expression)
103     return (has(expression,I));
104 end proc:
105
106 # The following summarizes the type number assigned an expression
107 # based on the functions it involves
108 # 1 = rational function
109 # 2 = algebraic function
110 # 3 = elementary function
111 # 4 = special function
112 # 5 = hyperpergeometric function
113 # 6 = appell function
114 # 7 = rootsum function
115 # 8 = integrate function
116 # 9 = unknown function
117
118 ExpnType := proc(expn)

```



```

119   if type(expn,'atomic') then
120       1
121   elif type(expn,'list') then
122       apply(max,map(ExpnType,expn))
123   elif type(expn,'sqrt') then
124       if type(op(1,expn),'rational') then
125           1
126       else
127           max(2,ExpnType(op(1,expn)))
128       end if
129   elif type(expn,'^^') then
130       if type(op(2,expn),'integer') then
131           ExpnType(op(1,expn))
132       elif type(op(2,expn),'rational') then
133           if type(op(1,expn),'rational') then
134               1
135           else
136               max(2,ExpnType(op(1,expn)))
137           end if
138       else
139           max(3,ExpnType(op(1,expn)),ExpnType(op(2,expn)))
140       end if
141   elif type(expn,'+`') or type(expn,'*`') then
142       max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
143   elif ElementaryFunctionQ(op(0,expn)) then
144       max(3,ExpnType(op(1,expn)))
145   elif SpecialFunctionQ(op(0,expn)) then
146       max(4,apply(max,map(ExpnType,[op(expn)])))
147   elif HypergeometricFunctionQ(op(0,expn)) then
148       max(5,apply(max,map(ExpnType,[op(expn)])))
149   elif AppellFunctionQ(op(0,expn)) then
150       max(6,apply(max,map(ExpnType,[op(expn)])))
151   elif op(0,expn)='int' then
152       max(8,apply(max,map(ExpnType,[op(expn)]))) else
153       9
154   end if
155 end proc:
156
157
158 ElementaryFunctionQ := proc(func)
159     member(func,[
160         exp,log,ln,
161         sin,cos,tan,cot,sec,csc,
162         arcsin,arccos,arctan,arccot,arcsec,arccsc,
163         sinh,cosh,tanh,coth,sech,csch,
164         arcsinh,arccosh,arctanh,arccoth,arcsech,arccsch])
165 end proc:
166
167 SpecialFunctionQ := proc(func)
168     member(func,[
169         erf,erfc,erfi,
170         FresnelS,FresnelC,
171         Ei,Ei,Li,Si,Ci,Shi,Chi,
172         GAMMA,lnGAMMA,Psi,Zeta,polylog,dilog,LambertW,
173         EllipticF,EllipticE,EllipticPi])
174 end proc:
175
176 HypergeometricFunctionQ := proc(func)
177     member(func,[Hypergeometric1F1,hypergeom,HypergeometricPFQ])
178 end proc:
179
180 AppellFunctionQ := proc(func)
181     member(func,[AppellF1])

```

```

182 end proc:
183
184 # u is a sum or product. rest(u) returns all but the
185 # first term or factor of u.
186 rest := proc(u) local v;
187     if nops(u)=2 then
188         op(2,u)
189     else
190         apply(op(0,u),op(2..nops(u),u))
191     end if
192 end proc:
193
194 #leafcount(u) returns the number of nodes in u.
195 #Nasser 3/23/17 Replaced by build-in leafCount from package in Maple
196 leafcount := proc(u)
197     MmaTranslator[Mma][LeafCount](u);
198 end proc:

```

### 4.0.3 Sympy grading function

```

1 #Dec 24, 2019. Nasser M. Abbasi:
2 #           Port of original Maple grading function by
3 #           Albert Rich to use with Sympy/Python
4 #Dec 27, 2019 Nasser. Added `RootSum`. See problem 177, Timofeev file
5 #           added 'exp_polar'
6 from sympy import *
7
8 def leaf_count(expr):
9     #sympy do not have leaf count function. This is approximation
10    return round(1.7*count_ops(expr))
11
12 def is_sqrt(expr):
13     if isinstance(expr,Pow):
14         if expr.args[1] == Rational(1,2):
15             return True
16         else:
17             return False
18     else:
19         return False
20
21 def is_elementary_function(func):
22     return func in [exp,log,ln,sin,cos,tan,cot,sec,csc,
23                    asin,acos,atan,acot,asec,acsc,sinh,cosh,tanh,coth,sech,csch,
24                    asinh,acosh,atanh,acoth,asech,acsch
25                    ]
26
27 def is_special_function(func):
28     return func in [ erf,erfc,erfi,
29                    fresnels,fresnelc,Ei,Ei,Li,Si,Ci,Shi,Chi,
30                    gamma,loggamma,digamma,zeta,polylog,LambertW,
31                    elliptic_f,elliptic_e,elliptic_pi,exp_polar
32                    ]
33
34 def is_hypergeometric_function(func):
35     return func in [hyper]
36
37 def is_appell_function(func):
38     return func in [appellf1]
39
40 def is_atom(expn):
41     try:
42         if expn.isAtom or isinstance(expn,int) or isinstance(expn,float):
43             return True

```

```

44     else:
45         return False
46
47     except AttributeError as error:
48         return False
49
50 def expnType(expn):
51     debug=False
52     if debug:
53         print("expn=",expn,"type(expn)=",type(expn))
54
55     if is_atom(expn):
56         return 1
57     elif isinstance(expn,list):
58         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
59     elif is_sqrt(expn):
60         if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
61             return 1
62         else:
63             return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn)))
64     elif isinstance(expn,Pow): #type(expn,``^`)
65         if isinstance(expn.args[1],Integer): #type(op(2,expn),'integer')
66             return expnType(expn.args[0]) #ExpnType(op(1,expn))
67         elif isinstance(expn.args[1],Rational): #type(op(2,expn),'rational')
68             if isinstance(expn.args[0],Rational): #type(op(1,expn),'rational')
69                 return 1
70             else:
71                 return max(2,expnType(expn.args[0])) #max(2,ExpnType(op(1,expn
72 )))
73     else:
74         return max(3,expnType(expn.args[0]),expnType(expn.args[1])) #max(3,
75 ExpnType(op(1,expn)),ExpnType(op(2,expn)))
76     elif isinstance(expn,Add) or isinstance(expn,Mul): #type(expn,``+`) or
77 type(expn,``*`)
78     m1 = expnType(expn.args[0])
79     m2 = expnType(list(expn.args[1:]))
80     return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
81     elif is_elementary_function(expn.func): #ElementaryFunctionQ(op(0,expn))
82     return max(3,expnType(expn.args[0])) #max(3,ExpnType(op(1,expn)))
83     elif is_special_function(expn.func): #SpecialFunctionQ(op(0,expn))
84     m1 = max(map(expnType, list(expn.args)))
85     return max(4,m1) #max(4,apply(max,map(ExpnType,[op(expn)])))
86     elif is_hypergeometric_function(expn.func): #HypergeometricFunctionQ(op(0,
87 expn))
88     m1 = max(map(expnType, list(expn.args)))
89     return max(5,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
90     elif is_appell_function(expn.func):
91     m1 = max(map(expnType, list(expn.args)))
92     return max(6,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
93     elif isinstance(expn,RootSum):
94     m1 = max(map(expnType, list(expn.args))) #Apply[Max,Append[Map[ExpnType
95 ,Apply[List,expn]],7]],
96     return max(7,m1)
97     elif str(expn).find("Integral") != -1:
98     m1 = max(map(expnType, list(expn.args)))
99     return max(8,m1) #max(5,apply(max,map(ExpnType,[op(expn)])))
100     else:
101     return 9
102
103 #main function
104 def grade_antiderivative(result,optimal):
105
106     leaf_count_result = leaf_count(result)

```

```

102 leaf_count_optimal = leaf_count(optimal)
103
104 expnType_result = expnType(result)
105 expnType_optimal = expnType(optimal)
106
107 if str(result).find("Integral") != -1:
108     return "F"
109
110 if expnType_result <= expnType_optimal:
111     if result.has(I):
112         if optimal.has(I): #both result and optimal complex
113             if leaf_count_result <= 2*leaf_count_optimal:
114                 return "A"
115             else:
116                 return "B"
117         else: #result contains complex but optimal is not
118             return "C"
119     else: # result do not contain complex, this assumes optimal do not as
well
120         if leaf_count_result <= 2*leaf_count_optimal:
121             return "A"
122         else:
123             return "B"
124 else:
125     return "C"

```

#### 4.0.4 SageMath grading function

```

1 #Dec 24, 2019. Nasser: Ported original Maple grading function by
2 #     Albert Rich to use with Sagemath. This is used to
3 #     grade Fracas, Giac and Maxima results.
4 #Dec 24, 2019. Nasser: Added 'exp_integral_e' and 'sng', 'sin_integral'
5 #     'arctan2','floor','abs','log_integral'
6
7 from sage.all import *
8 from sage.symbolic.operators import add_vararg, mul_vararg
9
10 def tree(expr):
11     debug=False;
12     if debug:
13         print ("Enter tree(expr), expr=",expr)
14         print ("expr.operator()=",expr.operator())
15         print ("expr.operands()=",expr.operands())
16         print ("map(tree, expr.operands()=",map(tree, expr.operands()))
17
18     if expr.operator() is None:
19         return expr
20     else:
21         return [expr.operator()+list(map(tree, expr.operands()))
22
23 def leaf_count(anti):
24     debug=False;
25
26     if debug: print ("Enter leaf_count, anti=", anti, " len(anti)=", len(anti))
27
28     if len(anti) == 0: #special check for optimal being 0 for some test cases.
29         if debug: print ("len(anti) == 0")
30         return 1
31     else:
32         if debug: print ("round(1.35*len(flatten(tree(anti))))=",round(1.35*len
(flatten(tree(anti))))
33         return round(1.35*len(flatten(tree(anti)))) #fudge factor
34             #since this estimate of leaf count is bit lower than

```

```

35         #what it should be compared to Mathematica's
36
37 def is_sqrt(expr):
38     debug=False;
39     if expr.operator() == operator.pow: #isinstance(expr,Pow):
40         if expr.operands()[1]==1/2: #expr.args[1] == Rational(1,2):
41             if debug: print ("expr is sqrt")
42             return True
43         else:
44             return False
45     else:
46         return False
47
48 def is_elementary_function(func):
49     debug = False
50
51     m = func.name() in ['exp','log','ln',
52         'sin','cos','tan','cot','sec','csc',
53         'arcsin','arccos','arctan','arccot','arcsec','arccsc',
54         'sinh','cosh','tanh','coth','sech','csch',
55         'arcsinh','arccosh','arctanh','arccoth','arcsech','arccsch','sgn',
56         'arctan2','floor','abs'
57     ]
58     if debug:
59         if m:
60             print ("func ", func , " is elementary_function")
61         else:
62             print ("func ", func , " is NOT elementary_function")
63
64
65     return m
66
67 def is_special_function(func):
68     debug = False
69
70     if debug: print ("type(func)=", type(func))
71
72     m= func.name() in ['erf','erfc','erfi','fresnel_sin','fresnel_cos','Ei',
73         'Ei','Li','Si','sin_integral','Ci','cos_integral','Shi','
74     sinh_integral'
75         'Chi','cosh_integral','gamma','log_gamma','psi,zeta',
76         'polylog','lambert_w','elliptic_f','elliptic_e',
77         'elliptic_pi','exp_integral_e','log_integral']
78
79     if debug:
80         print ("m=",m)
81         if m:
82             print ("func ", func , " is special_function")
83         else:
84             print ("func ", func , " is NOT special_function")
85
86     return m
87
88
89 def is_hypergeometric_function(func):
90     return func.name() in ['hypergeometric','hypergeometric_M','
91     hypergeometric_U']
92
93 def is_appell_function(func):
94     return func.name() in ['hypergeometric'] #[appellf1] can't find this in
95     sagemath

```

```

95 def is_atom(expn):
96
97     #thanks to answer at https://ask.sagemath.org/question/49179/what-is-
sagemath-equivalent-to-atomic-type-in-maple/
98     try:
99         if expn.parent() is SR:
100             return expn.operator() is None
101         if expn.parent() in (ZZ, QQ, AA, QQbar):
102             return expn in expn.parent() # Should always return True
103         if hasattr(expn.parent(),"base_ring") and hasattr(expn.parent(),"gens")
:
104             return expn in expn.parent().base_ring() or expn in expn.parent().
gens()
105         return False
106
107     except AttributeError as error:
108         return False
109
110
111 def expnType(expn):
112     debug=False
113
114     if debug:
115         print(">>>>Enter expnType, expn=", expn)
116         print(">>>>is_atom(expn)=", is_atom(expn))
117
118     if is_atom(expn):
119         return 1
120     elif type(expn)==list: #isinstance(expn,list):
121         return max(map(expnType, expn)) #apply(max,map(ExpnType,expn))
122     elif is_sqrt(expn):
123         if type(expn.operands()[0])==Rational: #type(isinstance(expn.args[0],
Rational):
124             return 1
125         else:
126             return max(2,expnType(expn.operands()[0])) #max(2,expnType(expn.
args[0]))
127     elif expn.operator() == operator.pow: #isinstance(expn,Pow)
128         if type(expn.operands()[1])==Integer: #isinstance(expn.args[1],Integer
)
129             return expnType(expn.operands()[0]) #expnType(expn.args[0])
130         elif type(expn.operands()[1])==Rational: #isinstance(expn.args[1],
Rational)
131             if type(expn.operands()[0])==Rational: #isinstance(expn.args[0],
Rational)
132                 return 1
133             else:
134                 return max(2,expnType(expn.operands()[0])) #max(2,expnType(
expn.args[0]))
135         else:
136             return max(3,expnType(expn.operands()[0]),expnType(expn.operands()
[1])) #max(3,expnType(expn.operands()[0]),expnType(expn.operands()[1]))
137     elif expn.operator() == add_vararg or expn.operator() == mul_vararg: #
isinstance(expn,Add) or isinstance(expn,Mul)
138         m1 = expnType(expn.operands()[0]) #expnType(expn.args[0])
139         m2 = expnType(expn.operands()[1:]) #expnType(list(expn.args[1:]))
140         return max(m1,m2) #max(ExpnType(op(1,expn)),max(ExpnType(rest(expn))))
141     elif is_elementary_function(expn.operator()): #is_elementary_function(expn
.func)
142         return max(3,expnType(expn.operands()[0]))
143     elif is_special_function(expn.operator()): #is_special_function(expn.func)
144         m1 = max(map(expnType, expn.operands())) #max(map(expnType, list(
expn.args)))

```

```

145     return max(4,m1)    #max(4,m1)
146     elif is_hypergeometric_function(expn.operator()): #
is_hypergeometric_function(expn.func)
147         m1 = max(map(expnType, expn.operands()))    #max(map(expnType, list(
expn.args)))
148         return max(5,m1)    #max(5,m1)
149     elif is_appell_function(expn.operator()):
150         m1 = max(map(expnType, expn.operands()))    #max(map(expnType, list(
expn.args)))
151         return max(6,m1)    #max(6,m1)
152     elif str(expn).find("Integral") != -1: #this will never happen, since it
153         #is checked before calling the grading function that is passed.
154         #but kept it here.
155         m1 = max(map(expnType, expn.operands()))    #max(map(expnType, list(
expn.args)))
156         return max(8,m1)    #max(5,apply(max,map(ExpnType,[op(expn)])))
157     else:
158         return 9
159
160 #main function
161 def grade_antiderivative(result,optimal):
162     debug = False;
163
164     if debug: print ("Enter grade_antiderivative for sagemath")
165
166     leaf_count_result = leaf_count(result)
167     leaf_count_optimal = leaf_count(optimal)
168
169     if debug: print ("leaf_count_result=", leaf_count_result, "
leaf_count_optimal=",leaf_count_optimal)
170
171
172     expnType_result = expnType(result)
173     expnType_optimal = expnType(optimal)
174
175     if debug: print ("expnType_result=", expnType_result, "expnType_optimal=",
expnType_optimal)
176
177     if expnType_result <= expnType_optimal:
178         if result.has(I):
179             if optimal.has(I): #both result and optimal complex
180                 if leaf_count_result <= 2*leaf_count_optimal:
181                     return "A"
182                 else:
183                     return "B"
184             else: #result contains complex but optimal is not
185                 return "C"
186         else: # result do not contain complex, this assumes optimal do not as
well
187             if leaf_count_result <= 2*leaf_count_optimal:
188                 return "A"
189             else:
190                 return "B"
191     else:
192         return "C"

```